

NOTICES

DEPARTMENT OF EDUCATION

Education Empowerment List

The Department of Education, under Act 16 of 2000, the Education Empowerment Act, as amended by Act 91 of 2000, places the following school districts on the Education Empowerment List for the 2001-2002 school year:

<i>County</i>	<i>School District</i>	<i>PSSA Math & Reading 2000 and 2001 Below Basic/Bottom Percentage*</i>
Allegheny County	Clairton City	44.2**
	Duquesne City	71.3
	Sto-Rox	38.9**
	Wilkesburg Borough	55.0
Beaver County	Aliquippa	50.7
Dauphin County	Steelton-Highspire	40.7**
Lancaster County	Lancaster	42.5**
Lehigh County	Allentown	47.8**
Philadelphia County	Philadelphia City	56.9
York County	York City	51.2

Education Empowerment Districts

The Department of Education, under Act 16 of 2000, the Education Empowerment Act, as amended by Act 91 of 2000, names the following school districts as Education Empowerment Districts for the 2001-2002 school year:

<i>County</i>	<i>School District</i>	<i>PSSA Math & Reading 2000 and 2001 Below Basic/Bottom Percentage *</i>
Dauphin County	Harrisburg City	63.4
Delaware County	Chester-Upland	67.8

* Bottom group percentages were used in 2000 and performance level percentages in 2001.

** For the 2000 and 2001 2-year average, the Allentown, Clairton, Lancaster, Steelton-Highspire and Sto-Rox School Districts have less than 50% of students in the below basic/bottom group, but will remain on the list until the goals in the district's Improvement Plan are completed.

The following tables identify the performance of each school by grade level in those school districts on the Empowerment List or certified as Empowerment Districts.

<i>County</i>	<i>School District</i>	<i>School</i>	<i>Grade</i>	<i>Math and Reading Below Basic/ Bottom*</i>
ALLEGHENY	CLAIRTON CITY SD	CLAIRTON MS	5	47.2
ALLEGHENY	CLAIRTON CITY SD	CLAIRTON MS	8	41.4
ALLEGHENY	CLAIRTON CITY SD	CLAIRTON HS	11	44.0
ALLEGHENY	DUQUESNE CITY SD	DUQUESNE EL SCH	5	77.4
ALLEGHENY	DUQUESNE CITY SD	DUQUESNE MS	8	67.2
ALLEGHENY	DUQUESNE CITY SD	DUQUESNE MS/HS	11	69.2
ALLEGHENY	STO-ROX SD	STO-ROX EL SCH	5	43.9
ALLEGHENY	STO-ROX SD	STO-ROX HS	8	38.5
ALLEGHENY	STO-ROX SD	STO-ROX HS	11	34.4
ALLEGHENY	WILKINSBURG BOROUGH SD	JOHNSTON EL SCH	5	27.8
ALLEGHENY	WILKINSBURG BOROUGH SD	KELLY EL SCH	5	32.6
ALLEGHENY	WILKINSBURG BOROUGH SD	WILKINSBURG MS	8	64.8
ALLEGHENY	WILKINSBURG BOROUGH SD	WILKINSBURG SHS	11	66.0
BEAVER	ALIQUIPPA SD	ALIQUIPPA MS	5	49.3
BEAVER	ALIQUIPPA SD	ALIQUIPPA MS	8	51.4
BEAVER	ALIQUIPPA SD	ALIQUIPPA SHS	11	51.2
DAUPHIN	HARRISBURG CITY SD	CAMP CURTIN SCH	5	68.4
DAUPHIN	HARRISBURG CITY SD	DOWNEY SCH	5	48.6
DAUPHIN	HARRISBURG CITY SD	HAMILTON SCH	5	52.3
DAUPHIN	HARRISBURG CITY SD	LINCOLN SCH	5	67.5
DAUPHIN	HARRISBURG CITY SD	MARSHALL SCH	5	58.8
DAUPHIN	HARRISBURG CITY SD	MELROSE SCH	5	45.7
DAUPHIN	HARRISBURG CITY SD	SHIMMELL SCH	5	66.2
DAUPHIN	HARRISBURG CITY SD	STEELE SCH	5	65.4
DAUPHIN	HARRISBURG CITY SD	WOODWARD SCH	5	36.4
DAUPHIN	HARRISBURG CITY SD	ROWLAND SCH	8	61.7
DAUPHIN	HARRISBURG CITY SD	HARRISBURG HS	11	68.9

*Math and Reading
Below Basic/
Bottom**

<i>County</i>	<i>School District</i>	<i>School</i>	<i>Grade</i>	
DAUPHIN	STEELTON-HIGHSPIRE SD	STEELTON-HIGHSPIRE EL SCH	5	36.1
DAUPHIN	STEELTON-HIGHSPIRE SD	STEELTON-HIGHSPIRE HS	8	43.8
DAUPHIN	STEELTON-HIGHSPIRE SD	STEELTON-HIGHSPIRE HS	11	42.2
DELAWARE	CHESTER-UPLAND SD	COLUMBUS EL SCH	5	75.1
DELAWARE	CHESTER-UPLAND SD	MAIN STREET SCH	5	49.5
DELAWARE	CHESTER-UPLAND SD	PULASKI MS	5	84.4
DELAWARE	CHESTER-UPLAND SD	SHOWALTER MS	5	68.1
DELAWARE	CHESTER-UPLAND SD	TOBY FARMS SCH	5	57.2
DELAWARE	CHESTER-UPLAND SD	MAIN STREET SCH	8	51.7
DELAWARE	CHESTER-UPLAND SD	PULASKI MS	8	72.5
DELAWARE	CHESTER-UPLAND SD	SHOWALTER MS	8	52.0
DELAWARE	CHESTER-UPLAND SD	SMEDLEY MS	8	73.9
DELAWARE	CHESTER-UPLAND SD	CHESTER HS	11	68.7
LANCASTER	LANCASTER SD	BURROWES SCH	5	47.7
LANCASTER	LANCASTER SD	CARTER MACRAE EL SCH	5	59.7
LANCASTER	LANCASTER SD	ELIZABETH R MARTIN EL SCH	5	10.9
LANCASTER	LANCASTER SD	FULTON EL SCH	5	33.3
LANCASTER	LANCASTER SD	GEORGE WASHINGTON EL SCH	5	55.4
LANCASTER	LANCASTER SD	HAMILTON EL SCH	5	29.5
LANCASTER	LANCASTER SD	JAMES BUCHANAN EL SCH	5	7.0
LANCASTER	LANCASTER SD	KING EL SCH	5	30.2
LANCASTER	LANCASTER SD	LAFAYETTE EL SCH	5	36.2
LANCASTER	LANCASTER SD	PRICE EL SCH	5	28.9
LANCASTER	LANCASTER SD	ROSS EL SCH	5	48.8
LANCASTER	LANCASTER SD	THOMAS WHARTON EL SCH	5	22.7
LANCASTER	LANCASTER SD	WICKERSHAM EL SCH	5	34.6
LANCASTER	LANCASTER SD	BUEHRLE ALTERNATIVE ED SCH	8	75.2
LANCASTER	LANCASTER SD	HAND MS	8	47.8
LANCASTER	LANCASTER SD	LINCOLN MS	8	42.3
LANCASTER	LANCASTER SD	REYNOLDS MS	8	53.1
LANCASTER	LANCASTER SD	WHEATLAND MS	8	29.9
LANCASTER	LANCASTER SD	BUEHRLE ALTERNATIVE ED SCH	11	82.9
LANCASTER	LANCASTER SD	MCCASKEY HS-LEV II	11	47.0
LEHIGH	ALLENTOWN CITY SD	CENTRAL EL SCH	5	78.1
LEHIGH	ALLENTOWN CITY SD	CLEVELAND EL SCH	5	63.3
LEHIGH	ALLENTOWN CITY SD	HIRAM W DODD EL SCH	5	34.4
LEHIGH	ALLENTOWN CITY SD	JACKSON EL SCH	5	40.8
LEHIGH	ALLENTOWN CITY SD	JEFFERSON EL SCH	5	50.4
LEHIGH	ALLENTOWN CITY SD	LEHIGH PARK EL SCH	5	34.4
LEHIGH	ALLENTOWN CITY SD	MCKINLEY EL SCH	5	57.2
LEHIGH	ALLENTOWN CITY SD	MOSSER EL SCH	5	63.4
LEHIGH	ALLENTOWN CITY SD	MUHLENBERG EL SCH	5	22.3
LEHIGH	ALLENTOWN CITY SD	RITTER EL SCH	5	33.7
LEHIGH	ALLENTOWN CITY SD	ROOSEVELT EL SCH	5	54.6
LEHIGH	ALLENTOWN CITY SD	SHERIDAN EL SCH	5	44.7
LEHIGH	ALLENTOWN CITY SD	UNION TERRACE EL SCH	5	35.9
LEHIGH	ALLENTOWN CITY SD	WASHINGTON EL SCH	5	58.3
LEHIGH	ALLENTOWN CITY SD	FRANCIS D RAUB MS	8	52.0
LEHIGH	ALLENTOWN CITY SD	HARRISON-MORTON MS	8	44.8
LEHIGH	ALLENTOWN CITY SD	SOUTH MOUNTAIN MS	8	45.0
LEHIGH	ALLENTOWN CITY SD	TREXLER MS	8	50.1
LEHIGH	ALLENTOWN CITY SD	LOUIS E DIERUFF HS	11	45.4
LEHIGH	ALLENTOWN CITY SD	WILLIAM ALLEN SHS	11	47.5
PHILADELPHIA	PHILADELPHIA CITY SD	ADAIRE ALEXANDER SCH	5	56.8
PHILADELPHIA	PHILADELPHIA CITY SD	ALCORN JAMES SCH	5	80.2
PHILADELPHIA	PHILADELPHIA CITY SD	ALLEN ETHAN SCH	5	51.9
PHILADELPHIA	PHILADELPHIA CITY SD	ANDERSON ADD B SCH	5	64.0
PHILADELPHIA	PHILADELPHIA CITY SD	BACHE-MARTIN SCH	5	62.9
PHILADELPHIA	PHILADELPHIA CITY SD	BARRATT NORRIS S MS	5	82.1
PHILADELPHIA	PHILADELPHIA CITY SD	BARRY COMM JOHN SCH	5	63.0
PHILADELPHIA	PHILADELPHIA CITY SD	BELMONT SCH	5	87.8
PHILADELPHIA	PHILADELPHIA CITY SD	BETHUNE MARY MCLEOD SCH	5	73.5
PHILADELPHIA	PHILADELPHIA CITY SD	BLAINE JAMES G SCH	5	82.5
PHILADELPHIA	PHILADELPHIA CITY SD	BLANKENBURG RUDOLPH SCH	5	72.0
PHILADELPHIA	PHILADELPHIA CITY SD	BLUFORD GUION EL SCH	5	71.8
PHILADELPHIA	PHILADELPHIA CITY SD	BRIDESBURG SCH	5	17.0

*Math and Reading
Below Basic/
Bottom**

<i>County</i>	<i>School District</i>	<i>School</i>	<i>Grade</i>	<i>Math and Reading Below Basic/ Bottom*</i>
PHILADELPHIA	PHILADELPHIA CITY SD	BROWN JOSEPH H SCH	5	34.2
PHILADELPHIA	PHILADELPHIA CITY SD	BRYANT WILLIAM C SCH	5	66.3
PHILADELPHIA	PHILADELPHIA CITY SD	CARNELL LAURA H SCH	5	51.7
PHILADELPHIA	PHILADELPHIA CITY SD	CASSIDY LEWIS C SCH	5	62.7
PHILADELPHIA	PHILADELPHIA CITY SD	CENTRAL EAST MS	5	69.6
PHILADELPHIA	PHILADELPHIA CITY SD	CLEMENTE ROBERTO MS	5	85.0
PHILADELPHIA	PHILADELPHIA CITY SD	CLEVELAND GROVER SCH	5	68.3
PHILADELPHIA	PHILADELPHIA CITY SD	CLYMER GEORGE SCH	5	75.3
PHILADELPHIA	PHILADELPHIA CITY SD	COMEGYS BENJAMIN B SCH	5	76.4
PHILADELPHIA	PHILADELPHIA CITY SD	COMLY WATSON SCH	5	16.7
PHILADELPHIA	PHILADELPHIA CITY SD	CONWELL RUSSELL MS	5	21.9
PHILADELPHIA	PHILADELPHIA CITY SD	COOKE JAY MS	5	76.1
PHILADELPHIA	PHILADELPHIA CITY SD	COOK-WISSAHICKON SCH	5	32.3
PHILADELPHIA	PHILADELPHIA CITY SD	CRAMP WILLIAM SCH	5	67.7
PHILADELPHIA	PHILADELPHIA CITY SD	CREIGHTON THOMAS SCH	5	62.9
PHILADELPHIA	PHILADELPHIA CITY SD	CROSSAN KENNEDY C SCH	5	15.9
PHILADELPHIA	PHILADELPHIA CITY SD	DAROFF SAMUEL SCH	5	72.8
PHILADELPHIA	PHILADELPHIA CITY SD	DAY ANNA B SCH	5	51.6
PHILADELPHIA	PHILADELPHIA CITY SD	DECATUR STEPHEN SCH	5	48.0
PHILADELPHIA	PHILADELPHIA CITY SD	DICK WILLIAM SCH	5	64.6
PHILADELPHIA	PHILADELPHIA CITY SD	DISSTON HAMILTON SCH	5	60.6
PHILADELPHIA	PHILADELPHIA CITY SD	DOBSON JAMES SCH	5	36.8
PHILADELPHIA	PHILADELPHIA CITY SD	DOUGLASS FREDERICK SCH	5	67.5
PHILADELPHIA	PHILADELPHIA CITY SD	DREW CHARLES R SCH	5	55.0
PHILADELPHIA	PHILADELPHIA CITY SD	DUCKREY TANNER SCH	5	81.9
PHILADELPHIA	PHILADELPHIA CITY SD	DUNBAR PAUL L SCH	5	65.2
PHILADELPHIA	PHILADELPHIA CITY SD	DURHAM THOMAS CHILD DEV CTR	5	68.8
PHILADELPHIA	PHILADELPHIA CITY SD	EDMONDS FRANKLIN S SCH	5	44.4
PHILADELPHIA	PHILADELPHIA CITY SD	EDMUNDS HENRY R SCH	5	59.1
PHILADELPHIA	PHILADELPHIA CITY SD	ELLWOOD SCH	5	65.4
PHILADELPHIA	PHILADELPHIA CITY SD	EMLIN ELEANOR C SCH	5	63.6
PHILADELPHIA	PHILADELPHIA CITY SD	FAIRHILL SCH	5	46.0
PHILADELPHIA	PHILADELPHIA CITY SD	FARRELL LOUIS H SCH	5	24.1
PHILADELPHIA	PHILADELPHIA CITY SD	FELL D NEWLIN SCH	5	59.9
PHILADELPHIA	PHILADELPHIA CITY SD	FERGUSON JOSEPH C SCH	5	72.9
PHILADELPHIA	PHILADELPHIA CITY SD	FINLETTER THOMAS K SCH	5	55.9
PHILADELPHIA	PHILADELPHIA CITY SD	FITLER ACADEMICS PLUS	5	43.3
PHILADELPHIA	PHILADELPHIA CITY SD	FITZPATRICK ALOYSIUS L SCH	5	35.8
PHILADELPHIA	PHILADELPHIA CITY SD	FORREST EDWIN SCH	5	38.3
PHILADELPHIA	PHILADELPHIA CITY SD	FOX CHASE SCH	5	31.7
PHILADELPHIA	PHILADELPHIA CITY SD	FRANK ANNE SCH	5	24.6
PHILADELPHIA	PHILADELPHIA CITY SD	FRANKLIN BENJAMIN SCH	5	55.1
PHILADELPHIA	PHILADELPHIA CITY SD	FULTON ROBERT SCH	5	68.9
PHILADELPHIA	PHILADELPHIA CITY SD	GIDEON EDWARD SCH	5	60.4
PHILADELPHIA	PHILADELPHIA CITY SD	GOMPERS SAMUEL SCH	5	66.4
PHILADELPHIA	PHILADELPHIA CITY SD	GREENBERG JOSEPH SCH	5	8.6
PHILADELPHIA	PHILADELPHIA CITY SD	GREENFIELD ALBERT M SCH	5	35.9
PHILADELPHIA	PHILADELPHIA CITY SD	HACKETT HORATIO B SCH	5	34.6
PHILADELPHIA	PHILADELPHIA CITY SD	HAMILTON ANDREW SCH	5	59.5
PHILADELPHIA	PHILADELPHIA CITY SD	HANCOCK JOHN SCH	5	17.0
PHILADELPHIA	PHILADELPHIA CITY SD	HARRISON WILLIAM H SCH	5	63.5
PHILADELPHIA	PHILADELPHIA CITY SD	HARRITY WILLIAM F SCH	5	68.8
PHILADELPHIA	PHILADELPHIA CITY SD	HARTRANFT JOHN F SCH	5	88.5
PHILADELPHIA	PHILADELPHIA CITY SD	HENRY CHARLES W SCH	5	30.0
PHILADELPHIA	PHILADELPHIA CITY SD	HESTON EDWARD SCH	5	50.1
PHILADELPHIA	PHILADELPHIA CITY SD	HILL LESLIE P SCH	5	68.9
PHILADELPHIA	PHILADELPHIA CITY SD	HOLME THOMAS SCH	5	50.0
PHILADELPHIA	PHILADELPHIA CITY SD	HOPKINSON FRANCIS SCH	5	60.4
PHILADELPHIA	PHILADELPHIA CITY SD	HOUSTON HENRY E SCH	5	58.0
PHILADELPHIA	PHILADELPHIA CITY SD	HOWE JULIA WARD SCH	5	58.8
PHILADELPHIA	PHILADELPHIA CITY SD	HUEY SAMUEL B SCH	5	70.6
PHILADELPHIA	PHILADELPHIA CITY SD	JACKSON ANDREW SCH	5	55.7
PHILADELPHIA	PHILADELPHIA CITY SD	JENKS JOHN S SCH	5	33.2
PHILADELPHIA	PHILADELPHIA CITY SD	JONES JOHN PAUL MS	5	76.2
PHILADELPHIA	PHILADELPHIA CITY SD	KEARNY GEN PHILIP SCH	5	38.1

*Math and Reading
Below Basic/
Bottom**

<i>County</i>	<i>School District</i>	<i>School</i>	<i>Grade</i>	<i>Math and Reading Below Basic/ Bottom*</i>
PHILADELPHIA	PHILADELPHIA CITY SD	KELLEY WILLIAM D SCH	5	78.1
PHILADELPHIA	PHILADELPHIA CITY SD	KENDERTON SCH	5	73.8
PHILADELPHIA	PHILADELPHIA CITY SD	KEY FRANCIS SCOTT SCH	5	51.2
PHILADELPHIA	PHILADELPHIA CITY SD	KINSEY JOHN L SCH	5	60.6
PHILADELPHIA	PHILADELPHIA CITY SD	KIRKBRIDE ELIZA B SCH	5	59.1
PHILADELPHIA	PHILADELPHIA CITY SD	LAMBERTON ROBERT E SCH	5	62.4
PHILADELPHIA	PHILADELPHIA CITY SD	LAWTON HENRY W SCH	5	19.1
PHILADELPHIA	PHILADELPHIA CITY SD	LEA HENRY C SCH	5	80.1
PHILADELPHIA	PHILADELPHIA CITY SD	LEIDY JOSEPH SCH	5	65.4
PHILADELPHIA	PHILADELPHIA CITY SD	LEVERING WILLIAM SCH	5	50.0
PHILADELPHIA	PHILADELPHIA CITY SD	LINGELBACH ANNA L SCH	5	49.4
PHILADELPHIA	PHILADELPHIA CITY SD	LOCKE ALAIN SCH	5	84.8
PHILADELPHIA	PHILADELPHIA CITY SD	LOESCHE WILLIAM H SCH	5	27.8
PHILADELPHIA	PHILADELPHIA CITY SD	LOGAN SCH	5	67.6
PHILADELPHIA	PHILADELPHIA CITY SD	LONGSTRETH WILLIAM C SCH	5	70.7
PHILADELPHIA	PHILADELPHIA CITY SD	LUDLOW JAMES R SCH	5	78.8
PHILADELPHIA	PHILADELPHIA CITY SD	MANN WILLIAM B SCH	5	54.7
PHILADELPHIA	PHILADELPHIA CITY SD	MARSHALL JOHN SCH	5	56.0
PHILADELPHIA	PHILADELPHIA CITY SD	MARSHALL THURGOOD	5	84.8
PHILADELPHIA	PHILADELPHIA CITY SD	MASTERMAN JULIA R SEC SCH	5	0.5
PHILADELPHIA	PHILADELPHIA CITY SD	MAYFAIR SCH	5	25.9
PHILADELPHIA	PHILADELPHIA CITY SD	MCCALL GEN GEORGE A SCH	5	32.8
PHILADELPHIA	PHILADELPHIA CITY SD	MCCLOSKEY JOHN F SCH	5	52.5
PHILADELPHIA	PHILADELPHIA CITY SD	MCKINLEY WILLIAM SCH	5	69.3
PHILADELPHIA	PHILADELPHIA CITY SD	MCMICHAEL MORTON SCH	5	86.1
PHILADELPHIA	PHILADELPHIA CITY SD	MEREDITH WILLIAM M SCH	5	37.8
PHILADELPHIA	PHILADELPHIA CITY SD	MIDDLE YEARS ALTERNATIVE	5	48.7
PHILADELPHIA	PHILADELPHIA CITY SD	MIFFLIN THOMAS SCH	5	68.2
PHILADELPHIA	PHILADELPHIA CITY SD	MILLER E S SCH	5	50.0
PHILADELPHIA	PHILADELPHIA CITY SD	MOFFET JOHN SCH	5	43.6
PHILADELPHIA	PHILADELPHIA CITY SD	MOORE J HAMPTON SCH	5	28.8
PHILADELPHIA	PHILADELPHIA CITY SD	MORRIS ROBERT SCH	5	60.9
PHILADELPHIA	PHILADELPHIA CITY SD	MORRISON ANDREW J SCH	5	39.8
PHILADELPHIA	PHILADELPHIA CITY SD	MUNOZ-MARIN LUIS	5	83.4
PHILADELPHIA	PHILADELPHIA CITY SD	NEBINGER GEORGE W SCH	5	68.8
PHILADELPHIA	PHILADELPHIA CITY SD	OLNEY EL SCH	5	51.3
PHILADELPHIA	PHILADELPHIA CITY SD	OVERBROOK EDU CTR	5	45.2
PHILADELPHIA	PHILADELPHIA CITY SD	OVERBROOK ELEMENTARY SCH	5	63.2
PHILADELPHIA	PHILADELPHIA CITY SD	PALUMBO FRANK SCH	5	84.6
PHILADELPHIA	PHILADELPHIA CITY SD	PASTORIUS FRANCIS P SCH	5	67.7
PHILADELPHIA	PHILADELPHIA CITY SD	PEIRCE THOMAS M SCH	5	73.2
PHILADELPHIA	PHILADELPHIA CITY SD	PEIRCE WILLIAM S MS	5	80.9
PHILADELPHIA	PHILADELPHIA CITY SD	PENN TREATY MS	5	88.5
PHILADELPHIA	PHILADELPHIA CITY SD	PENNELL JOSEPH SCH	5	54.3
PHILADELPHIA	PHILADELPHIA CITY SD	PENNYPACKER SAMUEL SCH	5	51.1
PHILADELPHIA	PHILADELPHIA CITY SD	PEPPER GEORGE MS	5	79.4
PHILADELPHIA	PHILADELPHIA CITY SD	PICKETT CLARENCE E MS	5	86.6
PHILADELPHIA	PHILADELPHIA CITY SD	POLLOCK ROBERT B SCH	5	11.2
PHILADELPHIA	PHILADELPHIA CITY SD	POTTER-THOMAS SCH	5	84.8
PHILADELPHIA	PHILADELPHIA CITY SD	PRATT ANNA B SCH	5	74.1
PHILADELPHIA	PHILADELPHIA CITY SD	PRINCE HALL	5	65.2
PHILADELPHIA	PHILADELPHIA CITY SD	REYNOLDS GEN JOHN F SCH	5	75.9
PHILADELPHIA	PHILADELPHIA CITY SD	RHAWNURST SCH	5	18.8
PHILADELPHIA	PHILADELPHIA CITY SD	RHOADS JAMES SCH	5	58.5
PHILADELPHIA	PHILADELPHIA CITY SD	RHODES E WASHINGTON MS	5	82.1
PHILADELPHIA	PHILADELPHIA CITY SD	RICHMOND SCH	5	50.6
PHILADELPHIA	PHILADELPHIA CITY SD	ROWEN WILLIAM SCH	5	50.0
PHILADELPHIA	PHILADELPHIA CITY SD	SHALLCROSS DAY SCH	5	100.0
PHILADELPHIA	PHILADELPHIA CITY SD	SHARSWOOD GEORGE SCH	5	61.2
PHILADELPHIA	PHILADELPHIA CITY SD	SHAW ANNA H MS	5	84.4
PHILADELPHIA	PHILADELPHIA CITY SD	SHAWMONT SCH	5	22.8
PHILADELPHIA	PHILADELPHIA CITY SD	SHERIDAN PHILIP H SCH	5	79.2
PHILADELPHIA	PHILADELPHIA CITY SD	SMEDLEY FRANKLIN SCH	5	50.9
PHILADELPHIA	PHILADELPHIA CITY SD	SOLIS-COHEN SOLOMON SCH	5	32.4
PHILADELPHIA	PHILADELPHIA CITY SD	SOUTHWARK SCH	5	60.7
PHILADELPHIA	PHILADELPHIA CITY SD	SPRING GARDEN SCH	5	35.8

*Math and Reading
Below Basic/
Bottom**

<i>County</i>	<i>School District</i>	<i>School</i>	<i>Grade</i>	<i>Math and Reading Below Basic/ Bottom*</i>
PHILADELPHIA	PHILADELPHIA CITY SD	SPRUANCE GILBERT SCH	5	39.9
PHILADELPHIA	PHILADELPHIA CITY SD	STANTON EDWIN M SCH	5	83.4
PHILADELPHIA	PHILADELPHIA CITY SD	STANTON M HALL SCH	5	58.0
PHILADELPHIA	PHILADELPHIA CITY SD	STEARNE ALLEN M SCH	5	60.1
PHILADELPHIA	PHILADELPHIA CITY SD	STEEL EDWARD SCH	5	74.2
PHILADELPHIA	PHILADELPHIA CITY SD	STETSON JOHN B MS	5	83.3
PHILADELPHIA	PHILADELPHIA CITY SD	SULLIVAN JAMES J SCH	5	53.3
PHILADELPHIA	PHILADELPHIA CITY SD	TAGGART JOHN H SCH	5	46.5
PHILADELPHIA	PHILADELPHIA CITY SD	THOMAS GEORGE C MS	5	64.4
PHILADELPHIA	PHILADELPHIA CITY SD	TILDEN WILLIAM T MS	5	77.7
PHILADELPHIA	PHILADELPHIA CITY SD	VARE ABIGAIL SCH	5	58.1
PHILADELPHIA	PHILADELPHIA CITY SD	VARE EDWIN H MS	5	80.7
PHILADELPHIA	PHILADELPHIA CITY SD	VAUX ROBERTS MS	5	85.1
PHILADELPHIA	PHILADELPHIA CITY SD	WALTON RUDOLPH S SCH	5	49.0
PHILADELPHIA	PHILADELPHIA CITY SD	WARING LAURA W SCH	5	78.7
PHILADELPHIA	PHILADELPHIA CITY SD	WASHINGTON GEORGE SCH	5	76.1
PHILADELPHIA	PHILADELPHIA CITY SD	WASHINGTON MARTHA SCH	5	76.4
PHILADELPHIA	PHILADELPHIA CITY SD	WEBSTER JOHN H SCH	5	64.5
PHILADELPHIA	PHILADELPHIA CITY SD	WELSH JOHN SCH	5	58.6
PHILADELPHIA	PHILADELPHIA CITY SD	WIDENER MEMORIAL SCH	5	95.3
PHILADELPHIA	PHILADELPHIA CITY SD	WILSON ALEXANDER SCH	5	64.6
PHILADELPHIA	PHILADELPHIA CITY SD	WISTER JOHN SCH	5	39.1
PHILADELPHIA	PHILADELPHIA CITY SD	WRIGHT RICHARD R SCH	5	74.3
PHILADELPHIA	PHILADELPHIA CITY SD	ZIEGLER WILLIAM H SCH	5	35.7
PHILADELPHIA	PHILADELPHIA CITY SD	ADAIRE ALEXANDER SCH	8	61.3
PHILADELPHIA	PHILADELPHIA CITY SD	ALLEN ETHAN SCH	8	50.0
PHILADELPHIA	PHILADELPHIA CITY SD	AMY AT MARTIN	8	33.8
PHILADELPHIA	PHILADELPHIA CITY SD	AMY NW	8	42.6
PHILADELPHIA	PHILADELPHIA CITY SD	BACHE-MARTIN SCH	8	31.2
PHILADELPHIA	PHILADELPHIA CITY SD	BALDI C C A MS	8	24.5
PHILADELPHIA	PHILADELPHIA CITY SD	BARRATT NORRIS S MS	8	75.7
PHILADELPHIA	PHILADELPHIA CITY SD	BEEBER DIMNER MS	8	60.4
PHILADELPHIA	PHILADELPHIA CITY SD	CARNELL LAURA H SCH	8	47.9
PHILADELPHIA	PHILADELPHIA CITY SD	CENTRAL EAST MS	8	61.8
PHILADELPHIA	PHILADELPHIA CITY SD	CLEMENTE ROBERTO MS	8	76.1
PHILADELPHIA	PHILADELPHIA CITY SD	CONWELL RUSSELL MS	8	13.2
PHILADELPHIA	PHILADELPHIA CITY SD	COOKE JAY MS	8	62.8
PHILADELPHIA	PHILADELPHIA CITY SD	CREIGHTON THOMAS SCH	8	47.3
PHILADELPHIA	PHILADELPHIA CITY SD	DEBURGOS BILINGUAL MAGNET MS	8	77.2
PHILADELPHIA	PHILADELPHIA CITY SD	DISSTON HAMILTON SCH	8	44.7
PHILADELPHIA	PHILADELPHIA CITY SD	DOBSON JAMES SCH	8	41.1
PHILADELPHIA	PHILADELPHIA CITY SD	DREW CHARLES R SCH	8	71.8
PHILADELPHIA	PHILADELPHIA CITY SD	EDMUNDS HENRY R SCH	8	58.7
PHILADELPHIA	PHILADELPHIA CITY SD	ELVERSON JAMES MS	8	84.4
PHILADELPHIA	PHILADELPHIA CITY SD	FARRELL LOUIS H SCH	8	31.8
PHILADELPHIA	PHILADELPHIA CITY SD	FINLETTER THOMAS K SCH	8	50.6
PHILADELPHIA	PHILADELPHIA CITY SD	FITLER ACADEMICS PLUS	8	38.6
PHILADELPHIA	PHILADELPHIA CITY SD	FITZSIMONS THOMAS MS	8	80.5
PHILADELPHIA	PHILADELPHIA CITY SD	FRANKLIN BENJAMIN SCH	8	52.1
PHILADELPHIA	PHILADELPHIA CITY SD	GILLESPIE ELIZ D MS	8	75.0
PHILADELPHIA	PHILADELPHIA CITY SD	GREENBERG JOSEPH SCH	8	10.2
PHILADELPHIA	PHILADELPHIA CITY SD	GREENFIELD ALBERT M SCH	8	32.6
PHILADELPHIA	PHILADELPHIA CITY SD	HAMILTON ANDREW SCH	8	8.9
PHILADELPHIA	PHILADELPHIA CITY SD	HARDING WARREN G MS	8	65.1
PHILADELPHIA	PHILADELPHIA CITY SD	HENRY CHARLES W SCH	8	32.0
PHILADELPHIA	PHILADELPHIA CITY SD	HILL J E/FREEDMAN SAMSON	8	8.6
PHILADELPHIA	PHILADELPHIA CITY SD	HOPKINSON FRANCIS SCH	8	49.4
PHILADELPHIA	PHILADELPHIA CITY SD	HOUSTON HENRY E SCH	8	46.3
PHILADELPHIA	PHILADELPHIA CITY SD	JACKSON ANDREW SCH	8	50.4
PHILADELPHIA	PHILADELPHIA CITY SD	JENKS JOHN S SCH	8	33.6
PHILADELPHIA	PHILADELPHIA CITY SD	JONES JOHN PAUL MS	8	61.6
PHILADELPHIA	PHILADELPHIA CITY SD	KENDERTON SCH	8	64.1
PHILADELPHIA	PHILADELPHIA CITY SD	KIRKBRIDE ELIZA B SCH	8	40.7
PHILADELPHIA	PHILADELPHIA CITY SD	LA BRUM GEN J HARRY MS	8	35.9
PHILADELPHIA	PHILADELPHIA CITY SD	LAMBERTON ROBERT E SCH	8	62.8

*Math and Reading
Below Basic/
Bottom**

<i>County</i>	<i>School District</i>	<i>School</i>	<i>Grade</i>	
PHILADELPHIA	PHILADELPHIA CITY SD	LEA HENRY C SCH	8	73.8
PHILADELPHIA	PHILADELPHIA CITY SD	LEEDS MORRIS E MS	8	56.0
PHILADELPHIA	PHILADELPHIA CITY SD	LEVERING WILLIAM SCH	8	39.1
PHILADELPHIA	PHILADELPHIA CITY SD	LEWIS ADA H MS	8	72.7
PHILADELPHIA	PHILADELPHIA CITY SD	MASTERMAN JULIA R SEC SCH	8	0.1
PHILADELPHIA	PHILADELPHIA CITY SD	MAYFAIR SCH	8	34.4
PHILADELPHIA	PHILADELPHIA CITY SD	MCCALL GEN GEORGE A SCH	8	42.8
PHILADELPHIA	PHILADELPHIA CITY SD	MCMICHAEL MORTON SCH	8	76.8
PHILADELPHIA	PHILADELPHIA CITY SD	MEEHAN AUSTIN MS	8	51.0
PHILADELPHIA	PHILADELPHIA CITY SD	MEREDITH WILLIAM M SCH	8	24.2
PHILADELPHIA	PHILADELPHIA CITY SD	MIDDLE YEARS ALTERNATIVE	8	20.8
PHILADELPHIA	PHILADELPHIA CITY SD	MIFFLIN THOMAS SCH	8	56.3
PHILADELPHIA	PHILADELPHIA CITY SD	MILLER E S SCH	8	95.0
PHILADELPHIA	PHILADELPHIA CITY SD	MORRISON ANDREW J SCH	8	22.5
PHILADELPHIA	PHILADELPHIA CITY SD	NEBINGER GEORGE W SCH	8	61.9
PHILADELPHIA	PHILADELPHIA CITY SD	OLNEY EL SCH	8	36.5
PHILADELPHIA	PHILADELPHIA CITY SD	OVERBROOK EDU CTR	8	32.9
PHILADELPHIA	PHILADELPHIA CITY SD	PALUMBO FRANK SCH	8	67.1
PHILADELPHIA	PHILADELPHIA CITY SD	PEIRCE WILLIAM S MS	8	71.4
PHILADELPHIA	PHILADELPHIA CITY SD	PENN TREATY MS	8	75.3
PHILADELPHIA	PHILADELPHIA CITY SD	PEPPER GEORGE MS	8	62.1
PHILADELPHIA	PHILADELPHIA CITY SD	PICKETT CLARENCE E MS	8	81.6
PHILADELPHIA	PHILADELPHIA CITY SD	RHODES E WASHINGTON MS	8	73.3
PHILADELPHIA	PHILADELPHIA CITY SD	ROOSEVELT THEODORE MS	8	74.5
PHILADELPHIA	PHILADELPHIA CITY SD	RUSH BENJAMIN MS	8	54.4
PHILADELPHIA	PHILADELPHIA CITY SD	SAYRE WILLIAM L MS	8	77.3
PHILADELPHIA	PHILADELPHIA CITY SD	SHALLCROSS DAY SCH	8	92.7
PHILADELPHIA	PHILADELPHIA CITY SD	SHARSWOOD GEORGE SCH	8	48.9
PHILADELPHIA	PHILADELPHIA CITY SD	SHAW ANNA H MS	8	79.2
PHILADELPHIA	PHILADELPHIA CITY SD	SHAWMONT SCH	8	34.5
PHILADELPHIA	PHILADELPHIA CITY SD	SHOEMAKER WM H MS	8	79.9
PHILADELPHIA	PHILADELPHIA CITY SD	SOUTHWARK SCH	8	46.6
PHILADELPHIA	PHILADELPHIA CITY SD	SPRUANCE GILBERT SCH	8	36.3
PHILADELPHIA	PHILADELPHIA CITY SD	STANTON EDWIN M SCH	8	63.5
PHILADELPHIA	PHILADELPHIA CITY SD	STETSON JOHN B MS	8	79.0
PHILADELPHIA	PHILADELPHIA CITY SD	STODDART-FLEISHER MS	8	71.0
PHILADELPHIA	PHILADELPHIA CITY SD	STRAWBERRY MANSION HS	8	70.3
PHILADELPHIA	PHILADELPHIA CITY SD	SULZBERGER MAYER MS	8	72.3
PHILADELPHIA	PHILADELPHIA CITY SD	TAGGART JOHN H SCH	8	59.7
PHILADELPHIA	PHILADELPHIA CITY SD	THOMAS GEORGE C MS	8	48.8
PHILADELPHIA	PHILADELPHIA CITY SD	TILDEN WILLIAM T MS	8	74.2
PHILADELPHIA	PHILADELPHIA CITY SD	TURNER JOHN P MS	8	74.1
PHILADELPHIA	PHILADELPHIA CITY SD	VARE ABIGAIL SCH	8	49.7
PHILADELPHIA	PHILADELPHIA CITY SD	VARE EDWIN H MS	8	69.3
PHILADELPHIA	PHILADELPHIA CITY SD	VAUX ROBERTS MS	8	75.0
PHILADELPHIA	PHILADELPHIA CITY SD	WAGNER GEN LOUIS MS	8	56.5
PHILADELPHIA	PHILADELPHIA CITY SD	WANAMAKER JOHN MS	8	76.7
PHILADELPHIA	PHILADELPHIA CITY SD	WASHINGTON GEORGE SCH	8	42.5
PHILADELPHIA	PHILADELPHIA CITY SD	WASHINGTON MARTHA SCH	8	59.7
PHILADELPHIA	PHILADELPHIA CITY SD	WIDENER MEMORIAL SCH	8	81.8
PHILADELPHIA	PHILADELPHIA CITY SD	WILSON WOODROW MS	8	37.0
PHILADELPHIA	PHILADELPHIA CITY SD	ZIEGLER WILLIAM H SCH	8	30.3
PHILADELPHIA	PHILADELPHIA CITY SD	BARTRAM JOHN HS	11	64.2
PHILADELPHIA	PHILADELPHIA CITY SD	BODINE WILLIAM W HS	11	6.9
PHILADELPHIA	PHILADELPHIA CITY SD	BOK EDWARD W TECHNICAL HS	11	75.6
PHILADELPHIA	PHILADELPHIA CITY SD	CARROLL CHARLES SCH	11	74.3
PHILADELPHIA	PHILADELPHIA CITY SD	CARVER HS	11	10.4
PHILADELPHIA	PHILADELPHIA CITY SD	CENTRAL HS	11	1.2
PHILADELPHIA	PHILADELPHIA CITY SD	CREATIVE AND PERFORMING ARTS	11	28.6
PHILADELPHIA	PHILADELPHIA CITY SD	DOBBINS/RANDOLPH AVT HS	11	75.3
PHILADELPHIA	PHILADELPHIA CITY SD	DOUGLAS STEPHEN A SCH	11	99.4
PHILADELPHIA	PHILADELPHIA CITY SD	EDISON HS/FAREIRA SKILLS	11	78.0
PHILADELPHIA	PHILADELPHIA CITY SD	FELS SAMUEL HS	11	64.7
PHILADELPHIA	PHILADELPHIA CITY SD	FRANKFORD HS	11	62.7
PHILADELPHIA	PHILADELPHIA CITY SD	FRANKLIN BENJAMIN HS	11	86.8

*Math and Reading
Below Basic/
Bottom**

<i>County</i>	<i>School District</i>	<i>School</i>	<i>Grade</i>	<i>Math and Reading Below Basic/ Bottom*</i>
PHILADELPHIA	PHILADELPHIA CITY SD	FRANKLIN LEARNING CTR	11	34.1
PHILADELPHIA	PHILADELPHIA CITY SD	FURNESS HORACE HS	11	66.1
PHILADELPHIA	PHILADELPHIA CITY SD	GERMANTOWN HS	11	72.4
PHILADELPHIA	PHILADELPHIA CITY SD	GIRLS HS	11	7.2
PHILADELPHIA	PHILADELPHIA CITY SD	GRATZ SIMON HS	11	81.3
PHILADELPHIA	PHILADELPHIA CITY SD	KENSINGTON HS	11	80.5
PHILADELPHIA	PHILADELPHIA CITY SD	KING MARTIN LUTHER HS	11	75.0
PHILADELPHIA	PHILADELPHIA CITY SD	LAMBERTON ROBERT E SCH	11	65.1
PHILADELPHIA	PHILADELPHIA CITY SD	LANKENAU-GERMANTOWN HS	11	34.5
PHILADELPHIA	PHILADELPHIA CITY SD	LINCOLN ABRAHAM HS	11	53.9
PHILADELPHIA	PHILADELPHIA CITY SD	MASTBAUM JULES E AVTS	11	74.5
PHILADELPHIA	PHILADELPHIA CITY SD	MASTERMAN JULIA R SEC SCH	11	0.0
PHILADELPHIA	PHILADELPHIA CITY SD	MILLER E S SCH	11	100.0
PHILADELPHIA	PHILADELPHIA CITY SD	NORTHEAST HS	11	38.8
PHILADELPHIA	PHILADELPHIA CITY SD	OLNEY HS	11	86.4
PHILADELPHIA	PHILADELPHIA CITY SD	OVERBROOK HS	11	77.8
PHILADELPHIA	PHILADELPHIA CITY SD	PARKWAY PROGRAM	11	40.7
PHILADELPHIA	PHILADELPHIA CITY SD	PENN WILLIAM HS	11	80.3
PHILADELPHIA	PHILADELPHIA CITY SD	PHILA REGIONAL HS	11	77.7
PHILADELPHIA	PHILADELPHIA CITY SD	RANDOLPH A PHILLIP HS	11	76.8
PHILADELPHIA	PHILADELPHIA CITY SD	ROXBOROUGH HS	11	56.8
PHILADELPHIA	PHILADELPHIA CITY SD	SAUL W B AGRICULTURAL SCH	11	32.7
PHILADELPHIA	PHILADELPHIA CITY SD	SOUTH PHILADELPHIA HS	11	65.9
PHILADELPHIA	PHILADELPHIA CITY SD	STRAWBERRY MANSION HS	11	85.5
PHILADELPHIA	PHILADELPHIA CITY SD	SWENSON ARTS & TECHNOLOGY HS	11	78.2
PHILADELPHIA	PHILADELPHIA CITY SD	UNIVERSITY CITY HS	11	82.3
PHILADELPHIA	PHILADELPHIA CITY SD	WASHINGTON GEORGE HS	11	42.8
PHILADELPHIA	PHILADELPHIA CITY SD	WEST PHILADELPHIA HS	11	80.8
PHILADELPHIA	PHILADELPHIA CITY SD	WIDENER MEMORIAL SCH	11	93.6
YORK	YORK CITY SD	DAVIS SCH	5	35.7
YORK	YORK CITY SD	DEVERS SCH	5	42.4
YORK	YORK CITY SD	FERGUSON SCH	5	42.2
YORK	YORK CITY SD	GOODE SCH	5	60.6
YORK	YORK CITY SD	JACKSON SCH	5	59.1
YORK	YORK CITY SD	MCKINLEY SCH	5	53.9
YORK	YORK CITY SD	EDGAR FAHS SMITH MS	8	50.5
YORK	YORK CITY SD	HANNAH PENN MS	8	49.0
YORK	YORK CITY SD	WILLIAM PENN SHS	11	53.9

CHARLES B. ZOGBY,
Secretary

[Pa.B. Doc. No. 02-11. Filed for public inspection January 4, 2002, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS

NPDES APPLICATIONS

PART I PERMITS

Under the Federal Clean Water Act and The Clean Streams Law, the following parties have applied for an NPDES permit or to renew their current permit to discharge controlled wastewaters into the waters of this Commonwealth or to conduct other activities required by the NPDES permit. For renewal applications listed in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements. For all new permit

applications, renewal application with major changes or applications for permits not waived by EPA, the Department, based upon preliminary reviews, also made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications listed in Section II. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement, to the office noted before the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant. Following the comment period, the Department's Water Management Program Manager will make a final determination regarding these applications. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The renewal application, including proposed effluent limitations and special conditions, is available on file. For new permit applications, information submitted with the applications is available on file. The information may be inspected and arrangements made for copying at the office indicated before the application.

Persons with a disability, who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information, should contact the Department through the Pennsylvania AT&T Relay service at (800) 654-5984.

I. NPDES Renewal Applications

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0051748	Tulpehocken Area School District 428 New Schaefferstown Road Bernville, PA 19506-8939	Berks County/ Jefferson Township	UNT to Northkill Creek/ 3-C	Yes
PA0029947	Southern Huntingdon County School District—Spring Farms Elementary School R. R. 1, Box 1124 Three Springs, PA 17364-9730	Huntingdon County/ Clay Township	UNT Spring Creek/12-C	Yes
PA0029955	Southern Huntingdon County School District—Trough Creek Elementary School R. R. 1, Box 1124 Three Springs, PA 17364-9730	Huntingdon County/ Todd Township	UNT to Great Trough Creek/11-D	Yes
PA0029939	Southern Huntingdon County School District—High School R. R. 1, Box 1124 Three Springs, PA 17364-9730	Huntingdon County/Cromwell Township	Aughwick Creek/12-C	Yes

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0103870, Sewage. **Eckstrom MHP**, 347 Hadley Road, Greenville, PA 16125. This proposed facility is located in Hempfield Township, **Mercer County**.

Description of Proposed Activity: A new Part I permit for an existing discharge.

The receiving stream, unnamed tributary to Little Shenango River, is in watershed 20-A and classified for: Trout Stocking Fishes, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (stream and Public Water Supplier) considered during the evaluation is the Municipal Authority of the Borough of Greenville on the Little Shenango River located at Greenville, approximately 7 miles below point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.021 mgd.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
Total Suspended Solids	30		60
NH ₃ -N			
(5-1 to 10-31)	2		4
(11-1 to 4-30)	6		12

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)		200/100 ml as a geometric average 2,000/100 ml as a geometric average	
Total Phosphorus	1		2
Total Residual Chlorine	1.4		3.3
Dissolved Oxygen		minimum of 3 mg/l at all times	
pH		6.0 to 9.0 standard units at all times	

The EPA Waiver is in effect.

PA0104370, Industrial Waste. **Quality Components Inc.**, R. R. 2 Box 300, Ridgway, PA 15853. This proposed facility is located in Ridgway Township, **Elk County**.

Description of proposed discharge of untreated stormwater, water filter backflush, boiler condensate and noncontact cooling water for Hot Molding, presses and air compressors; and a treated groundwater discharge, is in watershed 17A and discharges to Elk Creek which is classified for: cold water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Clarion District Pennsylvania-American Water Company on the Clarion River located at Clarion, approximately 65 miles below point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0037 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	XX				
Temperature			XX		
pH					Within limits of 6.0 to 9.0 standard units at all times.

The proposed effluent limits for Outfall 002 are based on a design flow of 0.004 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	XX				
Temperature			XX		
pH					Within limits of 6.0 to 9.0 standard units at all times.

The proposed effluent limits for Outfall 003 are based on a design flow of 0.00045 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	XX				
1,1,1, Trichloroethane			XX		
Trichloroethylene			0.004	0.01	0.01
1,1-Dichloroethane			XX		
1,2-Dichloroethylene			XX		
pH					Within limits of 6.0 to 9.0 standard units at all times.

XX—Monitor and report.

The EPA Waiver is in effect.

**WATER QUALITY MANAGEMENT
PERMITS
CONTROLLED INDUSTRIAL WASTE
AND SEWAGE WASTEWATER
APPLICATIONS UNDER THE CLEAN
STREAMS LAW
PART II PERMITS**

The following permit applications or requests for plan approval have been received by the Department of Environmental Protection (Department).

Persons wishing to comment on any of the applications are invited to submit a statement to the office noted before the application within 15 days from the date of this public notice. Comments received within this 15-day comment period will be considered in making the final decision regarding the application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department reserves the right to hold a public hearing if the responsible office considers the public response significant. If a hearing is scheduled, a notice of

the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation of the area. If no hearing is held, the Department's Water Management Program Manager will make a final determination regarding the applications after a complete review. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

A copy of the permit application or proposed plan is on file in the office indicated and is open to public inspection. Appointments to review the application may be made by contacting Records Management at the indicated telephone number.

I. Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

WQM Permit No. 1501426, Sewerage, **West Vincent Township**, P. O. Box 163, 2200 Flowing Springs Road, Birchrunville, PA 19421. This proposed facility is located in West Vincent Township, **Chester County**.

Description of Proposed Action/Activity: Construction and operation of a gravity sanitary sewer collection system and two conveyance pump stations and force-mains.

Southcentral Region: Water Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 2101411, Sewerage, **Lower Allen Township Authority**, 120 Limekiln Road, New Cumberland, PA 17070-2428. This proposed facility is located in Lower Allen Township, **Cumberland County**.

Description of Proposed Action/Activity: An upgrade to the Cedar Run Sewer line. This project is required to meet future service needs in Lower Allen and Upper Allen Township and includes an upgrade from an existing 15 inch to 27 inch line and eliminates three pumping stations in Upper Allen Township.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 1101406, Sewerage, **Pyramid Healthcare, Inc.**, 1512 12th Avenue, Altoona, PA 16601. Application for the construction and operation of a sewage treatment plant to serve Skyline Drive located in Reade Township, **Cambria County**.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No 1001416, Sewerage, **Michael McKinney**, 154 Old Glade Mill Road, Valencia, PA 16059. This proposed facility is located in Middlesex Township, **Butler County**.

Description of Proposed Action/Activity: This project is for a Single Residence Sewage Treatment Plant.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Lehigh County Conservation District: Lehigh Ag. Ctr., Ste 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10Q232	Marion Betz 7205 Kernsville Rd. Orefield, PA 18069	Lehigh County Lowhill Township	Unnamed tributary to Jordan Creek HQ-CWF

WQM Permit No 2501428, Sewerage, **John A. and Lisa M. Cacchione**, 11041 Lay Road, Edinboro, PA 16412. This proposed facility is located in Washington Township, **Erie County**.

Description of Proposed Action/Activity: This project is for a Single Residence Sewage Treatment Plant.

NPDES Stormwater Individual Permit

The following parties have applied for an NPDES permit to discharge stormwater associated with a construction activity into waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the appropriate Department Regional Office noted before the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate DEP Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity, are on file and may be inspected at the office identified in this notice.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified Regional Office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Pike County Conservation District: HC6, Box 6770, Hawley, PA 18428, (570) 226-8220.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10V038	Home Depot, USA, Inc. 3096 Hamilton Blvd. South Plainfield, NJ 07080	Pike County Westfall Township	Delaware River WWF, MF

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit PAS10W085, Stormwater. **Tom Evans/Rostraver Aviation, Inc.**, 2420 Greenock Buena Vista Road, McKeesport, PA 15135 has applied to discharge stormwater associated with a construction activity located in North Strabane Township, **Washington County** to tributary to Little Chartiers Creek/HQ-TSF.

Washington County Conservation District: 100 West Beau Street, Suite 602, Washington, PA, (724) 228-6774.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10W085	Tom Evans/Rostraver Aviation, Inc. 2420 Greenock Buena Vista Road McKeesport, PA 15135	Washington County North Strabane Township	Tributary to Little Chartiers Creek/HQ-TSF

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act, the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on the permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. Comment responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southeast Region: Water Supply Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Permit No. 2301503, Public Water Supply.

Applicant **Women's Association for Women's Alternatives**

Borough	Chester Heights
Responsible Official	Carol Goertzel 225 S. Chester Road Swarthmore, PA 19081
Type of Facility	Public Water Supply System
Consulting Engineer	Wick-Fisher-White 437 Chestnut Street Philadelphia, PA 19106
Application Received Date	December 18, 2001
Description of Action	Construction of a water supply well with storage and disinfection to serve the Women's Alternative Center.

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 1301502, Public Water Supply.

Applicant	Nesquehoning Borough Authority
Township or Borough	Nesquehoning Borough
Responsible Official	Stephen Yurchak, Chairperson 114 West Catawissa Street Nesquehoning, PA 18240-1511
Type of Facility	Water Treatment System
Consulting Engineer	Carbon Engineering, Inc. 350 North Pine Street Summit Hill, PA 18250
Application Received Date	July 11, 2001
Description of Action	Change lime feed system to dense soda ash system and install a polyphosphate feed system for sequestering.

Permit No. 5401508, Public Water Supply.

Applicant	Mountain Spring Water, Inc.
Township or Borough	West Penn Township
Responsible Official	Gregory Jones, President Mountain Spring Water, Inc. Columbia and Bern Streets Schuylkill Haven, PA 17972

Type of Facility Bulk Water Hauling System
 Consulting Engineer Daniel James Becker, P.E.
 RETTEW Associates, Inc.
 3020 Columbia Avenue
 Lancaster, PA 17603

Application Received November 27, 2001
 Date

Description of Action Mountain Spring Water, Inc. currently provides water service to the Village of South Tamaqua, Schuylkill County under DEP Public Water Supply Permit Facility I. D. No. 3540048. The system currently serves approximately 32 customers. Mountain Spring Water, Inc. has made provisions with the Tamaqua Water Authority to take over the existing distribution system and service Mountain Spring Water, Inc.'s existing customers. At that time, Mountain Spring Water, Inc. intends to disconnect from the system and begin operation as a bulk water hauling system.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 4146292—Amendment 14, Public Water Supply.

Applicant **Danone Waters of North America, Inc.**
 3280 East Foothill Blvd.
 Suite 400
 Pasadena, CA 91107

Township Boggs Township
 Responsible Official Shirley Bonsell, QA Manager
 Danone Waters of North America, Inc.
 One Aquapenn Drive
 Milesburg, PA 16853

Type of Facility Bottled Water Plant
 Consulting Engineer Sweetland Engineering & Associates, Inc.
 600 Science Park Road
 State College, PA 16803

Application Received December 12, 2001
 Date

Description of Action Addition of reverse osmosis treatment, mineral injection system and ultraviolet light disinfection to existing bottling lines.

MINOR AMENDMENT

Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Application No. [N/A], Minor Amendment.

Applicant **Mahoning Manor Estates Property Owners Association**
 59 White Pine Lane
 Lehighton, PA 18235

Township or Borough Mahoning Township, **Carbon County**

Responsible Official Dennis Daubenspeck
 Type of Facility Existing Public Water System
 Consulting Engineer Chad M. Angle, P.E.
 Application Received November 20, 2001
 Date

Description of Action Construction of system improvements at Well House 2.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 0201506, Minor Amendment.

Applicant **The Borough of Sewickley Water Authority**
 601 Thorn Street, P. O. Box 190
 Sewickley, PA 15143

Township or Borough Sewickley Borough
 Responsible Official The Borough of Sewickley Water Authority
 601 Thorn Street, P. O. Box 190
 Sewickley, PA 15143

Type of Facility Water tanks/pump station
 Consulting Engineer KLH Engineers, Inc.
 5173 Campbells Run Road
 Pittsburgh, PA 15642

Application Received December 17, 2001
 Date

Description of Action New tank and pump station modifications.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the

intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Laurel Run Park, Muhlenberg Township, **Berks County**. Motley Engineering Company, Inc., 1300 New Holland Road, Kenhorst, PA 19607 (on behalf of Muhlenberg Township Parks & Recreation, 702 Euclid Avenue, Temple, PA 19560-1541) has submitted a Notice of Intent to Remediate site soils contaminated with lead. The applicant proposes to remediate the site to meet the Statewide Health standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Reading Times/Reading Eagle* on October 11, 2000.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Dominion Transmission—Ellisburg Compressor Station, Genesee Township, **Potter County**. URS, on behalf of its client Dominion Transmission, 445 W. Main Street, Clarksburg, WV 26301, has submitted a Notice of Intent to Remediate soil and groundwater contaminated with BTEX. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Potter Leader* on October 17, 2001.

Dominion Transmission—Greenlick Compressor Station, Stewardson Township, **Potter County**. URS, on behalf of its client Dominion Transmission, 445 W. Main Street, Clarksburg, WV 26301, has submitted a Notice of

Intent to Remediate soil and groundwater contaminated with BTEX and PCBs. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Potter Leader* on October 17, 2001.

RESIDUAL WASTE GENERAL PERMITS

Applications Received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGR. Penreco, 138 Petrolia Street, Karns City, PA 16041-9299. The application is for the beneficial use of weak alkali liquor generated from production of FDA white mineral oils as an alternative alkaline material for neutralization of wastewater at coal washing plants and for treatment of acid mine drainage at coal refuse piles or coal stockpiles. The application was received by Central Office on October 31, 2001.

Comments concerning the application should be directed to Ronald C. Hassinger, Chief, General Permits/Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Land Recycling and Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472. Persons interested in obtaining more information about the general permit application may contact the Division of Municipal and Residual Waste, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to and approval or denial of the application.

DETERMINATION FOR APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Applications for Determination of Applicability Received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash

Southeast Region: Regional Solid Waste Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

General Permit Application No. WMGR038SE003. Tire Jockey Services, Inc., P. O. Box 66, Fairless Hills, PA 19030. Application for a determination of applicability under the waste tire general permit was refiled by the applicant for its waste tire processing facility located on the USX-Fairless Hills property in Falls Township, **Bucks County**. The application for determination of applicability was accepted as administratively complete by the Southeast Regional Office on December 3, 2001.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Applications Received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit Application No. 301071. MAX Environmental Technologies, Inc., 1815 Washington Road, Pittsburgh, PA 15241. MAX Environmental Technologies, R. D. 1, Box 135A, Yukon, PA 15698. An application for a major permit modification for changes made to the regulations December 23, 2000, and a Radiological Monitoring Plan at a residual waste disposal facility in South Huntingdon Township, **Westmoreland County** was received in the Regional Office on December 14, 2001.

Permit Application No. 100663. Kelly Run Sanitation, Inc., P. O. Box 298, Elizabeth, PA 15037. Kelly Run Sanitation, Inc., P. O. Box 298, Elizabeth, PA 15037. An application for a major permit modification for changes made to the regulations December 23, 2000, and a Radiological Monitoring Plan at a municipal waste landfill in Forward Township, **Allegheny County** was received in the Regional Office on December 20, 2001.

AIR QUALITY

NOTICE OF PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (DEP) has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

Notice is hereby given that DEP has received applications for plan approvals and/or operating permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Office identified in this notice. Persons interested in reviewing the application files should contact the appropriate Regional Office to schedule an appointment.

Persons wishing to receive a copy of the proposed Plan Approval or Operating Permit must indicate their interest to the DEP Regional Office within 30 days of the date of this notice and must file protests or comments on a Proposed Plan Approval or Operating Permit within 30 days of the DEP providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with DEP Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts, which serve as the basis for

the objections. If DEP schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office identified. TDD users may contact DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act and regulations adopted under the Act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: James Parette, New Source Review Chief, (570) 826-2531.

35-303-011C: Dunmore Materials (Division of Haines and Kibblehouse, Inc., 3 Dunham Drive, Dunmore, PA 18512) for installation of an air cleaning device to the existing batch asphalt plant in Dunmore Borough, **Lackawanna County**.

35-399-037: W E A Manufacturing (1400 East Lackawanna Avenue, Olyphant, PA 18447) for construction of a printing plate cleaning operation in Olyphant Borough, **Lackawanna County**.

40-328-005: Transcontinental Gas Pipe Line Corp. (P. O. Box 1396, Houston, TX 77251-1396) for modification of Mainline Compressor No. 6 and associated air cleaning device at Compressor Station 515 in Buck Township, **Luzerne County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

67-03091A: AMZ Manufacturing Corp. (2206 Pennsylvania Avenue, York, PA 17404) for the control of two existing plating lines by an existing dry mesh-pad mist eliminator at its plating and metal finishing facility in the City of York, **York County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

41-00010A: Andritz, Inc. (35 Sherman Street, Muncy, PA 17756-1202) for the construction of a 6 ton per hour natural gas-fired fluidized bed thermal foundry sand reclamation system and associated air cleaning device (a fabric collector) in Muncy Borough and Muncy Creek Township, **Lycoming County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: William Charlton, New Source Review Chief, (412) 442-4174.

63-00016B: Allegheny Energy Supply Company, LLC (4350 Northern Pike, Monroeville, PA 15146) for installation of low NOx burner system at Mitchell Station in Union Township, **Washington County**.

04-00681B: Joseph J. Brunner, Inc. (211 Brunner Road, Zelienople, PA 16063) for installation of landfill gas destruction system unit at Brunner Landfill in New Sewickley Township, **Beaver County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.

43-011C: Greenville Metals (99 Crestview Drive Extension, Transfer, PA 16154) for modification of process limits defined in Air Quality permit no. 43-307-036A (Bldg. 2 EAF and EIF furnaces in Pymatuning Township, **Mercer County**. Greenville Metals is a Title V facility.

25-395A: ErieZ Manufacturing Company, Inc. (2200 Asbury Road, Erie, PA 16514) for installation of an HVLP spray gun in each of the two existing paint booths in Erie, **Erie County**.

10-208C: Paragon Trade Brands, Inc. (300 Zeigler Street, Harmony, PA 16037) for installation of a training pant manufacturing line at in Harmony Borough, **Butler County**.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104; Contact: Thomas Barsley, Chief, (215) 685-9428.

The Children's Hospital of Philadelphia, 34th Street and Civic Center Boulevard, Philadelphia, PA 19104 for installation of three 800 HP boilers, two 2,000 kW emergency generators and one 600 kW emergency generator in Philadelphia, **Philadelphia County**.

Sunoco Inc. (R&M), 3144 Passyunk Avenue, Philadelphia, PA 19145 for installation of a backup Sulfur Recovery Unit Tail Gas Treatment Unit consisting of a catalytic oxidizer and a scrubber in Philadelphia, **Philadelphia County**.

Academy Recycling, 8901 Torresdale Avenue, Philadelphia, PA 19136 for permitting of a 250 HP Concrete Crusher, a 650 HP Tub Grinder and associated equipment in Philadelphia, **Philadelphia County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.

09-0015C: Rohm and Haas Company, Route 413 and State Road, Bristol, PA, 19007 for construction of a regenerative thermal oxidizer in Bristol Township, **Bucks County**. This is a Title V facility. This thermal oxidizer will replace the methyl methacrylate scrubber, #10 kettle incinerator and #7 kettle scrubber. This installation will result in net decrease in emissions of volatile organic compounds (VOC) by 28.5 tons per year and of oxides of nitrogen (NOx) by 0.57 tons per year. The Plan Approval will require the company to perform stack tests to determine the emission rates of VOC and NOx from the thermal oxidizer. The company will also monitor and continuously record the inlet, combustion chamber and outlet temperature of the thermal oxidizer.

09-0050: Better Materials Corporation, P. O. Box 196, Penns Park, PA 189437 for construction of a tertiary crusher and two conveyors in Wrightstown Township,

Bucks County. This is a Synthetic Minor facility. The tertiary crusher will have a rated capacity of 275 tons per hour. The company will install a wet suppression system at transfer points to control emissions of particulate matter. This installation will result in net increase in emissions of particulate matter (PM) by 1.0 ton per year. The Plan Approval will require the company to limit hours of operation to 5,000 hours in a consecutive 12-month period. The company will meet all opacity limits set forth in 40 CFR 60.672. The company will also comply with all recordkeeping and reporting requirements specified in 40 CFR 60.676.

46-0005R: Merck & Co., Inc., 770 Sumneytown Pike, P. O. Box 4, West Point, PA 19486-0004, for the installation of a 100 kW natural gas fired emergency generator, located at Merck's facility in Upper Gwynedd Township, **Montgomery County**. The quarry is a major (Title V) facility. The installation of the 100 kW emergency generator will result in emissions of: 0.35 ton per year of nitrogen oxides; 0.81 ton per year of carbon monoxide; and, 95 pounds per year of volatile organic compounds. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

15-0067B: Herr Foods, Inc. (273 Old Baltimore Pike, Nottingham, PA 19362) for the modification of Potato Chip Fryer No. 3 and its associated natural gas-fired boiler at their facility in West Nottingham Township, **Chester County**. The facility is a synthetic minor facility. This Plan Approval corrects the reported emissions of particulate matter (PM) from Potato Chip Line No. 3, which were reported as 0.02 pound per hour (lb/hr) and 0.07 ton per 12-month rolling sum under Plan Approval PA-15-0067A. The correct emissions of PM from Potato Chip Fryer No. 3 are 0.05 lb/hr and 0.16 ton per 12-month rolling sum. In addition, the fuel usage from the natural gas-fired boiler will also be corrected in this Plan Approval, reflecting a fuel usage of 162.24 MMcf per 12-month rolling sum, an increase from the 133.04 MMcf per 12-month rolling sum, as permitted under Plan Approval PA-15-0067A. The new emission rates for the boiler are as follows: potential emissions of nitrogen oxides shall be less than 3 tons per 12-month rolling sum; potential emissions of carbon monoxide shall be less than 7 tons per 12-month rolling sum; potential emissions of volatile organic compounds, particulate matter and sulfur oxides will each be less than 1 ton per 12-month rolling sum. The Plan Approval and Operating Permit will contain recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: James Parette, New Source Review Chief, (570) 826-2531.

48-303-006A: A B E Materials—Easton (Division of Haines and Kibblehouse, Inc., 5137 Lower Mud Run Road, Easton, PA 18040) for modification of an asphalt plant to allow the combustion of alternate fuels, specifically to allow the use of recycled fuel oil, #2 fuel oil and liquefied petroleum gas (LPG); and for the installation of a fabric collector to control emissions from the recycled asphalt pavement (RAP) crusher in Lower Mount Bethel Township, **Northampton County**. The facility is a non-Title V facility. The modification to the asphalt plant will not increase the existing emission rates for the pollutants. The installation of new burner nozzles as part of the modification will actually reduce the actual emission

rates. The modification will provide the facility necessary flexibility with respect to the uncertainty of future fuel costs. The installation of the RAP crusher fabric collector will result in a particulate emission rate not to exceed the Best Available Technology standard of 0.02 grain/DSCFT. The plan approval will include monitoring, reporting and recordkeeping requirements designed to keep the source operating within all applicable air quality requirements.

40-312-040: Eldorado Properties Corp. (Petroleum Products Corp., P. O. Box 2621, Harrisburg, PA 17105) for installation of a back-up vapor recovery unit at the Dupont Terminal in Pittston Township, **Luzerne County**. This gasoline terminal is a Title V facility. This installation will result in no change in facility emissions. The plan approval will include all appropriate monitoring, record keeping and reporting requirements designed to keep the source operating within all applicable air quality requirements. The plan approval will be incorporated into the Title V Operating Permit through an Administrative Amendment in accordance with 25 Pa. Code § 127.450.

45-313-009F: Heico Chemicals, Inc. (Route 611, P. O. Box 730, Delaware Water Gap, PA 18327) for reconfiguration and addition of chemical production process equipment in Delaware Water Gap Borough, **Monroe County**. This facility is a non-Title V facility. After the reconfiguration and installation of new equipment, the facility will emit less than 5.3 tons per year of VOC emissions. The company will monitor pressure drop and water flow rate to each scrubber and maintain the system in accordance with the good engineering practices to assure proper operation of the system.

40-310-027B: Reading Materials, Inc. (P. O. Box 79, 2052 Lucon Road, Skippack, PA 19474) for modification stone crushing plant by adding a tertiary crusher at the plant in Lehman Township, **Luzerne County**. This facility is a non-Title V facility. Fugitive dust will be controlled by the water spray system to the extent that the operation will have no fugitive dust. The company will monitor and visually inspect the process daily during operating hours to ensure all wet suppression equipment is working properly. Any defects will be corrected immediately and the equipment will be operated as per vendor's specifications to assure the compliance with Department regulations.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

08-317-006A: Leprino Foods Co. (217 Yanuzzi Drive, South Waverly, PA 18840) for construction of a whey drying system and whey powder packaging system including one main drying chamber incorporating an 18.0 mmBtu per hour natural gas-fired burner, one fluid bed redryer, one fluid bed cooler, one whey powder receiver, one whey powder mill and sifter, two surge bins, one bulk bag filling system, one inline filler, one surge hopper and associated material conveyance systems at their facility in South Waverly Borough, **Bradford County**.

The air contaminant emissions from the main drying chamber will be controlled by two C. E. Rogers inertial cyclone collectors operating in parallel followed by an Evaporator Dryer Tech Inc. Venturi spray tower scrubber. The air contaminant emissions from the fluid bed redryer and fluid bed cooler shall be controlled by an EDT model 10 pulse jet fabric collector. The particulate air contaminant emissions from the whey powder receiver shall be controlled by a C. E. Rogers (no model number) pulse-jet fabric collector. The air contaminant emissions from the

two whey powder receiver surge bins shall be controlled by two NU-CON model NCBV-36-25-2T reverse pulse jet fabric collectors, one on each surge bin. The air contaminant emissions from the surge hopper shall be controlled by a NU-CON model NCBV-36-9-2T reverse pulse jet fabric collector. The air contaminant emissions from the inline filler and the bulk bag filling system shall be controlled by a Donaldson/DCE model DCEF 2,095 reverse pulse jet fabric collector. The air contaminant emissions from the bulk bag filling system shall additionally be controlled by a NU-CON model NCBV-36-9-3T reverse pulse jet fabric collector.

The Venturi spray tower scrubber exhaust is expected to emit approximately 10.27 tons per year particulate matter, 12.48 tons per year carbon monoxide, 2.05 tons per year nitrogen oxides and 0.37 ton per year volatile organic compounds. The fabric collectors are expected to emit (in total) particulate matter emissions of approximately 8.04 tons per year.

The Department has determined that the proposed whey drying and whey powder packaging systems will comply with all applicable regulatory requirements pertaining to air contaminant sources and the emission of air contaminants including the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12. The Department consequently intends to issue a plan approval for the construction of the respective whey drying and whey powder packaging systems. Additionally, if the Department determines that the whey drying and whey powder packaging systems are operating in compliance with all applicable plan approval conditions and regulatory requirements following the construction of the whey drying and whey powder packaging systems, the conditions established in this plan approval will be incorporated into State Only Operating Permit 08-00007 via administrative amendment under 25 Pa. Code § 127.450.

The Department intends to place conditions in the plan approval to be issued pertaining to the operation and monitoring of the equipment. These conditions are intended to assure proper operation of the equipment as well as compliance with all applicable air quality regulatory requirements. The following is a summary of these conditions:

1. The Venturi spray tower scrubber exhaust shall not exceed 0.01 grain per dry standard cubic foot.
2. The exhaust from each fabric collector shall not exceed 0.01 grain per dry standard cubic foot.
3. All material conveyance systems, including the conveyor from the main drying chamber to the fluid bed redryer, shall be completely enclosed at all times of operation. Additionally, the whey powder mill and sifter shall be completely enclosed during all times of operation.
4. The Venturi spray tower scrubber shall operate at a minimum scrubbing solution recirculation rate of 150.0 gallons per minute and at a minimum pressure drop of 4.0 inches of water.
5. The concentration of solids in the Venturi spray tower scrubber recirculating solution shall not exceed 18.0% at any time.
6. The exhaust from the whey dryer burner (as measured at the burner exhaust prior to the main drying chamber) shall not emit nitrogen oxides (NO_x) in excess of 25 ppm corrected to 3% oxygen, dry basis.
7. The Venturi spray tower scrubber shall be equipped with flow monitoring equipment capable of monitoring the scrubbing solution recirculating flow rate on a continuous basis.

8. Equipment having a minimum accuracy of +/- 0.2% solids shall be used to monitor the solids concentration of the recirculating solution of the Venturi spray tower scrubber.

9. The Venturi spray tower scrubber shall be equipped with instrumentation to monitor the differential pressure across the scrubber on a continuous basis.

10. The recirculating solution solids concentration, recirculating solution flow rate and differential pressure of the Venturi spray tower scrubber shall be recorded in a log book at least once for every 8 hours of scrubber operation.

11. The permittee shall conduct stack testing on the Venturi spray scrubber exhaust to determine compliance with the particulate matter emission limit. The stack testing shall consist of an average of three test runs and shall be conducted in accordance with the provisions of 25 Pa. Code Chapter 139 while the whey drying system is operating at full capacity.

08-318-027C: Mill's Pride—Pennsylvania (100 Lamoka Road, Sayre, PA 18840) for plan approval to modify two 28,700,000 BTU per hour natural gas/woodwaste fired boilers and to install an electrostatic precipitator in Athens Township, **Bradford County**. Following modification these boilers may potentially emit an additional 23 tons per 12 consecutive month period of nitrogen oxides and an additional 69 tons per 12 consecutive month period of carbon monoxide. A preliminary review of the information submitted by Mill's Pride—Pennsylvania indicates that the boilers will meet all applicable air quality requirements including the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12 and Subpart Dc of the Federal Standards of Performance for New Stationary Sources, 40 CFR 60.40c—60.48c. Based on this finding, the Air Quality Program intends to approve the application and issue a plan approval to modify the boilers and install the electrostatic precipitator. Additionally, if the Department determines that the boilers are operating in compliance with all applicable plan approval conditions and regulatory requirements, the conditions established in the plan approval will be incorporated into an operating permit via administrative amendment in accordance with 25 Pa. Code § 127.450.

In order to ensure compliance with all applicable air quality standards, the Department proposes to place the following conditions in the respective plan approval:

1. This plan approval is issued for the modification of two 28.7 million BTU per hour Hurst Boiler and Welding Company #M-4,000 natural gas/wood waste fired boilers, said modification consisting of a 23 ton per 12 consecutive month period increase in nitrogen oxide emissions and a 69 ton per 12 consecutive month period increase in carbon monoxide emissions.

2. This plan approval is also issued for the installation of a PPC Industries model XH-1212-2S dry, single-stage electrostatic precipitator for the control of particulate matter emissions from the two boilers. The electrostatic precipitator shall be equipped with monitors and recorders for the following:

- primary voltage
- primary current
- secondary voltage
- secondary current
- spark rate

Records of these parameters shall be maintained onsite for at least 5 years and shall be made available to the Department upon request.

The electrostatic precipitator shall be equipped with two transformer/rectifier sets and each set shall provide not less than 183.3 kilovolt-amperes of power.

The electrostatic precipitator shall be located downstream of the existing air cleaning systems for both boilers. Both existing air cleaning systems consist of two multi-clones in series. In both cases, the primary multi-clone is a Hurst Boiler and Welding Company, Inc. #12k-1CT and the secondary multi-clone is a Hurst Boiler and Welding Company, Inc. #6UP-44T.

3. The two boilers shall utilize staged combustion and flue gas recirculation as nitrogen oxide reduction techniques. Additionally, each of the boilers shall be equipped with oxygen monitors as described in the application and supplemental materials submitted for Plan Approval 08-318-027 and each of the boilers shall comply with the following emission limitations:

<i>Contaminant</i>	<i>Emission Limitation (pounds per million BTU)</i>
Nitrogen oxides (expressed as NO ₂)	0.21
Carbon monoxide	0.30
Sulfur oxides	0.0098
Volatile organic compounds (VOCs)	0.012
Particulate matter	0.2 (after control)

4. The total combined air contaminant emissions from the entire facility shall never exceed the following emission limitations:

<i>Contaminant</i>	<i>Emission Limitation (tons per 12 consecutive month period)</i>
Particulate matter	128.34
Volatile organic compounds (VOCs)	32.9 S
sulfur oxides	2.53N
nitrogen oxides (expressed as NO ₂)	60.6
Carbon monoxide	77.7 E
each individual hazardous air pollutant	less than 10
Total combined hazardous air pollutants	less than 25

5. The company need not run the electrostatic precipitator when the boilers are being operated as follows:

- the boilers are being fired only on natural gas; and
- there is no woodwaste fuel remaining in the boiler fireboxes.

This condition does not in any way relieve the company from complying fully with the particulate matter emission limitation specified in Condition 3 herein or the opacity limitations of 25 Pa. Code § 123.41.

6. The two boilers shall be fired on either natural gas or kiln dried wood waste with a particleboard content of not greater than 5% by weight except that a mixture of green wood waste and kiln dried wood waste may be fired provided the following conditions are met:

- a. The green wood waste content of the mixture shall not exceed 30% by weight.

b. The total firing time of this mixture shall not exceed 336 hours in any 12 consecutive month period, combined, for both boilers, that is, if both boilers are ever fired simultaneously with the green wood waste mixture each hour of simultaneous firing shall count as 2 hours.

7. The company shall maintain records of individual fuel usages for each boiler on a monthly basis.

8. Within 90 days of startup of the electrostatic precipitator the company shall test each of the two boilers for nitrogen oxides, carbon monoxide, particulate matter and opacity.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: William Charlton, New Source Review Chief, (412) 442-4174.

04-497A: Tuscarora, Inc. (800 Fifth Avenue, New Brighton, PA 15066) for modification of their facility in New Brighton, **Beaver County**.

The proposed modification is subject to the applicable requirements of 25 Pa. Code and the Department believes that the facility will meet these requirements by complying with the following Plan Approval conditions:

1. The facility is to be constructed in accordance with the plans submitted with the application (as approved herein).

2. Upon completion of the construction of the facility, an operating permit must be obtained. Notify the Department when the installation is completed so that the facility can be inspected for issuance of an operating permit.

3. This plan approval authorizes Tuscarora Incorporated to increase their VOC emissions to a maximum of 97.2 tons per 12 consecutive month period at their Blockhouse Run Road facility located in New Brighton Borough, Beaver County.

4. Total VOC emissions shall include the pentane emissions resulting from the processing of all expandable resins and VOC emissions resulting from the usage of all other VOC-containing materials.

5. Pentane content of expandable polystyrene resins shall not exceed 4.5%, based on a 30-day rolling average, calculated on a resin-weighted basis.

6. Pentane content of expandable ARCEL resins shall not exceed 8.5%, based on a 30-day rolling average, calculated on a resin-weighted basis.

7. Permittee shall keep daily records of the amount of each expandable resin that is used and the pentane content of each expandable resin formulation that is used.

8. Annual year-to-date VOC emissions shall be totaled each day.

a) Pentane emissions shall be calculated each day using the following formula:

Fraction Pentane in Resin x Resin Usage x Loss Factor = Pentane Emission

b) Annual year-to-date pentane emissions shall be calculated by adding together all the daily pentane emissions.

c) Annual year-to-date VOC emissions shall be calculated by adding daily pentane emissions, along with any additional VOC emissions resulting from the usage of any other VOC-containing materials.

d) Permittee shall use a Loss Factor of 0.97 (assumes 97% pentane loss) for EPS resins and a Loss Factor of

0.94 (assumes 94% pentane loss) for ARCEL resins unless the Department approves the use of another Loss Factor.

9. This Plan Approval authorizes temporary operation of the sources and/or the pollution control devices covered by this Plan Approval provided the following conditions are met:

a) The Department must receive written notice from the owner or operator of when the Operator expects to commence operation of the sources and/or the pollution control devices.

b) Operation is authorized only to facilitate the startup and shakedown of sources and/or pollution control devices, to permit operations pending the issuance of an Operating Permit or to permit the evaluation of the sources and/or the pollution control devices for compliance with all applicable regulations and requirements.

c) This condition authorizes temporary operation of the sources and/or the pollution control devices for a period of 180 days from the date of commencement of operation, provided the Department receives notice from the owner or operator under Subpart (a).

d) The owner or operator may request an extension if compliance with all applicable regulations and Plan Approval requirements has not been established. The extension request shall be submitted in writing at least 15 days prior to the end of this period of temporary operation and shall provide a description of the compliance status of the source, a detailed schedule for establishing compliance and the reason compliance has not been established.

e) The notice submitted by the owner or operator under Subpart (a), prior to the expiration of this Plan Approval, shall modify the Plan Approval expiration date. The new Plan Approval expiration date shall be 180 days from the date of start-up of the sources and/or the pollution control devices.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.

24-0131D: SGL Carbon, LLC (900 Theresia Street, St. Marys, PA 15857) for the installation of a baghouse and construction of a bulk loading station for Building 600 machining operations in St. Marys, **Elk County**. The facility currently has a Title V permit No. 24-00131. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date. This installation will result in no increase in emissions.

10-021J: Indspec Chemical Corporation (133 Main Street P. O. Box 307 Petrolia, PA 16050), located in Petrolia Borough, **Butler County** for the minor modification of the fan design and airflow rate for the scrubber on the resin hold tank with a restriction on hours of tank operation and an associated resin production limit. The permit change increases emissions of particulate by 0.87#/hr and 2.78 TPY (based on the operational permit limit of 6,400 hours per year) at the facility. The permit contains limitations pertaining to fugitive, odor, visible and particulate emissions and requires stack testing to verify compliance with the particulate emission rate. The Plan Approval and Operating Permit will contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The facility currently has Title V Operating Permit No. 10-00021. This plan approval will,

in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Leif Ericson, Program Manager, (717) 705-4702.

01-03016: Dal-Tile Corp. (211 North Fourth Street, Gettysburg, PA 17325-1694) for operation of its ceramic floor and wall tile products facility in Straban Township, **Adams County**. The facility has the potential to emit 62 tons per year of sulfur oxides, 29 tons per year of carbon monoxide, 14 tons per year of particulate matter, 5 tons per year of nitrogen oxides, 4 tons of volatile organic compounds and 4 tons per year of hydrogen fluoride (all after control). The Natural Minor operating permit shall contain additional testing, monitoring, record keeping and reporting requirements, emission restrictions and work practice standards designed to keep the facility operating within all applicable air quality requirements.

06-05083: Williams Metal Finishing, Inc. (P. O. Box 2029, Sinking Spring, PA 19608) for a metal finishing facility controlled by various fabric collectors and a refrigerated chiller in Sinking Spring Township, **Berks County**. The facility is a non-Title V (State only) facility. The plant's potential emissions will be limited to less than 50 tons per year of VOC, 10 tons of any one HAP or 25 tons of total HAPs per year and 100 tons per year of particulate. The facility will be required to record the coating usage and calculate the emissions monthly. Limits will be placed on the VOC content of the coatings used on the coating lines. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

36-03014: Burnham Corp. (1237 Harrisburg Pike, Lancaster, PA 17603) for operation of its Fruitville Pike Boiler Plant in Manheim Township, **Lancaster County**. The primary emissions from the sources are oxides of nitrogen (NOx) and volatile organic compounds and the actual emissions are about 5 tons per year each. The Natural Minor Operating Permit shall contain additional testing, monitoring, record keeping and reporting requirements, emission restrictions and work practice standards designed to keep the facility operating within all applicable air quality requirements.

67-03063: Advanced Recycling Technology, Inc. (340 South Broad Street, Hallam, PA 17406) for operation of an industrial dryer controlled by a wet scrubber in Hallam Borough, **York County**. The estimated potential emission of particulate matter from the operation is 2 tons per year based on 6,000 hours. The Natural Minor Operating Permit shall contain additional testing, monitoring, record keeping and reporting requirements, emission restrictions and work practice standards designed to keep the facility operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

60-318-010: Nickelson Plastics, Inc. (100 Industrial Way, Osceola, WI 54020-0459) for the operation of a metal parts PVC coating operation at its facility located on Route 192 in Buffalo Township, **Union County**.

The PVC coating operation consists of a wash line, a primer spray coating booth and a PVC dip coat line incorporating a propane-fired oven, a plastisol dip tank and an electrically-heated salt bath. The operation of the PVC coating operation will result in the emission of up to 8.81 tons of volatile organic compounds per 12 consecutive month period, of which up to .23 ton could be hazardous air pollutants.

The Department has determined that the respective PVC coating line was constructed and is operating, in conformance with all conditions of Plan Approval 60-318-010, which was issued by the Department on April 19, 2000, as well as with all applicable regulatory requirements including the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12. The Department consequently plans to issue an operating permit for the PVC coating operation.

The Department intends to place conditions in the operating permit to be issued which are intended to assure proper operation of the PVC coating operation and continued compliance with all applicable regulatory requirements and plan approval conditions. The following is a summary of these conditions:

1. The total combined volatile organic compound emission from all sources incorporated in the PVC coating operation shall not exceed 8.81 tons per 12 consecutive month period of which no more than .23 ton shall be hazardous air pollutants.

2. The total combined volatile organic compound emissions from the PVC dip coat line shall not exceed 8.16 tons per 12 consecutive month period.

3. The total combined volatile organic compound emissions from the wash line and primer spray coating booth shall not exceed .65 ton per 12 consecutive month period of which no more than .23 ton shall be hazardous air pollutants.

4. No more than 81,600 gallons of plastisol shall be used per 12 consecutive month period.

5. The opacity of the exhaust from the stacks associated with the PVC dip coat line shall not exceed 5% at any time.

6. Only additives identified in the plan approval application may be used in the wash line.

7. The primer spray coating booth shall be equipped with a full set of overspray filters and the only method of coating application shall be high volume low pressure spray guns.

8. The volatile organic compound content of the coating applied in the primer spray coating booth shall not exceed 2.30 pounds per gallons (minus water) as applied.

9. No volatile organic compound-containing materials shall be used to clean equipment associated with the primer spray coating booth.

10. Records shall be maintained of the type and amount of additives added to the wash solution used in the wash line each month, the type and amount of additives added to the sealant/rinse solution used in the wash line each month, the type and amount of primer used each month and the type and amount of plastisol used each month. All records shall be retained for at least 5 years and shall be shown to the Department upon request.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

37-00152: Dixon Ticonderoga Co./New Castle Refractories (915 Industrial St., New Castle, PA 16102) Natural Minor operating permit for the manufacture of custom silicon-carbide refractory in the City of New Castle, **Lawrence County**.

20-00268: Tedes Co./Gizzie Memorials (614 Baldwin St., Meadville, PA 16335) Natural Minor operating permit for the operation of a crematory in the City of Meadville, **Crawford County**.

33-00145: Huntington Foam Corporation (P. O. Box 248, 11, Industrial Park Dr. Brockway, PA 15824) for a Synthetic Minor Permit to operate a miscellaneous manufacturing facility located in Brockway, **Jefferson County**. The facility accepted a restriction on emission of VOC (Volatile Organic Compound) to become a Synthetic Minor facility.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications and requests for Environmental Assessment approval and requests for Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)), requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Initial requests for 401 Water Quality Certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8 a.m. and 4 p.m. on each working day at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E51-198. Schuylkill Center for Environmental Education, 8480 Hagys Mill Road, Philadelphia, PA 19128, City of Philadelphia, **Philadelphia County**, ACOE Philadelphia District.

To construct and maintain an impoundment associated with the construction of the proposed Springhouse Pond Education Loop across two unnamed tributary to the Schuylkill River (WWF). The applicant also seeks Environmental Assessment approval to construct the on-stream nonjurisdictional dam associated with this dam. The Project will impact approximately 110 linear feet of the stream. The site is located approximately 3,000 feet northeast of the intersection of Port Royal Avenue and River Road (Norristown, PA USGS Quadrangle N: 10.0 inches; W: 0.1 inch).

E46-902. Worcester Township, 1721 Valley Forge Road, P. O. Box 767, Worcester, PA 19490, Worcester Township, **Montgomery County**, ACOE Philadelphia District.

To replace, construct and maintain the Grange Avenue Bridge, which crosses an unnamed tributary to Skippack Creek (TSF). The project involves the replacement of the existing, single span, concrete, I-beam Bridge. The proposed structure will consist of a 30-foot in length, 28-foot span, 8-feet of under-clearance. The project will impact 0.052 acre of wetland associated with fill in the approaches. Other work includes the modification and extension of a 15-inch stormwater outfall structure. The site is located 200 feet southwest of the intersection of Grange Avenue and Water Street (Collegeville, PA Quadrangle 11.7 inches North and 3.1 inches West).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E45-421. Blue Mountain Lake Associates, Inc., 1 Blue Mountain Lake, East Stroudsburg, PA 18301, in Stroud Township, **Monroe County**, U. S. Army Corps of Engineers, Philadelphia District.

To maintain a road crossing consisting of a 36-inch diameter culvert in a tributary to Brodhead Creek (HQ-CWF) and to construct and maintain a stormwater outfall channel in the floodways of a tributary to Brodhead Creek. The projects are located in Blue Mountain Lake - Phase 9, approximately 0.5 mile northeast of S.R. 0446 (East Stroudsburg, PA, Quadrangle N: 7.1 inches; W: 11.0 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E06-560. Deborah Hoag, Spring Township, 2800 Shilington Road, Reading, PA 19608 in Spring and Lower Heidelberg Townships, **Berks County**, Philadelphia District.

To remove the existing structure and to construct and maintain (1) a 9.84-foot by 4.92-foot concrete box culvert at the channel of an unnamed tributary to Cacoosing Creek on Reedy Road located about 900 feet south of its intersection with Evans Hill Road; (2) a new bridge with a clear span of 77 feet and a minimum underclearance of 4.2 feet across Cacoosing Creek in order to realign Reedy Road; and (3) an 18-inch diameter outfall pipe within the 100-year floodway of Cacoosing Creek (Sinking Spring, PA Quadrangle N: 16.5 inches; W: 2.38 inches; N: 17.0

inches; W: 2.06 inches and N: 17.15 inches; W: 2.05 inches) in Spring and Lower Heidelberg Townships, Berks County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E14-411. Joseph and Elaine Skidel, 142 Greyhound Lane, Port Matilda, PA 16870. Shadyside Kennels Bridge, in Worth Township, **Centre County**, ACOE Baltimore District (Port Matilda, PA Quadrangle N: 17.61 inches; W: 5.13 inches).

To relocate and maintain 500 feet of an unnamed tributary to Ardery Hollow located 2 miles up Ardery Road from SR 220. The unnamed tributary to Ardery Hollow is a Cold Water Fishery.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1361. City of Pittsburgh, Room 301 City County Building, 414 Grant Street, Pittsburgh, PA 15219-2455. City of Pittsburgh, **Allegheny County**, ACOE Pittsburgh District.

To reconstruct and maintain two pedestrian bridge crossings across Saw Mill Run (WWF). The first bridge is the Overbrook Bridge with a span of 65 feet and minimum underclearance of approximately 6.6 feet. The second bridge is the Inglewood Bridge with a span of 100 feet and minimum underclearance of 7.4 feet. The Inglewood Bridge is located along Route 51 across from Englert Street, the Overbrook Bridge is located approximately 0.21 mile south also along Route 51 across from Overbrook Street. The bridges will be used for access to and from the Light Rail Transit (LRT) and Route 51. (Pittsburgh East, PA Quadrangle N: 2.7 inches; W: 17.1 inches).

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E10-343. Butler Auto Auction, 21095 Route 19, Cranberry Township, PA 16066. Butler Auto Auction Overflow Vehicle Storage Facility, in Jackson Township, **Butler County**, ACOE Pittsburgh District (Evans City, PA Quadrangle N: 1.9 inches; W: 15.9 inches).

To fill a total of 0.67 acre of wetland, a small pond and the channels of tributaries to Brush Creek having contributory drainage areas less than 100 acres for site grading associated with construction of parking areas for storage of vehicles from the Butler Auto Auction north of S.R. 528 approximately 0.5 mile east of S.R.19. Project proposes compensation for the permanent wetland impact through the breach and modification of a 0.85 acre pond to create 0.43 acre of wetland, streambank protection along approximately 1,200 feet of a tributary to Brush Creek and implementation of a manure management plan for the adjoining rat farm operation.

E20-511. Dale E. and Jill M. Gillette, 12456 State Highway 198, Conneautville, PA 16406. Gillette Bridge Across Foster Run, in Summerhill Township, **Crawford County**, ACOE Pittsburgh District (Linesville, PA Quadrangle N: 22.5 inches; W: 1.25 inches).

To construct and maintain a steel beam bridge having a clear span of 28 feet and an underclearance of 6 feet across Foster Run on a private driveway extending south from S.R. 4003 (Linesville-Conneautville Road) approximately 1 mile west of S.R. 18.

E25-640. Pennsylvania Department of Transportation, District 1-0, 255 Elm Street, P. O. Box 398, Oil City,

PA 16301. SR 0099, Segment 0200, Offset 1965 Across tributary to Lamson Run, in McKean and Washington Townships, **Erie County**, ACOE Pittsburgh District (Edinboro, PA Quadrangle N: 18.7 inches; W: 10.6 inches).

(Arch Culvert)

To install streambed paving in the invert and maintain the existing 140-foot-long, 6-foot-wide by 4.5-foot-high corrugated metal pipe arch stream enclosure in a tributary to Lamson Run on SR 0099, Segment 0200, Offset 1965 approximately 1.75 miles north of SR 3014.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

EA63-003CO. F. Daniel Caste, Bower Hill Development Group, P. O. Box 10360, Pittsburgh, PA 15234. Peters Township, **Washington County**, ACOE Pittsburgh District.

To construct a nonjurisdictional dam in the watershed of a tributary to Peters Creek (TSF) for stormwater management at the proposed Woodlands of Peters Township, Bower Hill Development, Inc., impacting approximately 0.07 acre of wetland (PEM). The applicant has proposed making a contribution to the Pennsylvania Wetland Replacement Fund in lieu of constructing replacement wetlands. The dam will be located approximately 1,500 feet northeast of the intersection of Bower Hill Road (SR 62051) and McCombs Road (Bridgeville, PA Quadrangle, N: 2.55", W: 9.15").

EA40-005CO. Joseph Thomas, Evergreen Hills Estates, Inc., 57 North Mountain Boulevard, Mountaintop, PA 18707. Wright Township, **Luzerne County**, ACOE Baltimore District.

To modify an existing nonjurisdictional dam adjacent to Big Wapwallopen Creek (CWF) for stormwater management at the proposed Evergreen Hill Estates residential subdivision. The dam is located approximately 1,300 feet west of the intersection of Evergreen Lake Drive and Grove Street (Wilkes-Barre, West, PA Quadrangle, N: 2.5", W: 5.6").

ACTIONS

FINAL ACTIONS TAKEN UNDER THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT—NPDES AND WQM PART II PERMITS

INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800)

654-5984. Appeals must be filed with the Environmental Hearing Board (Board) within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

I. Municipal and Industrial Permit Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

NPDES Permit No. PA0056707, Industrial Waste, **Alex C. Fergusson, Inc.**, 25 Spring Mill Drive, Frazer, PA 19355. This proposed facility is located in Charlestown Township, **Chester County**.

Description of Proposed Action/Activity: Renewal of a NPDES Permit to discharge in Cedar Hollow, a tributary to Valley Creek.

NPDES Permit No. PA0053589, Sewage, **Buckingham Lumber and Millwork**, 4469 Upper Mountain Road, P. O. Box 307, Buckingham, PA 18912. This proposed facility is located in Buckingham Township, **Bucks County**.

Description of Proposed Action/Activity: Renewal of a NPDES Permit to discharge into Mill Creek

NPDES Permit No. PA0056677, Sewage, **Steve and Caroline Macri**, 6768 Point Pleasant Pike, New Hope, PA 18938. This proposed facility is located in Plumstead Township, **Bucks County**.

Description of Proposed Action/Activity: Renewal of a NPDES Permit to discharge into an unnamed tributary to Geddes Run.

NPDES Permit No. PA0056481, Sewage **Walter Clee, Oak Grove Country Inn**, 6755 Easton Road, Pipersville, PA 18947. This proposed facility is located in Bedminster Township, **Bucks County**.

Description of Proposed Action/Activity: Renewal of a NPDES Permit to discharge in a dry swale to an unnamed tributary to Cabin Run-2D Watershed. The following notice reflects changes to the notice published in the May 12, 2001, *Pennsylvania Bulletin*:

A new Outfall 002 is included to discharge groundwater from the underdrain system serving sewage treatment plant. The discharge limit for fecal coliform is 200-colonies/100 ml as a geometric average.

NPDES Permit No. PA0055671, Sewage, **Worcester Township**, 1721 Valley Forge Road, P. O. Box 767, Worcester, PA 19490. This proposed facility is located in Worcester Township, **Montgomery County**.

Description of Proposed Action/Activity: Renewal of a NPDES Permit to discharge into an unnamed tributary to Skippack Creek-3E.

NPDES Permit No. PA0053929, Sewage, **Barryway Enterprises, Inc.** c/o Bubba's Pot Belly Stove, 1485 Route 309, Quakertown, PA 18951-1803. This proposed facility is located in Springfield Township, **Bucks County**.

Description of Proposed Action/Activity: Renewal of an NPDES Permit to discharge into tributary of Tohickon Creek-2D.

NPDES Permit No. PA0050407, Sewage, **Sewage Bryn Mawr Rehabilitation Hospital**, 414 Paoli Pike, Malvern, PA 19335. This proposed facility is located in Willistown Township, **Chester County**.

Description of Proposed Action/Activity: Renewal of an NPDES Permit to discharge into tributary to Ridley Center-3G.

WQM Permit No. 1501408, Sewerage, **Unionville Chadds Ford School District**, 740 Unionville Road, Kennett Square, PA 19348. This proposed facility is located in Pennsbury Township, **Chester County**.

Description of Proposed Action/Activity: Approval for modifications to Hillendale Elementary School's wastewater treatment plant.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

NPDES Permit No. PA-0061841, Industrial Waste, **Pennsylvania American Water Company**, 800 West Hersheypark Drive, P. O. Box 888, Hershey, PA 17033-0888. This proposed facility is located in Carbondale Township, **Lackawanna County**.

Description of Proposed Action/Activity: to renew an NPDES to discharge treated industrial waste into Racket Brook.

WQM Permit No. 3901403, Sewerage, **Upper Saucon Township Municipal Authority**, 5500 Camp Meeting Road, Center Valley, PA 18034-9444. This proposed facility is located in Upper Saucon Township, **Lehigh County**.

Description of Proposed Action/Activity: Granted approval for construction of a sewage pump station and collection system to serve the Stabler Business Park East.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0033111, Sewage, **Dennis Cramer**, Oak Creek Campground, Inc., P. O. Box 128, Bowmansville, PA 17507. This proposed facility is located in Brecknock Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization to discharge to Rock Run in Watershed 7-J.

WQM Permit No. 2101402, Sewerage, **Richard Astheimer**, F.R. Acquisitions, Inc., 200 Philips Road, Exton, PA 19341-1326. This proposed facility is located in Dickinson Township, **Cumberland County**.

Description of Proposed Action/Activity: Construction/Operation of Sewage Treatment Facilities, Subsurface Absorption Area and Pump Stations.

WQM Permit No. 0501405, Sewerage, **Seth Stoltzfus**, 138 Christian Light Road, Bedford, PA 15522. This proposed facility is located in Bedford Township, **Bedford County**.

Description of Proposed Action/Activity: Construction/Operation of Sewage Treatment Facilities for their single family residence.

WQM Permit No. 0701404, Sewerage, **Alfred E. Peterman**, R. D. 3, Box 486F, Tyrone, PA 16686. The proposed facility is located in Snyder Township, **Blair County**.

Description of Proposed Action/Activity: Construction/Operation of Sewage Treatment Facilities for their single family residence.

NPDES Permit No. PA0246352, Industrial Waste, **Richard Mitsifer**, All American Plaza, Inc., P. O. Box 302, Bethel, PA 19507. This proposed facility is located in Bethel Township, **Berks County**.

Description of Proposed Action/Activity: Authorization to discharge to unnamed tributary to Crosskill Creek.

WQM Permit No. PA0088951, Industrial Waste, **Joseph P. James**, Speedway Oil Company, 1392 Ben Franklin Highway East, Douglassville, PA 19518. This proposed facility is located in Amity Township, **Berks County**.

Description of Proposed Action/Activity: Authorization to discharge to Schuylkill River.

NPDES Permit No. PA0086916, Industrial Waste, **Gerald L. Wolfe**, Wolfe's Auto Service, 3063 Lebanon Road, Manheim, PA 17545-8941. This proposed facility is located in Rapho Township, **Lancaster County**.

Description of Size and Scope of Proposed Operation/Activity: Authorization to discharge to Shearer's Creek in Watershed 7-G.

WQM Permit No. PA0084816, Industrial Waste, **Alfred Gomez**, Sun Pipeline Company, 1801 Market Street, 15/10 PC, Philadelphia, PA 19103-1699. This proposed facility is located in Spring Township, **Berks County**.

Description of Size and Scope of Proposed Operation/Activity: Authorization to discharge to Cacoosing Creek in Watershed 3-C.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No. PA0000558, Industrial, **TrizecHahn Gateway, LLC**, Two Gateway Center, Suite 400, Pittsburgh, PA 15222 is authorized to discharge from a facility located at Gateway Center, City of Pittsburgh, **Allegheny County** to receiving waters named Allegheny River.

NPDES Permit No. PA0001562, Industrial, **Wheeling Pittsburgh Steel Corporation**, 1134 Market Street, Wheeling, WV 26003 is authorized to discharge from a facility located at Allenport Plant, Allenport Borough, **Washington County** to receiving waters named Monongahela River.

NPDES Permit No. PA0002917, Industrial, **Allegheny Energy Supply Company, LLC**, 4350 Northern Pike, Monroeville, PA 15146-2841 is authorized to discharge from a facility located at Armstrong Power Station, Washington Township, **Armstrong County** to receiving waters named Allegheny River (Outfalls 001, 003, 006—011, 013 and 014) and unnamed tributaries to Allegheny River (Outfalls 004 and 012).

NPDES Permit No. PA0024864, Sewage, **Ligonier Borough**, Town Hall, 120 East Main Street, Ligonier, PA 15658 is authorized to discharge from a facility located at Ligonier Borough Sewage Treatment Plant, Ligonier Borough, **Westmoreland County** to receiving waters named Mill Creek.

NPDES Permit No. PA0031313, Sewage, **Brownsville Area School District**, 6353 National Pike, Grindstone, PA 15442 is authorized to discharge from a facility located at Colonial Elementary School Sewage

Treatment Plant, Redstone Township, **Fayette County** to receiving waters named unnamed tributary of Colvin Run.

NPDES Permit No. PA0038792, Sewage, **Adams Township Municipal Authority**, P. O. Box 265, Sidman, PA 15955-0265 is authorized to discharge from a facility located at Village of Mine 42 STP, Adams Township, **Cambria County** to receiving waters named unnamed tributary of Paint Creek.

NPDES Permit No. PA0092045, Sewage, **Stanton Enterprises, Inc.**, 127 West Byers Avenue, New Stanton, PA 15672 is authorized to discharge from a facility located at Stanton Enterprises STP, Dunbar Township, **Fayette County** to receiving waters named unnamed tributary of Gist Run.

NPDES Permit No. PA0095346, Sewage, **William Fiore, Owner**, Rolling Hills Village Mobile Home Park, 001 Oak Drive, Buena Vista, PA 15018 is authorized to discharge from a facility located at Rolling Hill Village Mobile Home Park STP, Elizabeth Township, **Allegheny County** to receiving waters named Youghiogheny River.

NPDES Permit No. PA0096512, Sewage, **Mt. Morris Water and Sewer Authority**, P. O. Box 340, Mt. Morris, PA 15349 is authorized to discharge from a facility located at Mt. Morris Wastewater Treatment Plant, Perry Township, **Greene County** to receiving waters named Dunkard Creek.

NPDES Permit No. PA0097799, Sewage, **Jerry F. Smith**, 1001 Clubhouse Drive, Donegal, PA 15628 is authorized to discharge from a facility located at Laurel Highlands Campland STP, Donegal Township, **Westmoreland County** to receiving waters named Minnow Run.

NPDES Permit No. PA0205524, Sewage, **Amy C. Smeltzer**, 297 Ford City Road, Freeport, PA 16229 is authorized to discharge from a facility located at Smeltzer Single Residence STP, South Buffalo Township, **Armstrong County** to receiving waters named unnamed tributary of Hill Run.

NPDES Permit No. PA0217450, Sewage, **Monica Meehan**, 5390 West Pike Street, Export, PA 15632 is authorized to discharge from a facility located at Meehan Small Flow Sewage Treatment Plant, Salem Township, **Westmoreland County** to receiving waters named unnamed tributary of Whitethorn Creek.

NPDES Permit No. PA0218928, Sewage, **Cadogan Township**, P. O. Box 309, Cadogan, PA 16212 is authorized to discharge from a facility located at Cadogan Township Sewage Treatment Plant, Cadogan Township, **Armstrong County** to receiving waters named Glade Run.

NPDES Permit No. PA0218944, Sewage, **Franklin Fayette Sewer Authority**, 353 Town and Country Road, Vanderbilt, PA 15486 is authorized to discharge from a facility located at Franklin Fayette Sewer Authority WWTF, Franklin Township, **Fayette County** to receiving waters named Redstone Creek.

NPDES Permit No. PA0219061, Sewage, **Blaine Township**, 40 Main Street, P. O. Box 128, Taylorstown, PA 15365 is authorized to discharge from a facility located at Blaine Township Wastewater Treatment Plant, Blaine Township, **Washington County** to receiving waters named Buffalo Creek.

Permit No. 0474204-A2, Industrial Waste, **Pennsylvania Power Company**, P. O. Box 128, Shippingport, PA

15077. Construction of Industrial Waste located in Greene Township, **Beaver County** to serve Bruce Mansfield Plant.

Permit No. 0492405, Amendment 1. Sewerage. **David J. D'Atri**, 320 Sunset Drive, Baden, PA 15005. Construction of Sewage Treatment Plant Expanded Design Flow located in New Sewickley Township, **Beaver County** to serve Forest Brook Mobile Home Park STP.

Permit No. 2601405. Sewerage. **City of Uniontown**, 20 North Gallatin Avenue, Uniontown, PA 15401. Construction of a Parallel Relief Interceptor located in City of Uniontown, **Fayette County** to serve Redstone Creek Interceptor.

Permit No. 2686404-A1. Sewerage. **Laurel Land Development Ltd.**, P. O. Box 253, Hopwood, PA 15445. Construction of Sewage Treatment Plant expansion located in North Union Township, **Fayette County** to serve Hopwood Village Mobile Home Park STP.

Permit No. 6301410. Sewerage. **Carla Wilson**, 2818 Bigger Road, Bulger, PA 15019. Construction of Single Residence Sewage Treatment Plant located in Robinson Township, **Washington County** to serve Wilson Residence.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0005622, Industrial Waste, **Bessemer & Lake Erie Railroad**, 135 Jamison Lane, P. O. Box 68, Monroeville, PA 15146. This proposed facility is located in Hempfield Township, **Mercer County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to the Shenango River.

NPDES Permit No. PA0238465, Industrial Waste, **Johnsonburg Municipal Authority**, Silver Creek Filtration Plant, 520A Market Street, Johnsonburg, PA 15845. This proposed facility is located in Ridgway Township, **Elk County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Silver Creek.

NPDES Permit No. PA0100943, Sewage, **Municipal Authority of Strattanville Borough**, P. O. Box 139, Strattanville, PA 16258. This proposed facility is located in Strattanville Borough, **Clarion County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to an unnamed tributary to Brush Run.

NPDES Permit No. PA020141, Sewage, **Brookville Municipal Authority**, Three Jefferson Court, Brookville, PA 15825. This proposed facility is located in Brookville Borough, **Jefferson County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Redbank Creek.

NPDES Permit No. PA0020401, Sewage, **Johnsonburg Municipal Authority**, 520A Market Street, Johnsonburg, PA 15845. This proposed facility is located in Johnsonburg Borough, **Elk County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to the Clarion River.

NPDES Permit No. PA0029114, Sewage, **Clintonville Borough Sewer and Water Authority**, P. O. Box 292, Clintonville, PA 16372. This proposed facility is located in Clintonville Borough, **Venango County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Scrubgrass Creek.

NPDES Permit No. PA0238660, Sewage, **Fassett and Associates**, 193 Hadley Road, Greenville, PA 16125. This proposed facility is located in Otter Creek Township, **Mercer County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to an unnamed tributary to Little Shenango River.

NPDES Permit No. PA0102296, Sewage, **Erie Petroleum, Inc.**, Exit 1 State Line Travel Center, 1502 Greengarden Road, P. O. Box 6345, Erie, PA 16512-6345. This proposed facility is located in Springfield Township, **Erie County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to an unnamed tributary to Raccoon Creek.

NPDES Permit No. PA0032531, Sewage, **DCNR, Bureau of State Parks, Moraine State Park**, 225 Pleasant Valley Road, Portersville, PA 16051-9650. This proposed facility is located in Muddy Creek Township, **Butler County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Muddy Creek.

NPDES Permit No. PA0104175, Industrial Waste, **National Fuel Gas Supply Corporation-Lamont Compressor Station**, P. O. Box 2081, Erie, PA 16512. This proposed facility is located in Jones Township, **Elk County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Hoffman Run.

NPDES Permit No. PA0025283—Amendment No. 1, Sewage, **Knox Borough STP**, 620 Main Street, P. O. Box 366, Knox, PA 16323. This proposed facility is located in Beaver Township, **Clarion County**.

Description of Proposed Action/Activity: An amendment for a treated sewage discharge.

NPDES Permit No. PA0238643, Sewage, **Venango Cemetery Association**, Venango Cemetery Caretaker Residence, 22161 Cemetery Road, Venango, PA 16440. This proposed facility is located in Venango Township, **Crawford County**.

Description of Proposed Action/Activity: This project is to discharge to unnamed tributary to Coulter Run.

WQM Permit No. 4301423, Sewage, **Borough of Grove City**, P. O. Box 110, Grove City, PA 16127-0110. This proposed facility is located in Grove City Borough, **Mercer County**.

Description of Proposed Action/Activity: This project is for the installation of a belt filter press.

WQM Permit No. 1601402, Sewage, **Borough of New Bethlehem**, 210 Lafayette Street, New Bethlehem, PA 16242. This proposed facility is located in New Bethlehem Borough, **Clarion County**.

Description of Proposed Action/Activity: This project is for the construction of a new sanitary sewer system in the area north of Broad Street and west of Leasure Run..

WQM Permit No. 4301420, Sewage, **Ronald Fassett and Associates**, 474 Hadley Road, Greenville, PA 16125. This proposed facility is located in Otter Creek Township, **Mercer County**.

Description of Proposed Action/Activity: A new discharge of treated sewage from a privately owned treatment works serving an office.

WQM Permit No. 2501418, Sewage, **Ditrich Subdivision**, 5795 Peck Road, Erie, PA 16510. This proposed facility is located in Harborcreek Township, **Erie County**.

Description of Proposed Action/Activity: This project is for a Small Flow Sewage Treatment Facility.

WQM Permit No. 2001414, Sewerage, **Venango Cemetery Association**, Venango Cemetery Caretaker Residence, 22161 Cemetery Road, Venango, PA 16440. This proposed facility is located in Venango Township, **Crawford County**.

Description of Proposed Action/Activity: This project is for a Single Residence.

NPDES STORMWATER INDIVIDUAL PERMITS — (PAS)

The following NPDES Individual Permits for Discharges of Stormwater Associated with Construction Activities have been issued.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10N032	TSSG, Inc. P. O. Box 474 Waverly, PA 18471	Lackawanna	Covington Township	Emerson Run HQ-CWF
PAS10S107	Anthony Columbo 233 Oakford Rd. Clarks Summit, PA 18411	Monroe	Stroud Township	Wigwam Run HQ-CWF
PAS101324	PAM Management, Inc. 193 Route 17 North Mahwah, NJ 07430	Carbon	East Side Borough	Unnamed tributary To Lehigh River HQ-CWF
PAS10U157	CTHL-1, Inc. 824 Eighth Ave. Bethlehem, PA	Northampton	Palmer Township and Tatamy Borough	Bushkill Creek HQ-CWF

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS105508	Edward Walsh One North Main St. Coudersport, PA 16915	Potter County	Allegheny Township	Allegheny River, UNT to Dwights Creek, UNT to Allegheny River HQ-CWF
PAS10F096	Randolph G. Aikens 401 Bear Meadows Rd. Boalsburg, PA 16827	Centre County	Harris Township	Galbraith Gap Run HQ-CWF

APPROVALS TO USE NPDES AND/OR OTHER GENERAL PERMITS

The following parties have submitted: (1) Notices of Intent (NOIs) for Coverage under (1) General NPDES Permits to Discharge Wastewater into the Waters of the Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations. Monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permits for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in Pennsylvania; (3) General NPDES Permit Authorizing the Discharge of Stormwater Associated with Construction Activities to Waters of the Commonwealth; (4) Notification for First Use Application of Sewage Sludge.

The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. The Department of Environmental Protection approves the following coverage under the specific General Permit.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)

General Permit Type—PAG 2

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Elk County St. Marys	PAR102526	Hemlock Prospect Seneca Resources Corp. Route 1, Box 27E Sigel, PA 15860	Elk Creek (CWF)	Elk County Conservation District (814) 776-5373
Carbon County East Penn Township	PAR101328	Duane Schleicher Northside Heights Dev. 182 Williams Lane Lehighon, PA 18235	Tributary to Lizard Creek TSF	Carbon County Conservation District (610) 377-4894
Schuylkill County Delano and Kline Townships	PAR105828	Pennsylvania Department of Transportation Donald E. Lerch Eng. Dist. 5 1713 Lehigh St. Allentown, PA 18103	Lofty Creek CWF	Schuylkill County Conservation District (570) 622-3742
Clearfield County Lawrence Township	PAR101759	Thomas Lingle R. R. 1, Box 319 Clearfield, PA 16830	Tributary to W. Br. Susquehanna River CWF	Department of Environmental Protection Water Management 208 W. 3rd. St. Williamsport, PA 17701 (570) 327-3574

General Permit Type—PAG-3

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Northampton County Nazareth Borough	PAR322203	C. F. Martin & Co., Inc. 510 Sycamore Street Nazareth, PA 18064-0329	Shoeneck Creek WWF	DEP—NERO Water Management 2 Public Square Wilkes-Barre, PA 18711 (570) 826-2511
Schuylkill County Pine Grove Township	PAR502204	Pine Grove Landfill, Inc. P. O. Box 307 Pine Grove, PA 17963-0304	Swatara Creek CWF	DEP—NERO Water Management 2 Public Square Wilkes-Barre, PA 18711 (570) 826-2511
Luzerne County Hazle Township	PAR222201	Allsteel, Inc. 2210 Second Avenue Muscatine, IA 52761-5257	Black Creek CWF	DEP—NERO Water Management 2 Public Square Wilkes-Barre, PA 18711 (570) 826-2511

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Northampton County Nazareth Borough	PAR322203	C. F. Martin & Co., Inc. 510 Sycamore Street Nazareth, PA 18064-0329	Shoeneck Creek WWF	DEP—NERO Water Management 2 Public Square Wilkes-Barre, PA 18711 (570) 826-2511
Schuylkill County Pine Grove Township	PAR502204	Pine Grove Landfill, Inc. P. O. Box 307 Pine Grove, PA 17963-0304	Swatara Creek CWF	DEP—NERO Water Management 2 Public Square Wilkes-Barre, PA 18711 (570) 826-2511
Luzerne County Hazle Township	PAR222201	Allsteel, Inc. 2210 Second Avenue Muscatine, IA 52761-5257	Black Creek CWF	DEP—NERO Water Management 2 Public Square Wilkes-Barre, PA 18711 (570) 826-2511
Lancaster County Columbia Borough	PAR203542	US Lock & Hardware Company 166 Bridge Street P. O. Box 60 Columbia, PA 17512	Lake Clarke/WWF	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Berks County Sinking Spring Township	PAR213524	Graffius Burial Vault Company 100 Park Avenue P. O. Box 2040 Sinking Spring, PA 19608	Cacoosing Creek	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Pine Creek Township Jefferson County	PAR608336	Davis Used Cars and Parts P. O. Box 287 Brookville, PA 15825	Sugarcamp Run	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
City of New Castle Lawrence County	PAR208361	Blair Strip Steel Company P. O. Box 7159 New Castle, PA 16107	Unnamed tributary of Big Run	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-4

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
North Fayette Township Allegheny County	PAG046118	Richard and Bonnie DeBiasio 1089 McKee Road Oakdale, PA 15071-3601	North Branch of Robinson Run	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Robinson Township Washington County	PAG046234	Carla Wilson 2818 Bigger Road Bulger, PA 15019	Raccoon Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Marshall Township Allegheny County	PAG046242	Bruce and Lisa Fox 399 Fern Hollow Lane Wexford, PA 15090-7539	UNT to Sewickley Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
<i>General Permit Type—PAG-5</i>				
<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Snyder Township Jefferson County	PAG058304	Luke's Auto Service Center R. D. 3, Box 66 Route 219 Crenshaw Brockway, PA 15824	Unnamed tributary to Little Toby Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Clarion Township Clarion County	PAG058341	Heath Oil, Inc. Frampton Oil Retail Facility P. O. Box 1128 Oil City, PA 16301	Trout Run	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
<i>General Permit Type—PAG-8 (SSN)</i>				
<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Site Name and Location</i>	<i>Contact Office and Telephone No.</i>
Pine Grove Township Schuylkill County	PAG08-3501 PAG07-0003 PAG08-0008 PAG08-3515 PAG08-2203 PAG08-3825 PAG08-3517 PAG08-3542 PAG08-0007 PAG08-3506 PAG08-3535 PAG08-2201 PAG08-0009 PAG08-0002 PAG08-0003 PAG08-3502 PAG08-3522 PAG08-0001 PAG08-3547 PAG08-0001 PAG08-0006 PAG08-3518	Synagro Mid-Atlantic, Inc. 1605 Dooley Road P. O. Box B Whiteford, MD 21160	Tin Pin Club Farm Pine Grove Township Schuylkill County	NERO 2 Public Square Wilkes-Barre, PA 18711 (570) 826-2511

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Site Name and Location</i>	<i>Contact Office and Telephone No.</i>
Pine Grove Township Schuylkill County	PAG08-3501 PAG07-0003 PAG08-0008 PAG08-3515 PAG08-2203 PAG08-3825 PAG08-3517 PAG08-3542 PAG08-0007 PAG08-3506 PAG08-3535 PAG08-2201 PAG08-0009 PAG08-0002 PAG08-0003 PAG08-3502 PAG08-3522 PAG08-0001 PAG08-3547 PAG08-0001 PAG08-0006 PAG08-3518	Synagro Mid-Atlantic, Inc. 1605 Dooley Road P. O. Box B Whiteford, MD 21160	Werner Farm Pine Grove Township Schuylkill County	NERO 2 Public Square Wilkes-Barre, PA 18711 (570) 826-2511

General Permit Type—PAG-12

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Fulton County Balfast Township	PAG123514	Ting-Kwang Chiou Franklin Hog Farm (Timber Ridge Farm) 312 Hampton Place Silver Spring, MD 20904	13-B	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Franklin County Peters Township	PAG123513	Ting-Kwang Chiou Franklin Hog Farm (Dry Run Farm) 312 Hammonton Place Silver Spring, MD 20904	13-C	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

PUBLIC WATER SUPPLY PERMITS

The Department of Environmental Protection (Department) has taken the following actions on applications received under the Safe Drinking Water Act for the construction, substantial modification or operation of a public water system.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board (Board) within 30 days from the date of issue of the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northcentral Region: Water Supply Management Program Manager; 208 West Third Street, Williamsport, PA 17701.

Permit No. 5901502, Public Water Supply.

Applicant	Mansfield Borough Municipal Authority 19 East Wellsboro Street Mansfield, PA 16933
Borough	Mansfield Borough
County	Tioga
Type of Facility	Public Water Supply—construction of Well #3 with related appurtenances and modifications to existing gas chlorination facilities
Consulting Engineer	Hunt Engineers Airport Corporate Park 100 Hunt Center Horseheads, NY 14845
Permit to Construct Issued	December 14, 2001

Permit No. Emergency Permit, Minor Amendment. Public Water Supply.

Applicant **Renovo Borough**
128 Fifth Street
Renovo, PA 17764

Borough Renovo Borough

County **Clinton**

Type of Facility Public Water Supply—approval to operate flow proportioned disinfection facilities at the existing booster pump station

Consulting Engineer Kerry A. Uhler & Associates
140 West High Street
Bellefonte, PA 16823

Permit to Operate Issued December 11, 2001

Permit No. Emergency Permit, Minor Amendment. Public Water Supply.

Applicant **Pennsylvania American Water Company**
800 West Hersheypark Drive
P. O. Box 888
Hershey, PA 17033-0888

Township White Deer Township

County **Union**

Type of Facility Public Water Supply—emergency approval to operate caustic soda feed at the White Deer Filter Plant to allow exclusive use of White Deer Creek during drought

Consulting Engineer Bruce E. Juergens, P.E.
Pennsylvania American Water Company
800 West Hersheypark Drive
P. O. Box 888
Hershey, PA 17033-0888

Permit to Operate Issued December 14, 2001

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Operations Permit # 3799503-T1-MA1 issued to: **Consumers Pennsylvania Water Company, Shenango Valley Division**, 665 South Dock Street, Sharon, PA 16146, Mahoning Township, **Lawrence County** on December 14, 2001.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Upper Saucon Township	5500 Camp Meeting Rd. Center Valley, PA 18039	Lehigh

Plan Description: On December 11, 2001, the Department approved an Act 537 Plan Revision for Upper Saucon Township. The Update Revision's Selected Alter-

native provides for: a rerating of the Upper Saucon Sewage Treatment Authority's Plant to a hydraulic capacity of 2.5 million gallons per day; the implementation of Alternatives 2—6 and 8 as described in the Update Revision; and, the implementation of a Septic Management District Program as described in the Update Revision. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Plan Location: 459 Wallace Run Road (S.R. 551) approximately 3/4 mile east of intersection of S.R. 551 and Shenango Road.

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Big Beaver Borough	114 Forest Drive Darlington, PA 16115	Beaver

Plan Description: The approved plan provides for construction of a single residence sewage treatment facility to replace a malfunctioning onlot septic system. Treated effluent will be discharged to a tributary of Wallace Run which, in turn, discharges to the Beaver River. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site where one of the Act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Lewistown Manufactured Gas Plant (formerly), Lewistown Borough, **Mifflin County**. Key Environmental, Inc., Rosslyn Farms Industrial Park, 1200 Arch Street, Suite 200, Carnegie, PA 15106 (on behalf of PPL Gas Utilities, 2 North Ninth Street, Allentown, PA 18101) submitted a Remedial Investigation Report concerning remediation of site soils and groundwater contaminated with heavy metals, BTEX, PAHs, phenol compounds and cyanide.

Laurel Run Park, Muhlenberg Township, **Berks County**. Muhlenberg Township Parks & Recreation, 702 Euclid Avenue, Temple, PA 19560-1541 submitted a Final Report concerning remediation of site soils contaminated with lead. The report is intended to document remediation of the site to the Statewide Health standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

State College Service Station, Ferguson Township, **Centre County**. Chambers Environmental Group, Inc., on behalf of its client Centre Oil & Gas, Inc., 769 Westerly Parkway, State College, PA 16801, has submitted a Final Report concerning remediation of site soil contaminated with BTEX and PHCs. The Final Report is intended to document remediation of the site to meet the Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, Administration of the Land Recycling and Environmental Remediation Standards Act (Act) requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Act. Plans and reports required by provisions of the Act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve

or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southeast Region: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Triboro Electric Company, Doylestown Borough, **Bucks County**. Terrence J. McKenna, Keating Environmental Management, Inc., 479 Thomas Jones Way, Suite 700, Exton, PA 19341, on behalf of Doylestown Store & Lock, 350 S. Main St., Suite 213, Doylestown, PA 18901, has submitted a Final Report concerning the remediation of site groundwater contaminated with petroleum hydrocarbons. Based on information contained in the report, the Department concludes that no further action is required concerning groundwater monitoring or remediation for the compounds listed in the report. If the Department obtains additional information that indicates the existence of contamination caused by conditions on this site, the Department reserves the right to require additional site characterization and/or remediation.

2900 Samuel Drive Site, Bensalem Township, **Bucks County**. Darryl D. Borrelli, Manko, Gold & Katcher, LLP, Suite 500, 401 City Ave., Bala Cynwyd, PA 19004, on behalf of Jupiter Property Management, LLC, 11401 Roosevelt Blvd., Philadelphia, PA 19154-2197, has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with lead, heavy metals, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The final report demonstrated attainment of Statewide Health and Site-Specific standards and was approved by the Department on November 28, 2001.

Rybas Property, Bensalem Township, **Bucks County**. Darryl Schmitt, Brinkerhoff Environmental Services, Inc., 133 Jackson Rd., Suite D, Medford, NJ 08055, on behalf of John Jr., Mary C., Walter G., David J., Barbara J. and Joan C. Rybas, 888 Frankford Ave., Philadelphia, PA, has submitted a Final Report concerning the remediation of site groundwater contaminated with lead. The Final report demonstrated attainment of the Statewide Health standard and was approved by the Department on November 26, 2001.

Hunter Elementary School, City of Philadelphia, **Philadelphia County**. Gloria G. Hunsberger, P.G., Powell-Harpstead, Inc., 800 E. Washington St., West Chester, PA 19380, on behalf of the School District of Philadelphia, 734 Schuylkill Ave., Rm. 336, Philadelphia, PA 19146, has submitted a Remedial Investigation/Cleanup Plan concerning the remediation of site soil contaminated with lead, BTEX, polycyclic aromatic hydrocarbons and solvents. The report was approved by the Department on November 13, 2001.

Eastern Side, Former Philadelphia Naval Hospital, City of Philadelphia, **Philadelphia County**. Jonathan E. Rinde, Manko, Gold & Katcher, LLP, 401

City Avenue, Suite 500, Bala Cynwyd, PA 19004, on behalf of United States of America by and through the Department of the Navy, c/o Commanding Officer, Northern Division Naval Facilities Engineering Command, 10 Industrial Highway, Mail Stop #82, Lester, PA 19113-2090, has submitted a Remedial Investigation/Risk Assessment Report concerning the remediation of site soil contaminated with lead, heavy metals, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The report was approved by the Department on November 29, 2001.

Estate of Sam DeRose/Venice Auto Parts, City of Philadelphia, **Philadelphia County**. Steven F. Coe, Brown Environmental Services, 42 Sequoia Dr., Newtown, PA 18940, on behalf of the Estate of Sam DeRose, 6219 W. Passyunk Ave., Philadelphia, PA 19153, has submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning the remediation of site soil and groundwater contaminated with lead, BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The reports were approved by the Department on November 21, 2001.

Home Depot, USA (Philadelphia) Port Richmond, City of Philadelphia, **Philadelphia County**. Christopher Orzechowski, RT Environmental Services, Inc., 215 W. Church Rd., King of Prussia, PA 19406, on behalf of Home Depot USA, 3096 Hamilton Blvd., S. Plainfield, NJ 07080, has submitted a Final Report concerning the remediation of site soil contaminated with lead, BTEX and polycyclic aromatic hydrocarbons. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on November 13, 2001.

Scholler, Inc., City of Philadelphia, **Philadelphia County**. Christopher Orzechowski, RT Environmental Services, Inc., 215 W. Church Rd., King of Prussia, PA 19406, on behalf of Scholler, Inc., c/o Karl Vonder Schmalz, Jr., 2330 Collins St., Philadelphia, PA 19134, has submitted a Final Report concerning the remediation of site groundwater contaminated with BTEX and polycyclic aromatic hydrocarbons. The Final Report did not demonstrate attainment of the Statewide Health Standard and was disapproved by the Department on November 13, 2001.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Former Teledyne McKay Property, Spring Garden Township, **York County**. EA Engineering, Science, and Technology, Inc., 15 Loveton Circle, Sparks, MD 21152 (on behalf of Redevelopment Authority of the County of York, 144 Roosevelt Avenue, Suite 100, York, PA 17404) submitted a final report concerning remediation of site soils and groundwater contaminated with PCBs, lead, heavy metals, solvents, BTEX and PAHs. The final report demonstrated attainment of the Site-Specific standard and was approved by the Department on December 19, 2001.

UGI Utilities, Inc. Lebanon Service Building, City of Lebanon, **Lebanon County**. EPSYS Corporation, 1414 North Cameron Street, Suite A, Harrisburg, PA 17103 (on behalf of UGI Utilities, Inc., P. O. Box 12677, Reading, PA 19612) submitted a remedial investigation report and cleanup plan concerning the remediation of site soils and groundwater contaminated with BTEX, PAHs and PHCs. The report and plan were approved by the Department on December 19, 2001.

Caterpillar Inc., York Distribution Center, Springettsbury Township, **York County**. Earth Tech, Inc.,

Two Market Plaza Way, Mechanicsburg, PA 17055 (on behalf of Caterpillar Inc., 100 NE Adams Street, Peoria, IL 61629-3315) submitted a Final Report concerning remediation of site soils contaminated with BTEX and PAHs. The final report demonstrated attainment of the Statewide Health standard and was approved by the Department on December 19, 2001.

ITT Industries Engineered Valves, East Hempfield Township, **Lancaster County**. O'Brien & Gere Engineers, Inc., 1777 Sentry Parkway West, Gwynedd Hall, Suite 302, Blue Bell, PA 19422 (on behalf of ITT Industries Engineered Valves, 33 Centerville Road, Lancaster, PA 17603) submitted a Final Report concerning remediation of site soils contaminated with metals, BTEX and VOCs. The final report demonstrated attainment of the Statewide Health standard and was approved by the Department on December 19, 2001.

P. R. Hoffman Materials Processing Corporation, Borough of Carlisle, **Cumberland County**. Earth Resource Associates, Inc. (on behalf of Hoffman Materials, Inc. 321 Cherry Street, Carlisle, PA 17013) submitted a Final Report concerning remediation of site soils contaminated with BTEX and solvents. The final report demonstrated attainment of the Statewide Health standard and was approved by the Department on December 19, 2001.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Agway Petroleum, Inc., 511 West Grant Street, City of New Castle, **Lawrence County**, had submitted a Work Plan concerning remediation of soil and groundwater. The site had been found to be contaminated with Benzene. The report demonstrated attainment of the Special Industrial Standard and was approved by the Department on June 12, 2000.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits Renewed under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Permit No. 400658. Hatfield Township Municipal Authority, Hatfield Township, **Montgomery County**. Permit renewed for a new 10-year term for the HTMA sewage sludge incinerator facility. The permit was renewed by Southeast Regional Office on December 18, 2001.

Permit No. 300300. Rohm and Haas Company, P. O. Box 584, Bristol, PA 19007, City of Philadelphia. Permit revocation requested for an old construction and demolition waste landfill located on property formerly owned by Rohm and Haas Company and associated with their Philadelphia operations. Facility was closed in the early 1990s and has undergone post-closure monitoring. The permit was revoked by the Southeast Regional Office on December 18, 2001.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter

127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: James Parette, New Source Review Chief, (570) 826-2531.

48-310-044GP: Haines and Kibblehouse, Inc. (P. O. Box 196, Skippack, PA 19474) for construction and operation of a portable crushing plant and associated air cleaning device at A B E Materials in Lower Mount Bethel Township, **Northampton County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: William Charlton, New Source Review Chief, (412) 442-4174.

GP-30-00142: CNX Gas Company, LLC (1800 Washington Road, Pittsburgh, PA 15241) permit is effective December 13, 2001, for construction and operation of one natural gas fired booster compression engine at Roberts Run Compressor Station in Gilmore Township, **Greene County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.

GP 43-295: Dairy Farmers of America—West Middlesex Plant (82 North Street, West Middlesex, PA 16159) on December 12, 2001, for operation of a natural gas fired boiler in West Middlesex, **Mercer County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: James Parette, New Source Review Chief, (570) 826-2531.

58-313-001A: Envirocycle, Inc. (P. O. Box 899, Hallstead, PA 18822) on December 12, 2001, for construction of a blending and conveying system and associated air cleaning device in Great Bend Township, **Susquehanna County**.

39-318-105A: Ultra Hi-Tek Products, Inc. (827 North Meadow Street, Allentown, PA 18102) on December 10, 2001, for installation of an air cleaning device on a film coating line in Allentown, **Lehigh County**.

48-309-115: ESSROC Cement Corp. (3251 Bath Pike, Nazareth, PA 18064) on December 10, 2001, for installation of an air cleaning device on an unloading hopper at Nazareth Plant No. 1 in Lower Nazareth Township, **Northampton County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

06-03078A: Brush Wellman, Inc. (P. O. Box 973, Reading, PA 19603) on December 13, 2001, for operation of a pickling line controlled by four wet scrubbers in Perry Township, **Berks County**.

36-05117: Dart Container Corp. of PA (110 Pitney Road, Lancaster, PA 17602) on December 14, 2001, for construction of an Expandable Polystyrene Container Molding facility in East Lampeter Township, **Lancaster County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: William Charlton, New Source Review Chief, (412) 442-4174.

04-00516C: Vesuvius McDanel Company (510 9th Avenue, Beaver Falls, PA 15010) on December 13, 2001, for installation of a new gas-fired kiln at Beaver Falls Plant in Beaver Falls, **Beaver County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.

43-278B: Cobra Metals, Inc. (3rd Street and Brentwood Avenue, Transfer, PA 16154) on December 4, 2001, for construction of a brass and copper turnings dryer in Pymatuning Township, **Mercer County**.

42-194A: Glenn O. Hawbaker, Inc.—Shinglehouse Plant (497 Horserun Road, Shinglehouse, PA 16748) on December 12, 2001, for operation of an aggregate plant in Shinglehouse, **McKean County**.

24-012B: Carbide Graphite Group (800 Theresia Street, St. Marys, PA 15857) on December 11, 2001, for modifications to Permit 79-PA-26 for Source 108 (Pitch Impregnation), Source 163 (Vegetable Oil Quenching System) and Source 187 (Longitudinal Graphitizers, Building 800) in St. Marys, **Elk County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: James Parette, New Source Review Chief, (570) 826-2531.

10-313-028B: Indspec Chemical Corp. (133 Main Street, P. O. Box 307, Petrolia, PA 16050) on December 30, 2001, for a resorcinol flaker/bagging and packaging system in Petrolia, **Butler County**.

10-021D: Indspec Chemical Corp. (133 Main Street, P. O. Box 307, Petrolia, PA 16050) on December 30, 2001, for a copeland incinerator in Petrolia, **Butler County**.

10-021H: Indspec Chemical Corp. (133 Main Street, P. O. Box 307, Petrolia, PA 16050) on December 30, 2001, for a reactor 507 in Petrolia, **Butler County**.

10-285B: Waste Management Disposal Services of PA, Inc.—Northwest Sanitary Landfill (1436 West Sunbury Road, West Sunbury, PA 16061) on November 30, 2001, for a flare system in Clay Township, **Butler County**.

25-069E: Engelhard Corp. (1729 East Avenue, Erie, PA 16503) on November 30, 2001, for a stearic acid removal oven in Erie, **Erie County**.

37-307A: Hobel Brothers Co./Slippery Rock Salvage (214 Gardner Avenue, New Castle, PA 16107) on September 30, 2001, for an enclosed steel ingot cutting operation in New Castle, **Lawrence County**.

37-316A: International Mill Service, Inc. (700 Moravia Street, P. O. Box 2327, New Castle, PA 16101) on December 31, 2001, for slag processing in New Castle, **Lawrence County**.

42-158B: Temple Inland Forest Products Corp.—Mt. Jewett (R. D. 2, Hutchins Road, Mt. Jewett, PA 16740) on December 31, 2001, for compliance measures and plant improvements in Sergeant Township, **McKean County**.

42-158C: Temple Inland Forest Products Corp.—Mt. Jewett (R. D. 2, Hutchins Road, Mt. Jewett, PA 16740) on December 31, 2001, for compliance measures and plant improvements in Sergeant Township, **McKean County**.

42-158D: Temple Inland Forest Products Corp.—Mt. Jewett (R. D. 2, Hutchins Road, Mt. Jewett, PA 16740) on December 31, 2001, for compliance measures and plant improvements in Sergeant Township, **McKean County**.

42-158E: Temple Inland Forest Products Corp.—Mt. Jewett (R. D. 2, Hutchins Road, Mt. Jewett, PA 16740) on December 31, 2001, for compliance measures and plant improvements in Sergeant Township, **McKean County**.

42-176G: Temple Inland Forest Products Corp.—Mt. Jewett (R. D. 2, Hutchins Road, Mt. Jewett, PA 16740) on December 31, 2001, for compliance measures and plant improvements in Sergeant Township, **McKean County**.

42-176H: Temple Inland Forest Products Corp.—Mt. Jewett (R. D. 2, Hutchins Road, Mt. Jewett, PA 16740) on December 31, 2001, for compliance measures and plant improvements in Sergeant Township, **McKean County**.

42-176I: Temple Inland Forest Products Corp.—Mt. Jewett (R. D. 2, Hutchins Road, Mt. Jewett, PA 16740) on December 31, 2001, for compliance measures and plant improvements in Sergeant Township, **McKean County**.

42-185A: IA Construction Co. (Route 155, P. O. Box 568, Franklin, PA 16323) on December 30, 2001, for a batch asphalt plant in Annin Township, **McKean County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05004B: Baldwin Hardware Corp. (P. O. Box 15048, Reading, PA 19612-5048) on November 9, 2001, for installation of four cell batch vapor degreasers in the City of Reading, **Berks County**. This source is subject to 40 CFR Part 63, Subpart T—National Emission Standards for Halogenated Solvent Cleaning. This plan approval was extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: William Charlton, New Source Review Chief, (412) 442-4174.

65-00065A: Hanson Aggregates PMA, Inc. (400 Industrial Boulevard, New Kensington, PA 15068) on December 14, 2001, for construction of a crusher and conveyor belt in Unity Township, **Westmoreland County**. This plan approval was extended.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Edward Brown, Facilities Permitting Chief, (610) 832-6242.

23-00014: Kimberly-Clark Corporation (Front and Avenue of the States, Chester, PA 19013) on December 19, 2001, for operation of a Facility Title V Operating Permit in City Of Chester, **Delaware County**.

23-00040: Laurel Pipe Line Company, L.P. (3398 Garnet Mine Road, Boothwyn, PA 19061) on December 19, 2001, for operation of a Facility Title V Operating Permit in Bethel Township, **Delaware County**.

46-00010: Montenay Montgomery, L.P. (1155 Conshohocken Road, Conshohocken, PA 19428) on December 19, 2001, for operation of a Facility Title V Operating Permit in Plymouth Township, **Montgomery County**.

46-00061: Department of Corrections—SCI Graterford (P. O. Box 246, Graterford, PA 19426) on December 19, 2001, for operation of a Facility Title V Operating Permit in Skippack Township, **Montgomery County**.

46-00032: SPS Technologies, Inc. (Highland Avenue, Jenkintown, PA 19046) on December 19, 2001, for operation of a Facility Title V Operating Permit in Abington Township, **Montgomery County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

04-00033: NOVA Chemicals, Inc. (400 Frankfort Road, Monaca, PA 15061-2298) on December 17, 2001, for operation of their styrenic thermoplastic resin manufacturing facility located at their Beaver Valley Plant in Potter Township, **Beaver County**.

63-00014: Orion Power MidWest L.P. (2000 Cliff Mine Road, Suite 200, Pittsburgh, PA 15275) for operation of Elrama Station in Union Township, **Washington County**. The company generates approximately 487 MW of electricity. The plant consists of four boilers, an oil-fired auxiliary boiler and ancillary system that include fuel handling, crushing and storage, limestone and ash storage/handling system and some other insignificant sources.

65-00788: Sony Electronics Inc. (1001 Technology Drive, Mt. Pleasant, PA 15666) on December 19, 2001, for the operation a television manufacturing facility in East Huntingdon Township, **Westmoreland County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

24-00017: Morgan AM&T (441 Hall Ave., St. Marys, PA 15857) Natural Minor operating permit for the manufacture of carbon-based components in St Marys, **Elk County**.

10-00312: Purvis Brothers, Inc, Mars Facility (321 Mars-Valencia Road, Mars, PA 16046) for a Synthetic Minor Permit to operate a Petroleum Bulk Station located in Adams Township, **Butler County**.

16-00131: Georgia-Pacific Corporation, Marble Hardwood Sawmill (Highway 208, Marble, PA 16334) for a Synthetic Minor Permit to operate a Hardwood Sawmill located in Washington Township, **Clarion County**.

33-00038: Brookville Wood Products Inc. Brookville Plant (R. D. 1, Box 460, Brookville, PA 15825) on December 5, 2001, for a Natural Minor Operating Permit in Pinecreek Township, **Jefferson County**.

25-00197: Erie Bronze & Aluminum Co. (6300 W. Ridge Rd., Erie, PA 16505) Natural Minor operating permit issued December 123, 2001, for the operation of a bronze and aluminum foundry in Fairview Township, **Erie County**.

25-00045: Saint Vincent Health Center (232 West 25th Street, Erie, PA 16544) on December 17, 2001, for a Natural Minor Operating Permit located in City of Erie, **Erie County**.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Michael Saffo, Facilities Permitting Chief, (570) 826-2531.

40-309-036D: Schott Glass Technologies, Inc. (400 York Avenue, Duryea, PA 18642) for a minor modification of melting pots A and B and the associated air cleaning device in Duryea Borough, **Luzerne County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Leif Ericson, Program Manager, (717) 705-4702.

67-05064: York Building Products Co., Inc. (P. O. Box 1708, York, PA 17405) for operation of an asphalt plant at its Eberts Lane Plant in Spring Garden Township, **York County**. On December 17, 2001, the Synthetic Minor Operating Permit was administratively amended to correct a typographical error. This is Revision No. 1 of the operating permit.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

62-00017: United Refining Company—Warren (Bradley & Dobson Streets, P. O. Box 780, Warren, PA 16365) in Warren Township, **Warren County**, will be Administratively Amending their Title V permit (issued December 26, 2000, and revised on March 21, 2001) on December 18, 2001, to incorporate the conditions from the SO₂ plan approval: 62-017E (facility SOx permit).

62-00017: United Refining Company—Warren (Bradley & Dobson Street, P. O. Box 780, Warren, PA 16365) located in Warren Township, **Warren County**, intends to modify, using the minor modification procedure, the Title V permit (issued December 26, 2000, and revised on March 21, 2001) on December 18, 2001. The minor modification will be to lower the VOC emission limits on Sources 213, 214, and 056.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will

also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Noncoal Permits Actions

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.

26800401 and NPDES Permit PA125920. Carbon Fuel Resources, Inc. (5500 Steubenville Pike, Montour Plaza, Suite 3A, McKees Rocks, PA 15136). NPDES Renewal issued for continued operation and reclamation of a large noncoal surface mine located in Georges Township, **Fayette County**, affecting 91.1 acres. Receiving streams: Brownfield Hollow to Mountain Creek to Georges Creek to Monongahela River. Application received: November 7, 2001. NPDES Renewal issued: December 14, 2001.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)).

Except as otherwise noted, the Department certifies that the construction and operation herein described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State Water Quality Standards.

Persons aggrieved by this action may appeal, under section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514 and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board (Board) within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law (35 P.S. §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Water Obstruction and Encroachment Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description).

*Permits Issued and Actions on 401 Certifications:***WATER OBSTRUCTIONS AND ENCROACHMENTS**

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E51-193. Fairmount Park Commission, West Park, Memorial Hall, Philadelphia, PA 19131-0901, City of Philadelphia, **Philadelphia County**, ACOE Philadelphia District.

To construct and maintain a sculptural landscape structure within Fairmount Park along the Schuylkill River (WWF-MF) where tidal flows overtop the existing, partially constructed bulkhead. The structure will mostly be comprised of stone and concrete centered on the existing bulkhead. The purpose of this terraced structure is to display the rise and reach of the Schuylkill River's tidal cycle. The proposed Schuylkill River Tidal Park project is located beneath and just to the south of the Walnut Street Bridge on the Schuylkill River's eastern bank (Philadelphia; PA Quadrangle N: 13.5 inches, W: 6.9 inches).

E46-896. Esquire and Jan Jordan, 1037 East Avenue, Penllyn, PA 19422, Upper Dublin Township, **Montgomery County**, ACOE Philadelphia District.

To relocate approximately 150 linear feet of an unnamed tributary of the Wissahickon Creek (TSF) and to construct and maintain a retaining wall and to place associated fill in 0.048 acre of adjacent wetlands (PFO) to facilitate the construction of two single family residences on a 0.50 acre parcel located approximately 400 feet east of the intersection of Inverness Avenue and Glencoe Avenue (Ambler, PA US Quadrangle N: 4.3 inches; W: 11.9 inches).

E15-671. GenTerra Corporation, 666 Exton Commons, Exton, PA 19341, East Whiteland Township, **Chester County**, ACOE Philadelphia District.

To perform the following activities associated with a commercial office and hotel facility located in and along Little Valley Creek (EV) and adjacent wetlands:

1. To construct and maintain a 35-foot long twin span, 26-foot by 10-foot low profile CMP arch bridge and associated endwalls across Little Valley Creek (EV) and a de minimis area of adjacent wetlands (PEM) to provide access to the site. Work will also consist of the installation of a temporary stream crossing.

2. To install and maintain a 30-inch (maximum) steel sleeve to facilitate 8-inch diameter utility line crossing across Little Valley Creek (EV) and along Morehall Road (S.R. 0029).

3. To install and maintain stream bank stabilization measures consisting of vegetative plantings along 75 feet of stream bank to stabilize and enhance the channel along Little Valley Creek.

4. To install and maintain two stormwater outfall structures within the 100-year floodway of Little Valley Creek.

The site is located approximately 400 feet southeast of the intersection of Morehall Road (S.R. 0029) and Matthews Road (Malvern USGS Quadrangle N: 8.90 inches; W: 3.30 inches).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E40-578. Ralph and Mary Herbert, 297 Hartman Road, Hunlock, PA 18621. Hunlock Township, **Luzerne County**, Army Corps of Engineers Baltimore District.

To construct and maintain a single-span bridge, having a clear span of approximately 37 feet and a minimum underclearance of approximately 5 feet, across a tributary to Hunlock Creek, for the purpose of providing access to a single-family residence. The project is located on the south side of S.R. 4001 (Hartman Road), approximately 0.2 mile east of the intersection of S.R. 4001 and Township Road T-544 (Nanticoke, PA Quadrangle N: 17.8 inches; W: 8.1 inches).

E45-415. Buck Hill Falls Conservation Foundation, P. O. Box 350, Buck Hill Falls, PA 18323. Barrett Township, **Monroe County**, Army Corps of Engineers Philadelphia District.

To dredge cobbles and gravel from a plunge pool measuring 75-feet x 75-feet at the base of a set of falls along Buck Hill Creek and to place the dredged material in the floodway to improve pedestrian access to a viewing area for observing the falls. This work is associated with a conservation improvement project by the Buck Hill Falls Conservation Foundation and is located approximately 0.9 mile west of the intersection of S.R. 0390 and S.R. 0447 (Buck Hill Falls, PA Quadrangle N: 12.7 inches; W: 2.6 inches).

E64-217. Jennifer F. Canfield, R. R. 1, Damascus, PA 18415. Damascus Township, **Wayne County**, Army Corps of Engineers Philadelphia District.

To construct and maintain a single-family residence and garage on a 0.88-acre lot, in the floodway of the Delaware River. The project is located east of S.R. 1016, on Lot No. 18 along Tammany Flats Road, approximately 0.8 mile south of the Callicoon, NY Bridge (Callicoon, NY-PA Quadrangle N: 0.8 inch; W: 7.6 inches).

E45-418. Pennsylvania-American Water Co., 20 East Union Street, Wilkes-Barre, PA 18701-1397. Coolbaugh Township, **Monroe County**, Army Corps of Engineers Philadelphia District.

To remove the existing sanitary sewer line and to construct and maintain 90 feet of 15-inch diameter PVC sanitary sewer line in wetlands for the purpose of correcting a negative slope condition and reducing exfiltration of the sewer line. A temporary road crossing consisting of a 24-inch diameter culvert and clean rock fill in wetlands is also proposed during construction. The project is located in Pocono Country Place, Section G-14, east of Fawn Lane. (Tobyhanna, PA Quadrangle N: 12.8 inches; W: 0.7 inch).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E01-227. Suzanne Youngblood, 530 Flohrs Church Road, Biglerville, PA 17307 in Franklin Township, **Adams County**, ACOE Baltimore District.

To construct and maintain a 35-foot of stream channel from an existing spring to an existing overflow channel and fill in an on-stream pond which is located at the spring house on an unnamed tributary to Muskrat Run (CWF) (Fairfield, PA Quadrangle N: 22.3 inches; W: 12.8 inches) in Franklin Township, Adams County.

E01-228. Pennsylvania Department of Transportation, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103 in Straban Township, **Adams County**, ACOE Baltimore District.

To remove an existing bridge with a clear span of 6.5 meters and a 1.527 meters underclearance and to construct and maintain a single span reinforced concrete adjacent plank beam bridge with a span of 7.31 meters on a 60 degree skew and a 1.546 meters underclearance across Beaverdam Creek (WWF) located on SR 0394 Section 002 (Biglerville, PA Quadrangle N: 1.4 inches; W: 5.2 inches) in Straban Township, Adams County.

E06-555. Department of Conservation and Natural Resources, P. O. Box 8451, Harrisburg, PA 17105 in Cumru Township, **Berks County**, ACOE Philadelphia District.

To remove and replace with reinforced concrete the existing cut stone and mortar abutments at a bridge spanning Angelica Creek (CWF, Wild Trout) located at a point within the Nolde Forest State Park (Reading, PA Quadrangle N: 5.2 inches; W: 10.3 inches) in Cumru Township, Berks County.

E21-332. Pennsylvania Department of Transportation, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103 in West Pennsboro and Upper Frankford Townships, **Cumberland County**, ACOE Baltimore District.

To remove the existing four span concrete bridge and to construct and maintain a new three span prestressed concrete spread box beam bridge, each span has 72.416 feet, 72.416 feet and 71.33 feet respectively with a minimum underclearance of 5.95 feet, over Conodoquinet Creek (WWF) on SR 4021, Section 003 Segment 0040 Offset 0000, Station 67+62.50 (Bloserville Road) (Plainfield, PA Quadrangle N: 15.8 inches; W: 14.92 inches) in West Pennsboro and Upper Frankford Townships, Cumberland County.

E22-435. Pennsylvania Department of Transportation, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103 in Derry Township, **Dauphin County**, ACOE Baltimore District.

To extend and maintain the length of an existing 72-inch diameter corrugated metal pipe culvert by 10 feet and to fill in 0.014 acre of de minimis wetlands within the 100-year floodway and floodplain of Swatara Creek (WWF) in order to widen SR 0039, Segment 0330, Offset 0666 (Hershey Road) located 960 feet from its intersection with Hersheypark Drive (Hershey, PA Quadrangle N: 6.9 inches; W: 6.5 inches) in Derry Township, Dauphin County.

E44-112. Lewistown Borough, 2nd East Third Street, Municipal Building, Lewistown, PA 17044 in Lewistown Borough, **Mifflin County**, ACOE Baltimore District.

To construct and maintain a floating boat dock, a wooden fishing platform, a parking area and riprap bank protection in along the channel of the Juniata River (WWF) at a point at Victory Park (Lewistown, PA Quadrangle N: 17.2 inches; W: 11.1 inches) in Lewistown Borough, Mifflin County.

E67-698. York County Commissioners, One West Market Way, York, PA 17401 in Hellam Township, **York County**, ACOE Baltimore District.

To remove the existing structure, construct and maintain County Bridge No. 69 having a 40-foot clear span prestressed concrete box beam structure with a concrete deck having a 5-foot underclearance across Kreutz Creek (WWF) on Valley Aces Road (T-787) (Red Lion, PA Quadrangle N: 21.6 inches; W: 15.3 inches) in Hellam Township, York County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

E18-306 Denied: Department of Conservation and Natural Resources, Bureau of Forestry, HCR 72, Box 90, Renovo, PA 17764. Minor road crossings in Chapman Township, **Clinton County**, ACOE Baltimore District (Muncy, PA Quadrangle N: 14.2 inches; W: 16.2 inches)

Operate and maintain a minor road crossing to carry Right Branch Hyner Run Road across an unnamed tributary to Right Branch, Hyner Run (HW-CWF); to operate and maintain two minor road crossings to carry Right Branch-Hyner Run Road across Spring Run (HQ-CWF); and to construct, operate and maintain a minor road crossing to carry Right Branch Hyner Run Road across Spring Run (HQ-CWF). Road crossing construction shall consist of installing a 36-inch diameter plastic culvert that shall be depressed 1.9 feet into the Spring Run streambed. The project is located along the western right-of-way of SR 0044 approximately 2,000 feet east of Brouse Road and Middle Road intersection.

E17-359. Forest Drive Stream Enclosure Association, Inc., 427 Forest Drive, Clearfield, PA 16830. Modifications-Forest Drive Stream Enclosure, in Lawrence Township, **Clearfield County**, ACOE Baltimore District (Clearfield, PA Quadrangle N: 5.2 inches; W: 11.8 inches).

To modify, operate and maintain as existing 36-inch diameter plastic pipe enclosing an unnamed tributary to the West Branch, Susquehanna River for the improvement of private property. The 36-inch diameter corrugated plastic pipe enclosing the stream shall be modified and maintained to a maximum length of 400-feet. The enclosure shall be perpetually operated free of all debris or obstructions at the inlet, outlet and throughout its total length. The modifications shall also include the construction of an overflow channel and a Type VI energy dissipater that shall be perpetually operated and maintained in accordance with the plans drawing and specifications that were reviewed and approved for this permit. The project will not impact wetlands while impacting 450-feet of waterway. The project is located along the southern right-of-way of Martin Street approximately 3,500-feet from Turnpike Avenue and Martin Street intersection.

E17-362. Bradford Township, P. O. Box 79, Woodland, PA 16881. Public Road Crossing Millstone Run, in Bradford Township, **Clearfield County**, ACOE Baltimore District (LeContes Mills, PA Quadrangle N: 9.2 inches; W: 12.3 inches).

To complete the construction of a public road crossing, operate and maintain a single corrugated metal culvert pipe to carry T-210 across Millstone Run. The road crossing shall be constructed, operated and maintained with a single corrugated arch culvert pipe that has a minimum span of 19.17-feet and a minimum rise of 11.75-feet. Construction, operation and maintenance of the road crossing Millstone Run shall also include gabion basket wingwalls. The project is located along the eastern right-of-way of SR 0970 approximately 2250-feet east of T-210 and SR 0970.

E57-095. Gerald Doyle, P. O. Box 338, Mildred, PA 18632. Water Obstruction and Encroachment Permit application, in Cherry Township, **Sullivan County**, ACOE Susquehanna River Basin District (Laporte, PA Quadrangle N: 18.75 inches; W: 0.25 inch).

To place and maintain 520 cubic yards of fill for a residential lawn along Birch Creek, 250-feet north of the

intersection of SR 0487 and T-371 along T-371 in Cherry Township, Sullivan County. This permit was issued under § 105.13(e) "Small Projects."

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E63-484. Cherry Valley Lake Development Corporation, P. O. Box 273, Atlasburg, PA 15004. Mount Pleasant Township, **Washington County**, ACOE Pittsburgh District.

To construct and maintain an arch culvert having a span of 33.0 feet with an underclearance of 12.4 feet across the channel of Raccoon Creek (WWF) to provide access to the Cherry Valley Lake Residential Development located just downstream from the Cherry Valley Reservoir (D63-056) (Midway, PA Quadrangle N: 15.3 inches; W: 11.4 inches).

E63-504. Pennsylvania Department of Transportation, Engineering District 12-0, P. O. Box 459, Uniontown, PA 15401. Canton and North Franklin Townships, Washington County, ACOE Pittsburgh District.

To remove existing structures and to construct and maintain a prestressed concrete box beam bridge having a normal span of 74.0 feet and underclearance of 7.8 feet over Chartiers Creek (WWF), to construct and maintain a temporary crossing over a tributary of Chartiers Creek (WWF), to construct and maintain a 60 inch diameter RCP culvert for a distance of approximately 50 feet in a tributary to Chartiers Creek, to relocate and maintain 250.0 feet of Chartiers Creek and to place and maintain fill in 0.12 acre of PEM/PFO wetlands. This project is for the improvement of the intersection of U.S. 40 and S.R. 3013 (Franklin Farms Road). The permittee has provided for 0.12 acre of wetland replacement by making a monetary contribution to the Pennsylvania Wetland Replacement Project. (Washington West, PA Quadrangle N: 7.1 inches; W: 3.4 inches).

ENVIRONMENTAL ASSESSMENTS

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

EA66-002NE. Wyoming County, Wyoming County Courthouse, 1 Courthouse Square, Tunkhannock, PA 18657. Eaton Township, **Wyoming County**, Army Corps of Engineers Baltimore District.

To remove Wyoming County Bridge No. 14 across Bowman Creek (HQ-CWF) and to restore the streambanks to existing conditions. The bridge has a single span of approximately 107 feet and is located along Township Road T-413 between S.R. 0029 and T-404 (Tunkhannock, PA Quadrangle N: 2.6 inches; W: 11.9 inches).

[Pa.B. Doc. No. 02-12. Filed for public inspection January 4, 2002, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

State Surplus Property

State Surplus Property is selling three Gretag Imaging Net Printers. Two printers are still in the box and one is setup and has been operating since October 2001. Contact Donald D. Constance to schedule an appointment to look at the printers at (717) 787-2095. To obtain a bid packet

contact State Surplus at (717) 787-4085. The sealed bid opening will be held on January 23, 2002.

KELLY P. LOGAN,
Acting Secretary

[Pa.B. Doc. No. 02-13. Filed for public inspection January 4, 2002, 9:00 a.m.]

DEPARTMENT OF HEALTH

Laboratories Approved to Determine Blood Alcohol Content Under the Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood and/or serum and plasma. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the analysis of serum proficiency testing specimens are approved to analyze both serum and plasma. These laboratories are also approved and designated under the provisions of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance), and the Game and Wildlife Code, 34 Pa.C.S. § 2502, (relating to hunting or furtaking under the influence of alcohol or controlled substance) as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood and/or serum and plasma. Laboratories located outside this Commonwealth may not provide blood and/or serum and plasma alcohol testing services in this Commonwealth unless they are specifically licensed by the Department under the Clinical Laboratory Act.

Persons seeking forensic blood and/or serum and plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes, and that the director of the facility is agreeable to performing determinations for this purpose. The list of approved laboratories will be revised approximately semi-annually and published in the *Pennsylvania Bulletin*.

The Department's blood alcohol and serum/plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services in accordance with the requirements contained in the Clinical Laboratory Improvement Amendments of 1988 (42 CFR 493.901 and 493.937) which are administered by the Health Care Financing Administration. Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Division of Chemistry and Toxicol-

ogy, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464, ext. 3229.

Persons with a disability who require auxiliary aid service should contact Dr. Shoemaker at V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT & T Relay Service at (800) 654-5984 [TT].

The symbols S and B indicate the following:

S = approved for serum and plasma analyses
 B = approved for blood analyses
 SB = approved for serum, plasma and blood analyses

Abington Memorial Hospital-S
 1200 Old York Rd.
 Abington, PA 19001
 (215) 576-2350

Advanced Toxicology Network-B
 3560 Air Center Cove Suite 101
 Memphis, TN 38118
 (901) 794-5770

Albert Einstein Med Ctr. North-S
 5501 Old York Rd.
 Philadelphia, PA 19141
 (215) 456-6100

Aliquippa Comm Hosp Pathology Dept-B
 2500 Hospital Dr.—Pathology Dept
 Aliquippa, PA 15001
 (724) 857-1238

Alleg Cnty Coroners Div of Labs-SB
 10 County Office Building
 Pittsburgh, PA 15219
 (412) 350-6873

Allegheny Valley Hospital Lab-SB
 1300 Carlisle St.
 Natrona Heights, PA 15065
 (724) 224-5100

Altoona Hospital-SB
 620 Howard Avenue
 Altoona, PA 16601-4899
 (814) 946-2340

Analytic Bio-Chemistries Inc-SB
 1680-D Loretta Avenue
 Feasterville, PA 19053
 (215) 322-9210

Armstrong County Memorial Hosp-S
 1 Nolte Drive
 Kittanning, PA 16201
 (724) 543-8122

Associated Clinical Laboratories-SB
 1526 Peach Street
 Erie, PA 16501
 (814) 461-2400

Associated Regional & Univ Path-S
 500 Chipeta Way
 Salt Lake City, UT 84108
 (800) 242-2787

AUH-Forbes Regional-SB
 2570 Haymaker Rd.
 Monroeville, PA 15146
 (412) 858-2560

Ayer Clinical Lab-Penn Hospital-S
 8th and Spruce Sts.
 Philadelphia, PA 19107
 (215) 829-3541

Barnes Kasson County Hospital-S
 400 Turnpike Street
 Susquehanna, PA 18847
 (570) 853-3135

Bon Secours-Holy Family Reg Hlth-SB
 2500 Seventh Avenue
 Altoona, PA 16602-2099
 (814) 949-4495

Bradford Hospital Lab-SB
 116-156 Interstate Pkwy.
 Bradford, PA 16701-0218
 (814) 834-8282

Brandywine Hospital-S
 201 Reeceville Rd. Attn: Laboratory
 Coatesville, PA 19320
 (610) 383-8000

Brownsville General Hospital Lab-S
 125 Simpson Rd.
 Brownsville, PA 15417
 (724) 785-7200

Butler Memorial Hospital-S
 911 East Brady Street
 Butler, PA 16001
 (724) 284-4510

Canonsburg General Hospital-SB
 100 Medical Boulevard
 Canonsburg, PA 15317
 (724) 745-6100

Carlisle Regional Medical Center-S
 246 Parker St.
 Carlisle, PA 17013
 (717) 249-1212

Centre Community Hospital-B
 1800 East Park Avenue
 State College, PA 16803
 (814) 234-6117

Chambersburg Hospital-S
 112 North Seventh St.
 Chambersburg, PA 17201
 (717) 267-7152

Charles Cole Memorial Hospital-S
 1001 East Second Street
 Coudersport, PA 16915
 (814) 274-9300

Chester County Hospital-S
 701 E. Marshall St.
 West Chester, PA 19380
 (610) 431-5182

Chestnut Hill Hospital-S
 8835 Germantown Avenue
 Dept. of Pathology
 Philadelphia, PA 19118
 (215) 248-8630

Childrens Hosp of Philadelphia-S
 One Children's Center 34th and Civic
 Philadelphia, PA 19104
 (215) 590-1000

Clarion Hospital-SB
 1 Hospital Drive
 Clarion, PA 16214
 (814) 226-9500

Clearfield Hospital Laboratory-S
 809 Turnpike Ave., P. O. Box 992
 Clearfield, PA 16830
 (814) 768-2280

Clinical Laboratories Inc-SB
901 Keystone Industrial Park
Throop, PA 18512-1534
(717) 346-1759

Community Hospital-B
North Fraley Street
Kane, PA 16735
(814) 837-4575

Community Hospital of Lancaster-S
1100 East Orange Street
Lancaster, PA 17602
(717) 397-3711

Community Medical Center-S
1800 Mulberry Street
Scranton, PA 18510
(570) 969-8000

Conemaugh Valley Memorial Hosp-SB
1086 Franklin Street
Johnstown, PA 15905-4398
(814) 534-9000

Corry Memorial Hospital-S
612 West Smith Street
Corry, PA 16407
(814) 664-4641

Crozer Chester Med Center-S
1 Medical Center Boulevard
Upland, PA 19013
(610) 447-2000

Crozer-Chester Med. Ctr.-Springfld-S
190 West Sproul Rd.
Springfield, PA 19064
(610) 447-2000

Delaware County Memorial Hosp-S
501 North Lansdowne Avenue
Drexel Hill, PA 19026-1186
(610) 284-8100

Dept. of Pathology & Lab Med-HUP-SB
3400 Spruce Street
Philadelphia, PA 19104
(215) 662-6880

Dept. of Pathology & Lab Medicine-S
500 University Avenue
P. O. Box 850
Hershey, PA 17033
(717) 531-8353

Doylestown Hospital-S
595 W. State St.
Doylestown, PA 18901
(215) 345-2250

Drugscan Inc-SB
1119 Mearns Rd.
P. O. Box 2969
Warminster, PA 18974
(215) 674-9310

DuBois Reg Med Ctr—West Unit-S
100 Hospital Ave.
Dubois, PA 15801
(814) 371-2200

Dynacare Allegheny Laboratories-S
320 East North Avenue
Pittsburgh, PA 15212
(412) 359-3521

Easton Hospital-SB
250 South 21st St.
Easton, PA 18042-3892
(610) 250-4140

Elkins Park Hospital-S
60 East Township Line Rd.
Elkins Park, PA 19027
(215) 663-6102

Ellwood City General Hospital-S
724 Pershing St.
Ellwood City, PA 16117
(724) 752-0081

Ephrata Community Hospital-S
169 Martin Ave
P. O. Box 1002
Ephrata, PA 17522
(717) 733-0311

Episcopal Hospital Laboratory-S
100 East Lehigh Avenue
Philadelphia, PA 19125-1098
(215) 427-7333

ERHC St. Marys Laboratory-B
763 Johnsonburg Rd.
Saint Marys, PA 15857
(814) 788-8525

Evangelical Community Hospital-S
1 Hospital Drive
Lewisburg, PA 17837
(570) 522-2510

Frankford Hosp Bucks Co Campus-S
380 North Oxford Valley Rd.
Langhorne, PA 19047-8304
(215) 934-5227

Frankford Hospital Frank Div-S
Frankford Ave. and Waking St.
Philadelphia, PA 19124
(215) 831-2068

Frankford Hospital-Torres Div-S
Red Lion and Knights Rds.
Philadelphia, PA 19114
(215) 612-4000

Frick Hospital-S
508 South Church Street
Mount Pleasant, PA 15666
(724) 547-1500

Fulton County Medical Center-S
216 South First Street
McConnellsburg, PA 17233
(717) 485-3155

Geisinger Medical Center-SB
N. Academy Rd.
Danville, PA 17822
(570) 271-6338

Geisinger Wyoming Valley Med Ctr-S
1000 E. Mountain Drive
Wilkes-Barre, PA 18711
(570) 826-7830

George Tolstoi Lab-Uniontown Hsp-S
500 West Berkeley Street
Uniontown, PA 15401
(724) 430-5143

Germantown Comm Hlth Willow Terr-S
One Penn Boulevard
Philadelphia, PA 19144
(215) 951-8800

Gettysburg Hospital-SB
147 Gettys Street
Gettysburg, PA 17325
(717) 334-2121

Gnaden Huetten Memorial Hosp-SB
11th and Hamilton Sts.
Lehighon, PA 18235
(610) 377-1300

Good Samaritan Hospital-SB
4th and Walnut Sts., P. O. Box 1281
Lebanon, PA 17042-1218
(717) 270-7500

Good Samaritan Regional Med Ctr-S
700 East Norwegian Street
Pottsville, PA 17901
(570) 621-4032

Graduate Hospital-S
1800 Lombard Street
Philadelphia, PA 19146
(215) 893-2240

Grand View Hospital-S
700 Lawn Ave.
Sellersville, PA 18960
(215) 257-3611

Greene County Memorial Hospital-S
Bonar Avenue
Waynesburg, PA 15370
(724) 627-2608

Guthrie Clinic Path Lab-S
Guthrie Square
Sayre, PA 18840
(570) 888-5858

Hahnemann University Hospital-S
Broad and Vine Sts. MS 113
Philadelphia, PA 19102
(215) 762-1783

Hamot Medical Center-S
201 State Street
Erie, PA 16550
(814) 877-3131

Hanover General Hospital-SB
300 Highland Ave.
Hanover, PA 17331
(717) 637-3711

Harrisburg Hospital Laboratory-SB
South Front Street
Harrisburg, PA 17101
(717) 782-2832

Hazleton General Hospital-SB
East Broad Street
Hazleton, PA 18201
(570) 501-4152

Health Network Laboratories-S
1627 West Chew Street
Allentown, PA 18102
(610) 402-2236

Health Network Laboratories-S
1200 South Cedar Crest Blvd.
Allentown, PA 18103
(610) 402-8150

Health Network Laboratories-S
2545 Schoenersville Rd.
Bethlehem, PA 18017-7384
(484) 884-2259

Health Network Laboratories-SB
2024 Lehigh Street
Allentown, PA 18103-4798
(610) 402-8150

Highlands Hospital-S
401 East Murphy Avenue
Connellsville, PA 15425
(724) 628-1500

Holy Spirit Hospital-SB
503 N. 21st Street
Camp Hill, PA 17011-2288
(717) 763-2206

Indiana Hospital Dept. of Lab Med-S
Hospital Rd.
P. O. Box 788
Indiana, PA 15701-0788
(724) 357-7167

J C Blair Memorial Hospital-S
Warm Springs Ave.
Huntingdon, PA 16652
(814) 643-8645

Jameson Memorial Hospital-S
1211 Wilmington Avenue
New Castle, PA 16105
(724) 656-4080

Jeanes Hospital-S
7600 Central Ave.
Philadelphia, PA 19111
(215) 728-2347

Jeannette District Memorial Hosp-S
Jefferson Ave.
Jeannette, PA 15644
(724) 527-3551

Jennersville Regional Hospital-S
1015 West Baltimore Pike
West Grove, PA 19390
(610) 869-1080

JRHS—Brookville Hospital-S
100 Hospital Rd.
Brookville, PA 15825
(814) 849-2312

Kensington Hospital-S
136 West Diamond Street
Philadelphia, PA 19122
(215) 426-8100

Lab Corp Occupational Test Srvcs-SB
1120 Stateline Rd. West
Southaven, MS 38671
(886) 827-8042

Lab Corp of America Holdings-SB
6370 Wilcox Rd.
Dublin, OH 43016-1296
(800) 282-7300

Labcorp of America Holdings-SB
69 First Ave.
P. O. Box 500
Raritan, NJ 08869
(201) 526-2400

Labone Inc-SB
10101 Renner Boulevard
Lenexa, KS 66219-9752
(913) 888-1770

Lancaster General Hospital-S
555 N. Duke St.

- P. O. Box 3555
Lancaster, PA 17603
(717) 299-5511
- Lancaster General Hosp-Sus Div-S
306 North Seventh Street
Columbia, PA 17512
(717) 684-2841
- Lancaster Regional Med Center-S
250 College Avenue
P. O. Box 3434
Lancaster, PA 17604
(717) 291-8022
- Latrobe Area Hospital-S
121 West 2nd Avenue
Latrobe, PA 15650
(724) 537-1550
- Lewistown Hospital-B
Highland Avenue
Lewistown, PA 17044
(717) 248-5411
- Lock Haven Hospital Laboratory-B
24 Cree Drive
Lock Haven, PA 17745
(570) 893-5000
- Main Line Clin Labs Bryn Mawr CP-S
130 Bryn Mawr Avenue
Bryn Mawr, PA 19010
(610) 526-3554
- Main Line Clin Labs Lankenau CP-S
100 East Lancaster Avenue
Wynnewood, PA 19096
(610) 645-2615
- Main Line Clin Labs Paoli Mem CP-S
255 West Lancaster Avenue
Paoli, PA 19301
(610) 648-1000
- Marian Community Hospital-S
100 Lincoln Avenue
Carbondale, PA 18407
(570) 281-1042
- Meadville Med Ctr-Liberty St.-S
751 Liberty Street
Meadville, PA 16335
(814) 336-3121
- Medical College of PA Hospital-S
3300 Henry Avenue
Philadelphia, PA 19129
(215) 842-7306
- Medical Laboratories Corp-SB
14225 Newbrook Drive
P. O. Box 10841
Chantilly, VA 20153-0841
(703) 802-6900
- Medtox Laboratories Inc-SB
402 West County Rd. D
St. Paul, MN 55112
(612) 636-7466
- Memorial Hospital Clinical Lab-SB
325 S. Belmont St., P. O. Box 15118
York, PA 17403
(717) 843-8623
- Memorial Hospital Lab-SB
1 Hospital Drive
Towanda, PA 18848
(570) 265-2191
- Mercy Health Lab/MCH-S
2000 Old West Chester Pike
Havertown, PA 19083
(610) 853-7500
- Mercy Health Lab/MFH-S
1500 Lansdowne Avenue
Darby, PA 19023
(610) 237-4262
- Mercy Health Lab/MHOP-S
54 and Cedar Avenue
Philadelphia, PA 19143
(215) 748-9181
- Mercy Health Lab/MSH-S
2701 Dekalb Pike
Norristown, PA 19401
(610) 278-2090
- Mercy Health Partners-S
746 Jefferson Ave.
Scranton, PA 18510
(570) 348-7100
- Mercy Hospital Laboratory-S
25 Church Street
P. O. Box 658
Wilkes-Barre, PA 18765
(570) 826-3100
- Mercy Hospital Laboratory-S
Pride and Locust Streets
Pittsburgh, PA 15219
(412) 232-7831
- Mercy Providence Hospital Lab-S
1004 Arch Street
Pittsburgh, PA 15212
(412) 323-5783
- Methodist Hosp Division/TJUH Inc-S
2301 South Broad Street
Philadelphia, PA 19148
(215) 952-9059
- Meyersdale Community Hospital-S
200 Hospital Dr.
Meyersdale, PA 15552
(814) 634-5911
- Midvalley Hospital-S
1400 Main Street
Peckville, PA 18452
(717) 489-7546
- Miners Hospital-S
290 Haida Avenue
P. O. Box 689
Hastings, PA 16646
(814) 948-7171
- Monongahela Valley Hosp Inc-S
Country Club Rd. RT 88
Monongahela, PA 15063
(724) 258-1000
- Monsour Medical Center-S
70 Lincoln Way E
Jeannette, PA 15644
(724) 527-1511
- Montgomery Hospital Lab-S
Powell and Fornance Sts.
Norristown, PA 19401
(610) 270-2173

Moses Taylor Hospital-S
700 Quincy Avenue
Scranton, PA 18510
(570) 963-2100

Muncy Valley Hospital-S
215 East Water St.
Muncy, PA 17756
(570) 546-8282

Nason Hospital-B
Nason Drive
Roaring Spring, PA 16673
(814) 224-6215

National Med Services Inc. Lab-SB
3701 Welsh Rd.
Willow Grove, PA 19090
(215) 657-4900

Nazareth Hospital-S
2601 Holme Ave.
Philadelphia, PA 19152
(215) 335-6245

North Penn Hospital-S
100 Med Campus Drive
Lansdale, PA 19446
(215) 368-2100

Northwest Medical Ctr-Franklin-SB
1 Spruce Street
Franklin, PA 16323
(814) 437-7000

Ohio Valley General Hospital-S
Heckel Rd.
McKees Rocks, PA 15136
(412) 777-6244

Omega Medical Laboratories Inc-SB
2001 State Hill Rd., Suite 100
Wyomissing, PA 19610-1699
(610) 378-1900

Palmerton Hospital-S
135 Lafayette Ave.
Palmerton, PA 18071
(610) 826-3141

Parkview Hospital-S
1331 East Wyoming Avenue
Philadelphia, PA 19124
(215) 537-7430

Pennsylvania Dept. of Health-SB
110 Pickering Way
Lionville, PA 19353
(610) 280-3464

Philipsburg Area Hospital-SB
210 Loch Lomond Rd.
Philipsburg, PA 16866
(814) 342-7112

Phoenixville Hospital Laboratory-S
140 Nutt Rd., Dept. of Pathology
Phoenixville, PA 19460-0809
(610) 983-1612

Pinnaclehlth/Comm Gen Osteo Hosp-S
4300 Londonderry Rd., P. O. Box 3000
Harrisburg, PA 17109
(717) 657-7214

Pittsburgh Criminalistics-SB
1320 Fifth Avenue
Pittsburgh, PA 15219
(412) 391-6118

Pocono Medical Center Lab-SB
206 East Brown Street
East Stroudsburg, PA 18301
(570) 476-3544

Pottstown Memorial Med Center-S
1600 E. High St.
Pottstown, PA 19464
(610) 327-7111

Pottsville Hosp and Warne Clinic-SB
420 South Jackson Street
Pottsville, PA 17901
(570) 621-5262

Presbyterian Med Center of Phila-S
51 North 39th St., 5th Flr. Rm. 530
Department of Pathology & Lab
Philadelphia, PA 19104-2640
(215) 662-3435

Punxsutawney Area Hospital-S
81 Hillcrest Drive
Punxsutawney, PA 15767
(814) 938-4500

Quest Diagnostics Clinical Labs Inc-SB
900 Business Center Drive
Horsham, PA 19044
(215) 957-9300

Quest Diagnostics Inc-SB
400 Egypt Rd.
Norristown, PA 19403
(610) 631-4219

Quest Diagnostics of PA Inc-SB
875 Greentree Rd., 4 Parkway Center
Pittsburgh, PA 15220-3610
(412) 920-7600

Quest Diagnostics Venture LLC-SB
875 Greentree Rd.
4 Parkway Center
Pittsburgh, PA 15220-3610
(412) 920-7631

Reading Hospital & Med Ctr-S
6th and Spruce Streets
West Reading, PA 19611
(610) 988-8080

Riddle Memorial Hospital-S
Baltimore Pike Highway 1
Media, PA 19063
(610) 566-9400

Roxborough Memorial Hospital-S
5800 Ridge Ave.
Philadelphia, PA 19128
(215) 487-4394

Sacred Heart Hospital-S
4th and Chew Sts.
Allentown, PA 18102
(610) 776-4727

Saint Agnes Medical Center-S
1900 South Broad Street
Philadelphia, PA 19145
(215) 339-4360

Saint Clair Memorial Hospital-S
1000 Bower Hill Rd.
Pittsburgh, PA 15243
(412) 561-4900

Saint Francis Hospital of New Castle-S
1000 S. Mercer St.
New Castle, PA 16101
(724) 656-6111

Saint Lukes Hospital-S
801 Ostrum St.
Bethlehem, PA 18015
(610) 691-4141

Saint Mary Medical Center-S
Langhorne—Newtown Rd.
Langhorne, PA 19047
(215) 750-2162

Saint Vincent Health Center-S
232 West 25th Street
Erie, PA 16544
(814) 452-5383

Sewickley Valley Hospital Lab-S
Blackburn Rd. and Fitch Drive
Sewickley, PA 15143
(412) 741-6600

Shadyside Hospital-S
5230 Centre Avenue
Pittsburgh, PA 15232
(412) 622-2315

Sharon Regional Health System-SB
740 East State Street
Sharon, PA 16146
(724) 983-3911

Soldiers & Sailors Mem. Hosp.-S
Central Ave.
Wellsboro, PA 16901
(570) 724-1631

Somerset Hospital Lab-B
225 S. Center Ave.
Somerset, PA 15501
(814) 443-5000

South Hills Health Sys-Jefferson-S
575 Coal Valley Rd.
P. O. Box 18119
Pittsburgh, PA 15236
(412) 469-5723

Specialty Laboratories-SB
2211 Michigan Avenue
Santa Monica, CA 90404
(310) 828-6543

St. Francis Hospital Cranberry-S
One St. Francis Way
Cranberry Township, PA 16066
(724) 772-5300

St. Francis Medical Center-S
400-45th Street
Pittsburgh, PA 15201-1198
(412) 622-4838

St. Joseph Quality Medical Lab-SB
215 North 12th Street, Box 316
Reading, PA 19603
(610) 378-2200

St. Joseph's Hospital-Div NPHS-S
16th St. and Girard Ave.
Philadelphia, PA 19130
(215) 787-9000

St. Lukes Hosp Allentown Campus-S
1736 Hamilton Street
Allentown, PA 18104
(610) 439-4000

St. Lukes Quakertown Hospital-S
11th St. and Park Ave., P. O. Box 9003
Quakertown, PA 18951
(215) 538-4681

Suburban General Hospital-S
100 South Jackson Avenue
Bellevue, PA 15202
(412) 734-6000

Taylor Hospital Div of CCMC-S
175 E. Chester Pike
Ridley Park, PA 19078
(610) 595-6450

Temple East Inc NE-S
2301 East Allegheny Avenue
Philadelphia, PA 19134
(215) 291-3671

Temple Lower Bucks Hospital Lab-S
501 Bath Rd.
Bristol, PA 19007
(215) 785-9200

Temple University Hospital-S
3401 N. Broad St.
Philadelphia, PA 19140
(215) 707-4353

The Medical Center Beaver PA-SB
1000 Dutch Ridge Rd.
Beaver, PA 15009-9700
(724) 728-7000

Thomas Jefferson University Hosp-S
125 South 11th St., 204 Pavilion
Philadelphia, PA 19107
(215) 955-6374

Titusville Area Hospital-S
406 West Oak Street
Titusville, PA 16354
(814) 827-1851

Toxi-Con Laboratory-SB
201 Smallcombe Drive
Scranton, PA 18508
(570) 963-0722

Tyler Memorial Hospital-S
880 SR 6 W
Tunkhannock, PA 18657
(570) 836-2161

Tyrone Hospital-SB
Clay Avenue Extension
Tyrone, PA 16686
(814) 684-0484

United Community Hospital-SB
631 North Broad Street Ext.
Grove City, PA 16127
(724) 450-7125

UPMC Bedford Memorial-SB
10455 Lincoln Highway
Everett, PA 15537
(814) 623-3506

UPMC Braddock-S
400 Holland Avenue
Braddock, PA 15104
(412) 636-5291

UPMC Horizon-SB
2200 Memorial Drive
Farrell, PA 16121
(724) 981-3500

UPMC Horizon-SB
110 North Main Street
Greenville, PA 16125
(724) 588-2100

UPMC Lee Regional Hospital-SB
320 Main Street
Johnstown, PA 15901
(814) 533-0130

UPMC McKeesport Laboratory-S
1500 Fifth Avenue
McKeesport, PA 15132
(412) 664-2233

UPMC Passavant-S
9100 Babcock Blvd.
Pittsburgh, PA 15237
(412) 367-6700

UPMC Presbyterian Clinical Laboratories-S
Room 5929 Main Tower Chp.
200 Lothrop Street
Pittsburgh, PA 15213-2582
(412) 648-6000

UPMC Saint Margaret Hospital-S
815 Freeport Rd.
Pittsburgh, PA 15215
(412) 784-4000

Warminster Hospital-S
225 Newtown Rd.
Warminster, PA 18974
(215) 441-6700

Warren General Hospital-SB
2 Crescent Park
Warren, PA 16365
(814) 723-3300

Washington Hospital-S
155 Wilson Ave.
Washington, PA 15301
(724) 223-3136

Wayne Memorial Hospital-S
601 Park Street
Honesdale, PA 18431
(570) 253-1300

Waynesboro Hospital-S
501 E. Main Street
Waynesboro, PA 17268
(717) 765-3403

Western Pennsylvania Hospital-S
4800 Friendship Ave.
Pittsburgh, PA 15224
(412) 578-5779

Western Reserve Care System-S
500 Gypsy Lane
Youngstown, OH 44504
(216) 740-3794

Westmoreland Hospital-S
532 W. Pittsburgh St.
Greensburg, PA 15601
(724) 832-4365

Williamsport Hosp & Med Center-SB
777 Rural Avenue
Williamsport, PA 17701-3198
(570) 321-2300

Windber Medical Center-B
600 Somerset Ave.
Windber, PA 15963
(814) 467-6611

WVHCS Hosp Pennant Laboratory-SB
575 North River Street
Wilkes-Barre, PA 18764
(570) 829-8111

WVU Hospital Clinical Labs-S
1 Medical Center Dr.
P. O. Box 8009
Morgantown, WV 26506-8009
(304) 598-4241

York Hospital-SB
1001 South George Street
York, PA 17405
(717) 771-2696

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-14. Filed for public inspection January 4, 2002, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Current Prevailing Wage Act Debarments

The following contractor has been determined to have intentionally violated the Pennsylvania Prevailing Wage Act (act) (43 P. S. §§ 165-1—165-17). This notice is published for the information and convenience of public bodies subject to the act. Under section 11(e) of the act (43 P. S. § 165-11(e)), this firm, or any firms, corporations or partnerships in which the firm has an interest, will not be awarded a contract for 3 years after the date listed.

<i>Contractor</i>	<i>Address</i>	<i>Date of Debarment</i>
Mast Contractors, Inc. (Fed. ER ID No. 23-2049610)	219 Ruth Road Harleysville, PA 19438 -and- 656 Route 113, P. O. Box 228 Harleysville, PA 19438	December 14, 2001

JOHNNY J. BUTLER,
Secretary

[Pa.B. Doc. No. 02-15. Filed for public inspection January 4, 2002, 9:00 a.m.]

Maximum Pennsylvania Workers' Compensation Payable

Based upon the Statewide Average Weekly Wage, as determined by the Department of Labor and Industry for the fiscal year ending June 30, 2001, the maximum compensation payable under the Workers' Compensation Act, under Article 1, sections 105.1 and 105.2, shall be \$662 per week for injuries occurring on and after January 1, 2002. For purposes of calculating the update to payments for medical treatment rendered on and after

January 1, 2002, the percentage increase in the Statewide Average Weekly Wage is 2.8%.

JOHNNY J. BUTLER,
Secretary

[Pa.B. Doc. No. 02-16. Filed for public inspection January 4, 2002, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Implementation of the Breast and Cervical Cancer Prevention and Treatment Program

The purpose of this notice is to provide prior public notice of the Department of Public Welfare's (Department) intent to implement the Breast and Cervical Cancer Prevention and Treatment Program effective January 1, 2002.

The Breast and Cervical Cancer Prevention and Treatment Act of 2000 amended Title XIX of the Social Security Act, section 1902(a)(10)(ii)(XVIII) (42 U.S.C.A. 1396a(a)(10)(A)(ii)). This amendment provides the option to expand the State's Medicaid program to include low-income, uninsured women under 65 years of age who have been screened and diagnosed with breast or cervical cancer, or a precancerous condition of the breast or cervix, under the Centers for Disease Control and Prevention's National Breast and Cervical Cancer Early Detection Program. Through a coordinated effort of the Department of Health and its HealthyWoman Project, and the Depart-

ment, women who meet special Medicaid eligibility requirements will receive treatment for their diagnosed breast or cervical cancer or precancerous condition of the breast or cervix, and the full range of preventive healthcare coverage available under the Medicaid Program.

Fiscal Impact

For Fiscal Year 2001-2002, the fiscal impact as a result of implementing this program is estimated at \$3.960 million in total funds (\$1.257 million in State funds and \$2.703 million in Federal funds). For Fiscal Year 2002-2003, the fiscal impact is estimated at \$11.938 million (\$3.790 million in State funds and \$8.148 million in Federal funds).

Contact Person

A copy of this notice is available for review at local county assistance offices. Interested persons are invited to submit written comments to this notice to the Department within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Comments should be addressed to Department of Public Welfare, Office of Medical Assistance Programs, Attention: Suzanne Love, P. O. Box 2675, Harrisburg, PA 17105.

Persons with a disability may use the AT&T Relay Services by calling (800) 654-5984 (TDD users) or (800) 654-5988 (voice users). Persons who require another alternative should contact Thomas Vracarich in the Office of Legal Counsel at (717) 783-2209.

FEATHER O. HOUSTOUN,
Secretary

Fiscal Note: 14-NOT-306. (1) General Fund;

	<i>Med Assist Inpatient</i>	<i>Med Assist Outpatient</i>	<i>Med Assist Long Term Care</i>
(2) Implementing Year 2001-02 is	\$207,000	\$471,000	\$579,000
(3) 1st Succeeding Year 2002-03 is	\$638,000	\$1,414,000	\$1,738,000
2nd Succeeding Year 2003-04 is	\$657,000	\$1,414,000	\$1,738,000
3rd Succeeding Year 2004-05 is	\$677,000	\$1,414,000	\$1,738,000
4th Succeeding Year 2005-06 is	\$697,000	\$1,414,000	\$1,738,000
5th Succeeding Year 2006-07 is	\$718,000	\$1,414,000	\$1,738,000
	<i>Medical Assistance Inpatient</i>	<i>Medical Assistance Outpatient</i>	<i>Medical Assistance Long Term Care</i>
(4) 2000-01 Program—	\$418,707,000	\$668,586,000	\$722,565,000
1999-00 Program—	\$392,528,000	\$622,669,000	\$693,625,000
1998-99 Program—	\$453,594,000	\$695,935,000	\$721,631,000

(8) recommends adoption. Funds for these changes were included in the 2001-02 budget.

[Pa.B. Doc. No. 02-17. Filed for public inspection January 4, 2002, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Cash Quest Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Cash Quest.

2. *Price:* The price of a Pennsylvania Cash Quest instant lottery game ticket is \$3.00.

3. *Play Symbols:* Each Pennsylvania Cash Quest instant lottery game ticket will feature a "Directions For Treasure Map" area and a "Treasure Map" area. The play symbols located in the "Directions For Treasure Map" area are: The letters A through H, each with the numbers 1 through 7. The play symbols located in the "Treasure Map" area are: A Chest Symbol consisting of six squares; a Shovel Symbol consisting of five squares; a Pirate

Symbol consisting of four squares; a Diamond Symbol consisting of four squares; a Coin Symbol consisting of four squares; a Ship Symbol consisting of three squares; a Flag Symbol consisting of three squares; a Key Symbol consisting of two squares and a Parrot Symbol consisting of two squares.

4. *Prizes:* The prizes that can be won in this game are \$3, \$6, \$9, \$12, \$18, \$30, \$60, \$300 and \$30,000. The player can win up to five times on each ticket.

5. *Approximate Number of Tickets Printed For the Game:*

Approximately 4,080,000 tickets will be printed for the Pennsylvania Cash Quest instant lottery game.

6. *Determination of Prize Winners:*

(a) Holders of tickets where the player completely uncovers a Chest Symbol, using only the letter-number combinations found in the "Directions For Treasure Map" area, on a single ticket, shall be entitled to a prize of \$30,000.

(b) Holders of tickets where the player completely uncovers a Shovel Symbol, using only the letter-number combinations found in the "Directions For Treasure Map" area, on a single ticket, shall be entitled to a prize of \$300.

(c) Holders of tickets where the player completely uncovers a Pirate Symbol, using only the letter-number combinations found in the "Directions For Treasure Map" area, on a single ticket, shall be entitled to a prize of \$60.

(d) Holders of tickets where the player completely uncovers a Diamond Symbol, using only the letter-

number combinations found in the "Directions For Treasure Map" area, on a single ticket, shall be entitled to a prize of \$30.

(e) Holders of tickets where the player completely uncovers a Coin Symbol, using only the letter-number combinations found in the "Directions For Treasure Map" area, on a single ticket, shall be entitled to a prize of \$18.

(f) Holders of tickets where the player completely uncovers a Ship Symbol, using only the letter-number combinations found in the "Directions For Treasure Map" area, on a single ticket, shall be entitled to a prize of \$12.

(g) Holders of tickets where the player completely uncovers a Flag Symbol, using only the letter-number combinations found in the "Directions For Treasure Map" area, on a single ticket, shall be entitled to a prize of \$9.

(h) Holders of tickets where the player completely uncovers a Key Symbol, using only the letter-number combinations found in the "Directions For Treasure Map" area, on a single ticket, shall be entitled to a prize of \$6.

(i) Holders of tickets where the player completely uncovers a Parrot Symbol, using only the letter-number combinations found in the "Directions For Treasure Map" area, on a single ticket, shall be entitled to a prize of \$3.

7. *Number and Description of Prizes and Approximate Odds:*

The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Get</i>	<i>Win</i>	<i>Approximate Odds</i>	<i>Approximate No. of Winners Per 4,080,000 Tickets</i>
Parrot	\$3	1:5.26	775,200
Key	\$6	1:16.67	224,800
Flag	\$9	1:33.33	122,400
Parrot + Key	\$9	1:100	40,800
Ship	\$12	1:66.67	61,200
Parrot + Flag	\$12	1:200	20,400
Coin	\$18	1:166.67	24,480
Parrot + Key + Flag	\$18	1:500	8,160
Key + Ship	\$18	1:500	8,160
Diamond	\$30	1:400	10,200
Parrot + Key + Flag + Ship	\$30	1:1,200	3,400
Pirate	\$60	1:3,000	1,360
Ship + Coin + Diamond	\$60	1:6,000	680
Parrot + Key + Flag + Ship + Diamond	\$60	1:6,000	680
Shovel	\$300	1:30,000	136
Chest	\$30,000	1:1,020,000	4

8. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Cash Quest instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

9. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Cash Quest, prize money from winning Pennsylvania Cash Quest instant

lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Cash Quest instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

11. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Cash Quest or through normal communications methods.

LARRY P. WILLIAMS,
Secretary

[Pa.B. Doc. No. 02-18. Filed for public inspection January 4, 2002, 9:00 a.m.]

Pennsylvania Four Leaf Fortune Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Four Leaf Fortune.

2. *Price:* The price of a Pennsylvania Four Leaf Fortune instant lottery game ticket is \$5.00.

3. *Play Symbols:*

(a) Each Pennsylvania Four Leaf Fortune instant lottery game ticket will contain three play areas known as “Game 1,” “Game 2” and “Game 3” respectively. Each game has a different game play method and is played separately. Each Pennsylvania Four Leaf Fortune instant lottery game ticket will also contain a “Fast Cash Bonus” area.

(b) The play symbols and their captions located in the play area for “Game 1” are: \$5^{.00} (FIV DOL), \$6^{.00} (SIX DOL), \$7^{.00} (SVN DOL), \$10^{.00} (TEN DOL), \$17\$ (SVNTN), \$20\$ (TWENTY), \$27\$ (TWY SVN), \$51\$ (FTY ONE), \$170 (ONEHUNSTY) and \$170,000 (HUNSTYTHO).

(c) The play symbols and their captions located in the play area for “Game 2” are: X Symbol (XXX) and Leprechaun Symbol (LEPCH).

(d) The play area for “Game 3” will contain a “Your Symbols” area and a “Lucky Symbol” area. The play symbols and their captions located in the “Your Symbols” area and the “Lucky Symbol” area are: Chest Symbol (CHEST), Coins Symbol (COINS), Wallet Symbol (WALLET), Money Bag Symbol (MNYBAG), Money Symbol (MONEY), Castle Symbol (CASTLE), Diamond Symbol (DMND), Gold Bar Symbol (GOLD), Pipe Symbol (PIPE), Cabbage Symbol (CABBAGE), Mushroom Symbol (SHROM) and Piggy Bank Symbol (PIGBNK).

4. *Prize Play Symbols:*

(a) The prize play symbols and their captions located in the “Prize” area for “Game 2” are: \$5^{.00} (FIV DOL), \$6^{.00} (SIX DOL), \$7^{.00} (SVN DOL), \$10^{.00} (TEN DOL), \$17\$ (SVNTN), \$20\$ (TWENTY), \$27\$ (TWY SVN), \$51\$ (FTY ONE) and \$170 (ONEHUNSTY).

(b) The prize play symbols and their captions located in the “Your Symbols” area for “Game 3” are: \$5^{.00} (FIV DOL), \$6^{.00} (SIX DOL), \$7^{.00} (SVN DOL), \$10^{.00} (TEN DOL), \$17\$ (SVNTN), \$20\$ (TWENTY), \$27\$ (TWY SVN), \$51\$ (FTY ONE), \$170 (ONEHUNSTY) and \$170,000 (HUNSTYTHO).

(c) The prize play symbols and their captions located in the “Fast Cash Bonus” area are: \$5^{.00} (FIV DOL), \$6^{.00} (SIX DOL), \$7^{.00} (SVN DOL), \$10^{.00} (TEN DOL), \$17\$ (SVNTN), \$20\$ (TWENTY), \$27\$ (TWY SVN), \$51\$ (FTY ONE), \$170 (ONEHUNSTY) and NO BONUS (TRY AGAIN).

5. *Prizes:* The prizes that can be won in “Game 1” and “Game 3” area are \$5, \$6, \$7, \$10, \$17, \$20, \$27, \$51, \$170 and \$170,000. The prizes that can be won in “Game 2” and the “Fast Cash Bonus” area are \$5, \$6, \$7, \$10, \$17, \$20, \$27, \$51 and \$170.

6. *Approximate Number of Tickets Printed For the Game:*

Approximately 1,440,000 tickets will be printed for the Pennsylvania Four Leaf Fortune instant lottery game.

7. *Determination of Prize Winners:*

(a) Determination of prize winners for “Game 1” are:

(1) Holders of tickets with three matching play symbols of \$170,000 (HUNSTYTHO) in the play area, on a single ticket, shall be entitled to a prize of \$170,000.

(2) Holders of tickets with three matching play symbols of \$170 (ONEHUNSTY) in the play area, on a single ticket, shall be entitled to a prize of \$170.

(3) Holders of tickets with three matching play symbols of \$51\$ (FTY ONE) in the play area, on a single ticket, shall be entitled to a prize of \$51.

(4) Holders of tickets with three matching play symbols of \$27\$ (TWY SVN) in the play area, on a single ticket, shall be entitled to a prize of \$27.

(5) Holders of tickets with three matching play symbols of \$20\$ (TWENTY) in the play area, on a single ticket, shall be entitled to a prize of \$20.

(6) Holders of tickets with three matching play symbols of \$17\$ (SVNTN) in the play area, on a single ticket, shall be entitled to a prize of \$17.

(7) Holders of tickets with three matching play symbols of \$10^{.00} (TEN DOL) in the play area, on a single ticket, shall be entitled to a prize of \$10.

(8) Holders of tickets with three matching play symbols of \$7^{.00} (SVN DOL) in the play area, on a single ticket, shall be entitled to a prize of \$7.

(9) Holders of tickets with three matching play symbols of \$6^{.00} (SIX DOL) in the play area, on a single ticket, shall be entitled to a prize of \$6.

(10) Holders of tickets with three matching play symbols of \$5^{.00} (FIV DOL) in the play area, on a single ticket, shall be entitled to a prize of \$5.

(b) Determination of prize winners for “Game 2” are:

(1) Holders of tickets with three matching Leprechaun Symbol (LEPCH) play symbols in the same row, column or diagonal, and a prize play symbol of \$170 (ONEHUNSTY) in the “Prize” area for that game, on a single ticket, shall be entitled to a prize of \$170.

(2) Holders of tickets with three matching Leprechaun Symbol (LEPCH) play symbols in the same row, column

or diagonal, and a prize play symbol of \$51\$ (FTY ONE) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$51.

(3) Holders of tickets with three matching Leprechaun Symbol (LEPCH) play symbols in the same row, column or diagonal, and a prize play symbol of \$27\$ (TWY SVN) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$27.

(4) Holders of tickets with three matching Leprechaun Symbol (LEPCH) play symbols in the same row, column or diagonal, and a prize play symbol of \$20\$ (TWENTY) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$20.

(5) Holders of tickets with three matching Leprechaun Symbol (LEPCH) play symbols in the same row, column or diagonal, and a prize play symbol of \$17\$ (SVNTN) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$17.

(6) Holders of tickets with three matching Leprechaun Symbol (LEPCH) play symbols in the same row, column or diagonal, and a prize play symbol of \$10⁰⁰ (TEN DOL) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$10.

(7) Holders of tickets with three matching Leprechaun Symbol (LEPCH) play symbols in the same row, column or diagonal, and a prize play symbol of \$7⁰⁰ (SVN DOL) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$7.

(8) Holders of tickets with three matching Leprechaun Symbol (LEPCH) play symbols in the same row, column or diagonal, and a prize play symbol of \$6⁰⁰ (SIX DOL) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$6.

(9) Holders of tickets with three matching Leprechaun Symbol (LEPCH) play symbols in the same row, column or diagonal, and a prize play symbol of \$5⁰⁰ (FIV DOL) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$5.

(c) Determination of prize winners for "Game 3" are:

(1) Holders of tickets where any one of the "Your Symbols" play symbols matches the "Lucky Symbol" play symbol and a prize play symbol of \$170,000 (HUNSTYTHO) appears under the matching "Your Symbols" play symbol, on a single ticket, shall be entitled to a prize of \$170,000.

(2) Holders of tickets where any one of the "Your Symbols" play symbols matches the "Lucky Symbol" play symbol and a prize play symbol of \$170 (ONEHUNSTY) appears under the matching "Your Symbols" play symbol, on a single ticket, shall be entitled to a prize of \$170.

(3) Holders of tickets where any one of the "Your Symbols" play symbols matches the "Lucky Symbol" play symbol and a prize play symbol of \$51\$ (FTY ONE) appears under the matching "Your Symbols" play symbol, on a single ticket, shall be entitled to a prize of \$51.

(4) Holders of tickets where any one of the "Your Symbols" play symbols matches the "Lucky Symbol" play symbol and a prize play symbol of \$27\$ (TWY SVN) appears under the matching "Your Symbols" play symbol, on a single ticket, shall be entitled to a prize of \$27.

(5) Holders of tickets where any one of the "Your Symbols" play symbols matches the "Lucky Symbol" play symbol and a prize play symbol of \$20\$ (TWENTY)

appears under the matching "Your Symbols" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(6) Holders of tickets where any one of the "Your Symbols" play symbols matches the "Lucky Symbol" play symbol and a prize play symbol of \$17\$ (SVNTN) appears under the matching "Your Symbols" play symbol, on a single ticket, shall be entitled to a prize of \$17.

(7) Holders of tickets where any one of the "Your Symbols" play symbols matches the "Lucky Symbol" play symbol and a prize play symbol of \$10⁰⁰ (TEN DOL) appears under the matching "Your Symbols" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(8) Holders of tickets where any one of the "Your Symbols" play symbols matches the "Lucky Symbol" play symbol and a prize play symbol of \$7⁰⁰ (SVN DOL) appears under the matching "Your Symbols" play symbol, on a single ticket, shall be entitled to a prize of \$7.

(9) Holders of tickets where any one of the "Your Symbols" play symbols matches the "Lucky Symbol" play symbol and a prize play symbol of \$6⁰⁰ (SIX DOL) appears under the matching "Your Symbols" play symbol, on a single ticket, shall be entitled to a prize of \$6.

(10) Holders of tickets where any one of the "Your Symbols" play symbols matches the "Lucky Symbol" play symbol and a prize play symbol of \$5⁰⁰ (FIV DOL) appears under the matching "Your Symbols" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(d) Determination of prize winners for the "Fast Cash Bonus" are:

(1) Holders of tickets with a prize play symbol of \$170 (ONEHUNSTY) in the "Fast Cash Bonus" area, on a single ticket, shall be entitled to a prize of \$170.

(2) Holders of tickets with a prize play symbol of \$51\$ (FTY ONE) in the "Fast Cash Bonus" area, on a single ticket, shall be entitled to a prize of \$51.

(3) Holders of tickets with a prize play symbol of \$27\$ (TWY SVN) in the "Fast Cash Bonus" area, on a single ticket, shall be entitled to a prize of \$27.

(4) Holders of tickets with a prize play symbol of \$20\$ (TWENTY) in the "Fast Cash Bonus" area, on a single ticket, shall be entitled to a prize of \$20.

(5) Holders of tickets with a prize play symbol of \$17\$ (SVNTN) in the "Fast Cash Bonus" area, on a single ticket, shall be entitled to a prize of \$17.

(6) Holders of tickets with a prize play symbol of \$10⁰⁰ (TEN DOL) in the "Fast Cash Bonus" area, on a single ticket, shall be entitled to a prize of \$10.

(7) Holders of tickets with a prize play symbol of \$7⁰⁰ (SVN DOL) in the "Fast Cash Bonus" area, on a single ticket, shall be entitled to a prize of \$7.

(8) Holders of tickets with a prize play symbol of \$6⁰⁰ (SIX DOL) in the "Fast Cash Bonus" area, on a single ticket, shall be entitled to a prize of \$6.

(9) Holders of tickets with a prize play symbol of \$5⁰⁰ (FIV DOL) in the "Fast Cash Bonus" area, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and Description of Prizes and Approximate Odds:*

The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Fast \$ Bonus</i>	<i>Match 3 Amts Game 1</i>	<i>Tic-Tac-Toe Game 2</i>	<i>Key # Match Game 3</i>	<i>Win</i>	<i>Approximate Odds</i>	<i>Approximate No. of Winners Per 1,440,000 Tickets</i>
\$5				\$5	1:60	24,000
	\$5			\$5	1:20	72,000
		\$5		\$5	1:20	72,000
			\$5	\$5	1:30	48,000
\$6				\$6	1:300	4,800
	\$6			\$6	1:600	2,400
		\$6		\$6	1:600	2,400
			\$6	\$6	1:600	2,400
\$7				\$7	1:150	9,600
	\$7			\$7	1:300	4,800
		\$7		\$7	1:300	4,800
			\$7	\$7	1:300	4,800
			\$5 x 2	\$10	1:300	4,800
\$10				\$10	1:300	4,800
	\$10			\$10	1:300	4,800
		\$10		\$10	1:300	4,800
			\$10	\$10	1:300	4,800
\$10		\$7		\$17	1:30	48,000
\$17				\$17	1:30	48,000
	\$17			\$17	1:75	19,200
		\$17		\$17	1:75	19,200
			\$17	\$17	1:150	9,600
	\$5	\$5	\$5 x 2	\$20	1:600	2,400
\$20				\$20	1:600	2,400
	\$20			\$20	1:600	2,400
		\$20		\$20	1:600	2,400
			\$20	\$20	1:600	2,400
\$17	\$10			\$27	1:6,000	240
\$17		\$10		\$27	1:4,000	360
\$17			\$10	\$27	1:4,000	360
\$17	\$5	\$5		\$27	1:4,000	360
\$17		\$5	\$5	\$27	1:4,000	360
\$17	\$5		\$5	\$27	1:4,000	360
\$17			\$5 x 2	\$27	1:4,000	360
\$27				\$27	1:15,000	96
	\$27			\$27	1:15,000	96
		\$27		\$27	1:15,000	96
			\$27	\$27	1:15,000	96
\$51				\$51	1:40,000	36
\$17			\$17 x 2	\$51	1:40,000	36
\$17	\$17	\$17		\$51	1:40,000	36
\$17		\$17	\$17	\$51	1:40,000	36
	\$51			\$51	1:120,000	12
		\$51		\$51	1:120,000	12
			\$51	\$51	1:120,000	12
\$170				\$170	1:240,000	6
\$17	\$51	\$51	\$51	\$170	1:240,000	6
\$17		\$51	\$51 x 2	\$170	1:240,000	6
\$17			\$51 x 3	\$170	1:240,000	6
	\$170			\$170	1:240,000	6
		\$170		\$170	1:240,000	6
			\$170	\$170	1:240,000	6
	\$170,000			\$170,000	1:1,440,000	1
			\$170,000	\$170,000	1:1,440,000	1

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Four Leaf Fortune instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Four Leaf Fortune, prize money from winning Pennsylvania Four

Leaf Fortune instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Four Leaf Fortune instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the cus-

tomers agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Four Leaf Fortune or through normal communications methods.

LARRY P. WILLIAMS,
Secretary

[Pa.B. Doc. No. 02-19. Filed for public inspection January 4, 2002, 9:00 a.m.]

Pennsylvania Win For Life '02 Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Win For Life '02.

2. *Price:* The price of a Pennsylvania Win For Life '02 instant lottery game ticket is \$2.00.

3. *Play Symbols:*

(a) Each Pennsylvania Win For Life '02 instant lottery game ticket will contain three play areas known as "Game 1," "Game 2" and "Game 3" respectively. Each game has a different game play method and is played separately. Each Pennsylvania Win For Life '02 instant lottery game ticket will also contain a "Fast Cash Bonus" area.

(b) The play symbols and their captions located in the play area for "Game 1" are: \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$8⁰⁰ (EGT DOL), \$20\$ (TWENTY), \$40\$ (FORTY), \$200 (TWO HUN) and LIFE (\$1,000/WEEK).

(c) The play symbols and their captions located in the play area for "Game 2" are: Keystone Symbol (KYSTN) and an X Symbol (XXX).

(d) The play area for "Game 3" will contain a "Your Numbers" area and a "Lucky Number" area. The play symbols and their captions located in the "Your Numbers" area and the "Lucky Number" area in the play area for "Game 3" are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT) and 9 (NINE).

4. *Prize Play Symbols:*

(a) The play area for "Game 2" will contain a "Prize" area. The prize play symbols and their captions located in the "Prize" area for "Game 2" are: \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$8⁰⁰ (EGT DOL), \$20\$ (TWENTY), \$40\$ (FORTY), \$200 (TWO HUN) and LIFE (\$1,000/WEEK).

(b) The prize play symbols and their captions located in the six "Prize" areas for "Game 3" are: \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$20\$ (TWENTY), \$40\$ (FORTY), \$200 (TWO HUN) and LIFE (\$1,000/WEEK).

(c) The prize play symbols and their captions located in the "Fast Cash Bonus" area are: \$4⁰⁰ (FOR DOL), \$8⁰⁰ (EGT DOL), \$20\$ (TWENTY), \$40\$ (FORTY) and TRY AGAIN.

5. *Prizes:* The prizes that can be won in "Game 1" and "Game 2" are \$2, \$4, \$8, \$20, \$40, \$200 and \$1,000 a week for life (\$1 million lifetime minimum). The prizes that can be won in "Game 3" are \$1, \$2, \$4, \$20, \$40, \$200 and \$1,000 a week for life (\$1 million lifetime minimum). The prizes that can be won in the "Fast Cash Bonus" area are \$4, \$8, \$20 and \$40. The player can win up to nine times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:*

Approximately 12,960,000 tickets will be printed for the Pennsylvania Win For Life '02 instant lottery game.

7. *Determination of Prize Winners:*

(a) Determination of prize winners for "Game 1" are:

(1) Holders of tickets with three matching play symbols of LIFE (\$1,000/WEEK) in the play area, on a single ticket, shall be entitled to a prize of \$1,000 a week for life (\$1 million lifetime minimum) which will be paid by an initial cash payment of \$52,000 plus equal annual payments of \$52,000 over the lifetime of the winner and continuing under the provisions of 61 Pa. Code § 811.16 (relating to prizes payable after death of prize winner) until the \$1 million minimum has been paid to the estate of the deceased. If the winner of the Pennsylvania Win For Life '02 prize is younger than 18 years of age, the winner will not begin to receive the prize until the winner reaches 18 years of age. Only one claimant per ticket allowed.

(2) Holders of tickets with three matching play symbols of \$200 (TWO HUN) in the play area, on a single ticket, shall be entitled to a prize of \$200.

(3) Holders of tickets with three matching play symbols of \$40\$ (FORTY) in the play area, on a single ticket, shall be entitled to a prize of \$40.

(4) Holders of tickets with three matching play symbols of \$20\$ (TWENTY) in the play area, on a single ticket, shall be entitled to a prize of \$20.

(5) Holders of tickets with three matching play symbols of \$8⁰⁰ (EGT DOL) in the play area, on a single ticket, shall be entitled to a prize of \$8.

(6) Holders of tickets with three matching play symbols of \$4⁰⁰ (FOR DOL) in the play area, on a single ticket, shall be entitled to a prize of \$4.

(7) Holders of tickets with three matching play symbols of \$2⁰⁰ (TWO DOL) in the play area, on a single ticket, shall be entitled to a prize of \$2.

(b) Determination of prize winners for "Game 2" are:

(1) Holders of tickets with three matching Keystone Symbol (KYSTN) play symbols in the same row, column or diagonal, and a prize play symbol of LIFE (\$1,000/WEEK) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$1,000 a week for life (\$1 million lifetime minimum) which will be paid by an initial cash payment of \$52,000 plus equal annual payments of \$52,000 over the lifetime of the winner and continuing under the provisions of 61 Pa. Code § 811.16 until the \$1 million minimum has been paid to the estate of the deceased. If the winner of the Pennsylvania Win For Life '02 prize is younger than 18 years of age, the winner will not begin to receive the prize until the winner reaches 18 years of age. Only one claimant per ticket allowed.

(2) Holders of tickets with three matching Keystone Symbol (KYSTN) play symbols in the same row, column

or diagonal, and a prize play symbol of \$200 (TWO HUN) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$200.

(3) Holders of tickets with three matching Keystone Symbol (KYSTN) play symbols in the same row, column or diagonal, and a prize play symbol of \$40\$ (FORTY) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$40.

(4) Holders of tickets with three matching Keystone Symbol (KYSTN) play symbols in the same row, column or diagonal, and a prize play symbol of \$20\$ (TWENTY) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$20.

(5) Holders of tickets with three matching Keystone Symbol (KYSTN) play symbols in the same row, column or diagonal, and a prize play symbol of \$8⁰⁰ (EGT DOL) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$8.

(6) Holders of tickets with three matching Keystone Symbol (KYSTN) play symbols in the same row, column or diagonal, and a prize play symbol of \$4⁰⁰ (FOR DOL) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$4.

(7) Holders of tickets with three matching Keystone Symbol (KYSTN) play symbols in the same row, column or diagonal, and a prize play symbol of \$2⁰⁰ (TWO DOL) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$2.

(c) Determination of prize winners for "Game 3" are:

(1) Holders of tickets where any one of the "Your Numbers" play symbols matches the "Lucky Number" play symbol and a prize play symbol of LIFE (\$1,000/WEEK) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$1,000 a week for life (\$1 million lifetime minimum) which will be paid by an initial cash payment of \$52,000 plus equal annual payments of \$52,000 over the lifetime of the winner and continuing under the provisions of 61 Pa. Code § 811.16 until the \$1 million minimum has been paid to the estate of the deceased. If the winner of the Pennsylvania Win For Life '02 prize is younger than 18 years of age, the winner will not begin to receive the prize until the winner reaches 18 years of age. Only one claimant per ticket allowed.

(2) Holders of tickets where any one of the "Your Numbers" play symbols matches the "Lucky Number" play symbol and a prize play symbol of \$200 (TWO HUN) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$200.

(3) Holders of tickets where any one of the "Your Numbers" play symbols matches the "Lucky Number" play symbol and a prize play symbol of \$40\$ (FORTY) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(4) Holders of tickets where any one of the "Your Numbers" play symbols matches the "Lucky Number" play symbol and a prize play symbol of \$20\$ (TWENTY) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(5) Holders of tickets where any one of the "Your Numbers" play symbols matches the "Lucky Number" play symbol and a prize play symbol of \$4⁰⁰ (FOR DOL) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$4.

(6) Holders of tickets where any one of the "Your Numbers" play symbols matches the "Lucky Number" play symbol and a prize play symbol of \$2⁰⁰ (TWO DOL) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$2.

(7) Holders of tickets where any one of the "Your Numbers" play symbols matches the "Lucky Number" play symbol and a prize play symbol of \$1⁰⁰ (ONE DOL) appears in the "Prize" area under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$1.

(d) Determination of prize winners for the "Fast Cash Bonus" are:

(1) Holders of tickets with a prize play symbol of \$40\$ (FORTY) in the "Fast Cash Bonus" area, on a single ticket, shall be entitled to a prize of \$40.

(2) Holders of tickets with a prize play symbol of \$20\$ (TWENTY) in the "Fast Cash Bonus" area, on a single ticket, shall be entitled to a prize of \$20.

(3) Holders of tickets with a prize play symbol of \$8⁰⁰ (EGT DOL) in the "Fast Cash Bonus" area, on a single ticket, shall be entitled to a prize of \$8.

(4) Holders of tickets with a prize play symbol of \$4⁰⁰ (FOR DOL) in the "Fast Cash Bonus" area, on a single ticket, shall be entitled to a prize of \$4.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Fast Cash Bonus</i>	<i>Match 3 Amts Game 1</i>	<i>Tic-Tac-Toe Game 2</i>	<i>Key # Match Game 3</i>	<i>Win</i>	<i>Approximate Odds</i>	<i>Approximate No. of Winners Per 12,960,000 Tickets</i>
		\$2		\$2	1:19.74	656,640
			\$2	\$2	1:21.43	604,800
\$4	\$2			\$2	1:21.43	604,800
		\$4		\$4	1:750	17,280
	\$4			\$4	1:750	17,280
			\$4	\$4	1:1,500	8,640
		\$2	\$1 x 2	\$4	1:150	86,400
	\$2		\$1 x 2	\$4	1:150	86,400

<i>Fast Cash Bonus</i>	<i>Match 3 Amts Game 1</i>	<i>Tic-Tac-Toe Game 2</i>	<i>Key # Match Game 3</i>	<i>Win</i>	<i>Approximate Odds</i>	<i>Approximate No. of Winners Per 12,960,000 Tickets</i>
			\$1 x 4	\$4	1:62.50	207,360
\$8	\$2	\$2		\$4	1:150	86,400
		\$8		\$8	1:750	17,280
	\$8			\$8	1:750	17,280
\$4		\$4		\$8	1:750	17,280
\$4			\$1 x 4	\$8	1:375	34,560
\$4	\$2	\$2		\$8	1:500	25,920
\$4		\$2	\$2	\$8	1:375	34,560
	\$2		\$1 x 6	\$8	1:375	34,560
\$20				\$20	1:1,500	8,640
		\$20		\$20	1:1,500	8,640
	\$20			\$20	1:750	17,280
			\$20	\$20	1:750	17,280
\$4	\$2	\$2	\$2 x 6	\$20	1:750	17,280
\$4	\$4	\$4	\$4 x 2	\$20	1:750	17,280
\$8	\$4	\$8		\$20	1:750	17,280
\$8	\$8		\$4	\$20	1:750	17,280
\$8	\$2	\$2	\$4 x 2	\$20	1:750	17,280
\$8	\$2	\$4	\$1 x 6	\$20	1:750	17,280
\$8	\$4	\$4	\$4	\$20	1:750	17,280
\$40				\$40	1:1,500	8,640
		\$40		\$40	1:1,500	8,640
	\$40			\$40	1:1,500	8,640
\$20	\$4	\$4	\$2 x 6	\$40	1:1,500	8,640
\$20	\$20			\$40	1:1,500	8,640
	\$20	\$20		\$40	1:1,200	10,800
		\$20	\$20	\$40	1:1,200	10,800
\$20	\$8		\$2 x 6	\$40	1:1,200	10,800
\$20		\$8	\$2 x 6	\$40	1:1,200	10,800
	\$20	\$20	\$40 x 4	\$200	1:120,000	108
\$40	\$20	\$20	\$20 x 6	\$200	1:120,000	108
	\$40	\$40	\$40 x 3	\$200	1:120,000	108
		\$200		\$200	1:120,000	108
	\$200			\$200	1:120,000	108
	LIFE		\$200	\$200	1:120,000	108
				\$1,000/WK	1:12,960,000	1
				/LIFE		
		LIFE		\$1,000/WK	1:12,960,000	1
				/LIFE		
			LIFE	\$1,000/WK	1:12,960,000	1
				/LIFE		

9. *Claiming of Prizes.* For purposes of claiming the \$1,000 a week for life prize under the Pennsylvania Win For Life '02 game, "lifetime" for legal entities shall be defined as 20 years beginning the date the prize is claimed. Only one claimant per ticket is allowed for the \$1,000 a week for life prize.

10. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Win For Life '02 instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Win For Life '02, prize money from winning Pennsylvania Win For Life '02 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Win For Life '02 instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will

be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Win For Life '02 or through normal communications methods.

LARRY P. WILLIAMS,
Secretary

[Pa.B. Doc. No. 02-20. Filed for public inspection January 4, 2002, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meetings Scheduled

The following meetings of the Health Care Cost Containment Council (Council) have been scheduled: Wednesday, January 9, 2002, Data Systems Committee Meeting—10 a.m., Education Committee Meeting—1 p.m., Mandated Benefits Review Committee Meeting—3 p.m.; Thursday, January 10, 2002, Council Meeting—10 a.m. The meetings will be held in the conference room at the Council Office, 225 Market Street, Suite 400, Harrisburg, PA 17101. The public is invited to attend. Persons who require accommodation due to a disability and wish to attend the meetings, should contact Cherie Elias, Health Care Cost Containment Council, 225 Market Street, Harrisburg, PA 17101, (717) 232-6787 at least 24 hours in advance so that arrangements can be made.

MARC P. VOLAVKA,
Executive Director

[Pa.B. Doc. No. 02-21. Filed for public inspection January 4, 2002, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken By the Commission

The Independent Regulatory Review Commission met publicly at 10:30 a.m., Thursday, December 20, 2001, and took the following actions:

Regulations Approved:

State Board of Psychology #16A-6311: Examination Fees (amends 49 Pa. Code Chapter 41)

State Board of Funeral Directors #16A-482: Application Fees (amends 49 Pa. Code § 13.12)

Department of Banking #3-40: Mortgage Bankers and Brokers; Continuing Education (amends 10 Pa. Code Chapter 44)

Department of Health #10-156: Reporting of Communicable and Noncommunicable Diseases (amends 28 Pa. Code Chapters 27 and 211)

Commissioners Voting: John R. McGinley, Jr., Chairperson; Alvin C. Bush, Vice Chairperson, by phone; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held
December 20, 2001

State Board of Psychology—Examination Fees; Regulation No. 16A-6311

On April 23, 2001, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Psychology (Board). This rulemaking amends 49 Pa. Code Chapter 41. The proposed regulation was published in the May 5, 2001, *Pennsylvania Bulletin* with a 30-day public comment

period. The final-form regulation was submitted to the Commission on November 27, 2001.

The Board deleted references to two examination fees and an administration fee. Applicants for these exams pay the fees directly to the National examiners. The deletion of these fees from the Board's regulations will not have an effect on the regulated community, since candidates for licensure will still be required to pay the fees directly to the appropriate National examiner.

We have determined this regulation is consistent with the statutory authority of the State Board of Psychology (63 P.S. § 1203.3) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Commissioners Voting: John R. McGinley, Jr., Chairperson; Alvin C. Bush, Vice Chairperson, by phone; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held
December 20, 2001

State Board of Funeral Directors—Application Fees; Regulation No. 16A-482

On March 6, 2001, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Funeral Directors (Board). This rulemaking amends 49 Pa. Code § 13.12. The proposed regulation was published in the March 17, 2001, *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on November 27, 2001.

This regulation creates three new fees, reduces an existing fee and increases eight existing fees. These changes result from a systems audit of the operations of the Bureau of Professional and Occupational Affairs. The Board estimates that 1,800 persons will use one or more of the enumerated services covered by these fees within a biennial period. Total additional costs for the regulated community for the biennial period would be \$29,500. However, only those requesting the services will be affected.

We have determined this regulation is consistent with the statutory authority of the Board (63 P.S. § 479.18.1) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Commissioners Voting: John R. McGinley, Jr., Chairperson; Alvin C. Bush, Vice Chairperson, by phone; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held
December 20, 2001

Department of Banking—Mortgage Bankers and Brokers; Continuing Education; Regulation No. 3-40

On February 1, 2001, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Banking (Depart-

ment). This rulemaking amends 10 Pa. Code Chapter 44. The proposed regulation was published in the March 3, 2001, *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on November 20, 2001.

This regulation establishes a required continuing education program for licensed first mortgage bankers, brokers, loan correspondents and limited mortgage brokers. Mortgage bankers, brokers and loan correspondents are required to complete 6 hours of continuing education per annual renewal period. Limited mortgage brokers are required to complete 2 hours of continuing education per annual renewal period. The final-form regulation also establishes requirements for Department approval of continuing education programs.

We have determined this regulation is consistent with the statutory authority of the Department of Banking (63 P. S. §§ 456.304(e) and 456.310(a)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Commissioners Voting: John R. McGinley, Jr., Chairperson; Alvin C. Bush, Vice Chairperson, by phone; Arthur Coccodrilli; Robert J. Harbison, III; John F. Mizner

Public Meeting held
December 20, 2001

Department of Health—Reporting of Communicable and Noncommunicable Diseases; Regulation No. 10-156

On May 17, 2000, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Health. This rulemaking amends 28 Pa. Code, Chapters 27 and 211. The proposed regulation was published in the May 27, 2000, *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on November 26, 2001.

This rulemaking updates the existing reporting system for disease prevention and control within Pennsylvania. These amendments will affect numerous types, including: health care providers, health care practitioners, health care facilities, clinical laboratories and child care group settings.

We have determined this regulation is consistent with the statutory authority of the Department of Health (35 P. S. §§ 521.16(a)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 02-22. Filed for public inspection January 4, 2002, 9:00 a.m.]

Notice of Comments Issued

Section 5(d) of the Regulatory Review Act (71 P. S. § 745.5(d)) provides that the designated standing commit-

tees may issue comments within 20 days of the close of the public comment period, and the Independent Regulatory Review Commission (Commission) may issue comments within 10 days of the close of the committees' comment period. The Commission's Comments are based upon the criteria contained in section 5.1(h) and (i) of the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)).

The Commission issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted by the date indicated.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Issued</i>	<i>Final-Form Submission Deadline</i>
14-472	Department of Public Welfare TANF Program (31 Pa.B. 5875 (October 20, 2001))	12/20/01	11/19/03

**Department of Public Welfare Regulation No. 14-472
TANF Program
December 20, 2001**

We submit for consideration the following objections and recommendations regarding this regulation. Each objection or recommendation includes a reference to the criteria in the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) which have not been met. The Department of Public Welfare (Department) must respond to these Comments when it submits the final-form regulation. If the final-form regulation is not delivered by November 19, 2003, the regulation will be deemed withdrawn.

1. General.—Consistency with statute; Implementation procedures; Reasonableness; Clarity.

Implementation procedures.

In Senator Hughes' letter to the Department dated December 7, 2001, he states, "The proposed regulations do not appear to be an accurate reflection of DPW's current policies. Further, the proposal does not fully implement the Department's policies on receipt of TANF after 60 months." He specifically mentions four concerns with the regulation.

It is unclear to the Commission why the program areas outlined by Senator Hughes were not included in the proposed rulemaking. Since these provisions were not included in the proposed regulation, we have three concerns. First, current Department practice conflicts with the language in the regulations. Does the Department intend to continue these policies, or rescind them when the final-form regulation is implemented? Second, if the policies are to be retained, they should be promulgated as regulations because the regulations in place will supercede the policies. Third, if the Department intends to retain these policies, how will the Department implement them in conjunction with this final-form regulation?

Maximize employment

Throughout this regulation, individuals are required to "maximize" employment. The Public Welfare Code at 62 P. S. § 405.1(a.2) requires an individual to work 20 hours a week, but it does not include the requirement to "maximize" employment. To be consistent with the statute, the requirement to "maximize" employment should be deleted from the following sections:

- Section 125.1(f)(2)(vi)
- Section 133.23(a)(1)(vi)(B)(VI)

- Section 141.41(e)
- Section 141.61(a)(1)(xv)
- Section 165.1(a)
- Section 165.2
- Section 165.31(b)
- Section 165.61(a)(6)

Assessment

In accordance with 45 CFR 261.11,

... the State must make an initial assessment of the skills, prior work experience and employability of each recipient who is at least age 18 or who has not completed high school (or equivalent) and is not attending secondary school.

Similarly, 62 P. S. § 405.1(a.2)(4) requires the following:

If the initial job search period concludes without the applicant or recipient obtaining full-time employment or employment for an average of at least twenty hours per week, the county assistance office, in consultation with the applicant or recipient, shall assess the additional measures that may be necessary for the applicant or recipient to seek and obtain employment, including the work-related activities that will be used to meet the on-going work-related requirement. These measures shall be incorporated into the applicant's or recipient's agreement of mutual responsibility pursuant to section 405.3.

Commentators said these assessments are important to direct recipients to programs they may not be aware of, such as courses in English-as-a-second language. An assessment could avoid sanctions under Section 165.61 for this violation. When does the Department do this assessment? The Department's procedure for assessment should be included in the regulation.

2. Section 141.41. Policy.—Consistency with statute; Clarity.

Subsection (f)

According to Federal law under 42 U.S.C.A. § 608(a)(7), four types of exceptions to the statutory 5-year time limit are permitted.

- A state may issue a "hardship" exception to 20% of the caseload under 42 U.S.C.A. § 608(a)(7)(C)(ii).
- A state may provide assistance to recipients at any time using state funds under 42 U.S.C.A. § 608(a)(7)(F).
- "Non-assistance" is available to recipients under 42 U.S.C.A. § 608(a)(7)(G).
- 42 U.S.C.A. § 608(a)(7)(C)(i) and (iii) exempt victims of domestic violence.

The Department has implemented some of these exceptions. Why doesn't the proposed regulations reflect all of the federal exemptions?

The Department has stated that regulations dealing with the exceptions to the time limits will be promulgated in the near future. The Department should publish these proposed rulemakings as soon as possible. Then the Department should file a comprehensive final-form regulation containing all TANF-related provisions as a single final-form regulation.

3. Section 141.42. Definitions.—Reasonableness.

Family

This regulation expands the definition of "family" to include certain adult relatives other than parents. Is it the Department's intention to disqualify children from

benefits based on the ineligibility for benefits of a grandmother or other non-parent caretaker? If not, the regulation should be redrafted to resolve this confusion.

4. Section 141.61. Policy.—Consistency with statute; Reasonableness; Clarity.

The statute at 62 P. S. § 405.1(a.2)(4) specifically states that all work related activity shall be incorporated into the Agreement of Mutual Responsibility (AMR). However, this section requires, as a condition of eligibility for benefits, that recipients who are not employed for an average of 20-hours per week perform work related activities "including" those specified in the AMR. The word "including," suggests the Department may require work activity that is not incorporated in the AMR. To be consistent with the statute, this requirement should be revised.

5. Section 151.43. Requirements.—Consistency with statute; Reasonableness.

Subsection (d)(1)

This requirement creates a 30-day period of ineligibility for a relative who fails to report within 5 days of the time that it becomes "clear" that the child's absence will extend beyond 180 days. There are two concerns. First, commentators have noted that this requirement is not found in either state or Federal law. The Department should identify the statutory basis for this requirement. Second, when would it be "clear" a child's absence will extend beyond 180 days?

6. Section 153.44. Procedures.—Reasonableness.

Commentators have raised concerns that two parent families could be penalized under this regulation similar to the way they were penalized under the former AFDC program. Is it the Department's intent to carry over AFDC restrictions pertaining to two parent families?

7. Section 165.1. General.—Consistency with statute; Reasonableness; Clarity.

Subsection (a)

Similar to our concern with Section 141.61, in addition to participants completing the 20-hour work requirement are they also required to participate in "other work-related activities"?

8. Section 165.2. Definitions.—Consistency with statute; Reasonableness; Clarity.

Maximize employment

To be consistent with the statute and with our suggestion to delete all references to the term "maximize employment," this definition should also be deleted.

9. Section 165.21. Enrollment.—Consistency with statute; Reasonableness; Clarity.

Subsection (c)(2)

The requirements of this section are inconsistent with 42 U.S.C.A. § 607(e)(2)(A). Under Federal Statute, a person may not be sanctioned because of the, "unavailability of appropriate child care within a reasonable distance from the individual's home or work site." However, this regulation does not include this exception. To be consistent with Federal statute, this exception should be included in the final-form regulation.

Also, to be consistent with 45 CFR 261.56 (b)(2)(ii), the Department should define the terms, "appropriate child care," and "reasonable distance."

10. Section 165.25. Enrollment after an exemption ends.—Consistency with statute; Reasonableness; Clarity.

Notice

This section deals with enrollment in work or work-related activities after the period of exemption ends for TANF recipients. The Department has stated that notices are sent out to participants when their period of exemption is ending. Will the Department continue its existing practice of notifying these recipients in writing? If so, the regulation should reflect this.

Paragraph (2)

This section states that a participant that is exempt from RESET is required to participate, “as soon as alternate child care arrangements are available.” Commentators have suggested that this provision might force parents to send their children to unsafe childcare providers. Commentators cite 45 CFR 261.56(b)(2)(ii) that includes the term “appropriate” when describing alternate childcare arrangements. To be consistent with Federal regulations, the Department should add the word “appropriate” before “alternative child care arrangements,” and define the term.

11. Section 165.31. RESET participation requirements.—Consistency with statute; Need; Clarity.

Use of the word “approved”

Throughout this section, the word “approved” is used in reference to:

- An “approved work-related activity”
- An “approved vocational education, general education, English-as-a-second language and job skills training” or
- “. . . the following activities, as approved by the Department.”

The word “approved” is used Subsections (c), (c)(2), (c)(3), (d)(1) and (f)(4). In contrast, the statute does not use the word “approved.” For example, the statute defines “work-related activity” and has lists of training and other activities (See 62 P. S. §§ 402, 405.1(a.2)(5) and 405.1(a.2)(6)). If approved refers to activities in the AMR, language should be added to the regulation to clearly state the activity must be in the individual’s AMR. Otherwise, what review process does the Department envision for these work activities and how is a requirement that these activities be approved consistent with the statute?

Subsection (c) First 24 months.

Paragraph (2) lists work-related activities, subject to the limitations in Paragraphs (3) and (4). However, the list and paragraphs do not include all of the limitations found in the definition of “work-related activity” in 62 P. S. § 402. For example, Subparagraph (2)(vii) of the regulation lists “general education,” that is later modified by Paragraph (4) for age limitations. However, 62 P. S. § 402 limits general education “subject to the individual maintaining satisfactory progress as defined by the school or education program.” The requirements in the regulation should be consistent with 62 P. S. § 402. Further, clarity would be improved by consolidating Paragraphs (2), (3) and (4) into one paragraph.

Subsection (d) After 24 months.

The list in Section 165.31(d)(1) is identical to 62 P. S. § 405.1(a.2)(6) with the exception of the reference to “unsubsidized employment.” What is “unsubsidized employment”? The same question applies to the use of the reference in Section 165.61(a)(10)(i).

Paragraph (d)(2) states that “. . . failure to comply with the requirements of this section, without good cause, will result in the imposition of sanctions as set forth in § 165.61.” In addition to referencing sanctions in Section 165.61, this section should also reference the compliance review process in Section 165.51, which is required by 62 P. S. § 405.1(a.2)(6).

Subsection (f) Self-initiated education or training.

It is unclear why this subsection is being expanded by adding conditions in Paragraphs (4) and (5). Paragraphs (4) and (5) restate the requirements of Subsections (c) and (d). It is further questionable whether Paragraphs (1), (2) and (3) are needed. For example, what is the purpose of requiring a person to attend at least half time as required by Paragraph (1)? Why is vocational training or technical training limited to pregnant females or a custodial parent as required by Paragraph (3)? Since self-initiated education must be approved, it may be sufficient to state the self-initiated programs must meet the requirements of Subsections (c) or (d).

Special allowances for support services

Special allowances for support services covers “items and services as determined by the Department to be necessary to enable a participant to prepare for, seek, accept or maintain education, employment or training.” (See 55 Pa. Code § 165.2.) However, Section 165.31 does not specify whether special allowances for support services are available to RESET participants. Are special allowances for support services available to all RESET participants, including those pursuing education? Will the AMR include a description of the special allowances for support services available?

12. Section 165.51. Compliance review.—Reasonableness; Clarity.

Subsection (a)

This subsection requires a caseworker to “consider the recipient’s schedule, including work and school obligations” when scheduling a compliance review. This requirement is vague. If the recipient has a conflict with the time chosen by the caseworker, is the caseworker required to set another time? How much notice must the caseworker give prior to scheduling a compliance review?

Subsection (c)

A cross reference should be added to this section establishing the mechanism a recipient can use to appeal an adverse decision rendered by a caseworker that results in sanctions.

This section also does not directly tie the phrase “good cause” to the considerations in Section 165.52. A cross reference should be added.

13. Section 165.61. Sanctions.—Consistency with statute; Clarity.

Subsection (d)

This section is consistent with 62 P. S. § 432.3(b), except that the regulation includes a limitation to the first 24 months. To be consistent with the statute the phrase “during the first 24 months that assistance is received” should be deleted.

14. Section 165.71 Notification.—Reasonableness.

Subsections (a) and (b) require notice from the Department, but do not specify when this notice must be sent. Time frames should be added to these subsections so that a recipient, or former recipient, can act in a timely manner to get reinstated when a sanction period ends.

15. Section 183.71. Gross Income Test.—Reasonableness; Clarity.*Subsection (a)*

This subsection requires an income test of applicants, but not current recipients. A commentator claims this is unfair and could encourage working families not to leave the TANF program to preserve eligibility time, because a break of even one month could disqualify these families from further benefits. The Preamble does not clearly explain the reasoning behind this change. Why does the Department only apply this test to applicants?

16. Section 187.22. Definitions.—Clarity; Reasonableness.*Budget group*

This definition states, "One or more related or unrelated individuals who occupy a common residence . . . and whose needs and eligibility are *considered together* in determining eligibility for cash assistance . . ." (Emphasis added). Would this definition discourage support from a non-custodial parent if that support must be included in the budget group income?

17. Section 187.25. Notification to the Applicant or Recipient.—Reasonableness.

Subsection (a) states ". . . the CAO will provide oral and written notice of the cooperation requirements to the applicant or recipient." However, the next sentence only requires written notice. The Department should include the same requirements for oral and written notice in Subsection (a).

18. Section 187.27. Waiver of Cooperation For Good Cause.—Clarity; Reasonableness.*Subsections (b) and (c)*

The term "corroborate" is used in Subsections (b) and (c) to prove good cause. However, the term "verification" is used in Subsection (b)(1)(vii) and in the second sentence of Subsection (c)(4)(i). There are two concerns. First, for clarity, the same term should be used throughout Subsections (b) and (c). Second, why is the term "corroborate" used rather than the term "verify"?

Subsection (b)(1)(vi)

The final sentence in this subparagraph provides an important safeguard. However, this provision may be more appropriate and effective at the end of Subsection 187.27(b)(2).

Subsection (b)(1)(vii)

This subparagraph requires "the person with domestic violence training" to complete the good cause waiver application. However, commentators state that the Department and the Domestic Violence Task Force agreed that the CAO would complete the waiver application, working with the recipient. What qualifications must a person have to complete the good cause waiver application?

Subsection (c)(3)

This subsection, in part, states, "the CAO, Court of Common Pleas, or the DRS will establish the expiration of the waiver." However, under 42 U.S.C.A. § 602 (7)(A)(iii), a state may ". . . waive, pursuant to a determination of good cause, other program requirements such as time limits (for so long as necessary) for individuals receiving assistance . . ." A commentator states that currently good cause waivers do not have a set expiration date, but rather the waiver is reevaluated every 6

months. Is a set expiration date as opposed to a 6 month review needed for a good cause waiver? Can an expired waiver be reinstated?

Subsection (c)(4)(i)

This subparagraph is not clear. The first sentence does not require any additional corroborative evidence for a good cause waiver as long as the situation has not changed. However, the second sentence states, "the recipient must establish that continuation of the good cause waiver is necessary by providing verification of good cause. . . ." These requirements are contradictory and should be revised to state the Department's intent.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 02-23. Filed for public inspection January 4, 2002, 9:00 a.m.]

INSURANCE DEPARTMENT

Harleysville Mutual Insurance Company; Homeowners Insurance Rate Filing

On December 14, 2001, the Insurance Department (Department) received from Harleysville Mutual Insurance Company a filing for a proposed rate level and rule changes for homeowners insurance.

The company requests an overall 12.7% increase amounting to \$2.255 million annually, to be effective January 25, 2002, for new business and March 16, 2002, for renewal business.

Unless formal administrative action is taken prior to February 12, 2002, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Department's offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Xiaofeng Lu, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120, (e-mail at xlu@state.pa.us) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 02-24. Filed for public inspection January 4, 2002, 9:00 a.m.]

Nationwide Mutual Insurance Company; Private Passenger Automobile Rate Revision

On December 17, 2001, the Insurance Department (Department) received from Nationwide Mutual Insurance Company a filing for a rate level change for private passenger automobile insurance.

The company requests an overall 1.7% increase amounting to \$9,137,000 annually, to be effective June 15, 2002.

Unless formal administrative action is taken prior to February 15, 2002, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Department's regional offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Michael W. Burkett, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120 (e-mail at mburkett@state.pa.us) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 02-25. Filed for public inspection January 4, 2002, 9:00 a.m.]

**PENNSYLVANIA
INFRASTRUCTURE
INVESTMENT AUTHORITY
AND
DEPARTMENT OF
ENVIRONMENTAL
PROTECTION**

Clean Water State Revolving Fund Projects; Public Hearing on Federal FY 2002 and 2003 Project Priority List and FY 2002 Intended Use Plan

The Pennsylvania Infrastructure Investment Authority (PENNVEST) and the Department of Environmental Protection (DEP) have prepared a combined Federal fiscal year 2002 and 2003 wastewater construction Project Priority List (PPL) and the fiscal year 2002 Intended Use Plan (IUP) list of municipal wastewater projects to be considered for a construction loan from funds Pennsylvania expects to receive from fiscal year 2002 funds approved by Congress to capitalize the Clean Water State Revolving Fund (CWSRF) program.

The projects included on the PPL have a project priority rating under DEP's regulations in Chapter 103 (relating to financial assistance) concerning project priority rating system, and as such, regulations have been approved by Environmental Protection Agency (EPA) for such purpose. The Clean Water Act stipulates that States must maintain a PPL of municipal wastewater projects from which to develop the annual CWSRF IUP list of projects to be funded.

Projects listed on the FY 2002 IUP list are on Pennsylvania's CWSRF PPL and are expected to proceed to construction in the near future. Other projects on the PPL are projects that are in development or will be developed for future construction loan consideration. Any project removed from an IUP is maintained on the PPL unless otherwise completed.

A project must appear on the approved IUP before it can receive a loan from the CWSRF. The CWSRF IUP was developed in accordance with the ranking criteria listed in section 10(b) of the Pennsylvania Infrastructure

Investment Authority Act (35 P.S. § 751.10(b)). These ranking criteria differ somewhat from the DEP regulations in Chapter 103, as does the methodology used to evaluate projects. In addition, a project's readiness to proceed and the reasonable availability of alternative funds also have a bearing on project selection for the IUP. Consequently, the rank ordered list of projects on the PPL does not dictate the order in which they will be chosen for inclusion in the IUP.

The CWSRF will be capitalized with approximately \$52.8 million of Federal FY 2002 funds from the EPA and \$12.8 million of State funds. In addition, some \$11.1 million of deobligated Title II construction grant funds will be transferred to the Title VI CWSRF loan program. These funds will be available as loan funds for projects on the IUP. Some \$38.9 million of CWSRF loan repayments will be used to allow additional project funding opportunities on the FY 2002 IUP. The FY 2002 CWSRF IUP has 34 municipal wastewater construction projects listed with a total dollar value of approximately \$113 million. Some \$2.6 million of the Federal FY 2002 funds will be set aside for program administration costs. A public hearing will be held, as described in this notice. After the public hearing and assessment of the comments received, the final FY 2002 CWSRF IUP will be completed; potentially, it may include other projects from the CWSRF PPL.

Federal guidance and regulations on development of the CWSRF PPL and Intended Use Plan direct that the lists be subject to public comment and review before being submitted to the EPA.

The DEP has scheduled a public hearing for 10 a.m., February 20, 2002, in the Auditorium of the Rachel Carson State Office Building, located at 400 Market Street, Harrisburg, PA. The hearing is scheduled for the purpose of receiving comments from the public regarding the combined fiscal year 2002/2003 CWSRF PPL and the FY 2002 CWSRF IUP. Interested persons are invited to express their views at the public hearing. Persons wishing to offer comments should contact the Administrative Services Section, Division of Municipal Financial Assistance, Bureau of Water Supply and Wastewater Management, 10th Floor, Rachel Carson State Office Building, P. O. Box 8466, Harrisburg, PA 17105-8466, (717) 787-6744, or by Internet e-mail (amaisano@state.pa.us) by 4 p.m., February 19, 2002. Where written statements are prepared and will be submitted at the hearing, speakers will be asked to restrict the oral portion of the statement to a summary of the written comments. Speakers will be called to present their comments generally in the order of receipt of the notice of intent to appear at the hearing.

It is not necessary to appear at the public hearing to present comments. Interested persons may submit written comments to the DEP at the address shown previously. The written comments will be considered equivalent to oral statements presented at the hearing. To be considered by the DEP and PENNVEST, the written comments must be received by the Administrative Services Section on or before the date of the hearing.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Mr. Maisano at the address shown previously or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the DEP may accommodate their needs.

The FY 2002/2003 CWSRF PPL and FY 2002 CWSRF IUP list of projects follow this notice. Copies of these lists, as well as the narrative portion of the CWSRF IUP, are

available for public review in the offices listed at the end of this notice and are accessible electronically through the Department's website as follows: http://www.dep.state.pa.us/dep/deputate/watermgt/WSM/WSM_TAO/Finan_Tech_Asst.htm

DEP—Southeast Region:
Water Management Program Manager
Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428
(610) 832-6131

DEP—Northeast Region
Water Management Program Manager
2 Public Square, Wilkes-Barre, PA 18711-0790
(570) 826-2553

DEP—Southcentral Region:
Water Management Program Manager
900 Elmerton Avenue, Harrisburg, PA 17110
(717) 705-4707

DEP—Northcentral Region:
Water Management Program Manager
208 West 3rd Street, Williamsport, PA 17701
(570) 327-3669

DEP—Southwest Region:
Water Management Program Manager
400 Waterfront Drive, Pittsburgh, PA 15222-4745
(412) 442-4000

DEP—Northwest Region:
Water Management Program Manager
230 Chestnut Street, Meadville, PA 16335-3481
(814) 332-6942

DEP—Bureau of Water Supply and Wastewater Management, Division of Municipal Financial Assistance, Administrative Services Section
10th Floor, RCSOB, 400 Market Street,
Harrisburg, PA 17101
(717) 787-6744

Pennsylvania Infrastructure Investment Authority
22 S. Third Street, 4th Floor, Keystone Building,
Harrisburg, PA 17101
(717) 787-8137

DAVID E. HESS,
Secretary
Department of Environmental Protection
Vice-Chairperson
Pennsylvania Infrastructure Investment Authority
PAUL K. MARCHETTI,
Executive Director
Pennsylvania Infrastructure Investment Authority

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND DEPARTMENT OF ENVIRONMENTAL PROTECTION
CLEAN WATER STATE REVOLVING FUND**

FY 2002 INTENDED USE PLAN PROJECT LIST

EXPLANATION OF COLUMNAR HEADINGS (EXCEPT THOSE THAT ARE SELF-EXPLANATORY)

NEEDS CATEGORY:

- I - SECONDARY TREATMENT
- II - TREATMENT MORE STRINGENT THAN SECONDARY
- IIIA - INFILTRATION/INFLOW CORRECTION
- IIIB - MAJOR SEWER SYSTEM REHABILITATION
- IVA - NEW COLLECTOR SEWERS AND APPURTENANCES
- IVB - NEW INTERCEPTORS AND APPURTENANCES
- V - CORRECTION OF COMBINED SEWER OVERFLOWS

PROJECT TYPE:

- STP - SEWAGE TREATMENT PLANT
- STPMOD - SEWAGE TREATMENT PLANT MODIFICATION
- INT - INTERCEPTOR
- PS - PUMP STATION
- FM - FORCE MAIN
- SS - SEWER SYSTEM
- SS REH - SEWER SYSTEM REHABILITATION

NPDES PERMIT NUMBER:

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM PERMIT NUMBER

PROJECT NUMBER:

FEDERAL LOAN PROJECT IDENTIFICATION NUMBER

ELIG. COST:

ESTIMATED LOAN AMOUNT FOR ELIGIBLE PROJECT

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND DEPARTMENT OF ENVIRONMENTAL PROTECTION
CLEAN WATER STATE REVOLVING FUND
FY 2002 INTENDED USE PLAN PROJECT LIST**

JANUARY 5, 2002

APPLICANT INFORMATION		NEEDS CATEGORIES				PROJECT INFORMATION	
Adams Township Municipal Authority P.O. Box 265 Sidman, PA 15926	COUNTY: Cambria REGION: SW NPDES NO.:	I: \$0 II: \$0 III A: \$0 III B: \$0	IV A: \$249,631 IV B: \$150,512 V: \$0 ELIG. COST: \$400,143			PROJECT NO.: CS422237-01 PROJ. TYPE: PS SS PROJECT RATING: 31 PROJECT RANKING: 103	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems Construction of a collection and conveyance system						
Alexandria-Porter Joint Municipal Authority R.D. 1, Box 80 Alexandria, PA 16611	COUNTY: Huntingdon REGION: SC NPDES NO.:	I: \$0 II: \$0 III A: \$0 III B: \$0	IV A: \$2,937,389 IV B: \$0 V: \$0 ELIG. COST: \$2,937,389			PROJECT NO.: CS422296-01 PROJ. TYPE: SS PROJECT RATING: 58 PROJECT RANKING: 2	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems Construction of a collection system						
Baldwin Borough Mun. Bldg., 3344 Churchview Ave. Pittsburgh, PA 15227	COUNTY: Allegheny REGION: SW NPDES NO.:	I: \$0 II: \$0 III A: \$0 III B: \$4,185,600	IV A: \$0 IV B: \$0 V: \$0 ELIG. COST: \$4,185,600			PROJECT NO.: CS422239-01 PROJ. TYPE: SSREH PROJECT RATING: 29 PROJECT RANKING: 128	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Hydraulic overloading of collection system due to infiltration/inflow Construction of rehabilitation and replacement of collection system						
Brady Township 1986 Elimsport Road Montgomery, PA 17752	COUNTY: Lycoming REGION: NC NPDES NO.:	I: \$138,096 II: \$0 III A: \$0 III B: \$0	IV A: \$275,904 IV B: \$0 V: \$0 ELIG. COST: \$414,000			PROJECT NO.: CS422250-01 PROJ. TYPE: STP SS PROJECT RATING: 40 PROJECT RANKING: 39	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems Construction of a collection system and treatment facility						
Cadogan Township P.O. Box 309 Cadogan, PA 16212	COUNTY: Armstrong REGION: SW NPDES NO.:	I: \$143,130 II: \$0 III A: \$0 III B: \$0	IV A: \$139,492 IV B: \$61,557 V: \$0 ELIG. COST: \$344,179			PROJECT NO.: CS422252-01 PROJ. TYPE: STP PS INT SS PROJECT RATING: 44 PROJECT RANKING: 19	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems Construction of a collection and conveyance system and treatment facility						
Cecil Township Municipal Authority 3655 Millers Run Road Cecil, PA 15321	COUNTY: Washington REGION: SW NPDES NO.: PA0020796	I: \$3,700,000 II: \$0 III A: \$0 III B: \$0	IV A: \$5,000,000 IV B: \$5,600,000 V: \$0 ELIG. COST: \$14,300,000			PROJECT NO.: CS421031-02 PROJ. TYPE: STP SS INT PROJECT RATING: 37 PROJECT RANKING: 54	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems Construction of a collection and conveyance system and treatment facility						
Chartiers Township 2 Buccaneer Drive Houston, PA 15342	COUNTY: Washington REGION: SW NPDES NO.:	I: \$0 II: \$0 III A: \$0 III B: \$0	IV A: \$396,393 IV B: \$0 V: \$0 ELIG. COST: \$396,393			PROJECT NO.: CS422254-01 PROJ. TYPE: SS PROJECT RATING: 40 PROJECT RANKING: 34	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems Construction of a collection and conveyance system						

PENNSYLVANIA BULLETIN, VOL. 32, NO. 1, JANUARY 5, 2002

NOTICES

APPLICANT INFORMATION		NEEDS CATEGORIES				PROJECT INFORMATION	
Conemaugh Township R.D.#4, Box A-20 Johnstown, PA 15905	COUNTY: Somerset REGION: SW NPDES NO.: PA0217301	I: \$9,750,000 II: \$0 III A: \$0 III B: \$0	IVA: \$2,167,000 IVB: \$990,000 V: \$0 ELIG. COST: \$12,907,000		PROJECT NO.: CS421479-01 PROJ. TYPE: STP SS INT PROJECT RATING: 43 PROJECT RANKING: 20		
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems Construction of a collection and conveyance system and treatment facility						
Conewago Township Sewer Authority 490 Copenhaffer Road York, PA 17404	COUNTY: York REGION: SC NPDES NO.:	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$3,876,000 IVB: \$0 V: \$0 ELIG. COST: \$3,876,000		PROJECT NO.: CS422248-01 PROJ. TYPE: PS INT SS PROJECT RATING: 48 PROJECT RANKING: 9		
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems Construction of a collection and conveyance system						
Corry City Municipal Authority 100 South Center Street Corry, PA 16407	COUNTY: Erie REGION: NW NPDES NO.:	I: \$0 II: \$1,584,415 III A: \$0 III B: \$0	IVA: \$0 IVB: \$0 V: \$422,285 ELIG. COST: \$2,006,700		PROJECT NO.: CS422275-01 PROJ. TYPE: STPMOD SS PROJECT RATING: 33 PROJECT RANKING: 92		
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Hydraulic overloading at treatment facility Construction of treatment facility and collection system improvements						
Covington Township R.R.#1, Box 87 Covington, PA 16917	COUNTY: Tioga REGION: NC NPDES NO.: N/A	I: \$37,500 II: \$0 III A: \$0 III B: \$0	IVA: \$257,008 IVB: \$0 V: \$0 ELIG. COST: \$294,508		PROJECT NO.: CS422145-01 PROJ. TYPE: STPMOD SS PROJECT RATING: 44 PROJECT RANKING: 13		
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems Construction of a collection system						
Delmar Township R.R.#5 Box 70A Wellsboro, PA 16901	COUNTY: Tioga REGION: NC NPDES NO.: N/A	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$955,934 IVB: \$0 V: \$0 ELIG. COST: \$955,934		PROJECT NO.: CS422150-01 PROJ. TYPE: SS PROJECT RATING: 35 PROJECT RANKING: 76		
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems Construction of a collection system						
Duncannon Borough Municipal Authority 428 N. High St. Duncannon, PA 17020	COUNTY: Perry REGION: SC NPDES NO.:	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$0 IVB: \$572,000 V: \$0 ELIG. COST: \$572,000		PROJECT NO.: CS422235-01 PROJ. TYPE: INT PROJECT RATING: 19 PROJECT RANKING: 218		
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Hydraulic overloading of collection system due to infiltration/inflow Construction of replacement of collection system						
Duryea Borough Sewer Authority 504 Main Street Duryea, PA 18642	COUNTY: Luzerne REGION: NE NPDES NO.: N/A	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$583,038 IVB: \$0 V: \$0 ELIG. COST: \$583,038		PROJECT NO.: CS422217-01 PROJ. TYPE: PS SS PROJECT RATING: 40 PROJECT RANKING: 33		
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems and possible discharge of sewage into deep mines via boreholes Construction of a collection and conveyance system						
Fawn Township Sewer Authority P.O. Box 525 Natrona Heights, PA 15065	COUNTY: Allegheny REGION: SW NPDES NO.:	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$324,000 IVB: \$0 V: \$0 ELIG. COST: \$324,000		PROJECT NO.: CS422255-01 PROJ. TYPE: SS PROJECT RATING: 43 PROJECT RANKING: 23		
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems Construction of an extension to the collection system						

APPLICANT INFORMATION		NEEDS CATEGORIES				PROJECT INFORMATION	
Findlay Township P.O. Box W, Rte. 30 Clinton, PA 15026	COUNTY: Allegheny REGION: SW NPDES NO.:	I: \$0 II: \$0 III: \$0 IIIB: \$0	IV: \$1,356,256 IVB: \$0 V: \$0 ELIG. COST: \$1,356,256			PROJECT NO.: CS422240-01 PROJ. TYPE: SS PROJECT RATING: 34 PROJECT RANKING: 81	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems Construction of a collection system PEN						
Franklin Fayette Sewer Authority 353 Town & Country Road Vanderbilt, PA 15486	COUNTY: Fayette REGION: SW NPDES NO.:	I: \$329,936 II: \$0 III: \$0 IIIB: \$0	IV: \$446,277 IVB: \$120,977 V: \$0 ELIG. COST: \$897,190			PROJECT NO.: CS422256-01 PROJ. TYPE: STP PS INT SS PROJECT RATING: 38 PROJECT RANKING: 53	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems Construction of a collection and conveyance system and treatment facility						
Franklin Township 55 Scott School Road Orrtanna, PA 17353	COUNTY: Adams REGION: SC NPDES NO.: N/A	I: \$190,000 II: \$0 III: \$0 IIIB: \$0	IV: \$85,000 IVB: \$0 V: \$0 ELIG. COST: \$275,000			PROJECT NO.: CS422220-01 PROJ. TYPE: STP SS PROJECT RATING: 35 PROJECT RANKING: 69	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems Construction of a collection system and treatment facility						
KBM Regional Authority P.O. Box 14 McAdoo, PA 18237	COUNTY: Carbon/Schuylkil REGION: NE NPDES NO.: N/A	I: \$4,245,000 II: \$0 III: \$0 IIIB: \$0	IV: \$0 IVB: \$0 V: \$0 ELIG. COST: \$4,245,000			PROJECT NO.: CS422178-01 PROJ. TYPE: STP PROJECT RATING: 43 PROJECT RANKING: 21	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Discharge of sewage into streams Construction of a treatment facility						
Koppel Borough P.O. Box 1 Koppel, PA 16136	COUNTY: Beaver REGION: SW NPDES NO.:	I: \$2,058,570 II: \$0 III: \$0 IIIB: \$0	IV: \$0 IVB: \$0 V: \$0 ELIG. COST: \$2,058,570			PROJECT NO.: CS422258-01 PROJ. TYPE: STPMOD PROJECT RATING: 29 PROJECT RANKING: 134	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Hydraulic overloading at treatment facility Construction of a treatment facility improvements						
Lenhartsville Borough P.O. Box 238, 19 Willow Street Lenhartsville, PA 19534	COUNTY: Berks REGION: SC NPDES NO.:	I: \$600,000 II: \$0 III: \$0 IIIB: \$0	IV: \$1,000,000 IVB: \$400,000 V: \$0 ELIG. COST: \$2,000,000			PROJECT NO.: CS422300-01 PROJ. TYPE: STP INT SS PROJECT RATING: 39 PROJECT RANKING: 43	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems Construction of a collection and conveyance system and treatment facility						
Lycoming County Water & Sewer Authority 216 Old Cement Road Montoursville, PA 17754	COUNTY: Lycoming REGION: NC NPDES NO.:	I: \$896,125 II: \$0 III: \$0 IIIB: \$0	IV: \$2,097,466 IVB: \$1,164,173 V: \$0 ELIG. COST: \$4,157,764			PROJECT NO.: CS422288-01 PROJ. TYPE: STPMOD INT SS PROJECT RATING: 44 PROJECT RANKING: 14	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems Construction of an extension to the collection system						
Manor Township Joint Municipal Authority 2310 Pleasant View Drive Ford City, PA 16226	COUNTY: Armstrong REGION: SW NPDES NO.:	I: \$0 II: \$0 III: \$0 IIIB: \$0	IV: \$1,778,560 IVB: \$1,093,440 V: \$0 ELIG. COST: \$2,872,000			PROJECT NO.: CS422242-01 PROJ. TYPE: PS SS INT PROJECT RATING: 34 PROJECT RANKING: 79	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems Construction of a collection and conveyance system						

APPLICANT INFORMATION		NEEDS CATEGORIES				PROJECT INFORMATION	
Middlesex Township 133 Browns Hill Road Valencia, PA 16059	COUNTY: Butler REGION: NW NPDES NO.: N/A	I: \$3,022,500 II: \$0 IIIA: \$0 IIIB: \$0	IVA: \$10,400,000 IVB: \$741,000 V: \$0 ELIG. COST: \$14,163,500			PROJECT NO.: CS422122-01 PROJ. TYPE: STP SS PS INT PROJECT RATING: 34 PROJECT RANKING: 78	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems Construction of a collection and conveyance system and treatment facility						
New Florence Borough/St. Clair Township P.O. Box 272 New Florence, PA 15944	COUNTY: Westmoreland REGION: SW NPDES NO.: N/A	I: \$750,000 II: \$0 IIIA: \$0 IIIB: \$0	IVA: \$3,000,000 IVB: \$1,650,000 V: \$0 ELIG. COST: \$5,400,000			PROJECT NO.: CS422167-01 PROJ. TYPE: STPMOD PS INT SS PROJECT RATING: 35 PROJECT RANKING: 66	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Discharge of sewage into streams Construction of collection and conveyance system and treatment facility expansion						
North Fayette Township 400 N. Branch Road Oakdale, PA 15071	COUNTY: Allegheny REGION: SW NPDES NO.:	I: \$0 II: \$0 IIIA: \$0 IIIB: \$1,413,600	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$1,413,600			PROJECT NO.: CS422244-01 PROJ. TYPE: SSREH PROJECT RATING: 26 PROJECT RANKING: 158	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Hydraulic overloading of collection system due to infiltration/inflow Construction of rehabilitation and replacement of collection system						
Northern Blair County Regional Sewer Auth RR #4, Box 236A Tyrone, PA 16686	COUNTY: Blair REGION: SC NPDES NO.:	I: \$0 II: \$0 IIIA: \$0 IIIB: \$0	IVA: \$1,105,000 IVB: \$0 V: \$0 ELIG. COST: \$1,105,000			PROJECT NO.: CS422298-01 PROJ. TYPE: SS PROJECT RATING: 55 PROJECT RANKING: 4	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems Construction of a collection system						
Pittsburgh Water & Sewer Authority 441 Smithfield Street Pittsburgh, PA 15222	COUNTY: Allegheny REGION: SW NPDES NO.:	I: \$0 II: \$0 IIIA: \$0 IIIB: \$3,805,100	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$3,805,100			PROJECT NO.: CS422246-01 PROJ. TYPE: SSREH PROJECT RATING: 28 PROJECT RANKING: 140	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems and hydraulic overloading due to infiltration/inflow Construction of rehabilitation and extension of collection system						
Rayburn Township Municipal Authority 454B, R.R.#6 Kittanning, PA 16201	COUNTY: Armstrong REGION: SW NPDES NO.: N/A	I: \$700,000 II: \$0 IIIA: \$0 IIIB: \$0	IVA: \$3,000,000 IVB: \$1,900,000 V: \$0 ELIG. COST: \$5,600,000			PROJECT NO.: CS422162-01 PROJ. TYPE: STP SS PROJECT RATING: 37 PROJECT RANKING: 56	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems and discharge of sewage into streams Construction of a collection and conveyance system and treatment facility expansion						
Schuylkill Valley Sewer Authority 34-36 Forest Lane Mary-D, PA 17952	COUNTY: Schuylkill REGION: NE NPDES NO.: N/A	I: \$2,649,002 II: \$0 IIIA: \$0 IIIB: \$0	IVA: \$11,210,717 IVB: \$916,076 V: \$0 ELIG. COST: \$14,775,795			PROJECT NO.: CS421749-01 PROJ. TYPE: STP SS INT PROJECT RATING: 38 PROJECT RANKING: 49	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems and discharges of sewage into streams Construction of a collection and conveyance system and treatment facility						
Susquehanna Township 1900 Linglestown Road Harrisburg, PA 17110	COUNTY: Dauphin REGION: SC NPDES NO.:	I: \$0 II: \$0 IIIA: \$0 IIIB: \$0	IVA: \$154,000 IVB: \$130,000 V: \$0 ELIG. COST: \$284,000			PROJECT NO.: CS422249-01 PROJ. TYPE: INT SS PROJECT RATING: 38 PROJECT RANKING: 48	
PROBLEM DESCRIPTION: PROJECT DESCRIPTION:	Malfunctioning on-lot systems Construction of an extension to the collection system						

APPLICANT INFORMATION

Valley Township Municipal Authority
P.O. Box 307
Danville, PA 17821

COUNTY: Montour
REGION: NC
NPDES NO.: PA0035602

NEEDS CATEGORIES

I: \$443,902
II: \$0
III: \$0
IIIB: \$0
IVA: \$1,123,325
IVB: \$252,966
V: \$0
ELIG. COST: \$1,820,193

PROJECT INFORMATION

PROJECT NO.: CS421938-01
PROJ. TYPE: STPMOD INT SS
PROJECT RATING: 29
PROJECT RANKING: 117

PROBLEM DESCRIPTION:
PROJECT DESCRIPTION:

Malfunctioning on-lot systems
Construction of an extension to the collection system

West Pennsboro Township Municipal
2150 Newville Road
Carlisle, PA 17013

COUNTY: Cumberland
REGION: SC
NPDES NO.:

I: \$611,897
II: \$0
III: \$0
IIIB: \$0
IVA: \$755,241
IVB: \$377,621
V: \$0
ELIG. COST: \$1,744,759

PROJECT NO.: CS421533-01
PROJ. TYPE: STP SS INT
PROJECT RATING: 38
PROJECT RANKING: 47

PROBLEM DESCRIPTION:
PROJECT DESCRIPTION:

Malfunctioning on-lot systems
Construction of a collection system and treatment facility

Westfield Township
P.O. Box 61
Cowanesque, PA 16918

COUNTY: Tioga
REGION: NC
NPDES NO.: N/A

I: \$0
II: \$0
III: \$0
IIIB: \$0
IVA: \$496,790
IVB: \$44,800
V: \$0
ELIG. COST: \$541,590

PROJECT NO.: CS422146-01
PROJ. TYPE: SS
PROJECT RATING: 37
PROJECT RANKING: 61

PROBLEM DESCRIPTION:
PROJECT DESCRIPTION:

Malfunctioning on-lot systems
Construction of a collection and conveyance system

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND DEPARTMENT OF ENVIRONMENTAL PROTECTION
CLEAN WATER STATE REVOLVING FUND**

FY 2002 AND FY 2003 PROJECT PRIORITY LIST

IN PRIORITY ORDER

EXPLANATION OF COLUMNAR HEADINGS (EXCEPT THOSE THAT ARE SELF-EXPLANATORY)

NEEDS CATEGORY:

- I - SECONDARY TREATMENT
- II - TREATMENT MORE STRINGENT THAN SECONDARY
- IIIA - INFILTRATION/INFLOW CORRECTION
- IIIB - MAJOR SEWER SYSTEM REHABILITATION
- IVA - NEW COLLECTOR SEWERS AND APPURTENANCES
- IVB - NEW INTERCEPTORS AND APPURTENANCES
- V - CORRECTION OF COMBINED SEWER OVERFLOWS

PROJECT TYPE:

- STP - SEWAGE TREATMENT PLANT
- STPMOD - SEWAGE TREATMENT PLANT MODIFICATION
- INT - INTERCEPTOR
- PS - PUMP STATION
- FM - FORCE MAIN
- SS - SEWER SYSTEM
- SS REH - SEWER SYSTEM REHABILITATION

NPDES PERMIT NUMBER:

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM PERMIT NUMBER

PROJECT NUMBER:

FEDERAL LOAN PROJECT IDENTIFICATION NUMBER

ELIG. COST:

ESTIMATED LOAN AMOUNT FOR ELIGIBLE PROJECT

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND DEPARTMENT OF ENVIRONMENTAL PROTECTION
CLEAN WATER STATE REVOLVING FUND
FY 2002 AND FY2003 PROJECT PRIORITY LIST**

JANUARY 5, 2002

PENNSYLVANIA BULLETIN, VOL. 32, NO. 1, JANUARY 5, 2002

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION	
Fredericksburg Sewer & Water Authority P.O. Box 161 Fredericksburg, PA 17026	COUNTY: REGION: NPDES:	Lebanon SC	I: \$479,327 II: \$0 III: \$0 IIIB: \$0	IVA: \$1,799,873 IVB: \$0 V: \$0 ELIG. COST: \$2,279,200		PROJECT NO.: CS422304-01 PROJ. TYPE: STP PS INT SS PROJECT RATING: 64 PROJECT RANKING: 1		
Alexandria-Porter Joint Municipal Authority R.D. 1, Box 80 Alexandria, PA 16611	COUNTY: REGION: NPDES:	Huntingdon SC	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$2,937,389 IVB: \$0 V: \$0 ELIG. COST: \$2,937,389		PROJECT NO.: CS422296-01 PROJ. TYPE: SS PROJECT RATING: 58 PROJECT RANKING: 2		
Twin Boroughs Sanitary Authority P.O. Box 118 Mifflin, PA 17058	COUNTY: REGION: NPDES:	Juniata SC N/A	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$3,376,000 IVB: \$0 V: \$0 ELIG. COST: \$3,376,000		PROJECT NO.: CS421838-01 PROJ. TYPE: SS PS PROJECT RATING: 55 PROJECT RANKING: 3		
Northern Blair County Regional Sewer Auth RR #4, Box 236A Tyrone, PA 16686	COUNTY: REGION: NPDES:	Blair SC	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$1,105,000 IVB: \$0 V: \$0 ELIG. COST: \$1,105,000		PROJECT NO.: CS422298-01 PROJ. TYPE: SS PROJECT RATING: 55 PROJECT RANKING: 4		
Beach Lake Municipal Authority P.O. Box 151 Beach Lake, PA 18405	COUNTY: REGION: NPDES:	Wayne NE N/A	I: \$1,117,341 II: \$100,000 III: \$0 IIIB: \$815,448	IVA: \$42,904 IVB: \$0 V: \$0 ELIG. COST: \$2,075,693		PROJECT NO.: CS421740-01 PROJ. TYPE: STP SS PROJECT RATING: 54 PROJECT RANKING: 5		
Huston Township P.O. Box 40 Julian, PA 16844	COUNTY: REGION: NPDES:	Centre NC N/A	I: \$450,210 II: \$0 III: \$0 IIIB: \$0	IVA: \$1,210,468 IVB: \$0 V: \$0 ELIG. COST: \$1,660,678		PROJECT NO.: CS422142-01 PROJ. TYPE: STP SS PS INT PROJECT RATING: 53 PROJECT RANKING: 6		
New Ringgold Borough P.O. Box 180 New Ringgold, PA 17960	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: \$285,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$357,000 IVB: \$358,000 V: \$0 ELIG. COST: \$1,000,000		PROJECT NO.: CS421944-01 PROJ. TYPE: STP SS INT PROJECT RATING: 52 PROJECT RANKING: 7		
North Union Township P.O. Box 5 Nuremburg, PA 18241	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: \$934,163 II: \$0 III: \$0 IIIB: \$0	IVA: \$803,447 IVB: \$395,880 V: \$0 ELIG. COST: \$2,133,490		PROJECT NO.: CS421735-01 PROJ. TYPE: STP SS INT PROJECT RATING: 51 PROJECT RANKING: 8		
Conewago Township Sewer Authority 490 Copenhaffer Road York, PA 17404	COUNTY: REGION: NPDES:	York SC	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$3,876,000 IVB: \$0 V: \$0 ELIG. COST: \$3,876,000		PROJECT NO.: CS422248-01 PROJ. TYPE: PS INT SS PROJECT RATING: 48 PROJECT RANKING: 9		

NOTICES

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION	
Penn Twp Municipal Authority 102 Municipal Building Road Duncannon, PA 17020	COUNTY:	Perry	I:	\$1,070,748	IVA:	\$2,500,000	PROJECT NO.:	CS422236-01
	REGION:	SC	II:	\$0	IVB:	\$1,000,000	PROJ. TYPE:	STP,STPMOD, PS,INT
	NPDES:		IIIA:	\$0	V:	\$0	PROJECT RATING:	47
			IIIB:	\$0	ELIG. COST:	\$4,570,748	PROJECT RANKING:	10
Dublin Township HRC 75, Box 240 Fort Littleton, PA 17223	COUNTY:	Fulton	I:	\$600,000	IVA:	\$2,199,000	PROJECT NO.:	CS421813-01
	REGION:	SC	II:	\$0	IVB:	\$0	PROJ. TYPE:	STP SS PS
	NPDES:	N/A	IIIA:	\$0	V:	\$0	PROJECT RATING:	47
			IIIB:	\$0	ELIG. COST:	\$2,799,000	PROJECT RANKING:	11
Delano Township 140 Hazle Street Delano, PA 18220	COUNTY:	Schuylkill	I:	\$500,000	IVA:	\$1,105,900	PROJECT NO.:	CS421742-01
	REGION:	NE	II:	\$0	IVB:	\$0	PROJ. TYPE:	STP SS
	NPDES:	N/A	IIIA:	\$0	V:	\$0	PROJECT RATING:	46
			IIIB:	\$0	ELIG. COST:	\$1,605,900	PROJECT RANKING:	12
Covington Township R.R.#1, Box 87 Covington, PA 16917	COUNTY:	Tioga	I:	\$37,500	IVA:	\$257,008	PROJECT NO.:	CS422145-01
	REGION:	NC	II:	\$0	IVB:	\$0	PROJ. TYPE:	STPMOD SS
	NPDES:	N/A	IIIA:	\$0	V:	\$0	PROJECT RATING:	44
			IIIB:	\$0	ELIG. COST:	\$294,508	PROJECT RANKING:	13
Lycoming County Water & Sewer Authority 216 Old Cement Road Montoursville, PA 17754	COUNTY:	Lycoming	I:	\$896,125	IVA:	\$2,097,466	PROJECT NO.:	CS422288-01
	REGION:	NC	II:	\$0	IVB:	\$1,164,173	PROJ. TYPE:	STPMOD INT SS
	NPDES:	IIIA:	\$0	V:	\$0	PROJECT RATING:	44	
			IIIB:	\$0	ELIG. COST:	\$4,157,764	PROJECT RANKING:	14
Davidson Township Municipal Authority P.O. Box 7112 Sonestown, PA 17758	COUNTY:	Sullivan	I:	\$441,853	IVA:	\$289,398	PROJECT NO.:	CS422207-01
	REGION:	NC	II:	\$0	IVB:	\$102,749	PROJ. TYPE:	STP PS INT SS
	NPDES:	N/A	IIIA:	\$0	V:	\$0	PROJECT RATING:	44
			IIIB:	\$0	ELIG. COST:	\$834,000	PROJECT RANKING:	15
Center Township P.O. Box 369 Rogersville, PA 15359	COUNTY:	Greene	I:	\$754,000	IVA:	\$3,705,000	PROJECT NO.:	CS421487-01
	REGION:	SW	II:	\$0	IVB:	\$408,000	PROJ. TYPE:	STP SS INT
	NPDES:	N/A	IIIA:	\$0	V:	\$0	PROJECT RATING:	44
			IIIB:	\$0	ELIG. COST:	\$4,867,000	PROJECT RANKING:	16
Raccoon Creek Municipal Authority P.O. Box 3 Rock Glen, PA 18246	COUNTY:	Luzerne	I:	\$947,182	IVA:	\$1,758,619	PROJECT NO.:	CS421724-01
	REGION:	NE	II:	\$0	IVB:	\$386,069	PROJ. TYPE:	STP SS INT
	NPDES:	N/A	IIIA:	\$0	V:	\$0	PROJECT RATING:	44
			IIIB:	\$0	ELIG. COST:	\$3,091,870	PROJECT RANKING:	17
Thompson Borough P.O. Box 89 Thompson, PA 18465	COUNTY:	Susquehanna	I:	\$238,844	IVA:	\$462,984	PROJECT NO.:	CS421750-01
	REGION:	NE	II:	\$0	IVB:	\$102,172	PROJ. TYPE:	STP SS PS INT
	NPDES:	N/A	IIIA:	\$0	V:	\$0	PROJECT RATING:	44
			IIIB:	\$0	ELIG. COST:	\$804,000	PROJECT RANKING:	18
Cadogan Township P.O. Box 309 Cadogan, PA 16212	COUNTY:	Armstrong	I:	\$143,130	IVA:	\$139,492	PROJECT NO.:	CS422252-01
	REGION:	SW	II:	\$0	IVB:	\$61,557	PROJ. TYPE:	STP PS INT SS
	NPDES:		IIIA:	\$0	V:	\$0	PROJECT RATING:	44
			IIIB:	\$0	ELIG. COST:	\$344,179	PROJECT RANKING:	19
Conemaugh Township R.D.#4, Box A-20 Johnstown, PA 15905	COUNTY:	Somerset	I:	\$9,750,000	IVA:	\$2,167,000	PROJECT NO.:	CS421479-01
	REGION:	SW	II:	\$0	IVB:	\$990,000	PROJ. TYPE:	STP SS INT
	NPDES:	PA0217301	IIIA:	\$0	V:	\$0	PROJECT RATING:	43
			IIIB:	\$0	ELIG. COST:	\$12,907,000	PROJECT RANKING:	20

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION	
KBM Regional Authority P.O. Box 14 McAdoo, PA 18237	COUNTY: REGION: NPDES:	Carbon/Schuylkil NE N/A	I: \$4,245,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$0 IVB: \$0 V: \$0	ELIG. COST: \$4,245,000	PROJECT NO.: CS422178-01 PROJ. TYPE: STP PROJECT RATING: 43 PROJECT RANKING: 21		
West Alexander Municipal Authority P.O. Box 185 West Alexander, PA 15376	COUNTY: REGION: NPDES:	Washington SW N/A	I: \$604,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$1,766,000 IVB: \$230,000 V: \$0	ELIG. COST: \$2,600,000	PROJECT NO.: CS422173-01 PROJ. TYPE: STP SS PS INT PROJECT RATING: 43 PROJECT RANKING: 22		
Fawn Township Sewer Authority P.O. Box 525 Natrona Heights, PA 15065	COUNTY: REGION: NPDES:	Allegheny SW	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$324,000 IVB: \$0 V: \$0	ELIG. COST: \$324,000	PROJECT NO.: CS422255-01 PROJ. TYPE: SS PROJECT RATING: 43 PROJECT RANKING: 23		
Brady Township R.R.#2, Box 537 Montgomery, PA 17752	COUNTY: REGION: NPDES:	Lycoming NC N/A	I: \$367,702 II: \$0 III: \$0 IIIB: \$0	IVA: \$1,023,437 IVB: \$88,861 V: \$0	ELIG. COST: \$1,480,000	PROJECT NO.: CS422205-01 PROJ. TYPE: STP PS SS PROJECT RATING: 42 PROJECT RANKING: 24		
Tulpehocken Township P.O. Box 272 Rehrersburg, PA 19550	COUNTY: REGION: NPDES:	Berks SC N/A	I: \$1,500,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$2,700,000 IVB: \$0 V: \$0	ELIG. COST: \$4,200,000	PROJECT NO.: CS422192-01 PROJ. TYPE: STP PS INT SS PROJECT RATING: 41 PROJECT RANKING: 25		
Cromwell Township P. O. Box 340 Orbisonia, PA 17243	COUNTY: REGION: NPDES:	Huntingdon SC	I: \$0 II: \$244,000 III: \$0 IIIB: \$0	IVA: \$1,055,000 IVB: \$0 V: \$0	ELIG. COST: \$1,299,000	PROJECT NO.: CS422226-01 PROJ. TYPE: STP SS PROJECT RATING: 41 PROJECT RANKING: 26		
Hustontown Joint Sewer Authority P.O. Box 577 Hustontown, PA 17229	COUNTY: REGION: NPDES:	Fulton SC N/A	I: \$448,300 II: \$0 III: \$0 IIIB: \$0	IVA: \$485,500 IVB: \$0 V: \$0	ELIG. COST: \$933,800	PROJECT NO.: CS421922-01 PROJ. TYPE: STP SS PS PROJECT RATING: 41 PROJECT RANKING: 27		
Abbott Township 1431 Germania Road Galeton, PA 16922	COUNTY: REGION: NPDES:	Potter NC N/A	I: \$299,201 II: \$0 III: \$0 IIIB: \$0	IVA: \$929,312 IVB: \$0 V: \$0	ELIG. COST: \$1,228,513	PROJECT NO.: CS421645-01 PROJ. TYPE: STP SS PROJECT RATING: 41 PROJECT RANKING: 28		
North Sewickley Township Sewer Authority 893 Mercer Road Beaver Falls, PA 15010	COUNTY: REGION: NPDES:	Beaver SW	I: \$1,100,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$10,375,000 IVB: \$2,375,000 V: \$0	ELIG. COST: \$13,850,000	PROJECT NO.: CS422245-01 PROJ. TYPE: STPMOD SS INT PS PROJECT RATING: 40 PROJECT RANKING: 29		
Hempfield Township Municipal Authority R.D.#6, Box 501 Greensburg, PA 15601	COUNTY: REGION: NPDES:	Westmoreland SW N/A	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$4,480,000 IVB: \$1,500,000 V: \$0	ELIG. COST: \$5,980,000	PROJECT NO.: CS422113-01 PROJ. TYPE: INT SS PS PROJECT RATING: 40 PROJECT RANKING: 30		

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION	
North Beaver Township Municipal Authority 861 Mt. Jackson Road New Castle, PA 16102	COUNTY: REGION: NPDES:	Lawrence NW N/A	I: II: III: IIIB:	\$0 \$339,773 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$4,258,523 \$0 \$0 \$4,598,296	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421773-01 STPMOD SS PS 40 31
Upper Hanover Authority 1704 Pillsbury Rd., P.O. Box 205 East Greenville, PA 18041	COUNTY: REGION: NPDES:	Montgomery SE N/A	I: II: III: IIIB:	\$400,000 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$1,000,000 \$0 \$0 \$1,400,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422224-01 STP SS 40 32
Duryea Borough Sewer Authority 504 Main Street Duryea, PA 18642	COUNTY: REGION: NPDES:	Luzerne NE N/A	I: II: III: IIIB:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$583,038 \$0 \$0 \$583,038	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422217-01 PS SS 40 33
Chartiers Township 2 Buccaneer Drive Houston, PA 15342	COUNTY: REGION: NPDES:	Washington SW	I: II: III: IIIB:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$396,393 \$0 \$0 \$396,393	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422254-01 SS 40 34
Texas Township Municipal Authority 320 Shady Lane Honesdale, PA 18431	COUNTY: REGION: NPDES:	Wayne NE N/A	I: II: III: IIIB:	\$2,300,000 \$100,000 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$600,000 \$0 \$0 \$3,000,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422038-01 STP SS 40 35
South Coventry Township 1002 Ridge Road Pottstown, PA 19464	COUNTY: REGION: NPDES:	Chester SE N/A	I: II: III: IIIB:	\$0 \$675,000 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$1,210,000 \$0 \$0 \$1,885,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422103-01 STP SS PS INT 40 36
Mill Creek Area Municipal Authority HCR 61, Box 509A Mill Creek, PA 17060	COUNTY: REGION: NPDES:	Huntingdon SC	I: II: III: IIIB:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$1,380,000 \$0 \$0 \$1,380,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422297-01 SS 40 37
Delaware Township R.D. 1, Box 410 Thompsontown, PA 17094	COUNTY: REGION: NPDES:	Juniata SC	I: II: III: IIIB:	\$0 \$274,622 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$322,778 \$0 \$0 \$597,400	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422308-01 STP PS SS 40 38
Brady Township 1986 ElimSPORT Road Montgomery, PA 17752	COUNTY: REGION: NPDES:	Lycoming NC	I: II: III: IIIB:	\$138,096 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$275,904 \$0 \$0 \$414,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422250-01 STP SS 40 39
Reilly Township P.O. Box 1 Branchdale, PA 17923	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: II: III: IIIB:	\$800,000 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$531,000 \$30,000 \$0 \$1,361,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422087-01 STP SS INT 39 40
Jackson Township P.O. Box 48 Millerton, PA 16936	COUNTY: REGION: NPDES:	Tioga NC N/A	I: II: III: IIIB:	\$554,399 \$215,600 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$3,457,208 \$116,019 \$0 \$4,343,226	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422143-01 STP SS 39 41

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION	
Strausstown Borough P.O. Box 325 Strausstown, PA 19559	COUNTY: REGION: NPDES:	Berks SC	I: \$650,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$1,100,000 IVB: \$500,000 V: \$0 ELIG. COST: \$2,250,000	PROJECT NO.: CS422301-01 PROJ. TYPE: STP INT SS PROJECT RATING: 39 PROJECT RANKING: 42			
Lenhartsville Borough P.O. Box 238, 19 Willow Street Lenhartsville, PA 19534	COUNTY: REGION: NPDES:	Berks SC	I: \$600,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$1,000,000 IVB: \$400,000 V: \$0 ELIG. COST: \$2,000,000	PROJECT NO.: CS422300-01 PROJ. TYPE: STP INT SS PROJECT RATING: 39 PROJECT RANKING: 43			
East Chillisquaque Township 305 James Street Milton, PA 17847	COUNTY: REGION: NPDES:	Northumberland NC N/A	I: \$394,495 II: \$0 III: \$0 IIIB: \$0	IVA: \$1,309,938 IVB: \$0 V: \$0 ELIG. COST: \$1,704,433	PROJECT NO.: CS422136-01 PROJ. TYPE: STP SS PROJECT RATING: 39 PROJECT RANKING: 44			
Orwigsburg Municipal Authority P.O. Box 128, 209 N. Warren St. Orwigsburg, PA 17961	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: \$6,900,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$6,900,000	PROJECT NO.: CS422085-01 PROJ. TYPE: STPMOD PROJECT RATING: 39 PROJECT RANKING: 45			
Pine Grove Township Authority P.O. Box 426 Pine Grove, PA 17963	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$295,000 IVB: \$0 V: \$0 ELIG. COST: \$295,000	PROJECT NO.: CS421687-01 PROJ. TYPE: SS PROJECT RATING: 39 PROJECT RANKING: 46			
West Pennsboro Township Municipal 2150 Newville Road Carlisle, PA 17013	COUNTY: REGION: NPDES:	Cumberland SC	I: \$611,897 II: \$0 III: \$0 IIIB: \$0	IVA: \$755,241 IVB: \$377,621 V: \$0 ELIG. COST: \$1,744,759	PROJECT NO.: CS421533-01 PROJ. TYPE: STP SS INT PROJECT RATING: 38 PROJECT RANKING: 47			
Susquehanna Township 1900 Linglestown Road Harrisburg, PA 17110	COUNTY: REGION: NPDES:	Dauphin SC	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$154,000 IVB: \$130,000 V: \$0 ELIG. COST: \$284,000	PROJECT NO.: CS422249-01 PROJ. TYPE: INT SS PROJECT RATING: 38 PROJECT RANKING: 48			
Schuylkill Valley Sewer Authority 34-36 Forest Lane Mary-D, PA 17952	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: \$2,649,002 II: \$0 III: \$0 IIIB: \$0	IVA: \$11,210,717 IVB: \$916,076 V: \$0 ELIG. COST: \$14,775,795	PROJECT NO.: CS421749-01 PROJ. TYPE: STP SS INT PROJECT RATING: 38 PROJECT RANKING: 49			
Plymouth Township 5 Towers Road Shavertown, PA 18708	COUNTY: REGION: NPDES:	Luzerne NE N/A	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$2,600,000 IVB: \$0 V: \$0 ELIG. COST: \$2,600,000	PROJECT NO.: CS421940-01 PROJ. TYPE: SS PROJECT RATING: 38 PROJECT RANKING: 50			
West Brownsville Borough Municipal 625 Middle Street West Brownsville, PA 15417	COUNTY: REGION: NPDES:	Washington SW N/A	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$1,928,000 IVB: \$297,000 V: \$0 ELIG. COST: \$2,225,000	PROJECT NO.: CS421486-01 PROJ. TYPE: SS PS INT PROJECT RATING: 38 PROJECT RANKING: 51			
Newton Hamilton Borough P.O. Box 65 Newton Hamilton, PA 17075	COUNTY: REGION: NPDES:	Mifflin SC N/A	I: \$700,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$650,000 IVB: \$450,000 V: \$0 ELIG. COST: \$1,800,000	PROJECT NO.: CS421829-01 PROJ. TYPE: STP SS INT PROJECT RATING: 38 PROJECT RANKING: 52			

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION	
Franklin Fayette Sewer Authority 353 Town & Country Road Vanderbilt, PA 15486	COUNTY: REGION: NPDES:	Fayette SW	I: \$329,936 II: \$0 III: \$0 IIIA: \$0 IIIB: \$0	IVA: \$446,277 IVB: \$120,977 V: \$0 ELIG. COST: \$897,190	PROJECT NO.: CS422256-01 PROJ. TYPE: STP PS INT SS PROJECT RATING: 38 PROJECT RANKING: 53			
Cecil Township Municipal Authority 3655 Millers Run Road Cecil, PA 15321	COUNTY: REGION: NPDES:	Washington SW PA0020796	I: \$3,700,000 II: \$0 III: \$0 IIIA: \$0 IIIB: \$0	IVA: \$5,000,000 IVB: \$5,600,000 V: \$0 ELIG. COST: \$14,300,000	PROJECT NO.: CS421031-02 PROJ. TYPE: STP SS INT PROJECT RATING: 37 PROJECT RANKING: 54			
Indiana County Municipal Services Authority 827 Water Street Indiana, PA 15701	COUNTY: REGION: NPDES:	Indiana SW N/A	I: \$2,756,000 II: \$0 III: \$0 IIIA: \$0 IIIB: \$0	IVA: \$3,509,800 IVB: \$1,000,000 V: \$0 ELIG. COST: \$7,265,800	PROJECT NO.: CS422107-01 PROJ. TYPE: STP PS INT SS PROJECT RATING: 37 PROJECT RANKING: 55			
Rayburn Township Municipal Authority 454B, R.R.#6 Kittanning, PA 16201	COUNTY: REGION: NPDES:	Armstrong SW N/A	I: \$700,000 II: \$0 III: \$0 IIIA: \$0 IIIB: \$0	IVA: \$3,000,000 IVB: \$1,900,000 V: \$0 ELIG. COST: \$5,600,000	PROJECT NO.: CS422162-01 PROJ. TYPE: STP SS PROJECT RATING: 37 PROJECT RANKING: 56			
Topton Borough 205 S. Calwhell Topton, PA 19562	COUNTY: REGION: NPDES:	Berks SC N/A	I: \$3,100,000 II: \$0 III: \$0 IIIA: \$0 IIIB: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$3,100,000	PROJECT NO.: CS422073-01 PROJ. TYPE: STPMOD PROJECT RATING: 37 PROJECT RANKING: 57			
Hamilton Township R.D.#1, Box 293 Blossburg, PA 16912	COUNTY: REGION: NPDES:	Tioga NC N/A	I: \$825,508 II: \$0 III: \$0 IIIA: \$0 IIIB: \$0	IVA: \$1,718,614 IVB: \$70,268 V: \$0 ELIG. COST: \$2,614,390	PROJECT NO.: CS422028-01 PROJ. TYPE: STP PS SS PROJECT RATING: 37 PROJECT RANKING: 58			
Union Township Municipal Authority P.O. Box 501 Union City, PA 16438	COUNTY: REGION: NPDES:	Erie NW N/A	I: \$0 II: \$0 III: \$0 IIIA: \$0 IIIB: \$0	IVA: \$958,680 IVB: \$0 V: \$0 ELIG. COST: \$958,680	PROJECT NO.: CS422123-01 PROJ. TYPE: SS PS PROJECT RATING: 37 PROJECT RANKING: 59			
Wayne Township Municipal Authority 1418 Wampum Road, Rte. 288 Ellwood City, PA 16117	COUNTY: REGION: NPDES:	Lawrence NW N/A	I: \$0 II: \$0 III: \$0 IIIA: \$0 IIIB: \$0	IVA: \$506,000 IVB: \$279,450 V: \$0 ELIG. COST: \$785,450	PROJECT NO.: CS421828-01 PROJ. TYPE: SS INT PROJECT RATING: 37 PROJECT RANKING: 60			
Westfield Township P.O. Box 61 Cowanesque, PA 16918	COUNTY: REGION: NPDES:	Tioga NC N/A	I: \$0 II: \$0 III: \$0 IIIA: \$0 IIIB: \$0	IVA: \$496,790 IVB: \$44,800 V: \$0 ELIG. COST: \$541,590	PROJECT NO.: CS422146-01 PROJ. TYPE: SS PROJECT RATING: 37 PROJECT RANKING: 61			
Evans City Borough 220 Wahl Avenue Evans City, PA 16033	COUNTY: REGION: NPDES:	Butler NW N/A	I: \$0 II: \$0 III: \$0 IIIA: \$0 IIIB: \$0	IVA: \$227,550 IVB: \$0 V: \$0 ELIG. COST: \$227,550	PROJECT NO.: CS422057-01 PROJ. TYPE: SS PROJECT RATING: 37 PROJECT RANKING: 62			
Leacock Township 16 E. Westview Drive Intercourse, PA 17534	COUNTY: REGION: NPDES:	Lancaster SC PA0084212	I: \$2,500,000 II: \$0 III: \$0 IIIA: \$0 IIIB: \$0	IVA: \$0 IVB: \$500,000 V: \$0 ELIG. COST: \$3,000,000	PROJECT NO.: CS421839-01 PROJ. TYPE: STP INT PROJECT RATING: 37 PROJECT RANKING: 63			

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION	
Redstone Township 225 Twin Hills Road Grindstone, PA 15442	COUNTY: REGION: NPDES:	Fayette SW N/A	I: \$1,500,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$2,200,000 IVB: \$1,000,000 V: \$0 ELIG. COST: \$4,700,000	PROJECT NO.: CS421504-01 PROJ. TYPE: STP PS INT SS PROJECT RATING: 35 PROJECT RANKING: 64			
McAdoo Borough Sewer Authority 23 N. Hancock Street McAdoo, PA 18237	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$6,256,510 IVB: \$820,470 V: \$0 ELIG. COST: \$7,076,980	PROJECT NO.: CS421747-01 PROJ. TYPE: SS PS INT PROJECT RATING: 35 PROJECT RANKING: 65			
New Florence Borough/St. Clair Township P.O. Box 272 New Florence, PA 15944	COUNTY: REGION: NPDES:	Westmoreland SW N/A	I: \$750,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$3,000,000 IVB: \$1,650,000 V: \$0 ELIG. COST: \$5,400,000	PROJECT NO.: CS422167-01 PROJ. TYPE: STPMOD PS INT SS PROJECT RATING: 35 PROJECT RANKING: 66			
Kline Township Municipal Authority P.O. Box 160, 76 S. Kennedy Dr. McAdoo, PA 18237	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$4,316,900 IVB: \$0 V: \$0 ELIG. COST: \$4,316,900	PROJECT NO.: CS421745-01 PROJ. TYPE: SS INT PS PROJECT RATING: 35 PROJECT RANKING: 67			
Port Clinton Borough North Street Port Clinton, PA 19549	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: \$1,200,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$1,440,000 IVB: \$60,000 V: \$0 ELIG. COST: \$2,700,000	PROJECT NO.: CS421941-01 PROJ. TYPE: STP SS PS INT PROJECT RATING: 35 PROJECT RANKING: 68			
Franklin Township 55 Scott School Road Orrtanna, PA 17353	COUNTY: REGION: NPDES:	Adams SC N/A	I: \$190,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$85,000 IVB: \$0 V: \$0 ELIG. COST: \$275,000	PROJECT NO.: CS422220-01 PROJ. TYPE: STP SS PROJECT RATING: 35 PROJECT RANKING: 69			
Londonderry Township 783 S. Geyer's Church Road Middletown, PA 17057	COUNTY: REGION: NPDES:	Dauphin SC PA0082392	I: \$4,140,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$4,140,000	PROJECT NO.: CS421574-01 PROJ. TYPE: STP PROJECT RATING: 35 PROJECT RANKING: 70			
Jefferson Township Sewer Authority R.R.#3, Box 451H Lake Ariel, PA 18436	COUNTY: REGION: NPDES:	Lackawanna NE N/A	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$12,000,000 IVB: \$4,438,000 V: \$0 ELIG. COST: \$16,438,000	PROJECT NO.: CS421683-01 PROJ. TYPE: SS PS INT PROJECT RATING: 35 PROJECT RANKING: 71			
Scott Township Sewer & Water Authority R.R.#1, Box 457 Olyphant, PA 18447	COUNTY: REGION: NPDES:	Lackawanna NE PA0063207	I: \$2,800,000 II: \$1,200,000 III: \$0 IIIB: \$0	IVA: \$10,700,000 IVB: \$300,000 V: \$0 ELIG. COST: \$15,000,000	PROJECT NO.: CS421672-01 PROJ. TYPE: STP SS INT PROJECT RATING: 35 PROJECT RANKING: 72			
Pine Grove Joint Treatment Authority P.O. Box 482 Pine Grove, PA 17963	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: \$0 II: \$8,588,894 III: \$0 IIIB: \$3,000,000	IVA: \$0 IVB: \$2,000,000 V: \$0 ELIG. COST: \$13,588,894	PROJECT NO.: CS422086-01 PROJ. TYPE: STP PS INT SSREH PROJECT RATING: 35 PROJECT RANKING: 73			
Wilmington Township Sewer Authority R.D.#5, Box 469 New Castle, PA 16105	COUNTY: REGION: NPDES:	Lawrence NW N/A	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$2,660,000 IVB: \$0 V: \$0 ELIG. COST: \$2,660,000	PROJECT NO.: CS422231-01 PROJ. TYPE: PS SS PROJECT RATING: 35 PROJECT RANKING: 74			

APPLICANT INFORMATION				NEEDS CATEGORIES				PROJECT INFORMATION			
Penn Township R.R.#1, Box 15 Coburn, PA 16832	COUNTY:	Centre	I:	\$210,004	IVA:	\$776,596	PROJECT NO.:	CS422204-01			
	REGION:	NC	II:	\$0	IVB:	\$0	PROJ. TYPE:	STP SS			
	NPDES:	N/A	IIIA:	\$0	V:	\$0	PROJECT RATING:	35			
			IIIB:	\$0	ELIG. COST:	\$986,600	PROJECT RANKING:	75			
Delmar Township R.R.#5 Box 70A Wellsboro, PA 16901	COUNTY:	Tioga	I:	\$0	IVA:	\$955,934	PROJECT NO.:	CS422150-01			
	REGION:	NC	II:	\$0	IVB:	\$0	PROJ. TYPE:	SS			
	NPDES:	N/A	IIIA:	\$0	V:	\$0	PROJECT RATING:	35			
			IIIB:	\$0	ELIG. COST:	\$955,934	PROJECT RANKING:	76			
Wilkes-Barre Township 150 Watson Street Wilkes-Barre, PA 18702	COUNTY:	Luzerne	I:	\$0	IVA:	\$1,200,000	PROJECT NO.:	CS421943-01			
	REGION:	NE	II:	\$0	IVB:	\$600,000	PROJ. TYPE:	SS SSREH INT			
	NPDES:	N/A	IIIA:	\$400,000	V:	\$0	PROJECT RATING:	34			
			IIIB:	\$600,000	ELIG. COST:	\$2,800,000	PROJECT RANKING:	77			
Middlesex Township 133 Browns Hill Road Valencia, PA 16059	COUNTY:	Butler	I:	\$3,022,500	IVA:	\$10,400,000	PROJECT NO.:	CS422122-01			
	REGION:	NW	II:	\$0	IVB:	\$741,000	PROJ. TYPE:	STP SS PS INT			
	NPDES:	N/A	IIIA:	\$0	V:	\$0	PROJECT RATING:	34			
			IIIB:	\$0	ELIG. COST:	\$14,163,500	PROJECT RANKING:	78			
Manor Township Joint Municipal Authority 2310 Pleasant View Drive Ford City, PA 16226	COUNTY:	Armstrong	I:	\$0	IVA:	\$1,778,560	PROJECT NO.:	CS422242-01			
	REGION:	SW	II:	\$0	IVB:	\$1,093,440	PROJ. TYPE:	PS SS INT			
	NPDES:		IIIA:	\$0	V:	\$0	PROJECT RATING:	34			
			IIIB:	\$0	ELIG. COST:	\$2,872,000	PROJECT RANKING:	79			
Union Township 3904 Finley Elrama Road Finleyville, PA 15332	COUNTY:	Washington	I:	\$0	IVA:	\$1,300,000	PROJECT NO.:	CS422176-01			
	REGION:	SW	II:	\$0	IVB:	\$482,530	PROJ. TYPE:	PS INT SS			
	NPDES:	N/A	IIIA:	\$0	V:	\$0	PROJECT RATING:	34			
			IIIB:	\$0	ELIG. COST:	\$1,782,530	PROJECT RANKING:	80			
Findlay Township P.O. Box W, Rte. 30 Clinton, PA 15026	COUNTY:	Allegheny	I:	\$0	IVA:	\$1,356,256	PROJECT NO.:	CS422240-01			
	REGION:	SW	II:	\$0	IVB:	\$0	PROJ. TYPE:	SS			
	NPDES:		IIIA:	\$0	V:	\$0	PROJECT RATING:	34			
			IIIB:	\$0	ELIG. COST:	\$1,356,256	PROJECT RANKING:	81			
Branch-Cass Regional Sewer Authority P.O. Box 309 Llewellyn, PA 17944	COUNTY:	Schuylkill	I:	\$2,860,000	IVA:	\$12,180,000	PROJECT NO.:	CS421725-01			
	REGION:	NE	II:	\$0	IVB:	\$2,797,000	PROJ. TYPE:	STP SS INT PS			
	NPDES:	N/A	IIIA:	\$0	V:	\$0	PROJECT RATING:	34			
			IIIB:	\$0	ELIG. COST:	\$17,837,000	PROJECT RANKING:	82			
Conyngham Township P.O. Box 14 Wilburton, PA 17888	COUNTY:	Columbia	I:	\$0	IVA:	\$3,535,895	PROJECT NO.:	CS421801-01			
	REGION:	NC	II:	\$0	IVB:	\$2,366,773	PROJ. TYPE:	PS,INT,SS			
	NPDES:	N/A	IIIA:	\$0	V:	\$0	PROJECT RATING:	34			
			IIIB:	\$0	ELIG. COST:	\$5,902,668	PROJECT RANKING:	83			
Dudley-Carbon-Coalmont Joint Municipal P. O. Box 276 Dudley, PA 16634	COUNTY:	Huntingdon	I:	\$0	IVA:	\$3,459,286	PROJECT NO.:	CS421581-01			
	REGION:	SC	II:	\$1,179,714	IVB:	\$0	PROJ. TYPE:	STP SS INT			
	NPDES:	PA0084883	IIIA:	\$0	V:	\$0	PROJECT RATING:	34			
			IIIB:	\$0	ELIG. COST:	\$4,639,000	PROJECT RANKING:	84			
Jeddo Borough R.D. Box 1269 Freeland, PA 18224	COUNTY:	Luzerne	I:	\$0	IVA:	\$1,200,000	PROJECT NO.:	CS421891-01			
	REGION:	NE	II:	\$0	IVB:	\$1,100,000	PROJ. TYPE:	SS PS INT			
	NPDES:	N/A	IIIA:	\$0	V:	\$0	PROJECT RATING:	34			
			IIIB:	\$0	ELIG. COST:	\$2,300,000	PROJECT RANKING:	85			

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION		
Banks Township Municipal Authority E. Market Street Tresckow, PA 18254	COUNTY: REGION: NPDES:	Carbon NE N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$1,377,290 \$821,482 \$0 \$2,198,772	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421739-01 SS PS 34 86	
Duncan Township P.O. Box 908 Wellsboro, PA 16901	COUNTY: REGION: NPDES:	Tioga NC N/A	I: II: III A: III B:	\$572,000 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$988,100 \$0 \$0 \$1,560,100	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422141-01 STP SS 34 87	
Sankertown Borough Sewer Authority P.O. Box 33 Cresson, PA 16630	COUNTY: REGION: NPDES:	Cambria SW N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$1,324,774 \$200,000 \$0 \$1,524,774	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422223-01 PS SSREH 34 88	
Avondale Borough P.O. Box 247 Avondale, PA 19311	COUNTY: REGION: NPDES:	Chester SE PA0025488	I: II: III A: III B:	\$135,000 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$0 \$0 \$0 \$135,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421644-01 STPMOD 34 89	
Decatur Township R.D.#2 McClure, PA 17841	COUNTY: REGION: NPDES:	Mifflin SC N/A	I: II: III A: III B:	\$2,290,339 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$2,679,478 \$1,530,183 \$0 \$6,500,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421831-01 STP SS PS INT 33 90	
Gulich Township P.O. Box 305 Smithmill, PA 16680	COUNTY: REGION: NPDES:	Clearfield NC N/A	I: II: III A: III B:	\$371,300 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$1,198,300 \$106,000 \$0 \$1,675,600	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421982-01 STP PS INT SS 33 91	
Corry City Municipal Authority 100 South Center Street Corry, PA 16407	COUNTY: REGION: NPDES:	Erie NW N/A	I: II: III A: III B:	\$0 \$1,584,415 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$0 \$0 \$422,285 \$2,006,700	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422275-01 STPMOD SS 33 92	
Hazle Township Municipal Authority 1060 N. Peace Street Hazleton, PA 18201	COUNTY: REGION: NPDES:	Luzerne NE N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$5,919,136 \$779,864 \$0 \$6,699,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421731-01 SS PS INT 32 93	
Jim Thorpe Borough 101 E. Tenth Street Jim Thorpe, PA 18229	COUNTY: REGION: NPDES:	Carbon NE N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$2,200,000 \$0 \$0 \$2,200,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422216-01 SS 32 94	
Penn Township 157 East Airport Road Butler, PA 16002	COUNTY: REGION: NPDES:	Butler NW N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$10,800,000 \$0 \$0 \$10,800,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421824-01 PS SS FM 32 95	
Bullskin Township/Connellsville Township JSA R.D.#2, BOX 234G Connellsville, PA 15425	COUNTY: REGION: NPDES:	Fayette SW N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$1,380,545 \$1,150,455 \$0 \$2,531,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422056-01 PS INT SS 32 96	

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION	
Plum Borough Municipal Authority 4555 New Texas Road Pittsburgh, PA 15239	COUNTY: REGION: NPDES:	Allegheny SW	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$566,200 IVB: \$0 V: \$0 ELIG. COST: \$566,200		PROJECT NO.: CS422260-01 PROJ. TYPE: SS PROJECT RATING: 32 PROJECT RANKING: 97		
Hallstead-Great Bend Joint Sewer Authority P.O. Box 757 Great Bend, PA 18821	COUNTY: REGION: NPDES:	Susquehanna NE PA0060518	I: \$1,940,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$820,000 IVB: \$0 V: \$0 ELIG. COST: \$2,760,000		PROJECT NO.: CS421817-01 PROJ. TYPE: STPMOD SS PS PROJECT RATING: 32 PROJECT RANKING: 98		
Winfield Township P.O. Box 65 Cabot, PA 16023	COUNTY: REGION: NPDES:	Butler NW	I: \$66,000 II: \$554,400 III: \$0 IIIB: \$0	IVA: \$902,880 IVB: \$0 V: \$0 ELIG. COST: \$1,523,280		PROJECT NO.: CS422276-01 PROJ. TYPE: STP SS PROJECT RATING: 32 PROJECT RANKING: 99		
Vestaburg - New Hill Joint Authority P.O. Box 189 Vestaburg, PA 15368	COUNTY: REGION: NPDES:	Washington SW N/A	I: \$0 II: \$0 III: \$0 IIIB: \$1,200,000	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$1,200,000		PROJECT NO.: CS422108-01 PROJ. TYPE: SSREH PROJECT RATING: 32 PROJECT RANKING: 100		
Millville Municipal Authority P.O. Box 30 Millville, PA 17846	COUNTY: REGION: NPDES:	Columbia NC N/A	I: \$742,020 II: \$151,980 III: \$0 IIIB: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$894,000		PROJECT NO.: CS422092-01 PROJ. TYPE: STPMOD PROJECT RATING: 32 PROJECT RANKING: 101		
Benton Township/Nicholson Township P.O. Box 29 Fleetville, PA 18420	COUNTY: REGION: NPDES:	Lackaw/Wyoming NE N/A	I: \$0 II: \$1,641,000 III: \$0 IIIB: \$3,290,000	IVA: \$0 IVB: \$181,000 V: \$0 ELIG. COST: \$5,112,000		PROJECT NO.: CS421986-01 PROJ. TYPE: STP SS INT PROJECT RATING: 32 PROJECT RANKING: 102		
Adams Township Municipal Authority P.O. Box 265 Sidman, PA 15926	COUNTY: REGION: NPDES:	Cambria SW	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$249,631 IVB: \$150,512 V: \$0 ELIG. COST: \$400,143		PROJECT NO.: CS422237-01 PROJ. TYPE: PS SS PROJECT RATING: 31 PROJECT RANKING: 103		
South Annville Township R.D.#4, Box 454 Lebanon, PA 17042	COUNTY: REGION: NPDES:	Lebanon SC N/A	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$3,300,000 IVB: \$0 V: \$0 ELIG. COST: \$3,300,000		PROJECT NO.: CS421815-01 PROJ. TYPE: SS PS PROJECT RATING: 31 PROJECT RANKING: 104		
Conestoga Township P.O. Box 98 Conestoga, PA 17516	COUNTY: REGION: NPDES:	Lancaster SC N/A	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$0 IVB: \$1,725,000 V: \$0 ELIG. COST: \$1,725,000		PROJECT NO.: CS421837-01 PROJ. TYPE: SS PS PROJECT RATING: 31 PROJECT RANKING: 105		
West Chillisquaque Township Municipal Authority P.O. Box 168 Montandon, PA 17850	COUNTY: REGION: NPDES:	Northumberland NC	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$1,344,348 IVB: \$51,652 V: \$0 ELIG. COST: \$1,396,000		PROJECT NO.: CS422230-01 PROJ. TYPE: SS PS PROJECT RATING: 31 PROJECT RANKING: 106		
Foster Township 1000 Wyoming Street Freeland, PA 18224	COUNTY: REGION: NPDES:	Luzerne NE PA0020435	I: \$1,000,000 II: \$0 III: \$1,000,000 IIIB: \$500,000	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$2,500,000		PROJECT NO.: CS421888-01 PROJ. TYPE: STPMOD SSREH PS PROJECT RATING: 31 PROJECT RANKING: 107		

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION		
Parryville Borough P.O. Box 52 Parryville, PA 18244	COUNTY: REGION: NPDES:	Carbon NE N/A	I: II: III A: III B:	\$490,600 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$2,420,000 \$330,000 \$0 \$3,240,600	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421633-01 STPMOD SS PS 31 108	
Pulaski Township Municipal Authority Municipal Building, R.D.#1 Pulaski, PA 16143	COUNTY: REGION: NPDES:	Lawrence NW N/A	I: II: III A: III B:	\$0 \$2,261,880 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$6,791,374 \$0 \$0 \$9,053,254	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421996-01 STP SS 30 109	
Franklin Township 900 Fairyland Road Lehighton, PA 18235	COUNTY: REGION: NPDES:	Carbon NE N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$3,743,981 \$415,998 \$0 \$4,159,979	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421889-01 SS PS INT 30 110	
Mahoning Township 2685 Mahoning Drive East Lehighton, PA 18235	COUNTY: REGION: NPDES:	Carbon NE PA0062278	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$3,515,000 \$185,000 \$0 \$3,700,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421668-01 SS PS INT 29 111	
Allegheny Township Municipal Authority 136 Community Building Road Leechburg, PA 15656	COUNTY: REGION: NPDES:	Westmoreland SW N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$3,683,048 \$427,000 \$0 \$4,110,048	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422238-01 SS INT PS 29 112	
Lower Burrell Municipal Authority Schreiber & Bethel Streets Lower Burrell, PA 15068	COUNTY: REGION: NPDES:	Westmoreland SW N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$1,500,000 \$0 \$0 \$1,500,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422048-01 SS 29 113	
Milton Municipal Authority Two Filbert Street, P.O. Box 150 Milton, PA 17847	COUNTY: REGION: NPDES:	Northumberland NC N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$5,474,451 \$0 \$0 \$5,474,451	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422287-01 SS 29 114	
Hamilton Township 272 Mummert's Church Road Abbottstown, PA 17301	COUNTY: REGION: NPDES:	Adams SC N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$3,000,000 \$0 \$0 \$3,000,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422182-01 SS 29 115	
Herndon Borough P.O. Box 385 Herndon, PA 17830	COUNTY: REGION: NPDES:	Northumberland NC N/A	I: II: III A: III B:	\$760,277 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$1,801,976 \$103,983 \$0 \$2,666,236	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422144-01 STPMOD SS 29 116	
Valley Township Municipal Authority P.O. Box 307 Danville, PA 17821	COUNTY: REGION: NPDES:	Montour NC PA0035602	I: II: III A: III B:	\$443,902 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$1,123,325 \$252,966 \$0 \$1,820,193	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421938-01 STPMOD INT SS 29 117	
Centre Township Municipal Authority 449 Bucks Hill Road Mohrsville, PA 19541	COUNTY: REGION: NPDES:	Berks SC PA0086771	I: II: III A: III B:	\$494,312 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$1,238,688 \$0 \$0 \$1,733,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422030-01 STP SS 29 118	

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION	
Blaine Township 123 Main Street Taylorstown, PA 15365	COUNTY: REGION: NPDES:	Washington SW N/A	I: \$0 II: \$300,000 III: \$0 IIIB: \$0	IVA: \$700,000 IVB: \$300,000 V: \$0 ELIG. COST: \$1,300,000	PROJECT NO.: CS422171-01 PROJ. TYPE: STP INT SS PROJECT RATING: 29 PROJECT RANKING: 119			
Metal Township Municipal Authority P.O. Box 216 Willow Hill, PA 17271	COUNTY: REGION: NPDES:	Franklin SC N/A	I: \$0 II: \$246,400 III: \$0 IIIB: \$0	IVA: \$967,000 IVB: \$0 V: \$0 ELIG. COST: \$1,213,400	PROJECT NO.: CS421814-01 PROJ. TYPE: STP SS PS PROJECT RATING: 29 PROJECT RANKING: 120			
Rose Township Rte. 3, Box 143 Brookville, PA 15825	COUNTY: REGION: NPDES:	Jefferson NW N/A	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$932,180 IVB: \$60,000 V: \$0 ELIG. COST: \$992,180	PROJECT NO.: CS421914-01 PROJ. TYPE: SS PROJECT RATING: 29 PROJECT RANKING: 121			
Sergeant Township Box 1A, Clermont S.R. Mt. Jewett, PA 16740	COUNTY: REGION: NPDES:	McKean NW N/A	I: \$126,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$363,255 IVB: \$0 V: \$0 ELIG. COST: \$489,255	PROJECT NO.: CS421992-01 PROJ. TYPE: STP SS PROJECT RATING: 29 PROJECT RANKING: 122			
Kidder Township P.O. Box 576 Lake Harmony, PA 18624	COUNTY: REGION: NPDES:	Carbon NE N/A	I: \$4,000,000 II: \$350,000 III: \$0 IIIB: \$0	IVA: \$6,900,000 IVB: \$0 V: \$0 ELIG. COST: \$11,250,000	PROJECT NO.: CS422219-01 PROJ. TYPE: STPMOD PS SS PROJECT RATING: 29 PROJECT RANKING: 123			
Sharon City 155 W. Connelly Boulevard Sharon, PA 16146	COUNTY: REGION: NPDES:	Mercer NW N/A	I: \$10,756,295 II: \$0 III: \$0 IIIB: \$0	IVA: \$0 IVB: \$500,000 V: \$0 ELIG. COST: \$11,256,295	PROJECT NO.: CS422131-01 PROJ. TYPE: STPMOD INT PROJECT RATING: 29 PROJECT RANKING: 124			
North Huntingdon Township Municipal 11265 Center Highway North Huntingdon, PA 15642	COUNTY: REGION: NPDES:	Westmoreland SW N/A	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$1,000,000 IVB: \$7,940,000 V: \$0 ELIG. COST: \$8,940,000	PROJECT NO.: CS422093-01 PROJ. TYPE: SS PS PROJECT RATING: 29 PROJECT RANKING: 125			
Scott Township 2600 Old Greentree Road Carnegie, PA 15106	COUNTY: REGION: NPDES:	Allegheny SW N/A	I: \$0 II: \$0 III: \$5,949,317 IIIB: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$5,949,317	PROJECT NO.: CS422170-01 PROJ. TYPE: SSREH PROJECT RATING: 29 PROJECT RANKING: 126			
Mid-Centre County Authority. P.O. Box 811 Milesburg, PA 16853	COUNTY: REGION: NPDES:	Centre NC N/A	I: \$3,687,719 II: \$1,434,113 III: \$0 IIIB: \$212,168	IVA: \$369,600 IVB: \$0 V: \$0 ELIG. COST: \$5,703,600	PROJECT NO.: CS422206-01 PROJ. TYPE: STPMOD INT PROJECT RATING: 29 PROJECT RANKING: 127			
Baldwin Borough Mun. Bldg., 3344 Churchview Ave. Pittsburgh, PA 15227	COUNTY: REGION: NPDES:	Allegheny SW N/A	I: \$0 II: \$0 III: \$0 IIIB: \$4,185,600	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$4,185,600	PROJECT NO.: CS422239-01 PROJ. TYPE: SSREH PROJECT RATING: 29 PROJECT RANKING: 128			
Fredericksburg Sewer & Water Authority P.O. Box 161 Fredericksburg, PA 17026	COUNTY: REGION: NPDES:	Lebanon SC N/A	I: \$1,873,380 II: \$0 III: \$0 IIIB: \$0	IVA: \$2,226,000 IVB: \$0 V: \$0 ELIG. COST: \$4,099,380	PROJECT NO.: CS422303-01 PROJ. TYPE: STPMOD SS PS INT PROJECT RATING: 29 PROJECT RANKING: 129			

APPLICANT INFORMATION				NEEDS CATEGORIES				PROJECT INFORMATION			
Patton Borough P.O. Box 175 Patton, PA 16668	COUNTY: REGION: NPDES:	Cambria SW N/A	I: \$3,000,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$0 IVB: \$0 V: \$0	ELIG. COST: \$3,000,000	PROJECT NO.: CS422119-01 PROJ. TYPE: STPMOD PROJECT RATING: 29 PROJECT RANKING: 130					
Lower Towamensing Township R.D.# 2, Box 211A Palmerton, PA 18071	COUNTY: REGION: NPDES:	Carbon NE N/A	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$2,700,000 IVB: \$300,000 V: \$0	ELIG. COST: \$3,000,000	PROJECT NO.: CS421686-01 PROJ. TYPE: SS PS INT PROJECT RATING: 29 PROJECT RANKING: 130					
Penn Lake Park Borough Box 133 Penn Lake White Haven, PA 18661	COUNTY: REGION: NPDES:	Luzerne NE N/A	I: \$619,500 II: \$0 III: \$0 IIIB: \$0	IVA: \$1,978,500 IVB: \$0 V: \$0	ELIG. COST: \$2,598,000	PROJECT NO.: CS421671-01 PROJ. TYPE: STP SS INT PROJECT RATING: 29 PROJECT RANKING: 132					
Meshoppen Borough P.O. Box 237 Meshoppen, PA 18630	COUNTY: REGION: NPDES:	Wyoming NE	I: \$0 II: \$860,000 III: \$0 IIIB: \$0	IVA: \$989,703 IVB: \$290,000 V: \$0	ELIG. COST: \$2,139,703	PROJECT NO.: CS422267-01 PROJ. TYPE: STP INT SS PROJECT RATING: 29 PROJECT RANKING: 133					
Koppel Borough P.O. Box 1 Koppel, PA 16136	COUNTY: REGION: NPDES:	Beaver SW	I: \$2,058,570 II: \$0 III: \$0 IIIB: \$0	IVA: \$0 IVB: \$0 V: \$0	ELIG. COST: \$2,058,570	PROJECT NO.: CS422258-01 PROJ. TYPE: STPMOD PROJECT RATING: 29 PROJECT RANKING: 134					
Leesport Borough Authority P.O. Box 18 Leesport, PA 19533	COUNTY: REGION: NPDES:	Berks SC PA0070149	I: \$1,026,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$406,000 IVB: \$0 V: \$0	ELIG. COST: \$1,432,000	PROJECT NO.: CS421577-01 PROJ. TYPE: STPMOD SS PROJECT RATING: 29 PROJECT RANKING: 135					
Uniontown City 20 N. Gallatin Avenue Uniontown, PA 15401	COUNTY: REGION: NPDES:	Fayette SW	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$0 IVB: \$1,278,000 V: \$0	ELIG. COST: \$1,278,000	PROJECT NO.: CS422261-01 PROJ. TYPE: INT PROJECT RATING: 29 PROJECT RANKING: 136					
Roaring Brook Township Sewer Authority P.O. Box 2170 Moscow, PA 18444	COUNTY: REGION: NPDES:	Lackawanna NE N/A	I: \$0 II: \$0 III: \$0 IIIB: \$650,000	IVA: \$0 IVB: \$0 V: \$0	ELIG. COST: \$650,000	PROJECT NO.: CS422160-01 PROJ. TYPE: SSREH PROJECT RATING: 29 PROJECT RANKING: 137					
Jeannette City Municipal Authority P.O. Box 294 Penn, PA 15675	COUNTY: REGION: NPDES:	Westmoreland SW	I: \$0 II: \$0 III: \$0 IIIB: \$632,000	IVA: \$0 IVB: \$0 V: \$0	ELIG. COST: \$632,000	PROJECT NO.: CS422198-01 PROJ. TYPE: SSREH PS PROJECT RATING: 29 PROJECT RANKING: 138					
Worthington-West Franklin Joint Mun Auth P.O. Box 0, R.D.#2, Box 40A Worthington, PA 16262	COUNTY: REGION: NPDES:	Armstrong SW N/A	I: \$2,300,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$4,000,000 IVB: \$1,900,000 V: \$0	ELIG. COST: \$8,200,000	PROJECT NO.: CS421481-01 PROJ. TYPE: STP SS PS INT PROJECT RATING: 28 PROJECT RANKING: 139					
Pittsburgh Water & Sewer Authority 441 Smithfield Street Pittsburgh, PA 15222	COUNTY: REGION: NPDES:	Allegheny SW	I: \$0 II: \$0 III: \$0 IIIB: \$3,805,100	IVA: \$0 IVB: \$0 V: \$0	ELIG. COST: \$3,805,100	PROJECT NO.: CS422246-01 PROJ. TYPE: SSREH PROJECT RATING: 28 PROJECT RANKING: 140					

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION		
Muddy Run Authority R.D.# 1, Box 51 Fallentimber, PA 16639	COUNTY: REGION: NPDES:	Clearfield NC N/A	I: \$1,197,728 II: \$0 III A: \$0 III B: \$0	IVA: \$6,446,512 IVB: \$1,725,640 V: \$0 ELIG. COST: \$9,369,880	PROJECT NO.: CS421981-01 PROJ. TYPE: STP PS INT SS PROJECT RATING: 27 PROJECT RANKING: 141				
Pocono Township P.O. Box 197 Tannersville, PA 18372	COUNTY: REGION: NPDES:	Monroe NE N/A	I: \$5,596,100 II: \$0 III A: \$0 III B: \$0	IVA: \$2,626,056 IVB: \$80,000 V: \$0 ELIG. COST: \$8,302,156	PROJECT NO.: CS421642-01 PROJ. TYPE: STP SS PROJECT RATING: 27 PROJECT RANKING: 142				
McKean Township Sewer Authority P.O. Box 88 McKean, PA 16426	COUNTY: REGION: NPDES:	Erie NW N/A	I: \$0 II: \$2,565,000 III A: \$0 III B: \$0	IVA: \$2,750,500 IVB: \$0 V: \$0 ELIG. COST: \$5,315,500	PROJECT NO.: CS421822-01 PROJ. TYPE: STP SS PS INT PROJECT RATING: 27 PROJECT RANKING: 143				
Prospect Borough P.O. Box 308 Prospect, PA 16052	COUNTY: REGION: NPDES:	Butler NW N/A	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$1,200,000 IVB: \$0 V: \$0 ELIG. COST: \$1,200,000	PROJECT NO.: CS422214-01 PROJ. TYPE: SS PS PROJECT RATING: 27 PROJECT RANKING: 144				
Ebensburg Borough Municipal Authority 300 W. High Street Ebensburg, PA 15931	COUNTY: REGION: NPDES:	Cambria SW N/A	I: \$4,000,000 II: \$0 III A: \$0 III B: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$4,000,000	PROJECT NO.: CS422118-01 PROJ. TYPE: STPMOD PROJECT RATING: 27 PROJECT RANKING: 145				
East Lampeter Township 2205 Old Philadelphia Pike Lancaster, PA 17602	COUNTY: REGION: NPDES:	Lancaster SC N/A	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$1,626,000 IVB: \$0 V: \$0 ELIG. COST: \$1,626,000	PROJECT NO.: CS421510-01 PROJ. TYPE: PS INT PROJECT RATING: 27 PROJECT RANKING: 146				
Huston Township P.O. Box 38 Penfield, PA 15849	COUNTY: REGION: NPDES:	Clearfield NC N/A	I: \$860,000 II: \$0 III A: \$0 III B: \$0	IVA: \$2,795,000 IVB: \$645,000 V: \$0 ELIG. COST: \$4,300,000	PROJECT NO.: CS421760-01 PROJ. TYPE: SS,STP,INT,PS PROJECT RATING: 27 PROJECT RANKING: 147				
Deer Lake Municipal Authority P.O. Box 30 Auburn, PA 17922	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: \$871,100 II: \$0 III A: \$0 III B: \$391,400	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$1,262,500	PROJECT NO.: CS422218-01 PROJ. TYPE: STPMOD SSREH PROJECT RATING: 27 PROJECT RANKING: 148				
Greene Township 9333 Tate Road Erie, PA 16509	COUNTY: REGION: NPDES:	Erie NW N/A	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$9,830,410 IVB: \$0 V: \$0 ELIG. COST: \$9,830,410	PROJECT NO.: CS421995-01 PROJ. TYPE: SS PROJECT RATING: 26 PROJECT RANKING: 149				
Cranberry Township State Route 257, P.O. Box 378 Seneca, PA 16346	COUNTY: REGION: NPDES:	Venango NW N/A	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$4,983,700 IVB: \$0 V: \$0 ELIG. COST: \$4,983,700	PROJECT NO.: CS422284-01 PROJ. TYPE: PS SS PROJECT RATING: 26 PROJECT RANKING: 150				
Pine Township / Wolf Creek Township 545 Barkeyville Road Grove City, PA 16127	COUNTY: REGION: NPDES:	Mercer NW N/A	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$1,057,150 IVB: \$0 V: \$0 ELIG. COST: \$1,057,150	PROJECT NO.: CS421998-01 PROJ. TYPE: SS PROJECT RATING: 26 PROJECT RANKING: 151				

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION	
Old Lycoming Township Sewer Authority 1951 Green Avenue Williamsport, PA 17701	COUNTY: REGION: NPDES:	Lycoming NC N/A	I: II: III A: III B:	\$153,216 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$797,328 \$57,456 \$0 \$1,008,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422149-01 STPMOD SS PS INT 26 152
Center Township Sewer Authority 224 Center Grange Road Aliquippa, PA 15001	COUNTY: REGION: NPDES:	Beaver SW N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$906,800 \$0 \$0 \$906,800	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422253-01 SS 26 153
Foster Township Rte. 901 Sunbury Road Pottsville, PA 17901	COUNTY: REGION: NPDES:	Schuylkill NE PA0027693	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$800,000 \$250,000 \$0 \$1,050,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421988-01 SS PS INT 26 154
Economy Borough Municipal Authority 2860 Conway-Wall Rose Road Baden, PA 15005	COUNTY: REGION: NPDES:	Beaver SW N/A	I: II: III A: III B:	\$7,000,000 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$18,431,000 \$3,250,000 \$0 \$28,681,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422047-01 STP SS PS INT 26 155
North East Township 10300 W. Main Road, P.O Box 249 North East, PA 16428	COUNTY: REGION: NPDES:	Erie NW N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$7,150,000 \$0 \$0 \$7,150,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422126-01 SS 26 156
Dickson City Borough Borough Building Dickson City, PA 18519	COUNTY: REGION: NPDES:	Lackawanna NE N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$1,500,000 \$225,000 \$0 \$1,725,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421726-01 SS INT 26 157
North Fayette Township 400 N. Branch Road Oakdale, PA 15071	COUNTY: REGION: NPDES:	Allegheny SW N/A	I: II: III A: III B:	\$0 \$0 \$0 \$1,413,600	IVA: IVB: V: ELIG. COST:	\$0 \$0 \$0 \$1,413,600	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422244-01 SSREH 26 158
Cresson Borough Municipal Authority P.O. Box 75 Cresson, PA 16630	COUNTY: REGION: NPDES:	Cambria SW N/A	I: II: III A: III B:	\$5,989,336 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$0 \$0 \$0 \$5,989,336	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422046-01 STPMOD 26 159
Muncy Creek Township Authority 575 Route 442 Highway Muncy, PA 17756	COUNTY: REGION: NPDES:	Lycoming NC N/A	I: II: III A: III B:	\$1,467,699 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$3,296,914 \$588,761 \$0 \$5,353,374	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422289-01 STPMOD INT SS 26 160
Foster Township 1000 Wyoming Street Freeland, PA 18224	COUNTY: REGION: NPDES:	Luzerne NE N/A	I: II: III A: III B:	\$300,000 \$0 \$0 \$968,000	IVA: IVB: V: ELIG. COST:	\$1,987,046 \$143,048 \$0 \$3,398,094	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421681-01 STP SS PS INT 26 161
Lock Haven City 20 E. Church Street Lock Haven, PA 17745	COUNTY: REGION: NPDES:	Clinton NC N/A	I: II: III A: III B:	\$2,800,000 \$0 \$500,000 \$0	IVA: IVB: V: ELIG. COST:	\$0 \$0 \$0 \$3,300,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422294-01 STPMOD SS 26 162

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION		
Ellwood City Borough 525 Lawrence Avenue Ellwood City, PA 16117	COUNTY: REGION: NPDES:	Lawrence/Beaver NW IIIA:	I: \$0 II: \$16,962,000 IIIA: \$724,000 IIIB: \$0	IVA: \$1,614,000 IVB: \$0 V: \$0 ELIG. COST: \$19,300,000		PROJECT NO.: CS422280-01 PROJ. TYPE: STP PS FM I/I PROJECT RATING: 26 PROJECT RANKING: 163			
Silver Lake Township P.O. Box 126 Brackney, PA 18812	COUNTY: REGION: NPDES:	Susquehanna NE N/A	I: \$0 II: \$100,000 IIIA: \$0 IIIB: \$0	IVA: \$500,000 IVB: \$260,000 V: \$0 ELIG. COST: \$860,000		PROJECT NO.: CS422088-01 PROJ. TYPE: STPMOD SS INT PROJECT RATING: 26 PROJECT RANKING: 164			
Westmont Borough 1000 Luzerne Street Johnstown, PA 15905	COUNTY: REGION: NPDES:	Cambria SW N/A	I: \$0 II: \$0 IIIA: \$666,500 IIIB: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$666,500		PROJECT NO.: CS422111-01 PROJ. TYPE: SSREH PROJECT RATING: 25 PROJECT RANKING: 165			
Stroud Township Sewer Authority 1211 N. Fifth Street Stroudsburg, PA 18360	COUNTY: REGION: NPDES:	Monroe NE N/A	I: \$0 II: \$0 IIIA: \$0 IIIB: \$0	IVA: \$600,000 IVB: \$1,130,000 V: \$0 ELIG. COST: \$1,730,000		PROJECT NO.: CS422187-01 PROJ. TYPE: PS INT SS PROJECT RATING: 25 PROJECT RANKING: 166			
Elkland Borough Authority 105 Parkhurst Street Elkland, PA 16920	COUNTY: REGION: NPDES:	Tioga NC PA0113398	I: \$150,480 II: \$58,520 IIIA: \$0 IIIB: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$209,000		PROJECT NO.: CS421963-01 PROJ. TYPE: STPMOD PROJECT RATING: 25 PROJECT RANKING: 167			
East Allen Township 5344 Nor-bath Boulevard Northampton, PA 18067	COUNTY: REGION: NPDES:	Northampton NE	I: \$0 II: \$0 IIIA: \$0 IIIB: \$0	IVA: \$262,520 IVB: \$264,880 V: \$0 ELIG. COST: \$527,400		PROJECT NO.: CS422273-01 PROJ. TYPE: INT SS PROJECT RATING: 23 PROJECT RANKING: 168			
Brockway Area Sewage Authority 501 Main Street Brockway, PA 15824	COUNTY: REGION: NPDES:	Jefferson/Elk NW N/A	I: \$4,687,400 II: \$0 IIIA: \$1,887,600 IIIB: \$755,000	IVA: \$7,712,500 IVB: \$0 V: \$0 ELIG. COST: \$15,042,500		PROJECT NO.: CS421910-01 PROJ. TYPE: STP PS INT SS I/I PROJECT RATING: 23 PROJECT RANKING: 169			
Redbank Valley Municipal Authority 212 Lafayette Street New Bethlehem, PA 16242	COUNTY: REGION: NPDES:	Clarion NW PA0024511	I: \$1,639,000 II: \$0 IIIA: \$1,435,000 IIIB: \$0	IVA: \$4,089,000 IVB: \$2,722,000 V: \$0 ELIG. COST: \$9,885,000		PROJECT NO.: CS421900-01 PROJ. TYPE: STPMOD SS PROJECT RATING: 23 PROJECT RANKING: 170			
Conewago Township 3279 Old Hershey Road Elizabethtown, PA 17022	COUNTY: REGION: NPDES:	Dauphin SC	I: \$500,000 II: \$0 IIIA: \$0 IIIB: \$0	IVA: \$2,000,000 IVB: \$1,000,000 V: \$0 ELIG. COST: \$3,500,000		PROJECT NO.: CS422299-01 PROJ. TYPE: STPMOD PS INT SS PROJECT RATING: 23 PROJECT RANKING: 171			
East Penn Township 288 Schleicher Avenue Lehighton, PA 18235	COUNTY: REGION: NPDES:	Carbon NE N/A	I: \$0 II: \$0 IIIA: \$0 IIIB: \$0	IVA: \$2,620,000 IVB: \$540,000 V: \$0 ELIG. COST: \$3,160,000		PROJECT NO.: CS421679-01 PROJ. TYPE: SS INT PROJECT RATING: 23 PROJECT RANKING: 172			
Beavertown Municipal Authority 419 Old Orchard Drive Beavertown, PA 17813	COUNTY: REGION: NPDES:	Snyder NC N/A	I: \$1,766,596 II: \$361,833 IIIA: \$0 IIIB: \$380,814	IVA: \$0 IVB: \$442,807 V: \$0 ELIG. COST: \$2,952,050		PROJECT NO.: CS422137-01 PROJ. TYPE: STPMOD INT PROJECT RATING: 23 PROJECT RANKING: 173			

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION	
Bloomfield Township 22978 Shreve Road Union City, PA 16438	COUNTY: REGION: NPDES:	Crawford NW N/A	I: \$1,044,800 II: \$0 III A: \$0 III B: \$0	IVA: \$1,077,000 IVB: \$0 V: \$0 ELIG. COST: \$2,121,800	PROJECT NO.: CS422133-01 PROJ. TYPE: STP SS PS PROJECT RATING: 23 PROJECT RANKING: 174			
Brush Valley Township R.D.#4, Box 264 Indiana, PA 15701	COUNTY: REGION: NPDES:	Indiana SW N/A	I: \$244,000 II: \$0 III A: \$0 III B: \$0	IVA: \$1,529,565 IVB: \$325,710 V: \$0 ELIG. COST: \$2,099,275	PROJECT NO.: CS421847-01 PROJ. TYPE: STP SS PROJECT RATING: 23 PROJECT RANKING: 175			
New Eagle Borough Municipal Sewer 157 Main Street New Eagle, PA 15067	COUNTY: REGION: NPDES:	Washington SW	I: \$0 II: \$0 III A: \$0 III B: \$1,758,460	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$1,758,460	PROJECT NO.: CS422259-01 PROJ. TYPE: SSREH PROJECT RATING: 23 PROJECT RANKING: 176			
Locust Township R.R.#3 Box 119A Catawissa, PA 17820	COUNTY: REGION: NPDES:	Columbia NC N/A	I: \$464,671 II: \$95,174 III A: \$0 III B: \$0	IVA: \$1,031,206 IVB: \$82,407 V: \$0 ELIG. COST: \$1,673,458	PROJECT NO.: CS422140-01 PROJ. TYPE: STP SS INT PROJECT RATING: 23 PROJECT RANKING: 177			
Point Township Sewer Authority P.O. Box 312 Northumberland, PA 17857	COUNTY: REGION: NPDES:	Northumberland NC	I: \$124,735 II: \$0 III A: \$0 III B: \$0	IVA: \$1,303,108 IVB: \$177,857 V: \$0 ELIG. COST: \$1,605,700	PROJECT NO.: CS422292-01 PROJ. TYPE: STPMOD INT SS PROJECT RATING: 23 PROJECT RANKING: 178			
Bald Eagle Township Authority R.D.#2, Box 301 Mill Hall, PA 17751	COUNTY: REGION: NPDES:	Clinton NC N/A	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$858,000 IVB: \$700,000 V: \$0 ELIG. COST: \$1,558,000	PROJECT NO.: CS421932-01 PROJ. TYPE: INT SS PS PROJECT RATING: 23 PROJECT RANKING: 179			
McClure Municipal Authority P.O. Box 138 McClure, PA 17841	COUNTY: REGION: NPDES:	Snyder NC	I: \$956,132 II: \$0 III A: \$423,868 III B: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$1,380,000	PROJECT NO.: CS422290-01 PROJ. TYPE: STPMOD SS PROJECT RATING: 23 PROJECT RANKING: 180			
Lawrence-Hickory Municipal Authority 1735 Harlansburg Road New Castle, PA 16101	COUNTY: REGION: NPDES:	Lawrence NW N/A	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$1,149,905 IVB: \$0 V: \$0 ELIG. COST: \$1,149,905	PROJECT NO.: CS421915-01 PROJ. TYPE: SS PROJECT RATING: 23 PROJECT RANKING: 181			
Hopewell Township R.D.#1, Box 95 James Creek, PA 16657	COUNTY: REGION: NPDES:	Huntingdon SC PA0082759	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$785,956 IVB: \$0 V: \$0 ELIG. COST: \$785,956	PROJECT NO.: CS421571-01 PROJ. TYPE: SS PS PROJECT RATING: 23 PROJECT RANKING: 182			
Fredericksburg Water & Sewer Authority 150 S. Pine Grove Street Fredericksburg, PA 17026	COUNTY: REGION: NPDES:	Lebanon SC PA0080705	I: \$0 II: \$450,000 III A: \$0 III B: \$0	IVA: \$300,000 IVB: \$0 V: \$0 ELIG. COST: \$750,000	PROJECT NO.: CS421924-01 PROJ. TYPE: STPMOD SS PROJECT RATING: 23 PROJECT RANKING: 183			
Riverside Borough P.O. Box 307 Riverside, PA 17868	COUNTY: REGION: NPDES:	Northumberland NC	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$0 IVB: \$282,864 V: \$0 ELIG. COST: \$282,864	PROJECT NO.: CS422295-01 PROJ. TYPE: SS PROJECT RATING: 23 PROJECT RANKING: 184			

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION	
West Mahanoy Township Authority 190 Pennsylvania Avenue Shenandoah Height, PA 17976	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$3,375,000 \$3,375,000 \$0 \$6,750,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421906-01 SS PS INT 22 185
Berwick Area Joint Sewer Authority 344 Market Street Berwick, PA 18603	COUNTY: REGION: NPDES:	Columbia NC N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$0 \$0 \$1,400,000 \$1,400,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422293-01 INT 22 186
Cambridge Springs Borough 26 Federal Street Cambridge Springs, PA 16403	COUNTY: REGION: NPDES:	Crawford NW N/A	I: II: III A: III B:	\$0 \$2,100,000 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$0 \$0 \$0 \$2,100,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421993-01 STPMOD 22 187
New Milford Borough P.O. Box 630 New Milford, PA 18834	COUNTY: REGION: NPDES:	Susquehanna NE N/A	I: II: III A: III B:	\$2,000,000 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$3,000,000 \$1,600,000 \$0 \$6,600,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421734-01 STP SS PS INT 22 188
Bedford Borough Municipal Authority 244 W. Penn Street Bedford, PA 15522	COUNTY: REGION: NPDES:	Bedford SC N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$6,100,000 \$0 \$0 \$6,100,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422062-01 SS INT 22 189
Mid-Cameron Authority 421 North Broad Street Emporium, PA 15834	COUNTY: REGION: NPDES:	Cameron NC N/A	I: II: III A: III B:	\$5,372,030 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$0 \$145,500 \$0 \$5,517,530	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422285-01 STPMOD INT 22 190
Penn Township 260 Lewis Road West Grove, PA 19390	COUNTY: REGION: NPDES:	Chester SE N/A	I: II: III A: III B:	\$0 \$550,000 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$0 \$160,000 \$0 \$710,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422232-01 STPMOD FM 22 191
Scranton City Sewer Authority 307 N. Washington Avenue Scranton, PA 18503	COUNTY: REGION: NPDES:	Lackawanna NE N/A	I: II: III A: III B:	\$4,952,648 \$0 \$0 \$361,352	IVA: IVB: V: ELIG. COST:	\$0 \$0 \$0 \$5,314,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422186-01 STPMOD SSREH 22 192
Scranton City Sewer Authority 307 N. Washington Avenue Scranton, PA 18503	COUNTY: REGION: NPDES:	Lackawanna NE N/A	I: II: III A: III B:	\$4,610,604 \$0 \$0 \$336,396	IVA: IVB: V: ELIG. COST:	\$0 \$0 \$0 \$4,947,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422186-02 STPMOD SSREH 22 193
Masontown Municipal Authority 2 Court Avenue Masontown, PA 15461	COUNTY: REGION: NPDES:	Fayette SW N/A	I: II: III A: III B:	\$757,604 \$0 \$0 \$150,000	IVA: IVB: V: ELIG. COST:	\$0 \$0 \$0 \$907,604	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422109-01 STPMOD SSREH 21 194
Girard Township 10140 Ridge Road Girard, PA 16417	COUNTY: REGION: NPDES:	Erie NW N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$5,098,100 \$0 \$0 \$5,098,100	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422124-01 SS 21 195

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION	
Ralpho Township 30 S. Market Street Elysburg, PA 17824	COUNTY: REGION: NPDES:	Northumberland NC PA0028738	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$1,293,827 IVB: \$0 V: \$0 ELIG. COST: \$1,293,827	PROJECT NO.: CS422019-01 PROJ. TYPE: SS PROJECT RATING: 20 PROJECT RANKING: 196			
Neshannock Township 3131 Mercer Road New Castle, PA 16105	COUNTY: REGION: NPDES:	Lawrence NW N/A	I: \$0 II: \$0 III: \$0 IIIB: \$788,750	IVA: \$4,325,602 IVB: \$3,148,438 V: \$0 ELIG. COST: \$8,262,790	PROJECT NO.: CS421916-01 PROJ. TYPE: SS PS INT PROJECT RATING: 20 PROJECT RANKING: 197			
Hopewell Township 1700 Clark Boulevard Aliquippa, PA 15001	COUNTY: REGION: NPDES:	Beaver SW N/A	I: \$5,360,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$0 IVB: \$640,000 V: \$0 ELIG. COST: \$6,000,000	PROJECT NO.: CS422222-01 PROJ. TYPE: STPMOD INT PROJECT RATING: 20 PROJECT RANKING: 198			
Greater Pottsville Area Sewer Authority P.O. Box 1163 Pottsville, PA 17901	COUNTY: REGION: NPDES:	Schuylkill NE PA0043885	I: \$19,400,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$6,305,000 IVB: \$2,200,000 V: \$2,470,000 ELIG. COST: \$30,375,000	PROJECT NO.: CS422037-01 PROJ. TYPE: STPMOD SS INT PS PROJECT RATING: 20 PROJECT RANKING: 199			
St. Marys Municipal Authority 808 S. Michael Rd., P.O. Box 199 St. Marys, PA 15857	COUNTY: REGION: NPDES:	Elk NW N/A	I: \$0 II: \$10,000,000 III: \$0 IIIB: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$10,000,000	PROJECT NO.: CS422215-01 PROJ. TYPE: STPMOD PROJECT RATING: 20 PROJECT RANKING: 200			
Charleston Township R.D.#2, Box 226 Wellsboro, PA 16901	COUNTY: REGION: NPDES:	Tioga NC PA0021687	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$6,804,057 IVB: \$115,500 V: \$0 ELIG. COST: \$6,919,557	PROJECT NO.: CS421800-01 PROJ. TYPE: INT,SS PROJECT RATING: 20 PROJECT RANKING: 201			
Apollo Borough 45 N. Pennsylvania Avenue Apollo, PA 15613	COUNTY: REGION: NPDES:	Armstrong SW N/A	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$0 IVB: \$0 V: \$3,950,125 ELIG. COST: \$3,950,125	PROJECT NO.: CS422221-01 PROJ. TYPE: SS PROJECT RATING: 20 PROJECT RANKING: 202			
Farmington Township P.O. Box 148 Leeper, PA 16233	COUNTY: REGION: NPDES:	Clarion NW N/A	I: \$954,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$2,749,654 IVB: \$0 V: \$0 ELIG. COST: \$3,703,654	PROJECT NO.: CS422127-01 PROJ. TYPE: STP SS PS PROJECT RATING: 20 PROJECT RANKING: 203			
Kiski Valley WPCA 1200 Pine Camp Road Leechburg, PA 15656	COUNTY: REGION: NPDES:	Westmoreland SW	I: \$2,173,200 II: \$0 III: \$0 IIIB: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$2,173,200	PROJECT NO.: CS422257-01 PROJ. TYPE: STPMOD PROJECT RATING: 20 PROJECT RANKING: 204			
Derry Township Sanitary Sewer Authority Mill Street, Box N Yeagertown, PA 17099	COUNTY: REGION: NPDES:	Mifflin SC N/A	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$1,083,000 IVB: \$850,000 V: \$0 ELIG. COST: \$1,933,000	PROJECT NO.: CS420343-02 PROJ. TYPE: SS INT PROJECT RATING: 20 PROJECT RANKING: 205			
Leechburg Borough 260 Market Street Leechburg, PA 15656	COUNTY: REGION: NPDES:	Armstrong SW	I: \$0 II: \$0 III: \$0 IIIB: \$1,722,635	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$1,722,635	PROJECT NO.: CS422241-01 PROJ. TYPE: SS PROJECT RATING: 20 PROJECT RANKING: 206			

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION	
Morris Township Municipal Authority R.R.#2, Box 157A Morrisdale, PA 16858	COUNTY: REGION: NPDES:	Clearfield NC	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$1,553,238 \$121,262 \$0 \$1,674,500	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422309-01 INT SS 20 207
Glen Hope Borough P.O. Box 53 Glen Hope, PA 16645	COUNTY: REGION: NPDES:	Clearfield NC N/A	I: II: III A: III B:	\$217,100 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$881,470 \$0 \$0 \$1,098,570	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421983-01 STP SS 20 208
Philipsburg Borough 4 N. Centre Street Philipsburg, PA 16866	COUNTY: REGION: NPDES:	Centre NC	I: II: III A: III B:	\$0 \$0 \$0 \$1,030,980	IVA: IVB: V: ELIG. COST:	\$0 \$0 \$0 \$1,030,980	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422251-01 SSREH 20 209
Carlisle Suburban Authority 240 Clearwater Drive Carlisle, PA 17013	COUNTY: REGION: NPDES:	Cumberland SC	I: II: III A: III B:	\$0 \$1,200,000 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$3,400,000 \$4,000,000 \$0 \$8,600,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422302-01 STP PS INT SS 20 210
Wayne Township P.O. Box 97 Friedensburg, PA 17933	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$2,502,000 \$0 \$0 \$2,502,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421675-01 SS 20 211
North East Borough 58 E. Main Street North East, PA 16428	COUNTY: REGION: NPDES:	Erie NW N/A	I: II: III A: III B:	\$0 \$10,560,000 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$0 \$0 \$0 \$10,560,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422125-01 STPMOD 20 212
Lackawanna River Basin Sewer Authority P. O. Box 9068 Dickson City, PA 18519	COUNTY: REGION: NPDES:	Lackawanna NE	I: II: III A: III B:	\$3,455,000 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$0 \$0 \$0 \$3,455,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422247-01 STPMOD 20 213
Portage Area Sewer Authority 606 Cambria Avenue Portage, PA 15946	COUNTY: REGION: NPDES:	Cambria SW	I: II: III A: III B:	\$0 \$0 \$0 \$975,250	IVA: IVB: V: ELIG. COST:	\$0 \$0 \$0 \$975,250	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422229-01 SSREH 19 214
Exeter Township R.D.#1, Box 191 Pittston, PA 18643	COUNTY: REGION: NPDES:	Luzerne NE N/A	I: II: III A: III B:	\$1,092,000 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$1,128,000 \$574,000 \$0 \$2,794,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421727-01 STP SS PS INT 19 215
Brownsville Municipal Authority 200 Bank Street Brownsville, PA 15417	COUNTY: REGION: NPDES:	Fayette SW N/A	I: II: III A: III B:	\$2,000,000 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$0 \$0 \$0 \$2,000,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422112-01 STPMOD 19 216
Liverpool Municipal Authority P.O. Box 357 Liverpool, PA 17045	COUNTY: REGION: NPDES:	Perry SC N/A	I: II: III A: III B:	\$780,000 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$0 \$0 \$0 \$780,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422169-01 STPMOD 19 217

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION	
Duncannon Borough Municipal Authority 428 N. High St. Duncannon, PA 17020	COUNTY: REGION: NPDES:	Perry SC	I: II: IIIA: IIIB:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$0 \$572,000 \$0 \$572,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422235-01 INT 19 218
Cambridge Township 22530 Electric Drive Cambridge Springs, PA 16403	COUNTY: REGION: NPDES:	Crawford NW	I: II: IIIA: IIIB:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$304,683 \$0 \$0 \$304,683	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422277-01 PS FM 19 219
Grove City Borough 123 W. Main St, P.O. Box 110 Grove City, PA 16127	COUNTY: REGION: NPDES:	Mercer/Butler NW	I: II: IIIA: IIIB:	\$0 \$6,216,100 \$2,895,900 \$0	IVA: IVB: V: ELIG. COST:	\$0 \$0 \$0 \$9,112,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422281-01 STPMOD SS 19 220
Westfall Township P.O. Box 247 Matamoras, PA 18336	COUNTY: REGION: NPDES:	Pike NE	I: II: IIIA: IIIB:	\$3,730,800 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$3,368,810 \$0 \$0 \$7,099,610	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422272-01 STPMOD SS 19 221
Hermitage Municipal Authority 800 N. Hermitage Road Hermitage, PA 16148	COUNTY: REGION: NPDES:	Mercer NW N/A	I: II: IIIA: IIIB:	\$1,500,000 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$0 \$3,950,000 \$0 \$5,450,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422130-01 STPMOD INT 19 222
South Hanover Township 111 W. Third Street Hershey, PA 17033	COUNTY: REGION: NPDES:	Dauphin SC N/A	I: II: IIIA: IIIB:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$2,986,000 \$2,063,000 \$0 \$5,049,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421001-02 SS PS INT 19 223
Mount Pocono Municipal Authority 303 Pocono Boulevard Mount Pocono, PA 18344	COUNTY: REGION: NPDES:	Monroe NE	I: II: IIIA: IIIB:	\$2,171,000 \$480,000 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$0 \$0 \$0 \$2,651,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422268-01 STPMOD 19 224
Bethany Borough R.D.#3, Box 790 Honesdale, PA 18431	COUNTY: REGION: NPDES:	Wayne NE N/A	I: II: IIIA: IIIB:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$1,200,000 \$1,000,000 \$0 \$2,200,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421741-01 SS PS INT 19 225
Lemon Township R.D.#1, Box 410 Tunkhannock, PA 18657	COUNTY: REGION: NPDES:	Wyoming NE N/A	I: II: IIIA: IIIB:	\$0 \$900,000 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$1,000,000 \$200,000 \$0 \$2,100,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421746-01 STP SS INT 19 226
Sadsbury Township Sewer Authority 1077 White Oak Road Christiana, PA 17509	COUNTY: REGION: NPDES:	Lancaster SC PA0083381	I: II: IIIA: IIIB:	\$0 \$469,000 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$1,190,400 \$0 \$0 \$1,659,400	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421717-01 STP SS 19 227
Nicholson Borough Nicholson Borough Building Nicholson, PA 18446	COUNTY: REGION: NPDES:	Wyoming NE N/A	I: II: IIIA: IIIB:	\$614,000 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$596,000 \$151,000 \$0 \$1,361,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421669-01 STP SS INT 19 228

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION	
Smithfield Township Authority R.R. #2, Box 189 Columbia Cross Roads, PA 16914	COUNTY: REGION: NPDES:	Bradford NC N/A	I: II: III A: III B:	\$505,000 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$816,450 \$0 \$0 \$1,321,450	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421927-01 STP SS 19 229
Dyberry Township Box 1265, R.D.#1 Honesdale, PA 18431	COUNTY: REGION: NPDES:	Wayne NE N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$195,000 \$631,000 \$0 \$826,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421743-01 SS INT 19 230
Upper Frederick Township 205 Big Road Obelisk, PA 19492	COUNTY: REGION: NPDES:	Montgomery SE N/A	I: II: III A: III B:	\$650,000 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$0 \$0 \$0 \$650,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422101-01 STPMOD 19 231
Dushore Sewer Authority P.O. Box 248 Dushore, PA 18614	COUNTY: REGION: NPDES:	Sullivan NC N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$272,265 \$0 \$0 \$272,265	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422195-01 SS 19 232
Hanover Township 3630 Jacksonville Road Bethlehem, PA 18017	COUNTY: REGION: NPDES:	Northampton NE N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$804,174 \$0 \$0 \$804,174	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421728-01 SS 18 233
Titusville City 107 N. Franklin Street Titusville, PA 16354	COUNTY: REGION: NPDES:	Crawford NW N/A	I: II: III A: III B:	\$0 \$0 \$0 \$397,000	IVA: IVB: V: ELIG. COST:	\$0 \$0 \$3,483,000 \$3,880,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422278-01 PSMOD INT SS 18 234
Freeland Borough P.O. Box 117 Freeland, PA 18224	COUNTY: REGION: NPDES:	Luzerne NE PA0024716	I: II: III A: III B:	\$2,574,000 \$422,000 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$0 \$0 \$0 \$2,996,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421682-01 STPMOD 18 235
Sunnyside/Overlook Municipal Authority 30 S. Market Street Elysburg, PA 17824	COUNTY: REGION: NPDES:	Northumberland NC N/A	I: II: III A: III B:	\$274,847 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$1,655,477 \$200,276 \$0 \$2,130,600	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422161-01 STPMOD SS PS INT 17 236
Tunkhannock Township R.D.#2, Box 233A Tunkhannock, PA 18657	COUNTY: REGION: NPDES:	Wyoming NE N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$2,000,000 \$0 \$0 \$2,000,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421945-01 SS PS 17 237
Bedminster Township Authority Bedminster Road Bedminster, PA 18910	COUNTY: REGION: NPDES:	Bucks SE N/A	I: II: III A: III B:	\$0 \$400,000 \$0 \$0	IVA: IVB: V: ELIG. COST:	\$0 \$0 \$0 \$400,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422100-01 STP 17 238
Lackawanna River Basin Sewer Authority P.O. Box 9068 Dickson City, PA 18519	COUNTY: REGION: NPDES:	Lackawanna NE N/A	I: II: III A: III B:	\$0 \$0 \$350,000 \$0	IVA: IVB: V: ELIG. COST:	\$290,000 \$4,485,000 \$0 \$5,125,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421790-01 I/I INT SS 17 239

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION	
Lawrence Township P.O. Box 508 Clearfield, PA 16830	COUNTY: REGION: NPDES:	Clearfield NC PA0026310	I: II: III A: III B:	\$0 \$0 \$2,621,050 \$0	IV A: IV B: V: ELIG. COST:	\$509,000 \$0 \$0 \$3,130,050	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421984-01 INT SS 16 240
Butler Township R.D.#3, Box 796B Drums, PA 18222	COUNTY: REGION: NPDES:	Luzerne NE N/A	I: II: III A: III B:	\$5,681,250 \$0 \$0 \$0	IV A: IV B: V: ELIG. COST:	\$2,053,188 \$0 \$0 \$7,734,438	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421884-01 STPMOD SS 16 241
Fox Township P.O. Box 184 Kersey, PA 15846	COUNTY: REGION: NPDES:	Elk NW N/A	I: II: III A: III B:	\$0 \$2,810,660 \$0 \$0	IV A: IV B: V: ELIG. COST:	\$3,210,067 \$0 \$0 \$6,020,727	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422129-01 STPMOD SS 16 242
New Bethlehem Borough 210 Lafayette Street New Bethlehem, PA 16242	COUNTY: REGION: NPDES:	Clarion NW N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IV A: IV B: V: ELIG. COST:	\$0 \$0 \$4,100,000 \$4,100,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422168-01 SS 16 243
Coaldale-Lansford-Summit Hill Sewer 6 Coal Street Lansford, PA 18232	COUNTY: REGION: NPDES:	Schuylkill NE PA0026476	I: II: III A: III B:	\$1,000,000 \$0 \$0 \$1,000,000	IV A: IV B: V: ELIG. COST:	\$0 \$0 \$1,000,000 \$3,000,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421885-01 STPMOD SSREH 16 244
Washington Township Water & Sewer 11800 Edinboro Road Edinboro, PA 16412	COUNTY: REGION: NPDES:	Erie NW N/A	I: II: III A: III B:	\$830,000 \$0 \$0 \$864,000	IV A: IV B: V: ELIG. COST:	\$0 \$0 \$0 \$1,694,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422042-01 STPMOD SSREH 16 245
Franklin Township Sewer Authority 570 Rolling Meadows Road Waynesburg, PA 15370	COUNTY: REGION: NPDES:	Greene SW N/A	I: II: III A: III B:	\$0 \$0 \$0 \$0	IV A: IV B: V: ELIG. COST:	\$550,000 \$200,000 \$0 \$750,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422120-01 SS PS 16 246
Shenango Township Municipal Authority P.O. Box 266 West Middlesex, PA 16159	COUNTY: REGION: NPDES:	Mercer NW N/A	I: II: III A: III B:	\$585,000 \$0 \$0 \$0	IV A: IV B: V: ELIG. COST:	\$0 \$0 \$0 \$585,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422283-01 STPMOD 16 247
Waymart Area Authority P.O. Box 280 Waymart, PA 18472	COUNTY: REGION: NPDES:	Wayne NE PA0046353	I: II: III A: III B:	\$6,609,436 \$200,000 \$0 \$0	IV A: IV B: V: ELIG. COST:	\$2,559,300 \$0 \$0 \$9,368,736	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421903-01 STPMOD SS 16 248
Palmyra Township HCR 1, Box 15-C Paupack, PA 18451	COUNTY: REGION: NPDES:	Pike NE N/A	I: II: III A: III B:	\$4,200,000 \$0 \$0 \$0	IV A: IV B: V: ELIG. COST:	\$3,270,450 \$0 \$0 \$7,470,450	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422269-01 STP PS SS 16 249
Harveys Lake Borough Sewer Authority P.O. Box 53 Harveys Lake, PA 18618	COUNTY: REGION: NPDES:	Luzerne NE N/A	I: II: III A: III B:	\$0 \$0 \$0 \$3,000,000	IV A: IV B: V: ELIG. COST:	\$0 \$0 \$0 \$3,000,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421730-01 SSREH 16 250

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION	
Allen Township RR1, Box 1596A Saylorsburg, PA 18353	COUNTY: REGION: NPDES:	Northampton NE	I: \$0 II: \$0 III: \$0 IIIA: \$0 IIIB: \$0	IV: \$958,000 V: \$0 VI: \$1,485,688 VII: \$0 VIII: \$2,443,688	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422263-01 INT SS 16 251		
Kilbuck Township 343 Eicher Road Pittsburgh, PA 15237	COUNTY: REGION: NPDES:	Allegheny SW N/A	I: \$0 II: \$0 III: \$0 IIIA: \$0 IIIB: \$0	IV: \$1,930,000 V: \$0 VI: \$0 VII: \$0 VIII: \$1,930,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422116-01 SS 16 252		
Letterkenny Township 4924 Orrstown Road Orrstown, PA 17244	COUNTY: REGION: NPDES:	Franklin SC	I: \$621,827 II: \$0 III: \$0 IIIA: \$0 IIIB: \$0	IV: \$942,692 V: \$0 VI: \$0 VII: \$0 VIII: \$1,564,519	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422307-01 STP PS SS 16 253		
Letterkenny Township 4924 Orrstown Road Orrstown, PA 17244	COUNTY: REGION: NPDES:	Franklin SC	I: \$500,000 II: \$0 III: \$0 IIIA: \$0 IIIB: \$0	IV: \$900,000 V: \$0 VI: \$0 VII: \$0 VIII: \$1,400,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422306-01 STP PS SS 16 254		
Tuscarora Township R.R.#1, Box 56 Honey Grove, PA 17035	COUNTY: REGION: NPDES:	Juniata SC	I: \$253,060 II: \$0 III: \$0 IIIA: \$0 IIIB: \$0	IV: \$959,446 V: \$0 VI: \$0 VII: \$0 VIII: \$1,212,506	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422305-01 STP PS SS 16 255		
Alburtis Borough 260 Franklin Street Alburtis, PA 18011	COUNTY: REGION: NPDES:	Lehigh NE N/A	I: \$0 II: \$0 III: \$0 IIIA: \$0 IIIB: \$0	IV: \$170,000 V: \$0 VI: \$0 VII: \$0 VIII: \$170,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421722-01 SS 16 256		
Mount Carmel Municipal Authority Avenue and Oak Street Mount Carmel, PA 17851	COUNTY: REGION: NPDES:	Northumberland NC	I: \$9,109,400 II: \$0 III: \$0 IIIA: \$0 IIIB: \$0	IV: \$0 V: \$0 VI: \$0 VII: \$0 VIII: \$9,109,400	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422291-01 STPMOD 15 257		
New Castle Sanitary Authority 110 E. Washington Street New Castle, PA 16101	COUNTY: REGION: NPDES:	Lawrence NW N/A	I: \$0 II: \$0 III: \$0 IIIA: \$0 IIIB: \$5,000,000	IV: \$0 V: \$0 VI: \$0 VII: \$0 VIII: \$5,000,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421823-01 SSREH INT 15 258		
Upper Saucon Township 5500 Camp Meeting Road Center Valley, PA 18039	COUNTY: REGION: NPDES:	Lehigh NE	I: \$0 II: \$0 III: \$0 IIIA: \$0 IIIB: \$0	IV: \$0 V: \$12,228,300 VI: \$0 VII: \$0 VIII: \$12,228,300	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422270-01 PS INT SS 15 259		
Frackville Area Municipal Authority P.O. Box 471 Frackville, PA 17931	COUNTY: REGION: NPDES:	Schuylkill NE	I: \$1,700,000 II: \$0 III: \$0 IIIA: \$0 IIIB: \$0	IV: \$2,951,000 V: \$0 VI: \$0 VII: \$0 VIII: \$4,651,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422265-01 STPMOD SSREH 15 260		
Connoquenessing Township 102 Township Drive Renfrew, PA 16053	COUNTY: REGION: NPDES:	Butler NW	I: \$905,742 II: \$0 III: \$0 IIIA: \$0 IIIB: \$0	IV: \$3,211,265 V: \$0 VI: \$0 VII: \$0 VIII: \$4,117,007	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422274-01 STP SS 14 261		

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION	
Young Township 101 Foundry Street Punxsutawney, PA 15767	COUNTY: REGION: NPDES:	Jefferson NW	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$1,000,000 IVB: \$0 V: \$0 ELIG. COST: \$1,000,000		PROJECT NO.: CS422279-01 PROJ. TYPE: PS INT SS PROJECT RATING: 14 PROJECT RANKING: 262		
Lynn Township Sewer Authority P.O. Box 208 New Tripoli, PA 18066	COUNTY: REGION: NPDES:	Lehigh NE	I: \$600,000 II: \$200,000 III: \$0 IIIB: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$800,000		PROJECT NO.: CS422266-01 PROJ. TYPE: STPMOD PROJECT RATING: 13 PROJECT RANKING: 263		
Brokenstraw Valley Area Auth. Box 155 Rouse Avenue Youngsville, PA 16371	COUNTY: REGION: NPDES:	Warren NW N/A	I: \$2,836,996 II: \$0 III: \$0 IIIB: \$0	IVA: \$6,808,789 IVB: \$1,702,197 V: \$0 ELIG. COST: \$11,347,982		PROJECT NO.: CS421820-01 PROJ. TYPE: STP SS PS INT PROJECT RATING: 13 PROJECT RANKING: 264		
Southern Delaware County Authority 101 Beech Street Boothwyn, PA 19061	COUNTY: REGION: NPDES:	Delaware SE N/A	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$0 IVB: \$4,888,000 V: \$0 ELIG. COST: \$4,888,000		PROJECT NO.: CS422068-01 PROJ. TYPE: PS FM PROJECT RATING: 13 PROJECT RANKING: 265		
Weatherly Borough 10 Wilbur Street Weatherly, PA 18255	COUNTY: REGION: NPDES:	Carbon NE	I: \$0 II: \$0 III: \$0 IIIB: \$4,437,239	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$4,437,239		PROJECT NO.: CS422271-01 PROJ. TYPE: SSREH PROJECT RATING: 13 PROJECT RANKING: 266		
Neshannock Creek Watershed Authority 369 McClelland Road Mercer, PA 16137	COUNTY: REGION: NPDES:	Mercer NW	I: \$0 II: \$2,362,700 III: \$0 IIIB: \$0	IVA: \$1,576,300 IVB: \$0 V: \$0 ELIG. COST: \$3,939,000		PROJECT NO.: CS422282-01 PROJ. TYPE: STP INT PROJECT RATING: 13 PROJECT RANKING: 267		
Parker City Sewer Authority P.O. Box 323 Parker, PA 16049	COUNTY: REGION: NPDES:	Armstrong SW PA0034851	I: \$0 II: \$3,153,000 III: \$0 IIIB: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$3,153,000		PROJECT NO.: CS421475-01 PROJ. TYPE: STPMOD PROJECT RATING: 13 PROJECT RANKING: 268		
Union Chapman Regional Authority R.R.#1, Box 598 Port Trevorton, PA 17864	COUNTY: REGION: NPDES:	Snyder NC N/A	I: \$771,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$1,570,000 IVB: \$207,000 V: \$0 ELIG. COST: \$2,548,000		PROJECT NO.: CS421977-01 PROJ. TYPE: STP PS INT SS PROJECT RATING: 13 PROJECT RANKING: 269		
Weissport Municipal Authority 406 White Street Weissport, PA 18235	COUNTY: REGION: NPDES:	Carbon NE N/A	I: \$934,867 II: \$0 III: \$0 IIIB: \$0	IVA: \$976,782 IVB: \$43,972 V: \$0 ELIG. COST: \$1,955,621		PROJECT NO.: CS421904-01 PROJ. TYPE: SSREH PROJECT RATING: 13 PROJECT RANKING: 270		
Saegertown Area Sewer Authority P.O. Box 334 Saegertown, PA 16433	COUNTY: REGION: NPDES:	Crawford NW N/A	I: \$1,400,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$1,400,000		PROJECT NO.: CS421994-01 PROJ. TYPE: STPMOD PROJECT RATING: 13 PROJECT RANKING: 271		
Dravosburg Borough P.O. Box 37 Dravosburg, PA 15034	COUNTY: REGION: NPDES:	Allegheny SW PA0028401	I: \$769,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$769,000		PROJECT NO.: CS421485-01 PROJ. TYPE: STPMOD PROJECT RATING: 13 PROJECT RANKING: 272		

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION		
Shickshinny Borough Sewer Authority P.O. Box 62 Shickshinny, PA 18655	COUNTY: REGION: NPDES:	Luzerne NE	I: \$170,200 II: \$0 III A: \$0 III B: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$170,200		PROJECT NO.: CS422233-01 PROJ. TYPE: STPMOD PS PROJECT RATING: 13 PROJECT RANKING: 273			
Summit Hill Borough 114 W. Ludlow Street Summit Hill, PA 18250	COUNTY: REGION: NPDES:	Carbon NE N/A	I: \$0 II: \$0 III A: \$500,000 III B: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$500,000		PROJECT NO.: CS421907-01 PROJ. TYPE: SSREH PROJECT RATING: 12 PROJECT RANKING: 274			
Milton Municipal Authority Two Filbert Street, P.O. Box 150 Milton, PA 17847	COUNTY: REGION: NPDES:	Northumberland NC PA0020273	I: \$4,635,325 II: \$0 III A: \$0 III B: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$4,635,325		PROJECT NO.: CS421809-01 PROJ. TYPE: STPMOD PROJECT RATING: 12 PROJECT RANKING: 275			
DuBois City P.O. Box 408 DuBois, PA 15801	COUNTY: REGION: NPDES:	Clearfield NC N/A	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$0 IVB: \$300,000 V: \$0 ELIG. COST: \$300,000		PROJECT NO.: CS422194-01 PROJ. TYPE: INT PROJECT RATING: 12 PROJECT RANKING: 276			
Washington Township 1390 Fayette Avenue Belle Vernon, PA 15012	COUNTY: REGION: NPDES:	Fayette SW PA0020702	I: \$3,154,000 II: \$0 III A: \$0 III B: \$0	IVA: \$7,605,000 IVB: \$675,000 V: \$0 ELIG. COST: \$11,434,000		PROJECT NO.: CS421502-01 PROJ. TYPE: STPMOD SS INT PROJECT RATING: 11 PROJECT RANKING: 277			
East Cocalico Township 100 Hill Road Denver, PA 17517	COUNTY: REGION: NPDES:	Lancaster SC N/A	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$0 IVB: \$3,416,230 V: \$0 ELIG. COST: \$3,416,230		PROJECT NO.: CS422074-01 PROJ. TYPE: INT PROJECT RATING: 10 PROJECT RANKING: 278			
Harmony Township 2501 Woodland Road Ambridge, PA 15003	COUNTY: REGION: NPDES:	Beaver SW N/A	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$1,800,000 IVB: \$0 V: \$0 ELIG. COST: \$1,800,000		PROJECT NO.: CS421861-01 PROJ. TYPE: SS PROJECT RATING: 10 PROJECT RANKING: 279			
Reading Township Municipal Authority 5500 Carlisle Pike New Oxford, PA 17350	COUNTY: REGION: NPDES:	Adams SC N/A	I: \$1,750,000 II: \$0 III A: \$0 III B: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$1,750,000		PROJECT NO.: CS422053-01 PROJ. TYPE: STPMOD PROJECT RATING: 10 PROJECT RANKING: 280			
Springfield Township Sewer Authority 9211 Susquehanna Trail S Seven Valleys, PA 17360	COUNTY: REGION: NPDES:	York SC N/A	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$795,000 IVB: \$0 V: \$0 ELIG. COST: \$795,000		PROJECT NO.: CS422191-01 PROJ. TYPE: SS PROJECT RATING: 10 PROJECT RANKING: 281			
Athens Township Authority 379 Pennsylvania Avenue Sayre, PA 18840	COUNTY: REGION: NPDES:	Bradford NC N/A	I: \$141,415 II: \$28,965 III A: \$0 III B: \$0	IVA: \$313,460 IVB: \$0 V: \$0 ELIG. COST: \$483,840		PROJECT NO.: CS422148-01 PROJ. TYPE: STP SS PROJECT RATING: 10 PROJECT RANKING: 282			
Upper Stonycreek Joint Municipal Authority P.O. Box 24 Hooversville, PA 15936	COUNTY: REGION: NPDES:	Somerset SW PA0042561	I: \$2,500,000 II: \$0 III A: \$0 III B: \$0	IVA: \$2,473,000 IVB: \$1,000,000 V: \$0 ELIG. COST: \$5,973,000		PROJECT NO.: CS421863-01 PROJ. TYPE: STPMOD PS SS PROJECT RATING: 10 PROJECT RANKING: 283			

APPLICANT INFORMATION			NEEDS CATEGORIES				PROJECT INFORMATION		
Beech Creek Borough P.O. Box 216 Beech Creek, PA 16822	COUNTY: REGION: NPDES:	Clinton NC PA0024538	I: \$1,004,000 II: \$0 III A: \$0 III B: \$0	IVA: \$665,100 IVB: \$210,000 V: \$0 ELIG. COST: \$1,879,100	PROJECT NO.: CS421937-01 PROJ. TYPE: STPMOD SS INT PROJECT RATING: 10 PROJECT RANKING: 284				
Coaldale Borough P.O. Box 116 Coaldale, PA 18218	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: \$0 II: \$0 III A: \$1,000,000 III B: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$1,000,000	PROJECT NO.: CS422082-01 PROJ. TYPE: SSREH PROJECT RATING: 10 PROJECT RANKING: 285				
Mansfield Borough Municipal Authority 19 E. Wellsboro Street Mansfield, PA 16933	COUNTY: REGION: NPDES:	Tioga NC PA0021814	I: \$5,265,488 II: \$0 III A: \$573,205 III B: \$0	IVA: \$5,925,475 IVB: \$410,575 V: \$0 ELIG. COST: \$12,174,743	PROJECT NO.: CS421808-01 PROJ. TYPE: STPMOD,INT,SS PROJECT RATING: 9 PROJECT RANKING: 286				
Lansford Borough P.O. Box 126 Lansford, PA 18232	COUNTY: REGION: NPDES:	Carbon NE N/A	I: \$0 II: \$0 III A: \$0 III B: \$4,300,000	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$4,300,000	PROJECT NO.: CS421893-01 PROJ. TYPE: SS SSREH PROJECT RATING: 8 PROJECT RANKING: 287				
Minersville Sewer Authority Two E. Sunbury Street Minersville, PA 17954	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: \$990,000 II: \$0 III A: \$0 III B: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. COST: \$990,000	PROJECT NO.: CS422016-01 PROJ. TYPE: STPMOD PROJECT RATING: 8 PROJECT RANKING: 288				
Ashland Borough 501 Chestnut Street Ashland, PA 17921	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$675,000 IVB: \$0 V: \$0 ELIG. COST: \$675,000	PROJECT NO.: CS422264-01 PROJ. TYPE: PS SS PROJECT RATING: 7 PROJECT RANKING: 289				
East Donegal Township 190 Rock Point Road Marietta, PA 17547	COUNTY: REGION: NPDES:	Lancaster SC N/A	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$573,500 IVB: \$0 V: \$0 ELIG. COST: \$573,500	PROJECT NO.: CS421775-01 PROJ. TYPE: SS PS PROJECT RATING: 7 PROJECT RANKING: 290				
Athens Township Authority 379 Pennsylvania Avenue Sayre, PA 18840	COUNTY: REGION: NPDES:	Bradford NC N/A	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$1,517,549 IVB: \$0 V: \$0 ELIG. COST: \$1,517,549	PROJECT NO.: CS422286-01 PROJ. TYPE: SS PROJECT RATING: 4 PROJECT RANKING: 291				
Centerville Area Municipal Authority 1033 Centerville Road Bedford, PA 15522	COUNTY: REGION: NPDES:	Bedford SC N/A	I: \$274,616 II: \$0 III A: \$0 III B: \$0	IVA: \$348,415 IVB: \$86,571 V: \$0 ELIG. COST: \$709,602	PROJECT NO.: CS422225-01 PROJ. TYPE: STP SS PROJECT RATING: 0 PROJECT RANKING: 292				

[Pa.B. Doc. No. 02-26. Filed for public inspection January 4, 2002, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Evidentiary Criteria; Local Hearing Notice

I-00010089. Evidentiary criteria used to decide motor common carrier applications. Generic investigation re eliminating the evidentiary criteria contained in 52 Pa. Code § 41.14(a) and (c) (relating to evidentiary criteria used to decide motor carrier applications—statement of policy).

Local hearings on the previously-captioned case will be held as follows:

Monday, February 4, 2002, at 10 a.m., and if needed, Tuesday—Wednesday, February 5—6, 2002, at 10 a.m. in the 11th Floor Hearing Room, Pittsburgh, State Office Building, 300 Liberty Avenue, Pittsburgh, PA.

Thursday, February 7, 2002, at 10 a.m. at the Hollidaysburg Veterans Home, Administration Building, Conference Room, Area 14, Route 220 Meadows Intersection, P. O. Box 319, Hollidaysburg, PA 16648. Point of contact is Alice Hershberger, (814) 696-5357.

Presiding: Administrative Law Judge Larry Gesoff, 1103 Pittsburgh State Office Building, 300 Liberty Avenue, Pittsburgh, PA 15222, (412) 565-3550, fax: (412) 565-5692.

Monday, February 11, 2002, at 10 a.m., and if needed, Tuesday, February 12, 2002, at 10 a.m. in Hearing Room 1, Second Floor, Commonwealth Keystone Building, 400 North Street, Harrisburg, PA.

Presiding: Administrative Law Judge Louis G. Cocheres, P. O. Box 3265, Harrisburg, PA 17105-3265, (717) 783-5452, fax: (717) 787-0481.

Wednesday, February 20, 2002, at 10 a.m. in Room 318, Scranton State Office Building, 100 Lackawanna Avenue, Scranton, PA.

Presiding: Administrative Law Judge Richard M. Lovenwirth, Room 317 Scranton State Office Building, 100 Lackawanna Avenue, Scranton, PA 18503, (570) 963-4818, fax: (570) 963-3310.

Monday, February 25, 2002, at 10 a.m., and if needed, Tuesday, February 26, 2002, at 10 a.m. in an available hearing room, Philadelphia State Office Building, Broad and Spring Garden Streets, Philadelphia, PA.

Presiding: Administrative Law Judge Allison K. Turner, 1302 Philadelphia State Office Building, 1400 West Spring Garden Street, Philadelphia, PA 19130, (215) 560-2105, fax: (215) 560-3133.

Thursday, February 28, 2002, at 10 a.m., and if needed, Friday, March 1, 2002, at 10 a.m. in Hearing Room 1, Second Floor, Commonwealth Keystone Building, 400 North Street, Harrisburg, PA.

Presiding: Administrative Law Judge Louis G. Cocheres, P. O. Box 3265, Harrisburg, PA 17105-3265, (717) 783-5452, fax: (717) 787-0481.

Persons with a disability who wish to attend a hearing and require special arrangements should contact the scheduling office at the Public Utility Commission, (717)

787-1399 or the AT&T Relay Service at (800) 654-5988 (voice users).

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 02-27. Filed for public inspection January 4, 2002, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before January 28, 2002, as set forth at 52 Pa. Code § 3.381 (relating to applications for the transportation of property and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Applications of the following for approval to *begin* operating as *common carriers* for transportation of *persons* as described under each application.

A-00118512. Restaurant Valet, LLC (459 Carpenters Cove Lane, Downingtown, Chester County, PA 19335)—persons in paratransit service, between points in the township of Uwchlan, Chester County, and within an airline distance of 20 statute miles of the limits thereof. *Attorney:* Steven G. Bazil, 102 Pickering Way, Suite 402, Exton, PA 19341.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 02-28. Filed for public inspection January 4, 2002, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Condensed Balance Sheet and Condensed Statement of Operations and Accumulated Deficit

Condensed Balance Sheet

June 30, 2001

Audited
in Thousands*

<i>Assets</i>	
Current Assets	* 7,568
Restricted Assets	6,154
Fixed Assets (Net)	71,455
Other Assets	1,156
	86,333
 <i>Liabilities and Fund Equity</i>	
Current Liabilities	5,583
Long Term Liabilities	52,579
Total Liabilities	58,162

Assets

Contributed Capital	40,397
Accumulated Deficit	12,226
Total Fund Equity	<u>28,171</u>

Total Liabilities and Funds	<u><u>86,333</u></u>
-----------------------------	----------------------

**Condensed Statement of Operations and
Accumulated Deficit**

**Year Ended June 30, 2001
Audited in Thousands***

Oper. Revenue and Grants	* 13,830
Operating Expenses	-7,857
Depreciation and Amortization	-7,143
Net Interest Income/Expense	<u>-2,602</u>
	-3,772
Add: Depreciation that Reduces Contributed Capital	<u>3,747</u>
Increase in Deficit	-25
Accumulated Deficit:	
Accum. Deficit (Beg. of Year)	<u>-12,200</u>
Accum. Deficit (End of Year)	<u><u>-12,225</u></u>

JAMES T. MCDERMOTT,
Executive Director

[Pa.B. Doc. No. 02-29. Filed for public inspection January 4, 2002, 9:00 a.m.]

STATE BOARD OF EDUCATION

Schedule of Meetings

The regular meetings of the State Board of Education, Councils of Basic and Higher Education and the State Board for Vocational Education will be held on the following dates:

January 16—17, 2002
 March 13—14, 2002
 May 15—16, 2002
 July 17—18, 2002
 September 18—19, 2002
 November 13—14, 2002

Unless due and timely notice to the contrary is given these meetings will be held in the Conference Rooms on the Lobby Level and First Floor of the Education Building, 333 Market Street, Harrisburg.

The contact person regarding the meetings is Nanette M. Kimmel, Administrative Officer, State Board of Education, 333 Market Street, Harrisburg, PA 17126-0333, (717) 787-3787, TDD (717) 783-8445. Persons with disabilities needing special accommodations to attend the meetings should contact Nanette Kimmel at least 24 hours in advance so that arrangements can be made.

PETER H. GARLAND,
Executive Director

[Pa.B. Doc. No. 02-30. Filed for public inspection January 4, 2002, 9:00 a.m.]