

# NOTICES

## DEPARTMENT OF BANKING

### Action on Applications

The Department of Banking under the authority contained in the Act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the Act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the Act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the Act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending June 18, 2002.

#### BANKING INSTITUTIONS

##### New Charter Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
6-17-02	Affinity Bank of Pennsylvania Spring Township Berks County  <i>Correspondent:</i> Richard B. Reading Richard B. Reading Associates 759 State Road Princeton, NJ 08540	Spring Township	Filed

##### Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
6-10-02	Fulton Bank Lancaster Lancaster County	3191 Cape Horn Rd. Windsor Township York County	Opened
6-18-02	First Susquehanna Bank & Trust Sunbury Northumberland County	1 Maplewood Drive Lewisburg Kelly Township Union County	Filed

##### Branch Relocations/Consolidations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
6-8-02	Fulton Bank Lancaster Lancaster County	<i>Into:</i> 3191 Cape Horn Rd. Windsor Township York County  <i>* From:</i> 3140 Cape Horn Rd. Red Lion York County	Effective

\*Former branch of The Drovers & Mechanics Bank, York, which merged with and into Fulton Bank, Lancaster, effective August 25, 2001.

#### SAVINGS INSTITUTIONS

No activity.

#### CREDIT UNIONS

No activity.

FRANCES A. BEDEKOVIC,  
*Acting Secretary*

[Pa.B. Doc. No. 02-1137. Filed for public inspection June 28, 2002, 9:00 a.m.]

# DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

## Consolidated Plan; Public Meeting Notice and Regional Housing Advisory Committee Meetings

The Department of Community and Economic Development (Department) is preparing the 2003 Action Plan that supplements the Commonwealth's Consolidated Plan for Federal fiscal years 2000-2004. This document must be submitted to and approved by the United States Department of Housing and Urban Development (HUD) for the Commonwealth and organizations within this Commonwealth to receive funding under most HUD housing and community development programs. The Consolidated Plan creates a unified strategy for housing and community development programs as well as the necessary linkages for building successful neighborhoods and communities.

The Commonwealth's 2003 Action Plan will address how the Commonwealth intends to allocate funds under the following programs: Community Development Block Grant, HOME Investment Partnerships, Emergency Shelter Grant and Housing Opportunities for Persons with AIDS.

An individual or organization may give testimony or comments at the public meeting. Comments will be accepted about topics related to community development, housing, the content of the Commonwealth's 2003 Action Plan and the process by which the public input is gathered. The Commonwealth encourages public participation in this process.

Persons who want to speak must call to schedule a time to give oral testimony at the meeting. The public meeting will be shortened if no one is scheduled to testify or if there is minimal response. Contact Karen Overly Smith at (717) 214-5340 to schedule oral testimony at the public meeting at least 24 hours prior to the meeting date.

### *Written Comments*

Written testimony, in lieu of oral testimony, may be submitted by 5 p.m. on July 30, 2002. Submit comments to Karen Overly Smith, Office of Community Development, Department of Community and Economic Development, 400 North Street, 4th Floor, Harrisburg, PA 17120-0225.

### *Public Meetings*

The public meeting will be held as follows:

*August 1, 2002*  
Commonwealth Keystone Building  
PUC Hearing Room #2 (Plaza level SW corner)  
400 North Street  
Harrisburg, PA 17120  
10 a.m. to 1 p.m.\*

\* *Note:* The public meeting may be shortened if there is minimal response.

### *Regional Housing Advisory Committee Meetings*

The Commonwealth has six Regional Housing Advisory Committees across this Commonwealth comprised of appointed members. Meetings of these committees are open to the public under 3 Pa.C.S. §§ 707—716 (relating to Sunshine Act). These committees advise the Department regarding housing and community development needs as well as assist in fair housing planning. These meetings will be held as follows:

*July 12, 2002*  
Chester County Government Services Center  
Room 171  
601 Westtown Road  
West Chester, PA 19382  
9 a.m. to 12 p.m.

*July 8, 2002*  
Lancaster County Housing & Redevelopment Authority  
150 North Queen Street, Suite 110  
Lancaster, PA  
12:30 p.m. to 3:30 p.m.

*July 16, 2002*  
Indiana County Courthouse Annex  
827 Water Street  
Indiana, PA 15701  
12 p.m. to 3 p.m.

*July 9, 2002*  
Allentown Federal Courthouse  
3rd Floor Conference Room  
504 Hamilton Street  
Allentown, PA  
9 a.m. to 12 p.m.

*July 30, 2002*  
Union County Public Library  
205 Reitz Boulevard  
Lewisburg, PA 17837  
9:30 a.m. to 12:30 p.m.

*July 17, 2002*  
Pennhills Club  
440 Minard Run Road  
Bradford, PA 16701  
9 a.m. to 12 p.m.

Persons with a disability who wishes to attend the public meeting or 2003 Advisory Committee meetings and requires an auxiliary aid, service or other accommodation to participate in the proceeding should contact Karen Overly Smith, 4th Floor Commonwealth Keystone Building, Harrisburg, PA 17120-0225, (717) 214-5340, to discuss how the Department may best accommodate their needs. Text telephone calls can be placed through the Pennsylvania Relay System at (800) 654-5984. Calls will be relayed to the Department's number listed previously.

SAMUEL A. MCCULLOUGH,  
*Secretary*

[Pa.B. Doc. No. 02-1138. Filed for public inspection June 28, 2002, 9:00 a.m.]

# DEPARTMENT OF ENVIRONMENTAL PROTECTION

## Applications, Actions and Special Notices

### APPLICATIONS

## NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS

### NPDES APPLICATIONS

#### PART I PERMITS

Under the Federal Clean Water Act and The Clean Streams Law, the following parties have applied for an NPDES permit or to renew their current permit to discharge controlled wastewaters into the waters of this Commonwealth or to conduct other activities required by the NPDES permit. For renewal applications listed in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements. For all new permit applications, renewal application with major changes or applications for permits not waived by the EPA, the Department, based upon preliminary reviews, also made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications listed in Section II. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement, to the office noted before the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant. Following the comment period, the Department's Water Management Program Manager will make a final determination regarding these applications. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The renewal application, including proposed effluent limitations and special conditions, is available on file. For new permit applications, information submitted with the applications is available on file. The information may be inspected and arrangements made for copying at the office indicated before the application.

Persons with a disability, who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information, should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

#### I. NPDES Renewal Applications

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0060704	Pleasant Valley Manor, Inc. 4227 Manor Dr. Stroudsburg, PA 18360	Monroe County Hamilton Township	McMichael Creek (1-E)	Y
PA0063436 Sewage— SFRSTP	Elmer Brown R. R. 7, Box 1579 Hallstead, PA 18822	Liberty Township Susquehanna County	Rhiney Creek (4E)	Y

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0030708	Quincy United Methodist Home P. O. Box 217 Quincy, PA 17247-0217	Franklin County Quincy Township	West Branch of Little Antietam Creek 13-C	Y
PA0110442	Carl E. Dallmeyer Family Ltd. Partnership 475 North Sherman Street Ext. Mount Wolf, PA 17347	Bedford County Bedford Township	Brush Run 11-C	Y

*Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0114987 Sewerage	Citizens & Northern Bank 90-92 Main Street Wellsboro, PA 16901	Charleston Township Tioga County	Catlin Hollow 4-A	Y
PA0027359 Industrial Waste	Danville Municipal Authority 235 Mill Street Danville, PA 17821	Montour Danville Borough	Susquehanna River 5E	Y

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**PA0038351**, Sewage and Industrial Waste, **PHB Die Cast, Inc.**, 7900 West Ridge Road, Fairview, PA 16415. This proposed facility is located in Fairview Township, **Erie County**.

Description of Proposed Activity: This application is for renewal of an NPDES permit to discharge treated sanitary and industrial wastewater to Trout Run.

The receiving stream, Trout Run, is in watershed Trout Run and classified for CWF, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride and phenolics, there is no existing/proposed downstream potable water supply (stream and public water supplier) to consider until Lake Erie.

The proposed effluent limits for Outfall 101 based on a design flow of 0.021 MGD.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25		50
Total Suspended Solids	30		60
NH <sub>3</sub> -N			
(5-1 to 10-31)	1.5		3.0
(11-1 to 4-30)	4.5		9.0
Dissolved Oxygen		minimum of 3.0 mg/l at all times	
Total Residual Chlorine	0.33		0.49
Fecal Coliform			
(5-1 to 9-30)		200/100ml as a geometric average	
(10-1 to 4-30)		4,200/100ml as a geometric average	
pH		6.0 to 9.0 standard units at all times	

The proposed effluent limits for Outfall 201 based on a design flow of 0.024 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids			15	30	30
Oil and Grease			13	26	26
Phosphorus			1.0	1.5	2.0
Copper (T)			0.084	0.017	0.21
Lead (T)			0.026	0.052	0.065
Zinc (T)			0.534	1.07	1.34
Silver (T)			0.026	0.052	0.065
Nickel			0.585	1.17	1.462
Cyanide (T)			0.025	0.05	0.0625
Cadmium (T)			0.008	0.016	0.02
Chromium (T)			0.84	1.38	1.38
pH			Within limits of 6.0 to 9.0 standard units at all times.		

Outfalls 002 and 003—These outfalls consist of uncontaminated stormwater only.

The EPA Waiver is in effect.

**II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications**

*Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**No. PA0013463**, Industrial Waste, **U. S. Steel Group, a Unit of USS Corporation—Fairless Works**, Fairless Hills, PA 19030. This application is for amendment of an NPDES permit to discharge treated process wastewater, cooling water and stormwater from USS Fairless Works in Falls Township, **Bucks County**. This is an existing discharge to Delaware River Estuary Zone 2.

The receiving stream is classified for the following uses: WWF, MF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 002, NCCW and SWRO, are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Annual (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature			110°F
Oil and Grease	15		30
pH	Within limits of 6.0—9.0 Standard Units at all times		
CBOD <sub>5</sub> *		Monitor/Report	Monitor/Report
COD*		Monitor/Report	Monitor/Report
Oil and Grease*		Monitor/Report	Monitor/Report
Total Suspended Solids*		Monitor/Report	Monitor/Report
Lead, Total*		Monitor/Report	Monitor/Report
Chromium, Total*		Monitor/Report	Monitor/Report
Copper, Total*		Monitor/Report	Monitor/Report
Cadmium, Total*		Monitor/Report	Monitor/Report
Iron (Dissolved)*		Monitor/Report	Monitor/Report

\* These parameters shall be monitored during storm event while no NCCW discharges.

The proposed effluent limits for Outfall 003, consist of treated process waste water, cooling waste water and treated sewage are as follows:

Tidal conditions at Outfall 003 make monitoring impossible. Therefore contribution to Outfall 003 are monitored at monitoring points as follows:

<i>Monitoring Point</i>	<i>Description of Wastewater</i>
MP103	Treated Process Wastewater from terminal treatment plant
MP203	Treated Sewage Wastewater
MP303	Cooling water and SWRO
MP404	Treated Process Wastewater from finishing mill treatment plant

The proposed effluent limits for Monitoring Point MP103, treated process wastewater from terminal treatment plant during the period from January 1, 2003, through startup of currently permitted production lines with similar product at full capacity, based on an average flow of 4.442 MGD are as follows:

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
BOD <sub>5</sub>			Monitor/Report	Monitor/Report	
Total Suspended Solids	254	585	Monitor/Report	Monitor/Report	37
Total Suspended Solids *	362	945	Monitor/Report	Monitor/Report	25.5
Total Dissolved Solids			1,000	2,000	2,500
Oil and Grease	85	250	Monitor/Report	Monitor/Report	15
Oil and Grease *	139	322	Monitor/Report	Monitor/Report	10
CBOD <sub>20</sub>	2,500				
BOD <sub>5</sub> (Percent Removal)	88.5				
Phenols, Total			Monitor/Report	Monitor/Report	
pH	Within Limits of 6.0—9.0 STD Units all times.				
Color (Pt-Co)					Monitor/Report
Total Residual Chlorine **			0.5		1.2
Total Residual Chlorine *,**			0.2		0.5
Chromium, Total *	4.84	6.5	0.13	0.13	0.35
Zinc, Total *	3.47	24.41	0.1	0.7	0.7
PCBs *			Monitor/Report	Monitor/Report	Monitor/Report

\* These limits are effective upon operation of SWEC Facility.

\*\* These limits are applicable only when chlorine is used in the process of algae control.

The proposed effluent limits for Monitoring Point MP103, treated process wastewater from Terminal Treatment Plant during the period from startup of currently permitted production lines with similar product at full capacity lasting through expiration, based on 8.75 MGD are as follows:

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
BOD <sub>5</sub>			Monitor/Report	Monitor/Report	
BOD <sub>5</sub> (Percent Removal)	88.5				
Total Suspended Solids	2,639	6,228	Monitor/Report	Monitor/Report	115
Total Suspended Solids *	2,747	6,587	Monitor/Report	Monitor/Report	90
Total Dissolved Solids			1,000	2,000	2500
Oil and Grease	928	2,362	Monitor/Report	Monitor/Report	42

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Oil and Grease *	982	2,434	Monitor/Report	Monitor/Report	32
CBOD <sub>20</sub>	2,500				
Phenols, Total			Monitor/Report	Monitor/Report	
pH	Within Limits of 6.0—9.0 STD Units all times.				
Color (Pt-Co)					Monitor/Report
Total Residual Chlorine**			0.5		1.2
Total Residual Chlorine *,**			0.2		0.5
Chromium, Total *	10.8	17.27	0.142	0.240	0.355
Zinc, Total *	15.3	54.75	0.200	0.750	0.750
PCBs *			Monitor/Report	Monitor/Report	Monitor/Report

\* These limits are effective upon operation of SWEC Facility

\*\* These limits are applicable only when chlorine is used in the process of algae control.

The proposed effluent limits for monitoring point MP203 (treated sewage), based on an average flow of 0.194 MGD are as follows:

Parameter	Average Monthly (mg/l)	Instantaneous Maximum (mg/l)
BOD <sub>5</sub>	30	60
Suspended Solids	30	60
CBOD <sub>20</sub> (lbs/day)	67	
BOD <sub>5</sub> (Percent removal)	88.5	
Total Residual Chlorine	0.5	1.2
Fecal Coliform	200 colonies/100 ml as a geometric average	
pH	Within limits of 6.0—9.0 Standard Units at all times	

The proposed effluent limits for monitoring point MP303 (cooling water), based on an average flow of 0.046 MGD are as follows:

Parameter	Average Monthly (mg/l)	Maximum Daily (mg/l)	Instantaneous Maximum (mg/l)
Total Suspended Solids	30	60	75
Oil and Grease	15		30
Temperature			110°F
pH	Within limits of 6.0—9.0 Standard Units at all times		
Fecal Coliform	Monitor/Report	Monitor/Report	

The proposed effluent limits for monitoring point MP403, treated process wastewater from Finishing Mill Treatment Plant, during the period from January 1, 2003, through startup of currently permitted production lines with similar product at full capacity, based on an average flow of 1.00 MGD are as follows:

Parameter	Mass Units (lb/days)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Lead, Total	1.49	2.02	Monitor/Report	Monitor/Report	0.45
Zinc, Total	1.47	4.41	Monitor/Report	Monitor/Report	0.53
Chromium, Total	Monitor/Report	Monitor/Report	0.1	0.3	0.3
Nickel, Total	Monitor/Report	Monitor/Report	0.2	0.45	0.5
Naphthalene		0.071	Monitor/Report	Monitor/Report	0.01
Chromium, Hex	0.095	0.284	Monitor/Report	Monitor/Report	0.035
Copper, Total	Monitor/Report	Monitor/Report	0.1	0.3	0.3
Tetrachloroethylene		0.107		Monitor/Report	0.013

The proposed effluent limits for Monitoring Point MP403, treated process wastewater from Finishing Mill Treatment Plant, during the period from startup of currently permitted production lines with similar products at full capacity to lasting through expiration, based on an average flow of 2.34 MGD are as follows:

Parameter	Mass Units (lb/days)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Lead, Total	10.3	29.0	Monitor/Report	Monitor/Report	1.56
Zinc, Total	13.3	34.7	Monitor/Report	Monitor/Report	1.78
Chromium, Total	Monitor/Report	Monitor/Report	0.348	0.680	0.87
Nickel, Total	Monitor/Report	Monitor/Report	0.535	1.18	1.34
Naphthalene		1.541	Monitor/Report	Monitor/Report	0.10
Chromium, Hex	0.25	0.58	Monitor/Report	Monitor/Report	0.038

<i>Parameter</i>	<i>Mass Units (lb/days)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Cadmium, Total	Monitor/Report	Monitor/Report	0.054	0.137	
Copper, Total	Monitor/Report	Monitor/Report	0.403	0.774	1.0
Cyanide, Total	Monitor/Report	Monitor/Report	0.1	0.185	1.0
Silver, Total	Monitor/Report	Monitor/Report	0.04	0.07	0.1
Total Toxic Organics (TTO)		Monitor/Report		2.13	
Tetra Chloroethylene		2.31		Monitor/Report	0.12

The proposed effluent limits for Outfalls 005, 007 and 009 (stormwater) are as follows:

<i>Parameter</i>	<i>Average Annual (mg/l)</i>	<i>Maximum Daily (mg/l)</i>
CBOD <sub>5</sub>	Monitor/Report	Monitor/Report
Total Suspended Solids	Monitor/Report	Monitor/Report
Oil and Grease	Monitor/Report	Monitor/Report
pH	Monitor/Report	Monitor/Report
Iron (Dissolved) (005, 009 only)	Monitor/Report	Monitor/Report
Zinc, Total (007 only)	Monitor/Report	Monitor/Report

The proposed effluent limits for Outfalls 010 and 011 (intake screen backwash water) are as follows:

The materials (Solids and other debris) physically or mechanically removed by USS in backwash operation shall not be returned to surface waters. The disposal of this material shall prevent any discharge of removed substances to the surface waters.

Other Conditions:

1. The EPA waiver is not in effect
2. CBOD<sub>20</sub> allowances.
3. 88.5% reduction of BOD<sub>5</sub> per Delaware River Basin Commission requirements.
4. Thermal requirements
5. TTO definition.
6. Approved chemical additives
7. Special test methods for certain pollutants.

**No. PA0057088**, Industrial Waste, **Exelon Generation Company**, 200 Exelon Way, KSA 1-E, Kennett Square, PA 19348. This application is for renewal of an NPDES permit to discharge cooling water from a power plant in Falls Township, **Bucks County**. This is an existing discharge to Delaware Estuary-Zone 2.

The receiving stream is classified for the following uses: WWF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average annual flow of 26.01 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine	0.2		0.5
Temperature			110°F
pH	Within limits of 6.0—9.0 Standard Units at all times		

The EPA Waiver is in effect.

Other Conditions:

Thermal requirements.

**No. PA0058491**, Industrial Waste, **PECO Energy Company**, 300 Front Street, Building No. 1, Conshohocken, PA 19428. This application is for issuance of an NPDES permit to discharge treated groundwater from PECO's former Ardmore Service Center in Lower Merion Township, **Montgomery County**. This is a new discharge to Cobbs Creek from a storm sewer and dry swale.

The receiving stream is classified for the following uses: WWF, migratory fishery water aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 22,000 GPD are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	60	75
pH	Within limits of 6.0—9.0 Standard Units at all times		
Iron, Total	1.5	3.0	3.75
Manganese, Total	1.0	2.0	2.50

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Tetrachloroethylene	0.005	0.010	0.0125
Trichloroethylene	0.005	0.010	0.0125
MTBE	Monitor/Report	Monitor/Report	Monitor/Report
Magnesium, Total	Monitor/Report	Monitor/Report	Monitor/Report

Other Conditions:

The EPA waiver is in effect.

Conditions for future permit modification.

Special test methods for certain pollutants.

**No. PA0050202**, Industrial Waste, **National Railroad Passenger Corporation**, 30th Street Station, 30th and Race Streets, Philadelphia, PA 19104-2898. This application is for renewal of an NPDES permit to discharge stormwater from Amtrak Race Street/Penn Coach Yard in the City of Philadelphia, **Philadelphia County**. This is an existing discharge to Schuylkill River.

The receiving stream is classified for the following uses: WWF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on stormwater flows are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Suspended Solids	30	60	75
Oil and Grease	15		30
pH	Within limits of 6.0—9.0 Standard Units at all times		
Phenols, Total	5.9	11.8	14.8
Dissolved Iron			7.0
TPH			Monitor/Report

The EPA Waiver is in effect.

*Northeast Region: Water Management Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**PA#0062588**, Industrial, **Pennsylvania American Water Company**, 20 East Union Street, Wilkes-Barre, PA 18701-1397. This proposed facility is located in Hunlock Creek Township, **Luzerne County**.

Description of Proposed Activity: Renewal of NPDES Permit to discharge treated filter backwash water into Pikes Creek.

The receiving stream, Pikes Creek, is in the State Water Plan Watershed #5E and is classified for HQ-CWF, aquatic life, water supply and recreation. The nearest downstream public water supply intake for Danville Water Company is located on the Susquehanna River, approximately 35 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of .435 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids			30	60	
Total Aluminum	4.5	9.5	1.5	2.5	3.5
Total Iron			2	4	
Total Manganese			1	2	
pH	6 to 9 Standard Units at all times				

**PA0063568**, Industrial, **Northampton Borough Municipal Authority**, 1 Clear Spring Drive, P. O. Box 156, Northampton, PA 18067-0156. This proposed facility is located in Whitehall Township, **Lehigh County**.

The receiving stream, Spring Creek, is in the State Water Plan watershed #2C and is classified for CWF. The nearest downstream public water supply intake for City of Allentown is located on the Lehigh River, 8.5 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.0833.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>
Aluminum Total			1.4	2.8
Manganese Total			1	2
Total Iron			2	4
Total Suspended Solids			30	60
pH	Within Limits 6—9 Standard Units at all times.			
Total Residual Chlorine			0.5	1.0

In addition to the effluent limits, the permit contains the following major special conditions:

Chemicals additions.

**PA#0020168**, Sewage, **Borough of East Stroudsburg**, P. O. Box 303, East Stroudsburg, PA 18301. This proposed facility is located in East Stroudsburg Borough, **Monroe County**.

The receiving stream, Brodhead Creek, is in the State Water Plan Watershed #1E and is classified for TSF. The nearest downstream public water supply intake for the City of Easton is located on the Delaware River, 33 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 2.25.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>
CBOD <sub>5</sub>	25	40	50
Total Suspended Solids	30	45	60
NH <sub>3</sub> -N (5-1 to 10-31)	9.5	14.3	18.0
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric mean 2,000/100 ml as a geometric mean		
pH	6.0 to 9.0 standard units at all times.		
Total Residual Chlorine	1.0		2.30
Whole Effluent Toxicity	Less than 3.846 TUa		

In addition to the effluent limits, the permit contains the following major special conditions: WET Testing Requirements.

---

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.*

**Application No. PA 0246778**, Industrial Waste, **Groundwater Remediation System Outfall, Miller's Greenhouse Incorporated**, 485 Church Street, Landisville, PA 17538. This facility is located in East Hempfield Township, **Lancaster County**.

Description of activity: The application is for issuance of an NPDES permit for a new discharge of treated industrial waste.

The receiving stream, an unnamed tributary to Swarr Run, is in Watershed 7-J and classified for CWF, water supply and recreation and fish consumption. The nearest downstream public water supply intake for Holtwood Power Plant is located on the Susquehanna River, approximately 70 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 based on a design flow of 0.022 MGD are:

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Benzene	XXX	XXX	0.001	0.002	XXX
Toluene	XXX	XXX	Monitor and Report	Monitor and Report	XXX
Ethylbenzene	XXX	XXX	Monitor and Report	Monitor and Report	XXX
Cumene	XXX	XXX	Monitor and Report	Monitor and Report	XXX
Naphthalene	XXX	XXX	Monitor and Report	Monitor and Report	XXX
Fluorene	XXX	XXX	Monitor and Report	Monitor and Report	XXX
Phenanthrene	XXX	XXX	Monitor and Report	Monitor and Report	XXX

Individuals may make an appointment to review the Department files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is in effect.

**Application No. PA 0246751**, Industrial Waste, **Groundwater Remediation System Outfall, United Refining Company of PA**, P. O. Box 688, Warren, PA 16365. This facility is located in Henderson Township, **Huntingdon County**.

Description of activity: The application is for issuance of an NPDES permit for a new discharge of treated industrial waste.

The receiving stream, a drainage swale that discharges to an unnamed tributary to the Juniata River, is in Watershed 12-C and classified for dry stream discharge, water supply and recreation and fish consumption. The nearest downstream public water supply intake for United Water is located on the Susquehanna River, approximately 100 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 based on a design flow of 0.043 MGD are:

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total BTEX	XXX	XXX	0.100	0.200	XXX
Benzene	XXX	XXX	0.001	0.002	XXX
Ethylbenzene	XXX	XXX	Monitor and Report	Monitor and Report	XXX
Toluene	XXX	XXX	Monitor and Report	Monitor and Report	XXX
Xylenes, Total	XXX	XXX	Monitor and Report	Monitor and Report	XXX
MTBE	XXX	XXX	Monitor and Report	Monitor and Report	XXX

Individuals may make an appointment to review the Department files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is in effect.

**Application No. PA 0024040**, Sewage, **Borough of Highspire**, 640 Eshelman Street, Highspire, PA 17034-1698. This facility is located in Highspire Borough, **Dauphin County**.

Description of activity: The application is for an amendment of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Susquehanna River, is in Watershed 7-C and classified for WWF, water supply and recreation and fish consumption. The nearest downstream public water supply intake for Columbia Borough is located on the Susquehanna River, approximately 11.6 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 2.0 MGD are:

<i>Parameter</i>	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25	40		50
Total Suspended Solids	30	45		60
Total Phosphorus	2.0			4.0
Total Nitrogen			Monitor and Report	
Dissolved Oxygen			Minimum of 5.0 at all times	
pH			From 6.0 to 9.0 inclusive	
Fecal Coliform (5-1 to 9-30)			200/100 ml as a geometric average	
(10-1 to 4-30)			100,000/100 ml as a geometric average	

Individuals may make an appointment to review the Department files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is not in effect to remove the whole effluent toxicity testing effluent limit and Part C requirements for further studies of the sources of toxicity.

**PAG#123521 Amendment No. 1**, CAFO, **Eugene Z. Nolt**, 143 Kurtz Road, New Holland, PA 17557. This proposed facility is located in Earl Township, **Lancaster County**.

Description of Proposed Activity: The Eugene Nolt farm is an existing swine and dairy farm with a total AEU's of 639.80. An estimated quantity of total annual manure production is 1,181 dry tons and 2,079,010 gallons. The dairy part of the operation consists of 100 dairy heifers which spend some time on pasture with no collection and the remaining time housed where the dry, penpack type manure is collected and then land applied on the farm. The farm currently comprises of one swine finishing barn housing 2,100 hogs with plans to construct a second new swine finishing barn to house 2,180 hogs. The existing hog barn is a confinement building with the liquid manure stored in 8 foot deep pits beneath the barn's slatted floors having a storage capacity of 841,084 gallons with a foot of freeboard. The new swine facility will be very similar to the existing hog barn but will have 6 foot deep pits with an approximate storage capacity of 600,000 gallons. Of the 2,079,010 gallons of liquid swine manure produced on the farm, 868,000 gallons will be land applied on the farm and 1,211,010 exported from the farm.

The receiving stream, UNT to Conestoga River, is in the State Water Plan watershed 7-J and is classified for WWF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no

other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and The Clean Stream Law constitutes compliance with the State narrative water quality standards.

**Application No. PA 0026735**, Amendment No. 1, Sewage, **Swatara Township Authority**, 8675 Paxton Street, Hummelstown, PA 17036-8601. This facility is located in Swatara Township, **Dauphin County**.

Description of activity: The application is for an amendment of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Swatara Creek, is in Watershed 7-D and classified for WWF, water supply and recreation and fish consumption. The nearest downstream public water supply intake for Middletown Borough is located on Swatara Creek, approximately 8 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 6.3 MGD are:

<i>Parameter</i>	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25	40		50
Total Suspended Solids	30	45		60
Total Residual Chlorine	0.5			1.6
NH <sub>3</sub> -N (5-1 to 10-31)	6			12
(11-1 to 4-30)	18			36
Total Phosphorus	2			4
Total Nitrogen			Monitor and Report	
Dissolved Oxygen			Minimum of 5.0 at all times	
pH			From 6.0 to 9.0 inclusive	
Fecal Coliform (5-1 to 9-30)			200/100 ml as a geometric average	
(10-1 to 4-30)			9,000/100 ml as a geometric average	

In addition to the effluent limits, the permit contains the following major special conditions:

The frequency of monitoring for CBOD<sub>5</sub>, total suspended solids, NH<sub>3</sub>-N, total phosphorus and fecal coliform is being changed from once per day to three per week.

Individuals may make an appointment to review the Department files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is not in effect.

*Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

**PA0005037, Amendment No. 2**, Industrial Waste, SIC, 4911, **EME Homer City Generation LP**, 1750 Power Plant Road, Homer City, PA 15748. This application is for amendment of an NPDES permit to discharge cooling water from cooling towers in Center Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, unnamed tributary of Two Lick Creek, classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is the Saltsburg Municipal Water Authority, located at Saltsburg, 28 miles below the discharge point.

*Outfall 126: new discharge. Interim limits.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
Free Available Chlorine			0.2	0.5	
Chromium			0.2	0.2	
Zinc			1.0	1.0	
Temperature (°F)			Monitor and Report		
pH	not less than 6.0 nor greater than 9.0				

*Outfall 226: new discharge. Interim limits.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (MGD)	Monitor and Report				
Free Available Chlorine			0.2	0.5	

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Chromium			0.2	0.2	
Zinc			1.0	1.0	
Temperature (°F)			Monitor and Report		
pH	not less than 6.0 nor greater than 9.0				

*Outfall 001: existing discharge, design flow of 2.8 MGD. Interim limits.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report				
Free Available Chlorine			0.2	0.5	
Chromium			0.2	0.2	
Zinc			1.0	1.0	
Temperature (°F)			Monitor and Report		
pH	not less than 6.0 nor greater than 9.0				

*Outfall 001: existing discharge, design flow of 2.8 MGD. Final limits.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report				
Free Available Chlorine			0.2	0.5	
Chromium			0.2	0.2	
Zinc			1.0	1.0	
Temperature (°F)					
(1-1 to 1-31)				93	
(2-1 to 2-29)				98	
(3-1 to 11-15)				110	
(11-16 to 11-30)				93	
(12-1 to 12-31)				82	
pH	not less than 6.0 nor greater than 9.0				

*Outfall 126: new discharge. Final limits.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report				
Free Available Chlorine			0.2	0.5	
Chromium			0.2	0.2	
Zinc			1.0	1.0	
Temperature (°F)					
(1-1 to 1-31)				93	
(2-1 to 2-29)				98	
(3-1 to 11-15)				110	
(11-16 to 11-30)				93	
(12-1 to 12-31)				82	
pH	not less than 6.0 nor greater than 9.0				

*Outfall 226: new discharge. Final limits.*

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report				
Free Available Chlorine			0.2	0.5	
Chromium			0.2	0.2	
Zinc			1.0	1.0	

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Temperature (°F)					
(1-1 to 1-31)				93	
(2-1 to 2-29)				98	
(3-1 to 11-15)				110	
(11-16 to 11-30)				93	
(12-1 to 12-31)				82	
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is not in effect.

**PA0040274-A1**, Industrial Waste, SIC, 3316, **Allegheny Ludlum Corporation**, 100 Brackenridge, PA 15014. This application is for amendment of an NPDES permit to discharge treated process water from Vandergrift Plant in Vandergrift Borough, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters of the Kiskiminetas River, classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is Buffalo Township Municipal Authority, located on Allegheny River, 9.0 miles below the discharge point.

*Internal Monitoring Point 207*: existing (0.57 mgd) discharge to Kiskiminetas River.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	Monitor and Report				
Total Suspended Solids	358	834.5	30	70	87.5
Oil and Grease			15		30
Chromium	4.8	11.9	0.4	1.0	1.25
Nickel	3.6	10.7	0.3	0.9	1.13
Total Residual Chlorine			0.5		1.25
Cyanide	0.121	0.291	0.12	0.29	
Lead	0.201	0.422	0.20	0.42	
Zinc	0.611	1.466	0.61	1.46	
Ammonia	58.74	133.56	58.6	133.3	
Fluoride	26.47	59.76	26.4	59.5	
Titanium			0.41	0.94	
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is not in effect.

**PA0219134**, Industrial Waste, SIC 4911, **Allegheny Energy Supply Co., LLC**, 4350 Northern Pike, Monroeville, PA 15146-2841. This application is for issuance of an NPDES permit to discharge treated process water and untreated cooling water stormwater from Allegheny Energy Units 3—5 in Springdale Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, Allegheny River, classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is Oakmont Borough Municipal Authority, located at RMI 4.2, Allegheny River, 4.21 miles below the discharge point.

*Outfall 101*: new discharge, design flow of 0.732 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (MGD)	Monitor and Report				
Temperature (°F)				110	
Free Available Chlorine			0.2		0.5
Total Residual Chlorine			0.5		1.25
The 126 Priority Pollutants (Appendix A, 40 CFR 423) contained in chemicals added for cooling tower maintenance except:					
Chromium			0.2	0.2	
Zinc			1.0	1.0	
pH	not less than 6.0 nor greater than 9.0				

Outfall 201: new discharge, design flow of 0.096 MGD

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (MGD)	Monitor and Report				
Suspended Solids			30	100	
Oil and Grease			15	20	
pH	not less than 6.0 nor greater than 9.0				

**WATER QUALITY MANAGEMENT PERMITS**

**CONTROLLED INDUSTRIAL WASTE AND SEWAGE WASTEWATER**

**APPLICATIONS UNDER THE CLEAN STREAMS LAW**

**PART II PERMITS**

The following permit applications or requests for plan approval have been received by the Department of Environmental Protection (Department).

Persons wishing to comment on any of the applications are invited to submit a statement to the office noted before the application within 15 days from the date of this public notice. Comments received within this 15-day comment period will be considered in making the final decision regarding the application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department reserves the right to hold a public hearing if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation of the area. If no hearing is held, the Department's Water Management Program Manager will make a final determination regarding the applications after a complete review. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

A copy of the permit application or proposed plan is on file in the office indicated and is open to public inspection. Appointments to review the application may be made by contacting Records Management at the indicated telephone number.

**I. Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).**

*Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**WQM Permit No. 4602202**, Industrial Waste, **Unitech Service Group Inc.**, 295 Parker Street, Springfield, MA 01151. This proposed facility is located in Royersford Borough, **Montgomery County**.

Description of Proposed Action/Activity: Construction for the upgrade of the wastewater treatment plant.

**WQM Permit No. 1502409**, Sewerage, **Kennett Township**, P. O. Box 230, Kennett Square, PA 19348. This proposed facility is located in Kennett Township, **Chester County**.

Description of Proposed Action/Activity: Construction and operation to extend a gravity sewer line and force main to serve ten lots along west side of North Mill Road.

**WQM Permit No. 1502410**, Sewerage, **Uwchlan Township**, 715 N. Ship Road, Exton, PA 19341. This proposed facility is located in Uwchlan Township, **Chester County**.

Description of Proposed Action/Activity: Construction and operation of a pumping station and force main to serve Lot #1 Haywood Business Park.

**WQM Permit No. 1502411**, Sewerage, **Upper Uwchlan Township**, 140 Pottstown Pike, Chester Springs, PA 19425. This proposed facility is located in Upper Uwchlan Township, **Chester County**.

Description of Proposed Action/Activity: Construction and operation of a temporary pump station to serve Eagle Hunt, a residential development.

**WQM Permit No. 2302403**, Sewerage, **Newtown Township**, 209 Bishop Hollow Road, Newtown Square, PA 19073. This proposed facility is located in Newtown Township, **Delaware County**.

Description of Proposed Action/Activity: Construction of an 850-gpm firm capacity regional pump station to pump wastewater to the Central Delaware County Authority collection system.

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.*

**WQM Permit No. 3602412**, Sewerage, **East Earl Sewer Authority**, 4610 Division Highway, East Earl, PA 17519. This proposed facility is located in East Earl Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization for the construction/modification of sewers and appurtenances and sewage treatment plant.

**WQM Permit No. 2202403**, Sewerage, **Stanley W. and Marie Stewart**, 302 East Main Street, Hummels-town, PA 17036-1725. This proposed facility is located in East Hanover Township, **Dauphin County**.

Description of Proposed Action/Activity: Authorization for the construction/modification to sewage treatment plant.

**WQM Permit No. 6702403**, Sewerage, **Wrightsville Borough Municipal Authority**, 129 South Second Street, P. O. Box 187, Wrightsville, PA 17368-0187. This proposed facility is located in Wrightsville Borough and Hellam Township, **York County**.

Description of Proposed Action/Activity: Authorization for the North Front Street sewer extension.

**WQM Permit No. 0702401**, Sewerage, **Northern Blair County Regional Sewer Authority**, R. D. 4, Box

23A, Tyrone, PA 16686. This proposed facility is located in Snyder Township, **Blair County**.

Description of Proposed Action/Activity: Authorization for construction/operation of the California Hollow Sewage Collection System.

**WQM Permit No. 2102405**, Sewerage, **Jesse K. King**, 222 Fairview Road, Shippensburg, PA 17257. This proposed facility is located in Hopewell Township, **Cumberland County**.

Description of Proposed Action/Activity: Authorization for construction/operation of their single residence sewage treatment system.

**WQM Permit No. 0602203**, CAFO Operation, **Dale Martin, Quail Ridge LLC**, 410 East Lincoln Avenue, Myerstown, PA 17067. This proposed facility is located in Perry Township, **Berks County**.

*Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**WQM Permit No. 5902406**, Sewerage 4952, **William R. Adrian**, 1612 Petes Court, Crofton, MD 21114. This proposed facility is located in Richmond Township, **Tioga County**.

Description of Proposed Action/Activity: This is an application for a SFTF serving a residence.

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Application No. 6591410-A1**, Sewerage, **Westmoreland County Industrial Park Authority**, 2 North Main Street, Suite 601, Greensburg, PA 15601-2405. Application for the construction and modification of a sanitary interceptor sewer to serve the Westmoreland Business & Research Park located in Upper Burrell Township, **Westmoreland County**.

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No. 3302401**, Sewerage, **Reynoldsville Sewage Authority**, 400 North Fifth Street, Reynoldsville, PA 15851. This proposed facility is located in Reynoldsville Borough, **Jefferson County**.

Description of Proposed Action/Activity: This project is for modifications to the existing west side lift station, for reducing combined sewer overflows and replacing an ejector pod system.

**NPDES Stormwater Individual Permit**

The following parties have applied for an NPDES permit to discharge stormwater associated with a construction activity into waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject

to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the appropriate Department Regional Office noted before the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate Department Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity, are on file and may be inspected at the office identified in this notice.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified Regional Office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

*Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**NPDES Permit PAS10G529**, Stormwater, **Newman Development Group of Pottstown, LLC**, 3101 Shippers Road, P. O. Box 678, Vestal, NY 13851-0678, has applied to discharge stormwater associated with a construction activity located in North Coventry Township, **Chester County** to unnamed tributary to Schuylkill River (HQ-TSF).

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Monroe County Conservation District: 8050 Running Valley Road, Stroudsburg, PA 18360, (570) 629-3060.*

<i>NPDES No.</i>	<i>Applicant Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Receiving Water/Use</i>
PAS10S051-1	Skytop Lodges, Inc. One Skytop Skytop, PA 18357	Monroe County Barrett Township	Leavitt Branch HQ-CWF

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Lancaster County Conservation District, 1383 Arcadia Road, Room 6, Lancaster, PA 17601, (717) 299-5361.*

<i>NPDES No.</i>	<i>Applicant Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Receiving Water/Use</i>
PAS100086	Robert E. Plank 552 W. King St. Lancaster, PA 17603	Fulton Township Lancaster County	Conowingo Creek (HQ-CWF)

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Westmoreland County Conservation District: Donohoe Center, R. R. 12, Box 202B, Greensburg, PA 15601-9217, (724) 837-5271.*

**NPDES Permit PAS10X103**, Stormwater, **Dominion Exploration & Production**, 1380 Route 286 Highway, Indiana, PA 15701 has applied to discharge stormwater associated with a construction activity located in Bell and Washington Townships, **Westmoreland County** to Beaver Run Basin (HQ-CWF).

**PUBLIC WATER SUPPLY (PWS) PERMIT**

Under the Pennsylvania Safe Drinking Water Act, the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on the permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. Comment responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**SAFE DRINKING WATER**

**Applications Received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).**

*Southcentral Region: Water Supply Management Program Manger, 909 Elmerton Avenue, Harrisburg, PA 17110.*

---

<b>Permit No. 3602511</b> , Public Water Supply.	
Applicant	<b>Millersville University</b>
Municipality	Millersville Borough
County	<b>Lancaster</b>
Responsible Official	Kenneth L. Bolig, Assistant Director Planning & Construction P. O. Box 1002 Palmer Building Millersville, PA 17551-0302
Type of Facility	PWS
Consulting Engineer	Kenneth L. Bolig, P. E. P. O. Box 1002 Palmer Building Millersville, PA 17551-0302
Application Received Date	May 15, 2002
Description of Action	Installation of a chemical feed system for the injection of a phosphate compound for corrosion control. Project will also convert the disinfection system from gas chlorination to liquid chlorination.

<b>Permit No. 0602505</b> , Public Water Supply.	
Applicant	<b>Post Precision Castings Inc.</b>
Municipality	Upper Tulpehocken Township
County	<b>Berks</b>
Responsible Official	Mark C. Strubhar, Maintenance Manager P. O. Box A, 21 Walnut Street Strausstown, PA 19559 0100
Type of Facility	PWS
Consulting Engineer	James R. Fisher, P. E. Fisher Engineering Inc. 18 C S 7th Street Akron, PA 17501
Application Received Date	May 17, 2002
Description of Action	Installation of softening and nitrate treatment systems for Well No. 2.

<b>Permit No. 3602508</b> , Public Water Supply.	
Applicant	<b>Motiva Enterprises LLC</b>
Municipality	Lancaster
County	<b>Lancaster</b>
Responsible Official	Robert Weaver, Project Manager 6310 Allentown Boulevard Harrisburg, PA 17112
Type of Facility	PWS

Consulting Engineer MaryAnn Curtin, P. E.  
SAIC Engineering Inc.  
6310 Allentown Boulevard  
Harrisburg, PA 17112

Application Received Date April 23, 2002

Description of Action Installation of GAC treatment for the removal of MTBE from the groundwater source

**Permit No. 0602503**, Public Water Supply.

Applicant **Berks Leisure Living**  
Municipality Bern Township  
County **Berks**  
Responsible Official Rosa Bechtel, President  
1399 Fairview Drive  
Leesport, PA 19533

Type of Facility PWS  
Consulting Engineer David J. Gettle  
Kohl Bros., Inc.  
P. O. Box 350  
Myerstown, PA 17067

Application Received Date April 23, 2002

Description of Action Construction of Well No. 2 with disinfection and manganese treatment.

**Permit No. 3602513**, Public Water Supply.

Applicant **Red Caboose Management Inc.**  
Municipality Paradise Township  
County **Lancaster**  
Responsible Official Wayne Jackson, President  
P. O. Box 175  
Strasburg, PA 17579

Type of Facility PWS  
Consulting Engineer Scott M. Rights, P. E.  
Steckbeck Engineering Associates  
43 N. Cornwall Rd.  
Lebanon, PA 17042

Application Received Date June 6, 2002

Description of Action Installation of a nitrate treatment system to address the high nitrates in the well water. The treatment will include disinfection via chlorination and softening.

*Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**Permit No. 5302502**, Public Water Supply.

Applicant **Coudersport Borough Authority**  
Borough Coudersport Borough  
**Potter County**  
Responsible Official Marlin Moore, Borough Manager  
201 South West Street  
Coudersport, PA 16915

Type of Facility PWS  
Consulting Engineer Uni-Tec Consulting Engineers, Inc.  
2007 Cato Ave.  
State College, PA 16801

Application Received Date May 31, 2002

Description of Action New 0.5 MG finished water storage tank and North Treatment facility to treat water from proposed North Wells #2A and 3 along with existing North Well #1 and North Spring. Treatment will consist of aeration for CO<sub>2</sub> removal, gas chlorination, polyphosphate sequestering and soda ash addition.

#### MINOR AMENDMENT

#### Applications Received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17)

*Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**Application No. 2520062**, Minor Amendment.

Applicant **Pennsylvania American Water Company**  
Township or Borough Lehman Township  
**Luzerne County**  
Responsible Official William C. Kelvington, V. P. Ops.  
Pennsylvania American Water Company  
800 West Hersheypark Drive  
Hershey, PA 17033

Type of Facility Community Water System  
Application Received Date April 8, 2002

Description of Action Transfer PWS Operation Permit No. 2520062, issued February 24, 1999, to Lehman-Pike Water & Sewer Co. for operation of community water system serving Saw Creek Estates.

**Application No. 4599502-T1**, Minor Amendment.

Applicant **Pennsylvania American Water Company**  
Township or Borough Middle Smithfield and Lehman Townships  
**Pike County**  
Responsible Official William C. Kelvington, V. P. Ops.  
Pennsylvania American Water Company  
800 West Hersheypark Drive  
Hershey, PA 17033

Type of Facility Community Water System  
Application Received Date April 8, 2002

Description of Action Transfer PWS Construction Permit No. 4599502, issued February 9, 2000, to Lehman-Pike Water & Sewer Co. for modification of the community water system serving Saw Creek Estates (Interconnection).

**Application No. 5291505-T1**, Minor Amendment.

Applicant **Pennsylvania American Water Company**  
 Township or Borough Lehman Township  
**Pike County**  
 Responsible Official William C. Kelvington, V. P. Ops.  
 Pennsylvania American Water Company  
 800 West Hersheypark Drive  
 Hershey, PA 17033

Type of Facility Community Water System

Application Received Date April 8, 2002

Description of Action Transfer PWS Permit No. 5291505, issued August 22, 1994, to Lehman-Pike Development Corporation for modification of the community water system serving Saw Creek Estates (Well No. 7 and Booster Pumping Station No. 2).

**Application No. 5294502-T1**, Minor Amendment.

Applicant **Pennsylvania American Water Company**  
 Township or Borough Lehman Township  
**Pike County**  
 Responsible Official William C. Kelvington, V. P. Ops.  
 Pennsylvania American Water Company  
 800 West Hersheypark Drive  
 Hershey, PA 17033

Type of Facility Community Water System

Application Received Date April 8, 2002

Description of Action Transfer PWS Construction Permit No. 5294502, issued September 22, 1994, to Lehman-Pike Water & Sewer Co. for modification of the community water system serving Saw Creek Estates (Storage Tanks 3A, 4, 5A and 6A).

**Application No. 5297502-T1**, Minor Amendment.

Applicant **Pennsylvania American Water Company**  
 Township or Borough Lehman Township  
**Pike County**  
 Responsible Official William C. Kelvington, V. P. Ops.  
 Pennsylvania American Water Company  
 800 West Hersheypark Drive  
 Hershey, PA 17033

Type of Facility Community Water System

Application Received Date April 8, 2002

Description of Action Transfer PWS Construction Permit No. 5297502, issued April 24, 1998, to Lehman-Pike Water & Sewer Co. for modification of the community water system serving Timothy Lake.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995

#### PREAMBLE 1

#### Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordina-

tor at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Mark Andrews Residence**, East Lampeter Township, **Lancaster County**. Groundwater & Environmental Services, Inc., 410 Eagleview Boulevard, Suite 110, Exton, PA 19341, on behalf of Mark Andrews, 2192 Old Philadelphia Pike, Lancaster, PA 17602, submitted a Notice of Intent to Remediate site soils contaminated with BTEX and PHCs. The applicant proposes to remediate the site to meet the Statewide Health Standard requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the *Lancaster New Era/Intelligencer Journal* on March 19, 2002.

*Northcentral Region: Environmental Cleanup Program, 208 West Third Street, Williamsport, PA 17701.*

**Snyder Fuels, Inc. Release**, Upper Mahanoy Township, **Northumberland County**. Chambers Environmental Group, Inc., on behalf of Snyder Fuels, Inc., 155 S. Tenth Street, Sunbury, PA 17801, has submitted a Notice of Intent to Remediate soil and groundwater contaminated with BTEX. The applicant proposes to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Daily Item* on March 15, 2002.

**Oaks Club Facility (former)**, Loyalsock Township, **Lycoming County**. Converse Consultants, on behalf of Roger D. Jarrett, 5680 Route 405 Highway, Muncy, PA 17756, has submitted a Notice of Intent to Remediate groundwater contaminated with BTEX. The applicant proposes to meet the Background Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Williamsport Sun-Gazette* on May 30, 2002.

**Lucas Brothers Garage**, Westover Borough, **Clefield County**. Bolger Brothers, Inc., on behalf of Gene Hagens, 120 N. Main St., Westover, PA 16692, has submitted a Notice of Intent to Remediate soil and groundwater contaminated with BTEX, PAHs and PHCs. The applicant proposes to meet the Special Industrial Area requirements. A summary of the Notice of Intent to Remediate was reported to have been published in *The Progress* on May 13, 2002.

#### HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

**Applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.**

*Southeast Region: Regional Solid Waste Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**PAD085690592. Republic Environmental Systems (PA) Inc.**, 2869 Sandstone Dr., Hatfield, PA 19440, Hatfield Township, **Montgomery County**. Application for modifications to the generic waste acceptance procedures received on May 30, 2002.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

#### NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Office identified in this notice. Persons interested in reviewing the application files should contact the appropriate Regional Office to schedule an appointment.

Persons wishing to receive a copy of the proposed Plan Approval or Operating Permit must indicate their interest to the Department Regional Office within 30 days of the date of this notice and must file protests or comments on a Proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with Department Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts, which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior to the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office identified. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act and regulations adopted under the Act.

#### PLAN APPROVALS

**Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.*

**06-05024B: Reliant Energy Mid-Atlantic Power Holdings, LLC** (1001 Board Street, P. O. Box 1050, Johnstown, PA 15907-1050) for modification of the electric

generating plant controlled by low NO<sub>x</sub> burners, SOFA and electrostatic precipitators at the Titus Station in Cumru Township, **Berks County**.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.*

**18-0007A: Brodart, Inc.** (500 Arch Street, Williamsport, PA 17705) for construction of a relocated wood furniture finishing operation at the McElhattan Plant in Wayne Township, **Clinton County**.

**18-00009A: Clinton County Solid Waste Authority** (P. O. Box 209, McElhattan, PA 17748-0209) for construction of a landfill gas-fired flare at the Wayne Township Landfill in Wayne Township, **Clinton County**.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: William Charlton, New Source Review Chief, (412) 442-4174.*

**21-05031B: Community Refuse Service, Inc. d/b/a Cumberland County Landfill** (620 Newville Road, Newburg, PA 17240) for operation of a portable stone crushing plant. This source may be operated at Cumberland County Landfill (**Cumberland County**), Sandy Run Landfill (**Bedford County**) and Mosteller Landfill (**Somerset County**) in accordance with 25 Pa. Code § 127.631. The installation of this source will result in a potential to emit 33.1 tons per year of NO<sub>x</sub> and 6.6 tons per year of particulate matter. The approval will include monitoring, record keeping, reporting and work practice requirements designed to keep the source operating within all applicable air quality standards. The plan approval will be incorporated in to the Title V operating permit through an administrative amendment at a later date.

**32-00363A: Spicer Energy II LLC** (50 Danbury Road, Wilton, CT 06897) for installation of facility to manufacture synthetic fuel at Conemaugh Station in West Wheatfield Township, **Indiana County**.

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Mark Wejkszner, Acting New Source Review Chief, (570) 826-2531.*

**39-318-110: Prior Coated Metals, Inc.** (2233 26th Street Southwest, Allentown, PA 18052) for replacement of an existing thermal incinerator with a newer more energy efficient regenerative thermal oxidizer (RTO) to control VOC emissions from the existing coating line in the City of Allentown, **Lehigh County**. This is a major facility and is subject to Title V permitting requirements. This project involves replacement of existing air cleaning device with a newer more efficient air-cleaning device. Due to this modification, the VOC emission rate from the facility will not be affected and will remain at 45.7 tons per year. The Plan Approval will contain conditions requiring the source to show compliance with the emission rate. The Plan Approval and Operating Permit will contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

**40-320-016: Quebecor World Hazleton, Inc.** (Humboldt Industrial Park, R. R. 1, Box 409Z, Hazleton, PA 18201) for installation of a lithographic printing line and RTO to control VOC emissions in Hazleton, **Luzerne County**. This facility is a non-Title V facility. Installation of this line will increase potential VOC emissions from the facility by 4.39 tons per year. The plan approval will limit the VOC emissions from this source to 4.39 tons per year on a 12 month rolling sum and the RTO must meet 98% destruction efficiency for the VOC emissions. The operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The company will continuously record the RTOs operating temperature and maintain the system in accordance with the good engineering practices to assure proper operation of the system.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.*

**06-05078D: FR and S, Inc. d/b/a Pioneer Crossing Landfill** (727 Red Lane Road, Birdsboro, PA 19508) for modification to its existing landfill in Exeter Township, **Berks County**. The proposed facility is subject to the applicable requirements of 25 Pa. Code Chapter 127, 40 CFR Part 60, Subpart WWW—Standards of Performance for Municipal Solid Waste Landfills and 40 CFR Part 61, Subpart M. The Department believes that the facility will meet these requirements by complying with the following Plan Approval conditions:

1. The facility is to be modified in accordance with the plans submitted with the application (as approved herein).

2. This approval is issued for the construction of a municipal solid waste (MSW) landfill expansion with a design capacity of 9.8 million cubic yards or 6.06 million megagrams.

3. This approval is issued for the modification of the enclosed ground flare with a maximum landfill gas capacity of 4,200 cubic feet per minute and various temporary landfill gas flares.

4. A permanent gas collection system shall be installed for each cell within 1 year after that cell has achieved final grade. As part of the system, the permittee shall install and maintain a final cover on the completed cells including a geomembrane cap as approved by the Department's Waste Management Program.

5. The permittee may passively vent wells to temporary flares until a permanent connection is made to the permanent flare.

6. The permittee shall install and operate slip form wells in each of the active fill cells. The wells shall be installed and operated as per the permittee's letter of May 22, 2002. The slip form gas wells shall be connected to the gas collection system when located in a nonactive area. Wells located in active areas shall be vented to temporary flares. Whenever possible, the slip form gas wells shall be maintained until permanent vertical wells are installed and operating. The slip form wells can be used as permanent wells.

7. The permittee shall notify the Department in writing of the following within 5 working days:

Start of placing MSW in the expansion.

Date each cell reaches final grade.

Start of installation of collection system.

Date collection system is complete.

Start of venting to temporary flare.

Start of venting to permanent flare.

Date of the installation and operation of each slip form gas well.

8. The nonmethane organic compounds (NMOC) destruction efficiency of the permanent flare shall be 98% or greater unless the NMOC emission rate is 20 ppmv (as hexane at 3% oxygen) or less.

9. The emissions from the flare shall not exceed the following limits:

VOC—1.0 pound per hour

SOx—3.0 pounds per hour

NOx—13.0 pounds per hour

CO—10.0 pounds per hour

10. The emissions from the facility shall not exceed the following limits during any consecutive 12-month period:

VOC—less than 50 tons

SOx—15 tons

NOx—58 tons

CO—45 tons

PM-10—69 tons

HPA (single)—less than 10 tons

HAP (total)—less than 25 tons

11. The permittee shall conduct a performance test as per 40 CFR 60.754(d), Subpart WWW, Chapter 139 and the Department's "Landfill Permitting Criteria" policy dated May 4, 1990, for the following:

Destruction of NMOC or total NMOC emissions

VOC

Sulfur oxides as sulfur dioxide

Nitrogen oxides as nitrogen dioxide

Carbon monoxide

HAPs (listed in the policy)

The initial performance test shall be conducted no later than 180 days after the venting of the first completed cell of the expansion. After this initial test, the permittee shall retest the flare for NMOC destruction once every 2 years. The permittee may sample the gas entering the flare system for the HAPs listed in the policy before the source test. The source test may be limited to only those HAPs found in the pretesting sampling.

12. The permittee shall conduct a Method 25C NMOC concentration test during each performance test previously noted.

13. At least 60 days prior to each test, the permittee shall submit to the Department for approval, the procedures for the test and a sketch with dimensions indicating the location of the sampling ports and other data to ensure the collection of representative samples.

14. At least 30 days prior to each source test, the Regional Air Quality Program Manager shall be informed of the date and time of the test.

15. Within 30 days after each source test, three copies of the complete test report, including all operating conditions, shall be submitted to the Regional Air Quality Program Manager for approval.

16. The permittee shall determine the average temperature of the combustion gases exiting the permanent flare during each NMOC destruction test. This temperature shall be maintained during the operation of the permanent flare in accordance with 40 CFR 60.758(c)(1)(i).

17. The permittee shall install and maintain a temperature measuring and recording device on the permanent flare that shows the temperature of the gases exiting the combustion chamber or zone. This device shall meet the standards of 40 CFR 60.756(b)(1).

18. All permanent well heads and any other vented source shall be air tight and be equipped so that at the request of the Department the pressure differential between the vent and the atmosphere can be measured. The well heads shall be equipped with a sampling port and thermometer.

19. At a minimum, the permittee shall conduct leak checks on each permanent well head and vent once per month. The gas pump, permanent flare and associated equipment shall be leak checked daily. No leaks shall exceed 500 ppmv as propane or 1,365 ppmv as methane at a distance of 0.5 inch.

20. The permittee shall operate the landfill so that the surface methane concentration is less than 500 ppmv as methane above background, around the perimeter of the permanent collection area, points where objects pass through the landfill cap and along the serpentine pattern spaced 30 meters apart across the permanent collection area as per 40 CFR 60.763(d), Subpart WWW or alternate as approved by the Department.

21. The permittee shall submit to the Department within 90 days after the installation of each section of the permanent collection system a surface monitoring design plan. This monitoring plan shall conform to 40 CFR 60.753(d).

22. The permittee shall operate the vertical wells and horizontal trenches in accordance with 40 CFR 60.753.

23. The permittee shall conduct monitoring of the permanent wellheads monthly for temperature and either nitrogen or oxygen content, in accordance with 40 CFR 60.756(a).

24. The permittee shall maintain records as required by 40 CFR Part 60, Subject WWW and 40 CFR Part 61, Subpart M. In addition, the permittee shall maintain the following records:

Monthly emissions of NMOC

12-month rolling total of NMOC emissions

Monthly emissions of VOC

12-month rolling total of VOC emissions

Monthly emissions of HAPs

12-month rolling total of HAP emissions

Amount of landfill area capped (12-month rolling total)

Amount of landfill area at final grade, but uncapped (12-month rolling total)

Amount of landfill area in active disposal (12-month rolling total)

25. Within 90 days, the permittee shall submit a plan explaining how the emissions from the landfill will be calculated and maintained for the Department's approval.

26. The operation of the permanent flare shall not result in visible emissions.

27. The operation of the source shall not result in malodors detectable outside the property of the facility.

28. The landfill is subject to 40 CFR Subpart WWW of the Standards of Performance for New Stationary Sources and shall comply with all applicable requirements of this subpart. 40 CFR 60.4 requires submission of copies of all requests, reports, applications, submittals and other communications to both the EPA and the Department. The landfill is also subject to Subpart M of the National Standards for Hazardous Air Pollutants and shall comply with all applicable requirements of this Subpart. 40 CFR 61.04 requires submission of copies of all requests, reports, applications, submittals and other communications to both the EPA and the Department. The EPA copies shall be forwarded to Director, Air Protection Division, EPA, Region III (3AP00), 1650 Arch Street, Philadelphia, PA 19103-2029.

29. Records required under this approval and 40 CFR Part 60, Subpart WWW shall be kept for a period of 5 years and shall be made available to the Department upon its request.

30. The permittee shall comply with 40 CFR 61.154 when disposing of asbestos containing materials.

31. This approval authorizes temporary operation of the source, temporary flares and permanent flares provided the following conditions are met:

a. The Department must receive the written notices as found in Condition 7.

b. Operation is authorized only to facilitate the start-up and shakedown the permanent flare, to conduct the required testing, to permit operations pending the issuance of an operating permit and to permit the evaluation of the source for compliance with all applicable regulations and requirements.

c. This condition authorizes temporary operation of the source for a period of 180 days from the date of commencement of operation, provided the Department receives notice from the permittee.

d. The permittee shall request an extension if compliance with all applicable regulations and approval requirements has not been established during the authorized temporary operation. The extension request shall be submitted in writing at least 15 days prior to the end of this period of temporary operation.

An appointment to review the pertinent documents at the Reading District Office may be scheduled by contacting Donna Good at (610) 916-0100 between 8:30 a.m. and 3:30 p.m., Monday through Friday, except holidays.

Persons needing additional information should contact Roger Fitterling, Department of Environmental Protection, 1005 Cross Roads Blvd., Reading, PA 19605, (610) 916-0100. Written comments should be mailed to Air Quality Program at the previous address during the 30-day comment period following the publication of this notice.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.*

**60-310-006A: Eastern Industries, Inc.** (P. O. Box 177, Winfield, PA 17889) for the construction of a new stone crushing operation consisting of various pieces of equipment, such as stone crushing, screening, conveying, and the like, at their existing Lewisburg Quarry in Buffalo

Township, **Union County**. The fugitive dust emissions from this equipment will be controlled by water spray dust suppression systems. The resultant emissions to the atmosphere will be up to 15.8 tons per year.

The Department has determined that the proposed stone crushing operation will comply with all applicable regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the fugitive air contaminant emission requirements of 25 Pa. Code § 123.1 and the requirements of 40 CFR 60.670—60.676, Subpart OOO of the Federal Standards of Performance for New Stationary Sources. The Department consequently intends to issue plan approval for the construction of the respective operation.

The Department intends to place conditions in the plan approval to be issued to assure compliance with all applicable air quality regulatory requirements. The following is a summary of these conditions:

1. The fugitive particulate matter emissions from the operation of the stone crushing operation shall be controlled by two water spray dust suppression systems which shall, at a minimum, incorporate the spray nozzles identified in the plan approval application. Each system shall incorporate the use of a strainer to prevent the water spray nozzles from clogging.

2. If at any time it is determined that the air contaminant emissions from the stone crushing, screening or conveying equipment is in excess of any applicable air contaminant emission limitation, the company shall install additional water spray dust suppression nozzles and/or take other control measures as are necessary to reduce the air contaminant emissions to within the applicable limitations.

3. The stone crushing operation shall not be operated at any time that the associated water spray dust suppression systems cannot be operated due to freezing weather or any other reason.

4. The air contaminant emissions from the equipment shall comply with the applicable requirements specified in 40 CFR 60.670—60.676.

5. This plan approval does not authorize the construction of any engines, generators or engine/generator sets.

6. The company shall have onsite an operable water truck equipped with a pressurized spray bar to be used, as needed, for the prevention and control of fugitive air contaminant emissions from roadways, stock piles, truck loading activities and the like.

7. Any of the respective equipment can be replaced without obtaining plan approval provided that the replacement equipment is of equal or smaller size and is of equivalent design and function as defined in 40 CFR 60.670—60.676.

**08-302-042A: Oak Hill Veneer, Inc.** (P. O. Box 304, Route 14 North, Troy, PA 16947) for the construction of a 14.7 million Btu per hour natural gas-fired boiler at their facility located in Troy Township, **Bradford County**. Oak Hill Veneer is a minor facility.

The information provided by the applicant, as well as the Department's own analysis, indicates that the boiler will have the potential to emit 1.76 tons of nitrogen oxides per year, as well as an insignificant amount of carbon monoxide, VOCs, particulate matter and oxides of sulfur.

A preliminary review of the information submitted by the applicant indicates that the proposed boiler will meet all applicable air quality requirements including the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to approve the application and issue a plan approval.

To ensure compliance with all applicable standards, the Department proposes to place the following requirements in the respective plan approval.

- The NO<sub>x</sub> concentration of the exhaust from the boiler shall never exceed 85 ppm, corrected to 3% O<sub>2</sub>.
- The boiler shall not be operated more than 3,000 hours per 12 consecutive month period.
- The boiler shall only be fired on natural gas.
- The boiler shall be equipped with instrumentation to monitor the number of hours the boiler is operated.
- The company shall maintain comprehensive and accurate records of the number of hours the boiler operates each month.
- The boiler shall comply with all applicable requirements of Subpart Dc of the Federal Standards of Performance for New Stationary Sources, 40 CFR 60.40c—60.48c.

**14-313-039A: RUTGERS Organics Corporation** (201 Struble Road, State College, PA 16801) for the modification of an existing chemical process facility consisting of an increase in the allowable annual production of Product 9001 in College Township, **Centre County**.

After the proposed modification, the operation of the chemical process facility will result in VOC and HAP emissions of 0.087 and 0.028 ton per year, respectively. The proposed modification is expected to result in only minimal increases of VOC and HAP emissions in addition to those presently occurring.

The following is a summary of the conditions the Department proposes to place in the plan approval to ensure compliance with all applicable air quality regulatory requirements:

1. The Heil #732.5 packed bed scrubber identified as S0101 shall utilize a minimum 6% caustic soda solution as the scrubbing solution. The solution shall be recirculated through the scrubber at a rate of not less than 25 gallons per minute. Additionally, a fresh batch of scrubbing solution shall be prepared for each batch of Product 9001 produced.
2. The Heil #732.5 packed bed scrubber identified as S0102 shall utilize a 10% sodium hydroxide solution as the scrubbing solution. The solution shall be recirculated through the scrubber at a rate of not less than 15 gallons per minute. Additionally, the company shall sample the scrubbing solution after each batch of Product 9001 to ensure that the solution's sodium hydroxide concentration will be greater than or equal to 10% for the next batch run.
3. All glycol-cooled condensers shall be supplied with glycol coolant having a temperature no greater than -1.1°C. The 67 square foot condenser associated with vessel K0111 shall be supplied with tempered oil coolant having a temperature no greater than 75°C. The 60 square foot condenser associated with K0143 shall be supplied with thermal oil coolant having a temperature no greater than 10°C. The 100 square foot condenser associated with the dryer in Stage 2 shall be supplied with glycol coolant having a temperature no greater than

7°C. Additionally, all glycol feed lines shall be equipped with a temperature monitor that will accurately monitor the glycol feed temperature.

4. Under no circumstances shall any of the air cleaning devices be used for the simultaneous control of air contaminant emissions from this process and any other process at the facility.

5. The production rate of Product 9001 shall never exceed 275,000 pounds in any 12 consecutive month period unless prior written Department approval has first been obtained.

**17-305-042B: DTE River Hill, LLC—Owner** (P. O. Box 8614, 425 Main Street, Suite 201, Ann Arbor, MI 48107) and **Covol Fuels, Division of Headwaters, Inc.—Operator** (11778 South Election Drive, Suite 210, Draper, UT 84020) for the modification of a coal fines agglomeration facility located in Karthus Township, **Clearfield County**, to increase the production of agglomerated fuel product from 613,000 tons per year to 1.752 million tons per year, as well as for the installation of a cartridge collector to control the particulate matter emissions from two pellet mills. The coal fines agglomeration plant is a minor facility.

The information provided by the applicant, as well as the Department's own analysis, indicates that the throughput modification and the cartridge collector installation will result in an insignificant increase in the emission of particulate matter.

A preliminary review of the information submitted by the applicant indicates that the proposed modification and installation will meet all applicable air quality requirements including the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to approve the application and issue a plan approval.

To ensure compliance with all applicable standards, the Department proposes to place the following requirements in the respective plan approval.

- The coal fines agglomeration facility shall not produce more than 1.752 million tons of synthetic fuel per year.
- The dryer shall not be operated more than 5,840 hours per year.
- The dryer shall not operate in excess of 100 tons per hour.
- The dryer shall not produce more than 584,000 tons of product per year.
- The particulate matter concentration of the cartridge collector's exhaust shall not exceed 0.01 grain per dry standard cubic foot.
- The cartridge collector shall be operated any time that either one, or both, of the pellet mills are operated.
- The cartridge collector shall be equipped with instrumentation to continuously monitor the differential pressure across the collector.
- The air compressor associated with the cartridge collector shall be equipped with an air dryer and an oil trap.
- Recordkeeping conditions to track product throughput and operating hours.

---

**OPERATING PERMITS**


---

**Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**


---

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.*

**01-05003: Columbia Gas Transmission Corp.** (1700 MacCorkle Avenue S. E., Charleston, WV 25325-1273) for a Title V Operating Permit Renewal to operate a natural gas compressor station at its Gettysburg Compressor Station located in Straban Township, **Adams County**. The facility's major sources of emissions include four gas turbine driven compressors and an engine-generator that primarily emit NOx. The Title V operating permit contains monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

**05-05007: Texas Eastern Transmission, LP** (P. O. Box 1642, Houston, TX 77251-1642) for a Title V Operating Permit Renewal to operate a natural gas compressor station at its Bedford Compressor Station in Bedford Township, **Bedford County**. The facility's major sources of emissions include the engine driven compressors and generators that primarily emit NOx. The Title V operating permit contains monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

**21-05029: Sunoco Partners Marketing and Terminals, LP (formerly Atlantic Refining and Marketing Corp.)** (1801 Market Street, Philadelphia, PA 19103-1699) for a Title V Operating Permit Renewal to a petroleum product storage and loading terminal at its Mechanicsburg Terminal in Hampden Township, **Cumberland County**. The facility's major sources of emissions include a loading rack and gasoline tanks that primarily emit VOCs. The Title V operating permit contains monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.*

**20-00035: Molded Fiber Glass Companies—Tray Co.** (6175 US Highway 6, Linesville, PA 16424) for a Title V Operating Permit Renewal to operate a Reinforced Plastic Manufacturing Facility in Linesville Borough, **Crawford County**.

---

**Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**


---

*Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Edward Brown, Facilities Permitting Chief, (610) 832-6242.*

**23-00072: Action Supply Co., Inc.** (Calcon Hook Road, Sharon Hill, PA 19079) for manufacturer of ready-made concrete at their facility in Darby Township, **Delaware County**. The concrete manufactured is used in the three plants the company operates. The potential combined uncontrolled emissions from the three concrete plants are 70.2 tons of particulate matter per year. Baghouses are used to control emissions from the silos of each plant. The facility also operates a 5 million Btu per

hour boiler that has the potential to emit 2.086 tons of nitrogen oxides per year. Monitoring, recordkeeping and reporting requirements have been added to the permit to address applicable limitations.

**09-00108: Bucks County Water and Sewer Authority** (Route 13 and Haunted Lane, Bensalem, PA 19020) for operation of an odor control scrubber in Bensalem, **Bucks County**. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.*

**08-399-047B: OSRAM SYLVANIA Products, Inc.** (Hawes Street, Towanda, PA 18848-0504) for the operation of four EL phosphor chemical vapor deposition (CVD) fluid bed coating reactors (ANE process) in North Towanda Township, **Bradford County**.

The four CVD coating reactors are used to coat phosphors with silicon nitride. The resultant emissions of ammonia, dimethylamine (a VOC) and nitrogen oxides are controlled by a catalytic oxidizer and a selective catalytic reduction system operating in series. Stack testing has demonstrated ammonia, dimethylamine and nitrogen oxides emission rates of .0015, .032 and .59 pound per hour respectively.

The Department has determined that the four CVD coating reactors have been constructed and are operating in accordance with all conditions of Plan Approvals 8-399-047, 8-399-047A and 8-399-047B as well as in compliance with all applicable regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12. The Department consequently intends to issue an operating permit for the operation of the respective coating reactors.

The following is a summary of the conditions the Department proposes to place in the operating permit to be issued to ensure compliance with all applicable requirements:

1. The air contaminants from the four CVD coating reactors shall be controlled by a catalytic oxidizer and a selective catalytic reduction system operating in series.
2. The air contaminant emission capture system associated with the four CVD coating reactors shall provide 100% capture of all air contaminants emitted from the reactors.
3. The amount of dimethylamine emitted from the selective catalytic reduction system shall not be greater than 1.3% (on a mass basis) of the amount of dimethylamine present in the inlet to the catalytic oxidizer.
4. The amount of ammonia emitted from the selective catalytic reduction system shall not be greater than 1% (on a mass basis) of the amount of ammonia present in the inlet to the catalytic oxidizer nor shall the ammonia concentration in the exhaust of the selective catalytic reduction system ever exceed 50 parts per million (volume basis).
5. The nitrogen oxides emission rate from the selective catalytic reduction system shall not exceed 1.55 pounds per hour.

6. The exhaust gases from the CVD coating reactors shall be maintained at a temperature of at least 600°F prior to coming in contact with the catalyst bed in the catalytic oxidizer. Additionally, should the temperature drop below 600°F, the reactant feed to the CVD coating reactors shall automatically cease and an alarm shall sound.

7. The catalytic oxidizer shall be equipped with a continuous catalyst bed inlet and outlet temperature monitoring and recording system and a UV flame scanner. All temperature records shall be retained for at least 5 years and shall be made available upon request.

8. The selective catalytic reduction system shall be equipped with a nitrogen oxides analyzer, which shall be used to control the ammonia injection rate, as well as with catalyst bed inlet and outlet low and high temperature alarms and a catalyst bed high nitrogen oxides concentration alarm.

9. None of the conditions contained in this operating permit shall apply whenever the four CVD coating reactors are being used to coat phosphors using the CJ process.

### **MINING ACTIVITY APPLICATIONS**

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District Mining Office indicated before each application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the previous, more restrictive effluent limita-

tions, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the previously-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor, application number, a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

#### *Coal Applications Received*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.*

**49970202R. Susquehanna Coal Company** (P. O. Box 27, Nanticoke, PA 18634), renewal of an existing anthracite coal refuse reprocessing operation in Mt. Carmel Township, **Northumberland County** affecting 808.0 acres. Receiving stream: none. Application received May 31, 2002.

**54920202R. Dizenzo Coal Company** (1389 Bunting Street, Pottsville, PA 17901), renewal of an existing anthracite coal refuse reprocessing operation in Branch Township, **Schuylkill County**, affecting 18.9 acres. Receiving stream: Carp Creek. Application received May 31, 2002.

**54860207R3. South Tamaqua Coal Pockets, Inc.** (804 West Penn Pike, Tamaqua, PA 18252), renewal existing coal refuse reprocessing and refuse disposal operation in West Penn Township, **Schuylkill County**, affecting 65.0 acres. Receiving stream: none. Application received June 11, 2002.

*Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.*

**26020103 and NPDES Permit No. PA0250163. Stash Mining Co.** (P. O. Box 20, Waltersburg, PA 15488). Application for commencement, operation and reclamation of a bituminous surface mine located in Menallen Township, **Fayette County**, affecting 27.7 acres. Receiving stream: Redstone Creek to Monongahela River, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received June 7, 2002.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.*

**11020102 and NPDES Permit No. PA0249220. Bell Resources, Inc.**, R. R. 2, Box 281, Curwensville, PA 16833-9101, commencement, operation and restoration for a bituminous surface and auger mine and for discharge of treated mine drainage in Reade Township, **Cambria County**, affecting 78.2 acres. Receiving streams: unnamed tributaries to Muddy Run and Muddy Run classified for the following uses: CWF. There are no potable

water supply intakes within 10 miles downstream. Application received June 6, 2002.

**11840112 and NPDES Permit No. PA0607380. C & K Coal Company**, P. O. Box 69, Clarion, PA 16214, permit renewal for reclamation only and for continued restoration of a bituminous surface mine in Reade Township, **Cambria County**, affecting 143.0 acres. Receiving streams: Muddy Run to Clearfield Creek to West Branch of the Susquehanna classified for the following uses: WWF. There are no potable water supply intakes within 10 miles downstream. Application received June 7, 2002.

*McMurray District Mining Office: 3913 Washington Road, McMurray, PA 15317, (724) 941-7100.*

**11850701. NPDES Permit #PA0214980, Fuel Recovery, Inc.** (2591 Wexford-Bayne Rd., Suite 204, Sewickley, PA 15143), to transfer the permit for the Sonman Refuse in Portage Township, **Cambria County** to transfer from Cooney Bros. Coal Co., Surface Acres Proposed N/A, Underground Acres Proposed N/A, SCP Acres Proposed N/A, CRDP Support Acres Proposed N/A, CRDP Refuse Disposal Acres Proposed N/A, no additional discharges, classified for the following uses: N/A. The first downstream potable water supply intake from the point of discharge is N/A. Application received April 8, 2002.

**56831602. NPDES Permit #PA0214469, Reitz Coal Co.** (509 15th St., Windber, PA 15963), to renew the permit for the Reitz #4 Prep Plant in Shade Township, **Somerset County**, renewal, Surface Acres Proposed N/A, Underground Acres Proposed N/A, SCP Acres Proposed N/A, CRDP Support Acres Proposed N/A, CRDP Refuse Disposal Acres Proposed N/A, no additional discharges, classified for the following uses: N/A. The first downstream potable water supply intake from the point of discharge is N/A. Application received May 10, 2002.

**32021301. NPDES Permit # N/A, TJS Mining, Inc.** (R. D. 1, Box 260D, Shelocta, PA 15774), to operate the Rossmoyne No. 1 Mine in South Mahoning Township, **Indiana County**, operate mine, Surface Acres Proposed 25.5, Underground Acres Proposed 1262.0, SCP Acres Proposed 1171.0, CRDP Support Acres Proposed N/A, CRDP Refuse Disposal Acres Proposed N/A, unnamed tributary to Ross Run, classified for the following uses: HQ—CWF. The first downstream potable water supply intake from the point of discharge is N/A. Application received May 13, 2002.

**56841328. NPDES Permit #PA0033677, BethEnergy Mines, Inc.** (P. O. Box 29, Ebensburg, PA 15931), to renew the permit for the Windber Mine #78 in Paint Township, **Somerset County**, renewal, Surface Acres Proposed N/A, Underground Acres Proposed N/A, SCP Acres Proposed N/A, CRDP Support Acres Proposed N/A, CRDP Refuse Disposal Acres Proposed N/A, no additional discharges, classified for the following uses: N/A. The first downstream potable water supply intake from the point of discharge is N/A. Application received June 5, 2002.

#### *Noncoal Applications Received*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.*

**38870301T4 and NPDES Permit #PA0595543. Pennsy Supply, Inc.** (1001 Paxton Street, P. O. Box 3331, Harrisburg, PA 17105), transfer of an existing quarry operation from Pennsylvania Lime, Inc., in Annville, N. Annville, S. Annville and N. Londonderry Town-

ships, **Lebanon County**, affecting 948.1 acres, receiving streams: Killinger Creek. Application received June 10, 2002.

*Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.*

**37990304. G. L. McKnight, Inc.** (P. O. Box 773, Slippery Rock, PA 16057). Revision to an existing sand and gravel operation in Plain Grove Township, **Lawrence County**, affecting 45.0 acres. Receiving stream: Jamison Run, classified for the following uses: Statewide water uses: CWF. No public water supplies are within 10 miles downstream of this proposed operation. Revision to include 1 acre of mining area to the permit. Application received June 12, 2002.

**2170-37990304-E-3. G. L. McKnight, Inc.** (P. O. Box 773, Slippery Rock, PA 16057). Application for a stream encroachment to recover sand and gravel within the 100 foot stream barrier of unnamed tributary to Jamison Run No. 1 in Plain Grove Township, **Lawrence County**, affecting 45.0 acres. Receiving stream: Jamison Run, classified for the following uses: Statewide water uses: CWF. No public water supplies are within 10 miles downstream of this proposed operation. Revision to include 1 acre of mining area to the permit. Application received June 12, 2002.

**2170-37990304-E-4. G. L. McKnight, Inc.** (P. O. Box 773, Slippery Rock, PA 16057). Application for a stream encroachment to recover sand and gravel within the 100 foot stream barrier of Jamison Run in Plain Grove Township, **Lawrence County**, affecting 45.0 acres. Receiving stream: Jamison Run, classified for the following uses: Statewide water uses: CWF. No public water supplies are within 10 miles downstream of this proposed operation. Revision to include 1 acre of mining area to the permit. Application received June 12, 2002.

### **FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401**

The following permit applications and requests for Environmental Assessment approval and requests for Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)), requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Initial requests for 401 Water Quality Certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, draw-

ings and other data pertinent to the certification request are available for inspection between the hours of 8 a.m. and 4 p.m. on each working day at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).**

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

*Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**E09-840. Doylestown Borough**, 57 West Court Street, Doylestown, PA, 18901-4260, Doylestown Borough, **Bucks County**, ACOE Philadelphia District. To perform the following activities in and along Cooks Run (WWF-MF) associated with the proposed Veterans Lane Reconstruction Project:

1) To regrade along a 565-foot reach of the 100-year floodplain immediately upstream of an existing culvert crossing for the purposes of reducing flooding. This work also includes construction and maintenance of various stormwater outfall structures.

2) To regrade along a 200-foot reach of the 100-year floodplain associated with the construction of a right hand turn lane onto Broad Street.

3) To construct and maintain two stormwater outfall channels and associated structures along the north bank and the south bank immediately upstream of the proposed pedestrian bridge previously authorized by GP070901338.

The site is located approximately 1,500 feet northwest of the intersection of Main Street and Veterans Lane (Doylestown, PA USGS Quadrangle N: 1.4 inches; W: 12.8 inches).

**E46-916. Alice A. Dalasio**, 271 Riverview Road, King of Prussia, PA 19406, West Norriton Township, **Montgomery County**, ACOE Philadelphia District.

To replace and maintain approximately 40 feet of riverfront retaining wall and approximately 110 feet of ramp sidewalls along the Schuylkill River (WWF-MF). The proposed structure will replace a similar structure that was damaged as a result of Hurricane Floyd. The damaged walls were subsequently removed. The project site is located 1,000 feet east of the intersection of Hillside Drive and Mystic Lane (Valley Forge, PA Quadrangle N: 20.5 inches; W: 4.4 inches).

**E23-422. Columbia Gas Transmission Corporation**, P. O. Box 1273, 1700 MacCorkle Avenue, Charleston, WV 25325-1273, Bethel, Concord and Chadds Ford Townships, **Delaware County**, ACOE Philadelphia District.

To construct and maintain 5.10 miles of 20-inch diameter gas pipeline crossing streams and wetlands of the Ridley Creek Watershed at 16 different locations. The site begins near Heyburn Road and extends to its terminus at Laurel Pipe Line Company's Buckeye Tank Farm

(Wilmington North, PA and Marcus Hook, PA USGS Quadrangle, beginning N: 22.1 inches; W: 9.4 inches, ending N: 17.0 inches; W: 9.4 inches). This project is a part of Delaware Valley Energy Expansion Project, which extends through Delaware and Chester Counties.

**E15-687. Columbia Gas Transmission Corporation**, P. O. Box 1273, 1700 MacCorkle Avenue, Charleston, WV 25325-1273, East Brandywine, Uwchlan, Upper Uwchlan, Caln, West Bradford and West Vincent Townships, **Chester County**, ACOE Philadelphia District.

To construct and maintain approximately 9.14 miles of 24-inch diameter gas pipeline crossing streams and wetlands of the Pickering, Brandywine and the White Clay watersheds at 37 locations. The site begins at Columbia's Downingtown Compressor Station and extends to its terminus at Columbia's Eagle Compressor Station (Unionville, Downingtown, PA USGS Quadrangle, beginning N: 19.5 inches; W: 17.7 inches; ending N: 17.7 inches; W: 8.6 inches). This project is a part of Delaware Valley Energy Expansion Project, which extends through Delaware and Chester Counties.

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**E40-603. Pennsylvania Department of Transportation, Engineering District 4-0**, P. O. Box 111, Scranton, PA 18501, in Dupont Borough, **Luzerne County**, U. S. Army Corps of Engineers, Baltimore District.

To remove the existing structure and to construct and maintain a stream enclosure of Mill Creek (CWF), consisting of approximately 190 linear feet of 14.0-foot by 8.0-foot reinforced concrete box culvert. A precast concrete U-channel transition section will be constructed, extending approximately 50 feet upstream of the proposed structure. Flow will be diverted around a section of channel, approximately 280 feet in length, during construction, utilizing a temporary 48-inch CMP culvert. The project is located along SR 2035, Section 371, Segment 0220, Offset 1694 (Bear Creek Road), immediately upstream of SR 0315 northbound (Chestnut Street) (Avoca, PA Quadrangle N: 12.5 inches; W: 17.1 inches).

**E40-602. William J. and Denise M. Karlotski**, 124 Pavlick Road, Hunlock Creek, PA 18621, in Harveys Lake Borough, **Luzerne County**, U. S. Army Corps of Engineers, Baltimore District.

To modify and maintain an existing boathouse and dock in Harveys Lake, with work including the addition of a 30-foot by 4-foot area of dock, supported on existing piers, to connect the existing boathouse and dock. The existing and proposed structure extends a maximum distance of approximately 41 feet from the shoreline. The project is located at Pole No. 8, along Lakeside Drive (Harveys Lake, PA Quadrangle N: 19.0 inches; W: 4.5 inches).

**E45-429. William Koller**, 27 Roanoke Road, Bridgewater, NJ 08807, in Middle Smithfield Township, **Monroe County**, U. S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a private road crossing through a de minimis area of wetlands equal to 0.03 acre consisting of clean rock fill having approximate dimensions of 135 feet by 10 feet with three 8-inch diameter cross drain pipes to provide access to a proposed single family dwelling. The project is located in Country Woods Estates Subdivision, Lot 25, Section 2, approximately 1,200 feet east of the intersection of T630 (Coolbaugh Drive) and Stony Brook Road (Bushkill, PA Quadrangle N: 14.7 inches; W: 16.0 inches).

**E45-430. Pocono Stroudsburg Airport, Inc.,** R. R. 2, Box 2115, East Stroudsburg, PA 18301, in Smithfield Township, **Monroe County**, U. S. Army Corps of Engineers, Philadelphia District.

To place fill in a de minimis area of PFO wetlands equal to 0.05 acre for the purpose of widening an existing driveway to serve two buildings for a business known as Kal's Insulation. The project is located on the east side of Airport Road, approximately 0.4 mile north of BR 0209 (East Stroudsburg, PA Quadrangle N: 6.4 inches; W: 3.8 inches).

**E39-413. Lehigh County,** 17 South Seventh Street, Room 522, Allentown, PA 18101-2400, in South Whitehall Township, **Lehigh County**, U. S. Army Corps of Engineers, Philadelphia District.

To repair and maintain a three-span covered wooden bridge, having a center span of 48 feet and spans of 36 feet and an underclearance of approximately 11 feet across Jordan Creek (TSF). Repairs consist of the replacement of the deck and four stringers. The project is located on Wehrs Road, approximately 0.2 mile southeast of its intersection with Parkland Road (SR 4003) (Cementon, PA Quadrangle N: 0.6 inch; W: 9.7 inches).

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**E05-304. Art Riexinger,** 690 Steinman Court, Lancaster, PA 17603 in Broad Top Township, **Bedford County**, ACOE Baltimore District

To construct and maintain a bridge having a span of 32 feet and an underclearance of 6 feet across the channel of Sherman Valley Run (CWF) at a point approximately 14,500 feet downstream of Route 915 (Wells Tannery, PA Quadrangle N: 16.6 inches; W: 16.8 inches) in Broad Top Township, Bedford County.

**E34-106. Tim McGovern, Lamar Advertising Company,** 308 S. 10th Street, Lemoyne, PA 17043 in Delaware Township, **Juniata County**, ACOE Baltimore District.

To place fill in 0.44 acre of palustrine forested/scrubshrub wetlands adjacent to the Juniata River (WWF) at a point along SR 3002 for the purpose of construction two billboards (Millerstown, PA Quadrangle N: 11.5 inches; W: 8.5 inches) in Delaware Township, Juniata County.

**E36-737. Nevin Hiestand,** 1299 South Market Street, Elizabethtown, PA 17022 in Mt. Joy Township, **Lancaster County**, ACOE Baltimore District.

To place fill within 0.148 acre of wetlands tributary to Canoy Creek (TSF) to facilitate expansion of the Heistand Commercial subdivision at a point 200 feet northwest of the intersection of Harrisburg Pike (SR 230) and Anchor Road (Elizabethtown, PA Quadrangle N: 2.7 inches; W: 12.0 inches) in Mt. Joy Township, Lancaster County. The permittee has met the wetland replacement requirement by participating in the Pennsylvania Wetland Replacement Project.

*Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.*

**E08-394. Pennsylvania Department of Transportation,** P. O. Box 218, Montoursville, PA 17754-0218. Concrete Box Culvert, in Springfield Township, **Bradford County**, ACOE Baltimore District (Troy, PA Quadrangle N: 15.75 inches; W: 3.30 inches).

To remove the existing 21 foot by 5.83 foot reinforced concrete slab with a normal clean span of 17.5 feet and a

design underclearance of 5.83 feet over Braces Run (TSF) and to construct and maintain an 18 foot by 7 foot precast reinforced concrete box culvert on a 75° skew depressed 1 foot below streambed, with a curb-to-curb width of 32 feet and a waterway opening of 18 feet by 6 feet on SR 4014, Section 016 about 2 miles east of Columbia Cross Roads. The project will not impact wetlands while impacting approximately 70 feet of waterway.

**E14-423. Philipsburg Borough,** P. O. Box 631, Philipsburg, PA 16866-0631. Cold stream footbridge, in Philipsburg Borough, **Centre County**, ACOE Baltimore District (Philipsburg, PA Quadrangle N: 3.5 inches; W: 11.1 inches).

To construct and maintain a 4-foot wide by 60-foot long steel beam/wood deck pedestrian bridge with its associated concrete abutments across Cold Stream for a recreational trail located 2,000 feet upstream of the Cold Stream Dam spillway. The project proposes to permanently impact 4 linear feet of the Cold Stream that is classified as HQ-CWF.

**E59-432. Pennsylvania Department of Transportation, Engineering District 3-0,** 715 Jordan Avenue, P. O. Box 218, Montoursville, PA 17754. SR 6015, Section 20A, in Tioga Township, **Tioga County**, ACOE Baltimore District (Jackson Summit, PA Quadrangle N: 8.3 inches; W: .8 inch).

The permit application proposes to construct a limited access four lane divided highway between the T-667 overpass and SR 0287. This project proposes to impact Bentley Creek with 242 linear feet of stream bank stabilization and 330 linear feet for a culvert enclosure. The application also proposes to impact two unnamed tributaries to Bentley Creek (CWF) with a 210 linear foot enclosure and a 270 linear foot enclosure. Additional impacts are proposed to 38 wetlands with a total impact of 2 acres.

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E02-1379. Franklin Park Properties, LLC,** 25 Crestview Hills Mall Road, Suite 103, Crestview Hills, KY 41017. Franklin Park Borough, **Allegheny County**, ACOE Pittsburgh District.

To place and maintain fill in approximately 0.261 acre of wetlands associated with unnamed tributaries to Fish Run (CWF) and to relocate and maintain approximately 30 feet of the channel of an unnamed tributary to Fish Run (CWF) for the purpose of constructing the Settlers Walk Plan of Lots. The project is located just northeast from the intersection of SR 0079 and Rochester Road (Emsworth, PA Quadrangle N: 16.5 inches; W: 12.6 inches).

**E56-316. Cambria Somerset Authority,** 244 Walnut Street, Johnstown, PA 15901. Richland, Paint and Stony Creek Townships, Ferndale Borough, City of Johnstown, **Cambria County** and Conemaugh Township, **Somerset County**, ACOE Pittsburgh District.

To rehabilitate, operate and maintain a 7 mile long 36-inch water pipeline along and across Stony Creek (WWF) including stream bank stabilization and associated temporary stream crossings. The pipeline crosses Stony Creek at eight locations. The total length of pipeline crossings is 2,685 feet. The project is located off of Carpenter Park Road (starts: Hooversville, PA Quadrangle N: 20.7 inches; W: 2.4 inches; ends: Johnstown, PA Quadrangle N: 13.9 inches; W: 5.6 inches).

**E56-317. Wal Mart Stores, Inc.**, 2001 South East 10th Street, Bentonville, AR 72716-0550. Somerset Township, **Somerset County**, ACOE Pittsburgh District.

To place and maintain fill in 0.01 acre of wetlands and to enclose and maintain approximately 197 feet of an unnamed tributary to East Branch Coxes Creek for the purpose of constructing a parking lot associated with a proposed Wal Mart Supercenter Store. The project is located on the east side of SR 0601, approximately 2.5 miles north of its intersection with I-76 (Somerset, PA Quadrangle N: 9.7 inches; W: 10.1 inches).

**E65-804. Borough of Scottdale, Borough of Scottdale Municipal Building**, 10 Mount Pleasant Road, Scottdale, PA 15683. Borough of Scottdale, **Westmoreland County**, ACOE Pittsburgh District.

To improve and maintain existing recreational facilities including tennis, handball and basketball courts and playground areas and their associated stormwater drainage systems located along Jacobs Creek (WWF) in Garfield Park (Connellsville, PA Quadrangle N: 17.4 inches; W: 12.5 inches).

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**E24-225. Steven W. Kronenwetter**, R. R. 1, Box 84K, SR 555, Weedville, PA 15868. Wapiti Woods Driveway Construction, in Benezette Township, **Elk County**, ACOE Baltimore District (Weedville, PA Quadrangle N: 5.6 inches; W: 5.8 inches).

To construct and maintain a minor road crossing over a de minimis wetland and unnamed tributary having less than 100 acres of drainage and to construct and maintain a 12-foot wide driveway of which approximately 300 feet of the driveway will be constructed within 50 feet of the top of the bank of the Bennett Branch of Sinnemahoning Creek (CWF). The driveway will consist of approximately 0.5 foot of limestone gravel over 1 foot of sandstone. The driveway will be used to develop a rental cabin business on the property. The project is located adjacent to the south side of SR 555 approximately 1 mile southwest of the intersection of SR 555 and SR 2004.

**E25-646. Millcreek Township**, 3608 West 26th Street, Erie, PA 16508-2037. Channel cleaning of unnamed tributary to Marshall Run, in Millcreek Township, **Erie County**, ACOE Pittsburgh District (Swanville, PA Quadrangle N: 15.3 inches; W: 4.5 inches).

Excavate debris and sediment from 1,600 feet of an unnamed tributary to Marshall Run starting west of Powell Avenue and extending downstream to the culvert under the existing tracks just east of Caught Road to reduce flooding.

**E25-652. James Shaffer**, 9771 Old Route 99, McKean, PA, 16426. Lamson Run Bridge, in McKean Township, **Erie County**, ACOE Pittsburgh District (Edinboro North, PA Quadrangle N: 17.0 inches; W: 2.3 inches).

To construct and maintain a bridge across Lamson Run (CWF; MF) in support of the construction of private access driveway and single family residence. The bridge will consist of concrete abutments and a single span steel stringer structure having a clear span of 40 feet and an underclearance of 7 feet. The bridge will be located adjacent to the west side of Old Edinboro Road, approximately 200 feet north of the intersection of Old Edinboro Road and Golden Road.

**E25-653. Venango Township Supervisors**, 9141 Downhill Road, Wattsburg, PA, 16442. Weeks Valley Road

(Township Road T-774) Bridge in Venango Township, **Erie County**, ACOE Pittsburgh District (Wattsburg, PA Quadrangle N: 5.9 inches; W: 3.2 inches).

To construct and maintain a single span steel stringer bridge having a clear span of 16.3 feet and an underclearance of 7 feet on a 90° skew across an unnamed tributary of French Creek (WWF) on Weeks Valley Road (Township Road T-774) approximately 0.6 mile south of the intersection of Young and Weeks Valley Roads. The former bridge has been removed and the replacement bridge will be constructed on the existing abutments.

**E25-654. Pennsylvania Department of Transportation, District 1-0**, 255 Elm Street, P. O. Box 398, Oil City, PA 16301. SR 4016 (West 38 Street) between SR 0019 (Peach Street) and SR 0505 (Glenwood Park Avenue) Widening and Relocation in Erie, **Erie County**, ACOE Pittsburgh District (Erie South, PA Quadrangle N: 18.0 inches; W: 10.5 inches).

To relocate, as a result of the widening and relocation of 1 mile of West 38th Street, approximately 350 feet of Mill Creek (WWF) between a location approximately 400 feet downstream of the existing bridge at West 38th Street and SR 505. Project includes the construction and maintenance of a 18-foot long, 8-foot high (each) dual cell box culverts at a location approximately 400 feet downstream of the existing bridge at West 38th Street and a 14-foot long 10-foot high (each) dual cell box culverts at SR 0505. The existing bridge carrying West 38th Street over Mill Creek will remain in place and the 14-foot long, 10-foot high (each) dual cell box culverts will replace the existing bridge at SR 505. This project includes placement of fill in 0.01 acre of de minimis wetland impact associated with this project.

## ENVIRONMENTAL ASSESSMENTS

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.*

**D40-003EA. Theta Land Corporation**, 1004 Exeter Avenue, Exeter, PA 18643. Plains Township, **Luzerne County**, ACOE Baltimore District.

Project proposes to breach Deep Hollow Dam across Deep Creek (CWF) restoring the stream to a free flowing condition. The dam is located approximately 3,600 feet southwest of the intersection of SR 2020 (Jumper Road) and SR 2039 (Pittston, PA Quadrangle N: 1.50 inches; W: 5.85 inches).

---

## ACTIONS

---

### FINAL ACTIONS TAKEN UNDER THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT—NPDES AND WQM PART II PERMITS

### INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35

P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

#### **I. Municipal and Industrial Permit Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).**

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**NPDES Permit No. PA0035726**, Sewage, **Camp Ramah in the Poconos**, 261 Old York Road, Jenkintown, PA 19046. This proposed facility is located in Buckingham Township, **Wayne County**, and discharge, to unnamed tributary to Equinunk Creek.

Description of Proposed Action/Activity: Renewal of NPDES Permit.

**NPDES Permit No. PA0064181**, Sewage, **C. H. Klinger, Inc.**, 400 Pinebrook Place, Suite 6, Orwigsburg, PA 17961. This proposed facility is located in Pine Grove Township, **Schuylkill County**, and discharge, to Swatara Creek.

Description of Proposed Action/Activity: Issuance of NPDES Permit.

**NPDES Permit No. PA0060879**, Sewage, **Four Seasons Village**, R. R. 1, Box 153B, New Ringgold, PA 17960. This proposed facility is located in Mahoning Township, **Carbon County**, and discharge, to unnamed tributary to Mahoning Creek.

Description of Proposed Action/Activity: Issuance/renewal of NPDES Permit.

**NPDES Permit No. PA0064165**, Sewage, **Silver Lake Township Municipal Authority**, Box 1975, Brackney, PA 18812. This proposed facility is located in Silver Lake Township, **Susquehanna County**.

Description of Proposed Action/Activity: to issue a new NPDES permit to discharge treated sewage into Silver Creek.

**WQM Permit No. 1301407**, Sewerage, **Kidder Township**, P. O. Box 576, Lake Harmony, PA 18624. This

proposed facility is located in Kidder Township, **Carbon County**.

Description of Proposed Action/Activity: Approval for the construction of 65,000 LF of gravity and low pressure sewer for the Split Rock/Lake Harmony area of Kidder Township and the expansion of the Split Rock WWTP to 0.4 mgd.

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.*

**NPDES Permit No. PA0080349**, Sewage, **Chesapeake Estates of Thomasville**, 585 Martin Road, Gettysburg, PA 17325. This proposed facility is located in Jackson Township, **York County**.

Description of Proposed Action/Activity: Authorization to discharge to Little Conewago Creek in Watershed 7-F.

**NPDES Permit No. PA0246590**, Sewage, **Dennis McClure**, R. R. 1, Box 358, Petersburg, PA 16669. This proposed facility is located in Jackson Township, **Huntingdon County**.

Description of Proposed Action/Activity: Authorization to discharge to an UNT to Laurel Run in Watershed 11-B.

**NPDES Permit No. PA0081108**, Sewage, **Dennis Morrison**, 127 Indian Springs Road, Hopewell, PA 16650. This proposed facility is located in Hopewell Township, **Bedford County**.

Description of Proposed Action/Activity: Authorization to discharge to UNT to Maple Run in 11-D.

**NPDES Permit No. PA0084794**, Sewage, **Asbury Pointe, Ltd.**, 135 North George Street, York, PA 17401-1132. This proposed facility is located in East Manchester Township, **York County**.

Description of Proposed Action/Activity: Authorization to discharge to Codorus Creek in Watershed 7H.

**NPDES Permit No. PA0088617**, Sewerage, **Bratton Township Supervisors**, Bratton Township STP, 460 Mountain Lane, McVeytown, PA 17051. This proposed facility is located in Bratton Township, **Mifflin County**.

Description of Proposed Action/Activity: Authorization to discharge to Carlisle Run tributary to Juniata River in Watershed 12-A.

**NPDES Permit No. PA0084425**, Sewerage, **Conewago Township Sewer Authority**, 490 Copenhafner Road, York, PA 17404. This proposed facility is located in Conewago Township, **York County**.

Description of Proposed Action/Activity: Authorization to discharge to Little Conewago Creek in Watershed 7-F.

**WQM Permit No. PA0246689**, Sewerage, **Rande W. Brown**, 153 Hidden Valley Lane, Bedford, PA 15522. This proposed facility is located in Cumberland Valley Township, **Bedford County**.

Description of Proposed Action/Activity: Authorization to discharge to UNT Oster Run in Watershed 13-A.

**WQM Permit No. 4402401**, Sewerage, **Bratton Township Supervisors**, 460 Mountain Lane, McVeytown, PA 17051. This proposed facility is located in Bratton Township, **Mifflin County**.

Description of Proposed Action/Activity: Authorization for the construction/operation of sewage treatment facilities.

**WQM Permit No. 0601411**, Sewerage, **Bear Creek Management Company, LLC**, 1950 Old Gallows Road, Suite 600, Vienna, VA 22182. This proposed facility is located in Longswamp Township, **Berks County**.

Description of Proposed Action/Activity: Authorization for the construction/operation of sewage treatment facilities and land application facilities.

**WQM Permit No. 3492401 Amendment No. 02-1**, Sewerage, **Port Royal Municipal Authority**, P. O. Box 236, Port Royal, PA 17082-0236. This proposed facility is located in Port Royal Borough, **Juniata County**.

Description of Proposed Action/Activity: Authorization for modification to the construction/operation of sewage treatment facilities.

**WQM Permit No. 3602407**, Sewerage, **Lancaster Industrial Development Authority c/o Musser's Inc.**, 35 Friendly Drive, Quarryville, PA 17566. This proposed facility is located in East Drumore Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization for construction/operation of sewage treatment facilities, land application facilities and groundwater monitoring wells at Musser's Market.

**NPDES Permit No. PA0087351**, Industrial Waste, **New Enterprise Stone & Lime Company, Inc., Canoe Creek Quarry**, P. O. Box 77, New Enterprise, PA 16664. This proposed facility is located in Frankstown Township, **Blair County**.

Description of Proposed Action/Activity: Authorization to discharge to an unnamed tributary of New Creek in Watershed 11-A.

**NPDES Permit No. PA0086924 Amendment Number 1**, Industrial Waste, **FCI USA, Inc.**, Lenape Drive, R. R. 1, Box 212, Mount Union, PA 17066-9728. This proposed facility is located in Shirley Township, **Huntingdon County**.

Description of Proposed Action/Activity: Authorization to discharge to the receiving water of the Juniata River in Watershed 12-C.

**NPDES Permit No. PA0246662**, CAFO, **Burkholder Reality, Reinholds Farm**, 1440 Division Highway, Ephrata, PA 17522-8832. This proposed facility is located in West Cocalico Township, **Lancaster County**.

Description of Size and Scope of Proposed Operation/Activity: Authorization to operate a 985-AEU finishing swine CAFO in Watershed 7-J.

**NPDES Permit No. PAG123553**, CAFO, **Path Valley Enterprises, LLC, Path Valley Farm**, 1272 Ash Lane, Lebanon, PA 17042. This proposed facility is located in Fannett Township, **Franklin County**.

Description of Size and Scope of Proposed Operation/Activity: Authorization to operate a 706.6-AEUs sow and nursery CAFO in Watershed 12-B.

**NPDES Permit No. PA0088943**, CAFO, **Hostetter Management Company, LLC (Cedar Hill Farm)**, P. O. Box 526, Ephrata, PA 17522; **James Eisenhower, Jr.**, 721 Spring Valley Road, Wellsville, PA 17365; and **Terry Sweitzer**, 1200 Harbold-Atland Road, Wellsville, PA 17365. This proposed facility is located in Washington and Warrington Townships, **York County**.

Description of Size and Scope of Proposed Operation/Activity: Authorization to operate a 1,435 AUEs swine, steer and poultry CAFO in Watershed 7-F.

*Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**NPDES Permit No. PA0114693**, Sewage, SIC 4952, **Clymer Township Municipal Authority**, Box 62, Sabinsville, PA 16943. This proposed facility is located in Clymer Township, **Tioga County**.

Description of Proposed Action/Activity: Renewal of NPDES Permit for sewage treatment plant serving Sabinsville.

**NPDES Permit No. PA0027677**, Industrial Waste 0921, **United States Department of the Interior, USGS Appalachian Research Laboratory**, R. R. 4 Box 63, Wellsboro, PA 16901. This facility is located in Shippen Township, **Tioga County**.

Description of Proposed Action/Activity: Federal fish culture and aquatic resource research facility.

**NPDES Permit No. PA0115100**, Sewerage SIC 4952, **George A. and Elizabeth S. Dear**, R. R. 2 Box 174, Tioga, PA 16946. This proposed facility is located in Lawrence Township, **Tioga County**.

Description of Proposed Action/Activity: Renewal of NPDES Permit.

**WQM Permit No. 5992401-T1**, Sewage 4952, **Citizens & Northern Bank**, 90-92 Main Street, Wellsboro, PA 16901. This facility is located in Charleston Township, **Tioga County**.

Description of Proposed Action/Activity: Nonmunicipal wastewater treatment facilities.

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**NPDES Permit No. PA0036293**, Sewage, **The Municipal Authority of the Township of Robinson**, P. O. Box 15539, Pittsburgh, PA 15244 is authorized to discharge from a facility located at Campbells Run Sewage Treatment Plant, Robinson Township, **Allegheny County**, to receiving waters named Campbells Run.

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No. 2002407**, Sewerage, **Joe E. and Kathleen M. Davis**, 7860 Dutch Hill Road, Meadville, PA 16335. This proposed facility is located in Union Township, **Crawford County**.

Description of Proposed Action/Activity: This project is for a single residence discharging to unnamed tributary to French Creek.

**WQM Permit No. 4302402**, Sewerage, **Robert S. and Tracy Black**, 1331 Barkeyville Road, Grove City, PA 16127. This proposed facility is located in Pine Township, **Mercer County**.

Description of Proposed Action/Activity: This project is for a single residence discharging to East Branch of Wolf Creek.

#### **NPDES STORMWATER INDIVIDUAL PERMITS—(PAS)**

The following NPDES Individual Permits for Discharges of Stormwater Associated with Construction Activities have been issued.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35

P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and

of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

*Bedford County Conservation District, 702 W. Pitt Street, Suite 4, Bedford, PA 15009, (814) 623-6706.*

---

<i>NPDES No. Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS100421	Michael Shaffer Northern Bedford Community Athletic Assoc. 152 NBC Drive Loysburg, PA 16659	Bedford County	South Woodbury Township	Yellow Creek HQ-CWF

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.*

<i>NPDES Permit</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Stream</i>
PAS103119-1	Pennsylvania Department of Transportation Engineering District 10-0 P. O. Box 429, Route 286 S Oakland Avenue Indiana, PA 15701	Indiana County East Wheatfield Township	Findley Run HQ-CWF
		Cambria County Jackson Township	Blacklick Creek CWF

**APPROVALS TO USE NPDES AND/OR OTHER GENERAL PERMITS**

The following parties have submitted: (1) Notices of Intent for Coverage under (1) General NPDES Permits to Discharge Wastewater into the Waters of the Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations. Monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permits for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in this Commonwealth; (3) General NPDES Permit Authorizing the Discharge of Stormwater Associated with Construction Activities to Waters of the Commonwealth; (4) Notification for First Use Application of Sewage Sludge.

The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. The Department of Environmental Protection approves the following coverage under the specific General Permit.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

---

**List of NPDES and/or Other General Permit Types**

---

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site

PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)

*General Permit Type—PAG-2*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Lower Frederick Township Montgomery County	PAR10T857	St. Mary's Church 40 Spring Mount Road Schwenksville, PA 19473	Swamp Creek TSF	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Lower Pottsgrove Township Montgomery County	PAR10T865	Julia Seaman and Charles Merritt 1119 East Palmer Street Philadelphia, PA 19125	UNT to Sanatoga Creek WWF	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Upper Dublin Township Montgomery County	PAR10T666	LA Fitness International, LLC 100 Bayview Circle Newport Beach, CA 92660	UNT to Sandy Run TSF	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Limerick Township Montgomery County	PAR10T854	Limerick Plaza/Longview Dev. 992 Old Eagle Road Wayne, PA 19087	Mingo Creek WWF	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Montgomery Township Montgomery County	PAR10T842	The Cutler Group 5 Sentry Parkway West Blue Bell, PA 19422	Little Neshaminy and Wissahickon Creeks WWF, TSF	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Bern Township Berks County	PAR10C418	John Rinehart Reading Regional Airport Authority 2501 Bernville Rd. Reading, PA 19605	Schuylkill River WWF	Berks County Conservation District P. O. Box 520 1238 Co. Welfare Rd. Leesport, PA 19533-0520 (610) 372-4657
Antis Township Blair County	PAR100733	Leonard S. Fiore Inc. 5506 6th Avenue, Rear Altoona, PA 16602	Sandy Run CWF	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 (814) 696-0877
Antis Township Blair County	PAR100734	W.W. Engine & Supply P. O. Box 68 Kylertown, PA 16847	Little Juniata River WWF	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 (814) 696-0877
Logan Township Blair County	PAR100735	Robert and Patricia Frederick 1120 27th Avenue Altoona, PA 16601	Sandy Run CWF	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 (814) 696-0877
Windsor Township York County	PAR10Y566	Cambridge Heights Crosswinds Assoc. Devel- opment Co. Inc. 335 West King Street Lancaster, PA 17603	Kreutz Creek WWF Cabin Creek WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430

## NOTICES

3133

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Franklin, South Middleton, York, Cumberland York County	PAR10Y590	Boy Scouts of America Ron Gardner 2139 White Street York, PA 17404	Dogwood Run CWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Windsor Township York County	PAR10Y573	Allyson's Crossing Michael Wheeler Fours a Crowd 1 Waterford Professional Center York, PA 17402	Kreutz Creek WWF Cabin Creek WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Freedom Township Adams County	PAR100134	Mason-Dixon Farms, Inc. 1800 Mason-Dixon Rd. Gettysburg, PA 17325	Marsh Creek CWF	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 (717) 334-0636
Cumberland Township Adams County	PAR100141	Adams County Construction Inc. 828 Biglerville Rd. Gettysburg, PA 17325	Willoughby Run WWF	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 (717) 334-0636
Bedford Township Bedford County	PAR100461	Ray Jennings P. O. Box 155 Bedford, PA 15522	Brush Run WWF	Bedford County Conservation District 702 W. Pitt Street, Suite 4 Bedford, PA 15009 (814) 623-6706
Peters Township Franklin County	PAR10M266	Industrial Power Generating Corp. 2250 Debney Rd. Richmond, VA 23230	East Branch Conococheague Creek WWF	Franklin County Conservation District Admin. Annex 218 N. 2nd Street Chambersburg, PA 17201 (717) 264-8074
Centre County College Township	PAR10F163	Herbert Stewart Subdivision 360 Summit Rd. Bellefonte, PA 16823	UNT to Logan Branch CWF	Centre County Conservation District 414 Holmes Ave., Suite 4 Bellefonte, PA 16823 (814) 355-6817
Lycoming County Loyalsock Township	PAR103954	Loyalsock Commons Patrick Marty 730 Wildwood Blvd. P. O. Box 17777 Williamsport, PA 17701	West Mill Creek TSF	Lycoming County Conservation District 542 County Farm Rd. Suite 202 Montoursville, PA 17754 (570) 433-3003
Butler County Adams Township	PAR10E152	C. J. Betters 1150 Broadhead Road Monaca, PA 15061	Kaufman Run WWF	Butler County Conservation District (724) 284-5270
Venango County Cranberry Township	PAR107017	Neil E. Todhunter UPMC Northwest Hospital 174 East Bissel Avenue Oil City, PA 16301	Tributary to Halls Run CWF	Venango County Conservation District (814) 676-2832

*General Permit Type—PAG-3*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Lawrence Township Clearfield County	PAR304803	Swisher Contracting, Inc. P. O. Box 1223 Clearfield, PA 16830	West Branch Susquehanna River WWF	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Limestone Township Montour County	PAR804825	Great Dane Limited Partnership 70 Strick Road Danville, PA 17821	UNT to County Line Branch WWF	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Export Borough Westmoreland County	PAR206128	Dura-Bond Industries Inc. P. O. Drawer 518 2658 Puckety Street Export, PA 15632-0518	Turtle Creek	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222- 4745 (412) 442-4000
Jackson Township Cambria County	PAR506109	Laurel Highlands Land- fill Inc. 260 Laurel Ridge Road Johnstown, PA 15909	UNT of Rummel Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222- 4745 (412) 442-4000
Fairview Township Erie County	PAR218304	New Enterprise Stone and Lime Company, Inc. Top Roc Newcrete Prod- ucts P. O. Box 77 New Enterprise, PA 16664-0077	Walnut Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Center Township Butler County	PAR608320	Marshall Offstein Auto Sales and Towing P. O. Box 213 Butler, PA 16003	Connoquenessing Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
City of Erie Erie County	PAR118302	American Meter Com- pany P. O. Box 1251 Erie, PA 16512-1251	Lake Erie	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-4*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Perry County Southwest Madison Township	PAG043578	Edna J. Bishop R. R. 2, Box 67 Loysville, PA 17047	UNT to Shermans Creek 7A	Southcentral Region Office 909 Elmerton Avenue Harrisburg, PA 17110- 8200 (717) 705-4700

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Cumberland County Hopewell Township	PAG043691	Jesse K. King 222 Fairview Rd. Shippensburg, PA 17257	UNT to Conodoquinet Creek 7B	Southcentral Region Office 909 Elmerton Avenue Harrisburg, PA 17110- 8200 (717) 705-4707
Smithfield Township Bradford County	PAG044960	Timothy Ackley R. D. 2 Box 185C Ulster, PA 18850	Unnamed tributary of Browns Creek WWF	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Sharon Township Potter County	PAG044956	Conrad J. Scholl P. O. Box 306 Shinglehouse, PA 16748	Unnamed tributary of Oswayo Creek CWF	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Bradford Township Clearfield County	PAG044964	Thomas and Andrea Hertlein R. R. 1 Box 82-3 Woodland, PA 16881	Forcey Run CWF	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Franklin Park Borough Allegheny County	PAG046135	William L. Dunbar III 1519 Fox Chase Drive Sewickley, PA 15143	UNT to East Branch Big Sewickley Creek	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222- 4745 (412) 442-4000
Union Township Crawford County	PAG048815	Joe E. and Kathleen M. Davis 7860 Dutch Hill Road Meadville, PA 16335	Unnamed tributary to French Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Pine Township Mercer County	PAG048789	Robert S. and Tracy Black 1331 Barkeyville Road Grove City, PA 16127	East Branch of Wolf Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Adams Township Butler County	PAG048463	Robert L. Mocniak 304 Green Lake Drive Mars, PA 16046-2108	Unnamed tributary to Wolfe Run	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Waterford Township Erie County	PAG048458	James A. Becker, Sr. 13096 Scott Run Waterford, PA 16441- 9625	Unnamed tributary of LeBoeuf Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Washington Township Erie County	PAG048441	Gerry J. Stubenhofer 5570 Maple Lawn Drive Edinboro, PA 16412-3804	Unnamed tributary of Conneauttee Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Otter Creek Township Mercer County	PAG048453	John A. Reimold, Jr. 10 Callahan Road Greenville, PA 16125	Mathay Run	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Jefferson Township Mercer County	PAG048466	Rickey L. and Mary L. Whenry 500 McCullough Road Sharpsville, PA 16150	Unnamed tributary of Daley Run	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Eldred Township McKean County	PAG048422	Casey J. and Julie M. Schweikart R. R. 1, Box 336A Eldred, PA 16731	Windfall Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Deer Creek Township Mercer County	PAG048437	Robert P. Zeigler 1163 Milledgeville Road Cochranton, PA 16314	Unnamed tributary of Sandy Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Franklin Township Erie County	PAG048454	Marshall E. Tolley 11281 Eureka Road Edinboro, PA 16412	Unnamed tributary of Cussewago Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-5*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Telephone No.</i>
Montgomery County Franconia Township	PAG050034	Getty Properties Corporation 125 Jericho Turnpike, Suite 202 Jericho, NY 11753	Indian Creek	Southeast Region Water Management (610) 832-6130

*General Permit Type—PAG-7*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Site Name &amp; Location</i>	<i>Contact Office &amp; Telephone No.</i>
Mansfield Borough Tioga County	PAG074829	Borough of Mansfield 19 East Wellsboro St. Mansfield, PA 16933	Borough of Mansfield Composting Facility	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3655

*General Permit Type—PAG-8*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Contact Office &amp; Telephone No.</i>
Warsaw Township Jefferson County	PAG098301	Williams Septic & Drain Service Box 108E Williams Road Reynoldsville, PA 15851	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-8 (SSN)*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Site Name &amp; Location</i>	<i>Contact Office &amp; Telephone No.</i>
Reading Township Adams County	PAG080001 PAG080002 PAG080003 PAG080006 PAG080007 PAG080008 PAG080009 PAG080011 PAG082201 PAG082203 PAG083501 PAG083502 PAG083506 PAG083515 PAG083517 PAG083518 PAG083522 PAG083535 PAG083542 PAG083547 PAG083551 PAG083825 PAG089903 PAG089904 PAG089905	Synagro Mid Atlantic 1605 Dooley Road P. O. Box B Whiteford, MD 21160	Myers, Snyder and Spahr Farms Reading Township Adams County	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
Derry Township Dauphin County	PAG083518	Derry Township Municipal Authority 670 Clearwater Road Hershey, PA 17033	Hershey Trust Farm #79 Derry Township Dauphin County	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
Union Township Crawford County	PAG088306	Meadville Area Sewer Authority 1320 Park Avenue Meadville, PA 16335	Ernst Farm Parcel 14-2 Union Township Crawford County	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Union Township Crawford County	PAG088306	Meadville Area Sewer Authority 1320 Park Avenue Meadville, PA 16335	Ernst Farm Parcel 17-1 Union Township Crawford County	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Jackson and Townships Mercer County	PAG086101	Nu-Soil Farms, Inc. Box 68 Carlin Drive Houtzdale, PA 16651	Roy Neer Farm Biosolids Site Jackson and Worth Townships Mercer County	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Polk Borough Venango County	PAG088308	Polk Center P. O. Box 94 Polk, PA 16342	Polk Center Biosolids Site Polk Borough Venango County	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-9 (SSN)*

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Site Name &amp; Location</i>	<i>Contact Office &amp; Telephone No.</i>
Upper Mifflin Township Cumberland County	PAG093511	Groff's Septic Service 99 Ickes Lane Newville, PA 17241	Donald Groff Farm Upper Mifflin Township Cumberland County	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707

<i>Facility Location &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Site Name &amp; Location</i>	<i>Contact Office &amp; Telephone No.</i>
Perry Township Mercer County	PAG098308	Peterman Septic Services 26 Everbreeze Drive Hadley, PA 16130	Peterman Farm Biosolids Site Perry Township, Mercer County	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

## PUBLIC WATER SUPPLY PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Safe Drinking Water Act for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

### SAFE DRINKING WATER

#### Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

*Southcentral Region: Water Supply Management Program Manger, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 2202502 MA, Minor Amendment, Public Water Supply.**

Applicant	<b>Elizabethville Area Authority</b>
Municipality	Elizabethville and Washington Township
County	<b>Dauphin</b>
Type of Facility	The replacement of approximately 3,600 linear feet of water main and seven fire hydrants along Market St.

Consulting Engineer	Max E. Stoner, P. E. Glace Associates, Inc. 3705 Trindle Rd. Camp Hill, PA 17011
Permit to Construct Issued:	June 5, 2002
<b>Permit No. 3601519, Public Water Supply.</b>	
Applicant	<b>Bird In Hand Corporation</b>
Municipality	Leacock Township
County	<b>Lancaster</b>
Type of Facility	Installation of an anion exchange system for nitrate reduction and the installation of a phosphate feed system for corrosion control.
Consulting Engineer	James R. Fisher, P. E. Fisher Engineering Inc. 18 C S. 7th Street Akron, PA 17501
Permit to Construct Issued:	May 6, 2002
<b>Permit No. 3602502, Public Water Supply.</b>	
Applicant	<b>Pequea Valley School District</b>
Municipality	Leacock Township
County	<b>Lancaster</b>
Type of Facility	Installation of softening, nitrate, disinfection and corrosion control treatments at the Pequea Valley High School facility.
Consulting Engineer	Daniel L. Miller, P. E. L. Robert Kimball & Associates 415 Moon Clinton Road Coraopolis, PA 15108
Permit to Construct Issued:	May 23, 2002
<b>Permit No. 6702509 MA, Minor Amendment, Public Water Supply.</b>	
Applicant	<b>Glen Rock Water Authority</b>
Municipality	Shrewsbury Borough
County	<b>York</b>
Type of Facility	Repairing of the interior/exterior of the 300,000-gallon Church Street Water Storage Tank.
Consulting Engineer	Karen B. Tupper, P. E. CET Engineering Services 1240 North Mountain Road Harrisburg, PA 17112
Permit to Construct Issued:	June 6, 2002

**Permit No. 0602502**, Public Water Supply.  
 Applicant **Tulpehocken Area School District  
Bethel Elementary School**  
 Municipality Bernville Borough  
 County **Berks**  
 Type of Facility Addition of soda ash and ortho/  
polyphosphate for corrosion control.  
 Consulting Engineer Thomas E. Roberts, P. E.  
Spotts Steens & McCoy Inc.  
345 North Wyomissing Boulevard  
Reading, PA 19610 0307  
 Permit to Construct Issued: June 14, 2002

*Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**Permit No. Minor Amendment**, Public Water Supply.  
 Applicant **Knoxville Borough**  
149 East Main Street  
P. O. Box 191  
Knoxville, PA 16928  
 Township Deerfield Township  
 County **Tioga**  
 Type of Facility PWS—approval for construction  
of an aluminum dome cover for  
the finished water reservoir  
 Consulting Engineer Alfred Benesch & Company  
400 One Norwegian Plaza  
Pottsville, PA 17901  
 Permit to Construct Issued: June 14, 2002

**Permit No. Minor Amendment**, Public Water Supply.  
 Applicant **Knoxville Borough**  
149 East Main Street  
P. O. Box 191  
Knoxville, PA 16928  
 Township Deerfield Township  
 County **Tioga**  
 Type of Facility PWS—approval to operate  
hypochlorination facilities at  
treatment building  
 Consulting Engineer Alfred Benesch & Company  
400 One Norwegian Plaza  
Pottsville, PA 17901  
 Permit to Operate Issued: June 14, 2002

**Permit No. 5500503**, Public Water Supply.  
 Applicant **Middleburg Municipal Authority**  
13 North Main Street  
Middleburg, PA 17842  
 Borough Middleburg Borough  
 County **Snyder**

Type of Facility PWS—approval to operate a  
third travelling bridge filter,  
changes to the clarifier building  
piping and new instrumentation  
with associated controls and wiring  
 Consulting Engineer Larson Design Group, Inc.  
1000 Commerce Park Drive  
P. O. Box 487  
Williamsport, PA 17703-0487  
 Permit to Operate Issued: June 14, 2002

*Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Permit No. 1102501**, Public Water Supply.  
 Applicant **Carrolltown Borough Municipal Authority**  
P. O. Box 307  
140 East Carroll Street  
Carrolltown, PA 15722  
 Borough or Township Carrolltown Borough  
 County **Cambria**  
 Type of Facility Water treatment plant  
 Consulting Engineer The EADS Group  
450 Aberdeen Drive  
Somerset, PA 15501  
 Permit to Construct Issued: June 14, 2002

**Permit No. 6301504**, Public Water Supply.  
 Applicant **Tri County Joint Municipal Authority**  
26 Monongahela Avenue  
Frederickstown, PA 15333  
 Borough or Township Luzerne Township  
 County **Fayette**  
 Type of Facility SCI Pump Station  
 Consulting Engineer Nichols & Slagle Engineering,  
Inc.  
980 Beaver Grade Road  
Coraopolis, PA 15108  
 Permit to Construct Issued: June 14, 2002

**Permit No. 1102502, Minor Amendment**. Public Water Supply.  
 Applicant **East Taylor Municipal Authority**  
403 Donruth Lane  
Johnstown, PA 15909  
 Borough or Township East Taylor Township  
 County **Cambria**  
 Type of Facility ETMA Tank No. 1  
 Consulting Engineer The EADS Group  
450 Aberdeen Drive  
Somerset, PA 15501  
 Permit to Construct Issued: June 14, 2002

**Permit No. 3286501-T2, Minor Amendment.** Public Water Supply.

Applicant **Homer City OL1 LLC—OL8 LLC**  
1750 Power Plant Road  
Homer City, PA 15748

Borough or Township Center Township

County **Indiana**

Type of Facility Homer City Generating Station

Permit to Operate Issued June 18, 2002

### SEWAGE FACILITIES ACT PLAN APPROVAL

#### Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20a).

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Plan Location:**

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
McCalmont Township	P. O. Box 276 Anita, PA 15711	Jefferson County

**Plan Description:** The approved plan provides for the construction of a sanitary sewage collection and conveyance system which will serve the community of Anita. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

**Plan Location:**

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Young Township	101 Foundry Street Punxsutawney, PA 15767	Jefferson County

**Plan Description:** The approved plan provides for the construction of a sanitary sewage collection and conveyance system which will serve the communities of Crawfordtown and Adrian Mines. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995

#### PREAMBLE 2

**The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at

a site where one of the Act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

*Southeast Region: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**Former Cedar Hollow Quarry, Historic Landfill (Soils),** East Whiteland and Tredyffrin Townships, **Chester County.** Gregory Martin, P. G., Roux Associates, Inc., 1222 Forest Parkway, Suite 190, West Deptford, NJ 08066 has submitted a Final Report concerning remediation of site soil contaminated with PCBs, lead, heavy metals, solvents, BTEX, PHCs and PAHs. The report is intended to document remediation of the site to meet the Statewide Health Standard.

*Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Mark Andrews Residence,** East Lampeter Township, **Lancaster County.** Groundwater & Environmental Services, Inc., 410 Eagleview Boulevard, Suite 110, Exton, PA 19341, on behalf of Mark Andrews, 2192 Old Philadelphia Pike, Lancaster, PA 17602, submitted a final report concerning remediation of site soils contaminated with BTEX and PHCs.

**Washington Square Phase II, Parcel 2,** City of Harrisburg, **Dauphin County.** EPSYS Corporation, 1414 North Cameron Street, Suite 1, Harrisburg, PA 17103, on behalf of UGI Utilities, Inc., 100 Kachel Blvd., Reading, PA 19612-2677 and Harristown Realty Improvement, P. O. Box 1224, Harrisburg, PA 17108, submitted a final report concerning the remediation of site soils and groundwater contaminated with BTEX and PAHs. The report is intended to document remediation of the site to Site-Specific Standard.

*Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**Former Furnival Machinery Company,** Chester Hill Borough, **Clearfield County.** Apex Environmental, Inc., on behalf of Furnival Machinery Company, 2240 Bethlehem Pike, Hatfield, PA 19440, has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with BTEX and PHCs. The Final Report has been submitted to demonstrate attainment of the Site-Specific Standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

### PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

Provisions of 25 Pa. Code § 250.8, Administration of the Land Recycling and Environmental Remediation Standards Act (Act) requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Act. Plans and reports required by provisions of the Act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

*Southeast Region: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**Former Altimari, Chapman, Dearden and McCafferty Automobile Dealerships Site**, Middletown Township, **Bucks County**. Jeffrey K. Wade, URS Corp., 2325 Maryland Rd., 2nd Fl., Willow Grove, PA 19090, on behalf of Lowes Home Center, Inc., c/o Mark, Kalpin, Hale and Dorr LLP, 60 State St., Boston, MA 02109, has submitted a Final Report concerning the remediation of site soil contaminated with lead and polycyclic aromatic hydrocarbons and site groundwater contaminated with polycyclic

aromatic hydrocarbons. The final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on June 5, 2002.

**Booth Property—Phase I**, Bethel Township, **Delaware County**. John J. Ennis, Esq., Manko, Gold, Katcher & Fox, LLP, 401 City Ave., Suite 500, Bala Cynwyd, PA 19004, on behalf of Thomas Booth, Sr. and Thomas Booth, Jr., 3221 Foulk Rd., Boothwyn, PA 19061, has submitted a Final Report concerning the remediation of site groundwater contaminated with BTEX, naphthalene, MTBE and cumene. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on June 17, 2002.

*Northeast Region: Joseph A. Brogna, Environmental Cleanup Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**Spirax Sarco, Inc.**, City of Allentown, **Lehigh County**. Dr. William K. Ahlert, Manager Mid-Atlantic Services, Lawler, Matusky and Skelly Engineers, LLP, The Sovereign Building, 609 Hamilton Mall, Allentown, PA 18101 submitted a Final Report (on behalf of Spirax Sarco, Inc., 1150 Northpoint Boulevard, Blythewood, SC 20106) concerning the remediation of site soils and groundwater found or suspected to have been contaminated with solvent compounds. The report demonstrated attainment of the Site-Specific Standard and was approved on June 11, 2002.

*Southcentral Region: Environmental Cleanup Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Mark Andrews Residence**, East Lampeter Township, **Lancaster County**. Groundwater & Environmental Services, Inc., 410 Eagleview Boulevard, Suite 110, Exton, PA 19341, on behalf of Mark Andrews, 2192 Old Philadelphia Pike, Lancaster, PA 17602, submitted a final report concerning remediation of site soils contaminated with BTEX and PHCs. The final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on May 29, 2002.

**Enola Railyard Greenhouse Area**, East Pennsboro Township, **Cumberland County**. ENSR International, One Chatham Center, Suite 900, 112 Washington Place, Pittsburgh, PA 15219-3443, on behalf of Pennsylvania Lines LLC, Three Commercial Place, Norfolk, VA 23510-9241 and Consolidated Rail Corporation, Two Commerce Square, 2001 Market Street, Philadelphia, PA 19101-1416, submitted a final report concerning remediation of site soils and groundwater contaminated with PCBs, lead, heavy metals, BTEX, PHCs, PAHs and solvents. The final report demonstrated attainment of the Statewide Health standard and was approved by the Department on May 31, 2002.

*Northcentral Region: Environmental Cleanup Program Manager; 208 West Third Street, Williamsport, PA 17701.*

**Eckerd Drug**, Loyalsock Township, **Lycoming County**. Civil & Environmental Consultants, Inc., on behalf of Loyal Plaza Venture, L.P., 20 South Third Street, Columbus, OH 43215, has submitted a Final Report concerning remediation of soil only, contaminated with lead, solvents, BTEX and PAHs. The Final Report demonstrated attainment of the Statewide Health Standards for soil and was approved by the Department on June 14, 2002. An additional Final Report will be forthcoming to address the groundwater and surface water.

## HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

### Draft actions issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.

*Southeast Region: Regional Solid Waste Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**PAD075485995. Rohm & Haas Co.,** P. O. Box 904, Spring House, PA 19477, Lower Gwynedd Township, **Montgomery County.** Draft action is proposed for revocation of the hazardous waste storage permit and release of the bond based upon satisfactory closure of the hazardous waste storage areas at the Spring House facility and the permittee's decision not to renew the permit.

Persons wishing to comment on the proposed action are invited to submit a statement to the Regional Office indicated as the office responsible within 45 days from the date of this public notice. Comments received within this 45-day period will be considered in the formulation of the final determination regarding this application. Responses should include the name, address and telephone number of the writer and concise statement to inform the Regional Office of the exact basis of any comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 45-day comment period and/or public hearing, the Department will make a final determination. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

## AIR QUALITY

### General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Mark Wejkszner, Acting New Source Review Chief, (570) 826-2531.*

**45-310-023GP: Hanson Aggregates PA, Inc.** (1900 Sullivan Trail, P. O. Box 231, Easton, PA 18044-0231) for construction and operation of a portable stone crushing plant and associated air cleaning device in Hamilton Township, **Monroe County.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.*

**GP1-1-07-03017: Kunzler and Co., Inc.** (652 Manor Street, Lancaster, PA 17604-4747) on May 24, 2002, was authorized to operate under GP1 for small gas and No. 2 oil fired combustion units at its Juniata Packing Co. plant in Snyder Township, **Blair County.**

### Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

*Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.*

**09-0123A: Better Materials Corp.** (262 Quarry Road, Ottsville, PA 18942) on June 18, 2002, for operation of a batch asphalt plant in Nockamixon Township, **Bucks County.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Mark Wejkszner, Acting New Source Review Chief, (570) 826-2531.*

**40-328-005: Transcontinental Gas Pipeline Corp.** (P. O. Box 1396, Houston, TX 77251-1396) on June 3, 2002, for modification of a single cycle turbine (Unit 6) at Station 515 in Buck Township, **Luzerne County.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.*

**06-03112B: Birdsboro Alloying Inc.** (200 C Furnace Street, Birdsboro, PA 19508) on June 14, 2002, for modifications to a secondary aluminum facility controlled by two afterburners in Birdsboro Borough, **Berks County.**

**06-05063B: Boyertown Foundry Co.** (P. O. Box 443, New Berlinville, PA 19545) on June 14, 2002, for modifications to a gray iron foundry with two fabric collectors in Boyertown Borough, **Berks County.**

**ER 22-02012: Bethlehem Steel Corp.** (215 South Front Street, Steelton, PA 17113) on June 10, 2002, for emission reduction credits for Frog and Switch Shop Foundry at its Steelton Plant in Steelton Borough, **Dauphin County.**

**22-05046A: Haines and Kibblehouse, Inc.** (P. O. Box 196, Skippack, PA 19474) on June 11, 2002, for construction of a fabric filter at its Handwerk Materials asphalt plant in Lower Swatara Township, **Dauphin County.** The facility is subject to 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: William Charlton, New Source Review Chief, (412) 442-4174.*

**26-00540A: Carbon Fuel Resources, Inc.** (200 College Drive, Suite 300, Lemont Furnace, PA 15456) on June 12, 2002, for installation of a coal refuse reprocessing plant at Ronco II Mine in German Township, **Fayette County.**

**32-00238A: Weimer's Iron and Scrapmetal** (5639 Tunnelton Road, Saltsburg, PA 15681) on June 13, 2002, for construction of an aluminum scrap melting furnace for recovery of scrap at the Saltsburg Facility in Conemaugh Township, **Westmoreland County.**

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.*

**15-0027D: Johnson Matthey** (434 Devon Park Drive, Wayne, PA 19087) on June 12, 2002, for operation of Coating Line #7 and SCR in Tredyffrin Township, **Chester County**.

**46-0185: Fairhill Fabricators, Inc.** (831 West Fifth Street, Lansdale, PA 19446) on June 12, 2002, for operation of a paint spray booth in Lansdale Borough, **Montgomery County**.

**15-0115: QVC, Inc.** (1200 Wilson Drive, West Chester, PA 19380) on June 12, 2002, for operation of two 12.55 mmBtu/hr gas/fuel boilers in West Goshen Township, **Chester County**.

**09-0063A: New Hope Crushed Stone Co.** (6970 Phillips Mill Road, New Hope, PA 18938) on June 17, 2002, for operation of a stone crushing plant in Solebury Township, **Bucks County**.

**09-320-050: Superpac, Inc.** (1220 Industrial Boulevard, Upper Southampton, PA) on June 17, 2002, for operation of a flexographic printing press in Upper Southampton Township, **Bucks County**.

**09-0123: Better Materials Corp.** (262 Quarry Road, Ottsville, PA 18942) on June 14, 2002, for operation of a batch asphalt plant in Nockamixon Township, **Bucks County**.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: William Charlton, New Source Review Chief, (412) 442-4174.*

**04-00226B: Better Materials Corp.** (P. O. Box 187, Berkeley Springs, WV 25411) on June 11, 2002, for combustion of WDLF and completion of stack testing at Sewickley Creek facility in Economy Borough, **Beaver County**. This plan approval was extended.

**56-00284A: Quecreek Mining, Inc.** (1576 Stoystown Road, Friedens, PA 15541) on June 13, 2002, for construction of coal screening at Quecreek No. 1 Mine in Lincoln Township, **Somerset County**. This plan approval was extended.

**65-657A: Tresco Paving Corp.** (P. O. Box 14004, Pittsburgh, PA 15239) on June 13, 2002, for completion of stack testing at drum mix asphalt plant in Salem Township, **Westmoreland County**. This plan approval was extended.

**04-00498A: World Class Processing Corp.** (21 Century Drive, Ambridge, PA 15003-2549) on June 12, 2002, for modification to limit water flow through the scrubber during only those periods when the pickle line is in operation at their plant in Ambridge, **Beaver County**. Plan Approval Special Condition No. 5 has been revised as follows: "Water flow through the scrubber shall be maintained between 1.3 and 3.5 gallons per minute during periods when processing steel."

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.*

**21-05032: General Castings Co.** (North Queen Street, Shippensburg, PA 17257) on June 13, 2002, for operation of an iron foundry in Shippensburg Township, **Cumberland County**.

**38-03035: V and S Lebanon Galvanizing, LLC** (1000 Buckeye Park Road, Columbus, OH 43207) on June 11, 2002, for operation of its hot dip galvanizing facility in Union Township, **Lebanon County**.

**67-03027: PVC Container Corp., Airopak Division** (One Devco Drive, P. O. Box 54, Manchester, PA 17345) on June 13, 2002, for operation of the plastic blow molding facility in East Manchester Township, **York County**.

**67-05074: Bituminous Paving Materials of York, Inc.** (100 Greensprings Road, Hanover, PA 17331) on June 5, 2002, for operation of an asphalt paving facility in West Manchester Township, **York County**.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: Mark Wayner, Facilities Permitting Chief, (412) 442-4174.*

**11-00498: Pets After Life Services** (316 Allen Street, Portage, PA 15946) on June 11, 2002, for operation of an animal crematory in Portage Township, **Cambria County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.*

**25-00279: Associated Spring—Barnes Group, Inc.** (226 South Center Street, Corry, PA 16407) for manufacture of wire springs and small metal automotive parts in the City of Corry, **Erie County**.

**33-00155: Trail King Industries, Inc.** (R. D. 5, Box 48; Brookville, PA 15825) for fabrication of steel truck trailers in Pine Creek Township, **Jefferson County**.

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Edward Brown, Facilities Permitting Chief, (610) 832-6242.*

**09-00003: Superpac, Inc.** (1220 Industrial Boulevard, Southampton, PA 18966) for an administrative amendment to address testing requirements of the appeal and addition of a flexographic printing press in Upper Southampton Township, **Bucks County**. The facility's major emission points include flexographic printing presses, which emit major levels of VOCs. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility within all applicable air quality requirements. This is Amendment No. 2 to the facility's Title V Operating Permit.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.*

**67-05005: PPL Brunner Island, LLC** (2 North 9th Street, Allentown, PA 18101) on February 14, 2000, for operation of an electrical power generating facility in East Manchester Township, **York County**. On June 11, 2002, the Title V Operating Permit was administratively amended to incorporate plan approval requirements for the installation of a flue gas conditioning system and the construction of a coal car dumper and also the SO<sub>2</sub> limits that were approved by the EPA under the old SIP. This is Revision No. 1 of the operating permit.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.*

**41-313-011B: Lonza, Inc.** (3500 Trenton Avenue, Williamsport, PA 17701) on June 7, 2002, to authorize operation of a 2800 gallon mix tank and a bag dumping station for the production of a new product (Geogard) in the City of Williamsport, **Lycoming County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.*

**43-00040: Wheatland Tube Co.—Sharon Plant** (200 Clark Street, Sharon, PA 16146) on June 4, 2002, to reflect the change in ownership from AK Steel Corp to Wheatland Tube Co., Division of John Maneely Co. for its Sharon facility in the City of Sharon, **Mercer County**. The facility's Title V Operating Permit was originally issued on July 27, 1998. This is an administrative amendment.

**43-00062: Wheatland Tube Co.** (P. O. Box 608, Wheatland, PA 16161) for a change of ownership from AK Steel Corp. to Wheatland Tube Co. for their plant in Wheatland Borough, **Mercer County**. This is an administrative amendment.

**10-00011: Castle Rubber LLC** (P. O. Box 589, Butler, PA 16003) for a change of ownership for their facility in East Butler Borough, **Butler County**. This is an administrative amendment.

## ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).**

### Coal Permits Actions

*Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209, (814) 342-8200.*

**17860122 and NPDES Permit No. PA 0115410. Laurel Energy, Inc.,** One Energy Place, Suite 7500,

Latrobe, PA 15650. Transfer of an existing bituminous surface mine-auger permit from Al Hamilton Contracting Company, located in Lawrence Township, **Clearfield County** affecting 490.5 acres. The also includes renewal of this surface mine permit. Receiving streams: unnamed tributary of Wallace Run to Wallace Run, Wallace Run and Mitchell Run to Little Clearfield Creek, Little Clearfield Creek to Clearfield Creek, Clearfield Creek to West Branch Susquehanna River. Application received December 26, 2001. Permit issued June 4, 2002.

**17980107 and NPDES Permit No. PA 0237979. GLR Mining, Inc.,** P. O. Box 105, Clymer, PA 15728. Transfer of an existing bituminous surface mine-auger permit from Moravian Run Reclamation Co., Inc., located in Bell Township, **Clearfield County**, affecting 58 acres. Receiving streams: unnamed tributary to Haslett Run to Haslett Run; Haslett Run to West Branch Susquehanna River. Application received February 2, 2002. Permit issued June 7, 2002.

**14820103 and NPDES Permit No. PA 0611719. American Compliance Coal Co., Inc.,** P. O. Box 260, Brockway, PA 15824. Transfer of an existing bituminous surface mine-auger permit from Al Hamilton Contracting Company, located in Rush Township, **Centre County** affecting 379.7 acres. Receiving streams: unnamed tributaries to Trout Run and Moshannon Creek to Moshannon Creek, to the West Branch Susquehanna River, to the Susquehanna River. Application received November 8, 2001. Permit application withdrawn June 12, 2002.

**17990122 and NPDES Permit No. PA 0242772. Laurel Energy, L.P.,** One Energy Place, Suite 7500, Latrobe, PA 15650. Transfer of an existing bituminous surface mine permit from Johnson Brothers Coal Company, located in Brady and Bloom Townships, **Clearfield County**, affecting 91 acres. Receiving streams: unnamed tributary #1 to Little Anderson Creek to Anderson Creek to the West Branch of the Susquehanna River. Application received February 2, 2002. Permit issued June 7, 2002.

*Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.*

**63860110 and NPDES Permit No. PA0589136. Raccoon Coal Company** (200 Neville Road, Pittsburgh, PA 15225). Permit renewal issued for continued reclamation only of a bituminous surface mine located in Robinson Township, **Washington County**, affecting 187.9 acres. Receiving streams: unnamed tributary to Little Raccoon Run. Application received May 2, 2002. Reclamation-only renewal issued June 11, 2002.

*McMurray District Mining Office: 3913 Washington Road, McMurray, PA 15317, (724) 941-7100.*

**32991301. NPDES Permit # N/A, DLR Mining, Inc.** (3065 Airport Rd., Indiana, PA 15701), to revise the permit for the Nolo Mine in Buffington Township, **Indiana County**, to revise the subsidence control plan to bring it up to current standards, Surface Acres Proposed N/A, Underground Acres Proposed N/A, SCP Acres Proposed N/A, CRDP Support Acres Proposed N/A, CRDP Refuse Disposal Acres Proposed N/A, no additional discharges, classified for the following uses: N/A. The first downstream potable water supply intake from the point of discharge is N/A. Permit issued May 31, 2002.

**32901603. NPDES Permit # N/A, Tipple Four J.** (P. O. Box 194, Shelocta, PA 15774), to renew the permit for the Tipple Four J in Armstrong Township, **Indiana County**, renewal, Surface Acres Proposed N/A, Under-

ground Acres Proposed N/A, SCP Acres Proposed N/A, CRDP Support Acres Proposed N/A, CRDP Refuse Disposal Acres Proposed N/A, Crooked Creek, classified for the following uses: WWF, The first downstream potable water supply intake from the point of discharge is N/A. Permit issued June 6, 2002.

*Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.*

**33860113 and NPDES No. PA0107387. Cloe Mining Company, Inc.** (P. O. Box J, Grampian, PA 16838) renewal of an existing bituminous strip operation in Young and Oliver Townships, **Jefferson County** affecting 311.6 acres. This renewal is issued for reclamation only. Receiving stream: unnamed tributary to Little Elk Run. Application received April 8, 2002. Permit issued June 6, 2002.

**24930102. Fairview Coal Company** (P. O. Box R, Ridgway, PA 15853) revision to an existing bituminous strip and auger operation to add Beneficial Use of coal ash in Horton Township, **Elk County** affecting 236.7 acres. Receiving streams: unnamed tributary to Johnson Run, unnamed tributary to Brandy Camp Creek. Application received August 13, 2001. Permit issued June 6, 2002.

#### *Noncoal Permits Actions*

*Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209, (814) 342-8200.*

**08010808. Michael A. Micklas, Sr.**, R. R. 3, Box 3184, Rome, PA 18837. Commencement, operation and restoration of a Small Industrial Minerals (Flagstone) permit in Windham Township, **Bradford County** affecting 3 acres. Receiving streams: Trout Brook, tributary to Wysox Run. Application received April 20, 2001. Permit issued June 12, 2002.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.*

**56970301, Fieg Brothers Coal Company**, 3070 Stoystown Road, Stoystown, PA 15563, renewal of NPDES Permit No. PA0234362, Black and Summit Townships, **Somerset County**. Receiving stream Casselman River. NPDES Renewal application received April 19, 2002. Permit issued June 11, 2002.

### **ACTIONS ON BLASTING ACTIVITY APPLICATIONS**

**Actions on applications under the Explosives Acts of 1937 and 1957 (43 P.S. §§ 151—161); and 25 Pa. Code § 211.124 (relating to blasting activity permits). Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

#### *Blasting Permits Actions*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.*

**45024031. Explosive Services, Inc.** (7 Pine Street, Bethany, PA 18431), construction blasting in Middle Smithfield Township, **Monroe County** with an expiration date of May 8, 2003. Permit issued June 12, 2002.

**01024009. Conewago Enterprises, Inc.** (660 Edgegrove Road, Hanover, PA 17331, construction blasting in Conewago Township, **Adams County** with an expiration date of July 20, 2002. Permit issued June 12, 2002.

**35024011. Hayduk Enterprises** (P. O. Box 554, Dalton, PA 18414), construction blasting in Pittston Township, **Lackawanna County** with an expiration date of August 31, 2002. Permit issued June 12, 2002.

**40024010. Joe Thomas Construction** (57 North Mountain, Mountaintop, PA 18707), construction blasting in Bear Creek Township, **Luzerne County** with an expiration date of October 31, 2002. Permit issued June 12, 2002.

**13024006. No. 1 Contracting Co.** (49 South Main Street, Ashley, PA 18706), construction blasting in Jim Thorpe Borough, **Carbon County** with an expiration date of June 19, 2002. Permit issued June 12, 2002.

**45024032. Explosive Services, Inc.** (7 Pine Street, Bethany, PA 18431), construction blasting in Middle Smithfield Township, **Monroe County** with an expiration date of May 25, 2003. Permit issued June 13, 2002.

**58024003. Emmett J. Wilkinson** (R. R. 2 Box 189, Kingsley, PA 18826), construction blasting in Brooklyn Township, **Susquehanna County** with an expiration date of June 26, 2004. Permit issued June 13, 2002.

**52024012. Holbert Explosives, Inc.** (237 Masthope Plank Road, Suite A, Lackawaxen, PA 18435), construction blasting in Delaware Township, **Pike County** with an expiration date of June 23, 2007. Permit issued June 13, 2002.

**23024005. Joao & Bradley Construction Company, Inc.** (4211 Tracy Lane, Bethlehem, PA 18020), construction blasting in Concord Township, **Delaware County** with an expiration date of July 23, 2002. Permit issued June 13, 2002.

*Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209, (814) 342-8200.*

**41024002. Sheehan Pipe Line Construction Company** (P. O. Box 231, Renovo, PA 17754), for construction blasting, located in Muncy, Upper Fairfield, Fairfield and Loyalsock Townships, **Lycoming County**, with an expected duration of 120 days. Permit issued June 12, 2002.

*Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.*

**02024003. Atlas Service, Inc.** (P. O. Box 789, Washington, PA 15301). Permit issued for Cochran Automotive Auto Park, located in Monroeville Borough, **Allegheny County**, with an expected duration of 120 days. Permit issued June 6, 2002. (This was previously published with the wrong permit number of 02024002).

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and

of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

### FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)).

Except as otherwise noted, the Department certifies that the construction and operation herein described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State Water Quality Standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

---

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).** (Note: Water Obstruction and Encroachment Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description).

---

*Permits Issued and Actions on 401 Certifications:*

#### WATER OBSTRUCTIONS AND ENCROACHMENTS

*Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.*

**E09-824. Pennridge Wastewater Treatment Authority**, 180 Maple Avenue, P. O. Box 31, Sellersville, PA 18960, West Rockhill Township, **Bucks County**, ACOE Philadelphia District.

To operate and maintain the Pennridge Wastewater Treatment Plant and to construct and maintain an expansion consisting of three additional treatment units and associated facilities within the 100-year floodplain at the East Branch of Perkiomen Creek. The treatment plant is located at 180 Maple Avenue (Telford, PA USGS Quadrangle N: 19.1 inches; W: 8.8 inches).

**E15-678. West Whiteland Township**, 222 North Pottstown Pike, Exton, PA 19341, West Whiteland Township, **Chester County**, ACOE Philadelphia District.

To construct and maintain a 6-foot wide pedestrian bridge and elevated boardwalk spanning Lionville Run, a tributary to West Valley Creek (WWF-MF) and 0.064 acre of adjacent wetlands (PEM) located in Miller Park. Concrete piers will support the boardwalk. The site is located approximately 1,500 feet southwest of the intersection of Pottstown Pike and Swedesford Road (Downingtown, PA Quadrangle N: 5.7 inches; W: 1.5 inches).

**E15-681. Lauren Lenfest**, 1696 Pughtown Road, Phoenixville, PA, 19460, West Vincent Township, **Bucks County**, ACOE Philadelphia District.

To remove an existing stream enclosure and to restore and maintain approximately 330 linear feet of stream channel along an unnamed tributary to French Creek (HQ-TSF). Work will consist of the removal of 297 linear feet of deteriorated galvanized steel pipe, which presently encloses this portion of the tributary. The restoration is designed to create instream and riparian habitat for aquatic and terrestrial fauna and to restore natural watercourse conditions. Also associated with the project are the construction of a spanning pedestrian bridge and a spanning vehicular bridge. The project site is located 1,000 feet southwest of the intersection of Pughtown Road and Garden Road (Phoenixville, PA Quadrangle N: 2.5 inches, W: 14.5 inches) in West Vincent Township, Bucks County.

**E46-893. Blue Bell Associates**, 650 Sentry Parkway, Suite One, Blue Bell, PA 19422, Plymouth Township, **Montgomery County**, ACOE Philadelphia District.

To construct and maintain approximately 120 linear feet of 30-foot wide 12.5-foot rise reinforced concrete arch stream enclosure along an unnamed tributary to Plymouth Creek (WWF) associated with the construction of Peter Lane at the proposed Plymouth Meeting Commons Residential Development. This project also includes the installation and maintenance of two outfall structures and an 8-inch sanitary sewer crossing. The site is located approximately 2,000 feet north of the intersection of South Graver Road and Chemical Road (Norristown, PA USGS Quadrangle N: 19.6 inches; W: 5.9 inches).

*Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**E06-563. Douglass Township**, 1068 Douglass Drive, Boyertown, PA 19512 in Douglass Township, **Berks County**, ACOE Philadelphia District.

To remove an existing cut stone arch culvert 8-foot, 4-inches wide by 6-foot, 2-foot, 1/2 inch high) and to construct and maintain a concrete box culvert 8-foot by 6-foot at a point along Redshale Drive (T-481) across an unnamed tributary to Ironstone Creek (TSF) (Boyertown, PA Quadrangle N: 9.4 inches; W: 6.6 inches) in Douglass Township, Berks County.

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E65-793. City of Arnold**, 1829 Fifth Avenue, Arnold, PA 15068. City of Arnold, **Westmoreland County**, ACOE Pittsburgh District.

To construct and maintain an L-shaped 64.2-foot by 51.4-foot floating fishing pier having a width of 13.4 feet at its widest point and associated access and parking areas along the left bank of the Allegheny River (WWF) at approximately River Mile 20.2 for the purpose of

providing recreational opportunities to area residents. The project is located at the Kennedy Riverside Park (New Kensington West, PA Quadrangle N: 14.43 inches; W: 3.08 inches).

**STORAGE TANKS**

**SITE-SPECIFIC INSTALLATION PERMITS**

**The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Land Recycling and Waste Management, Director, P. O. Box 8763, Harrisburg, PA 17105-8763.**

<i>SSIP Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>
02-65-005	Nancy Kosisky Windward Petroleum 201 Locust Street Youngwood, PA 15697	Westmoreland

<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
Youngwood Borough	42 ASTs storing oil tanks	155,600 gallons total

**SPECIAL NOTICES**

**Extension of Submission Deadline for Application for Reimbursement for Certified Host Municipality Inspectors**

The Department of Environmental Protection (Department) announces the extension of the submission deadline for 2001 host municipality inspector program reimbursement applications to July 12, 2002. Reimbursements are available to municipalities under the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) and the Hazardous Sites Cleanup Act (Act 108). Municipalities include cities, boroughs, incorporated towns, townships and home rule municipalities.

Reimbursements are allocated from the Recycling Fund authorized under Act 101 for municipal waste facilities or from the Hazardous Sites Cleanup Fund under Act 108 for hazardous waste facilities. Reimbursements are available to any municipality that has a municipal waste landfill, resource recovery or commercial hazardous waste storage, treatment and disposal facilities located within its geographic borders. Upon application from any host municipality, the Department shall award reimbursements for authorized costs incurred for the salary and expenses of up to two certified host municipality inspectors. The reimbursement shall not exceed 50% of the approved costs of salaries and expenses. Reimbursement is available only for host municipality inspectors trained and certified by the Department.

The application for reimbursement contains tables for specifying the itemized expenses for certified inspectors and for calculating the total reimbursement request. Complete instructions are included with the application, which is being distributed to all municipalities that have participated in the program. If a municipality does not receive, but requires, an application, contact the Program Development Section, Department of Environmental Protection, Bureau of Land Recycling and Waste Management, Rachel Carson State Office Building, P. O. Box

8471, Harrisburg, PA 17105-8471, (717) 787-9870. Individuals with questions concerning this program should contact the Program Development Section at the previous address and telephone number.

The extended deadline for submitting applications is 4:30 p.m. on June 28, 2002. Applications received by the Department after the deadline will not be considered.

[Pa.B. Doc. No. 02-1139. Filed for public inspection June 28, 2002, 9:00 a.m.]

**Proposed Revisions to Pennsylvania General NPDES Permit for Discharges from Gasoline Contaminated Groundwater Remediation Systems (PAG-5)**

Under the authority of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P. S. §§ 510-5, 510-17 and 510-20), the Department of Environmental Protection (Department) is proposing to revise its General NPDES Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems (PAG-5) for reissuance of the General Permit for another 5 years. The current General Permit was scheduled to expire on June 12, 2002; however, by notice published at 32 Pa.B. 2947 (June 15, 2002), the expiration date was extended to December 12, 2002. The current General Permit will continue to be in force until formally revised following the public review process. The General Permit will continue to be not applicable to discharges to waters designated as "special protection" under 25 Pa. Code Chapter 93 (relating to water quality standards). Discharges are required to be covered through an individual permit.

This notice provides the public and all affected parties with a summary of changes being proposed to the General Permit and seeks public comments on several program

areas and/or issues. The Department will consider all input received in making the final permit documents.

The following paragraphs summarize proposed major revisions to the General Permit (PAG-5):

1. General Edit/Update—The revisions provide a general edit/update of all permit documents (notice of intent (NOI), instructions, fact sheet, the General Permit, discharge monitoring reports and other reporting forms) to reflect the Department's current organization and publication standards.

2. The Department is proposing to reissue the revised General Permit as "General NPDES Permit for Discharges from Petroleum Products Contaminated Groundwater Remediation Systems." This will allow the Department to use the revised General Permit to deal with discharges from all petroleum product contaminated groundwater remediation systems—not just limited to gasoline contaminated groundwater as in the current permit. The definitions of "petroleum product" and "petroleum product contaminated groundwater remediation system" have been added in the proposed permit. The Department will make the proposed name change when it issues the final General Permit.

3. To be consistent with the proposed change under item #2, the revised permit documents include appropriate additions and/or other changes to the current permit to address nongasoline contaminated discharges from activities and operations handling petroleum products other than gasoline. Two separate tables provide proposed effluent limitations, monitoring and reporting requirements for the gasoline and nongasoline contaminated remediation systems respectively.

4. Prior Compliance History Review—The revisions now add a "Prior Compliance History Review" information requirement block on the NOI. The NOI and instructions have been revised to require permittee submission of a self-certification of prior compliance history status with all permits issued by the Department. This is a standard Department requirement for all NPDES permits and is being added to the permit documents as they are reviewed and revised.

5. General Information Form (GIF)—The revisions require completion and submission of the GIF with the permit applications (NOIs). This is a standard Department requirement for all NPDES permits.

6. Proposal to revoke and reissue permit coverage for all current PAG-5 permit holders—The Department, by this notice, also proposes to revoke the existing general permit and to issue the revised general permit. This action will terminate coverage for all current General Permit holders, who will have three options: accept the new permit terms and apply for coverage as described below, apply for an individual permit or indicate to the Department that no permit is needed because the activity or operation creating a discharge has ceased.

The Department will be mailing individual notifications

of this draft general permit to each permittee of record for a 30-day comment period. The Department will consider all comments received from the general public and current permittees as part of the overall revision of the General Permit.

Upon publication and issuance of the final permit, each current permittee will receive a notice from the Department to indicate to the Department its choice to: (1) continue its permit coverage under the final permit; (2) submit an application for an individual permit; or (3) agree to a statement that the activity or operation creating the discharge at its facility has ceased. This information will be provided in a self-addressed postcard provided by the Department. Current permittees will have 60 days to send the postcard back to the Department indicating their choice. If the postcard is not received by the Department in that period, the current permittee will be considered to be discharging without a permit.

No new NOI or permit application fee would be required of a current permittee unless the current permittee decides to apply for an individual permit.

The proposed permit document package is available from the Bureau of Water Supply and Wastewater Management, P. O. Box 8467, Harrisburg, PA 17105-8467, (717) 783-3795, e-mail [trutrutma@state.pa.us](mailto:trutrutma@state.pa.us), [www.dep.state.pa.us](http://www.dep.state.pa.us) directLINK "participate"; scroll down to "Proposals Open for Comment"; then choose "Other Proposals."

The Department invites public comments on the proposed revisions. Comments must be submitted within 30 days from the date of the publication of this notice in the *Pennsylvania Bulletin*. If there is significant public interest or if requested, the comment period may be extended at the discretion of the Department for an additional 15-day period. Only the comments received within the specified period will be considered in the formulation of the final documents for this General Permit. If significant issues of public interest are raised, the Department may schedule a public meeting or hearing. Written comments should be submitted at the previous address. The comments will also be accepted by e-mail to [pparikh@state.pa.us](mailto:pparikh@state.pa.us). Comments will not be accepted by facsimile or voice mail.

Persons with a disability may use the AT&T Relay Service, (800) 654-5984 (TDD users) or (800) 654-5988 (voice users). Following the specified comment period, the Department will review all submitted comments, prepare a written comments and response document and prepare final documents package for this permit. An availability of the final permit documents will be announced in the *Pennsylvania Bulletin*. Anyone wishing to also receive a copy of the final documents may request them by contacting the previous address or telephone numbers.

DAVID E. HESS,  
Secretary

#### Northcentral Region (570) 327-3670

Facility Location Municipality	Permit No.	Applicant Name & Address	Receiving Water/Use
Sullivan Township, Tioga County	PAG054801	Tioga Petroleum Co., Inc. P. O. Box 158 8th Street Mansfield, PA 16933	Cory Creek (WWF)

**Northcentral Region (570) 327-3670**

<i>Facility Location Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>
Harrison Township, Potter County	PAG054802	Cole's Garage 101 West Main Street Harrison Valley, PA 16927	Cowanesque River (CWF)
City of Mansfield, Tioga County	PAG054803	Tioga Petroleum Co., Inc. P. O. Box 158 8th Street Mansfield, PA 16933	Tioga River (CWF)
Jersey Shore Borough, Lycoming County	PAG054804	Uni-Mart, Inc. 477 East Beaver Avenue State College, PA 16801	Nichols Run (HQ-CWF)
Lewisburg Borough, Union County	PAG054805	Robert D. Badel, V.P. 600 St. Mary Street Lewisburg, PA 17833	Limestone Run (CWF)
College Township, Centre County	PAG054806	Pennsylvania State University Office of Physical Plant University Park, PA 16802	Big Hollow Run (CWF)
Town of Bloomsburg, Columbia County	PAG054807	Park Street Developers, LLC 10 Crossroads Plaza West Hartford, CT 06117	Neals Run (CWF)
Canton Borough, Bradford County	PAG054808	Putnam Oil Company 5 East Avenue P. O. Box 114 Wellsboro, PA 16901	Spring Brook (CWF)
Richmond Township, Tioga County	PAG054809	United Refining Company of PA P. O. Box 688 Warren, PA 16365	Tioga River (CWF)
City of Williamsport, Lycoming County	PAG054810	Williams Oil Company, Inc. York Ave. North P. O. Box 207 Towanda, PA 18848	West Branch Susquehanna River (WWF)
Gibson Township, Cameron County	PAG054811	Keller Oil Company 724 Washington Rd. P. O. Box 147 St. Marys, PA 15857	Sinnemahoning Creek (CWF)
Snow Shoe Township, Centre County	PAG054812	Nittany Oil Company 321 North Front Street Philipsburg, PA 16866	Little Sandy Run (CWF)
Sullivan Township, Tioga County	PAG054813	Tioga Petroleum Co., Inc. P. O. Box 158 8th Street Mansfield, PA 16933	Cory Creek (WWF)
Bigler Township, Clearfield County	PAG054814	Anthony J. Muraik P. O. Box 552 Madera, PA 16661	Clearfield Creek (WWF)
North Towanda Township, Bradford County	PAG054815	Williams Oil Company, Inc. York Ave. North P. O. Box 207 Towanda, PA 18848	Sugar Creek (TSF)
Muncy Creek Township, Lycoming County	PAG054816	Sel-Lo Oil, Inc. 3200 South 10th Avenue Altoona, PA 16603	UNT to West Branch Susquehanna River (WWF)
City of Williamsport, Lycoming County	PAG054818	United Refining Company of PA P. O. Box 688 Warren, PA 16365	West Branch Susquehanna River (WWF)
Irvona Borough, Clearfield County	PAG054819	Arnold O'Shell P. O. Box 156 Irvona, PA 16656	Clearfield Creek (WWF)

**Northcentral Region (570) 327-3670**

<i>Facility Location Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>
Loyalsock Township, Lycoming County	PAG054820	Snyder Fuels, Inc. 155 South 10th Street Sunbury, PA 17801	West Branch Susquehanna River (WWF)

**Northeast Region (570) 826-2511**

<i>Facility Location Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>
West Mahanoy Township, Schuylkill County	PAG052207	Jack Rich Inc. 617 Altamont Blvd. Frackville, PA 17931	UNT to Mud Run
Kingston Township, Luzerne County	PAG052208	Butler Products 187 N. Memorial Hwy. Shavertown, PA 18708	Toby's Creek
Kingston Township, Luzerne County	PAG052210	Petro Svc. Co. 454 S. Main Street P. O. Box 454 Wilkes-Barre, PA 18702	Susquehanna River
Whitehall Township, Lehigh County	PAG052204	Top Star, Inc. 14 E. Main St. Emmaus, PA 18049	Lehigh River
Chestnuthill Township, Monroe County	PAG052205	Hickey Mgmt. Co. P. O. Box 448 Stroudsburg, PA 18360	Pohopoco Creek
Rush Township, Schuylkill County	PAG052206	DEP, Hartranft 2 Public Square Wilkes-Barre, PA 18711	Little Schuylkill River
Lehman Township, Luzerne County	PAG052209	DEP, Sunoco LUST 2 Public Square Wilkes-Barre, PA 18711	UNT to Huntsville Reservoir
West Hazleton Borough, Luzerne County	PAG052211	Sunoco Service Sta. P. O. Box 744 West Chester, PA 19381	Black Creek
Hanover Township, Lehigh County,	PAG052203	Allegheny Airlines 100 Rosedale Ave. Middletown, PA 17057	Lehigh River
Tremont Township, Schuylkill County	PAG052201	D & A Environmental 120 N. Abington Rd. Clarks Summit, PA 18411	Middle Creek

**Southeast Region (610) 832-6131**

<i>Facility Location Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>
Lower Gwynedd Township Montgomery County	PAG050001	Exxon Co. USA 140 S. Village Ave. Lionfield Bldg., Suite 200 Exton, PA 19341	Trewellyn Creek
Lower Merion Township, Montgomery County	PAG050002	Exxon Co. USA 140 S. Village Ave. Lionfield Bldg., Suite 200 Exton, PA 19341	Gully Run
Uwchlan Township, Chester County	PAG050003	Sun Co. Inc. 1801 Market St. Philadelphia, PA 19103-1699	
Lower Merion Township, Montgomery County	PAG050004	Exxon Co. USA 140 S. Village Ave. Lionfield Bldg., Ste. 200 Exton, PA 19341	East Branch Indian Creek

**Southeast Region (610) 832-6131**

<i>Facility Location Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>
West Chester Borough, Chester County	PAG050005	Sun Co. Inc. 1801 Market St. Philadelphia, PA 19103-1699	UNT to Plum Run
East Vincent Township, Chester County	PAG050006	Sun Co. Inc. 1801 Market St. Philadelphia, PA 19103-1699	UNT to Schuylkill River
Lower Providence Township, Montgomery County	PAG050007	Sun Co. Inc. 1801 Market St. Philadelphia, PA 19103-1699	Perkiomen Creek
Northampton Township, Bucks County	PAG050008	Sun Co. Inc. 1801 Market St. Philadelphia, PA 19103-1699	
Lower Merion Township, Montgomery County	PAG050009	Sun Co. Inc. 1801 Market St. Philadelphia, PA 19103-1699	
Chadds Ford Township, Delaware County	PAG050010	Sunoco Inc. 1801 Market Street Philadelphia, PA 19103-1699	West Branch Chester Creek
Springfield Township, Montgomery County	PAG050011	Amoco Oil Co. 1680 Bethlehem Pike Flourtown, PA 19031	Wissahickon Creek
East Norriton Township, Montgomery County	PAG050012	BP Amoco 5815 Dekalb Pike Norristown, PA 19401	
West Norriton Township, Montgomery County	PAG050013	Southland Corp. 1972 W. Main St. Jeffersonville, PA 19403	Indian Creek
Doylestown Borough, Bucks County	PAG050014	Mobil Oil Corp. 10617 Braddock Road Fairfax, VA 22032	Pine Run
Springfield Township, Delaware County	PAG050015	Springfield Twp., Delaware County 50 Powell Rd. Springfield, PA 19064-0274	Stony Creek
Hilltown Borough, Bucks County	PAG050016	Sunoco Inc. 4041 Market St. Aston, PA 19014	
Bedminster Township, Bucks County	PAG050017	Farm & Home Oil Co. 3115 State Rd. Telford, PA 18969-1024	UNT to Morris Run and Perkiomen Wa- tershed
Bensalem Township, Bucks County	PAG050018	Nolan Robert 2464 Bristol Pike Bensalem, PA 19020	Delaware River
Marple Township, Delaware County	PAG050019	Sunoco Inc. 4041 Market St. Aston, PA 19014	Trout Run
West Chester Borough, Chester County	PAG050020	Sunoco Inc. 4041 Market St. Aston, PA 19014	Chester Creek 3 G
Richland Township, Bucks County	PAG050021	Willies Oil Inc. 322 N. West End Blvd. Quakertown, PA 18951	UNT to Tohickon Creek
Chester County	PAG050022	Sun Co. Inc. 1801 Market St. Philadelphia, PA 19103-1699	East Branch White Clay Creek
Chester County	PAG050023	Sun Co. Inc. 1801 Market St. Philadelphia, PA 19103-1699	East Branch White Clay Creek

**Southeast Region (610) 832-6131**

<i>Facility Location Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>
Oxford Township, Chester County	PAG050024	Getty Prop Corp. 125 Jericho Turnpike Jericho, NY 11753	UNT to Tweed Creek
Lower Merion Township, Montgomery County	PAG050025	Sunoco Inc. 1801 Market Street Philadelphia, PA 19103-1699	Schuylkill River
Lower Merion Township, Montgomery County	PAG050026	Jewish Comm. Ctr. Greater Phila. 401 S. Broad St. Philadelphia, PA 19147-1111	West Branch Indian Creek
Newtown Township, Delaware County	PAG050027	Sunoco Inc. (R&M) Automotive Lab P. O. Box 1135 Marcus Hook, PA 19061	UNT to Hunter Run
Bensalem Township, Bucks County	PAG050028	Sunoco Inc. (R&M) Automotive Lab P. O. Box 1135 Marcus Hook, PA 19061	Delaware River
Haverford Township, Delaware County	PAG050029	Sunoco Inc. (R&M) Automotive Lab P. O. Box 1135 Marcus Hook, PA 19061	

**Southwest Region (412) 442-4000**

<i>Facility Location Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>
O'Hara Township, Allegheny County	PAG056101	Sun Co.—Blawnox Upper Terminal 5733 Butler Street Pittsburgh, PA 15201	Allegheny River
Castle Shannon Borough, Allegheny County	PAG056102	Cumberland Farms, Inc. Former Gulf #143606 777 Dedham Street Canton, MA 02021	Sawmill Run
Peters Township, Washington County	PAG056103	Snyder's Automotive Service 803 East McMurray Road Venetia, PA 15367	Tributary of Brush Run
Hampton Township, Allegheny County	PAG056104	Exxon Company USA— Exxon Facility #2-6646 2567 University Drive, Suite 5008 Morgantown, WV 26505	UNT to Crouse Run
Plum Borough, Allegheny County	PAG056105	Exxon Company USA— Former Exxon Fac #2-3476 2567 University Drive, Suite 5008 Morgantown, WV 26505	Plum Creek
City of Pittsburgh, Allegheny County	PAG056106	Sun Company, Inc.— Sunoco Station 0363-3443 5733 Butler Street Pittsburgh, PA 15201	Chartiers Creek/ Ohio River
Oakdale Borough, Allegheny County	PAG056107	Exxon Company USA Former Fac RAC #2-4916 140 South Village Ave., Suite 200 Exton, PA 19341	
Penn Hills Township, Allegheny County	PAG056108	Amoco SS #1433 1 West LM-Remediation Serv. Baltimore, MD 21204	Duff's Run to Chalfant Run
Carnegie Borough, Allegheny County	PAG056109	Guttman Oil Co. Crossroads Food Mart 200 Speers St. Belle Vernon, PA 15012	Chartiers Creek

**Southwest Region (412) 442-4000**

<i>Facility Location Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>
East Huntingdon Township, Westmoreland County	PAG056110	Donald A. Grooms Grooms Transit, Inc. R. D. 2, Box 87 Scottdale, PA 15683	Jacobs Creek
North Versailles Township, Allegheny County	PAG056111	Sun Company, Inc. (R&M) 5733 Butler Street Pittsburgh, PA 15201	Crooked Run
West Newton Borough, Westmoreland County	PAG056112	Tom's Service Center 11 North Water St. West Newton, PA 15089	Youghiogheny River
City of Pittsburgh, Allegheny County	PAG056113	Robert Lloyd Ruffner's Texaco 5 Highland Avenue Bethlehem, PA 18017	Saw Mill Run
Canton Township, Washington County	PAG056114	Chico Enterprises 331 Beechurst Avenue Morgantown, WV 26505	Chartiers Creek
Geistown Borough, Cambria County	PAG056115	Michael Shaffer 2463 Bedford St. Johnstown, PA 15904	Sams Run to Stonycreek River
Brighton Township, Beaver County	PAG056116	Brighton Township Supervisors Muni Garage 1300 Brighton Road Beaver, PA 15009	UNT to Two Mile Run
Houston Borough, Washington County	PAG056117	United Refining Co. of PA Kwik-Fill #S-85 P. O. Box 599 Warren, PA 16365	Chartiers Creek
Marion Center Borough, Indiana County	PAG056118	Ronald Stewart Stewart's Garage 119 S. Manor St. Marion Center, PA 15759	UNT Tributary to Pine Run
Blacklick Township, Cambria County	PAG056119	John & Mary Bortnyik Mobil 3652 Ben Franklin Highway Belsano, PA 15922	UNT to Little Elk Creek
Independence Township, Beaver County	PAG056120	Dominion Transmission Inc. 445 West Main Street Clarksburg, WV 26302-2450	UNT to Raccoon Creek
Ferndale Borough, Cambria County	PAG056121	Chris A. Riely Ferndale Service Station 421 Ferndale Avenue Johnstown, PA 15905	Stony Creek
Indiana Borough, Indiana County	PAG056122	Sun Company, Inc. (R&M) 5733 Butler Street Pittsburgh, PA 15201	Stoney Run
Monongahela, Washington County	PAG056123	Sheetz, Inc. Sheetz Store #92 5700 Sixth Avenue Altoona, PA 16602	Pigeon Creek
Monaca Borough, Beaver County	PAG056124	Sunrise Sunoco On Line, Inc. 1424 Banksville Rd., Suite 001 Pittsburgh, PA 15216	Tributary of Ohio River
Somerset Township, Somerset County	PAG056125	Somerset Fuel Co. 702 S. Kimberly Ave. Somerset, PA 15501	Coxes Creek

**Southwest Region (412) 442-4000**

<i>Facility Location Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>
Cresson Borough, Cambria County	PAG056127	Martin L. Sheehan Sheehan's Mini-Mart 926 Second Street Cresson, PA 16630	Little Conemaugh River
Indiana Borough, Indiana County	PAG056128	Sun Company, Inc. (R&M) 5733 Butler Street Pittsburgh, PA 15201	Stoney Run
Connellsville, Fayette County	PAG056129	Chico Enterprises 331 Beechurst Avenue Morgantown, WV 26505	Opossum Run
Johnstown, Cambria County	PAG056130	Modern Art & Plate Glass Co. 180 Asphalt Road Johnstown, PA 15905	Conemaugh River
North Fayette Township, Allegheny County	PAG056131	Excaliber Oil Group, Inc. Tomazich Ser. Sta. 133 Rt. 30 Imperial, PA 15126	Montour Run
Ligonier Township, Westmoreland County	PAG056132	Ligonier Township Authority 18 Old Lincoln Highway Ligonier, PA 15658	Storm Sewer to Mill Creek
Verona Borough, Allegheny County	PAG056133	Outboard Haven Marina 228 Arch Street Verona, PA 15147	Allegheny River
Monongahela, Washington County	PAG056134	Pennzoil-Quaker State/Pennzmart P. O. Box 2967 Houston, TX 77252-2967	Dry Run Creek
Somerset Township, Somerset County	PAG056135	Somerset Fuel Co. East End Serv. Station P. O. Box 430 S. Kimberly Avenue Somerset, PA 15501	Coxes Creek
Peters Township, Washington County	PAG056136	Guttman Oil Co. Exxon Crossroads Food Mart 200 Speers Street Belle Vernon, PA 15012	UNT of Brush Run
Manor Township, Armstrong County	PAG056137	United Refining Co. of PA Kwik Fill #S-0047 P. O. Box 599 Warren, PA 16365	
Greensburg, Westmoreland County	PAG056138	Terry Kalna R.L. Smeltz Oil, Inc. 725 South Main St. Box 100 Greensburg, PA 15601	Tributary of Jacks Run
Burgettstown Borough, Washington County	PAG056139	Sutherland Lumber Co. P. O. Box 351 Langeloth Rd. Burgettstown, PA 15021	Burgetts Fork Creek
Unity Township, Westmoreland County	PAG056140	BP Exploration & Oil, Inc. Site #07409 4850 East 49th Street Cleveland, OH 44125	UNT of Loyalhanna Creek
Bullskin Township, Fayette County	PAG056141	Graft Oil Co. Honey Bear Mini Mart P. O. Box 899 Rts. 119 and 982 Connellsville, PA 15425	Mounts Creek

**Southwest Region (412) 442-4000**

<i>Facility Location Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>
Wayne Township, Indiana County	PAG056142	PennDot/SR 286 Station 455 P. O. Box 429 Rt. 286 S. Indiana, PA 15701	Crooked Creek
Hampton Township, Allegheny County	PAG056143	BP Exploration & Oil, Inc. Site #07184 4850 East 49th Street Cleveland, OH 44125	Gourdhead Run
Canton Township, Washington County	PAG056144	Chico Enterprises Allstar Express 331 Beechhurst Avenue Morgantown, WV 26505	Chartiers Creek
Rostraver Township, Westmoreland County	PAG056145	Supervalu Inc. Belle Vernon Facility 400 Paintersville Rd. P. O. Box 1000 New Stanton, PA 15672	UNT to Speers Run
City of Washington, Washington County	PAG056146	United Refining Co. of PA— Kwik Fill #S-079 P. O. Box 688 11 Bradley Street Warren, PA 16365	UNT of Catfish Creek
Upper St. Clair Township, Allegheny County	PAG056147	Sunoco Inc. Station #0364-0703 5733 Butler Street Pittsburgh, PA 15201	McLaughlin Run
Indiana Borough, Indiana County	PAG056148	John E. Midkiff Baton Fuel Co. 481 Hammersmith Drive Indiana, PA 15701	Tributary to Two Lick Creek
North Union Township, Fayette County	PAG056149	United Refining Co. of PA Kwik Fill #S-088 P. O. Box 688 Warren, PA 16365	UNT to Redstone Creek
Pleasant Hills Borough, Allegheny County	PAG056150	BP Exploration & Oil, Inc. Site #00961 4850 East 49th Street Cleveland, OH 44125	UNT to Lewis Run
Upper Burrell Township, Westmoreland County	PAG056151	Sunoco Inc. Station #0261-8825 5733 Butler Street Pittsburgh, PA 15201	Hempfield Hollow Creek
Rostraver Township, Westmoreland County	PAG056152	CoGo's Co. Rostraver Convenience Store 2589 Boyce Plaza Road Pittsburgh, PA 15241	UNT to Youghiogheny River
Jeannette, Westmoreland County	PAG056153	Dreistadt Auto Service 9th Street and Magee Avenue Penn, PA 15675	Brush Creek to Turtle Creek
Greensburg, Westmoreland County	PAG056154	R. L. Smeltz Oil Inc. Greensburg Facility 725 South Main Street Box 100 Greensburg, PA 15601	Jacks Run to Sewickley Creek
New Eagle Borough, Washington County	PAG056155	New Eagle Senior Apartment LP 603 Courthouse Sq. 100 West Beau St. Washington, PA 15301	Monongahela River

**Southwest Region (412) 442-4000**

<i>Facility Location Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>
Raccoon Township, Beaver County	PAG056156	Hysong's Inc. Hysong's Convenience Store 953 State Route 18 Aliquippa, PA 15001	
Derry Township, Westmoreland County	PAG056157	United Refining Co. of PA Kwik Fill #S-141 P. O. Box 688 Warren, PA 16365	UNT of Saxman Run
Robinson Township, Allegheny County	PAG056158	Sunoco Inc./Crafton Fac. 5733 Butler Street Pittsburgh, PA 15201	Moon Run
Hempfield Township, Westmoreland County	PAG056159	Exxon Mobil Corp. Former Facility #23792 220 Commerce Drive, Suite 205 Ft. Washington, PA 19034	UNT of Little Sewickley Creek
Hempfield Township, Westmoreland County	PAG056160	Sunoco Inc. Station #0002-0883 5733 Butler Street Pittsburgh, PA 15201-2115	UNT of Jacks Run
Hempfield Township, Westmoreland County	PAG056161	Exxon Mobil Corp. Former Facility #20632 220 Commerce Drive, Suite 205 Ft Washington, PA 19034	UNT of Jacks Run
Jeannette, Westmoreland County	PAG056162	Maloy's Amoco 101 Altman Road Jeannette, PA 15644	UNT of Brush Creek
Mt. Pleasant Borough, Westmoreland County	PAG056163	Mountain Gateway Convenience Store H. C. Box 65 Mt. Pleasant, PA 15666	Jacobs Creek
Monessen, Westmoreland County	PAG056164	R. L. Smeltz Oil Co. Inc. Monessen Fac./Frm Amo 725 South Main Street Box 100 Greensburg, PA 15601	UNT of Monongahela River
West Mifflin Borough, Allegheny County	PAG056165	Sunoco Inc. (DUNS# 0363-9101) 5733 Butler Street Pittsburgh, PA 15201	UNT to Streets Run
New Sewickley Township, Beaver County	PAG056166	United Refining Co. of PA Kwik Fill Sta. S-055 P. O. Box 688 11 Bradley St. Warren, PA 16365	UNT of Dutchman Run
Green Tree Borough, Allegheny County	PAG056167	Ethel Holeczy Holeczy Amoco 1964 Warriors Road Pittsburgh, PA 15205	UNT to Chartiers Creek
Uniontown, Fayette County	PAG056168	Fike's Dairy 47 W. Craig St. Uniontown, PA 15401	UNT of Redstone Creek
City of Washington Washington County	PAG056170	Coen Oil Co. 1100 W. Chestnut St. Washington, PA 15301	

**Southcentral Region (717) 705-4707**

<i>Facility Location Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>
Bedford Borough, Bedford County	PAG053502	Exxon Company USA 2567 University Ave., Suite 5008 Morgantown, WV 26505-4758	Dunning Creek

**Southcentral Region (717) 705-4707**

<i>Facility Location Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>
Manheim Borough, Lancaster County	PAG053503	Sun Company Inc. Twin Oaks Terminal 4041 Market Street Ashton, PA 19014	Chickies Creek 07919 7G
Mt. Joy Township, Lancaster County	PAG053504	Gas-n-Goodies Getty Petroleum Corporation 230 Lincoln Way East New Oxford, PA 17350	UNT to Conewago Creek 0944 7G
Ephrata Borough, Lancaster County	PAG053505	Sunoco A-Plus Sun Company, Inc. Twin Oaks Terminal 4041 Market Street Ashton, PA 19014	Cocalico Creek 07657 7J
East Cocalico Township, Lancaster County	PAG053506	SICO-Swartzville The SICO Company 15 Mount Joy Street Mount Joy, PA 17552	
East Cocalico Township, Lancaster County	PAG053507	Redners Quick Shoppe	Cocalico Creek 06757 7J
Newberry Township, York County	PAG053508	Fogelsanger's Service Station Sun Company, Inc. 4041 Market Street Ashton, PA 19014	UNT to Fishing Creek 09323 7E
Upper Leacock Township, Lancaster County	PAG053509	Bradford L. Fish Sunoco Inc. P. O. Box 1135 Post Road and Blue Ball Ave. Marcus Hook, PA 19061	UNT to Conestoga River 07653 7J
Penn Township, Perry County	PAG053510	Petersburg Commons	Susquehanna River Cancelled
West Donegal Township, Lancaster County	PAG053511	JR Lawson West Donegal Township 7 West Ridge Road Elizabethtown, PA 17022	Conoy Creek 08278 7G
Birdsboro Borough, Berks County	PAG053512	Exxon Company, USA Lionfield Building, Suite 200 140 South Village Ave. Exton, PA 19341	Hay Creek 01772 3C
Hopewell Township, Cumberland County	PAG053513	Blue Mountain Service Plaza Exxon Company, USA 2567 University Ave., Suite 5008 Morgantown, WV 26505	Newburg Run 10531 12B
Middle Paxton Township, Dauphin County	PAG053514	Getty Station—Dauphin Getty Petroleum Marketing, Inc. 86 Doremus Avenue Newark, NJ 07110	Susquehanna River 06685 13C
Washington Township, Franklin County	PAG053515	Etter's Auto Service Robert Etter 314 Ringold Street Waynesboro, PA 17268	Red Run 059287 13C
Spring Township, Berks County	PAG053516	Sun Pipe Line—Montello Sun Company, Inc. Ten Penn Center 1801 Market Street Philadelphia, PA 19103	Cacoosing Creek 01850 3C
East Hempfield Township, Lancaster County	PAG053517	Herr and Sacco, Inc. P. O. Box 99, Elmwood Ave. Landisville, PA 17538	Swarr Run 07576 7J

**Southcentral Region (717) 705-4707**

<i>Facility Location Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>
West Hempfield Township, Lancaster County	PAG053518	Turkey Hill Minit Markets 257 Centerville Road Lancaster, PA 17603	UNT to Chickies Creek 07979 7G
Bethel Township, Lebanon County	PAG053519	Redner's Markets, Inc. 3 Quarry Road Reading, PA 19605	UNT to Beach Run 09899 7D
West Lampeter Township, Lancaster County	PAG053540	Turkey Hill #15 Turkey Hill Minit Markets 257 Centerville Road Lancaster, PA 17603	Goods Run 07464 7K
Halifax Township, Dauphin County	PAG053553	Inglenook Terminal ExxonMobil Refining and Supply 1900 East Linden Ave. P. O. Box 728 Linden, NJ 07036	Susquehanna River 06685 6C
Biglerville Borough, Adams County	PAG053555	Fruit Research Farm Pennsylvania State University Dept. of Environmental Health & Safety Eisenhower Parking Deck University Park, PA 16802	UNT to Conewago Creek 09054 7F
Lewistown Borough, Mifflin County	PAG053521	Nittany Oil Co. Inc. P. O. Box 627 321 N. Front St. Philipsburg, PA 16886	UNT to Kishacoquil- las Creek 12430 12A
West Cornwall, Lebanon County	PAG053522	Sunoco Inc. 1801 Market St. Philadelphia, PA 19103-1699	Beck Creek
Bedford, Bedford County	PAG053523	Bedford Farm Bur. Coop. Assn. 102 Industrial Ave. Bedford, PA 15522-1032	Raystown Branch Juniata River
Penn, York County	PAG053524	Ronald Leese 330 Clover Ln. Hanover, PA 17331	Oil Creek
Middlesex, Cumberland County	PAG053525	CF Motorfreight 175 Lindfield Dr. Menlo Park, CA 94025-3799	Conodoguinet Creek
Hanover Borough, York County	PAG053526	Getty Properties Corp. 86 Doremus Ave. Newark, NJ 07101	UNT to Plum Creek 08887 7F
Tell, Huntingdon County	PAG053527	Buckeye Pipe Line Co. LP P. O. Box 368 Emmaus, PA 18049-0368	George Creek
Hummelstown, Dauphin County	PAG053528	Southland Corp. 814 Baker Rd. Virginia Beach, VI 23462	Swatara Creek
East St. Clair Township, Bedford County	PAG053529	Shirely Wolfe P. O. Box 9 Fishertown, PA 15539	UNT to Dunning Creek 14723 11C
Sinking Spring, Berks County	PAG053530	BP Exploration & Oil Inc. 1 W. Pennsylvania Ave. Towson, MD 21204-5027	Cacoosing Creek
Fairview, York County	PAG053531	SAC Inc. R. R. 2, Box 37 4588 Business 220 Bedford, PA 15522	Yellow Breeches Creek
Manheim Township, Lancaster County	PAG053532	Sunoco Inc. 1801 Market St. Philadelphia, PA 19103-1699	UNT to Conestoga River 07636 7J

**Southcentral Region (717) 705-4707**

<i>Facility Location Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>
Freedom, Blair County	PAG053533	ExxonMobil Ref. & Supply Co. 1900 E. Linden Ave. P. O. Box 728 Linden, NJ 07036-0728	Frankstown Branch Juniata River
Lower Paxton, Dauphin County	PAG053534	William E. Strauss 5510 Allentown Blvd. Harrisburg, PA 17112	Asylum Run
East Hempfield, Lancaster County	PAG053535	Boeing Capital Corp. 3760 Kilroy Airport Way, Suite 500 Long Beach, CA 90808-1700	Little Conestoga Creek
Springettsbury, York County	PAG053536	ExxonMobil Ref. & Supply Co. 220 Commerce Dr., Suite. 205 Ft. Washington, PA 19034	Mill Creek
Windsor, Berks County	PAG053537	Francis L. Werley Inc. P. O. Box 206 Rte. 61 Hamburg, PA 19526	Schuylkill River
Upper Bern Township, Berks County	PAG053538	Linda Kauffman 3696 Mountain Rd. P. O. Box 409 Shartlesville, PA 19554	Wolfe Creek 01924 3C
Monroe Township, Cumberland County	PAG053539	Agway Petro Corp. P. O. Box 4852 Syracuse, NY 13221-4852	Trindle Spring Run 10222 7B
Salisbury Township, Lancaster County	PAG053541	Marvin Stoltzfus 756 Pequea Ave. Gap, PA 17527	UNT to Pequea Creek 07531 7K
Bethel Township, Berks County	PAG053542	Bressler Svc. Inc. P. O. Box 97 Bethel, PA 19507	UNT to Little Swatara 08847 7D
Exeter, Berks County	PAG053543	Historical and Museum Commission State Museum Bldg. 300 North St., Rm. 526 Harrisburg, PA 17120-0024	Owatin Creek
Snake Spring, Bedford County	PAG053544	Turkey Hill Mini Mkts. 257 Centerville Rd. Lancaster, PA 17603	Raystown Branch Juniata River
Springesttbury Township, York County	PAG053545	Amerada Hess Corp. 1 Hess Plz. Woodbridge, NJ 07095-0961	UNT to Mill Creek 08064 7H
Adamstown, Lancaster County	PAG053546	Getty Prop Corp. Inc. 86 Doremus Ave. Newark, NJ 07101	Little Muddy Creek
Bethel Township, Berks County	PAG053548	F. Ray Marks Jr. 469 Frystown Rd. Myerstown, PA 17067	UNT to Litle Swatara Creek 09932 7D
East Hanover Township, Lebanon County	PAG053549	IT Corp. 2790 Mosside Blvd. Monroeville, PA 15146-2792	UNT to Swatara Creek 109749 7D
Arendtsville, Adams County	PAG053551	Getty Prop Corp. 125 Jericho Turnpike Jericho, NY 11753	Conewago Creek
Taylor Township, Blair County	PAG053552	Rodney Weyant R. R. 2, Box 218 Lock Mountain Rd. Martinsburg, PA 16662	UNT to Cove Creek 16531 11A

**Southcentral Region (717) 705-4707**

<i>Facility Location Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>
Porter Township, Huntingdon County	PAG053554	Shaner Energy Inc. 40 Pennsylvania Ave. Huntingdon, PA 16652	UNT to Robison Run 16073 11A
Carroll Township, York County	PAG053556	Shillito Oil Inc. 1014 York Rd. Dillsburg, PA 17019	UNT to Dogwood Run 63147 7E
Milford, Juniata County	PAG053557	Shaner Energy Inc. 40 Pennsylvania Ave. Huntingdon, PA 16652	East Licking Creek
Conewago, York County	PAG053558	Terry L. Lawrence 1726 Carlisle Pike Hanover, PA 17331	
West Hanover, Dauphin County	PAG053559	Pilot Corp. 5508 Loas Rd. Knoxville, TN 37939-0146	
Ayr, Fulton County	PAG053560	Getty Prop Corp. 125 Jericho Turnpike Jericho, NY 11753	

**Northwest Region (814) 332-6942**

<i>Facility Location Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>
Barkeyville, Venango County	PAG058301	BP Oil 07124 Interstate 80 and Route 8 Barkeyville, PA	
West Middlesex, Mercer County	PAG058302	Texaco Mercer Fac. 200 Speers St. Belle Vernon, PA 15012	UNT to Hogback Run
Harborcreek, Erie County	PAG058303	Travel Ports of Amer. Harborcreek 4050 Depot Rd. Harborcreek, PA 16510	UNT to Sevenmile Creek
Brockway, Jefferson County	PAG058304	Lukes Auto Svc. Ctr. R. R. 3, Box 66 Route 219 Brockway, PA 15824	Little Toby Creek
Butler, Butler County	PAG058305	Purvis Bros Bulk Plt. 204 E. Kittanning St. Butler, PA 16001	Connoquenessing Creek
Erie, Erie County	PAG058307	Spencers Keystone Box 688 Warren, PA 16365	UNT to Fourmile Creek
Erie, Erie County	PAG058308	Kwik Fill M002 153 5501 Peach St. Erie, PA 16509	Walnut Creek
New Castle, Lawrence County	PAG058309	BP Oil 07349 2505 Ellwood Rd. New Castle, PA 16101	Big Run
Farrell, Mercer County	PAG058310	Texaco Div. St. 200 Speers St. Belle Vernon, PA 15012	Pine Run
Strattanville, Clarion County	PAG058311	Keystone Shortway 76 Travel Ctr. 21251 Route 322 Strattanville, PA 16258-9718	Douglass Run
New Castle, Lawrence County	PAG058312	Tic Toc Food Mart 104 547 Mt. Jackson Rd. New Castle, PA 16102-9701	Hickory Run

**Northwest Region (814) 332-6942**

<i>Facility Location Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>
Eldred, McKean County	PAG058313	Todd Motor Sales P. O. Box 367 Port Allegany, PA 16743-0367	Allegheny River
Union City, Erie County	PAG058314	Country Fair Store 95 2251 E. 30th St. Erie, PA 16510	UNT to South Branch French Creek
Cranberry Township, Butler County	PAG058315	Cranberry Township Public Works Fac. 2525 Rochester Rd. Cranberry Township, PA 16066	Brush Creek
Fairview, Erie County	PAG058316	Fuel Stop P. O. Box 6345 Erie, PA 16512	Elk Creek
North East, Erie County	PAG058317	North East Svc. Plaza 12241 E. Main Rd. North East, PA 16428-3645	UNT to Twentymile Creek
Erie, Erie County	PAG058319	Country Fair Store 49 2251 E. 30th St. Erie, PA 16509	Walnut Creek
Barkeyville, Venango County	PAG058321	Kwik Fill 209 5 Bradley St. Warren, PA 16365	UNT to Slippery Rock Creek
Bruin, Butler County	PAG058322	Bruin Svc. Ctr. 163 Main St. Bruin, PA 16022-0054	South Branch Bear Creek
Hermitage, Mercer County	PAG058323	Hermitage Pennzmart 637 Braddock Ave. East Pittsburgh, PA 15112	Pine Hollow Run
New Vernon Township, Mercer County	PAG058224	McQuiston Oil 606 Georgetown Rd. Hadley, PA 16130	Shenango River
Zelienople, Butler County	PAG058325	Kwik Fill S0010 218 631 W. New Castle St. Zelienople, PA 16063	UNT to Con- noquenessing Creek
Erie, Erie County	PAG058226	Franklins General Store 9861 Wattsburg Rd. Erie, PA 16509	Mill Creek
Butler, Butler County	PAG058327	Kwik Fill S0013 1801 N. Main Box 12 Butler, PA 16001	UNT to Con- noquenessing Creek
Oil City, Venango County	PAG058328	Pennzoil Quaker State Plt. 2 P. O. Box 2967 Houston, TX 77252-2967	Oil Creek
Union Township, Westmoreland County	PAG058229	Guttman Oil 200 Speers Rd. New Stanton, PA 15012	Shenango River
Erie, Erie County	PAG058331	Exit 9 Sunoco 6122 Station Rd. Erie, PA 16510	UNT to Sixmile Creek
Stoneboro, Mercer County	PAG058332	Dyes Svc. Sta. P. O. Box 335 Stoneboro, PA 16153-0335	Sawmill Run
Volant, Lawrence County	PAG058333	Joes Svc. Sta. 1808 Perry Hwy. Volant, PA 16156	UNT to Neshannock Creek

**Northwest Region (814) 332-6942**

<i>Facility Location Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>
Meadville, Crawford County	PAG058334	Meadville Redi Mix Concrete 19821 Cochran Rd. Meadville, PA 16335	French Creek
Grove City, Mercer County	PAG058335	Country Fair Store 44 2251 E. 30th St. Erie, PA 16510-2551	Black Run
Franklin, Venango County	PAG058336	Kwik Fill M 063 105 N. 13th St. Franklin, PA 16323	French Creek
Reno, Venango County	PAG058337	Goss Gas Prod. 700 Milam 15th Fl. P. O. Box 2967 Houston, TX 77252	Allegheny River
Reno, Venango County	PAG058337	Goss Gas Prod. 700 Milam 15th Fl. P. O. Box 2967 Houston, TX 77252	Allegheny River
Sheffield, Warren County	PAG058339	Sheffield Container 1 Oak St. Kane, PA 16735	Twomile Run
Sheffield, Warren County	PAG058340	McMillen Lumber Sheffield 311 Norton Ave. Sheffield, PA 16347	Twomile Run
Clarion, Clarion County	PAG058341	Frampton Oil Retail Fac. 129 McCarrell Ln., Suite 2b Zelienople, PA 16063	Trout Run
Butler, Butler County	PAG058342	Agway Energy Prod. Butler Plt. S. Monroe and E. Cunningham St. Butler, PA 16001	Connoquenessing Creek
New Castle, Lawrence County	PAG058343	J. J. Kennedy Petro. Prod. P. O. Box 159 Petersburg, OH 44454-0159	Hickory Run
Erie, Erie County	PAG058344	Country Fair Store 52 2251 E. 30th St. Erie, PA 16501	Lake Erie
Erie, Erie County	PAG058345	Holmes Exxon Car Wash 3906 Peach St. Erie, PA 16509	Lake Erie
Butler, Butler County	PAG058346	McKitten Svc. Sta. 686 Glenwood Way Butler, PA 16001	

[Pa.B. Doc. No. 02-1140. Filed for public inspection June 28, 2002, 9:00 a.m.]

**State Solid Waste Plan Subcommittee of the Solid Waste Advisory Committee Meeting Change**

The August 8, 2002, meeting of the State Solid Waste Plan Subcommittee of the Solid Waste Advisory Committee has been rescheduled. The next meeting is scheduled for July 11, 2002, at 10 a.m. in the Medium Conference Room, 14th Floor, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting should be directed to Lawrence Holley or Diana Welker at (717) 787-7382 or e-mail lholley@state.pa.us or diwelker@state.pa.us.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Diana Welker at (717) 787-7382 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD).

DAVID E. HESS,  
*Secretary*

[Pa.B. Doc. No. 02-1141. Filed for public inspection June 28, 2002, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee Meeting

The Statewide HIV Community Prevention Planning Committee, established by the Department of Health (Department) under sections 301 and 317 of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247(b)), will hold public meetings on Wednesday, July 17, 2002, and Thursday, July 18, 2002.

The meetings will be held at the Best Western Inn and Suites, 815 Eisenhower Boulevard, Middletown, PA, 17057, from 9 a.m. to 3 p.m.

The Department reserves the right to cancel the meetings without prior notice.

For additional information, contact Thomas M. DeMelfi, Department of Health, Bureau of Communicable Diseases, P. O. Box 90, Room 1010, Health and Welfare Building, Harrisburg, PA 17108, (717) 783-0572.

Persons with a disability who wish to attend a meeting and require an auxiliary aid, service or other accommodation to do so, should contact Thomas DeMelfi at the previous number, V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT & T Relay Services at (800) 654-5984 (TT).

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 02-1142. Filed for public inspection June 28, 2002, 9:00 a.m.]

---

### Hospital Diversion

The Department of Health (Department) has observed an increase in the number of hospitals that go on emergency department divert during the last 2 years. This practice is a serious problem since it can have the effect of reducing access to care. It is particularly problematic when all hospitals in a geographic area go on divert. The Department wants to remind all hospitals that, despite their divert status, they must provide for an appropriate medical screening examination for a individual who comes to the emergency department and who requests examination or treatment for a medical condition. Also, hospitals are subject to State and Federal sanctions for failing to provide screening to all patients present during the divert period.

This notice provides guidance on the Department's expectations regarding: 1) content of the hospital's diversion policy; and 2) reporting of occurrences of diversion under 28 Pa. Code § 51.3(f) (relating to notification) (Chapter 51).

1. Each hospital should have a written diversion policy. This policy should be developed in consultation with the regional emergency medical service (EMS) council or its successor. This policy should describe those things that will trigger consideration of going on divert and what criteria will be used to go on divert. The policy should include and define the levels of divert to be used internally. These levels may be determined by the number of hours the facility is on divert status or some other unit of measurement. The policy should specifically identify a high-ranking physician or administrator who shall personally approve and document each decision to go on

divert. The individual approving the diversion may differ depending on the level of diversion invoked.

The hospital policy should identify who inside and outside the hospital will be notified of a decision to go on divert and contain a description of how the decision will be communicated to them. Notification of divert to outside entities should include the EMS system and public safety answering points (911 centers).

2. The decision of a hospital to go on divert (either total or a lower level) when the diversion is for 8 continuous hours or more than 12 hours in a 24-hour period, is a Chapter 51 reportable event to the Department. (Note: notification to a regional EMS council does not substitute for notification to the Department.) The written report of the event should contain the date and time when the hospital went on divert, the date and time when the hospital went off divert, the reasons for divert and what the hospital did to avoid the divert status.

The Department will review a hospital's divert policy as part of regular survey inspections, complaint survey inspections and incident survey inspections.

Questions regarding this guidance should be directed to Department of Health, Bureau of Facility Licensure and Certification, Division of Acute and Ambulatory Care, P. O. Box 90, Harrisburg, PA 17108, (717) 783-8980, e-mail at paexcept@health.state.pa.us.

Persons with a disability who require an alternative format of this notice, or wish to comment on it, should use V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 02-1143. Filed for public inspection June 28, 2002, 9:00 a.m.]

---

### Laboratories Approved to Determine Blood Alcohol Content under the Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood and/or serum and plasma. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the analysis of serum proficiency testing specimens are approved to analyze both serum and plasma. These laboratories are also approved and designated under the provisions of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to hunting or furtaking under the influence of alcohol or

controlled substance) as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood and/or serum and plasma. Laboratories located outside this Commonwealth may not provide blood and/or serum and plasma alcohol testing services in this Commonwealth unless they are specifically licensed by the Department under the Clinical Laboratory Act.

Persons seeking forensic blood and/or serum and plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes and that the director of the facility is agreeable to performing determinations for this purpose. The list of approved laboratories will be revised approximately semi-annually and published in the *Pennsylvania Bulletin*.

The Department's blood alcohol and serum/plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services in accordance with the requirements contained in the Clinical Laboratory Improvement Amendments of 1988 (42 CFR 493.901 and 493.937) which are administered by the Health Care Financing Administration. Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464, ext. 3273. Persons with a disability who require auxiliary aid service should contact Dr. M. Jeffery Shoemaker at V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT & T Relay Service at (800) 654-5984 (TT).

The symbols S and B indicate the following:

S = approved for serum and plasma analyses  
 B = approved for blood analyses  
 SB = approved for serum, plasma and blood analyses

ABINGTON MEMORIAL HOSPITAL-S  
 1200 OLD YORK ROAD  
 ABINGTON, PA 19001  
 (215) 576-2350

ADVANCED TOXICOLOGY NETWORK-B  
 3560 AIR CENTER COVE SUITE 101  
 MEMPHIS, TN 38118  
 (901) 794-5770

ALBERT EINSTEIN MED CTR NORTH-S  
 5501 OLD YORK ROAD  
 PHILADELPHIA, PA 19141  
 (215) 456-6100

ALIQUIPPA COMM HOSP PATHOLOGY DEPT-B  
 2500 HOSPITAL DRIVE  
 PATHOLOGY DEPT  
 ALIQUIPPA, PA 15001  
 (724) 857-1238

ALLEG CNTY CORONERS DIV OF LABS-SB  
 542 FORBES AVENUE  
 ROOM 10 COUNTY OFFICE BUILDING  
 PITTSBURGH, PA 15219  
 (412) 350-6873

ALLEGHENY VALLEY HOSPITAL LAB-SB  
 1300 CARLISLE STREET  
 NATRONA HEIGHTS, PA 15065  
 (724) 224-5100

ALTOONA HOSPITAL-SB  
 620 HOWARD AVENUE  
 ALTOONA, PA 16601-4899  
 (814) 946-2340

AMERICAN MEDICAL LABORATORIES INC-SB  
 14225 NEWBROOK DRIVE  
 P. O. BOX 10841  
 CHANTILLY, VA 20153-0841  
 (703) 802-6900

ANALYTIC BIO-CHEMISTRIES INC-SB  
 1680-D LORETTA AVENUE  
 FEASTERVILLE, PA 19053  
 (215) 322-9210

ARMSTRONG COUNTY MEMORIAL HOSP-S  
 1 NOLTE DRIVE  
 KITTANNING, PA 16201  
 (724) 543-8122

ASSOCIATED CLINICAL LABORATORIES-SB  
 1526 PEACH STREET  
 ERIE, PA 16501  
 (814) 461-2400

ASSOCIATED REGIONAL & UNIV PATH-S  
 500 CHIPETA WAY  
 SALT LAKE CITY, UT 84108  
 (800) 242-2787

AUH-FORBES REGIONAL-SB  
 2570 HAYMAKER ROAD  
 MONROEVILLE, PA 15146  
 (412) 858-2560

AYER CLINICAL LAB-PENN HOSPITAL-S  
 8TH & SPRUCE STREETS  
 PHILADELPHIA, PA 19107  
 (215) 829-3541

BARNES KASSON COUNTY HOSPITAL-S  
 400 TURNPIKE STREET  
 SUSQUEHANNA, PA 18847  
 (570) 853-3135

BON SECOURS-HOLY FAMILY REG HLTH-SB  
 2500 SEVENTH AVENUE  
 ALTOONA, PA 16602-2099  
 (814) 949-4495

BRADFORD HOSPITAL LAB-SB  
 116-156 INTERSTATE PKWY  
 BRADFORD, PA 16701-0218  
 (814) 362-8247

BRANDYWINE HOSPITAL-S  
 201 REECEVILLE ROAD  
 ATTN: LABORATORY  
 COATESVILLE, PA 19320  
 (610) 383-8000

BROWNSVILLE GENERAL HOSPITAL LAB-S  
 125 SIMPSON ROAD  
 BROWNSVILLE, PA 15417  
 (724) 785-7200

BUTLER MEMORIAL HOSPITAL-S  
 911 EAST BRADY STREET  
 BUTLER, PA 16001  
 (724) 284-4510

CANONSBURG GENERAL HOSPITAL-SB  
 100 MEDICAL BOULEVARD  
 CANONSBURG, PA 15317  
 (724) 745-6100

CARLISLE REGIONAL MEDICAL CENTER-S  
246 PARKER STREET  
CARLISLE, PA 17013  
(717) 249-1212

CENTRAL MONTGOMERY MEDICAL CENTER-S  
100 MED CAMPUS DRIVE  
LANSDALE, PA 19446  
(215) 368-2100

CENTRE COMMUNITY HOSPITAL-B  
1800 EAST PARK AVENUE  
STATE COLLEGE, PA 16803  
(814) 234-6117

CHAMBERSBURG HOSPITAL-S  
112 NORTH SEVENTH STREET  
CHAMBERSBURG, PA 17201  
(717) 267-7152

CHARLES COLE MEMORIAL HOSPITAL-S  
1001 EAST SECOND STREET  
COUDERSPORT, PA 16915  
(814) 274-9300

CHESTER COUNTY HOSPITAL-S  
701 E MARSHALL STREET  
WEST CHESTER, PA 19380  
(610) 431-5182

CHESTNUT HILL HOSPITAL-S  
8835 GERMANTOWN AVENUE  
DEPT OF PATHOLOGY  
PHILADELPHIA, PA 19118  
(215) 248-8630

CHILDRENS HOSP OF PHILADELPHIA-S  
ONE CHILDREN'S CENTER 34TH & CIVIC  
PHILADELPHIA, PA 19104  
(215) 590-1000

CLARION HOSPITAL-SB  
1 HOSPITAL DRIVE  
CLARION, PA 16214  
(814) 226-9500

CLEARFIELD HOSPITAL LABORATORY-S  
809 TURNPIKE AVENUE  
P. O. BOX 992  
CLEARFIELD, PA 16830  
(814) 768-2280

CLINICAL LABORATORIES INC-SB  
901 KEYSTONE INDUSTRIAL PARK  
THROOP, PA 18512-1534  
(570) 346-1759

COMMUNITY HOSPITAL-B  
NORTH FRALEY STREET  
KANE, PA 16735  
(814) 837-4575

COMMUNITY HOSPITAL OF LANCASTER-S  
1100 EAST ORANGE STREET  
LANCASTER, PA 17602  
(717) 397-3711

COMMUNITY MEDICAL CENTER-S  
1800 MULBERRY STREET  
SCRANTON, PA 18510  
(570) 969-8000

CONEMAUGH VALLEY MEMORIAL HOSP-SB  
1086 FRANKLIN STREET  
JOHNSTOWN, PA 15905-4398  
(814) 534-9000

CORRY MEMORIAL HOSPITAL-S  
612 WEST SMITH STREET  
CORRY, PA 16407  
(814) 664-4641

CROZER CHESTER MED CENTER-S  
1 MEDICAL CENTER BOULEVARD  
UPLAND, PA 19013  
(610) 447-2000

CROZER-CHESTER MED CTR-SPRINGFLD-S  
190 WEST SPROUL ROAD  
SPRINGFIELD, PA 19064  
(610) 447-2000

DELAWARE COUNTY MEMORIAL HOSP-S  
501 NORTH LANSDOWNE AVENUE  
DREXEL HILL, PA 19026-1186  
(610) 284-8100

DEPT OF PATHOLOGY & LAB MED-HUP-SB  
3400 SPRUCE STREET  
PHILADELPHIA, PA 19104  
(215) 662-6880

DOYLESTOWN HOSPITAL-S  
595 W STATE STREET  
DOYLESTOWN, PA 18901  
(215) 345-2250

DRUGSCAN INC-SB  
1119 MEARNS ROAD  
P. O. BOX 2969  
WARMINSTER, PA 18974  
(215) 674-9310

DUBOIS REG MED CTR—WEST UNIT-S  
100 HOSPITAL AVENUE  
DUBOIS, PA 15801  
(814) 371-2200

DYNACARE ALLEGHENY LABORATORIES-B  
320 EAST NORTH AVENUE  
PITTSBURGH, PA 15212  
(412) 359-3521

EASTON HOSPITAL-SB  
250 SOUTH 21ST STREET  
EASTON, PA 18042-3892  
(610) 250-4140

ELKINS PARK HOSPITAL-S  
60 EAST TOWNSHIP LINE ROAD  
ELKINS PARK, PA 19027  
(215) 663-6102

ELLWOOD CITY GENERAL HOSPITAL-S  
724 PERSHING STREET  
ELLWOOD CITY, PA 16117  
(724) 752-0081

EPHRATA COMMUNITY HOSPITAL-S  
169 MARTIN AVENUE  
P. O. BOX 1002  
EPHRATA, PA 17522  
(717) 733-0311

EPISCOPAL HOSPITAL LABORATORY-S  
100 EAST LEHIGH AVENUE  
PHILADELPHIA, PA 19125-1098  
(215) 427-7333

ERHC ST MARYS LABORATORY-B  
763 JOHNSONBURG ROAD  
SAINT MARYS, PA 15857  
(814) 788-8525

EVANGELICAL COMMUNITY HOSPITAL-S  
1 HOSPITAL DRIVE  
LEWISBURG, PA 17837  
(570) 522-2510

FRANKFORD HOSP BUCKS CO CAMPUS-S  
380 NORTH OXFORD VALLEY ROAD  
LANGHORNE, PA 19047-8304  
(215) 934-5227

FRANKFORD HOSPITAL FRANK DIV-S  
FRANKFORD AVENUE & WAKELING STREET  
PHILADELPHIA, PA 19124  
(215) 831-2068

FRANKFORD HOSPITAL-TORRES DIV-S  
RED LION & KNIGHTS ROADS  
PHILADELPHIA, PA 19114  
(215) 612-4000

FRICK HOSPITAL-S  
508 SOUTH CHURCH STREET  
MOUNT PLEASANT, PA 15666  
(724) 547-1500

FULTON COUNTY MEDICAL CENTER-S  
216 SOUTH FIRST STREET  
MCCONNELLSBURG, PA 17233  
(717) 485-3155

GEISINGER MEDICAL CENTER-SB  
N ACADEMY ROAD  
DANVILLE, PA 17822  
(570) 271-6338

GEISINGER WYOMING VALLEY MED CTR-S  
1000 E MOUNTAIN DRIVE  
WILKES-BARRE, PA 18711  
(570) 826-7830

GEORGE TOLSTOI LAB-UNIONTOWN HSP-S  
500 WEST BERKELEY STREET  
UNIONTOWN, PA 15401  
(724) 430-5143

GERMANTOWN COMM HLTH WILLOW TERR-S  
ONE PENN BOULEVARD  
PHILADELPHIA, PA 19144  
(215) 951-8800

GETTYSBURG HOSPITAL-SB  
147 GETTYS STREET  
GETTYSBURG, PA 17325  
(717) 334-2121

GNADEN HUETTEN MEMORIAL HOSP-SB  
11TH & HAMILTON STREETS  
LEHIGHTON, PA 18235  
(610) 377-1300

GOOD SAMARITAN HOSPITAL-B  
4TH & WALNUT STREETS  
P. O. BOX 1281  
LEBANON, PA 17042-1218  
(717) 270-7500

GOOD SAMARITAN REGIONAL MED CTR-S  
700 EAST NORWEGIAN STREET  
POTTSVILLE, PA 17901  
(570) 621-4032

GRADUATE HOSPITAL-S  
1800 LOMBARD STREET  
PHILADELPHIA, PA 19146  
(215) 893-2240

GRAND VIEW HOSPITAL-S  
700 LAWN AVENUE  
SELLERSVILLE, PA 18960  
(215) 257-3611

GREENE COUNTY MEMORIAL HOSPITAL-S  
BONAR AVENUE  
WAYNESBURG, PA 15370  
(724) 627-2608

GUTHRIE CLINIC PATH LAB-S  
GUTHRIE SQUARE  
SAYRE, PA 18840  
(570) 888-5858

HAHNEMANN UNIVERSITY HOSPITAL-S  
BROAD & VINE STREETS MS 113  
PHILADELPHIA, PA 19102  
(215) 762-1783

HAMOT MEDICAL CENTER-S  
201 STATE STREET  
ERIE, PA 16550  
(814) 877-3131

HANOVER GENERAL HOSPITAL-SB  
300 HIGHLAND AVENUE  
HANOVER, PA 17331  
(717) 637-3711

HARRISBURG HOSPITAL LABORATORY-SB  
SOUTH FRONT STREET  
HARRISBURG, PA 17101  
(717) 782-2832

HAZLETON GENERAL HOSPITAL-SB  
EAST BROAD STREET  
HAZLETON, PA 18201  
(570) 501-4152

HEALTH NETWORK LABORATORIES-S  
1627 WEST CHEW STREET  
ALLENTOWN, PA 18102  
(610) 402-2236

HEALTH NETWORK LABORATORIES-S  
1200 SOUTH CEDAR CREST BOULEVARD  
ALLENTOWN, PA 18103  
(610) 402-8150

HEALTH NETWORK LABORATORIES-S  
2545 SCHOENERSVILLE ROAD  
BETHLEHEM, PA 18017-7384  
(484) 884-2259

HEALTH NETWORK LABORATORIES-SB  
2024 LEHIGH STREET  
ALLENTOWN, PA 18103-4798  
(610) 402-8150

HIGHLANDS HOSPITAL-S  
401 EAST MURPHY AVENUE  
CONNELLSVILLE, PA 15425  
(724) 628-1500

HOLY SPIRIT HOSPITAL-SB  
503 N 21ST STREET  
CAMP HILL, PA 17011-2288  
(717) 763-2206

INDIANA HOSPITAL DEPT OF LAB MED-S  
HOSPITAL ROAD  
P. O. BOX 788  
INDIANA, PA 15701-0788  
(724) 357-7167

J C BLAIR MEMORIAL HOSPITAL-S  
WARM SPRINGS AVENUE  
HUNTINGDON, PA 16652  
(814) 643-8645

JAMESON MEMORIAL HOSPITAL-S  
1211 WILMINGTON AVENUE  
NEW CASTLE, PA 16105  
(724) 656-4080

JEANES HOSPITAL-S  
7600 CENTRAL AVENUE  
PHILADELPHIA, PA 19111  
(215) 728-2347

JEANNETTE DISTRICT MEMORIAL HOSP-S  
JEFFERSON AVENUE  
JEANNETTE, PA 15644  
(724) 527-3551

JENNERSVILLE REGIONAL HOSPITAL-S  
1015 WEST BALTIMORE PIKE  
WEST GROVE, PA 19390  
(610) 869-1080

JRHS - BROOKVILLE HOSPITAL-S  
100 HOSPITAL ROAD  
BROOKVILLE, PA 15825  
(814) 849-2312

KENSINGTON HOSPITAL-S  
136 WEST DIAMOND STREET  
PHILADELPHIA, PA 19122  
(215) 426-8100

LAB CORP OCCUPATIONAL TEST SRVCS-B  
1120 STATELINE ROAD WEST  
SOUTHAVEN, MS 38671  
(886) 827-8042

LAB CORP OF AMERICA HOLDINGS-SB  
6370 WILCOX ROAD  
DUBLIN, OH 43016-1296  
(800) 282-7300

LABCORP OF AMERICA HOLDINGS-SB  
69 FIRST AVENUE  
P. O. BOX 500  
RARITAN, NJ 08869  
(201) 526-2400

LABONE INC-SB  
10101 RENNER BOULEVARD  
LENEXA, KS 66219-9752  
(913) 888-1770

LANCASTER GENERAL HOSPITAL-S  
555 N DUKE STREET  
P. O. BOX 3555  
LANCASTER, PA 17603  
(717) 299-5511

LANCASTER GENERAL HOSP-SUS DIV-S  
306 NORTH SEVENTH STREET  
COLUMBIA, PA 17512  
(717) 684-2841

LANCASTER REGIONAL MED CENTER-S  
250 COLLEGE AVENUE  
P. O. BOX 3434  
LANCASTER, PA 17604  
(717) 291-8022

LATROBE AREA HOSPITAL-S  
121 WEST 2ND AVENUE  
LATROBE, PA 15650  
(724) 537-1550

LEWISTOWN HOSPITAL-B  
HIGHLAND AVENUE  
LEWISTOWN, PA 17044  
(717) 248-5411

LOCK HAVEN HOSPITAL LABORATORY-B  
24 CREE DRIVE  
LOCK HAVEN, PA 17745  
(570) 893-5000

MAIN LINE CLIN LABS BRYN MAWR CP-S  
130 BRYN MAWR AVENUE  
BRYN MAWR, PA 19010  
(610) 526-3554

MAIN LINE CLIN LABS LANKENAU CP-S  
100 EAST LANCASTER AVENUE  
WYNNEWOOD, PA 19096  
(610) 645-2615

MAIN LINE CLIN LABS PAOLI MEM CP-S  
255 WEST LANCASTER AVENUE  
PAOLI, PA 19301  
(610) 648-1000

MARIAN COMMUNITY HOSPITAL-S  
100 LINCOLN AVENUE  
CARBONDALE, PA 18407  
(570) 281-1042

MEADVILLE MED CTR-LIBERTY ST-S  
751 LIBERTY STREET  
MEADVILLE, PA 16335  
(814) 336-3121

MEDICAL COLLEGE OF PA HOSPITAL-S  
3300 HENRY AVENUE  
PHILADELPHIA, PA 19129  
(215) 842-7306

MEDTOX LABORATORIES INC-SB  
402 WEST COUNTY ROAD D  
ST PAUL, MN 55112  
(612) 636-7466

MEMORIAL HOSPITAL CLINICAL LAB-SB  
325 S BELMONT STREET  
P. O. BOX 15118  
YORK, PA 17403  
(717) 843-8623

MEMORIAL HOSPITAL LAB-SB  
1 HOSPITAL DRIVE  
TOWANDA, PA 18848  
(570) 265-2191

MERCY HEALTH LAB/MFH-S  
1500 LANSDOWNE AVENUE  
DARBY, PA 19023  
(610) 237-4262

MERCY HEALTH LAB/MHOP-S  
54 AND CEDAR AVENUE  
PHILADELPHIA, PA 19143  
(215) 748-9181

MERCY HEALTH LAB/MSH-S  
2701 DEKALB PIKE  
NORRISTOWN, PA 19401  
(610) 278-2090

MERCY HEALTH PARTNERS-S  
746 JEFFERSON AVENUE  
SCRANTON, PA 18510  
(570) 348-7100

MERCY HOSPITAL LABORATORY-S  
25 CHURCH STREET  
P. O. BOX 658  
WILKES-BARRE, PA 18765  
(570) 826-3100

MERCY HOSPITAL LABORATORY-S  
PRIDE & LOCUST STREETS  
PITTSBURGH, PA 15219  
(412) 232-7831

MERCY PROVIDENCE HOSPITAL LAB-S  
1004 ARCH STREET  
PITTSBURGH, PA 15212  
(412) 323-5783

METHODIST HOSP DIVISION/TJUH INC-S  
2301 SOUTH BROAD STREET  
PHILADELPHIA, PA 19148  
(215) 952-9059

MEYERSDALE COMMUNITY HOSPITAL-S  
200 HOSPITAL DRIVE  
MEYERSDALE, PA 15552  
(814) 634-5911

MIDVALLEY HOSPITAL-S  
1400 MAIN STREET  
PECKVILLE, PA 18452  
(570) 383-5520

MINERS HOSPITAL-S  
290 HAIDA AVENUE  
P. O. BOX 689  
HASTINGS, PA 16646  
(814) 948-7171

MONONGAHELA VALLEY HOSP INC-S  
COUNTRY CLUB ROAD RT 88  
MONONGAHELA, PA 15063  
(724) 258-1000

MONSOUR MEDICAL CENTER-S  
70 LINCOLN WAY E.  
JEANNETTE, PA 15644  
(724) 527-1511

MONTGOMERY HOSPITAL LAB-S  
POWELL & FORNANCE STREETS  
NORRISTOWN, PA 19401  
(610) 270-2173

MOSES TAYLOR HOSPITAL-S  
700 QUINCY AVENUE  
SCRANTON, PA 18510  
(570) 963-2100

MUNCY VALLEY HOSPITAL-S  
215 EAST WATER STREET  
MUNCY, PA 17756  
(570) 546-8282

NASON HOSPITAL-B  
NASON DRIVE  
ROARING SPRING, PA 16673  
(814) 224-6215

NATIONAL MED SERVICES INC LAB-SB  
3701 WELSH ROAD  
WILLOW GROVE, PA 19090  
(215) 657-4900

NAZARETH HOSPITAL-S  
2601 HOLME AVENUE  
PHILADELPHIA, PA 19152  
(215) 335-6245

OHIO VALLEY GENERAL HOSPITAL-S  
25 HECKEL ROAD  
MCKEES ROCKS, PA 15136  
(412) 777-6161

OMEGA MEDICAL LABORATORIES INC-SB  
2001 STATE HILL ROAD SUITE 100  
WYOMISSING, PA 19610-1699  
(610) 378-1900

PALMERTON HOSPITAL-S  
135 LAFAYETTE AVENUE  
PALMERTON, PA 18071  
(610) 826-3141

PARKVIEW HOSPITAL-S  
1331 EAST WYOMING AVENUE  
PHILADELPHIA, PA 19124  
(215) 537-7430

PENN STATE MILTON S HERSHEY MED CTR-S  
500 UNIVERSITY DRIVE  
DEPT OF PATHOLOGY & LAB MEDICINE  
HERSHEY, PA 17033  
(717) 531-8353

PENNSYLVANIA DEPT OF HEALTH-SB  
110 PICKERING WAY  
LIONVILLE, PA 19353  
(610) 280-3464

PHILIPSBURG AREA HOSPITAL-SB  
210 LOCH LOMOND ROAD  
PHILIPSBURG, PA 16866  
(814) 342-7112

PHOENIXVILLE HOSPITAL LABORATORY-S  
140 NUTT ROAD  
DEPT OF PATHOLOGY  
PHOENIXVILLE, PA 19460-0809  
(610) 983-1612

PINNACLE HLTH/COMM GEN OSTEO HOSP-S  
4300 LONDONDERRY ROAD  
P. O. BOX 3000  
HARRISBURG, PA 17109  
(717) 657-7214

PITTSBURGH CRIMINALISTICS-SB  
1320 FIFTH AVENUE  
PITTSBURGH, PA 15219  
(412) 391-6118

POCONO MEDICAL CENTER LAB-SB  
206 EAST BROWN STREET  
EAST STROUDSBURG, PA 18301  
(570) 476-3544

POTTSTOWN MEMORIAL MED CENTER-S  
1600 E HIGH STREET  
POTTSTOWN, PA 19464  
(610) 327-7111

POTTSVILLE HOSP AND WARNE CLINIC-SB  
420 SOUTH JACKSON STREET  
POTTSVILLE, PA 17901  
(570) 621-5262

PRESBYTERIAN MED CENTER OF PHILA-S  
51 NORTH 39TH STREET  
5TH FLOOR ROOM 530  
DEPARTMENT OF PATHOLOGY & LAB  
PHILADELPHIA, PA 19104-2640  
(215) 662-3435

PUNXSUTAWNEY AREA HOSPITAL-S  
81 HILLCREST DRIVE  
PUNXSUTAWNEY, PA 15767  
(814) 938-4500

QUEST DIAGNOSTICS CLINICAL LABS INC-SB  
900 BUSINESS CENTER DRIVE  
HORSHAM, PA 19044  
(215) 957-9300

QUEST DIAGNOSTICS INC-SB  
400 EGYPT ROAD  
NORRISTOWN, PA 19403  
(610) 631-4219

QUEST DIAGNOSTICS OF PA INC-SB  
875 GREENTREE ROAD  
4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7600

QUEST DIAGNOSTICS VENTURE LLC-SB  
875 GREENTREE ROAD  
4 PARKWAY CENTER  
PITTSBURGH, PA 15220-3610  
(412) 920-7631

READING HOSPITAL & MED CTR-S  
6TH AND SPRUCE STREETS  
WEST READING, PA 19611  
(610) 988-8080

RIDDLE MEMORIAL HOSPITAL-S  
BALTIMORE PIKE HIGHWAY 1  
MEDIA, PA 19063  
(610) 566-9400

ROXBOROUGH MEMORIAL HOSPITAL-S  
5800 RIDGE AVENUE  
PHILADELPHIA, PA 19128  
(215) 487-4394

SACRED HEART HOSPITAL-S  
4TH & CHEW STREETS  
ALLENTOWN, PA 18102  
(610) 776-4727

SAINT AGNES MEDICAL CENTER-S  
1900 SOUTH BROAD STREET  
PHILADELPHIA, PA 19145  
(215) 339-4360

SAINT CLAIR MEMORIAL HOSPITAL-S  
1000 BOWER HILL ROAD  
PITTSBURGH, PA 15243  
(412) 561-4900

SAINT FRANCIS HOSPITAL OF NEW CASTLE-S  
1000 S. MERCER STREET  
NEW CASTLE, PA 16101  
(724) 656-6111

SAINT LUKES HOSPITAL-S  
801 OSTRUM STREET  
BETHLEHEM, PA 18015  
(610) 691-4141

SAINT MARY MEDICAL CENTER-S  
LANGHORNE - NEWTOWN ROAD  
LANGHORNE, PA 19047  
(215) 750-2162

SAINT VINCENT HEALTH CENTER-S  
232 WEST 25TH STREET  
ERIE, PA 16544  
(814) 452-5383

SEWICKLEY VALLEY HOSPITAL LAB-S  
BLACKBURN ROAD & FITCH DRIVE  
SEWICKLEY, PA 15143  
(412) 741-6600

SHARON REGIONAL HEALTH SYSTEM-SB  
740 EAST STATE STREET  
SHARON, PA 16146  
(724) 983-3911

SOLDIERS & SAILORS MEM HOSP-S  
CENTRAL AVENUE  
WELLSBORO, PA 16901  
(570) 724-1631

SOMERSET HOSPITAL LAB-B  
225 S CENTER AVENUE  
SOMERSET, PA 15501  
(814) 443-5000

SOUTH HILLS HEALTH SYS-JEFFERSON-S  
575 COAL VALLEY ROAD  
P. O. BOX 18119  
PITTSBURGH, PA 15236  
(412) 469-5723

SPECIALTY LABORATORIES-SB  
2211 MICHIGAN AVENUE  
SANTA MONICA, CA 90404  
(310) 828-6543

ST FRANCIS HOSPITAL CRANBERRY-S  
ONE ST. FRANCIS WAY  
CRANBERRY TOWNSHIP, PA 16066  
(724) 772-5300

ST FRANCIS MEDICAL CENTER-S  
400 45TH STREET  
PITTSBURGH, PA 15201-1198  
(412) 622-4838

ST JOSEPH QUALITY MEDICAL LAB-SB  
215 NORTH 12TH STREET BOX 316  
READING, PA 19603  
(610) 378-2200

ST JOSEPH'S HOSPITAL-DIV NPHS-S  
16TH STREET & GIRARD AVENUE  
PHILADELPHIA, PA 19130  
(215) 787-9000

ST LUKES HOSP ALLENTOWN CAMPUS-S  
1736 HAMILTON STREET  
ALLENTOWN, PA 18104  
(610) 439-4000

ST LUKES QUAKERTOWN HOSPITAL-S  
11TH STREET & PARK AVENUE  
P. O. BOX 9003  
QUAKERTOWN, PA 18951  
(215) 538-4681

SUBURBAN GENERAL HOSPITAL-S  
100 SOUTH JACKSON AVENUE  
BELLEVUE, PA 15202  
(412) 734-6000

TAYLOR HOSPITAL DIV OF CCMC-S  
175 E. CHESTER PIKE  
RIDLEY PARK, PA 19078  
(610) 595-6450

TEMPLE EAST INC NE-S  
2301 EAST ALLEGHENY AVENUE  
PHILADELPHIA, PA 19134  
(215) 291-3671

TEMPLE LOWER BUCKS HOSPITAL LAB-S  
501 BATH ROAD  
BRISTOL, PA 19007  
(215) 785-9200

TEMPLE UNIVERSITY HOSPITAL-S  
3401 N. BROAD STREET  
PHILADELPHIA, PA 19140  
(215) 707-4353

THE MEDICAL CENTER BEAVER PA-SB  
1000 DUTCH RIDGE ROAD  
BEAVER, PA 15009-9700  
(724) 728-7000

THOMAS JEFFERSON UNIVERSITY HOSP-S  
125 SOUTH 11TH ST. 204 PAVILION  
PHILADELPHIA, PA 19107  
(215) 955-6374

TITUSVILLE AREA HOSPITAL-S  
406 WEST OAK STREET  
TITUSVILLE, PA 16354  
(814) 827-1851

TOXI-CON LABORATORY-SB  
201 SMALLCOMBE DRIVE  
SCRANTON, PA 18508  
(570) 963-0722

TYLER MEMORIAL HOSPITAL-S  
880 SR 6 W  
TUNKHANNOCK, PA 18657  
(570) 836-2161

TYRONE HOSPITAL-SB  
CLAY AVENUE EXTENSION  
TYRONE, PA 16686  
(814) 684-0484

UNITED COMMUNITY HOSPITAL-SB  
631 NORTH BROAD STREET EXT.  
GROVE CITY, PA 16127  
(724) 450-7125

UPMC BEDFORD MEMORIAL-SB  
10455 LINCOLN HIGHWAY  
EVERETT, PA 15537  
(814) 623-3506

UPMC BRADDOCK-S  
400 HOLLAND AVENUE  
BRADDOCK, PA 15104  
(412) 636-5291

UPMC HORIZON-SB  
2200 MEMORIAL DRIVE  
FARRELL, PA 16121  
(724) 981-3500

UPMC HORIZON-SB  
110 NORTH MAIN STREET  
GREENVILLE, PA 16125  
(724) 588-2100

UPMC LEE REGIONAL HOSPITAL-SB  
320 MAIN STREET  
JOHNSTOWN, PA 15901  
(814) 533-0130

UPMC MCKEESPORT LABORATORY-S  
1500 FIFTH AVENUE  
MCKEESPORT, PA 15132  
(412) 664-2233

UPMC NORTHWEST-SB  
1 SPRUCE STREET  
FRANKLIN, PA 16323  
(814) 437-7000

UPMC PASSAVANT-S  
9100 BABCOCK BOULEVARD  
PITTSBURGH, PA 15237  
(412) 367-6700

UPMC PRESBYTERIAN SHADYSIDE CP PUH-S  
ROOM 5929 MAIN TOWER CHP  
200 LOTHROP STREET  
PITTSBURGH, PA 15213-2582  
(412) 648-6000

UPMC PRESBYTERIAN SHADYSIDE LAB SHDY-S  
5230 CENTRE AVENUE  
PITTSBURGH, PA 15232  
(412) 622-2315

UPMC SAINT MARGARET HOSPITAL-S  
815 FREEPORT ROAD  
PITTSBURGH, PA 15215  
(412) 784-4000

WARMINSTER HOSPITAL-S  
225 NEWTOWN ROAD  
WARMINSTER, PA 18974  
(215) 441-6700

WARREN GENERAL HOSPITAL-SB  
2 CRESCENT PARK  
WARREN, PA 16365  
(814) 723-3300

WASHINGTON HOSPITAL-S  
155 WILSON AVENUE  
WASHINGTON, PA 15301  
(724) 223-3136

WAYNE MEMORIAL HOSPITAL-S  
601 PARK STREET  
HONESDALE, PA 18431  
(570) 253-1300

WAYNESBORO HOSPITAL-S  
501 E MAIN STREET  
WAYNESBORO, PA 17268  
(717) 765-3403

WESTERN PENNSYLVANIA HOSPITAL-S  
4800 FRIENDSHIP AVENUE  
PITTSBURGH, PA 15224  
(412) 578-5779

WESTERN RESERVE CARE SYSTEM-S  
500 GYPSY LANE  
YOUNGSTOWN, OH 44504  
(216) 740-3794

WESTMORELAND HOSPITAL-S  
532 W. PITTSBURGH STREET  
GREENSBURG, PA 15601  
(724) 832-4365

WILLIAMSPORT HOSP & MED CENTER-SB  
777 RURAL AVENUE  
WILLIAMSPORT, PA 17701-3198  
(570) 321-2300

WINDBER MEDICAL CENTER-B  
600 SOMERSET AVENUE  
WINDBER, PA 15963  
(814) 467-6611

WVHCS HOSP PENNANT LABORATORY-SB  
575 NORTH RIVER STREET  
WILKES-BARRE, PA 18764  
(570) 829-8111

WVU HOSPITAL CLINICAL LABS-S  
1 MEDICAL CENTER DRIVE  
P. O. BOX 8009  
MORGANTOWN, WV 26506-8009  
(304) 598-4241

YORK HOSPITAL-SB  
1001 SOUTH GEORGE STREET  
YORK, PA 17405  
(717) 851-2345

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 02-1144. Filed for public inspection June 28, 2002, 9:00 a.m.]

Harrisburg Area Community College, One HACC Drive,  
Harrisburg, PA.

For additional information, contact Stacey Schwartz,  
Office of Physician General, at (717) 783-8770. Persons  
with a disability who wish to attend the meeting and  
require an auxiliary aid, service or other accommodation  
to do so, should call V/TT at (717) 783-6514 for speech  
and/or hearing impaired persons or the Pennsylvania  
AT&T Relay Services at (800) 654-5984 (TT).

This meeting is subject to cancellation without notice.

ROBERT S. ZIMMERMAN, Jr.,  
*Secretary*

[Pa.B. Doc. No. 02-1145. Filed for public inspection June 28, 2002, 9:00 a.m.]

**Patient Safety Authority Meeting**

The first meeting of the Patient Safety Authority is  
scheduled to be held on Tuesday, July 2, 2002, from 9:30  
a.m. to 4 p.m. at the Wildwood Conference Center,

**DEPARTMENT OF LABOR AND INDUSTRY**

**Range of Fees Charged by Utilization Review Organizations and Peer Review Organizations for Services Performed under the Workers' Compensation Act**

Under 34 Pa. Code § 127.667(b) (relating to compensation policy), the Department of Labor and Industry, Bureau of Workers' Compensation gives notice of the range of fees charged by utilization review organizations and peer review organizations for services performed under the Workers' Compensation Act during 2001.

JOHNNY J. BUTLER,  
*Secretary*

<i>URO/PRO</i>	<i>Range of Fees</i>	
	<i>Min.\$</i>	<i>Max. \$</i>
Adams Chiropractic PC d/b/a A & A Reviews	\$175.00	\$1,025.00
A. E. Maxwell Associates	\$185.00	\$ 665.00
Action Review Group, Inc.	\$112.50	\$ 800.00
Advanced Rehabilitation Management, Inc.	\$200.00	\$1,224.25
Alliance Impairment Management	\$130.92	\$1,029.97
Alico Services, LTD	\$250.00	\$ 600.00
Alpha Review	\$275.00	\$1,083.62
American Review Systems	\$578.74	\$1,082.91
Atlantic Medical Review Co., Inc.	\$288.26	\$ 868.05
C.A.B. Medical Consultants	\$100.00	\$ 750.00
Caduceus Review, Inc.	\$233.83	\$ 892.40
Caduceus-Lex Medical Auditing, Inc.	\$200.00	\$ 634.34
CDS Quality Review, Inc.	\$637.99	\$1,022.42
CEC Associates, Inc.	\$139.74	\$ 620.83
CEC, Inc.	\$150.00	\$ 695.00
Chiro-Med Review Company	\$200.00	\$ 924.19
Concentra Medical Examinations	\$100.00	\$ 770.80
Consolidated Service Group, Inc. d/b/a Consolidated Rehabilitation Company	\$200.00	\$ 840.00
Corvel Corporation	\$168.19	\$ 938.72
Crawford Care Management Services c/o Crawford & Company	\$190.75	\$ 990.18
Delaware Valley Peer Review Organization	\$176.94	\$1,832.60
First Managed Care Option	\$190.39	\$ 859.49
Francene Tearpock—Martini & Associates, Inc.	\$330.00	\$ 695.00
Hajduk & Associates	\$200.00	\$ 600.00
Health Care Dimensions, Inc.	\$179.44	\$ 748.63
Hoover Rehabilitation Services, Inc.	\$ 73.94	\$ 907.39
IMX Medical Management Services, Inc.	\$191.61	\$ 739.26
Industrial Rehabilitation Associates c/o RJP Enterprises, Inc.	\$147.28	\$ 650.00
Keystone Peer Review Organization, Inc.	\$200.00	\$ 850.00
KVS Consulting Services	\$296.49	\$ 700.00
LRC Disability Management Consultants	\$ 23.20	\$1,265.00
Lycy Review Group	\$275.00	\$1,094.54
McBride & McBride Associates	\$200.00	\$ 750.00
Medical Evaluation Specialists	\$125.00	\$1,012.32
Medical Review Associates	\$325.00	\$ 700.00
Medical Service & Evaluation Company	\$200.00	\$ 900.00
Omega Review	\$275.00	\$1,084.16

	<i>Range of Fees</i>	
	<i>Min. \$</i>	<i>Max. \$</i>
URO/PRO		
Peer, Inc.	\$150.00	\$ 650.00
Penn Executive Diagnostic Center, Inc.	\$100.00	\$ 950.00
Perspective Consulting, Inc.	\$150.00	\$ 825.00
Polombo Consulting & Review	\$225.00	\$ 585.00
Proclaim Review Company	\$275.00	\$ 981.01
QRS Managed Care Services	\$150.00	\$1,103.84
Quality Assurance Reviews	\$250.00	\$ 900.00
Reasonable Insurance Consultations Evaluations	\$225.00	\$1,156.64
Rehabilitation Auditing & Placement	\$578.10	\$ 634.01
Rehabilitation Planning, Inc.	\$150.00	\$ 600.00
Solomon Associates, Inc.	\$200.00	\$ 700.00
T & G Reviews, Inc.	\$200.00	\$ 700.00
The pt Group	\$126.83	\$ 698.00
Tom Sawchaks, Inc. Action of Pennsylvania	\$300.00	\$ 850.00
Trinity Reviews, Inc.	\$220.00	\$ 700.00
Tri-State IME, Inc.	\$297.23	\$ 867.46
Tri-State Rehabilitation Group, Inc.	\$264.49	\$ 979.61
TxReviews, Inc.	\$200.00	\$ 660.37
U.S. Medical Review, Inc.	\$175.00	\$ 700.00
Unimed/United Medical Associates	\$250.00	\$ 675.00
West Penn IME, Inc.	\$237.19	\$ 873.00
WMR Resources, Inc.	\$235.00	\$ 615.00
Workwell Physical Medicine, Inc.	\$ 75.00	\$ 750.00
Zabinski, Robert C., D.C.	\$291.18	\$1,824.72

[Pa.B. Doc. No. 02-1146. Filed for public inspection June 28, 2002, 9:00 a.m.]

## DEPARTMENT OF PUBLIC WELFARE

### Inpatient Hospitals Qualifying for Medical Assistance Disproportionate Share Payments for the Period July 1, 2001, through June 30, 2002

On July 1, 1988, the Department of Public Welfare (Department) implemented a disproportionate share payment system. Under Commonwealth regulations, the Department is required to annually publish the names of each inpatient acute care general hospital, rehabilitation hospital and private psychiatric hospital qualifying for a disproportionate share payment and their respective disproportionate share payment percentage.

#### A. *Disproportionate Share for Acute Care General Hospitals, Rehabilitation Hospitals and Private Psychiatric Hospitals.*

The following lists identify the inpatient acute care general hospitals, psychiatric units and rehabilitation units of acute care general hospitals, rehabilitation hospitals and private psychiatric hospitals eligible for disproportionate share payment for the period July 1, 2001, through June 30, 2002, and their respective payment percentages. For all inpatient facilities, disproportionate share payments are calculated as a percentage of projected Medical Assistance (MA) inpatient income.

#### **Payment period July 1, 2001, to June 30, 2002, disproportionate share payment percentages:**

##### **Acute Care General Hospitals**

ALBERT EINSTEIN	5.103%
A. I. du PONT	6.109%
ALIQUIPPA COMMUNITY HOSPITAL	4.488%
BARNES KASSON	3.464%

BRADFORD REGIONAL MEDICAL CENTER	10.000%
CHARLES COLE MEMORIAL	4.018%
CHILDRENS HOSPITAL—PGH	9.313%
CHILDRENS HOSPITAL—PHIL	9.438%
CLARION HOSPITAL	4.309%
CLEARFIELD	3.456%
COMMUNITY HOSPITAL—KANE	1.000%
CROZER CHESTER	3.484%
DUBOIS REGIONAL MEDICAL CENTER	9.000%
FULTON COUNTY MEDICAL CENTER	2.882%
HIGHLAND HEALTH CENTER	5.292%
HOSP UNIV OF PENNA	4.852%
INDIANA HOSPITAL	3.692%
J C BLAIR	4.255%
KENSINGTON	5.480%
LGH—SUSQUEHANNA DIV.	2.995%
LOCK HAVEN	4.752%
MAGEE WOMENS	5.825%
MEADVILLE	5.049%
MEMORIAL HOSPITAL—TOWANDA	3.005%
MERCY HOSPITAL OF PHILADELPHIA	4.529%
MERCY PROVIDENCE—PGH	4.470%
METRO HEALTH CENTER	3.786%
MONSOUR	7.595%
NPHS—GIRARD	1.000%
NPHS—ST. JOSEPHS	8.999%
PRESBYT MEDICAL CENTER OF UPHS	4.902%
PUNXSUTAWNEY	4.553%
SOLDIERS AND SAILORS	5.692%
TEMPLE	8.643%
TEMPLE EAST, INC.	7.441%
TEMPLE UNIV. CHILDRENS' HOSPITAL	15.000%
THOMAS JEFFERSON	4.497%
THS—HAHNEMANN	4.669%
THS—MED COLL OF PA HOSP	5.289%
THS—PARKVIEW HOSPITAL	4.303%
THS—ST. CHRISTOPHERS	14.000%

TITUSVILLE	4.227%
TROY COMMUNITY	6.935%
UPMC—BRADDOCK MED CENTER	4.938%
UPMC—BEDFORD	7.921%
VALLEY FORGE	4.868%
WAYNE COUNTY MEMORIAL	3.053%
WEST VIRGINIA	6.772%

**Psychiatric Units of Acute Care Hospitals**

ALBERT EINSTEIN	2.265%
ALQUIPPA COMMUNITY HOSPITAL	1.853%
BRADFORD REGIONAL MED CNTR	2.433%
CHILDREN'S HOSPITAL OF PHILADELPHIA	5.912%
CROZER-CHESTER MEDICAL CENTER	1.181%
DUBOIS REGIONAL MEDICAL CENTER	1.860%
HIGHLAND HOSPITAL	2.391%
HOSPITAL OF THE UNIV OF PA	2.096%
J C BLAIR	1.000%
MEADVILLE MEDICAL CENTER	1.144%
MERCY HOSPITAL OF PHILADELPHIA	1.881%
MERCY PROVIDENCE—PGH	1.841%
MONSOUR MEDICAL CENTER	3.932%
NPHS—GIRARD	1.000%
PRESBYTERIAN MED CNTR OF UPHS	2.130%
SOLDIERS AND SAILORS	1.260%
TEMPLE UNIVERSITY HOSP	4.633%
THOMAS JEFFERSON UNIV HOSP	1.859%
THS—HAHNEMANN UNIV HOSP	1.974%
THS—MEDICAL COLLEGE OF PA HOSP (EPPH)	2.389%
THS—PARKVIEW HOSPITAL	1.729%
UPMC—BRADDOCK	2.154%

**Private Psychiatric Hospitals**

BELMONT CENTER	2.992%
FAIRMOUNT BHS	1.520%
CLARION PSYCHIATRIC CENTER	6.188%
EUGENIA HOSPITAL	5.423%
FIRST HOSPITAL WYOMING VALLEY	3.986%
FOUNDATIONS BEHAVIORAL HEALTH	10.000%
HORSHAM PSYCHIATRIC HOSPITAL	4.835%
KIRKBRIDE PSYCH HOSPITAL	3.481%
MEADOWS PSYCHIATRIC CENTER	5.643%
MONTGOMERY COUNTY MH/MR ER SVS	3.783%
NATIONAL HOSPITAL FOR KIDS IN CRISIS	9.000%
NORTHWESTERN INSTITUTE OF PSYCHIATRY	3.509%
PHILHAVEN	4.070%
SOUTHWOOD PSYCHIATRIC HOSPITAL	8.280%

**Drug and Alcohol Units of Acute Care Hospitals**

LANCASTER GEN HOSP—SUSQUE DIV	1.000%
MEADVILLE MEDICAL CENTER	1.000%
NPHS—ST JOSEPHS	8.113%
PRESBYTERIAN MED CNTR OF UPHS	2.883%
VALLEY FORGE	2.839%

**Private Drug and Alcohol Hospitals**

EAGLEVILLE HOSPITAL	1.315%
---------------------	--------

**Medical Rehab Units of Acute Care Hospitals**

ALBERT EINSTEIN	3.139%
CROZER-CHESTER MEDICAL CENTER	1.071%
DUBOIS REGIONAL MEDICAL CENTER	2.366%
HOSPITAL OF THE UNIV OF PA	2.818%
MERCY PROVIDENCE—PGH	2.330%
MONSOUR MEDICAL CENTER	6.320%

TEMPLE UNIVERSITY HOSP	7.659%
THOMAS JEFFERSON UNIV HOSP	2.365%

**Freestanding Rehab Hospitals**

CHILDRENS HOME OF PITTSBURGH	9.000%
CHILDRENS SEASHORE HOUSE	10.000%

**B. Additional Disproportionate Share Payments**

Additional disproportionate share payments are made to inpatient facilities with a Medicaid inpatient utilization rate of not less than 1% which have provided services to persons who have been determined to be low income by meeting the income and resource standards for the State's general assistance program.

The payment adjustments are paid directly proportional to the payment received for either general assistance recipients for all hospital services or Title XIX recipients 21—64 years of age for services rendered by institutions for mental diseases under the fee-for-service and capitation programs.

The following hospitals are eligible for this payment adjustment:

**Acute Care General Hospitals**

ABINGTON MEMORIAL
ALBERT EINSTEIN
ALQUIPPA COMMUNITY HOSPITAL
ALTOONA
AMERICAN ONCOLOGICAL
ARMSTRONG COUNTY MEMORIAL
ASHLAND REGIONAL MEDICAL CENTER
ALLEGHENY GENERAL
ALLEGHENY KISKI
CANNONSBURG
A. I. du PONT
BARNES KASSON
BLOOMSBURG
BON SECOURS HOSPITAL
BRADFORD REGIONAL MEDICAL CENTER
BRANDYWINE HOSPITAL
BROOKVILLE
BROWNSVILLE
BRYN MAWR
BUCKTAIL MEDICAL CENTER
BUTLER COUNTY MEMORIAL
CARLISLE REGIONAL MEDICAL CENTER
CENTRE COMMUNITY
CENTRAL MONTGOMERY HOSPITAL
CHAMBERSBURG HOSPITAL
CHARLES COLE MEMORIAL
CHESTER COUNTY
CHESTNUT HILL
CHILDRENS HOSPITAL—PGH
CHILDRENS HOSPITAL—PHIL
CHS—BERWICK HOSP CTR
CLARION HOSPITAL
CLEARFIELD
COMMUNITY HOSP OF LANCASTER
COMMUNITY HOSPITAL—KANE
COMMUNITY MEDICAL CENTER—SCRANTON
CONEMAUGH VALLEY
CORRY MEMORIAL
CROZER CHESTER
DELAWARE COUNTY
DIVINE PROVIDENCE—WMSPT
DOYLESTOWN
DUBOIS REGIONAL MEDICAL CENTER
EASTON HOSPITAL
ELK REGIONAL HLTH CTR

ELLWOOD CITY  
 ENDLESS MTS. HEALTH SYSTEM  
 EPHRATA COMMUNITY  
 EVANGELICAL COMMUNITY  
 FORBES REG. HOSPITAL  
 FRANKFORD  
 FRICK COMM. HLTH CTR  
 FULTON COUNTY MEDICAL CENTER  
 GEISINGER MEDICAL CENTER  
 GEISINGER WYOMING VALLEY  
 GETTYSBURG HOSPITAL  
 GNADEN HUETTEN  
 GOOD SAMARITAN—LEBANON  
 GOOD SAMARITAN—POTTSVILLE  
 GRANDVIEW  
 GREENE COUNTY MEMORIAL  
 HAMOT MEDICAL CENTER  
 HANOVER GENERAL  
 HAZLETON GENERAL HOSPITAL  
 HIGHLAND HEALTH CENTER  
 HOLY REDEEMER  
 HOLY SPIRIT  
 HORIZON HOSPITAL SYS, INC  
 HOSP UNIV OF PENNA  
 INDIANA HOSPITAL  
 J C BLAIR  
 JAMESON MEMORIAL  
 JEANES HOSPITAL  
 JEANNETTE DIST MEMORIAL  
 JEFFERSON HEALTH SERV  
 JERSEY SHORE HOSPITAL  
 KENSINGTON  
 LANCASTER GENERAL  
 LANKENAU  
 LATROBE AREA  
 LEHIGH VALLEY  
 LEWISTOWN  
 LGH—SUSQUEHANNA DIV.  
 LIFECARE HOSPITAL OF PGH  
 LOCK HAVEN  
 MAGEE WOMENS  
 MARIAN COMMUNITY HOSPITAL  
 UPMC—MCKEESPORT  
 MEADVILLE  
 MEDICAL CTR BEAVER PA, INC  
 MEMORIAL—YORK  
 MEMORIAL HOSPITAL—TOWANDA  
 MERCY CATHOLIC—FITZGERALD  
 MERCY HOSPITAL OF PHILADELPHIA  
 MERCY HOSP OF NANTICOKE  
 MERCY HOSPITAL—PGH  
 MERCY HOSPITAL—SCRANTON  
 MERCY HOSPITAL—WILKES-BARRE  
 MERCY PROVIDENCE—PGH  
 METRO HEALTH CENTER  
 MEYERSDALE  
 MID VALLEY  
 MILLCREEK COMMUNITY  
 MILTON HERSHEY  
 MINERS HOSPITAL  
 MINERS MEMORIAL MEDICAL CENTER  
 MONONGAHELA VALLEY  
 MONSOUR  
 MONTGOMERY  
 MOSES TAYLOR  
 LANCASTER REGIONAL MEDICAL CENTER  
 LEHIGH VALLEY HOSPITAL—MUHLENBERG  
 MUNCY VALLEY  
 NASON HOSPITAL  
 NAZARETH  
 NORTHWEST MEDICAL CENTER  
 NPHS—GIRARD  
 NPHS—ST. JOSEPHS  
 OHIO VALLEY  
 PALMERTON  
 PAOLI MEMORIAL  
 PHILIPSBURG AREA  
 PINNACLE HEALTH SYSTEM  
 PITTSBURGH SPECIALTY HOSP  
 POCONO HOSPITAL  
 POTTSTOWN MEMORIAL  
 POTTSVILLE HOSPITAL  
 PRESBYT MEDICAL CENTER OF UPHS  
 PRESBYT UNIV HOSPITAL  
 PUNXSUTAWNEY  
 READING HOSPITAL  
 RIDDLE MEMORIAL  
 ROBERT PACKER  
 ROXBOROUGH MEMORIAL  
 SACRED HEART—ALLENTOWN  
 SEWICKLEY  
 SHAMOKIN AREA COMM HOSP  
 SHARON  
 SOLDIERS AND SAILORS  
 SOMERSET COMMUNITY  
 JENNERSVILLE REGIONAL HOSPITAL  
 ST. AGNES  
 ST. CLAIR MEMORIAL  
 ST. FRANCIS—NEW CASTLE  
 ST. FRANCIS—PITTSBURGH  
 ST. JOSEPH MEDICAL CENTER—READING  
 ST. JOSEPH MEDICAL CENTER—HAZLETON  
 ST. LUKES—QUAKERTOWN  
 ST. LUKES OF BETHLEHEM  
 ST. MARY—LANGHORNE  
 ST. VINCENT  
 MERCY SUBURBAN HOSPITAL—NORRISTOWN  
 SUBURBAN GENERAL—PGH  
 SUNBURY COMMUNITY  
 TEMPLE  
 TEMPLE—LOWER BUCKS  
 TEMPLE EAST, INC.  
 TEMPLE UNIV. CHILDREN'S MEDICAL CENTER  
 THOMAS JEFFERSON  
 THS—ELKINS PARK  
 THS—GRADUATE HOSP  
 THS—HAHNEMANN HOSPITAL  
 THS—MED COLL OF PA HOSP  
 THS—PARKVIEW HOSPITAL  
 THS—ST. CHRISTOPHERS  
 THS—WARMINSTER HOSPITAL  
 TITUSVILLE  
 TROY COMMUNITY  
 TYLER MEMORIAL  
 TYRONE HOSP  
 UNIONTOWN  
 UNITED COMMUNITY  
 UPHS—PENNSYLVANIA HOSPITAL  
 UPHS—PHOENIXVILLE  
 UPMC—BRADDOCK MED CENTER  
 UPMC—LEE HOSPITAL  
 UPMC—PASSAVANT HOSPITAL  
 UPMC—SOUTHSIDE  
 UPMC—ST MARGARET  
 UPMC—BEDFORD  
 UPMC—SHADYSIDE  
 VALLEY FORGE  
 WARREN GENERAL  
 WASHINGTON  
 WAYNE COUNTY MEMORIAL

WAYNESBORO  
 WEST VIRGINIA  
 WESTERN PENN  
 WESTMORELAND  
 WILLIAMSPORT  
 WILLS EYE HOSPITAL  
 WINDBER  
 WYOMING VALLEY HEALTH CARE SYSTEM  
 YORK HOSPITAL

**Private Drug and Alcohol Hospitals**

EAGLEVILLE HOSPITAL

**Freestanding Rehab Hospitals**

ALLIED SERVICES REHABILITATION HOSPITAL  
 BRYN MAWR REHAB  
 CHESTNUT HILL/SPRINGFIELD  
 CHILDREN'S HOME OF PITTSBURGH  
 CHILDREN'S SEASHORE HOUSE  
 GOOD SHEPHERD REHABILITATION HOSPITAL  
 HEALTHSOUTH HARMARVILLE REHAB HOSPITAL  
 HEALTHSOUTH REHAB—ALTOONA  
 HEALTHSOUTH REHAB—MECHANICSBURG  
 HEALTHSOUTH LAKE ERIE INST REHAB  
 HEALTHSOUTH REHAB HOSP—GRTR PGH  
 HEALTHSOUTH REHAB HOSP—YORK  
 H/S NITTANY VALLEY REHAB HOSPITAL  
 H/S READING REHABILITATION HOSPITAL  
 H/S REHAB OF SEWECKLY  
 MAGEE MEMORIAL  
 THE JOHN HEINZ INSTITUTE  
 THE REHABILITATION INSTITUTE OF PITTSBURGH

**Private Psychiatric Hospitals**

BELMONT CENTER  
 FAIRMOUNT BHS  
 CLARION PSYCHIATRIC CENTER  
 EUGENIA HOSPITAL  
 FIRST HOSPITAL WYOMING VALLEY  
 FOUNDATIONS BEHAVIORAL HLTH  
 FRIENDS HOSPITAL  
 HORSHAM CLINIC  
 KIRKBRIDE PSYCH HOSP  
 MONTGOMERY COUNTY MHRM EMERGENCY  
 SERVICE  
 NATIONAL HOSPITAL FOR KIDS IN CRISIS  
 NORTHWESTERN INSTITUTE OF PSYCHIATRY  
 PHILHAVEN  
 SOUTHWOOD PSYCHIATRIC HOSPITAL  
 THE MEADOWS PSYCHIATRIC CENTER

**Medical Rehab Units of Acute Care Hospitals**

ABINGTON MEMORIAL HOSP  
 ALBERT EINSTEIN  
 BON SECOURS HOLY FAMILY REG HLTH SYS  
 CHAMBERSBURG HOSPITAL  
 COMMUNITY HOSP—LANCASTER  
 CONEMAUGH VALLEY HOSP  
 CROZER-CHESTER MED CNTR  
 DELAWARE CNTY MEM HOSP  
 DOYLESTOWN HOSPITAL  
 DUBOIS REGIONAL MED CNTR  
 EASTON HOSPITAL  
 FRANKFORD  
 GEISINGER—WYOMING VALLEY  
 GOOD SAMARITAN HOSPITAL—LEBANON  
 HORIZON HOSP SYS, INC.  
 HOSP OF THE UNIV OF PA  
 JAMESON MEMORIAL  
 JEANNETTE DIST MEM HOSP  
 JEFFERSON HEALTH SERVICES

LANCASTER GENERAL HOSP  
 LANCASTER REGIONAL MEDICAL CENTER  
 MERCY CATHOLIC—FITZGERALD  
 MERCY HOSPITAL—PITTSBURGH  
 MERCY PROVIDENCE—PGH  
 MILTON S. HERSHEY MEDICAL CENTER  
 MONONGAHELA VALLEY HOSP  
 NAZARETH  
 NORTHWEST MEDICAL CENTER FRANKLIN  
 PINNACLE HEALTH HOSPITALS  
 POTTSVILLE HOSPITAL  
 PRESBYTERIAN UNIV—PGH  
 SEWICKLEY VALLEY HOSPITAL  
 ST AGNES MEDICAL CNTR  
 ST FRANCIS HOSP—NEW CASTLE  
 ST FRANCIS MED CNTR—PITTS  
 ST MARY HOSP—LANGHORNE  
 ST VINCENT HEALTH CNTR  
 SUBURBAN GENERAL HOSPITAL—PGH  
 THS—ELKINS PARK  
 THS—WARMINSTER HOSPITAL  
 TEMPLE UNIVERSITY HOSP  
 THOMAS JEFFERSON UNIV HOSP  
 UNIV OF PITTS MEDICAL CENTER—LEE HOSP  
 UNIV OF PITTS MEDICAL CENTER—MCKEESPORT  
 UNIV OF PITTS MEDICAL CENTER—SOUTHSIDE  
 UNIV OF PITTS MEDICAL CENTER—ST MARGARET  
 WESTMORELAND HOSPITAL  
 WILLIAMSPORT HOSPITAL

**Drug and Alcohol Units of Acute Care Hospitals**

BUTLER COUNTY MEMORIAL  
 HAMOT MEDICAL CENTER  
 HORIZON—SHENANGO VALLEY  
 LANCASTER GEN HOSP—SUSQUEHANNA DIV  
 MEADVILLE MED CNTR  
 MONSOUR MEDICAL CENTER D&A  
 NPHS—ST JOSEPHS HOSP  
 PRESBY MEDICAL CENTER OF UNIV OF PA  
 HLTH SYST  
 ST FRANCIS—PITTSBURGH  
 VALLEY FORGE  
 WESTMORELAND

**Psychiatric Units of Acute Care Hospitals**

ALLEGHENY GENERAL  
 ALLEGHENY KISKI  
 ABINGTON MEMORIAL  
 ALBERT EINSTEIN  
 ALTOONA  
 ARMSTRONG COUNTY MEMORIAL  
 BLOOMSBURG HOSP  
 BON SECOURS HOLY FAM REG HLTH SYS  
 BRADFORD  
 BRANDYWINE HOSPITAL  
 BROWNSVILLE  
 BRYN MAWR HOSP  
 BUTLER COUNTY MEMORIAL  
 CENTRE COMMUNITY  
 CHAMBERSBURG HOSPITAL  
 CHILDREN'S HOSPITAL OF PHILADELPHIA  
 COMMUNITY MEDICAL CENTER  
 CONEMAUGH VALLEY  
 CORRY MEMORIAL  
 CROZER CHESTER  
 DIVINE PROVIDENCE—WMSPT  
 DOYLESTOWN  
 DUBOIS REGIONAL MED CNTR  
 ELK REGIONAL HEALTH CENTER  
 EPHRATA COMMUNITY  
 FORBES REGIONAL HOSP

FRANKFORD HOSP—BUCKS CO CAMPUS  
 GEISINGER MEDICAL CENTER  
 GNADEN HUETTEN  
 GRANDVIEW  
 HAMOT MEDICAL CENTER  
 HAZLETON GEN HOSP  
 HIGHLAND HOSPITAL  
 HOLY SPIRIT  
 HOSP OF THE UNIVERSITY OF PA  
 J C BLAIR  
 JEFFERSON HEALTH SERV  
 LANCASTER GENERAL  
 LANCASTER REGIONAL MEDICAL CENTER  
 LATROBE AREA  
 LEHIGH VALLEY HOSPITAL  
 LEWISTOWN  
 MARIAN COMMUNITY HOSPITAL  
 MEADVILLE MED CNTR  
 MEDICAL CENTER, BEAVER PA., THE  
 MEMORIAL HOSP—YORK  
 MERCY CATHOLIC—FITZGERALD  
 MERCY HOSPITAL OF PHILADELPHIA  
 MERCY HOSPITAL—PGH  
 MERCY HOSPITAL—WILKES-BARRE  
 MERCY SPECIAL CARE HOSPITAL  
 MERCY PROVIDENCE HOSP—PGH  
 MILTON S. HERSHEY MEDICAL CENTER  
 MONONGAHELA VALLEY  
 MONSOUR MED CNTR  
 MONTGOMERY  
 MOSES TAYLOR GEROPSYCH UNIT  
 LEHIGH VALLEY HOSPITAL—MUHLENBERG  
 NAZARETH  
 NPHS—GIRARD  
 NORTHWEST MEDICAL CENTER OIL CITY  
 PAOLI MEMORIAL  
 PINNACLE HEALTH HOSPITALS  
 POCONO HOSPITAL  
 POTTSTOWN MEMORIAL MEDICAL CENTER  
 POTTSVILLE HOSPITAL  
 PRESBYTERIAN MED CNTR OF UPHS  
 PRESBYTERIAN UNIV HOSP—PGH  
 READING HOSPITAL  
 ROBERT PACKER  
 SEWICKLEY VALLEY HOSP  
 SHAMOKIN AREA COMMUNITY HOSPITAL  
 SHARON REGIONAL HLTH SYST  
 SOLDIERS AND SAILORS  
 SOMERSET HOSP CNTR FOR HEALTH  
 ST CLAIR MEMORIAL  
 ST FRANCIS—NEW CASTLE  
 ST FRANCIS—PITTSBURGH  
 ST JOSEPH MEDICAL CENTER—READING  
 ST LUKES—QUAKERTOWN  
 ST LUKES OF BETHLEHEM  
 ST VINCENT  
 THS—HAHNEMANN UNIV HOSP  
 THS—MEDICAL COL OF PA HOSP (EPPI)  
 THS—PARKVIEW HOSPITAL  
 THS—WARMINSTER HOSPITAL  
 TEMPLE—LOWER BUCKS  
 TEMPLE UNIVERSITY HOSPITAL  
 THOMAS JEFFERSON  
 UPHS—PENNSYLVANIA HOSPITAL  
 UPMC—BRADDOCK  
 UPMC—MCKEESPORT  
 UPMC—SOUTHSIDE PSY  
 WARREN GENERAL  
 WASHINGTON

WESTERN PENN  
 WESTMORELAND  
 YORK HOSPITAL

*C. Additional Class of Disproportionate Share Payments*

Effective March 1, 1998, the Department established a new class of disproportionate share payments to hospitals which render uncompensated care and which the Department has determined are experiencing significant revenue loss as a result of MA program revisions under Act 1996-35.

Effective January 15, 1999, the Department revised its previously established new class of disproportionate share payments to include a Charity Care component of the Community Access Fund. A disproportionate share payment will be made to qualifying hospitals based on each hospital's percentage of charity care cost to the total charity care costs of all qualifying hospitals. The Department also established a disproportionate share payment for those hospitals which the Department has determined advanced its goal of enhanced access to multiple types of medical care in economically distressed areas of this Commonwealth.

The following hospitals qualify for this payment:

ABINGTON MEMORIAL  
 A.I. du PONT  
 ALBERT EINSTEIN  
 ALIQUIPPA COMMUNITY HOSPITAL  
 ALLEGHENY GENERAL  
 ALTOONA  
 BARNES KASSON  
 CHARLES COLE MEMORIAL  
 CHILDREN'S HOSPITAL OF PHILADELPHIA  
 CLARION  
 CLEARFIELD  
 CROZER CHESTER MEDICAL CENTER  
 DOYLESTOWN  
 DUBOIS REGIONAL MEDICAL CENTER  
 EAGLEVILLE  
 EASTON HOSPITAL  
 EVANGELICAL COMMUNITY  
 FRANKFORD  
 FULTON COUNTY MEDICAL CENTER  
 GEISINGER MEDICAL CENTER  
 HAMOT MEDICAL CENTER  
 HAZLETON GENERAL HOSPITAL  
 HOSPITAL OF THE UNIVERSITY OF PA  
 INDIANA HOSPITAL  
 J C BLAIR  
 JAMESON MEMORIAL  
 JEANNETTE DIST MEMORIAL  
 LANKENAU  
 LEHIGH VALLEY  
 LOCKHAVEN  
 MAGEE WOMENS  
 MEADVILLE MEDICAL CENTER  
 MEMORIAL HOSPITAL TOWANDA  
 MERCY CATHOLIC—FITZGERALD  
 MERCY HOSPITAL OF PHILADELPHIA  
 MERCY HOSPITAL—PITTSBURGH  
 MILTON S. HERSHEY MEDICAL CENTER  
 NORTH PHILADELPHIA HEALTH SYSTEM  
 NPHS—GIRARD  
 PRESBYTERIAN MED CTR OF UPHS  
 PRESBYTERIAN UNIVERSITY HOSPITAL—PGH  
 PUNXSUTAWNEY  
 READING HOSPITAL  
 UPMC—SHADYSIDE  
 ST. AGNES

ST. FRANCIS—NEW CASTLE  
 ST. FRANCIS—PITTSBURGH  
 ST. LUKES OF BETHLEHEM  
 SOLDIERS AND SAILORS  
 TEMPLE UNIVERSITY HOSPITAL  
 THOMAS JEFFERSON  
 THS—GRADUATE HOSPITAL  
 THS—HAHNEMANN HOSPITAL  
 THS—MED COLL HOSPITAL—MAIN  
 THS—PARKVIEW HOSPITAL  
 UPHS—PENNSYLVANIA HOSPITAL  
 UPMC—BEDFORD  
 UPMC—BRADDOCK MEDICAL CENTER  
 VALLEY FORGE  
 WAYNE COUNTY MEMORIAL  
 WESTERN PENN  
 WEST VIRGINIA  
 YORK HOSPITAL

A copy of this notice is available for review at local county assistance offices. Interested persons are invited to submit written comments within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Comments should be addressed to Department of Public Welfare, Office of Medical Assistance Programs, Attention: Regulations Coordinator, Room 515 Health and Welfare Building, Harrisburg, PA 17105. Persons with a disability may use the AT&T Relay Services by calling (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

FEATHER O. HOUSTOUN,  
*Secretary*

**Fiscal Note:** 14-NOT-325. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 02-1147. Filed for public inspection June 28, 2002, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania Pink Panther Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Pink Panther.

2. *Price:* The price of a Pennsylvania Pink Panther instant lottery game ticket is \$2.00.

3. *Play Symbols:* Each Pennsylvania Pink Panther instant lottery game ticket will contain one play area featuring a "Winnings Numbers" area and a "Your Numbers" area. The play symbols and their captions located in the "Winnings Numbers" area and the "Your Numbers" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTEN) and 16 (SIXTN). Each Pennsylvania Pink Panther instant lottery game ticket will also contain a "Bonus Play" area. The play symbols and their captions located in the "Bonus Play" area are: Magnifying Glass Symbol (MAGLS), Foot Print Symbol (FTPRT), Thumb Print Symbol (TMPRT), Watch Symbol (WATCH),

Tire Tread Symbol (TREAD) and Pipe Symbol (PIPE).

4. *Prize Play Symbols:* The prize play symbols and their captions located in the "Your Numbers" area are: \$1<sup>00</sup> (ONE DOL), \$2<sup>00</sup> (TWO DOL), \$3<sup>00</sup> (THR DOL), \$4<sup>00</sup> (FOR DOL), \$5<sup>00</sup> (FIV DOL), \$10<sup>00</sup> (TEN DOL), \$15\$ (FIFTN), \$20\$ (TWENTY), \$25\$ (TWY FIV), \$120 (HUN TWY) and \$12,000 (TWL THO).

5. *Prizes:* The prizes that can be won in this game are \$1, \$2, \$3, \$4, \$5, \$10, \$15, \$20, \$25, \$120 and \$12,000. The player can win up to eight times on a ticket.

6. *Approximate Number of Tickets Printed for the Game:* Approximately 6,000,000 tickets will be printed for the Pennsylvania Pink Panther instant lottery game.

#### 7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winnings Numbers" play symbols and a prize play symbol of \$12,000 (TWL THO) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$12,000.

(b) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winnings Numbers" play symbols and a prize play symbol of \$120 (HUN TWY) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$120.

(c) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winnings Numbers" play symbols and a prize play symbol of \$25\$ (TWY FIV) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$25.

(d) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winnings Numbers" play symbols and a prize play symbol of \$20\$ (TWENTY) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(e) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winnings Numbers" play symbols and a prize play symbol of \$15\$ (FIFTN) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$15.

(f) Holders of tickets with a Magnifying Glass Symbol (MAGLS) play symbol in the "Bonus Play" area, on a single ticket, shall be entitled to a prize of \$10.

(g) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winnings Numbers" play symbols and a prize play symbol of \$10<sup>00</sup> (TEN DOL) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(h) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winnings Numbers" play symbols and a prize play symbol of \$5<sup>00</sup> (FIV DOL) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(i) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winnings Numbers" play symbols and a prize play symbol of \$4<sup>00</sup> (FOR DOL) appears under the matching "Your Numbers"

play symbol, on a single ticket, shall be entitled to a prize of \$4.

(j) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winning Numbers" play symbols and a prize play symbol of \$3<sup>.00</sup> (THR DOL) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$3.

(k) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winning Numbers" play symbols and a prize play symbol of \$2<sup>.00</sup> (TWO DOL) appears under the matching "Your Numbers"

play symbol, on a single ticket, shall be entitled to a prize of \$2.

(l) Holders of tickets upon which any one of the "Your Numbers" play symbols matches either of the "Winning Numbers" play symbols and a prize play symbol of \$1<sup>.00</sup> (ONE DOL) appears under the matching "Your Numbers" play symbol, on a single ticket, shall be entitled to a prize of \$1.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of Your Numbers Match Either Winning Number Win With Prize(s) Of:</i>	<i>Approximate Win</i>	<i>Odds</i>	<i>Approximate No. of Winners Per 6,000,000 Tickets</i>
\$1 × 2	\$2	1:15	400,000
\$2	\$2	1:13.64	440,000
\$2 + \$1	\$3	1:50	120,000
\$1 × 3	\$3	1:50	120,000
\$3	\$3	1:50	120,000
\$1 × 4	\$4	1:375	16,000
\$2 × 2	\$4	1:250	24,000
\$4	\$4	1:150	40,000
\$1 × 5	\$5	1:150	40,000
\$5	\$5	1:150	40,000
\$2 × 5	\$10	1:300	20,000
\$5 × 2	\$10	1:300	20,000
\$10	\$10	1:300	20,000
\$10 (Bonus Play)	\$10	1:33.33	180,000
\$3 × 5	\$15	1:750	8,000
\$5 × 3	\$15	1:750	8,000
\$10 (Bonus Play) + \$5	\$15	1:375	16,000
\$15	\$15	1:750	8,000
\$4 × 5	\$20	1:1,500	4,000
\$5 × 4	\$20	1:1,500	4,000
\$10 × 2	\$20	1:1,500	4,000
\$10 (Bonus Play) + \$10	\$20	1:750	8,000
\$10 (Bonus Play) + \$2 × 5	\$20	1:750	8,000
\$10 (Bonus Play) + \$5 × 2	\$20	1:750	8,000
\$20	\$20	1:1,500	4,000
\$5 × 5	\$25	1:12,000	500
\$10 (Bonus Play) + \$5 × 3	\$25	1:7,500	800
\$10 (Bonus Play) + \$15	\$25	1:8,000	750
\$25	\$25	1:12,000	500
\$20 × 6	\$120	1:60,000	100
\$15 × 8	\$120	1:60,000	100
\$120	\$120	1:60,000	100
\$12,000 (Bonus Play) = Magnifying Glass wins \$10	\$12,000	1:1,200,000	5

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Pink Panther instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of one year from the announced close of Pennsylvania Pink Panther, prize money from winning Pennsylvania Pink Panther instant lottery game tickets will be retained by the

Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Pink Panther instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State

Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game.* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Pink Panther or through normal communications methods.

LARRY P. WILLIAMS,  
*Secretary*

[Pa.B. Doc. No. 02-1148. Filed for public inspection June 28, 2002, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Disadvantaged Business Enterprise Participation in Federal Aviation Administration Funded Projects

Under the authority contained in the Transportation Act for the Twenty-first Century, act of June 9, 1998, Pub. L. No 105-178, 112 Stat. 113 (23 U.S.C.A. § 101 et seq.), and in keeping with regulations of the United States Department of Transportation (US DOT) in 49 CFR Part 26 (relating to participation by disadvantaged business enterprises in Department of Transportation financial assistance programs), the Department of Transportation (Department) provides public notice of its revised goal for participation by disadvantaged business enterprises (DBEs) in Federally-assisted highway transit and aviation projects.

Pending receipt of public comments, the Department's revised goal is a work in progress. However, the Department proposes an overall goal of 11.57% for DBE participation in Department projects funded in whole or in part with Federal moneys.

As a recipient of Federal funds from the US DOT through its agencies, including the Federal Aviation Administration (FAA), the Department must comply with the goal setting provisions of the US DOT DBE regulation, in 49 CFR Part 26, effective March 4, 1999. The Department is mandated to submit a goal and methodology for Federally-assisted contracts in accordance with 49 CFR 26.45 and 26.51 (relating to how do recipients set overall goals; and what means do recipients use to meet overall goals). The goal and methodology must be submitted to the Federal Highway Administration by August 1, 2002. An important part of this process is providing notice to the public concerning the goal and methodology used to arrive at the final goal and affording the public the opportunity to provide comments on the goal proposal.

To comply with the goal setting provisions of the DBE regulation, the Department employed the two-step process outlined in 49 CFR 26.45. Under Step-1, the Department created a baseline goal using the goals of sub-recipient airports meeting the \$250,000 threshold. US DOT regulations allow recipients to "use the goal of another DOT recipient" [49 CFR 26.45(c)(4)] to establish a Step-1 baseline goal. The first step in identifying qualifying recipients was to determine which recipients had received block grants of \$250,000 or more for Airport

Improvement Grants. However, only three subrecipient airports had FAA approved goals. Given this, the Department created "working goals" for the other airports for the purpose of computing a Department-wide baseline goal.

The goals for the other airports were created by averaging the approved goals of airports within a 100-mile radius of the subrecipient. When these goals are weighted according to the amount of Federal moneys they receive, they yield the Step-1 baseline goal.

Under Step-2 of the goal setting process, the Department examined all relevant evidence in its jurisdiction to determine what adjustments, up or down, were needed to arrive at the overall goal. Step-2 necessarily took into account other conditions or variables impacting DBEs in this Commonwealth. As part of the adjustment phase, the Department gave due consideration to the specific types of work being contracted under the various AIG block grants.

Consistent with the public participation requirement for this process, the Department is making the proposed revised goal and methodology available for inspection and review for 45 days from the date of this notice. The Department considers the overall goal and methodology a work in progress pending input from the public. To review the DBE goal documents, contact any of the following locations:

Bureau of Equal Opportunity  
Commonwealth Keystone Building  
400 North Street, 5th Floor  
Harrisburg, PA 17101  
(717) 787-5891  
Attn.: Jocelyn I. Harper

Engineering District 1-0  
255 Elm Street, P. O. Box 0398  
Oil City, PA 16301-398  
(814) 678-7105  
Attn.: William G. Petit, PE

Engineering District 2-0  
1924-30 Daisy Street  
Clearfield, PA 16830  
(814) 765-0400  
Attn.: George M. Khoury, PE

Engineering District 3-0  
715 Jordan Avenue  
Montoursville, PA 17754  
(570) 368-8686  
Attn.: James A. Kendter, PE

Engineering District 4-0  
O'Neill Highway, P. O. Box 111  
Dunmore, PA 18512  
(570) 963-4061  
Attn.: Charles M. Mattei, PE

Engineering District 5-0  
1713 Lehigh Street  
Allentown, PA 18103  
(610) 798-4100  
Attn.: Walter E. Bortree, PE

Engineering District 6-0  
7000 Geerdes Blvd.  
King of Prussia, PA 19406  
(610) 205-6660  
Attn.: Andrew L. Warren

Engineering District 8-0  
2140 Herr Street  
Harrisburg, PA 17103-1699  
(717) 787-6653  
Attn.: Barry G. Hoffman, PE

Engineering District 9-0  
North Juniata Street, P. O. Box 69  
Hollidaysburg, PA 16648  
(814) 696-7250  
Attn.: Earl L. Neiderheiser, PE

Engineering District 10-0  
250 Oakland Avenue, P. O. Box 429  
Indiana, PA 15701  
(724) 357-2806  
Attn.: Richard H. Hogg, PE

Engineering District 11-0  
45 Thoms Run Road  
Bridgeville, PA 15017  
(412) 429-5001  
Attn.: Raymond S. Hack, PE

Engineering District 12-0  
N. Gallatine Avenue Ext., P. O. Box 459  
Uniontown, PA 15401-0459  
(724) 439-7340  
Attn.: Michael H. Dufalla, PE

The document may also be reviewed online at the following website address: <http://pasdc.hbg.psu.edu/pasdc/dot/>.

Comments, questions or suggestions regarding this notice may be directed in writing to Jocelyn I. Harper, Director, Bureau of Equal Opportunity, (717) 787-5891, Department of Transportation, P. O. Box 3251, Harrisburg, PA 17105-3251, Attn: Jocelyn I. Harper, Director, fax: (717) 772-4026.

Comments should be postmarked no later than August 12, 2002, for consideration.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 02-1149. Filed for public inspection June 28, 2002, 9:00 a.m.]

### **Disadvantaged Business Enterprise Participation in Federal Highway Administration Funded Projects**

Under the authority contained in the Transportation Act for the Twenty-first Century, act of June 9, 1998, Pub. L. No 105-178, 112 Stat. 113 (23 U.S.C.A. § 101 et seq.), and in keeping with regulations of the United States Department of Transportation (US DOT) in 49 CFR Part 26 (relating to participation by disadvantaged business enterprises in Department of Transportation on financial assistance programs), the Department of Transportation (Department) provides public notice of its revised goal for participation by disadvantaged business enterprises (DBEs) in Federally-assisted highway transit and aviation projects.

Pending receipt of public comments, the Department's revised goal is a work in progress. However, the Department proposes an overall goal of 7.75% for DBE participation in Department projects funded in whole or in part with Federal moneys.

As a recipient of Federal funds from the US DOT through its agencies, including the Federal Highway

Administration (FHWA), the Department must comply with the goal setting provisions of the US DOT DBE regulation in 49 CFR Part 26, effective March 4, 1999. The Department is mandated to submit a revised goal and methodology for Federally-assisted contracts in accordance with the provisions of 49 CFR 26.45 and 26.51 (relating to how do recipients set overall goals; and what means do recipients use to meet overall goals). The revised goal and methodology must be submitted to the FHWA by August 1, 2002. An important part of this process is providing notice to the public concerning the revised goal and methodology used to arrive at the final goal and affording the public the opportunity to provide comments on the goal proposal.

To comply with the goal setting provisions of the regulation, the Department employed a two-step process, as outlined in 49 CFR 26.45. Under Step 1; the Department created a baseline figure for the relative availability of "ready, willing and able DBEs" in a relevant market, derived from demonstrative evidence of local market conditions. To this end, the Department developed a definition of "ready, willing and able DBEs" relative to any business "ready willing and able" to perform on Federally-assisted Department contracts. The Department considered historical activity within specified market areas including research, engineering, and design consulting, contractors (prime, subcontractors and suppliers) and other consultant activities. Additionally, the Department developed a ratio within market areas of "ready willing and able DBEs" relative to the universe of all other "ready willing and able" enterprises.

Under Step 2, the Department examined all relevant evidence in its jurisdiction to determine what adjustments, up or down, are needed to arrive at the overall goal, taking into consideration other conditions or variables impacting DBEs in this Commonwealth. As part of this adjustment phase, the Department considered market potential based upon employment security data and other public data. The Department also considered certain changes relative to counting and certification that occurred as the result of the new regulation.

Consistent with the public participation requirement for this process, the Department is making the proposed revised goal and methodology available for inspection and review for 45 days from the date of this notice. The Department considers the revised overall goal and methodology a work in progress pending input from the public. To review the DBE goal documents, contact any of the following locations:

Bureau of Equal Opportunity  
Commonwealth Keystone Building  
400 North Street, 5th Floor  
Harrisburg, PA 17101  
(717) 787-5891  
Attn.: Jocelyn I. Harper

Engineering District 1-0  
255 Elm Street, P. O. Box 398  
Oil City, PA 16301-0398  
(814) 678-7105  
Attn.: William G. Petit, PE

Engineering District 2-0  
1924-30 Daisy Street  
Clearfield, PA 16830  
(814) 765-0400  
Attn.: George M. Khoury, PE

Engineering District 3-0  
715 Jordan Avenue  
Montoursville, PA 17754  
(570) 368-8686  
Attn.: James A. Kendter, PE

Engineering District 4-0  
O'Neill Highway, P. O. Box 111  
Dunmore, PA 18512  
(570) 963-4061  
Attn.: Charles M. Mattei, PE

Engineering District 5-0  
1713 Lehigh Street  
Allentown, PA 18103  
(610) 798-4100  
Attn.: Walter E. Bortree, PE

Engineering District 6-0  
7000 Geerdes Blvd.  
King of Prussia, PA 19406  
(610) 205-6660  
Attn.: Andrew L. Warren

Engineering District 8-0  
2140 Herr Street  
Harrisburg, PA 17103-1699  
(717) 787-6653  
Attn.: Barry G. Hoffman, PE

Engineering District 9-0  
North Juniata Street, P. O. Box 69  
Hollidaysburg, PA 16648  
(814) 696-7250  
Attn.: Earl L. Neiderheiser, PE

Engineering District 10-0  
250 Oakland Avenue, P. O. Box 429  
Indiana, PA 15701  
(724) 357-2806  
Attn.: Richard H. Hogg, PE

Engineering District 11-0  
45 Thoms Run Road  
Bridgeville, PA 15017  
(412) 429-5001  
Attn.: Raymond S. Hack, PE

Engineering District 12-0  
N. Gallatine Avenue Ext., P. O. Box 459  
Uniontown, PA 15401-0459  
(724) 439-7340  
Attn.: Michael H. Dufalla, PE

The document may also be reviewed online at the following website address: <http://pasdc.hbg.psu.edu/pasdc/dot/>.

Comments, questions or suggestions regarding this notice may be directed in writing to Jocelyn I. Harper, Director, Bureau of Equal Opportunity, (717) 787-5891, Department of Transportation, P. O. Box 3251, Harrisburg, PA 17105-3251, Attn: Jocelyn I. Harper, Director, fax: (717) 772-4026.

Comments should be postmarked no later than August 12, 2002, for consideration.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 02-1150. Filed for public inspection June 28, 2002, 9:00 a.m.]

### Disadvantaged Business Enterprise Participation in Federal Transit Administration Funded Projects

Under the authority contained in the Transportation Act for the Twenty-first Century, act of June 9, 1998, Pub. L. No 105-178, 112 Stat. 113 (23 U.S.C.A. § 101 et seq.), and in keeping with regulations of the United States Department of Transportation (US DOT) in 49 CFR Part 26 (relating to participation by disadvantaged business enterprises in Department of Transportation financial assistance programs), the Department of Transportation (Department) provides public notice of its revised goal for participation by disadvantaged business enterprises (DBEs) in Federally-assisted highway transit and aviation projects.

Pending receipt of public comments, the Department's revised goal is a work in progress. However, the Department proposes an overall goal of 4.63% for DBE participation in Department projects funded in whole or in part with Federal moneys.

As a recipient of Federal funds from the US DOT through its agencies, including the Federal Transit Administration (FTA), the Department must comply with the goal setting provisions of the US DOT DBE regulation in 49 CFR Part 26, effective March 4, 1999. The Department is mandated to submit a goal and methodology for Federally-assisted contracts in accordance with 49 CFR 26.45 and 26.51 (relating to how do recipients set overall goals; and what means do recipients use to meet overall goals). The goal and methodology must be submitted to the Federal Highway Administration by August 1, 2002. An important part of this process is providing notice to the public concerning the goal and methodology used to arrive at the final goal and affording the public the opportunity to provide comments on the goal proposal.

To comply with the goal setting provisions of the DBE regulation, the Department employed the two-step process outlined in 49 CFR 26.45. Under Step-1, the Department created a baseline goal using the FTA-approved goals of transit authorities throughout this Commonwealth. US DOT regulations allow recipients to "use the goal of another DOT recipient" [49 CFR 26.45(c)(4)] to establish a Step-1 baseline goal. The FTA-approved goals were averaged to produce the Department's baseline goal.

Under Step-2 of the goal setting process, the Department examined relevant evidence in its jurisdiction to determine what adjustments, up or down, were needed to arrive at the overall goal. Step-2 necessarily took into account other conditions or variables impacting DBEs in this Commonwealth. As part of the adjustment phase, the Department gave due consideration to the geographical location of the predominantly rural Department FTA subrecipients.

Consistent with the public participation requirement for this process, the Department is making the proposed revised goal and methodology available for inspection and review for 45 days from the date of this notice. The Department considers the overall goal and methodology a work in progress pending input from the public. To review the DBE goal documents, contact any of the following locations:

Bureau of Equal Opportunity  
Commonwealth Keystone Building  
400 North Street, 5th Floor  
Harrisburg, PA 17101  
(717) 787-5891  
Attn.: Jocelyn I. Harper

Engineering District 1-0  
255 Elm Street, P. O. Box 398  
Oil City, PA 16301-0398  
(814) 678-7105  
Attn.: William G. Petit, PE

Engineering District 2-0  
1924-30 Daisy Street  
Clearfield, PA 16830  
(814) 765-0400  
Attn.: George M. Khoury, PE

Engineering District 3-0  
715 Jordan Avenue  
Montoursville, PA 17754  
(570) 368-8686  
Attn.: James A. Kendter, PE

Engineering District 4-0  
O'Neill Highway, P. O. Box 111  
Dunmore, PA 18512  
(570) 963-4061  
Attn.: Charles M. Mattei, PE

Engineering District 5-0  
1713 Lehigh Street  
Allentown, PA 18103  
(610) 798-4100  
Attn.: Walter E. Bortree, PE

Engineering District 6-0  
7000 Geerdes Blvd.  
King of Prussia, PA 19406  
(610) 205-6660  
Attn.: Andrew L. Warren

Engineering District 8-0  
2140 Herr Street  
Harrisburg, PA 17103-1699  
(717) 787-6653  
Attn.: Barry G. Hoffman, PE

Engineering District 9-0  
North Juniata Street, P. O. Box 69  
Hollidaysburg, PA 16648  
(814) 696-7250  
Attn.: Earl L. Neiderheiser, PE

Engineering District 10-0  
250 Oakland Avenue, P. O. Box 429  
Indiana, PA 15701  
(724) 357-2806  
Attn.: Richard H. Hogg, PE

Engineering District 11-0  
45 Thoms Run Road  
Bridgeville, PA 15017  
(412) 429-5001  
Attn.: Raymond S. Hack, PE

Engineering District 12-0  
N. Gallatine Avenue Ext., P. O. Box 459  
Uniontown, PA 15401-0459  
(724) 439-7340  
Attn.: Michael H. Dufalla, PE

The document may also be reviewed online at the following website address: <http://pasdc.hbg.psu.edu/pasdc/dot/>.

Comments, questions or suggestions regarding this notice may be directed in writing to Jocelyn I. Harper, Director, Bureau of Equal Opportunity, (717) 787-5891, Department of Transportation, P. O. Box 3251, Harrisburg, PA 17105-3251, Attn: Jocelyn I. Harper, Director, fax: (717) 772-4026.

Comments should be postmarked no later than August 12, 2002, for consideration.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 02-1151. Filed for public inspection June 28, 2002, 9:00 a.m.]

### Finding Butler County

Under section 2002(b) of The Administrative Code 1929 (71 P. S. § 512(b)), the Secretary of Transportation makes the following written finding:

The Federal Highway Administration (FHA) and the Department of Transportation are planning on replacing the McDeavitt Bridge, which carries Fenelton Road (T-691) over Buffalo Creek in Clearfield Township, Butler County. It has been determined that the proposed project will have an adverse effect on the McDeavitt Bridge, which was determined eligible for the National Register of Historic Places and is, therefore, considered a Section 2002/Section 4(f) resource.

The subject project is considered a Level 4 Categorical Exclusion Evaluation (CEE) in accordance with 23 CFR 771.117(d)(1) and (3) (relating to categorical exclusions) as published in the August 28, 1987, *Federal Register*.

Mitigation measures will be taken to minimize harm as stipulated in the CEE/Programmatic Section 4(f) Evaluation and the Memorandum of Agreement between the FHA and the State Historic Preservation Officer. Mitigation measures include the following:

- A marketing plan will be developed for the bridge.
- A recordation of the bridge will be conducted according to State-level standards.
- An approved erosion and sedimentation control plan will be implemented.

The environmental, economic, social and other effects of the proposed project as enumerated in section 2002 of The Administrative Code of 1929, have been considered. It has been concluded that there is no feasible and prudent alternative to the project as designed and all reasonable steps have been taken to minimize these effects.

BRADLEY L. MALLORY,  
*Secretary*

[Pa.B. Doc. No. 02-1152. Filed for public inspection June 28, 2002, 9:00 a.m.]

## ENVIRONMENTAL HEARING BOARD

Wilkesburg-Penn Joint Water Authority v. DEP;  
EHB Doc. No. 2002-135-R

Wilkesburg-Penn Joint Water Authority has appealed the issuance by the Department of Environmental Protection of NPDES Permit No. PA0094226 (May 13, 2002) to same for a facility in Penn Hills, Allegheny County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.62 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

GEORGE J. MILLER,  
*Chairperson*

[Pa.B. Doc. No. 02-1153. Filed for public inspection June 28, 2002, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10:30 a.m., Thursday, June 13, 2002, and took the following actions:

*Regulations Deemed Approved under section 5(g) of the Regulatory Review Act—Effective June 4, 2002:*

Department of Health #10-167: Drugs which may be Used by Certain Optometrists (amends 28 Pa. Code § 6.1)

*Regulations Approved:*

State Board of Vehicle Manufacturers, Dealers and Salespersons #16A-602: General Revisions (amends 49 Pa. Code Chapter 19)

State Board of Osteopathic Medicine #16A-5311: Biennial Renewal Fees (amends 49 Pa. Code Chapter 25)

State Board of Medicine #16A-4913: Biennial Renewal Fees (amends 49 Pa. Code Chapter 16)

Department of Health #10-166: Reporting of AIDS, HIV Test Results, CD4 T-Lymphocyte Counts and Perinatal Exposure of Newborns to HIV (amends 28 Pa. Code Chapter 27)

### Approval Order

Public Meeting held  
June 13, 2002

*Commissioners Voting:* John R. McGinley, Jr., Chairperson; Alvin C. Bush, Vice Chairperson; Arthur Cocodrilli; Robert J. Harbison, III, by phone; John F. Mizner

*State Board of Vehicle Manufacturers, Dealers and Salespersons—General Revisions; Regulation No. 16A-602*

On May 14, 2001, the Independent Regulatory Review Commission (Commission) received this proposed regula-

tion from the State Board of Vehicle Manufacturers, Dealers and Salespersons (Board). This rulemaking amends 49 Pa. Code Chapter 19. The proposed regulation was published in the May 26, 2001, *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on May 22, 2002.

This regulation makes general revisions to reflect Act 27 of 1996, which changes terminology and licensure categories. Specifically, the Board is deleting portions of the regulations that are now clearly stated in the statute and amending portions to make the regulations consistent with the statute. The amendments involve definitions, fee categories, salesperson licenses, dealership licenses, vehicle shows and off-premises sales and powers and duties of the Board.

We have determined this regulation is consistent with the statutory authority of the Board (63 P. S. § 818.4(9)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

### Approval Order

Public Meeting held  
June 13, 2002

*Commissioners Voting:* John R. McGinley, Jr., Chairperson; Alvin C. Bush, Vice Chairperson; Arthur Cocodrilli; Robert J. Harbison, III, by phone; John F. Mizner

*State Board of Osteopathic Medicine; Biennial Renewal Fees; Regulation No. 16A-5311*

On May 22, 2002, the Independent Regulatory Review Commission (Commission) received this regulation from the State Board of Osteopathic Medicine (Board). This rulemaking amends 49 Pa. Code Chapter 25. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This regulation increases the biennial renewal fees for osteopathic physicians from \$140 to \$440. The fee increase is necessary for the Board's revenues to meet expenditures as a result of the recently enacted Medical Care Availability and Reduction of Error Act (Act 13 of 2002). An estimated \$5.4 million dollars is required for the State Board of Osteopathic Medicine and the State Board of Medicine to process and review 7,000 to 8,000 cases annually.

We have determined this regulation is consistent with the statutory authority of the Board (63 P. S. § 271.13a(a)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

**Approval Order**

Public Meeting held  
June 13, 2002

*Commissioners Voting:* John R. McGinley, Jr., Chairperson; Alvin C. Bush, Vice Chairperson; Arthur Coccodrilli; Robert J. Harbison, III, by phone; John F. Mizner

*State Board of Medicine; Biennial Renewal Fees; Regulation No. 16A-4913*

On May 22, 2002, the Independent Regulatory Review Commission (Commission) received this regulation from the State Board of Medicine (Board). This rulemaking amends 49 Pa. Code Chapter 16. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This regulation increases the biennial renewal fees for medical physicians from \$125 to \$360. The fee increase is necessary for the Board's revenues to meet expenditures as a result of the recently enacted Medical Care Availability and Reduction of Error Act (Act 13 of 2002). An estimated \$5.4 million dollars is required for the State Board of Osteopathic Medicine and the State Board of Medicine to process and review 7,000 to 8,000 cases annually.

We have determined this regulation is consistent with the statutory authority of the Board (63 P. S. § 422.6(a)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

**Approval Order**

Public Meeting held  
June 13, 2002

*Commissioners Voting:* John R. McGinley, Jr., Chairperson; Alvin C. Bush, Vice Chairperson, by proxy; Arthur Coccodrilli, dissenting; Robert J. Harbison, III, by phone; John F. Mizner

*Department of Health—Reporting of AIDS, HIV Test Results, CD4 T-Lymphocyte Counts and Perinatal Exposure of Newborns to HIV; Regulation No. 10-166*

On April 10, 2001, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Health (Department). This rulemaking amends 28 Pa. Code Chapter 27. The proposed regulation was published in the April 21, 2001,

*Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on May 15, 2002. On May 31, 2002, the Commission received a request from the Department to toll consideration of this final-form regulation to make four minor clarifications. Also on May 31, 2002, the Department submitted its revisions to the final-form regulation to the Commission.

This regulation adds three types of AIDS-related infections or conditions to the list of communicable and noncommunicable diseases that are subject to name-based reporting. These three infections or conditions include: HIV, CD4 T-lymphocyte test results with a count of less than 200 cells/uL or less than 14% of total lymphocytes, and perinatal exposure of a newborn to HIV. In addition to reporting requirements, the regulation allows anonymous testing at Department-designated anonymous testing sites.

We have determined this regulation is consistent with the statutory authority of the Department (35 P. S. § 521.16) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

JOHN R. MCGINLEY, Jr.,  
*Chairperson*

[Pa.B. Doc. No. 02-1154. Filed for public inspection June 28, 2002, 9:00 a.m.]

**Notice of Comments Issued**

Section 5(d) of the Regulatory Review Act (71 P. S. § 745.5(d)) provides that the designated standing committees may issue comments within 20 days of the close of the public comment period, and the Independent Regulatory Review Commission (Commission) may issue comments within 10 days of the close of the Committee comment period. The Commission comments are based upon the criteria contained in section 5.1(h) and (i) of the Act (71 P. S. § 745.5a(h) and (i)).

The Commission has issued comments on the following proposed regulations. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
#11-200	Insurance Department Life Insurance; Annuity Disclosure (32 Pa.B. 1869 (April 13, 2002))	5/13/02	6/13/02
#11-204	Insurance Department Safeguarding Insurer Securities (32 Pa.B. 1873 (April 13, 2002))	5/13/02	6/13/02

**Insurance Department Regulation No. 11-200****Life Insurance; Annuity Disclosure****June 13, 2002**

We submit for consideration the following objections and recommendations regarding this regulation. Each objection or recommendation includes a reference to the criteria in the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) which have not been met. The Insurance Department (Department) must respond to these comments when it submits the final-form regulation. If the final-form regulation is not delivered within 2 years of the close of the public comment period, the regulation will be deemed withdrawn.

**1. General.—Reasonableness; Clarity.***Consistency with model regulation*

The proposed regulation varies from the National Association of Insurance Commissioners Annuity Disclosure Model Regulation (NAIC model) in certain areas. Particularly, §§ 83a.5 and 83a.8 (relating to disclosure statement; and report to contract owners) impose additional, substantive requirements not included in the NAIC model. The Department should explain the compelling public interest which requires departure from the NAIC model.

**2. Section 83a.4. Disclosure statement delivery.—Reasonableness; Need; Clarity.***Subsection (b)—Other than face-to-face solicitation*

This subsection requires an annuity disclosure statement to be delivered to the applicant “no later than 5 business days after the completed annuity application is received by the insurer or producer or at the time of contract delivery if less than 5 business days after the completed annuity application is received by the insurer.” Given that the purpose of the disclosure statement is to ensure that the applicant understands certain basic features of the terms of the annuity contract, it would appear to be counterproductive to provide the disclosure statement after the fact. We request the Department explain why the disclosure statement should be delivered after receipt of a completed application or at the time of contract delivery.

*Subsection (b)(2)*

Under this subsection, for an online application via the Internet, the disclosure statement shall be “available for viewing, printing, saving or downloading to a file from the marketing website for at least 7 days after application. . . .” The comparable requirement in the NAIC model (section 5A(2)(b)(ii)) does not contain the 7-day requirement. It simply states that “taking reasonable steps to make the disclosure document available . . . on the insurer’s website shall be deemed to satisfy the requirement that the disclosure document be provided no later than five (5) business days after receipt of the application.”

Subsection (b) of the proposed regulation contains the 5-day requirement consistent with the NAIC model. Why is it necessary to impose a 7-day requirement in subsection (b)(2)?

**3. Section 83a.5. Disclosure statement.—Reasonableness; Economic impact.***Subsection (b)—First page declarations*

Subsection (b) lists several pieces of required information to be included on the first page of the disclosure statement. Several commentators assert this requirement could impose significant costs for multi-state insurers

that have already developed disclosure statements in compliance with the NAIC model (which does not have the “first page” requirement). Why is it necessary for the Commonwealth’s requirements on this issue to depart from the NAIC model? The Department should explain.

**4. Section 83a.7. Department right of review of disclosure statements.—Reasonableness; Clarity.***Request for a completed disclosure statement*

This section states, “The Department may request the submission of a completed disclosure statement.” We have two concerns. One, the regulation does not specify under what circumstances the Department would make this request. The Department should include examples of when it will require submission of completed disclosure statements.

Two, the term “completed” is vague. Based on discussions with the Department, we understand that a “completed” statement refers to a disclosure statement that meets all the requirements of this chapter. However, the determination that a disclosure statement meets the requirements of this chapter will be made after the statement is submitted to the Department for review. Therefore, the term “completed” is confusing and should be deleted.

**5. Section 83a.9. Penalties.—Statutory authority; Reasonableness; Clarity.***Hold harmless clause*

This section includes penalties for failing to make the required disclosure about the product or other violations of this chapter. Commentators assert this section should include a hold harmless clause for the producer of the annuity to limit their liability when the producer uses the disclosure statement supplied by the insurer. In the Preamble to the final-form regulation, the Department should explain why a hold harmless clause is unnecessary.

*Subsection (d)*

This subsection includes a citation to the Unfair Insurance Practices Act (act). This citation represents the entirety of the act. For clarity, the Department should specify which sections of the act would be violated if a failure to make the required disclosures occurs.

*Subsection (e)*

Under this subsection, “The insurer shall bear the burden in any investigation, hearing or determination by the Department . . . to prove that a properly completed disclosure was provided to the annuity applicant.” What is the Department’s basis for shifting the burden of proof from the Department to the insurer?

**Insurance Department Regulation No. 11-204****Safeguarding Insurer Securities****June 13, 2002**

We submit for consideration the following objections and recommendations regarding this regulation. Each objection or recommendation includes a reference to the criteria in the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) which have not been met. The Insurance Department (Department) must respond to these comments when it submits the final-form regulation. If the final-form regulation is not delivered within 2 years of the close of the public comment period, the regulation will be deemed withdrawn.

**1. Section 148a.1. Definitions.—Clarity.***Custodian*

In subparagraphs (i)(A) and (ii)(C) the phrase “adequately capitalized” is used. The word “adequately” is unnecessary and should be deleted from both of these subsections.

A Federal Savings Bank commented that while they are not a member of the Federal Reserve System, they are regulated by the Office of Thrift Supervision and meet all other requirements for the definition of “custodian.” Why isn’t a Federal Savings Bank included in the definition of custodian?

*Instructions*

Subparagraph (ii)(B) states that verbal instructions are to be followed “promptly” by written instructions. The Department should replace the term “promptly” with a specific time frame in which they will require written instructions.

*Insurer*

In subparagraph (x) the Department has included the phrase “other entity” as an insurer. This phrase is vague and should be deleted.

*State*

Both the District of Columbia, listed in subparagraph (ii), and Puerto Rico, listed in subsection (iii), are territories as listed in subparagraph (i). Therefore, subparagraph (ii) and (iii) are unnecessary.

**2. Section 148a.2. Permissible methods of holding securities.—Clarity.**

Under subsection (d), will custodial agreements be required for insurers’ securities held by a state treasurer or other regulatory authority? If not, this section should be clarified.

**3. Section 148a.3. Requirements for custodial agreements.—Clarity.**

We have several concerns with subsection (b).

Paragraph (3) allows a custodian to utilize an agent to gain entry in a clearing corporation or the Federal Reserve book-entry system. We have two concerns with this subsection. First, the regulation does not contain a provision that the insurer must be notified if a custodian enters an agreement with an agent. Second, subparagraph (ii) contains the phrase “ultimate responsibility.” The word “ultimate” is superfluous and should be deleted from the final-form regulation.

Paragraph (10) is one sentence that contains two separate provisions. It requires custodians to indemnify the insurer for any loss of securities in certain circumstances (for example, burglary, mysterious disappearance). It also states that a custodial agreement may provide that the custodian will not be liable for failure to take action under other circumstances (for example, war, act of God, strikes). For clarity, the final-form regulation should divide this paragraph into two sentences.

Paragraph (12) requires a custodian to notify the Department if a custodial agreement is terminated or if 100% of the assets are withdrawn from the account. This notice must be provided to the Department within 3 days.

We question why the Department set the trigger for notification at 100% of all assets. Any time a substantial amount of an insurers’ securities are withdrawn the Department should be notified. The Department should consider setting a lower rate to trigger notification.

In addition, if the intent is to insure that adequate resources are maintained, wouldn’t the Department want to know as soon as possible, such as within 24 hours, that substantial holdings have been withdrawn?

The Preamble notes that paragraphs (13)—(17) address record-keeping and reporting duties under the custodial agreements. It states that these sections assure that the custodian is aware of its responsibilities to provide the Department with timely access to information required in a financial examination conducted under Article IX of the Insurance Act of 1921 (40 P. S. §§ 323.1—323.8). For clarity, the final-form regulation should include a reference to this statute.

Paragraph (14) requires the custodian to provide certain information to the insurer if the request is made in writing. The final-form regulation should provide a specific time frame for submission of the required information by the custodian.

In addition, will an internal audit meet the requirements in subparagraph (ii)?

**4. Section 148a.4. Requirements for investment company securities.—Reasonableness.**

This section allows an insurer’s investment company securities to be held by the investment company if two conditions are met. First, the investment company must provide the insurer with reports on at least a monthly basis. Second, the investment company must maintain records and information to enable the insurer to comply with certain requirements of the Department, and provide the information required for an audit or financial examination of the insurer.

Since custodial agreements are not required between an insurer and an investment company, how would an insurer or the Department be certain that the investment company is maintaining records required by paragraph (2)?

**5. Section 148a.5. Penalty and existing custodial agreements.—Clarity.**

This section includes two different topics, penalty and existing custodial agreements. For clarity, this section should be divided into two subsections, one for penalty and one for existing custodial agreements.

JOHN R. MCGINLEY, Jr.,  
*Chairperson*

[Pa.B. Doc. No. 02-1155. Filed for public inspection June 28, 2002, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Alleged Violation of Insurance Laws; Mel Shaw; Doc. No. SC02-06-010

Notice is hereby given of the Order to Show Cause issued on June 18, 2002, by the Deputy Insurance Commissioner of the Commonwealth in the previously referenced matter. Violation of the following is alleged: the Motor Vehicle Physical Damage Appraiser Act (63 P. S. § 856) and 31 Pa. Code § 62.2(b)(3) and (4) (relating to experience and fitness requirements for licensing).

Respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If respondent files a timely answer, a formal administrative

hearing shall be held in accordance with the 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); 31 Pa. Code Chapter 56 (relating to special rules of administrative practice and procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene, or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102.

Persons with a disability who wish to attend the previously referenced administrative hearing, and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency ADA Coordinator at (717) 787-4298.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 02-1156. Filed for public inspection June 28, 2002, 9:00 a.m.]

### All Star Express 163 (Chico Enterprises, Inc.); Prehearing

#### Appeal of All Star Express 163 (Chico Enterprises, Inc.) under the Storage Tank and Spill Prevention Act; Underground Storage Tank Indemnification Fund; USTIF File No. 2000-0051; Doc. No. UT02-05-002

A prehearing telephone conference will be held on August 1, 2002, at 10:30 a.m. A hearing will occur on August 22, 2002, at 10:30 a.m. in Room 200, Administrative Hearings Office, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102. At the prehearing telephone conference, the parties shall be prepared to discuss settlement, stipulations, witnesses and the documents anticipated for use at the hearing, estimated time for the hearing, special evidentiary or legal issues and other matters relevant to the orderly, efficient and just resolution of this matter.

On or before July 18, 2002, each party shall file with the Administrative Hearings Office a prehearing statement which shall contain: (1) a comprehensive statement of undisputed facts to be stipulated between the parties; (2) a statement of additional contended facts; (3) names and addresses of witnesses along with the specialties of experts to be called; (4) a list of documents to be used at the hearing; (5) special evidentiary or other legal issues; and (6) the estimated time for that party's case. Contemporaneously with service of the prehearing statement on the opposing party, each party shall supply the other with a copy of any report generated by an expert witness designated on the prehearing statement. Any report subsequently received from a party's expert witness prior to hearing shall be supplied to the other party within 2 business days. Copies of expert reports need not be filed with the Administrative Hearings Office.

Except as established at the prehearing conference, both parties shall appear at the scheduled hearing prepared to offer all relevant testimony or other evidence. Each party must bring documents, photographs, drawings, claims, files, witnesses, and the like, necessary to support the party's case. A party intending to offer

documents for photographs into evidence shall bring enough copies for the record and for each opposing party.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before August 8, 2002, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any, shall be filed on or before August 15, 2002.

Persons with a disability who wish to attend the previously referenced administrative hearing, and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator, at (717) 787-4298.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 02-1157. Filed for public inspection June 28, 2002, 9:00 a.m.]

### Review Procedure Hearings under the Unfair Insurance Practices Act

The following insurer has requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with their company's termination of the insured's policy. The administrative hearing will be held in the Insurance Department's regional offices in Pittsburgh, PA. Failure by the appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Pittsburgh Regional Office, Room 304 State Office Building, 300 Liberty Avenue, Pittsburgh, PA 15222.

Nationwide Mutual Fire Insurance Company; file no. 02-494-90572; Frederick W. and Donna Hessinger, doc. no. E02-06-004; July 26, 2002, at 1:30 p.m.

Each party may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend an administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator, at (717) 787-4298.

M. DIANE KOKEN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 02-1158. Filed for public inspection June 28, 2002, 9:00 a.m.]

## LIQUOR CONTROL BOARD

### Expiration of Leases

The following Liquor Control Board lease will expire:

Luzerne County, Wine & Spirits Shoppe #4032, 6 North Board Street, West Hazleton, PA 18201-3765.

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 4,000 net useable square feet of new or existing retail commercial space within the Borough of West Hazleton.

*Proposals due:* July 12, 2002, at 12 p.m.

**Department:** Liquor Control Board  
**Location:** Real Estate Division, Brandywine Plaza, 223 Paxton Church Road, Harrisburg, PA 17110-9661  
**Contact:** Charles D. Mooney, (717) 657-4228

JOHN E. JONES, III,  
*Chairperson*

[Pa.B. Doc. No. 02-1159. Filed for public inspection June 28, 2002, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before July 22, 2002, as set forth in 52 Pa. Code § 3.381 (relating to applications for transportation of property, household goods in use and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

**Application of the following for amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for transportation of persons as described under the application.**

**A-00111323, F.1. Am-B. Terry J. Kovach** (508 Route 30 East, Irwin, Westmoreland County, PA 15642)—persons in limousine service, between points in Pennsylvania: *So as to Permit* the transportation of persons in limousine service, between points in the County of Allegheny.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 02-1160. Filed for public inspection June 28, 2002, 9:00 a.m.]

### Telecommunications

**A-310125F7002. The United Telephone Company of Pennsylvania d/b/a Sprint and AT&T Communications of Pennsylvania, Inc.** Joint Petition of The United Telephone Company of Pennsylvania d/b/a Sprint and AT&T Communications of Pennsylvania, Inc. for approval of a master interconnection and resale agreement under section 252(e) of the Telecommunications Act of 1996.

The United Telephone Company of Pennsylvania d/b/a Sprint and AT&T Communications of Pennsylvania, Inc. by its counsel, filed on June 7, 2002, at the Pennsylvania Public Utility Commission (Commission) a Joint Petition for approval of a master interconnection and resale agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of The United Telephone Company of Pennsylvania d/b/a Sprint and AT&T Communications of Pennsylvania, Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 02-1161. Filed for public inspection June 28, 2002, 9:00 a.m.]

### Telecommunications

**A-310687F7002. The United Telephone Company of Pennsylvania d/b/a Sprint and ICG Telecom Group, Inc.** Joint Petition of The United Telephone Company of Pennsylvania d/b/a Sprint and ICG Telecom Group, Inc. for approval of a master interconnection and resale agreement under section 252(e) of the Telecommunications Act of 1996.

The United Telephone Company of Pennsylvania d/b/a Sprint and ICG Telecom Group, Inc., by its counsel, filed on May 28, 2002, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of The United Telephone Company of Pennsylvania d/b/a Sprint and ICG Telecom Group, Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 02-1162. Filed for public inspection June 28, 2002, 9:00 a.m.]

**Telecommunications**

**A-310633F7002. The United Telephone Company of Pennsylvania d/b/a Sprint and Level 3 Communications, LLC.** Joint Petition of The United Telephone Company of Pennsylvania d/b/a Sprint and Level 3 Communications, LLC for approval of a master interconnection and resale agreement under section 252(e) of the Telecommunications Act of 1996.

The United Telephone Company of Pennsylvania d/b/a Sprint and Level 3 Communications, LLC, by its counsel, filed on June 17, 2002, at the Pennsylvania Public Utility Commission (Commission) a Joint Petition for approval of a master interconnection and resale agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of The United Telephone Company of Pennsylvania d/b/a Sprint and Level 3 Communications, LLC Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 02-1163. Filed for public inspection June 28, 2002, 9:00 a.m.]

**Telecommunications**

**A-310984F7002. The United Telephone Company of Pennsylvania d/b/a Sprint and Phone-Link, Inc.** Joint Petition of The United Telephone Company of Pennsylvania d/b/a Sprint and Phone-Link, Inc. for approval of a master interconnection and resale agreement under section 252(e) of the Telecommunications Act of 1996.

The United Telephone Company of Pennsylvania d/b/a Sprint and Phone-Link, Inc. by its counsel, filed on May 28, 2002, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of a master interconnection and resale agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of The United Telephone Company of Pennsylvania d/b/a Sprint and Phone-Link, Inc. Joint Petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 02-1164. Filed for public inspection June 28, 2002, 9:00 a.m.]

**Water Service  
Without Hearing**

**A-222200F2000. Township of Middletown.** Application of the Township of Middletown, Bucks County, PA, for all approvals under 66 Pa.C.S. (relating to public utility code) in connection with the sale to Bucks County Sewer and Water Authority of its assets used and useful in providing water service beyond the township's municipal boundaries, the transfer of service obligations and the abandonment of jurisdictional service by the township.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before July 15, 2002, under 52 Pa. Code (relating to public utilities).

*Applicant:* Township of Middletown

*Through and By Counsel:* Thomas J. Sniscak, Malatesta, Hawke and McKeon, Harrisburg Energy Center, 100 North Tenth Street, Harrisburg, PA 17101.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 02-1165. Filed for public inspection June 28, 2002, 9:00 a.m.]

**PUBLIC SCHOOL  
EMPLOYEES' RETIREMENT  
BOARD**

**Hearings Scheduled**

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of Claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

July 24, 2002	Kenneth M. Jubas (Purchase of Service) Deborah J. Martzall (Class T-D)	1 p.m.  2:30 p.m.
August 7, 2002	Barbara Izer (Disability Eligibility)	1 p.m.
August 19, 2002	Samuel A. Defazio (Disability)	1:30 p.m.

August 21, 2002 Nancy Haven 1 p.m.  
(Membership Eligibility)

Persons with a disability who wish to attend the previously listed hearings and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Marilyn Fuller-Smith, Assistant to the Executive Director, at (717) 720-4921 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with

the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

DALE H. EVERHART,  
*Secretary*

[Pa.B. Doc. No. 02-1166. Filed for public inspection June 28, 2002, 9:00 a.m.]



