

NOTICES

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Fees for Laurel Hill Lodge

Under section 314 of the Conservation and Natural Resources Act (71 P.S. § 1340.314) and in accordance with 17 Pa. Code § 11.164 (relating to fees), the Department of Conservation and Natural Resources (Department) hereby gives notice that the following fees are in effect for Laurel Hill Lodge at Laurel Hill State Park, Somerset County.

For further information, contact Gary K. Smith, Chief, Park Operations and Maintenance Division, Bureau of State Parks, Rachel Carson State Office Building, P. O. Box 8551, Harrisburg, PA 17105-8551, (717) 783-3303. Persons with a disability may use the AT&T Relay Service by calling (800) 654-5984 (TDD users).

Fees for Laurel Hill Lodge

Spring and Fall Season

<i>Fee Title</i>	<i>Unit</i>	<i>Proposed Resident</i>	<i>Proposed Nonresident</i>
Laurel Hill Lodge			
Lodge—Sleeps 14	Per Week	\$975	\$1,075
Friday—Saturday	Per Night	200	225
Sunday—Thursday	Per Night	150	175

Summer and Winter Season

<i>Fee Title</i>	<i>Unit</i>	<i>Proposed Resident</i>	<i>Proposed Nonresident</i>
Laurel Hill Lodge			
Lodge—Sleeps 14	Per Week	\$1,075	\$1,175
Friday—Saturday	Per Night	225	250
Sunday—Thursday	Per Night	200	225

The peak rental periods are the Summer Rental Season (from the second Friday in June through the day before the second Friday in August) and the Winter Rental Season from the Friday before Thanksgiving through the first Friday in March. The lodge must be rented for a 1-week period from the Friday after Memorial Day through the Friday before Labor Day for the rest of the year. The lodge must be rented for a minimum of 2 days, up to a maximum of 14-consecutive days.

JOHN C. OLIVER,
Secretary

[Pa.B. Doc. No. 02-1254. Filed for public inspection July 19, 2002, 9:00 a.m.]

Pennsylvania Recreational Trails Advisory Board

The Department of Conservation and Natural Resources (Department) is seeking nominations for four new appointments and one vacant position to the Pennsylvania Recreational Trails Advisory Board (Board).

The Board consists of members from nine different types of recreational trail uses; the four new positions are

for physically challenged, water trails, all-terrain vehicle driving and snowmobiling. The vacant position is for bicycling.

The Board was created in October 1992, in accordance with the Transportation Equity Act for the 21st Century (TEA 21). The Board's primary function is to advise the Department on general trail use throughout this Commonwealth, including the use of Federal trails funding.

In addition to the five open positions, members represent cross-country skiing, off-highway motorcycling, horseback riding and four-wheel driving trail uses.

Nominations must be submitted to the Department by September 20, 2002. Appointments will be made by Secretary John C. Oliver. Appointees will serve a consecutive 3-year term, while the vacant bicycling term will expire in 1 year.

To obtain a nomination form or for more information on the Board or the nomination process, contact the Department of Conservation and Natural Resources, Bureau of Recreation and Conservation, Pennsylvania Recreational Trails Program, Harrisburg, PA 17105-8475, (717) 772-3319 or e-mail Scott Cope at scope@state.pa.us.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Scott Cope at (717) 772-3319 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JOHN C. OLIVER,
Secretary

[Pa.B. Doc. No. 02-1255. Filed for public inspection July 19, 2002, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Application from Drexel University to Approve Major Corporate Change

Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6504(a) (relating to fundamental changes) and 22 Pa. Code § 31.72 (relating to obligations), the Department of Education (Department) will consider the application of Drexel University for approval of major corporate change to exercise its option to take over the operation of Philadelphia Health and Education Corporation, which has conducted business as MCP Hahnemann University. Further, Drexel University requests the revocation of the degree granting authority of Philadelphia Health and Education Corporation and requests the approval of the fictitious name for Philadelphia Health and Education Corporation's operation of the school of medicine as "Drexel University College of Medicine."

In accordance with 24 Pa.C.S. § 6503(e) (relating to certifications of institutions), the Department will act upon the application without hearing unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed

with the Department along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protest) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protest and request for hearing shall be filed with Paula J. Fleck, Chief, Division of Program Services, (717) 772-3623 or Carol Gisselquist, Higher Education Specialist, (717) 787-4448, 333 Market Street, Harrisburg, PA 17126-0333 on or before 4 p.m. on the due date prescribed by this notice. Persons wishing to review the application should phone or write to the aforementioned office to schedule a time for an in-office review. Duplicate copies of the application are not available.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate, should contact Paula J. Fleck (717) 772-3623 or Carol Gisselquist (717) 787-4448 to discuss how the Department may best accommodate their needs.

CHARLES B. ZOGBY,
Secretary

[Pa.B. Doc. No. 02-1256. Filed for public inspection July 19, 2002, 9:00 a.m.]

Availability of 2002-2003 Innovative Learning and Workforce Development Funding

Applications for FY 2002-2003 Innovative Learning and Workforce Development Funding are invited.

Project Period: July 1, 2002, to June 30, 2003
Maximum Amount per Application: \$50,000

1. Eligibility Requirements

Funding is available on a competitive basis to career and technical education centers and area school districts with career and technical programs.

2. Applications Deadline

Applications are due by 5 p.m. on August 20, 2002.

3. How to Apply

The Department of Education (Department) has implemented an internet-based E-Grant system that that requires eligible applicants to apply for funding online. The grant guidelines will be available on the Department's website: www.pde.state.pa.us/. Click on K-12 Schools, then Career and Technical Education, Grants and Funding, Funding Sources. This page provides a listing of the various funding guidelines; click on Innovative Learning and Workforce Development.

4. Questions Concerning the Grant Application

Questions concerning the grant application should be

addressed to John Bonchalk, General Vocational Education Advisor, Department of Education, Bureau of Career and Technical Education, Division of Contract Administration, 333 Market Street, 6th Floor, Harrisburg, PA 17126-0333, (717) 772-4177, e-mail: jbonchalk@state.pa.us.

CHARLES B. ZOGBY,
Secretary

[Pa.B. Doc. No. 02-1257. Filed for public inspection July 19, 2002, 9:00 a.m.]

Availability of 2002-2003 Innovative Learning and Workforce Development Funding for Agricultural Programs

Applications for FY 2002-2003 Innovative Learning and Workforce Development Funding for Agricultural Programs are invited.

Project Period: July 1, 2002, to June 30, 2003
Maximum Amount per Application: \$30,000

1. Eligibility Requirements

Funding is available on a competitive basis to career and technical education centers and area school districts with career and technical programs.

2. Applications Deadline

Applications are due by 5 p.m. on August 20, 2002.

3. How to Apply

The Department of Education (Department) has implemented an internet-based E-Grant system that requires eligible applicants to apply for funding online. The grant guidelines will be available on the Department's website: www.pde.state.pa.us/. Click on K-12 Schools, then Career and Technical Education, Grants and Funding, Funding Sources. This page provides a listing of the various funding guidelines; click on Innovative Learning and Workforce Development.

4. Questions Concerning the Grant Application

Questions concerning the grant application should be addressed to John Bonchalk, General Vocational Education Advisor, Department of Education, Bureau of Career and Technical Education, Division of Contract Administration, 333 Market Street, 6th Floor, Harrisburg, PA 17126-0333, (717) 772-4177, e-mail: jbonchalk@state.pa.us.

CHARLES B. ZOGBY,
Secretary

[Pa.B. Doc. No. 02-1258. Filed for public inspection July 19, 2002, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS

NPDES APPLICATIONS

PART I PERMITS

Under the Federal Clean Water Act and The Clean Streams Law, the following parties have applied for an NPDES permit or to renew their current permit to discharge controlled wastewaters into the waters of this Commonwealth or to conduct other activities required by the NPDES permit. For renewal applications listed in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements. For all new permit applications, renewal application with major changes or applications for permits not waived by the EPA, the Department, based upon preliminary reviews, also made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications listed in Section II. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise below, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement, to the office noted before the application within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant. Following the comment period, the Department's Water Management Program Manager will make a final determination regarding these applications. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The renewal application, including proposed effluent limitations and special conditions, is available on file. For new permit applications, information submitted with the applications is available on file. The information may be inspected and arrangements made for copying at the office indicated above the application.

Persons with a disability, who require an auxiliary aid service, including TDD users or other accommodations to seek additional information, should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0039730	RRP Recreational Limited Partnership Lake Raystown Resort 100 Chipmunk Crossing Entriiken, PA 16638	Huntingdon County Lincoln Township	Raystown Lake/11-D	Y
PA0081833	SK Part II Limited t/a Peach Bottom Inn 6085 Delta Road Delta, PA 17314	York County Peach Bottom Township	Scott Creek/7-I	Y
PA0043567	York Springs Municipal Authority P. O. Box 175 York Springs, PA 17372	Adams County Huntingdon County	Gardner Run/7F	Y
PA0080519	Antrim Township Municipal Authority P. O. Box 130 Greencastle, PA 17225	Franklin County Antrim Township	Conococheague Creek/13C	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0087530	Paul McNulty 3651 Waggoners Gap Rd. Carlisle PA 17013	Cumberland County North Middleton Township	UNT Condoquinet Creek/7B	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0003247, Industrial Waste, **ESSROC Cement Corp.**, East Poland Avenue, Bessemer, PA 16112-0779. This proposed facility is located in Bessemer Borough, **Lawrence County**.

Description of Proposed Activity: discharge of stormwater and noncontact cooling water.

For the purpose of evaluating effluent requirements for TDS, NO₂—NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (stream and public water supplier) considered during the evaluation is the Beaver River and the Municipal Authority of the Township of North Sewickley located at River Mile 7.56, 20.7 miles below point of discharge.

The receiving stream, Hickory Run, is in watershed 20-B and classified for: trout stocked fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfalls 001, 005, 009, 011, 013, 015, 017 and 019 based on a design flow of 0.252 MGD.

<i>Parameter</i>	<i>Average Monthly (PPD)</i>	<i>Daily Maximum (PPD)</i>	<i>Daily Maximum (mg/l)</i>
Flow	XX		
TSS		27.9	
Temperature (inlet)			XX
Temperature (outlet)			XX
Temperature (Δ)			3°C
pH Standard Units	6.0—9.0		

The TSS daily maximum is a summation of Outfalls 001, 005, 009, 011, 013, 015, 017 and 019.

The proposed effluent limits for Outfall 003, 007, 021 and 025 based on a design flow of N/A MGD.

<i>Parameter</i>	<i>Average Monthly (PPD)</i>	<i>Daily Maximum (PPD)</i>	<i>Daily Maximum (mg/l)</i>
Flow	XX		
TSS			50
pH Standard Units	6.0—9.0		

XX—Monitor and report on DMRs.

Δ—Temperature (outlet)—Temperature (inlet)

The EPA Waiver is in effect.

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

No. PA0053279, Sewage, **The Mckee Group**, 1490 Durham Road, New Hope, PA 18938. This application is for renewal of an NPDES permit to discharge treated sewage from a retirement village of Buckingham Springs in Buckingham Township, **Bucks County**. This is an existing discharge to unnamed tributary to Mill Creek.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 0.10 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		
(5-1 to 10-31)	10	20
(11-1 to 4-30)	15	30
Suspended Solids	30	60
Ammonia (as N)		
(5-1 to 10-31)	3.0	6.0
(11-1 to 4-30)	7.0	14.0
Nitrate and Nitrite (as N)		
(7-1 to 10-31)	8.0	16.0
Phosphorus (as P)	2.0	4.0
Total Residual Chlorine	0.06	0.19
Fecal Coliform	200 colonies/100 ml as a geometric average	

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Dissolved Oxygen	minimum of 5.0 mg/l at all times	
pH	Within limits of 6.0—9.0 Standard Units at all times	

Other Conditions:

The EPA Waiver is in effect.

No. PA0011649, Industrial Waste, **Exelon Generation Company**, 200 Exelon Way, Suite 140, KSA1E, Kennett Square, PA 19348. This application is for renewal of an NPDES permit to discharge noncontact cooling water from frequency converters and stormwater located in City of Philadelphia, **Philadelphia County**. This is an existing discharge to Delaware River Estuary Zone 3.

The receiving stream is classified for the following uses: warm water fishery (maintenance only) and migratory fishery (passage only).

The proposed effluent limits for Outfall 102, based on an average flow of 1.5 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Suspended Solids (Net)	30	60	75
Oil and Grease	15		30
Temperature			110°F
pH	Within limits of 6.0—9.0 Standard Units at all times		

The proposed effluent limits for Outfall 202, based on an average flow of 100 gallons per day are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Suspended Solids	30	60	75
Oil and Grease	15		30

The EPA Waiver is in effect.

Other Conditions: Monitor water source for temperature, suspended solids and flow.

No. PA0058556, Industrial Waste, **Downingtown Municipal Water Authority**, 100 Water Plant Way, Downingtown, PA 19335. This application is for issuance of an NPDES permit to discharge filter backwash water from water filtration plant in Downingtown Borough, **Chester County**. This is a new discharge to an unnamed tributary to Beaver Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 50,000 gallons per day are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Suspended Solids	30	60	75
pH	Within limits of 6.0—9.0 Standard Units at all times		
Total Residual Chlorine	0.5	1.0	1.3
Iron, Total	2	4	5
Aluminum, Total	4	8	10
Manganese, Total	1	2	2.5

The EPA Waiver is in effect.

No. PA0058505, Sewage, **Kilcar House, Inc.**, 199 Union Road, Quakertown, PA 18951. This application is for issuance of an NPDES permit to discharge treated sewage from sewage treatment plant in Richland Township, **Bucks County**. This is a new discharge to Tohickon Creek.

The receiving stream is classified for the following uses: trout stocking fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 1,400 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Suspended Solids	30	60
Ammonia (as N)	20	40
Phosphorus (as P)	Monitor/Report	Monitor/Report
Total Residual Chlorine	0.5	1.2
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 2.0 mg/l at all times	
pH	Within limits of 6.0—9.0 Standard Units at all times	

The EPA Waiver is in effect.

No. PA0026247, Sewage, **Hatfield Township Municipal Authority**, 3200 Advance Lane, Colmar, PA 18915. This application is for renewal of an NPDES permit to discharge treated sewage from Hatfield Township Sewage Treatment Plant in Hatfield Township, **Montgomery County**. This is an existing discharge to West Branch Neshaminy Creek.

The receiving stream is classified for the following uses: warm water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average annual flow of 6.43 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			
(5-1 to 10-31)	10	15	20
(11-1 to 4-30)	20	30	40
Suspended Solids	30	45	60
Ammonia (as N)			
(5-1 to 10-31)	2.0		4.0
(11-1 to 4-30)	6.0		12.0
Nitrate and Nitrite (as N)			
(7-1 to 10-31)	9.0		18.0
Phosphorus (as P)			
(4-1 to 10-31)	2.0		4.0
Effluent Hardness as CaCO ₃	Monitor		
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	minimum of 6 mg/l at all times		
pH	Within limits of 6.0—9.0 Standard Units at all times		
Copper, Total	0.03		
Silver, Total	Monitor		
Zinc, Total	Monitor		
Phenolics	Monitor		

Other Conditions:

Implementation of industrial pretreatment program requirements.

Bioassay requirement.

Special Test Methods for certain pollutants.

The EPA Waiver is not in effect.

No. PA0058513, Sewage, **Greg Thompson**, P. O. Box 18, Ferndale, PA 18921. This application is for issuance of an NPDES permit to discharge 500 gpd of treated sewage from a single family home into an unnamed tributary of Haycock Creek in Springfield Township, **Bucks County**.

The receiving stream is classified for the following uses: trout stocking fishery.

The proposed effluent limits for Outfall 001, based on an average flow of 500 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Suspended Solids	20	40
Total Residual Chlorine		Monitor Report
Fecal Coliform	200 colonies/100 ml as a geometric average	
pH	Within limits of 6.0—9.0 Standard Units at all times	

The EPA Waiver is in effect.

No. PA0058599, Sewage, **Glenn W. Neebe**, 265 Frogtown Road, Kintnersville, PA 18930-9644. This application is for issuance of an NPDES permit to discharge treated sewage from sewage treatment plant in Bedminster Township, **Bucks County**. This is a new discharge to unnamed tributary to Cabin Run Creek.

The receiving stream is classified for the following uses: cold water fishery, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 1,000 gpd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Suspended Solids	10	20
Ammonia (as N)		
(5-1 to 10-31)	1.5	3.0
(11-1 to 4-30)	3.0	6.0
Nitrate and Nitrite (as N)	10	20
Phosphorus (as P)	1.0	2.0
Total Residual Chlorine	0.5	1.2

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Fecal Coliform	200 colonies/100 ml as a geometric average	
Dissolved Oxygen	minimum of 6.0 mg/l at all times	
pH	Within limits of 6.0—9.0 Standard Units at all times	

The EPA Waiver is in effect.

No. PA0027103 Amendment No. 1, Sewage, Delaware County Regional Water Quality Control Authority, 100 East Fifth Street, P. O. Box 999, Chester, PA 19016-0999. This application is for amendment of an NPDES permit to discharge stormwater from area around sewage treatment plant in City of Chester, **Delaware County**. This is an existing discharge to Delaware River—Zone 4. This application is also for an amendment to reflect revised effluent limits for total residual chlorine based on site-specific study for Outfall 001.

The receiving stream is classified for the following uses: warm water fishery (maintenance only), migratory fishes (passage only), aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of 44 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine	0.5	1.0

The previous effluent limits are based on a site-specific study to evaluate stream chlorine demand and discharge chlorine demand. The values used for developing effluent limits are as follows:

- Stream chlorine demand at Delaware River Mileage 80.17 is 0.5 mg/l.
- Discharge chlorine demand at Outfall 001 is 0.63 mg/l.

Other Conditions:

Authorization to the discharge stormwater from areas around the sewage treatment plant through three separate Outfalls 028—030 to the Delaware River Zone 4.

The EPA Waiver is not in effect.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

PA0013064, Industrial, Elementis Pigments, Inc., 1525 Wood Avenue, Easton, PA 18042-1497. This proposed facility is located in City of Easton, **Northampton County**.

Description of Proposed Activity: Renewal of NPDES Permit.

The receiving stream, Bushkill Creek, is in the State Water Plan watershed #1F and is classified for: high quality cold water fishery. The nearest downstream public water supply intake for Keystone Water Company is located on Delaware River over 50 miles below the point of discharge.

Outfall 001

The proposed effluent limits for Outfall 001 (noncontact cooling water) based on an average flow of 1.5 MGD are as follows:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature**			110°F
pH	Within limits of 6.0 to 9.0 standard units at all times.		

**The discharge may not change the temperature of the receiving stream by more than 2°F in any 1-hour period.

Outfall 002

The proposed effluent limits based on a design flow of 0.821 MGD are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	60	75
Total Dissolved Solids	10,000	15,000	
Ammonia-Nitrogen	20	40	50
Oil and Grease	10	30	30
Zinc Total	0.1	0.2	0.25
Iron Total	1.0	2.0	2.5
pH	Within limits of 6.0 to 9.0 standard units at all times		
Temperature*			110°F

<i>Parameter</i>	<i>Period</i>	<i>Maximum Daily °F</i>
Temperature	January 1-31	61
	February 1-29	65
	March 1-31	93

<i>Period</i>	<i>Maximum Daily °F</i>
April 1-30	110
May 1-15	91
May 16-31	96
June 1-15	85
June 16-30	87
July 1-31	79
August 1-15	78
August 16-31	89
September 1-15	73
September 16-30	67
October 1-15	65
October 16-31	60
November 1-30	61
December 1-31	56

Outfalls 003—013 (except 006) are permitted to discharge stormwater only.

PA0041742, Sewage, **Nazareth Borough Municipal Authority**, P. O. Box A, Nazareth, PA 18064. This proposed facility is located in Lower Nazareth Township, **Northampton County**.

Description of Proposed Activity: Renewal of NPDES Permit.

The receiving stream, Schoeneck Creek, is in the State Water Plan watershed #1F and is classified for: warm water fishery. The nearest downstream public water supply intake for Keystone Water Company is located on Delaware River over 40 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 1.3 MGD.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>
CBOD ₅			
(5-1 to 10-31)	15	23	30
(11-1 to 4-30)	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	1.5		3.0
(11-1 to 4-30)	4.5		9.0
Dissolved Oxygen	A minimum of 6.0 mg/l at all times.		
Fecal Coliform			
(5-1 to 9-30)	200/100 ml as a geometric mean		
(10-1 to 4-30)	2,000/100 ml as a geometric mean		
pH	6.0 to 9.0 standard units at all times.		
Total Residual Chlorine	0.5		1.7

In addition to the effluent limits, the permit contains the following major special condition: whole effluent toxicity testing.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Application No. PA0021245, Sewage, **Borough of Duncannon**, 428 North High Street, Duncannon, PA 17020. This facility is located in Duncannon Borough, **Perry County**.

Description of activity: The application is for an amendment of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Susquehanna River, is in Watershed 7-A, and classified for warm water fishes, water supply, recreation and fish consumption. The nearest downstream public water supply intake for United Water Company is located on the Susquehanna River, approximately 7.4 miles downstream. The discharge is not expected to affect the water supply.

The proposed amended effluent limits for Outfall 001 for a design flow of 0.74 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine	1.0	2.0

Individuals may make an appointment to review the Department files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA0011363, **NGK Metals Corporation**, 150 Tuckerton Road, P. O. Box 13367, Reading, PA 19612-3367. This facility is located in Muhlenberg Township, **Berks County**.

Description of activity: The application is for renewal of an NPDES permit for an existing discharge of treated stormwater.

The receiving stream, Laurel Run, is in Watershed 3-C and classified for warm water fishes, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Pottstown Borough is located on the Schuylkill River, approximately 26 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfalls 201, 301 and 401 are:

<i>Parameter</i>	<i>Monitoring Requirements</i>
CBOD ₅	Monitor and Report
Chemical Oxygen Demand	Monitor and Report
Total Suspended Solids	Monitor and Report
Total Phosphorus	Monitor and Report
Total Kjeldahl Nitrogen	Monitor and Report
Total Iron	Monitor and Report
Oil and Grease	Monitor and Report
pH (S. U.)	Monitor and Report
Total Lead	Monitor and Report
Total Copper	Monitor and Report
Total Beryllium	Monitor and Report

Individuals may make an appointment to review the Department files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA0246859, CAFO, **Amos Lynn Hoover, Hickory Lane Farm**, R. D. 1, Box 706, Blain, PA 17006. This proposed facility is located in Jackson Township, **Perry County**.

Description of Proposed Activity: Hickory Lane Farm is a swine and steer finishing operation with a total AEU's of 1,164.98. Manure is generated in the following manor: swine manure—4,259,080 gallons/year and steer manure—473.4 tons/year. Manure is stored in a 4,070,662 gallon earthen clay-lined manure storage structure. All manure produced on the farm is utilized by applying it to corn, hay and pasture crops located on the farm. Manure is applied in the spring and the fall as crop rotation allows.

The receiving stream, Sherman's Creek/Bowers Run, is in the State Water Plan Watershed 7-A and is classified for: WQ-CWF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and The Clean Stream Law constitutes compliance with the State narrative water quality standards.

Application No. PA0010367, Industrial Waste, **Norfolk Southern Railway Company (Hollidaysburg Car Shop)**, 110 Franklin Road, S.E., Box 13, Roanoke, VA 24042. This facility is located in Hollidaysburg Borough, **Blair County**.

Description of activity: The application is for renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Beaverdam Branch, is in Watershed 11-A, and classified for warm water fishes, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Newport Borough Water Authority is located on the Juniata River, approximately 125 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 based on a design flow of 0.007 MGD are:

<i>Parameter</i>	<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
pH		From 6.0 to 9.0 inclusive	
Oil and Grease	15	XXX	30
Temperature		Monitor and Report	XXX

Individuals may make an appointment to review the Department files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA0082538, Industrial Waste, SIC Code 4941, **Altoona City Authority (Andronic Papps Water Treatment Facility)**, 20 Greenwood Road, Altoona, PA 16602-7114. This facility is located in Logan Township, **Blair County**.

Description of activity: The application is for renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Burgoon Run (Lake Altoona), is in Watershed 11-A and classified for trout stocking, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Newport Borough Water Authority is located on Juniata River, approximately 127 miles downstream. The discharge is not expected to affect the water supply.

This treatment plant is a 100% recycling plant; however, a discharge may occur during a plant start-up or an extraordinary chain of events. The following parameters are to be monitored in the event of a discharge:

<i>Parameter</i>	<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
pH		From 6.0 to 9.0 inclusive	
TSS		Monitor and Report	
Total Aluminum		Monitor and Report	
Total Iron		Monitor and Report	
Total Manganese		Monitor and Report	

In addition to the effluent limits, the permit contains the following major special condition:

- The Preparedness, Prevention and Contingency Plan shall be amended to establish treatment and operational procedures for a discharge event.

Individuals may make an appointment to review the Department files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA0246824, Sewage, **Stanley W. and Marie Stewart**, 302 East Main Street, Hummelstown, PA 17036-1725. This facility is located in East Hanover Township, **Dauphin County**.

Description of activity: The application is for issuance of an NPDES permit for a new discharge of treated sewage.

The receiving stream, an unnamed tributary of Swatara Creek, is in Watershed 7-D and classified for warm water fishery, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Pennsylvania American Water Company is located on Swatara Creek, approximately 1.5 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.0012 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Total Suspended Solids	10	20
NH ₃ -N		
(5-1 to 10-31)	3.0	6.0
(11-1 to 4-30)	9.0	18
Total Residual Chlorine	0.5	1.6
Dissolved Oxygen	Minimum of 3.0 at all times	
pH	From 6.0 to 9.0 inclusive	
Fecal Coliform		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	

In addition to the effluent limits, the permit contains the following major special condition: dry stream discharge condition.

Individuals may make an appointment to review the Department files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA0246654, Sewage, **Centre Township Municipal Authority (Hillcrest Estates STP)**, 449 Bucks Hill Road, Mohrsville, PA 19541. This facility is located in Centre Township, **Berks County**.

Description of activity: The application is for issuance of an NPDES permit for a new discharge of treated sewage.

The receiving stream, unnamed tributary to Irish Creek, is in Watershed 3-B and classified for warm water fishes, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Pottstown Borough is located on the Schuylkill River, approximately 34 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.025 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	3.0		6.5
(11-1 to 4-30)	9.0		19
Total Residual Chlorine	0.32		1.0
Dissolved Oxygen	Minimum of 5.0 at all times		
pH	From 6.0 to 9.0 inclusive		

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Fecal Coliform (5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		4,000/100 ml as a geometric average	

Individuals may make an appointment to review the Department files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is in effect.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3666.

PA0044661, Sewerage SIC, 4952, **Lewisburg Area Joint Sewer Authority**, P. O. Box 305, Lewisburg, PA 17837-0305. This existing facility is located in East Buffalo Township, **Union County**.

Description of Proposed Activity: This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater.

The receiving stream, West Branch Susquehanna River, is in the State Water Plan watershed 10C and classified for: warm water fishes. The nearest downstream public water supply intake for Sunbury Municipal Authority is located on the Susquehanna River, 8 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 2.42 MGD.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40		50
TSS	30	45		60
Total Cl ₂ Residual	0.50			1.6
Fecal Coliform (5-1 to 9-30)	200 col/100 ml as a geometric mean			
(10-1 to 4-30)	2,000 col/100 ml as a geometric mean			
pH	6.0 to 9.0 at all times			

PA0008443, Industrial Waste SIC, 4911, **PPL Montour LLC**, Two North Ninth Street, Allentown, PA 18101-1179. This existing facility is located in Derry Township, **Montour County**.

Description of Proposed Activity: This proposed action is for renewal of an NPDES permit for an existing discharge of treated industrial wastewater.

The receiving stream, Chillisquaque Creek, is in the State Water Plan watershed 10D and classified for: warm water fishes. The nearest downstream public water supply intake for Sunbury Municipal Authority is located on the Susquehanna River, 26 miles below the point of discharge.

The proposed effluent limits for Outfall 050 based on a design flow of 7.6 MGD.

<i>Parameter</i>	<i>Mass (lbs/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH					
TSS			30	100	125
Oil and Grease			15	20	30
Ammonia-N			Report	Report	
Temperature			Report	Report	
Total Chlorine			0.08		0.25
Total Aluminum			Report	Report	
Total Iron			1.7	3.4	4.3
Total PCBs				Report	
Clam-trol-1				Nondetect	
Clam-trol-2				Nondetect	

The proposed effluent limits for Outfall 051 based on a design flow of 0.02 MGD.

<i>Parameter</i>	<i>Mass (lbs/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH					
Fecal Coliform (5-1 to 9-30)			200 col/100 ml as a geometric mean		
(10-1 to 4-30)			2,000 col/100 ml as a geometric mean		

<i>Parameter</i>	<i>Mass (lbs/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
CBOD ₅			25		50
TSS			30		60
Total Chlorine			Report		

The proposed effluent limits for Outfall 052 based on a design flow of 0.46 MGD.

<i>Parameter</i>	<i>Mass (lbs/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Flow	Report	Report			
pH					
TSS			30		125
Oil and Grease			15	20	30
Total PCBs				Report	
Total Aluminum			1.1	2.2	2.8
Total Iron			Report	Report	

The proposed effluent limits for Outfall 150 based on a design flow of N/A MGD.

<i>Parameter</i>	<i>Mass (lbs/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Total Chromium			0.2	0.2	
Total Zinc			1.0	1.0	

The proposed effluent limits for Internal Monitoring Point 151 based on a design flow of N/A MGD.

<i>Parameter</i>	<i>Mass (lbs/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Flow	Report				
Free Available Chlorine				0.2	0.5
Total Chromium			0.2	0.2	
Total Zinc			1.0	1.0	

The proposed effluent limits for Internal Monitoring Point 152 based on a design flow of N/A MGD.

<i>Parameter</i>	<i>Mass (lbs/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Flow	Report				
Free Available Chlorine				0.2	0.5
Total Chromium			0.2	0.2	
Total Zinc			1.0	1.0	

In addition to the effluent limits, the permit contains the following major special conditions:

Part C 3 Allowance of algae effects on pH.

Part C 7 Requires Whole Effluent Toxicity tests.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; (412) 442-4000.

PA0027243, Sewage, **North Huntingdon Township Municipal Authority**, 11265 Center Highway, North Huntingdon, PA 15642-2018. This application is for renewal of an NPDES permit to discharge treated sewage from Youghiogheny STP in North Huntingdon Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Youghiogheny River, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Westmoreland County Municipal Authority, McKeesport Plant on the Youghiogheny River.

Outfall 001: existing discharge, design flow of 2.25 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	38		50
Suspended Solids	30	45		60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	7,000/100 ml as a geometric mean			
Total Residual Chlorine	1.0			3.3
pH		not less than 6.0 nor greater than 9.0		

The EPA waiver is not in effect.

PA0046671, Sewage, **United Steelworkers of America**, Five Gateway Center, Pittsburgh, PA 15222. This application is for renewal of an NPDES permit to discharge treated sewage from the Linden Hall United Steelworkers STP in Lower Tyrone Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as drainage swale tributary to Youghiogheny River, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Westmoreland County Municipal Authority—McKeesport.

Outfall 001: existing discharge, design flow of 0.035 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
pH		not less than 6.0 nor greater than 9.0		

The EPA waiver is in effect.

PA0096130, Sewage, **Nemacolin, Inc.**, 803 Pershing Boulevard, P. O. Box 117, Nemacolin, PA 15351. This application is for renewal of an NPDES permit to discharge treated sewage from Nemacolin, Inc. Sewage Treatment Plant in Cumberland Township, **Greene County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Monongahela River, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Carmichaels Municipal Authority, located on the Monongahela River.

Outfall 001: existing discharge, design flow of 0.1 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	100,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
pH		not less than 6.0 nor greater than 9.0		

The EPA waiver is in effect.

PA0203793, Sewage, **William J. Debevec**, 4418 Rostosky Ridge Road, Monongahela, PA 15063-4319. This application is for renewal of an NPDES permit to discharge treated sewage from William J. Debevec single residence STP in Forward Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Perry Mill Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Pennsylvania American Water Company, Pittsburgh District, Becks Station on the Monongahela River.

Outfall 001: existing discharge, design flow of 0.0004 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	Monitor and Report			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0217727, Sewage, **Rices Landing Borough**, Main Street, P. O. Box 185, Rices Landing, PA 15357. This application is for renewal of an NPDES permit to discharge treated sewage from Rices Landing STP in the Borough of Rices Landing, **Greene County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Monongahela River, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Tri-County Joint Municipal Authority at Monongahela River MP 64.8.

Outfall 001: existing discharge, design flow of 0.08 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0219177, Sewage, **Dana Mining Company of PA, Inc.**, P. O. Box 1209, Morgantown, WV 26507. This application is for issuance of an NPDES permit to discharge treated sewage from Titus Mine Sewage Treatment Plant in Dunkard Township, **Greene County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of Dunkard Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Dunkard Valley Joint Municipal Authority located on the Monongahela River.

Outfall 001: new discharge, design flow of 0.001 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	9.0			18.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	8,000/100 ml as a geometric mean			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0219258, Sewage, **268 Center, Inc.**, R. D. 1, Box 290, Cowansville, PA 16218. This application is for issuance of an NPDES permit to discharge treated sewage from Mechling-Shakley Veterans Center Sewage Treatment Plant in Sugar creek Township, **Armstrong County**.

The following effluent limitations are proposed for discharge to the receiving waters, drainage swale tributary to unnamed tributary of Patterson Creek, which are classified as a high quality trout stock fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is Creekside Mushrooms Ltd. located on Buffalo Creek.

Outfall 001: new discharge, design flow of 0.008 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	10			20
Suspended Solids	10			20
Ammonia Nitrogen				
(5-1 to 10-31)	1.9			3.8
(11-1 to 4-30)	2.5			5.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.01			0.03
Dissolved Oxygen	not less than 6.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

WATER QUALITY MANAGEMENT PERMITS

CONTROLLED INDUSTRIAL WASTE AND SEWAGE WASTEWATER APPLICATIONS UNDER THE CLEAN STREAMS LAW PART II PERMITS

The following permit applications or requests for plan approval have been received by the Department of Environmental Protection (Department).

Persons wishing to comment on any of the applications are invited to submit a statement to the office noted before the application within 15 days from the date of this public notice. Comments received within this 15-day comment period will be considered in making the final decision regarding the application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department reserves the right to hold a public hearing if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation of the area. If no hearing is held, the Department's Water Management Program Manager will make a final determination regarding the applications after a complete review. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

A copy of the permit application or proposed plan is on file in the office indicated and is open to public inspection. Appointments to review the application may be made by contacting Records Management at the indicated telephone number.

I. Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 3902402, Agere Systems, Inc., Mailstop TRB-196BG, 555 Union Boulevard, Allentown, PA 18109-3286. This proposed facility is located in the City of Allentown, **Lehigh County**.

Description of Proposed Action/Activity: This project proposes to build efficiencies and additional/redundant

capacity for several areas of the treatment plant. The permit application reflects a second filter press identical to the existing press, a second lime silo and lime slurry mix tank and a second sludge holding/thickener. The two existing 1,000-gallon hydrofluoric acid treatment tanks will be replaced with two 1,800-gallon treatment tanks.

WQM Permit No. 4802405, Williams Township, 655 Cider Press Road, Easton, PA 18042. This proposed facility is located in Williams Township, **Northampton County**.

Description of Proposed Action/Activity: This project will involve the construction of 350 residential units and 5 commercial units (golf course related structures) on a 327-acre parcel within Williams Township, Northampton County. The development will produce 101,000 GPD. The proposed sanitary sewage collection and conveyance system will also be designed with sufficient capacity to serve 28 existing residences located along Moyer Lane that will produce an additional 7,840 GPD.

WQM Permit No. 3502401, Lackawanna River Basin Sewer Authority, P. O. Box 9068, Dickson City, PA 18519-9068. This proposed facility is located in Throop Borough, **Lackawanna County**.

Description of Proposed Action/Activity: This project proposes improvements to the sanitary sewer collection system's collecting sewer at the Throop, PA, Wastewater Treatment Plant. These improvements will consist of the abandonment of the existing Throop Combined Sewer Overflow Pump Station, along with its associated overflow and outfall sewers, and the construction of a new submersible pump station, valve chamber, force main, influent sewer and drain sewer.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 3602413, Sewerage, Suburban Lancaster Sewer Authority, P. O. Box 458, Lancaster, PA 17608-0458. This proposed facility is located in West Lampeter Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization for the replacement of the Lampeter Interceptor.

WQM Permit No. 2888407 Amendment 02-1, Sewerage, Borough of Greencastle, 60 North Washington Street, Greencastle, PA 17225-1230. This proposed facility is located in Antrim Township, **Franklin County**.

Description of Proposed Action/Activity: Authorization for the construction/modification of sewage treatment plant.

WQM Permit No. 6702201, Industrial Waste, **York County Solid Waste and Refuse Authority**, 2700 Blackbridge Road, York, PA 17402. This proposed facility is located in Manchester Township, **York County**.

Description of Proposed Action/Activity: Authorization for construction/operation of the Blackbridge Road Leaf and Yard Compost Facility.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2502413, Sewerage, **Girard Borough**, 34 Main Street West, Girard, PA 16417. This proposed facility is located in Girard Borough, **Erie County**.

Description of Proposed Action/Activity: This project is for the replacement and maintenance of an existing sanitary sewer interceptor.

WQM Permit No 1002408, Sewerage, **Nancy Jane Oesterling**, 454 Keck Road, Butler, PA 16002. This proposed facility is located in Summit Township, **Butler County**. Description of Proposed Action/Activity: This project is for a single residence sewage treatment plant.

WQM Permit No 2402402, Sewerage, **James A. Maletto**, Box 104 Silver Creek Road, Johnsonburg, PA 15845. This proposed facility is located in Jones Township, **Elk County**.

Description of Proposed Action/Activity: This project is for a single residence sewage treatment plant.

NPDES Stormwater Individual Permit

The following parties have applied for an NPDES permit to discharge stormwater associated with a construction activity into waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the appropriate Department Regional Office noted before the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be

considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate Department Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity, are on file and may be inspected at the office identified in this notice.

Persons with a disability who require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified Regional Office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

NPDES Permit PAS10G533, Stormwater, **Land Associates**, 1130 Pocopson Road, West Chester, PA 19382 has applied to discharge stormwater associated with a construction activity located in Penn Township, **Chester County** tributary to Elk Creek (HQ-TSF-MF).

NPDES Permit PAS10G534, Stormwater, **Heritage Building Group**, 3326 Old York Road, Suite A100, Furlong, PA 18929, has applied to discharge stormwater associated with a construction activity located in North Coventry Township, **Chester County** to Schuylkill River (HQ-TSF).

NPDES Permit PAS10G535, Stormwater, **General Residential Holdings, Inc.**, 101 Marchwood Road, Exton, PA 19341, has applied to discharge stormwater associated with a construction activity located in Upper Uwchlan Township, **Chester County** to Pickering Creek (HQ-TSF) and unnamed tributary to Marsh Creek (HQ-TSF-MF).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Lehigh County Conservation District: Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10Q243	Daniel R. Kelly III 188 Jefferson St. Emmaus, PA 18049	Lehigh County Upper Macungie Township	Little Lehigh Creek HQ-CWF
PAS10Q244	Alexander Tamerler 1628 Barkwood Dr. Orefield, PA 18069	Lehigh County Alburtis Borough	Swabia Creek HQ-CWF

Northampton County Conservation District: Greystone Building, Gracedale Complex, Nazareth, PA 18064-9211, (610) 746-1971.

NPDES No.	Applicant Name & Address	County & Municipality	Receiving Water/Use
PAS10U174	Muschlitz Excavating, Inc. 586 Moorestown Drive Bath, PA 18014	Northampton County Moore Township	Bushkill Creek HQ-CWF

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Washington County Conservation District: 100 West Beau Street, Suite 602, Washington, PA 15301; (412) 228-6774.

NPDES Permit PAS10W088, Stormwater, **West Alexander Borough Municipal Authority**, P. O. Box 299, West Alexander, PA 15376 has applied to discharge storm water associated with a construction activity located in Donegal Township and West Alexander Borough, **Washington County** to Little Wheeling (WWF), Middle Wheeling (WWF) and Dutchfork Creek (HQ-TSF).

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act, the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on the permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. Comment responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 1402505 , Public Water Supply.	
Applicant	Mt. Eagle Water Association
Township	Howard Township, Centre County
Responsible Official	Joseph Taylor Mt. Eagle Water Association 288 Mount Eagle Road Howard, PA 16841
Type of Facility	PWS
Consulting Engineer	Kerry A. Uhler & Associates 140 Rear West High Street Bellefonte, PA 16823
Application Received Date	July 5, 2002
Description of Action	Application for construction of new well, treatment facilities, and finished water storage tank

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 6302503 , Public Water Supply.	
Applicant	Tri-County Joint Municipal Authority P. O. Box 758 Fredericktown, PA 15333
Township or Borough	Centerville Borough
Responsible Official	Jeff Kovach, Operations Manager Tri-County Joint Municipal Authority P. O. Box 758 Fredericktown, PA 15333
Type of Facility	Pump station
Consulting Engineer	Nichols & Slagle Engineering, Inc. 980 Beaver Grade Road Moon Township, PA 15108
Application Received Date	June 17, 2002
Description of Action	Vestaburg Pump Station

Permit No. 1102504 , Public Water Supply.	
Applicant	Greater Johnstown Water Authority 111 Roosevelt Boulevard Johnstown, PA 15907-1287
Township or Borough	Conemaugh Township
Responsible Official	Louis Soulcheck Greater Johnstown Water Authority 111 Roosevelt Boulevard Johnstown, PA 15907-1287
Type of Facility	Pump station and tank

Consulting Engineer Gibson Thomas Engineering Co., Inc.
1004 Ligonier Street
P. O. Box 853
Latrobe, PA 15650

Application Received Date June 20, 2002

Description of Action Fernwood Water Storage Tank and Pump Station

Permit No. 0202502, Public Water Supply.

Applicant Moon Township Municipal Authority
1700 Beaver Grade Road, Suite 200
Moon Township, PA 15108

Township or Borough Moon Township

Responsible Official John Riley, General Manager

Type of Facility WTP

Consulting Engineer Nichols & Slagle Engineering, Inc.
980 Beaver Grade Road
Suite 101, Westmark Building
Moon Township, PA 15108

Application Received Date June 21, 2002

Description of Action Construction of Ohio River Water intake, low service pumping facilities and water filtration plant process modifications.

MINOR AMENDMENT**Applications Received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).**

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Application No. 3594502, Minor Amendment.

Applicant **Finch Hill Water Company**

Township or Borough Greenfield Township
Lackawanna County

Responsible Official Bruce Evans
R. R. 1, Box 249
Carbondale, PA 18407

Type of Facility Community Water System

Consulting Engineer David D. Klepadlo, P. E.
David D. Klepadlo & Associates
932 Springbrook Avenue
Moosic, PA 18507
(570) 457-1677

Application Received Date June 28, 2002

Description of Action Application for modification of a PWS construction permit to allow installation of a 4,000 gallon hydropneumatic tank instead of five inseries 120 gallon tanks to obtain required chlorine contact time.

Application No. 3540035, Minor Amendment.

Applicant **Municipal Authority of the Borough of Minersville**

Township or Borough Cass Township
Schuylkill County

Responsible Official Randy S. Sunday, Chairperson
2 East Sunbury Street
Minersville, PA 17954
(570) 544-2200

Type of Facility Community Water System

Consulting Engineer Michael J. Daschbach, P. E.
Entech Engineering, Inc.
4 South Fourth Street
Reading, PA 19603
(610) 373-6667

Application Received Date May 15, 2002

Description of Action Application request to utilize lime for pH adjustment in lieu of the previously approved soda ash.

Application No. 3540015, Minor Amendment.

Applicant **Auburn Municipal Authority**

Township or Borough Auburn Borough
Schuylkill County

Responsible Official Ben Vaupel, Chairperson
Auburn Municipal Authority
P. O. Box 296
Auburn, PA 17922
(570) 754-4706

Type of Facility Community Water System

Consulting Engineer Karen C. Pollock, P. E.
Systems Design Engineering, Inc.
4 Park Plaza
Wyomissing, PA 19610
(610) 320-5490

Application Received Date June 7, 2002

Description of Action Application request for construction of a 300,000 gallon pedestal water storage tank to replace the existing 200,000 gallon storage tank.

Application No. Minor Amendment.

Applicant **Virazon Properties, Inc.**

Township or Borough Dallas Township

Responsible Official Russell I. James, President
Virazon Properties, Inc.
TTV-630
Factoryville, PA 18419

Type of Facility PWS

Application Received Date June 26, 2002

Description of Action Transfer of Permit No. 2400052 to Virazon Properties, Inc. The site, formerly known as the Dallas Mobile Home Park, is to be now known as the White Birch Village.

Application No. Minor Amendment.

Applicant **Montrose Terrace Mobile Home Park**

Township or Borough Bridgewater Township

Responsible Official David Hart
 Montrose Terrace Mobile Home
 Park
 R. R. 6, Box 6067
 Montrose, PA 18801-9702

Type of Facility PWS

Application Received June 6, 2002
 Date

Description of Action Proposed storage tank
 replacement.

WATER ALLOCATIONS

Applications received under the Act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of this Commonwealth.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WA 50-234B, Water Allocations, Newport Borough Water Authority, 19 South Third Street, Newport, PA 17074. The applicant is requesting the right to withdraw 615,000 gallons per day from the Juniata River in Newport Borough, **Perry County**. Consulting Engineer: Max E. Stoner, Glace Associates, Inc. Date application received June 6, 2002.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period

for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Former Ultra Precision Facility, Middletown Township, **Bucks County**. Richard P. Cerbone, P. G., ENSR Corp., 2005 Cabot Blvd., West, Langhorne, PA 19047-1810, on behalf of Teachers Insurance & Annuity Assoc., College Retirement Equities Fund, 730 Third Ave., New York, NY 10017-3206, has submitted a revised Notice of Intent to Remediate site soil and groundwater contaminated with BTEX and PAHs. The applicant proposes to remediate the site to meet Statewide Health and Site-Specific Standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Bucks County Courier Times* on February 12, 2002.

Sunoco Inc., Ship Road Leak Site DUNS#9000-0170—Philadelphia Suburban Water Co. Property, West Whiteland Township, **Chester County**. Lisa M. Holderbach, Groundwater & Environmental Services, Inc., 410 Eagleview Blvd., Suite 110, Exton, PA 19341, on behalf of Philadelphia Suburban Water Co., 762 W. Lancaster Ave., Bryn Mawr, PA 19010, has submitted a Notice of Intent to Remediate site soil contaminated with BTEX and PAHs. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Daily Local News* on May 24, 2002.

Former Automatic Timing and Controls Facility, Upper Merion Township, **Montgomery County**. Darryl D. Borrelli, Manko, Gold Katcher & Fox, LLP, 401 City Ave., Bala Cynwyd, PA 19004, on behalf of Schuylkill Assoc., P. O. Box 128, Ambler, PA 19002, has submitted a revised Notice of Intent to Remediate site groundwater contaminated with BTEX and solvents. The applicant proposes to remediate the site to meet Statewide Health and Site-Specific Standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Times Herald* on June 6, 2002.

SICO—Gilbertsville, Douglass Township, **Montgomery County**. Andrew K. Markoski, P. G., Onesky Engi-

neering, Inc., 210 Carter Drive, Suite 8, West Chester, PA 19382-4984, on behalf of Dillon Real Estate Co., Inc., 2800 E. Fourth St., Hutchinson, (KS) 67501, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with BTEX. The applicant proposes to remediate the site to meet Site-Specific Standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Pottstown Mercury* on May 14, 2002.

Exxon Station #2-2002, City of Philadelphia, **Philadelphia County**. Stephanie Rose, Groundwater & Environmental Services, Inc., 410 Eagleview Blvd., Suite 110, Exton PA 19341, on behalf of Checkers Restaurants, Great Lakes Restaurants, Inc., 6060 Rockside Woods Blvd., Suite 110, Independence, OH 44131 (Attn: Chris Flocken), has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with BTEX. The applicant proposes to remediate the site to meet State-wide Health and Site-Specific Standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Philadelphia Inquirer* on June 1, 2002.

Exxon Station #2-2051, City of Philadelphia, **Philadelphia County**. Stephanie Rose, Groundwater & Environmental Services, Inc., 410 Eagleview Blvd., Suite 110, Exton, PA 19341, on behalf of Chelton Assoc., 1923 Welsh Rd., Philadelphia, PA 19115, has submitted a Notice of Intent to Remediate site soil and groundwater contaminated with BTEX. The applicant proposes to remediate the site to meet Statewide Health and Site-Specific Standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Philadelphia Daily News* on June 1, 2002.

Hunter Elementary School, City of Philadelphia, **Philadelphia County**. Gloria G. Hunsberger, P. G., Powell-Harpstead, Inc., 800 E. Washington St., West Chester, PA 19380, on behalf of the School District of Philadelphia, 734 Schuylkill Ave., Rm. 336, Philadelphia, PA 19146, has submitted a revised Notice of Intent to Remediate site soil and groundwater contaminated with lead, BTEX, PAHs and solvents. The applicant proposes to remediate the site to meet Site-Specific Standards. A summary of the Notice of Intent to Remediate was reported to have been published in *Al Dia* on Mary 24, 2002.

HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

Applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. PA6213820503. Letterkenny Army Depot, 1 Overcash Avenue, Letterkenny Army Depot, Chambersburg, PA 17201-4150, Letterkenny Township, **Franklin County**. The application is determined to be administratively complete by the Southcentral Regional Office on July 2, 2002.

Permit No. PAD002330165. East Penn Manufacturing, Inc., P. O. Box 147, Lyon Station, PA 19356-0147, Richmond Township, **Berks County**. The application is determined to be administratively complete by the Southcentral Regional Office on July 3, 2002.

Comments concerning the applications should be directed to John Krueger, Program Manager, Waste Man-

agement Program, 909 Elmerton Avenue, Harrisburg, PA 17110. Persons interested in obtaining more information about the general permit application may contact the Waste Management Program, (717) 705-4706. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Office identified in this notice. Persons interested in reviewing the application files should contact the appropriate Regional Office to schedule an appointment.

Persons wishing to receive a copy of the proposed Plan Approval or Operating Permit must indicate their interest to the Department Regional Office within 30 days of the date of this notice, and must file protests or comments on a Proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with Department Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts, which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office identified. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act and regulations adopted under the Act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790. Contact: Mark Wejkszner, Acting New Source Review Chief, (570) 826-2531.

40-303-021: Hazleton Materials LLC (P. O. Box 1394, Skippack, PA 19474) for construction of a batch asphalt plant and associated air cleaning device in Foster Township, **Luzerne County**.

40-301-076A: Lacey Memorial (Rear 1000 South Church Street, Hazleton, PA 18201) for construction of an animal crematory and associated air cleaning device in Hazle Township, **Luzerne County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

41-0010B: Andritz, Inc. (35 Sherman Street, Muncy, PA 17756) for construction of a 650 pound steel-melting electric induction furnace in Muncy Borough, **Lycoming County**.

41-00010B: Andritz, Inc. (35 Sherman Street, Muncy, PA 17756) for construction of a 6 ton per hour natural gas-fired fluidized bed thermal foundry sand reclamation system and associated air cleaning device (a fabric collector) in Muncy Borough, **Lycoming County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.

16-136B: Glenn O. Hawbaker—CMI Asphalt Plant (394 Ritts Station Road, Clarion, PA 16373) for installation of fuel handling equipment for the burning of No. 5 Oil, No. 6 Oil and waste oil as fuel in Beaver and Licking Townships, **Clarion County**.

61-012D: OMG Americas (2 Mile Run Road, Franklin, PA 16323-0111) for construction of a cobalt carboxylate process with an associated condenser Venturi Scrubber in Sugar creek Township, **Venango County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.

46-0036F: Visteon Systems, LLC (2750 Morris Road, Lansdale, PA 19446) for installation and construction of Wave Soldering Machine No. 13 in Worcester Township, **Montgomery County**. This source will result in a facility wide emission increase of 0.0062 ton of lead and 4.56 tons of VOCs per 12-month rolling sum. Wave Soldering Machine No. 13 shall only be used for soldering electronic circuit boards. The plan approval will contain

recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

46-0198E: Blommer Chocolate Co. (1101 Blommer Drive, East Greenville, PA 18041) for installation of a cocoa bean process with thermal oxidizer as a control in Upper Hanover Township, **Montgomery County**. This facility is a Title V facility. Emissions from this source are 18.3 tons of VOCs per year. The plan approval will contain recordkeeping and operating restriction designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Mark Wejkszner, Acting New Source Review Chief, (570) 826-2531.

35-317-003: Preferred Meal Systems, Inc. (4135 Birney Avenue, Moosic, PA 18507) for construction of a steam convection cooking oven and associated air cleaning device (carbon filters) in Moosic Borough, **Lackawanna County**. Opacity, malodors and particulates will be controlled to the extent that they will become negligible after the air cleaning device.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05079A: United Corrstack, Inc. (720 Laurel Street, Reading, PA 19602) for modification of a boiler controlled by a low NOx burner in the City of Reading, **Berks County**. The facility is a non-Title V (State only) facility. The modification will result in the emission of 99 tons per year of SOx, 10.6 tons per year of particulate matter, 25.1 tons per year of NOx and 54.7 tons per year of CO. Limits will be placed on the emissions and amount of fuel used. The applicant will be required to record the emissions and fuel usage on a monthly basis. The approval will include monitoring, record keeping, work practices and reporting to keep the source operating within all applicable air quality requirements.

28-03040A: Valley Quarries, Inc. (P. O. Box J, Chambersburg, PA 17201-0809) for installation of a 51-inch cone crusher to the finishing plant for stone processing operations at its Chambersburg Quarry in Guilford Township, **Franklin County**. Emissions will be controlled by wet suppression. Estimated atmospheric emissions for PM-10 are projected to be 0.78 ton per year. The plan approval will include appropriate conditions designed to ensure compliance with the applicable air quality requirements.

36-05027C: R. R. Donnelley and Sons Co. (216 Greenfield Road, Lancaster, PA 17601) for installation of two diesel-fired 1,825 kW portable generators at its Lancaster East facility in the City of Lancaster, **Lancaster County**. The proposed equipment will result in the emission of 7.9 tons per year of NOx. The plan approval will include a fuel limitation. The applicant will be required to record the emissions and fuel usage on a monthly basis. The approval will include monitoring, record keeping, work practices and reporting to keep the source operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

08-301-016A: Faithful Companions Pet Cemetery, Inc. (R. R. 2, Box 210, Ulster, PA 18850-9645) for con-

struction of an animal crematory incinerator in East Smithfield Township, **Bradford County**.

The air contaminant emissions from the respective incinerator will be controlled by an integral secondary combustion chamber. The resultant particulate emissions will be less than .2 pound per hour.

The Department's review of the information contained in the application indicates that the proposed incinerator will meet all applicable air quality regulatory requirements including the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department intends to approve the application and issue a plan approval to construct the proposed animal crematory incinerator.

The Department intends to place conditions in the plan approval to ensure compliance with all applicable air quality regulatory requirements. The following is a summary of the most important conditions:

1. Only animal remains and associated containers shall be incinerated.

2. The particulate matter emissions shall not exceed .08 grain per dry standard cubic foot, corrected to 7% oxygen and the opacity shall not equal or exceed 10% for more than 3 minutes in any 1 hour or 30% at any time.

3. The incinerator shall be equipped with instrumentation to continuously monitor and record the secondary combustion chamber temperature. All temperature records shall be retained for at least 5 years and made available to the Department upon request.

4. A secondary combustion chamber temperature of at least 1,800°F shall be maintained at any time incineration is occurring.

14-313-042: RUTGERS Organics Corp. (201 Struble Road, State College PA 16801) for modification of an existing chemical process facility for production of a chemical identified as ROC-8 in College Township, **Centre County**.

The air contaminant emissions from the modified process facility shall be controlled by various condensers and two packed bed scrubbers. The resultant air contaminant emissions will be up to 5.79 tons of perchloroethylene (a hazardous air pollutant) and 0.04 ton of nitrogen dioxide per year.

The following is a summary of the conditions the Department proposes to place in the plan approval to ensure compliance with all applicable air quality regulatory requirements:

1. The packed bed scrubber identified as S0106B shall utilize a minimum 5% sodium hydroxide solution as the scrubbing solution at a recirculation rate of not less than 20 gallons per minute. Additionally, the company shall sample the scrubbing solution after each batch of ROC-8 to ensure that the solution's sodium hydroxide concentration will be greater than or equal to 5% for the next batch run.

2. The packed bed scrubber identified as S0401 shall utilize a minimum 5% sodium hydroxide solution as the scrubbing solution at a recirculation rate of not less than 20 gallons per minute. Additionally, the company shall sample the scrubbing solution after each batch of ROC-8 to ensure that the solution's sodium hydroxide concentration will be greater than or equal to 5% for the next batch run.

3. All condensers utilizing cooling water shall be supplied with cooling water having a temperature no greater

than 75°F at any time as measured by a temperature gauge on the water line from the cooling water supply to the respective condensers. Additionally, the average temperature of the cooling water to the respective condensers shall not exceed 60°F in any 12-consecutive month period based on monthly average temperature readings.

4. The glycol-cooled condensers serving vessels D and E shall be supplied with glycol coolant having a temperature no greater than -12°C.

5. The air cleaning devices shall not be used for the simultaneous control of air contaminant emissions from this process and any other process at the facility.

6. The production rate of ROC-8 shall not exceed 2.5 million pounds in any 12-consecutive month period.

7. No later than 120 days from the date of plan approval issuance, the company shall submit a proposal to the Department describing procedures to be employed to minimize fugitive equipment leaks from the chemical process facility through appropriate monitoring and repair.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.

25-025D: General Electric Transportation Systems (2901 East Lake Road, Erie, PA 16531), for proposed maintenance activities at the Erie facility in Erie, **Erie County**. The permit will be subject to the following conditions:

1. The sources are subject to the requirements in 25 Pa. Code §§ 123.1, 123.11, 123.22, 123.31 and 123.41.

2. For Boiler #1:

a. NOx emissions shall not exceed 400 tpy based on a 12-month consecutive period.

b. NOx emissions shall not exceed 0.59 lb/mmBtu based on a 30-day rolling average.

3. For Boiler #5:

a. NOx emissions shall not exceed 324 tpy based on a 12-month consecutive period.

b. NOx emissions shall not exceed 0.59 lb/mmBtu based on a 30-day rolling average.

4. For Boiler #9:

a. NOx emissions shall not exceed 520 tpy based on a 12-month consecutive period.

b. NOx emissions shall not exceed 0.59 lb/mmBtu based on a 30-day rolling average.

5. Annual NOx emissions for each boiler shall be updated every month by adding emissions during the most recent month and dropping the emissions from the corresponding month in the previous year. NOx emissions reports for each boiler shall be submitted to the Department within 30 days of the end of each calendar quarter.

6. General Electric shall, at a minimum, obtain one of the following:

a. A fuel analysis of the Btu value, moisture, ash and sulfur content (% by weight), conducted on a representative sample of each shipment received.

b. Written certification from the fuel supplier, which certifies the Btu value, moisture, ash and sulfur content (% by weight) for each shipment delivered to the facility.

7. General Electric shall compile and submit a semi-annual compliance certification report to the Department

within 30 days of the end of each semiannual period for all coal shipments received during the preceding 6 months. This report shall clearly identify the average sulfur content (% by weight) and the average Btu value of the fuel for the reporting period.

8. A NO_x, SO_x and opacity continuous emission monitoring system (CEMS) for the combined stack for the three boilers (1, 5 and 9) shall be operated and maintained in accordance with 25 Pa. Code Chapter 139 and the Department's Continuous Source Monitoring Manual and be approval by the Department.

9. CEMS reports shall be submitted to the Department within 30 days after each calendar quarter, but no later than the time frame established in the Department's latest "Continuous Source Monitoring Manual."

10. General Electric shall perform a daily operational inspection of the control device for each boiler.

11. General Electric shall operate the control devices at all times the sources are in operation.

12. The sources and control devices shall be maintained and operated in accordance with the manufacturer's specifications, in accordance with good air pollution control practices or in accordance with good engineering practices.

13. General Electric shall maintain a record of all scheduled preventative maintenance inspection of the control device. These records shall, at a minimum, contain the dates of the inspections, any problems or defects, the actions taken to correct the problem or defects and any routine maintenance performed.

14. General Electric shall record the fuel characteristics, data source and analysis date of each coal shipment and shall maintain all of the testing results and/or certifications for at least 5 years from the testing or certification date.

15. General Electric shall maintain records as follows:

a. The Company shall maintain records to demonstrate compliance with 25 Pa. Code §§ 129.91—129.94.

b. The records shall provide sufficient data and calculations to clearly demonstrate that the requirements of 25 Pa. Code §§ 129.91—129.94 are met.

c. Data or information required to determine compliance shall be recorded and maintained in a time frame consistent with the averaging period of the requirement.

d. The records shall be retained for at least 5 years and shall be made available to the Department on request.

16. General Electric is granted the remaining 280.9 tpy of NO_x and 1.7 tpy of VOC emission reduction credits (ERCs) after new source review (NSR) applicability. These ERCs are generated from the shutdown of boiler #2. Boiler #2 was shut down on December 13, 2001. General Electric generated a total of 624.9 ton of NO_x and 1.7 ton of VOC ERCs with the shutdown of boiler #2. Subsequently, General Electric utilized 344 ton of NO_x credits to net out of 25 Pa. Code Chapter 127, Subchapter E.

17. Under the provisions of 25 Pa. Code § 127.206(f), the ERCs generated in this approval shall expire if not consumed within 10 years from the source shutdown date as shown in condition #16.

18. General Electric and any subsequent user of these credits shall comply with the requirements of 25 Pa. Code §§ 127.206—127.208 regarding ERC use and transfer requirements.

19. These ERCs may be used, traded or sold after the approved entry of the ERCs by the Department into the Pennsylvania ERC Registry System.

20. The #2 boiler (Babcock & Wilcox, 420 mmBtu/hr) shall remain permanently shutdown. If the company plans to bring the shutdown source back into production, the company shall submit an appropriate plan approval application. Any subsequent emissions from the shutdown source shall comply with NSR regulations in 25 Pa. Code Chapter 127, Subchapter E.

21. Under the provisions of 25 Pa. Code § 127.207(7), if the ERC generating source has not been dismantled or removed, the company must submit to the Department on an annual basis the verification of the continuance of the shutdown.

The previous conditions will satisfy the requirements of 25 Pa. Code § 127.12b and will demonstrate the best available technology for the source.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

21-05001: Lear Operations Corp. formerly Lear East LP (50 Spring Road, Carlisle, PA 17013) for amendment of the facility's Title V Operating Permit No. 21-05001 to incorporate the change of company name for the Carlisle facility in the Borough of Carlisle, **Cumberland County**. The facility's major sources of emissions include two boilers, three carpet dryers and other sources, which primarily emit NO_x and PM.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

62-00151: CB and I Water (1420 Lexington Avenue, Warren, PA 16365) in Warren, **Warren County**. The facility's air emission sources are several natural gas-fired heaters, a stress-relief furnace, steel fabrication, abrasive blasting, surface coating and several degreasers.

43-00287: Jones Performance Products, Inc.—West Middlesex Plant (No. 1 Jones Way, P. O. Box 808, West Middlesex, PA 16159) for operation of a reinforced plastic manufacturing facility in West Middlesex Borough, **Mercer County**.

37-00264: Ellwood Quality Steels Co. (700 Moravia Street, New Castle, PA 16101) in New Castle City, **Lawrence County**. The facility's air emission sources are four natural gas-fired boilers, several miscellaneous natural gas-fired heaters, electric arc furnace, six natural gas-fired anneal furnaces, two natural gas-fired ladle preheaters, natural gas-fired EAF preheater, scrap torching, scrap handling, vacuum degasser, teeming and gas cutter.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Edward Brown, Facilities Permitting Chief, (610) 832-6242.

09-00104: Daniel C. Tanney Co., Inc. (3268 Clive Avenue, Bensalem, PA 19020) for operation of a paint burn off oven in Bensalem, **Bucks County**. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

09-00091: Columbia Lighting Co. (Route 13 and Beaver Street, Bristol, PA 19007) for operation of an incinerator, burn off oven and manufacturing process in Bristol, **Bucks County**. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

36-03043: Wilbur Chocolate Co., Inc. (48 North Broad Street, Lititz, PA 17543) for operation of a candy coating facility at their distribution center in Lititz Borough, **Lancaster County**. There is a potential to emit less than 1 ton per year each of PM and SO_x and less than 6 tons per year each of CO and NO_x. The Natural Minor Operating Permit shall contain standard recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

26-00488: Laurel Aggregates, Inc. (P. O. Box 1209, Morgantown, WV 26507) for operation of a crushing and screening plant at the Wymps Gap Quarry/Lake Lynn Quarry in Springhill Township, **Fayette County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

10-00038: Winfield Lime and Stone Co., Inc. (1295 Winfield Road, Cabot, PA 16023) for operation of a limestone crushing plant and production of agricultural lime in Winfield Township, **Butler County**.

43-00324: John Flynn Funeral Home, Inc. (2630 East State Street, Hermitage, PA 16148) for operation of a human crematory in the City of Hermitage, **Mercer County**.

PUBLIC HEARINGS

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

25-0025: General Electric Transportation Systems (2901 East Lake Road, Erie, PA 16531) to accept testimony concerning the Department's decision to approve, with conditions, the Reasonably Available Control Technology (RACT) plan by General Electric Transportation Systems in Erie, **Erie County** to meet the requirements under 25 Pa. Code §§ 129.91—129.95, concerning the emissions of NO_x and VOCs from the boiler house. The final RACT proposal will be submitted to the EPA as a revision to the Commonwealth's State Implementation Plan.

The public hearing will be conducted on August 14, 2002, at 1 p.m. in the Air Quality Conference Room, Department of Environmental Protection Regional Office Building, 230 Chestnut Street, Meadville, PA.

The facility currently has a Title V Operating Permit No. 25-00025. This RACT determination will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V Operating Permit through an administrative amendment at a later date. The proposed SIP revisions do not adopt any new regulations. They incorporate the provisions and requirements contained in the RACT approval for the boiler house to comply with current regulations.

Persons wishing to present testimony at the hearing should contact Lori McNabb at the previous address or telephone number at least 1 week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes and two written copies of the oral testimony are required. Each organization is requested to designate one witness to present testimony in its own behalf.

MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District Mining Office indicated above each application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the previous, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES

permit requirements for a particular mining activity within the previously-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections, application number and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor, application number, a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209, (814) 342-8200.

17020901 and NPDES Permit No. PA0243256. Johnson Brothers Coal Company, R. D. 1, Box 580, Mahaffey, PA 15757. Commencement, operation and restoration of an incidental coal extraction permit in Penn Township, **Clearfield County**, affecting 15.4 acres. Receiving stream: unnamed tributary to Kratzer Run. Application received June 3, 2002.

17020106 and NPDES Permit No. PA0243264. Moravian Run Reclamation Co., Inc., 605 Sheridan Drive, Clearfield, PA 16830. Commencement, operation and restoration of a bituminous surface mine-auger permit in Girard Township, **Clearfield County**, affecting 155 acres. Receiving streams: Deer Creek, unnamed tributaries to Deer Creek and unnamed tributary to Bald Hill Run, all classified as CWF. Application received June 18, 2002.

17000102 and NPDES Permit No. PA0242888. Northern Son, Inc., R. R. 6, Box 231, Kittanning, PA 16201. Transfer of an existing bituminous surface mine-auger permit from Johnson Brothers Coal Company. The permit is located in Bell Township, **Clearfield County**, and affects 131.3 acres. Receiving streams: unnamed tributaries of Whiskey Run to Whiskey Run and unnamed tributaries of South Branch Bear Run to South Branch Bear Run, both to West Branch Susquehanna River. Application received June 5, 2002.

17000111 and NPDES Permit No. PA0219894. Hepburnia Coal Company, P. O. Box I, Grampian, PA 16830. Major revision to an existing bituminous surface mine-auger permit for a change in permit acreage from 164.4 to 169.2 acres. The permit is located in Beccarria Township, **Clearfield County**. Receiving streams: Muddy Run and unnamed tributaries to Muddy Run classified as CWF. Application received June 14, 2002.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.

63860110 and NPDES No. PA0589136. Raccoon Coal Company (200 Neville Road, Pittsburgh, PA 15225). Revision received to request mining within 100 feet of SR 4009 on a bituminous surface mine located in Robinson Township, **Washington County**, affecting 187.9 acres. Receiving stream: unnamed tributary to Little Raccoon Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received June 26, 2002.

03910113 and NPDES No. PA0203459. Walter L. Houser Coal Co., Inc. (13448 SR 422, Kittanning, PA 16201). Renewal application for reclamation only received for a bituminous surface auger mine in Valley Township, **Armstrong County**, affecting 106.1 acres. Receiving streams: two unnamed tributaries to Cowanshannock Creek, classified for the following use: WWF. The first downstream potable water supply intake from the point of discharge is Pennsylvania American Water Company. Application received June 28, 2002.

65840119 and NPDES No. PA0601047. Derry Stone & Lime Co., Inc. (R. R. 5, Box 34, Latrobe, PA 15650). Renewal application received for continued mining of a bituminous surface auger mine with limestone removal and portable stone crusher in Derry Township, **Westmoreland County**, affecting 643.7 acres. Receiving streams: unnamed tributaries to Stony Run and McGee Run, classified for the following use: CWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received June 28, 2002.

65970103 and NPDES No. PA0201898. Derry Stone & Lime Co., Inc. (R. R. 5, Box 34, Latrobe, PA 15650). Renewal application received for continued mining of a bituminous surface mine with a limestone quarry in Derry Township, **Westmoreland County**, affecting 105.0 acres. Receiving streams: unnamed tributary to Stony Creek to McGee Run, classified for the following use: CWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received July 1, 2002.

26870107 and NPDES No. PA0589802. Durant Excavating Company (18 North Ross Street, Masontown, PA 15461). Renewal application received for continued mining of a bituminous surface mine in Nicholson Township, **Fayette County**, affecting 82.0 acres. Receiving streams: unnamed tributaries to Jacobs Creek to the Monongahela River, classified for the following use: WWF, N. The first downstream potable water supply intake from the point of discharge is Albert Gallatin Municipal Authority. Application received July 1, 2002.

03010108 and NPDES Permit No. PA0250171. TDK Coal Sales, Inc. (P. O. Box 259, Brockway, PA 15824). Received an application for commencement, operation and reclamation of a bituminous surface mine located in East Franklin Township, **Armstrong County**, affecting 126.3 acres. Receiving streams: unnamed tributaries to Glade Run and Glade Run to Allegheny River, classified for the following use: TSF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received June 24, 2002.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56020103 and NPDES Permit No. PA0249238. Laurel Energy, L. P. (One Energy Place, Suite 7500, Latrobe, PA 15950). Commencement, operation, restoration of a bituminous surface and auger mine and for treated mine drainage in Jenner Township, **Somerset County**, affecting 172.7 acres. Receiving streams: unnamed tributaries to Spruce Run and Spruce Run. No discharge; unnamed tributary to Beam Run and Beam Run to North Branch of Quemahoning Creek to Stony Creek River to the Conemaugh River classified for the following uses: HQ-CWF and CWF. There are no potable water supply intakes within 10 miles downstream. Application received June 24, 2002.

56930104 and NPDES Permit No. PA0212415. Future Industries, Inc. (P. O. Box 157, Meyersdale, PA

15552). Permit revision to add auger mining in Brothersvalley Township, **Somerset County**, affecting 129.0 acres. Receiving streams: unnamed tributaries to Buffalo Creek and Buffalo Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received July 1, 2002.

Noncoal Applications Received

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209, (814) 342-8200.

59020302 and NPDES Permit No. PA0243272. Fred J. Robbins, R. R. 2, Box 25A, Tioga, PA 16946. Commencement, operation and restoration of a large industrial mineral (gravel)—stream encroachment permit in Lawrence Township, **Tioga County**, affecting 17.02 acres. Receiving streams: Mutton Lane Creek to Tioga River. Application received June 21, 2002.

08020806. Strong Excavating, R. R. 2, Box 446N, Sayre, PA 18840. Commencement, operation and restoration of a small industrial mineral (shale) permit in Ridgebury Township, **Bradford County**, affecting 1.5 acres. Receiving stream: tributary to Bentley Creek. Application received June 4, 2002.

14022802. Mark Soster, 205 W. Sycamore Street, Snow Shoe, PA 16874. Commencement, operation and restoration of a small industrial mineral (field stone) permit in Liberty Township, **Centre County**, affecting 5 acres. Receiving streams: tributary to Bald Eagle Creek. Application received June 10, 2002.

14022803. Mark Soster, 205 W. Sycamore Street, Snow Shoe, PA 16874. Commencement, operation and restoration of a small industrial mineral (field stone) permit in Liberty Township, **Centre County**, affecting 5 acres. Receiving stream: tributary to Bald Eagle Creek. Application received June 10, 2002.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.

3572SM17 and NPDES No. PA0202649. Manor Minerals, Inc. (265 South Jefferson Street, Kittanning, PA 16201). Renewal application to continue mining in Burrell Township, **Armstrong County**, affecting 31.5 acres. Receiving stream: Crooked Creek, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received July 1, 2002.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

37020304. IA Construction Corporation (P. O. Box 8, Concordville, PA 19331). Commencement, operation and restoration of a sand and gravel operation in Plain Grove Township, **Lawrence County**, affecting 40.5 acres. Receiving streams: unnamed tributaries to Jamison Run, classified for the following uses: Statewide water uses: CWF. No public water supply intakes are within 10 miles downstream of this proposed operation. Application to include a land use change from forestland to wildlife habitat on lands of the Game Commission. Application received June 24, 2002.

61930301 and NPDES Permit No. PA 0211729. Cooperstown Sand & Gravel (P. O. Box 4, Cooperstown, PA 16317). Revision to an existing sandstone

operation in Jackson Township, **Venango County**, affecting 13.1 acres. Receiving stream: Wolf Run, classified for the following uses: Statewide water uses: CWF. No public water supply intakes are within 10 miles downstream of this proposed operation. Revision to add 1.6 acres to the permit area. Application received July 2, 2002.

ABANDONED MINE RECLAMATION

Under Act 181 of 1984, the Department of Environmental Protection solicits letters of interest from the landowners and/or licensed mine operators for the reclamation of the following abandoned strip mine project:

Project No. BF 467-101.1, Cherry Valley Borough, Butler County, 4 acres.

Letters of interest must be received by Roderick A. Fletcher, P.E., Director, Bureau of Abandoned Mine Reclamation, Department of Environmental Protection, 400 Market Street, P. O. Box 8476, Harrisburg, PA 17105-8476, no later than 4 p.m. on August 12, 2002, to be considered. Telephone inquiries shall be directed to Chuck Siders, Division of Mine Hazards at (717) 783-0474.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications and requests for Environmental Assessment approval and requests for Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)), requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Initial requests for 401 Water Quality Certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8 a.m. and 4 p.m. on each working day at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E48-326. Hercules Cement Company, L. P., P. O. Box 69, Stockertown, PA 18083-0069, in Stockertown Borough, Palmer Township, **Northampton County**, U.S. Army Corps of Engineers, Philadelphia District.

To enhance approximately 4,000 L.F. of Bushkill Creek (HQ-CWF) by sealing sink holes and fractures in the bedrock along the stream channel. The project involves the installation of a geomembrane liner system and re-establishment of a natural channel in an effort to restore stream flow to the creek by preventing exfiltration into the adjacent quarry pits. The project is located at Hercules Cement property southwest of the intersection of SR 0033 and SR 0191 (Windgap, PA Quadrangle N: 0.5 inch; W: 3.3 inches).

E45-433. Chestnut Hill Township, Municipal Building, P. O. Box 243, Brodheadsville, PA 18322, in Chestnut Hill Township, **Monroe County**, U.S. Army Corps of Engineers, Philadelphia District.

To remove the existing structures and to construct and maintain a bridge having a single span of approximately 12 feet and underclearance of 6.5 feet across Sugar Hollow Creek (HQ-CWF). The project is located along Warner Road, just east of Sugar Hollow Road (Brodheadsville, PA Quadrangle N: 16.7 inches; W: 7.3 inches).

E45-434. Brodhead Waterhead Association, P. O. Box 339, Henryville, PA 18332, in Stroudsburg Borough, **Monroe County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a stream bank restoration and riparian buffer project along a 600 L.F. section of Pocono Creek (HQ-CWF). The project is located behind Stroudsburg High School, just south of North Ninth Street (Stroudsburg, PA Quadrangle N: 20.0 inches; W: 10.5 inches).

E48-327. Thomas G. Macarro, 3633 Drifting Drive, Hellertown, PA 18055, in Lower Saucon Township, **Northampton County**, U.S. Army Corps of Engineers, Philadelphia District.

To place fill in 0.07 acre of PEM wetlands for the purpose of constructing a road crossing consisting of approximately 200 L.F. of 48 inch diameter RCP and roadway embankment to serve as an access for a proposed residential development known as Clover View Estates. The project is located on the eastern side of Township Road T390 (Drifting Drive), just south of its intersection with Wassergass Road (Hellertown, PA Quadrangle N: 5.0 inches; W: 2.0 inches).

E45-432. Polk Township, P. O. Box 137, Kresgeville, PA 18333-0137, in Polk Township, **Monroe County**, U.S. Army Corps of Engineers, Philadelphia District.

To maintain a 60-inch diameter CMP culvert in a tributary to Pohopoco Creek (HQ-CWF). The project is located along Township Road T413 (Serfass Road), ap-

proximately 0.15 mile east of SR 3007 (Berger Hollow Road) (Brodheadsville, PA Quadrangle N: 7.7 inches; W: 12.4 inches).

E45-431. Polk Township, P. O. Box 137, Kresgeville, PA 18333-0137, in Polk Township, **Monroe County**, U.S. Army Corps of Engineers, Philadelphia District.

To remove the existing structure and to construct and maintain an open-bottom aluminum box culvert having a span of 13.6 feet and an underclearance of 2.7 feet in Middle Creek (HQ-CWF). The project is located along Township Road T444 (Upper Middle Creek Road), just south of T437 (Barry Road) (Brodheadsville, PA Quadrangle N: 13.6 inches; W: 16.8 inches).

E54-297. Robert G. Geier, 95 Spruce Street, Pine Grove, PA 17963-1428, in Pine Grove Borough, **Schuylkill County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a 12-foot by 16-foot storage shed in the floodway of Swatara Creek (CWF). The project is located northeast of the intersection of Spruce and Mill Streets (Pine Grove, PA Quadrangle N: 9.0 inches; W: 0.8 inch).

E48-325. Hanover Township, 3630 Jacksonville Road, Bethlehem, PA 18017-9303, in Hanover Township, **Northampton County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a stream enclosure consisting of three 10-foot by 4-foot concrete box culverts having a length of approximately 350 feet in a tributary to Monocacy Creek (HQ-CWF). The project is located on property owned by the Aspen Inn, southwest of the intersection of Stoke Park Road and SR 0512 (Catasauqua, PA Quadrangle N: 6.5 inches; W: 1.2 inches).

E64-232. Jerry Johnson, 916 Albemarle Road, Brooklyn, NY 11218-2708, in Damascus Township, **Wayne County**, U.S. Army Corps of Engineers, Philadelphia District.

To modify and maintain an existing single-family residence in the floodway of the Delaware River (WWF). The structure will be extended by approximately 28 feet to the north, with the addition supported on concrete piers, and approximately 4 feet to the south. New deck areas will be constructed on the west side (approximately 4 feet by 13 feet) and the east side (approximately 7 feet by 13 feet). The project is located along Tammany Flats Road (Callicoon, NY-PA Quadrangle N: 0.3 inch; W: 7.5 inches).

E40-604. Walter and Rhoda Kuharchik, 504 Susquehanna Avenue, West Pittston, PA 18643, in West Pittston Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To authorize grading that was performed within a 0.28 acre area in the floodway of the Susquehanna River (WWF). The purpose of the project was to lessen the steepness of the slope to enhance safety. The project is located along the west bank, approximately 0.4 mile north of the SR 0011 bridge across the Susquehanna River (Pittston, PA Quadrangle N: 15.2 inches; W: 6.1 inches).

E13-133. Franklin Township, 900 Fairyland Road, Lehighton, PA 18235, in Franklin Township, **Carbon County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a sewage pump station in the floodway of a tributary to Pohopoco Creek (CWF) and to construct and maintain a 6-inch sanitary force main

and an 8-inch sanitary gravity main, running parallel, across a tributary and adjacent wetlands. The project is located on the south side of Main Road approximately 0.10 mile northwest of its intersection with SR 0209 (Leighton, PA Quadrangle N: 16.3 inches; W: 7.1 inches).

E39-414. Theodore and K. Gail Phillips, 3501 Main Road East, Emmaus, PA 18049, in Upper Milford Township, **Lehigh County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain an 8-foot by 14-foot residential house expansion in the floodway of Leibert Creek (HQ-CWF). The project is located approximately 0.4 mile northeast of the intersection of SR 2027 and SR 2023 (Main Road) (Allentown East, PA Quadrangle N: 1.8 inches; W: 16.0 inches).

E13-134. Raymond R. Vees, P. O. Box 102, Fountainville, PA 18923-0102, in Towamensing Township, **Carbon County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a 48-inch elliptical culvert across Hunter Creek (CWF) for the purpose of providing access to a residential house. The project is located approximately 260 feet west of the intersection of Spruce Hollow Road and Beers Lane (Palmerton, PA Quadrangle N: 20.6 inches; W: 6.0 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E01-235. Dennis Bishop, 980 New Road, Ortanna, PA 17320 in Hamiltonban Township, **Adams County**, ACOE Baltimore District.

To construct and maintain a 12-foot by 18-foot residential dwelling addition in the floodway of Middle Creek (HQ-CWF). The site is located on Mount Hope approximately 3.0 miles from the intersection of Mount Hope and Carrolls Tract Roads (Iron Springs, PA Quadrangle N: 9.45 inches; W: 4.9 inches) in Hamiltonban Township, Adams County.

E06-572. James Lewars, Historical and Museum Commission, 400 Daniel Boone Road, Birdsboro, PA 19508 in Birdsboro Borough, **Berks County**, ACOE Philadelphia District.

To construct and maintain a single span premanufactured steel pedestrian bridge, with cast in place concrete abutments, approximately 47 feet in length across an unnamed tributary to Owatin Creek (WWF) at a point within the Daniel Boone Homestead (Birdsboro, PA Quadrangle N: 8.1 inches; W: 6.3 inches) in Exeter Township, Berks County.

E06-573. National Properties Incorporated, 31 General Warren Blvd., Malvern, PA 19335 in Exeter Township, **Berks County**, ACOE Philadelphia District.

To construct and maintain a series of retaining walls within 0.1 acre of wetlands tributary to Antietam Creek (CWF) at a point within the Eastwick at Exeter Apartment Community (Birdsboro, PA Quadrangle N: 8.5 inches, W: 14.25 inches) in Exeter Township, **Berks County**. The permittee is required to provide a minimum of 0.2 acre of replacement wetlands.

E07-360. Game Commission, 2001 Elmerton Avenue, Harrisburg, PA 17110 in Catharine Township, **Blair County**, ACOE Baltimore District.

To remove an existing bridge and to construct and maintain a crossing consisting of twin 103-inch by 71-inch corrugated metal pipe arches in the channel of Canoe

Creek (HQ-CWF) at a point approximately 6.9 inches upstream of Route 22 (Spruce Creek, PA Quadrangle N: 10.7 inches; W: 12.6 inches) in Catherine Township, Blair County.

E21-342. William Cook, Silver Spring Township, 6475 Carlisle Pike, Mechanicsburg, PA 17050 in Silver Spring Township, **Cumberland County**, ACOE Baltimore District.

To remove an existing single span bridge and to construct and maintain a single span 24.0-foot long reinforced concrete box culvert having a normal clear span of 12.0-feet and a rise of 3.8-feet in Hogestown Run (CWF) located on Woods Drive about 0.7 mile southeast of its intersection with US Route 11 (Mechanicsburg, PA Quadrangle N: 19.5 inches; W: 5.8 inches) in Silver Spring Township, Cumberland County.

E22-441. Michael Sedor, Colonial Country Club, 4901 Linglestown Road, Harrisburg, PA 17112 in Lower Paxton Township, **Dauphin County**, ACOE Baltimore District.

To remove an existing footbridge and to place fill in the floodway of an unnamed tributary to Paxton Creek (WWF) locally known as Goose Valley Run for the purpose of reconstructing the greens for golf holes 4, 5 and 13 located about 500 feet downstream of Colonial Club Road on the Colonial Country Club golf course (Harrisburg, PA Quadrangle N: 15.5; W: 8.3 inches) in Lower Paxton Township, Dauphin County.

E28-301. Nicholas Kalathas, 2004 Philadelphia Avenue, Chambersburg, PA 17201 in Greene Township, **Franklin County**, ACOE Baltimore District.

To construct and maintain 400-feet of riprap bank stabilization along the Conococheague Creek (CWF) just upstream of the Route 11 bridge (Chambersburg, PA Quadrangle N: 15.5 inches; W: 2.0 inches) in Greene Township, Franklin County.

E28-304. Thomas Englerth, Dennis E. Black Engineering Inc., 2400 Philadelphia Ave., Chambersburg, PA 17201 in Greene Township, **Franklin County**, ACOE Baltimore District.

To construct and maintain 90 feet at riprap bank stabilization along the Conococheague Creek (CWF) located upstream of Route 11 bridge (Chambersburg, PA Quadrangle N: 15.5 inches; W: 1.85 inches) in Greene Township, Franklin County.

E36-738. Michael Stark, Columbia Downtown Development Corporation, P. O. Box 207, Columbia, PA 17512 in Columbia Borough, **Lancaster County**, ACOE Baltimore District.

To construct and maintain a stream restoration project approximately 750 feet within Shawnee Run (WWF) for the purpose of: stream bank stabilization, improved sediment transport, establishment of riparian buffers and improved aquatic habitat while implementing a natural stream design approach consisting of: channel relocation, stream and floodway excavation and filling, installation of rock vanes, cross vanes, J-hooks and willow fascines to be located at a point or points within the 400 block of Mill Street (Columbia East, PA Quadrangle N: 5.75 inches; W: 16.25 inches) in Columbia Borough, Lancaster County.

E67-687. Orchard Hills Real Estate, Inc., 450 Spangler Road, Oxford, PA 17350 in Springettsbury and Hellam Townships, **York County**, ACOE Baltimore District.

To construct and maintain: (1) a 30-inch reinforced concrete pipe crossing having a length of 280 feet and (2) a 12-inch reinforced concrete pipe crossing having a length of 295 feet in an unnamed tributary to Kreutz Creek (WWF) located on an 81 acre parcel at the corner of SR 2006 and SR 2013 called Orchard Hills (York, PA Quadrangle N: 18.3 inches; W: 0.2 inch and Red Lion, PA Quadrangle N: 18.3 inches W: 17.3 inches) in Springettsbury and Hellam Townships, York County. The amount of wetland impact is considered a de minimis impact of 0.099 acre and wetland mitigation is not required.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E08-395. Pennsylvania Department of Transportation, Engineering District 3-0, 715 Jordan Avenue, Montoursville, PA 17754. Improvement Project Central Bradford County Traffic in Towanda Borough, **Bradford County**, ACOE Baltimore District (Towanda, PA Quadrangle N: 3.3 inches; W: 9.1 inches).

To construct and maintain the following activities at the following locations:

<i>Regulated Activity No.</i>	<i>Type of Activity</i>	<i>Station No.</i>	<i>Description of Impact</i>
1	Permanent	136+40 to 172+50	Stream encroachment—fill covers 3,600 ft ² /43,200 m ² (1,097 m/4013 m ²) of stream bank along the perennial WWF Susquehanna River for construction of stabilized slope.
2	Permanent	136+40 to 172+50	Floodway encroachment of the 100-year floodplain—148,285 ft ² (3.40 acres) or 13,774 m ² (1.38 ha) of floodway filled by construction of stabilized slope.
3	Permanent	146+00	Stream relocation—310 ft/930 ft ² (94 m/86 m ²) of intermittent WWF stream (Mix Run). Mix Run culvert and headwall to be relocated 30 feet upstream resulting in improved alignment over existing. The section of Mix Run to be relocated is currently conveyed through an enclosed culvert system.
4	Permanent	156+70	Stream enclosure (culvert extension)—30 ft/90 ft ² (9 m/8 m ²) to intermittent WWF stream.

The proposed project will also include the following temporary impacted activity.

<i>Regulated Activity No.</i>	<i>Type of Activity</i>	<i>Station No.</i>	<i>Description of Impact</i>
2	Temporary	136+40 to 172+50	Stream encroachment—260,383 ft ² (5.98 acres) or 24,190 m ² (2.42 ha)—cofferdam footprint for construction of stabilized slope. An existing access road in the vicinity of Mix Run will be utilized to access the cofferdam and construction area.

The project will impact approximately 0.99 acre of riverine wetlands while impacting approximately 3,940 feet of waterway. The Susquehanna River, Mix Run and an unnamed tributary to the Susquehanna River are warm water fisheries streams.

E14-426. Department of Conservation and Natural Resources, Bureau of Facility Design and Construction, P. O. Box 8451, Harrisburg, PA 17105-8451. Bridge replacement in Penn Township, **Centre County**, ACOE Baltimore District (Seven Springs, PA Quadrangle N: 14.4 inches; W: 9.0 inches).

To remove the existing steel I-beam bridge with timber deck which is on a 90 degree skew and has a clear opening between the stone masonry abutments of 26 feet, a curb-to-curb width of 18.5 feet and an average inlet underclearance of 21 feet and to construct and maintain a single-span sawn southern pine A-frame truss with southern pine glulam deck and stringers and a weathering steel floor beam with a normal clear span of 30 feet, an average inlet underclearance of 7.3 feet and a curb-to-curb width of 18 feet on a horizontal and vertical alignment similar to existing conditions on Big Poe Road over Big Poe Creek at the intersection of Little Poe Pond with Big Poe Road and to construct a temporary upstream stream crossing consisting of four 36-inch diameter corrugated metal pipes and a temporary diversion dike system in Penn Township, Centre County. The

project will permanently impact 523 square feet of wetlands while impacting 150 feet of stream channel. Big Poe Creek is a HQ-CWF.

E18-334. William Dittmar, P. O. Box 308, West Milton, PA 17886. Dittmar Water Co. tract in Lamar Township, **Clinton County**, ACOE Baltimore District (Beech Creek, PA Quadrangle N: 14.32 inches; W: 1.65 inches).

To construct and maintain a 6-foot diameter by 40-foot long culvert and the associated clean earthen approach fill in an unnamed tributary to Fishing Creek for timber harvesting access located 2 miles southwest of SR 64 from the Bald Eagle Mountain/SR 64 gap. The project proposes to permanently impact 40 linear feet of Cold Stream that is classified as a HQ-CWF.

E18-344. Clinton County Commissioners, Garden Building, 232 East Main Street, Lock Haven, PA, 17745. Clinton County Conservation District Dry Hydrant Project in Logan, Green, Crawford, Lamar and Porter Townships, **Clinton County**, ACOE Baltimore District.

Hydrant #	PA Quadrangle	North (inches)	West (inches)
DH-1	Beech Creek	2.9	4.3
DH-2	Millheim	21.6	6.5
DH-3	Mill Hall	1.0	1.6
DH-4	Carrall	7.2	13.0
DH-5	Carrall	14.3	7.6
DH-6	Mill Hall	10.4	12.9
DH-7	Mill Hall	15.7	12.9
DH-8	Beech Creek	10.1	2.2

To construct and maintain eight dry hydrants within the Fishing Creek Watershed for improved rural fire protection (hydrant installation and maintenance will be the responsibility of the local townships, with assistance from the local fire departments): DH-1 is located on the Nittany Water Company property along TR 341 Spring Run Road at the spring in Lamar in Porter Township. This is the only replacement dry hydrant for the project; DH-2 is located on the Jeff Breon property along Summer Mountain Road at the eastern edge of Tylersville in Logan Township located at the northwestern corner of the bridge over Fishing Creek; DH-3 is located on the Edith Muthler property on Logan Mills Road in Logan Township located on the southwest corner of the bridge with no disturbance planned to the Logan Mills Covered bridge; DH-4 is located on the Donnell Jefferies property on Winter Road in Greene Township located on the northwest abutment near the bridge over Fishing Creek; DH-5 is located at Shaffer Pond on 4th Gap Road in Crawford Township located along the southern edge of the pond near the township line; DH-6 is located on Keystone Central School District property near the intersection of Duck Run Road and Mackeyville Road in Lamar Township located near the southwest corner of the Hump Bridge; DH-7 is located on the Hanson Aggregates property off SR 477 in Lamar Township located on the southwest corner of Hanson's bridge over Long Run; DH-8 is located on the Cedar Springs Trout Hatchery property along Jacksonville Road in Porter Township located at the southeastern corner of the hatchery access road over Cedar Run. There are no wetlands within any of these project areas. This project proposes to permanently impact 16 linear feet of the HQ-CWF of the Fishing Creek Watershed.

E53-373. Maxton Gas Corporation, R. R. 1, Box 364, Shinglehouse, PA 16748. Maxton Gas Corporation production and supply lines in Sharon Township, **Potter County**, ACOE Pittsburgh District (Oswayo, PA Quadrangle N: 10.25 inches; W: 0.25 inch).

To construct, operate and maintain 2,500 linear feet of gas production and transmission lines crossing Walman Nichlos Hollow Run and wetlands associated to the same waterway and Wildcat Creek for the transmission of natural gas. Since Walman Nichlos Hollow Run and Wildcat Creek are wild trout streams, no gas line maintenance work will be conducted in or along the stream channels between October 1 and April 1 without the prior written authorization from the Fish and Boat Commission. Any excavations for maintenance of the gas transmission lines through the wetlands and waterways shall be completed with rubber tire equipment. The project is located along the western right-of-way of SR 0044 approximately 1.1 miles north of SR 0044 and T-329 intersection.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E03-409. Worthington Borough, P. O. Box 103, Worthington, PA 16262. Worthington Borough, **Armstrong County**, ACOE Pittsburgh District.

To construct and maintain bank stabilization consisting of a gabion wall and rock rip rap along Claypoole Run (HQ-CWF) for a length of approximately 1,240 linear feet for the purpose of eliminating bank erosion. The project is located along SR 422 (Worthington, PA Quadrangle N: 15.6 inches; W: 0.8 inch).

E32-443. Green Township Supervisors, 1492 Route 240 Highway, Commodore, PA 15729. Green Township, **Indiana County**, ACOE Pittsburgh District.

To remove the existing structure known as Bakers Run Bridge and to construct and maintain a bridge having a normal clear span of 44.5 feet and an underclearance of 6.5 feet across Two Lick Creek South Branch (HQ-CWF). Also, to place and maintain fill in 0.02 acre of palustrine forested wetland with de minimis impact. The structure is located on T-916 approximately 1,500 feet north of SR 580 (Commodore, PA Quadrangle N: 8.7 inches; W: 2.8 inches).

ACTIONS

FINAL ACTIONS TAKEN UNDER THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT—NPDES AND WQM PART II PERMITS

INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. Municipal and Industrial Permit Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

NPDES Permit No. PA0011282, Industrial Waste, **Pennsylvania Suburban Water Company**, 762 Lancaster Avenue, Bryn Mawr, PA 19010-3489. This proposed facility is located in Springfield Township, **Delaware County**.

Description of Proposed Action/Activity: Renewal to discharge into Crum Creek.

NPDES Permit No. PA0026298, Sewage, **Whitemarsh Township Authority**, 616 Germantown Pike, Lafayette Hill, PA 19444-1821. This proposed facility is located in Whitemarsh Township, **Montgomery County**.

Description of Proposed Action/Activity: Renewal to discharge into Schuylkill River—3F Wissahickon.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

NPDES Permit No. PA0036463, Industrial Waste, **OMNOVA Solutions, Inc.**, 175 Ghent Road, Fairlawn, OH 44373. This proposed facility is located in West Brunswick Township, **Schuylkill County**.

Description of Proposed Action/Activity: renewal of NPDES Permit to discharge industrial wastewater into wet weather channel of Schuylkill River.

NPDES Permit No. PA0046353-A1, Sewage, **Waymart Area Authority**, P. O. Box 3300, Waymart, PA 18472. This proposed facility is located in Waymart Borough, **Wayne County**.

Description of Proposed Action/Activity: to amend NPDES Permit from flow of .21 MGD to .715 MGD into Van Auken Creek.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0083721 Amendment No. 1, Sewage, **Jacob L. Miller, Jr., Paradise Mobile Home Park**, 1124 Lake Road, Spring Grove, PA 17362-8813. This proposed facility is located in Paradise Township, **York County**.

Description of Proposed Action/Activity: Authorization to discharge to an unnamed tributary of Beaver Creek in Watershed 7-F.

NPDES Permit No. PA0084646, Sewage, **Southern Fulton School District, Southern Fulton Elementary School**, 13083 Buck Valley Road, Warfordsburg, PA 17267. This proposed facility is located in Bethel Township, **Fulton County**.

Description of Proposed Action/Activity: Authorization to discharge from a facility to an unnamed tributary to White Oak Run in Watershed 13-B.

NPDES Permit No. PA0246522 and WQM Permit No. 0501410, Sewage, **Richard Wright**, 999 Hayman Place, Los Altos, CA 94024. This proposed facility is located in Liberty Township, **Bedford County**.

Description of Proposed Action/Activity: Authorization for discharge to Raystown Branch of the Juniata River and construction/operation of sewage treatment facilities to serve Heritage Cove Campground in Watershed 11-D.

WQM Permit No. 0102405, Sewerage, **Adams County Board of Commissioners**, 111-117 Baltimore Street, Gettysburg, PA 17325. This proposed facility is located in Straban Township, **Adams County**.

Description of Proposed Action/Activity: Approval for the construction/operation of sewers and appurtenances and pump station.

WQM Permit No. 2202402, Sewerage, **Borough of Penbrook**, 150 South 28th Street, Harrisburg, PA 17103. This proposed facility is located in Susquehanna Township and Paxtang Borough, **Dauphin County**.

Description of Proposed Action/Activity: Approval of the construction/operation of sewers and appurtenances.

WQM Permit No. 6702401, Sewerage, **Jacob L. Miller, Paradise Mobile Home Park**, 1124 Lake Road, Spring Grove, PA 17362-8813. This proposed facility is located in Paradise Township, **York County**.

Description of Proposed Action/Activity: Approval for the construction/operation of sewage treatment facilities.

WQM Permit No. 6772405 Amendment No. 02-1, Sewerage, **Borough of Wellsville Municipal Authority**, 299 Main Street, Wellsville, PA 17365. This proposed facility is located in Warrington Township, **York County**.

Description of Proposed Action/Activity: Approval for the construction/operation of sewers and appurtenances and pump station.

WQM Permit No. 2269201, Industrial Waste, **Susquehanna Area Airport Authority**, 208 Airport Drive, Middletown, PA 17057. This proposed facility is located in Lower Swatara Township, **Dauphin County**.

Description of Proposed Action/Activity: Approval for the construction/operation of impoundment and liner system and industrial waste treatment facilities.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PAS604801, Industrial Stormwater SIC 5015, **Abramson Auto Wrecking**, 3149 Nittany Valley Drive, Howard, PA 16841. This existing facility is located in Walker Township, **Centre County**.

Description of Proposed Activity: This action is for issuance of a NPDES permit for an existing discharge of industrial stormwater.

WQM Permit No. 0802402, Sewerage SIC 4952, **Valley Joint Sewer Authority**, One South River Street, Athens, PA 18810-1701. This existing facility is located in Athens Borough, **Bradford County**.

Description of Proposed Action/Activity: Issuance of permit for renovation of a sewage plant.

PAS204801, Industrial Stormwater SIC 3399, **GKN Sinter Metals, Inc.**, R. R. 2 Box 47, Emporium, PA 15834. This existing facility is located in Emporium Borough, **Cameron County**.

Description of Proposed Activity: This action is for issuance of a NPDES permit for an existing discharge of industrial stormwater.

WQM Permit No. 4101410, Sewerage SIC 4952, **Department of Conservation and Natural Resources**, 7th Floor, Rachel Carson State Office Building, P. O. Box 8767, Harrisburg, PA 17105-8767. This proposed facility is located in Cummings Township, **Lycoming County**.

Description of Proposed Action/Activity: Construction of sanitary sewers, three pumping stations, a sand filter STP and spray irrigation disposal to serve Little Pine State Park.

PAS224801, Industrial Stormwater SIC 2421, **Patterson Lumber Co., Inc.**, P. O. Box 57, Wellsboro, PA 16901. This existing facility is located in West Branch Township, **Potter County**.

Description of Proposed Activity: This action is for issuance of a NPDES permit for an existing discharge of industrial stormwater.

WQM Permit No. 4902401, Sewerage SIC 4952, **David A. Dyer**, R. R. 1, Box 359, Watsontown, PA 17777. This proposed facility is located in Delaware Township, **Northumberland County**.

Description of Proposed Action/Activity: Permit for small flow treatment facility to serve a single residence.

WQM Permit No. 1402402, Sewerage 4952, **Jacqueline M. Zeigler**, 121 Kennel Lane, Port Matilda, PA 16870. This facility is located in Huston Township, **Centre County**.

Description of Proposed Action/Activity: Single residence wastewater treatment facilities.

WQM Permit No. 5902405, Sewerage 4952, **EMC Mortgage, Inc.**, P. O. Box 141358, Irving, TX 75014. This proposed facility is located in Osceola Township, **Tioga County**.

Description of Proposed Action/Activity: This is an application for a SFTF serving a residence.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No. PA0006297, Industrial, **Menasha Packaging Company, LLC**, Route 70, P. O. Box 418, Yukon, PA 15698-0418 is authorized to discharge from a facility located at the Yukon Plant, Sewickley Township, **Westmoreland County** to receiving waters named Sewickley Creek.

NPDES Permit No. PA0023701, Sewerage, **Midland Borough Municipal Authority**, 10th Street and Railroad Avenue, Midland, PA 15059 is authorized to discharge from a facility located at the Midland Borough Municipal Authority STP, Midland Borough, **Beaver County** to receiving waters named Ohio River.

NPDES Permit No. PA0027456, Sewerage, **Greater Greensburg Sewage Authority**, P. O. Box 248, Greensburg, PA 15601-0248 is authorized to discharge from a facility located at Greater Greensburg STP, Hempfield Township, **Westmoreland County** to receiving waters named Jacks Run.

NPDES Permit No. PA0031844, Sewerage, **Kiski Area School District**, 200 Poplar Street, Vandergrift, PA 15690 is authorized to discharge from a facility located at North Washington Elementary School STP, Washington Township, **Westmoreland County** to receiving waters named unnamed tributary of Pine Run.

NPDES Permit No. PA0041238, Sewerage, **Meyersdale-Summit Park Recreation Commission**, P. O. Box 194, Meyersdale, PA 15552-0194 is authorized to discharge from a facility located at Maple Valley Park Sewage Treatment Plant, Summit Township, **Somerset County** to receiving waters named Blue Lick Creek.

NPDES Permit No. PA0043729, Sewerage, **Hampton Township Sanitary Authority**, 3101 McCully Road, Allison Park, PA 15101 is authorized to discharge from a

facility located at Allison Park STP, Hampton Township, **Allegheny County** to receiving waters named Pine Creek.

NPDES Permit No. PA0096067, Sewerage, **Mt. Pleasant Area School District**, R. D. 4, Box 2222, Mt. Pleasant, PA 15666 is authorized to discharge from a facility located at Westmoreland Homesteads STP, Mt. Pleasant Township, **Westmoreland County** to receiving waters named Sewickley Creek.

NPDES Permit No. PA0097594, Sewerage, **Ron Davidson Chevrolet**, 3885 Admiral Perry Highway, Ebensburg, PA 15931 is authorized to discharge from a facility located at the Ron Davidson Chevrolet STP, Cambria Township, **Cambria County** to receiving waters named unnamed tributary of Stewart Run.

NPDES Permit No. PA0098434, Sewerage, **Pennsylvania Department of Transportation, Bureau of Design**, P. O. Box 3060, Harrisburg, PA 17105-3060 is authorized to discharge from a facility located at PennDOT Welcome Center Sewage Treatment Plant, Whiteley Township, **Greene County** to receiving waters named unnamed tributary of Whiteley Creek.

NPDES Permit No. PA0216402-A1, Sewerage, **Dana Mining Company of PA, Inc.**, P. O. Box 1209, Morgantown, WV 26507 is authorized to discharge from a facility located at Warwick No. 3 Mine, Portal No. 3 STP, Dunkard Township, **Greene County** to receiving waters named tributary of Dunkard Creek.

Permit No. 2602201, Industrial Waste, **Duke Energy North America**, 5400 Westheimer Court, Houston, TX 77056-5310. Construction of 620-W Combined Cycle Power Plant located in German Township, **Fayette County** to serve Fayette Energy Facility.

Permit No. 2602402, Sewerage, **City of Uniontown**, 20 North Gallatin Avenue, Uniontown, PA 15401. Construction of sanitary sewers located in the City of Uniontown, **Fayette County** to serve the City of Uniontown.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 4302409, Sewerage, **Ryan Wells**, 67 Small Road, Fredonia, PA 16124. This proposed facility is located in Lake Township, **Mercer County**.

Description of Proposed Action/Activity: This project is for a single residence sewage treatment plant.

WQM Permit No. 4302403, Sewerage, **Philip R. Kozakovsky**, 5124 Sandy Lake Road, Cochranon, PA 16314. This proposed facility is located in French Creek Township, **Mercer County**.

Description of Proposed Action/Activity: This project is for a single residence sewage treatment plant.

WQM Permit No. 2002406, Sewerage, **Angelo A. Cilenti**, 121 Squaw Run Road, Pittsburgh, PA 15238. This proposed facility is located in South Shenango Township, **Crawford County**.

Description of Proposed Action/Activity: This project is for a single residence sewage treatment plant.

WQM Permit No. 4302408, Sewerage, **Frederick C. Callahan**, 85 Fredonia Road, Apartment 4, Greenville, PA 16125. This proposed facility is located in Hempfield Township, **Mercer County**.

Description of Proposed Action/Activity: This project is for a single residence sewage treatment plant.

WQM Permit No. 4302407, Sewerage, **Richard H. Craig**, 1640 Mercer Grove City Road, Mercer, PA 16137. This proposed facility is located in Findley Township, **Mercer County**.

Description of Proposed Action/Activity: This project is for a single residence sewage treatment plant.

WQM Permit No. 4302405, Sewerage, **Donald Warner**, 7498 Sharon Mercer Road, Mercer, PA 16137. This proposed facility is located in Lackawannock Township, **Mercer County**.

Description of Proposed Action/Activity: This project is for a single residence sewage treatment plant.

WQM Permit No. 2502407, Sewerage, **Barry K. and Connie L. Henderson**, 8678 Maplecrest Drive, McKean, PA 16426. This proposed facility is located in Washington Township, **Erie County**.

Description of Proposed Action/Activity: This project is for a single residence sewage treatment plant.

NPDES STORMWATER INDIVIDUAL PERMITS—(PAS)

The following NPDES Individual Permits for Discharges of Stormwater Associated with Construction Activities have been issued.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35

P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10G156-R	William and Nancy Page 603 Peacock Road Kennett Square, PA 19348	Chester	Upper Oxford Township Chester County	UNT to East Branch Big Elk Creek (HQ-TSF-MF)
PAS10G500	Montgomery School 1141 Route 113 Chester Springs, PA 19425	Chester	West Pikeland Township Chester County	Pickering Creek (HQ-TSF)
PAS10G501	Columbia Gas Transmission Corp. 1700 MacCorkle Avenue P. O. Box 1273 Charlestown, WV 25325-1273	Chester	West Vincent and West Bradford Townships	UNT to Pickering Creek (HQ-TSF) and UNT to Beaver Creek (TSF-MF)
PAS10G518	D&L Capital Investments 1244 West Chester Pike Suite 406 West Chester, PA 19382	Chester	West Bradford Township	Broad Run (EV-MF)
PAS10J057	Koll Bren Schreiber Realty Assoc. 125 Summer Street, Suite 1640 Boston, MA 02110	Delaware	Tinicum Township	UNT to Delaware Estuary (WWF)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10N029-1	First Industrial Acquisition, Inc. 200 Phillips Rd. Exton, PA 19341-1326	Lackawanna	Covington and Clifton Townships	Roaring and Meadow Brooks HQ-CWF
PAS10U161	Ashley Development Corp. 559 Main St. Bethlehem, PA 18018	Northampton	Bethlehem Township	Bushkill Creek HQ-CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Berks County Conservation District, P. O. Box 520, 1238 County Welfare Road, Leesport, PA 19533, (610) 372-4657.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10C047	Pennsylvania Department of Transportation District 5-0 1713 Lehigh St. Allentown, PA 18103	Berks	Cumru Spring Brecknock Townships	Little Muddy Creek (TSF) and Wyomissing Creek (Klines Creek) (CWF)
PAS10C049	Jet Development Corp. 266 Kristin Ln. Allentown, PA 18104	Berks	Topton Borough	Little Lehigh Creek (HQ-CWF)

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS101718	International Custom Products P. O. Box 527A Oklahoma Salem Rd. DuBois, PA 15801	Clearfield	Sandy Township	Reisinger Run CWF

APPROVALS TO USE NPDES AND/OR OTHER GENERAL PERMITS

The following parties have submitted: (1) Notices of Intent for Coverage Under (1) General NPDES Permit(s) to Discharge Wastewater into the Waters of the Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations. Monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permit(s) for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in this Commonwealth; (3) General NPDES Permit Authorizing the Discharge of Stormwater Associated with Construction Activities to Waters of the Commonwealth; (4) Notification for First Use Application of Sewage Sludge.

The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. The Department of Environmental Protection approves the following coverage under the specific General Permit.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)

NOTICES

3531

General Permit Type—PAG-2

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Concord Township Delaware County	PAR10J212	WaWa, Inc. 260 West Baltimore Pike Wawa, PA 19063	Webb Creek (TSF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Lackawanna County Moosic Borough	PAR10N059R	Hemingway Development Corp. 2 Glenmaura National Blvd. Moosic, PA 18507	Spring Brook, CWF	Lackawanna County Conservation District (570) 281-9495
Northampton County Lower Mt. Bethel Township	PAR10U182	Dennis Levine PPL Interstate Energy Co. 214 Shoemaker Rd. Pottstown, PA 19464	Mud Run, SWF Martins Creek, TSF, MF Oughoughton Creek, CWF UNT to Delaware River, CWF	Northampton County Conservation District (610) 746-1971
Schuylkill County Branch and Cass Townships	PAR105840	Branch—Cass Regional Sewer Authority William Jones P. O. Box 309 Llewellyn, PA 17944	West Branch Schuylkill River, CWF	Schuylkill County Conservation District (570) 622-3742
Hamilton Township Fulton County	PAR10M260	Meadow Green Heights Stanley R. Johnson 1432 Johnson Road Chambersburg, PA 17201	Back Creek Conococheague Creek (TSF)	Fulton County Conservation District 216 N. Second Street McConnellsburg, PA 17233 (717) 485-3547
Montgomery Township Fulton County	PAR10M267	Montgomery Township Composting Facility 11364 Fort Loudon Rd. Mercersburg, PA 17236	Licking Creek (CWF)	Fulton County Conservation District 216 N. Second Street McConnellsburg, PA 17233 (717) 485-3547
Quarryville Borough Lancaster County	PAR100569	Powell Steel Corp. 625 Baumgardner Rd. Lancaster, PA 17603	UNT to Big Beaver Creek (TSF)	Lancaster County Conservation District 1383 Arcadia Rd., Rm. 6 Lancaster, PA 17601 (717) 299-5361
Rapho Township Lancaster County	PAR100571	Robert Tracker 1044 Marietta Ave. Lancaster, PA 17603	Chickies Creek (WWF)	Lancaster County Conservation District 1383 Arcadia Rd., Rm. 6 Lancaster, PA 17601 (717) 299-5361
Amity Township Berks County	PAR10C411	George Tindall, Mgr. Amity Township 2004 Weavertown Rd. Douglassville, PA 19518	Manatawny Creek (CWF)	Berks County Conservation District P. O. Box 520 1238 Co. Welfare Rd. Leesport, PA 19533-0520 (610) 372-4657
Muhlenberg Township Berks County	PAR10C429	Michael Lawrence All Star Distributing 851 Commerce St. Sinking Spring, PA 19608	Schuylkill River (WWF)	Berks County Conservation District P. O. Box 520 1238 Co. Welfare Rd. Leesport, PA 19533-0520 (610) 372-4657
North Lebanon Township Lebanon County	PAR10P165	Anthony Piazza 30 Carol Ann Drive Lebanon, PA 17046	Tulpehocken Creek (TSF)	Lebanon County Conservation District 2120 Cornwall Road, Suite 5 Lebanon, PA 17042 (717) 272-3908 x 3

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
East Hanover Township Dauphin County	PAR10I300	New Penn Hospitality Assoc. of Grantville, LP 5835 NW 21st Way Boca Raton, FL 33496	Bow Creek (WWF)	Richard Snyder Dauphin County Conservation District (717) 921-8100
Benner and Spring Townships Centre County	PAR10F164	Victorian Village 660 Benner Pike Bellefonte, PA 16823	UNT to Logan Branch/UNT to Spring Creek (CWF)	Centre County Conservation District 414 Holmes Ave., Suite 4 Bellefonte, PA 16823 (814) 355-6817
Patton Township Centre County	PAR10F147-1	Toftrees Resort Hotel 7 County Club 1 Country Club Lane State College, PA 16803	UNT to Big Hollow (CWF)	Centre County Conservation District 414 Holmes Ave., Suite 4 Bellefonte, PA 16823 (814) 355-6817
Castanea Township Clinton County	PAR10I927	American Color & Chemical LLC Mt. Vernon St. Lock Haven, PA 17745	Bald Eagle Creek (CWF)	Clinton County Conservation District 216 Spring Run Rd. Rm. 104 Mill Hall, PA 17751 (570) 726-3798
Franklin Township Snyder County	PAR105924	D. Merrill Arnold Middleburg Middle School District 568 East Main St. Middleburg, PA 17842	Middle Creek (CWF)	Snyder County Conservation District 403 West Market St. Middleburg, PA 17842 (570) 837-0007 Ext. 112
Allegheny County City of Monroeville	PAR10A492-1	Basil Hawanchak 301 Fitz Henry Road Smithton, PA 15479	Thompson Run/WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County Robinson Township	PAR10A507	The First Christian Church at Crafton 37 McMunn Avenue Pittsburgh, PA 15205	Chartiers Creek/WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County Robinson Township	PAR10A577	The Sampson Group 2500 Eldon Road Monroeville, PA 15146	Campbells Run/WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County Robinson Township	PAR10A588	RDS Land Company, LTD 400 Penn Center Blvd. Pittsburgh, PA 15235	Campbells Run/WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County Pine Township	PAR10A590	Oxford Development Company One Oxford Centre Pittsburgh, PA 15219	UNT to Pine Creek/CWF	Allegheny County Conservation District (412) 241-7645
Armstrong County Kittanning and Plumcreek Townships	PAR10B048	Kittanning-Plumcreek Water Authority R. D. 1, Box 114K Kittanning, PA 16201	Rupp Run/WWF Mill Run/WWF Cherry Run/CWF	Armstrong County Conservation District (724) 548-3425
Cambria County Patton Borough Elder Township	PAR10I086	Patton Borough P. O. Box 175 Patton, PA 16668	Chest Creek/CWF	Cambria County Conservation District (814) 472-2120
Indiana County Burrell Township	PAR103165	MJB Acquisition Corp. Wyoming Tech Institute 4373 N. Third Street Laramie, WY 82072	UNTs Blacklick Creek/CWF	Indiana County Conservation District (724) 463-8847
Washington County Carroll, Fallowfield and Monongahela Townships	PAR10W209	Equitrans, LP 100 Allegheny Center Mall Pittsburgh, PA 15212	UNT to Pigeon Run/WWF UNT to Taylors Run/WWF S. Branch Maple Creek/WWF	Washington County Conservation District (724) 228-6774

NOTICES

3533

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Washington County California Borough	PAR10W213	California University of Pennsylvania Student Association, Inc. 205 University Drive California, PA 15419	Monongahela River/WWF	Washington County Conservation District (724) 228-6774
Butler County Cranberry Township	PAR10E175	Richard A. Mathews RGAM Inc. FOXMOOR Apartments 650 Washington Road Pittsburgh, PA 15228	Brush Creek (WWF)	Butler Conservation District (724) 284-5270
Venango County Sandy Creek Township	PAR107016	Karl D. Ishman, P. E. Pennsylvania Department of Transportation District 1-0 255 Elm Street Oil City, PA 16301	Sandy Creek (WWF)	Venango Conservation District (814) 676-2832
Venango County Cherry Tree Township	PAR107018	Karl D. Ishman, P. E. Pennsylvania Department of Transportation District 1-0 255 Elm Street Oil City, PA 16301	Oil Creek (CWF)	Venango Conservation District (814) 676-2832
<i>General Permit Type—PAG-3</i>				
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Lancaster County East Hempfield Township	PAR123553	Kellogg USA Inc. 2050 State Rd. Lancaster, PA 17604	Swarr Run/TSF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Milton Borough Northumberland County	PAR804801	ACF Industries Inc. 417 North Arch Street Milton, PA 17847	Storm sewer to West Branch of the Susquehanna River (WWF)	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Big Run Borough Jefferson County	PAR118319	Star Iron Works, Inc. R. R. 3, Box 155 Punxsutawney, PA 15767	Big Run and Mahoning Creek (below Clover Run)	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
<i>General Permit Type—PAG-4</i>				
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Bedford County Kimmel Township	PAG043545	Dennis and Nellie Cowher 2302 Schellsburg Road Queen, PA 16670	Beaver Dam Run/11-A	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
North Centre Township Columbia County	PAG044972	Dennis L. Markle 181-B Mountain Rd. Berwick, PA 18603	UNT to West Branch Briar Creek (CWF)	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Delaware Township Northumberland County	PAG044899	David A. Dyer R. R. 1, Box 359 Watsonstown, PA 17777	UNT to Delaware Run (WWF)	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Osceola Township Tioga County	PAG045143	EMC Mortgage, Inc. P. O. Box 141358 Irving, TX 75014	UNT to Cowanesque River (WWF)	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Main Township Columbia County	PAG044988	Lois Williams R. D. 8, Box 468 Bloomsburg, PA 17815	Catawissa Creek (CWF)	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Huston Township Centre County	PAG045139	Jacqueline M. Ziegler 121 Kennel Lane Port Matilda, PA 16870	UNT to Bald Eagle Creek (CWF)	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Lake Township Mercer County	PAG048810	Ryan Wells 67 Small Road Fredonia, PA 16124	Pine Run	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
French Creek Township Mercer County	PAG048790	Philip R. Kozakovsky 5124 Sandy Lake Road Cochranton, PA 16314	Unnamed tributary to North Deer Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
South Shenango Township Crawford County	PAG048813	Angelo A. Cilenti 121 Squaw Run Road Pittsburgh, PA 15238	Unnamed tributary of Shenango River	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Hempfield Township Mercer County	PAG048807	Frederick C. Callahan 85 Fredonia Road Apartment 4 Greenville, PA 16125	Unnamed tributary to Mathay Run	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Findley Township Mercer County	PAG048799	Richard H. Craig 1640 Mercer Grove City Road Mercer, PA 16137	Unnamed tributary to Pine Run	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Lackawannock Township Mercer County	PAG048794	Donald Warner 7498 Sharon Mercer Road Mercer, PA 16137	Unnamed tributary to Little Neshannock Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Washington Township Erie County	PAG048814	Barry K. and Connie L. Henderson 8678 Maplecrest Drive McKean, PA 16426	Unnamed tributary to Conneauttee Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
<i>General Permit Type—PAG-5</i>				
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Luzerne County Wilkes-Barre City	PAG052212	Miners Mills Service 169 Miller Street Wilkes-Barre, PA 18705	Mill Creek/CWF	DEP—NERO Water Management 2 Public Square Wilkes-Barre, PA 18711 (570) 826-2511
Berks County Exeter Township	PAG053567	Exeter Township School District 3650 Perkiomen Avenue Reading, PA 19606	UNT to Antietam Creek/CWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lebanon County Myerstown Borough	PAG053568	Former Reese's Shell Facility 2 North Railroad Street Myerstown, PA 17067	Tulpehocken Creek/WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
<i>General Permit Type—PAG-8</i>				
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>		<i>Contact Office & Phone No.</i>
City of Pittsburgh Allegheny County	PAG086101	Allegheny County Sanitary Authority 3300 Preble Avenue Pittsburgh, PA 15233-1092		Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
<i>General Permit Type—PAG-8 (SSN)</i>				
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
S. Annville Township Lebanon County	PAG083504	Annville Township Authority P. O. Box 320 Annville, PA 17003-0320	Stan Bucher Farm South Annville Township Lebanon County	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
S. Annville Township Lebanon County	PAG083504	Annville Township Authority P. O. Box 320 Annville, PA 17003-0320	Charles Hershey Farm E. Hanover Township Lebanon County	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
<i>General Permit Type—PAG-9</i>				
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>		<i>Contact Office & Phone No.</i>
Conoy Township Lancaster County	PAG093540	Kauffman's Septic Service 236 Governor Stable Road Bainbridge, PA 17502		DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707

General Permit Type—PAG-10

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Berks County Cumru Township	PAG103514	Sunoco Pipeline LP 10 Penn Center 26th Floor 1801 Market Street Philadelphia, PA 19103-1699	UNT Wyomissing Creek/CWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

General Permit Type—PAG-12

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Adams County Mt. Pleasant Township	PAG123552	Bruce Pohlman Bruce Pohlman and Son Hog Farm 1633 Centennial Road New Oxford, PA 17350	UNT South Branch Conewago Creek/WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

PUBLIC WATER SUPPLY PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Safe Drinking Water Act for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER**Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).**

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Operations Permit issued to **Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033, PWS ID 3540032, West Mahanoy Township, **Schuylkill County**, on July 2, 2002, for the operation of facilities approved under Construction Permit #5400503.

Operations Permit issued to **Barton Court**, 654 Morwood Road, Telford, PA 18969, PWS ID 2450005, Pocono Township, **Monroe County**, on July 2, 2002, for the operation of facilities approved under Construction Permit #4594505.

Operations Permit issued to **East Allen Township Municipal Authority**, 5344 Norbath Blvd., Northampton, PA 18067-9063, PWS ID 3480021, East Allen Township, **Northampton County**, on June 14, 2002, for the operation of facilities approved under Construction Permit #4899506.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Operations Permit issued to **Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033, PWS ID 7210029, Fairview Township, **York County**, on July 1, 2002, for the operation of facilities approved under Construction Permit No. 6701505MA.

Operations Permit issued to **Cornwall Borough Municipal Authority**, PWS ID 7380007, Cornwall Borough, **Lebanon County**, on June 18, 2002, for the operation of facilities approved under Construction Permit No. 3801507MA.

Operations Permit issued to **United Water Pennsylvania**, 4211 East Park Circle, Harrisburg, PA 17111, PWD ID 7220015, Hummelstown Borough, **Dauphin County**, on July 1, 2002, for the operation of facilities approved under Construction Permit No. 2202503MA.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. Minor Amendment. Public Water Supply.

Applicant	New Albany Borough P. O. Box 67 New Albany, PA 18833
Borough or Township	New Albany Borough and Albany Township
County	Bradford
Type of Facility	Approval to construct replacement of existing distribution system

Consulting Engineer Stiffler, McGraw, & Associates
19 N. Juniata Street
P. O. Box 462
Hollidaysburg, PA 16648

Permit to Construct July 8, 2002
Issued

Permit No. Minor Amendment. Public Water Supply.

Applicant **Shamokin Dam Borough**
144 West 8th Ave.
P. O. Box 273
Shamokin Dam, PA 17876-0273

Borough Shamokin Dam Borough

County **Snyder**

Type of Facility Approval to construct DelPAC
2020 coagulant feed facilities for
existing filtration plant

Consulting Engineer Gannett-Fleming, Inc.
202 Senate Ave.
Camp Hill, PA 17011

Permit to Construct July 5, 2002
Issued

Permit No. Minor Amendment. Public Water Supply.

Applicant **Shamokin Dam Borough**
144 West 8th Ave.
P. O. Box 273
Shamokin Dam, PA 17876-0273

Borough Shamokin Dam Borough

County **Snyder**

Type of Facility Approval to operate DelPAC 2020
coagulant feed facilities for exist-
ing filtration plant

Consulting Engineer Gannett-Fleming, Inc.
202 Senate Ave.
Camp Hill, PA 17011

Permit to Operate July 5, 2002
Issued

*Southwest Region: Water Supply Management Program
Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-
4745.*

Operations Permit issued to **Cambria Township
Water Authority**, P. O. Box 23, Reese Avenue, Colver, PA
15927, PWS ID 4110006, Cambria Township, **Cambria
County**, on June 28, 2002, for the operation of facilities
approved under Construction Permit #1186502-A2.

Permit No. 5026504-A1, Minor Amendment. Public
Water Supply.

Applicant **Aqua Filter Fresh, Inc.**
P. O. Box 14128
One Commerce Drive
Pittsburgh, PA 15239

Borough or Township Plum Borough

County **Allegheny**

Type of Facility Bulk water hauling

Consulting Engineer Robert Mitall

Permit to Construct June 21, 2002
Issued

Permit No. 5026504-A2, Minor Amendment. Public
Water Supply.

Applicant

Aqua Filter Fresh, Inc.
P. O. Box 14128
One Commerce Drive
Pittsburgh, PA 15239

Borough or Township Plum Borough

County **Allegheny**

Type of Facility Addition of Temple Springs No.
2290508

Consulting Engineer Robert Mitall

Permit to Operate July 1, 2002
Issued

*Northwest Region: Water Supply Management Program
Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

Permit No. 3702501, Public Water Supply.

Applicant **Cedar Acres MHP**
1650 Harlansburg Road
New Castle, PA 16101

Borough or Township Scott Township

County **Lawrence**

Type of Facility New source (Well No. 2)

Consulting Engineer Frank Taylor Engineering
R. D. 1 Box 93
New Castle, PA 6101

Permit to Construct July 3, 2002
Issued

Permit No. 2789-T1-MA2, Minor Amendment. Pub-
lic Water Supply.

Applicant **Erie City Water Authority**
340 West Bayfront Parkway
Erie, PA 16507

Borough or Township City of Erie

County **Erie**

Type of Facility Paint, repair and upgrade of the
existing west hydropillar water
storage tank.

Consulting Engineer Tank Industry Consultants
774 West New York Street
Indianapolis, IN 46214

Permit to Construct July 3, 2002
Issued

Permit No. 8875-W-T1-MA1, Minor Amendment.
Public Water Supply.

Applicant **Erie City Water Authority**
340 West Bayfront Parkway
Erie, PA 16507

Borough or Township City of Erie

County **Erie**

Type of Facility Interior/exterior painting and mis-
cellaneous repairs to the East
Booster standpipe.

Consulting Engineer Tank Industry Consultants
774 West New York Street
Indianapolis, IN 46214

Permit to Construct July 3, 2002
Issued

SEWAGE FACILITIES ACT PLAN APPROVAL**Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20a).**

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Peters Township	610 East McMurray Road McMurray, PA 15317	Washington County

Plan Description: The approved plan provides for construction of a 400-gallon per day single residence sewage treatment plan to serve the Gregory L. Baker single family home, 347 Churchill Road, Venetia, PA 15367. The proposed discharge point is an unnamed tributary of Peters Creek classified as a trout stocking fishery. Any required NPDES permits or WQM permits must be obtained in the name of the applicant as appropriate. The Department's review of the sewage facilities revision has not identified any significant impacts resulting from this proposal.

**HAZARDOUS SITES CLEAN-UP
UNDER THE ACT OF OCTOBER 18,
1988**

Public Notice of Proposed Consent Order and Agreement

**DuPont/New Castle Junk Site
City of Newcastle and Union Township, Lawrence
County**

Under section 1113 of the Hazardous Sites Cleanup Act (35 P. S. §§ 6020.101—6020.1305) (HSCA), the Department of Environmental Protection (Department) has entered into a Consent Order and Agreement (Agreement) with Medure Development, LLC (Medure) concerning the re-development of a portion of the DuPont/New Castle Junk Site (Site).

In the past, wastes containing hazardous substances were disposed at the Site, and these substances contaminated the environment at the Site. The Department and some of the responsible persons for the Site conducted a response action at the Site between 1992 and 2002. This response action included treatment of wastes and soils contaminated by hazardous substances, followed by placement of a soil cap on one portion of the treated wastes and proper closure of a residual waste landfill on another portion of the Site. Upon completion of the response action, the portion of the Site owned by the Lawrence County Economic Development Corporation (LCEDC) was available for redevelopment.

Medure is purchasing a portion of the Site property that is now owned by LCEDC. Medure is not a "responsible party" as defined in section 103 of HSCA (35 P. S. § 6020.103). However, in recognition of the extensive cleanup efforts at the Site, under the terms of the Agreement, Medure has agreed to redevelop this portion of the Site property in a manner consistent with the completed response action, including maintaining the soil cap over the treated wastes.

The specific terms of this settlement are set forth in the Agreement between the Department and Medure. The Department will receive and consider comments relating to the Agreement for 60 days from the date of this notice. The Department has the right to withdraw its consent to

the Agreement if the comments disclose facts or considerations that indicate that the Agreement is inappropriate, improper or not in the public interest. After the public comment period, the Department's settlement with Medure shall be effective upon the date that the Department notifies Medure, in writing, that this Agreement is final and effective in its present form, and that the Department has filed a response to significant written comments to the Agreement or that no comments were received.

Copies of the Agreement are available for inspection at the Department's Northwest Regional Office. Comments may be submitted to Gary Mechtly, Project Manager, Hazardous Sites Cleanup, Northwest Regional Office, Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6648. TDD users may contact the Department through the Pennsylvania Relay Services at (800) 645-5984.

**LAND RECYCLING AND
ENVIRONMENTAL REMEDIATION**

UNDER ACT 2, 1995

PREAMBLE 2

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site where one of the Act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southeast Region: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Former Ultra Precision Facility, Middletown Township, **Bucks County**. Richard P. Cerbone, P.G., ENSR Corp., 2005 Cabot Blvd. West, Langhorne, PA 19047-1810, on behalf of Teachers Insurance & Annuity Assoc., College Retirement Equities Fund, 730 Third Ave., New York, NY 10017-3206, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with BTEX and PAHs. The report is intended to document remediation of the site to meet Statewide Health and Site-Specific Standards.

Former Dial Property, Bristol Borough, **Bucks County**. Michael A. Christie, P. G., Penn Environmental & Remediation, Inc., 2755 Bergey Rd., Hatfield, PA 19440, on behalf of Redevelopment Authority of Bucks County, One N. Wilson Ave., Bristol, PA 19007, has submitted a combined Remedial Investigation and Cleanup Plan concerning the remediation of site soil contaminated with lead, heavy metals, BTEX, PAHs and solvents; and groundwater contaminated with heavy metals, BTEX, PAHs and solvents.

Former Cedar Hollow Quarry, Historic Landfill (Groundwater), East Whiteland and Tredyffrin Townships, **Chester County**. Darryl D. Borrelli, Manko, Gold, Katcher & Fox, LLP, 401 City Ave., Bala Cynwyd, PA 19004, has submitted a Final Report concerning remediation of site groundwater contaminated with solvents. The report is intended to document remediation of the site to meet Background Standards.

Former Automatic Timing and Controls Facility, Upper Merion Township, **Montgomery County**. Darryl D. Borrelli, Manko, Gold, Katcher & Fox, LLP, 401 City Ave., Bala Cynwyd, PA 19004, on behalf of Schuylkill Assoc., P. O. Box 128, Ambler, PA 19002, has submitted a Final Report concerning remediation of site groundwater contaminated with BTEX and solvents. The report is intended to document remediation of the site to meet Statewide Health and Site-Specific Standards.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Hazardous Waste Transporter License Renewed

Detrex Corporation, P. O. Box 5111, Southfield, MI 48086-5111. License No. **PA-AH 0417**. Effective June 28, 2002.

Midwest Environmental Services Inc., P. O. Box 218, 420 1/2 S. Francis Street, Brownstown, IN 47220. License No. **PA-AH 0661**. Effective June 28, 2002.

Tonawanda Tank Service Inc., 1140 Military Road, P. O. Box H, Buffalo, NY 14217. License No. **PA-AH 0429**. Effective June 28, 2002.

David J. Winning Company, 5610 Aiken Road, McKees Rocks, PA 15136. License No. **PA-AH S100**. Effective June 27, 2002.

National Waste Clean, Inc., 304 Pulaski Street, South Plainfield, NJ 07080. License No. **PA-AH 0528**. Effective July 3, 2002.

Marisol, Incorporated, 213 West Union Avenue, Bound Brook, NJ 08805-1334. License No. **PA-AH 0164**. Effective July 3, 2002.

Hazardous Waste Transporter License Expired

Hub City Environmental, Inc., P. O. Box 817, Pearland, TX 77581. License No. **PA-AH 0530**. Effective June 30, 2002.

NEI Transport, LLC, P. O. Box 856, Duenweg, MO 64841. License No. **PA-AH 0663**. Effective June 30, 2002.

R. L. Carter Trucking, Inc., 8451 S. State Road 39, Clayton, IN 46118. License No. **PA-AH 0662**. Effective June 30, 2002.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

Infectious and Chemotherapeutic Waste Transporter License, action taken under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations to transport infectious and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Infectious and Chemotherapeutic Waste Transporter License Expired

Regnier's Refrigerated Express, 648 Frenchtown Road, New Castle, DE 19702. License No. **PA-HC 0050**. Effective June 30, 2002.

HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

Draft permit issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.

Southeast Region: Regional Solid Waste Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

PAD002387926. Merck & Co Inc., 770 Sumneytown Pike, P. O. Box 4, West Point, PA 19486-0004, Upper Gwynedd Township, **Montgomery County**. Draft permit for the 10-year renewal of the captive hazardous waste container storage operations at Merck's West Point facility. Draft permit issued on July 8, 2002.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit Approved Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit No. WMGR027D001A. Better Materials Corporation, P. O. Box 187, Route 522 North, Berkeley Springs, WV 25411-0187. General Permit Number WMGR027D001A is for the beneficial use of baghouse fines and scrubber pond precipitates generated at Penns Park plant located in Wrightstown Township, **Bucks County**, PA, as an aggregate in roadway construction or as an ingredient or component in cement or asphalt products. Central Office approved the determination of applicability on July 3, 2002.

**OPERATE WASTE PROCESSING OR DISPOSAL
AREA OR SITE**

Permit Issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Permit No. 101413. Republic Services Group of Pennsylvania, LLC, 4145 E. Baltimore Pike, Media, PA 19063, City of Chester, **Delaware County**. Existing permit reissued from Republic Services Group of Pennsylvania II, LLC to Republic Services Group of Pennsylvania LLC. The permit was reissued by the Southeast Regional Office on July 8, 2002.

Permits Revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Permit No. 400571. Pottstown Memorial Medical Center, 1600 East High St., Pottstown, PA 19464-5008, Borough of Pottstown, **Montgomery County**. Based upon the satisfactory closure of the hospital's waste incinerator, the waste permit is being revoked at the operator's request, and the bond associated with the waste permit will be released upon this action becoming final. The permit was revoked by the Southeast Regional Office on July 8, 2002.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 601485. Derry Township Municipal Authority, 670 Clearwater Road, Hershey, PA 17033-3237, Derry Township, **Dauphin County**. This permit has been revoked at the request of the permittee for two sites in Derry Township (Farm Nos. 41 and 46). The permit was revoked by Southcentral Regional Office on June 27, 2002.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

GP5-17-06: Fairman Drilling Co. (R. R. 1, Helvetia Road, DuBois, PA 15801) on June 6, 2002, for operation of a 200 horsepower natural gas-fired reciprocating internal combustion compressor engine and associated air cleaning

device (a catalytic converter) and a dehydrator under the General Plan Approval and General Operating Permit for Natural Gas Production Facilities (BAQ-GPA/GP 5) at the Buterbaugh Station in Burnside Township, **Clearfield County**.

GP1-18-01: Croda, Inc. (8 Croda Way, Mill Hall, PA 17751) on June 13, 2002, for construction and operation of a 14.5 million Btu/hour natural gas/#2 fuel oil-fired boiler equipped with a low NOx burner and flue gas recirculation system under the General Plan Approval and General Operating Permit for Small Gas and No. 2 Oil-Fired Combustion Units (BAQ-GPA/GP-1) in Bald Eagle Township, **Clinton County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: William Charlton, New Source Review Chief, (412) 442-4174.

GP-32-00319: Belden and Blake Corp. (5200 Stoneham Road, P. O. Box 2500, North Canton, OH 44720) on July 1, 2002, for construction and operation of a Caterpillar Model 3408CLE 425 Bhp Compressor Engine at the Clawson Compressor Station in Black Lick Township, **Indiana County**.

GP-26-00544: Belden and Blake Corp. (5200 Stoneham Road, P. O. Box 2500, North Canton, OH 44720) on July 1, 2002, for construction and operation of a Caterpillar Model G3306NA 145 Bhp Compressor Engine at the Connellsville Compressor Station in Dunbar Township, **Fayette County**.

GP-65-00950: Dominion Energy Inc. (625 Liberty Avenue, Pittsburgh, PA 15222) on July 3, 2002, for installation of 810 Bhp Model G3512LE and 633 Bhp Model G3508LE caterpillar engines to operate two natural gas production well booster compressors at Peoples Natural Gas Company's Arnold Compressor Station in Lower Burrell City, **Westmoreland County**.

GP-32-00362: Independence Recycling, Inc. (5531 Canal Road, Valley View, OH 44125) on July 3, 2002, for relocation of a Portable Nonmetallic Mineral Processing Plant to the PennDOT—Dick Corp. roadway project on SR 22/119 in Blairsville, **Indiana County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.

62-017: United Refining Co. (Bradley and Dobson Streets, Warren, PA 16365) on May 31, 2002, for installation of a low sulfur gas storage tank in Warren, **Warren County**.

42-200: Belden and Blake Corp.—Westline 280 Station (SR 3006, Bradford, PA 16701) for operation of a natural gas compressor station in Lafayette Township, **McKean County**.

61-196: Belden and Blake Corp.—Windy Hill Station (SR 8, Titusville, PA 16354) for operation of a natural gas compressor station in Cherry Tree Township, **Venango County**.

62-155: Belden and Blake Corp.—Lamoree Station (SR 27, Grand Valley, PA 16354) for operation of a natural gas compressor station in Eldred Township, **Warren County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Mark Wejkszner, Acting New Source Review Chief, (570) 826-2531.

39-317-028: Kraft Foods North America, Inc. (7352 Industrial Blvd., Allentown, PA 18106) on July 1, 2002, for modification of a mustard seed storage and transfer system and associated air cleaning devices in Upper Macungie Township, **Lehigh County**.

48-309-117: ESSROC Cement Corp. (3251 Bath Pike, Nazareth, PA 18064) on June 25, 2002, for installation of an air cleaning device on the Clinker Silo 524 at the Nazareth Plant No. 1 in Lower Nazareth Borough, **Northampton County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

67-05004E: P. H. Glatfelter Co. (228 South Main Street, Spring Grove, PA 17362) on July 1, 2002, for installation of a baghouse on an existing steel ash bin vent of the Nos. 1, 3 and 4 Power Boilers' ash unloading system in Spring Grove Borough, **York County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

18-00011D: Croda, Inc. (8 Croda Way, Mill Hall, PA 17751-9601) on June 20, 2002, for construction of four VOC/hazardous air pollutant storage tanks and associated distribution systems in Bald Eagle Township, **Clinton County**. The tanks and distribution systems are subject to Subpart PPP of the National Emission Standards for Hazardous Air Pollutants.

60-0001B: Bucknell University (Department of Physical Plant, Lewisburg, PA 17837) on June 25, 2002, for construction of a natural gas/#2 fuel oil-fired turbine in Lewisburg Borough, **Union County**. The turbine is subject to Subpart GG of the Federal Standards of Performance for New Stationary Sources.

53-00005B: Dominion Transmission Corp. (625 Liberty Avenue, Pittsburgh, PA 15222) on June 25, 2002, for construction of a 4,735 HP natural gas-fired reciprocating internal combustion compressor engine and associated air cleaning device (a catalytic exhaust silencer) at the Greenlick Compressor Station in Stewardson Township, **Potter County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: William Charlton, New Source Review Chief, (412) 442-4174.

03-975B: Armstrong Energy Limited Partnership, LLC (R. D. 3, Box 196, Shelocta, PA 15774) on June 28, 2002, to increase annual emissions to include startups and shutdowns, name change and other minor changes in South Bend Township, **Armstrong County**.

26-00451B: CONSOL Docks, Inc. (1800 Washington Road, Pittsburgh, PA 15241) on June 25, 2002, to increase annual throughput and to allow construction of barge unloading, onground stockpiling and transfer equipment in Luzerne Township, **Fayette County**.

03-00228A: Rosebud Mining Co. (301 Market Street, Kittanning, PA 16201) on July 1, 2002, for a coal staging and coal sizing operation at the Stitt Mine in Rayburn Township, **Armstrong County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.

61-185A: Heath Oil Co. (Route 8, Barkeyville, PA 16301) on June 20, 2002, for modification of sampling requirements for the Barkeyville Refinery in Barkeyville, **Venango County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.

15-0098: Rhodia ChiRex America, Inc. (383 Phoenixville Pike, Malvern, PA 19355) on July 5, 2002, for operation of two new reactors in Charlestown Township, **Chester County**.

46-0036A: Visteon Systems LLC (2750 Morris Road, Lansdale, PA 19446) on July 5, 2002, for operation of a urea selective catalytic reduction in Worcester Township, **Montgomery County**.

46-318-045: Willow Grove Air Reserve Station (Langley Street, Horsham, PA 19044) on July 8, 2002, for operation of a paint spray booth in Horsham Township, **Montgomery County**.

23-0004: American Ref-Fuel Co. of DV, L.P. (10 Highland Avenue, Chester, PA 19013) on July 8, 2002, for operation of a mass burn resource recovery factory in City of Chester, **Delaware County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

06-03041: Delaware County Solid Waste Authority (583 Longview Road, Boyertown, PA 19512) on November 25, 2001, for a municipal waste landfill controlled by an enclosed ground flare and turbine at its Rolling Hills Landfill in Earl Township, **Berks County**. This plan approval was extended.

06-03041: Delaware County Solid Waste Authority (583 Longview Road, Boyertown, PA 19512) on March 26, 2002, for a municipal waste landfill controlled by an enclosed ground flare and turbine at its Rolling Hills Landfill in Earl Township, **Berks County**. This plan approval was extended.

22-03037: Consolidated Scrap Resources, Inc. (P. O. Box 1761, Harrisburg, PA 17105) on March 1, 2002, for a metal scrap shredder controlled by a cyclone in the City of Harrisburg, **Dauphin County**. This plan approval was extended.

36-03122A: Chester County Solid Waste Authority (7224 Division Highway, Narvon, PA 17555) on July 2, 2002, for construction of a landfill gas utility flare at the Lancaster Landfill in Caernarvon Township, **Lancaster County**. This plan approval transferred ownership from Allegheny Energy Resources, Inc. to Chester County Solid Waste Authority.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

41-399-026: Penn Recycling, Inc. (2525 Trenton Avenue, Williamsport, PA 17701) on June 27, 2002, for operation of an automobile/metal shredding system and associated air cleaning devices (a foam injection system and a cyclone collector) on a temporary basis until October 25, 2002, in the City of Williamsport, **Lycoming County**. This plan approval was extended.

55-399-003A: Penn Lyon Homes, Inc. (P. O. Box 27, Selinsgrove, PA 17870) on June 26, 2002, for operation of prefabricated housing wood door, cabinet and trim surface coating and gluing operations on a temporary basis until October 25, 2002, in Monroe Township, **Snyder County**. This plan approval was extended.

08-317-003C: Taylor Packing Co., Inc. (P. O. Box 188, Wyalusing, PA 18853) on July 2, 2002, for construction of a rendering cooker in Wyalusing Township, **Bradford County**. This plan approval was transferred from Taylor By-Products, Inc. to Taylor Packing Co., Inc.

53-329-011: Tennessee Gas Pipeline Co. (9 Greenway Plaza, Houston, TX 77046) on July 2, 2002, for construction of a 367 horsepower natural gas-fired emergency generator instead of a 250 horsepower natural gas-fired emergency generator and to revise the allowable air contaminant emission limitations for the emergency generator and the facility accordingly in Genesee Township, **Potter County**. This plan approval was revised.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: William Charlton, New Source Review Chief, (412) 442-4174.

32-00230B: Texas Eastern Transmission, LP (5151 San Felipe, Houston, TX 77056) on June 28, 2002, to delete the citation of 40 CFR Subpart GG from the end of Condition 8 for the Armagh Compressor Station in Armagh Borough, **Indiana County**. The turbine at the station is not required by 40 CFR Subpart GG to install a CEMS. Compliance with the 40 CFR Subpart GG NOx Standard is established during the initial four-load stack testing. This requirement is addressed in Condition #19 of Plan Approval 32-00230A.

11-00285A: Whitaker Roads Corp. (P. O. Box 5657, Johnstown, PA 15904) on July 1, 2002, for installation of the Johnstown Asphalt Plant in Richland Township, **Cambria County**. This plan approval was extended.

32-055C: Homer City OL1-OL8 LLC (1750 Power Plant Road, Homer City, PA 15748) on July 1, 2002, to complete installation of the SCR and scrubber at the Homer City Station in Center Township, **Indiana County**. This plan approval was extended.

65-891B: Firestone Building Products Co. (525 Congressional Blvd., Carmel, IN 46032) on July 8, 2002, for replacement of an HCFC-141B w/pentane and install thermal at the Youngwood Plant in Youngwood Borough, **Westmoreland County**. This plan approval was extended.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.

10-087A: Du-Co Ceramics Co. (155 South Rebecca Street, Saxonburg, PA 16056) on June 18, 2002, for a Swindler Dressler Tunnel Kiln in Jefferson Township, **Butler County**.

24-083D: Carbone of America Graphite Materials Division (1032 Trout Run Road, St. Marys, PA 15857) on June 30, 2002, for CBH Kilns in Benzinger Township, **Elk County**.

24-313-086A: Carbide Graphite Group, Inc. (800 Theresia Street, St. Marys, PA 15857) on June 30, 2002, for Carbottom Baking Kilns in St. Marys, **Elk County**.

25-066D: AKW, L. P. (1015 East 12th Street, Suite 200, Erie, PA 16503) on June 28, 2002, for 7,000, 5,000 and 8,000 ton forging presses in Erie, **Erie County**.

42-399-013C: Temple Inland Forest Products Corp.—Mt. Jewett (R. D. 2, Hutchins Road, Mt. Jewett, PA 16740) on June 30, 2002, for compliance measures and plant improvements in Sergeant Township, **McKean County**.

42-158A: Temple Inland Forest Products Corp.—Mt. Jewett (R. D. 2, Hutchins Road, Mt. Jewett, PA 16740) on June 30, 2002, for compliance measures and plant improvements in Sergeant Township, **McKean County**.

42-158B: Temple Inland Forest Products Corp.—Mt. Jewett (R. D. 2, Hutchins Road, Mt. Jewett, PA 16740) on June 30, 2002, for compliance measures and plant improvements in Sergeant Township, **McKean County**.

42-158C: Temple Inland Forest Products Corp.—Mt. Jewett (R. D. 2, Hutchins Road, Mt. Jewett, PA 16740) on June 30, 2002, for compliance measures and plant improvements in Sergeant Township, **McKean County**.

42-158D: Temple Inland Forest Products Corp.—Mt. Jewett (R. D. 2, Hutchins Road, Mt. Jewett, PA 16740) on June 30, 2002, for compliance measures and plant improvements in Sergeant Township, **McKean County**.

42-176C: Temple Inland Forest Products Corp.—Mt. Jewett (R. D. 2, Hutchins Road, Mt. Jewett, PA 16740) on June 30, 2002, for compliance measures and plant improvements in Sergeant Township, **McKean County**.

42-176G: Temple Inland Forest Products Corp.—Mt. Jewett (R. D. 2, Hutchins Road, Mt. Jewett, PA 16740) on June 30, 2002, for compliance measures and plant improvements in Sergeant Township, **McKean County**.

42-176H: Temple Inland Forest Products Corp.—Mt. Jewett (R. D. 2, Hutchins Road, Mt. Jewett, PA 16740) on June 30, 2002, for compliance measures and plant improvements in Sergeant Township, **McKean County**.

42-176I: Temple Inland Forest Products Corp.—Mt. Jewett (R. D. 2, Hutchins Road, Mt. Jewett, PA 16740) on June 30, 2002, for compliance measures and plant improvements in Sergeant Township, **McKean County**.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

62-00141: National Fuel Gas Supply Corp.—Roystone Compressor Station (Star Route Box 574, Warren, PA 16365) for operation of a natural gas compressor station in Sheffield Township, **Warren County**. This Title V Operating Permit was renewed.

25-00179: City of Erie—Erie Wastewater Treatment Plant (68 Port Access Road, Erie, PA 16507) on July 8, 2002, for operation of a wastewater treatment plant and associated equipment, two sewage sludge incinerators and four generators in Erie Borough, **Erie County**.

33-00140: Dominion Transmission Inc.—Punxsutawney Station (625 Liberty Avenue, Pittsburgh, PA 15222-3199) for operation of three natural gas-fired compressor engines, a small natural gas-fired boiler, a small natural gas-fired auxiliary generator and several miscellaneous storage tanks in Perry Township, **Jefferson County**.

10-00062: State System Higher Education—Slippery Rock University (The Facilities and Planning Offices, Slippery Rock, PA 16057) for operation of two natural gas and coal-fired boilers, two coal-fired boilers and several miscellaneous natural gas or diesel-fired IC engines in Slippery Rock Borough, **Butler County**.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104; Contact: Edward Braun, Chief, (215) 685-9476.

95-058: Naval Foundry and Propeller Center (Building 592—Code 991.3, Philadelphia, PA 19112) July 3, 2002, for operation of a cement mixing, metal melting, metal stress relieving and metal grit blasting facility as per foundry operations and for operation of a machining, degreasing, painting and blasting of metal parts facility as per the machine shop in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include sand mixing, 14 electric induction furnaces, sand conveying operations, laser welding, blasting, metal grinding, sawing, 17 combustion units each rated at 20 mmBtu/hr or less, propeller cleaning, paint spraying and film developing. The facility's air emission control devices include baghouses, dust collectors and particulate recovery.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Edward Brown, Facilities Permitting Chief, (610) 832-6242.

09-00107: American Stone-Mix, Inc. (1214 Hayes Blvd., Bristol, PA 19007) on July 1, 2002, for operation of a Natural Minor Operating Permit in Bristol Township, **Bucks County**.

23-00073: Alan McIlvain Co. (5th and Market Streets, Marcus Hook, PA 19061) on July 1, 2002, for operation of a Natural Minor Operating Permit in Marcus Hook Borough, **Delaware County**.

46-00134: The Hill School (Chestnut and Grant Streets, Pottstown, PA 19464) on July 1, 2002, for operation of a Synthetic Minor Operating Permit in Pottstown Borough, **Montgomery County**.

15-00073: Department of Veteran's Affairs (1400 Blackhorse Hill Road, Coatesville, PA 19320) on July 1, 2002, for operation of a Synthetic Minor Operating Permit in Caln Township, **Chester County**.

09-00053: Greif Bros. Corp. (695 Louis Drive, Warminster, PA 18974) on July 2, 2002, for operation of a Synthetic Minor Operating Permit in Warminster Township, **Bucks County**.

09-00056: Betz Dearborn, Inc. (4636 Somerton Road, Trevese, PA 19053) on July 5, 2002, for operation of a Synthetic Minor Operating Permit in Bensalem Township, **Bucks County**.

46-00107: ITW Philadelphia Resins (130 Commerce Drive, Montgomeryville, PA 18936) on July 5, 2002, for operation of a Natural Minor Operating Permit in Montgomery Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

36-05108: International Paper Co. (801 Fountain Avenue, Lancaster, PA 17601) on June 28, 2002, for operation of a solid fiber shipping container manufacturing facility in Manheim Township, **Lancaster County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

61-00012: OMG/Mooney Chemicals, Inc. (P. O. Box 111, 2 Mile Run Road, Franklin, PA 16323) on July 2, 2002, for operation of an industrial organic chemicals manufacturing facility in Sugarcreek Borough, **Venango County**. The facility has accepted limitations on the emission of VOCs and hazardous air pollutants.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

24-00016: Keystone Powdered Metal Co.—State Street Plant (1935 State Street, St. Marys, PA 15857-0313) for an administrative amendment to incorporate changes brought about through Plan Approval No. 24-016A in St. Marys Borough, **Elk County**. The EPA and public comment periods were addressed during the plan approval process.

24-00009: Weyerhaeuser Co. (100 Center Street, Johnsonburg, PA 15845) on July 1, 2002, for an administrative amendment to reflect the change in ownership from Willamette Industries, Inc. to Weyerhaeuser Co. for their Johnsonburg Mill in Johnsonburg Borough, **Elk County**. The Title V Operating Permit was originally issued September 5, 2000, and amended November 2, 2000, and April 8, 2002.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

54840105T2. Mine Hill Coal Co. #7, Inc. (P. O. Box 466, Minersville, PA 17954), transfer of an existing anthracite surface mine operation in Cass Township, **Schuylkill County** affecting 372.2 acres. Receiving stream: none. Application received April 2, 2002. Transfer issued July 3, 2002.

49663009C2R3. Mallard Contracting Co., Inc. (100 Lehigh Street, Mt. Carmel, PA 17851-1293), correction and renewal of an existing anthracite surface mine operation in Mt. Carmel and Conyngham Townships, **Northumberland and Columbia Counties** affecting 1,200 acres. Receiving stream: Shamokin Creek. Applications received April 11, 2000, and February 1, 2001. Correction and renewal issued July 5, 2002.

40020201. Rossi Excavating Company (9 West 15th Street, Hazleton, PA 18201), commencement, operation and restoration of a coal refuse reprocessing operation in Hazle Township, **Luzerne County**, affecting 113 acres. Receiving stream: none. Application received March 4, 2002. Permit issued July 5, 2002.

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209, (814) 342-8200.

14960101 and NPDES Permit No. PA0220388. River Hill Coal Co., Inc., P. O. Box 141, Kylertown, PA 16847. Renewal of an existing bituminous surface mine permit in Snow Shoe Township, **Centre County**, affecting 48.5 acres. Receiving streams: North Fork Beech Creek to Beech Creek, Beech Creek to Bald Eagle Creek; Bald Eagle Creek to West Branch Susquehanna River. Application received November 13, 2001. Permit issued July 3, 2002.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.

65990101 and NPDES Permit No. PA0202428. Gary Gioia Coal Company (319 Karen Drive, Elizabeth, PA 15037). Transfer of permit formerly issued to Purco Coal, Inc. for continued operation and reclamation of a bituminous surface mining site located in South Huntingdon Township, **Westmoreland County**, affecting 14 acres.

Receiving streams: unnamed tributary to Youghiogheny River. Application received April 24, 2002. Transfer permit issued July 2, 2002.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56860105 and NPDES Permit No. PA0597686. Croner, Inc., (P. O. Box 260, Friedens, PA 15541). Permit renewal for continued operation of a bituminous surface and auger mine and for existing discharge of treated mine drainage in Brothersvalley Township, **Somerset County**, affecting 184.2 acres. Receiving streams: unnamed tributaries to Blue Lick Creek and Swamp Creek classified for the following use: cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received March 12, 2002. Permit issued July 1, 2002.

56920108 and NPDES Permit No. PA0212181. Godin Brothers, Inc., (5433 Front Street, Stoystown, PA 15563). Permit renewal for reclamation only and for continued restoration of a bituminous surface mine and treated mine drainage in Jenner Township, **Somerset County**, affecting 71.7 acres. Receiving streams: unnamed tributary to Hoffman Run, Hoffman Run and Quemahoning Creek, all to Quemahoning Creek to Stony Creek to Conemaugh River classified for the following uses: cold water fishery and warm water fishery. The first downstream potable water supply intake from the point of discharge is Cambria/Somerset Municipal Authority Stonycreek No. 1 (Border Dam). Application received June 14, 2002. Permit issued July 1, 2002.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

10010112 and NPDES No. PA0242039. T. C. Mining (252 Lower Hays Run Road, Kittanning, PA 16201). Commencement, operation and restoration of a bituminous strip and auger operation in Clay and Concord Townships, **Butler County**, affecting 181.7 acres. Receiving streams: unnamed tributary to South Branch Slippery Rock Creek. Application received December 31, 2001. Permit Issued June 25, 2002.

Noncoal Permits Actions

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

4975SM3A1C3 and NPDES Permit PA0612235. Glen-Gery Corporation (P. O. Box 7001, Wyomissing, PA 19610-6001). Renewal of NPDES Permit in Hamilton Township, **Adams County**. Receiving stream: Muncy Run. Application received May 17, 2002. Renewal issued July 2, 2002.

66020802. Alexander Jubinski, Jr. (R. R. 2, Box 502-4, Dalton, PA 18414). Commencement, operation and restoration of a quarry operation in Falls Township, **Wyoming County**, affecting 5 acres, receiving stream: none. Application received February 25, 2002. Permit issued July 3, 2002.

6276SM6T and NPDES Permit PA0595365. Donegal Rock Products, LLC (148 East Lancaster Street, Wayne, PA 19087). Transfer of an existing quarry operation in West Donegal Township, **Lancaster County**, affecting 51 acres, receiving stream: unnamed tributary to Donegal Creek. Application received March 15, 2002. Transfer issued July 5, 2002.

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209, (814) 342-8200.

08020803. Heeman Quarries, Inc., (R. R. 2, Box 227H, Wyalusing, PA 18853). Commencement, operation and restoration of a Small Industrial Minerals (Bluestone/Flagstone) permit in Tuscarora Township, **Bradford County**, affecting 5 acres. Receiving streams: unnamed tributary to Mill Creek, tributary to Mill Creek. Application received March 19, 2002. Permit issued July 3, 2002.

53012802. Fessenden Construction Co., Inc. (94 Main Street, P. O. Box 271, Roulette, PA 16746). Commencement, operation and restoration of a Small Industrial Minerals (Rock) permit in Roulette Township, **Potter County**, affecting 2 acres. Receiving stream: tributary to Allegheny River. Application received October 29, 2001. Permit issued July 3, 2002.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

37022802. B. & P. Slag Corp. (133 East Wallace Avenue, New Castle, PA 16101-2453). Commencement, operation and restoration of a small noncoal clay operation in North Beaver Township, **Lawrence County**, affecting 6 acres. Receiving streams: Mahoning River. Application received February 12, 2002. Permit Issued June 24, 2002.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (43 P.S. §§ 151—161) and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

40024014. Sheehan Pipe Line Construction Company (P. O. Box 231, Renovo, PA 17764), construction blasting in Huntington and New Columbus Boroughs, Benton, Sugarloaf and Jackson Townships, **Luzerne and Columbia Counties** with an expiration date of November 30, 2002. Permit issued July 2, 2002.

40024015. Explosive Services, Inc. (7 Pine Street, Bethany, PA 18431), construction blasting in Dorrance Township, **Luzerne County** with an expiration date of June 5, 2003. Permit issued July 2, 2002.

67024020. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting in Newberry Township, **York County** with an expiration date of October 31, 2002. Permit issued July 3, 2002.

36024066. Keystone Blasting Service (381 Reifsnyder Road, Lititz, PA 17543), construction blasting in Ephrata Township, **Lancaster County** with an expiration date of October 31, 2002. Permit issued July 3, 2002.

67024023. Stewart & Tate, Inc. (1020 North Hartley Street, York, PA 17405), construction blasting in York Township, **York County** with an expiration date of January 31, 2003. Permit issued July 3, 2002.

36024067. Keystone Blasting Service (381 Reifsnyder Road, Lititz, PA 17543), construction blasting in Strasburg Township, **Lancaster County** with an expiration date of January 31, 2003. Permit issued July 3, 2002.

67024021. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting in Mona-

ghan Township, **York County** with an expiration date of August 31, 2002. Permit issued July 3, 2002.

67024022. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting in Fairview Township, **York County** with an expiration date of October 31, 2002. Permit issued July 3, 2002.

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209, (814) 342-8200.

14024016. Ameron Construction Co., Inc., 2501 N. Atherton Street, State College, PA 16803, for construction blasting, located in Walker Township, **Centre County** with an expected duration of 5 months. Permit issued July 1, 2002. Permit expires December 31, 2002.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.

65024001. Penn Transportation Services, Inc. (P. O. Box 110, Uniontown, PA 15401). Permit issued for a construction project in Bushy Run Corporate Park, located in Penn Township, **Westmoreland County**, with an expected duration of 60 days. Permit issued July 1, 2002.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)).

Except as otherwise noted, the Department certifies that the construction and operation herein described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State Water Quality Standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 P. S. §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Water Obstruction and Encroachment Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

Permits Issued and Actions on 401 Certifications

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E40-586. Peter and Dolores Valania, 405 Alden Mountain Road, Nanticoke, PA 18634. Newport Township, **Luzerne County**, Army Corps of Engineers Baltimore District.

To place fill in a de minimis area of wetlands, equal to 0.05 acre, for the purpose of constructing a home. The project is located along the west side of Alden Mountain Road (SR 3001), to the northeast of Fairchild Pond (Nanticoke, PA Quadrangle N: 8.1 inches; W: 0.6 inch).

E52-177. The Forest Lake Club, R. R. 1, Box 333, Hawley, PA 18428-9718. Lackawaxen Township, **Pike County**, Army Corps of Engineers Philadelphia District.

To remove the existing structures and to construct and maintain: (1) a 26-foot x 20-foot boathouse, extending approximately 20 feet lakeward from the shoreline, in Wolf Lake; and (2) a 25-foot x 60-foot boathouse, extending approximately 19 feet lakeward from the shoreline, in Corilla Lake. The boathouses will be supported by concrete pads along the shoreline and pressure-treated piers in the water. The projects are located along the eastern shoreline of Wolf Lake (Narrowsburg, NY-PA Quadrangle N: 5.8 inches; W: 13.5 inches) and the northwestern

shoreline of Corilla Lake (Narrowsburg, NY-PA Quadrangle N: 5.2 inches; W: 11.9 inches).

E45-422. Monroe County, One Quaker Plaza, Stroudsburg, PA 18360-2192. Hamilton Township, **Monroe County**, Army Corps of Engineers Philadelphia District.

To maintain a concrete encased steel I-beam bridge having a single span of 24 feet and an underclearance of approximately 6 feet across Lake Creek. The maintenance work includes: milling and paving of the bridge deck; repair of deteriorated concrete; rehabilitation of the southern abutment and footing; and placement of R-8 riprap scour protection along each footing. The bridge is known as County Bridge No. 12 and is located along Township Road T237 (Metzgar Road), approximately 0.3 mile west of SR 0033 (Saylorsburg, PA Quadrangle N: 8.0 inches; W: 7.7 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E05-291. Heritage Cove Incorporated d/b/a Heritage Cove Resort, 602 16th Street, Saxton, PA 16678 in Hopewell Township, **Huntingdon County** and in Liberty Township, **Bedford County**, ACOE Baltimore District.

To construct and maintain a 1,512-ft² concrete boat launch, a 300-ft² floating walk, two 2,136-ft² boat docks and 382 feet of shoreline grading and stabilization in Raystown Lake, Raystown Branch of the Juniata River (TSF/WWF) in Hopewell Township, Huntingdon County (Saxton, PA Quadrangle N: 19.5 inches; W: 15.5 inches); a 6-inch outfall with rock protection in Raystown Lake, Raystown Branch of the Juniata River in Liberty Township, Bedford County (Saxton, PA Quadrangle N: 19.0 inches; W: 16.2 inches); and 13 utility line wetland crossings involving temporary wetland impacts of 0.05 acre for the construction of a campground facility in Liberty Township, Bedford County and Hopewell Township, Huntingdon County (Saxton, PA Quadrangle N: 19.5 inches; W: 16.0 inches). Additional impacts resulting from the construction of roads within the campground facility involve 0.10 acre of permanent wetland impacts previously authorized under GP-07-05-00-108 and two waived crossings of an unnamed tributary to the Raystown Branch of the Juniata River (WWF) totaling 115 feet (Saxton, PA Quadrangle N: 20.0 inches; W: 16.0 inches and N: 19.7 inches; W: 15.7 inches).

E05-296. John Joseph Folk, 1208 Main Street, Box 86, Six Mill Run, PA 16679 in Broad Top Township, **Bedford County**, ACOE Baltimore District.

To relocate approximately 200 feet of an unnamed tributary to Six Mile Run (WWF) to its original channel and to remove approximately 50 feet of unvegetated gravel bar material at a point just upstream from Wright Boulevard (Saxton, PA Quadrangle N: 8.75 inches; W: 13.2 inches) in Broad Top Township, Bedford County. The placement of a 30-inch culvert within the relocated channel of the unnamed tributary to Six Mile Run has been waived.

E05-300. Department of Conservation and Natural Resources, Forestry Bureau District 2-0, 435 State Park Road, Schellsburg, PA 15559 in Union Township, **Bedford County**, ACOE Baltimore District.

To remove and replace a 48-inch corrugated metal pipe culvert and a 60-inch by 46-inch corrugated metal pipe arch culvert with 73-inch by 55-inch corrugated steel pipe arch culvert at two locations in Pavia Run (HQ-CWF) at a

point on Forest Road (Blue Knob, PA Quadrangle N: 3.0 inches; W: 11.75 inches) in Union Township, Bedford County.

E06-553. Pennsylvania Department of Transportation, Engineering District 5-0, 1713 Lehigh Street, Allentown, PA 18103 in Brecknock, Cumru and Spring Townships, **Berks County**, ACOE Philadelphia District.

To construct and maintain: (1) a 6-meter by 3-meter box culvert and a 6-meter by 3-meter stream enclosure; (2) a 6-meter by 3-meter box culvert—located along the channel of Little Muddy Creek (TSF) (Terre Hill, PA Quadrangle N: 22.3 inches; W: 5.27 inches—N: 22.5; W: 5.12 inches respectively); (3) a concrete bridge having a single span of 20 meters with an average clearance of 2.9 meters—to an unnamed tributary to Little Muddy Creek (TSF); (4) a concrete bridge having a single span of 20 meters with an underclearance of 3 meters—over Little Muddy Creek (TSF); (5) a 2.4-meter by 2.1-meter stream enclosure—to an unnamed tributary to Wyomissing Creek (CWF); (6) a 2.7-meter by 2.1-meter stream enclosure; (7) to relocate about 238 meters of stream channel—located in the channel of Kline's Creek (CWF); and (8) fill in 5.20 acres of wetlands (Sinking Springs, PA Quadrangle N: 0.01 inch; W: 4.65 inches—N: 1.13 inches; W: 4.9 inches—N: 5.7 inches; W: 2.5 inches—N: 6.4 inches; W: 2.15 inches—N: 6.5 inches; W: 2.05 inches—N: 1.1 inches; W: 4.9 inches—respectively). All activities are in connection with the widening and improvement of U.S. Route 222 located in Brecknock, Cumru and Spring Townships, Berks County. The applicant is required to provide 5.20 acres of replacement wetlands.

E06-571. Pennsylvania Department of Transportation, Engineering District 5-0, 1713 Lehigh Street, Allentown, PA 18103 in the City of Reading, **Berks County**, ACOE Philadelphia District.

To construct and maintain a concrete bridge having a single span of 76.4 feet with a minimum underclearance of 27.8 feet across Angelica Creek (CWF) on SR 0010, Section 01B, Segment 0280, Offset 2079 located about 0.8 mile north from its intersection with SR 724 (Reading, PA Quadrangle N: 11.05 inches; W: 6.9 inches) in the City of Reading, Berks County.

E31-178. Game Commission, 2001 Elmerton Avenue, Harrisburg, PA 17110 in Carbon Township, **Huntingdon County**, ACOE Baltimore District.

To remove existing structures and to construct and maintain a 14-foot by 6-foot concrete box culvert in the channel of Miller Run (WWF) at a point approximately 6,500 feet upstream of its mouth (Saxton, PA Quadrangle N: 18.9 inches; W: 7.2 inches) and to construct and maintain a 47-inch by 71-inch corrugated metal arch culvert in the channel of Kennedy Run (WWF) at a point approximately 100 feet upstream of its mouth (Saxton, PA Quadrangle N: 19.9 inches; W: 5.6 inches) in Carbon Township, Huntingdon County.

E31-181. Huntingdon County Commissioners, 223 Penn Street, Huntingdon, PA 16652 in Shirley Township, **Huntingdon County**, ACOE Baltimore District.

To rehabilitate and maintain an existing two-span bridge having spans of 127-feet, 11-inches and 128-feet, 3-inches across the channel of Aughwick Creek (TSF) at a point at Runk Road (T-373) (Butler Knob, PA Quadrangle N: 5.1 inches; W: 1.75 inches) in Shirley Township, Huntingdon County.

E36-724. Lancaster County Commissioners, 50 N. Duke Street, Lancaster, PA 17606 in Lancaster Township, **Lancaster County**, ACOE Baltimore District.

To remove an existing two-span steel through truss bridge and construct and maintain a two-span (approximately 65'10" and 55'2") prestressed concrete box beam replacement bridge across the Little Conestoga Creek (WWF) at a point along School House Road approximately 300 feet northwest of the intersection of School House Road and Stone Mill Road along School House Road (Lancaster, PA Quadrangle N: 5.2 inches; W: 13.5 inches) in Lancaster Township, Lancaster County.

E67-713. Mid-Atlantic Realty Trust, 170 West Ridgely Road, Luterville, MD 21093 in Shrewsbury Borough and Hopewell Township, **York County**, ACOE Baltimore District.

To: (1) extend an existing 72-inch corrugated metal pipe culvert by 30 feet, 15 feet on each side of the culvert; (2) remove an existing 30-inch corrugated metal pipe and construct a 72-inch corrugated metal pipe and construct an 8-inch sanitary sewer pipe across an unnamed tributary to Deer Creek; (3) construct a 21-inch, a 24-inch and a 10-inch outfall stormwater discharge pipe; (4) remove an existing 5.5-foot by 7-foot concrete box culvert and construct and maintain a 4.5-foot by 10-foot precast concrete box culvert; (5) enclose 140 feet of stream channel originating from an existing spring box; and (6) relocate and maintain approximately 490 linear feet of Deer Creek (CWF) for construction of the Shrewsbury Commercial Center located between I-83, Route 851 and Mount Airy Road (Glen Rock, PA Quadrangle N: 4.25 inches; W: 6.5 inches) in Shrewsbury Borough and Hopewell Township, York County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

E12-129. Department of Conservation and Natural Resources, Bureau of Forestry, R. R. 4, Box 212, Suite 1, Emporium, PA 15834. Bridge over Wyckoff Run, in Gibson Township, **Cameron County**, ACOE Baltimore District (Driftwood, PA Quadrangle N: 5.25 inches; W: 2 inches).

To construct, operate and maintain a walk bridge having a span of 38 feet and having an underclearance of 5 feet in the center and 3 feet along the stream banks. The new structure is intended to be built 30 yards downstream of the previous structure's location and will be constructed of pressure treated lumber. The previous structure collapsed along the hiking trail, and any portion remaining shall be removed and the area restored to natural stream banks. This project is located 4.25 miles south on Wyckoff Road from the intersection with SR 120. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E17-367. Reliant Energy Northeast Management Company, 1001 Broad Street, Box 1050, Johnstown, PA 15907-1050. Expansion of Shawville Flyash Disposal Site, in Bradford Township, **Clearfield County**, ACOE Baltimore District (Lecontes Mills, PA Quadrangle N: 15.4 inches; W: 10.5 inches).

To fill 0.17 acre of palustrine wetland to facilitate the expansion of the Shawville flyash disposal site. Onsite mitigation will be conducted to create 0.27 acre of replacement wetlands. The site is located east of SR 879 about 0.5 mile east of the Village of Gray (Latitude: 41 degrees, 3 minutes, 28 seconds; Longitude: 78 degrees, 21 minutes, 56 seconds) in Bradford Township, Clearfield County.

E19-224. Pennsylvania Department of Transportation, Engineering District 3-0, P. O. Box 218,

Montoursville, PA 17754. Box beam bridge in Sugarloaf Township, **Columbia County**, ACOE Baltimore District (Red Rock, PA Quadrangle N: 4.28 inches; W: 11.37 inches).

To remove the existing 19-foot reinforced concrete I-beam bridge which is on a skew of 45 degrees with a curb-to-curb width of 20.3 feet, a hydraulic opening of 104.5 square feet and a design underclearance of 5.5 feet and to construct and maintain a 25-foot prestressed reinforced spread box beam bridge placed on a skew of 55° left ahead with a curb-to-curb width of 40 feet and a hydraulic opening of 148 feet. The project is located on SR 0487, Segment 0760, Offset 1321 over Coles Creek approximately 2 miles south of the intersection of SR 487/SR 118 in Sugarloaf Township, Columbia County.

E47-075. Mahoning Township, 1101 Bloom Road, Danville, PA 17821. Unnamed tributary to Sechler Run, in Mahoning Township, **Montour County**, ACOE Baltimore District (Danville, PA Quadrangle N: 16.6 inches; W: 14.2 inches).

To construct a low flow channel in an unnamed tributary to Sechler Run. The low flow channel will be constructed for 100 linear feet between stations 3+60 and 4+60 as noted on the permit drawings. The channel width shall be no greater than 3 feet and no deeper than 0.8 foot from the current bed elevations. Toe protection consisting of R-4 riprap shall be installed within this reach to a minimum height of top of existing bank or top of existing low bench. All remaining unprotected slopes within the channel shall be stabilized with turf reinforcement fabric as noted in the permit drawings. This permit only authorizes this work once and does not authorize maintenance of this reach. This permit also includes 401 Water Quality Certification.

E49-263. Sunbury Social Club, 352 East Drive, Sunbury, PA 17801. Water Obstruction and Encroachment Permit application, in Upper Augusta Township, **Northumberland County**, ACOE Susquehanna River Basin District (Northumberland, PA Quadrangle N: 1.64 inches; W: 4.6 inches).

To construct and maintain a 64-foot by 40-foot non-residential picnic pavilion and a 14-foot by 20-foot breezeway, which is located in the floodway of the North Branch of the Susquehanna River located along the southern right-of-way of East Drive on the Island in Upper Augusta Township, Northumberland County. This permit was issued under section 105.13(e) Small Projects.

E59-424. Department of Conservation and Natural Resources, Bureau of Forestry, 1 Nessmuk Lane, Wellsboro, PA 16901. Bridge crossing Long Run, in Liberty Township, **Tioga County**, ACOE Baltimore District (Nauvoo, PA Quadrangle N: 19.4 inches; W: 9.65 inches).

To construct, operate and maintain a single-span bridge structure with an underclearance of 6 feet and a span of 36 linear feet located over Long Run. The bridge structure shall be located in the same location as an existing ford crossing and shall replace the ford. The project is located on the abandoned Long Run Railroad. This permit was issued under section 105.13(e) Small Projects. This permit also includes 401 Water Quality Certification.

E59-428. Francis and Carol Crew, 155 Warwick Road, Elvenson, PA 19520. Crew Crossing, in Clymer Township, **Tioga County**, ACOE Baltimore District (Sabinsville, PA Quadrangle N: 15.2 inches; W: 12.5 inches).

To construct, operate and maintain a 5.5-foot by 10-foot concrete box culvert with associated wing walls at the inlet and the outlet of the culvert. This project is on

Wattles Run and replaces an existing ford crossing. This project is located 1.4 miles northwest of the intersection with SR 349 and SR 4001 on SR 4001. This permit was issued under section 105.13(e) Small Projects. This permit also includes 401 Water Quality Certification.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E10-343. Butler Auto Auction, 21095 Route 19, Cranberry Township, PA 16066. Butler Auto Auction Overflow Vehicle Storage Facility, in Jackson Township, **Butler County**, ACOE Pittsburgh District (Evans City, PA Quadrangle N: 1.9 inches; W: 15.9 inches).

To fill a total of 0.67 acre of wetland, a small pond and the channels of tributaries to Brush Creek having contributory drainage areas less than 100 acres for site grading associated with construction of parking areas for storage of vehicles from the Butler Auto Auction north of SR 528 approximately 0.5 mile east of SR 19. Project proposes compensation for the permanent wetland impact through the breach and modification of a 0.85 acre pond to create 0.67 acre of wetland, stream bank protection along approximately 1,200 feet of a tributary to Brush Creek and implementation of a manure management plan for the adjoining rat farm operation.

E20-512, Marianne Cerula, 1125 Broughton Road, Pittsburgh, PA 15236. Cerula Dock, **Crawford County**, ACOE Pittsburgh District (Lake Canadohta, PA Quadrangle N: 10.6 inches; W: 11.8 inches).

To renovate and maintain an existing 40-foot private dock, located on Lake Canadohta, by replacing the boards on the walkway using the existing supports and the construction of a new 8-foot section to include support, frame and walkway. Also, to construct and maintain a 48-foot seasonal floating dock extension to be added at the end of the 8-foot new construction. The total length of the permanent dock and floating dock will equal 96 feet. The total acreage of the project is 0.119 acre.

E42-291, Pennsylvania Department of Transportation, District 2-0, 1924-30 Daisy Street, P. O. Box 342, Clearfield, PA 16830. SR 1011, Section A01 Across Knapp Creek, in Eldred Township, **McKean County**, ACOE Pittsburgh District (Eldred NY-PA Quadrangle N: 16.2 inches; W: 3.5 inches).

To remove the existing structure and to construct and maintain a single-span composite prestressed I-beam bridge having a clear span of 126 feet and an under clearance of 24 feet on a 90° skew across Knapp Creek on SR 1011, Section A01, approximately 350 feet north of the SR 011 and SR 0346 intersection. Project includes temporary impact to 0.005 acre of wetland, installation and maintenance of a temporary construction stream crossing across the channel of the Knapp Creek consisting of clean rock fill and four 30-inch-diameter corrugated metal pipes and stream bank stabilization using riprap spurs and willow plantings to stabilize portions of the stream bank upstream of the bridge.

E42-293, University of Pittsburgh Bradford, 300 Campus Drive, Bradford, PA 16701. Frame-Westerberg Commons Building Addition, in Bradford Township, **McKean County**, ACOE Pittsburgh District (Bradford, PA-NY, PA Quadrangle N: 12.3 inches; W: 6.6 inches).

To construct and maintain an addition onto the northwest corner of the existing Frame-Westerberg Commons building measuring approximately 80 feet wide by 90 feet long and associated landscaping and paving partially within the 100-year flood plain of West Branch Tunungwant Creek east of Campus Drive approximately 1,500 feet west of Dorothy Lane.

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permit, under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504 and 6021.1101—6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Land Recycling and Waste Management, Director, P. O. Box 8763, Harrisburg, PA 17105-8763.

<i>SSIP Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
02-64-001	Peter Swift United States Department of Justice Federal Bureau of Prisons 320 First Street, NW Washington, DC 20534	Wayne	Canaan Township	1 AST-storing Class II Diesel	20,000 gallons
				1 AST-storing Gasoline	6,000 gallons
				1 AST-storing Diesel	2,000 gallons

SPECIAL NOTICES

Certified Emission Reduction Credits in Pennsylvania's ERC Registry

Emission reduction credits (ERC) are surplus, permanent, quantified and Federally enforceable emission reductions used to offset emission increases of oxides of nitrogen (NO_x), volatile organic compounds (VOCs) and the following criteria pollutants: carbon monoxide, lead, oxides of sulfur, particulate matter (PM), PM-10 and PM-10 precursors.

The Department of Environmental Protection (Department) maintains an ERC registry in accordance with the requirements of 25 Pa. Code § 127.209. The ERC registry system provides for the tracking of the creation, transfer and use of ERCs. Prior to registration of the credits, ERC Registry Applications are reviewed and approved by the Department to confirm that the ERCs meet the requirements of 25 Pa. Code §§ 127.206—127.208. Registration of the credits in the ERC registry system constitutes certification that the ERCs satisfy applicable requirements and that the credits are available for use. The following registered, and certified ERCs in the ERC Registry are currently available for use as follows:

- (1) To satisfy new source review (NSR) emission offset ratio requirements.
- (2) To "net-out" of NSR at ERC-generating facilities.
- (3) To sell or trade the ERCs for use as emission offsets at new or modified facilities.

The following certified ERCs, expressed in tons per year (tpy), satisfy the applicable ERC requirements contained in 25 Pa. Code §§ 127.206—127.208. ERCs created from the curtailment or shutdown of a source or facility expires for use as offsets 10 years after the emission reduction occurs. ERCs generated by the overcontrol of emissions by an existing facility do not expire for use as offsets. However, credits in the registry which are not used in a plan approval will be discounted if new air quality requirements are adopted by the Department or the EPA.

For additional information concerning this listing of certified ERCs, contact Virendra Trivedi, Bureau of Air Quality, Division of Permits, Department of Environmental Protection, 12th Floor, Rachel Carson State Office Building, P. O. Box 8468, Harrisburg, PA 17105-8468, (717) 787-4325.

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
Rexam Beverage Can Company County: Lehigh, PA Ozone Nonattainment Status: Moderate Contact Person: Geoffrey A. Wortley (773) 399-3389	VOCs	22.70	11/06/2002	Trading
National Fuel Gas Supply Corp. Source: Roystone Compressor Station County: Warren, PA Ozone Nonattainment Status: Moderate Contact Person: Gary A. Young (814) 871-8657	NO _x	103.30	12/28/2002	Internal Use and Trading
U.S. Naval Hospital County: Philadelphia Nonattainment Status: Severe Contact Person: Mark Donato (215) 897-1809	NO _x	30.50	3/31/2005	Trading
R. R. Donnelley & Sons Co. County: Lancaster Ozone Nonattainment Status: Moderate Contact Person: Frederick Shaak, Jr.	VOCs	54.00		Internal Use

NOTICES

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
R. R. Donnelley & Sons Co. County: Lancaster Ozone Nonattainment Status: Moderate Contact Person: Frederick Shaak, Jr.	VOCs	25.00	3/30/2011	Internal Use
Kurz Hastings Inc. County: Philadelphia Nonattainment Status: Severe Contact Person: Derrick Schweitzer (215) 632-2300	VOCs	84.35		Trading
Sharon Steel Corp. Source Location: Farrell County: Mercer Ozone Nonattainment Status: Moderate Contact Person: Robert Trbovich (412) 983-6161	VOCs	4.70	11/30/2002	Trading
Pennsylvania Power Company (PA Power) Source Location: New Castle Plant County: Lawrence Ozone Nonattainment Status: Moderate Contact Person: Donald R. Schneider (412) 652-5531	NOx	214.00	4/02/2003	Trading
Ford New Holland, Inc. Source Location: Mountville County: Lancaster Ozone Nonattainment Status: Moderate Contact Person: William E. Knight (717) 355-4903	NOx VOCs	4.00 78.00	1/22/2003	Trading
I.H.F.P., Inc. Source Location: Milton Borough County: Northumberland Ozone Nonattainment Status: Moderate Contact Person: Michael West (717) 742-6639	NOx VOCs	24.45 12.88	4/1/2006	Trading
Scranton-Altoona Terminal Corporation Source Location: Pittston Township County: Luzerne Ozone Nonattainment Status: Moderate Contact Person: John M. Arnold (717) 939-0466	VOCs	18.36	1/1/2003	Trading
Metallized Paper Corporation of America Recipient/Holder: PNC Bank, National Association, assignee (by private lien foreclosure) from Metallized Paper Corp. Source Location: McKeesport County: Allegheny Ozone Nonattainment Status: Moderate Contact Person: Martin Mueller (412) 762-5263	VOCs	41.70	06/30/2006	Trading
PPG Industries, Inc. Source Location: Springdale Complex County: Allegheny Ozone Nonattainment Status: Moderate Contact Person: Lori Burgess (412) 274-3884	VOCs	171.82		Trading
York International Corporation Sources: Trichloroethylene Vapor Degreasers (151 and 152) Source Location: Spring Garden Township County: York Ozone Nonattainment Status: Moderate Contact Person: Garen Macdonald (717) 771-7346	VOCs VOCs	12.20 2.70	06/01/2006 10/01/2005	Trading

NOTICES

3551

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
REXAM DSI Source Location: Muhlenberg Township County: Berks Ozone Nonattainment Status: Moderate Contact Person: LeRoy H. Hinkle (610) 916-4248	NOx SOx	9.42 51.05	11/22/2005	Trading
Recipient/Holder of ERC: Coastal Aluminum Rolling Mills Inc. ERC Generating Facility: Fasson Div. of Avery Dennison Corp. ERC-generating facility location: Quakertown, Bucks Ozone Nonattainment Status: Severe Contact Person: Jesse Hackenberg (570) 323-4430	VOCs	3.62		Internal Use/ Trading
Recipient/Holder of ERC: PG&E Energy Trading-Power, L.P. ERC Generating Facility: Fasson Div. of Avery Dennison Corp. ERC-generating facility location: Quakertown, Bucks Ozone Nonattainment Status: Severe Contact Person: Mark Sheppard (301) 280-6607	VOCs	39.84	8/1/2006	Trading
Baldwin Hardware Corporation Source Location: Reading County: Berks Ozone Nonattainment Status: Moderate Contact Person: D. David Hancock, Jr. (215) 777-7811	VOCs	18.00	7/28/2005	Trading
Magee Rieter Automotive Systems Source Location: Bloomsburg County: Columbia Ozone Nonattainment Status: Moderate Contact Person: Tim Bergerstock (717) 784-4100	NOx VOCs	0.39 0.02	4/17/2006	Internal Use
Congoleum Corporation Source Location: Marcus Hook County: Delaware Ozone Nonattainment Status: Severe Contact Person: Theresa C. Garrod (609) 584-3000	NOx	5.20		Trading
Dominion Transmission, Inc. CNG Transmission Corporation Source Location: Leidy Township County: Clinton Ozone Nonattainment Status: Moderate Contact Person: Sean R. Sleigh (304) 623-8462	NOx VOCs	15.28 0.55	10/27/2004	Internal Use and Trading
Bethlehem Structural Products Corp. Source Location: Bethlehem County: Northampton Ozone Nonattainment Status: Moderate Contact Person: Joseph E. Schindler (610) 694-5104	NOx VOCs	1054.00 473.80	Varies from 3/28/2008 to 6/19/2008	Trading
Morgan Adhesives Company (MACtac) Source Location: Scranton County: Lackawanna Ozone Nonattainment Status: Moderate Contact Person: Tim Owens (330) 688-1111	VOCs	75.00	6/30/2008	Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
Meritor Heavy Vehicle Systems LLC Source Location: New Castle County: Lawrence Ozone Nonattainment Status: Moderate Contact Person: Harry Klodowski (412) 281-7997	NOx	54.40	5/31/2003	Trading
Recipient/Holder of ERC: Dominion Energy, Inc. ERC Generating Facility: Superpac, Inc. ERC-generating facility location: Southampton, Bucks County Ozone nonattainment status: Severe Contact Person: David H. Testa (412) 690-1815	VOCs	3.90 4.20 4.70	11/23/2002 1/8/2003 9/30/2003	Trading
National Fuel Gas Supply Corporation Sources: Generators, No. 1 Source Location: Ellisburg Station County: Potter Ozone Nonattainment Status: Moderate Contact Person: Gary A. Young (814) 871-8657	NOx VOCs	16.14 1.80	2/1/2009	Internal Use
General Electric Company Source Location: Lawrence Park County: Erie Ozone Nonattainment Status: Moderate Contact Person: Scott Gowdy (814) 875-2427	VOCs	44.20	Varies from 12/31/2003 to 12/31/2005	Internal Use/ Trading
Sun Company, Inc. Source: API Separator 10 and 1-F Source Location: Marcus Hook County: Delaware Ozone Nonattainment Status: Severe Contact Person: John A. Rossi	VOCs	2.37	9/30/2004	Internal Use
TYK America, Inc. Source Location: Irvona Facility County: Clearfield Ozone Nonattainment Status: Moderate Contact Person: David B. Orr (412) 384-4259	NOx VOCs PM-10	0.30 0.02 0.24	11/6/2008	Trading
Smithkline Beechman Pharmaceuticals Sources: Two boilers and oxidizer Source Location: Spring Garden Street Facility County: Philadelphia Ozone Nonattainment Status: Severe Contact Person: Eileen Ackler (610) 239-5239	NOx VOCs	5.72 0.10	12/31/2008	Trading
Recipient/Holder of ERC: PG&E Energy Trading-Power, L. P. ERC Generating Facility: Global Packaging, Inc. ERC-generating facility location: Oaks Plant, Montgomery County Ozone Nonattainment Status: Severe Contact Person: Sarah M. Barpoulis (301) 280-6607	VOCs	7.70	9/1/2006	Trading
Recipient/Holder of ERC: PG&E Energy Trading-Power, L. P. ERC Generating Facility: Global Packaging, Inc. ERC-generating facility location: Oaks Plant, Montgomery County Ozone Nonattainment Status: Severe Contact Person: Sarah M. Barpoulis (301) 280-6607	VOCs	43.50		Trading

NOTICES

3553

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
The Procter & Gamble Paper Products Company Source Location: Mehoopany Plant County: Wyoming Ozone Nonattainment Status: Moderate Contact Person: Jim Brogan (717) 833-6022	NOx VOCs PM	136.00 237.67 99.92	5/3/2009	Internal Use/ Trading
Recipient/Holder of ERC: Air Resources Group, LLC ERC Generating Facility: Cogentrix of Pennsylvania, Inc. ERC-generating facility location: Ringgold Township County: Jefferson County Ozone nonattainment status: Moderate Contact Person: David Alexander	NOx	658.72	9/1/2010	
Cogentrix of Pennsylvania, Inc. Source Location: Ringgold Township County: Jefferson County Ozone nonattainment status: Moderate Contact Person: Tracy Patterson (804) 541-4246	VOCs	31.61	9/1/2010	Trading
Caparo Steel Company Source: EAF Furnace No. 2 and Ladle Preheater No. 2 Source Location: Farrell Plant County: Mercer County Ozone nonattainment status: Moderate Contact Person: Richard A. Herman (724) 983-6464	NOx VOCs	36.73 12.07	08/18/2007	Trading
Caparo Steel Company Source Name: Anneal Pickle Line and Coating Line Source Location: Farrell Plant County: Mercer County Ozone nonattainment status: Moderate Contact Person: Richard A. Herman (724) 983-6464	NOx VOCs	9.10 0.17	11/9/2002	Trading
LTV Steel Company, Inc. Source Location: Pittsburgh Coke Plant County: Allegheny Ozone Nonattainment Status: Moderate Contact Person: R. M. Zavoda (216) 429-6542	NOx VOCs	1663.00 437.00	2/28/2008	Trading/ Internal Use
Kurz-Hastings, Inc. Source Location: Philadelphia County: Philadelphia Ozone Nonattainment Status: Severe Contact Person: Derrick Schweitzer (215) 632-2300	VOCs	53.10		Trading
Newcomer Products Inc. Source Location: Latrobe County: Westmoreland Ozone Nonattainment Status: Moderate Contact Person: Edward M. Nemeth (724) 694-8100	VOCs	45.00	7/14/2010	Trading
Smith-Steelite Plant: Emsworth Manufacturing Facility Ozone Nonattainment Status: Moderate Contact Person: Wm. K. Shadle (412) 299-8167	VOCs	7.32	6/7/2004	Trading

NOTICES

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
Koppers Industries, Inc. Source Location: Monessen Coke Works County: Westmoreland Ozone Nonattainment Status: Moderate Contact Person: Traci Self (412) 227-2883	NOx VOCs	129.00 1.60	9/30/2002	Internal Use/ Trading
Cyprus Cumberland Resources Corporation Source Location: Cumberland Mine, Whiteley Township County: Greene Ozone Nonattainment Status: Moderate Contact Person: Terry L. Dayton (412) 627-2219	NOx VOCs	64.00 15.00	6/30/2005	Trading
Allegheny Ludlum Corp. Sources: Three electric arc furnaces Source Location: Washington Plant County: Washington Ozone Nonattainment Status: Moderate Contact Person: Deborah L. Calderazzo (724) 226-5947	NOx	7.78	7/31/2004	Trading
Armstrong World Industries Source Location: Beaver Falls County: Beaver Ozone Nonattainment Status: Moderate Contact Person: Wayne Pease (412) 843-5700	VOCs	6.00	4/30/2003	Trading
Rohm & Haas County: Philadelphia Ozone Nonattainment Status: Severe Contact Person: Frank Jackson (215) 537-4000	VOCs	27.50 6.10	3/26/2003 7/31/2003	Trading
Scranton-Altoona Terminals Corporation Source Location: Monroe Township County: Cumberland County Ozone nonattainment status: Moderate Contact Person: Thomas M. Carper (717) 939-0466	VOCs	4.84	9/30/2010	Trading
Pennzoil Wax Partner Company Source Location: Rouseville County: Venango Ozone Nonattainment Status: Moderate Contact Person: David W. Dunn (713) 546-6941	NOx VOCs CO SOx	15.47 0.68 14.86	2/26/2010	Trading
Pennzoil Wax Partner Company Source Location: Rouseville County: Venango Ozone Nonattainment Status: Moderate Contact Person: David W. Dunn (713) 546-6941	NOx VOCs CO SOx	2.82 44.34 0.57 5.01	4/1/2010	Trading
INDSPEC Chemical Corp. Source: Boiler No. 8 Source Location: Petrolia County: Butler Ozone Nonattainment Status: Moderate Contact Person: Terry Melis (412) 756-2376	NOx SOx	158.68 1217.95		Trading
Sun Company, Inc. Sources: Separators Source Location: Marcus Hook Borough County: Delaware Ozone nonattainment status: Severe Contact Person: Steve Martini (610) 859-1000	VOCs	81.88	9/30/2004	Trading/ Internal Use

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
Sun Company, Inc. Source: Wastewater Conveyance System Source Location: Marcus Hook Borough County: Delaware Ozone nonattainment status: Severe Contact Person: Steve Martini (610) 859-1000	VOCs	426.59		Trading/ Internal Use
Jefferson Smurfit Corporation Source Location: Upper Providence Township County: Montgomery Ozone Nonattainment Status: Severe Contact Person: Joseph Timcik (610) 935-4000	VOCs	12.4	5/31/2004	Trading/ Internal Use
Columbia Gas Transmission Corporation Source Location: Kent Station County: Indiana Ozone nonattainment status: Moderate Contact Person: Gregory Lago (304) 357-2079	NOx VOCs	44.36 2.66	5/31/2011	Trading
Columbia Gas Transmission Corporation Source Location: Homer Station County: Indiana Ozone nonattainment status: Moderate Contact Person: Gregory Lago (304) 357-2079	NOx VOCs	45.89 3.79	5/31/2011	Trading
Bethlehem Steel Corporation Source Location: Steelton Plant County: Dauphin Ozone Nonattainment Status: Moderate Contact Person: James R. Hernjak (717) 986-2042	NOx VOCs	3.00 26.47	12/31/2002	Trading

Summary of ERC Transactions

The following ERC transactions are approved by the Department's Bureau of Air Quality. The ERC transaction requirements are specified in 25 Pa. Code § 127.208.

ERC Holder/Generating Facility Information

ERC Generating Facility Name: Dominion Transmission Corporation
Location of Source: Leidy Compressor Station, Clinton County, PA
Certified ERCs (tpy): 39.28 tpy of NOx and 0.55 tpy of VOCs
Amount of ERCs traded to Purchaser/Recipient: 24 tpy of NOx
Date of ERCs Transfer: 4/12/2002
ERCs available for future use: 15.28 tpy of NOx and 0.55 tpy of VOCs

Purchaser/Recipient of ERCs

Purchaser/Recipient of ERCs: Armstrong Energy Limited Partnership, L.L.L.P.
Location of Source: Southbend Township, Armstrong County, PA
Plan Approval Number: 03-975B
NOx credits used: 0
NOx credits available for future use: 24 tpy

Certification to Perform Radon-Related Activities in this Commonwealth

In the month of June 2002, the Department of Environmental Protection (Department), under the authority contained in the Radon Certification Act (63 P. S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the following persons listed to perform radon-related activities in this Commonwealth. The period of certification is 2 years. For a complete list of persons currently certified to perform radon-related activities in this Commonwealth and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (800) 23RADON.

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Gerald Aubrey	1517 Daws Road Blue Bell, PA 19422	Testing
William Barroner	R. D. 2 Box 231A Williamsburg, PA 16693	Testing

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Paul Bellina	1239 Browning Court Lansdale, PA 19446	Mitigation
Don Cessna	407 West Sample Street Ebensburg, PA 15931	Testing
Joseph Cocalis	119 Wright Street Point Marion, PA 15474	Mitigation
Donald Dietrich	131 Shire Lane Wernersville, PA 19565	Testing
Theresa Edwards	215 Kelso Circle Collegeville, PA 19426	Testing
David Grammer Stone Ridge Radon/Radata, Inc.	27 Ironia Road, Unit 2 Flanders, NJ 07836	Mitigation
James F. Andrews Enterprises	353 Loveville Road Warriors Mark, PA 16877	Mitigation
Timothy Kennedy	15 North Legend Road Shavertown, PA 18708	Testing
Robert Kerecz	634 West Broad Street Bethlehem, PA 18018	Mitigation
Jeffrey Krupa	419 East Erie Avenue St. Mary's, PA 15857	Testing
Harry Lehman	3589 Gray Fox Drive Chalfont, PA 18914	Mitigation
Gerald Mutter	PMB 322, 1700 Sullivan Trail Easton, PA 18040	Testing
Roman Paul	P. O. Box 731 Valley Forge, PA 19482	Testing
Peter Piazza	1133 Brookside Drive Greensburg, PA 15601	Testing
Quality Home Services of Delaware Valley, Inc.	700 Braxton Road Ridley Park, PA 19078	Testing
Swindell Enterprises, Inc.	227 Locust Street, Box 12 Alum Bank, PA 15521	Testing
Michael Tokarczyk	753 Lutzville Road Everett, PA 15537	Mitigation
James Wenger Pocono Environmental Labs	301 Route 940 Mount Pocono, PA 18344	Testing
Dennis Workman	P. O. Box 100 Kimberton, PA 19442	Testing

Public Meeting and Hearing Concerning Dougherty and Lehman NPDES-CAFO Permit Applications

Limestone Township, Lycoming County

The Department of Environmental Protection (Department) will hold a public meeting, followed by a public hearing, to discuss two separate National Pollutant Discharge Elimination System (NPDES) Concentrated Animal Feeding Operation (CAFO) General Permit applications for facilities proposed in Limestone Township, Lycoming County. The public meeting will be held at 6:30 p.m. on Thursday, September 5, 2002, at the Jersey Shore High School Auditorium, 701 Cemetery Street, Jersey Shore, PA. A public hearing will follow the meeting and will begin at 8 p.m. The two applicants are Charles L. and Michelle L. Dougherty and Michael V. and Dorothea A. Lehman. Both applications will be addressed during the same meeting/hearing.

During the public meeting, Department staff will review the information submitted in the Notice of Intent for

Coverage for CAFO NPDES General Permit (PAG-12) applications for the two proposed facilities and answer questions from the public. The meeting is also intended as an opportunity for the public to obtain information regarding the Department's permitting and inspection programs for CAFOs in general. Presentations and testimony will not be permitted during the meeting.

During the public hearing, individuals may present oral testimony for a maximum of 5 minutes regarding the two General Permit applications. Written testimony of any length also will be accepted. The oral testimony will be recorded by a court reporter and transcribed into a written document. The Department will respond in writing to all pertinent questions or comments at the time it makes a final decision on the applications.

The permit applications are available for public review at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA, Monday through Friday between 8 a.m. and 4 p.m. The permit

applications have also been made available to Limestone Township. An appointment to review the applications at the Department office must be made by contacting Kathy Arndt at (570) 327-3693. Inquiries may also be made to the Limestone Township office regarding a review at (570) 745-3478.

Individuals in need of an accommodation as provided for in the Americans With Disabilities Act should contact Daniel T. Spadoni at (570) 327-3659 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Public Hearing on Proposed Commercial Building Site in Unity Township, Westmoreland County

The Department of Environmental Protection (Department) will hold a public hearing on August 21, 2002, at 7 p.m. at the Latrobe Elementary School Auditorium, 1501 Ligonier Street, Latrobe, PA. The purpose of the hearing is to receive public comment on an application for a water obstruction and encroachment permit to place and maintain fill in 0.72 acre of wetlands and approximately 750 linear feet of an intermittent watercourse in the watershed of unnamed tributaries to Ninemile Run (WWF) for the purpose of a commercial site development for Wal-Mart and Lowe's Improvement Warehouse. The site is located along SR 30, approximately 0.5 mile south of the intersection of Theater Drive (T-898) and SR 30 (Latrobe Quadrangle N: 6.9 inches; W: 1 inch), in Unity Township, Westmoreland County.

Persons may also comment on a notice of intent for coverage under the general National Pollution Discharge Elimination System (NPDES) permit for discharges of stormwater associated with construction activities.

Persons interested in testifying at the hearing should contact Betsy Mallison at (412) 442-4182 by August 20, 2002. The Department will accept public comments until October 21, 2002. Comments should be sent to Tim Dreier, Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222.

Persons with a disability who wish to attend the hearing and require auxiliary aid, service or other accommodations to participate in the proceedings, should call Betsy Mallison at (412) 442-4182 through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

[Pa.B. Doc. No. 02-1259. Filed for public inspection July 19, 2002, 9:00 a.m.]

Alternative Fuels Incentive Grant Program

The Department of Environmental Protection (Department) Bureau of Air Quality announces the first opportunity to apply under Cycle 10 of a program to promote and expand the use of alternative transportation fuels and fuel systems such as compressed natural gas, liquefied natural gas, liquid propane gas, ethanol, methanol, hydrogen, hythane, electricity, coal-derived liquid fuels and fuels derived from biological materials. Grant funds can be used to pay for the difference between an alternative fuel vehicle and a conventional gasoline or diesel vehicle, to convert an existing gasoline vehicle to operate on an alternative fuel, to purchase a new energy efficient hybrid

electric vehicle, to purchase and install a refueling or recharging facility or to evaluate new alternative fuel technologies.

Eligible applicants for incentive grants are schools and vocational school districts, municipal authorities, counties, cities, boroughs, incorporated towns, townships, county institution districts, nonprofit entities and corporations or partnerships incorporated or registered in this Commonwealth and Commonwealth residents. Grants awarded for hybrid electric vehicles will be in the amount of \$1,500. Other grants awarded in this funding cycle will cover up to 20% of the applicant's eligible costs.

Grant applications can be requested by contacting Virginia Harris, Department of Environmental Protection, Alternative Fuels Incentive Grant Program, P. O. Box 8468, Harrisburg, PA 17105-8468, (717) 772-3429, fax (717) 772-2303, e-mail vharris@state.pa.us. Applications must be received by the Department by 4 p.m. on Tuesday, October 1, 2002. Project costs cannot be incurred before the submittal of an application during the open opportunity. Specify the project type when requesting an application package. The application package also may be obtained through the PA PowerPort at www.state.pa.us or directly at www.dep.state.pa.us (direct LINK "alternative fuels").

DAVID E. HESS,
Secretary

[Pa.B. Doc. No. 02-1260. Filed for public inspection July 19, 2002, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are on the Department of Environmental Protection's (Department) website (www.dep.state.pa.us) at the Public Participation Center page. The "June 2002 Inventory" heading is the Governor's list of nonregulatory guidance documents. The "Final Documents" heading is the link to a menu of the various Department bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

The Department will continue to revise its nonregulatory documents, as necessary, throughout 2002.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view guidance documents. When this option is not available, persons can order a bound paper copy of the latest inventory or an unbound paper copy of any of the final documents listed on the inventory by calling the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Draft Technical Guidance—Substantive Revision

DEP ID: 253-0300-100. Title: Land Recycling Program Technical Guidance Manual—Section IV. A.4, Vapor Intrusion into Buildings from Groundwater and Soil under the Act 2, Statewide Health Standard. Description: Department staff members of the Cleanup Standards Scientific Advisory Board recently developed guidance under Act 2 that addresses the vapor intrusion of contaminants into buildings and below grade occupied spaces from groundwater and soils. This guidance provides a decision matrix along with indoor air criteria, which can be applied under the Statewide Health Standard residential and non-residential exposure situations. The intent of this guidance is to prevent or mitigate unacceptable indoor air intrusion of contaminants from soil and groundwater. Comment Period Ends: August 19, 2002. Anticipated Effective Date: October 26, 2002. Contact: Randy Roush at (717) 787-4941 or e-mail at raroush@state.pa.us.

Final Technical Guidance

DEP ID: 383-2300-001. Title: Pennsylvania's Interim Program for Operator Certification. Description: This document is written for the purpose of: (1) meeting the requirements of the Safe Drinking Water Act; (2) helping to ensure this Commonwealth's continued eligibility to receive Federal funding to support the operator certification program; and (3) identifying and implementing specific sections of the amended Water and Wastewater System Operators Certification Act in a manner to provide a smooth program transition as a result of these amendments until promulgation of final rules and regulations by the Environmental Quality Board. Effective Date: The interim program went into effect on July 1, 2002, and with this publication the final guidelines become effective. Contact: Foster Diodato at (717) 772-4053 or e-mail at fdiodato@state.pa.us.

DAVID E. HESS,
Secretary

[Pa.B. Doc. No. 02-1261. Filed for public inspection July 19, 2002, 9:00 a.m.]

Environmental Justice Advisory Board Meetings

The Environmental Justice Advisory Board meetings are scheduled for September 4, 2002, and November 15, 2002, from 9 a.m.—4 p.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning these meetings can be directed to Lorraine Wagner at (717) 783-1566 or e-mail to lowagner@state.pa.us. The agenda and meeting materials will be available through the Public Participation Center on the Department of Environmental Protection's (Department) website at <http://www.dep.state.pa.us>.

Persons in need of accommodations as provided in the Americans With Disabilities Act of 1990 should contact Lorraine Wagner at (717) 783-1566 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

DAVID E. HESS,
Secretary

[Pa.B. Doc. No. 02-1262. Filed for public inspection July 19, 2002, 9:00 a.m.]

DEPARTMENT OF HEALTH**Application of Abington Memorial Hospital for Exception**

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Abington Memorial Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standards contained in this publication: 7.2.A4 (relating to handwashing stations in patient rooms), 7.3.A8 (relating to handwashing stations in critical care units) and 7.8.A2(5) (relating to staff lounges in obstetrical suites).

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, e-mail ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-1263. Filed for public inspection July 19, 2002, 9:00 a.m.]

Application of Barnes Kasson County Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Barnes Kasson County Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standards contained in this publication: 7.13.C7 (relating to accessibility of patient dressing areas, showers and lockers in Rehabilitation Therapy Department) and 7.13.D4 (relating to activities of daily living teaching area for occupational therapy services).

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and

Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, e-mail ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-1264. Filed for public inspection July 19, 2002, 9:00 a.m.]

Application of Chambersburg Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Chambersburg Hospital has requested an exception to the requirements of 28 Pa. Code § 51.3(c) (relating to notification).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, e-mail ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-1265. Filed for public inspection July 19, 2002, 9:00 a.m.]

Application of Community Hospital of Lancaster for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Community Hospital of Lancaster has requested an exception to the requirements

of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standard contained in this publication: 7.7.A1 (relating to size of general operating rooms in surgical suites).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, e-mail ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-1266. Filed for public inspection July 19, 2002, 9:00 a.m.]

Application of Coordinated Health System—Orthopedic Specialty Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Coordinated Health System—Orthopedic Specialty Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standards contained in this publication: 7.7.A1 (relating to size of general operating rooms in surgical suites), 7.7.A2 (relating to size of operating rooms for special procedures), 7.7.A3 (relating to sinks with plaster traps in rooms for orthopedic surgery), 7.7.B1 (relating to preoperative patient holding areas), 7.7.B2 (relating to size and design of post-anesthetic care units and bed space), 7.7.C10 (relating to equipment storage rooms) 7.7.C14 (relating to size and design of Phase II recovery areas), 7.7.C17 (relating to patient holding areas), 7.7.C20 (relating to areas for preparation and examination of frozen sections), 7.32.E (relating to electrical standards/receptacles) and 7.5 (relating to station outlets for oxygen, vacuum and medical air systems).

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, e-mail ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-1267. Filed for public inspection July 19, 2002, 9:00 a.m.]

Application of Doylestown Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Doylestown Hospital has requested an exception to the requirements of 28 Pa. Code § 51.23 (relating to positron emission tomography).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 7120, (717) 783-8980, fax (717) 772-2163, e-mail ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-1268. Filed for public inspection July 19, 2002, 9:00 a.m.]

Application of Holy Spirit Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Holy Spirit Hospital has requested an exception to the requirements of 28 Pa. Code § 107.64 (relating to administration of drugs).

This request is on file with the Department. Persons may receive a copy of a request for exception by request-

ing a copy from: Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, e-mail ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-1269. Filed for public inspection July 19, 2002, 9:00 a.m.]

Application of Holy Spirit Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Holy Spirit Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standard contained in this publication: 7.7.A4 (relating to size of rooms for surgical cystoscopic and other endo-urologic procedures).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, e-mail ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-1270. Filed for public inspection July 19, 2002, 9:00 a.m.]

Application of Memorial Hospital York for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Memorial Hospital York has requested an exception to the requirements of 28 Pa. Code § 138.15 (relating to high-risk cardiac catheterization).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, e-mail ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-1271. Filed for public inspection July 19, 2002, 9:00 a.m.]

Application of Mercy Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that Mercy Surgery Center has requested an exception to the requirements of 28 Pa. Code § 551.21(a)(2) (relating to criteria for ambulatory surgery).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, e-mail ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT:

(717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-1272. Filed for public inspection July 19, 2002, 9:00 a.m.]

Application of North Philadelphia Health System for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) hereby gives notice that North Philadelphia Health System has requested an exception to the requirements of 28 Pa. Code § 107.4(a) (relating to medical staff status).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, e-mail ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6514 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-1273. Filed for public inspection July 19, 2002, 9:00 a.m.]

Laboratories Approved to Determine Analyses of Blood and/or Serum for Controlled Substances

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (35 P. S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code § 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform analyses of blood and/or serum for the determination of controlled substances. This approval is based on demonstrated proficiency in tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to hunting or furtaking under

the influence of alcohol or controlled substance) as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in blood and/or serum.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory analyses on blood and/or serum. Laboratories approved to perform screening analyses are designated on the approval list by an "S" followed by the letters "B" for blood and/or "Se" for serum. Laboratories approved to screen both blood and serum would therefore have "SBSe" listed after their laboratory name. Laboratories approved to offer confirmatory analyses will be designated on the approval list by a "C" followed by the letters "B" for blood and/or "Se" for serum. Laboratories approved to perform confirmatory analyses on both serum and blood would therefore have "CBSe" listed after the name of the laboratory.

Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic blood and/or serum analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the medicolegal purposes. They should also determine that the director of the facility is agreeable to performing analyses for forensic purposes. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The list of approved laboratories will be revised semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to M. Jeffery Shoemaker, Ph.D., Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464, ext. 3273.

Persons with a disability who require auxiliary aid service should contact Dr. Shoemaker at V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ALLEG CNTY CORONERS DIV OF LABS—SBSe, CBSe
542 FORBES AVENUE
ROOM 10, COUNTY OFFICE BUILDING
PITTSBURGH, PA 15219
412-350-6873

AMERICAN MEDICAL LABORATORIES INC—SBSe, CBSe
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
703-802-6900

ANALYTIC BIO-CHEMISTRIES INC—SBSe, CBSe
1680-D LORETTA AVENUE
FEASTERVILLE, PA 19053
215-322-9210

CLINICAL LABORATORIES INC—SBSe, CBSe
901 KEYSTONE INDUSTRIAL PARK
THROOP, PA 18512-1534
570-346-1759

DEPT OF PATHOLOGY & LAB MED-HUP—SSe, CSe
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
215-662-6880

DRUGSCAN INC—SBSe, CBSe
1119 MEARNS ROAD
PO BOX 2969
WARMINSTER, PA 18974
215-674-9310

GOOD SAMARITAN HOSPITAL—SSe
4TH & WALNUT STREETS
PO BOX 1281
LEBANON, PA 17042-1218
717-270-7500

GUTHRIE CLINIC PATH LAB—SSe
GUTHRIE SQUARE
SAYRE, PA 18840
570-888-5858

HEALTH NETWORK LABORATORIES—SBSe, CBSe
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
610-402-8150

LABCORP OCCUPATIONAL TESTING SER—SBSe, CBSe
1904 ALEXANDER DRIVE
RESRCH TRNGL PARK, NC 27709
919-549-8263

LANCASTER REGIONAL MED CENTER—SSe
250 COLLEGE AVENUE
PO BOX 3434
LANCASTER, PA 17604
717-291-8022

MEDTOX LABORATORIES INC—SBSe, CBSe
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
612-636-7466

MERCY HEALTH LAB/MFH—SSe
1500 LANSDOWNE AVENUE
DARBY, PA 19023
610-237-4262

MERCY HEALTH LAB/MHOP—SSe
54 AND CEDAR AVENUE
PHILADELPHIA, PA 19143
215-748-9181

NATIONAL MED SERVICES INC LAB—SBSe, CBSe
3701 WELSH ROAD
WILLOW GROVE, PA 19090
215-657-4900

PITTSBURGH CRIMINALISTICS—SBSe, CBSe
1320 FIFTH AVENUE
PITTSBURGH, PA 15219
412-391-6118

QUEST DIAGNOSTICS OF PA INC—SBSe, CBSe
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
412-920-7600

QUEST DIAGNOSTICS VENTURE LLC—SBSe, CBSe
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
412-920-7631

ST JOSEPH QUALITY MEDICAL LAB—SBSe, CBSe
215 NORTH 12TH STREET BOX 316
READING, PA 19603
610-378-2200

TOXI-CON LABORATORY—SB
201 SMALLCOMBE DRIVE
SCRANTON, PA 18508
570-963-0722

WESTERN RESERVE CARE SYSTEM—SSe, CSe
500 GYPSY LANE
YOUNGSTOWN, OH 44504
216-740-3794

VVHCS HOSP PENNANT LABORATORY—SSe
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
570-829-8111

YORK HOSPITAL—SSe
1001 SOUTH GEORGE STREET
YORK, PA 17405
717-851-2345

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-1274. Filed for public inspection July 19, 2002, 9:00 a.m.]

Laboratories Approved to Determine Urine Controlled Substance Content

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (35 P.S. §§ 2151—2165) and/or the Federal Clinical Laboratory Improvement Act of 1967 (42 U.S.C.A. § 263a) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of urine for the determination of controlled substances or their biotransformation products. This approval is based on demonstrated proficiency in tests conducted by the Bureau of Laboratories of the Department. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to hunting or furtaking under the influence of alcohol or controlled substance), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in urine.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory urine drug analyses. Laboratories approved to perform screening tests only are designated on the approval list by an "S" after the laboratory's name. Laboratories approved to perform confirmatory testing only are designated by a "C" following the laboratory's name. Those approved to perform both screening and confirmatory analyses are designated by the letters "SC." Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic urine drug analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the purpose. They should also determine that the director of the facility is agreeable to performing analyses for that purpose. Persons seeking the analyses are responsible for specifying the extent to which the presence

of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to M. Jeffery Shoemaker, Ph.D., Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464, ext. 3273.

Persons with a disability who require auxiliary aid service should contact Dr. Shoemaker at V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT & T Relay Service at (800) 654-5984 [TT].

ABINGTON MEMORIAL HOSPITAL-S
1200 OLD YORK ROAD
ABINGTON, PA 19001
(215) 576-2350

ACCU-CHEM LABORATORIES-SC
990 NORTH BOWSER RD STE 800/880
RICHARDSON, TX 75081
(872) 234-5412

ACM MEDICAL LABORATORY-SC
160 ELMGROVE PARK
ROCHESTER, NY 14624
(716) 429-2264

ACT LAB SERVICES INC-SC
345 DRESHER ROAD
HORSHAM, PA 19044
(215) 674-0420

ADVANCED TOXICOLOGY NETWORK-SC
3560 AIR CENTER COVE SUITE 101
MEMPHIS, TN 38118
(901) 794-5770

ALBERT EINSTEIN MED CTR NORTH-S
5501 OLD YORK ROAD
PHILADELPHIA, PA 19141
(215) 456-6100

ALIQUIPPA COMM HOSP PATHOLOGY DEPT-S
2500 HOSPITAL DR-PATHOLOGY DEPT
ALIQUIPPA, PA 15001
(724) 857-1238

ALLEG CNTY CORONERS DIV OF LABS-S
542 FORBES AVENUE
ROOM 10 COUNTY OFFICE BUILDING
PITTSBURGH, PA 15219
(412) 350-6873

ALLEGHENY CLINICAL LABORATORIES-S
320 EAST NORTH AVENUE
PITTSBURGH, PA 15212
(412) 359-3521

ALTOONA HOSPITAL-S
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
(814) 946-2340

AMERICAN MEDICAL LABORATORIES INC-SC
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
(703) 802-6900

AMMON ANALYTICAL LABORATORY-SC
600 BLOY STREET
HILLSIDE, NJ 07205
(908) 624-0004

ANALYTIC BIO-CHEMISTRIES INC-SC
1680-D LORETTA AVENUE
FEASTERVILLE, PA 19053
(215) 322-9210

ASSOCIATED CLINICAL LABORATORIES-SC
1526 PEACH STREET
ERIE, PA 16501
(814) 461-2400

AUH-FORBES REGIONAL-S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
(412) 858-2560

AYER CLINICAL LAB-PENN HOSPITAL-S
8TH & SPRUCE STS
PHILADELPHIA, PA 19107
(215) 829-3541

BARNES KASSON COUNTY HOSPITAL-S
400 TURNPIKE STREET
SUSQUEHANNA, PA 18847
(570) 853-3135

BENDINER & SCHLESINGER INC-SC
47 THIRD AVENUE
NEW YORK, NY 10003
(212) 254-2300

BIOLOGICAL SPECIALTY CORPORATION-S
2165 NORTH LINE STREET
COLMAR, PA 18915
(215) 997-8771

BIOLOGICAL SPECIALTY CORPORATION-S
3671 HULMEVILLE ROAD
BENSALEM, PA 19020
(215) 245-9855

BIOLOGICAL SPECIALTY CORPORATION-S
502 PENN STREET
READING, PA 19602
(610) 375-9862

BIOREFERENCE LABORATORIES INC-SC
481B EDWARD H ROSS DRIVE
ELMWOOD PARK, NJ 07407
(201) 791-3600

BON SECOURS-HOLY FAMILY REG HLTH-S
2500 SEVENTH AVENUE
ALTOONA, PA 16602-2099
(814) 949-4495

BRADFORD HOSPITAL LAB-S
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
(814) 362-8247

BRANDYWINE HOSPITAL-S
201 REECEVILLE ROAD ATTN: LABORATORY
COATESVILLE, PA 19320
(610) 383-8000

BROWNSVILLE GENERAL HOSPITAL LAB-S
125 SIMPSON RD
BROWNSVILLE, PA 15417
(724) 785-7200

CANONSBURG GENERAL HOSPITAL-S
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
(724) 745-6100

CARLISLE REGIONAL MEDICAL CENTER-S
246 PARKER ST
CARLISLE, PA 17013
(717) 249-1212

CEDAR CREST EMERGICENTER-S
1101 SOUTH CEDAR CREST BOULEVARD
ALLENTOWN, PA 18103
(610) 433-4260

CENTRAL MONTGOMERY MEDICAL CENTER-S
100 MED CAMPUS DRIVE
LANSDALE, PA 19446
(215) 368-2100

CENTRE COMMUNITY HOSPITAL-S
1800 EAST PARK AVENUE
STATE COLLEGE, PA 16803
(814) 234-6117

CHAMBERSBURG HOSPITAL-S
112 NORTH SEVENTH ST
CHAMBERSBURG, PA 17201
(717) 267-7152

CHARLES COLE MEMORIAL HOSPITAL-S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
(814) 274-9300

CHESTER COUNTY HOSPITAL-S
701 E MARSHALL ST
WEST CHESTER, PA 19380
(610) 431-5182

CHESTNUT HILL HOSPITAL-S
8835 GERMANTOWN AVENUE
DEPT OF PATHOLOGY
PHILADELPHIA, PA 19118
(215) 248-8630

CHILDRENS HOSP OF PHILADELPHIA-S
ONE CHILDREN'S CENTER 34TH & CIVIC
PHILADELPHIA, PA 19104
(215) 590-1000

CLARION HOSPITAL-S
1 HOSPITAL DRIVE
CLARION, PA 16214
(814) 226-9500

CLINICAL LABORATORIES INC-SC
901 KEYSTONE INDUSTRIAL PARK
THROOP, PA 18512-1534
(570) 346-1759

CLINICAL SCIENCE LABORATORY INC-S
51 FRANCIS AVENUE
MANSFIELD, MA 02048
(508) 339-6106

COMMUNITY HOSPITAL OF LANCASTER-S
1100 EAST ORANGE STREET
LANCASTER, PA 17602
(717) 397-3711

COMMUNITY MEDICAL CENTER-S
1800 MULBERRY STREET
SCRANTON, PA 18510
(570) 969-8000

CONEMAUGH VALLEY MEMORIAL HOSP-S
1086 FRANKLIN STREET
JOHNSTOWN, PA 15905-4398
(814) 534-9000

CORPORATE HEALTH SERVICES-S
1914 MERCER AVENUE
PO BOX 330
FARRELL, PA 16121
(724) 346-6425

CORRY MEMORIAL HOSPITAL-S
612 WEST SMITH STREET
CORRY, PA 16407
(814) 664-4641

CROZER CHESTER MED CENTER-S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
(610) 447-2000

DE JOHN MED LABORATORY INC-S
1570 GARRETT ROAD
UPPER DARBY, PA 19082
(610) 626-2112

DELAWARE COUNTY MEMORIAL HOSP-S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
(610) 284-8100

DENVER FAMILY PRACTICE-S
63 WEST CHURCH STREET
STEVENS, PA 17578
(717) 335-3311

DEPT OF PATHOLOGY & LAB MED-HUP-SC
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
(215) 662-6880

DOYLESTOWN HOSPITAL-S
595 W STATE ST
DOYLESTOWN, PA 18901
(215) 345-2250

DRUGSCAN INC-SC
1119 MEARNES RD, PO BOX 2969
WARMINSTER, PA 18974
(215) 674-9310

DRUGSCAN INC - LIMERICK-S
SANATOGA RD & EVERGREEN RD
LIMERICK GENERATING STATION
SANATOGA, PA 19464
(610) 718-2055

DRUGSCAN INC—PEACH BOTTOM SITE-S
1848 LAY ROAD (ATOM ROAD)
DELTA, PA 17314
(717) 456-3026

EASTON HOSPITAL-S
250 SOUTH 21ST ST
EASTON, PA 18042-3892
(610) 250-4140

ELKINS PARK HOSPITAL-S
60 EAST TOWNSHIP LINE ROAD
ELKINS PARK, PA 19027
(215) 663-6102

EPHRATA COMMUNITY HOSPITAL-S
169 MARTIN AVE PO BOX 1002
EPHRATA, PA 17522
(717) 733-0311

EPISCOPAL HOSPITAL LABORATORY-S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
(215) 427-7333

ERHC RIDGWAY LABORATORY-S
94 HOSPITAL STREET
RIDGWAY, PA 15853
(814) 788-5530

ERHC ST MARYS LABORATORY-S
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
(814) 788-8525

EVANGELICAL COMMUNITY HOSPITAL-S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
(570) 522-2510

FITNESS FOR DUTY CENTER-S
PA POWER & LIGHT CO PO BOX 467
BERWICK, PA 18603
(570) 542-3336

FRANKFORD HOSP BUCKS CO CAMPUS-S
380 NORTH OXFORD VALLEY ROAD
LANGHORNE, PA 19047-8304
(215) 934-5227

FRANKFORD HOSPITAL FRANK DIV-S
FRANKFORD AVE & WAKELING ST
PHILADELPHIA, PA 19124
(215) 831-2068

FRANKFORD HOSPITAL—TORRES DIV-S
RED LION & KNIGHTS RDS
PHILADELPHIA, PA 19114
(215) 612-4000

FRICK HOSPITAL-S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
(724) 547-1500

FRIENDS HOSPITAL-S
4641 ROOSEVELT BOULEVARD
PHILADELPHIA, PA 19124-2399
(215) 831-4771

FRIENDS MEDICAL LAB INC-SC
5820 SOUTHWESTERN BLVD
BALTIMORE, MD 21227
(412) 247-4417

GEISINGER MEDICAL CENTER-SC
N ACADEMY RD
DANVILLE, PA 17822
(570) 271-6338

GEISINGER WYOMING VALLEY MED CTR-S
1000 E MOUNTAIN DRIVE
WILKES-BARRE, PA 18711
(570) 826-7830

GERMANTOWN COMM HLTH WILLOW TERR-S
ONE PENN BOULEVARD
PHILADELPHIA, PA 19144
(215) 951-8800

GHHA OCCUPATIONAL HEALTH-S
1000 ALLIANCE DRIVE
HAZLETON, PA 18201
(570) 459-1028

GNADEN HUETTEN MEMORIAL HOSP-S
11TH & HAMILTON STS
LEHIGHTON, PA 18235
(610) 377-1300

GOOD SAMARITAN HOSPITAL-S
4TH & WALNUT STS PO BOX 1281
LEBANON, PA 17042-1218
(717) 270-7500

GOOD SAMARITAN REGIONAL MED CTR-S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
(570) 621-4032

GRADUATE HOSPITAL-S
1800 LOMBARD STREET
PHILADELPHIA, PA 19146
(215) 893-2240

GRAHAM-MASSEY ANALYTICAL LABS-SC
60 TODD ROAD
SHELTON, CT 06484
(203) 926-1100

GUTHRIE CLINIC PATH LAB-S
GUTHRIE SQUARE
SAYRE, PA 18840
(570) 888-5858

HAHNEMANN UNIVERSITY HOSPITAL-S
BROAD & VINE STS MS 113
PHILADELPHIA, PA 19102
(215) 762-1783

HANOVER GENERAL HOSPITAL-S
300 HIGHLAND AVE
HANOVER, PA 17331
(717) 637-3711

HARRISBURG HOSPITAL LABORATORY-S
SOUTH FRONT STREET
HARRISBURG, PA 17101
(717) 782-2832

HAZLETON GENERAL HOSPITAL-S
EAST BROAD STREET
HAZLETON, PA 18201
(570) 501-4152

HEALTH NETWORK LABORATORIES-S
1627 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 402-2236

HEALTH NETWORK LABORATORIES-S
1200 SOUTH CEDAR CREST BLVD
ALLENTOWN, PA 18103
(610) 402-8150

HEALTH NETWORK LABORATORIES-S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
(484) 884-2259

HEALTH NETWORK LABORATORIES-SC
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
(610) 402-8150

HEALTH QUEST MEDICAL LABS INC-S
2089 EAST HIGH STREET
WILLOWS PROFESSIONAL CAMPUS
POTTSTOWN, PA 19464-5023
(610) 327-2520

HOLY REDEEMER HOSPITAL-S
1648 HUNTINGDON PIKE
MEADOWBROOK, PA 19046
(215) 947-3000

HOLY SPIRIT HOSPITAL-SC
503 N 21ST STREET
CAMP HILL, PA 17011-2288
(717) 763-2206

INDIANA HOSPITAL DEPT OF LAB MED-S
HOSPITAL ROAD PO BOX 788
INDIANA, PA 15701-0788
(724) 357-7167

J C BLAIR MEMORIAL HOSPITAL-S
WARM SPRINGS AVE
HUNTINGDON, PA 16652
(814) 643-8645

JEANES HOSPITAL-S
7600 CENTRAL AVE
PHILADELPHIA, PA 19111
(215) 728-2347

JEANNETTE DISTRICT MEMORIAL HOSP-S
JEFFERSON AVE
JEANNETTE, PA 15644
(724) 527-3551

JENNERSVILLE REGIONAL HOSPITAL-S
1015 WEST BALTIMORE PIKE
WEST GROVE, PA 19390
(610) 869-1080

JERSEY SHORE HOSPITAL-S
1020 THOMPSON STREET
JERSEY SHORE, PA 17740
(570) 398-0100

KENSINGTON HOSPITAL-S
136 WEST DIAMOND STREET
PHILADELPHIA, PA 19122
(215) 426-8100

KROLL LABORATORY SPECIALISTS-SC
1111 NEWTON STREET
GRETNA, LA 70053
(504) 361-8989

LAB CORP OCCUPATIONAL TEST SRVCS-SC
1120 STATELINE ROAD WEST
SOUTHAVEN, MS 38671
(886) 827-8042

LAB OF PATHOLOGY & LAB MEDICINE-S
3601 A STREET
PHILADELPHIA, PA 19134
(215) 427-5337

LABCORP OCCUPATIONAL TESTING SER-SC
1904 ALEXANDER DRIVE
RESRCH TRNGL PARK, NC 27709
(919) 549-8263

LABCORP OF AMERICA HOLDINGS-SC
69 FIRST AVE PO BOX 500
RARITAN, NJ 08869
(201) 526-2400

LABONE INC-SC
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 888-1770

LANCASTER GENERAL HOSPITAL-S
555 N DUKE ST PO BOX 3555
LANCASTER, PA 17603
(717) 299-5511

LANCASTER GENERAL HOSP-S US DIV-S
306 NORTH SEVENTH STREET
COLUMBIA, PA 17512
(717) 684-2841

LANCASTER REGIONAL MED CENTER-S
250 COLLEGE AVENUE
PO BOX 3434
LANCASTER, PA 17604
(717) 291-8022

LATROBE AREA HOSPITAL-S
121 WEST 2ND AVENUE
LATROBE, PA 15650
(724) 537-1550

LEWISTOWN HOSPITAL-S
HIGHLAND AVENUE
LEWISTOWN, PA 17044
(717) 248-5411

LOCK HAVEN HOSPITAL LABORATORY-S
24 CREE DRIVE
LOCK HAVEN, PA 17745
(570) 893-5000

MAGEE WOMENS HOSPITAL-S
FORBES AVE & HALKET ST
PITTSBURGH, PA 15213
(412) 647-4651

MAIN LINE CLIN LABS BRYN MAWR CP-S
130 BRYN MAWR AVENUE
BRYN MAWR, PA 19010
(610) 526-3554

MAIN LINE CLIN LABS LANKENAU CP-S
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
(610) 645-2615

MAIN LINE CLIN LABS PAOLI MEM CP-S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
(610) 648-1000

MARIAN COMMUNITY HOSPITAL-S
100 LINCOLN AVENUE
CARBONDALE, PA 18407
(570) 281-1042

MEADVILLE MED CTR-LIBERTY ST-S
751 LIBERTY STREET
MEADVILLE, PA 16335
(814) 336-3121

MEDICAL COLLEGE OF PA HOSPITAL-S
3300 HENRY AVENUE
PHILADELPHIA, PA 19129
(215) 842-7306

MEDTOX LABORATORIES INC-SC
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
(612) 636-7466

MEMORIAL HOSPITAL LAB-S
1 HOSPITAL DRIVE
TOWANDA, PA 18848
(570) 265-2191

MERCY HEALTH LAB/MFH-S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 237-4262

MERCY HEALTH LAB/MHOP-S
54 AND CEDAR AVENUE
PHILADELPHIA, PA 19143
(215) 748-9181

MERCY HEALTH LAB/MSH-S
2701 DEKALB PIKE
NORRISTOWN, PA 19401
(610) 278-2090

MERCY HEALTH PARTNERS-S
746 JEFFERSON AVE
SCRANTON, PA 18510
(570) 348-7100

MERCY HOSPITAL LABORATORY-S
25 CHURCH STREET
PO BOX 658
WILKES-BARRE, PA 18765
(570) 826-3100

MERCY HOSPITAL LABORATORY-S
PRIDE & LOCUST STREETS
PITTSBURGH, PA 15219
(412) 232-7831

METHODIST HOSP DIVISION/TJUH INC-S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
(215) 952-9059

MINERS HOSPITAL-S
290 HAIDA AVENUE
PO BOX 689
HASTINGS, PA 16646
(814) 948-7171

MONONGAHELA VALLEY HOSP INC-S
COUNTRY CLUB RD RT 88
MONONGAHELA, PA 15063
(724) 258-1000

MONTGOMERY HOSPITAL LAB-S
POWELL & FORNANCE STS
NORRISTOWN, PA 19401
(610) 270-2173

MUNCY VALLEY HOSPITAL-S
215 EAST WATER ST
MUNCY, PA 17756
(570) 546-8282

NASON HOSPITAL-S
NASON DRIVE
ROARING SPRING, PA 16673
(814) 224-6215

NATIONAL MED SERVICES INC LAB-SC
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 657-4900

NAZARETH HOSPITAL-S
2601 HOLME AVE
PHILADELPHIA, PA 19152
(215) 335-6245

NORCHEM DRUG TESTING LABORATORY-SC
2016 NORTH FOURTH STREET STE 2
PO BOX 70000
FLAGSTAFF, AZ 86004
(520) 526-1011

OMEGA MEDICAL LABORATORIES INC-SC
2001 STATE HILL ROAD SUITE 100
WYOMISSING, PA 19610-1699
(610) 378-1900

PARKVIEW HOSPITAL-S
1331 EAST WYOMING AVENUE
PHILADELPHIA, PA 19124
(215) 537-7430

PARKWAY CLINICAL LABORATORIES-S
3494 PROGRESS DRIVE SUITE A
BENSALEM, PA 19020
(215) 676-2296

PENN STATE MILTON S HERSHEY MED CTR-S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
(717) 531-8353

PENNSYLVANIA DEPT OF HEALTH-SC
110 PICKERING WAY
LIONVILLE, PA 19353
(610) 280-3464

PHARCHEM INC TEXAS DIVISION-SC
7606 PEBBLE DRIVE
FORT WORTH, TX 76118
(817) 215-8826

PHOENIXVILLE HOSPITAL LABORATORY-S
140 NUTT RD DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
(610) 983-1612

PINNACLEHLTH/COMM GEN OSTEO HOSP-S
4300 LONDONDERRY RD
PO BOX 3000
HARRISBURG, PA 17109
(717) 657-7214

PITTSBURGH CRIMINALISTICS-SC
1320 FIFTH AVENUE
PITTSBURGH, PA 15219
(412) 391-6118

POCONO MEDICAL CENTER LAB-S
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3544

POTTSTOWN MEMORIAL MED CENTER-S
1600 E HIGH ST
POTTSTOWN, PA 19464
(610) 327-7111

POTTSVILLE HOSP AND WARNE CLINIC-S
420 SOUTH JACKSON STREET
POTTSVILLE, PA 17901
(570) 621-5262

PRESBYTERIAN MED CENTER OF PHILA-S
51 NORTH 39TH ST 5TH FLR RM 530
DEPARTMENT OF PATHOLOGY & LAB
PHILADELPHIA, PA 19104-2640
(215) 662-3435

PRINCETON BIOMEDICAL LABS INC-S
2921 NEW RODGERS ROAD
BRISTOL, PA 19007
(215) 785-5200

PSYCHEMEDICS CORPORATION-SC
5832 UPLANDER WAY
CULVER CITY, CA 90230
(800) 522-7424

PUNXSUTAWNEY AREA HOSPITAL-S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
(814) 938-4500

QUEST DIAGNOSTICS CLIN LABS INC-SC
7600 TYRONE AVENUE
VAN NUYS, CA 91405
(818) 376-6195

QUEST DIAGNOSTICS CLINICAL LABS INC-S
900 BUSINESS CENTER DRIVE
HORSHAM, PA 19044
(215) 957-9300

QUEST DIAGNOSTICS INC-SC
400 EGYPT ROAD
NORRISTOWN, PA 19403
(610) 631-4219

QUEST DIAGNOSTICS OF PA INC-SC
875 GREENTREE RD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

QUEST DIAGNOSTICS VENTURE LLC-SC
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7631

QUINTILES LABORATORIES LTD-SC
5500 HIGHLANDS PARKWAY SUITE 600
SMYRNA, GA 30082
(770) 434-8492

READING HOSPITAL & MED CTR-S
6TH AND SPRUCE STREETS
WEST READING, PA 19611
(610) 988-8080

REDWOOD TOXICOLOGY LABORATORY-SC
3650 WESTWIND BOULEVARD
SANTA ROSA, CA 95403
(707) 577-7958

RIDDLE MEMORIAL HOSPITAL-S
BALTIMORE PIKE HIGHWAY 1
MEDIA, PA 19063
(610) 566-9400

ROTHSVILLE FAMILY PRACTICE-S
2320 ROTHSVILLE ROAD
LITITZ, PA 17543
(717) 627-1214

ROXBOROUGH MEMORIAL HOSPITAL-S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
(215) 487-4394

SACRED HEART HOSPITAL-S
4TH & CHEW STS
ALLENTOWN, PA 18102
(610) 776-4727

SAINT CLAIR MEMORIAL HOSPITAL-S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
(412) 561-4900

SAINT FRANCIS HOSPITAL OF NEW CASTLE-S
1000 S MERCER ST
NEW CASTLE, PA 16101
(724) 656-6111

SAINT LUKES HOSPITAL-S
801 OSTRUM ST
BETHLEHEM, PA 18015
(610) 691-4141

SAINT MARY MEDICAL CENTER-S
LANGHORNE - NEWTOWN RD
LANGHORNE, PA 19047
(215) 750-2162

SCIENTIFIC TESTING LABS INC-SC
463 SOUTHLAKE BOULEVARD
RICHMOND, VA 23236
(804) 378-9130

SERENITY HALL INC-S
414 WEST 5TH STREET
ERIE, PA 16507
(814) 459-4775

SEWICKLEY VALLEY HOSPITAL LAB-S
BLACKBURN RD & FITCH DRIVE
SEWICKLEY, PA 15143
(412) 741-6600

SHARON REGIONAL HEALTH SYSTEM-S
740 EAST STATE STREET
SHARON, PA 16146
(724) 983-3911

SOLDIERS & SAILORS MEM HOSP-S
CENTRAL AVE
WELLSBORO, PA 16901
(570) 724-1631

SOMERSET HOSPITAL LAB-S
225 S CENTER AVE
SOMERSET, PA 15501
(814) 443-5000

SOUTH HILLS HEALTH SYS-JEFFERSON-S
575 COAL VALLEY ROAD
P. O. BOX 18119
PITTSBURGH, PA 15236
(412) 469-5723

SPECIALTY LABORATORIES-S
2211 MICHIGAN AVENUE
SANTA MONICA, CA 90404
(310) 828-6543

ST FRANCIS HOSPITAL CRANBERRY-S
ONE ST FRANCIS WAY
CRANBERRY TOWNSHIP, PA 16066
(724) 772-5300

ST FRANCIS MEDICAL CENTER-S
400-45TH STREET
PITTSBURGH, PA 15201-1198
(412) 622-4838

ST JOSEPH QUALITY MEDICAL LAB-SC
215 NORTH 12TH STREET BOX 316
READING, PA 19603
(610) 378-2200

ST JOSEPH'S HOSPITAL-DIV NPHS-S
16TH ST & GIRARD AVE
PHILADELPHIA, PA 19130
(215) 787-9000

ST LUKES HOSP ALLENTOWN CAMPUS-S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
(610) 439-4000

SUBURBAN GENERAL HOSPITAL-S
100 SOUTH JACKSON AVENUE
BELLEVUE, PA 15202
(412) 734-6000

SUNBURY COMMUNITY HOSPITAL-S
350 N 11TH ST
SUNBURY, PA 17801
(570) 286-3333

TAYLOR HOSPITAL DIV OF CCMC-S
175 E CHESTER PIKE
RIDLEY PARK, PA 19078
(610) 595-6450

TECHNOW INC-S
31 INDUSTRIAL HIGHWAY
ESSINGTON, PA 19029
(610) 362-0610

TEMPLE EAST INC NE-S
2301 EAST ALLEGHENY AVENUE
PHILADELPHIA, PA 19134
(215) 291-3671

TEMPLE LOWER BUCKS HOSPITAL LAB-S
501 BATH ROAD
BRISTOL, PA 19007
(215) 785-9200

TEMPLE UNIVERSITY HOSPITAL-S
3401 N BROAD ST
PHILADELPHIA, PA 19140
(215) 707-4353

THE MEDICAL CENTER BEAVER PA-S
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009-9700
(724) 728-7000

THOMAS JEFFERSON UNIVERSITY HOSP-S
125 SOUTH 11TH ST 204 PAVILION
PHILADELPHIA, PA 19107
(215) 955-6374

TITUSVILLE AREA HOSPITAL-S
406 WEST OAK STREET
TITUSVILLE, PA 16354
(814) 827-1851

TOXI-CON LABORATORY-SC
201 SMALLCOMBE DRIVE
SCRANTON, PA 18508
(570) 963-0722

UHS OF FAIRMOUNT INC-S
561 FAIRTHORNE AVENUE
PHILADELPHIA, PA 19128
(215) 487-4078

UNITED COMMUNITY HOSPITAL-S
631 NORTH BROAD STREET EXT
GROVE CITY, PA 16127
(724) 450-7125

UPMC BEDFORD MEMORIAL-S
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
(814) 623-3506

UPMC BRADDOCK-S
400 HOLLAND AVENUE
BRADDOCK, PA 15104
(412) 636-5291

UPMC HORIZON-S
2200 MEMORIAL DRIVE
FARRELL, PA 16121
(724) 981-3500

UPMC HORIZON-S
110 NORTH MAIN STREET
GREENVILLE, PA 16125
(724) 588-2100

UPMC LEE REGIONAL HOSPITAL-S
320 MAIN STREET
JOHNSTOWN, PA 15901
(814) 533-0130

UPMC NORTHWEST-S
1 SPRUCE STREET
FRANKLIN, PA 16323
(814) 437-7000

UPMC PRESBYTERIAN SHADYSIDE CP PUH-SC
ROOM 5929 MAIN TOWER CHP
200 LOTHROP STREET
PITTSBURGH, PA 15213-2582
(412) 648-6000

UPMC PRESBYTERIAN SHADYSIDE LAB SHDY-S
5230 CENTRE AVENUE
PITTSBURGH, PA 15232
(412) 622-2315

UPMC SAINT MARGARET HOSPITAL-S
815 FREEPORT ROAD
PITTSBURGH, PA 15215
(412) 784-4000

US DRUG TESTING LABORATORIES INC-SC
1700 SOUTH MOUNT PROSPECT ROAD
DES PLAINES, IL 60018
(847) 375-0770

VALLEY FORGE MED CTR & HOSP-S
1033 W GERMANTOWN PIKE
NORRISTOWN, PA 19403
(610) 539-8500

WARMINSTER HOSPITAL-S
225 NEWTOWN ROAD
WARMINSTER, PA 18974
(215) 441-6700

WARREN GENERAL HOSPITAL-S
2 CRESCENT PARK
WARREN, PA 16365
(814) 723-3300

WAYNESBORO HOSPITAL-S
501 E MAIN STREET
WAYNESBORO, PA 17268
(717) 765-3403

WESTERN PENNSYLVANIA HOSPITAL-S
4800 FRIENDSHIP AVE
PITTSBURGH, PA 15224
(412) 578-5779

WESTERN RESERVE CARE SYSTEM-SC
500 GYPSY LANE
YOUNGSTOWN, OH 44504
(216) 740-3794

WESTMORELAND HOSPITAL-S
532 W PITTSBURGH ST
GREENSBURG, PA 15601
(724) 832-4365

WILLIAMSPORT HOSP & MED CENTER-S
777 RURAL AVENUE
WILLIAMSPORT, PA 17701-3198
(570) 321-2300

WVHCS HOSP PENNANT LABORATORY-SC
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

YORK HOSPITAL-S
1001 SOUTH GEORGE STREET
YORK, PA 17405
717-851-2345

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-1275. Filed for public inspection July 19, 2002, 9:00 a.m.]

(717) 787-5900, V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

This meeting is subject to cancellation without notice.

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-1276. Filed for public inspection July 19, 2002, 9:00 a.m.]

Request for Exception; Long-Term Care Nursing Facilities

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Village at Penn State Health Care Center
Fox Hollow Road
State College, PA 16801

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, e-mail PAEXCEPT@HEALTH.STATE.PA.US.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-1277. Filed for public inspection July 19, 2002, 9:00 a.m.]

Organ Donation Advisory Committee Meeting

The Organ Donation Advisory Committee, established under 20 Pa.C.S. § 8622 (relating to The Governor Robert P. Casey Memorial Organ and Tissue Donation Awareness Trust Fund) will hold a public meeting on September 18, 2002, from 10 a.m. to 2 p.m. in Room 812 Health and Welfare Building, 7th and Forster Streets, Harrisburg, PA.

For additional information, contact William J. Neil, Manager, Health Education and Information Program, Bureau of Chronic Diseases and Injury Prevention, Room 1000 Health and Welfare Building, Harrisburg, PA 17102, (717) 787-5900.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, should contact William J. Neil at

Traumatic Brain Injury Advisory Board Meeting

The Traumatic Brain Injury Advisory Board, established under the Federal Traumatic Brain Injury Act of 1996 (42 U.S.C.A. § 2806-16 et seq.), will hold a public meeting on Wednesday, July 17, 2002, at the Health and Welfare Building, Commonwealth Avenue and Forster Street, Harrisburg, PA, in Conference Room 327, from 10 a.m. to 3 p.m.

For additional information, contact Elaine M. Terrell, Director, Head Injury Program, Division of Child and Adult Health Services at (717) 772-4959.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, should contact the Head Injury

Program at (717) 772-4959, V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-1278. Filed for public inspection July 19, 2002, 9:00 a.m.]

DEPARTMENT OF REVENUE

Realty Transfer Tax; Revised 2001 Common Level Ratio Real Estate Valuation Factor

The following real estate valuation factors are based on sales data compiled by the State Tax Equalization Board in 2001. These factors are the mathematical reciprocals of the actual common level ratio. For Pennsylvania Realty Transfer Tax purposes, these factors are applicable for documents accepted from July 1, 2002, to June 30, 2003. The date of acceptance of a document is rebuttably presumed to be its date of execution, that is, the date specified in the body of the document as the date of the instrument (61 Pa. Code § 91.102 (relating to acceptance of documents)).

<i>County</i>	<i>Revised Common Level Ratio Factor</i>
Allegheny	1.06

LARRY P. WILLIAMS,
Secretary

[Pa.B. Doc. No. 02-1279. Filed for public inspection July 19, 2002, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Finding York County

Under section 2002(b) of The Administrative Code 1929 (71 P. S. § 512(b)), the Secretary of Transportation makes the following written finding:

The Federal Highway Administration and the Department of Transportation plan to replace on existing alignment the bridge, which carries SR 2075 over the North Branch of Muddy Creek near the Village of Laurel. The project is located in Chanceford and East Hopewell Townships in York County. Channel stabilization/restoration and habitat enhancement structures have been proposed to stabilize the streambank.

The subject project will require use of the National Register-eligible Laurel Train Station. The project will require acquisition of 0.004 hectare (0.01 acre) of land from the Laurel Train Station adjacent to SR 2075. In addition, a 0.047 hectare (0.117 acre) temporary construction easement will be required from the Laurel Train Station property in the grass area adjacent to the North Branch of Muddy Creek.

The environmental, economic, social and other effects of the proposed project as enumerated in section 2002 of The Administrative Code of 1929 have been considered. It has been concluded that there is no feasible and prudent alternative to the project as designed and all reasonable steps have been taken to minimize the effects. Mitigation measures include use of form liners on the abutments, wingwalls and the exterior of the parapet walls to design a more historically sympathetic bridge. The temporary access road on the Laurel Train Station, needed to construct the stream stabilization measures, will be gravel, underlain with geotextile fabric.

After construction is complete, the gravel and geotextile fabric will be removed and the area reseeded.

The Secretary has considered the environmental, economic, social and other effects of the proposed project as enumerated in section 2002 of The Administrative Code of 1929 and have concluded that there is no feasible and prudent alternative to the project as designed, and all reasonable steps have been taken to minimize the effect.

BRADLEY L. MALLORY,
Secretary

[Pa.B. Doc. No. 02-1280. Filed for public inspection July 19, 2002, 9:00 a.m.]

HUMAN RELATIONS COMMISSION

Public Hearing Opinion

The Human Relations Commission (Commission), under section 7(o) of the Pennsylvania Human Relations Act (act) (43 P. S. § 957(o)), announces the publication of the Findings of Fact, Conclusions of Law, Opinion and Final Order made after a public hearing under section 9(e)—(g) of the act (43 P. S. § 959(e)—(g)) in the following case:

Barbara A. O'Day v. Department of Corrections; Doc. No. H-7422; (Human Relations Commission, June 25, 2002); Retaliation for having previously filed a complaint of discrimination by attempting to increase her rent and by ultimately evicting her from a Commonwealth-owned residence. Ruling for Complainant, 9-0 decision; 17 pages.

The final order in the previously listed case is subject to appeal to Commonwealth Court and, if appealed, is subject to being affirmed, reversed or modified, in whole or part.

A copy of the opinion listed in this notice may be obtained by mailing a request indicating the opinion desired, accompanied by a check or money order in the amount of 15¢ per page, to Laura J. Treaster, Communications Director, Human Relations Commission, 301 Chestnut Street, Suite 300, Harrisburg, PA 17101. The check or money order should be made payable to the "Commonwealth of Pennsylvania."

HOMER C. FLOYD,
Executive Director

[Pa.B. Doc. No. 02-1281. Filed for public inspection July 19, 2002, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations on the dates indicated. To obtain the date and time of the meeting at which the Commission will consider these regulations, contact the Commission at (717) 783-5417 or visit its website at www.irrc.state.pa.us. To obtain a copy of the regulation, contact the promulgating agency.

Final-Form

Reg. No.	Agency/Title	Received
14-472	Department of Public Welfare TANF Program	07/08/02

Final-Omit

Reg. No.	Agency/Title	Received
18-371	Department of Transportation Liquid Fuels Tax Funds	07/08/02

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 02-1282. Filed for public inspection July 19, 2002, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval to Acquire Control

UnitedHealth Group Incorporated has filed an application to acquire control of AmeriChoice of Pennsylvania, Inc., a Commonwealth domiciled health maintenance organization. The filing was made under the requirements set forth under the Insurance Holding Companies Act (40 P. S. §§ 991.1401—991.1413). Persons wishing to comment on the acquisition are invited to submit a written statement to the Insurance Department (Department) within 14 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Robert Brackbill, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557 or e-mail rbrackbill@state.pa.us.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 02-1283. Filed for public inspection July 19, 2002, 9:00 a.m.]

Application for Domestic Certificate of Authority

Tuscarora Wayne Insurance Company has applied for a Certificate of Authority to operate as a domestic stock casualty insurance company in this Commonwealth. The

filing was made under the requirements set forth under The Insurance Company Law of 1921 (40 P. S. §§ 341—991). Persons wishing to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Robert Brackbill, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557 or e-mail rbrackbill@state.pa.us.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 02-1284. Filed for public inspection July 19, 2002, 9:00 a.m.]

Marsolino Construction, Inc.; Prehearing

Appeal of Marsolino Construction, Inc. under the Storage Tank and Spill Prevention Act; Underground Storage Tank Indemnification Fund; USTIF File No. 99-062(M); Doc. No. UT02-06-021

A prehearing telephone conference will be held on August 12, 2002, at 10:30 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before July 16, 2002. A date for a hearing shall be determined, if necessary, at the prehearing telephone conference.

At the prehearing telephone conference, the parties shall be prepared to discuss settlement, stipulations, witnesses and the documents anticipated for use at the hearing, estimated time for the hearing, special evidentiary or legal issues and other matters relevant to the orderly, efficient and just resolution of this matter.

No prehearing memoranda or other written submissions are required for the prehearing/settlement conference; however, the parties are encouraged to discuss settlement and possible stipulations pending the conference. Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before July 25, 2002, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any, shall be filed on or before August 1, 2002.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 02-1285. Filed for public inspection July 19, 2002, 9:00 a.m.]

Nationwide Mutual Insurance Company; Private Passenger Auto Insurance Rate Revision

On July 1, 2002, the Insurance Department (Department) received from Nationwide Mutual Insurance Company a filing for a proposed rate change for private passenger auto insurance.

The company requests an overall 0.2% increase amounting to \$1.102 million annually to be effective December 15, 2002.

Unless formal administrative action is taken prior to August 30, 2002, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection by appointment during normal working hours at the Department's regional offices in Harrisburg, Philadelphia, Pittsburgh and Erie, PA.

Interested parties are invited to submit written comments, suggestions or objections to Xiaofeng Lu, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120, e-mail: xlu@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 02-1286. Filed for public inspection July 19, 2002, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68), in connection with the termination of the insured's automobile policy. The hearings will be held in accordance with the requirements of the act, 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearings will be held in the Insurance Department's regional offices in Philadelphia, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearings will be held in the Philadelphia Regional Office, Room 1701 State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Mohamed Hammad; file no. 02-265-01992; Superior Ins. Grp. c/o IGF Ins. Co.; doc. no. PH02-06-013; August 29, 2002, 10 a.m.

Anne Marie Schreiber; file no. 02-280-02613; AAA Mid-Atlantic Insurance Group; doc. no. PH02-06-014; August 29, 2002, 11 a.m.

Parties may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is

available only when the insured is successful on appeal and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Tracey Pontius, Agency Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 02-1287. Filed for public inspection July 19, 2002, 9:00 a.m.]

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with their company's termination of the insureds' policies. The administrative hearings will be held in the Insurance Department's regional offices in Philadelphia, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearings will be held in the Philadelphia Regional Office, Room 1701 State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Franklyn A. and Jane L. Abbott; file no. 02-267-02384; Nationwide Mutual Fire Insurance Company; doc. no. PH02-06-022; August 28, 2002, 3 p.m.

Dr. Lee and Barbara Letwin; file no. 02-265-02626; Chubb Group of Ins. Companies; doc. no. PH02-06-015; August 29, 2002, 12:30 p.m.

Deede Smith; file no. 02-280-02589; State Farm Fire and Casualty Ins. Co.; doc. no. PH02-06-019; August 29, 2002, 2:30 p.m.

Each party may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like necessary, to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend an administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator, (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 02-1288. Filed for public inspection July 19, 2002, 9:00 a.m.]

The Travelers Indemnity Company; Rate Filing

On June 28, 2002, the Insurance Department (Department) received from The Travelers Indemnity Company a filing for a proposed rate level and rule change for homeowners insurance.

The company requests an overall 1.7% increase amounting to \$597,000 annually to be effective September 21, 2002.

Unless formal administrative action is taken prior to August 27, 2002, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection by appointment during normal working hours at the Department's regional offices in Harrisburg, Philadelphia, Pittsburgh and Erie, PA.

Interested parties are invited to submit written comments, suggestions or objections to Xiaofeng Lu, Insurance Department, Bureau of Regulation of Rates and Policies, Room 1311, Strawberry Square, Harrisburg, PA 17120, e-mail: xlu@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 02-1289. Filed for public inspection July 19, 2002, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of Bulletin). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Executive Board

Resolution #CB-02-150, Dated June 17, 2002. This resolution authorizes the side letter of understanding with AFSCME that implements compensation provisions for the period July 1, 2002, through June 30, 2004, for employees compensated on the Corrections Supervisory Pay Schedule (Schedule K). The side letter encompasses approximately 188 first-level supervisory employees who

supervise H1 bargaining unit employees in the Department of Corrections. The approximate annual costs of salary and wage increases are \$375,000 including the cost of salary sensitive benefits.

Governor's Office

Management Directive No. 205.25—Disability-Related Employment Policy, Amended June 19, 2002.

Management Directive No. 230.15—Continental United States High Cost Subsistence Allowances, Amended June 6, 2002.

Management Directive No. 410.10—Guidelines for Investigating and Resolving Internal Discrimination Complaints, Amended June 19, 2002.

Management Directive No. 505.30—Prohibition of Sexual Harassment in Commonwealth Work Settings, Amended June 19, 2002.

Management Directive No. 580.34—Removal of Eligibles for Certification or Appointment in the Classified Service, Amended May 20, 2002.

Management Directive No. 580.37—Promotion by Appointment of Unclassified Service Employees into the Classified Service, Dated May 22, 2002.

Management Directive No. 620.1—Coal Sampling and Reporting, Revision No. 2, Dated May 28, 2002.

Administrative Circular No. 02-13—Implementation of Imagine PA in the Department of General Services' Commodity Distribution Center, Dated June 7, 2002.

Administrative Circular No. 02-14—Automotive Fleet Preventive Maintenance Schedule, Dated June 18, 2002.

Administrative Circular No. 02-15—Refueling of Commonwealth Automotive Fleet Vehicles, Dated June 18, 2002.

Administrative Circular No. 02-16—State Employees Purchasing Vehicle at the Commonwealth Auction, Dated June 18, 2002.

Administrative Circular No. 02-17—Workers' Compensation Rates, Dated June 20, 2002.

GARY R. HOFFMAN,
Director
Pennsylvania Bulletin

[Pa.B. Doc. No. 02-1290. Filed for public inspection July 19, 2002, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board lease will expire:

Beaver County, Wine & Spirits Shoppe #0401, 1009 7th Avenue, Beaver Falls, PA 15010-4539.

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 2,000 to 2,500 net useable square feet of new or existing retail commercial space with rear door loading serving the Beaver Falls area.

Proposals due: August 9, 2002, at 12 p.m.

Department: Pennsylvania Liquor Control Board
Location: Real Estate Division, State Office Building, Rm. 408, 300 Liberty Avenue, Pittsburgh, PA 15222.

Contact: George Danis, (412) 565-5130

JOHN E. JONES, III,
Chairperson

[Pa.B. Doc. No. 02-1291. Filed for public inspection July 19, 2002, 9:00 a.m.]

MILK MARKETING BOARD

Hearing and Presubmission Schedule for All Milk Marketing Areas; Over-Order Premium

Under the Milk Marketing Law (31 P. S. §§ 700j-101—700j-1302), the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Areas 1—6 on July 30, 2002, at 1 p.m. in Room 202, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning whether a decrease of no more than 40¢ per hundredweight should be made to the level of the over-order premium, which is currently \$1.65 per hundredweight.

The staff of the Board is deemed to be a party to this hearing, and the attorneys representing staff are deemed to have entered their appearances. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 4 p.m. on July 24, 2002, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 4 p.m. on July 24, 2002, notification of their desire to be included as a party.

The parties shall observe the following requirements for advance filing of witness information and exhibits. The Board may exclude witnesses or exhibits of a party that fails to comply with these requirements. In addition, the parties shall have available in the hearing room at least 20 additional copies made available for the use of nonparties attending the hearing.

1. By 4 p.m. on July 25, 2002, each party shall file with the Board seven copies and ensure receipt by all other parties of one copy of:

a. A list of witnesses who will testify for the party, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 4 p.m. on July 26, 2002, each party shall file and ensure receipt as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

Parties who wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board or who wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or

§ 35.173. Whenever these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties; in addition, at least 20 copies shall be available for distribution to nonparties attending the hearing.

Requests for Board staff to provide data pertinent to the hearing shall be made in writing and received in the Board office by 12 p.m. on July 24, 2002.

The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals requiring this information in an alternate format should call (717) 787-4194 or (800) 654-5984 (PA Relay Service for TDD Users).

LYNDA J. BOWMAN,
Executive Secretary

[Pa.B. Doc. No. 02-1292. Filed for public inspection July 19, 2002, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before August 12, 2002, as set forth at 52 Pa. Code § 3.381 (relating to the applications for the transportation of property, household goods in use and persons). The protest shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Application of the following for approval to *begin* operating as *common carriers* for transportation of *persons* as described under the application.

A-00119046. Maybelline Limousine, Inc. (726 Sylvan Avenue, Pittsburgh, Allegheny, PA 15102), a corporation of the Commonwealth—persons in limousine service, between points in the County of Allegheny, and from points in said county, to points in Pennsylvania, and return.

Applications of the following for *amendment* to the certificate of public convenience approving the operation of motor vehicles as *common carriers* for transportation of *persons* as described under each application.

A-00100766, Folder 2, Am-B. Allegheny Limousines, Inc. (326 Lucille Street, Pittsburgh, Allegheny County, PA 15218), a corporation of the Commonwealth—persons in limousine service, between points in Pennsylvania: *So As to Permit* the transportation of persons in limousine service, between points in Allegheny County. *Attorney:* David M. O'Boyle, 1450 Two Chatham Center, Pittsburgh PA 15219-3427.

A-00108826, Folder 5, Am-A. System of Services, INC. t/d/b/a Fantasy Limo Leasing (28 Georgetown

Lane, Beaver, Beaver County, PA 15009), a corporation of the Commonwealth—persons in limousine service, between points in Pennsylvania: *So As to Permit* the transportation of persons in limousine service, between points in Allegheny County.

A-00112970, Folder 1, Am-A. Regency Transportation Group LTD (401 Neptune Street, Pittsburgh, Allegheny County, PA 15220), a corporation of the Commonwealth—persons in limousine service, between points in Pennsylvania: *So As to Permit* the transportation of persons in limousine service, between points in Allegheny County. *Attorney:* William A. Gray, 2310 Grant Building, 310 Grant Street, Pittsburgh, PA 15219.

A-00108867, Folder 1, Am-B. Personal Touch Limousine Service, Inc. t/d/b/a V.I.P. Limousine Service (345 Rouser Road, Coraopolis, Allegheny County, PA 15108), a corporation of the Commonwealth—persons in limousine service, between points in Pennsylvania: *So As to Permit* the transportation of persons in limousine service, between points in Allegheny County. *Attorney:* William A. Gray, 2310 Grant Building, 310 Grant Street, Pittsburgh, PA 15219.

A-00114509, Folder 1, Am-B. Elite Coach Limousine, Inc. (3795 Old William Penn Highway, Murrysville, Allegheny County, PA 15668), a corporation of the Commonwealth—persons in limousine service, between points in Pennsylvania: *So As to Permit* the transportation of persons in limousine service, between points in Allegheny County.

A-00116736, Folder 2, Am-A. Tortorice Limousine, Inc. (1555 Washington Blvd, Port Vue, Allegheny County, PA 15133), a corporation of the Commonwealth—persons in limousine service, between points in Pennsylvania: *So As to Permit* the transportation of persons in limousine service, between points in Allegheny County.

Applications of the following for approval of the additional right and privilege of operating motor vehicles as common carriers for transportation of persons as described under each application.

A-00115770, Folder 3. Robert E. Brenner, Jr. t/d/b/a Brenner Coach and Limousine (P. O. Box 525, 530A West Main Street, New Holland, Bucks County, PA 17557), additional right—persons in group and party service, in vehicles with a seating capacity of 15 passengers or less, including the driver, between points in the Counties of Berks, Bucks and Montgomery, and from points in said counties, to points in Pennsylvania, and return.

A-00110791, Folder 2. J. J. Serafin, Inc. t/d/b/a AAAA Transportation (14 Dennison Street, Forty Fort, Luzerne County, PA 18704), a corporation of the Commonwealth—additional right - persons in paratransit service, for CSX; Canadian Pacific; Canadian National; New York Susquehanna & Western Railway; and Amtrak, between points in Pennsylvania.

Complaint

Pennsylvania Public Utility Commission Bureau of Transportation and Safety v. Daniel A. Pryse, t/a Pryse Trucking Company; Doc. No. A-00114108C02; A-00114108

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has del-

egated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Daniel A. Pryse, t/a Pryse Trucking Company, respondent, maintains his principal place of business at R. D. #4, Box 4052, East Stroudsburg, PA 18301.

2. That respondent was issued a certificate of public convenience by this Commission on September 3, 1997 at Application Docket No. A-00114108.

3. That respondent abandoned or discontinued service without having first submitted a letter to this Commission containing a statement that the service is no longer being rendered. Respondent has not reported intrastate revenue for the years 1999, 2000 and 2001.

4. That respondent, by failing to submit a letter to this Commission containing a statement that the service is no longer being rendered, violated 52 Pa. Code § 3.381(a)(5) and, by failing to maintain adequate, efficient and safe service and facilities, violated 66 Pa.C.S. § 1501.

WHEREFORE, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke Daniel A. Pryse, t/a Pryse Trucking Company's Certificate of Public Convenience at A-00114108.

Respectfully submitted,

Michael E. Hoffman, Director
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Michael E. Hoffman, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Michael E. Hoffman

NOTICE

A. You must file an answer within twenty days of the date of service of this Complaint. The date of service is the mailing date, as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your answer must be verified and the original and three copies sent to:

James J. McNulty, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty days, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter

imposing a penalty, which will include the revocation of your Certificate of Public Convenience.

C. If you file an answer which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which may include the revocation of your Certificate of Public Convenience.

D. If you file an answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision.

E. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at 717-787-1168.

Complaint

Pennsylvania Public Utility Commission Bureau of Transportation and Safety v. Michael Russo, t/a Michael Russo Paving; Doc. No. A-00113779C02; A-00113779

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Michael Russo, t/a Michael Russo Paving, respondent, maintains his principal place of business at 909 Old Fern Hill Road, West Chester, PA 19380.

2. That respondent was issued a certificate of public convenience by this Commission on June 16, 1997 at Application Docket No. A-00113779.

3. That respondent abandoned or discontinued service without having first submitted a letter to this Commission containing a statement that the service is no longer being rendered. Respondent has not reported intrastate revenue for the years 1999, 2000 and 2001.

4. That respondent, by failing to submit a letter to this Commission containing a statement that the service is no longer being rendered, violated 52 Pa. Code § 3.381(a)(5) and, by failing to maintain adequate, efficient and safe service and facilities, violated 66 Pa.C.S. § 1501.

WHEREFORE, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke Michael Russo, t/a Michael Russo Paving's Certificate of Public Convenience at A-00113779.

Respectfully submitted,

Michael E. Hoffman, Director
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Michael E. Hoffman, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter.

I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____
Michael E. Hoffman

NOTICE

A. You must file an answer within twenty days of the date of service of this Complaint. The date of service is the mailing date, as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your answer must be verified and the original and three copies sent to:

James J. McNulty, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty days, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which will include the revocation of your Certificate of Public Convenience.

C. If you file an answer which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which may include the revocation of your Certificate of Public Convenience.

D. If you file an answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision.

E. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at 717-787-1168.

Complaint

Pennsylvania Public Utility Commission Bureau of Transportation and Safety v. Michael Missimer, t/a Mike Missimer Trucking; Doc. No. A-00112779C02; A-00112779

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Michael Missimer, t/a Mike Missimer Trucking, respondent, maintains his principal place of business at 140 South 5th Street, Bally, PA 19503.

2. That respondent was issued a certificate of public convenience by this Commission on March 13, 1996 at Application Docket No. A-00112779.

3. That respondent abandoned or discontinued service without having first submitted a letter to this Commission containing a statement that the service is no longer

being rendered. Respondent has not reported intrastate revenue for the years 1999, 2000 and 2001.

4. That respondent, by failing to submit a letter to this Commission containing a statement that the service is no longer being rendered, violated 52 Pa. Code § 3.381(a)(5) and, by failing to maintain adequate, efficient and safe service and facilities, violated 66 Pa.C.S. § 1501.

WHEREFORE, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke Michael Missimer, t/a Mike Missimer Trucking's Certificate of Public Convenience at A-00112779.

Respectfully submitted,

Michael E. Hoffman, Director
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Michael E. Hoffman, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Michael E. Hoffman

NOTICE

A. You must file an answer within twenty days of the date of service of this Complaint. The date of service is the mailing date, as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your answer must be verified and the original and three copies sent to:

James J. McNulty, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty days, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which will include the revocation of your Certificate of Public Convenience.

C. If you file an answer which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which may include the revocation of your Certificate of Public Convenience.

D. If you file an answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision.

E. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at 717-787-1168.

Complaint

Pennsylvania Public Utility Commission Bureau of Transportation and Safety v. TST Expedited Services, Inc.; Doc. No. A-00113393C02; A-00113393, F. 2

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That TST Expedited Services, Inc., respondent, maintains its principal place of business at 4401 Stecker Road, Dearborn, MI 48126.

2. That respondent was issued a certificate of public convenience by this Commission on June 2, 1997 at Application Docket No. A-00113393, F. 2.

3. That respondent abandoned or discontinued service without having first submitted a letter to this Commission containing a statement that the service is no longer being rendered. Respondent has not reported intrastate revenue for the years 1999, 2000 and 2001.

4. That respondent, by failing to submit a letter to this Commission containing a statement that the service is no longer being rendered, violated 52 Pa. Code § 3.381(a)(5) and, by failing to maintain adequate, efficient and safe service and facilities, violated 66 Pa.C.S. § 1501.

WHEREFORE, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke TST Expedited Services, Inc.'s Certificate of Public Convenience at A-00113393, F. 2.

Respectfully submitted,

Michael E. Hoffman, Director
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Michael E. Hoffman, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Michael E. Hoffman

NOTICE

A. You must file an answer within twenty days of the date of service of this Complaint. The date of service is the mailing date, as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your answer must be verified and the original and three copies sent to:

James J. McNulty, Secretary
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty days, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which will include the revocation of your Certificate of Public Convenience.

C. If you file an answer which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which may include the revocation of your Certificate of Public Convenience.

D. If you file an answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision.

E. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at 717-787-1168.

Complaint

Pennsylvania Public Utility Commission Bureau of Transportation and Safety v. Jacob R. Trinley, Inc.; Doc. No. A-00113194C02; A-00113194, F. 2

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Jacob R. Trinley, Inc., respondent, maintains its principal place of business at 10 Ferndale Lane, Linfield, PA 19468.

2. That respondent was issued a certificate of public convenience by this Commission on July 8, 1996 at Application Docket No. A-00113194, F. 2.

3. That respondent abandoned or discontinued service without having first submitted a letter to this Commission containing a statement that the service is no longer being rendered. Respondent has not reported intrastate revenue for the years 1999, 2000 and 2001.

4. That respondent, by failing to submit a letter to this Commission containing a statement that the service is no longer being rendered, violated 52 Pa. Code § 3.381(a)(5) and, by failing to maintain adequate, efficient and safe service and facilities, violated 66 Pa.C.S. § 1501.

WHEREFORE, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke Jacob R. Trinley, Inc.'s Certificate of Public Convenience at A-00113194, F. 2.

Respectfully submitted,

Michael E. Hoffman, Director
 Bureau of Transportation and Safety
 P. O. Box 3265
 Harrisburg, PA 17105-3265

VERIFICATION

I, Michael E. Hoffman, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Michael E. Hoffman

NOTICE

A. You must file an answer within twenty days of the date of service of this Complaint. The date of service is the mailing date, as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your answer must be verified and the original and three copies sent to:

James J. McNulty, Secretary
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty days, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which will include the revocation of your Certificate of Public Convenience.

C. If you file an answer which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which may include the revocation of your Certificate of Public Convenience.

D. If you file an answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision.

E. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at 717-787-1168.

Complaint

Pennsylvania Public Utility Commission Bureau of Transportation and Safety v. Distefano Transport, Inc.; Doc. No. A-00113790C02; A-00113790

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Distefano Transport, Inc., respondent, maintains its principal place of business at 1219 Morstein Road, West Chester, PA 19380.

2. That respondent was issued a certificate of public convenience by this Commission on May 12, 1997 at Application Docket No. A-00113790.

3. That respondent abandoned or discontinued service without having first submitted a letter to this Commission containing a statement that the service is no longer being rendered. Respondent has not reported intrastate revenue for the years 1999, 2000 and 2001.

4. That respondent, by failing to submit a letter to this Commission containing a statement that the service is no longer being rendered, violated 52 Pa. Code § 3.381(a)(5) and, by failing to maintain adequate, efficient and safe service and facilities, violated 66 Pa.C.S. § 1501.

WHEREFORE, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke Distefano Transport, Inc.'s Certificate of Public Convenience at A-00113790.

Respectfully submitted,

Michael E. Hoffman, Director
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Michael E. Hoffman, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Michael E. Hoffman

NOTICE

A. You must file an answer within twenty days of the date of service of this Complaint. The date of service is the mailing date, as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your answer must be verified and the original and three copies sent to:

James J. McNulty, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty days, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which will include the revocation of your Certificate of Public Convenience.

C. If you file an answer which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which may include the revocation of your Certificate of Public Convenience.

D. If you file an answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision.

E. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at 717-787-1168.

Complaint

ROSEN IRON & METAL INC
3822 BIRNEY AVENUE
MOOSIC PA 18507

In re: A-00117895C0201
A-00117895

Dear Respondent:

On February 19, 2002, the Bureau of Transportation and Safety instituted a complaint against Rosen Iron & Metal, Inc., respondent, alleging failure to maintain proper evidence of current insurance in violation of the Public Utility Code. The respondent was duly notified that if acceptable evidence of insurance or an answer was not filed, the Bureau would request that the Secretary of the Commission revoke the certificate of public convenience issued to the respondent at A-00117895.

The complaint and notice were served on the respondent on February 21, 2002; to date, more than twenty (20) days later, neither evidence of insurance nor an answer to the complaint has been filed. Therefore, the allegation in the complaint is deemed to be admitted.

The complaint at A-00117895C0201 is hereby sustained and the right(s) and the certificate of public convenience issued to the respondent at A-00117895 be and are hereby revoked; and the respondent has no other operating authority. The respondent is hereby notified to cease and desist from providing service previously authorized under the certificate of public convenience.

James J. McNulty
Secretary

Complaint

Pennsylvania Public Utility Commission Bureau of Transportation and Safety v. Lawrence Estenich Enterprises, Inc., t/d/b/a Estenich Trucking Co.; Doc. No. A-0011786C02; A-00111786

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Lawrence Estenich Enterprises, Inc., t/d/b/a Estenich Trucking Co., respondent, maintains his principal place of business at P. O. Box 25, Wycombe, PA 18980.

2. That respondent was issued a certificate of public convenience by this Commission on April 4, 1995 at Application Docket No. A-00111786.

3. That respondent abandoned or discontinued service without having first submitted a letter to this Commission containing a statement that the service is no longer being rendered. Respondent has not reported intrastate revenue for the years 1999, 2000 and 2001.

4. That respondent, by failing to submit a letter to this Commission containing a statement that the service is no

longer being rendered, violated 52 Pa. Code § 3.381(a)(5) and, by failing to maintain adequate, efficient and safe service and facilities, violated 66 Pa.C.S. § 1501.

WHEREFORE, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke Lawrence Estenich Enterprises, Inc., t/d/b/a Estenich Trucking Co.'s Certificate of Public Convenience at A-00111786.

Respectfully submitted,

Michael E. Hoffman, Director
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Michael E. Hoffman, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Michael E. Hoffman

NOTICE

A. You must file an answer within twenty days of the date of service of this Complaint. The date of service is the mailing date, as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your answer must be verified and the original and three copies sent to:

James J. McNulty, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty days, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which will include the revocation of your Certificate of Public Convenience.

C. If you file an answer which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which may include the revocation of your Certificate of Public Convenience.

D. If you file an answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision.

E. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at 717-787-1168.

Complaint

Pennsylvania Public Utility Commission Bureau of Transportation and Safety v. Gilbo Corp.; Doc. No. A-00112176C02; A-00112176

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth

of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Gilbo Corp., respondent, maintains its principal place of business at 601 Washington Street, Conshohocken, PA 19428.

2. That respondent was issued a certificate of public convenience by this Commission on August 2, 1995 at Application Docket No. A-00112176.

3. That respondent abandoned or discontinued service without having first submitted a letter to this Commission containing a statement that the service is no longer being rendered. Respondent has not reported intrastate revenue for the years 1999, 2000 and 2001.

4. That respondent, by failing to submit a letter to this Commission containing a statement that the service is no longer being rendered, violated 52 Pa. Code § 3.381(a)(5) and, by failing to maintain adequate, efficient and safe service and facilities, violated 66 Pa.C.S. § 1501.

WHEREFORE, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke Gilbo Corp.'s Certificate of Public Convenience at A-00112176.

Respectfully submitted,

Michael E. Hoffman, Director
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Michael E. Hoffman, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Michael E. Hoffman

NOTICE

A. You must file an answer within twenty days of the date of service of this Complaint. The date of service is the mailing date, as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your answer must be verified and the original and three copies sent to:

James J. McNulty, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty days, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter

imposing a penalty, which will include the revocation of your Certificate of Public Convenience.

C. If you file an answer which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which may include the revocation of your Certificate of Public Convenience.

D. If you file an answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision.

E. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at 717-787-1168.

Complaint

Pennsylvania Public Utility Commission Bureau of Transportation and Safety v. Bud's Towing & Transport, Inc.; Doc. No. A-00112516C02; A-00112516

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Bud's Towing & Transport, Inc., respondent, maintains its principal place of business at 2635 West Chester Pike, 1st Floor, Broomall, PA 19008.

2. That respondent was issued a certificate of public convenience by this Commission on December 4, 1995 at Application Docket No. A-00112516.

3. That respondent abandoned or discontinued service without having first submitted a letter to this Commission containing a statement that the service is no longer being rendered. Respondent has not reported intrastate revenue for the years 1999, 2000 and 2001.

4. That respondent, by failing to submit a letter to this Commission containing a statement that the service is no longer being rendered, violated 52 Pa. Code § 3.381(a)(5) and, by failing to maintain adequate, efficient and safe service and facilities, violated 66 Pa.C.S. § 1501.

WHEREFORE, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke Bud's Towing & Transport, Inc.'s Certificate of Public Convenience at A-00112516.

Respectfully submitted,

Michael E. Hoffman, Director
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Michael E. Hoffman, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter.

I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Michael E. Hoffman

NOTICE

A. You must file an answer within twenty days of the date of service of this Complaint. The date of service is the mailing date, as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your answer must be verified and the original and three copies sent to:

James J. McNulty, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty days, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which will include the revocation of your Certificate of Public Convenience.

C. If you file an answer which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which may include the revocation of your Certificate of Public Convenience.

D. If you file an answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision.

E. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at 717-787-1168.

Complaint

Pennsylvania Public Utility Commission Bureau of Transportation and Safety v. Louis T. Decenzi t/a Louis Decenzi Hauling; Doc. No. A-00112507C02; A-00112507

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Louis T. Decenzi, t/a Louis Decenzi Hauling, respondent, maintains his principal place of business at P. O. Box 16, Media, PA 19063.

2. That respondent was issued a certificate of public convenience by this Commission on November 13, 1995 at Application Docket No. A-00112507.

3. That respondent abandoned or discontinued service without having first submitted a letter to this Commission containing a statement that the service is no longer

being rendered. Respondent has not reported intrastate revenue for the years 1999, 2000 and 2001.

4. That respondent, by failing to submit a letter to this Commission containing a statement that the service is no longer being rendered, violated 52 Pa. Code § 3.381(a)(5) and, by failing to maintain adequate, efficient and safe service and facilities, violated 66 Pa.C.S. § 1501.

WHEREFORE, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke Louis T. Decenzi t/a Louis Decenzi Hauling's Certificate of Public Convenience at A-00112507.

Respectfully submitted,

Michael E. Hoffman, Director
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Michael E. Hoffman, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Michael E. Hoffman

NOTICE

A. You must file an answer within twenty days of the date of service of this Complaint. The date of service is the mailing date, as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your answer must be verified and the original and three copies sent to:

James J. McNulty, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty days, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which will include the revocation of your Certificate of Public Convenience.

C. If you file an answer which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which may include the revocation of your Certificate of Public Convenience.

D. If you file an answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision.

E. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at 717-787-1168.

Complaint

Pennsylvania Public Utility Commission Bureau of Transportation and Safety v. Raymond D. Oehlmann t/a Oehlmann Trucking; Doc. No. A-00109232C02; A-00109232

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Raymond D. Oehlmann, t/a Oehlmann Trucking, respondent, maintains his principal place of business at R. D. #1, Box 91A, Dingmans Ferry, PA 18337.

2. That respondent was issued a certificate of public convenience by this Commission on January 17, 1991 at Application Docket No. A-00109232.

3. That respondent abandoned or discontinued service without having first submitted a letter to this Commission containing a statement that the service is no longer being rendered. Respondent has not reported intrastate revenue for the years 1999, 2000 and 2001.

4. That respondent, by failing to submit a letter to this Commission containing a statement that the service is no longer being rendered, violated 52 Pa. Code § 3.381(a)(5) and, by failing to maintain adequate, efficient and safe service and facilities, violated 66 Pa.C.S. § 1501.

WHEREFORE, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke Raymond D. Oehlmann, t/a Oehlmann Trucking's Certificate of Public Convenience at A-00109232.

Respectfully submitted,

Michael E. Hoffman, Director
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Michael E. Hoffman, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Michael E. Hoffman

NOTICE

A. You must file an answer within twenty days of the date of service of this Complaint. The date of service is the mailing date, as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and

must include the reference number of this Complaint. Your answer must be verified and the original and three copies sent to:

James J. McNulty, Secretary
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty days, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which will include the revocation of your Certificate of Public Convenience.

C. If you file an answer which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which may include the revocation of your Certificate of Public Convenience.

D. If you file an answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision.

E. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at 717-787-1168.

Complaint

Pennsylvania Public Utility Commission Bureau of Transportation and Safety v. Don Rosen Preferred Limo, Inc.; Doc. No. A-00106636C02; A-00106636, F. 2

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Don Rosen Preferred Limo, Inc., respondent, maintains its principal place of business at 190 Presidential Blvd. North, Bala Cynwyd, PA 19004.

2. That respondent was issued a certificate of public convenience by this Commission on September 18, 1986 at Application Docket No. A-00106636, F. 2.

3. That respondent abandoned or discontinued service without having first filed an application with this Commission for abandonment or discontinuance of service. Respondent has not reported intrastate revenue for the years 1999, 2000 and 2001.

4. That respondent, by failing to file an application with this Commission prior to abandoning or discontinuing service, violated 52 Pa. Code § 3.381(a)(1)(v) and 66 Pa.C.S. § 1102(a)(2) and, by failing to maintain adequate, efficient and safe service and facilities, violated 66 Pa.C.S. § 1501.

WHEREFORE, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke Don Rosen Preferred Limo, Inc.'s Certificate of Public Convenience at A-00106636, F. 2.

Respectfully submitted,

Michael E. Hoffman, Director
 Bureau of Transportation and Safety
 P. O. Box 3265
 Harrisburg, PA 17105-3265

VERIFICATION

I, Michael E. Hoffman, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Michael E. Hoffman

NOTICE

A. You must file an answer within twenty days of the date of service of this Complaint. The date of service is the mailing date, as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your answer must be verified and the original and three copies sent to:

James J. McNulty, Secretary
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty days, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which will include the revocation of your Certificate of Public Convenience.

C. If you file an answer which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which may include the revocation of your Certificate of Public Convenience.

D. If you file an answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision.

E. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at 717-787-1168.

Complaint

Pennsylvania Public Utility Commission Bureau of Transportation and Safety v. DLC Management Group, Inc.; Doc. No. A-00110044C02; A-00110044

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section

701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That DLC Management Group, Inc., respondent, maintains its principal place of business at 210 W. Washington Square, Philadelphia, PA 19106-3578.

2. That respondent was issued a certificate of public convenience by this Commission on January 4, 1993 at Application Docket No. A-00110044.

3. That respondent abandoned or discontinued service without having first submitted a letter to this Commission containing a statement that the service is no longer being rendered. Respondent has not reported intrastate revenue for the years 1999, 2000 and 2001.

4. That respondent, by failing to submit a letter to this Commission containing a statement that the service is no longer being rendered, violated 52 Pa. Code § 3.381(a)(5) and, by failing to maintain adequate, efficient and safe service and facilities, violated 66 Pa.C.S. § 1501.

WHEREFORE, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke DLC Management Group, Inc.'s Certificate of Public Convenience at A-00110044.

Respectfully submitted,

Michael E. Hoffman, Director
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Michael E. Hoffman, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

NOTICE

A. You must file an answer within twenty days of the date of service of this Complaint. The date of service is the mailing date, as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your answer must be verified and the original and three copies sent to:

James J. McNulty, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty days, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which will include the revocation of your Certificate of Public Convenience.

C. If you file an answer which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which may include the revocation of your Certificate of Public Convenience.

D. If you file an answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision.

E. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at 717-787-1168.

Complaint

Pennsylvania Public Utility Commission Bureau of Transportation and Safety v. Complete Distribution Services, Inc.; Doc. No. A-00117392C02; F. 2

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania, empowered to regulate motor carriers and brokers within this Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Complete Distribution Services, Inc., respondent, maintains a principal place of business at 8841 old U.S. Route 13, Morrisville, PA 19067.

2. That all times relevant to this Complaint, respondent held a certificate of public convenience issued by this Commission at Application Docket No. A-00117392, F. 2.

3. That pursuant to Section 512 of the Public Utility Code, 66 Pa.C.S. § 512, and 52 Pa. Code Chapter 32; respondent is required to maintain evidence of current insurance on file with this Commission.

4. That respondent has failed to maintain evidence of bodily injury and property damage liability insurance, in violation of the Public Utility Code and regulations cited in Paragraph 3 of this complaint.

5. That as a result of failure to maintain evidence of current insurance on file with this Commission, the Bureau of Transportation and Safety Prosecutory Staff requests that the Secretary of the Commission revoke respondent's certificate of public convenience.

WHEREFORE, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Secretary of the Commission revoke the certificate of public convenience held by Complete Distribution Services, Inc. at Docket No. A-00117392, F. 2, for failure to maintain evidence of current insurance on file with the Commission.

Respectfully submitted,

Michael E. Hoffman, Director
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Michael E. Hoffman, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter.

I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Michael E. Hoffman

NOTICE TO PLEAD

A. You must file an answer within twenty (20) days of the date of service. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this complaint and notice to plead. 52 PA Code § 1.56(a). The answer must raise all factual and legal arguments that you wish to claim in your defense and must include the docket number of this Complaint. Your answer must be verified and the original and two (2) copies sent to:

James J. McNulty, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this complaint within twenty (20) days of the date of service as identified in Paragraph A. above, the Bureau of Transportation and Safety will request that the Commission enter an order revoking your certificate of public convenience; contract carrier permit; or brokerage license or imposing such other remedy as may be appropriate.

C. In lieu of an answer, you may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations. The proof of insurance must be filed with the Secretary of the Commission at the address set forth in Paragraph A. Upon receipt of the proof of insurance from your insurer, the complaint proceeding shall be closed. ACORD CERTIFICATES OF INSURANCE ARE UNACCEPTABLE AS EVIDENCE OF INSURANCE.

D. If you file an answer which either admits or fails to deny the allegations of the complaint, the Bureau of Transportation and Safety will request that the Commission enter an order revoking your certificate of public convenience; contract carrier permit; or brokerage license.

E. If you file an answer which contests the complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision.

F. Alternative formats of this material are available, for persons with disabilities, by contacting the Insurance/Filing Unit at (717) 783-5933.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 02-1293. Filed for public inspection July 19, 2002, 9:00 a.m.]

Telecommunications

A-310917F7000. Verizon Pennsylvania Inc. and Line Systems, Inc. Joint Petition of Verizon Pennsylvania Inc. and Line Systems, Inc. for approval of an adoption of an interconnection agreement under section 252(i) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and Line Systems, Inc., by its counsel, filed on June 20, 2002, at the Pennsylvania Public Utility Commission (Commission), a Joint Petition for approval of an adoption of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and Line Systems, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 02-1294. Filed for public inspection July 19, 2002, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project #0244.3, Furnish & Install New Sanitary & Storm Sewer Lines, Pier 80 S. Annex, until 2 p.m. on Thursday, August 8, 2002. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 N. Delaware Avenue, 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available July 23, 2002. The cost of the bid document is \$35 (includes 7% PA Sales Tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractor must comply with all applicable equal opportunity laws and regulations.

A mandatory prebid job site meeting will be held on August 1, 2002, at 10 a.m. at Pier 80 S. Annex, Snyder Ave. and Columbus Blvd., Philadelphia, PA 19148.

JAMES T. MCDERMOTT, Jr.
Executive Director

[Pa.B. Doc. No. 02-1295. Filed for public inspection July 19, 2002, 9:00 a.m.]

PORT OF PITTSBURGH COMMISSION

Request for Proposals

The Port of Pittsburgh Commission (Commission) is soliciting proposals from qualified vendors to conduct financial statement audits of its books, accounts and records for each of the fiscal years ending June 30, 2003, 2004, 2005, 2006 and 2007. The audit will be conducted in Harrisburg and Pittsburgh, PA. Interested parties may receive copies of the Request for Proposals by calling the

Commission at (412) 201-7332. Proposals will be received at the Commission's office, Regional Enterprise Tower, 425 Sixth Avenue, Suite 2990, Pittsburgh, PA 15219, until 1 p.m. on October 15, 2002.

JAMES R. MCCARVILLE,
Executive Director

[Pa.B. Doc. No. 02-1296. Filed for public inspection July 19, 2002, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Dirt and Gravel Road Pollution Prevention Maintenance Program

As required by 25 Pa. Code § 83.604(f) (relating to apportionment criteria), the State Conservation Commission (Commission) is providing public notice of the apportionment of FY 2002 Dirt and Gravel Road Pollution Prevention Maintenance Program (Program) funds to participating County Conservation Districts. This apportionment is authorized under 75 Pa.C.S. § 9106 (relating to dirt and gravel road maintenance).

A. Effective Date

This apportionment is effective upon publication in the *Pennsylvania Bulletin*. Allocations will be disbursed when funds are released from the Treasury after July 1, 2002.

B. Background

At a public meeting on May 23, 2002, the Commission approved allocation of \$3,528 million of FY02 funds. These are apportioned according to stipulations in 75 Pa.C.S. § 9106(c). Not all counties receive an allocation as provided for at 25 Pa. Code § 83.613(a) (relating to performance standards).

Copies of 25 Pa. Code § 83.604 and 75 Pa.C.S. § 9106 are available from Woodrow J. Colbert, Conservation Commission Office, Room 407, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110-9408, (717) 787-8821.

The following allocations are being made to County Conservation Districts participating in the Program.

Adams, \$15,000
Allegheny, \$15,000
Armstrong, \$115,725
Beaver, \$15,000
Bedford, \$40,921
Berks, \$15,000
Blair, \$20,408
Bradford, \$322,536
Bucks, \$19,252
Butler, \$31,760
Cambria, \$15,000
Cameron, \$33,281
Carbon, \$25,133
Centre, \$34,079
Chester, \$18,149
Clarion, \$64,658
Clearfield, \$67,430
Clinton, \$22,910
Columbia, \$79,868
Crawford, \$146,181

Cumberland, \$15,000
Dauphin, \$23,247
Elk, \$25,367
Erie, \$56,958
Fayette, \$33,023
Forest, \$21,693
Franklin, \$15,090
Fulton, \$30,389
Huntingdon, \$70,507
Indiana, \$90,516
Jefferson, \$44,485
Juniata, \$36,209
Lackawanna, \$28,927
Lancaster, \$16,969
Lawrence, \$15,000
Lebanon, \$15,000
Lehigh, \$27,143
Luzerne, \$25,081
Lycoming, \$83,734
McKean, \$22,318
Mercer, \$48,418
Mifflin, \$20,963
Monroe, \$15,000
Montgomery, \$15,000
Montour, \$18,210
Northampton, \$15,000
Perry, \$42,121
Pike, \$56,763
Potter, \$138,594
Schuylkill, \$50,802
Snyder, \$29,057
Somerset, \$33,971
Sullivan, \$72,612
Susquehanna, \$127,020
Tioga, \$322,529
Union, \$25,680
Venango, \$80,044
Warren, \$215,168
Washington, \$79,613
Wayne, \$113,568
Westmoreland, \$27,438
Wyoming, \$61,432
York, \$105,047

KARL BROWN,
Executive Secretary

[Pa.B. Doc. No. 02-1297. Filed for public inspection July 19, 2002, 9:00 a.m.]

STATE EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of Claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the State Employees' Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

August 20, 2002	Stephen Leach (Deceased) (Contested Death Benefit)	1 p.m.
August 28, 2002	J. Robert Chuk (Transfer of County Service to State Service)	1 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 4 Pa. Code § 250.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JOHN BROSIUS,
Secretary

[Pa.B. Doc. No. 02-1298. Filed for public inspection July 19, 2002, 9:00 a.m.]

—