

NOTICES

DEPARTMENT OF AGRICULTURE

Dog Control Facility Bill Reimbursement Grant Program

The Department of Agriculture (Department) gives notice it will award up to \$250,000 in grants under its Year 2003 Dog Control Facility Bill Reimbursement Program (Program). This is a \$50,000 increase over the \$200,000 figure published with the guidelines and conditions for the Program at 32 Pa.B. 4372 (September 7, 2002). This increase is prompted by the large number of qualified applicants for grants under the Program and the availability of surplus funds from the Dog Law Restricted Account. The Program is funded from the Dog Law Restricted Account from funds which are surplus funds for the limited purposes set forth in section 1002(b) of the Dog Law (3 P. S. § 459-1002(b)).

In summary, the Program will award bill reimbursement grants of up to \$10,000 per recipient to humane societies or associations for the prevention of cruelty to animals that meet the Program's guidelines and conditions. Persons having questions regarding the Program should contact Janet Frushone-Gibas, Bureau of Dog Law Enforcement, 2301 North Cameron Street, Harrisburg, PA 17110-9408, (717) 787-4833.

SAMUEL E. HAYES, Jr.,
Secretary

[Pa.B. Doc. No. 02-2231. Filed for public inspection December 13, 2002, 9:00 a.m.]

Pennsylvania Christmas Tree Marketing and Research Program

Two public hearings, in accordance with the Agricultural Commodities Marketing Act (3 Pa.C.S. §§ 4501—4513), will be held at the following dates, times and locations:

- Tuesday, January 21, 2003, 9 a.m. at the Indiana County Courthouse Annex, 827 Water Street, Indiana, PA.

- Tuesday, January 28, 2003, at 9 a.m. at the Department of Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The hearings will be held for the purpose of receiving testimony in relation to a proposed marketing and research program for Pennsylvania Christmas trees (program).

The proposed program would apply to producers who make an initial sale of 200 or more Pennsylvania-grown Christmas trees during the October 1 to December 31 marketing season. Each producer would owe the program a producer charge of \$10 with respect to 200-tree sales. In addition, a producer shall owe the program a producer charge of 5¢ with respect to every initial sale of a cut Pennsylvania-grown Christmas tree beyond the first 200 sales in a marketing season. A "balled and bagged" Christmas tree shall not be considered a "cut" tree for purposes of this program.

Testimony will also be received as to other necessary and relevant matters, including rate of assessment, and with respect to the accuracy of producer lists on file at the Department of Agriculture (Department) identifying the names and addresses, Christmas tree acreage and the number of Christmas trees cut and sold between October 1, 2002, and December 31, 2002.

A copy of the proposed program is on file at the Department. A copy of the program order will be sent to interested parties upon request to the Department of Agriculture, Bureau of Market Development, Pennsylvania Christmas Tree Marketing and Research Program, 2301 North Cameron Street, Harrisburg, PA 17110-9408

SAMUEL E. HAYES, Jr.,
Secretary

[Pa.B. Doc. No. 02-2232. Filed for public inspection December 13, 2002, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending December 3, 2002.

BANKING INSTITUTIONS

Holding Company Acquisition

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
11-26-02	Citizens Financial Group, Inc., Providence, RI, to acquire 100% of the voting shares of Commonwealth Bancorp, Inc., Norristown, PA	Providence, RI	Approved

New Charter Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
11-26-02	Integrity Bank Camp Hill Dauphin County	3345 Market St. Camp Hill Dauphin County	Approved

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
11-26-02	Citizens Bank of Pennsylvania, Philadelphia, and Commonwealth Bank, Norristown Surviving Institution— Citizens Bank of Pennsylvania, Philadelphia	Philadelphia	Approved

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
11-20-02	Citizens Bank of Southern Pennsylvania Greencastle Franklin County	24 N. Cedar Street Lititz Lancaster County	Opened
11-25-02	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	1142 Northern Blvd. Clarks Summit Lackawanna County	Filed
11-25-02	Altoona First Savings Bank Altoona Blair County	Kapa Plaza 112 Willow Grove Drive Everett Snake Spring Township Bedford County	Opened
12-2-02	Mid Penn Bank Millersburg Dauphin County	One Lemoyne Square Lemoyne Cumberland County	Filed
12-2-02	Farmers and Merchants Trust Company of Chambersburg Chambersburg Franklin County	Menno-Haven Retirement Community 2075 Scotland Avenue Chambersburg Franklin County	Filed

Branch Relocations/Consolidations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
11-22-02	Lebanon Valley Farmers Bank Lebanon Lebanon County	<i>Into:</i> 555 Willow Street Lebanon Lebanon County (Main Office) <i>From:</i> 250 North 8th Street Lebanon Lebanon County	Effective

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
11-26-02	AmeriServ Financial Bank Johnstown Cambria County	Oakley Park II Route 30 East Greensburg Westmoreland County	Approved

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

No activity

PAUL H. WENTZEL, Jr.,
Acting Secretary

DEPARTMENT OF EDUCATION

Application of Pittsburgh Technical Institute for Approval of a Certificate of Authority to Operate as an Academic Degree Granting Institution

Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application of Pittsburgh Technical Institute for a Certificate of Authority approving the institution's application to operate as an academic degree granting institution.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without hearing, unless within 30 days after the publication of the notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating

to protest) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protest and request for hearing shall be filed with Paula Fleck, Chief, Division of Program Services, Department of Education, 333 Market Street, Harrisburg, PA 17126-0333, (717) 772-3623 by 4 p.m. on the due date prescribed by this notice. Persons wishing to review the application should phone or write to the aforementioned office to schedule a time for an in-office review. Copies of the application are not available.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate should contact Paula Fleck at (717) 772-3623 to discuss how the Department may best accommodate their needs.

CHARLES B. ZOGBY,
Secretary

[Pa.B. Doc. No. 02-2234. Filed for public inspection December 13, 2002, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS

NPDES APPLICATIONS

PART I PERMITS

Under the Federal Clean Water Act and The Clean Streams Law, the following parties have applied for an NPDES permit or to renew their current permit to discharge controlled wastewaters into the waters of this Commonwealth or to conduct other activities required by the NPDES permit. For renewal applications listed in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements. For new permit applications, renewal application with major changes or applications for permits not waived by the EPA, the Department, based upon preliminary reviews, also made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications listed in Section II. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement, to the office noted before the application, within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant. Following the comment period, the Department's Water Management Program Manager will make a final determination regarding these applications. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The renewal application, including proposed effluent limitations and special conditions, is available on file. For new permit applications, information submitted with the applications is available on file. The information may be inspected and arrangements made for copying at the office indicated before the application.

Persons with a disability, who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information, should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0062944	Robert Barker 618 Quaker Plain Road Bangor, PA 18013	Northampton County Upper Mount Bethel Township	Unnamed tributary to Martins Creek 1F	Y
PA0060461 (Minor Re- newal)	Silver Lake Township Municipal Authority P. O. Box 1975 Brackney, PA 18812	Susquehanna County Silver Lake Township	Laurel Lake Creek 4E	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0083674 (Transfer)	Rainworth, Inc. (Former Lincoln Logs Restaurant) 1979 Biglerville Road Gettysburg, PA 17325	Adams County Straban Township	UNT White Run 13-D	Y
PA0082228	Hill Top Acres MHP 1546 Newport Road Manheim, PA 17545	Lancaster County Rapho Township	Chickies Creek 7-G	Y
PA0031348	Moselem Development Co. P. O. Box 582 Reading, PA 19603	Berks County Richmond Township	Moselem Creek 3-B	Y
PA0034363	Pine View Acres MHP 116-B Blantz Road Lititz, PA 17543	Lancaster County Penn Township	UNT Chickies Creek 7-G	Y
PA0043028	Hemlock Acres Court 1546 Newport Road Manheim, PA 17545	Lancaster County Rapho Township	Chickies Creek 7-G	Y
PA0029823	Tussey Mountain School District Defiance Elementary School 199 Front Street Saxton, PA 16678	Bedford County Broad Top Township	Six Mile Run 11-D	Y

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0111716 (Sewerage)	Clyde E. Yohey Wonderview Development 560 Montour Blvd. Bloomsburg, PA 17815	Main Township Columbia County	North Branch Susquehanna River 5D	Y
PA0114081 (Sewerage)	Clear-Run, Inc. Woods-Edge Estates 181 Draketown Rd. Bloomsburg, PA 17815	Orange Township Columbia County	UNT to Fishing Creek 5C	Y
PA0113727 (Sewerage)	Larry Reed Country Place MHP R. R. 2, Box 71 DuBois, PA 15801	Sandy Township Clearfield County	Muddy Run 17C	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0210404, Sewage, **Melvin J. Wachob**, 4916 Glen Hazel, Wilcox, PA 15870. This proposed facility is located in Jones Township, **Elk County**.

Description of Proposed Activity: Renewal of a Part I Permit for a discharge of treated sewage.

For the purpose of evaluating effluent requirements for TDS, NO₂—NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (stream and public water supplier) considered during the evaluation is the Clarion District—Pennsylvania American Water Company on the Clarion River, approximately 69.16 miles below point of discharge.

The receiving stream, unnamed tributary to the East Branch Clarion River, is in watershed 17B and classified for HQ-CWF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 based on a design flow of 0.000400 MGD.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (MGD)	XX		
CBOD ₅	10		20
Total Suspended Solids	20		40
Total Residual Chlorine	XX		XX
Fecal Coliform		200/100 ml as a geometric average	
pH		6.0 to 9.0 standard units at all times	

XX—Monitor and Report

The EPA Waiver is in effect.

PA0222313, Sewage, **Gene P. Kidder**, P. O. Box 106, Sigel, PA 15860. This proposed facility is located in Barnett Township, **Jefferson County**.

Description of Proposed Activity: A renewal Part I Permit for an existing discharge of treated sewage.

For the purpose of evaluating effluent requirements for TDS, NO₂—NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (stream and public water supplier) considered during the evaluation is the Clarion District—Pennsylvania American Water Company on the Clarion River, approximately 47.1 miles below point of discharge.

The receiving stream, unnamed tributary of Cathers Run, is in watershed 17B and classified for HQ-CWF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 based on a design flow of 0.000400 MGD.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (MGD)	XX		
CBOD ₅	10		20
Total Suspended Solids	20		40
Total Residual Chlorine	XX		
Fecal Coliform		200/100 ml as a geometric average	
pH		6.0 to 9.0 standard units at all times	

XX—Monitor and Report

The EPA Waiver is in effect.

PA0028487, Sewage, **Hermitage Municipal Authority—Bobby Run WPCP**, Box 1046, 800 North Hermitage Road, Hermitage, PA 16148. This proposed facility is located in the City of Hermitage, **Mercer County**.

Description of Proposed Activity: Renewal of an existing Part I NPDES permit.

For the purpose of evaluating effluent requirements for TDS, NO₂—NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply (stream and public water supplier) considered during the evaluation is the Western Pennsylvania Water Company—New Castle District intake on the Shenango River located in New Castle, approximately 18 miles below point of discharge.

The receiving stream, Shenango River, is in watershed 20-A and classified for WWF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 based on a design flow of 5.0 MGD.

<i>Parameters</i>	<i>Loadings (lb/day)</i>		<i>Concentrations (mg/l)</i>		
	<i>Monthly Average (lbs/day)</i>	<i>Weekly Average (lbs/day)</i>	<i>Monthly Average (mg/l)</i>	<i>Weekly Average (mg/l)</i>	<i>Instant Maximum (mg/l)</i>
Flow (MGD)	XX		XX		
CBOD ₅	1,042	1,668	25	40	50
TSS	1,251	1,877	30	50	60

Parameters	Loadings (lb/day)		Concentrations (mg/l)		
	Monthly Average (lbs/day)	Weekly Average (lbs/day)	Monthly Average (mg/l)	Weekly Average (mg/l)	Instant Maximum (mg/l)
Ammonia Nitrogen (5-1 to 10-31)	626		15		30
(11-1 to 4-30)	XX		XX		
Fecal Coliform (5-1 to 9-30)			200/100 ml as a geometric average		
(10-1 to 4-30)			7,500/100 ml as a geometric average		
Total Residual Chlorine			0.5		1.6
pH	Within limits of 6.0 to 9.0 standard units at all times				

XX—Monitor and Report

Special Conditions: continued implementation of a Federal pretreatment program; and acute whole effluent toxicity monitoring.

The EPA Waiver is not in effect.

PA0210072, Sewage, **YMCA—Camp Sherwin**, 8600 West Lake Road, Lake City, PA 16423. This proposed facility is located in Girard Township, **Erie County**.

Description of Proposed Activity: This application is for renewal of an NPDES permit to discharge treated sanitary sewage to an unnamed tributary of Lake Erie in Girard Township, Erie County. This is an existing, seasonal discharge from a sewage treatment plant operating June through September and supporting a recreational camp.

The receiving stream, unnamed tributary of Lake Erie, is in the Lake Erie watershed and classified for CWF, MF, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂—NO₃, fluoride and phenolics, there is no existing/proposed downstream potable water supply (stream and public water supplier) to consider until Lake Erie.

The proposed effluent limits for Outfall 001 based on a design flow of 0.01 MGD:

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅	25		50
Total Suspended Solids	30		60
NH ₃ -N (5-1 to 10-31)	9.0		18.0
(11-1 to 4-30)		no limit—seasonal operation	
Dissolved Oxygen		minimum of 3.0 mg/l at all times	
Phosphorus as "P"	1.0		
Total Residual Chlorine	0.50		1.17
Fecal Coliform (5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		no limit—seasonal operation	
pH	6.0 to 9.0 standard units at all times		

The EPA Waiver is in effect.

PA0024899, Sewage, **Lake City Municipal Sewer Authority**, 2350 Main Street, Lake City, PA 16423. This facility is located in Lake City Borough, **Erie County**.

Description of Proposed Activity: The applicant requests renewal of an NPDES permit to discharge treated sanitary sewage to Elk Creek in Lake City Borough, Erie County. This is an existing discharge.

The receiving stream, Elk Creek, is in the Lake Erie watershed and classified for WWF, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂—NO₃, fluoride and phenolics, there is no existing/proposed downstream potable water supply to consider until Lake Erie.

The proposed effluent limits for Outfall 001 based on a design flow of 0.099 MGD:

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅ (5-1 to 10-31)	20	30	40
(11-1 to 4-30)	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N (5-1 to 10-31)	3		6
(11-1 to 4-30)	9		18
Dissolved Oxygen		minimum of 5.0 mg/l at all times	
Phosphorus as "P"	1.0		

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine	0.18		0.58
Fecal Coliform (5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		4,400/100 ml as a geometric average	
pH		6.0 to 9.0 standard units at all times	

The EPA Waiver is not in effect.

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

No. PA00500865, Industrial Waste, **Gessner Products Company, Inc.**, 241 North Main Street, P. O. Box 389, Ambler, PA 19002. This application is for renewal of an NPDES permit to discharge cooling water from Gessner Products Company moulding equipment in Ambler Borough, **Montgomery County**. This is an existing discharge to Rose Valley Creek.

The receiving stream is classified for TSF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001, based on an average flow of .053 MGD are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature			110°F
pH	Within limits of 6.0—9.0 Standard Units at all times		

The EPA Waiver is in effect.

Northeast Region: Water Management Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790.

PA0051799, Sewerage, **Lehigh Carbon Community College**, 4525 Education Park Drive, Schnecksville, PA 18075-2502. This proposed facility is located in North Whitehall Township, **Lehigh County**.

Description of Proposed Activity: This proposed action is for the renewal of an NPDES permit to discharge 0.036225 MGD of treated sewage into an unnamed tributary to Jordan Creek in North Whitehall Township, Lehigh County.

The receiving stream, Jordan Creek, is in the State Water Plan watershed 02C and is classified for HQ, CWF, aquatic life, water supply and recreation. The nearest downstream public water supply intake for City of Allentown is located on Lehigh River, 20 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.036225 MGD.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5-1 to 10-31)	10		20
(11-1 to 4-30)	20		40
Total Suspended Solids	10		20
NH ₃ -N (5-1 to 10-31)	3		6
(11-1 to 4-30)	9		18
Dissolved Oxygen	A minimum of 5.0 mg/l at all times		
Fecal Coliform	200/100 ml as a geometric mean		
pH	6.0 to 9.0 standard units at all times		
Total Residual Chlorine	1.2		2.8

The EPA waiver is in effect.

PA0062367, Sewerage, **Lakeview Estates Homeowners Association**, 1425 Collegeville Road, Collegeville, PA 19426. This proposed facility is located in Lehigh Township, **Wayne County**.

Description of Proposed Activity: This proposed action is for the renewal of an NPDES permit to discharge 0.054 mgd of treated sewage into an unnamed tributary to Lehigh River in Lehigh Township, Wayne County.

The receiving stream, an unnamed tributary to Lehigh River, is in the State Water Plan watershed 02A and is classified for HQ, CWF, aquatic life, water supply and recreation. The nearest downstream public water supply intake for Lehigh Water Authority is located on Lehigh River is 35 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.054 MGD.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
NH ₃ -N		
(5-1 to 10-31)	3	6
(11-1 to 4-30)	9	18
Phosphorus as "P"	1	2
Dissolved Oxygen	A minimum of 5.0 mg/l at all times	
Fecal Coliform		
(5-1 to 9-30)	200/100 ml as a geometric mean	
(10-1 to 4-30)	2,000/100 ml as a geometric mean	
pH	6.0 to 9.0 standard units at all times	
Total Residual Chlorine	0.8	1.9

The EPA waiver is in effect.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

PA0053091, SIC Code 2033, Industrial Waste, **Giorgio Foods, Inc.**, P. O. Box 96, Temple, PA 19560. This application is for renewal of an NPDES permit for an existing discharge of treated industrial waste to Willow Creek, in Maiden Creek Township, **Berks County**.

The receiving stream is classified for CWF, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂—NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was Pottstown Borough Authority located on the Schuylkill River. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.5 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	Monitor and Report		
pH	6.0 to 9.0 at all times		
Total Suspended Solids	30	60	75
Total Dissolved Solids	1,000	2,000	2,500
Total Residual Chlorine	0.17	XXX	0.55
Dissolved Oxygen	Minimum of 5.0 at all times		
CBOD ₅	10	20	25
NH ₃ -N			
(5-1 to 9-30)	1.5	3.0	3.5
(10-1 to 4-30)	4.5	9.0	11.0
Fecal Coliform			
(5-1 to 9-30)	200	XXX	XXX
(10-1 to 4-30)	2,000	XXX	XXX
Color (P.C.)	XXX	100	100
Temperature	As required each month		

Individuals may make an appointment to review the Department files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is in effect.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; (412) 442-4000.

PA0026140, Sewage, **Rochester Area Joint Sewer Authority**, 390 Pinney Street, Suite 1, Rochester, PA 15074. This application is for renewal of an NPDES permit to discharge treated sewage from Rochester Area Joint Sewer Authority Wastewater Treatment Plant in Rochester Borough, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Ohio River, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Midland Borough Water Supply.

Outfall 001: existing discharge, design flow of 1.4 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	37.5		50
Suspended Solids	30	45		60

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
Fecal Coliform (5-1 to 10-31) (11-1 to 4-30)	200/100 ml as a geometric mean 2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.5			1.0
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is not in effect.

PA0032174, Sewage, **Frank Perano, GSP Management Company**, P. O. Box 677, Morgantown, PA 19543. This application is for renewal of an NPDES permit to discharge treated sewage from Interstate Mobile Village STP in Donegal Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of Bonar Creek, which are classified as a HQ-WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Claysville Donegal Joint Municipal Authority.

Outfall 001: existing discharge, design flow of 0.005 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	10			20
Suspended Solids	10			20
Ammonia Nitrogen (5-1 to 10-31) (11-1 to 4-30)	1.5 4.5			3.0 9.0
Phosphorus	1			2
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric mean 2,000/100 ml as a geometric mean			
Total Residual Chlorine	.1			.25
Dissolved Oxygen	not less than 5 mg/l			
pH	not less than 6.0 nor greater than 9.0			

Other Conditions: This permit will expire on July 15, 2003.

The EPA waiver is in effect.

PA0090786, Sewage, **Hempfield Township Supervisors**, R. D. 9, Box 427, Greensburg, PA 15601. This application is for renewal of an NPDES permit to discharge treated sewage from Hempfield Park STP in Hempfield Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of Brush Creek, which are classified as a TSF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Pennsylvania American Water Company—Becks Run Intake.

Outfall 001: existing discharge, design flow of 0.005 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen (5-1 to 10-31) (11-1 to 4-30)	4.0 12.0			8.0 24.0
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric mean 4,000/100 ml as a geometric mean			
Total Residual Chlorine	0.7			1.7
Dissolved Oxygen	not less than 4 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0238929, Sewage, **Connie A. Wakeman**, 7918 SR 28, Frankfort, OH 45628. This proposed facility is located in North East Township, **Erie County**.

Description of Proposed Activity: A small flow treatment facility serving one existing single residence dwelling.

The receiving stream, an unnamed tributary of Lake Erie, is in the Lake Erie watershed and classified for CWF, MF, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂—NO₃, fluoride and phenolics, there is no downstream public water supply to consider until Lake Erie.

The proposed effluent limits for Outfall 001 based on a design flow of 0.000225 MGD.

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅	10		20
Total Suspended Solids	20		40
Total Residual Chlorine	Monitor and Report		
Dissolved Oxygen	greater than 3.0 mg/l at all times		
Fecal Coliform	200/100 ml as a geometric average		
pH	6.0 to 9.0 standard units at all times		

The EPA Waiver is in effect.

WATER QUALITY MANAGEMENT PERMITS

CONTROLLED INDUSTRIAL WASTE AND SEWAGE WASTEWATER

APPLICATIONS UNDER THE CLEAN STREAMS LAW

PART II PERMITS

The following permit applications or requests for plan approval have been received by the Department of Environmental Protection (Department).

Persons wishing to comment on an application are invited to submit a statement to the office noted before the application, within 15 days from the date of this public notice. Comments received within this 15-day comment period will be considered in making the final decision regarding the application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department reserves the right to hold a public hearing if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation of the area. If no hearing is held, the Department's Water Management Program Manager will make a final determination regarding the applications after a complete review. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

A copy of the permit application or proposed plan is on file in the office indicated and is open to public inspection. Appointments to review the application may be made by contacting Records Management at the indicated telephone number.

I. Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

WQM Permit No. 4602417, Sewerage, **Horsham Water and Sewer Authority**, 617 B Horsham Road,

Horsham, PA 19044. This proposed facility is located in Horsham Township, **Montgomery County**.

Description of Proposed Action/Activity: Applicant is requesting approval to modify the Park Creek Wastewater Treatment Plant.

WQM Permit No. 0900421 Amendment No. 1, Sewerage, **Pennridge Wastewater Treatment Authority**, 180 Maple Avenue, P. O. Box 31, Sellersville, PA 18960. This proposed facility is located in West Rockhill Township, **Bucks County**.

Description of Proposed Action/Activity: Applicant is requesting approval to amend existing permit for a maximum monthly flow limitation of 5.0 MGD

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 2102409, Sewerage, **Michael and Gayniale Nowak**, 299 Springfield Road, Shippensburg, PA 17257. This proposed facility is located in Upper Mifflin Township, **Cumberland County**.

Description of Proposed Action/Activity: Approval to construct a single family sewage treatment facility.

WQM Permit No. 0192406, Sewerage, **Rainworth, Inc.**, 1979 Biglerville Road, Gettysburg, PA 17325. This proposed facility is located in Straban Township, **Adams County**.

Description of Proposed Action/Activity: Transfer of Permit for the former Lincoln Logs Restaurant.

WQM Permit No. 2189203, Industrial Waste, **Pennsylvania American Water Company**, 800 West Hersheypark Drive, Hershey, PA 17033. This proposed facility is located in Silver Spring Township, **Cumberland County**.

Description of Proposed Action/Activity: Approval for construction of new and larger volume lagoons to support the enhanced coagulation residuals at the Silver Springs Water Treatment Plant.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. 5902201, Industrial Waste, **Duncan Township Municipal Water Authority**, R. R. 1, Box 55, Wellsboro, PA 16901. This facility is located in Duncan Township, **Tioga County**.

Description of Proposed Action/Activity: Water Quality Management Part II Permit Application for construction

of a flow detention wetland area to accept well blow-off water and greensand filtration backwash water from the Duncan Township Public Water Supply Treatment Plant.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2002430, Sewerage, **Alan Ladner**, P. O. Box 333, Springboro, PA 16435. This proposed facility is located in Summit Township, **Crawford County**.

Description of Proposed Action/Activity: This project is for a single residence sewage treatment plant.

WQM Permit No. 2002431, Sewerage, **Edward M. and Elaine V. Bercik**, 19379 Irish Road, Edinboro, PA 16412. This proposed facility is located in Cussewago Township, **Crawford County**.

Description of Proposed Action/Activity: This project is for a single residence sewage treatment plant.

WQM Permit No. 2002432, Sewerage, **Richard M. and Betty J. Curry**, 21158 Shore Drive, Meadville, PA 16335. This proposed facility is located in West Mead Township, **Crawford County**.

Description of Proposed Action/Activity: This project is for a single residence sewage treatment plant.

WQM Permit No. 2502431, Sewerage, **Mary O'Connell, Executor for the Fred Weber Estate**, 4226 Four Seasons Trail, Erie, PA 16505. This proposed facility is located in Summit Township, **Erie County**.

Description of Proposed Action/Activity: This project is for a single residence sewage treatment plant.

NPDES Stormwater Individual Permit

The following parties have applied for an NPDES permit to discharge stormwater associated with a construction activity into waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the appropriate Department Regional Office noted before the application,

within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate DEP Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity, are on file and may be inspected at the office identified in this notice.

Persons with a disability who require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified Regional Office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

NPDES Permit PAS10G554, Stormwater, **Gen Terra Corporation**, 101 Marchwood Road, Exton, PA 19341-1832, has applied to discharge stormwater associated with a construction activity located in Wallace Township, **Chester County** to unnamed tributary to March Creek (HQ-TSF-MF).

NPDES Permit PAS10G555, Stormwater, **Cornerstone Communities, Inc.**, 717 East Lancaster Avenue, Radnor Building, Villanova, PA 19085, has applied to discharge stormwater associated with a construction activity located in East Caln Township, **Chester County** to unnamed tributary to East Branch Brandywine Creek (HQ-TSF-MF).

NPDES Permit PAS10G553 (Correction), **Heritage Builders**, 3326 Old York Road, Suite A100, Furlong, PA 18925, has applied to discharge stormwater associated with a construction activity located in Warwick Township, **Chester County**, to French Creek (EV).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Monroe County Conservation District: 8050 Running Valley Road, Stroudsburg, PA 18360, (570) 629-3060.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10S122	Darlak Properties c/o Joseph Darlak 5120 Memorial Blvd. Tobyhanna, PA 18466	Monroe County Stroud Township	Wigwam Run HQ-CWF UNT to Pocono Creek HQ-CWF

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10S123	Shawnee Valley c/o Robert Shebelsky River Road, Fort DePue P. O. Box 93 Shawnee on Delaware, PA 18356-0093	Monroe County Smithfield and Middle Smithfield Townships	UNT to Delaware River (Shawnee Creek) HQ-CWF

Northampton County Conservation District: Greystone Building, Gracedale Complex, Nazareth, PA 18064-9211, (610) 746-1971.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10U188	Clifford Bonney 1055 Bushkill Center Rd. Nazareth, PA 18064	Northampton County Bushkill Township	Bushkill Creek HQ-CWF

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Beaver County Conservation District: 1000 3rd Street, Suite 202, Beaver, PA 15009-2026.

NPDES Permit PAS100250, Stormwater, **Department of Conservation and Natural Resources, Bureau of State Parks**, P. O. Box 387, Prospect, PA 16052-0387, has applied to discharge stormwater associated with a construction activity located in Hanover Township, **Beaver County** to Traverse Creek (HQ-CWF).

Washington County Conservation District: 100 West Beau Street, Suite 602, Washington, PA 15301-4402.

NPDES Permit PAS10W090, Stormwater, **Brandon Hudock**, 24 Hothouse Lane, Washington, PA 15301, has applied to discharge stormwater associated with a construction activity located in South Strabane Township, **Washington County** to UNT to Little Chartiers Creek (HQ).

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act, the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on the permit application are invited to submit a statement to the office listed before the application, within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. Comment responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER MINOR AMENDMENT

Applications Received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Application No. Minor Amendment.

Applicant	Pocono Plateau Mobile Home Park
Township or Borough	Tunkhannock Township Monroe County
Responsible Official	Joseph Boyle, Owner Pocono Plateau Mobile Home Park 1432 South West End Boulevard Quakertown, PA 18951 (215) 536-9235
Type of Facility	Community Water System
Consulting Engineer	Thakur U. Bakhru, P. E. 1513 North Line Street Lansdale, PA 19446 (570) 348-5347 (215) 361-7145
Application Received Date	September 23, 2002
Description of Action	The application proposes replacement of treatment chemicals currently being utilized for pH adjustment from soda ash to caustic soda and for sequestering from C-5 to AquaMag.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Application No. Minor Amendment, Minor Amendment.

Applicant **Eastville Community Water Association**
 Township **Greene Township, Clinton County**
 Responsible Official Jon McCloskey, President
 Eastville Community Water Association
 2443 East Winter Road
 Loganton, PA 17747-9708
 Type of Facility PWS
 Consulting Engineer Alfred Benesch & Company
 400 One Norwegian Plaza
 P. O. Box 1090
 Pottsville, PA 17901
 Application Received Date November 22, 2002
 Description of Action Application to rehabilitate existing spring house structure.

Application No. 4146292-T4, Minor Amendment.

Applicant **CCDA Waters LLC**
 Township **Boggs Township, Centre County**
 Responsible Official Shirley Bonsell
 Quality Assurance Mgr.
 CCDA Waters LLC
 1 Aqua Penn Drive
 P. O. Box 938
 Milesburg, PA 16853-0938
 Type of Facility Bottled Water Plant
 Application Received Date November 14, 2002
 Description of Action Application to transfer permit for Source known as "Diamond Spring" and tanker fill station from Danone Waters of North America, Inc. to CCDA Waters LLC.

Application No. 4146292 Amendment 6-T2, Minor Amendment.

Applicant **CCDA Waters LLC**
 Township **Boggs Township, Centre County**
 Responsible Official Shirley Bonsell
 Quality Assurance Mgr.
 CCDA Waters LLC
 1 Aqua Penn Drive
 P. O. Box 938
 Milesburg, PA 16853-0938
 Type of Facility Bottled Water Plant
 Application Received Date November 14, 2002
 Description of Action Application to transfer permit for bottling plant in Milesburg including storage tanks, ozonation equipment, UV disinfection, pump stations, bottling lines, fluoridation, bag and cartridge filters, softeners and distillation equipment from Danone Waters of North America, Inc. to CCDA Waters LLC.

Application No. 4146292 Amendment 8-T2, Minor Amendment.

Applicant **CCDA Waters LLC**
 Township **Boggs Township, Centre County**
 Responsible Official Shirley Bonsell
 Quality Assurance Mgr.
 CCDA Waters LLC
 1 Aqua Penn Drive
 P. O. Box 938
 Milesburg, PA 16853-0938
 Type of Facility Bottled Water Plant
 Application Received Date November 14, 2002
 Description of Action Application to transfer permit for "Diamond Spring" enclosure and 10,000 gallon holding tank, ozonator, tanker fill pumps and cartridge filters at the fill station from Danone Waters of North America, Inc. to CCDA Waters LLC.

Application No. 4146292 Amendment 9-T2, Minor Amendment.

Applicant **CCDA Waters LLC**
 Township **Boggs Township, Centre County**
 Responsible Official Shirley Bonsell
 Quality Assurance Mgr.
 CCDA Waters LLC
 1 Aqua Penn Drive
 P. O. Box 938
 Milesburg, PA 16853-0938
 Type of Facility Bottled Water Plant
 Application Received Date November 14, 2002
 Description of Action Application to transfer permit for 25,000 feet of transmission main between the Gamble Mill in Bellefonte and the Milesburg bottling facility from Danone Waters of North America, Inc. to CCDA Waters LLC.

Application No. 4146292 Amendment 10-T2, Minor Amendment.

Applicant **CCDA Waters LLC**
 Township **Boggs Township, Centre County**
 Responsible Official Shirley Bonsell
 Quality Assurance Mgr.
 CCDA Waters LLC
 1 Aqua Penn Drive
 P. O. Box 938
 Milesburg, PA 16853-0938
 Type of Facility Bottled Water Plant
 Application Received Date November 14, 2002

Description of Action Application to transfer permit for Bellefonte Big Spring source of supply and 2,500 feet of transmission main from the Big Spring to the Gamble Mill in Bellefonte from Danone Waters of North America, Inc. to CCDA Waters LLC.

Application No. 4146292 Amendment 13-T1, Minor Amendment.

Applicant **CCDA Waters LLC**
 Township Boggs Township, **Centre County**
 Responsible Official Shirley Bonsell
 Quality Assurance Mgr.
 CCDA Waters LLC
 1 Aqua Penn Drive
 P. O. Box 938
 Milesburg, PA 16853-0938

Type of Facility Bottled Water Plant

Application Received Date November 14, 2002

Description of Action Application to transfer permit for all but one bottle label currently approved for use on bottles 1/2 gallon and larger from Danone Waters of North America, Inc. to CCDA Waters LLC.

Application No. 4146292 Amendment 14-T1, Minor Amendment.

Applicant **CCDA Waters LLC**
 Township Boggs Township, **Centre County**
 Responsible Official Shirley Bonsell
 Quality Assurance Mgr.
 CCDA Waters LLC
 1 Aqua Penn Drive
 P. O. Box 938
 Milesburg, PA 16853-0938

Type of Facility Bottled Water Plant

Application Received Date November 14, 2002

Description of Action Application to transfer permit for construction of ultraviolet light disinfection unit, two reverse osmosis filtration units, addition of phosphoric acid, sulfuric acid, magnesium chloride, anhydrous calcium chloride, caustic soda, sodium fluoride and anhydrous sodium sulfate chemical feed and one bottle label from Danone Waters of North America, Inc. to CCDA Waters LLC.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

760 Moore Road Property, Upper Merion Township, **Montgomery County**. Samuel J. Kucia, Environmental Consulting, Inc., 500 E. Washington St., Suite 375, Norristown, PA 19401, on behalf of Jerry V. DeRosa, CHMM, PFPC, Inc., 2 PNC Plaza, 19th Fl., 620 Liberty Ave., Pittsburgh, PA 15222-2719, has submitted a Notice of Intent to Remediate soil contaminated with diesel fuel. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of

Intent to Remediate was reported to have been published in *Montgomery Life* on November 8, 2002.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Remp Group Property, Cumru Township, Berks County. RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406, on behalf of the Remp Group, 64 Sycamore Lane, Reading, PA 19606, submitted a Notice of Intent to Remediate site soils contaminated with inorganics and lead. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Reading Eagle* on October 4, 2002.

Buttonwood Gateway Complex, City of Reading, Berks County. Synergy Environmental, Inc., 607 Washington Street, Reading, PA 19601, on behalf of Reading Redevelopment Authority, Room 303, City Hall, 815 Washington Street, Reading, PA 19601, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with chlorinated solvents, inorganics, lead, other organics, PAHs and PCBs. The applicant proposes to remediate the site as a Special Industrial Area. A summary of the Notice of Intent to Remediate was reported to have been published in the *Reading Eagle* on September 30, 2002.

FES Systems, Manchester Township, York County. The RETEC Group, Inc., 2550 Eisenhower Avenue, Eagleville, PA 19403, on behalf of FES Systems, Inc., 3475 Board Road, York, PA 17402, submitted a Notice of Intent to Remediate site groundwater contaminated with 1,1, dichloroethene. The applicant proposes to remediate the site to meet the Site-Specific Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *York Dispatch/York Daily Record* on November 4, 2002.

Fort Indiantown Gap Former Fire Training Site, Union Township, Lebanon County. Herbert, Rowland, & Grubic, Inc., 116 Baltimore Street, Gettysburg, PA 17325, on behalf of the Department of Military and Veterans Affairs, Fort Indiantown Gap, Annville, PA 17003-5002, submitted a Notice of Intent to Remediate site soils contaminated with aviation gasoline and diesel fuel. The applicant proposes to remediate the site to meet a combination of the requirements for the Statewide Health and Site-Specific Standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Lebanon Daily News* on October 9, 2002.

Teledyne Readco Lot 2A, Spring Garden Township, York County. Gannett Fleming, Inc., 1650 Manheim Pike, Lancaster, PA 17601, on behalf of York College of Pennsylvania, 439 Country Club Road, York, PA 17405, submitted a Notice of Intent to Remediate site soils contaminated with inorganics. The applicant proposes to remediate the site to meet the Site-Specific Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *York Dispatch/York Daily Record* on November 5, 2002.

Doerrman Property, Ruscombmanor Township, Berks County. Walter B. Satterthwaite Associates, Inc., 720 Old Fern Hill Road, West Chester, PA 19380, on behalf of Patrick and Amy Doerrman, 3638 Pricetown Road, Fleetwood, PA 19522 and State Farm Insurance, 108 West Airport Road, Lititz, PA 17543, has submitted a Notice of Intent to Remediate site soils and groundwater contaminated with No. 2 fuel oil. The applicant proposes to remediate the site to meet the Statewide Health

Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Reading Eagle* on October 22, 2002.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit Application No. 101538. WSI Sandy Run Landfill Inc., 995 Landfill Road, Hopewell, PA 16650, Broad Top Township, **Bedford County.** The application is for increase in average daily volume for Sandy Run Landfill. The application is determined to be administratively complete by the Southcentral Regional Office on November 29, 2002.

Permit Application No. 101509. New Morgan Landfill Company, Inc., 420 Quarry Road, P. O. Box 128, Morgantown, PA 19543, New Morgan Borough, **Berks County.** The application is for Disposal Area 1 Expansion for Conestoga Landfill. The application is determined to be administratively complete by the Southcentral Regional Office on November 29, 2002.

Comments concerning the application should be directed to John Krueger, Program Manager, Waste Management Program, Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110. Persons interested in obtaining more information about the general permit application may contact the Waste Management Program, (717) 705-4706. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Office identified in this notice. Persons interested in reviewing the application files should contact the appropriate Regional Office to schedule an appointment.

Persons wishing to receive a copy of the proposed Plan Approval or Operating Permit must indicate their interest

to the Department Regional Office within 30 days of the date of this notice and must file protests or comments on a Proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with the Department Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts, which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office identified. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121-143, the Federal Clean Air Act and regulations adopted under the Act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001-4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Mark Wejkszner, Acting New Source Review Chief, (570) 826-2531.

48-310-047: Stockertown Construction Materials—Division of Haines and Kibblehouse, Inc. (P. O. Box 196, 2052 Lucon Road, Skippack, PA 119474) for modification of a stone crushing plant and associated air cleaning device in Stockertown Borough, **Northampton County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

01-03022A: Agricultural Commodities, Inc. (224 Oxford Road, New Oxford, PA 17350) for construction of a new pellet mill controlled by a cyclone and a fabric filter baghouse in Straban Township, **Adams County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

12-399-015C: GE Transportation Systems (55 Pine Street, Emporium, PA 15834) for construction of an armature coating operation in Emporium Borough, **Cameron County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001-4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Edward Brown, Facilities Permitting Chief, (610) 832-6242.

09-0050C: Better Materials Corporation (P. O. Box 196, Penns Park, PA 18943) for installation of Drum Mix Asphalt Plant and control equipment at its Penns Park facility in Wrightstown Township, **Bucks County**. The facility is a non-Title V facility for any of air pollutants. This asphalt plant is subject to 40 CFR Part 60 Subpart I—Standards of Performance (NSPS) for Hot Mix Asphalt Facilities. This plant replaces the existing Drum Mix Asphalt Plant at the facility. The new plant is technologically more advanced; therefore no emission increase at the facility is expected. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Michael Saffo, Facilities Permitting Chief, (570) 826-2531.

40-320-017: Bemis Co., Inc. (20 Jaycee Drive, West Hazleton, PA 18201) for replacement of two existing catalytic incinerators with a single newer catalytic incinerator and for controlling VOC emissions from two existing flexographic presses. This is a major facility subject to Title V permitting requirements in West Hazleton Borough, **Luzerne County**. The installation will not increase VOC emissions from the facility. VOC emissions from these presses will be 20.1 tons per year. The Plan Approval will contain conditions requiring the source to show compliance with the emission rates. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. For further details, contact Mark Wejkszner.

48-399-052: Bethlehem Contracting Co. (P. O. Box 40, Bath, PA 18014) for construction of a steel shot blast booth and associated air cleaning device (fabric collector) in East Allen Township, **Northampton County**. The facility is a non-Title V facility. The particulate emissions from the process will be less than 0.02 grain/DSCFT. The plan approval will include monitoring, reporting and recordkeeping requirements designed to keep the source operating within all applicable air quality requirements.

48-318-134: Bethlehem Contracting Co. (P. O. Box 40, Bath, PA 18014) for modification of paint spraying operations and associated air cleaning devices in East Allen Township, **Northampton County**. The facility is a non-Title V facility. Annual VOC emissions from the paint spraying operations will be less than 30 tons per year of which 13 tons per year will be HAPs. The particulate emissions from the process will be controlled through the use of filter panels and will be less than 0.02 grain/DSCFT. The plan approval will include monitoring, reporting and recordkeeping requirements designed to keep the source operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

22-05033A: Hempt Bros., Inc. (P. O. Box 278, Camp Hill, PA 17001-0278) for installation of a knockout box and a fabric collector to replace a multicyclone and a venturi scrubber at an existing batch asphalt plant at its Steelton Quarry in Steelton Borough, **Dauphin County**.

The facility's PM10 emissions will remain unchanged. The plan approval and operating permit administrative amendment will contain emission restrictions, work practice standards and monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

28-03001B: Ametek Specialty Motors (1051 Sheffler Drive, Chambersburg, PA 17201) for modification of the existing small electric motor manufacturing lines at their plant in Chambersburg Borough, **Franklin County**. Hazardous air pollutant emissions may increase by several tons after the modifications. The plan approval and eventual operating permit will contain emission restrictions, work practice standards, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

28-05025: Bri Mar Manufacturing LLC (formerly Bri Mar Manufacturing) (1080 South Main Street, Chambersburg, PA 17201) for administrative amendment to synthetic minor operating permit to incorporate the change of company name for the site at Chambersburg Borough, **Franklin County**.

36-05104A: Ephrata Manufacturing Co. (104 West Pine Street, Ephrata, PA 17522) for construction of a baghouse to control emissions from a sand muller and a sand conveying system at their plant in Ephrata Borough, **Lancaster County**. This plan approval will be incorporated into the facility's current application for a synthetic minor operating permit prior to issuance. The operation of the baghouse at this facility will result in emissions of approximately 1 ton per year of PM. This plan approval will include monitoring, recordkeeping and reporting requirements designed to keep the sources operating within all applicable air quality requirements.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

04-00013B: J and L Specialty Steel, Inc. (Westpointe Corporate Center One, 1550 Coraopolis Heights Road Suite 500, Coraopolis, PA 15108) for installation at a Title V facility of a second boiler to provide process heat for the DRAP Line and installation of new H₂SO₄ and HF-HNO₃ prepickling tanks in Midland, PA as described in its application received in May 2002.

Based on the information provided by the applicant and on the Department's analysis of that information, yearly emissions from these installations will be approximately .12 ton of SO₂, 21.25 tons of NO_x, 15.77 tons of CO, 1.03 tons of VOC and 1.48 tons of particulate matter.

Copies of the application, the Department's analysis and other documents used in evaluation of the application are available for public inspection during normal business hours at the Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222.

For the Department to assure compliance with all applicable standards, the Department proposes to place the following special conditions on the Plan Approval:

1. This Plan Approval is for construction of a second boiler to provide process heat for the DRAP Line and the installation of new H₂SO₄ and HF-HNO₃ prepickling tanks at the J and L Specialty Steel facility in Midland, Beaver County (25 Pa. Code § 127.12b).

2. The Department reserves the right to establish emission limitations for H₂SO₄, HF and HNO₃ emissions from the scrubbers based on the results of the stack tests required in this Approval (25 Pa. Code § 127.12b).

3. NO_x emissions from the HF-HNO₃ pickle tank scrubber are limited to 140 ppm at 3% O₂ and 24.0 tons/yr (25 Pa. Code § 127.12b).

4. Emissions from the prepickle line boiler shall be limited to the following:

<i>Pollutant</i>	<i>PPM (at 3% O₂)</i>	<i>Pounds per Hour</i>	<i>Tons per Year</i>
NO _x	30	3.28	5.32
CO		2.75	12.08

5. The water flow meters and air pressure gauges on each scrubber shall be observed and recorded on a daily basis. These records shall be maintained on site for a period of 5 years and be made available to the Department upon request (25 Pa. Code § 127.12b).

6. The permittee shall continuously monitor and record the pH of the scrubber solution for each scrubber. These records shall be maintained on site for a period of 5 years and be made available to the Department upon request (25 Pa. Code § 127.12b).

7. The permittee shall demonstrate a control efficiency of at least 95% for HF, HNO₃ and H₂SO₄ acid mists from the corresponding scrubber.

8. The permittee shall install and maintain the necessary meters to determine and to record amount of fuel usage from the boiler (40 CFR 60 Subpart Dc).

9. The permittee shall comply with the recordkeeping and certification requirements in accordance with 40 CFR 60.46c(e), 60.42c(h) and 60.48c(f)(1). Reports shall be submitted on a quarterly basis unless no excess emissions occurred. If there are no excess emissions, the permittee shall semi-annually report that no excess emissions occurred during the semi-annual reporting period (40 CFR 60 Subpart Dc).

10. The permittee shall maintain daily fuel consumption records in accordance with 40 CFR 60.48c(g). Records shall be kept for the fuel firing rates of the combustion unit on a monthly basis to determine sulfur dioxide emissions in accordance with 40 CFR 60.48c(d) (40 CFR 60 Subpart Dc).

11. Quarterly reports shall be submitted by the permittee in accordance with 40 CFR 60.48c(d) and 60.48c(e)(11). The initial quarterly report shall be postmarked by the last day of the third month following the completion of the initial performance test. Each subsequent report shall be postmarked by the last day of the month following the end of the reporting period (40 CFR 60 Subpart Dc).

12. In accordance with 40 CFR 60.4, copies of all requests, reports, applications, submittals and other communications shall be forwarded to both the Environmental Protection Agency and the Department: Associate Director for Enforcement and Permits Review (3AP10), Environmental Protection Agency, Region III, 1650 Arch Street, Philadelphia, PA 19103; and Department of Environmental Protection, Regional Air Quality Manager, Office of Air Quality, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

13. Opacity from the prepickle boiler shall not equal or exceed 10% at any time (25 Pa. Code § 127.12b).

14. Stack testing on the HF/HNO₃ pickle tank scrubber shall be conducted to determine the inlet and outlet emission rate for the following pollutants: HF, HNO₃ and NO_x (25 Pa. Code § 139).

15. Stack testing on the H₂SO₄ pickle tank scrubber shall be conducted to determine the inlet and outlet emission rate for H₂SO₄ (25 Pa. Code § 139).

16. Stack testing on the pickle line boiler shall be conducted to determine the outlet emission rate for NO_x (25 Pa. Code § 139).

17. All stack testing shall be performed in accordance with 25 Pa. Code Chapter 139 and the Department's Source Testing Manual (25 Pa. Code § 139).

18. Two copies of a pretest protocol shall be submitted to the Department for review at least 60 days prior to the performance of the stack test (25 Pa. Code § 139).

19. The Department shall be notified at least 2 weeks prior to the stack test of the date and time of the test so that an observer may be present (25 Pa. Code § 139).

20. Two copies of the stack test results shall be supplied to the Department for review within 60 days of completion of the testing (25 Pa. Code § 139).

21. J and L Specialty Steel, Inc. has demonstrated 75.55 tons of creditable NO_x and 0.3 ton of creditable VOC reductions from the shutdown of the No. 10 Anneal and Pickle Line. These creditable reductions are available for use internally, at this facility, to offset emission increases until November 28, 2005 (25 Pa. Code §§ 127.207 and 127.211).

22. This Plan Approval authorizes temporary operation of the sources covered by this Plan Approval provided the following conditions are met (25 Pa. Code § 127.12b).

(a) The Department must receive written notice from the Owner/Operator of the completion of construction and the operator's intent to commence operation at least 5 working days prior to the completion of construction. The notice should state when construction will be completed and when operator expects to commence operation.

(b) Operation is authorized only to facilitate the start-up and shake-down of sources and air cleaning devices, to permit operations pending the issuance of an Operating Permit or to permit the evaluation of the sources for compliance with all applicable regulations and requirements.

(c) This condition authorizes temporary operation of the sources for a period of 180 days from the date of commencement of operation, provided the Department receives notice from the Owner/Operator under subpart (a).

(d) The Owner/Operator may request an extension if compliance with all applicable regulations and Plan Approval requirements has not been established. The extension request shall be submitted in writing at least 15 days prior to the end of this period of temporary operation and shall provide a description of the compliance status of the source, a detailed schedule for establishing compliance and the reasons compliance has not been established.

(e) The notice submitted by the Owner/Operator under subpart (a) prior to the expiration of this Plan Approval, shall modify the plan approval expiration date. The new plan approval expiration date shall be 180 days from the date of the written notice.

Persons wishing to provide the Department with additional information, which they believe should be considered prior to the issuance of the Plan Approval, may submit the information to the Department at the following address. A 30-day comment period, from the date of

this publication, will exist for the submission of comments. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.

- Identification of the proposed Plan Approval (specify the Plan Approval number).

- Concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a newspaper, in the *Pennsylvania Bulletin* or by telephone, where the Department determines notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to the Southwest Regional Air Quality Program Manager. For additional information, contact the Acting Facilities Section Chief, Thomas J. Joseph, P. E.

PUBLIC HEARINGS

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Mark Wejkszner, Acting New Source Review Chief, (570) 826-2531.

48-309-118: ESSROC Cement Corp. (Permittee) (3251 Bath Pike, Nazareth, PA 18064). Notice given under 25 Pa. Code § 127.44 and 40 CFR 52.21 that the Department is soliciting comments on the proposed Air Quality Plan Approval for Lower Nazareth Township, **Northampton County** for the proposed modification of cement manufacturing operations at plants I, II and III as described in the Permittee's December 19, 2001, Plan Approval Application and subsequent supplemental submissions.

The PSD regulations require specific sources of air pollution, such as the proposed modification of cement manufacturing operations at plants I, II and III to satisfy four conditions before approval to modify and operation may granted by the Department. First, all pollutants that are subject to this regulation must be controlled by best available control technology. Second, particulate and sulfur dioxide air pollutant emissions must not cause violations of the allowable annual, 24 hour or 3-hour air quality class increments applicable in the area where the source is to be located; nor any class increments applicable in any other areas which would be impacted by the source. Third, the maximum allowable increase in concentrations of all pollutants must not cause violation of either the National primary or secondary ambient air quality standards. Finally, the pollutant emissions from the proposed source must not adversely impact upon soils, vegetation and visibility in the vicinity of the proposed plant site.

A preliminary review of the information submitted by ESSROC Cement Corporation indicates that the modification and operation of plants I, I and III will meet all applicable air quality requirements including the four previously stated. Based upon these findings, the Department plans to approve the application and issue a permit for the modifications of plants I, II and III.

The following table summarizes the potential emissions from maximum operation of the facility according to the application submitted for the Department's own analysis.

<i>Pollutant</i>	<i>Emission limit Tons/year</i>
PM ₁₀	1,494.8
TSP	2,825.9
SO ₂	4,503.4
NO _x	3,402.0
CO	5,974.8
VOC	82.3
Fluoride	1.2
Lead	0.9

The emissions of these pollutants are within all applicable emissions limitations and will not cause an exceedance of the National Ambient Air Quality Standards. NO_x, SO₂ and PM emissions from the proposed modification will not increase at a significant rate as these emissions are netted out by the emissions decrease from the proposed shut down of four cement kilns and associated clinker coolers operations at Nazareth III. A decreasing of NO_x emissions from the shut down of existing kilns and associated clinker coolers at Nazareth III will offset NO_x emission increase from the proposed modification. No net increase will occur in total particulate and sulfur dioxide emissions from this project, therefore, the particulate and sulfur dioxide emissions do not affect the allowable annual, 24 hour or 3 hour air quality class increments applicable in the area. The modeling performed has demonstrated that the proposed net emissions increase in carbon monoxide will not have a significant impact.

According to 40 CFR 52.21(l)(2), an alternative to the air quality models specified in 40 CFR Part 51, Appendix W (relating Guideline on Air Quality Models) may be used to model air quality if the EPA approves the substitute model. Use of the substituted model must also be subject to notice and an opportunity for public comment.

As an alternative to EPA Guideline Models, ISC-PRIME model was used in the air quality analysis for the proposed ESSROC facility. Specific approval for the use of ISC-PRIME in this analysis was granted by the EPA Region III Administrator and was consistent with the recommendations under section 3.2 of Appendix W to 40 CFR Part 51. The Department is requesting written comments on ISC-PRIME, the EPA-approved substitute model used for the ESSROC modification. Under 25 Pa. Code §§ 127.44 and 127.83 and 40 CFR 52.21(l)(2) and (q), notice given that the Department is soliciting written comments on the use of the nonguideline model, ISC-PRIME, approved by the EPA.

To assure compliance with the applicable standards, the Department will place the following conditions on the plan approval.

I. General Plan Approval Requirements

1. The air-cleaning devices are to be installed in accordance with the plans submitted with the application (as approved herein).

2. Nothing in this permit shall be construed to supersede, amend or authorize violation of the provisions of any valid and applicable local law, ordinance or regulation, provided that said local law, ordinance or regulation is not preempted by the Air Pollution Control Act (35 P. S. §§ 4001—4015).

3. The permittee shall comply with the Air Pollution Control Act and 25 Pa. Code Subpart C, Article III promulgated thereunder.

4. This Plan Approval authorizes temporary operation of the sources covered by this Plan Approval provided the following conditions are met.

(a) The Department must receive written notice from the Owner/Operator of the completion of construction and the Operator's intent to commence operation at least 5 working days prior to the completion of construction. The notice should state when construction will be completed and when Operator expects to commence operation.

(b) Operation is authorized only to facilitate the start-up and shakedown of sources and air cleaning devices, to permit operations pending the issuance of an Operating Permit or to permit the evaluation of the sources for compliance with all applicable regulations and requirements.

(c) This condition authorizes temporary operation of the sources for a period of 180 days from the date of commencement of operation, provided the Department receives notice from the Owner/Operator under subpart (a).

(d) The Owner/Operator may request an extension if compliance with all applicable regulations and Plan Approval requirements has not been established. The extension request shall be submitted in writing at least 15 days prior to the end of this period of temporary operation and shall provide a description of the compliance status of the source, a detailed schedule for establishing compliance and the reason's compliance has not been established.

(e) The notice submitted by the Owner/Operator under subpart (a) prior to the expiration of this Plan approval shall modify the plan approval expiration date. The new plan approval expiration date shall be 180 days from the date of the written notice.

5. This Plan Approval authorizes following.

A. Modification of Kiln 1 and associated cement manufacturing operations at Plants I, II and III as stated in the PSD plan approval application.

B. Shutdown of Kilns II, III, IV and V and associated operations at Plant III to generate emission reduction credits.

C. Installation of raw material hoppers and equipment for raw material mill feeding to the new and existing raw mills.

D. Installation of a new raw mill in addition to the existing one, with the relevant air conditioning tower, filter and fan, as well as modification of existing raw mill duct works, conditioning tower, conveyors and general conditions.

E. Replacement or upgrade of existing preheater with a two strings, five stages and replacement or upgrade of existing clinker cooler to accommodate the desired production levels at Plant I.

F. Construction of new clinker conveyors to accommodate the new production levels at Plant I.

G. Construction of a new coal mill with a coarse coal silo and all relevant equipment.

H. Department approves either of the following stack configuration for the exhaust gases from the air pollution control equipment.

a. *Scenario B.*

i. Kiln gases from each string vented through a single stack.

ii. Gases from the new coal mill will be vented a dedicated stack.

iii. Kiln alkali removal system gases vented through a dedicated stack.

b. *Scenario C.*

i. Kiln gases and coal mill gases vented through a single stack.

ii. Kiln alkali removal system gases vented through a dedicated stack

6. If the construction, modification or installation is not commenced within 18 months of the issuance of the plan approval or if there is more than an 18-month laps in construction, modification or installation, a new plan approval application that meets the requirements of 25 Pa. Code Chapter 127, Subchapters D and E shall be submitted.

7. If construction has commenced, but cannot be completed before the expiration of this plan approval, an extension of the plan approval must be obtained to continue construction. To allow adequate time for departmental action, a request for the extension must be postmarked at least 30 days prior to the expiration date. The Department will not issue an extension after the plan approval expires. The request for an extension shall include the following:

(a) A justification for the extension.

(b) A schedule for the completion of the construction.

(1) When required by the Department, a reanalysis of best available technology as required by 25 Pa. Code § 127.12(a)(5) and best available control technology reanalysis as required by 25 Pa. Code § 127.83.

II. Restriction

1. The facility is restricted to the following clinker production limits:

a. Maximum clinker production no more than 2,655,375 tons per year based on 365 days rolling sum.

b. All references made in the plan approval for tons are short ton (2,000 lb/ton).

2. The company is authorized to burn only petroleum coke, natural gas, no. 2 fuel oil, bituminous and anthracite coals and coal fines by exclusively or in combination as a fuel for the production of clinker in the modified cement kiln I.

3. Under the best available control technology provision of 25 Pa. Code § 127.83, the kiln system is subject to the following carbon monoxide emission limitations:

Scenario B: (Three Stack Configuration)

Source	Allowable Pounds per Hour		
	1 hour average	8 hour average, rolling by 1 hour	Annual hourly average (12 month average, rolling by 1 month)
Kiln Stack (KS1), Coal Mill 2 (CM2) Stack and Alkali Removal Stack (ARS)	5,186.7	3,809.8	1,363.7

Scenario C: (Two stack Configuration)

Source	Allowable Pounds per Hour		
	1 hour average	8 hour average rolling by 1 hour	Annual hourly average (12 month average, rolling by 1 month)
KS1 and ARS	5,186.7	3,954.7	1,363.7

4. Under the best available technology provision of 25 Pa. Code § 127.12, the facility is subject to the following air contaminant emission limitations:

Scenario B: (Three Stack Configuration)

Source	Pollutant	Allowable	Averaging Time
KS1, CM2 and ARS	NOx	1,420.0 lb/hr	30 day average, rolling by daily.
KS1, CM2 and ARS	NOx	776.7 lbs/hr	Annual hourly average (12 month average, rolling by 1 month)
KS1, CM2 and ARS	VOC	18.8 lb/hr	Annual hourly average (12 month average, rolling by 1 month)
KS1, CM2 and ARS	SO ₂	1,028.2 lb/hr	
KS1, CM2 and ARS	SO ₂	2,657.0 lb/hr	3 hour average, rolling by 1 hour
KS1, CM2 and ARS	SO ₂	500 ppmby volume, dry gas basis	1 hour average, block
KS1, CM2 and ARS	Total particulate including PM ₁₀	0.0095 grains/dscf	

<i>Source</i>	<i>Pollutant</i>	<i>Allowable</i>	<i>Averaging Time</i>
All other cement manufacturing operations and coal preparation plant	Total particulate including PM ₁₀	0.01 to 0.02 grain/dscf, detail in table 7 of the application	
Clinker cooler	Total particulate including PM ₁₀	0.01 grain/dscf	
<i>Scenario C: (Two Stack Configuration)</i>			
<i>Source</i>	<i>Pollutant</i>	<i>Allowable</i>	<i>Averaging Time</i>
KS1 and ARS	NOx	1,420.0 lb/hr	30 day average, rolling by daily
KS1 and ARS	NOx	776.7 lb/hr	Annual hourly average (12 month average, rolling by 1 month)
KS1 and ARS	VOC	18.8 lb/hr	Annual hourly average (12 month average, rolling by 1 month)
KS1 and ARS	SO ₂	1,028.2 lb/hr	
KS1 and ARS	SO ₂	2,657.0 lb/hr	3 hour average, rolling by 1 hour
KS1 and ARS	SO ₂	500 ppm by volume, dry gas basis	1 hour average, block
KS1 ARS	Total particulate including PM ₁₀	0.0095 grain/dscf	
All other cement manufacturing operations and coal preparation plant	Total particulate including PM ₁₀	0.01 to 0.02 grain/dscf, detail in table 7 of the application	
Clinker Cooler	Total particulate including PM ₁₀	0.01 grain/dscf	

5. Under 40 CFR Part 60, Subpart F of the Standard of Performance for New Stationary Sources and 40 CFR Part 63, Subpart LLL of the National Emission Standards for Hazardous Air Pollutants, the following emission limits apply to Portland cement plants.

<i>Source</i>	<i>Pollutant</i>	<i>Emission Limits</i>
Kilns and kilns with inline raw mills	Opacity	20%
	Particulate matter	0.30 lbs/ton dry kiln feed
	Dioxin/Furans	0.40 ng TEQ/dscm when operating at ≤ 400°F at the PMCD inlet or 0.20 ng TEQ/dscm, corrected to 7% oxygen (NESHAPS Only)
Clinker Coolers	Opacity	10%
Other Sources	Particulate	0.10 lb/ton dry kiln feed
	Opacity	10%

6. In accordance with applicable NESHAP Subpart LLL and Subpart A requirements, the company shall prepare, prior to initial startup, a Startup, Shutdown and Malfunction (SSM) Plan for affected sources (including the cement kiln system) addressed in this Plan Approval. The terms startup, shutdown and malfunction contained in this Plan Approval will be the same as defined in the most recent version of the SSM Plan.

7. Under 25 Pa. Code § 123.41, the visible air contaminant from the sources shall not be emitted in a manner that the opacity of the emissions is equal to or greater than 20% for a period or periods aggregating more than 3 minutes in any 1 hour; or equal to or greater than 60% at any time

Fuel Preparation and Handling Systems:

8. Under 40 CFR Part 60, Subpart Y of the Standard of Performance for New Stationary Sources, the following emission limits apply to the coal preparation units:

<i>Source</i>	<i>Pollutant</i>	<i>Emission Limits</i>
Thermal Dryer	Opacity	20%
Other Source	Opacity	20%

9. Particulate matter emissions from exhausts associated with the fuel unloading area, the fuel crushing/screening area, the fuel transfer tower area and the fuel silo shall not exceed 0.02 grain per dry standard cubic foot and shall at all times be in compliance with 25 Pa. Code § 123.41.

10. The fabric collectors must be equipped with a device for monitoring the pressure differential across the collectors.

11. The operation of all associated fuel handling equipment shall at all times be in compliance with 25 Pa. Code § 123.1.

12. Methods for controlling particulate emissions resulting from the fuel handling activities shall include, but not to be limited to, the following:

A. Enclosing all conveyor belts totally on the top, bottom and sides as needed to contained the fugitive emissions in compliance with 25 Pa. Code § 123.1.

B. Application of water or chemical dust suppressant to the transfer points to prevent the discharge into the atmosphere of visible emissions.

C. Control of fugitive particulate matter emissions from the vehicle used to transport fuel may include, but is not limited to the following measures:

- I. Use of completely enclosed vehicles.
- II. Tarping the vehicle.
- III. Maintaining the vehicle body in a condition that any leaks of material are prevented.
- IV. Spraying the materials in the vehicle with a chemical dust suppressant.
- V. Washing and dewatering truck tires and underbody.
- D. Application of water or chemical dust suppressant to the storage pile as needed to prevent the discharge into the atmosphere of fugitive emissions.
- E. The fuel conveyors and hoppers shall be enclosed as needed and freeze-protected water spray systems shall be installed as needed to control potential fugitive air contaminant emissions from the fuel stakeout conveyor, fuel storage pile, unpaved plant roadways and fly ash dumpster.

Material Storage and Handling Operations:

13. Fugitive emissions from the material storage and handling operations shall be minimize by enclosing all conveyor belts totally on the top, bottom and sides as needed to contain the fugitive emissions in compliance with 25 Pa. Code § 123.1. The company shall submit a plan and schedule to the Department for approval by December 31, 2004, to eliminate any clinker stored outside in open areas.

In-Plant Roads and Trucks:

14. To prevent fugitive particulate matter resulting from the use of the in-plant roads from becoming airborne, the company shall adhere to the following plan:

- 1. All paved in-plant roads shall be swept on as-needed basis, weather permitting.
- 2. Water and/or chemicals to be applied on all paved and unpaved in-plant roads as needed to control the fugitive emissions.
- 3. The company shall keep a log of the dates of road sweeping or cleaning.
- 4. All fuel delivery trucks must be tarped or enclosed when transporting the fuel to the plant facility.

Stone Crushing Operations:

15. Under 40 CFR Part 60, Subpart OOO of the Standard of Performance for New Stationary Sources, the following emission limits apply to onsite nonmetallic processing units.

Source	Pollutant	Emission Limits
Crusher	Opacity	15%
Other Source	Opacity	10%
Stacks	Opacity	7%

16. The operation of a nonmetallic mineral processing plant shall not at any time result in the emission of:

A. Fugitive air contaminants in excess of the limitations specified in 25 Pa. Code §§ 123.1 and 123.2. All reasonable actions shall be taken to prevent particulate matter from becoming airborne. These actions include, but are not limited to, the following:

- i. Proper installation of a water spray dust suppression system and operation.

ii. Application of asphalt, water or suitable chemicals on dirt roads, material stockpiles and other surfaces, which may give, rise to airborne dusts.

iii. Paving and maintenance of plant roadways.

B. Prompt removal of earth or other material from paved streets onto which earth or other material has been transported by trucking or earth moving equipment, erosions by water or other means.

17. The company shall not emit pollutants from the sources at plants I, II and III in excess of the following limitation in any 12 month period, rolling monthly:

Pollutant	Emission limit Tons/year
PM ₁₀	1,494.8
TSP	2,825.9
SO ₂	4,503.4
NOx	3,402.0
CO	5,974.8
VOC	82.3
Fluoride	1.2
Lead	0.9

18. This Plan Approval establishes a Federally enforceable emissions cap (FEEC) for emissions of NOx and VOCs from the sources at Nazareth I, II and III plants.

19. This Plan Approval constitutes a FEEC determination for NOx and VOC emissions in accordance with 25 Pa. Code § 127.448.

20. The total actual emissions from sources at the facility's Nazareth I, II and III plants shall not exceed the FEEC of 3,402 tons per year (tpy) of NOx and 82.3 tpy of VOCs on a 12-month rolling total basis. To determine the compliance with the FEEC, the calculated NOx and VOCs emission rates for the month shall be added to the previous 11 months calculated NOx and VOC emission rates for the total facility. Any change that would result in an increase over the FEEC would be subject to the NSR requirements specified in 25 Pa. Code Chapter 127, Subchapter E.

21. The facility is not subject to the major NSR requirements of 25 Pa. Code Chapter 127, Subchapter E for NOx and VOC emissions so long as the permittee complies with the terms and conditions specified in this Plan Approval. Any increase in NOx or VOC emissions above this FEEC will subject the facility to the major NSR requirements.

22. The issuance of this Plan Approval does not prevent the future adoption by the Department of any rules, regulations or standards or the issuance of orders necessary to comply with the requirements of the Federal Clean Air Act or the Air Pollution Control Act, or to achieve or maintain ambient air quality standards. The issuance of this Plan Approval shall not be construed to limit the Department's enforcement authority.

23. In accordance with 25 Pa. Code § 127.448(a) and (d)(1), the permittee shall notify the Department in writing at least 7 days prior to making any changes or modifications to sources at the facility's Nazareth I, II and III plants, which result in an emission trade. This 7-day notice requirement applies to any changes or modifications which do not subject the facility to major NSR requirements under Title I of the Federal Clean Air Act.

24. The storage and handling of the material collected in the air cleaning devices associated with the aforementioned sources shall not at any time result in the

emission of fugitive air contaminants in excess of the limitations specified in 25 Pa. Code § 123.1.

25. Issuance of an operating permit will be contingent upon the satisfactory demonstration of compliance with 25 Pa. Code §§ 123.1 and 123.2.

III. Testing Requirements

1. Within 60 days after achieving the maximum production rate, but not later than 180 days after initial start-up of modified kiln I, the Owner or Operator shall demonstrate compliance with each emission limit established in conditions 3, 4 and 5 of restriction, as per 40 CFR Part 63 Subpart LLL and 25 Pa. Code Chapter 139. The stack tests shall be performed while the aforementioned sources are operating at the maximum routine operating conditions or under other conditions, within the capacity of the equipment as may be requested by the Department.

The company shall perform stack tests to show compliance with particulate emission rates from the cement manufacturing operations baghouses listed in the table 7 of the application. Company shall test only new and modified baghouses whose emission rates are listed as less than 0.02 grain/dscf in the application (table 7). The Department may waive the particulate emissions testing for several of the new and modified baghouses upon receiving manufacturer's emission rate guarantees.

2. At least 60 days prior to the test, the Owner or Operator shall submit to the Department for approval the procedures for a test and a sketch with dimensions indicating the location of sampling ports and other data to ensure the collection of representative samples.

3. At least 30 days prior to the test, the Regional Air Quality Program Manager shall be informed of the date and time of the test.

4. Within 60 days after the source tests, two copies of the complete test report, including all operating conditions, shall be submitted to the Regional Air Quality Program Manager for approval.

5. If at any time the Department has cause to believe that air contaminant emissions from the aforementioned sources may be in excess of the limitations specified in, or established under, any applicable rule or regulation contained in 25 Pa. Code Subpart C, Article III, the company shall be required to conduct whatever tests are deemed necessary by the Department to determine the actual emission rates. The testing shall be conducted in accordance with the revisions of 25 Pa. Code Chapter 139, where applicable and in accordance with any restrictions or limitations established by the Department at a time as it notifies the company that testing is required.

IV. Continuous Source Monitoring Requirements

1. Continuous emission monitoring system for as NO_x, CO, SO₂, flow rates and opacity at all points where gas contaminants are measured must be approved by the Department and installed, operated and maintained in accordance with the requirements of 25 Pa. Code Chapter 139. Proposals containing information as listed in the Phase I section of the Department's Continuous Source Monitoring Manual for CEMs must be submitted at least 3 months prior to the initial start-up of the kiln system.

2. Phase I Department approval must be obtained for the monitors described in Condition 1 of continuous source monitoring requirements prior to initial start-up of the modified Kiln I. Phase III Department approval must be obtained within 60 days of achieving the maximum

production rate at which the modified kiln I will be operated, but not later than 180 days after initial start-up of the Kiln I. Department review time for the Phase III report (time between postmark of the Owner or Operator's Phase III report and the postmark of the Department's response letter) will not be charged against the Kiln I in determining compliance with this condition. Information on obtaining Department approval is included in the Department's Continuous Source Monitoring Manual.

V. Monitoring Requirements

1. Mechanical gauges shall be installed and maintained to indicate, in inches of water column, the static pressure differential across the baghouses.

2. The company shall ensure that the control devices shall be equipped with the applicable monitoring equipment and that equipment shall be installed, calibrated, operated and maintained according to the good engineering/operating practices at all times the control device is in use.

VI. Recordkeeping Requirements

1. The company shall maintain a file containing all records and other data that are required to be collected under the various provisions of this plan approval. The file shall include, but not be limited to all air pollution control systems performance evaluations and records of calibration checks, adjustments and maintenance performed on all equipment which is subject to this plan approval. All measurements, records and other data required to be maintained by the company shall be retained for at least 2 years following the date on which measurements, records or data are recorded.

2. The permittee shall record the pressure drop across the dust collectors. At a minimum these recordings shall be taken once per day, while the source and collector is in operation. The recordings shall be maintained in a logbook and made available to the Department upon request. The company may submit alternative methods and/or plans for approval to the Department for substitution of the previous requirement.

VII. Reporting Requirements

1. The company shall immediately notify the Department of any malfunction of, or damage to, sources or associated air cleaning devices which result in, or may possibly be results in, the emissions in excess of the limitations specified in this Plan Approval or any applicable Department rule or regulation.

2. Any changes in the location of the aforementioned source, or any changes in the process or control equipment, would be considered a modification and would require the submittal of an amended application for plan approval in accordance with the provisions of 25 Pa. Code §§ 127.11 and 127.12.

3. This facility is subject to the requirement of the NESHAP for the Portland Cement Plants 40 CFR 63 Subpart LLL and shall comply with all applicable requirements of this subpart; 40 CFR 63.10 requires submission of copies of all requests, reports, applications, submittals and other communications to both the EPA and the Department. The EPA copies shall be forwarded to Director, Air Protection Division, EPA, Region III, 1650 Arch Street, Philadelphia, PA 19103.

4. The nonmetallic mineral processing plants are subject to Subpart OOO of the Standards of Performance for New Stationary Sources and shall comply with all appli-

cable requirements of this subpart; 40 CFR 60.4 requires submission of copies of all requests, reports, applications, submittals and other communications to both the EPA and the Department. The EPA copies shall be forwarded to the previous address

5. The coal preparation plant is subject to Subpart Y of the Standards of Performance for New Stationary Sources and shall comply with all applicable requirements of this subpart; 40 CFR 60.4 requires submission of copies of all requests, reports, applications, submittals and other communications to both the EPA and the Department. The EPA copies shall be forwarded to the previous address.

6. Notification as a result of any condition herein should be directed to Thomas A. DiLazaro, Air Quality Program Manager, Department of Environmental Protection, 2 Public Square, Wilkes-Barre, PA 18711-0790.

VIII. Work Practice Standard

1. The aforementioned sources may only be operated as long as the associated air pollution control devices are operated and maintained in accordance with the specifications set forth in the respective plan approvals and the applications submitted for said plan approvals (as approved by the Department) and in accordance with any conditions set forth herein.

2. The permittee shall keep on hand a sufficient quantity of spare baghouse bags/filters for the baghouses associated with the aforementioned sources to be able to immediately replace any bags/filters requiring replacement due to deterioration resulting from routine operation of the sources and baghouses.

3. The company shall maintain and operates the air pollution control equipment and sources in accordance with good engineering practice.

4. Water spray dust suppression systems on nonmetallic mineral processing plants shall be operated on any and all occasions that the respective plant is operated, except in those unusual instances where processed materials contain sufficient moisture so that operation of the plant without the simultaneous operation of the water spray dust suppression system can take place without creating air contaminant emissions in excess of the limitations and standards of this plan approval. If, however, the water spray dust suppression system is incapable of operation due to weather conditions or any other reason the plant may not operate at all.

a. The company shall keep on hand a sufficient quantity of spare nozzles to be able to immediately replace any nozzles.

5. The company shall keep on hand equipment and materials as are necessary to take reasonable action (including but not necessarily limited to the application of water, oil or chemicals) to prevent fugitive particulate matter resulting from the use of any roadways and/or material stockpiling operations associated with the plant from becoming airborne and shall be used, as necessary, to prevent fugitive particulate matter from becoming airborne.

IX. Additional Requirements

1. The company shall not impose conditions upon or otherwise restrict the Department's access to the aforementioned sources and/or any associated air cleaning devices and shall allow the Department to have access at any time to said sources and associated air cleaning devices with measuring and recording equipment, including equipment recording visual observations, as the De-

partment deems necessary and proper for performing its duties and for the effective enforcement of the Air Pollution Control Act.

Persons wishing to provide the Department with additional information, which they believe should be considered prior to the issuance of the Plan Approval, may submit the information to the following address. The Department will consider written comments received within 30 days of the publication of this notice. Each written comment must contain: name, address and telephone number of the person submitting the comments; identification of the proposed Plan Approval No. 48-309-118; a concise statement regarding the relevancy of the information or any objections to the issuance of the Plan Approval.

A public hearing will be held for the purpose of receiving comments on the proposed air quality plan approval. The hearing will be held on January 14, 2003, at 7 p.m. at the Nazareth High School, East Center Street, Nazareth, PA. Persons interested in commenting are invited to appear at the public hearing.

Copies of the application, air modeling analysis used in the evaluation, the Department's technical review and other supporting documents are available for public inspection between the hours of 8 a.m. and 4 p.m. at the Department's Wilkes-Barre Regional Office, 2 Public Square, Wilkes-Barre, PA 18711-0790. Appointments for scheduling a review may be made by calling (570) 826-2531.

The general procedures for the hearing are as follows:

To develop an agenda for the hearing, the Department requests that individuals wishing to testify at the hearing submit a written notice of their intent. The notice should be sent to Thomas A. DiLazaro, Hearing Examiner, Department of Environmental Protection, Air Quality Program, Wilkes-Barre Regional Office, 2 Public Square, Wilkes-Barre, PA 18711-0790. The Department will accept notices up to the day of the public hearing.

This written notice should include the person's name, address, telephone number and a brief description as to the nature of the testimony. Individuals who submit a notice of intent to testify will be given priority on the agenda. If time permits, the Department will allow individuals who have not submitted a notice of intent to testify to present their comments.

Each individual will have up to 10 minutes to present testimony. The Department requests that individuals present written copies of their testimony in addition to their oral presentations.

To insure that all speakers have a fair and equal opportunity to present their testimony, relinquishing of time will be prohibited. Further details relating to the procedures to be followed at the hearing will be outlined at the beginning of the hearing.

Persons unable to attend the hearing can submit written testimony to the Department through January 25, 2003.

The Department will address comments from the public before a final action is taken on the proposal. A summary report addressing the concerns raised by the public will be released should the Department decide to issue the Plan Approval. Send written comments to Thomas A. DiLazaro, Regional Air Quality Program Manager, Wilkes-Barre Regional Office, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations should contact the Department at the previous address or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may address their needs.

For additional information contact Thomas A. DiLazaro at (570)-826-2531 or write to the Department at the Wilkes-Barre address given previously.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Edward Brown, Facilities Permitting Chief, (610) 832-6242.

46-00011: Bethlehem Steel Corp. (Conshohocken Rd., Conshohocken, PA 19428) for Administrative Amendment of the Title V Operating Permit issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) is processed in accordance with 25 Pa. Code § 127.450 in Plymouth Township, **Montgomery County**.

The following items have been amended in this permit:

- (i) Permit contact person has been changed.
- (ii) Insignificant changes to the process flow diagrams for various sources listed in Section A (Site Inventory List).
- (iii) Section D, Source ID: 110, Condition No. 003— inclusion of the term “Slab Reheating Furnace No. 2.”
- (iv) Section D, Source ID: 110, Condition No. 010— inclusion of the rated heat input capacity for Slab Reheating Furnace No. 2.
- (v) Insignificant changes to the names and number of various sources listed in Section G (Miscellaneous).

15-00010: Bethlehem Steel Corp. (130 Modena Rd., Coatesville, PA 19320) for an Administrative Amendment of the Title V Operating Permit issued under the Air Pollution Control Act is processed in accordance with 25 Pa. Code § 127.450 in Coatesville City, **Chester County**.

The following items have been amended in this permit:

- (i). Sections A and D, Source IDs: 181 and 182—Fuel Sources FML01 and FML02 have been added to the flow process diagram for these sources.
- (ii). Section D, Source ID: 180, Condition No. 002— Inclusion of the term “Effective July 1, 2002. . . .”
- (iii). Section D, Source ID: 258, Condition No. 004— Inclusion of the term “Effective July 1, 2002. . . .”
- (iv). Section D, Source ID: 263, Condition No. 002— Inclusion of the term “Effective July 1, 2002. . . .”

46-00020: Superior Tube Co. (3900 Germantown Pike, Collegeville, PA, 19426) for an administrative amendment to Title V operating permit 46-00020 in Lower Providence Township, **Montgomery County**. The permit is being amended to incorporate changes based Plan Approval PA-46-0020C, which entails the addition of a new batch vapor degreaser and carbon adsorber. Administrative Amendment of Title V Operating Permit issued under the Air Pollution Control Act and 25 Pa. Code § 127.450. The amended Title V Operating Permit will contain additional monitoring, recordkeeping, reporting

and work practice standards to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110; Contact: Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

21-05003: Carlisle Tire and Wheel Co. (621 North College Street, Carlisle, PA 17013) for a Title V Operating Permit renewal to operate a specialty tire manufacturing facility in Carlisle Borough, **Cumberland County**. The tire manufacturing activities produce VOC emissions; the facility’s boiler plant generates SOx and NOx. The Title V Operating Permit will contain appropriate monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

36-05024: Bigbee Steel and Tank Co. (99 West Elizabethtown Road, Manheim, PA 17545) for a Title V Operating Permit renewal to operate a steel tank manufacturing facility in Rapho Township, **Lancaster County**. The spray painting of the tanks produces VOC emissions; emissions from other activities are minimal. The Title V Operating Permit will contain appropriate monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

36-05078: Berk-Tek, Inc. (132 White Oak Road, New Holland, PA 17557-9722) for a Title V Operating Permit renewal to operate a cable extrusion facility in Earl Township, **Lancaster County**. The facility’s major source of emissions are attributed to the use of a hazardous air pollutant, methyl ethyl ketone, in solvent-based inks and extenders used in the band marking of the wire coating. The Title V Operating Permit will contain appropriate monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

11-00356: Dominion Peoples (625 Liberty Avenue, Pittsburgh, PA 15222) for renewal of the Title V Operating Permit at Rager Mountain/Laurel Ridge Station in Jackson Township, **Cambria County**. The facility is a compressor station primarily used for the storage and distribution of natural gas. The facility is a major stationary source due to its potential to emit NOx.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Edward Brown, Facilities Permitting Chief, (610) 832-6242.

46-00132: Lansdale Crematory, Inc. (Derstine and Cannon Avenue, Lansdale, PA 19446) for operation of a non-Title V Facility, State-Only, Natural Minor Operating Permit in Lansdale Borough, **Montgomery County**. The permit is for the operation of a human crematorium, from which the main pollutants emitted are PM and NOx. PM and NOx emissions from the facility are each less than 1 ton per year. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

46-00121: Lankenau Hospital (100 Lancaster Avenue, Wynnewood, PA 19096), for operation of a hospital in Lower Merion Township, **Montgomery County**. The permit is for a non-Title V (State only) facility. The hospital has the potential to emit 24.99 TPY of NOx. The facility's major air emission points include boilers and emergency generators that are restricting their major source emissions of NOx. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the hospital operating within all applicable air quality requirements.

09-00085: A. E. Staley Manufacturing (East Post Road, Morrisville, PA 19067), for operation of a bulk corn syrup transfer station in Morrisville Township, **Bucks County**. The permit is for a non-Title V (State only) facility. Major sources are two 10.5 mmBtu boilers. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

15-00107: Pet Memorial Services Corporation (319 Westtown Road, Suite Q, West Chester, PA 19382) for operation of three animal crematoriums in West Goshen Township, **Chester County**. The permit is for a non-Title V (State only) facility. The facility has a potential to emit less than 25 tons per year of NOx; the facility is a Natural Minor. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the plant operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Michael Salko, Facilities Permitting Chief, (570) 826-2531.

39-318-105A: Ultra Hi-Tek Products, Inc. (827 North Meadow Street, Allentown, PA 18102) for operation of a film coating line and associated air cleaning device in Allentown, **Lehigh County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110; Contact: Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

31-05012: Department of Corrections (P. O. Box 598, Camp Hill, PA 17001-0598) for operation of three bituminous coal fired boilers at the Smithfield SCI in Smithfield Township, **Huntingdon County**. Particulate emissions from each unit are controlled by multiple cyclones. The facility has the potential to emit 463.5 tons per year of SOx, after restrictions, SOx emissions are limited to 71.9 tons per year. The Synthetic Minor operating permit shall contain testing, monitoring, recordkeeping and reporting requirements, emission restrictions and work practice standards designed to keep the facility operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: Muhammad Zaman, Facilities Permitting Chief, (570) 327-0512.

08-00012: Taylor Packing Co., Inc. (P. O. Box 188, Wyalusing, PA 18853) for operation of their meat packing and rendering facility in Wyalusing Township, **Bradford County**. The facility's sources include: gas and fuel oil fired combustion units, a blood drying operation, a rendering operation, a crax processing operation, a crax cooling system, emergency generators, storage tanks, parts cleaning stations and a wastewater treatment operation. These sources have the potential to emit major quantities of SOx. The State Only Permit includes requirements limiting facility's annual SOx emissions to below major emission thresholds. The facility has the potential to emit CO, NOx, PM, VOCs and HAPs below

major emission thresholds. The proposed operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

14-00029: Con-Stone, Inc. (P. O. Box 28, Bellefonte, PA 16823) for operation of their crushed and broken limestone facility in Haines Township, **Centre County**. The facility's main sources include a diesel generator, primary crusher, secondary crusher, portable crusher and associated various material sizing and conveying equipment. The facility has taken restrictions to limit potential PM10 emissions below Title V thresholds. The facility has the potential to emit NOx, SOx, VOCs and CO below the major emission thresholds. The proposed operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

14-00008: Cerro Metal Products Co. (P. O. Box 388, Bellefonte, PA 16823) for operation of their copper rolling and drawing facility in Spring Township, **Centre County**. The facility's main sources include three natural gas/no. 2 fuel oil fired boilers, one natural gas/no. 2 fuel oil fired brass chip dryer, six melter holder electric induction furnaces, five natural gas fired billet furnaces, three natural gas/no. 2 fuel oil fired small rod coil annealing furnaces, six natural gas fired buzzer furnaces, large rod brass pickling operation and graphite machining operation. The facility has taken restrictions to limit potential NOx and SOx emissions below Title V thresholds. The facility has potential to emit (VOCs, PM10 and CO below the major emission thresholds. The proposed operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

18-00023: Hanson Aggregates Pennsylvania, Inc. (P. O. Box 231, Easton, PA 18044) for operation of their crushed and broken limestone facility in Lamar Township, **Clinton County**. The facility's main sources include a primary crusher, secondary crusher, tertiary crusher and associated various material sizing and conveying equipment. These sources have the potential to emit PM10 below the major emission thresholds. The proposed operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

08-00018: Athens Area School District (204 Willow Street, Athens, PA 18810) for operation of their Harlan Rowe Middle School complex in Athens Borough, **Bradford County**. The facility's main sources include one natural gas fired paper waste incinerator and a natural gas fired emergency generator. The facility has the potential to emit SOx, CO, NOx, PM10, VOCs and HAPs below the major emission thresholds. The proposed operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

20-00272: Universal Stainless and Alloy Products (121 Caldwell Street, Titusville, PA 16354) for operation of a Natural Minor Permit of a cold rolling steel mill facility in the City of Titusville, **Crawford County**.

10-00281: II—VI, Inc. (375 Saxonburg Boulevard, Saxonburg, PA 16056) for operation of a Natural Minor Operating Permit facility's air contamination sources consisting of several miscellaneous combustion sources, chemical vapor deposition units, hydrogen selenide gas

production, thin film materials production and a batch vapor degreaser unit in Clinton Township, **Butler County**.

25-00397: APW Erie (4000 West Ridge Road, Erie, PA 16505) for operation of a Natural Minor Operating Permit facility's air contamination sources consisting of several gas-fired heaters and boilers, a surface coating operation and a parts washer in Millcreek Township, **Erie County**.

MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); and The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District Mining Office indicated before each application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments or objections, or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the previous, more restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the previously-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts

upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

54910205R2. CLS Coal Company (P. O. Box 81, Port Carbon, PA 17965), renewal of a coal refuse reprocessing operation in West Mahanoy Township, **Schuylkill County** affecting 12.5 acres, receiving stream: none. Application received November 21, 2002.

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209, (814) 342-8200.

17920115 and NPDES Permit No. PA0207110. P & N Coal Co., Inc., 240 West Mahoning Street, P. O. Box 332, Punxsutawney, PA 15767. Renewal of an existing bituminous surface mine-coal preparation plant/processing facility permit located in Goshen Township, **Clearfield County** affecting 16.5 acres. Receiving streams: unnamed tributary to West Branch Susquehanna River. Application received November 12, 2002.

17990119 and NPDES Permit No. PA0242748. Laurel Energy, L. P., One Energy Place, Suite 7500, Latrobe, PA 15650. Transfer of an existing bituminous surface mine permit from Forcey Coal, Inc. The permit is located in Woodward Township, **Clearfield County** and affects 83.3 acres. Receiving streams: unnamed tributaries to Goss Run. Application received November 13, 2002.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

32980103 and NPDES Permit No. PA0234702. Alverda Enterprises, Inc., P. O. Box 87, Alverda, PA 15710, permit renewal for continued operation of a bituminous surface mine and for discharge of treated mine drainage in Pine Township, **Indiana County**, affecting 15.2 acres. Receiving streams: unnamed tributary to Yellow Creek and Yellow Creek classified for CWF. There are no potable water supply intakes within 10 miles downstream. Application received November 21, 2002.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

24020104 and NPDES Permit No. PA0242268. Hepburnia Coal Company (P. O. Box I, Grampian, PA 16838). Commencement, operation and restoration of a bituminous surface strip and auger operation in Fox Township, **Elk County** affecting 260.0 acres. Receiving streams: Little Toby Creek and unnamed tributaries to Little Toby Creek, classified for CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received November 14, 2002.

10950103 and NPDES Permit No. PA0226963. State Industries, Inc. (P. O. Box 1022, Kittaning, PA 16201). Renewal of an existing bituminous surface strip and auger operation in Concord Township, **Butler County** affecting 67.2 acres. Receiving streams: unnamed tributaries to Bear Creek and Bear Creek, classified for CWF. There are no potable surface water supply intakes within 10 miles downstream. Application for reclamation only. Application received November 26, 2002.

Noncoal Applications Received

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

7975SM1C6 and NPDES Permit PA0045047. Haines & Kibblehouse, Inc. (2052 Lucon Road, P. O. Box 196, Skippack, PA 19474), quarry operation with renewal of existing discharge of treated mine drainage in Hilltown Township, **Bucks County**, receiving stream: unnamed run to Morris Run, classified for TSF. Application received November 19, 2002.

5278SM3C5 and NPDES Permit PA0595764. Hanson Aggregates Pennsylvania, Inc. (1900 Sullivan Trail, P. O. Box 231, Easton, PA 18044-0231), quarry operation with renewal of existing discharge of treated mine drainage in Lake Township, **Wayne County**, receiving stream: unnamed tributary to Middle Creek, classified for CWF. Application received November 22, 2002.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

NPDES Permit No. PA0249343. Robindale Energy Services, Inc., 1001 Broad Street, Suite 130, Johnstown, PA 15906, application for a post-mining water treatment permit in Shade Township, **Somerset County**, affecting 106.5 acres. Receiving streams: Miller Run to Dark Shade Creek to Stony Creek classified for CWF. There are no potable water supply intakes within 10 miles downstream. Application received November 1, 2002.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

37960304. Essroc Cement Corp. (P. O. Box 779, Bessemer, PA 16112-8928). Renewal of NPDES Permit No. PA0227307, Bessemer Borough and North Beaver Township, **Lawrence County**. Receiving streams: Hickory Run Creek, classified for TSF. No public water supplies are within 10 miles downstream of this proposed operation. NPDES Renewal application received November 22, 2002.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications and requests for Environmental Assessment approval and requests for Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)), requires the state to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant state requirements. Initial requests for 401 Water Quality Certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8 a.m. and 4 p.m. on each working day at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E46-926. Stewart & Conti, Development Co., 3801 Germantown Pike, Fairview Village, PA 19426, Douglass Township, **Montgomery County**, ACOE Philadelphia District.

To perform the following activities associated with the cobblestone crossing residential subdivision, phases ii and iii:

1. To construct and maintain a stormwater outfall channel from outfall no. 117 to an existing grass waterway impacting approximately 500 square feet of wetland (PEM) within the grass waterway.
2. To construct and maintain a stormwater outfall and channel within the 100-year floodway and discharging to Swamp Creek (TSF-MF) and impacting approximately 300 square feet of adjacent wetlands (PEM) associated with improvements to Smith Road.
3. To install an 8-inch water line by temporarily impacting 25 linear feet of Swamp Creek (TSF-MF).
4. To place fill in approximately 0.04 acre of wetland (PEM) and to construct and maintain a stormwater outfall channel within the 100-year floodway discharging to Swamp Creek (TSF-MF) associated with improvements to Smith Road.
5. To construct and maintain a stormwater outfall channel from outfall no. 300 to an existing wetland. The outfall channel will impact 0.01 acre of wetland (PEM) within the 100-year floodplain of Swamp Creek.
6. To construct an 8-inch sanitary sewer line across an unnamed tributary to Swamp Creek, Swamp Creek and its adjacent wetlands (PEM) at three locations.
7. To construct and maintain a stormwater outfall channel from outfall no. 400, across and potentially draining approximately 1.0 acre of wetland (PEM) adjacent to an unnamed tributary of Swamp Creek.

8. To construct and maintain a stormwater outfall channel from a detention basin, outfall 240, across and potentially draining approximately 1.0 acre of wetland (PEM) adjacent to an unnamed tributary of Swamp Creek.

The site is located just north of the intersection of Big Road (SR 0073) and Smith Road (Sassamansville, PA USGS Quadrangle N: 11.8 inches; W: 13.8 inches).

E446-012SE. Berwind Property Group, Inc., GSB Building, One Belmont Avenue, Suite 401, Bala Cynwyd, PA 19004, Upper Providence Township, **Montgomery County**, ACOE Philadelphia District.

A request for an Environmental Assessment for impacts associated with the construction, operation and maintenance of the nonjurisdictional dam across an unnamed tributary to the Doe Run (TSF). The proposed dam will provide stormwater management for Providence Corporate Centers. The project will impact approximately 210 linear feet of watercourse and 0.02 acre of wetland (PFO). The project is located about 2,000 feet northeast of the intersection of Black Rock and Troutman Road (Collegeville, PA Quadrangle N: 6.10 inches; W: 12.90 inches).

E51-205. Penn's Landing Corporation, 121 Columbus Boulevard, Philadelphia, PA 19106, Philadelphia City and **Philadelphia County**, ACOE Philadelphia District.

To construct and maintain two pile-supported boat launching ramps along the Delaware River (WWF-MF) to facilitate the operation of the "Ride the Duck" amphibious boat tours at the Penn's Landing Waterfront in the City and County of Philadelphia. Open waters will be maintained beneath both boat ramps.

1. The ingress ramp will be situated between Pier 12N and Pier 11N, just south of the Ben Franklin Bridge (Philadelphia USGS Quadrangle N: 14.2 inches; W: 2.0 inches). The ingress ramp dimensions will be approximately 234 feet long by 16 feet wide.

The egress ramp will be constructed within the Penn's Landing boat basin between the USS Olympia and the Moshulu (Philadelphia USGS Quadrangle N: 12.1 inches; W: 2.3 inches). The ramp dimensions will be approximately 110 feet long by 16 feet wide.

E46-927. Plymouth Township, 700 Belvoir Road, Plymouth Meeting, PA 19462, Plymouth Township, **Montgomery County**, ACOE Philadelphia District.

To construct and maintain 400 linear feet of 4 foot by 12 foot box culvert that will relocate 480 linear feet of unnamed intermittent tributary to the Plymouth Creek (WWF). The proposed structure will replace the existing Gallagher Road triple cell culvert and extend downstream to a new confluence with a perennial unnamed tributary to the Plymouth Creek. The proposed site is located 500 feet southeast of the intersection of Belvoir Road and Gallagher Road (Norristown, PA Quadrangle N: 19.9 inches; and W: 8.0 inches).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E54-203. Reading Blue Mountain and Northern Railroad Co., P. O. Box 218, Port Clinton, PA 19549, in Port Carbon Borough, **Schuylkill County**, U. S. Army Corps of Engineers, Philadelphia District.

To repair and maintain a three-span concrete arch railroad bridge across the Schuylkill River (CWF) with

work consisting of rehabilitation of spalled and hollowed-out concrete areas to reduce the risk of any long-term structural problems. The project is located approximately 500 feet downstream of SR 2002 (Pottsville, PA Quadrangle N: 12.2 inches; W: 6.1 inches).

E45-440. William O'Neill, R. R. 2, Box 5234, East Stroudsburg, PA 18301, in Smithfield Township, **Monroe County**, U. S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a 48-inch diameter HDPE stormwater outfall structure and associated energy dissipater along the eastern streambank of Marshall's Creek (CWF) approximately 300 feet downstream of SR 0209 (East Stroudsburg, PA Quadrangle N: 2.9 inches; W: 0.6 inch).

E64-238. Luke Wenk, R. R. 2, Box 2774, Mount Pleasant, PA 18439, in Mount Pleasant Township, **Wayne County**, U. S. Army Corps of Engineers, Philadelphia District.

To maintain fill that was placed in 0.29 acre of wetlands in the drainage basin of Equinunk Creek, for the purpose of expanding an existing woodshop. The project is located along the west side of SR 0247, approximately 1,000 feet south of the Preston Township/Mount Pleasant Township boundary (Lake Como, PA-NY Quadrangle N: 8.0 inches; W: 12.8 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E06-549. Sandra Lutz, South Heidelberg Township, 68A N. Galen Hall Rd., Wernersville, PA 19565 in South Heidelberg Township, **Berks County**, ACOE Philadelphia District.

To remove the existing 11 foot span steel girder bridge and to construct and maintain an 11 foot span by 4 foot rise concrete box culvert within Manor Creek (CWF) at a point approximately 2,200 feet southeast of the intersection of Furnace Road and SR 422 in the Borough of Wernersville (Sinking Spring, PA Quadrangle N: 13.9 inches; W: 13.0 inches) in South Heidelberg Township, Berks County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E08-399. William Jackson, R. R. 3, Box 401, Troy, PA 16947. Mill Creek Restoration Project Reach 1, in Springfield Township, **Bradford County**, ACOE Baltimore District (East Troy, PA Quadrangle N: 12.25 inches; W: 8.6 inches).

The application proposes to restore 1,930 linear feet of Mill Creek by means of natural channel design techniques. This project is in conjunction with a downstream reach of stream on an adjacent property. The project design utilized Brace Creek as a reference reach along with combining regional curve data and stable reaches within Mill Creek to establish the correct design parameters. Rock structures (Cross-Veins, J-Hooks) will be utilized to promote bank stabilization and to establish grade control within the stream. This project intends to impact 1,930 linear feet of Mill Creek, which is designated as TSF although the Fish and Boat Commission does not actively stock this reach.

E08-400. Wilson Leiby, R. R. 3, Box 418, Troy, PA 16947. Mill Creek Restoration Project Reach 2, in Springfield Township, **Bradford County**, ACOE Baltimore District (East Troy, PA Quadrangle N: 13 inches; W: 8.95 inches).

The application proposes to restore 600 linear feet of Mill Creek by means of natural channel design techniques. This project is in conjunction with an upstream reach of stream on an adjacent property. The project design utilized Brace Creek as a reference reach along with combining regional curve data and stable reaches within Mill Creek to establish the correct design parameters. Rock structures (Cross-Veins, J-Hooks) will be utilized to promote bank stabilization and to establish grade control within the stream. This project intends to impact 600 linear feet of Mill Creek, which is designated as TSF although the Fish and Boat Commission does not actively stock this reach.

E12-134. Cameron County Commissioners, Cameron County Courthouse, East 5th Street, Emporium, PA 15834. Crowley Run Bridge Replacement, in Portage Township, **Cameron County**, ACOE Baltimore District (Emporium, PA Quadrangle N: 16.4 inches; W: 10.2 inches).

The permit application proposes to remove the existing double span structure and replace it with a single span concrete box beam structure in the same location. The proposed work also includes widening of the existing T-331 to include 10-foot travel lanes and paved shoulders. The proposed structure crosses of Crowley Run, which is designated as an Exceptional Value Watershed and proposes to impact 50 linear feet of stream.

E53-380. Adelpia Communications Corp, 1 North Main Street, Coudersport, PA 16915. Adelpia Data Center Stormwater Outfall, in Coudersport Borough, **Potter County**, ACOE Pittsburgh District (Coudersport, PA Quadrangle N: 3.0 inches; W: 4.0 inches).

To construct, operate and maintain a stormwater conveyance pipe and outfall structure in and along the Allegheny River (CWF). The stormwater conveyance shall be constructed with a 30-inch diameter high-density plastic pipe. The outfall structure shall be constructed with a R-7 riprap. The project will not impact wetlands while permanently impacting 50-feet of the Allegheny River. The project is located along the southern right-of-way of SR 0006 approximately 2,250-feet west of SR 3017 and SR 006 intersection.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-366-A1. Township of Upper St. Clair, 1820 McLaughlin Run Road, Upper St. Clair, PA 15241-2332. Upper St. Clair Township, **Allegheny County**, ACOE Pittsburgh District.

To amend permit E02-366 which authorized the construction and maintenance of gabion walls and rock riprap along the banks of McLaughlin Run for a distance of about 4,600 feet beginning at a point approximately 2.7 miles upstream from its mouth in Upper St. Clair Township, Allegheny County. This permit amendment will authorize the relocation and maintenance of approximately 600 feet of McLaughlin Run (WWF) using fluvial geomorphology to improve the water quality and habitat and protect McLaughlin Run Road as part of the

McLaughlin Run stream restoration Phase III. The project is located on the north side of McLaughlin Run Road approximately 3,000 feet west of its intersection with Route 19 (Bridgeville, PA Quadrangle N: 16.0 inches; W: 10.6 inches).

E02-1408. Mirric Realty, LLC, 8199 McKnight Road, Pittsburgh, PA 15237. Etna Borough, **Allegheny County**, ACOE Pittsburgh District.

To construct and maintain a retail building on the right bank of Pine Creek (TSF) for the purpose of constructing the Etna Towne Center. The project is located on the east side of Butler Street, approximately 600 feet northeast from the intersection of Butler Street and Maplewood Street (Glenshaw, PA Quadrangle N: 0.1 inch; W: 9.6 inches).

E11-298. USSCO Johnstown Federal Credit Union, 522 Central Avenue, Johnstown, PA 15902. Richland Township, **Cambria County**, ACOE Pittsburgh District.

To place and maintain fill in 0.28 acre of wetlands, for the purpose of expansion of the USSCO Johnstown Federal Credit Union located along Oakridge Drive approximately 2,000 feet east of SR 56. To meet wetland replacement requirements, the applicant proposes to pay into the wetland replacement fund (Geistown, PA Quadrangle N: 7.5 inches; W: 12.0 inches).

E26-302. Fayette County Commissioners, Court House, 61 East Main Street, Uniontown, PA 15401. North Union and Menallen Townships, **Fayette County**, ACOE Pittsburgh District.

To remove the County Bridge No. 184 and to construct and maintain a bridge having a normal clear span of 36.0 feet and an underclearance of 5.4 feet across Jennings Run (WWF) located on T-719 (Fan Hollow Road) approximately 8,000 feet north of the intersection with SR 40 (New Salem, PA Quadrangle N: 11.85 inches; W: 0.35 inch).

E65-810. Dr. Ice, 300 Penn Center Boulevard, Suite 201, Pittsburgh, PA 15235. City of New Kensington, **Westmoreland County**, ACOE Pittsburgh District.

To construct and maintain an ice skating facility along Little Pucketa Creek (TSF) located at the intersection of SR 56 and Craig Dell Road (New Kensington East, PA Quadrangle N: 14.1 inches; W: 15.7 inches).

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E10-368, Butler County Commissioners, P. O. Box 1208, Butler, PA 16003-1208. R. C. Duffy Bridge County No. 26 T-428 New Hope Road Across McMurray Run, in Cherry Township, **Butler County**, ACOE Pittsburgh District (West Sunbury, PA Quadrangle N: 15.6 inches; W: 12.7 inches).

To remove the existing R. C. Duffy Bridge (County No. 26) and to construct and maintain a steel beam bridge having a clear span of 37 feet and an underclearance of 6 feet on a 71 degree skew across McMurray Run on T-428 New Hope Road approximately 1 mile north of Branchton Road.

E24-229, Elk County Commissioners, P. O. Box 448, Ridgway, PA 15853-0448. T-314 Bridge (Arroyo Bridge) Replacement in Spring Creek Township, **Elk County**, ACOE Pittsburgh District (Hallton, PA Quadrangle N: 2.8 inches; W: 0.8 inch)

To remove the existing structure and to construct and maintain a three span steel I-beam bridge having three

clear spans of 85.7 feet, 107.3 feet and 83.8 feet each and an underclearance of 21.29 feet on a 70° skew across the Clarion River (CWF) approximately 1.4 miles northwest of the intersection of T-314 and SR 949. The project includes the temporary impact of 0.043 acre of wetlands, the construction of a temporary causeway and cofferdams for construction and the temporary reinforcement of three bridges on T-314 over Beech Bottom Run (CWF), Cole Run (CWF) and Lake City Run (CWF) to provide access for construction equipment.

E25-661, Behrend College, 5091 Station Road, Erie, PA 16563-0001. Behrend Research & Economic Development Center, in Harborcreek Township, **Erie County**, ACOE Pittsburgh District (Hammett, PA Quadrangle N: 21.5 inches; W: 14.2 inches).

To fill 0.1 acre of wetland (PFO) for construction of the Behrend Research & Economic Development Center building along Jordan Road approximately 0.3 mile west of Station Road at Pennsylvania State University—Behrend College. Project proposes the creation of 0.15 acre of replacement wetland through modification of an existing pond.

E37-147, Department of Transportation, District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017-2853. SR 2007, Section L01, Segment 0040, Offset 0000 Stream Enclosure Replacement in an unnamed tributary to Slippery Rock Creek in Perry Township, **Lawrence County**, ACOE Pittsburgh District (Portersville, PA Quadrangle N: 3 inches; W: 12.5 inches).

To remove the existing structure and to construct and maintain a 120-foot long, 12-foot wide by 6.5-foot high precast concrete arch stream enclosure in an unnamed tributary to Slippery Rock Creek (CWF) on SR 2007, Section L01, Segment 0040, Offset 0000 approximately 0.95 mile northwest of the intersection of SR 2007 (Armstrong Road) and SR 488.

E42-294, Bradford Housing Authority, 2 Bushnell Street, Bradford, PA 16701. Bennett Brook Pedestrian Bridge Replacement, in the City of Bradford, **McKean County**, ACOE Pittsburgh District (Bradford, PA Quadrangle N: 14.7 inches; W: 4.6 inches).

To remove the existing pedestrian bridge superstructure and to construct and maintain a concrete deck on steel girders pedestrian bridge having a clear span of 19.8 feet and an underclearance of 7 feet across Bennett Brook (CWF) approximately 250 feet southwest of the intersection of Bennett Street and Barbour Street.

E61-258, Great Lakes Energy Partners, LLC, 1369 Cochran Road, Carlton, PA 16311. Wallaceville Pipeline Across Little Sugar Creek and wetlands, in Oakland and Plum Townships, **Venango County**, ACOE Pittsburgh District.

To construct and maintain a 6-inch-diameter natural gas pipeline across Little Sugar Creek and adjoining EV wetland by directional drill approximately 3,500 feet upstream of Creek Hill Road (Dempseytown, PA Quadrangle N: 5.5 inches; W: 8.5 inches) in Oakland Township and across a tributary to Little Sugar Creek approximately 2,000 feet upstream of where the stream crosses Dallas Road (Dempseytown, PA Quadrangle N: 7.6 inches; W: 8.1 inches) in Plum Township.

ENVIRONMENTAL ASSESSMENTS

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

EA56-002SW, Wells Creek Watershed Association, 1019 Pompey Hill Road, Stoystown, PA 15563. Somerset Township, **Somerset County**, ACOE Pittsburgh District.

To construct and maintain a passive, acid mine drainage treatment system, to treat the mine drainage from the Listie Coal Corporation's Louise Mine Nos. 1 and 2. The project will affect a reported 0.8 acre of wetland from the construction of a successive alkaline producing system, settling basin and a maintenance road, a collection system, consisting of open pipes and subsurface, French-drain type structures will also be constructed and maintained in the wetlands. Three outfall structures will be constructed and maintained along unnamed tributaries to Wells Creek (CWF). The project area is located approximately 1,000 feet east of the intersection of Township Roads T-572 and T-539 (Somerset, PA Quadrangle N: 2.0 inches; W: 1.65 inches).

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permit application has been received by the Department of Environmental Protection and is currently under review. Persons wishing to comment on the proposed permit are invited to submit a statement to the Bureau of Land Recycling and Waste Management, Division of Storage Tanks, P. O. Box 8763, Harrisburg, PA 17105-8763, within 30 days from the date of this publication. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of the comment and the relevant facts upon which it based.

The following applications have been received for Storage Tank Site-Specific Installation Permits under the authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C.

<i>SSIP Application No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
02015	Thomas G. Martin Martin Oil Company 528 North First Street Bellwood, PA 16617	Cambria County Cambria Township	Two ASTs storing heating oil One AST storing kerosene	40,000 gallons total 15,000 gallons

ACTIONS

**FINAL ACTIONS TAKEN UNDER
THE CLEAN STREAMS LAW AND THE
FEDERAL CLEAN WATER
ACT—NPDES AND WQM PART II
PERMITS
INDUSTRIAL WASTE AND
SEWERAGE WASTEWATER**

The Department of Environmental Protection has taken the following actions on previously received permit applications and requests for plan approval.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**I. Municipal and Industrial Permit Actions under
The Clean Streams Law Act (35 P. S. §§ 691.1—
691.1001).**

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0031992, Sewage, **Department of Conservation and Natural Resources, Greenwood Furnace State Park**, R. R. 2, Box 118, Huntingdon, PA 16652-9006. This proposed facility is located in Jackson Township, **Huntingdon County**.

Description of Proposed Action/Activity: Authorization to discharge to East Branch Standing Stone Creek in Watershed 11-B.

WQM Permit No. 6799403 Amendment 02-1, Sewerage, **Northeastern York County Sewer Authority**, 175 Chestnut Street, P. O. Box 516, Mount Wolf, PA 17347. This proposed facility is located in East Manchester Township and Manchester Borough, **York County**.

Description of Proposed Action/Activity: Approval for the construction/operation of sewers and appurtenances in Watershed 7-F.

WQM Permit No. 2102408, Sewerage, **Emanuel B. King**, 50 County Line Lane, Newburg, PA 17240. This proposed facility is located in Hopewell Township, **Cumberland County**.

Description of Proposed Action/Activity: Approval for the construction/operation of sewage treatment facilities.

WQM Permit No. 5095401 Amendment No. 02-1, Sewerage, **Caldwell Development Company, Inc.**, 434 North Front Street, Wormleysburg, PA 17043. This proposed facility is located in Howe Township, **Perry County**.

Description of Proposed Action/Activity: Approval for modification to the construction/operation of sewage treatment facilities.

NPDES Permit No. PA0088498, Industrial Waste, **Eagle Land Management of PA, Inc., Milton Grove Landfill**, Three Glenhardie Corporate Center, 1265 Drummers Lane, Suite 102, Wayne, PA 19087. This proposed facility is located in Mount Joy Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization to discharge to Little Chickies Creek in Watershed 7-G.

NPDES Permit No. PA0246565, Industrial Waste, **Kinsley Concrete**, 629 Loucks Mill Road, York, PA 17403. This proposed facility is located in Spring Garden Township, **York County**.

Description of Proposed Action/Activity: Authorization to discharge to an UNT of Codorus Creek in Watershed 7-H.

WQM Permit No. 3602205, Industrial Waste, **Eagle Land Management of PA, Inc.**, Three Glenhardie Corporate Center, 1265 Drummers Lane, Suite 102, Wayne, PA 19087. This proposed facility is located in Mount Joy Township, **Lancaster County**.

Description of Proposed Action/Activity: Approval for the construction/operation of industrial waste treatment facilities.

WQM Permit No. 6702405, Industrial Waste, **Kinsley Concrete**, 629 Loucks Mill Road, York, PA 17403. This proposed facility is located in Spring Garden Township, **York County**.

Description of Proposed Action/Activity: Approval for the construction/operation of industrial waste treatment facilities.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

NPDES Permit No. PA0209449, Industrial Waste, **GKN Sinter Metals, Inc.**, R. R. 2, Box 47, Emporium, PA 15834. This existing facility is located in Emporium Borough, **Cameron County**.

Description of Proposed Action/Activity: Renewal of Industrial Waste NPDES Permit for Plant (Airport Road facility), which authorizes the discharge of noncontact cooling water and stormwater to West Creek and the Driftwood Branch of Sinnemahoning Creek.

NPDES Permit No. PA0031453, Sewage, **South Columbia Area School District**, 800 Southern Drive, Catawissa, PA 17820. This existing facility is located in Franklin Township, **Columbia County**.

Description of Proposed Action/Activity: Renewal of NPDES permit authorizing the discharge of treated effluent, from a facility serving the elementary and junior/senior high schools, to Roaring Creek.

NPDES Permit No. PA0033782, Sewage 4952, **Timberend Estates, Inc.**, 528 Ruben Keher Road, Lot 100A, Muncy, PA 17756. This existing facility is located in Fairfield Township, **Lycoming County**.

Description of Proposed Action/Activity: Applicant granted an NPDES permit to discharge treated sewage from treatment facilities serving Timberend Estates to an unnamed tributary to Twin Run.

NPDES Permit No. PA0025933, Sewage, **City of Lock Haven**, 20 East Church St., Lock Haven, PA 17745. This existing facility is located in the City of Lock Haven, **Clinton County**.

Description of Proposed Action/Activity: This action was an amendment of the NPDES permit for the discharge from the City's sewage treatment facility to Bald Eagle Creek. The amendment is issued in response to issues which Lock Haven raised in their appeal of the recently reissued permit. The amendment makes four minor changes to language in special conditions and terms of the permit.

WQM Permit No. 0802404, Sewerage 4952, **Clifford Robinson**, R. R. 3, Box 197, Wyalusing, PA 18853. This proposed facility will be located in Orwell Township, **Bradford County**.

Description of Proposed Action/Activity: The applicant has been granted a Water Quality Management permit for a SRSTP serving a residence.

WQM Permit No. 6002401, Sewerage 4952, **George Schenawolf**, R. R. 6, Box 260, Danville, PA 17821. This proposed facility will be located in Union Township, **Union County**.

Description of Proposed Action/Activity: The applicant has been granted a permit for a SFTF to serve four rental units situated along the West Branch of the Susquehanna River.

WQM Permit No. 5902410, Sewerage, **Richmond Township Municipal Authority**, P. O. Box 401, Mansfield, PA 16933. This proposed facility will be located in Richmond Township, **Tioga County**.

Description of Proposed Action/Activity: Issuance of a WQM permit for a sewer extension and pump stations to serve the Pickle Hill and Route 6 areas of Richmond Township.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No. PA0021610, Sewage, **Blairsville Municipal Authority**, 203 East Market Street, Blairsville, PA 15717 is authorized to discharge from a facility located at Blairsville Municipal Authority STP, Burrell Township, **Indiana County** to receiving waters named Conemaugh River.

NPDES Permit No. PA0094838, Sewage, **Roger D. Hay**, 1247 Trent Road, Somerset, PA 15501 is authorized to discharge from a facility located at Glades Pike Estates STP, Somerset Township, **Somerset County** to receiving waters named West Branch of Coxes Creek.

NPDES Permit No. PA0097195, Sewage, **Kiski Area School District**, 200 Poplar Street, Vandergrift, PA 15690-1491 is authorized to discharge from a facility located at the Bell Elementary School STP, Bell Township, **Westmoreland County** to receiving waters named Wolford Run.

NPDES Permit No. PA0205711, Sewage, **Ernest Buck**, 1601 North Road, McDonald, PA 15057 is autho-

ized to discharge from a facility located at Buck SRSTP, North Fayette Township, **Allegheny County** to receiving waters named unnamed tributary of North Branch Robinson Run.

NPDES Permit No. PA0205869, Sewage, **West Branch Sewer Authority**, 900 Philadelphia Avenue, Northern Cambria, PA 15714 is authorized to discharge from a facility located at West Branch Sewer Authority WWTP, Susquehanna Township, **Cambria County** to receiving waters named West Branch Susquehanna River.

NPDES Permit No. PA0216178, Sewage, **Cecil Township Municipal Authority**, Cecil Township Municipal Building, 3599 Millers Run Road, Cecil, PA 15321 is authorized to discharge from a facility located at Cherrybrook Sewage Treatment Plant, Cecil Township, **Washington County** to receiving waters named unnamed tributary of Chartiers Creek.

NPDES Permit No. PA0217760, Sewage, **RoxCoal, Inc.**, 1576 Stoystown Road, P. O. Box 149, Friedens, PA 15541 is authorized to discharge from a facility located at Barbara No. 2 Small Flow Sewage Treatment Facility, Stonycreek Township, **Somerset County** to receiving waters named Reitz Creek.

NPDES Permit No. PA0217786, Sewage, **New Eagle Borough Municipal Sewer Authority**, 157 Main Street, New Eagle, PA 15067 is authorized to discharge from a facility located at Borough of New Eagle STP, Borough of New Eagle, **Washington County** to receiving waters named Monongahela River.

NPDES Permit No. PA0219282, Sewage, **Oak Grove Church of Christ**, 169 Ashwood Drive, Industry, PA 15052-1929 is authorized to discharge from a facility located at Oak Grove Church STP, Ohioville Borough, **Beaver County** to receiving waters named unnamed tributary to South Branch Brady Run.

Permit No. 0302403, Sewage, **Randy Shondelmyer**, Star Route, Box 126A, Pond Drive, Spring Church, PA 15686. Construction of 400 GPD domestic wastewater discharge from a single residence sewage treatment plant located in South Bend Township, **Armstrong County** to serve the Randy Shondelmyer STP.

Permit No. 6502406, Sewerage, **Ligonier Borough**, Town Hall, 120 East Main Street, Ligonier, PA 15658. Construction of interceptor sewer located in Ligonier Borough, **Westmoreland County** to serve Ligonier Borough Sewage Treatment Plant.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0002381, Industrial Waste, **Honeywell International—Emlenton Plant**, 101 Columbia Road, P. O. Box 1057, Morristown, NJ 07962-1057. This proposed facility is located in Emlenton Borough, **Venango County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to the Allegheny River.

NPDES Permit No. PA0103250, Industrial Waste, **Urick Foundry Company**, 1501 Cherry Street, Erie, PA 16512-6027. This proposed facility is located in City of Erie, **Erie County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to an unnamed tributary to Presque Isle Bay and Erie storm sewer (Myrtle Street).

NPDES Permit No. PA0028207, Sewage, **Reynoldsville Sewage Authority**, 400 North Fifth

Street, P. O. Box 207, Reynoldsville, PA 15851. This proposed facility is located in Reynoldsville Borough, **Jefferson County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Sandy Lick Creek.

NPDES Permit No. PA0222101, Sewage, **H. E. Association, Inc. (Honey Estates)**, 6795 Honey Lane, Erie, PA 16509. This proposed facility is located in Summit Township, **Erie County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Walnut Creek.

NPDES Permit No. PA0035505, Sewage, **Faith Builders Educational Programs**, P. O. Box 127, Guys Mills, PA 16327. This proposed facility is located in Randolph Township, **Crawford County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to an unnamed tributary to Woodcock Creek.

NPDES Permit No. PA0238864, Sewage, **Meyer Small Flow Treatment Facility (Dean Meyer)**, 5502 Lunger Road, Erie, PA 16510. This proposed facility is located in Harborcreek Township, **Erie County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to an unnamed tributary to Six Mile Creek.

WQM Permit No. 2402401, Sewerage, **Fox Township Sewer Authority**, 116 Irishtown Road, Box 186, Kersey, PA 15846. This proposed facility is located in Fox Township, **Elk County**.

Description of Proposed Action/Activity: This project is for the extension of an existing sanitary sewer line and expansion of the wastewater treatment plant.

WQM Permit No. 2502417, Sewerage, **Mill Village Elementary School, Fort LeBoeuf School District**, 34 East Ninth Street, Waterford, PA 16442. This proposed facility is located in Borough of Mill Village, **Erie County**.

Description of Proposed Action/Activity: This project is for the installation of a UV disinfection system at the existing wastewater treatment plant.

WQM Permit No. 2502430, Sewerage, **Meyer Small Flow Treatment Facility (Dean Meyer)**, 5502 Lunger Road, Erie, PA 16510. This proposed facility is located in Harborcreek Township, **Erie County**.

NPDES STORMWATER INDIVIDUAL PERMITS—(PAS)

The following NPDES Individual Permits for Discharges of Stormwater Associated with Construction Activities have been issued.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10N037	Springbrook Township R. R. 4, Box 4239, Route 307 Moscow, PA 18444	Lackawanna	Springbrook Township	Trout Run Spring Brook HQ-CWF
PAS10Q240	Heritage Building Group, Inc. 3326 Old York Road Suite A-100 Furlong, PA 18925	Lehigh	City of Allentown	Little Lehigh Creek HQ-CWF
PAS10U178	The Carpenter's Community Church P. O. Box 358 Bethlehem, PA 18064	Northampton	Lower Nazareth Township	Monocacy Creek HQ-CWF
PAS10U180	Moravian Academy 7 East Market St. Bethlehem, PA 18018	Northampton	Bethlehem Township	Monocacy Creek Nancy Run HQ-CWF

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10V042	Pike County Industrial and Commercial Development Authority 10 Buist Road, Suite 301 P. O. Box A Milford, PA 18377	Pike	Lehman Township	Little Bushkill Creek EV
PAS107426	Wayne Highlands School District 474 Grove St. Honesdale, PA 18431	Wayne	Texas Township	Lackawaxen River HQ-TSF-MF

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS102516	Fox Township Sewer Authority 116 Irishtown Rd. Kersey, PA 15846	Elk	Fox Township	Beaver Run HQ Tributary to Daguscahonda Run CWF Laurel Run HQ

APPROVALS TO USE NPDES AND/OR OTHER GENERAL PERMITS

The following parties have submitted: (1) Notices of Intent for Coverage under (1) General NPDES Permits to Discharge Wastewater into the Waters of the Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations. Monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permits for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in this Commonwealth; (3) General NPDES Permit Authorizing the Discharge of Stormwater Associated with Construction Activities to Waters of the Commonwealth; (4) Notification for First Use Application of Sewage Sludge.

The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. The Department of Environmental Protection approves the following coverage under the specific General Permit.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)

NOTICES

6173

General Permit Type—PAG 2

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Erie County Harborcreek Township	PAR10K207	Jeff Yahn 1741 West 26th Street Erie, PA 16508	Four Mile Creek WWF-MF	Erie County Conservation District (814) 825-6403
Warrington Township Bucks County	PAR10D633	Managing Partner of Pickertown Hickory Association 1800 Street Road, Suite 200 Warrington, PA 18976	Unnamed tributary to Neshaminy Creek WWF-MF	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Warwick Township Bucks County	PAR10D647	Archdiocese of Philadelphia 1410 Almshouse Road Jamison, PA 18929	Unnamed tributary to Neshaminy Creek TSF-MF	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Newtown Township Bucks County	PAR10D643	Gerald and Lynda Katzoll David and Ray Pinchuk 534 Durham Road Newtown, PA 18940	Newtown Creek WWF-MF	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Warwick Township Bucks County	PAR10D655	Mignatti Ventures, Inc. P. O. Box 249 Huntingdon Valley, PA	Little Neshaminy Creek WWF-MF	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Hilltown Township Bucks County	PAR10D680	Prime Properties, Inc. 1045 Buggy Whip Drive Warrington, PA 18976	Morris Run—Perkiomen Creek TSF	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Skippack Township Montgomery County	PAR10T895	Better Living Homes 101 Green Briar Road Lansdale, PA 195546	Towamencin Creek TSF	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Plymouth Township Montgomery County	PAR10T817	Montgomery Equities, Inc. 2201 Barren Hill Road Conshohocken, PA 19428	Plymouth Creek WWF	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Skippack Township Montgomery County	PAR10T691	Eastern Equities, Inc. Bucks County Office Center Bristol, PA 19007	East Branch Perkiomen Creek TSF	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Worcester Township Montgomery County	PAR10T855	Warich Builders, Inc. 3250 Hedwig Lane Collegeville, PA 19426	Tributary of Skipack Creek TSF	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Skipack Township Montgomery County	PAR10T861	Heritage Building Group, Inc. 3326 Old York Rd., Suite A100 Furlong, PA 18925	Perkiomen Creek TSF	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Skipack Township Montgomery County	PAR10T888	Philomeno and Salamone 450 South Gravers Road Plymouth Meeting, PA 19462	Perkiomen Creek WWF	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Limerick Township Montgomery County	PAR10T903	George Matuch P. O. Box 520 Creamery, PA 19409	Lodal Creek TSF	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Schuylkill County Wayne Township	PAR105844	John and David Halabura Evergreen Meadows 1286 Chestnut St. Orwigsburg, PA 17961	Upper Little Swatara CWF-TSF	Schuylkill County Conservation District (570) 622-3742
Schuylkill County Pine Grove Township	PAR105845	Fanelli Group P. O. Box 163 100 Hammersmith Dr. Pine Grove, PA 17963	Swatara Creek CWF	Schuylkill County Conservation District (570) 622-3742
Northampton County Lower Saucon Township	PAR10U191	Saucon Valley School District 2097 Polk Valley Rd. Hellertown, PA 18055	Saucon Creek CWF	Northampton County Conservation District (610) 746-1971
Lower Heidelberg Township Berks County	PAR10C447	Dr. Lee Fredricks, Supt. Wilson School District 2601 Grandview Blvd. W. Lawn, PA 19609	Cacoosing Creek WWF	Berks Conservation District P. O. Box 520 1238 Co. Welfare Rd. Leesport, PA 19533-0520 (610) 372-4657
Exeter Township Berks County	PAR10C446	Walter Greth, Pres. Greth Dev. Group P. O. Box 305 Temple, PA 19560	Unnamed tributary/ Antietam Creek Owatin Creek Tributary/ Monocacy Creek CWF and WWF	Berks County Conservation District P. O. Box 520 1238 Co. Welfare Rd. Leesport, PA 19533-0520 (610) 372-4657
Spring Township Berks County	PAR10C443	Alan Kreider 207 Reedy Rd. Sinking Spring, PA 19608	Cacoosing Creek WWF	Berks County Conservation District P. O. Box 520 1238 Co. Welfare Rd. Leesport, PA 19533-0520 (610) 372-4657

NOTICES

6175

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Southampton Township	PAR1M274	Wayne D. Ebersole 1628 Pinola Road Shippensburg, PA 17257	Rowe Run Muddy Run CWF	Franklin County Conservation District Admin. Annex 218 N. 2nd Street Chambersburg, PA 17201 (717) 264-8074
Derry Township	PAR10I301	Hershey Christian School P. O. Box 378 Hershey, PA 17033	Spring Creek East WWF Iron Run WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Lebanon County North Londonderry Township	PAR10P181	Ronald E. Sniegocki 360 Palmyra-Bellegrove Road Annville, PA 17003	Quittapahilla Creek TSF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908, Ext. 3
Lebanon County Palmyra Borough	PAR10P188	Palmyra Area School District 1125 Park Drive Palmyra, PA 17178	Spring Creek WWF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908, Ext. 3
Lebanon County Union Township Swatara Township Bethel Township	PAR10P184	Department of Transportation District 8-0 2140 Herr Street Harrisburg, PA 17103-1699	Swatara Creek (two locations) CWF and WWF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908, Ext. 3
Tioga County Duncan Township	PAR106646	Duncan Township Carl Borden P. O. Box 908 Wellsboro, PA 16901	Bridge Run Wilson Creek CWF	Tioga County Conservation District 29 East Ave. Wellsboro, PA 16901 (570) 724-1801
Allegheny County Sewickley Hills Borough Ohio Township	PAR10A589	Kellaur Corp. One Landmark North-201 20399 Route 19 Cranberry, PA 16066	Kilbuck Run WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County Robinson Township	PAR10A603	DGM Dev. Corp. 1691 Pinetree Dr. Pittsburgh, PA 15241	UNT to Montour Run TSF	Allegheny County Conservation District (412) 241-7645
Allegheny County Harrison Township	PAR10A604	UPMC St. Margaret 815 Freeport Rd. Pittsburgh, PA 15215 and Graziano Const. & Dev. Co., Inc. 235 Alpha Dr., Suite 301 Pittsburgh, PA 15238	Little Bull Creek TSF	Allegheny County Conservation District (412) 241-7645
Allegheny County Harrison Township	PAR10A614	Tara Developers 715 Craigdale Rd. New Kensington, PA 15068	UNT to Little Bull Creek WWF	Allegheny County Conservation District (412) 241-7645
Washington County	PAR10W220	Lance Dobrowski 401 Euclid Avenue Canonsburg, PA 15317	Chartiers Creek WWF	Washington County Conservation District (724) 228-6774

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Westmoreland County Unity and Hempfield Townships	PAR10X305	J. West Corporation 222 Oxford Blvd. Allison Park, PA 15101	Township Line Run WWF	Westmoreland County Conservation District (724) 837-5271
Westmoreland County Unity Township	PAR10X309	Pellis-Rugh Const. 210 Culbertson Ave. Greensburg, PA 15601	Four Mile Run TSF	Westmoreland County Conservation District (724) 837-5271

General Permit Type—PAG-3

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
York County Manchester Township	PAR233541	Marley Cooling Technologies—York 7401 W. 129th St. Overland Park, KS 66213	UNT Codorus Creek WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Snow Shoe Township Centre County	PAR214815	Premier Refractories, Inc. 895 Clarence Rd. P. O. Box 276 Snow Shoe, PA 16874	Beech Creek CWF	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Northumberland Borough and County	PAR804839	Norfolk Southern Railway Company 4th and Duke Streets Northumberland, PA 17857	Susquehanna River WWF	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
North Union Township Fayette County	PAR806110	Golden Eagle Construction P. O. Box 945 Uniontown, PA 15401	Cove Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Cranberry Township Butler County	PAR208312	TRACO, Inc. 71 Progress Avenue Cranberry Township, PA 16066-3596	Unnamed tributary to Brush Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-4

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Cumberland County Upper Mifflin Township	PAG043696	Michael and Gayniale Nowak 299 Springfield Road Shippensburg, PA 17257	UNT to Peebles Creek WWF	DEP—SCRO 909 Elmerton Ave. Harrisburg, PA 17110 (717) 787-4707

NOTICES

6177

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Bedford County West Providence Township	PAG043593	Gilbert Davis 9882 Clear Ridge Rd. Everett, PA 15537	UNT Clear Creek TSF	DEP—SCRO 909 Elmerton Ave. Harrisburg, PA 17110 (717) 705-4707
Monroe Township Snyder County	PAG044989	Glenn W. Holtzapple R. D. 5, Box 152 Selinsgrove, PA 17870	UNT to Susquehanna River WWF	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Orange Township Columbia County	PAG045012	James Blackledge 22 McHenry Hill Road Orangeville, PA 17859	Green Creek TSF	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Smithfield Township Bradford County	PAG045032	James Zweidinger 279 Pittsburgh Ave. Massapequa Park, NY 11762-1856	Browns Creek CWF	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Orwell Township Bradford County	PAG045148	Clifford Robinson R. R. 3, Box 197 Wyalusing, PA 18853	UNT to South Creek CWF	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
South Bend Township Armstrong County	PAG046263	Randy Shondelmyer Star Route Box 126A Pond Drive Spring Church, PA 15686	Crooked Creek	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

General Permit Type—PAG-5

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Berks County Spring Township	PAG053516	Sunoco, Inc. Automotive Lab P. O. Box 1135 Post Road and Blueball Ave. Marcus Hook, PA 19061	UNT to Cacoosing Creek CWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Cranberry Township Butler County	PAG058315	Cranberry Township 2525 Rochester Road Suite 400 Cranberry Township, PA 16066	Unnamed tributary To Brush Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
McKean Township Erie County	PAG058316	Erie Petroleum, Inc. The Fuel Stop P. O. Box 6345 Erie, PA 16512	Elk Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-6

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Rochester Borough Beaver County	PAG066133	Borough of Rochester 300 West Park Street Rochester, PA 15074	Beaver and Ohio Rivers	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

General Permit Type—PAG-9

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Site Name and Location</i>	<i>Contact Office and Telephone No.</i>
Perry Township Snyder County	PAG094801	Henry Wendt Wendt Excavating R. R. 2, Box 76 Mt. Pleasant Mills, PA 17853	Wendt Excavating Perry and Snyder Counties	William Hanczar Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3655

General Permit Type—PAG-12

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Fulton County Bethel Township	PAG123555	C. Richard Mossmann, Jr. Misty Mountain Farms 5287 Pleasant Grove Road Warfordsburg, PA 17267	Barnetts Run Tonoloway Creek WWF	Southcentral Region 909 Elmerton Ave. Harrisburg, PA 17110-8200 (717) 705-4707

PUBLIC WATER SUPPLY PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Safe Drinking Water Act for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board

within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once.

Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southeast Region: Water Supply Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Permit No. 4602504, Public Water Supply.

Applicant **Horsham Water and Sewer Authority**
617B Horsham Road
Horsham, PA 19044

Borough Horsham

County **Montgomery**

Type of Facility PWS

Consulting Engineer Carroll Engineering Corporation
949 Easton Road, Suite 100
Warrington, PA 18976

Permit to Construct November 22, 2002
Issued

Operations Permit issued to **Superior Water Company**, 2960 Skippack Pike, Worcester, PA 19490, PWS ID 242435, New Hanover Township, **Montgomery County** on November 26, 2002, for the operation of facilities approved under Construction Permit 4600510.

Operations Permit issued to **Pennsylvania American Water Company**, 800 W. Hersheypark Drive, Hershey, PA 17033, PWS ID 1460046, Upper Providence Township, **Montgomery County** on November 26, 2002, for the operation of facilities approved under Construction Permit 4602502.

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Operations Permit issued to **Valley Gorge Mobile Home Park**, 316 Susquehanna Street, White Haven, PA 18661, PWS ID 2400125, White Haven Borough, **Luzerne County**, on November 14, 2002, for operation of facilities approved under Construction Permit 4089516.

Operations Permit issued to **Skytop Lodge, Inc.**, One Skytop, Skytop, PA 18357, PWS ID 2450040, Barrett Township, **Monroe County**, on November 15, 2002, for operation of facilities approved under Minor Amendment issued June 11, 2002.

Operations Permit issued to **Washington Park Water System**, 1199 Laurel Run Road, Wilkes-Barre, PA 18702, PWS ID 2660016, Washington Township, **Wyoming County**, on November 1, 2002, for operation of facilities approved under Construction Permit 6694502 and Minor Amendment.

Operations Permit issued to **Mehoopany Township Municipal Authority**, P. O. Box 61, Mehoopany, PA 18629, PWS ID 2660020, Mehoopany Township, **Wyoming County**, on November 14, 2002, for operation of facilities approved under Construction Permit N/A.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 1400509, Public Water Supply.

Applicant **Pennsylvania American Water Company**
Moshannon Valley District
800 West Hersheypark Drive
Hershey, PA 17033

Township Boggs and Bradford Townships

County **Clearfield**

Type of Facility PWS—approval to operate Mutton Hollow Pump Station with booster chlorination, 110,000-gallon finished water storage tank, three pressure reducing valves and 28,000 feet of 8-inch distribution mains.

Permit to Operate November 25, 2002
Issued

Permit No. 5301501, Public Water Supply.

Applicant **Galeton Borough Authority**
2 Sherman Street
Galeton, PA 16922

Township West Branch Townships

County **Potter**

Type of Facility PWS—approval to operate Wells 1 and 2 with disinfection and blending for iron and aluminum treatment.

Permit to Operate November 25, 2002
Issued

Permit No. Minor Amendment, Public Water Supply.

Applicant **Houtzdale Municipal Authority**
731-I Kirk Street
Houtzdale, PA 16651

Borough Houtzdale Borough

County **Clearfield**

Type of Facility PWS—approval to operate DelPAC 2020 primary coagulant feed and bentonite feed to enhance coagulation and flocculation at existing filter plant.

Consulting Engineer Uni-Tec Consulting Engineers, Inc.
2007 Cato Avenue
State College, PA 16801

Permit to Operate December 2, 2002
Issued

Permit No. 5576501-T1, Public Water Supply.

Applicant **Pennsylvania Suburban Water Company**
762 West Lancaster Avenue
Bryn Mawr, PA 19010

Township Monroe Township

County **Snyder**

Type of Facility PWS—transfer of permit covering Rolling Green Wells 2 and 3

Consulting Engineer CET Engineering Services
321 Washington Street
Huntingdon, PA 16652

Permit to Operate Issued November 21, 2002

Permit No. Minor Amendment-T1. Public Water Supply.

Applicant **Pennsylvania Suburban Water Company**
762 West Lancaster Avenue
Bryn Mawr, PA 19010

Township Monroe Township

County **Snyder**

Type of Facility PWS—transfer of permit from the Rolling Green Water Co. for interconnection with Shamokin Dam Borough and line extension to Wal Mart.

Consulting Engineer CET Engineering Services
321 Washington Street
Huntingdon, PA 16652

Permit to Operate Issued November 21, 2002

Permit No. 5580503-T1. Public Water Supply.

Applicant **Pennsylvania Suburban Water Company**
762 West Lancaster Avenue
Bryn Mawr, PA 19010

Township Monroe Township

County **Snyder**

Type of Facility PWS—transfer of permit covering Monroe Manor Well 4 with disinfection

Consulting Engineer CET Engineering Services
321 Washington Street
Huntingdon, PA 16652

Permit to Operate Issued November 21, 2002

Permit No. 5587501-T1. Public Water Supply.

Applicant **Pennsylvania Suburban Water Company**
762 West Lancaster Avenue
Bryn Mawr, PA 19010

Township Monroe Township

County **Snyder**

Type of Facility PWS—transfer of permit covering Monroe Manor Well 5 with disinfection

Consulting Engineer CET Engineering Services
321 Washington Street
Huntingdon, PA 16652

Permit to Operate Issued November 21, 2002

Permit No. 5590505-T1. Public Water Supply.

Applicant **Pennsylvania Suburban Water Company**
762 West Lancaster Avenue
Bryn Mawr, PA 19010

Township Monroe Township

County **Snyder**

Type of Facility PWS—transfer of permit covering Monroe Manor Well 6 with disinfection

Consulting Engineer CET Engineering Services
321 Washington Street
Huntingdon, PA 16652

Permit to Operate Issued November 21, 2002

Permit No. 5569501. Public Water Supply.

Applicant **Pennsylvania Suburban Water Company**
762 West Lancaster Avenue
Bryn Mawr, PA 19010

Township Monroe Township

County **Snyder**

Type of Facility PWS—cancellation of permit for Monroe Manor Well 1

Consulting Engineer CET Engineering Services
321 Washington Street
Huntingdon, PA 16652

Permit to Operate Cancelled November 21, 2002

Permit No. 5581502. Public Water Supply.

Applicant **Pennsylvania Suburban Water Company**
762 West Lancaster Avenue
Bryn Mawr, PA 19010

Township Monroe Township

County **Snyder**

Type of Facility PWS—cancellation of permit for modifications to disinfection facilities for Monroe Manor Wells 1 and 3

Consulting Engineer CET Engineering Services
321 Washington Street
Huntingdon, PA 16652

Permit to Operate Cancelled November 21, 2002

Permit No. Minor Amendment (5-15-90). Public Water Supply.

Applicant **Pennsylvania Suburban Water Company**
762 West Lancaster Avenue
Bryn Mawr, PA 19010

Township Monroe Township

County **Snyder**

Type of Facility PWS—cancellation of original approval of interconnection with Shamokin Dam Borough. The original interconnection was never built and was re-permitted at a later date.

Consulting Engineer CET Engineering Services
 321 Washington Street
 Huntingdon, PA 16652

Permit to Operate November 21, 2002
 Cancelled

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20a).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Wrightsville Borough	129 S. Second St., P. O. Box 187	York County
Hellam Township	Wrightsville, PA 17368 44 Walnut Springs Rd. York, PA 17406	

Plan Description: North Front Street Sewer Extension: The approved plan provides for a public sewer extension that will serve 32 existing residential units and 1 commercial lot with total estimated sewage flows of 15,950 GPD to be tributary to the Wrightsville Borough Wastewater Treatment Plant. The proposed development is located on the east and west sides of North Front Street, starting just south of Limekiln Alley and ending at Waterworks Lane in Wrightsville Borough and Hellam Township, York County.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Franklin Township	P. O. Box 309 Cashtown, PA 17310	Adams

Plan Description: The approved plan provides for the construction of an elevated sand mound and associated sewerage to serve 13 existing dwellings and 3 proposed dwellings. The existing dwellings are located on Poplar Springs Road. The proposed sewage disposal system will be owned and maintained by Franklin Township. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
West Pennsboro Township	2150 Newville Road Carlisle, PA 17013	Cumberland

Plan Description: The approved plan (Department Code No. C1-21933-ACT) provides for a revision to the previously approved plan (Department Code No. B1-21933-ACT) that proposed construction of sewerage and a 0.168 MGD wastewater treatment plant to serve the Plainfield area of the township. The revised plan provides for a 0.084 MGD treatment plant to be constructed in a first phase and a second phase to enlarge the plant to 0.168 MGD as needed in the future. The remaining provisions of the previously approved plan are unchanged. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required

NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Sandy Township	12th Street and Chestnut Avenue DuBois, PA 15801	Clearfield

Plan Description: The approved plan provides for the construction of new collection system consisting of 19,000 L.F. of 8 inch gravity sanitary sewers, 1,100 L.F. of 4 inch force main and a new pump station. The new collection system will serve the West Liberty portion of Sandy Township and eliminate the existing sewage treatment facilities at the Busy Bee development. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

HAZARDOUS SITES CLEAN-UP UNDER THE ACT OF OCTOBER 18, 1988

Prompt Interim Response

Langner Enterprises Site, Pine Township, Mercer County

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA) (35 P. S. §§ 6020.101—6020.1305), has initiated a prompt interim response at the Langner Enterprises Site (Site). This response has been initiated under sections 501(a) and 505(b) of the HSCA (35 P. S. §§ 6020.501(a) and 6020.505(b)). The Site is located at 4142 Diamond Road in Pine Township, Mercer County.

The Site consists of an approximately 52-acre property of partially wooded land interlaced by numerous dirt roads and trails (property) and groundwater or any other areas where hazardous substances from the property have migrated. The property consists of three buildings and vehicles, containers of unidentified wastes and scrap materials. Much of the material on the property appears to be military surplus. During past visits to the property, the Department collected samples of soil, water, containerized waste and uncontainerized waste. Results from sampling verified the presence of the following: acetone, benzene, chloroform, ethylbenzene, naphthalene, n-propylbenzene, toluene, 1,1-dichloroethane, 1,1-dichloroethene, naphthalene, PCB (Aroclor 1260), 1,2,4-trichlorobenzene, 1,2,3-trichlorobenzene, 1,1,1-trichloroethane, trichloroethylene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, xylenes (total) and lead. Further, some of the waste materials were characteristically hazardous wastes.

The two main objectives for the prompt interim response proposed for the Site are: (1) protection of the public and the environment from direct contact with hazardous substances in containerized and uncontainerized wastes and associated contaminated soils at the property; and (2) elimination of the ongoing release and threat of release of hazardous substances into the environment from containerized and uncontainerized wastes and contaminated soils.

The first objective is especially important because of the unrestricted access to the property and because the Department plans a further investigation of the Site. Remedial investigation workers would be operating in the immediate proximity of containerized and uncontainerized wastes and stained soils. This action will remove the containerized and uncontainerized wastes and associated contaminated soils at the property, thereby eliminating the ongoing release and threat of release of hazardous substances posed by those wastes and soils.

For this prompt interim response, the Department considered two alternatives for the site: Alternative 1—No action; Alternative 2—Removal of containerized and uncontainerized wastes and associated stained soils. Each alternative was evaluated with respect to four comparison criteria of: (1) the extent to which each alternative protects the public health and the environment; (2) the extent to which each alternative complies with or otherwise addresses State and Federal requirements; (3) the extent to which each alternative is feasible, effective, implementable and permanent; and (4) the relative cost of each alternative.

Furthermore, this comparative analysis evaluated the relative performance of each alternative in relation to each specific comparison criterion. The comparative analysis identified advantages and disadvantages of each alternative, so that tradeoffs between the alternatives could be determined.

Based on the comparative analysis the Department chose to implement Alternative 2 as the prompt interim response for the Site. This alternative was implemented because it would, in the more cost-effective manner, permanently protect the public, Site workers and the environment from direct contact with hazardous substances in wastes and stained soils at the property and eliminate the ongoing release and threat of release of hazardous substances into the environment from those wastes and soils.

The prompt interim response, Alternative 2, would not be a final remedial response under section 504 of the HSCA and, therefore, is not required to meet the standards that apply to final remedial responses. Additional responses will likely be necessary to address the ongoing release of hazardous substances at the Site, including the property and the groundwater. However, Alternative 2 will be consistent with any future remedial actions and future investigation activities.

This notice is being provided under section 506(b) of the HSCA. The administrative record, which contains the information that forms the basis and documents the selection of this prompt interim response, is available for public review and comment. The administrative record is located at the Department's Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335 and is available for review Monday through Friday from 8 a.m. to 4 p.m. Telephone for an appointment, (814) 332-6648. The administrative record will be open for comment from December 14, 2002, until March 14, 2003. Persons may submit written comments into the record during this time only, by sending them to Gary Mechtly, Project Manager, at the Department's Northwest Regional Office or by delivering them to the office in person.

In addition, persons may present oral comments, for inclusion in the administrative record, at a public hearing. A public hearing is scheduled for January 16, 2003, at 7 p.m. at the Pine Grove Community Center, 545 Barkeyville Road, Grove City, PA. Persons wishing to

present comments must register with Gary Mechtly at the Department's Northwest Regional Office before January 13, 2003, by telephone or in writing. Persons interested in finding out if anyone has registered should contact Gary Mechtly. If no persons register to present oral comments before January 13, 2003, the public meeting will not be held.

Persons with a disability who wish to review the administrative record or attend the hearing and require auxiliary aid, service or other accommodations to participate in the proceedings should call Gary Mechtly at (814) 332-6648 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site where one of the Act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southeast Region: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Village Center Mart (Has Has Cleaners), Bensalem Township, **Bucks County**. Charlene R. Drake, React Environmental Services, Inc., 6901 Kingsessing Ave., Philadelphia, PA 19142, on behalf of Kent Boyer, P. O. Box 585, Bensalem, PA 19020, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with solvents. The report is intended to document remediation of the site to meet Site-Specific Standards.

Miluski Property, Nether Providence Township, **Delaware County**. Henry G. Bienkowski, P. G., Mulry & Cresswell Environmental, Inc., 1691 Horseshoe Pike, Suite 3, Glenmoore, PA 19343, on behalf of Mr. and Mrs.

Miluski, 18 Brookside Dr., Wallingford, PA 19086, has submitted a Final Report concerning remediation of site soil contaminated with BTEX and PAH. The report is intended to document remediation of the site to meet the Statewide Health Standards.

Hogg Property, Haverford Township, **Delaware County**. Jeffrey Grant, GAC Associates, Inc., P. O. Box 625, Ardmore, PA 19003, on behalf of Herbert Victor, HMS/Bryn Mawr Assoc., 349 W. Lancaster Ave., No. 201, Haverford, PA 19004, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with PHC. The report is intended to document remediation of the site to meet Site-specific Standards.

Lola Landes Property, Lower Salford Township, **Montgomery County**. George W. Buchanan, P. G., Cowan Associates, Inc., 120 Penn-Am Dr., Quakertown, PA 18951 on behalf of Greg Landes, 532 Meetinghouse Rd., Harleysville, PA 19438, has submitted a Final Report concerning remediation of site soil contaminated with leaded gasoline. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Rite Aide Pharmacy, City of Philadelphia, **Philadelphia County**. Kenneth M. Yoder, P. G., BL Companies, 830 Sire Thomas Court, Harrisburg, PA 17109, on behalf of Rite Aide Corp., 30 Hunter La., Camp Hill, PA, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with lead, heavy metals and solvents. The report is intended to document remediation of the site to meet Site-specific Standards.

Former Whitman's Chocolate (Pillsbury) Warehouse, City of Philadelphia, **Philadelphia County**. Blake N. Moyer, Jr., URS Corp., 2325 Maryland Rd., 2nd Fl., Willow Grove, PA 19090, on behalf of Gershal Brothers, Larry Gershal, 720 N. Fifth St., Philadelphia, PA 19123, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with Fuel Oil No. 4. The report is intended to document remediation of the site to meet the Statewide Health Standards.

Sears Logistics Services, Inc., Option A, Former Bridge Street Warehouse, City of Philadelphia, **Philadelphia County**. Tom Farrell, Resource Control Corp., 1274 N. Church St., Moorestown, NJ 08057, has submitted a Final Report concerning remediation of site groundwater contaminated with solvents, BTEX and PAH. The report is intended to document remediation of the site to meet Site-Specific Standards.

Gordon, Gonzales, Marchesani, Welsh Property, Proposed CVS Pharmacy, City of Philadelphia, **Philadelphia County**. Robert R. Botterman, TolTest, Inc., 339 Haymaker Rd., Suite 1101, Monroeville, PA 15146, on behalf of Howard Gordon, 1521 E. Wingohocking St., Philadelphia, PA 19124; Geraldine and Ferdinand Gonzales, 1515 E. Wingohocking St., Philadelphia, PA 19124; Nino Marchesani, 4411 Castor Ave., Philadelphia, PA 19124; and Richard Welsh, 1509 Wingohocking St., Philadelphia, PA 19124, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with solvents, PAH and PHC. The report is intended to document remediation of the site to meet the Statewide Health Standards.

3742 Main Street, City of Philadelphia, **Philadelphia County**. Darryl D. Borrelli, Manko, Gold, Katcher & Fox, LLP, 401 City Ave., Suite 500, Bala Cynwyd, PA 19004, on behalf of 3780 Main Associates, LP, Tina Roberts, 1 Reed St., Philadelphia, PA 19147, has submitted a Remedial

Investigation Report and Cleanup Plan concerning remediation of site soil contaminated with inorganics, PAH and PCB.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

John and Betty Hart Residence, Mount Joy Township, **Adams County**. Hydrocon Services, Inc., 16 East Minor Street, Emmaus, PA 18049, on behalf of John and Betty Hart, 95 Hoffman Home Road, Gettysburg, PA 17325, submitted a final report concerning remediation of site soils, groundwater and surface water contaminated with BTEX and PAHs. The report is intended to document remediation of the site to the Statewide Health Standard.

Remp Group Property, Cumru Township, **Berks County**. RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406, on behalf of the Remp Group, 64 Sycamore Lane, Reading, PA 19606, submitted a final report concerning remediation of site soils contaminated with inorganics and lead. The report is intended to document remediation of the site to the Statewide Health Standard.

Doerrman Property, Ruscombmanor Township, **Berks County**. Walter B. Satterthwaite Associates, Inc., 720 Old Fern Hill Road, West Chester, PA 19380, on behalf of Patrick and Amy Doerrman, 3638 Pricetown Road, Fleetwood, PA 19522 and State Farm Insurance, 108 West Airport Road, Lititz, PA 17543, has submitted a final report concerning remediation of site soils and groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to the Statewide Health Standard

Northeast Region: Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

National Fuel Gas Co, Van Compressor Station, Route 322, Van, PA, **Venango County**. George W. Hermance, P. G., Parsons 180 Lawrence Bell Drive, Suite 104, Williamsville, NY 14221 (on behalf of National Fuel Gas) has submitted a Site-Specific Risk Assessment Report concerning remediation of groundwater contaminated with Benzene, Pentane and Butane. The report is intended to document remediation of the site to meet the Site Specific Standards. Public notice in *The Derrick* will be submitted November 27, 2002.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, Administration of the Land Recycling and Environmental Remediation Standards Act (Act) requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection

of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the Act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the Act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Town & Country Shopping Center, West Goshen Township, **Chester County**. Richard P. Almquist, Jr., OXFORD Engineers & Consultants, Inc., 2621 Van Buren Ave., Suite 500, Norristown, PA 19403, on behalf of John Pfister, Jaymate Associates, LP, One Wiltshire Rd., Wynnewood, PA 19090, has submitted a Final Report concerning the remediation of site groundwater contaminated with MTBE and unleaded gasoline. The Final Report demonstrated attainment of Background Standards and was approved by the Department on October 31, 2002.

Zeke's Number 2, Nottingham Township, **Chester County**. Bernard Beegle, Advanced GeoServices Corp., Routes 1 and 202, Brandywine One, Suite 202, Chadds Ford, PA 19317, has submitted a Final Report concerning the remediation of site soil contaminated with Number 2 fuel oil. The Final Report was submitted within 90 days of the release, demonstrated attainment of the Statewide Health Standard and was approved by the Department on October 28, 2002.

Bethlehem Pike Property, Montgomery Township, **Montgomery County**. Darryl D. Borrelli, Manko, Gold, Katcher & Fox, LLP, 401 City Ave., Suite 500, Bala Cynwyd, PA 19004, on behalf of Neil C. Hopkins, Clark,

Hopkins & Craig Hopkins d/b/a CNC Investment Group, 107 N. Broad St., Doylestown, PA 18901, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with BTEX, PAH, MTBE and naphthalene. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on November 1, 2002.

Former Gasoline Service Station, Montgomery Township, **Montgomery County**. Jeffrey E. Goudsward, Penn Environmental & Remediation, Inc., 2755 Bergey Rd., Hatfield, PA 19440, on behalf of Cynwyd Investments, 261 Old York Rd., Warminster, PA 19046, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with lead, BTEX, PAH, EDB and EDC. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on October 25, 2002. This notice supercedes the October 26, 2002, notice of disapproval.

Klausner Residence, Plymouth Township, **Montgomery County**. William F. Schmidt, P. E., Pennoni Associates, Inc., 3001 Market St., Suite 200, Philadelphia, PA 19104, on behalf of Edith Klausner, 16 Locust Lane, Plymouth Township, PA, has submitted a Final Report concerning remediation of site groundwater contaminated with BTEX and PAH. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on October 29, 2002.

DeKalb Street Site, Upper Merion Township, **Montgomery County**. Christopher Orzechowski, RT Environmental Services, Inc., 215 W. Church Rd., King of Prussia, PA 19406, on behalf of Glasgow Inc., Willow Grove Ave. and Limekiln Pike, P. O. Box 1089, Glenside, PA 19038, has submitted a Final Report concerning remediation of site soil contaminated with BTEX and PAH. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on November 1, 2002.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

James Property, Douglass Township, **Berks County**. Penn Environmental and Remediation, Inc., 2755 Berger Road, Hatfield, PA 19440, on behalf of Christopher and Diane James, 130 Red Shale Drive, Boyertown, PA 19512, submitted a Final Report concerning the remediation of site soils contaminated with fuel oil No. 4 and No. 6. The final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on November 1, 2002.

Buttonwood Gateway Complex, City of Reading, **Berks County**. Synergy Environmental, Inc., 607 Washington Street, Reading, PA 19601, on behalf of Reading Redevelopment Authority, Room 303, City Hall, 815 Washington Street, Reading, PA 19601, submitted a work plan concerning remediation of site soils and groundwater contaminated with chlorinated solvents, inorganics, lead, other organics, PAHs and PCBs. The applicant proposes to remediate the site as a Special Industrial Area. The work plan was approved by the Department on October 31, 2001, and modified on June 19, 2002.

Former Reading Gray Iron Casting, City of Reading, **Berks County**. The Greater Berks Development Fund, 19 North Sixth Street, Suite 200, P. O. Box 8621, Reading, PA 19603-6821 and the Reading Redevelopment Authority, 815 Washington Street, Room 3-03, Reading, PA 19601-3190 submitted a baseline environmental report concerning the remediation of site soils contaminated

with lead, heavy metals, BTEX, PHCs, PAHs and solvents. The site is located in a Special Industrial Area. The report was approved by the Department on November 15, 2002, and modified on December 3, 2002.

Former Reading Iron Company Oley Street Storeyard, City of Reading, **Berks County**. The Greater Berks Development Fund, 19 North Sixth Street, Suite 200, P. O. Box 8621, Reading, PA 19603-6821 and the Reading Redevelopment Authority, 815 Washington Street, Room 3-03, Reading, PA 19601-3190 submitted a baseline environmental report concerning the remediation of site soils and groundwater contaminated with PCBs, lead, heavy metals, BTEX, PHCs, PAHs, solvents and cyanide. The site is located in a Special Industrial Area. The report was approved by the Department on November 15, 2002, and modified on December 3, 2002.

Former Reading Iron Company Pennsylvania Lines LLC Railspur, City of Reading, **Berks County**. The Greater Berks Development Fund, 19 North Sixth Street, Suite 200, P. O. Box 8621, Reading, PA 19603-6821 and the Reading Redevelopment Authority, 815 Washington Street, Room 3-03, Reading, PA 19601-3190 submitted a baseline environmental report concerning the remediation of site soils contaminated with PCBs, lead, heavy metals, BTEX, PHCs and PAHs. The site is located in a Special Industrial Area. The report was approved by the Department on November 15, 2002, and modified on December 3, 2002.

Former Reading Iron Company Metropolitan Edison Company Parcel, City of Reading, **Berks County**. The Greater Berks Development Fund, 19 North Sixth Street, Suite 200, P. O. Box 8621, Reading, PA 19603-6821 and the Reading Redevelopment Authority, 815 Washington Street, Room 3-03, Reading, PA 19601-3190 submitted a baseline environmental report concerning the remediation of site soils and groundwater contaminated with lead, heavy metals, PHCs, PAHs and solvents. The site is located in a Special Industrial Area. The report was approved by the Department on November 15, 2002, and modified on December 3, 2002.

Quaker Oats Company, Hampden Township, **Cumberland County**. Science Applications International Corporation, 6310 Allentown Boulevard, Harrisburg, PA 17112, on behalf of The Quaker Oats Company, 485 Saint Johns Church Road, Shiremanstown, PA 17011, submitted a combined remedial investigation and final report concerning remediation of site soils and groundwater contaminated with lead, PHCs and PAHs. The combined report demonstrated attainment of the Statewide Health and Site Specific Standards and was approved by the Department on November 26, 2002.

MUNICIPAL AND RESIDUAL WASTE TRANSPORTER AUTHORIZATION

Issued applications for Municipal and Residual Waste Transporter Interim Authorization received under the Waste Transportation Safety Act (27 Pa.C.S. §§ 6201–6209) and regulations to transport municipal or residual waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Municipal and Residual Waste, P. O. Box 8472, Harrisburg, PA 17105-8472.

Hallett Contractors, 221 East Shore Dr., Bangor, PA 18013-5717. Authorization No. WH0395. Effective November 25, 2002.

Impriano Roofing Inc., 2625 West Chester Pike, Broomall, PA 19008. Authorization No. WH0484. Effective November 25, 2002.

Tri County Industries Inc., 159 TCI Park Dr., Grove City, PA 16127-4336. Authorization No. WH0618. Effective November 25, 2002.

WSI of PA Inc., P. O. Box 136, 995 Landfill Road, Hopewell, PA 16650. Authorization No. WH1424. Effective November 25, 2002.

Environmental Transportation Group Inc., P. O. Box 296, Flanders, NJ 07836. Authorization No. WH1451. Effective November 25, 2002.

Hi Gear Transportation Services Inc., P. O. Box 1305, Whitehouse Station, NJ 08889-1305. Authorization No. WH0654. Effective November 21, 2002.

Freehold Cartage Inc., P. O. Box 5010, Freehold, NJ 07728-5010. Authorization No. WH0754. Effective November 21, 2002.

Casie Ecology Oil Salvage Inc., 3209 North Mill Road, Vineland, NJ 08360. Authorization No. WH1095. Effective November 21, 2002.

Teixeira, Paulo O., Basement, 74 Lincoln Ave., Cliffside Park, NJ 07010. Authorization No. WH1164. Effective November 21, 2002.

Martins, Renato, 413 Hickory St., Kearny, NJ 07032. Authorization No. WH1165. Effective November 21, 2002.

Hamberland, Zaqueu M., 544 Markey St., Newark, NJ 07105. Authorization No. WH1166. Effective November 21, 2002.

Freitas, Jose, 620 North 9th St., Newark, NJ 07107. Authorization No. WH1167. Effective November 21, 2002.

Tuncel, Mesut, Apt. 11, 155 Illinois Ave., Paterson, NJ 07503. Authorization No. WH1168. Effective November 21, 2002.

Carlos, Francisco, Unit 79, 163 South Street, Danbury, CT 06810. Authorization No. WH1169. Effective November 21, 2002.

Blanco, Eli R., 56 W. Spring St., Somerville, NJ 08876. Authorization No. WH1170. Effective November 21, 2002.

APR Inc., 40-20 Windsor Road, Fair Lawn, NJ 07410. Authorization No. WH1171. Effective November 21, 2002.

Noble, Dave A., Apt. F, 319 Central Ave., Hackensack, NJ 07601. Authorization No. WH1172. Effective November 21, 2002.

Hernandez, Henry P., P. O. Box 924, 2 Ashwood Ave., Summit, NJ 07901. Authorization No. WH1173. Effective November 21, 2002.

Vargas, Frederico, 27 Orchard St., Summit, NJ 07901. Authorization No. WH1174. Effective November 21, 2002.

Cisneros, Cesar A., 1st Floor, 22 Springdale Ave., Newark, NJ 07107. Authorization No. WH1175. Effective November 21, 2002.

Rodrigues, Osvaldo, 2nd Floor, 530 Hamilton St., Harrison, NJ 07029. Authorization No. WH1176. Effective November 21, 2002.

Lima, Vicente B., Apt. 3C, 957 Madison Ave., Elizabeth, NJ 07201. Authorization No. WH1177. Effective November 21, 2002.

EPC Trucking Co., 2nd Floor, 526 Market St., Newark, NJ 07105. Authorization No. WH1178. Effective November 21, 2002.

Delduca, Joseph F., 70 North St., Madison, NJ 07940. Authorization No. WH1179. Effective November 21, 2002.

Souza, Paulo S., 1st Floor, 26 Fillmore St., Newark, NJ 07105. Authorization No. WH1180. Effective November 21, 2002.

Silva, Mirailton P., 1st Floor, 11 Columbus Ave., Belleville, NJ 07109-2018. Authorization No. WH1181. Effective November 21, 2002.

Swiss Network Inc., 211 Martha St., Euless, TX 76040. Authorization No. WH1182. Effective November 21, 2002.

Christian O. Caraballo, 34 East 29 St., Bayonne, NJ 07002. Authorization No. WH1183. Effective November 21, 2002.

Romero, Jose A., 414 Jelliff Ave., Newark, NJ 07112. Authorization No. WH1184. Effective November 21, 2002.

Aguero Chavez, Yendry I., 657 Maple Ave., Elizabeth, NJ 07202. Authorization No. WH1185. Effective November 21, 2002.

Sullivan, Randolph L., 3630 New Brunswick Ave., Piscataway, NJ 08854. Authorization No. WH1186. Effective November 21, 2002.

Enamorado, Manuel J., 28 Washington Ave., North Plainfield, NJ 07060. Authorization No. WH1187. Effective November 21, 2002.

McDaniels, Joseph III, 766 High St., Perth Amboy, NJ 08861. Authorization No. WH1188. Effective November 21, 2002.

Deoliveira, Sebastiao, 124 Gotthart St., Newark, NJ 07105. Authorization No. WH1189. Effective November 21, 2002.

Cano, William, 36 Falcon Drive, Budd Lake, NJ 07828. Authorization No. WH1190. Effective November 21, 2002.

Romero, Mario, 431 Parker St., Newark, NJ 07104. Authorization No. WH1191. Effective November 21, 2002.

Guerrero, Jose, 452 Passaic Ave., Lodi, NJ 07644. Authorization No. WH1192. Effective November 21, 2002.

Dossantos, Anderson A., 120 Green Brook Road, Greenbrook, NJ 08812. Authorization No. WH1193. Effective November 21, 2002.

Desouza, Geraldo C., P. O. Box 119, 187 Dewitt Ave., Belleville, NJ 07109. Authorization No. WH1195. Effective November 21, 2002.

Varga, Andrew J., 10 Lincoln Ave., Clifton, NJ 07011. Authorization No. WH1196. Effective November 21, 2002.

Romero, Jaime, 414 Jelliff Ave., Newark, NJ 07112. Authorization No. WH1197. Effective November 21, 2002.

Rector, Scott J., 50 Quickset Road, Levittown, PA 19057. Authorization No. WH1198. Effective November 21, 2002.

Leonard, Jean C., Apt. 2, 97 Brill St., Newark, NJ 07105. Authorization No. WH1199. Effective November 21, 2002.

Johnson, Sheahan W., Apt. 2, 146 E. 32nd St., Paterson, NJ 07504. Authorization No. WH1200. Effective November 21, 2002.

Cannizzaro, Alessandr, 25 Williams Drive, West Paterson, NJ 07424. Authorization No. WH1201. Effective November 21, 2002.

Gallego, Bertulfo, Apt. F4, 100 Passaic Ave., Passaic, NJ 07055. Authorization No. WH1202. Effective November 21, 2002.

Arroyo, Walter, 416 Liberty St., Trenton, NJ 08611. Authorization No. WH1203. Effective November 21, 2002.

Vargas, Erquin, 107 Elm St., Newark, NJ 07105. Authorization No. WH1204. Effective November 21, 2002.

Nicolas, Llivirumbay, 2B, 3 Oxford St., Newark, NJ 07105. Authorization No. WH1205. Effective November 21, 2002.

Gallego-Otalvaro, Guillermo, Apt. F4, 100 Passaic Ave., Passaic, NJ 07055. Authorization No. WH1206. Effective November 21, 2002.

Navarro, Jesus, Apt. 7, 175 South St., Newark, NJ 07114. Authorization No. WH1207. Effective November 21, 2002.

Sangha, Rattan S., 155 E. Jerome St., Roselle Park, NJ 07204. Authorization No. WH1209. Effective November 21, 2002.

Hernandez, Juan D., 32 Phoenix Ave., Morristown, NJ 07960. Authorization No. WH1210. Effective November 21, 2002.

Brenes, Manuel E., 343 Vosseler Ave., Bound Brook, NJ 08805. Authorization No. WH1211. Effective November 21, 2002.

Cannizzaro, Carmelo, 7-10 Fern St., Fairlawn, NJ 07410. Authorization No. WH1214. Effective November 21, 2002.

Padilla, Lizzette, 380 N. 6th St., Newark, NJ 07107. Authorization No. WH1215. Effective November 21, 2002.

Romero, Angel, 414 Jelliff Ave., Newark, NJ 07112. Authorization No. WH1216. Effective November 21, 2002.

Kroom, Antonius J., 13 White St., West Orange, NJ 07052. Authorization No. WH1217. Effective November 21, 2002.

Matlosz, Mark A., 1896 Bell Place, South Plainfield, NJ 07080. Authorization No. WH1218. Effective November 21, 2002.

Kissilevitch, Jorge L., 546 Leo St., Hillside, NJ 07205. Authorization No. WH1219. Effective November 21, 2002.

Lassalle, David, 524 Cherry St., Elizabeth, NJ 07208. Authorization No. WH1220. Effective November 21, 2002.

Truck Acquisition Funding LLC, 131-14 226th St., Laurelton, NY 11413. Authorization No. WH1221. Effective November 21, 2002.

Carey, Ronald A., 120 E. 21st St., Paterson, NJ 07513. Authorization No. WH1222. Effective November 21, 2002.

BJ Transport, 87 Westville Ave., Caldwell, NJ 07006. Authorization No. WH1223. Effective November 21, 2002.

Kentish, Carlon, 1st Floor, 9222 Ave. B, Brooklyn, NY 11236. Authorization No. WH1225. Effective November 21, 2002.

Fernande, Getulio, 363 Cliff St., Fairview, NJ 07022. Authorization No. WH1226. Effective November 21, 2002.

Pereira, Jamie, 40 Pulaski St., Newark, NJ 07105. Authorization No. WH1227. Effective November 21, 2002.

F & G Transport, P. O. Box 591, 334 Layfield Road, Frederick, PA 19435. Authorization No. WH1357. Effective November 21, 2002.

Silva, Jose P., 2nd Floor, 8026 Craig St., Philadelphia, PA 19136. Authorization No. WH1359. Effective November 21, 2002.

Long Riders Transport Inc./J. Masciantonio & Son Inc., P. O. Box 591, Frederick, PA 19435-0591. Authorization No. WH1360. Effective November 21, 2002.

Long Riders Transport Inc./J. Masciantonio & Son Inc., P. O. Box 591, Frederick, PA 19435-0591. Authorization No. WH1361. Effective November 21, 2002.

Allstate Power Vacuum Inc., 928 E. Hazelwood Ave., Rahway, NJ 07065-5634. Authorization No. WH1404. Effective November 21, 2002.

Singh, Sewa, 32 Carlton Avenue, Jersey City, NJ 07307. Authorization No. WH0886. Effective November 25, 2002.

Gurai, Kuldip Singh, 48-29 189th Street, Fresh Meadow, NY 11365-1205. Authorization No. WH0915. Effective November 25, 2002.

Franco, Wilfredo, 13 Lincoln Street, Haverstraw, NY 10927. Authorization No. WH0686. Effective November 26, 2002.

Dively, Ronald L., 5306 Montrose Avenue, Altoona, PA 16602. Authorization No. WH0850. Effective November 26, 2002.

Transfer Trailer Service Inc., 115 Jacobus Avenue, South Kearny, NJ 07032-4512. Authorization No. WH0851. Effective November 26, 2002.

Tangredi, Peter C. d/b/a Coco Trucking, 5189 Business Route 220, Bedford, PA 15522. Authorization No. WH0853. Effective November 26, 2002.

A C Fling Trucking Inc., 113 West Broad Street, New Bethlehem, PA 16242. Authorization No. WH0855. Effective November 26, 2002.

Top Job Disposal Inc., Suite 216, 3301 South Galloway Street, Philadelphia, PA 19148. Authorization No. WH0856. Effective November 26, 2002.

Folcroft Borough, Delaware County, 1555 Elmwood Avenue, Folcroft, PA 19032. Authorization No. WH0857. Effective November 26, 2002.

CPC Transport Corporation, 249 North 6th Street, Newark, NJ 07107. Authorization No. WH0858. Effective November 26, 2002.

R E Pierson Construction Company, 426 Swedesboro Road, P. O. Box 430, Woodstown, NJ 08098-0430. Authorization No. WH0859. Effective November 26, 2002.

Karr Dumpster & Flatbed Service, 140 Evanston Road, Irwin, PA 15642. Authorization No. WH0860. Effective November 26, 2002.

Staiman Brothers Inc., 201 Hepburn Street, P. O. Box 1235, Williamsport, PA 17703-1235. Authorization No. WH0861. Effective November 26, 2002.

Staiman Recycling, Hanover Division, P. O. Box 1235, Williamsport, PA 17703-1235. Authorization No. WH0862. Effective November 26, 2002.

Mangat, Gurcharan S., 302 Mill Road, Womelsdorf, PA 19567. Authorization No. WH0863. Effective November 26, 2002.

B & W Disposal Inc., P. O. Box 190, Dewart, PA 17730-0190. Authorization No. WH0864. Effective November 26, 2002.

Lloyd, Adam W., P. O. Box 9, 279 Executive Drive, Fallentimber, PA 16639. Authorization No. WH0865. Effective November 26, 2002.

Smith, Shawn M., R. R. 1 Box 100, Olanta, PA 16863. Authorization No. WH0866. Effective November 26, 2002.

Fye, Robert, 202 Elm Road, Moshannon, PA 16859. Authorization No. WH0867. Effective November 26, 2002.

DTX Inc., 60 East Main Street, P. O. Box 546, Leola, PA 17540-0546. Authorization No. WH0868. Effective November 26, 2002.

IESI PA Bethlehem Landfill Corporation, 2335 Applebutter Road, Bethlehem, PA 18015. Authorization No. WH0869. Effective November 26, 2002.

Polonia Trucking, 389 Janidlo Road, Holsopple, PA 15935. Authorization No. WH0870. Effective November 26, 2002.

Galvez Marco P., Apt. GE 2, 114 Franklin St., Morristown, NJ 07960. Authorization No. WH0793. Effective November 18, 2002.

G J Transport Inc., 48-45 189 St., Fresh Meadows, NY 11365-1205. Authorization No. WH0914. Effective November 20, 2002.

William E. Jury, 1199 Harvey Road, Ligonier, PA 15658. Authorization No. WH0916. Effective November 20, 2002.

Beegle, Terry L., 3333 Main Road, Bedford, PA 15522. Authorization No. WH0917. Effective November 26, 2002.

Laboy, Teofilo, 1469 Hiawatha Avenue, Hillside, NJ 07205. Authorization No. WH0794. Effective November 26, 2002.

Salomao, Gilsimar, 13 Davis Street, Danbury, CT 06810. Authorization No. WH0910. Effective November 26, 2002.

Ahmed, Fayyaz, Apt. C3, 214 Gelston Avenue, Brooklyn, NY 11209. Authorization No. WH0913. Effective November 26, 2002.

Huron Recovery of NY Inc., 300 Greene St., Buffalo, NY 14206. Authorization No. WH0394. Effective November 19, 2002.

Envirite of PA Inc., 730 Vogelsong Road, York, PA 17404. Authorization No. WH0572. Effective November 19, 2002.

BFI Waste Service of Pittsburgh, P. O. Box 448, 73A West Noblestown Road, Carnegie, PA 15106. Authorization No. WH0852. Effective November 19, 2002.

Keith Titus Corp., P. O. Box 920, Weedsport, NY 13166. Authorization No. WH0887. Effective November 19, 2002.

Page Transp. Inc., P. O. Box 920, Weedsport, NY 13166. Authorization No. WH0888. Effective November 19, 2002.

Whitt, Gordon, 2758 Trombley Road, P. O. Box 920, Weedsport, NY 13166. Authorization No. WH0889. Effective November 19, 2002.

Vonvalkenburgh, John E., 2962 Putnam Road, Schenectady, NY 12306. Authorization No. WH0890. Effective November 19, 2002.

Thompson, Steven M., 9707 Columbus Road, Louisville, OH 44641. Authorization No. WH0891. Effective November 19, 2002.

RMC Trucking Inc., 324 Constitutional Ave., Renfre, PA 16053. Authorization No. WH0892. Effective November 19, 2002.

Nunn, Lewis G., Route 46 469B, Great Meadows, NJ 07838. Authorization No. WH0893. Effective November 19, 2002.

Montague, Michael, R. R. 1 Box 1159, Dingmans Ferry, PA 18328. Authorization No. WH0894. Effective November 19, 2002.

McFarlane, Eric A., 204 Harris Road, Corinth, NY 12822. Authorization No. WH0895. Effective November 19, 2002.

Vankeuren, Richard, 203 E. Elm St., Penn Yan, NY 14527. Authorization No. WH0896. Effective November 19, 2002.

Jankowski, John J., 11 N. Whispering Lane, Hamburg, NY 14075. Authorization No. WH0897. Effective November 19, 2002.

Henshaw, Ronald B., 2758 Trombley Road, Weedsport, NY 13166. Authorization No. WH0898. Effective November 19, 2002.

Homeny, Lawrence S., 2 Inman Road, New Egypt, NJ 08533. Authorization No. WH0899. Effective November 19, 2002.

Holcomb, Harry A., Jr., 143 New Road, Montague, NJ 07827. Authorization No. WH0900. Effective November 19, 2002.

Evins, Charles, R. R. 2 Box 23C, Uniondale, PA 18470. Authorization No. WH0901. Effective November 19, 2002.

DeJohn, Raymond F., 1359 Fuller Road, Port Byron, NY 13140. Authorization No. WH0902. Effective November 19, 2002.

Bean, Larry C., R. R. 1 Box 134A, Forest City, PA 18421. Authorization No. WH0903. Effective November 19, 2002.

B & K Trucking, R. R. 1 Box 170, Kingsley, PA 18826. Authorization No. WH0904. Effective November 19, 2002.

A & E Consolidated Inc., 194 Martin St., Apopka, FL 32712. Authorization No. WH0905. Effective November 19, 2002.

Anderson, Frank P., 79 Oak Leaf Drive, Tuckerton, NJ 08087. Authorization No. WH0906. Effective November 19, 2002.

John Pfrommer LLC, P. O. Box 1290, Weedsport, NY 13166. Authorization No. WH0907. Effective November 19, 2002.

Kephart Trucking Co., 983 Woodland Bilger Highway, P. O. Box 386, Bigler, PA 16825. Authorization No. WH1113. Effective November 19, 2002.

J. Marlin Ernst, 15 Pinedale View Drive, R. R. 1 Box 1498, Orwigsburg, PA 17961. Authorization No. WH1140. Effective November 19, 2002.

Olexion Hauling Inc., P. O. Box 197, 1308 Centennial Ave., Piscatanay, NJ 08854. Authorization No. WH1163. Effective November 19, 2002.

Coulibaly, Bourlaye, Apt. 86l, 3001 Route 130 S., Delran, NJ 08075. Authorization No. WH0787. Effective November 21, 2002.

Laboy, Teofilo, 1469 Hiawatha Ave., Hillside, NJ 07205. Authorization No. WH0794. Effective November 21, 2002.

Ulutas, Zafer, Apt. J-7, 215 E. Camden Avenue, Morristown, NJ 08057. Authorization No. WH0795. Effective November 21, 2002.

Jackson, Orlando, 317 W. Broadway, Paterson, NJ 07522. Authorization No. WH0796. Effective November 21, 2002.

Montaleza, Miguel, Apt. E4, 435 72nd St., North Bergen, NJ 07047. Authorization No. WH0797. Effective November 21, 2002.

Trumbull Corp., 1020 Lebanon Road, West Mifflin, PA 15122-0500. Authorization No. WH0840. Effective November 21, 2002.

Bulk Transportation Services Inc., 234 Merlo Road, Mineral Point, PA 15942-9719. Authorization No. WH0841. Effective November 21, 2002.

Feathers, Timothy M., 166 Shoemaker Circle, Portage, PA 15946. Authorization No. WH0842. Effective November 21, 2002.

George, Allen Brown, 610 N. 2nd St., Philipsburg, PA 16866. Authorization No. WH0847. Effective November 21, 2002.

Latocha, Adam, 30 Pine Brook Road, Lincoln Park, NJ 07035. Authorization No. WH0848. Effective November 21, 2002.

Tri County Disposal Inc., 206 Rocky Run Road, Glen Gardner, NJ 08826. Authorization No. WH0786. Effective November 18, 2002.

Garcia, Angel L., 887 Mt. Prospect Ave., Newark, NJ 07104. Authorization No. WH0821. Effective November 20, 2002.

Martinez, Antonio, 36 Cortright Road, Whippany, NJ 07981. Authorization No. WH0837. Effective November 20, 2002.

Corazzi, David, R. R. 5 Box 5323A, Moscow, PA 18444. Authorization No. WH0838. Effective November 20, 2002.

Dynamite Disposal, Inc., R. R. 2, Box 555, New Bloomfield, PA 17068-9645. Authorization No. WH0332. Effective November 22, 2002.

Hatch, Christopher J., 5359 Hoppenville Road, Green Lane, PA 18054. Authorization No. WH0575. Effective November 20, 2002.

Miller, Clair R., 107 East 3rd Avenue, Altoona, PA 16602-3929. Authorization No. WH0701. Effective November 22, 2002.

Muth Trucking LLC, R. R. 1 Box 177A, Luthersburg, PA 15848-9715. Authorization No. WH0590. Effective November 20, 2002.

Brubaker Trucking, 360 Cave Road, New Enterprise, PA 16664. Authorization No. WH0711. Effective November 20, 2002.

M & C Trucking, 169 M & C Lane, P. O. Box 66, Grassflat, PA 16839. Authorization No. WH0725. Effective November 20, 2002.

Jon Lafferty Trucking, 141 Starlight Lane, Imler, PA 16655. Authorization No. WH0727. Effective November 20, 2002.

Pettaway, Henry E. Jr., P. O. Box 2126, Willingboro, NJ 08046. Authorization No. WH0729. Effective November 20, 2002.

Dantas, Sergio M., 194 Ferry Street, Newark, NJ 07105. Authorization No. WH0730. Effective November 20, 2002.

White, Shawn C., 672 Ridgebury Road, Slatehill, NY 10973. Authorization No. WH0799. Effective November 20, 2002.

Curtis, Alan R., R. R. 2 Box 1435, Honesdale, PA 18431. Authorization No. WH0800. Effective November 20, 2002.

Schane, Terry T. and Tammy I., P. O. Box 232, Cemetary Road, Hamlin, PA 17427. Authorization No. WH0801. Effective November 20, 2002.

Davis, Jack R., 8 Hollywood Boulevard North, Forked River, NJ 08731. Authorization No. WH0802. Effective November 20, 2002.

Ilgazi, Agim, 193 Capital Avenue, Waterbury, CT 06705. Authorization No. WH0803. Effective November 20, 2002.

Salas, Carlos J., 28 Third Street, Glen Cove, NY 11542. Authorization No. WH0804. Effective November 20, 2002.

Reyhan Toleli d/b/a A&T Trucking, 74 Gardenia Drive, Maple Shade, NJ 08052. Authorization No. WH0805. Effective November 20, 2002.

Johannes, Michael, P. O. Box 521, Hamlin, PA 18427. Authorization No. WH0806. Effective November 20, 2002.

Degraffenreid, Bill J., 205 State Street, Nanticoke, PA 18634. Authorization No. WH0807. Effective November 20, 2002.

Bean, David L., R. R. 3, Box 3419, Union Dale, PA 18470. Authorization No. WH0808. Effective November 20, 2002.

Wisniewski, Scott A., P. O. Box 170, Bloomingburgh, NY 12721. Authorization No. WH0809. Effective November 20, 2002.

Cicek, Mehmet K., 2108 Church Road, Cinnaminson, NJ 08077. Authorization No. WH0810. Effective November 20, 2002.

Sanchez, Gustavo A., 11 Hewitt Street, Trenton, NJ 08611. Authorization No. WH0811. Effective November 20, 2002.

R. Sullivan Trucking, Inc., P. O. Box 325, Holland Road, Sussex, NJ 07461. Authorization No. WH0812. Effective November 20, 2002.

Pieteron, Charles, One Burdock Court, New Castle, DE 19720. Authorization No. WH0813. Effective November 20, 2002.

Madden, David M., 374 Old Dutch Hollow Road, Monoe, NY 10950. Authorization No. WH0814. Effective November 20, 2002.

Lucas, Jonathan C., 161B Bear Creek Road, Andover, NJ 07821. Authorization No. WH0815. Effective November 20, 2002.

Onyx Transportation, Inc., 154 Long Avenue, Hillside, NJ 07205. Authorization No. WH0816. Effective November 20, 2002.

Whitfield, Ricky L., 526 West 6th Street, Plainfield, NJ 07060. Authorization No. WH0817. Effective November 20, 2002.

Suazo, Oscar R., 588 Onderdonk Avenue, Ridgewood, NY 11385. Authorization No. WH0818. Effective November 20, 2002.

Suazo, Alejandro, 1113 Mayberry Circle, Waterbury, CT 06705. Authorization No. WH0819. Effective November 20, 2002.

Yavuz, Erol, 2206 Holland Avenue, 5E, Bronx, NY 10467. Authorization No. WH0820. Effective November 20, 2002.

Cuzzi, Carlo V., P. O. Box 103, Schellsburg, PA 15559. Authorization No. WH0872. Effective November 22, 2002.

Singh, Jasvir, Apt. B11, 250 Ann Street, Easton, PA 18042. Authorization No. WH0873. Effective November 22, 2002.

Tuscano-Maher Roofing, 373 Moween Road, R. R. 3 Box 29, Saltsburg, PA 15681-9103. Authorization No. WH0874. Effective November 22, 2002.

R & D Disposal, 1026 Cemetary Road, Williamsport, PA 17701. Authorization No. WH0875. Effective November 22, 2002.

Barry M. Bartley Trucking, 745 Market Street, Bellefonte, PA 16823. Authorization No. WH0876. Effective November 22, 2002.

Johnston Construction Co., 4331 Fox Run Road, P. O. Box 98, Dover, PA 17315-0098. Authorization No. WH0877. Effective November 22, 2002.

Dan's Disposal, P. O. Box 82, Sunbury, PA 17801. Authorization No. WH0879. Effective November 22, 2002.

Eio Hauling, R. R. 3, Box 157M, Wyoming, PA 18644-9381. Authorization No. WH0880. Effective November 22, 2002.

1st Choice Disposal, Inc., R. R. 1, Box 271, Alexandria, PA 16611. Authorization No. WH0882. Effective November 22, 2002.

John Hruska Trucking, 4320 Dark Shade Drive, Windber, PA 15963. Authorization No. WH0883. Effective November 22, 2002.

Maradiaga, Jose E., 578 57th Street, Brooklyn, NY 11220. Authorization No. WH0884. Effective November 22, 2002.

Reyes, Walter A., Apt. 1R, 5613 6th Avenue, Brooklyn, NY 11220. Authorization No. WH0885. Effective November 22, 2002.

Alton A. Ashmeade, 1557 Cotton Street, Reading, PA 19606. Authorization No. WH0785. Effective November 19, 2002.

Midway Trucking, 10 W. Henry Place, Iselin, NJ 08830. Authorization No. WH0792. Effective November 19, 2002.

Cindy Glover Trucking Inc., 13983 French Creek Road, Waterford, PA 16441. Authorization No. WH2167. Effective November 19, 2002.

Rohrer Trucking Inc., 3180 Rt. 6, Waterford, PA 16441. Authorization No. WH0784. Effective November 19, 2002.

Karbowski, Marek, 53 Mercer St., South River, NJ 08882. Authorization No. WH0831. Effective November 19, 2002.

Guneyusu, Halil, 8 Jefferson Drive Fox Meadow, Maple Shade, NJ 08052. Authorization No. WH0829. Effective November 19, 2002.

Fortak, Michael W., 79 Amboy Road, Matawan, NJ 07747. Authorization No. WH0835. Effective November 20, 2002.

Pietraka, Richard, 283 Sylvan Road, Bloomfield, NJ 07003. Authorization No. WH0836. Effective November 20, 2002.

Beniak, Tomasz, Apt. D, 1053 Sheridan Ave., Elizabeth, NJ 07208. Authorization No. WH0833. Effective November 20, 2002.

Canturk, Suha, 12 Fawn Hollow Road, Burlington, NJ 08016. Authorization No. WH0823. Effective November 20, 2002.

Ince, Mehmet, 95 Cedar Lane Apt. B18, Florence, NJ 08518. Authorization No. WH0824. Effective November 20, 2002.

Rajkumar, Ricardaku, 402 E. Third St., Plainfield, NJ 07060. Authorization No. WH0822. Effective November 20, 2002.

Mayo, Larry C., 53 Division St., Pittsburgh, PA 15205. Authorization No. WH0783. Effective November 20, 2002.

Kahya, Unal, 26 Clemens Blvd., Mt. Holly, NJ 08060. Authorization No. WH0825. Effective November 20, 2002.

Yilmaz Trucking, 120 Elm St., Edgewater, NJ 08010. Authorization No. WH0826. Effective November 20, 2002.

Kahyaoglu, Refik, 28 Clemens Blvd., Mt Holly, NJ 08060. Authorization No. WH0827. Effective November 20, 2002.

Haynes, Gifford J., 184-02, 141 Ave., Queens, NY 11413. Authorization No. WH0828. Effective November 20, 2002.

Megivern, Bradley, P. O. Box 281, Clifford, PA 18413. Authorization No. WH0830. Effective November 20, 2002.

Singh, Avtar, 9 Jonathan Dr., Tinton Falls, NJ 07753. Authorization No. WH0832. Effective November 20, 2002.

Eagan Trucking Inc., P. O. Box 50, 129 Route 539, Cream Ridge, NJ 08514. Authorization No. WH0834. Effective November 20, 2002.

Galante Hauling Inc., 565 Trestle Pl., Downingtown, PA 19335-3459. Authorization No. WH0919 Effective November 25, 2002.

Machuca, Jose, M., 708 Ridge St., Newark, NJ 07104. Authorization No. WH0920. Effective November 25, 2002.

Singh, Sukhjinder, 102 Central Ave., Jersey City, NJ 07306. Authorization No. WH0922. Effective November 25, 2002.

Lemon, Refuse, P. O. Box 19, 7 Wilson Ave., Canonsburg, PA 15317-1004. Authorization No. WH0923. Effective November 25, 2002.

Benitez, Fredy A., Apt. 7N, 300 Parsippany Rd., Parsippany, NJ 07054. Authorization No. WH0924. Effective November 25, 2002.

Oliviera, Gleisson, R. D. 12 Lincoln Ave., Kearny NJ 07032. Authorization No. WH0925. Effective November 25, 2002.

Charles, Brady, Lot 15, 43 Fallkill Road, Hyde Park, NY 12538. Authorization No. WH0926. Effective November 25, 2002.

Aston Township Delaware County, 233 Pennell Road, Aston, PA 19014-1853. Authorization No. WH0761. Effective November 18, 2002.

Shriver, William V., 202 Locust Street, Martinsburg, PA 16662. Authorization No. WH0762. Effective November 18, 2002.

Oherron, Patrick J., 66 Demorest Avenue, Avenel, NJ 27001. Authorization No. WH0763. Effective November 18, 2002.

Toor, Gurdial Singh, 250 Ann Street Apt. B9, Easton, PA 18042. Authorization No. WH0764. Effective November 18, 2002.

Church, Douglas D., 280 Timberline Drive, Cresson, PA 16630. Authorization No. WH0765. Effective November 18, 2002.

J C L Trucking Inc., 2380 Farragut Avenue, Bristol, PA 19007. Authorization No. WH0767. Effective November 18, 2002.

Hi Tech Repair, 303 Bond Street, Brooklyn, NY 11231-2603. Authorization No. WH0768. Effective November 18, 2002.

J & K Singh Trucking Corporation, 157-04 Powells Cove Boulevard, Whitestone, NY 11357-1332. Authorization No. WH0769. Effective November 18, 2002.

Navarez Trucking Company, 596 Vista Drive, Easton, PA 18042. Authorization No. WH0770. Effective November 18, 2002.

Upper Dublin Township, 801 Loch Alsh Avenue, Fort Washington, PA 19034-1651. Authorization No. WH0771. Effective November 18, 2002.

Vaughns Hauling, P. O. Box 83, Altoona, PA 16603-0083. Authorization No. WH0772. Effective November 18, 2002.

Rhodes, Mark A., 155 Salem Church Road Lot 58, Mechanicsburg, PA 17055. Authorization No. WH0773. Effective November 18, 2002.

Ray Craft & Sons Inc., 16 Mckeen Street, Phillipsburg, NJ 08865-3110. Authorization No. WH0774. Effective November 18, 2002.

Bruce N. George Inc., R. R. 2 Box 331, Kunkletown, PA 18058-0331. Authorization No. WH0775. Effective November 18, 2002.

S W Inc., 1020 Broad Run Road, Landenberg, PA 19350-1562. Authorization No. WH0776. Effective November 18, 2002.

B & D Trucking Inc., School House Road (Munson), P. O. Box 384, Winburne, PA 16879. Authorization No. WH0777. Effective November 18, 2002.

Springside Trucking LLC, 300 Weidmansville Road, Ephrata, PA 17522-9677. Authorization No. WH0778. Effective November 18, 2002.

Lansdale Borough, Montgomery County, 1 Vine Street, Lansdale, PA 19446-3670. Authorization No. WH0779. Effective November 18, 2002.

Magnus Environmental Corporation, 1000 South Heald Street, Wilmington, DE 19801. Authorization No. WH0780. Effective November 18, 2002.

Mann & Parker Lumber Company, 335 North Constitution Avenue, New Freedom, PA 17349. Authorization No. WH0671. Effective November 18, 2002.

Dover Roofing, 5630 North Salem Church Road, Dover, PA 17315. Authorization No. WH0672. Effective November 18, 2002.

Norbill Disposal Service, 5610 Harring Road, Doylestown, PA 18901-9134. Authorization No. WH0673. Effective November 18, 2002.

Dan's Tires, 219 Hollow Road, P. O. Box 155, Dicker-run, PA 15430-0155. Authorization No. WH0674. Effective November 18, 2002.

Carson, Fred, 519 South Pugh Street, State College, PA 16801. Authorization No. WH0675. Effective November 18, 2002.

West Shore School District, P. O. Box 803, New Cumberland, PA 17070-0803. Authorization No. WH0676. Effective November 18, 2002.

D & L Disposal Inc., R. R. 1 Box 88A, Monroeton, PA 18832-9737. Authorization No. WH0677. Effective November 18, 2002.

Mazzante Disposal Inc., 605 Willow Street, Montoursville, PA 17754. Authorization No. WH0678. Effective November 18, 2002.

Franc Environmental Inc., 13 Farber Drive, P. O. Box 5098, New Britain, PA 18901. Authorization No. WH0679. Effective November 18, 2002.

Slifer's Truck Service, 1443 Farmington Avenue, Pottstown, PA 19464. Authorization No. WH0680. Effective November 18, 2002.

R B Excavating, 1001 Hall Road, Julian, PA 16844. Authorization No. WH0681. Effective November 18, 2002.

Thomas Trucking Inc., 743 Beaver Valley Pike, Lancaster, PA 17602. Authorization No. WH0682. Effective November 18, 2002.

Middletown Township, Delaware County, 27 North Pennell Road, P. O. Box 157, Lima, PA 19037. Authorization No. WH0683. Effective November 18, 2002.

Singh, Jasbir, 21 Maryann Terrace, Sciota, PA 18354. Authorization No. WH0684. Effective November 18, 2002.

A & R Disposal, R. R. 1 Box 241C, Milton, PA 17847. Authorization No. WH0685. Effective November 18, 2002.

Swarthmore Borough, Delaware County, 121 Park Avenue, Swarthmore, PA 19081. Authorization No. WH0687. Effective November 18, 2002.

Hunsberger Sanitation, 555 May Road, Knox, PA 16232-9313. Authorization No. WH0688. Effective November 18, 2002.

Martin, Glenn R., 345 Auburn Avenue, Lebanon, PA 17042. Authorization No. WH0689. Effective November 18, 2002.

Tat Trucking Inc., 3482 Wrangle Hill Road, Bear, DE 19701-1845. Authorization No. WH0690. Effective November 18, 2002.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110; Contact: Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

GP1-01-03028: Pilgrim's Pride Corp. (P. O. Box 7275, Broadway, VA 22815) on November 22, 2002, was authorized to operate a small gas and no. 2 oil fired combustion unit under GP1 in New Oxford Borough, **Adams County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

61-194: Great Lakes Energy Partners, LLC—Toonerville Station (SR 1009, Petroleum Center Road, Titusville, PA 16354) on November 30, 2002, for operation of a natural gas production facility in Cherrytree Township, **Venango County**.

61-195: Great Lakes Energy Partners, LLC—Haslet Station (SR 4009, Bethel Church Road, Titusville, PA 16354) on November 30, 2002, for operation of a natural gas production facility in Jackson Township, **Venango County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.

09-0087B: Air Prod and Chem, Inc. (351 Philadelphia Avenue, Morrisville, PA 19067) on November 26, 2002, for operation of a SiF₄ process scrubber in Falls Township, **Bucks County**.

46-0036F: Visteon SYS LLC (2750 Morris Road, Lansdale, PA 19446) on November 26, 2002, for operation of a wave solder no. 13 in Worcester Township, **Montgomery County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Mark Wejksznier, Acting New Source Review Chief, (570) 826-2531.

39-304-007B: Ranson Industries LP (101 North Church Street, Macungie, PA 18062) on November 18, 2002, for installation of an air cleaning device to control emissions from the sand handling system and casting cooler conveyor at the Tyler Pipe facility in Macungie Borough, **Lehigh County**.

48-399-051: Elementis Pigments, Inc. (1525 Wood Avenue, Easton, PA 18042) on November 20, 2002, for construction of a product packing operation and associated air cleaning device at their Easton Plant in Wilson Borough, **Northampton County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

01-05016B: ISP Minerals, Inc. (P. O. Box O, Blue Ridge Summit, PA 17214-0914) on November 22, 2002, for construction of a rock crushing and coloring facility controlled by fabric collectors at the Charmian Plant in Hamiltonban Township, **Adams County**. This facility is subject to 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

67-03115: Garrod Hydraulics, Inc. (3466 Board Road, York, PA 17402-3466) on November 22, 2002, for construction of a hydraulic cylinder manufacture/repair and industrial hard chrome plating facility in East Manchester Township, **York County**. This source is subject to 40 CFR Part 63, Subpart N—National Emission Standards for Chromium Emissions from Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.

25-995A: Alliance Plastics, Inc. (3123 Station Road, Erie, PA 16510) on November 8, 2002, for a dip operation in Erie, **Erie County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.

46-0036A: Visteon Systems LLC (2750 Morris Road, Lansdale, PA 19446) on November 22, 2002, for operation of a urea selective catalytic reduction in Worcester Township, **Montgomery County**.

46-0191A: Merck and Co., Inc. (351 North Summerytown Pike, North Wales, PA 19454) on November 22, 2002, for operation of a 100 kW emergency generator in Upper Gwynedd Township, **Montgomery County**.

46-0191B: Merck and Co. Inc. (351 North Summerytown Pike, North Wales, PA 19454) on November 22, 2002, for operation of a 100 kW emergency generator in Upper Gwynedd Township, **Montgomery County**.

46-0059: Handelok Bag Co. (701A West Fifth Street, Lansdale, PA 19446) on December 2, 2002, for operation of seven flexographic printing presses in Lansdale Borough, **Montgomery County**.

09-0059: Saint Mary Medical Center (1201 Langhorne-Newtown Road, Langhorne, PA 19047) on December 2, 2002, for operation of three emergency generators in Langhorne Borough, **Bucks County**.

46-0005J: Merck and Co., Inc. (770 Summerytown Pike, West Point, PA 19486) on December 2, 2002, for operation of a 1,040 kW emergency generator in Upper Gwynedd Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

22-301-058: Department of Agriculture (2301 North Cameron Street, Harrisburg, PA 17110) on September 12, 2002, for construction of an animal health laboratory multi-chambered incinerator, controlled by a venturi wet scrubber and a mist eliminator in Susquehanna Township, **Dauphin County**. This plan approval was extended.

36-310-013E: Compass Quarries, Inc. (47 McIlvaine Road, Paradise, PA 17562) on November 25, 2002, for modification of an existing stone crushing plant at the Paradise Quarry facility in Paradise Township, **Lancaster County**. This source is subject to 40 CFR Part 60, Subpart OOO—Standards of Performances for Nonmetallic Mineral Processing Plants. This plan approval was extended.

36-310-023F: Compass Quarries, Inc. (47 McIlvaine Road, Paradise, PA 17562) on November 25, 2002, for modification of an existing agricultural limestone pulverizing plant at the Paradise Quarry facility in Paradise Township, **Lancaster County**. This source is subject to

40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants. This plan approval was extended.

67-03028A: Dentsply International—Trubyte Division (570 West College Avenue, York, PA 17405-0872) on November 23, 2002, for construction of a new multi-stage mist eliminator for the hard chromium electroplating unit at the facility in the City of York, **York County**. This source is subject to 40 CFR Part 63, Subpart N—National Emission Standards for Chromium Emissions from Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks. This plan approval has been extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

08-322-001D: Northern Tier Solid Waste Authority (P. O. Box 10, Burlington, PA 18814) on November 14, 2002, for operation of a landfill gas-fired reciprocating internal combustion engine on a temporary basis until March 14, 2003, at the Northern Tier Landfill in West Burlington Township, **Bradford County**. The plan approval was extended.

08-318-027: Mill's Pride—Pennsylvania (100 Lamoka Road, Sayre, PA 18840) on November 20, 2002, for operation of a wood kitchen cabinet finishing line and associated air cleaning device (a thermal oxidizer), various pieces of woodworking equipment and associated air cleaning devices (fabric collectors) and various other pieces of equipment on a temporary basis until March 20, 2003, in Athens Township, **Bradford County**. The plan approval was extended.

08-318-027A: Mill's Pride—Pennsylvania (100 Lamoka Road, Sayre, PA 18840) on November 20, 2002, for operation of a wood kitchen cabinet glazing line, the air contaminant emissions from which are controlled by a thermal oxidizer, on a temporary basis until March 20, 2003, in Athens Township, **Bradford County**. The plan approval was extended.

55-399-005: Professional Building Systems, Inc. (72 East Market Street, Middleburg, PA 17842) to correct an erroneously-stated surface coating VOC content limitation, to authorize the use of an additional adhesive component and establish best available technology limitations for the use of the additional component and to increase the allowable facility-wide VOC and hazardous air pollutant emission limitations by .5 ton in any 12 consecutive month period for a modular home manufacturing facility in Middleburg Borough, **Snyder County**.

08-316-013A: CraftMaster Manufacturing, Inc. (P. O. Box 311, Towanda, PA 18848) on November 19, 2002, to extend the deadline for the submission of the stack test report to November 28, 2002, in Wysox Township, **Bradford County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.

24-313-086A: Carbide Graphite Group, Inc. (800 Theresia Street, St. Marys, PA 15857) on October 30, 2002, for carbottom kilns in St. Marys, **Elk County**.

37-003C: Essroc Cement Co. (Second Street, Bessemer, PA 16112) on September 30, 2002, for installation of baghouses on clinker coolers in Bessemer Borough, **Lawrence County**.

42-176E: Temple Inland Forest Products Corp.—MDF Plant (Hutchins Road, Mt. Jewett, PA 16740) on

November 30, 2002, for construction of a cyclone in Sargeant Township, **McKean County**.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

28-05005: York International Corp. (100 CV Avenue, Waynesboro, PA 17268) on November 21, 2002, for operation of a refrigeration equipment manufacturing facility at its Waynesboro Plant in Waynesboro Borough, **Franklin County**. This is renewal no. 1 of the operating permit.

28-05012: Ingersoll Rand Co. (312 Ingersoll Drive, Shippensburg, PA 17257) on November 21, 2002, for operation of a construction equipment manufacturing facility at its Shippensburg Plant in Shippensburg Borough, **Franklin County**. This is renewal no. 1 of the operating permit.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

04-00235: First Energy—Pennsylvania Power (P. O. Box 128, Shippingport, PA 15077) for their coal fired power plant in Shippingport Borough, **Beaver County**. As a result of the potential levels of NO_x, PM and SO_x emitted from this facility, it is a major stationary source as defined in Title I, Part D, of the Clean Air Amendments. The facility is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Edward Brown, Facilities Permitting Chief, (610) 832-6242.

09-00064: CRC Industries, Inc. (885 Louis Drive, Warminster, PA 18974) on December 2, 2002, for operation of a Natural Minor Operating Permit in Warminster Township, **Bucks County**.

46-00150: Montgomery County SPCA (1059 Sweiford Road, Perkiomenville, PA 18074) on December 3, 2002, for operation of a Natural Minor Operating Permit in Upper Frederick Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

06-03056: Bodycote Lindberg Corp. (10543 Doric Street, Dallas, TX 75220) on November 26, 2002, for operation of its metal heat treating facility in Exeter Township, **Berks County**.

06-03059: Charles Evans Cemetery Corp. (1119 Centre Avenue, Reading, PA 19606) on November 25, 2002, for operation of two crematories in the City of Reading, **Berks County**.

38-03019: Allied Vet Cremation Ltd. (719 Lawn Road, Palmyra, PA 17078-9734) on November 25, 2002,

for operation of two crematories in South Londonderry Township, **Lebanon County**.

67-03001: Frito Lay, Inc. (3553 Gillespie Drive, York, PA 17404) on November 21, 2002, for operation of a snack food manufacturing plant in West Manchester Township, **York County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

65-00080: Duraloy Technologies (120 Bridge Street, Scottdale, PA 15683) for operation to manufacture specialty steel cast tubular and molded products at their Scottdale facility in **Westmoreland County**.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: Muhammad Zaman, Facilities Permitting Chief, (570) 327-0512.

18-00011: Croda, Inc. (8 Croda Way, Mill Hall, PA 17751) for issuance of a revised operating permit, Revision No. 1, on November 18, 2002, for the synthesized organic chemical intermediates manufacturing facility in Bald Eagle Township, **Clinton County**. The revision of this permit is to incorporate terms and conditions from Plan Approvals 49-313-019D, 18-00011A and 18-00011C, which authorized the installation of a new reactor and air cleaning system (that is, a thermal oxidizer, water quench and packed bed scrubber) for the production of quaternary ammonium compounds and the control of air contaminant emissions from the quaternary ammonium compound production operation, the construction of 15 VOCs containing storage tanks and the construction of 49 VOCs containing storage tanks. This Title V Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

41-00013: Coastal Aluminum Rolling Mills, Inc. (2475 Trenton Avenue, Williamsport, PA 17701) for issuance of a revised operating permit, Revision No. 1, on November 20, 2002, for the aluminum rolling and metal coil coating facility in the City of Williamsport, **Lycoming County**. The revision of this permit is to incorporate terms and conditions from Plan Approval OP-41-0007A, which authorized the construction of a new cold aluminum rolling mill. A filter system and a regenerative thermal oxidizer will control air contaminant emissions from this mill. This Title V Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

49-00002: ConAgra Grocery Products Co. (30 Marr Street, Milton, PA 17847) for issuance of a revised Title V Operating Permit on October 4, 2002, incorporating a minor operating permit modification, which established a new maximum operating capacity of 92 mmBtu/hr for boiler No. 7, a natural gas/No. 2 fuel oil fired boiler in Milton Borough, **Northumberland County**. This Title V Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

53-00005: Dominion Transmission, Inc. (625 Liberty Avenue, Pittsburgh, PA 15222) for issuance of a revised Title V Operating Permit on November 13, 2002, to include terms and conditions for the operation of a 765

kilowatt auxiliary generator constructed under plan approval TVOP 53-00005A. This revision also includes terms and conditions for the operation of two 3,200 horsepower natural gas fired internal combustion engines (Engines 6 and 7), a 5.125 mmBtu/hr natural gas fired hot water boiler, a 12.6 mmBtu/hr natural gas fired regeneration heater and an emergency generator constructed under plan approval OP 53-0003D at the Greenlick gas compressor station in Stewardson Township, **Potter County**. This Title V Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); and The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

54970101C. JC Coal, Inc. (P. O. Box 161, Minersville, PA 17954), correction to a surface mine operation to add refuse disposal in Schuylkill Township, **Schuylkill County** affecting 632.0 acres, receiving stream: none. Application received March 18, 1999. Correction issued November 26, 2002.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

10970103 and NPDES Permit No. PA0227374. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001) Renewal of an existing bituminous strip operation in Oakland Township, **Butler County** affecting 77.0 acres. This renewal is issued for reclamation only. Receiving streams: two unnamed tributaries to Pine Run and one unnamed tributary to Connoquenessing Creek. Application received September 25, 2002. Permit issued November 19, 2002

33970109 and NPDES Permit No. PA0227498. MSM Coal Company, Inc. (P. O. Box 243, DuBois, PA 15801) Renewal of an existing bituminous strip operation in Oliver Township, **Jefferson County** affecting 85.2 acres. This renewal is issued for reclamation only. Receiving streams: unnamed tributaries to Lick Run and unnamed tributaries to Little Sandy Creek. Application received September 25, 2002. Permit issued November 19, 2002.

33960105 and NPDES Permit No. PA0227234. MSM Coal Company, Inc. (P. O. Box 243, DuBois, PA 15801) Renewal of an existing bituminous strip operation in Oliver Township, **Jefferson County** affecting 21.2 acres.

This renewal is issued for reclamation only. Receiving streams: unnamed tributary to Lick Run. Application received September 25, 2002. Permit issued November 19, 2002.

10920107 and NPDES Permit No. PA0211295. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001) Renewal of an existing bituminous strip and auger operation in Clay and Cherry Townships, **Butler County** affecting 94.3 acres. This renewal is issued for reclamation only. Receiving streams: two unnamed tributaries to South Branch Slippery Rock Creek. Application received September 25, 2002. Permit issued November 19, 2002.

33960109 and NPDES Permit No. PA0227331. TDK Coal Sales, Incorporated (P. O. Box 259, Brockway, PA 15824) Renewal of an existing bituminous strip and auger operation in Union Township, **Jefferson County** affecting 157.4 acres. Receiving streams: unnamed tributary to Little Mill Creek. Application received August 20, 2002. Permit issued November 19, 2002.

16970103 and NPDES Permit No. PA0227421. Original Fuels, Inc. (P. O. Box 343, Punxsutawney, PA 15767) Renewal of an existing bituminous strip operation in Clarion Township, **Clarion County** affecting 104.2 acres. This renewal is issued for reclamation only. Receiving streams: unnamed tributaries to Brush Run. Application received September 20, 2002. Permit issued November 20, 2002.

24020102 and NPDES Permit No. PA0242080. P. and N. Coal Co., Inc. (P. O. Box 332, Punxsutawney, PA 15767) Commencement, operation and restoration of a bituminous strip operation in Benetzette Township, **Elk County** affecting 118.9 acres. Receiving streams: unnamed tributaries to Porcupine Hollow Run and unnamed tributary to Chase Hollow. Application received March 5, 2002. Permit issued November 19, 2002.

Noncoal Permits Actions

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

37920306. Neshannock Sand & Gravel, Inc. (R. D. 6, Box 344, New Castle, PA 16101) Renewal of NPDES No. PA0211320, Neshannock Township, **Lawrence County**. Receiving streams: unnamed tributary to Shenango River and Shenango River. Application received October 16, 2002. Permit issued November 20, 2002.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (43 P.S. §§ 151—161); and 25 Pa. Code § 211.124 (relating to blasting activity permits). Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

39024025. Schlouch Inc. (Excelsior Industrial Park, P. O. Box 69, Blandon, PA 19510), construction blasting in Lower Macungie Township, **Lehigh County** with an expiration date of December 10, 2003. Permit issued November 26, 2002.

46024065. PACT Construction, Inc. (P. O. Box 74, Ringoes, NJ 08551), construction blasting in Lower Provi-

dence Township, **Montgomery County** with an expiration date of June 10, 2003. Permit issued November 26, 2002.

46024066. Allan A. Myers, L. P. (P. O. Box 98, Worcester, PA 19490), construction blasting in Upper Providence Township, **Montgomery County** with an expiration date of December 7, 2003. Permit issued November 26, 2002.

360240137. Keystone Blasting Service (381 Reifsnnyder Road, Lititz, PA 17543), construction blasting in Leacock Township, **Lancaster County** with an expiration date of March 31, 2003. Permit issued November 26, 2002.

06024047. Schlouch Inc. (Excelsior Industrial Park, P. O. Box 69, Blandon, PA 19510), construction blasting in Amity Township, **Berks County** with an expiration date of December 31, 2003. Permit issued November 27, 2002.

360240136. Keystone Blasting Service (381 Reifsnnyder Road, Lititz, PA 17543), construction blasting in Earl Township, **Lancaster County** with an expiration date of December 12, 2003. Permit issued November 27, 2002.

40024026. Scott Kresge Enterprises (P. O. Box 2762, Wilkes-Barre, PA 18703) and **Hayduk Enterprises** (P. O. Box 554, Dalton, PA 18414), construction blasting in Bear Creek Township, **Luzerne County** with an expiration date of December 31, 2002. Permit issued November 27, 2002.

40024027. Explosive Services, Inc. (7 Pine Street, Bethany, PA 18431), construction blasting in Hazle Township, **Luzerne County** with an expiration date of October 28, 2003. Permit issued November 27, 2002.

01014015. Brubacher Excavating, Inc. (825 Reading Road, P. O. Box 528, Bowmansville, PA 17507), construction blasting in Straban Township, **Adams County** with an expiration date of November 30, 2003. Permit issued November 27, 2002.

28024037. Brubacher Excavating, Inc. (825 Reading Road, P. O. Box 528, Bowmansville, PA 17507), construction blasting in Chambersburg Borough, **Franklin County** with an expiration date of November 30, 2003. Permit issued November 27, 2003.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once.

Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)).

Except as otherwise noted, the Department certifies that the construction and operation herein described will comply with the applicable provisions of sections 301-303, 306 and 307 of the FWPCA 33 U.S.C.A. §§ 1311—1313, 1316 and 1317 and that the construction will not violate applicable Federal and State Water Quality Standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 P. S. §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Water Obstruction and Encroachment Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description.)

Permits Issued and Actions on 401 Certifications

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E15-589. Philadelphia Suburban Water Company, 762 Lancaster Avenue, Bryn Mawr, PA 19010-3489, Wallace Township, **Chester County**, ACOE Philadelphia District.

To construct and maintain an approximately 28-foot wide raw water intake and associated appurtenances, including a trash rack and gabion streambank protection, on the East Branch Brandywine Creek (HQ-TSF-MF) for transferring water from the creek to the Cornog Quarry during periods of elevated stream flows and a 48-inch intake tunnel to pump water from the quarry to the water treatment plant for treatment before distributing to customers of the Water Company. The permit also authorizes the construction and maintenance of a surface swale and 16-inch outfall structure to direct water into Cornog Quarry, which shall be done in accordance with the conditions of General Permit No. 4. The site is located about 1,500 feet east of the intersection of Marshall Road and Creek Road (Downingtown USGS Quadrangle N: 13.70 inches, W: 17.50 inches).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E48-329. Department of Conservation and Natural Resources, Bureau of State Parks, P. O. Box 8451, Harrisburg, PA 17105-8451. City of Easton, **Northampton County**, Army Corps of Engineers Philadelphia District.

To remove the existing structures and to construct and maintain an amphitheater consisting of a series of terraces constructed as low retaining walls in a semi-circle around a circular concrete stage in the floodway of the Delaware River. The project is located at Delaware Canal State Park, southwest of the confluence of the Lehigh and Delaware Rivers (Easton, PA-NJ Quadrangle N: 11.4 inches; W: 11.2 inches).

E13-134. Raymond R. Veas, P. O. Box 102, Fountainville, PA 18923-0102. Towamensing Township, **Carbon County**, Army Corps of Engineers Philadelphia District.

To construct and maintain a road crossing of Hunter Creek consisting of a 57-inch x 38-inch corrugated metal arch pipe for the purpose of providing access to a residential house. The project is located approximately 260 feet west of the intersection of Spruce Hollow Road and Beers Lane (Palmerston, PA Quadrangle N: 20.6 inches; W: 6.0 inches).

E35-362. Robert Burke, 1510 Electric Street, Dunmore, PA 18512. City of Scranton, **Lackawanna County**, Army Corps of Engineers Baltimore District.

To construct and maintain building and parking facilities associated with the proposed Scranton Skating Complex within the floodway of the Lackawanna River. The project is located immediately north of Olive Street and Love Road (Scranton, PA Quadrangle N: 7.6 inches; W: 5.4 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E01-237. Lake Heritage Property Owners & Associates, Incorporated, 1000 Heritage Drive, Gettysburg, PA 17325 in Mount Joy Township, **Adams County**, ACOE Baltimore District.

To construct and maintain cast-in-place concrete, concrete block, segmental block, pressure treated timber seawalls, rip-rap stone bank protection and docks in Lake Heritage (WWF) (Gettysburg, PA Quadrangle N: 10.75 inches; W: 8.75 inches) in Mount Joy Township, Adams County.

E05-306. Department of Transportation, Engineering District 9-0, 1620 N. Juniata Street, Hollidaysburg, PA 16648 in Juniata Township, **Bedford County**, ACOE Baltimore District.

To remove the existing bridge and to construct and maintain a prestressed concrete bridge having a clear span of 48.5 feet with a minimum underclearance of 4.26 feet across Kegg Run (WWF) on SR 3039 Section 018 Segment 0180 Offset 2141 located about 1.3 miles north of North Buena Vista Village (Schellsburg, PA Quadrangle N: 5.0 inches; W: 10.2 inches) in Juniata Township, Bedford County.

E07-361. Department of Transportation, Engineering District 9-0, 1620 N. Juniata Street, Hollidaysburg, PA 16648 in Frankstown Township, **Blair County**, ACOE Baltimore District.

To construct and maintain a 70-foot clear span and an 8.8-foot minimum underclearance bridge replacement across Old Town Run (WWF) located at the crossing of SR 2007, Section 001 and to fill in 0.03 acre of de minimis wetlands (Frankstown, PA Quadrangle N: 9.9 inches; W: 15.1 inches) in Frankstown Township, Blair County. The applicant will provide 0.03 acre of replacement wetlands at the Huntingdon County advanced wetland replacement site.

E67-726. Department of Transportation, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103 in York Township, **York County**, ACOE Baltimore District.

To: (1) extend and maintain the length at the upstream end of an existing 8-foot by 5-foot box culvert by 225 feet; (2) remove 5-feet long at the downstream end of the same box culvert; (3) construct and maintain a 50-foot long channel of Tyler Run (WWF); and (4) fill in 0.01 acre of de minimis wetland in an unnamed tributary to East Branch Codorus Creek (CWF) to rehabilitate SR 0083, Section 025, Segment 0142 Offset 2447 located between Interchanges 14 and 15 (York, PA Quadrangle N: 5.3 inches; W: 11.1 inches) in York Township, York County. The amount of wetland impact is considered a de minimis impact of 0.01 acre and wetland mitigation is not required.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

E14-433. Bellefonte Borough, 236b West Lamb Street, Bellefonte, PA 16823. Spring Creek Floodway Fill, in Bellefonte Borough, **Centre County**, ACOE Baltimore District (Bellefonte, PA Quadrangle N: 7.5 inches; W: 4.9 inches).

To stabilize and maintain: (1) three sewer interceptor manhole access pads with of 35.5 cubic yards of clean topsoil and limestone shot rock; and (2) a 600-foot long existing access road in the right floodway of Spring Creek to provide sewer truck access to sewer manholes located 750 feet north of the intersection of West Lamb and North Water Streets in the Borough of Bellefonte and Spring Township, Centre County (Bellefonte, PA Quadrangle N: 7.5 inches; W: 4.9 inches). This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E17-372. Department of Transportation, Engineering District 2-0, P. O. Box 342, Clearfield, PA 16830. SR 0219, Section 229 Bridge Replacement, in the City of DuBois and Sandy Township, **Clearfield County**, ACOE Pittsburgh District (Falls Creek, PA Quadrangle N: 0.9 inch; W: 4.8 inches).

To realign 90-feet of Clear Run channel, remove two existing bridges and construct, operate and maintain a single span concrete adjacent box beam bridge to carry SR 0219, Section 229 across Clear Run to improve public

highway safety. The prestressed concrete bridge shall be constructed with a minimum normal span of 32.8 feet, underclearance of 4.4 feet and skew of 83 degrees. The realignment of Clear Run shall be limited to 70-foot upstream and 20-foot downstream of the Section 229 bridge. Realignment of the channel shall be in smooth transition between existing and proposed sections of the relocation with a minimum side slope of 2 foot horizontal to 1 foot vertical. The project is located on SR 0219 approximately 1.1-mile east of SR 0830 and SR 0219 intersection.

E49-264. Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. Benny's Run bridge replacement, in Shamokin Township, **Northumberland County**, ACOE Susquehanna River Basin District (Treverton, PA Quadrangle N: 10.7 inches; W: 0.75 inch).

To remove an existing structure and construct and maintain a 15-foot long by 5.5-foot high by 32-foot wide reinforced concrete box culvert in Benny's Run (CWF). The project is located along SR 4026 approximately 2.5 miles west of SR 4026 and SR 61 intersection in Shamokin Township, Northumberland County. This permit also authorizes the construction, operation, maintenance and removal of temporary cofferdams. All temporary structures shall be constructed of clean rock that is free of fines. Upon completion of culvert construction, all temporary structures shall be removed with the areas of river channel and floodplain restored to original geometry, contours and elevations. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E53-379. Department of Transportation, Engineering District 2-0, 1924-30 Daisy Street, Clearfield, PA 16830. Kettle Creek Wetland Creation/Restoration Project, in Stewardson Township, **Potter County**, ACOE Baltimore District (Tamarack, PA Quadrangle N: 22.0 inches; W: 6.5 inches).

To affect 0.10-acre of exceptional value palustrine wetlands to facilitate the creation of a 1.15-acre advanced wetland mitigation site along Kettle Creek. The site is located along SR 144 about 1.5 miles north of Cross Forks (Tamarack, PA Quadrangle N: 22 inches; W: 6.5 inches) in Stewardson Township, Potter County.

E60-157. Department of Transportation, 315 Jordan Avenue, Montoursville, PA 17754. SR 3020/004 Bridge Replacement, in Hartley Township, **Union County**, ACOE Baltimore District (Hartleton, PA Quadrangle N: 1.1 inches; W: 13.8 inches).

To: (1) remove the existing SR 3020/004 bridge; (2) construct and maintain a reinforced concrete box culvert with a 16-foot span, a 5-foot rise and 1-foot high baffles to be depressed 1 foot into the streambed; and (3) construct and maintain a temporary diversion channel around the construction area in an unnamed tributary to Whitehorn Run located 175 feet from SR 3002 on SR 3020.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E03-410. Department of Transportation, 2550 Oakland Avenue, P. O. Box 429, Indiana, PA 15701-0429. West Franklin Township, **Armstrong County**, ACOE Pittsburgh District.

To remove the existing structure and to construct and maintain a 1.0-foot depressed 8.0-foot x 9.0-foot reinforced concrete culvert in an unnamed tributary to Buffalo Creek (TSF) on a 60 degree skew for the purpose of

improving transportation safety and roadway standards. The project is located on SR 4033, Segment 0010, Offset 0605, Section 150, Station 5+85 (Kittanning, PA Quadrangle N: 18.3 inches; W: 17.2 inches).

E26-297. Fayette County Commissioners, Courthouse, 61 East Main Street, Uniontown, PA 15401. Luzerne and Redstone Townships, **Fayette County**, ACOE Pittsburgh District.

To remove the existing structure (Fayette County Bridge No. 147) and to construct and maintain a reinforced concrete box beam bridge having a normal clear span of 46.0 feet and an underclearance of 12.0 feet across Dunlap Creek (WWF). Also to construct and maintain two 18-inch diameter stormwater outfalls in Dunlap Creek (WWF). The project is located on Township Road 326 (Merrittstown Road) near its intersection with Thompson No. 2 Road and Main Street (Carmichaels, PA Quadrangle N: 16.8 inches; W: 1.6 inches).

E26-298. Indian Creek Valley Water Authority, P. O. Box 486, 2068 Indian Head Road, Indian Head, PA 15446-0486. Stewart Township, **Fayette County**, ACOE Pittsburgh District.

To install and maintain waterline crossings in Laurel Run (HQ-CWF) and unnamed tributary to Laurel Run (HQ-CWF), Bear Run (EV), two unnamed tributaries to Bear Run (EV), an unnamed tributary to Stulls Run (WWF), an unnamed tributary to Youghiogheny River (WWF), Jim Run and two unnamed tributaries to Jim Run (CWF), as part of a water system extension project. The project is located off of SR 0381 (Mill Run, PA Quadrangle N: 5.1 inches; W: 12.6 inches).

E56-304-A1. Turnpike Commission, P. O. Box 67676, Harrisburg, PA 17106-7676. Somerset Borough and Township, **Somerset County**, ACOE Pittsburgh District.

To amend Permit No. E56-304 to include the construction and maintenance of a 0.3-meter depressed, three cell concrete box culvert having three normal spans of 7.0 meters and an underclearance of 2.14 meters in an unnamed tributary to East Branch Coxes Creek (WWF) located approximately 120 meters upstream from Bridge B-343 at Milepost 109.72 for the purpose of improving the Pennsylvania Turnpike Somerset Interchange to meet current design specifications and safety standards. The authorized work includes extending and maintaining existing bridge No. B-343 having a normal span of 10.36 meters and an underclearance of 1.9 meters across an unnamed tributary to Coxes Creek (WWF) 14.04 meters upstream and 1.31 meters downstream and the placement and maintenance of fill in 2.73 acres of wetlands. The impacted wetlands have been replaced at the Louie-Beach Advanced Wetland Compensation site in Somerset County. The project is located at the Pennsylvania Turnpike Somerset Interchange (Exit 10) (Somerset, PA Quadrangle N: 3.7 inches; W: 11.5 inches).

E56-311. Gene E. and Linda M. Churchel, 1186 Herne Avenue, Palm Bay, FL 32907. Northampton Township, **Somerset County**, ACOE Pittsburgh District.

To construct and maintain a bridge having a clear span of 42.0 feet and an underclearance of 8.0 feet across Brush Creek (HQ-CWF) on a proposed driveway. The project is located approximately 200 feet south of Brush Creek Road (Berlin, PA Quadrangle N: 0.23 inch; W: 2.19 inches).

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E20-522, Department of Transportation, District 1-0, 255 Elm Street, P. O. Box 398, Oil City, PA 16301. SR 1017, Segment 0050, Offset 0142 Across Boles Run, in Venango Township, **Crawford County**, ACOE Pittsburgh District (Cambridge Springs, PA Quadrangle N: 11.0 inches; W: 15.3 inches).

To remove the existing structure and to construct and maintain a prestressed concrete spread box beam bridge having a clear, normal span of 76 feet and an average underclearance of 10.8 feet across Boles Run on SR 1017, Segment 0050, Offset 0142 at the Village of Skelton town.

E25-658, Amity Township Supervisors, 15030 Casler Road, Union City, PA 16438. T-788 Messenger Road Across Beaver Run, in Amity Township, **Erie County**, ACOE Pittsburgh District (Union City, PA Quadrangle N: 13.2 inches; W: 2.4 inches).

To operate and maintain a 40-foot long, 8-foot wide by 5.6-foot high corrugated metal plate pipe arch culvert with concrete block headwall and endwall installed under the Department Emergency Permit No. EP2502604 issued on April 23, 2002, in Beaver Run (EV) on Messenger Road (T-788) approximately 500 feet south of the intersection of Fenno Road and Messenger Road (T-788).

SPECIAL NOTICES

Submission Date for Grant Applications under the Solid Waste-Resource Recovery Development Act of 1974 (Act 198)

The Department of Environmental Protection (Department) announces that it is accepting Resource Recovery Demonstration Grant applications from counties, municipalities and municipal authorities within this Commonwealth under Act 198. Projects must be capable of demonstrating, for a minimum of 2 years, the production of energy or the recovery of materials from solid waste (except sewage sludge). Grant applications must meet the terms and conditions established in 25 Pa. Code Chapter 76 adopted under Act 198.

Priority in selecting successful applicants during this application solicitation will be given to unique and innovative resource recovery projects not previously demonstrated or currently being demonstrated in this Commonwealth. Priority in selecting successful applicants during this application solicitation will also be given to unique and innovative resource recovery demonstration projects involving regional cooperative projects involving more than one county or municipality. Other types of resource recovery projects may also be considered. All projects must be capable of being replicated in other areas of this Commonwealth.

Applicants must provide a business plan and market commitments for energy or materials produced by the demonstration project. Projects should be capable of reaching full scale production within 12 months of notice of a grant award.

A lead municipality or county serving as the development agency for regional projects must have resolutions from other participating counties or municipalities in support of the project. Counties and municipalities may sponsor cooperative projects with private sector entities provided that a minimum of 5% equity in the project is maintained by the development agency for the term of the demonstration period.

The Department will award no more than three grants from applications received during this grant solicitation period. The Department will award no more than \$100,000 for any demonstration project selected for funding.

The deadline for submission of grant applications is 3 p.m. on March 20, 2003. Applications must be on forms provided by the Department. Applications received by the Department or post marked after the deadline will not be considered during this application solicitation.

Counties and municipalities must contact the appropriate Department Planning and Recycling Coordinator listed to obtain a grant application. A preapplication conference with the Department Regional Planning and Recycling Coordinator is required. Inquiries concerning this notice should be directed to John Lundsted, Recycling Technical Assistance Coordinator, Department of Environmental Protection, Bureau of Land Recycling and Waste Management, Division of Waste Minimization and Planning, Rachel Carson State Office Building, P. O. Box 8472, Harrisburg, PA 17105-8472.

Regional Planning and Recycling Coordinators

Southeast Region

Bucks, Chester, Delaware, Montgomery and Philadelphia Counties

Department of Environmental Protection
Bureau of Land Recycling and Waste Management
Lee Park, Suite 6010, 555 North Lane
Conshohocken, PA 19428-2233
(610) 832-6212
(610) 832-6143 (fax)

Calvin Ligons (cligons@state.pa.us)
Ann Ryan (aryan@state.pa.us)
MaryAlice Reisse (mreisse@state.pa.us)

Northeast Region

Carbon, Lackawanna, Lehigh, Luzerne, Monroe, Northampton, Pike, Schuylkill, Susquehanna, Wayne and Wyoming Counties

Department of Environmental Protection
Bureau of Land Recycling and Waste Management
2 Public Square
Wilkes-Barre, PA 18711-0790
(570) 826-2516
(570) 826-5448 (fax)

Chris Fritz (cfritz@state.pa.us)

Southcentral Region

Adams, Bedford, Berks, Blair, Cumberland, Dauphin, Franklin, Fulton, Huntingdon, Juniata, Lancaster, Lebanon, Mifflin, Perry and York Counties

Department of Environmental Protection
Bureau of Land Recycling and Waste Management
909 Elmerton Avenue
Harrisburg, PA 17110-8200
(717) 705-4706
(717) 705-4930 (fax)

Mark Vottero (mvottero@state.pa.us)

Northcentral Region

Bradford, Cameron, Centre, Clearfield, Clinton, Columbia, Lycoming, Montour, Northumberland, Potter, Snyder, Sullivan, Tioga and Union Counties

Department of Environmental Protection
Bureau of Land Recycling and Waste Management
208 W. 3rd Street, Suite 101
Williamsport, PA 17701
(570) 327-3653
(570) 327-3420 (fax)

Ron Sommers (rsommers@state.pa.us)

Southwest Region

Allegheny, Armstrong, Beaver, Cambria, Fayette, Greene,
Indiana, Somerset, Washington and Westmoreland Coun-
ties

Department of Environmental Protection
Bureau of Land Recycling and Waste Management
400 Waterfront Drive
Pittsburgh, PA 15222-4745
(412) 442-4000
(412) 442-4194 (fax)

Sharon Svitek (ssvitek@state.pa.us)
Bob Emmert (remmert@state.pa.us)
Stephen Sales (ssales@state.pa.us)

Northwest Region

Butler, Clarion, Crawford, Elk, Erie, Forest, Jefferson,
Lawrence, McKean, Mercer, Venango and Warren Coun-
ties

Department of Environmental Protection
Bureau of Land Recycling and Waste Management
230 Chestnut Street
Meadville, PA 16335-3481
(814) 332-6848
(814) 332-6117 fax

Guy McUmbur (gmcumber@state.pa.us)

Certification to Perform Radon-Related Activities in this Commonwealth

In the month of November 2002, the Department of Environmental Protection (Department), under the authority contained in the Radon Certification Act (63 P. S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed to perform radon-related activities in this Commonwealth. The period of certification is 2 years. For a complete list of persons currently certified to perform radon-related activities in this Commonwealth and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (800) 23RADON.

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Sam Azar	529 Bethlehem Road Catasauqua, PA 18032	Testing Mitigation
Kevin Buckley	2575 Giant Oaks Drive Pittsburgh, PA 15241	Testing
Roger Burens, Jr.	241 King Manor Drive, Suite D King of Prussia, PA 19406	Mitigation
Daniel Cicio	542 Sherwood Circle Youngwood, PA 15697	Testing
Daryl Festa Festa Radon Technologies Co.	634 North Avenue Pittsburgh, PA 15209	Testing
Michael Fleck	5843 Little Spring Court Frederick, MD 21704	Testing
Rick Hynes	1037 Carnes School Road Seneca, PA 16346	Mitigation
Scott Jacobs	618 North Maple Avenue Ridgway, PA 15853	Testing
Stanley Kuhn	2843 North Front Street Harrisburg, PA 17110	Testing
Allan Lenhardt	R. R. 3 Box 406 Bloomsburg, PA 17815	Mitigation Testing
Mark Matrozza Microbac Laboratories, Inc.	4580 McKnight Road Pittsburgh, PA 15237	Testing
Theresa Pulone	107 Maple Shade Avenue Washington Crossing, PA 18977	Testing
Radon Specialists, Inc.	800 Sunset Lane Stroudsburg, PA 18360	Testing
Raymond Rowe	735 Municipal Street Pittsburgh, PA 15204	Mitigation
Charles Sala	315 Richey Drive Verona, PA 15147	Testing
Lloyd Scarborough	111 Liberty Street Newtown, PA 18940	Testing

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Kenneth Struder Pennsylvania Home Inspections	P. O. Box 72722 Thorndale, PA 19372	Testing Laboratory
Matthew Thomson	103 Maywood Road Thomasville, PA 17364	Testing
Todd Ziegler	826 North Lewis Road Limerick, PA 19468	Mitigation

Public Meeting and Public Hearing Invitation
Beachel NPDES CAFO General Permit Application
Derry Township, Montour County

The Department of Environmental Protection (Department) will hold a public meeting, followed by a public hearing, to discuss the NPDES Concentrated Animal Feeding Operation (CAFO) General Permit application by Doug W. Beachel for a facility proposed in Derry Township, Montour County. The public meeting will be held at 6:30 p.m. on Thursday, January 23, 2003, at the PPL Montour Preserve, 700 Preserve Road, Danville, PA. A public hearing will follow the meeting and will begin at 8 p.m. at the same location.

During the public meeting, Department staff will review the information submitted in the Notice of Intent for Coverage under the NPDES CAFO General Permit (PAG-12) for the proposed facility and answer questions from the public. The meeting is also intended as an opportunity for the public to obtain information regarding the Department's permitting and inspection programs for CAFOs in general. Presentations and testimony will not be permitted during the meeting.

During the public hearing, individuals may present oral testimony for a maximum of 5 minutes regarding the application. Written testimony of any length also will be accepted. The oral testimony will be recorded by a court reporter and transcribed into a written document. The Department will respond in writing to all pertinent questions or comments at the time it makes a final decision on the applications.

The permit application is available for public review at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA, Monday through Friday between 8 a.m. and 4 p.m. An appointment to review the application at the Department office must be made by contacting Kathy Arndt at (570) 327-3693.

Individuals in need of an accommodation as provided for in the Americans With Disabilities Act should contact Daniel T. Spadoni at (570) 327-3659 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Public Hearing for NPDES Permit No. PAS10S119
Proposed Alpine Rose Resorts, Eldred Township,
Monroe County

The Department will hold a public hearing to accept comment on individual NPDES Permit Application No. PAS10S119 for the discharge of stormwater from construction activities at the proposed Alpine Rose Resorts, Eldred Township, Monroe County.

The public hearing will be conducted on Thursday, January 23, 2003, at 7 p.m. in the auditorium of the Pleasant Valley Elementary School, Polk Township Road, Kresgeville, Polk Township, Monroe County by the Water Management Program, Soils and Waterways Section, 2

Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2553. The hearing is in response to an application submitted by Richard Muller, Jr., President, Alpine Rose Resorts, Inc. The NPDES permit application proposes the discharge of stormwater from construction activities to Aquashicola Creek.

The Department requests that individuals wishing to testify at the hearing submit a written notice of intent to Alpine Rose Resorts Hearing, Department of Environmental Protection, Water Management Program, 2 Public Square, Wilkes-Barre, PA 18711. The Department will accept notices up to the day of the hearing. The Department requests that individuals limit their testimony to 10 minutes so that all individuals have the opportunity to testify. The Department can only review comments made with regard to NPDES Permit Application No. PAS10S119. Written copies of oral testimony are requested. Relinquishing time to others will not be allowed. Individuals attending the hearing will have the opportunity to testify if they so desire; however, individuals who preregister to testify will be given priority on the agenda.

Persons with a disability who wish to testify and require an auxiliary aid, service or other accommodation should contact Richard Shudak at (570) 826-2511 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department can meet their needs.

The NPDES permit application is available for review at the Monroe County Conservation District Office, Stroudsburg, PA, (570) 629-3600. For further information, contact Mark Carmon of the Department's Northeast Regional Office at (570) 826-2511.

Categorical Exclusions

Southwest Regional Office, Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Location: Borough of Edgewood, 2 Race Street, Edgewood, PA 15218. Edgewood Borough, Allegheny County.

Description: The Pennsylvania Infrastructure Investment Authority (PENNVEST), which administers the Commonwealth's State Revolving Fund, is intended to be the funding source for this project. The Borough proposes to replace existing sewers to prevent sanitary sewer overflows. The Department's review of the project and the information received has not identified any significant, adverse environmental impact resulting from this proposal. The Department hereby categorically excludes this project from the State Environmental Review Process.

Location: Borough of Ambridge Municipal Authority, 600 Eleventh Street, Ambridge, PA 15003. Ambridge Borough, Beaver County.

Description: PENNVEST is intended to be the funding source for this project. The Authority proposes treatment plant improvements to reduce bypassing of untreated sewage. The Department's review of the project and the information received has not identified any significant,

adverse environmental impact resulting from this proposal. The Department hereby categorically excludes this project from the State Environmental Review Process.

Location: Youngwood Borough Authority, 17 South Sixth Street, Youngwood, PA 15697. Youngwood Borough, Westmoreland County.

Description: PENNVEST is intended to be the funding source for this project. The Authority proposes to rehabilitate existing sewers to prevent sewer overflows. The Department's review of the project and the information received has not identified any significant, adverse environmental impact resulting from this proposal. The Department hereby categorically excludes this project from the State Environmental Review Process.

Location: Leechburg Borough, 260 Market Street, Leechburg, PA 15656. Leechburg Borough, Armstrong County.

Description: PENNVEST is intended to be the funding source for this project. The Borough proposes a sewer separation project to eliminate a combined sewer overflow. The Department's review of the project and the information received has not identified any significant, adverse environmental impact resulting from this proposal. The Department hereby categorically excludes this project from the State Environmental Review Process.

Location: Borough of Baldwin, 3334 Churchview Avenue, Pittsburgh, PA 15227. Baldwin Borough, Allegheny County.

Description: PENNVEST is intended to be the funding source for this project. The Borough proposes to rehabilitate existing sewers to prevent basement flooding and sewer overflows. The Department's review of the project and the information received has not identified any significant, adverse environmental impact resulting from this proposal. The Department hereby categorically excludes this project from the State Environmental Review Process.

BUREAU OF DEEP MINE SAFETY

Request for Variance

The Department, Bureau of Deep Mine Safety (Bureau), has received a request for variance from Anita Mining Company. The following notification contains a summary of this request. A complete copy of the variance request may be obtained from Allison Gaida, (724) 439-7469 or from the Bureau website at <http://www.dep.state.pa.us/dep/deputate/minres/dms/dms.htm>.

The Department is publishing a summary of the request to solicit comments from affected parties on the proposed variance request. Comments may be used by the Bureau to assist in its investigation of the variance request. Comments will be accepted by Paul L. Hummel, Acting Director, Bureau of Deep Mine Safety, Fayette County Health Center, 100 New Salem Road, Room 167, Uniontown, PA 15401.

Section 702 of the Bituminous Coal Mine Act (act) (52 P. S. § 702) provides a mechanism for operators to obtain variances from specific requirements of the Act to accommodate the adoption of new machinery, equipment, tools, supplies, methods or processes.

Section 242(c) of the act states that where belt conveyors are installed, main stoppings and regulators shall be arranged as to reduce the quantity of air traveling in the belt conveyor entry to a minimum for effective ventilation and to provide an intake air split as an escapeway from the face are to the main air current.

Summary of the Request: Anita Mining Company requests a variance to use a point carbon monoxide early warning fire detection system and a pressurized intake escapeway entry when utilizing entries in common with the belt conveyor entry at the Ondo Extension Mine.

Request for Comment and Notice of Public Meeting for the Proposed Total Maximum Daily Load (TMDL) for the Fowler Run Watershed

The Department of Environmental Protection (Department) is holding a public meeting on Thursday, December 12, 2002, at 6 p.m. at the Jennings Environmental Education Center in Butler County to discuss and accept comments on a proposed TMDL, established in accordance with the requirements of the 1996 Section 303(d) of the Clean Water Act (act). This meeting will precede the monthly meeting of the Slippery Rock Watershed Coalition.

One stream segment in the Fowler Run Watershed has been identified as impaired on the 1996 and 1998 Pennsylvania 303(d) list due to depressed pH and high concentrations of metals. The listed segments and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
51125	Fowler Run	3.35

The proposed plan provides calculations of stream's total capacity to accept metals (aluminum, iron, manganese and acidity), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5 0.3	Total Recoverable Dissolved
Manganese	1.00	Total Recoverable
pH	6.0—9.0	N/A

The primary pollutant source for the watershed is abandoned mine workings. This watershed was heavily mined for coal in the late 19th and to the mid 20th centuries. The effects of this are still present. All of the allocations made in the TMDL are load allocations (LA) which are made to nonpoint sources of pollution.

The TMDL was developed using Monte Carlo Simulation (MCS) to determine long term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. MCS allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL.

The TMDL sets allowable loading rates for metals and acidity at specified points in the watershed. The basis of information used in the establishment of this TMDL is field data collected over the past 10 years.

The data and all supporting information used to develop the proposed TMDL are available from the Department. To request a copy of the proposed TMDL and an information sheet, contact Barbara Hajel, Licensed Professional Geologist, Knox District Mining Office, P. O. Box 669, Knox, PA 16232, (814) 797-1191, bhajel@state.pa.us. Directions to the Jennings Environmental Education Center meeting place can also be obtained by contacting this address.

The TMDL can be accessed through the Department's website (<http://www.dep.state.pa.us>) by typing "TMDL" in the direct link field and by clicking "GO." A copy of the TMDL, supporting information and an information sheet can be obtained by contacting Lori Odenthal, Knox Office, Department of Environmental Protection, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

Persons with a disability who wish to attend this meeting and require an auxiliary aid, service or other accommodation to participate should call (814) 797-1191 and ask for the ADA Coordinator to discuss how their needs may be best accommodated. If needed, individuals may use the AT&T Relay Service, (800) 654-5984 (TDD Users) or (800) 654-5988 (voice users) and request that the call be relayed to the ADA Coordinator at (814) 797-1191.

Written comments will be accepted at the previous address and must be postmarked by February 12, 2003. Persons who plan to make a presentation at the public meeting should notify the Department by 4 p.m. on Thursday, December 5, 2002. The Department will consider all comments in developing the final TMDL, which will be submitted to the EPA for approval.

Request for Comment and Notice of Public Meeting for the Proposed TMDL for the Beaver Run Watershed

The Department is holding a public meeting on Monday, January 13, 2003, at 6 p.m. at the Jefferson County Conservation District Office to discuss and accept comments on a proposed TMDL, established in accordance with the requirements of the 1996 Section 303(d) of the act.

One stream segment in the Beaver Run Watershed has been identified as impaired on the 1996 and 1998 Pennsylvania 303(d) list due to depressed pH and high concentrations of metals. The listed segments and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
48447	Beaver Run	6.36

The proposed plan provides calculations of the stream's total capacity to accept metals (aluminum, iron, manganese and acidity), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5	Total Recoverable
	0.3	Dissolved
Manganese	1.00	Total Recoverable
pH	6.0—9.0	NA

The primary pollutant source for the watershed is abandoned mine workings. This watershed was heavily mined for coal in the late 19th and to the mid 20th centuries. The effects of this are still present. All of the allocations made in the TMDL are LA which are made to nonpoint sources of pollution.

The TMDL was developed using MCS to determine long term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. MCS allows for the expansion of a data set based on its statistical makeup. Since there was no

critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL.

The TMDL sets allowable loading rates for metals and acidity at specified points in the watershed. The basis of information used in the establishment of this TMDL is field data collected over the past 10 years.

The data and all supporting information used to develop the proposed TMDL are available from the Department. To request a copy of the proposed TMDL and an information sheet, contact Timothy Gillen, Licensed Professional Geologist, Knox District Mining Office, P. O. Box 669, Knox, PA 16232, (814) 797-119, tgillen@state.pa.us. Directions to the Jennings Environmental Education Center meeting place can also be obtained by contacting this address.

The TMDL can be accessed through the Department's website (<http://www.dep.state.pa.us>) by typing "TMDL" in the direct link field and by clicking "GO." A copy of the TMDL, supporting information and an information sheet can be obtained by contacting Lori Odenthal, Knox Office, Department of Environmental Protection, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

Persons with a disability who wish to attend this meeting and require an auxiliary aid, service or other accommodation to participate should call (814) 797-1191 and ask for the ADA Coordinator to discuss how their needs may be best accommodated. If needed, individuals may use the AT&T Relay Service, (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) and request that the call be relayed to the ADA Coordinator at (814) 797-1191.

Written comments will be accepted at the previous address and must be postmarked by February 12, 2003. Persons who plan to make a presentation at the public meeting should notify the Department no later than 4 p.m. on Thursday, December 5, 2002. The Department will consider all comments in developing the final TMDL, which will be submitted to the EPA for approval.

Public Meeting and Request for Comment for the TMDL for the Anderson Creek Watershed in Clearfield County

The Department will hold a public meeting to discuss and accept comments on the proposed TMDL for the Anderson Creek Watershed in Clearfield County. The meeting will be held on Thursday, January 9, 2003, at 7:30 p.m. at the Pike Township Municipal Building outside of Curwensville, PA. Individuals who plan to make a presentation at the public meeting should contact Chuck Yingling, (717) 783-2300, cyingling@state.pa.us by 4 p.m. on Friday, January 3, 2003. The Department will consider all comments in developing the final TMDL, which will be submitted to the EPA for approval.

The proposed TMDL for the Anderson Creek Watershed was established in accordance with the requirements of section 303(d) of the act. Twenty stream segments in the Anderson Creek Watershed have been identified as impaired on the 1996 and 1998 Pennsylvania 303(d) list due to high levels of metals and low pH. The listed segments and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
26657	Anderson Creek	10.32
26658	Anderson Creek, UNT	2.12
26680	Anderson Creek, UNT	1.28

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>	<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
26681	Anderson Creek, UNT	0.85	26688	Little Anderson Creek, UNT	0.59
26682	Anderson Creek, UNT	0.86	26691	Little Anderson Creek, UNT	0.37
26660	Bilger Run	1.08	26692	Little Anderson Creek, UNT	0.73
26659	Kratzer Run	6.37	26693	Little Anderson Creek, UNT	0.67
26665	Kratzer Run, UNT	1.14	26694	Little Anderson Creek, UNT	1.18
26670	Kratzer Run, UNT	1.02	26695	Little Anderson Creek, UNT	1.19
26671	Kratzer Run, UNT	1.33	26689	Rock Run	3.67
26672	Kratzer Run, UNT	0.61	26690	Rock Run, UNT	0.57
26687	Little Anderson Creek	6.57			

The proposed plan provides calculations of the stream's total capacity to accept metals (iron, manganese and aluminum) and acidity (used as a surrogate for pH) and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion Value (mg/l)</i>	<i>Duration</i>	<i>Total Recoverable/Dissolved</i>
Iron	1.50	1 day average	Total Recoverable
	0.3	Maximum	Dissolved
Manganese	1.00	Maximum	Total Recoverable
Aluminum	0.75	1 hour	Total Recoverable
pH*	6—9	At all times	N/A

*According to research conducted by the Department, at pH = 6.0 the net alkalinity of a stream has been found to be zero. Therefore, the water quality standard for pH will vary based on in-stream alkalinity at that site with a minimum net alkalinity of zero being maintained. In the case of freestone streams with little or no buffering capacity, the TMDL endpoint for pH will be the alkalinity contained in natural background water quality.

Reference: Coal Mine Drainage Prediction and Pollution Prevention in Pennsylvania. 1998. Chapter 1: Geochemistry of Coal Mine Drainage. Figure 1.2 Chemical data for water samples collected from 794 surface mine discharges in Pennsylvania, Graph C: Net Alkalinity vs. pH, p. 1.5.

The primary pollutant for the watershed is abandoned mine workings. The downstream portion of the Anderson Creek Watershed was mined heavily for bituminous coal in the late 19th and early 20th centuries. The effects of this mining are still present. All of the allocations made in the TMDL are LA that are made to nonpoint sources of pollution.

The TMDL was developed using mass balance modeling techniques coupled with MCS to determine the long-term daily average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. MCS allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria was exceeded, the Department used the average flow to express the loading values in the TMDL. All analyses were started at the headwaters of each stream segment and a mass balance of pollutant concentration was conducted moving downstream accounting for all sources of pollutants. The TMDL sets allowable loading rates for metals and acidity at specified points in the watershed. Field data collected from 1972 to 2000 was the basis of information used to establish the proposed TMDL for the Anderson Creek Watershed. Data and all supporting information used to develop the proposed TMDL are available from the Department.

The Department will accept written comments on the proposed TMDL for the Anderson Creek Watershed. Comments will not be accepted by facsimile or voice mail. Written comments, which will be considered by the Department in developing the final TMDL, must be postmarked by February 12, 2003, and sent to Chuck Yingling, Department of Environmental Protection, Office of Water Management, 400 Market Street, Harrisburg, PA 17105-8555.

To request a copy of the proposed TMDL and associated information or to obtain directions to the Pike Township Municipal Building meeting place, contact Chuck Yingling at the previous phone number or e-mail address.

The proposed TMDL for the Anderson Creek Watershed can be accessed through the Department's website (<http://www.dep.state.pa.us>) by typing "TMDL" in the direct link field and clicking "GO." Persons with a disability who require accommodations to attend this meeting should contact the Department at (717) 783-2300 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Public Meeting and Request for Comment for the TMDL for the Chartiers Creek Watershed in Washington and Allegheny Counties

The Department will hold a public meeting to discuss and accept comments on the proposed TMDL for the Chartiers Creek Watershed in Washington and Allegheny Counties. The meeting will be held on Wednesday, January 15, 2003, at 6:30 p.m. at the Chartiers Valley High School, Bridgeville, PA. Individuals who plan to make a presentation at the public meeting should contact Lee McDonnell, (717) 783-2938, lmcdonnell@state.pa.us by 4 p.m. on Friday, January 3, 2003. The Department will consider all comments in developing the final TMDL for this watershed, which will be submitted to the EPA for approval.

The proposed TMDL for the Chartiers Creek Watershed was established in accordance with the requirements of section 303(d) of the act. Twenty nine stream segments in the Chartiers Creek Watershed have been identified as impaired on the 1996 and 1998 Pennsylvania 303(d) list due to depressed pH and/or high concentrations of metals.

The listed streams and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
37086	Allison Hollow	1.76
37039	Brush Run	2.09
36786	Cambells Run	2.0
36787	UNT Cambells Run	0.8
36777	Chartiers Creek	9.61
37043	Chartiers Run	13.03
36858	Coal Run	0.8
36832	Dolphin Run	2.21
36833	Fishing Run	3.47
33001	Cross Creek	0.6
63300	Half Crown Run	1.1
36943	Little Chartiers Creek	12.54
36827	Millers Run	15.76
63294	North Branch Robinson Run	6.0
63295	North Branch Robinson Run UNT	4.2
36823	Thoms Run	4.32

The proposed plan provides calculations of stream's total capacity to accept metals (aluminum, iron, manganese and acidity), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5	Total Recoverable
	0.3	Dissolved
Manganese	1.00	Total Recoverable
pH	6.0—9.0	NA

The primary pollutant source for the watershed is abandoned mine workings. This watershed was heavily mined for coal in the late 19th to mid 20th centuries. The effects of this mining are still present. All of the allocations made in the TMDL are LA, which are made to nonpoint sources of pollution.

The TMDL was developed using MCS to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. MCS allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL. The TMDL sets allowable loading rates for metals and acidity at specified points in the watershed. Field data collected over the past 10 years was the basis of information used in establishing the TMDL for the Chartiers Creek Watershed. The data and all supporting information used to develop the proposed TMDL are available from the Department.

In addition to the acid mine drainage listings, TMDLs were completed for Brush Run, an unnamed tributary to Brush Run and Plum Run. The listing of these waterbodies was due to use impairments caused by excessive nutrients and suspended solids from urban runoff and storm sewers. Agricultural land uses have also been identified as a source of impairment in the Plum Run Watershed.

There are currently no State or Federal instream numerical water quality criteria for nutrients and suspended solids. Therefore, the Department utilized a reference watershed approach to implement the applicable narrative criteria. These TMDLs set allowable loadings of

sediment and phosphorous in the Brush Run, unnamed tributary to Brush Run and Plum Run Watersheds. Phosphorous was chosen as the TMDL endpoint for nutrient impairments due to it being the limiting nutrient in these watersheds. The sediment and phosphorous loadings were allocated among all of the land use categories present in the watersheds. Data used in establishing these TMDLs was generated using a water quality analysis model (AVGWLF) designed by the Pennsylvania State University. The following table shows the listed segments and the miles degraded.

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
36873	Brush Run	37.11
36938	Unnamed tributary to Brush Run	0.52
37044	Plum Run	6.32

The Department will accept written comments on the proposed TMDL for the Chartiers Creek Watershed. Comments will not be accepted by facsimile or voice mail. Written comments, which will be considered by the Department in finalizing the TMDL, must be postmarked by February 12, 2003, and sent to Lee A. McDonnell, P. E., Chief, TMDL and Modeling Section, Division of Water Quality Assessment and Standards, Department of Environmental Protection, 400 Market Street, Harrisburg, PA 17105, (717) 783-2938, lmcdonnel@state.pa.us.

To request a copy of the proposed TMDL and associated information or to obtain directions to the Chartiers Valley High School meeting place, contact Lee McDonnell at the previous phone number or e-mail address.

The proposed TMDL can be accessed through the Department's website (<http://www.dep.state.pa.us>) by typing "TMDL" in the direct link field and clicking "GO." Persons with a disability who require accommodations to attend this meeting should contact the Department at (717) 783-2938 or the Pennsylvania AT&T Relay Service (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Public Meeting and Request for Comment for the TMDL for the Cooks Run Watershed and Milligan Run Watershed in Cameron and Clinton Counties

The Department will hold a public meeting during the monthly meeting of the Allegheny Mountain Chapter, Trout Unlimited to discuss and accept comments on the proposed TMDL for the Cooks Run Watershed and Milligan Run Watershed in Cameron and Clinton Counties. The meeting will be held on January 8, 2003, at 7:30 p.m. at the First Christian Church in Big Run, PA. Individuals who plan to make a presentation at the public meeting should contact Chuck Yingling, (717) 783-2300, cyingling@state.pa.us by 4 p.m. on Friday, January 3, 2003. The Department will consider all comments in developing the final TMDL for the Cooks Run Watershed and the Milligan Run Watershed, which will be submitted to the EPA for approval.

The proposed TMDL for the Cooks Run Watershed and the Milligan Run Watershed were established in accordance with the requirements of section 303(d) of the act. Five stream segments in the Cooks Run Watershed have been identified as impaired on the 1996 and 1998 Pennsylvania 303(d) list due to depressed pH and/or high concentrations of metals. The listed segments and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
23988	Cooks Run	3.33
23994	Rock Run	1.2
23992	Camp Run	2.0
23989	Crowley Hollow	3.14
23993	Cow Hole	0.79

Two stream segments in the Milligan Run Watershed have been identified as impaired on the 1998 Pennsylvania 303(d) list due to depressed pH and/or high concentrations of metals. The listed segments and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
23986	Milligan Run	2.21
23987	Milligan Run	0.26

The proposed plan for the Cooks Run Watershed and the Milligan Run Watershed provides calculations of stream's total capacity to accept metals (aluminum, iron, manganese and acidity), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5	30-day average
	0.3	Total Recoverable Dissolved
Manganese	1.00	Total Recoverable
pH	6.0—9.0	N/A

The primary pollutant source for the Cooks Run Watershed and the Milligan Run Watershed is abandoned mine workings. These watersheds were heavily mined for coal in the late 19th to mid 20th centuries. The effects of this mining are still present in these watersheds. All of the allocations made in the TMDLs are LA, which are made to nonpoint sources of pollution.

The TMDLs for the Cooks Run Watershed and the Milligan Run Watershed were developed using MCS to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. MCS allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the proposed TMDLs. The proposed TMDLs for the Cooks Run Watershed and the Milligan Run Watershed set allowable loading rates for metals and acidity at specified points in the watersheds. Field data collected from 1983—2001 was used as the basis of information to establish the proposed TMDL for the Cooks Run Watershed, while field data collected from 2000-2001 were used to establish the proposed TMDL for the Milligan Run Watershed. Data and all supporting information used to develop the proposed TMDLs for the Cooks Run Watershed and the Milligan Run Watershed are available from the Department.

The Department will accept written comments on the proposed TMDLs for the Cooks Run Watershed and Milligan Run Watershed. Comments will not be accepted by facsimile or voice mail. Written comments, which will be considered by the Department in developing the final TMDL, must be postmarked by February 12, 2003, and sent to Chuck Yingling, Department of Environmental Protection, Office of Water Management, 400 Market Street, Harrisburg, PA 17105-8555.

To request a copy of the proposed TMDLs and associated information or to obtain directions to the First Christian Church meeting place, contact Chuck Yingling at the previous phone number or e-mail address.

The proposed TMDLs for the Cooks Run Watershed and the Milligan Run Watershed can be accessed through the Department's website (<http://www.dep.state.pa.us>) by typing "TMDL" in the direct link field and clicking "GO." Persons with a disability who require accommodations to attend this meeting should contact the Department at (717) 783-2300 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Public Meeting and Request for Comment for the TMDL for Dutch Fork Lake in Washington County

The Department will hold a public meeting to discuss and accept comments on the proposed TMDL for Dutch Fork Lake in Washington County. The meeting will be held on Tuesday, January 14, 2003, at 6:30 p.m. at the Buffalo Township Building, 400 Buffalo Center Lane, Washington, PA. Individuals who plan to make a presentation at the public meeting should contact Joe Boylan, (412) 442-4049, jboylan@state.pa.us by 4 p.m. Friday, January 3, 2003. The Department will consider all comments in developing the final TMDL for Dutch Fork Lake, which will be submitted to the EPA for approval.

The proposed TMDL for Dutch Fork Lake was established in accordance with the section 303(d) of the act. Dutch Fork Lake was listed on the Commonwealth's 1996 and 1998 Section 303(d) list because of impairments of designated uses due to excess nutrient (Phosphorus) loads to the lake.

The Department currently does not have water quality criteria for nutrients. Therefore, the Department established a water quality objective for nutrients. The water quality objective for phosphorus was established using the Trophic Status Index (TSI) rating system established by Carlson. The water quality objective was set with the expectation that it could be reasonably achieved.

The Department will accept written comments on the proposed TMDL for Dutch Fork Lake. Comments will not be accepted by facsimile or voice mail. Written comments, which will be considered by the Department in developing the final TMDL, must be postmarked by February 12, 2003, and sent to Joseph Boylan, Water Management Program, Southwest Regional Office, Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

To request a copy of the proposed TMDL and associated information sheet or to obtain directions to the Buffalo Township Building meeting place, contact Joseph Boylan at the previous phone number or e-mail address.

The proposed TMDL for Dutch Fork Lake can be accessed through the Department's website (<http://www.dep.state.pa.us>) by typing "TMDL" in the direct link field and clicking "GO." Persons with a disability who require accommodations to attend this meeting should contact the Department at (570) 826-2310 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Public Meeting and Request for Comment for the TMDL for the Glanraffan Creek Watershed in Montgomery County

The Department will hold a public meeting to discuss and accept comments on the proposed TMDL for the

Glanraffan Creek Watershed in Montgomery County. The meeting will be held on Friday, January 17, 2003, at 2 p.m. at the Department's Southeast Regional Office, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA. Individuals who plan to make a presentation at the public meeting should contact Mike Boyer, (610) 832-6072, miboyer@state.pa.us by 4 p.m. on Friday, January 3, 2003. The Department will consider all comments in developing the final TMDL for this watershed, which will be submitted to the EPA for approval.

The proposed TMDL for the Glanraffan Creek Watershed was established in accordance with the requirements of section 303(d) of the act. Glanraffan Creek has been identified as impaired on the 1996 and 1998 Pennsylvania 303(d) list due to high concentrations of metals and suspended solids. The listed segment and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
901	Glanraffan Creek	0.46

The proposed plan provides calculations of stream's total capacity to accept metals (aluminum, iron and manganese) and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/ Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5	Total Recoverable
	0.3	Dissolved
Manganese	1.00	Total Recoverable

The primary pollutant source for the watershed is leachate from an abandoned landfill. The landfill was in operation until the middle of the century and was closed down before any regulations were enacted. The effects of this are still present. All of the allocations made in the TMDL are LA, which are made to nonpoint sources of pollution.

The TMDL was developed using MCS to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. MCS allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL. The TMDL sets allowable loading rates for metals at specified points in the watershed. Field data collected over the last few months was used to establish the TMDL for Glanraffan Creek Watershed. Data and all supporting information used to develop the proposed TMDL are available from the Department.

The Department will accept written comments on the proposed TMDL for the Glanraffan Creek Watershed. Comments will not be accepted through facsimile or voice mail. Written comments, which will be considered by the Department in developing the final TMDL, must be postmarked by February 12, 2003, and sent to Mike

Boyer, Regional Biologist, Department of Environmental Protection, Southeast Regional Office, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

To request a copy of the proposed TMDL for Glanraffan Creek Watershed or to obtain directions to the Department's Southeast Regional Office meeting place, contact Mike Boyer at the previous phone number or e-mail address.

The proposed TMDL for the Glanraffan Creek Watershed can be accessed through the Department's website (<http://www.dep.state.pa.us>) by typing "TMDL" in the direct link field and clicking "GO." Persons with a disability who require accommodations to attend this meeting should contact the Department at (610) 832-6072 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Public Meeting and Request for Comment for the TMDL for Greenlane Reservoir, Berks, Lehigh and Montgomery Counties

The Department will hold a public meeting to discuss and accept comments on the proposed TMDLs for the Greenlane Reservoir in Berks, Lehigh and Montgomery Counties. The meeting will be held on Tuesday, January 28, 2003, at 1 p.m. at the Department's Southeast Regional Office, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA. Individuals who plan to make a presentation at the public meeting should contact Mike Boyer, (610) 832-6072, miboyer@state.pa.us by 4 p.m. Friday, January 17, 2003. The Department will consider all comments in developing the final TMDL for the Greenlane Reservoir, which will be submitted to the EPA for approval.

The proposed TMDL for Greenlane Reservoir was established in accordance with the requirements of section 303(d) of the act. Greenlane Reservoir was listed on Pennsylvania's 1996 Section 303(d) list because of use impairments due to organic enrichment/low dissolved oxygen.

The Department currently does not have water quality criteria for organic enrichment (total phosphorus). Therefore, the Department established lake specific water quality objectives. The water quality objective for phosphorus is established using the Trophic State Classification established by Thomann and Mueller. The Department does have water quality criteria for dissolved oxygen in lakes. However, data analysis indicated that Greenlane Reservoir is not currently impaired due to low dissolved oxygen. Therefore, a TMDL to address low dissolved oxygen is not necessary at this time.

The TMDL sets an allowable total phosphorus load for each significant source to Greenlane Reservoir. The basis of information used to establish the TMDL include the Phase I Clean Lakes Study performed by FX Browne, Inc., TSI Studies performed by the Department and data provided by the Philadelphia Suburban Water Company. The allowable total phosphorus loads are being developed and allocations will be contained in the report.

<i>Waterbody</i>	<i>Listing Date</i>	<i>Acres Affected</i>	<i>Pollutant</i>	<i>Source</i>
Greenlane Reservoir	1996	814	Organic enrichment/low dissolved oxygen	Agriculture

The Department will accept written comments on the proposed TMDL for Greenlane Reservoir. Comments will not be accepted by facsimile or voice mail. Written comments, which will be considered by the Department in developing the final TMDL, must be postmarked by February 12, 2003, and sent to Mike Boyer, Regional Biologist, Department of Environmental Protection, Southeast Regional Office, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

To request a copy of the proposed TMDL and associated information or to obtain directions to the Department's Southeast Regional Office, contact Mike Boyer at the previous phone number or e-mail address.

The proposed TMDL can be accessed through the Department website (<http://www.dep.state.pa.us>) by typing "TMDL" in the direct link field and clicking "GO." Note that attachments and appendices must be requested through paper mail. Persons with a disability who require accommodations to attend this meeting should contact the Department at (610) 83-6072 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Public Meeting and Request for Comment for the TMDL for Harveys Lake in Luzerne County

The Department will hold a public meeting to discuss and accept comments on the proposed TMDL for Harveys Lake in Luzerne County. The meeting will be held on

Tuesday, January 14, 2003, at 8 p.m. at the Harveys Lake General Municipal Authority Building, Route 415-Sunset, Harveys Lake, PA 18618. Individuals who plan to make a presentation at the public meeting should contact Raymond Kempa, (570) 826-2310, rkempa@state.pa.us by 4 p.m. on Friday, January 3, 2003. The Department will consider all comments in developing the final TMDL for Harveys Lake, which will be submitted to the EPA for approval.

The proposed TMDL for Harveys Lake was established in accordance with the requirements of section 303(d) of the act. Harvey's Lake was listed on the Commonwealth's 1998 Section 303(d) list because of impairments of designated uses due to excess nutrient (phosphorus) loads to the lake.

The Department currently does not have water quality criteria for nutrients. Therefore, the Department established a water quality objective for nutrients. The water quality objective for phosphorus was established using the TSI rating system established by Carlson. The water quality objective was set with the expectation that it could be reasonably achieved.

The TMDL sets allowable loading rates for phosphorus for each land use category identified. The basis of information used in establishment of this TMDL is the Phase One Clean Lakes Study completed by Coastal Environmental in 1996.

The following table shows the current loading to the lake and the necessary reductions to meet the TMDL. The loads are expressed in pounds per year.

<i>Parameter</i>	<i>Existing Load (lb/yr)</i>	<i>TMDL Load (lb/yr)</i>	<i>Percent reduction to meet TMDL</i>
Total Phosphorus	1,619	1,471	9

The Department will accept written comments on the proposed TMDL for Harveys Lake. Comments will not be accepted by facsimile or voice mail. Written comment, which will be considered by the Department in developing the final TMDL, must be postmarked by February 12, 2003, and sent to Raymond Kempa, P. E., Sanitary Engineer, Water Management Program, Northeast Regional Office, Department of Environmental Protection, 2 Public Square, Wilkes-Barre, PA 17110.

To request a copy of the proposed TMDL and associated information sheet or to obtain directions to the Harveys Lake General Municipal Authority Building, contact Raymond Kempa at the previous phone number or e-mail address.

The proposed TMDL for Harveys Lake can be accessed through the Department's website (<http://www.dep.state.pa.us>) by typing "TMDL" in the direct link field and clicking "GO." Persons with a disability who require accommodations to attend this meeting should contact the Department at (570) 826-2310 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Public Meeting and Request for Comment for the TMDL for Lake Nockamixon in Bucks County

The Department will hold a public meeting to discuss and accept comments on the proposed TMDL for Lake

Nockamixon in Bucks County. The meeting will be held on Thursday, January 30, 2003, at 1 p.m. at the Department's Southeast Regional Office, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA. Individuals who plan to make a presentation at the public meeting should contact Mike Boyer, (610) 832-6072, miboyer@state.pa.us by 4 p.m. on Friday, January 17, 2003. The Department will consider all comments in developing the final TMDL for Lake Nockamixon, which will be submitted to the EPA for approval.

The proposed TMDL for Lake Nockamixon was established in accordance with the requirements of section 303(d) of the act. Lake Nockamixon was listed on the Commonwealth's 1996 Section 303(d) list because of use impairments due to excessive suspended solids and nutrient (phosphorus) loads to the lake.

The Department currently does not have water quality criteria for nutrients or suspended solids. Therefore, the Department established lake specific water quality objectives. The water quality objective for phosphorus is established using the Trophic State Classification established by Thomann and Mueller. The TMDL analysis indicated that Lake Nockamixon is not currently impaired due to suspended solids. Therefore, a TMDL for suspended solids is not necessary at this time.

The TMDL sets an allowable total phosphorus load for each significant source to Lake Nockamixon. The basis of

information used to establish the TMDL include the Phase I and II Clean Lakes Study performed by FX Browne, Inc., TSI Studies performed by the Department and Lake Nockamixon Water Quality Summary Reports performed by FX Browne for the Bucks County Conservation District.

The following table shows the current loading to the lake and the necessary reduction to meet the TMDL. The loads are expressed in pounds per year.

<i>Parameter</i>	<i>Existing Load (lb/yr)</i>	<i>TMDL Load (lb/yr)</i>	<i>Percent reduction to meet TMDL</i>
Total Phosphorus	13,431.4	10,354.9	22.9

The Department will accept written comments on the proposed TMDL for Lake Nockamixon. Comments will not be accepted by facsimile or voice mail. Written comments, which will be considered by the Department in developing the final TMDL, must be postmarked by February 12, 2003, and sent to Mike Boyer, Regional Biologist, Department of Environmental Protection, Southeast Regional Office, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

To request a copy of the proposed TMDL and associated information or to obtain directions to the Department's Southeast Regional Office meeting place, contact Mike Boyer at the previous phone number or e-mail address.

The proposed TMDL for Lake Nockamixon can be accessed through the Department website (<http://www.dep.state.pa.us>) by typing "TMDL" in the direct link field and clicking "GO." Note that attachments and appendices must be requested through paper mail. Persons with a disability who require accommodations to attend this meeting should contact the Department at (610) 832-6072 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Public Meeting and Request for Comment for the TMDL for the Mahanoy Creek Watershed in Columbia, Northumberland and Schuylkill Counties

The Department will hold a public meeting to discuss and accept comments on the proposed TMDL for the Mahanoy Creek Watershed in Columbia, Northumberland and Schuylkill Counties. The meeting will be held on Thursday, January 16, 2003, at 7 p.m. at the Girardville Borough Hall in Girardville, PA. Individuals who plan to make a presentation at the public meeting should contact Chuck Yingling, (717) 783-2300, cyingling@state.pa.us by 4 p.m. on Friday, January 3, 2003. The Department will consider all comments in developing the final TMDL for this watershed, which will be submitted to the EPA for approval.

The proposed TMDL for the Mahanoy Creek Watershed was established in accordance with the requirements of section 303(d) of the act. Four stream segments in the Mahanoy Creek Watershed have been identified as impaired on the 1996 and 1998 Pennsylvania 303(d) list due to depressed pH and/or high concentrations of metals. One stream segment has been identified as impaired in the 2002 305(b) report due to high concentrations of metals. The listed segments and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
17556	Mahanoy Creek	53.66
17683	Shenandoah Creek	4.66
17670	Crab Run	1.3

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
17639	Zerbe Run	5.8
17673	UNT Mahanoy Creek	2.3

The proposed plan provides calculations of stream's total capacity to accept metals (aluminum, iron, manganese and acidity), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5	30-Day Average
	0.3	Total Recoverable Dissolved
Manganese	1.00	Total Recoverable
pH	6.0—9.0	N/A

The primary pollutant source for the watershed is abandoned mine workings. This watershed was heavily mined for coal in the late 19th to mid 20th centuries. The effects of this are still present. All of the allocations made in the TMDL are LA, which are made to nonpoint sources of pollution.

The TMDL was developed using MCS to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. MCS allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL. The TMDL sets allowable loading rates for metals and acidity at specified points in the watershed. Field data collected from 1985—2002 was used to establish the proposed TMDL for the Mahanoy Creek Watershed. Data and all supporting information used to develop the proposed TMDL for the Mahanoy Creek Watershed is available from the Department.

The Department will accept written comments on the proposed TMDL for the Mahanoy Creek Watershed. Comments will not be accepted by facsimile or voice mail. Written comments, which will be considered by the Department in developing the final TMDL, must be postmarked by February 12, 2003, and sent to Chuck Yingling, Department of Environmental Protection, Office of Water Management, 400 Market Street, Harrisburg, PA 17105-8555.

To request a copy of the proposed TMDL and associated information or to obtain directions to the Girardville Borough Hall meeting place, contact Chuck Yingling at the previous phone number or e-mail address.

The proposed TMDL for the Mahanoy Creek Watershed can be accessed through the Department's website (<http://www.dep.state.pa.us>) by typing "TMDL" in the direct link

field and clicking "GO." Persons with a disability who require accommodations to attend this meeting should contact the Department at (717) 783-2300 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Public Meeting and Request for Comment for the TMDL for the Montgomery Creek Watershed in Clearfield County

The Department will hold a public meeting to discuss and accept comments on the proposed TMDL for the Montgomery Creek Watershed in Clearfield County. The meeting will be held on Tuesday, January 14, 2003, at 6:30 p.m. at the Hyde Fire Company Social Hall in Hyde, PA. Individuals who plan to make a presentation at the public meeting should contact Chuck Yingling, (717) 783-2300, cyingling@state.pa.us by 4 p.m. Friday, January 3, 2003. The Department will consider all comments in developing the final TMDL for this watershed, which will be submitted to the EPA for approval.

The proposed TMDL for the Montgomery Creek Watershed was established in accordance with the requirements of section 303(d) of the act. Two stream segments in the Montgomery Creek Watershed have been identified as impaired on the 1996 and 1998 Pennsylvania 303(d) list due to depressed pH and/or high concentrations of metals, as well as three unlisted segments. The segments and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
26623	Montgomery Creek	3.12
26624	Montgomery Creek, UNT	0.78
26626	Montgomery Creek, UNT	1.35
26627	Montgomery Creek, UNT	0.49
26628	Montgomery Creek, UNT	1.06

The proposed plan provides calculations of stream's total capacity to accept metals (aluminum, iron, manganese and acidity) and pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5	30-Day Average Total Recoverable
Manganese	1.00	Total Recoverable
pH	6.0—9.0	NA

The primary pollutant source for the watershed is abandoned mine workings. This watershed was heavily mined for coal in the late 19th and 20th centuries. The effects of this mining are still present. Most of the allocations made in the TMDL are LA that are made to nonpoint sources of pollution.

The TMDL was developed using MCS to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. MCS allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL. The TMDL sets allowable loading rates for metals and acidity at specified points in the watershed. Field data collected over the past 10 years was used to establish the TMDL for Montgomery Creek.

Data and all supporting information used to develop the proposed TMDL are available from the Department.

The Department will accept written comments on the proposed TMDL for the Montgomery Creek Watershed. Comments will not be accepted by facsimile or voice mail. Written comments, which will be considered by the Department in developing the final TMDL, must be postmarked by February 12, 2003, and sent to Chuck Yingling, Department of Environmental Protection, Office of Water Management, 400 Market Street, Harrisburg, PA 17105-8555.

To request a copy of the proposed TMDL and associated information or to obtain directions to the Hyde Fire Company Social Hall meeting place, contact Chuck Yingling at the previous phone number or e-mail address.

The proposed TMDL for the Montgomery Creek Watershed can be accessed through the Department's website (<http://www.dep.state.pa.us>) by typing "TMDL" in the direct link field and clicking "GO." Persons with a disability who require accommodations to attend this meeting should contact the Department at (717) 783-2300 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Public Meeting and Request for Comment for the Proposed TMDLs Developed for the Neshaminy Creek, Little Neshaminy Creek, Park Creek, Cooks Run, West Branch Neshaminy Branch, an Unnamed Tributary to West Branch Neshaminy Branch and Two Unnamed Tributaries to Neshaminy Creek in Bucks and Montgomery Counties

The Department will hold a public meeting to discuss and accept comments on proposed TMDLs for the Neshaminy Creek Watershed in Bucks and Montgomery Counties. The meeting will be held on Monday, February 10, 2003, at 1 p.m. at the Department's Southeast Regional Office, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA. Individuals who plan to make a presentation at the public meeting should contact Lee McDonnell, (717) 783-2938, lmcdonnell@state.pa.us by 4 p.m. on Friday, January 31, 2003. The Department will consider all comments in developing the final TMDL, which will be submitted to the EPA.

These TMDLs were established in accordance with the requirements of section 303(d) of the act. The Commonwealth's 1996 and 1998 Section 303(d) lists included stream segments in all of these watersheds. The listings of these waterbodies were due to use impairments caused by excessive nutrients and organic enrichment and low dissolved oxygen from municipal point sources. Agriculture has been identified as a source of nutrient impairment in one of the unnamed tributaries to Neshaminy Creek and suspended solids has been identified as a cause of impairment in the other unnamed tributary to Neshaminy Creek. Urban runoff has also been identified as a source of impairment in the Cooks Run Watershed.

There are currently no State or Federal instream numerical water quality criteria for nutrients and suspended solids. Therefore, the Department utilized a reference watershed approach to implement the applicable narrative criteria. These TMDLs set allowable loadings of sediment and phosphorous in the Neshaminy Creek Watershed. Phosphorous was chosen as the TMDL endpoint for nutrient impairments due to it being the limiting nutrient in these watersheds. The sediment and phosphorous loadings were allocated among all of the land use categories present in the watersheds. Data used in estab-

lishing these TMDLs was generated using a water quality analysis model (AVGWLF) designed by the Pennsylvania State University. The following table shows the listed streams and miles degraded.

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
2776	Cooks Run	4.6
2543	Core Creek	15.8
2638	Little Neshaminy Creek	37.9
2741	Mill Creek	8.7
2484	Neshaminy Creek	84.52
2868	West Branch Neshaminy Creek	29.5
2789	North Branch Neshaminy Creek	3.3
2490	Unnamed tributary Neshaminy Creek	0.5
2701	Unnamed tributary Neshaminy Creek	0.58
2889	Unnamed tributary West Branch Neshaminy Branch	0.2
2661	Park Creek	9.3
2790	Pine Run	8.4

The Department will accept written comments on the proposed TMDLs. Comments will not be accepted by facsimile or voice mail. Written comments, which will be considered by the Department in developing the final TMDL, must be postmarked by February 12, 2003, and sent to Lee A. McDonnell, P. E., Chief, TMDL and Modeling Section, Division of Water Quality Assessment and Standards, Department of Environmental Protection, 400 Market Street, Harrisburg, PA 17105, (717) 783-2938, lmcdonnel@state.pa.us.

To request a copy of the proposed TMDLs and associated information or to obtain directions to the Department Southeast Regional Office meeting place, contact Lee McDonnell at the previous phone number or e-mail address.

The proposed TMDLs can be accessed through the Department website (<http://www.dep.state.pa.us>) by typing "TMDL" in the direct link field and clicking "GO." Persons with a disability who require accommodations to attend this meeting should contact the Department at (717) 783-2938 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Public Meeting and Request for Comment for the Proposed TMDLs Developed for a Segment of Oil Creek in York County

The Department will hold a public meeting to discuss and accept comments on the proposed TMDLs developed for a segment of Oil Creek in York County. The meeting will be held on Wednesday, January 8, 2003, at 7 p.m. in the Penn Township Municipal Building, 20 Wayne Avenue, Hanover, PA. Individuals who plan to make a presentation at the public meeting should contact Lee McDonnell, (717) 783-2951, lmcdonnel@state.pa.us by 4 p.m. on Friday, December 27, 2002. The Department will consider all comments in developing the final TMDL, which will be submitted to the EPA for approval.

The TMDL was established in accordance with the requirements of section 303(d) of the act. The Commonwealth's 1996 and 1998 Section 303(d) lists included stream segments in the watershed. The listings of these segments were due to use impairments caused by sediment as a result of stream bank erosion.

There are currently no State or Federal instream numerical water quality criteria for sediment. Therefore,

the Department utilized a reference watershed approach to implement the applicable narrative criteria. The proposed TMDL sets allowable loadings of sediment in the Oil Creek watershed. The sediment loadings were allocated among all land use categories present in the watersheds. Data used in establishing this TMDL were generated using a water quality analysis model (AVGWLF) designed by the Pennsylvania State University.

The following table shows the estimated current sediment loading for the segment of Oil Creek addressed in this TMDL. The overall load reduction necessary to meet the TMDL is also identified.

<i>Pollutant</i>	<i>Existing Load (lbs/yr)</i>	<i>TMDL (lbs/yr)</i>	<i>Percent Reduction</i>
Sediment	1,549,618	1,039,943	33%

The Department will accept written comments on the proposed TMDL. Comments will not be accepted by facsimile or voice mail. Written comments, which will be considered by the Department in developing the final TMDL, must be postmarked by February 12, 2003, and sent to Lee A. McDonnell, P. E., Chief, TMDL and Modeling Section, Division of Water Quality Assessment and Standards, Department of Environmental Protection, 400 Market Street, Harrisburg, PA 17105, (717) 783-2938, lmcdonnel@state.pa.us.

To request a copy of the proposed TMDL and associated information sheet or to obtain directions to the Penn Township Municipal Building meeting place, contact Lee McDonnell at the previous phone number or e-mail address.

The proposed TMDL can be accessed through the Department's website (<http://www.dep.state.pa.us>) by typing "TMDL" in the direct link field and clicking "GO." Persons with a disability who require accommodations to attend this meeting should contact the Department at (717) 783-2951 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Public Meeting and Request for Comment for the TMDL for the Oven Run Watershed in Somerset County

The Department will hold a public meeting to discuss and accept comments on a proposed TMDL for the Oven Run Watershed in Somerset County. The meeting will be held on Thursday, January 23, 2003, at 6:30 p.m. at the Hooversville Community Building in Hooversville, PA. Individuals who plan to make a presentation at the public meeting should contact Tim Kania, Cambria District Mining Office, (814) 472-1900, tkania@state.pa.us by 4 p.m. on Wednesday, January 15, 2003. The Department will consider all comments in developing the final TMDL for the Oven Run Watershed, which will be submitted to the EPA for approval.

The proposed TMDL for the Oven Run Watershed was established in accordance with the requirements of section 303(d) of the act. One stream segment in the Oven Run Watershed has been identified as impaired on the 1996, 1998 and draft 2002 Pennsylvania 303(d) lists due to depressed pH and/or high concentrations of metals. The listed segment and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
45621	Oven Run	1.86

The proposed plan provides calculations of the stream's total capacity to accept metals (aluminum, iron, manganese and acidity), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5	Total Recoverable
	0.3	Dissolved
Manganese	1.00	Total Recoverable
pH	6.0—9.0	NA

The primary pollutant source for the watershed is abandoned mine workings. This watershed was heavily mined for coal in the late 19th through 20th centuries. The effects of this are still present. All of the allocations made in the TMDL are LA, which are made to nonpoint sources of pollution.

The proposed TMDL was developed using MCS to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. MCS allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the proposed TMDL. The proposed TMDL for the Oven Run Watershed sets allowable loading rates for metals and acidity at specified points in the watershed. Field data collected over the past 10 years was used to establish the proposed TMDL for the Oven Run Watershed. The data and all supporting information used to develop the proposed TMDL are available from the Department.

The Department will accept written comments on the proposed TMDL for the Oven Run Watershed. Comments will not be accepted by facsimile or voice mail. Written comments, which will be considered by the Department in developing the final TMDL, must be postmarked by February 12, 2003, and sent to Tim Kania, Permits Chief, Department of Environmental Protection, Cambria District Mining Office, 286 Industrial Park Road, Ebensburg, PA 15931-4119.

To request a copy of the proposed TMDL and associated information sheet or to obtain directions to the Hooversville Community Building meeting place, contact Tim Kania at the previous phone number or e-mail address.

The proposed TMDL for the Oven Run Watershed can be accessed through the Department's website (<http://www.dep.state.pa.us>) by typing "TMDL" in the direct link field and clicking "GO." Persons with a disability who require accommodations to attend this meeting should contact the Department at (814) 472-1900 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Public Meeting and Request for Comment for the TMDL for Pinchot Lake in York County

The Department will hold a public meeting to discuss and accept comments on the proposed TMDL for Pinchot Lake in York County. The meeting will be held on Thursday, January 23, 2003, at 7 p.m. at the Warrington

Township Building, 3345 Rosstown Road, Wellsville, PA 17365. Individuals who plan to make a presentation at the public meeting should contact Lee McDonnell, (717) 783-2938, lmcdonnell@state.pa.us by 4 p.m. on Friday, January 10, 2003. The Department will consider all comments in developing the final TMDL for Pinchot Lake, which will be submitted to the EPA for approval.

The proposed TMDL for Pinchot Lake was established in accordance with the requirements of section 303(d) of the act. Pinchot Lake was listed on the Commonwealth's 1996 and 1998 Section 303(d) lists because of impairments of designated uses due to organic enrichment/low dissolved oxygen.

The Department utilized a combination of watershed and lake models in developing the TMDL. The proposed TMDL sets the allowable loading of phosphorus in the Pinchot Lake watershed. Phosphorus was chosen as the TMDL endpoint for organic enrichment/low dissolved oxygen, due to it being the limiting nutrient in the lake. The phosphorus loading was allocated among all land use categories present in the watershed. Data used in establishing these TMDLs was generated using a water quality analysis model (AVGWLF) designed by the Pennsylvania State University and the BATHTUB lake model developed by USACE.

The Department will accept written comments on the proposed TMDL for Pinchot Lake. Comments will not be accepted by facsimile or voice mail. Written comments, which will be considered by the Department in developing the final TMDL, must be postmarked by February 12, 2003, and sent to Lee A. McDonnell, P. E., Chief, TMDL and Modeling Section, Division of Water Quality Assessment and Standards, Department of Environmental Protection, 400 Market Street, Harrisburg, PA 17105, (717) 783-2938, lmcdonnell@state.pa.us.

To request a copy of the proposed TMDL and associated information sheet or to obtain directions to the Warrington Township Building, contact Lee McDonnell at the previous phone number or e-mail address.

The proposed TMDL for Pinchot Lake can be accessed through the Department's website (<http://www.dep.state.pa.us>) by typing "TMDL" in the direct link field and clicking "GO." Persons with a disability who require accommodations to attend this meeting should contact the Department at (570) 826-2310 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Public Meeting and Request for Comment for the TMDL for the Rock Run Watershed in Cambria County

The Department will hold a public meeting to discuss and accept comments on the proposed TMDL for the Rock Run Watershed in Cambria County. The meeting will be held on Wednesday, January 15, 2003, at 7 p.m. at the Patton Ambulance Association Building in Patton, PA. Individuals who plan to make a presentation at the public meeting should contact Chuck Yingling, (717) 783-2300, cyingling@state.pa.us by 4 p.m., Friday, January 3, 2003. The Department will consider all comments in developing the final TMDL for this watershed, which will be submitted to the EPA for approval.

The proposed TMDL for the Rock Run Watershed was established in accordance with the requirements of section 303(d) of the act. One stream segment in the Rock Run Watershed has been identified as impaired on the 1996 and 1998 Pennsylvania 303(d) lists due to high

levels of metals. The listed segment and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
26872	Rock Run	3

The proposed plan provides calculations of the stream's total capacity to accept metals (iron, manganese and aluminum) and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion Value (mg/l)</i>	<i>Duration</i>	<i>Total Recoverable/Dissolved</i>
Iron	1.50	1 Day Average Maximum	Total Recoverable Dissolved
	0.3		
Manganese	1.00	Maximum	Total Recoverable
Aluminum	0.75	1 Hour	Total Recoverable
pH*	6—9	At all times	N/A

*According to research conducted by the Department, at pH = 6.0 the net alkalinity of a stream has been found to be zero. Therefore, the water quality standard for pH will vary based on in-stream alkalinity at that site with a minimum net alkalinity of zero being maintained. In the case of freestone streams with little or no buffering capacity, the TMDL endpoint for pH will be the alkalinity contained in natural background water quality.

The primary pollutant for the watershed is abandoned mine workings. The downstream portion of the Rock Run Watershed was mined heavily for bituminous coal in the late 19th and early 20th centuries. Strip mining had continued in the watershed until the year 2000. The effects of this mining are still present. There are two types of allocations made in the TMDL: load allocations that are made to nonpoint sources of pollution and wasteload allocations that are associated with the active permits in the watershed.

The TMDL was developed using mass balance modeling techniques coupled with MCS to determine the long-term daily average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. MCS allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL. All analyses were started at the headwaters of each stream segment and a mass balance of pollutant concentration was conducted moving downstream accounting for all sources of pollutants. The TMDL sets allowable loading rates for metals and acidity at specified points in the watershed. Field data collected from 1980 to 2002 was used to establish the TMDL for the Rock Run Watershed. Data and all supporting information used to develop the proposed TMDL are available from the Department.

The Department will accept written comments on the proposed TMDL for the Rock Run Watershed. Comments will not be accepted by facsimile or voice mail. Written comments, which will be considered by the Department in developing the final TMDL, must be postmarked by February 12, 2003, and sent to Chuck Yingling, Department of Environmental Protection, Office of Water Management, 400 Market Street, Harrisburg, PA 17105-8555.

To request a copy of the proposed TMDL and associated information or to obtain directions to the Patton Ambulance Association Building meeting place, contact Chuck Yingling at the previous phone number or e-mail address.

The proposed TMDL for the Rock Run Watershed can be accessed through the Department's website (<http://www.dep.state.pa.us>) by typing "TMDL" in the direct link

field and clicking "GO." Persons with a disability who require accommodations to attend this meeting should contact the Department at (717) 783-2300 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Public Meeting and Request for Comment for the TMDL for the Sixmile Run Watershed and the Longs Run/Sandy Run Watershed in Bedford County

The Department will hold a public meeting to discuss and accept comments on the proposed TMDL for the Sixmile Run Watershed and the Longs Run/Sandy Run Watershed in Bedford County. The meeting will be held on Monday, January 27, 2003, at 6:30 p.m. at the Sixmile Run Fire Hall in Broad Top Township, Bedford County. Individuals who plan to make a presentation at the public meeting should contact Tim Kania, (814) 342-8200, tkania@state.pa.us by 4 p.m. on Friday, January 17, 2003. The Department will consider all comments in developing the final TMDL for these watersheds, which will be submitted to the EPA for approval.

The proposed TMDLs for the Sixmile Run Watershed and the Longs Run/Sandy Run Watershed were established in accordance with the requirements of section 303(d) of the act. One stream segment in the Sixmile Run Watershed has been identified as impaired on the 1996, 1998 and draft 2002 Pennsylvania 303(d) lists due to depressed pH and/or high concentrations of metals. The listed segment and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
13791	Sixmile Run	6.16

Two stream segments in the Longs Run/Sandy Run Watershed have been identified as impaired on the 1996, 1998 and draft 2002 Pennsylvania 303(d) lists due to depressed pH and/or high concentrations of metals. The listed segments and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
14031	Longs Run	5.26
14030	Sandy Run	6.26

The proposed plan for the Sixmile Run Watershed and the Longs Run/Sandy Run Watershed provides calculations of the stream's total capacity to accept metals (aluminum, iron, manganese and acidity), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5	Total Recoverable
	0.3	Dissolved
Manganese	1.00	Total Recoverable
pH	6.0—9.0	NA

The primary pollutant source for the Sixmile Run Watershed and the Longs Run/Sandy Run Watershed is abandoned mine workings. These watersheds were heavily mined for coal throughout the 19th and late 20th centuries. The effects of this mining are still present in these watersheds. All of the allocations made in the TMDLs are LA, which are made to nonpoint sources of pollution.

The TMDLs for the Sixmile Run Watershed and the Longs Run/Sandy Run Watershed were developed using a MCS to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. MCS allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the proposed TMDLs. The proposed TMDLs for the Sixmile Run Watershed and the Longs Run/Sandy Run Watershed set allowable loading rates for metals and acidity at specified points in the watersheds. Field data collected over the past 2 years was used to establish the proposed TMDLs for the Sixmile Run Watershed and the Longs Run/Sandy Run Watershed. Data and all supporting information used to develop the proposed TMDLs for the Sixmile Run Watershed and the Longs Run/Sandy Run Watershed are available from the Department.

The Department will accept written comments on the proposed TMDLs for the Sixmile Run Watershed and the Longs Run/Sandy Run Watershed. Comments will not be accepted by facsimile or voice mail. Written comments, which will be considered by the Department in developing the final TMDLs, must be postmarked by February 12, 2003, and sent to Tim Kania, Permits Chief, Department of Environmental Protection, Cambria District Mining

Office, 286 Industrial Park Road, Ebensburg, PA 15931-4119.

To request a copy of the proposed TMDLs and associated information sheets or to obtain directions to the Sixmile Run Fire Hall meeting place, contact Tim Kania at the previous phone number or e-mail address.

The proposed TMDLs for the Sixmile Run Watershed and the Longs Run/Sandy Run Watershed can be accessed through the Department's website (<http://www.dep.state.pa.us>) by typing "TMDL" in the direct link field and clicking "GO." Persons with a disability who require accommodations to attend this meeting should contact the Department at (717) 783-2938 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Public Meeting and Request for Comment for the TMDL for South Branch Codorus Creek in York County

The Department will hold a public meeting to discuss and accept comments on the proposed TMDL for the South Branch Codorus Creek in York County. The meeting will be held on Wednesday, January 29, 2003, at 7 p.m. in the Nature Center, Nixon County Park, 5922 Nixon Drive, York, PA. Individuals who plan to make a presentation at the public meeting should contact Lee McDonnell, (717) 783-2951, lmcdonnell@state.pa.us by 4 p.m. on Friday, January 17, 2003. The Department will consider all comments in developing the final TMDL for the South Branch Codorus Creek, which will be submitted to the EPA for approval.

The proposed TMDL developed for the South Branch Codorus Creek in York County was established in accordance with the requirements of section 303(d) of the act. The Commonwealth's 1996 and 1998 Section 303(d) lists included stream segments in the watershed. The listings of these segments were due to use impairments caused by nutrients and siltation as a result of agricultural and urban runoff.

There currently are no State or Federal instream numerical water quality criteria for nutrients and sediment. Therefore, the Department utilized a reference watershed approach to implement the applicable narrative criteria. The proposed TMDL sets allowable loadings of phosphorus and sediment in the South Branch Codorus Creek watershed. Phosphorus was chosen as the TMDL endpoint for nutrient impairments due to it being the limiting nutrient in the watershed. The phosphorus and sediment loadings were allocated among all land use categories present in the watershed. Data used in establishing these TMDLs were generated using a water quality analysis model (AVGWLF) designed by the Pennsylvania State University.

The following table shows the estimated current phosphorus and sediment loadings for two subbasins within the watershed. Overall load reductions necessary to meet the TMDLs are also identified.

<i>Watershed</i>	<i>Pollutant</i>	<i>Existing Load (lbs/yr)</i>	<i>TMDL (lbs/yr)</i>	<i>Percent Reduction</i>
Subbasin 1	Phosphorus	33,852	16,367	52%
	Sediment	29,141,794	13,773,460	53%
Subbasin 2	Phosphorus	24,269	13,493	44%
	Sediment	17,753,092	11,355,391	36%

The Department will accept written comments on the proposed TMDL for South Branch Codorus Creek. Comments will not be accepted by facsimile or voice mail. Written comments, which will be considered by the Department in developing the final TMDL, must be postmarked by February 12, 2003, and sent to Lee A. McDonnell, P. E., Chief, TMDL and Modeling Section, Division of Water Quality Assessment and Standards, Department of Environmental Protection, 400 Market Street, Harrisburg, PA 17105, (717) 783-2938, lmcdonnel@state.pa.us.

To request a copy of the proposed TMDL and associated information or to obtain directions to the Nature Center at Nixon County Park, contact Lee McDonnell at the previous phone number or e-mail address.

The proposed TMDL for the South Branch Codorus Creek can be accessed through the Department's website (<http://www.dep.state.pa.us>) by typing "TMDL" in the direct link field and clicking "GO." Persons with a disability who require accommodations to attend this meeting should contact the Department at (717) 783-2951 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Public Meeting and Request for Comments for the TMDL for the Tioga River Watershed in Tioga and Bradford Counties

The Department will hold a public meeting to discuss and accept comments on the proposed TMDL for the Tioga River Watershed in Tioga and Bradford Counties. The meeting will be held on Tuesday, January 28, 2003, at 7 p.m. at the Hillside Rod and Gun Club in Blossburg, PA. Individuals who plan to make a presentation at the public meeting should contact Chuck Yingling, (717) 783-2300, cyingling@state.pa.us by 4 p.m. on Friday, January 3, 2003. The Department will consider all comments in developing the final TMDL for the Tioga River Watershed, which will be submitted to the EPA for approval.

The proposed TMDL for the Tioga River Watershed was established in accordance with the requirements of section 303(d) of the act. Three stream segments in the Tioga River Watershed have been identified as impaired on the 1996 and 1998 Pennsylvania 303(d) lists due to depressed pH and/or high concentrations of metals, as well as an additional 14 segments. The listed segments and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
30990	Tioga River	19.71
31442	Bear Creek	1.14
31443	Johnson Creek	8.0
31476	Coal Creek	2.36
31477	Coal Creek, UNT	0.36
31480	Morris Run	2.27
31481	Morris Run, UNT	0.56
31483	Morris Run, UNT	0.67
31484	Morris Run, UNT	1.4
31485	Morris Run, UNT	0.59
31486	Morris Run, UNT	0.36
31487	Morris Run, UNT	0.35
31488	Morris Run, UNT	0.2
31506	Fall Brook	6.83
31519	Fall Brook, UNT	1.15
31521	Fall Brook, UNT	0.98
31522	Fall Brook, UNT	0.91
31523	Fall Brook, UNT	0.15
31534	Fellows Creek	3.38

The proposed plan provides calculations of stream's total capacity to accept metals (aluminum, iron, manganese and acidity), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5	30-Day Average Total Recoverable
Manganese	1.00	Total Recoverable
pH	6.0–9.0	N/A

The primary pollutant source for the watershed is abandoned mine workings. This watershed was heavily mined for coal from the 19th to the late 20th centuries. The effects of this mining are still present. All of the allocations made in the TMDL are LA that are made to nonpoint sources of pollution.

The TMDL was developed using MCS to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. MCS allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL. The TMDL sets allowable loading rates for metals and acidity at specified points in the watershed. Field data collected over the past 10 years was the basis of information used in the establishment of this TMDL for the Tioga River Watershed. The data and all supporting information used to develop the proposed TMDL are available from the Department.

The Department will accept written comments on the proposed TMDL for the Tioga River Watershed. Comments will not be accepted by facsimile or voice mail. Written comments, which will be considered by the Department in developing the final TMDL, must be postmarked by February 12, 2003, and sent to Chuck Yingling, Department of Environmental Protection, Office of Water Management, 400 Market Street, Harrisburg, PA 17105-8555.

To request a copy of the proposed TMDL and associated information or to obtain directions to the Hillside Rod and Gun Club meeting place, contact Chuck Yingling at the previous phone number or e-mail address.

The proposed TMDL for Tioga River Watershed can be accessed through the Department's website (<http://www.dep.state.pa.us>) by typing "TMDL" in the direct link field and clicking "GO." Persons with a disability who require accommodations to attend this meeting should contact the Department at (717) 783-2300 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Public Meeting and Request for Comment for the TMDL Developed for the Unnamed Tributary to Schuylkill River in Chester County

The Department will hold a public meeting to discuss and accept comments on the proposed TMDL for the unnamed tributary to Schuylkill River in Chester County. The meeting will be held on Monday, February 3, 2003, at 1 p.m. at the Department's Southeast Regional Office, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA. Individuals who plan to make a presentation at the public

meeting should contact Lee McDonnell, (717) 783-2938, lmcdonnell@state.pa.us by 4 p.m. on Friday, January 24, 2003. The Department will consider all comments in developing the final TMDL for this tributary to the Schuylkill River, which will be submitted to the EPA for approval.

This TMDL was established in accordance with the requirements of section 303(d) of the act. The Commonwealth's 1996 and 1998 Section 303(d) lists included the stream segment. The listing of this waterbody was due to use impairments caused by excessive nutrients from agricultural land uses.

There are currently no State or Federal instream numerical water quality criteria for nutrients and sediments. Therefore, the Department utilized a reference watershed approach to implement the applicable narrative criteria. These TMDLs set allowable loadings of sediment and phosphorous in the unnamed tributary to the Schuylkill River watershed. Phosphorous was chosen as the TMDL endpoint for nutrient impairments due to it being the limiting nutrient in these watersheds. The sediment and phosphorous loadings were allocated among all of the land use categories present in the watershed. Data used in establishing this TMDL was generated using a water quality analysis model (AVGWLF) designed by the Pennsylvania State University. The following table shows the listed segment and miles degraded.

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
1622	Unnamed tributary to Schuylkill River	2.6

The Department will accept written comments on the proposed TMDL. Comments will not be accepted by facsimile or voice mail. Written comments, which will be considered by the Department in developing the final TMDL, must be postmarked by February 12, 2003, and sent to Lee A. McDonnell, P. E., Chief, TMDL and Modeling Section, Division of Water Quality Assessment and Standards, Department of Environmental Protection, 400 Market Street, Harrisburg, PA 17105, (717) 783-2938, lmcdonnell@state.pa.us.

To request a copy of the proposed TMDL and associated information or to obtain directions to the Department's Southeast Regional Office, contact Lee McDonnell at the previous phone number or e-mail address.

The proposed TMDL can be accessed through the Department's website (<http://www.dep.state.pa.us>) by typing "TMDL" in the direct link field and clicking "GO." Persons with a disability who require accommodations to attend this meeting should contact the Department at (717) 783-2938 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Public Meeting and Request for Comment for the Proposed TMDLs Developed for an Unnamed Tributary to Swatara Creek in Lebanon County

The Department will hold a public meeting to discuss and accept comments on the proposed TMDL for an unnamed tributary to Swatara Creek in Lebanon County. The meeting will be held on Monday, January 13, 2003, at 7 p.m. in the East Hanover Township Building, Lebanon County. Individuals who plan to make a presentation at the public meeting should contact Lee McDonnell, (717) 783-2951, lmcdonnell@state.pa.us by 4 p.m. on Friday, January 3, 2003. The Department will consider all comments in developing the final TMDL, which will be submitted to the EPA for approval.

The proposed TMDLs developed for an unnamed tributary to Swatara Creek in Lebanon County were established in accordance with the requirements of section 303(d) of the act. The Commonwealth's 1996 and 1998 Section 303(d) lists included stream segments in the watershed. The listings of these segments were due to use impairments caused by organic enrichment and low dissolved oxygen as a result of agricultural land use practices.

There are currently no State or Federal instream numerical water quality criteria for nutrients. Therefore, the Department utilized a reference watershed approach to implement the applicable narrative criteria. The proposed TMDL sets allowable loadings of phosphorus in the unnamed tributary to the Swatara Creek watershed. Phosphorus was chosen as the TMDL endpoint for nutrient impairments due to it being the limiting nutrient in these watersheds. The phosphorus loadings were allocated among all land use categories present in the watersheds. Data used in establishing these TMDLs were generated using a water quality analysis model (AVGWLF) designed by the Pennsylvania State University.

The following table shows the estimated current phosphorus loadings for two sub-basins within the watershed. Overall load reductions necessary to meet the TMDLs are also identified.

<i>Watershed</i>	<i>Pollutant</i>	<i>Existing Load (lbs/yr)</i>	<i>TMDL (lbs/yr)</i>	<i>Percent Reduction</i>
Subbasin 1	Phosphorus	1,865	1,575	16%
Subbasin 2	Phosphorus	1,816	1,218	33%

The Department will accept written comments on the proposed TMDL. Comments will not be accepted by facsimile or voice mail. Written comments, which will be considered by the Department in developing the final TMDL, must be postmarked by February 12, 2003, and sent to Lee A. McDonnell, P. E., Chief, TMDL and Modeling Section, Division of Water Quality Assessment and Standards, Department of Environmental Protection, 400 Market Street, Harrisburg, PA 17105, (717) 783-2938, lmcdonnell@state.pa.us.

To request a copy of the proposed TMDLs and associated information sheets or to obtain directions to the East Hanover Township Building meeting place, contact Lee McDonnell at the previous phone number or e-mail address.

The proposed TMDLs can be accessed through the Department's website (<http://www.dep.state.pa.us>) by typing "TMDL" in the direct link field and clicking "GO." Persons with a disability who require accommodations to

attend this meeting should contact the Department at (717) 783-2951 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Public Meeting and Request for Comment for the TMDL for Upper Schuylkill River Watershed in Schuylkill County

The Department will hold a public meeting to discuss and accept comments on the proposed TMDL for the Upper Schuylkill River Watershed in Schuylkill County. The meeting will be held on Wednesday, January 22, 2003, at 6 p.m. at the Tamaqua Community Center in Tamaqua, PA. Individuals who plan to make a presentation at the public meeting should contact Michael Hill, (570) 621-3118, mihill@state.pa.us by 4 p.m. on Friday, January 17, 2003. The Department will consider all comments in developing the final TMDL, which will be submitted to the EPA for approval.

The proposed TMDL for the Uppers Schuylkill River Watershed was established in accordance with the requirements of section 303(d) of the act. Panther and Wabash Creeks in the Upper Schuylkill River Watershed have been identified as impaired on the 1996 and 1998 Pennsylvania 303(d) lists due to high concentrations of metals. The listed streams and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
02252	Panther Creek	6.47
02251	Wabash Creek	2.03

The proposed plan provides calculations of stream's total capacity to accept metals (aluminum, iron, manganese and acidity), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum	0.1 of the 96 hour LC 50 0.75	Total Recoverable
Iron	1.5 0.3	Total Recoverable Dissolved
Manganese	1.00	Total Recoverable
pH	6.0—9.0	N/A

The primary pollutant source for the watershed is abandoned mine workings. The majority of the watersheds had been affected by underground and surface mining activities dating back at least 200 years. The effects of this are still present. All of the allocations made in the TMDL are LA, which are made to nonpoint sources of pollution.

The proposed TMDL was developed using MCS to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. MCS allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL. The TMDL sets allowable loading rates for metals and acidity at specified points in the watershed. Field data collected over the past 10 years was used to establish the proposed TMDL for the Upper Schuylkill River Watershed. Data and all supporting information used to develop the proposed TMDL are available from the Department.

The Department will accept written comments on the proposed TMDL for the Upper Schuylkill River Watershed. Comments will not be accepted by facsimile or voice mail. Written comments, which will be considered by the Department in developing the final TMDL, must be postmarked by February 12, 2003, and sent to Michael Hill, Geologic Specialist, Department of Environmental Protection, Pottsville District Mining Office, 5 West Laurel Blvd., Pottsville, PA 17901.

To request a copy of the proposed TMDL for the Upper Schuylkill River Watershed or to obtain directions to the Tamaqua Community Center meeting place, contact Michael Hill at the previous phone number or e-mail address.

The proposed TMDL for the Upper Schuylkill River Watershed can be accessed through the Department's website (<http://ww.dep.state.pa.us>) by typing "TMDL" in the direct link field and clicking "GO." Persons with a disability who require accommodations to attend this meeting should contact the Department at (570) 621-3118 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

[Pa.B. Doc. No. 02-2235. Filed for public inspection December 13, 2002, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are on the Department of Environmental Protection's (Department) website (www.dep.state.pa.us) at the Public Participation Center page. The "July 2002 Inventory" heading is the Governor's list of nonregulatory guidance documents. The "Final Documents" heading is the link to a menu of the various Department bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view guidance documents. When this option is not available, persons can order a bound paper copy of the latest inventory or an unbound paper copy of any of the final documents listed on the inventory by calling the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Draft Technical Guidance

DEP ID: 562-4180-101. Title: Noncoal Civil Penalty Assessments. Description: This document addresses the prescription/methodology used in determining civil penalties for orders issued for noncoal mining operations. Comment Period Ends: January 13, 2003. Anticipated

Effective Date: January 27, 2003. Contact: William Allen at (717) 787-5103 or e-mail wallen@state.pa.us.

DAVID E. HESS,
Secretary

[Pa.B. Doc. No. 02-2236. Filed for public inspection December 13, 2002, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Allegheny General Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Allegheny General Hospital has requested an exception to the requirements of 28 Pa. Code §§ 107.64 and 117.30 (relating to administration of drugs; and emergency paramedic services).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, e-mail ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for Speech and/or Hearing Impaired Persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-2237. Filed for public inspection December 13, 2002, 9:00 a.m.]

Application of Alle-Kiski Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Alle-Kiski Medical Center has requested an exception to the requirements of 28 Pa. Code § 51.3(g)(4) (relating to notification).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, e-mail ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for Speech and/or Hearing Impaired Persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-2238. Filed for public inspection December 13, 2002, 9:00 a.m.]

Application of Bariatric Care Centers for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Bariatric Care Centers has requested an exception to the requirements of 28 Pa. Code §§ 107.25(b)(8) and 107.32 (relating to medical staff executive committee; and meetings and attendance).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, e-mail ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for Speech and/or Hearing Impaired Persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-2239. Filed for public inspection December 13, 2002, 9:00 a.m.]

Application of Brownsville General Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Brownsville General Hospital has requested an exception to the requirements of 28 Pa. Code § 109.2 (relating to director of nursing services).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute

and Ambulatory Care, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, e-mail ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for Speech and/or Hearing Impaired Persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-2240. Filed for public inspection December 13, 2002, 9:00 a.m.]

Application of Central Montgomery Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Central Montgomery Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standard contained in this publication: 10.6.A (relating to inpatient and residents dining, recreation and day spaces).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, e-mail ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for Speech and/or Hearing Impaired Persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-2241. Filed for public inspection December 13, 2002, 9:00 a.m.]

Application of UPMC Braddock for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC Braddock has requested an exception to the requirements of 28 Pa. Code § 51.3(g)(4) (relating to notification).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, e-mail ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for Speech and/or Hearing Impaired Persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-2242. Filed for public inspection December 13, 2002, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Fee Increase for Home Health Agency Services

The Department of Public Welfare (Department) announces that the fees for the following home health agency services, provided in accordance with 55 Pa. Code Chapter 1249 (relating to home health agency services), are increased, effective with dates of service on and after January 1, 2003.

<i>Procedure Code</i>	<i>Description</i>	<i>Current Fee</i>	<i>Increased Fee Effective 1/1/03</i>
W0520	Physical therapy (days 1-28) by a Physical Therapist	\$67.00	\$77.00
W0521	Physical therapy (29th day and beyond) by a Physical Therapist	\$67.00	\$77.00
W0522	Occupational therapy (days 1-28) by an Occupational Therapist	\$67.00	\$77.00

<i>Procedure Code</i>	<i>Description</i>	<i>Current Fee</i>	<i>Increased Fee Effective 1/1/03</i>
W0523	Occupational therapy (29th day and beyond) by an Occupational Therapist	\$67.00	\$77.00
W0524	Speech therapy (days 1-28) by a Speech Therapist	\$67.00	\$77.00
W0526	Audiological therapy (days 1-28) by an Audiologist	\$67.00	\$77.00
W0527	Audiological therapy (29th day and beyond) by an Audiologist	\$67.00	\$77.00
W0529	Home Health Agency visit to patient's home (days 1-28) by a Registered Nurse/Licensed Practical Nurse	\$67.00	\$77.00
W0530	Home Health Agency visit to patient's home (29th day and beyond) by a Registered Nurse/Licensed Practical Nurse	\$67.00	\$77.00
W0531	Home Health Agency visit to patient's home for prenatal care by a Registered Nurse/Licensed Practical Nurse	\$67.00	\$77.00
W0532	Home Health Agency visit to patient's home to provide assistance in planning for hospital or home delivery by a Registered Nurse/Licensed Practical Nurse	\$67.00	\$77.00
W0533	Home Health Agency visit to patient's home for postpartum instruction and demonstration by a Registered Nurse/Licensed Practical Nurse	\$67.00	\$77.00
W0534	Home Health Agency visit to patient's home for the purpose of giving instructions on special procedures, including the administration of medications and the use of prescribed appliances and equipment by a Registered Nurse/Licensed Practical Nurse	\$67.00	\$77.00
W0938	Home Health Agency visit to patient's home (days 1-28) by a Home Health Aide	\$37.00	\$40.00
W0939	Home Health Agency visit to patient's home (29th day and beyond) by a Home Health Aide	\$37.00	\$40.00
W0965	Speech therapy (29th day and beyond) by a Speech Therapist	\$67.00	\$77.00

The Department will issue a Medical Assistance Bulletin to home health agency service providers before the effective date of the fee increase.

Fiscal Impact

The fiscal impact of these fee increases is estimated at \$1.375 million (\$0.668 million in State funds) for Fiscal Year 2002-2003. The estimated cost for Fiscal Year 2003-2004 is \$3.2 million (\$1.563 million in State funds).

Contact Person

Interested persons are invited to submit written comments to this notice within 30 days of this publication. Comments should be sent to the Department of Public Welfare, Office of Medical Assistance Programs, c/o Deputy Secretary's Office, Attention: Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received will be considered for subsequent fee schedule revisions.

Persons with a disability may use the AT&T Relay Service by calling (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

FEATHER O. HOUSTOUN,
Secretary

Fiscal Note: 14-NOT-341. (1) General Fund;

	Outpatient	Capitation
(2) Implementing Year 2002-03 is	\$112,000	\$556,000
(3) 1st Succeeding Year 2003-04 is	\$333,000	\$1,230,000
2nd Succeeding Year 2004-05 is	\$334,000	\$1,353,000
3rd Succeeding Year 2005-06 is	\$334,000	\$1,488,000
4th Succeeding Year 2006-07 is	\$334,000	\$1,637,000
5th Succeeding Year 2007-08 is	\$334,000	\$1,801,000
	Outpatient	Capitation
(4) 2001-02 Program—	\$649,055,000	\$2,037,376,000
2000-01 Program—	\$668,586,000	\$1,487,944,000
1999-00 Program—	\$622,669,000	\$1,384,763,000

(7) MA—Outpatient and MA—Capitation; (8) recommends adoption. The additional costs have been included in the current budget.

DEPARTMENT OF REVENUE

Interest Rate

Under the provisions of section 806 of the Fiscal Code (72 P. S. § 806), the Secretary of Revenue announces that, for the year commencing January 1, 2003, all unpaid taxes which became due and payable to the Commonwealth on and after January 1, 1982, shall bear interest at the rate of 5% per annum. This rate will remain constant until December 31, 2003. Under the provisions of section 6621(a)(2) of the Internal Revenue Code, this rate has been established by the Secretary of the Treasury of the United States, to be effective January 1, 2003. This rate will be codified under 61 Pa. Code § 4.2(a) (relating to rate of interest).

Although the Tax Reform Act of 1986 amended section 6621 of the Internal Revenue Code, by requiring that the Secretary of the Treasury of the United States establish quarterly rates of interest to become effective for Federal purposes on the first month of each calendar quarter, these amendments do not affect Commonwealth law. The Fiscal Code requires that the interest rate be established effective January 1 of each calendar year without regard to any change in the Federal interest rate during the calendar year.

LARRY P. WILLIAMS,
Secretary

[Pa.B. Doc. No. 02-2244. Filed for public inspection December 13, 2002, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Availability of Local Real Estate Tax Reimbursement Grants for Taxes Paid in 2002

The Department of Transportation (Department), Bureau of Aviation, is accepting applications for tax reimbursement grants from qualifying owners of public airports who have paid local real estate taxes for the calendar year ending December 31, 2002.

Each year, under 74 Pa.C.S. §§ 6121—6124 (relating to reimbursement of local real estate taxes for public airports) and 67 Pa. Code Chapter 477 (relating to local real estate tax reimbursement grants), the owner of a public airport shall be eligible for a grant from the local real estate tax reimbursement portion of the Aviation Restricted Account. These grants are available to reimburse airport owners for local real estate taxes paid on those portions of an airport which are aviation related areas, as defined in 74 Pa.C.S. § 5102 (relating to definitions). Prior to applying for a grant, each public airport owner shall enter into an agreement with the Department. This agreement shall specify that the owner shall continue, for a period of not less than 10 years, to maintain the property, for which the grant will be sought, as an airport at least equal in size and capacity as that indicated in the owner's initial grant application. This agreement shall be a covenant, which runs with the land and shall apply to subsequent purchases of land. Upon acceptance of a grant, the covenant shall be deemed extended for 1

additional year. A violation of the agreement shall make the owner liable for the repayment of the total appropriation for the year plus a penalty of two times the grant. In an action wherein the owner is found to have violated the agreement, the Department shall receive all costs of prosecution.

The final date for submission of applications for reimbursement of local real estate taxes paid in calendar year ending December 31, 2002, is the close of business on February 1, 2003. Applications shall be filed with the Department of Transportation, Bureau of Aviation, P. O. Box 3457, Harrisburg, PA 17101-3457.

Interested persons may direct their request for applications, inquiries or comments regarding the local real estate tax reimbursement program to Edward Buczeskie, (717) 705-1223.

BRADLEY L. MALLORY
Secretary

[Pa.B. Doc. No. 02-2245. Filed for public inspection December 13, 2002, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Molycorp, Inc. v. DEP; EHB Doc. No 2002-293-R

Molycorp, Inc. has appealed the issuance by the Department of Environmental Protection of an NPDES permit to same for a facility in Canton Township, Washington, County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457 and may be reviewed by interested parties on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

GEORGE J. MILLER,
Chairperson

[Pa.B. Doc. No. 02-2246. Filed for public inspection December 13, 2002, 9:00 a.m.]

Nazareth Borough Municipal Authority v. DEP; EHB Doc. No. 2002-300-C

Nazareth Borough Municipal Authority has appealed the issuance by the Department of Environmental Protection of NPDES Permit No. PA0041742 (October 29, 2002) for a facility in Lower Nazareth Township, Northampton County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

GEORGE J. MILLER,
Chairperson

[Pa.B. Doc. No. 02-2247. Filed for public inspection December 13, 2002, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(d) of the Regulatory Review Act (71 P. S. § 745.5(d)) provides that the designated standing Committees may issue comments within 20 days of the close of the public comment period, and the Independent Regulatory Review Commission (Commission) may issue comments within 10 days of the close of the Committee comment period. The Commission comments are based upon the criteria contained in section 5.1(h) and (i) of the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)).

The Commission has issued comments on the following proposed regulations. Each agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
2-141	Department of Agriculture Milk Sanitation (32 Pa.B. 4717 (September 28, 2002))	10/28/02	12/2/02
12-59	Department of Labor and Industry Appeals from Determinations of Department (32 Pa.B. 4720 (September 28, 2002))	10/28/02	12/2/02

Department of Agriculture Regulation No. 2-141 Milk Sanitation December 2, 2002

We submit for consideration the following objections and recommendations regarding this regulation. Each objection or recommendation includes a reference to the criteria in the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) which have not been met. The Department of Agriculture (Department) must respond to these Comments when it submits the final-form regulation. If the final-form regulation is not delivered within 2 years of the close of the public comment period, the regulation will be deemed withdrawn.

Section 59.22. Milk dating.—Reasonableness; Implementation procedures; Clarity.

Subsection (e)

There are three concerns with this subsection.

The first sentence of the subsection reads: "The Department will *periodically* sample containers of pasteurized milk in the possession of the processor or distributor" (emphasis added). The specific time frame for sampling of product should be included in the final-form regulation.

Second, the final sentence provides that after two or more samples demonstrate a processor cannot produce pasteurized milk that meets the referenced bacterial limits, the processor is required to use a sell-by date that is less than the new 17-day sell-by date. It is our understanding that a processor may regain use of the 17-day period when it submits samples for additional tests and demonstrates compliance with acceptable standards. The procedure for reestablishing the 17-day sell-by date should be set forth in the final-form regulation.

Third, when a processor cannot produce pasteurized milk within acceptable parameters and is not allowed to use the 17-day sell-by date, the processor is required to "use a sell-by date of something less than the 17-day period described in subsection (a)." We understand the shorter sell-by date period will be determined by specific laboratory test methods. The process for determining the shorter period should be included in the final-form regulation.

Department of Labor and Industry Regulation No. 12-59

Appeals From Determinations of Department

December 2, 2002

We submit for consideration the following objections and recommendations regarding this regulation. Each objection or recommendation includes a reference to the criteria in the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) which have not been met. The Department of Labor and Industry (Department) must respond to these Comments when it submits the final-form regulation. If the final-form regulation is not delivered within 2 years of the close of the public comment period, the regulation will be deemed withdrawn.

1. Section 101.81. Filing of appeal from determination of Department.—Reasonableness; and Clarity.

Subsection (a)

This subsection describes the process for obtaining Department-provided appeal forms. We have three concerns.

First, this subsection, as well as § 101.81(c), includes the term “Department office responsible for unemployment compensation.” This term is unclear. How will a petitioner know if a Department office is responsible for unemployment compensation? For clarity, the Department should define the term “Department office responsible for unemployment compensation” in the final-form regulation.

Second, the phrase “Department-provided” is redundant and should be eliminated, as the forms can be obtained from a Department office.

Third, could an individual obtain these forms from any other source, including the Department’s website? This should be specified in the final-form regulation.

Subsection (b)

This subsection reveals where an individual would obtain information about filing an appeal. We have five concerns.

First, this subsection provides that the aforementioned information may be “obtained from a Department office responsible for unemployment compensation or an office of the Board.” Are there any other places where an individual could obtain this information?

Second, this subsection states, “Information about filing an appeal may be obtained from a Department office responsible for unemployment compensation or an office of the Board.” We understand that assistance will be available at service centers. These centers are reachable only by phone. For clarification, the Unemployment Compensation Board of Review (Board) should include information on how to receive assistance with the appeal instructions that accompany the notice of determination.

Third, is the Department able to make available this information on its website? The Department should explain.

Fourth, subsection (a) states that an appeal form may be obtained from a workforce investment office (WIO). Yet, subsection (b) does not include a WIO as a place where an individual can obtain information about filing an appeal. Can one obtain this information from a WIO?

Finally, current subsection (b) states that assistance can be obtained in completing an appeal form at a local employment office or at an office of the Board. Why doesn’t the revised subsection (b) allow for similar assistance?

Subsection (c)

Under this subsection, the Department describes the process for filing an appeal and the content of the appeal forms. Why is the signature of the local employment office representative, formerly found in § 101.81(b)(7), being deleted? The Department should explain.

2. Section 101.82. Time for filing appeal from determination of Department.—Clarity; Reasonableness; Implementation procedures.

Subsection (b)(1)

This subsection sets forth the requirements for personal delivery of an appeal. We understand that the Board considers deliveries from private couriers “personal delivery.” For clarity, the term “private courier” should be included as a method of personal delivery in this subsection.

For further clarity, the Board should consider defining the term “personal delivery,” and including the term “private courier.”

Subsection (b)(3)

This subsection allows for delivery by common carrier. It states the following:

An appeal may be delivered by a common carrier of property which is subject to the authority of the Pennsylvania Public Utility Commission or the United States National Transportation Board. The date of the filing is the date the document was delivered to the common carrier, as established by a document or other record prepared by the common carrier in the normal course of business.

We have four concerns.

First, the phrase, “subject to the authority” is vague. We understand that common carriers are not registered, but are regulated by the Pennsylvania Public Utility Commission (PUC). How would a person know if the carrier they are using is subject to the authority of the PUC?

Second, the phrase “or other record” is vague. The final-form regulation should specify what other type of proof of delivery is acceptable.

Third, we question the reasonableness of allowing the filing date to be established by the delivery date to a third party. To illustrate this concern, we have reviewed delivery documentation included in a package delivered to our office by a major common carrier. The documentation includes a “ship date” and a “deliver by” date. It does not include the date that the package was delivered to the common carrier. How would the Department resolve this discrepancy?

Finally, if the delivery date cannot be established by documents or other records of the common carrier, how will the Department determine a filing date? We recommend that this paragraph include a provision similar to § 101.82(b)(2)(iii), which states that if the date cannot be determined, the filing date will be the date the appeal was received by the Department.

Subsection (b)(4)

This subsection allows for filing by fax transmission. We have three concerns.

First, if there is a discrepancy between the time noted by the Department’s fax machine and the sender’s fax machine, how will that discrepancy be resolved?

Second, will faxes received after the close of normal business hours be considered timely?

Third, we believe that the sender should be aware of the risk involved with sending an appeal by fax transmission. We recommend that this subsection include a provision similar to the provision found in subsection (b)(5), relating to electronic transmission other than fax transmission, which states that the sender “accepts the risk that the appeal may not be properly or timely filed.”

Subsection (b)(5)

This subsection allows for filing by electronic transmission other than fax transmission. We have three concerns.

First, the phrase “information processing system” is vague. Does this include e-mail and voice mail? The

final-form regulation should specify what types of electronic transmission are acceptable.

Second, this paragraph requires a person filing electronically to "comply with Department instructions concerning format." The final-form regulation should include the necessary instructions.

Third, would an electronic transmission have to be sent to a specific e-mail address? If so, that e-mail address should be included in the final-form regulation. In addition, if the transmission is sent to an incorrect e-mail address at the Department, would it be considered properly filed?

3. Miscellaneous.—Clarity.

Section 101.102 of 34 Pa. Code references §§ 101.81 and 101.82 and should be revised to reflect the new titles included in this rulemaking.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 02-2248. Filed for public inspection December 13, 2002, 9:00 a.m.]

INSURANCE DEPARTMENT

American Independent Insurance Company; Private Passenger Automobile Insurance Rate Filing

On November 22, 2002, the Insurance Department (Department) received from American Independent Insurance Company a filing for a rate level change for private passenger automobile insurance.

The company requests an overall 8.2% increase amounting to \$6.409 million annually, to be effective January 1, 2003.

Unless formal administrative action is taken prior to January 21, 2003, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Department's regional offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Michael W. Burkett, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, e-mail mburkett@state.pa.us, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 02-2249. Filed for public inspection December 13, 2002, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Cancellation Order

Public Meeting held
November 21, 2002

Commissioners Present: Glen R. Thomas, Chairperson; Robert K. Bloom, Vice Chairperson; Aaron Wilson, Jr.; Terrance J. Fitzpatrick; Kim Pizzingrilli

*Pennsylvania Public Utility Commission Law Bureau
Prosecutory Staff v. Enron Energy Services, Inc.
(2002.0277); Doc. No. C-20028513; A-125004*

Cancellation Order

By the Commission:

On September 17, 2002, Law Bureau Prosecutory Staff filed a Formal Complaint against Enron Energy Services, Inc. (Respondent), a natural gas supplier (NGS) licensed at A-125004. In the Complaint, Prosecutory Staff alleged that Commission staff had notified Respondent by both first class and certified mail, return receipt requested, that Respondent had failed to file its 2001 Annual Report.

The Complaint requested that the Commission issue an order canceling the Respondent's NGS license for failure to file its 2001 Annual Report in violation of 66 Pa.C.S. § 2208(c)(2) and 52 Pa. Code § 62.110.

Service of the complaint was perfected on September 23, 2002. Respondent filed an answer on October 25, 2002, in which it admitted the allegations in the Complaint and stated that it does not object to the cancellation of its NGS license. Furthermore, Respondent informed the Commission that it no longer has retail natural gas customers within Pennsylvania, is no longer marketing any service within Pennsylvania, has no intention of doing so in the future, and as a result wishes to abandon its Pennsylvania natural gas license.

Based upon the foregoing, it is appropriate to cancel the NGS license of Enron Energy Services, Inc.; *Therefore, It Is Ordered That:*

1. The allegations in Law Bureau Prosecutory Staff's complaint are deemed admitted and the complaint is hereby sustained.
2. The NGS license held by Enron Energy Services, Inc. at A-125004 is hereby cancelled.
3. The Secretary strike the name of Enron Energy Services, Inc. from all active-utility lists maintained by the Annual Report Section of the Secretary's Bureau and the Assessment Section of the Bureau of Administrative Services.
4. Notice of this Cancellation Order shall be published in the *Pennsylvania Bulletin*.
5. The Secretary serve a copy of this Cancellation Order upon all jurisdictional natural gas distribution companies as well as the Pennsylvania Department of Revenue.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 02-2250. Filed for public inspection December 13, 2002, 9:00 a.m.]

Default Order

Public Meeting held
November 21, 2002

Commissioners Present: Glen R. Thomas, Chairperson;
Robert K. Bloom, Vice Chairperson; Aaron Wilson, Jr.;
Terrance J. Fitzpatrick; Kim Pizzingrilli

*Pennsylvania Public Utility Commission Law Bureau
Prosecutory Staff v. Clinton Energy Management Services
(2002.0277); Doc. No. C-20028514; A-125001*

Default Order

By the Commission:

On September 17, 2002, Law Bureau Prosecutory Staff filed a Formal Complaint against Clinton Energy Management Services (Respondent), a natural gas supplier (NGS) licensed at A-125001. In the Complaint, Prosecutory Staff alleged that Commission staff had notified Respondent by both first class and certified mail, return receipts requested, that it failed to file its 2001 Annual Report.

The Complaint requested that the Commission issue an order canceling the Respondent's NGS license for failure to file its 2001 Annual Report in violation of 66 Pa.C.S. § 2208(c)(2) and 52 Pa. Code § 62.110.

According to the United States Postal Service return receipt, service of the Complaint was not perfected because the Postal Service's forwarding order expired. To date, more than 30 days later, no answer has been filed to the Complaint and the 2001 Annual Report has not been filed; *Therefore,*

It Is Ordered That:

1. The allegations in Law Bureau Prosecutory Staff's complaint are deemed admitted and the complaint is hereby sustained.
2. The NGS license held by Clinton Energy Management Services at A-125001 is hereby cancelled.
3. The Secretary strike the name of Clinton Energy Management Services from all active-utility lists maintained by the Annual Report Section of the Secretary's Bureau and the Assessment Section of the Bureau of Administrative Services.
4. Notice of this Default Order shall be published in the *Pennsylvania Bulletin*.
5. The Secretary serve a copy of this Default Order upon all jurisdictional natural gas distribution companies as well as the Department of Revenue.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 02-2251. Filed for public inspection December 13, 2002, 9:00 a.m.]

Default Order

Public Meeting held
November 21, 2002

Commissioners Present: Glen R. Thomas, Chairperson;
Robert K. Bloom, Vice Chairperson; Aaron Wilson, Jr.;
Terrance J. Fitzpatrick; Kim Pizzingrilli

*Pennsylvania Public Utility Commission Law Bureau
Prosecutory Staff v. Essential.com, Inc. (2002.0277); Doc.
No. C-20028517; A-125024*

Default Order

By the Commission:

On September 17, 2002, Law Bureau Prosecutory Staff filed a Formal Complaint against Essential.com, Inc. (Respondent), a natural gas supplier (NGS) licensed at A-125024. In the Complaint, Prosecutory Staff alleged that Commission staff had notified Respondent by both first class and certified mail, return receipts requested, that it failed to file its 2001 Annual Report.

The Complaint requested that the Commission issue an order canceling the Respondent's NGS license for failure to file its 2001 Annual Report in violation of 66 Pa.C.S. § 2208(c)(2) and 52 Pa. Code § 62.110.

According to the United States Postal Service return receipt, service was perfected on September 23, 2002. To date, more than 30 days later, no answer has been filed to the Complaint and the 2001 Annual Report has not been filed; *Therefore,*

It is Ordered That:

1. The allegations in Law Bureau Prosecutory Staff's complaint are deemed admitted and the complaint is hereby sustained.
2. The NGS license held by Essential.com, Inc. at A-125024 is hereby cancelled.
3. The Secretary strike the name of Essential.com, Inc. from all active-utility lists maintained by the Annual Report Section of the Secretary's Bureau and the Assessment Section of the Bureau of Administrative Services.
4. Notice of this Default Order shall be published in the *Pennsylvania Bulletin*.
5. The Secretary serve a copy of this Default Order upon all jurisdictional natural gas distribution companies as well as the Department of Revenue.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 02-2252. Filed for public inspection December 13, 2002, 9:00 a.m.]

Default Order

Public Meeting held
November 21, 2002

Commissioners Present: Glen R. Thomas, Chairperson;
Robert K. Bloom, Vice Chairperson; Aaron Wilson, Jr.;
Terrance J. Fitzpatrick; Kim Pizzingrilli

*Pennsylvania Public Utility Commission Law Bureau
Prosecutory Staff v. OnlineChoice.com, Inc. (2002.0277);
Doc. No. C-20028519; A-125074*

Default Order

By the Commission:

On September 17, 2002, Law Bureau Prosecutory Staff filed a Formal Complaint against OnlineChoice.com, Inc. (Respondent), a natural gas supplier (NGS) licensed at A-125074. In the Complaint, Prosecutory Staff alleged that Commission staff had notified Respondent by both first class and certified mail, return receipts requested, that it failed to file its 2001 Annual Report.

The Complaint requested that the Commission issue an order canceling the Respondent's NGS license for failure to file its 2001 Annual Report in violation of 66 Pa.C.S. § 2208(c)(2) and 52 Pa. Code § 62.110.

According to the United States Postal Service return receipt, service of the Complaint was not perfected because the Postal Service's forwarding order expired. To date, more than 30 days later, no answer has been filed to the Complaint and the 2001 Annual Report has not been filed; *Therefore,*

It Is Ordered That:

1. The allegations in Law Bureau Prosecutory Staff's complaint are deemed admitted and the complaint is hereby sustained.
2. The NGS license held by OnlineChoice.com, Inc. at A-125074 is hereby cancelled.
3. The Secretary strike the name of OnlineChoice.com, Inc. from all active-utility lists maintained by the Annual Report Section of the Secretary's Bureau and the Assessment Section of the Bureau of Administrative Services.
4. Notice of this Default Order shall be published in the *Pennsylvania Bulletin*.
5. The Secretary serve a copy of this Default Order upon all jurisdictional natural gas distribution companies as well as the Department of Revenue.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 02-2253. Filed for public inspection December 13, 2002, 9:00 a.m.]

Default Order

Public Meeting held
November 21, 2002

Commissioners Present: Glen R. Thomas, Chairperson;
Robert K. Bloom, Vice Chairperson; Aaron Wilson, Jr.;
Terrance J. Fitzpatrick; Kim Pizzingrilli

*Pennsylvania Public Utility Commission Law Bureau
Prosecutory Staff v. PG&E Energy Services (2002.0277);
Doc. No. C-20028516; A-125009*

Default Order

By the Commission:

On September 17, 2002, Law Bureau Prosecutory Staff filed a Formal Complaint against PG&E Energy Services. (Respondent), a natural gas supplier (NGS) licensed at A-125009. In the Complaint, Prosecutory Staff alleged that Commission staff had notified Respondent by first class and certified mail, return receipts requested, that it failed to file its 2001 Annual Report.

The Complaint requested that the Commission issue an order canceling the Respondent's NGS license for failure to file its 2001 Annual Report in violation of 66 Pa.C.S. § 2208(c)(2) and 52 Pa. Code § 62.110.

According to the United States Postal Service return receipt, service of the Complaint was not perfected because the Postal Service's forwarding order expired. To date, more than 30 days later, no answer has been filed to the Complaint and the 2001 Annual Report has not been filed; *Therefore,*

It Is Ordered That:

1. The allegations in Law Bureau Prosecutory Staff's complaint are deemed admitted and the complaint is hereby sustained.
2. The NGS license held by PG&E Energy Services at A-125009 is hereby cancelled.
3. The Secretary strike the name of PG&E Energy Services from all active-utility lists maintained by the Annual Report Section of the Secretary's Bureau and the Assessment Section of the Bureau of Administrative Services.
4. Notice of this Default Order shall be published in the *Pennsylvania Bulletin*.
5. The Secretary serve a copy of this Default Order upon all jurisdictional natural gas distribution companies as well as the Department of Revenue.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 02-2254. Filed for public inspection December 13, 2002, 9:00 a.m.]

Default Order

Public Meeting held
November 21, 2002

Commissioners Present: Glen R. Thomas, Chairperson;
Robert K. Bloom, Vice Chairperson; Aaron Wilson, Jr.;
Terrance J. Fitzpatrick; Kim Pizzingrilli

*Pennsylvania Public Utility Commission Law Bureau
Prosecutory Staff v. V-P Energy, Inc. (2002.0277); Doc. No.
C-20028518; A-125047*

Default Order

By the Commission:

On September 17, 2002, Law Bureau Prosecutory Staff filed a Formal Complaint against V-P Energy, Inc. (Respondent), a natural gas supplier (NGS) licensed at A-125047. In the Complaint, Prosecutory Staff alleged that Commission staff had notified Respondent by both first class and certified mail, return receipts requested, that it failed to file its 2001 Annual Report.

The Complaint requested that the Commission issue an order canceling the Respondent's NGS license for failure to file its 2001 Annual Report in violation of 66 Pa.C.S. § 2208(c)(2) and 52 Pa. Code § 62.110.

According to the United States Postal Service return receipt, service of the Complaint was not perfected because service was refused. To date, more than 30 days later, no answer has been filed to the Complaint and the 2001 Annual Report has not been filed; *Therefore,*

It Is Ordered That:

1. The allegations in Law Bureau Prosecutory Staff's complaint are deemed admitted and the complaint is hereby sustained.

2. The NGS license held by V-P Energy, Inc. at A-125047 is hereby cancelled.

3. The Secretary strike the name of V-P Energy, Inc. from all active-utility lists maintained by the Annual Report Section of the Secretary's Bureau and the Assessment Section of the Bureau of Administrative Services.

4. Notice of this Default Order shall be published in the *Pennsylvania Bulletin*.

5. The Secretary serve a copy of this Default Order upon all jurisdictional natural gas distribution companies as well as the Department of Revenue.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 02-2255. Filed for public inspection December 13, 2002, 9:00 a.m.]

En Banc Hearing Concerning Demand Side Response Programs

Following is an agenda for the Pennsylvania Public Utility Commission's (Commission) en banc hearing concerning Demand Side Response (DSR) Programs. The hearing will cover the following topics: structure of current DSR Programs; success/failure of current DSR Programs; deployment of advanced metering technology; comparison of the Commonwealth to other states; future of DSR programs; and real or perceived obstacles to successful DSR Programs.

The hearing is open to the public and will be held on December 19, 2002, from 1:30 p.m. to 4:45 p.m. in Hearing Room 1, Commonwealth Keystone Building 400 North Street, Harrisburg, PA.

PJM Interconnection will be afforded a maximum of 15 minutes for its presentation. Other presenters will be afforded a maximum of 10 minutes each for their presentations. The additional time allotted for each panel will be taken up with a "Question and Answer" session from Commissioners to the panelists. Audience members will not be permitted to ask questions.

Presenters who require specific audio-visual aids, such as a PowerPoint setup, should contact Elaine Deichmiller, Assistant Secretary of the Commission, (717) 787-8147 by December 5, 2002.

Interested persons or entities may file written comments with the Commission regarding the hearing topics. Comments must be filed by January 9, 2003. Filings should be sent to James J. McNulty, Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Reference Doc. No. M-00021689. An electronic version of comments (PDF format preferred) can also be e-mailed to Ra-dsrcomments@state.pa.us.

Questions should be addressed to Dave Zambito, Counsel to the Chairperson, (717) 783-7349, dzambito@state.pa.us.

GLEN R. THOMAS,
Chairperson

Time	Name	Company/Organization
1:30—1:40	<i>Introductory Remarks</i> Chairperson and Commissioners	Pennsylvania Public Utility Commission
1:40—2:00	<i>Independent System Operator</i> Stu Bresler, Manager, Market Development	PJM Interconnection
2:00—3:00	<i>Panel One</i> Ed Johnstonbaugh, Project Coordinator Nancy J. Krajovic, Manager, Regulatory Affairs Chris Siebens, Manager, Demand Response Programs William J. Patterer, Engineer John F. Sipics, VP Asset Management	Allegheny Power Duquesne Light FirstEnergy PECO Energy Company PPL Electric Utilities

Time	Name	Company/Organization
3:00—3:10	<i>Break</i>	
3:10—4:00	<i>Panel Two</i>	
	Dan Griffiths, Senior Public Policy Research Analyst	Office of Consumer Advocate
	Carol Pennington, Acting Small Business Advocate	Office of Small Business Advocate
	David Kleppinger, Esq.	Industrial Energy Consumers of PA and PJM Industrial Customer Coalition
	Peter Adels, General Counsel	PennFuture
4:00—4:40	<i>Panel Three</i>	
	Paul Dwyer, Regional Director of Regulatory Affairs	Green Mountain Energy
	Bruce Bleiweis, Director of Asset Commercialization	Reliant Energy
	Mark Bowen, VP, Sales and Marketing	Honeywell DMC Services
4:40—4:45	<i>Closing Remarks</i>	
	Chairperson	Pennsylvania Public Utility Commission

[Pa.B. Doc. No. 02-2256. Filed for public inspection December 13, 2002, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code § 3.381 (relating to the applications for transportation of property, household goods in use and persons). Each protest should indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before January 6, 2003. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary from 8 a.m. to 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carrier for transportation of persons as described under each application.*

A-00119403. Barneston Management Group t/d/b/a Beacon Medical Transport (350 East Market Street, Suite 200, West Chester, Chester County, PA 19382), a Pennsylvania corporation—persons in paratransit service, between points in the City and County of Philadelphia, and the Counties of Bucks, Chester, Delaware and Montgomery, and from points in said city and counties, to points in Pennsylvania, and return.

A-00119365. Parkway Limo, Inc. (1100 Spring Garden Street, City and County of Philadelphia, PA 19123), a corporation of the Commonwealth—persons in limousine service, between points in the City and County of Philadelphia, and the Counties of Delaware, Chester, Montgomery and Bucks.

Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under the application.*

A-00119405. Shawn M. Giordano and Howard J. Giordano, Copartner t/d/b/a All Occasions Limo Service (1501 Pleasant Valley Boulevard, Altoona, Blair County, PA 16602)—persons in limousine service, between points in Pennsylvania; which is to be a transfer of the right authorized under the certificate at A-00115503, F.2 issued to George E. Sullenberger t/d/b/a All Occasions Limo Service, subject to the same limitations and conditions. *Attorney:* Thomas J. Lowery, 1500 Grant Building, Pittsburgh, PA 15219.

Application of the following for approval of the *additional right and privilege of operating motor vehicles as common carriers for transportation of persons as described under the application.*

A-00112823, Folder 2. John D. Salaki t/d/b/a Red Sled Cab Company (527 Blue Mountain Road, Schuylkill Haven, Schuylkill County, PA 17972)—additional right—persons upon call or demand in the County of Schuylkill. *Attorney:* Michael P. Halcovage, 240 Sunbury St. Minersville PA 17954.

Application of the following for certificate of public convenience approving the operation of motor vehicles as common carriers for the transportation of household goods as described under the application.

A-00119404. Lawson Group, Inc. (1025 Orange Street, Steelton, Dauphin County, PA 17113), a Pennsylvania corporation—household goods in use, between points in the Counties of Cumberland and Dauphin, and from points in said counties, to points in Pennsylvania, and vice versa. *Attorney:* Arnold B. Kogan, P. O. Box 1268, Harrisburg, PA 17108-1268.

Application of the following for the approval of the *transfer of stock as described under the application.*

A-00118466, F.5000. Rachel Limo Services, Inc. (7 Mallard Pond Circle, Newtown, Bucks County, PA 18940),

a corporation of the Commonwealth—stock transfer—for the approval of the transfer of all of the issued and outstanding stock, from Christopher R. Stewart (100 shares) to American Luxury Limousine, Inc. (100 shares).

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 02-2257. Filed for public inspection December 13, 2002, 9:00 a.m.]

Telecommunications

A-310863F7002. The United Telephone Company of Pennsylvania d/b/a Sprint and Comm South Companies, Inc. Joint petition of The United Telephone Company of Pennsylvania d/b/a Sprint and Comm South Companies, Inc. for approval of a master interconnection and resale agreement under section 252(e) of the Telecommunications Act of 1996.

The United Telephone Company of Pennsylvania d/b/a Sprint and Comm South Companies, Inc., by its counsel, filed on November 19, 2002, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a master interconnection and resale agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of The United Telephone Company of Pennsylvania d/b/a Sprint and Comm South Companies, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 02-2258. Filed for public inspection December 13, 2002, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept proposals until 2 p.m. on Friday, December 27, 2002, for Project #02-122.P, Purchase of Fencing Materials (no installation). The bid documents can be obtained from the Director of Procurement, PRPA, 3460 N. Delaware Ave., 2nd Floor, Philadelphia, PA 19134, (215) 426-2600, and will be available Tuesday, December 17, 2002. PRPA is an equal opportunity employer. Contractor

must comply with all applicable equal employment opportunity laws and regulations.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 02-2259. Filed for public inspection December 13, 2002, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of Claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

January 8, 2003	Francis P. Burns, Jr. (Disability Eligibility)	1 p.m.
	Wayne Walton (Purchase of Service)	2:30 p.m.
January 22, 2003	Paul Robert Barbadoro (Class T-D)	1 p.m.
	Wilma DeSoto (Class T-D)	2:30 p.m.
February 10, 2003	Lucy Lake (Disability)	1:30 p.m.
February 12, 2003	David N. McCall (Purchase of Service)	10 a.m.
February 24, 2003	Helen M. Kulp (Disability)	1:30 p.m.
February 26, 2003	Walter S. Trout (D) (Death Benefit)	10 a.m.
	Virgil H. Bohren (Disability Eligibility)	11:30 a.m.
March 17, 2003	Darlene D. Green (Disability)	1:30 p.m.
March 26, 2003	Delrio Antoinette Ligons-Berry (Change of Option)	1 p.m.

Persons with a disability who wish to attend the listed hearings and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Marilyn Fuller-Smith, Assistant to the Executive Director, (717) 720-4921 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1

Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

DALE H. EVERHART,
Secretary

[Pa.B. Doc. No. 02-2260. Filed for public inspection December 13, 2002, 9:00 a.m.]

TURNPIKE COMMISSION

Retention of an Engineering Firm

Construction Materials Inspection and Testing

Southern Beltway Project PA 60 to US 22—Findlay Connector Allegheny and Washington Counties

Reference No. E-032

The Turnpike Commission (Commission) will retain an engineering firm on an open-end contract basis for off-site construction materials inspection and acceptance testing services at related plant and laboratory locations for sections of the Southern Beltway Project from PA 60 to US 22 under construction in Allegheny and Washington Counties. Construction of these sections will include earthwork, drainage, structures, concrete and bituminous paving, signing, roadway lighting and toll plaza building construction. A testing laboratory participating in the AASHTO Accreditation Program, capable of performing concrete, bituminous, soils, aggregate and other construction materials tests in a timely manner and must be available throughout the duration of the Open-End Contract. Construction projects may be financed with Federal, State and Turnpike funds and applicable Federal requirements will apply, when appropriate.

The contract will be for a maximum cost of \$750,000 or for a 36 month period.

The firm will be required to provide sufficient office personnel, managers, engineers, technicians and clerical personnel to support the laboratory functions. In addition, the firm selected may be required to attend the prebid meetings and preconstruction conferences for each project with the Commission.

The selected firm may be required to test materials at offsite aggregate, concrete, asphalt, supply and precast plants, perform soils testing or testing associated with the manufacture of selected construction materials. Duties may also include the witnessing of testing by the material producers, suppliers, manufactures, fabricators or contractors. In addition, the selected firm may be required to keep records of material inspections and tests, document the testing program, attend job conferences when requested and perform other duties as may be required.

The selected firm or any of its subconsultants may not be a prime contractor, subcontractor, consultant or have any financial interest in any construction contract, inspection contract or management contract on the Southern Beltway Project from PA 60 to US 22.

The Commission is committed to the inclusion of disadvantaged, minority and woman firms in contracting opportunities. The minimum participation level for DBE/MBE/WBEs in these contracts will be 10% each. Responding firms shall clearly identify DBE/MBE/WBE firms expected to participate in these contracts in their

letters of interest. If the selected firm does not meet the minimum requirement for DBE/MBE/WBE participation, they will be required to demonstrate good faith efforts to achieve the required level. Proposed DBE/MBE/WBE firms must be certified by the Department of Transportation (Department) at the time of the submission of the letter of interest. If further information is desired concerning DBE/MBE/WBE participation, direct inquiries to the Office of Equal Opportunity Development, (717) 939-9551 ext. 4241.

The Commission will consider the following factors during the evaluation of the Statements of Interest for this project:

a. Specialized experience and technical competence of prime consultant and subconsultants. The team must clearly demonstrate an ability to analyze available data to make decisions and develop plans to complete the project in a timely and cost effective manner.

b. Past record of performance with respect to cost control, work quality ability to meet schedules and previous experience on similar projects. The consultant should identify similar projects that have been completed by that firm as the prime, the magnitude of the project and the client.

c. The specific experience and number of individuals who constitute the firm.

d. Workload of the prime consultant and subconsultants for all Department and Commission projects.

e. Other factors, if any, specific to the project.

Address these items and any necessary further details in a brief yet comprehensive manner in the Statement of Interest.

Direct inquiries about this advertisement to Eugene C. Mattson at (717) 939-9551 ext. 3502, emattson@paturnpike.com. Direct contractual questions to George M. Hatalowich at (717) 986-8737, ghatalow@paturnpike.com.

General Requirements and Information

Firms interested in providing the previous work and services are invited to submit a Statement of Interest with the required information for each reference number listed. The Statements of Interest must include the following:

1. One-page transmittal letter clearly identifying the project reference number, brief description of the project from the advertisement, the firm's Federal identification number, the firm's legal name, contact person or project manager, address of corporate office and project office. (If the firm has multiple offices, the location of the office performing the work must be identified.)

2. A three-page statement of interest on the advertised project. Each firm should demonstrate their ability to perform the specific requirements indicated for the project and provide explanation of the technical approach, stressing the team has successfully completed similar type projects of the same magnitude.

3. An organization chart for the project, identifying key personnel and any subconsultants and their roles. Any deviation from the subconsultant listed in the Statement of Interest will require written approval from the Commission. The organization chart is not limited to an 8 1/2" x 11" page size.

4. Tabulation or listing of workload for the prime consultant and all subconsultants for all Department and Commission projects. Do not graphically represent the firm's workload.

5. A Consultant Qualification Package similar to the one submitted to the Department for the current year or one that is best suited for this project. A copy of the Consultant Qualification Package printed directly from the Department's ECMS website is acceptable.

The Consultant Qualification Package should contain at a minimum the following information for the prime consultant and all subconsultants and is to be attached to the back of the Statement of Interest (subs to follow primes). The Consultant Qualification Packages should be kept as brief as possible. Only include pertinent information as it relates to the following:

- ECMS General Information and Project Experience Forms or Standard Form (SF) 254—Architect-Engineer and Related Services Questionnaire, either not more than 1 year old as of the date of the advertisement.
- Resumes of key personnel expected to be involved in the project. (Limit to two 8 1/2" x 11" pages, per person.) Only resumes of key personnel need to be included. Do not include resumes of all employees.
- Copy of the firm's registration to do business in this Commonwealth as provided by the Department of State for firms with out-of-State headquarters or corporations not incorporated in this Commonwealth.
- A copy of the Department's DBE/WBE Certification, if applicable.

If a joint venture responds to a project advertisement, the Commission will not accept separate Statements of Interest from joint venture constituents. A firm will not be permitted to submit a Statement of Interest on more than one joint venture for the same project reference number. Also, a firm that responds to a project as a prime may not be included as a designated subconsultant to

another firm that responds to the same project advertisement. This does not preclude a firm from being set forth as a designated subconsultant to more than one prime consultant responding to the project advertisement.

Firms interested in performing the previous services are invited to submit one copy of a Statement of Interest and required information to George M. Hatalowich, Engineering Contract Manager, Turnpike Commission Administration Building, 700 South Eisenhower Boulevard, Middletown, PA 17057 (street address). The Commission's mailing address is P. O. Box 67676, Harrisburg, PA 17106-7676.

The Statement of Interest and required information must be received by 12 p.m. on Friday, January 10, 2003. Statements of Interest received after this date and time will be time-stamped and returned.

Based on an evaluation of acceptable Statements of Interest received in response to these solicitations, a minimum of three firms will be shortlisted for this project advertisement. Technical proposals will be requested from the shortlisted firms prior to the establishment of the final ranking. An order of preference will be established for the purpose of negotiating an agreement with the highest ranked firm established by the Technical Review Committee and approved by the Commission.

The Commission reserves the right to reject all Statements of Interest, to cancel solicitation requested under this notice and/or to readvertise solicitation for the work and services.

BRADLEY L. MALLORY,
Chairperson

[Pa.B. Doc. No. 02-2261. Filed for public inspection December 13, 2002, 9:00 a.m.]