

NOTICES

DEPARTMENT OF AGRICULTURE

Agricultural Research Project Contractors

The Department of Agriculture (Department) is soliciting names of research institutions which have an interest in conducting agricultural research during the period July 1, 2002, to June 30, 2003, and continuing. Institutions which respond will be provided with a preproposal format and a list of research topic areas. Institutions which responded for fiscal year 2001-02 will automatically re-

ceive a solicitation and do not need to respond this year. The Department, through a selection process, will decide which projects are to be placed under contract. Interested parties should submit their name, address and telephone number to Fred Wertz, Department of Agriculture, 2301 North Cameron Street, Harrisburg, PA 17110, (717) 783-3577.

SAMUEL E. HAYES, Jr.,
Secretary

[Pa.B. Doc. No. 02-259. Filed for public inspection February 15, 2002, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending February 5, 2002.

BANKING INSTITUTIONS

Holding Company Acquisition

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
1-31-02	Parkvale Financial Corporation, Monroeville, acquired 100% of the voting shares of The Second National Bank of Masontown, Masontown	Monroeville	Effective

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-31-02	Parkvale Savings Bank, Monroeville, and The Second National Bank of Masontown, Masontown Surviving Institution— Parkvale Savings Bank, Monroeville	Monroeville	Effective

Branches Acquired Via Merger:

2951 National Pike Chalk Hill Fayette County	55 Matthew Drive Uniontown Fayette County
6023 National Pike East Grindstone Fayette County	173 Morgantown Street Uniontown Fayette County
110 South Main Street Masontown Fayette County	

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-30-02	Commonwealth Bank Norristown Montgomery County	Paul's Run 9896 Bustleton Ave. Philadelphia Philadelphia County	Approved

Branch Relocations/Consolidations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-17-02	Commonwealth Bank Norristown Montgomery County	<i>To:</i> Giant Food Store Pottstown Plaza 799 State Road Pottstown Montgomery County <i>From:</i> Weis Market The Pottstown Center 223 Shoemaker Road Pottstown Montgomery County	Effective
1-30-02	Promistar Bank Johnstown Cambria County <i>Into:</i> 58 W. Main Street Uniontown Fayette County <i>Into:</i> 1001 Philadelphia Ave. Northern Cambria Cambria County <i>Into:</i> 227 Market Street Kittanning Armstrong County	Application filed to consolidate the following three branch offices: <i>From:</i> 67 West Church Street Fairchance Fayette County <i>From:</i> Elmora P. O. Box 328 Bakerton Cambria County <i>From:</i> 133 Route 422 Elderton Armstrong County	Filed

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-25-02	First Commonwealth Bank Indiana Indiana	127 S. Juliana St. Bedford Bedford County	Effective

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS**Consolidations, Mergers and Absorptions**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
2-1-02	ITE Credit Union, Southampton, and Sun East Federal Credit Union, Aston Surviving Institution— Sun East Federal Credit Union, Aston	Southampton	Effective

JAMES B. KAUFFMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-260. Filed for public inspection February 15, 2002, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Application of College Misericordia for Approval of Amendment of Its Articles of Incorporation

Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6504(a) (relating to fundamental changes), the Department of Education (Department) will consider the application of College Misericordia for a Certificate of Authority approving the amendment to and the restating of its Articles of Incorporation in their entirety.

In accordance with 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department will act upon the application without hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protest) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protest and request for hearing shall be filed with Paula Fleck, Chief, Division of Program Services, (717) 772-3623; or Carol Gisselquist, Higher Education Specialist, 333 Market Street, Harrisburg, PA 17126-0333, (717) 787-4448, on or before 4 p.m. on the due date prescribed by this notice. Persons wishing to review the application should phone or write to the

aforementioned office to schedule a time for an in-office review. Duplicate copies are not available.

787-4448 to discuss how the Department may best accommodate their needs.

CHARLES B. ZOGBY,
Secretary

[Pa.B. Doc. No. 02-261. Filed for public inspection February 15, 2002, 9:00 a.m.]

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate, should contact Paula Fleck at (717) 772-3623 or Carol Gisselquist at (717)

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS

NPDES APPLICATIONS

PART I PERMITS

Under the Federal Clean Water Act and The Clean Streams Law, the following parties have applied for an NPDES permit or to renew their current permit to discharge controlled wastewaters into the waters of this Commonwealth or to conduct other activities required by the NPDES permit. For renewal applications listed in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements. For all new permit applications, renewal application with major changes or applications for permits not waived by EPA, the Department, based upon preliminary reviews, also made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications listed in Section II. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on a proposed permit are invited to submit a statement, to the office noted before the application, within 30 days from the date of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held if the responsible office considers the public response significant. Following the comment period, the Department's Water Management Program Manager will make a final determination regarding these applications. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The renewal application, including proposed effluent limitations and special conditions, is available on file. For new permit applications, information submitted with the applications is available on file. The information may be inspected and arrangements made for copying at the office indicated before the application.

Persons with a disability, who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information, should contact the Department through the Pennsylvania AT&T Relay service at (800) 654-5984.

I. NPDES Renewal Applications

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N ?
PA0057070	Edmond T. Winters 5 Dudie Drive Newtown Square, PA 19073	Delaware County Newtown Township	UNT to Hunter Run	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES No. (Type)	Facility Name & Address	County & Municipality	Stream Name (Watershed #)	EPA Waived Y/N ?
PA0246590	Dennis A. McClure R. R. 1, Box 358 Petersburg, PA 16669	Huntingdon County Jackson Township	UNT Laurel Run/11-B	Yes

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0083607	Northern Lebanon County Authority P. O. Box 434 Jonestown, PA 17038	Lebanon County Union Township	Forge Creek	Yes
PA0087696	GSP Management Company P. O. Box 677 Morgantown, PA 19543	Dauphin County East Hanover Township	UNT to Manada Creek/ 7-D	Yes
PA0087017 (Transfer)	Lower Paxton Township Springford Village STP 75 S. Houcks Road Harrisburg, PA 17109	Dauphin County Lower Paxton Township	Beaver Creek/7-D	Yes

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0002020, Industrial Waste, **Motion Control Ind., Inc.—Carlisle Corporation**, Gillis Avenue, Ridgway, PA 15853. This proposed facility is located in Ridgway Borough, **Elk County**.

Description of Proposed discharge of noncontact cooling water and stormwater is in watershed 17-A and classified for: cold water fishery, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂—NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the West Penn Water Company, Clarion District on the Clarion River located at Clarion Borough approximately 58.5 miles below point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.078 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	XX		XX		
Temperature (°F)			XX		
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 002 are based on a design flow of 0.078 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	XX		XX		
Temperature (°F)			XX		
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 003 are based on a design flow of 0.0785 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	XX		XX		
Temperature (°F)			XX		
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 004 are based on a design flow of 0.162 MGD.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	XX		XX		
Temperature (°F)			XX		
pH	Within limits of 6.0 to 9.0 standard units at all times.				

The proposed effluent limits for Outfall 005 are based on a design flow of 0.029 MGD.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	XX				
pH			XX		

XX—Monitor and report.

In addition to the effluent limits, the permit contains the following major special conditions.

The EPA Waiver is in effect.

PA0006238, Industrial Waste, **NAPCO, Inc.**, 125 McFann Road, Valencia, PA 16059. This proposed facility is located in Middlesex Township, **Butler County**.

Description of Proposed of industrial waste is in watershed 20-C and classified for: warm water fish, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂—NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Connoquenessing Creek and Zelenople Municipal Waterworks located at River Mile 22.47, approximately 18 miles below point of discharge.

The proposed effluent limits for Outfall 002 are based on a design flow of 0.044 MGD.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	XX				
TSS	15.08	30.9			41
Aluminum	0.3	0.73			3.1
Chromium	0.04	0.1			0.4
Copper	0.007	0.015	0.02	0.04	0.06
Cyanide	0.03	0.07			0.3
Iron	0.05	0.09			1.2
Zinc	0.07	0.22	0.2	0.6	0.6
Oil and Grease	9.03	15.08			25
Temperature			XX		
pH			Within limits of 6.0 to 9.0 standard units at all times.		

The proposed effluent limits for Outfall 003 are based on a design flow of 0.0067 MGD.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	XX				
BOD			25		50
TSS			30		30
Ammonia as Nitrogen					
(5-1 to 10-31)			5.5		11
(11-1 to 4-30)			16.5		
Phosphorus					
(4-1 to 10-31)			2		4
Fecal Coliform					
(5-1 to 9-30)			200		
(10-1 to 4-30)			11,500		
Total Residual Chlorine			1.4		3.3
pH			Within limits of 6.0 to 9.0 standard units at all times.		

XX—Monitor and report.

The EPA Waiver is in effect.

PA0002674—Amendment No. 2, Industrial Waste, **American Refining Group—Bradford Refinery**, 77 North Kendall Avenue, Bradford, PA 16701. This proposed facility is located in City of Bradford, **McKean County**.

Description of Proposed discharge of treated industrial waste, noncontact cooling water and stormwater is in watershed 16-C and classified for: warm water fishes, aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂—NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the PA/NY state line located approximately 3 miles below point of discharge.

This permit amendment adds a new source of wastewater to Outfall 002. The new source is contaminated ground water from groundwater recovery operations. The permittee is requesting contaminated groundwater collected from horizontal and vertical wells on the refinery site to be sent to the refinery wastewater treatment plant. Based on groundwater

characterization data provided by the applicant, no new effluent limits for Outfall 002 are needed. Outfall 002 will now authorize this wastewater source. No other changes are necessary.

The proposed effluent limits for Outfall 002 are based on a design flow of 0.45 MGD.

Parameter	Concentration (mg/l)		
	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow			
BOD ₅	XX	XX	125
TSS	XX	XX	105
NH ₃ -N	XX	XX	13
Oil and Grease	15		30
COD	XX	XX	615
Phenolics	XX	XX	0.8
Sulfide	XX	XX	0.7
Chromium (T)	XX	XX	0.9
Hexavalent Chromium	XX	XX	0.07
pH	Within limits of 6.0 to 9.0 standard units at all times.		

XX—Monitor and report.

The EPA Waiver is not in effect.

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

No. PA0020303, Sewage, **Schwenksville Borough Authority**, P. O. Box 458, 298 Main at Church Street, Schwenksville, PA 19473. This application is for renewal of an NPDES permit to discharge treated sewage from an existing sewage treatment plant in Schwenksville Borough, **Montgomery County**. This is an existing discharge to Perkiomen Creek.

The receiving stream is classified for the following uses: warm water fishery and migratory fishery.

The proposed effluent limits for Outfall 001, based on an average flow of 0.300 mgd are as follows:

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅			
(5-1 to 10-31)	20	30	40
(11-1 to 4-30)	25	40	50
Suspended Solids	30	45	60
Ammonia (as N)			
(5-1 to 10-31)	3.0		6.0
(11-1 to 4-30)	9.0		18.0
Phosphorus (as P)			
(4-1 to 10-31)	2.0		4.0
Total Residual Chlorine	0.5		1.2
Fecal Coliform	200 colonies/100 ml as a geometric average		
Dissolved Oxygen	Monitor		Monitor
pH	Within limits of 6.0—9.0 Standard Units at all times		

The EPA Waiver is in effect.

Southcentral Region: Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

PAG123532, CAFO, **James Schwalm**, 351 Bastian Road, Halifax, PA 17032. This proposed facility is located in Jackson Township, **Dauphin County**.

Description of Proposed Activity: The Schwalm Farms is an existing 4,280 head swine and 190 beef operation with a total AEU's of 723. An estimated quantity of total annual manure production is 8,577 tons. At this time, there is only one swine barn located on the farm. The

swine barn is 80' x 225' with a 6 foot deep concrete, under the barn floor storage. This storage is completely contained and only receives swine manure and wash water. All manure is contained in the storage until it can be applied onto crop fields. The Schwalm's plan to expand both the hog and beef operation. When finished with the expansion, the operation will have two 800,000 gallon manure storage structures under the buildings which will store the swine manure and a manure storage for the beef manure. A minimum of 6" of freeboard will be maintained at all times during manure storage periods. All manure is land applied on owned or rented land or exported to neighboring farms.

The receiving stream, Armstrong Creek, is in the State Water Plan watershed 6-C and is classified for: CWF.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and The Clean Stream Law constitutes compliance with the State narrative water quality standards.

PAG123531, CAFO, **Herman L. Zeager, Zeager & Sons, Inc.**, 159 Yoder Road, Bainbridge, PA 17502. This proposed facility is located in Conoy Township, **Lancaster County**.

Description of Proposed Activity: The Zeager and Sons farm currently comprises one existing 1,500 head swine finishing barn and a 120 head dairy cow herd with a total AEU of 703.70. An estimated quantity of total annual manure production is 1,366 tons of solid dairy and 2.2 million of liquid swine and dairy manure. Zeager and Sons are intending to construct a second swine finishing barn housing 2,100 hogs. Both hog barns are confinement buildings with the liquid swine manure from the first barn stored in a shallow pit beneath the barn's slatted floors then released via gravity flow to an outside HDPE lined storage lagoon when it is commingled with liquid dairy manure. The new barn will have a 6 foot deep pit with a storage capacity of approximately 594,000 gallons, with the manure to be pumped out directly from the barn's deep pit or allowed to flow into and commingle with the manure in the outside storage lagoon. The outside lagoon has a storage capacity of approximately 1.2 million gallons. All the penpack dairy manure and most of the commingled liquid manure is agriculturally land applied on the farm's 291 tillable and pasture acres. The remaining commingled liquid manure is exported to three neighboring farms.

The receiving stream, Snitz Creek and Conoy Creek, is in the State Water Plan watershed 7-G and is classified for: WWF and TSF.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and The Clean Stream Law constitutes compliance with the State narrative water quality standards.

PA0246603, CAFO, **Chris and Deborah Hoffman**, R. D. 2, Box 1510, McAlisterville, PA 17049. This proposed facility is located in Fayette Township, **Juniata County**.

Description of Proposed Activity: The Lazy Hog Farm is an existing 5,940 head swine operation with a total AEU of 734.6. An estimated quantity of total annual manure production is 8,681 tons. There are four manure storages on the property. The first storage is a circular RCC manure storage tank with a designed capacity of 300,000 gallons. The diameter of the storage is 65 feet with a depth of 12 feet. The second storage is an underhouse, concrete storage located at the gestation barn. The designed capacity for this storage is 900,000 gallons. The storage is 281.5' by 75.5' with approximately 5.67 feet of

manure storage. The third storage is an underhouse, concrete storage located at the isolation barn. The designed capacity of the storage is 81,000 gallons of manure. The isolation building is 64.5' by 31' with a manure storage depth of 5.83 feet. The fourth storage is located at the nursery barn. The designed capacity of the underhouse manure storage is 665,000 gallons. The building is 241' by 65' with a 5.83' deep manure storage. All manure is contained in the storages until it can be applied onto crop fields. Of the 2 million gallons of manure generated on the farm, 323,500 gallons is used on the farm; 1,761,012 gallons is exported to neighboring farms.

The receiving stream, tributary to Lost Creek, is in the State Water Plan watershed 12-A and is classified for: HQ-CWF.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and The Clean Stream Law constitutes compliance with the State narrative water quality standards.

PAG123533, CAFO, **Marsha Snyder**, R. D. 1, Box 174A, Loysville, PA 17047. This proposed facility is located in Southwest Madison Township, **Perry County**.

Description of Proposed Activity: The Wonder Why Farm is an existing multi-faceted farm consisting of 4,160 head of swine, 100 beef cattle and 22,000 hen turkeys with a total AEU of 345.3. An estimated quantity of total annual manure production is 3,735 tons. All manure and washwater are contained in an outside lagoon. The estimated manure that is contained within the lagoon is 445,586 gallons. The 640 tons of hen turkey manure, 445,586 gallons of nursery pigs manure and 1,238 tons of steer manure is all land applied on the owner farm during adequate application times.

The receiving stream, Bixler Run, is in the State Water Plan watershed 7-A and is classified for: CWF.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and The Clean Stream Law constitutes compliance with the State narrative water quality standards.

PAG123534, CAFO, **Ricky A. Leese, Hickory Lane Farm II**, 1180 Wertzville Road, Needmore, PA 17238. This proposed facility is located in Belfast Township, **Fulton County**.

Description of Proposed Activity: The Hickory Lane Farm II is an existing family farm consisting of 2,115 finishing swine, 30 beef cows and 25 calves with a total AEU of 324.2. An estimated quantity of total annual manure production is 4,148.5 tons. Only one swine barn is located on this farm. The barn houses 2,115 finishing pigs and is constructed with a 6 foot deep concrete manure storage located under the 82' x 224' barn floor. All manure is contained in the storage until it can be applied onto crop fields; 799,142 gallons of swine manure is produced with 590,400 gallons applied on the farm and

208,742 exported to neighboring farms. All of the 818.5 tons of beef manure is used on the Hickory Lane Farm II.

The receiving stream, Barnetts Run, is in the State Water Plan watershed 13-B and is classified for: TSF.

The proposed effluent limits for the operation/activity include: except for the chronic or catastrophic rainfall events defined as over the 25 year/24 hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with Pennsylvania Nutrient Management Act and The Clean Stream Law constitutes compliance with the State narrative water quality standards.

Application No. PA 0013129, Industrial Waste, SIC Code 3315, **Carpenter Technology Corporation**, P. O. Box 14662, Reading, PA 19612. This facility is located in Reading City, **Berks County**.

Description of activity: The application is for renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Schuylkill River, is in Watershed 3-C and classified for warm water fishes, water supply and recreation and fish consumption. The nearest downstream public water supply intake for the Pottstown Borough water supply is located on the Schuylkill River. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 109 for a design flow of 1.45 MGD are:

<i>Discharge Parameter</i>	<i>Mass Units (lbs/day)</i>		<i>Concentrations (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report	Monitor and Report	XXX	XXX	XXX
pH (S.U.)	From 6.0 to 9.0 inclusive				
Total Suspended Solids	340	680	30	60	75
Oil and Grease	121	473	Monitor and Report	Monitor and Report	30
Total Chromium	3.60	9.80	Monitor and Report	Monitor and Report	0.745
Chromium, VI	Monitor and Report	Monitor and Report	0.06	0.12	0.160
Total Nickel	2.70	4.80	Monitor and Report	Monitor and Report	0.558
Total Cyanide	0.277	0.832	Monitor and Report	Monitor and Report	0.058
Naphthalene	Monitor and Report	Monitor and Report	Monitor and Report	Monitor and Report	XXX
Tetrachloroethylene	Monitor and Report	Monitor and Report	Monitor and Report	Monitor and Report	XXX
1,1,1-Trichloroethane	Monitor and Report	Monitor and Report	Monitor and Report	Monitor and Report	XXX
Nitrate as N	Monitor and Report	Monitor and Report	Monitor and Report	Monitor and Report	XXX
NH ₃ -N	Monitor and Report	Monitor and Report	45	90	90

The proposed effluent limits for Outfalls 004, 005, 009, 011, 012, 013 and 014 are:

<i>Discharge Parameter</i>	<i>Mass Units (lbs/day)</i>		<i>Concentrations (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report	Monitor and Report	XXX	XXX	XXX
pH (S.U.)	From 6.0 to 9.0 inclusive				
Temperature	XXX	XXX	XXX	110°F	110°F

The proposed effluent limits for the stormwater outfalls are:

<i>Parameter</i>	<i>Monitoring Requirements</i>	
	<i>Grab Sample (mg/l)</i>	<i>Monitor Frequency</i>
Chromium, VI	Monitor and Report	1/6 months
Total Nickel	Monitor and Report	1/6 months
Total Suspended Solids	Monitor and Report	1/6 months
Total Zinc	Monitor and Report	1/6 months
Total Copper	Monitor and Report	1/6 months

Parameter	Monitoring Requirements	
	Grab Sample (mg/l)	Monitor Frequency
Total Iron	Monitor and Report	1/6 months
Total Lead	Monitor and Report	1/6 months
Oil and Grease	Monitor and Report	1/6 months
pH (S.U.)	Monitor and Report	1/6 months

Individuals may make an appointment to review the Department files on this case by calling Mary DiSanto, File Review Coordinator, at (717) 705-4732.

The EPA waiver is not in effect.

Application No. PA 0246409, Wenger's Feed Mill, Inc. (Egg Basket), 2538 Riser Mill Road, Mount Joy, PA 17522.

Wenger's Feed Mill, Inc. submitted an application for an individual NPDES permit for an existing CAFO known as Egg Basket located on Riser Mill Road in Mount Joy Township, **Lancaster County**. The CAFO is situated near Little Chickies Creek, which is classified for Trout Stocking. The CAFO is designed to maintain an animal population of 1,503 AEUs consisting of 432,000 layers.

Manure generated at the existing buildings is collected beneath the layers. A release or discharge to waters of this Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations including the Final CAFO Strategy, the Department has made a tentative determination to issue an individual NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the draft permit.

The permit application and proposed draft permit are on file at the Southcentral Regional Office of the Department. Individuals may make an appointment to review the files by calling the File Review Coordinator at (717) 705-4732.

The EPA permit review waiver provision under 40 CFR 123.24(e) does not apply to this individual NPDES permit.

Persons wishing to comment on the proposed permit are invited to submit written comments to the previous address within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. All comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the basis of the comment and the relevant facts upon which it is based. A public meeting/hearing may be held if the Department considers the public response or interest significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

Application No. PA 0246492, Hostetter Management Co. (Little Cove Partnership), 12940 Forge Road, Mercersburg, PA 17236.

Hostetter Management Co. submitted an application for an individual NPDES permit for an existing CAFO known as Little Cove Partnership located on Forge Road in Warren Township, Franklin County. The CAFO is situated near Little Cove Creek, which is classified for CWF. The CAFO is designed to maintain an animal population of 820 AEUs consisting of 1,160 gestating sows, 240 sows with litter, 576 finishing pigs, 3,600 nursery pigs and 200 replacement gilts.

Manure generated at the existing barn is collected and conveyed to an HDPE lined lagoon with a storage capacity of 2 million gallons. A release or discharge to waters of this Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations including the Final CAFO Strategy, the Department has made a tentative determination to issue an individual NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the draft permit.

The permit application and proposed draft permit are on file at the Southcentral Regional Office of the Department. Individuals may make an appointment to review the files by calling the File Review Coordinator at (717) 705-4732.

The EPA permit review waiver provision under 40 CFR 123.24(e) does not apply to this individual NPDES permit.

Persons wishing to comment on the proposed permit are invited to submit written comments to the previous address within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. All comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the basis of the comment and the relevant facts upon which it is based. A public meeting/hearing may be held if the Department considers the public response or interest significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

Application No. PA 0246514, Hostetter Management Co. (Swatara Swine), 1921 Blacks Bridge Road, R. R. 2, Annville PA 17003.

Hostetter Management Co. submitted an application for an individual NPDES permit for an existing CAFO known as Swatara Swine located on Blacks Bridge Road in East Hanover Township, **Lebanon County**. The CAFO is situated near Swatara Creek, which is classified for WWF. The CAFO is designed to maintain an animal

population of 809 AEU's consisting of 1,176 gestating sows, 224 sows with litter, 60 boars, 3,650 nursery pigs and 630 replacement gilts.

Manure generated at the existing barn is collected and conveyed to an HDPE lined lagoon with a storage capacity of 2 million gallons. A release or discharge to waters of this Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations including the Final CAFO Strategy, the Department has made a tentative determination to issue an individual NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the draft permit.

The permit application and proposed draft permit are on file at the Southcentral Regional Office of the Department. Individuals may make an appointment to review the files by calling the File Review Coordinator at (717) 705-4732.

The EPA permit review waiver provision under 40 CFR 123.24(e) does not apply to this individual NPDES permit.

Persons wishing to comment on the proposed permit are invited to submit written comments to the previous address within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. All comments should

include the name, address and telephone number of the writer and a concise statement to inform the Department of the basis of the comment and the relevant facts upon which it is based. A public meeting/hearing may be held if the Department considers the public response or interest significant.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; (412) 442-4000.

PA0218979, Industrial Waste, SIC 1442, **Hanson Aggregates PMA, Inc.**, 400 Industrial Boulevard, New Kensington, PA 15068. This application is for issuance of an NPDES permit to discharge treated process water and stormwater from the Hanson Aggregate Tarrtown Facility in East Franklin Township, **Armstrong County**.

The following effluent limitations are proposed for discharge to the receiving waters, Allegheny River, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is the Kittanning Suburban Joint Water Authority, located at Tarrtown, less than 1 mile below the discharge point.

Outfall 001: new discharge, design flow of 0.01 MGD.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (MGD)	Monitor and Report				
Iron	Monitor and Report				
Total Suspended Solids	60			110	
pH (S.U.)	not less than 6.0 nor greater than 9.0				

Other Conditions: Residual solids disposal, floating solids control, stormwater conditions, chemical additive conditions, Part II application and Discharge Monitoring Reports required, intake structure wastes to be properly disposed.

The EPA waiver is in effect.

PA0031470, Sewage, **Penns Manor Area School District**, 6003 Route 553 Highway, Clymer, PA 15728-8318. This application is for renewal of an NPDES permit to discharge treated sewage from Penns Manor Area High School Sewage Treatment Plant in Cherryhill Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Rose Run, which are classified as a cold water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Central Indiana Water Authority located on Yellow Creek.

Outfall 001: existing discharge, design flow of 0.03 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen (5-1 to 10-31)	2.3			4.6
(11-1 to 4-30)	5.0			10.0

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			0.2
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.1			
Dissolved Oxygen	not less than 6.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0093432, Sewage, **West Penn Power Company d/b/a Allegheny Power**, 800 Cabin Hill Drive, Greensburg, PA 15601. This application is for renewal of an NPDES permit to discharge treated sewage from Pleasant Valley Service Center Sewage Treatment Plant in Bullskin Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of Mounts Creek, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the McKeesport Municipal Water Authority located on the Youghiogheny River.

Outfall 001: existing discharge, design flow of 0.0005 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	10			20
Suspended Solids	25			50
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			3.3
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**WATER QUALITY MANAGEMENT PERMITS
CONTROLLED INDUSTRIAL WASTE AND SEWAGE
WASTEWATER
APPLICATIONS UNDER THE CLEAN STREAMS
LAW**

PART II PERMITS

The following permit applications or requests for plan approval have been received by the Department of Environmental Protection (Department).

Persons wishing to comment on any of the applications are invited to submit a statement to the office noted before the application within 15 days from the date of this public notice. Comments received within this 15-day comment period will be considered in making the final decision regarding the application. The comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department reserves the right to hold a public hearing if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation of the area. If no hearing is held, the Department's Water Management Program Manager will make a final determination regarding the applications after a complete review. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

A copy of the permit application or proposed plan is on file in the office indicated and is open to public inspection. Appointments to review the application may be made by contacting Records Management at the indicated telephone number.

I. Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

WQM Permit No. 0995403, Sewerage, **Bucks County Water and Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976. This proposed facility is located in Doylestown Borough, **Bucks County**.

Description of Proposed Action/Activity: Construction and operation to upgrade the existing pumps at Cooks Run Interceptor to increase the flows to 260,000 gpd.

WQM Permit No 0902401, Sewerage, **Bucks County Water and Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976. This proposed facility is located in Richland Township, **Bucks County**.

Description of Proposed Action/Activity: Construction and operation of sewage pump station to serve a proposed 200 lot single family residential subdivision.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 3902401, **Upper Saucon Township Municipal Authority**, 5500 Camp Meeting Road,

Center Valley, PA 18034-9444. This proposed facility is located in Upper Saucon Township, **Lehigh County**.

Description of Proposed Action/Activity: This project will extend the North Branch Interceptor (Section 2) sewer from its current terminal manhole located on the western edge of the Wedgewood Golf Course to Chestnut Hill Road. Collection sewers will be constructed on the southern side of Limeport Pike east of Greene Lane to service homes directly adjacent to Limeport Pike.

WQM Permit No. 6602401, Westgate Water and Sewer Municipal Authority, 184 Keiserville Road, Tunkhannock, PA 18657. This proposed facility is located in Washington Township, **Wyoming County**.

Description of Proposed Action/Activity: This project includes proposed construction of a new 30,000 GPD extended aeration treatment facility (replaces the existing plant) and a low pressure sewer extension to serve two commercial businesses located in Meshoppen Township.

Southcentral Region: Water Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 2202401, Sewerage, West Hanover Township Water and Sewer Authority, 7901 Jonestown Road, Harrisburg, PA 17112-9728. This proposed facility is located in West Hanover Township, **Dauphin County**.

Description of Proposed Action/Activity: Construction/Operation a Sewer Extension and Pump Station to serve Sany Hollow Road.

WQM Permit No. 2295402, Transfer, Sewerage, Lower Paxton Township, Springford Village STP, 75 S. Houcks Road, Room 200, Harrisburg, PA 17109. This proposed facility is located in Lower Paxton Township, **Dauphin County**.

Description of Proposed Action/Activity: Transfer of Permit.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No 3702402, Sewerage, Richard D. Mooney, R. R. 5, Box 225, New Castle, PA 16105. This proposed facility is located in Neshannock Township, **Lawrence County**.

Description of Proposed Action/Activity: This project is for a Single Residence Sewage Treatment Plant.

WQM Permit No 4302402, Sewerage, Tracy and Robert Black, 1331 Barkeyville Road, Grove City, PA 16127. This proposed facility is located in Pine Township, **Mercer County**.

Description of Proposed Action/Activity: This project is for a Single Residence Sewage Treatment Plant.

WQM Permit No 4302403, Sewerage, Philip Kozakovsky, 5124 Sandy Lake Road, Cochranon, PA 16314. This proposed facility is located in French Creek Township, **Mercer County**.

Description of Proposed Action/Activity: This project is for a Single Residence Sewage Treatment Plant.

NPDES Stormwater Individual Permit

The following parties have applied for an NPDES permit to discharge stormwater associated with a construction activity into waters of this Commonwealth. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (De-

partment) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices which restrict the rate and quantity of sediment discharged.

Where indicated, the EPA Region III Administrator has waived the right to review or object to this proposed permit action under the waiver provision 40 CFR 123.24(d).

Persons wishing to comment on the proposed permit are invited to submit a statement to the appropriate Department Regional Office noted before the application within 30 days from the date of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate Department Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity, are on file and may be inspected at the office identified in this notice.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified Regional Office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

NPDES Permit PAS10G507, Stormwater, John Federico, 104 Wooded Lane, Villanova, PA 19085, has applied to discharge stormwater associated with a construction activity located in East Goshen Township, **Chester County** to West Branch Ridley Creek (HQ).

NPDES Permit PAS10G508, Stormwater, West Brandywine Township, 199 Lafayette Road, Coatesville, PA 19320, has applied to discharge stormwater associated with a construction activity located in West Brandywine Township, **Chester County** to West Branch Brandywine Creek (HQ).

NPDES Permit PAS10G509, Stormwater, Jerry McCarron, 342 Sugartown Road, Devon, PA 19333, has applied to discharge stormwater associated with a construction activity located in East and West Brandywine Townships, **Chester County** to UNT to Culbertson Run (HQ-TSF-MF).

NPDES Permit PAS10G510, Stormwater, Gregg Rebar, 720 Wheeler School Road, Whiteford, MD 21160, has applied to discharge stormwater associated with a construction activity located in Lower Oxford Township, **Chester County** to UNT to West Branch Big Elk Creek (HQ-TSF-MF).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Northampton County Conservation District: Greystone Building, Gracedale Complex, Nazareth, PA 18064-9211, (610) 746-1971.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10U166	Hal Lubsen, President Oakhurst Business Services, Inc. 824 Eighth Ave. Bethlehem, PA 18018	Northampton County Upper Nazareth Township	Bushkill Creek HQ-CWF

Lehigh County Conservation District: Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10Q231	Keystone Operating Partnership L.P. by Keystone Property Trust G.P. 7584 Morris Court Allentown, PA 18106	Lehigh County Upper Macungie Township	Little Lehigh Creek HQ-CWF

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Centre County Conservation District: 414 Holmes Avenue, Bellefonte, PA 16823, (814) 355-6817.

NPDES Permit PAS10F102, Stormwater, **University Area Joint Authority**, 1576 Spring Valley Rd., State College, PA 16801 has applied to discharge stormwater associated with a construction activity located in Benner and College Townships, **Centre County** to Spring Creek.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS10F102	University Area Joint Authority 1576 Spring Valley Rd. State College, PA 16801	Benner and College Township Centre County	Spring Creek HQ-CWF

Tioga County Conservation District, 29 East Ave., Wellsboro, PA 16901, (570) 724-1801.

NPDES Permit PAS106602-1R, Stormwater, **N. E. Hub Partners, c/o Duke Energy Transmission**, 5400 Westheim Court, Room 6153, Houston, TX 77056 has applied to discharge stormwater associated with a construction activity located in Lawrence, Farmington, Tioga, Delmar and Middleburg Townships, **Tioga County** to Cowanesque River, Tioga River, Susquehanna River.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County & Municipality</i>	<i>Receiving Water/Use</i>
PAS106602-1R	N. E. Hub Partners c/o Duke Energy Transmission 5400 Westheim Court, Rm. 6153 Houston, TX 77056	Lawrence, Farmington, Tioga, Delmar and Middleburg Townships	Cowanesque River Tioga River Susquehanna River WWF

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act, the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on the permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding this application. Comment responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published

in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 2102501, Public Water Supply.
 Applicant **Pennsylvania American Water Company**
 Municipality Lower Allen Township
 County **Cumberland**
 Responsible Official Steven Seidl, Vice President Engineering
 800 West Hersheypark Drive
 Hershey, PA 17033
 Type of Facility PWS
 Consulting Engineer Gene C. Koontz, P.E.
 Gannett Fleming, Inc.
 P. O. Box 67100
 Harrisburg, PA 17106-7100
 Application Received Date January 15, 2002
 Description of Action Camp Hill and Slate Hill booster pump stations.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 0472501-A1, Public Water Supply.
 Applicant **Department of Conservation and Natural Resources Bureau of State Parks**
 Rachel Carson State Office Building
 P. O. Box 8451
 Harrisburg, PA 17105
 (Township or Borough) Hanover Township
 Responsible Official Roger Fickes, Director
 Department of Conservation and Natural Resources
 Bureau of State Parks
 Rachel Carson State Office Building
 P. O. Box 8451
 Harrisburg, PA 17105
 Type of Facility WTP
 Application Received Date January 30, 2002
 Description of Action Replacement of existing sand filters with membrane filters

MINOR AMENDMENT

Applications Received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Application No. Minor Amendment.
 Applicant **Stroudsburg Municipal Authority**
 Township or Borough Stroud, Hamilton, Smithfield and Pocono Townships
 Responsible Official Ken Brown, Manager
 Stroudsburg Municipal Authority
 410 Stokes Avenue
 East Stroudsburg, PA 18301
 Type of Facility PWS

Consulting Engineer Russell Scott, P.E.
 RKR Hess Associates, Inc.
 P. O. Box 268
 East Stroudsburg, PA 18301
 Application Received Date January 28, 2002
 Description of Action The applicant proposes a water distribution system extension project.

Application No. N/A, Minor Amendment.
 Applicant **Nature's Way Purewater of Lehigh Valley, Inc.**
 90 South Commerce Way
 Bethlehem, PA 18017
 Township or Borough Hanover Township,
Northampton County
 Responsible Official Jerry J. Kowalski, President
 Type of Facility Bottling Plant
 Application Received Date January 23, 2002
 Description of Action A relocation of the entire bottling plant to 310 Stoke Park Road, Bethlehem, PA 18017

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 5694502-A1, Minor Amendment.
 Applicant **Gray Area Water Authority**
 P. O. Box 118
 Gray, PA 15544
 (Township or Borough) Jenner Township
 Responsible Official Bob Montgomery, Acting Chairperson
 Gray Area Water Authority
 P. O. Box 118,
 Gray, PA 15544
 Type of Facility WTP
 Consulting Engineer The EADS Group, Inc.
 450 Aberdeen Drive,
 P. O. Box 837
 Somerset, PA 15501
 Application Received Date January 30, 2002
 Description of Action Well discharge pipe extension into existing reservoir, extension of lagoon recycle to reservoir, installation of in-stream low-flow measuring weir.

Application No. 1191503-A1, Minor Amendment.
 Applicant **Glendale Yearound**
 P. O. Box 89
 110 Troxell Spring Road
 Flinton, PA 16640
 (Township or Borough) White and Chest Townships
 Responsible Official Ludwig Rudel, President
 Glendale Yearound
 P. O. Box 89
 110 Troxell Spring Road,
 Flinton, PA 16640

Type of Facility WTP
 Consulting Engineer Dakota Engineering Associates,
 Inc.
 35 Wilson Street
 Suite 200 Etna Technical Center
 Pittsburgh, PA 15223
 Application Received November 14, 2001
 Date
 Description of Action Iron removal

WATER ALLOCATIONS

Applications received under the Act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of this Commonwealth.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WA56-1000A, Water Allocations, Lincoln Township Municipal Authority, P. O. Box 162, Sipesville, PA 15561, Lincoln Township, **Somerset County**. Requests the right to withdraw 187,000 gpd from the North Branch of the Quemahoning Creek (South and North). Service area expansion to include the Acosta and Somerset Historical Center areas.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one or a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific

standard, in whole or in part and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

South Brunswick Industrial Properties, L.P. and WFP Pennland Co., L.P., Upper Dublin Township, **Montgomery County**. Gerald Ahnell, Hydro-Geo Services, Inc., 1542 Bridge St., New Cumberland, on behalf of South Brunswick Industrial Properties, L. P. and WFP Pennland Co., L.P., 455 Pennsylvania Ave., Suite 125, Ft. Washington, PA 19034, has submitted a Notice of Intent to Remediate soil and groundwater contaminated with solvents. The applicant proposes to remediate the site to meet Statewide Health and Background Standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Ambler Gazette* on December 26, 2001.

Rahns Specialty Metals, Inc., Perkiomen Township, **Montgomery County**. Andrew P. Foster, Drinker, Biddle & Reath, LLP, One Logan Square, 18th and Cherry Sts., Philadelphia, PA 19103, on behalf of Rahns Specialty Metals, Inc., Route 113, Rahns, PA 19426, has submitted a Notice of Intent to Remediate soil and groundwater contaminated with solvents. The applicant proposes to remediate the site to meet Statewide Health and Site-Specific Standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Philadelphia Inquirer* on January 9, 2002.

Maiers Bakery—Distribution Center and Thrift Store, Pottstown Borough, **Montgomery County**. Paul R. Morin, P.G., Environ International Corp., 214 Carnegie Center, Princeton, NJ 10540, on behalf of Stroehmann Bakeries, L.C., 255 Business Ctr. Dr., Horsham, PA 19044, has submitted a Notice of Intent to Remediate groundwater contaminated with BTEX, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. The applicant proposed to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Pottstown Mercury* on January 11—13, 2002.

Lehigh Valley Dairies, Inc., Upper Gwynedd and Towamencin Townships, **Montgomery County**. David

Kile, Applied Engineering & Science, Inc., 2261 Perimeter Park Drive, Atlanta, GA 30341 on behalf of Tuscan/Lehigh Dairies LP, Union, NJ 07083, has submitted a revised Notice of Intent to Remediate groundwater contaminated with BTEX, polycyclic aromatic hydrocarbons and MTBE. The applicant proposed to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Reporter* on December 10, 2001.

Metal Bank State Road, City of Philadelphia, **Philadelphia County**. Edward W. Kleppinger, EWK Consultants, 2454 Royal Street, New Orleans LA, 70117, on behalf of U.C.O.—M.B.A. Corp. c/o Mattioni Ltd., 399 Market Street, Philadelphia, PA 19106, has submitted a Notice of Intent to Remediate soil and groundwater contaminated with PCBs. The applicant proposes to remediate the site to meet Statewide Health and Site-Specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Philadelphia Daily News* on December 31, 2001.

Saint Peter the Apostle Church, City of Philadelphia, **Philadelphia County**. Mark J. Irani, P.G., ATC Associates, Inc., 920 Germantown Pike, Suite 200, Plymouth Meeting, PA 19462, on behalf of The Redemptorist Fathers of PA, Inc., 174 W. Diamond St., Philadelphia, PA 19122, has submitted a Notice of Intent to Remediate soil and groundwater contaminated with BTEX and polycyclic aromatic hydrocarbons. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Daily News* on January 11, 2002.

General Econopak Facility, City of Philadelphia, **Philadelphia County**. Darryl D. Borrelli, Manko, Gold & Katcher, LLP, 401 City Ave., Suite 500, Bala Cynwyd, PA 19004, on behalf of General Econopak, 1725 N. 6th St., Philadelphia, PA, has submitted a Notice of Intent to Remediate soil contaminated with lead, heavy metals, BTEX and solvents and groundwater contaminated with lead, heavy metals, solvents and MTBE. The applicant proposes to remediate the site to meet Statewide Health and Site-Specific standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Philadelphia Daily News* on January 4, 2002.

Northeast Regional Field Office: Joseph A. Brogna, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Former Penn Fuel Gas Manufactured Gas Plant—Slatington Site, Borough of Slatington, **Lehigh County**. Michael J. Hasel, Senior Environmental Professional, PPL Utilities, Two North Ninth Street, Allentown, PA 18101 has submitted a Notice of Intent to Remediate concerning the remediation of soils, groundwater and adjacent surface water found or suspected to have been contaminated with metals, polycyclic aromatic hydrocarbons, phenolics, cyanides and BTEX compounds related to historic manufactured gas plant operations. The applicant proposes to remediate the site to meet the both the Statewide health and the site-specific standards. A summary of the Notice of Intent to Remediate was reportedly published in *The Morning Call* on February 1, 2002.

Luzerne County Transportation Authority—Lead Remediation, Kingston Borough, **Luzerne County**. Martin Gilgallon, P.G., Project Hydrogeologist, PA Tectonics, Inc., 333 Enterprise Street, Dickson City, PA 18519 has submitted a Notice of Intent to Remediate (on behalf of Luzerne County Transportation Authority, 315 North-

ampton Street, Kingston, PA 18704) concerning the remediation of soils found or suspected to have been contaminated with lead. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was published in both *The Citizens' Voice* and the *Hazleton Standard-Speaker* on December 27, 2001.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Loyal Plaza, Loyalsock Township, **Lycoming County**. Civil & Environmental Consultants, Inc., on behalf of Loyal Plaza Venture, L.P., 20 South Third Street, Columbus, OH 43215, has submitted a Notice of Intent to Remediate soil, groundwater and surface water contaminated with solvents. The applicant proposes to remediate the site to meet the Site-Specific Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Williamsport Sun-Gazette* January 24, 2002.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

Applications received or withdrawn under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6026.101—6026.908) and regulations to transport infectious and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

RENEWAL APPLICATIONS RECEIVED

Orchard Hill Memorial Park, Inc., 75 Stirling Road, Warren, NJ 07059. License No. **PA-HC 0163**. Received on January 28, 2002.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit Application No. 101397, Superior Greentree Landfill, 635 Toby Road, Kersey, PA 15846, Fox Township, **Elk County**. Major permit modification application to implement the facility's Radiation Action Plan. The application was received by the Northwest Regional office on December 20, 2001.

Comments concerning the application should be directed to A. Patrick Boyle, Program Manager, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335-3481. Persons interested in obtaining more information about the general permit application may contact the Northwest Regional Office, (814) 332-6848. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

AIR QUALITY

NOTICE OF PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the Regional Office identified in this notice. Persons interested in reviewing the application files should contact the appropriate Regional Office to schedule an appointment.

Persons wishing to receive a copy of the proposed Plan Approval or Operating Permit must indicate their interest to the Department Regional Office within 30 days of the date of this notice and must file protests or comments on a Proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with the Department Regional Offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts, which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office identified. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121-143, the Federal Clean Air Act and regulations adopted under the Act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001-4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110 Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

38-3036A: Cargill, Inc. (320 North 16th Street, Lebanon, PA 17406) for construction of a baghouse aspiration

system for grain cleaning at its animal nutrition plant in the City of Lebanon, **Lebanon County**.

67-03113: Advanced Industrial Services, Inc. (3250 Susquehanna Trail, York, PA 17402-9754) for construction of two metal cutting tables controlled by a cartridge collector at its metal fabrication facility in Manchester Township, **York County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481 Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.

25-688B: Hamot Medical Center (201 State Street Erie, PA 16550) for a minor modification of the existing plan approval (25-688A) for permit emission limit increases for arsenic, beryllium, cadmium, nickel, chromium and dioxins/furnace at their facility in the City of Erie, **Erie County**. The new limits will still meet the annual ambient guideline concentrations. The facility is a Title V Facility.

16-127B: Piney Creek Limited Partnership (428 Power Lane Clarion, PA 16214) for installation of Selective Noncatalytic Reduction for reduction of NOx emissions during the ozone season in Piney Township, **Clarion County**. The Facility is a Title V Facility.

43-277B: Joy Cone Co. (3435 Lamor Road, Hermitage, PA 16148-3097) for construction of a 3-tons/day incinerator to dispose of cones and paper products in Hermitage, **Mercer County**.

43-327A: ELG Metals, Inc. (660 Fourth Street, Greenville, PA 16125) for installation of a bag-house to collect fugitive emissions from scrap cutting operations in Pymatuning Township, **Mercer County**.

37-270B: International Specialty Alloys (P. O. Box 428, Route 551, Edinburg, PA 16116) for construction of an aluminothermic reduction process area and baghouse pollution control device in the Northgate Industrial Park in New Castle, **Lawrence County**.

24-009B: Willamette Industries, Inc.—Johnsonburg Mill (100 Center Street, Johnsonburg, PA 15845) for modification and upgrading of fiberline, recausticizing and evaporator areas and recovery furnace. Equipment upgrades will increase the mill's overall production capacity in Johnsonburg, **Elk County**. The modification includes sources subject to Federal NSPS and NESHAP regulations defined in 40 CFR Part 60, Subpart BB and 40 CFR Part 63, Subpart S, respectively. This is a Title V facility.

42-147A: W. R. Case and Sons Cutlery Co. (Owens Way, P. O. Box 4000, Bradford, PA 16701-0940) for installation of a baghouse (35,000 CFM) on an existing grinding process in Bradford Township, **McKean County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001-4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.

46-0005S: Merck and Co., Inc. (770 Summeytown Pike, P. O. Box 4, West Point, PA 19486-0004) for installation of a 150 kW natural gas fired emergency generator in Upper Gwynedd Township, **Montgomery County**. The

facility is a major (Title V) facility. The installation will result in emissions of 250 pounds per year of NO_x; 250 pounds per year of carbon monoxide; and 25 pounds per year of VOCs. The Plan Approval and Operating Permit will contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

09-0059: St. Mary Medical Center (1201 Langhorne-Newtown Road, Langhorne, PA 19047) for installation of three diesel-fired emergency generators rated at 500 kW, 350 kW and 230 kW in Middletown Township, **Bucks County**. The emergency generators are being installed strictly for power outages at various parts of the hospital. The diesel-fired emergency generators are equipped with turbocharger and after cooler and the ignition timing will be retarded for additional reductions in NO_x. NO_x emissions from the three emergency generators will be less than 4 tons per 12-month rolling sum. Emissions of all other criteria pollutants will be less than 1 ton per 12-month rolling sum. However, facility emissions will not increase due to a facility wide restriction on fuel usage of 150,000 gallons per year and a facility-wide restriction on NO_x of 22.66 tons per 12-month rolling sum. The Plan Approval and Operating Permit will contain record keeping and additional operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110 Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

22-05013A: M I Metals, Inc. (1517 Route 209, Millersburg, PA 17061) for the increase of the allowable VOC emissions from the aluminum window and door manufacturing facility in Millersburg Borough, **Dauphin County**. The facility is a Title V facility. The facility's allowable VOC emissions will be increased to 139.9 tons per year. The plan approval will contain emission restrictions and work practice standards, as well as monitoring, record keeping and reporting requirements.

28-05029: Fayetteville Contractors, Inc. (3185 Lincoln Way East, Fayetteville, PA 17222) for the construction of a batch mix asphalt plant in Antrim Township, **Franklin County**. Potential particulate matter emissions are estimated to be approximately 10 tons annually. Emissions of all pollutants will be well below the regulatory thresholds for the synthetic minor facility. The plan approval will contain emission limits, monitoring, record keeping and reporting requirements to ensure the facility operates in accordance with the applicable air quality standards.

67-03113: Advanced Industrial Services, Inc. (3250 Susquehanna Trail, York, PA 17402-9754) for the construction of two metal cutting tables controlled by a cartridge collector at its metal fabrication facility in Manchester Township, **York County**. The facility is a non-Title V (State only) facility. The facility's potential annual emissions of PM-10 will be approximately 300 pounds. The plan approval will contain emission restrictions and work practice standards, as well as monitoring, record keeping and reporting requirements.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481 Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.

62-017F: United Refining Co. (P. O. Box 780, 15 Bradley Street, Warren, PA 16365) for the refinery in the City of Warren, **Warren County**. The facility was issued Title V Operating Permit 62-00017 on December 26, 2000,

that was revised on March 21, 2001, and again on December 18, 2001. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date. This permit will also be used to support the attainment demonstration for SO₂ emissions.

Plan Approval 62-0017F is for modification of the vacuum heater, construction of a separate stack for the vacuum heater and installation of low NO_x burners. There will be no new pumps added for this project and there will be no increase of throughput for this project. The No. 4 boiler will not be modified as part of this project as previously indicated in the prior application. The project will increase emissions of VOC and NO_x by 34.03 TPY and 39.8 TPY, respectively. This includes the contemporaneous increases and decreases since 1991. The SO₂ emissions from the facility have decreased from this project as well as during the contemporaneous period by approximately 78.2 TPY. The CO and TSP emissions from the vacuum heater will increase by 14.1 TPY and 0.6 TPY, respectively. The PM-10 emissions from the vacuum heater will decrease by 0.3 TPY. The project does not trigger NSR or PSD based on the emission increases. The Plan Approval will include conditions to ensure compliance with Subpart J and GGG of the Standards of Performance for New Stationary Sources. The Approval also includes emission limits for the vacuum heater and requires stack tests to demonstrate compliance with the limits. The approval also includes provisions for operation of the SRU1 (as a backup to SRU2) and emission limits on the SRU2 and tank 434 to ensure Federally enforceable conditions are in place for these sources as required for the contemporaneous period analysis. The permit contains limitations pertaining to fugitive, odor and visible emissions. The Plan Approval and Operating Permit will contain additional record keeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110 Contact: Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

28-05004: Grove US LLC (1565 Buchanan Trail East, Shady Grove, PA 17256) for incorporation of recent modifications at the Shady Grove plant in Antrim Township, **Franklin County**. The replacement of surface coating equipment will not impact facility emissions or daily operations in any way. All conditions in the Title V operating permit will remain in place.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701 Contact: Muhammad Zaman, Facilities Permitting Chief, (570) 327-3637.

49-00024: Sunbury Property LLC, Owner and Knight-Celotex, LLC, Operator (P. O. Box 267 1400 Susquehanna Avenue, Sunbury, PA 17801) for their fiberboard production facility in Sunbury, **Northumberland County**. The Title V Operating Permit revision is to incorporate terms and conditions from Plan Approval 49-0013A for operation of a regenerative thermal oxidizer on a 146 mmBtu/hr fiberboard dryer to control visible emissions from the fiberboard dryer. The revised Title V Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110 Contact: Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

22-03031: Cremation Society of Pennsylvania (4100 Jonestown Road, Harrisburg, PA 17109) for operation of a crematory in Lower Paxton Township, **Dauphin County**. Actual emissions of particulate matter, NO_x and SO_x are estimated at less than 1 ton per pollutant, annually. The natural minor operating permit will contain operating, monitoring and recordkeeping restrictions to ensure compliance with the applicable air quality requirements.

22-05003: Stroehmann Bakeries, LC (3996 Paxton Street, Harrisburg, PA 17111) for operation of the Capitol Bakery in Swatara Township, **Dauphin County**. Actual emissions of VOCs are less than 20 tons annually; emissions of all other pollutants are well below the Title V thresholds. The synthetic minor operating permit will contain emission limits, monitoring, recordkeeping and reporting requirements to ensure the facility operates in accordance with the applicable requirements.

22-05027: Moyer Packing Co. (249 Allentown Road, Souderton, PA 18964) for operation of a rendering plant in Washington Township, **Dauphin County**. The facility has the potential to emit 93 tons of SO_x annually. The synthetic minor operating permit will contain emission limits, monitoring, recordkeeping and reporting requirements to ensure the facility operates in accordance with the applicable requirements.

28-03012: Martin's Famous Pastry Shoppe, Inc. (1000 Potato Roll lane, Chambersburg, PA 17201) for operation of a snack food plant in Antrim Township, **Franklin County**. Actual emissions from the plant's two fryers are estimated at less than 1 ton per pollutant annually. The natural minor operating permit will contain operating, monitoring and recordkeeping restrictions to ensure compliance with the applicable air quality requirements.

29-03007: Mellott Wood Preserving Co., Inc. (P. O. Box 209, Needmore, PA 17238) for operation of a wood treatment facility in Belfast Township, **Fulton County**. The facility includes a wood-fired boiler and has the potential to emit 5 tons of particulate matter annually. The natural minor operating permit will contain emission limits, monitoring, recordkeeping and reporting requirements to ensure the facility operates in accordance with the applicable requirements.

34-03006: Railworks Wood Products, Inc. (P. O. Box 251, McAlisterville, PA 17049) for operation of a wood treatment facility in Fayette Township, **Juniata County**. The facility includes a wood-fired boiler and has the potential to emit 5 tons of particulate matter annually. The natural minor operating permit will contain emission limits, monitoring, recordkeeping and reporting requirements to ensure the facility operates in accordance with the applicable requirements.

36-03134: Wilmac Healthcare, Inc. (209 North Beaver Street, York, PA 17403) for operation of a nursing and rehabilitation center in Manheim Township, **Lancaster County**. Potential emissions result from the use of an anthracite-fired boiler in amounts of 29.5 tpy sulfur oxides, 12.1 tpy NO_x, 28.6 tpy particulate matter, 0.4 tpy VOCs and 0.8 tpy carbon monoxide. The operating permit shall contain additional record keeping and operating

restrictions designed to keep the facility operating within all applicable air quality requirements.

67-05071: Leggett and Platt, Inc. (Box 327, Red Lion, PA 17356) for operation of a woodworking facility in Red Lion Borough, **York County**. The facility has the potential to emit 76 tpy of VOCs and 30 tpy of xylene (a hazardous air pollutant (HAP)). Facility emissions of VOCs are limited to 25 tpy during any consecutive 12-month period. Facility emissions of aggregate HAPs and any individual HAP are limited to 25 tpy and 10 tpy, respectively, during any consecutive 12-month period. The Synthetic Minor operating permit will include emission restrictions, work practice standards and testing, monitoring, record keeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701 Contact: David Aldenderfer, Program Manager, (570) 327-3637.

19-00020: Kawneer Co., Inc. (500 East 12th Street, P. O. Box 629, Bloomsburg, PA 17815-0629) for a State Only (Synthetic Minor) Operating Permit for the Bloomsburg Plant in the Town of Bloomsburg, **Columbia County**. The facility's sources include natural gas-fired burners, space heaters, furnaces and ovens; paint mixing operations; surface coating operations; cleanup operations, anodizing and pretreat treatment tanks, storage tanks and water treatment operations. These sources have the potential to emit major quantities of VOCs and HAPs. The facility has taken restrictions to keep its annual VOC and HAP emissions below the major emission thresholds. The facility has the potential to emit carbon monoxide, NO_x, particulate matter and SO_x below major emission thresholds. The proposed operating permit contains all applicable requirements including monitoring, recordkeeping and reporting conditions.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745 Contact: Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

03-00185: Vista Metals, Inc. (1024 East Smithfield Street, McKeesport, PA 15135-0094) for two material dryers in East Franklin Township, **Armstrong County**.

63-00874: Therm-O-Rock East, Inc. (Pine Street, P. O. Box 429, New Eagle, PA 15067) for a blending and bagging operation in Donora Borough, **Washington County**.

03-00047: Freeport Brick Co. (Drawer F, Freeport, PA 16229-0306) for brick manufacturing using two natural gas-fired tunnel kilns in Freeport Borough, **Armstrong County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481 Contact: Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

10-00302: Allegheny Metalworking Corp. (17 Leonburg Road, Cranberry Township, PA 16066) for a Natural Minor Operating Permit for a surface coating operation in Cranberry Township, **Butler County**.

MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S.

§§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District Mining Office indicated before each application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments or objections or requests for informal conferences on applications, may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment and informal conferences).

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations (as described in the Department's regulations—25 Pa. Code §§ 77.522, 87.102, 88.92, 88.187, 88.242, 89.52 and 90.102) for iron, manganese, suspended solids, settleable solids, alkalinity and pH. In addition to the previous, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies which have requested review of the NPDES permit requirements for a particular mining activity within the previously-mentioned public comment period will be provided with a 30-day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209, (814) 342-8200.

17990109. Moravian Run Reclamation Co., Inc., (605 Sheridan Drive, Clearfield, PA 16830), revision to an existing bituminous surface mine-auger permit for a Change in Permit Acreage from 95.0 to 103.3 acres. Receiving streams: unnamed streams to Muddy Run and Muddy Run/CWF. Application received: December 31, 2001.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.

03020102. D.J & W. Mining, Inc. (Box 425, Indiana, PA 15701). Application received for commencement, operation and reclamation of a bituminous surface mine located in Cadogan and North Buffalo Townships, **Armstrong County**, affecting 48.9 acres. Receiving streams: unnamed tributaries to Allegheny River, classified for the following use: warm water fishery. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: January 22, 2002.

26970102. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Renewal application for reclamation only of a bituminous surface mine located in Saltlick Township, **Fayette County**, affecting 93.5 acres. Receiving streams: unnamed tributaries to Popular Run and to Indian Creek, classified for the following use: cold water fishery. The first downstream potable water supply intake from the point of discharge is Indian Creek Valley Water Authority. Renewal application received: January 24, 2002.

26020101. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Application for commencement, operation and reclamation of a bituminous surface mine located in Springfield Township, **Fayette County**, affecting 65.1 acres. Receiving streams; unnamed tributary to Indian Creek and to Indian Creek, classified for the following use: cold water fishery. The first downstream potable water supply intake from the point of discharge is Indian Creek Valley Water Authority. Application received: January 28, 2002.

03020103. Alverda Enterprises, Inc. (P. O. Box 87, Alverda, PA 15710). Application for commencement, operation and reclamation of a bituminous surface mine located in South Bend Township, **Armstrong County**, affecting 20.3 acres. Receiving streams: unnamed tributaries to Big and Whiskey Run; classified for the following use: cold water fishery. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: January 30, 2002.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56960105 and NPDES Permit No. PA0234168. L. K. Mining, Inc., 323 Coalyard Road, Rockwood, PA 15557. Permit renewal for continued operation of a bituminous surface mine and for existing discharge of treated mine drainage in Milford Township, **Somerset County**, affecting 20.2 acres. Receiving streams: unnamed tributary to South Glade Creek classified for the following uses: warm water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: January 29, 2002.

11990101 and NPDES Permit No. PA02354041. Twin Brook Coal, Inc., P. O. Box 225, Clymer, PA 15728 from **R. J. C. Kohl, Inc.**, P. O. Box 299, Nicktown, PA 15762. Permit transfer for continued operation of a bituminous surface and auger mine and for existing discharge of treated mine drainage in Barr Township, **Cambria County**, affecting 80.0 acres. Receiving streams: unnamed tributaries to and Hopper Run and West Branch Susquehanna River classified for the following uses: Cold Water Fishery and Warm Water Fishery. There are no potable water supply intakes within 10 miles downstream. Application received: January 29, 2002.

McMurray District Mining Office: 3913 Washington Road, McMurray, PA 15317, (724) 941-7100.

33961302. NPDES Permit #PA0214868, Laurel Energy, L.P. (One Energy Place, Suite 7500, Latrobe, PA 15650), to renew the permit for the Sandy Lands Mine in McCalmont Township, **Jefferson County**, renewal Surface Acres Proposed N/A, Underground Acres Proposed N/A, SCP Acres Proposed N/A, CRDP Support Acres Proposed N/A, CRDP Refuse Disposal Acres Proposed N/A, no additional discharges, classified for the following uses: N/A. The first downstream potable water supply intake from the point of discharge is N/A. Application received: November 13, 2001.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

61020101. Ben Hal Mining Company (389 Irishtown Road, Grove City, PA 16127). Commencement, operation and restoration of a bituminous surface strip operation in Irwin Township, **Venango County** affecting 25.5 acres. Receiving streams: Two unnamed tributaries to Scrubgrass Creek, classified for the following uses: Statewide water uses: CWF. No public water supplies are within 10 miles downstream of this proposed operation. Application received: January 24, 2002.

16010103. RFI Energy, Inc. (555 Philadelphia Street, Indiana, PA 15701). Commencement, operation and restoration of a bituminous surface strip and coal refuse disposal operation in Perry Township, **Clarion County** affecting 133.0 acres. Receiving streams: unnamed tributary to Allegheny River and unnamed tributary to Clarion River, classified for the following uses: Statewide water uses: CWF. The first downstream potable water supply intake from the point of discharge is West Freedom. Application received: December 21, 2001.

10900109. Rosebud Mining Company (R. D. 9, Box 379A, Kittanning, PA 16201). Renewal of an existing bituminous surface and auger operation in Fairview Township, **Butler County** affecting 120.3 acres. Receiving streams: Two unnamed tributaries to south Branch Bear Creek, classified for the following uses: Statewide water uses: WWF. There are two water supplies within 1/2 mile of the permit area. Application received: December 31, 2001.

10010112. T. C. Mining (252 Lower Hays Run Road, Kittanning, PA 16201). Commencement, operation and restoration of a bituminous surface strip and auger operation in Clay and Concord Townships, **Butler County** affecting 181.7 acres. Receiving streams: unnamed tributary to South Branch Slippery Rock Creek, classified for the following uses: Statewide water uses: CWF. No public water supplies are within 10 miles downstream of this proposed operation. Application received: December 31, 2001.

1642-10010112-E-1. T. C. Mining (252 Lower Hays Run Road, Kittanning, PA 16201). Application for a stream encroachment to construct erosion and sedimentation controls within the 100 foot barrier of an unnamed tributary to the South Branch of Slippery Rock Creek in Clay and Concord Townships, **Butler County** affecting 181.7 acres. Receiving streams: unnamed tributary to South Branch Slippery Rock Creek, classified for the following uses: Statewide water uses: CWF. No public water supplies are within 10 miles downstream of this proposed operation. Application received: December 31, 2001.

33990101. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Renewal of an existing bituminous

surface strip and auger operation in Winslow Township, **Jefferson County** affecting 127.8 acres. Receiving streams: unnamed tributary to Soldier Run and Soldier Run, classified for the following uses: Statewide water uses: CWF. No public water supplies are within 10 miles downstream of this proposed operation. Application received: January 28, 2002.

Noncoal Applications Received

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.

26920401. Coolspring Mining, Inc. (P. O. Box 1328, Uniontown, PA 15401-1328). Renewal application for a noncoal surface mine to continue mining located in North Union Township, **Fayette County**, affecting 60.6 acres. Receiving streams: unnamed tributary to Coolspring Run to Shute Run to Cove Run to Redstone Creek to Monongahela River; classified for the following use: warm water fishery. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: January 25, 2002.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

32020301 and NPDES Permit No. PA0249149. Ridge Energy Company, 265 Swamp Road, Suite 3000, Clymer, PA 15728, commencement, operation and restoration of a noncoal surface mine and for discharge of treated mine drainage in Cherryhill Township, **Indiana County**, affecting 8.4 acres. Receiving streams: Rose Run classified for the following uses: Cold Water Fishery. There are no potable water supply intakes within 10 miles downstream. Application received: January 28, 2002.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

16960304. Milestone Crushed, Inc. (521 South Street, P. O. Box 644, Clarion, PA 16214). Renewal of NPDES Permit No. PA 0227251, Perry Township, **Clarion County**. Receiving streams: Dunlap Creek, classified for the following uses: Statewide water uses: WWF. No public water supplies are within 10 miles downstream of this proposed operation. NPDES Renewal application received: January 31, 2002.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications and requests for Environmental Assessment approval and requests for Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Initial requests for 401 Water Quality Certification will be published concurrently with the permit application. Persons objecting to approval of a request for certification under section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before the application. Comments should contain the name, address and telephone number of the person

commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8 a.m. and 4 p.m. on each working day at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications Received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and Requests for Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E09-833. JDA Development Co. LLC, 29 South Main Street, West Hartford, CT 06107, Middletown and Bristol Townships, **Bucks County**, ACOE Philadelphia District.

To place and maintain fill and appurtenant structures in 0.96 acre of wetland (PFO) within the Mill Creek (WWF) watershed associated with the construction of a Giant Food Store. Consisting of 64,000-square feet of commercial space. The applicant proposes to compensate wetland losses by constructing both onsite and offsite replacement wetland areas, totaling 0.96 acre. This application is being reviewed concurrently with E09-834 located immediately downstream in Bristol Township. The site is located along the northern side of New Falls Road (S.R. 2049) between Durham Road (S.R. 2006) and New Rodgers Road (S.R. 0413) (Langhorne, PA USGS Quadrangle N: 1.6 inches; W: 1.7 inches).

E09-834. Bristol Township, 2501 Bath Road, Bristol, PA 19007, Middletown Township, **Bucks County**, ACOE Philadelphia District.

To modify 688 linear feet of unnamed intermittent tributary of Mill Creek (WWF) and to modify and maintain an existing stream enclosure by placing approximately 1,115 linear feet of PEP stream enclosure consisting of segments with 36-inch, 42 inch and 48 inch diameters. The enclosure will approximately follow along an existing 980-foot long stream enclosure. The work is proposed for the purpose of improving the conveyance of stormwater flows resulting for anticipated upstream development. This application is being reviewed concurrently with E09-833 located immediately upstream in Middletown Township. The stream channel and enclosure modifications are located along a reach of the tributary starting along southern side of New Falls Road (S.R. 2049) approximately 400 feet east of Durham Road (S.R. 2006) continuing downstream approximately 2,000 feet

under New Rodgers Road (S.R. 0413) to an end wall located immediately east of the junction of Prunewood Drive and Plumbridge Road (Langhorne, PA USGS Quadrangle N: 0.9 inch; W: 0.7 inch).

E46-876. The Philadelphia Cricket Club, 415 West Willow Grove Avenue, Philadelphia, PA 19118, Whitemarsh Township, **Montgomery County**, ACOE Philadelphia District.

To amend permit E46-876 for the following water obstruction and encroachment activities which impacted a total of 898 linear feet of Lorraine Run (TSF), unnamed tributaries and will impact 0.36 acre of adjacent wetland (PFO) associated with the construction of the Philadelphia Cricket Club Golf Course:

1. To maintain 13 stormwater outfalls.
2. To maintain eight golf cart bridges.
3. To eliminate the construction of a golf course pond along the bank and within the floodway of Lorraine Run associated with mining permit associated with hole No. 13.
4. To maintain fill within approximately 570 linear feet of an unnamed tributary to Lorraine Run associated with the construction of a new settling pond in accordance with mining permit No. 8074SM2T2 and to maintain 260 linear feet of constructed channel originating at the mining discharge point.
5. To include the placement of approximately 0.2 acre of fill within wetlands (PEM) associated with modification to the fairway for Hole No. 18.

The site is bounded by Joshua Road and Fort Washington State Park to the north, West Valley Green Road to the south and Stenton Avenue to the west (Germantown, PA Quadrangle N: 20.05 inches; W: 15.0 inches). The applicant proposes to provide 1.0 acre of replacement wetlands.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E06-562. Jeffrey Smallman, Pennsylvania Department of Transportation 5-0, 1713 Lehigh Street, Allentown, PA 18103 in Spring and South Heidelberg Townships, **Berks County**, ACOE Philadelphia District

To remove the existing structure and to construct and maintain a single 53-foot span concrete bridge with an average underclearance of 407 feet over Cacoosing Creek (WWF) on Mountain Home Road (SR 3012, Segment 0052, Offset 0000) and to fill in 0.05 acre of de minimis wetlands in order to realign the road located 1,500 feet north of Montello Village (Sinking Spring, PA Quadrangle N: 12.1 inches; W: 5.95 inches) in Spring and South Heidelberg Townships, Berks County. The amount of wetland impact is considered a de minimis impact of 0.05 acre and wetland mitigation is not required.

E07-355. Michael Fiore, PA Investor Enterprises, LLC, 5506 6th Avenue, Rear, Altoona, PA 16602 in Allegheny Township, **Blair County**, ACOE Baltimore District.

To construct and maintain a 400-foot long, 7-foot by 2.5-foot concrete box culvert stream enclosure, to relocate 363 feet of stream channel and to construct three outfalls in and along the channel of a tributary to Burgeon Run (WWF) at a point between Route 764 and California Avenue for the purpose of constructing a shopping plaza (Hollidaysburg, PA Quadrangle N: 15.75 inches; W: 7.0 inches) in Allegheny Township, Blair County.

E50-208. Ron Hampton, Saville Township, 46 Butcher Shop Lane, Ellittsburg, PA 17024 in Saville Township, **Perry County,** ACOE Baltimore District.

To remove an existing bridge and to construct and maintain a bridge having a span of 48.6 feet and an underclearance of 6 feet across the channel of Buffalo Creek (HQ-CWF) at a point at T-324 (Valentine Road) (Spruce Hill, PA Quadrangle N: 10.8 inches; W: 5.8 inches) in Saville Township, Perry County.

E67-713. Tom Simmons, Mid-Atlantic Realty Trust, 170 West Ridgely Road, Luterville, MD 21093 in Shrewsbury Borough and Hopewell Township, **York County,** ACOE Baltimore District

To: (1) extend an existing 72-inch corrugated metal pipe culvert by 30-feet, 15-feet on each side of the culvert; (2) remove an existing 30-inch corrugated metal pipe and construct a 72-inch corrugated metal pipe and construct an 8-inch sanitary sewer pipe across an unnamed tributary to Deer Creek; (3) construct a 21-inch and a 24-inch outfall stormwater discharge pipe; (4) remove an existing 5.5-foot by 7-foot concrete box culvert and construct and maintain a 4.5-foot by 10-foot precast concrete box culvert; and (5) relocate and maintain approximately 490 linear feet of Deer Creek (CWF) for construction of the Shrewsbury Commercial Center located between I-83, Route 851 and Mount Airy Road (Glen Rock, PA Quadrangle N: 4.25 inches; W: 6.5 inches) in Shrewsbury Borough and Hopewell Township, York County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E12-128. Department of Conservation and Natural Resources, R. R. 4, Box 212, Suite 1, Emporium, PA 15834. Stillhouse Run Stream Bank Stabilization, in Lumber Township, **Cameron County,** ACOE Baltimore District (Cameron, PA Quadrangle N: 10.5 inches; W: 7.5 inches).

The Department of Conservation and Natural Resources is requesting a permit application to use R-5 riprap to stabilize a total of 155 linear feet of stream bank in two different locations. The project is located on Stillhouse Run, which is designated as a High Quality Cold Water Fishery.

E18-332. Department of Conservation and Natural Resources, P. O. Box 8451, Harrisburg, PA 17105. Bridge Replacement, in Noyes Township, **Clinton County,** ACOE Baltimore District (Renovo West, PA Quadrangle N: 12.5 inches; W: 14.8 inches).

To: 1) remove an existing bridge; 2) construct and maintain a precast reinforced concrete box culvert with 17.0-foot wide by 4.0-foot high effective hydraulic opening, precast end sections and 1.0-foot high concrete fish baffles; 3) construct and temporarily maintain three 30-inch plastic pipes for a temporary stream bypass, in Huling Branch located 0.3 mile up Two Mile Run from Kettle Creek Road (Renovo West, PA Quadrangle N: 12.5 inches; W: 14.8 inches) in Noyes Township, Clinton County. The project proposes to permanently impact 150 feet of Huling Branch, which is a Trout Stocked Fishery.

E41-499. Loyalsock Township, 2501 East Third Street, Williamsport, PA 17701. Miller Run Stream Restoration, in Loyalsock Township, **Lycoming County,** ACOE Baltimore District (Montoursville, PA Quadrangle N: 1.5 inches; W: 13.25 inches).

The applicant is proposing to restore 750 linear feet of Miller Run, which is designated as a Warm Water

Fishery. The restoration will take place through the Bruce E. Henry Park and will utilize Fluvial Geomorphic Principles to complete the project. Several in-stream rock structures and minor stream relocation are proposed in the application.

E49-257. Shamokin Township Supervisors, R. R. 1, Box 459, Paxinos, PA 17860. Water Obstruction and Encroachment Joint Permit Application, in Shamokin Township, **Northumberland County,** ACOE Susquehanna River Basin District (Treverton, PA Quadrangle N: 16.6 inches; W: 2.3 inches).

To remove existing culvert pipe and construct and maintain a corrugated metal arch pipe having a span of 6.92 feet and a rise of 4.75 feet in an unnamed tributary to Shamokin Creek along T-485. This project proposes to permanently impact 60 linear feet of the unnamed tributary, which is, designated a Cold Water Fishery and does not propose to impact any jurisdictional wetlands.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1363. Allegheny County Department of Public Works, 501 County Office Building, 542 Forbes Avenue, Pittsburgh, PA 15219. Ohio Township and Sewickley Hills Borough, **Allegheny County,** ACOE Pittsburgh District.

To remove the existing bridge and to construct and maintain a 46' x 11' x 6' reinforced box culvert (depressed 1') in a tributary to Kilbuck Run (CWF) and to remove existing structures, to replace and maintain a 284' section of retaining wall and to construct and maintain two outfall structures along the right bank side of Kilbuck Run (CWF). The project is located along Glenfield Road approximately 1/4 mile south of its intersection with Mt. Nebo Road (Emsworth, PA Quadrangle N: 8.8 inches; W: 17.1 inches)

E65-794. Greater Greensburg Sewage Authority, P. O. Box 284, Greensburg, PA 15601-0248. Borough of South Greensburg, **Westmoreland County,** ACOE Pittsburgh District.

To construct and maintain a 48-inch RCP storm sewer outfall along Jacks Run (WWF) as part of the replacement of an existing combined sewer system with separate stormwater sewer and sanitary sewer systems. The project is located on Huff Avenue off of U. S. Route 119 (Greensburg, PA Quadrangle N: 5.3 inches; W: 7.1 inches).

E65-795. Humane Society of Westmoreland County, P. O. Box 1552, Greensburg, PA 15601. Hempfield Township, **Westmoreland County,** ACOE Pittsburgh District.

To operate and maintain a single span bridge having a normal span of 24.0 feet and an underclearance of 5.5 feet across Jack's Run (WWF) authorized for construction under Emergency Permit No. EP6501201. The bridge is located off of S.R. 119 (Greensburg, PA Quadrangle N: 11.0 inches; W: 4.0 inches).

E65-796. Colony Development Company, 8954 Hill Drive, North Huntingdon, PA 15642. Unity Township, **Westmoreland County,** ACOE Pittsburgh District.

To place and maintain fill in 0.72 acre of wetlands in the watershed of unnamed tributaries to Ninemile Run (WWF) for the purpose of a commercial site development for Big Kmart and Lowe's Improvement Warehouse. The site is located along S.R. 30 approximately 0.5 mile south of the intersection of Theater Drive (T-898) and S.R. 30 (Latrobe, PA Quadrangle N: 6.9 inches; W: 1 inch).

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E10-351, Butler County, Government Center, P. O. Box 1208, Butler, PA 16003-1208, Rosebaugh Bridge over Glade Run, in Adams Township, **Butler County**, ACOE Pittsburgh District (Valencia, PA Quadrangle N: 18 inches; W: 13.7 inches).

Project involves the replacement of the Rosebaugh Bridge over Glade Run (WWF). The proposed structure is a single span composite prestressed concrete box beam bridge with a clear span of 15.05 meters. The bridge is located on Hammond Road near the intersection of Hammond Road, List Hill Road and Three Degree Road in Adams Township, Butler County.

E25-404A, Erie-Western Pennsylvania Port Authority, 100 State Street, Suite 205, Erie, PA 16507. Maintenance Dredging in Presque Isle Bay and Lake Erie, in the City of Erie, **Erie County**, ACOE Pittsburgh District.

To amend Permit No. E25-404A which authorizes the Erie-Western Pennsylvania Port Authority to perform maintenance dredging at the following eight locations in and along Presque Isle Bay and Lake Erie in the City of Erie, Erie County:

1. Chestnut Street launch ramp (Erie North, PA Quadrangle N: 1.25 inches; W: 13.25 inches).
2. West Canal Basin (Erie North, PA Quadrangle N: 2.0 inches; W: 12.2 inches).
3. East Canal Basin (Erie North, PA Quadrangle N: 2.4 inches; W: 12.3 inches).
4. Erie Marine, Inc. dock (Erie North, PA Quadrangle N: 2.5 inches; W: 11.7 inches).
5. The "ore dock" (Erie North, PA Quadrangle N: 2.6 inches; W: 11.3 inches).
6. Erie International Marine Terminal (Erie North, PA Quadrangle N: 4.5 inches; W: 11.0 inches).
7. Captain John E. Lampe Marina (Erie North, PA Quadrangle N: 4.2 inches; W: 10.0 inches).
8. East Avenue launch ramp (Erie North, PA Quadrangle N: 3.6 inches; W: 8.9 inches).

The proposed amendment to this permit is to expand or reconfigure the areas included for maintenance dredging activities at the Chestnut Street Launch Ramp, West Canal Basin, East Canal Basin, Erie International Marine Terminal and East Avenue Launch Ramp and to include maintenance dredging activities the following additional facilities owned by the Erie-Western Pennsylvania Port Authority:

9. Perry's Landing Marina between Piers I and II (Erie North, PA Quadrangle N: 0.7 inch; W: 15.0 inches) and between Piers II and III (Erie North, PA Quadrangle N: 0.7 inch; W: 14.7 inches) totaling approximately 10 acres.
10. Bay Harbour Marina (Erie North, PA Quadrangle N: 1.0 inch; W: 14.4 inches) approximately 6 acres.
11. Commodore Perry Yacht Club (Erie North, PA Quadrangle N: 1.1 inches; W: 14.1 inches) approximately 14 acres.
12. Cherry Street Marina (Erie North, PA Quadrangle N: 1.1 inches; W: 13.9 inches) approximately 9 acres.
13. Walnut Street Marina (Erie North, PA Quadrangle N: 1.3 inches; W: 13.7 inches) approximately 7 acres.

14. Jolly Rodgers Marina (Erie North, PA Quadrangle N: 1.4 inches; W: 13.5 inches) approximately 14 acres.

15. Chestnut Street Marina (Erie North, PA Quadrangle N: 1.6 inches; W: 13.3 inches) approximately 4 acres.

16. Sassafrass Street Pier, two locations (Erie North, PA Quadrangle N: 1.9 inches; W: 13.0 inches) and (Erie North, PA Quadrangle N: 2.3 inches; W: 12.9 inches) totaling approximately 6 acres.

17. Holland Street Pier (Erie North, PA Quadrangle N: 2.2 inches; W: 11.9 inches) approximately 3 acres.

18. Grain Elevator Slip (Erie North, PA Quadrangle N: 2.6 inches; W: 11.7 inches) approximately 5 acres.

19. Graving Dock Slip (Dry Dock) (Erie North, PA Quadrangle N: 2.7 inches; W: 11.5 inches) approximately 3 acres.

20. Access area to Grain Elevator Slip, Graving Dock (Dry Dock) Slip and Coal Ore Dock Slip (ore dock) (Erie North, PA Quadrangle N: 3.1 inches; W: 11.6 inches) approximately 10 acres.

Note: North and west measurements are given to the approximate center of the dredging area for each facility.

E25-638, Greater Erie Industrial Development Corporation, 5240 Knowledge Parkway, Erie, PA 16510-4658. Fairview Business Park—GEIDC, in Fairview Township, **Erie County**, ACOE Pittsburgh District (Swanville, PA Quadrangle N: 1.5 inches; W: 16.0 inches).

To fill a total of 3.53 acres of seven nonexceptional value wetlands at the Fairview Business Park—GEIDC for lot development on the former Commodore Downs property located northeast of the intersection of I-90 and S.R. 98 (Exit 16). Project includes creation of 4.22 acres of replacement wetlands.

E25-641, Department of Conservation and Natural Resources, 195 Park Road, P. O. Box 387, Prospect, PA 16052-0387, East Fisher Road over Graveyard Pond, in Millcreek Township, **Erie County**, ACOE Pittsburgh District (Erie North, PA Quadrangle N: 5.5 inches; W: 12.6 inches).

To construct and maintain a prestressed adjacent box beam bridge with a single clear span of 120 feet, an underclearance of 21'-10" at mid-span, a skew of 90 degrees and two reinforced concrete abutments across Graveyard Pond (WWF), located off East Fisher Road (USGS Quad: Erie North, N: 5.5 inches, W: 12.6 inches), in Millcreek Township, Erie County. The estimated water-line disturbance is 180 feet with 650 square feet of wetland impact.

To widen an existing prestressed concrete adjacent box beam bridge 4 feet for the purpose of adding a bikeway and sidewalk along Long Pond (WWF) on Marina Drive (USGS Quad: Erie North, N: 6.3 inches, W: 16.1 inches) in Millcreek Township, Erie County. The estimated water-line disturbance is 135 feet with no permanent wetland impact.

E25-642, Washington Township, 11800 Edinboro Road, Edinboro, PA 16214, Washington Township Peninsula Park, in Washington Township, **Erie County**, ACOE Pittsburgh District (Edinboro North, PA Quadrangle N: 3.4 inches; W: 2.2 inches).

Construction and maintenance of picnic pavilions, grill facilities, composting toilets and sidewalks in an existing park along Edinboro Lake/Conneauttee Creek (WWF).

The project is not location in the floodway, does not impact wetlands and does not project into any water-course. The location of the proposed facilities is the floodplain of Edinboro Lake/ Conneauttee Creek. Approximately 0.1 acre of existing gravel driveways and an existing mowed yard will be disturbed.

ACTIONS

FINAL ACTIONS TAKEN UNDER THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT—NPDES AND WQM PART II PERMITS

INDUSTRIAL WASTE AND SEWERAGE WASTEWATER

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications and requests for plan approval.

Persons aggrieved by these actions may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge this action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. Municipal and Industrial Permit Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

NPDES Permit No. PA0051292, Industrial Waste, **Morrisville Borough Municipal Authority**, Ferry and River Roads, Morrisville, PA 19067. This proposed facility is located in Morrisville Borough, **Bucks County**.

Description of Proposed Action/Activity: Renewal to discharge into Delaware River (Zone 1E).

NPDES Permit No. PA0057126, Industrial Waste, **Amerada Hess Corporation**, 1 Hess Plaza, Woodbridge,

NJ 07095. This proposed facility is located in City of Coatesville, **Chester County**.

Description of Proposed Action/Activity: Renewal to discharge into West Branch of Brandywine Creek-3H.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

NPDES Permit No. PA-0060496, Sewage, **C. S. Water and Sewer Associates**, P. O. Box 866, Moscow, PA 18444. This proposed facility is located in Lackawaxen Township, **Pike County**.

Description of Proposed Action/Activity: renewal of NPDES Permit to discharge treated wastewater from the existing treatment facility into the Delaware River.

NPDES Permit No. PA-0023558, Sewage, **Borough of Ashland**, 502 Chestnut Street, Ashland, PA 17921. This proposed facility is located in Ashland Borough, **Schuylkill County**.

Description of Proposed Action/Activity: Authorized to discharge to Mahanoy Creek. Renewal of NPDES permit.

WQM Permit No. 4801404, Sewerage, **Nazareth Borough Municipal Authority**, 872 Tatamy Road, P. O. Box A, Nazareth, PA 18064. This proposed facility is located in Upper Nazareth Township, **Northampton County**.

Description of Proposed Action/Activity: Construction of Pump Station.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0087661, Sewage, **Chestnut Ridge Area Joint Municipal Authority**, 320 Lane Metal Road, New Paris, PA 15554. This proposed facility is located in East St. Clair Township, **Bedford County**.

Description of Proposed Action/Activity: Authorization to discharge to Dunning Creek in Watershed 11-C.

WQM Permit No. 0602401, Sewerage, **George Tindall**, Township Manager, **Amity Township**, 2400 Weavertown Road, Douglassville, PA 19518. This proposed facility is located in Amity Township, **Berks County**.

Description of Proposed Action/Activity: Replacement of Pump Station #3 on Hilty Lane.

WQM Permit No. 2101411, Sewerage, **John J. Crossman, III**, **Lower Allen Township Authority**, 120 Limekiln Road, New Cumberland, PA 17070-2428. This proposed facility is located in Lower Allen Township, **Cumberland County**.

Description of Proposed Action/Activity: Construction/Operation of Sewers and Appurtenances at Upper Allen Township boundary.

NPDES Permit No. PAG043573 and 6797408 (02-1), Sewerage, **Lewis Hannum**, 17389 Brose Road, New Freedom, PA 17349. This proposed facility is located in Shrewsbury Township, **York County**.

Description of Proposed Action/Activity: Transfer of Ownership/Permit.

WQM Permit No. PA0008281, Industrial Waste, **PPL Brunner Island, LLC**, Two North Ninth Street, Mail Stop GENN5, Allentown, PA 18101-1179. This proposed facility is located in East Manchester Township, **York County**.

Description of Proposed Action/Activity: Authorization to discharge to Susquehanna River, Hartman Run and Conewago Creek in Watersheds 7-F and 7-H.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

NPDES #PA0010430 Renewal, Industrial Waste, **Hanover Brands Inc.**, P. O. Box 334, Hanover, PA 17331-0334. This existing facility is located in Potter Township, **Centre County**.

Description of Action: NPDES Permit Industrial Wastewater Discharge Minor Issued September 28, 2001.

NPDES #PA0029386 Renewal, Sewage, Nonpublicly Owned—Nonmunicipal, **Moshannon Valley School District**, R. R. 1 Box 314, Houtzdale, PA 16651-9410. This existing facility is located in Bigler Township, **Clearfield County**.

Description of Action: NPDES Permit Sewage Discharges Nonmunicipal—Minor Issued November 30, 2001.

NPDES #PA0033162 Renewal, Sewage, Nonpublicly Owned—Nonmunicipal, **Wynn Smeltzer**, R. D. Box 208, Port Matilda, PA 16870. This existing facility is located in Huston Township, **Centre County**.

Description of Action: NPDES Permit Sewage Discharges Nonmunicipal—Minor Amendment Issued September 28, 2001.

NPDES #PA0027049 Amendment, Sewage, Publicly Owned—Municipal, **Williamsport Sanitary Authority**, 253 W. 4th St., Williamsport, PA 17701-6113. This existing facility is located in Williamsport City, **Lycoming County**.

Description of Action: NPDES Permit for New and Existing Sewage Discharger, Municipal, Major Issued September 28, 2001.

NPDES #PAS804801 New, Stormwater—Industrial, **Pennsylvania State University**, 201 Old Main, University Park, PA 16802-1503. This proposed facility is located in Benner Township, **Centre County**.

Description of Action: NPDES Permit Stormwater Industrial Site Runoff (Individual) Issued November 28, 2001.

WQM # 1988406 Transfer, Sewage, Nonpublicly Owned—Nonmunicipal, **John D. Klingerman**, R. R. 2, Orangeville, PA 17859-9802. This existing facility is located in North Centre Township, **Columbia County**.

Description of Action: Water Quality Management Part II, Sewage Facility Issued November 30, 2001.

WQM # 0801402 New, Sewage, Nonpublicly Owned—Nonmunicipal, **Jack Fox**, R. R. 3, Towanda, PA 18848. This proposed facility is located in Towanda Township, **Bradford County**.

Description of Action: Water Quality Management Part II, Sewage Facility Issued September 28, 2001.

WQM # 1400403-T1 Transfer, Sewage, Nonpublicly Owned—Nonmunicipal, **Wynn Smeltzer**, R. D. Box 208, Port Matilda, PA 16870. This existing facility is located in Huston Township, **Centre County**.

Description of Action: Water Quality Management Part II, Sewage Facility Issued September 28, 2001.

WQM # 4101407 New, Sewage, Publicly Owned—Municipal, **Muncy Borough Municipal Authority**, 14 N. Washington St., Muncy, PA 17756-1111. This proposed facility is located in Muncy Borough, **Lycoming County**.

Description of Action: Water Quality Management Part II, Sewage Facility Issued September 10, 2001.

WQM # 5301201 New, Industrial Waste, **Fish and Boat Commission**, 450 Robinson Ln., Bellfonte, PA 16823-9620. This proposed facility is located in Oswayo Township, **Potter County**.

Description of Action: Water Quality Management Part II, Industrial Wastewater Facility Issued September 14, 2001.

WQM # 4701402 New, Sewage, Publicly Owned—Municipal, **Valley Township Municipal Authority**, P. O. Box 307, Danville, PA 17821-8394. This proposed facility is located in Valley Township, **Montour County**.

Description of Action: Water Quality Management Part II, Sewer Extensions and Pumping Stations Issued October 3, 2001.

NPDES #PA0035815 Renewal, Sewage, Nonpublicly Owned—Nonmunicipal, **Saulsburg and Dillon**, 2481 Jacksonville Rd, Bellefonte, PA 16823-9341. This existing facility is located in Marion Township, **Centre County**.

Description of Action: NPDES Permit Sewage Discharges Nonmunicipal—Minor Issued November 30, 2001.

NPDES #PA0114979 Renewal, Sewage, Publicly Owned—Municipal, **Knoxville Borough**, P. O. Box 191, Knoxville, PA 16928-0191. This existing facility is located in Knoxville Borough, **Tioga County**.

Description of Action: NPDES Permit for New and Existing Sewage Discharger, Municipal, Minor Issued September 19, 2001.

WQM # 1999402 Transfer, Sewage, Nonpublicly Owned—Nonmunicipal, **Robert F. Hopper**, 189 Thomas Road, Bloomsburg, PA 17815. This existing facility is located in Orange Township, **Columbia County**.

Description of Action: Water Quality Management Part II, Sewage Facility Issued November 21, 2001.

WQM # 4101408 New, Sewage, Publicly Owned—Municipal, **Brady Township**, 1986 Elimsport Rd., Montgomery, PA 17752. This proposed facility is located in Brady Township, **Lycoming County**.

Description of Action: Water Quality Management Part II, Sewage Facility Issued December 7, 2001.

WQM # 1401407 New, Sewage, Nonpublicly Owned—Nonmunicipal, **Dolly Weaver**, 650 Ammerman Road, Julian, PA 16844. This proposed facility is located in Union Township, **Centre County**.

Description of Action: Water Quality Management Part II, Sewage Facility Issued September 20, 2001.

WQM # 1701406 New, Sewage, Nonpublicly Owned—Nonmunicipal, **Christopher Ivicic**, 700 Pauline Drive, Philipsburg, PA 16866. This proposed facility is located in Decatur Township, **Clearfield County**.

Description of Action: Water Quality Management Part II, Sewage Facility Issued September 19, 2001.

WQM # 1701201 New, Industrial Waste, **DuBois City**, 16 W. Scribner Ave., DuBois, PA 15801-2210. This proposed facility is located in Sandy Township, **Clearfield County**.

Description of Action: Water Quality Management Part II, Industrial Wastewater Facility Issued December 11, 2001.

NPDES #PA0228435 New, Sewage, Publicly Owned—Municipal, **Brady Township**, 1986 Elimsport Rd., Mont-

gomery, PA 17752. This proposed facility is located in Brady Township, **Lycoming County**.

Description of Action: NPDES Permit for New and Existing Sewage Discharger, Municipal, Minor Issued December 7, 2001.

NPDES #PA0113069 Renewal, Sewage, Publicly Owned—Municipal, **Greenwood Township Municipal Authority**, P. O. Box 450, Millville, PA 17846-0450. This existing facility is located in Greenwood Township, **Columbia County**.

Description of Action: NPDES Permit for New and Existing Sewage Discharger, Municipal, Minor Issued September 11, 2001.

NPDES #PA0008451 Renewal, Industrial Waste, **Sunbury Generation LLC**, 677 Baeten Rd, Green Bay, WI 54304. This existing facility is located in Monroe Township, **Snyder County**.

Description of Action: NPDES Permit for New and Existing Industrial Discharger, Major Issued October 3, 2001.

WQM # 4701403 New, Sewage, Nonpublicly Owned—Nonmunicipal, **James and Joyce Quigg**, 6 Gardner Rd., Turbotville, PA 17772. This proposed facility is located in Anthony Township, **Montour County**.

Description of Action: Water Quality Management Part II, Sewage Facility Issued September 27, 2001.

WQM # 4996401 Transfer, Sewage, Nonpublicly Owned—Nonmunicipal, **Scott Deitch and Jennifer Bixler**, R. R. 1 Box1254, Herndon, PA 17830. This existing facility is located in Jordan Township, **Northumberland County**.

Description of Action: Water Quality Management Part II, Sewage Facility Issued September 20, 2001.

NPDES #PA0228427 New, Concentrated Animal Feed Operation, **Hostetter Mgmt. Co.**, 10 Copperfield Dr., Lititz, PA 17543. This existing facility is located in Wells Township, **Bradford County**.

Description of Action: Concentrated Animal Feed Operations Indiv NPDES Permit Issued September 19, 2001.

NPDES #PA0228419 Renew, Concentrated Animal Feed Operation, **Hostetter Mgmt. Co.**, 10 Copperfield Dr., Lititz, PA 17543. This existing facility is located in Beaver Township, **Snyder County**.

Description of Action: Concentrated Animal Feed Operations Indiv NPDES Permit Issued September 19, 2001.

WQM #6095404 Transfer, Sewage Nonpublicly Owned—Nonmunicipal, **Levi L. Oberholtzer**, R. R. 2

Box 19, Millmont, PA 17845. This proposed facility is located in Hartley Township, **Union County**.

Description of Action: Water Quality Management (Part II) Permit Issued December 12, 2001.

NPDES #PA0111414 Renewal, Sewage, Publicly Owned—Municipal, **McEwensville Municipal Authority**, P. O. Box 92, McEwensville, PA 17749-0092. This existing facility is located in McEwensville Borough, **Northumberland County**.

Description of Action: NPDES Permit for New and Existing Sewage Discharger, Municipal, Minor Issued November 30, 2001.

NPDES #PA0114561 Renewal, Sewage, Publicly Owned—Municipal, **Herrick Township**, R. R. 3, Wyalusing, PA 18853-9803. This existing facility is located in Herrick Township, **Bradford County**.

Description of Action: NPDES Permit for New and Existing Sewage Discharger, Municipal, Minor Issued November 30, 2001.

NPDES #PA0113514 Renewal, Sewage, Publicly Owned—Municipal, **Madison Township Supervisors**, R. R. 9, Box 315, Bloomsburg, PA 17815. This existing facility is located in Madison Township, **Columbia County**.

Description of Action: NPDES Permit for New and Existing Sewage Discharger, Municipal, Minor Issued October 11, 2001.

NPDES #PA0009300 Renewal, Sewage, Nonpublicly Owned—Nonmunicipal, **Howes Leather Corporation**, South Cooper Road, Curwensville, PA 16833. This existing facility is located in Curwensville Borough, **Clearfield County**.

Description of Action: NPDES Permit for New and Existing Industrial Discharger, Major Issued September 27, 2001.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No. PA0043648, Industrial, **EME Homer City Generation LP**, 1750 Power Plant Road, Homer City, PA 15748-9558 is authorized to discharge from a facility located at Homer City Coal Cleaning Plant, Center Township, **Indiana County** to receiving waters named unnamed tributary of Cherry Run.

Permit No. PA0043648, Industrial Waste, **EME Homer City Generation LP**, 1750 Power Plant Road, Homer City, PA 15748-9558. This notice reflects changes from the notice published in the November 10, 2001, *Pennsylvania Bulletin*.

Final Limits 001:

<i>Parameter</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Selenium			0.017 mg/l		0.034 mg/l	
Sulfates			835 mg/l		1,670 mg/l	

NPDES Permit No. PA0026751, Sewage, **Borough of Indiana**, 80 North Eighth Street, Indiana, PA 15701 is authorized to discharge from a facility located at Borough of Indiana Water Pollution Control Plant, Center Township, **Indiana County** to receiving waters named Stony Run and Two Lick Creek (upon relocation of the discharge).

NPDES Permit No. PA0043516, Sewage, **Mount Pleasant Township**, P. O. Box 158, Mammoth, PA 15664 is authorized to discharge from a facility located at Century Farms Sewage Treatment Plant, Mount Pleasant Township, **Westmoreland County** to receiving waters named Sewickley Creek.

NPDES Permit No. PA0090824, Sewage, **New Plan of Laurel Mall, Inc., c/o NPXL**, 1120 Avenue of the Americas, New York, NY 10036 is authorized to discharge from a facility located at Laurel Mall Sewage Treatment Plant, Dunbar Township, **Fayette County** to receiving waters named unnamed tributary of Gist Run.

NPDES Permit No. PA0205061, Sewage, **Hopewell Area School District**, 2354 Broadhead Road, Aliquippa, PA 15000-4501 is authorized to discharge from a facility located at Raccoon Elementary School STP, Raccoon Township, **Beaver County** to receiving waters named tributary of Gum Run.

Permit No. 0201412, Sewerage, **Kennedy Township**, 340 Forest Grove Road, Coraopolis, PA 15108. Pump Station rehabilitation and expansion located in Kennedy Township, **Allegheny County** to serve the Porters Hollow Area (Kennedy Township).

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 6201410, Sewerage, **Steven C. and Diane M. Pondel**, 240 Seminole Avenue, Corry, PA 16407. This proposed facility is located in Columbus Township, **Warren County**.

Description of Proposed Action/Activity: This project is for a Single Residence.

WQM Permit No. 4301425, Sewerage, **Eric D. and Lori A. Gaus**, 26 Snyder Road, Greenville, PA 16125. This proposed facility is located in Otter Creek Township, **Mercer County**.

Description of Proposed Action/Activity: This project is for a Single Residence.

NPDES STORMWATER INDIVIDUAL PERMITS—(PAS)

Southeast Region: Water Management Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10-D120	Caracor, LLC 1628 North 18th Street Allentown, PA 18104	Bucks	Milford Township	Unami Creek (HQ)
PAS10-D125	Milford Business Center P. O. Box 116 Township Line Road Hatfield, PA 19440	Bucks	Milford Township	UNT to Unami Creek (HQ)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10S056-2	Aventis Pasteur, Inc. Discovery Drive Swiftwater, PA 18376	Monroe	Pocono Township	Swiftwater and Brodhead Creeks HQ-CWF
PAS107421	National Wind Power 405 14th St. Suite 712 Oakland, CA 94612	Wayne	Canaan and Clinton Townships	Lackawaxen and Lackawanna Rivers HQ-CWF

APPROVALS TO USE NPDES AND/OR OTHER GENERAL PERMITS

The following parties have submitted: (1) Notices of Intent (NOIs) for Coverage under (1) General NPDES Permits to Discharge Wastewater into the Waters of this Commonwealth. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations. Monitoring, reporting requirements and other conditions set forth in the general permit; (2) General Permits for Beneficial Use of Sewage Sludge or Residential Septage by Land Application in this Commonwealth; (3) General NPDES Permit Authorizing the Discharge of Stormwater Associated with Construction Activities to Waters of this Commonwealth; (4) Notification for First Use Application of Sewage Sludge.

The following NPDES Individual Permits for Discharges of Stormwater Associated with Construction Activities have been issued.

Persons aggrieved by these actions may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board (Board) within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge this action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

The approval of coverage for land application of sewage sludge or residential septage under these general permits is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. The Department of Environmental Protection approves the following coverage under the specific General Permit.

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

The application and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted.

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)

General Permit Type—PAG-2

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
West Goshen Township Chester County	PAR10G467	QVC Studio Park 1200 Wilson Drive West Chester, PA 19380	UNT to Chester Creek (TSF)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Montgomery Township Montgomery County	PAR10T776	PMI 506 Stump Road Montgomeryville, PA 18936	UNT to Little Neshaminy Creek (WF-M)	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Greenwich Township Berks County	PAR10C398	Angelo Corrado 271 Berger Road Kutztown, PA 19530	UNT Maiden Creek TSF	Berks County Conservation District P. O. Box 520 1238 County Welfare Road Leesport, PA 19533 (610) 372-4657
Ontelaunee Township Berks County	PAR10C391	Linda King 425 Kindt Corner Road Shoemakersville, PA 19555	Lake Ontelaunee/Maiden Creek WWF	Berks County Conservation District P. O. Box 520 1238 County Welfare Road Leesport, PA 19533 (610) 372-4657
W. Reading Borough Berks County	PAR10C397	Reading Hospital & Medical Center 6th Ave and Spruce St. W. Reading, PA 19611	Wyomissing Creek CWF	Berks County Conservation District P. O. Box 520 1238 County Welfare Road Leesport, PA 19533 (610) 372-4657

NOTICES

981

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Kutztown Borough Berks County	PAR10C394	Fine Line Homes Inc. John A. Kerschner V.P. 7300 Derry Street Harrisburg, PA 17111	Sacony Creek TSF	Berks County Conservation District P. O. Box 520 1238 County Welfare Road Leesport, PA 19533 (610) 372-4657
Cumru Township Berks County	PAR10C399	Scott Benjamin, Agent Dick Corp. P. O. Box 10896 Pittsburgh, PA 15236	Wyomissing Creek CWF	Berks County Conservation District P. O. Box 520 1238 County Welfare Road Leesport, PA 19533 (610) 372-4657
Lower Paxton Township Dauphin County	PAR10I282	New Hope Brethren in Christ Church 5800 Old Jonestown Rd. Harrisburg, PA 17112	Paxton Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Lincoln Township Huntingdon County	PAR103021	Juniata College Brumbaugh Science Center Huntingdon, PA 16652	Raystown Lake	Huntingdon County Conservation District R. R. 1 Box 7C Huntingdon, PA 16652 (814) 627-1627
Cornwall Borough Lebanon County	PAR10P415	Joseph Gallo Chocolate and Cocoa Ave. Suite 121 Hershey, PA 17033	Spring Creek WWF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17142
Bethel Township Lebanon County	PAR10P172	Northern Lebanon School District 345 School Drive Fredericksburg, PA 17026	UNT to Elizabeth Run WWF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17142
N. Lebanon Township N. Annville Township Lebanon County	PAR10P173	Larry Taylor GLRA 1610 Russell Road Lebanon, PA 17046	UNT to Swatara Creek WWF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17142
Derry Township Mifflin County	PAR104505	Mifflin County School District 201 Eighth Street Lewistown, PA 17044	TSF	Mifflin County Conservation District 20 Windmill Hill Room 4 Burnham, PA 17009 (717) 248-4695
Red Lion Borough Windsor Township York County	PAR10Y563	Mazie Gable Elem. School Red Lion School District 696 Delta Road Red Lion, PA 17356	Fishing Creek TSF	York County Conservation District 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Dover Township York County	PAR10Y568	Friendship Community Church Pastor Dennis Hall 2631 Wyngate Road Dover, PA 17315	Fox Run TSF	York County Conservation District 118 Pleasant Acres Rd. York, PA 17402 (717) 840-7430
Centre County Rush Township	PAR10F151	New Independent Living at the Presbyterian Homes of Moshannon Valley P. O. Box 551 Philipsburg, PA 16866	Moshannon Creek TSF	Centre County Conservation District 414 Holmes Ave., Suite 4 Bellefonte, PA 16823 (814) 355-6817

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Ferguson Township Centre County	PAR10F154	Lexington Place Duplex 2501 Saratoga Dr. State College, PA 16801	Big Hollow Drainageway CWF	Centre County Conservation District 414 Holmes Ave., Suite 4 Bellefonte, PA 16823 (814) 355-6817
Upper Fairfield Township Lycoming County	PAR103949	Community Baptist Church c/o Glenn O. Hawbaker, Inc. 2801 Canfield Lane Montoursville, PA 17754	Loyalsock Creek TSF	Lycoming County Conservation District 542 County Farm Road., Suite 202 Montoursville, PA 17754 (570) 433-3003

Southwest Region: Regional Water Management Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Indiana County Blacklick Township Conemaugh Township	PAR103162	Belden & Blake Corporation 22811 Titusville Road Pleasantville, PA 16341	Stewart Run/CWF Altmans Run/CWF Miller Run/CWF	Indiana County Conservation District (724) 463-8547
Somerset County Somerset Township	PAR106144	Thomas D. McClintock 174 Samuels Road Somerset, PA 15501	East Branch Coxes Creek/WWF	Somerset County Conservation District (814) 445-4652
Washington County West Finley Township	PAR10W199-1	Columbia Gas Transmission 950 Manifold Road Building C Washington, PA 15301	Spotted Tail Run/WWF	Washington County Conservation District (724) 228-6774

General Permit Type—PAG-3

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Uwchlan Township Chester County	PAR230077	Flint Ink North America 4600 Arrowhead Dr Ann Arbor, PA 48105	Pine Creek-3H Watershed	DEP Southeast Region Lee Park, Suite 6010 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Ivyland Borough Bucks County	PAR110038	Milton Roy Co. 201 Ivyland Rd. Ivyland, PA 18974	Neshaminy Creek-2F Watershed	DEP Southeast Region Lee Park, Suite 6010 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Bensalem Township Bucks County	PAR600031	Al's Auto Inc. 4339 Old Lincoln Hwy. Trevose, PA 19053	Neshaminy Creek- 2F Watershed	DEP Southeast Region Lee Park, Suite 6010 555 North Lane Conshohocken, PA 19428 (610) 832-6131
City of Philadelphia Philadelphia County	PAR600025	SPC Corp. 2600 Penrose Ave Philadelphia, PA 19145	Schuylkill River- 3J Watershed	DEP Southeast Region Lee Park, Suite 6010 555 North Lane Conshohocken, PA 19428 (610) 832-6131
Schuylkill County Ashland Borough	PAR112204	Goulds Pumps ITT Ind. 500 E. Centre St. Ashland, PA 17921	Mahanoy Creek	DEP—NERO Water Management 2 Public Square Wilkes-Barre, PA 18711 (570) 826-2511
Huntingdon County Dublin Township	PAR223519	Interforest Lumber Cor- poration P. O. Box 111 Shade Gap, PA 17255	UNT to Shade Creek/ Blacklog Creek/TSF	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Berks County Ontelaunee Township	PAR803579	BFI Waste System of North America, Inc. Schuylkill Hauling District P. O. Box 197 Leesport, PA 19533	Schuylkill River	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Berks County Fleetwood Township	PAR133505	Garden State Tanning, Inc. Fleetwood Facility 16 South Franklin Street Fleetwood, PA 19522	Willow Creek/CWF	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Berks County Reading City	PAR133506	Garden State Tanning, Inc. Reading Facility 2nd and Chestnut Streets Reading, PA 19602	Schuylkill River/WWF	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lancaster County New Providence Township	PAR223521	Mt. Airy Lumber Com- pany 209 Mt. Airy Road New Providence, PA 17560	Big Beaver Creek	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Berks County Hamburg Borough	PAR203577	Fairmont Foundry, Inc. P. O. Box 466 Hamburg, PA 19526	Schuylkill River	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lancaster County Upper Leacock Township	PAR203540	Ross Technology 104 N. Maple Ave. Leola, PA 17540	UNT to Groff Creek/ WWF	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lancaster County Upper Leacock Township	PAR203575	Ross Technology 98 East Main Street Leola, PA 17540	UNT to Groff Creek/ WWF	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
York County York City	PAR803574	York Railway Company 98 S. George Street York, PA 17401	UNT Codorus Creek/ WWF	DEP—SCRO 909 Elmerton Ave Harrisburg, PA 17110 (717) 705-4707
Mifflinburg Borough Union County	PAR224812	Yorktowne Inc 5 N. 8th St Mifflinburg, PA 17844-1003	Buffalo Creek (CWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Asylum Township Bradford County	PAR224843	Towanda Dry Kilns & Specialties Box 44-1A Sugar Run, PA 18846	Susquehanna River (WWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Wysox Township Bradford County	PAR224844	E & B Lumber Co. Box 44-1A Sugar Run, PA 18846	Laning Creek (WWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Wyalusing Township Bradford County	PAR204806	Arrow United Ind. Inc. P. O. Box 69 Wyalusing, PA 18853-0069	Susquehanna River (WWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Rush Township Centre County	PAR404803	Centre County SWA R. R. 2 Box 501 Bellefonte, PA 16823-9802	Wolf Run UNT to Moshannon Creek (CWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Perry Township Snyder County	PAR224816	R J Hoffman & Sons R. R. 1 Mount Pleasant Mills, PA 17853-9801	UNT to N. Branch Mahantango Creek (CWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Mahoning Township Montour County	PAR804864	Leighow Oil Co. Inc 118 Eyer Rd. Danville, PA 17821-9526	UNT to Mahoning Creek (WWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Bloomsburg Town Columbia County	PAR134801	Magee Rieter Auto Systems 480 W 5th St Bloomsburg, PA 17815	UNT to Fishing Creek (WWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
North Towanda Township Bradford County	PAR114811	EI Dupont De Nemours Co. R. R. 1, Box 15 Patterson Blvd. Towanda, PA 18848	Sugar Creek (WWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Delaware Township Norhtumberland County	PAR204808	Hoeganaes Corporation P. O. Box 37 Watsontown, PA 17777	UNT to Muddy Run (WWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Castanea Township Clinton County	PAR144806	International Paper Company P. O. Box 268 Lock Haven, PA 17745	Bald Eagle Creek (WWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Oakdale Borough Allegheny County	PAR216154	Rinker Materials 1501 Bevedere Road West Palm Beach, FL 33406	Chartiers Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Center Township Indiana County	PAR406103	Evergreen Landfill Inc. P. O. Box 195 Coral, PA 15731	UNT to Laurel Run	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Redstone Township Fayette County	PAR806115	Center Independent Oil Co. R. D. 1 Box 12 Smock, PA 15480	UNT of Rowes Run/ Redstone Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Monaca Borough Beaver County	PAR806212	Colona Transfer L.P. P. O. Box 311 Portersville, PA 16051	Ohio River	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
East Pittsburgh Township Allegheny County	PAR806213	R.I.D.C. Keystone Commons 425 Sixth Avenue Suite 500 Pittsburgh, PA 15219-1822	Turtle Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Wesleyville Borough Erie County	PAR708303	Joseph McCormick Construction Co., Inc. P. O. Box 176 Erie, PA 16512-0176	Fourmile Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
<i>General Permit Type—PAG-4</i>				
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Bedford County Broad Top Township	PAG043687	Broad Top Township Bollman Residence 187 Municipal Road Defiance, PA 16633-0057	UNT Six Mile Run/WWF	DEP SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Dunnstable Township Clinton County	PAG044896	Larry and Tina Cashner R. R. 1 Box 338 Lock Haven, PA 17745-9714	Little Plum Run (CWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Sharon Township Potter County	PAG044895	Kathleen and Scot Ketcham R. R. 1 Box 752 Shinglehouse, PA 16748-9721	UNT to Oswayo Creek (CWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
North Centre Township Columbia County	PAG045133	John D. Klingerman R. R. 2 Orangeville, PA 17859-9802	UNT to W. Branch Briar Creek (CWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Bradford Township Clearfield County	PAG044953	Ivan and Sherry Hoover 610 Cambria Dr. Clearfield, PA 16830	UNT to Moravian Run (CWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Bradford Township Clearfield County	PAG044986	Kristy L. Miller R. R. 1 Woodland, PA 16881	UNT to Moravian Run (CWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Towanda Township Bradford County	PAG045129	Jack Fox R. R. 3 Towanda, PA 18848	UNT to Sugar Creek (CWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Tioga Township Tioga County	PAG044939	William Wolfe Prospect Hill Apts. Flemington, NJ 08822	Steam Mill Creek (WWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Orange Township Columbia County	PAG045069	Robert F. Hopper 189 Thomas Road Bloomsburg, PA 17815	UNT to Fishing Creek (TSF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Madison Township Columbia County	PAG044908	David and Karen Ellis R. R. 9 Box 216A Bloomsburg, PA 17815-9743	E. Branch Chillisquaque Creek (WWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Shamokin Township Northumberland County	PAG044935	Corbett Shaffer R. R. 1 Shamokin, PA 17872-9801	UNT to Shamokin Creek (CWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Union Township Centre County	PAG045126	Dolly Weaver 650 Ammerman Road Julian, PA 16844	UNT to Bush Hollow (CWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Decatur Township Clearfield County	PAG045123	Christopher Ivicic 700 Pauline Drive Philipsburg, PA 16866	UNT to N. Branch Upper Morgan Run (CWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Anthony Township Montour County	PAG045124	James and Joyce Quigg 6 Gardner Rd. Turbotville, PA 17772	County Line Branch, Chillisquaque Creek (WWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Hartley Township Union County	PAG044814	Levi L. Oberholtzer R. R. 2 Box 19 Millmont, PA 17845	UNT to Cold Run (TSF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Bradford Township Clearfield County	PAG044942	John and Judy Mullen R. D. 1 Box 100 Woodland, PA 16881	UNT to Valley Fork Run (CWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Jordan Township Northumberland County	PAG044855	Scott Deitch and Jennifer Bixler R. R. 1 Box1254 Herndon, PA 17830	UNT to Mahantango Creek (WWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
Huston Township Centre County	PAG044889	Brian Heaton 246 Maurer Ln. Julian, PA 16844	UNT to Steel Hollow (CWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Hepburn Township Lycoming County	PAG044950	Marilyn M. Lenker P. O. Box 404 Lavelle, PA 17943	Mill Creek (CWF)	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3666
Columbus Township Warren County	PAG048778	Steven C. and Diane M. Pondel 240 Seminole Avenue Corry, PA 16407	Unnamed tributary to Coffee Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Otter Creek Town- ship Mercer County	PAG048779	Eric D. and Lori A. Gaus 26 Snyder Road Greenville, PA 16125	Unnamed tributary to Otter Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Greene Township Erie County	PAG048442	Thomas F. Gorniak 11111 West Greene Road Waterford, PA 16441	Unnamed tributary to East Branch LeBoeuf Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Summit Township Erie County	PAG048434	David M. and Lisa A. Starr 9451 Donation Road Waterford, PA 16441	Unnamed tributary of Walnut Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-5

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
East Marlborough Township Chester County	PAG050031	Sunoco, Inc. (R & M) 20/10 Penn Center 1801 Market Street Philadelphia, PA 19103	West Branch Red Clay Creek	Southeast Region Water Management (610) 832-6130

General Permit Type—PAG-8

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Telephone No.</i>
Rush Township Centre County	PAG084819	Moshannon Valley Joint Sewer Authority P. O. Box 581 Philipsburg, PA 16866-0581	Moshannon Valley STP Rush Township Centre County	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3655

General Permit Type—PAG-8 (SSN)

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Telephone No.</i>
Kittanning Township Armstrong County	PAG086106	City of Johnstown 267 Asphalt Road Johnstown, PA 15906	McAninich Farm Biosolids Site	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

General Permit Type—PAG-12

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Telephone No.</i>
West Fallowfield Township Chester County	PAG120004	Norman G. Laffery, Sr. 2391 Glenville Road Corhranville, PA 19330	7K Watershed	Southeast Region Water Management (610) 832-6130
PAG123522	PAG123522	Ben Lewis Big Cove Farm 21032 Cogwheel Way Germantown, MD 20876	Tonoloway Creek/WWF	DEP—SCRO 909 Elmerton Ave. Harrisburg, PA 17110 (717) 705-4707

PUBLIC WATER SUPPLY PERMITS

The Department of Environmental Protection (Department) has taken the following actions on applications received under the Safe Drinking Water Act for the construction, substantial modification or operation of a public water system.

Persons aggrieved by these actions may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge this action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Operations Permit issued to **Stapleton Estates**, 1186 Winola Road, Clarks Summit, PA 18411, Clinton Township, **Wyoming County** on January 24, 2002.

Operations Permit issued to **Tulpehocken Spring Water, Inc.**, R. R. 1, Box 114T, Northumberland, PA 17857, Foster Township, **Luzerne County** on January 25, 2002.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 2201504, Public Water Supply.

Applicant	Stroecker Mobile Home Park
Municipality	Halifax Township
County	Dauphin
Type of Facility	Installation of Well No. 4, a 26,000-gallon storage tank, booster pumps for Well Nos. 2 and 3 and chemical feed pumps for all three wells.
Consulting Engineer	George W. Ruby, P.E. Ruby Engineering P. O. Box 127 Rexmont, PA 17085-0127
Permit to Construct Issued:	January 11, 2002

Permit No. 0701504, Public Water Supply.

Applicant	Altoona City Authority Prospect Water Storage Tanks
Municipality	City of Altoona
County	Blair

Type of Facility The Department issued a Construction Permit for two 3.0 MG ground level storage tanks, a booster chlorination/pump building, piping and valves at the Oakton Reservoir project site. The permit also approves construction of two 3.0 MG ground level storage tanks, control building, piping and valves at the Prospect Reservoir project site.

Consulting Engineer Mark V. Glenn, P.E.
Gwin, Dobson & Foreman, Inc.
3121 Fairway Dr.
Altoona, PA 16602-4475

Permit to Construct Issued: Januray 28, 2002

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 5301501, Public Water Supply.

Applicant **Galeton Borough Authority**
2 Sherman Street
Galeton, PA 16922

Township West Branch Township

County **Potter**

Type of Facility PWS—Construction permit for Wells #1 and #2 for use with existing treatment facilities.

Consulting Engineer Larson Design Group, Inc.
P. O. Box 487
Williamsport, PA 17703-0487

Permit to Construct Issued February 1, 2002

Permit No. 0889501-T1, Public Water Supply.

Applicant **Gary R. Butters**
3465 West Roosevelt Highway
Mansfield, PA 16933-9791

Township Troy Township

County **Bradford**

Type of Facility PWS—Transfer of operating permit for Town & Country Estates water system.

Permit to Operate Transferred January 25, 2002

Permit No. 1801502, Public Water Supply.

Applicant **Leonard G. Young**
Oakridge Personal Care Home
82 Oak Ridge Lane
Mill Hall, PA 17751

Township Colebrook Township

County **Clinton**

Type of Facility PWS—Operational permit for Well #1, disinfection facilities, booster pump station, finished water storage and distribution system.

Permit to Operate Transferred February 4, 2002

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20a).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
City of Pottsville	P. O. Box 50 Pottsville, PA 17901	Schuylkill
Borough of Port Carbon	P. O. Box 71 Port Carbon, PA 17965	
Borough of Mount Carbon	P. O. Box 235 Pottsville, PA 17901	
Borough of Palo Alto	142 East Bacon St. Pottsville, PA 17901	
Borough of Mechanicsville	1126 Pottsville St. Pottsville, PA 17901	
Norwegian Township	506 Maple Ave. Mar Lin, PA 17951	
East Norwegian Township	602 Fifth St. Port Carbon, PA 17965	
North Manheim Township	303 Manheim Rd. Pottsville, PA 17901	

Plan Description: The Plan Update Revision calls for the upgrade and expansion of the Authority's Main Wastewater Treatment Facility from a permitted capacity of 4.5 MGD to 8.2 MGD. The Main Wastewater Treatment Facility will continue to utilize the conventional extended aeration wastewater treatment process. The Authority's West End Wastewater Treatment Facility will be abandoned. A pump station will be constructed near the existing West End Wastewater Treatment Facility Site. Wastewater from this station will be conveyed through a proposed force main to the Authority's Main Wastewater Treatment Facility for ultimate treatment and discharge.

The Plan Update Revision's selected wastewater disposal alternative also calls for the following: separation of 37,000 LF of combined wastewater collection system lines; verification of 17,000 LF of previously separated combined wastewater collection system lines; replacement of 24 existing combined sewer overflow (CSO) structures with new control structures and systems; construction of two new, additional CSO structures and associated control systems; and the extension of existing wastewater collection system lines to properties currently using on-lot wastewater disposal systems in the Hillside Road and Cottage Hill East areas of the City of Pottsville. Implementation of the selected wastewater disposal alternative and operation of the existing and proposed facilities will be performed by the Authority with the cooperation of the municipalities previously specified in this correspondence.

Financing of the proposed wastewater collection, conveyance and treatment systems is to be provided by the Pennsylvania Infrastructure Investment Authority (PennVEST). The projects are to be funded over two PennVEST funding application cycles.

Implementation of the selected wastewater disposal alternative will require an NPDES Permit for the proposed effluent discharge. This permit application must be submitted in the name of the Authority. The proposed

project will also require a Water Management Part II Permit for the construction and operation of the proposed sewage facilities. This permit application must also be submitted in the name of the Authority. The Department's review has also not identified any significant environmental impacts resulting from this proposal.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Borough of Glen Campbell	P. O. Box 43 Glen Campbell, PA 15706	Indiana

Plan Description: The approved plan provides for sewerage collection and wastewater treatment facilities within the Borough of Glen Campbell. A 30,000 gpd sewage treatment plant is to be constructed on the north side of S.R. 0286 along Brady Run at the intersection of S.R. 0286 and S.R. 0336. Discharge from the plant will be into Brady Run, latitude 40°81'67" and longitude 78°82'11", approximately. The selection of a collection system was wastewater treatment and discharge was the only feasible alternative, due to poor soil conditions for disposal systems in the Borough of Glen Campbell. Total project cost is estimated at approximately \$1.2 million. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

BIOSOLIDS INDIVIDUAL PERMITS

(PABIG, SSN AND PABIS)

The Department of Environmental Protection (Department) has taken the following actions on the previously received individual permit applications for the land application of treated sewage sludge (biosolids).

Persons aggrieved by these actions may appeal, under section 4 of the Environmental Hearing Board Act, 35 P. S. § 7514 and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge this action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PABIS4823. Leslie's Septic Service, Gaines Township, Tioga County. Dave Hinman, P. O. Box 211, Galeton, PA 16922-0211 is approved to beneficially use their biosolids on the farms in Gaines Township, Tioga County and Pike Township, Potter County.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site where one of the Act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southeast Region: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Realen Homes, L.P. (Groundwater), Falls Township, Bucks County. Joseph W. Standen, Jr., Leggette, Brahsears & Graham, Inc., on behalf of H.C. Price Co., 15660 N. Dallas Parkway, Suite 300, Dallas, TX, has submitted a Final Report concerning remediation of site groundwater contaminated with SVOCs. The report is intended to document remediation of the site to meet the Statewide Health Standard.

South Brunswick Industrial Properties, L.P. and WFP Pennland Co., L.P., Upper Dublin Township, Montgomery County. Gerald Ahnell, Hydro-Geo Services, Inc., 1542 Bridge St., New Cumberland, PA on behalf of South Brunswick Industrial Properties, L.P. and WFP Pennland Co., L.P., 455 Pennsylvania Ave., Suite 125, Ft. Washington, PA 19034, has submitted a Final Report concerning remediation of site soil and groundwater contaminated with solvents. The report is intended to document remediation of the site to meet Statewide Health and Background Standards.

Glenside Shopping Center (Produce Junction), Cheltenham Township, **Montgomery County**. Charlene R. Drake, React Environmental Services, Inc., 6901 Kingsessing Ave., Philadelphia, PA 19142, on behalf of Produce Junction, Inc., P. O. Box 108, Glenolden, PA 19036, has submitted a Final Report concerning remediation of site groundwater contaminated with solvents. The report is intended to document remediation of the site to meet Background Standards.

Drug Emporium Plaza, City of Philadelphia, **Philadelphia County**. David R. Kerschner, P.G., KU Resources, Inc., One Library Place, Duquesne, PA 15110, on behalf of Empor, L.P., c/o Phil Shelton, GE Capital Real Estate, 16479 Dallas Parkway, Addison, TX 75001, has submitted a Final Report concerning remediation of site soil contaminated with PCBs, BTEX, polycyclic aromatic hydrocarbons, solvents and SVOCs; and groundwater contaminated with lead, heavy metals, BTEX, polycyclic aromatic hydrocarbons, solvents and SVOCs. The report is intended to document remediation of the site to meet Site-Specific Standards.

Northeast Regional Field Office, Joseph A. Brogna, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Luzerne County Transportation Authority—Lead Remediation, Kingston Borough, **Luzerne County**. Martin Gilgallon, P.G., Project Hydrogeologist, PA Tectonics, Inc., 333 Enterprise Street, Dickson City, PA 18519 submitted a Final Report (on behalf of Luzerne County Transportation Authority, 315 Northampton Street, Kingston, PA 18704) concerning the remediation of soils found or suspected to have been contaminated with lead. The report was submitted in order to demonstrate attainment of the Statewide health standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, Administration of the Land Recycling and Environmental Remediation Standards Act (Act) requires the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the Act. Plans and reports required by provisions of the Act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated

substances. A cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program Manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Northeast Region: Joseph A. Brogna, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Spirax Sarco, Inc., City of Allentown, **Lehigh County**. Dr. William K. Ahlert, Manager Mid-Atlantic Services, Lawler, Matusky and Skelly Engineers, LLP, The Sovereign Building, 609 Hamilton Mall, Allentown, PA 18101 submitted a Remedial Investigation Report (on behalf of Spirax Sarco, Inc., 1150 Northpoint Boulevard, Blythewood, SC 20106) concerning the characterization of site soils and groundwater found or suspected to have been contaminated with solvent compounds. The report was submitted in partial fulfillment of the site-specific standard and was withdrawn by the applicant on January 22, 2002.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

HAZARDOUS WASTE TRANSPORTER LICENSE RENEWED

Lacy's Express, Inc., P. O. Box 130, Pedricktown, NJ 08067. License No. **PA-AH 0243**. Effective January 31, 2002.

Onyx Environmental Services, L.L.C., 1 Eden Lane, Flanders, NJ 07836. License No. **PA-AH 0500**. Effective January 25, 2002.

McCutcheon Enterprises, Inc., 250 Park Road, Apollo, PA 15613-8730. License No. **PA-AH 0500**. Effective January 25, 2002.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

Actions on applications for Infectious and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and the Infectious and Chemotherapeutic Waste Law (35 P. S. §§ 6019.1—6019.6) and regulations to transport infectious and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE RENEWED

Orchard Hill Memorial Park, Inc., 75 Stirling Road, Warren, NJ 07059. License No. **PA-HC 0163**. Effective January 30, 2002.

MUNICIPAL WASTE GENERAL PERMITS

Permits Issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and the Beneficial Use of Municipal Waste.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGM011, Champion Recycling, Inc., 575 Trestle Place, Downingtown, PA 19335.

General Permit Number WMGM011 is for the beneficial use of processed construction waste to produce mulch for use as a soil additive and as an aggregate for use in concrete or asphalt mixtures for construction purposes, generated at its facility located in East Caln Township, Chester County. The general permit was issued by Central Office on February 1, 2002.

RESIDUAL WASTE GENERAL PERMITS

Registration Accepted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Residual Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Registration No. WMGR026R001. Sargent Centrifugal Service, Inc., 1715 Rockwell Road, Abington, PA 19001. Registration to operate under General Permit No. WMGR026 for processing and beneficial use of spent water soluble cutting fluids to be used as reconditioned industrial cutting fluids. The approved processing is limited to filtration, pasteurization, centrifugation and the addition of chemical additives. The registration was accepted by Central Office on January 30, 2002.

Persons interested in reviewing the general permit may contact Ronald C. Hassinger, Chief, General Permits/Beneficial Use Section, Division of Municipal and Re-

sidual Waste, Bureau of Land Recycling and Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit Approved under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit No. WMGR002D004. Earth Products, Inc., 289 Cornish Road, Lake Lynn, PA 1545. The beneficial use of wastewater treatment sludge generated by paper mills as soil additive to establish or reestablish agricultural productivity on disturbed land; establish herbaceous wildlife habitat; facilitate revegetation on disturbed land at permitted and abandoned mines sites. The Department approved the determination of applicability on January 18, 2002.

Persons interested in reviewing the general permit may contact the Division of Municipal and Residual Waste, General Permits/Beneficial Use Section, Rachel Carson State Office Building, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits Issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Permit No. 100973. Republic Services Group of Pennsylvania, LLC, 2900 Orthodox Street, Philadelphia, PA 19137, City of Philadelphia, **Philadelphia County**. The permit was for the reissuance of the Quickway municipal and construction/demolition waste transfer station facility. The permit was issued by the Southeast Regional Office on February 5, 2002.

Permits Withdrawn under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 101217. Casella Waste Management of PA, Inc., Delmar Township, **Tioga County**. Application

to increase tonnage of waste received at Wellsboro Area Transfer Station. The permit was withdrawn by the Williamsport Regional Office on January 18, 2002.

Persons interested in reviewing the permit may contact John C. Hamilton, P.E., Facilities Operations Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3653. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

Permits Denied under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 101673. White Pines Corp., 515 State Route 442, Millville, PA 17846, Pine Township, **Columbia County**. Municipal Waste Landfill permit application. The permit was denied by Williamsport Regional Office on January 30, 2002.

Persons interested in reviewing the permit may contact John C. Hamilton, P.E., Facilities Operations Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3653. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: James Parette, New Source Review Chief, (570) 826-2531.

39-310-018GP: Haines and Kibblehouse, Inc. (P. O. Box 196, Skippack, PA 19474) for construction and operation of a portable stone crushing plant and associated air cleaning device at Huckleberry Associates in South Whitehall Township, **Lehigh County**.

13-310-013GP: Jamico Materials (HC 2, Box 2442, Jim Thorpe, PA 18229) for construction and operation of a portable stone crushing plant and associated air cleaning device in Penn Forest Township, **Carbon County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

GP1-67-03112: York Container Co. (P. O. Box 3008, 128 Mt. Zion Road, York, PA 17402-0008) on January 28, 2002, was authorized to operate a small gas and No. 2 oil fired combustion unit under GP-1 in Springettsbury Township, **York County**.

GP3-06-03113A: Haines & Kibblehouse, Inc. (P. O. Box 196, Skippack, PA 19474) on January 28, 2002, was authorized to construct and operate a nonmetallic mineral operation under GP-3 for its Birdsboro Quarry in Robeson Township, **Berks County**.

GP7-28-03038: Regency Thermographers (725 Clayton Avenue, Waynesboro, PA 17268) on February 1,

2002, was authorized to operate sheetfed offset lithographic printing presses under GP-7 in Waynesboro Borough, **Franklin County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.

23-0077A: County of Delaware (340 North Middletown Road, Lima, PA 19037) on January 18, 2002, for operation of a gas-fired generator in Middletown Township, **Delaware County**.

23-0063A: Department of Corrections—SCI Chester (500 East 4th Street, Chester, PA 19013) on January 18, 2002, for operation of three boilers and three diesel generators in the City of Chester, **Delaware County**.

09-0050: Better Materials Corp. (852 Swamp Road, Penns Park, PA 18943) on February 1, 2002, for operation of one crusher and two conveyor belts in Wrightstown Township, **Bucks County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: James Parette, New Source Review Chief, (570) 826-2531.

40-313-030D: KAMA Corp. (600 Dietrich Avenue, Hazleton, PA 18201) on January 30, 2002, for construction of an extrusion line and associated air cleaning device in Hazleton, **Luzerne County**.

48-309-114: ESSROC Cement Corp. (3251 Bath Pike, Nazareth, PA 18064) on January 31, 2002, for modification of coal, clinker and gypsum handling systems and silos and the associated air cleaning devices at the Nazareth Plant 1 in Lower Nazareth Township, **Northampton County**.

39-318-109: Victaulic Co. of America, Inc. (4901 Kesslerville Road, Easton, PA 18045) on January 30, 2002, for construction of a paint spray booth and associated air cleaning device Allentown, **Lehigh County**.

35-308-025: Bardane Manufacturing Co., Inc. (Delaware Street, P. O. Box 70, Jermyn, PA 18433) on January 30, 2002, for construction of an aluminum furnace and a zinc furnace and the associated air cleaning devices in Jermyn Borough, **Lackawanna County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05037C: McConway and Torley Corp. (230 Railroad Street, Kutztown, PA 19530) on January 31, 2002, for modification of a core making machine controlled by wetted packed bed scrubber at its Kutztown Foundry in Kutztown Borough, **Berks County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: William Charlton, New Source Review Chief, (412) 442-4174.

26-00535A: Duke Energy North America (P. O. Box 1642, Houston, TX 77251) on January 30, 2002, for construction of 620 MW Generation Facility in German Township, **Fayette County**.

56-00285A: Lindy, Inc. (R. D. 3, Box 2A, New Castle, PA 16105) on January 30, 2002, for construction of a Hot Mix Asphalt Plant and Fabric Collector in Somerset Township, **Somerset County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.

46-0199: Alcom Printing Group, Inc. (140 Christopher Lane, Harleysville, PA 19438) on January 28, 2002, for operation of lithographic printing presses in Lower Salford Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

36-05019D: Anvil International, Inc. (1411 Lancaster Avenue, Columbia, PA 17512) on January 8, 2002, for construction and modification of a foundry operation at the Columbia Plant in Columbia Borough, **Lancaster County**. This plan approval was extended.

38-05019: AES Ironwood, LLC (829 Cumberland Street, Lebanon, PA 17042) on December 4, 2001, for construction of a turbine electric generating facility in South Lebanon Township, **Lebanon County**. This facility is subject to 40 CFR Part 60, Subpart Kb—Standards of Performance for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels) for Which Construction, Reconstruction or Modification Commenced After July 23, 1984, and 40 CFR Part 60, Subpart GG—Standards of Performance for Stationary Gas Turbines. This plan approval was extended.

67-05016B: R H Sheppard Co., Inc. (P. O. Box 877, Hanover, PA 17331-0877) on February 1, 2002, for operation of a core-making operation controlled by a packed bed gas scrubber and a bin vent filter at its Plant No. 7 in Hanover Borough, **York County**. This plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

53-0009D: National Fuel Gas Supply Corp. (P. O. Box 2081, Erie, PA 16512) on January 24, 2002, to extend authorization to operate a 4,445 horsepower natural gas-fired reciprocating internal combustion compressor engine (Engine 1A) on a temporary basis until May 24, 2002, as well as to extend the deadline for the performance of NO_x, carbon monoxide, VOCs and formaldehyde stack testing on said engine to May 24, 2002, at the Ellisburg Compressor Station in Allegany Township, **Potter County**.

55-399-003A: Penn Lyon Homes, Inc. (P. O. Box 27, Selinsgrove, PA 17870) on January 24, 2002, to extend authorization to operate prefabricated housing wood door, cabinet and trim surface coating and gluing operations on a temporary basis until May 24, 2002, in Monroe Township, **Snyder County**.

47-0001E: PPL Montour, LLC (2 North Ninth Street, Allentown, PA 18101) on January 25, 2002, to extend the deadline for the performance of particulate stack testing on a bituminous coal-fired electric utility boiler (Unit #1)

and associated air cleaning devices (an electrostatic precipitator and a selective catalytic reduction system) to September 30, 2002, at the Montour Stream Electric Station in Derry Township, **Montour County**.

19-302-031: Dillon Floral Corp. (P. O. Box 180, Bloomsburg, PA 17815-0180) on January 29, 2002, to add a condition establishing sampling procedures for the reprocessed oil used as fuel in two boilers in the Town of Bloomsburg, **Columbia County**.

14-309-044: Gensimore Trucking, Inc. (P. O. Box 5210, Bellefonte, PA 16823) on January 31, 2002, to extend authorization to operate a bulk cement blending facility and associated air cleaning devices (two fabric collectors) on a temporary basis until May 31, 2002, in Spring Township, **Centre County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: William Charlton, New Source Review Chief, (412) 442-4174.

56-00284A: Quecreek Mining, Inc. (1576 Stoystown Road, Friedens, PA 15541) on January 28, 2002, for construction of their coal screening operation in Lincoln Township, **Somerset County**. This plan approval was extended.

65-657A: Tresco Paving Corp. (P. O. Box 14004, Pittsburgh, PA 15239) on January 28, 2002, for operation of a drum mix asphalt plant in Salem Township, **Westmoreland County**. This plan approval was extended.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Devendra Verma, New Source Review Chief, (814) 332-6940.

10-001B: AK Steel Corp. (Route 8 South, P. O. Box 832, Butler, PA 16003) on January 31, 2002, for the No. 2 Electric Arc Furnace in Butler, **Butler County**.

10-028H: Armstrong Cement and Supply Co. (100 Clearfield Road, Cabot, PA 16023) on January 31, 2002, for clinker storage silos in West Winfield Township, **Butler County**.

24-313-086A: Carbide Graphite Group, Inc. (800 Theresia Street, St. Marys, PA 15857) on December 31, 2001, for ten carbottom baking kilns in St. Marys, **Elk County**.

25-930A: Metro Machine Corp. (Industrial Products Division, Foot of Holland Street, Erie, PA 16501) on February 15, 2002, for a paint booth in Erie, **Erie County**.

25-688A: Hamot Medical Center (201 State Street, Erie, PA 16550) on November 30, 2001, for a medical waste incinerator in Erie, **Erie County**.

33-140A: Dominion Transmission Corp. (Punxsutawney Station, 625 Liberty Avenue, CNG Tower, Pittsburgh, PA 15222) on October 31, 2001, for Compressor Station No. 3 in Perry Township, **Jefferson County**.

Plan Approvals Denied, Terminated, Modified, Suspended or Revoked under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and the provisions of 25 Pa. Code §§ 127.13b and 127.13c.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

49-317-002: Sensenig Milling Services, Inc. (R. R. 2, Box 68A, Watsontown, PA 17777) on January 24, 2002, to deny a request to extend the authorization to operate a rotary bakery waste dryer and associated air cleaning

device (a fabric collector) on a temporary basis due to the permittee's failure to resolve an excessive 25 Pa. Code § 123.41 visible air contaminant emission problem in Lewis Township, **Northumberland County**.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Edward Brown, Facilities Permitting Chief, (610) 832-6242.

23-00009: Boeing MACAM Sys. Group—Philadelphia (Stewart Avenue and Route 291, Eddystone, PA 19013) on December 31, 2001, for operation of a Facility Title V Operating Permit in Ridley Township, **Delaware County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: Muhammad Zaman, Facilities Permitting Chief, (570) 327-3637.

55-00005: Wood-Mode, Inc. (One Second Street, Kreamer, PA 17833) on January 7, 2002, for their wood furniture manufacturing facility in Middlecreek Township, **Snyder County**. The facility's main sources include 27 spray booths, hand wipe stain application stations, hand wipe and repair stations, cleanup and washoff operations, lumber drying operations, veneering operations, a wood waste/#2 oil/natural gas fired boiler, a wood waste fired boiler, woodworking areas and wood waste handling systems. This Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

19-00003: Bloomsburg University (Buckingham Maintenance Center, 400 East Second Street, Bloomsburg, PA 17815) on January 23, 2002, for operation of their campus steam plant which includes five anthracite coal fired boilers, a natural gas fired boiler and emergency generators in Bloomsburg, **Columbia County**. This Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

08-00003: Craftmaster Manufacturing, Inc. (P. O. Box 311 Towanda, PA 18848) on January 25, 2002, for operation of their reconstituted wood products manufacturing facility which includes surface coating operations, two wood/natural gas fired boilers, hardboard presses, natural gas/propane fired fiber dryers and woodworking operations in Wysox Township, **Bradford County**. This Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Michael Salko, Facilities Permitting Chief, (570) 826-2531.

35-00020: Master Halco (1275 Keyser Avenue, Scranton, PA 18504) on January 28, 2002, for operation of a facility State Only Operating Permit in the City of Scranton, **Lackawanna County**.

35-00034: Humane Society of Lackawanna County (967 Griffin Pond Road, Clarks Summit, PA 18411) on January 28, 2002, for operation of a facility State Only Operating Permit in South Abington Township, **Lackawanna County**.

40-00018: Exopack Holding Corp. (Three Maplewood Drive, Humboldt Industrial Park, Hazleton, PA 18201) on January 29, 2002, for operation of a facility State Only Operating Permit in Hazle Township, **Luzerne County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

67-03005: Larami Metals Co., Inc. (1173 Kings Mill Road, York, PA 17405) on January 28, 2002, for operation of two industrial furnaces in Spring Garden Township, **York County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

25-00918: Medical Manufacturing Corp. (2205 East 33rd Street, Erie, PA 16510) issued a Natural Minor Operating Permit for the ethylene oxide sterilization of medical devices in the City of Erie, **Erie County**.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

49-00014: Jeraco Enterprises, Inc. (135 Sodom Road, Milton, PA 17847) issued a revised Title V Operating Permit on January 10, 2002, to include terms and conditions for operation of three surface coating booths constructed under Plan Approval 49-0014A in Milton Borough, **Northumberland County**. This Title V Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

59-00004: Ward Manufacturing, Inc. (115 Gullick Street, Blossburg, PA 16912) issued a revised Title V Operating Permit on December 19, 2001, to establish a new pressure drop requirement for the venturi scrubber controlling emissions from a coke fired cupola in Blossburg Borough, **Tioga County**. This Title V Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

03-00023: Allegheny Energy Supply Co., L.L.C. (R. D. 1, Adrian, PA 16210-0729) administratively amended their Title V Operating Permit on January 31, 2002, to correct the plant owner's mailing address, the permit contact person's telephone number and two typographical errors found in Conditions #009 and #010 of Section C, Site Level Requirements for their facility in Washington Township, **Armstrong County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209, (814) 342-8200.

17900107 and NPDES Permit No. PA 0116963. Hilltop Coal Company, R. R. 1, Box 347, Houtzdale, PA 16651. Renewal of an existing bituminous surface mine permit in Bigler Township, **Clearfield County** affecting 18.2 acres. Receiving streams: Alexander Run, Upper Morgan Run. Application received: October 26, 2001. Permit issued: January 24, 2002.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.

26980104 and NPDES Permit No. PA0202355. Gary Gioia Coal Company (319 Karen Drive, Elizabeth, PA 15037). Permit issued for commencement, operation and reclamation of a bituminous surface mining site located in Wharton Township, **Fayette County**, affecting 133.6 acres. Receiving streams: Not applicable—no discharge. Application received: December 1, 1999. Permit issued: January 28, 2002.

65990103 and NPDES Permit No. PA0202550. Gary Gioia Coal Company (319 Karen Drive, Elizabeth, PA 15037). Permit issued for commencement, operation and reclamation of a bituminous surface mine located in Hempfield Township, **Westmoreland County**, affecting 21.5 acres. Receiving streams: unnamed tributaries to Wilson Run, Wilson Run, Sewickley Creek and Youghiogheny River. Application received: June 30, 1999. Permit issued: January 30, 2002.

McMurray District Mining Office: 3913 Washington Road, McMurray, PA 15317, (724) 941-7100.

32951301. NPDES Permit #PA0215821, Penn American Coal, L.P. (R. D. #1, Box 119A, Avonmore, PA 15618), to renew the permit for the Burrell Deep Mine in Burrell Township, **Indiana County** to renew the existing deep mine permit, Surface Acres Proposed N/A, Underground Acres Proposed N/A, SCP Acres Proposed N/A, CRDP Support Acres Proposed N/A, CRDP Refuse Disposal Acres Proposed N/A, no additional discharges, classified for the following uses: N/A. The first downstream potable water supply intake from the point of discharge is N/A. Permit issued: January 23, 2002.

56961301. NPDES Permit #PA0214736, RoxCoal, Inc. (P. O. Box 149, Friedens, PA 15541), to renew the permit for the Sarah Mine in Jenner Township, **Somerset County**, renewal, Surface Acres Proposed N/A, Underground Acres Proposed N/A, SCP Acres Proposed N/A, CRDP Support Acres Proposed N/A, CRDP Refuse Disposal Acres Proposed N/A, no additional discharges, classified for the following uses: N/A. The first downstream potable water supply intake from the point of discharge is N/A. Permit issued: January 25, 2002.

56841608. NPDES Permit #PA0213721, PBS Coals, Inc. (P. O. Box 260, Friedens, PA 15541), to renew the permit for the Cambria Fuel Prep. Plant in Stonycreek Township, **Somerset County**, renewal Surface Acres Proposed N/A, Underground Acres Proposed N/A, SCP Acres Proposed N/A, CRDP Support Acres Proposed N/A, CRDP Refuse Disposal Acres Proposed N/A, no additional discharges, classified for the following uses: N/A. The first downstream potable water supply intake from the point of discharge is N/A. Permit issued: January 28, 2002.

30743704. NPDES Permit #N/A, Duquesne Light Co., Warwick Mine 3 (P. O. Box 457, Greensboro, PA 15338), to renew the permit for the Warwick No. 2 Coal Refuse Disposal Area in Monongahela Township, **Greene County** to renew permit, Surface Acres Proposed N/A, Underground Acres Proposed N/A, SCP Acres Proposed N/A, CRDP Support Acres Proposed N/A, CRDP Refuse Disposal Acres Proposed N/A, no additional discharges, classified for the following uses: N/A. The first downstream potable water supply intake from the point of discharge is N/A. Permit issued: January 29, 2002.

56841612. NPDES Permit #PA0588491, Svonavec, Inc. (150 West Union St., Suite 201, Somerset, PA 15501), to renew the permit for the Coal Prep Plant #2 in Black Township, **Somerset County** to renew the permit, Surface Acres Proposed N/A, Underground Acres Proposed N/A, SCP Acres Proposed N/A, CRDP Support Acres Proposed N/A, CRDP Refuse Disposal Acres Proposed N/A, no additional discharges, classified for the following uses: N/A. The first downstream potable water supply intake from the point of discharge is N/A. Permit issued: January 29, 2002.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

33880115. D. J. & W. Mining, Inc. (P. O. Box 425, Indiana, PA 15701) Renewal of an existing bituminous strip and auger operation in Oliver Township, **Jefferson County** affecting 146.5 acres. This renewal is issued for reclamation only. Receiving streams: Two unnamed tributaries to Big Run. Application received: September 14, 2001. Permit Issued: November 30, 2001.

24010903. Tamburlin Brothers Coal Co. (P. O. Box 1419, Clearfield, PA 16830) Commencement, operation and restoration of an Incidental Coal Extraction Operation in the City of St. Marys, **Elk County** affecting 4.0 acres. Receiving streams: unnamed tributary to West Creek and unnamed tributary to Elk Creek. Application received: July 30, 2001. Permit Issued: December 4, 2001.

33950106. Urey Coal Company (6015 Ferguson Road, Indiana, PA 15701) Renewal of an existing bituminous strip operation in Perry Township, **Jefferson County** affecting 148.4 acres. Receiving streams: unnamed tributary to Mahoning Creek, unnamed tributary to Sawmill Run and unnamed tributary to Rose Run. Application received: August 1, 2001. Permit Issued: December 11, 2001.

Noncoal Permits Actions

Hawk Run District Mining Office: Empire Road, P. O. Box 209, Hawk Run, PA 16840-0209, (814) 342-8200.

17010301 and NPDES Permit No. PA 02443124. Superior Greentree Landfill, LLC, 635 Toby Road, Kersey, PA 15846. Commencement, operation and restoration of a Large Industrial Mineral permit in Huston Township, **Clearfield County** affecting 26 acres. Receiving streams: Heath Run and unnamed tributary to Bennett Branch. Application received: July 24, 2001. Permit issued: January 29, 2002.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

37900308. Atlantic States Materials of PA, Inc. (P. O. Box 146, Slippery Rock, PA 16057) Transfer of an existing sand and gravel operation from Russell Minerals (Pennsylvania), Inc. in New Beaver Borough, **Lawrence County** affecting 55.9 acres. Receiving streams: North Fork of Little Beaver Creek. Application received: September 24, 2001. Permit Issued: December 26, 2001.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (43 P.S. §§ 151—161); and 25 Pa. Code § 211.124 (relating to blasting activity permits). Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

01024001. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting in Straban Township, **Adams County** with an expiration date of February 28, 2003. Permit issued: January 30, 2002.

21024002. Brubacher Excavating, Inc. (825 Reading Road, Bowmansville, PA 17507), construction blasting in Silver Spring Township, **Cumberland County** with an expiration date of February 28, 2003. Permit issued: January 30, 2002.

21024003. Brubacher Excavating, Inc. (825 Reading Road, Bowmansville, PA 17507), construction blasting in Silver Spring Township, **Cumberland County** with an expiration date of February 28, 2003. Permit issued: January 30, 2002.

28024002. David H. Martin Excavating, Inc. (4961 Cumberland Highway, Chambersburg, PA 17201), construction blasting in Green Township, **Franklin County** with an expiration date of May 15, 2002. Permit issued: January 30, 2002.

01024002. Conewago Enterprises, Inc. (660 Edgegrove Road, Hanover, PA 17331), construction blasting in Straban Township, **Adams County** with an expiration date of February 1, 2003. Permit issued: February 1, 2002.

36024001. Gerlach's Drilling & Blasting (172 Bender Mill Road, Lancaster, PA 17603), construction blasting in Manheim and Warwick Townships, **Lancaster County** with an expiration date of January 30, 2003. Permit issued: February 1, 2002.

67024002. Gerlach's Drilling & Blasting (172 Bender Mill Road, Lancaster, PA 17603), construction blasting in Windsor Township, **York County** with an expiration date of January 30, 2003. Permit issued: February 1, 2002.

Persons aggrieved by these actions may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge this action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341(a)).

Except as otherwise noted, the Department certifies that the construction and operation herein described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State Water Quality Standards.

Persons aggrieved by these actions may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and

of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge this action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)). (Note: Water Obstruction and Encroachment Permits issued for Small Projects do not include 401 Certification, unless specifically stated in the description).

Permits Issued and Actions on 401 Certifications:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E46-862. Blue Route Industrial Center, Inc., 6000 Old Elm Street, Conshohocken, PA 19420, Plymouth Township, **Montgomery County**, ACOE Philadelphia District.

To relocate approximately 2,700 linear feet of an intermittent segment of Plymouth Creek (WWF) and associated flood plain and to construct and maintain approximately 2,140 linear foot of new channel associated with the proposed Blue Route Industrial Center. This site is located approximately 5,000 feet southwest from the intersection of Ridge Pike and Alanwood Road (Norristown, PA Quadrangle; beginning at N: 16.35 inches; W: 8.7 inches and ending at N: 15.0 inches; W: 8.6 inches).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E40-576. Wilkes-Barre Township, 150 Watson Street, Wilkes-Barre Township, PA 18707. Wilkes-Barre Township, **Luzerne County**, Army Corps of Engineers Baltimore District.

To remove the existing culverts and to construct and maintain a stream enclosure of a tributary to Spring Run, consisting of approximately 570 linear feet of 64-inch by 43-inch steel pipe arch. The project is located in the Georgetown section, north of S.R. 0081, between Hemlock Street and New Street (Wilkes-Barre East, PA Quadrangle N: 19.3 inches; W: 16.4 inches).

E40-564. Richard Angelicola, 180 Wellington Drive, Shavertown, PA 18708. Harveys Lake Borough, **Luzerne County**, Army Corps of Engineers Baltimore District.

To remove the existing structures and to construct and maintain two pile-supported structures in Harveys Lake. The structures (30' x 38' x 58' by 38') will each be connected to the shore with a 6-foot-wide walkway and will extend approximately 50 feet lakeward from the shoreline. The structures and associated walkways will have a total areal coverage of approximately 3,490 square feet. The project includes the placement of 5 inches of

gravel on the lake bed, within an area extending approximately 15 feet lakeward from the low water mark and approximately 130 feet along the shoreline, to provide shallow water habitat mitigation. The project is located along Lakeside Drive (S.R. 0415), between Poles 156 and 157 (Harveys Lake, PA Quadrangle N: 22.3 inches; W: 6.6 inches).

E40-559. Michael Fort, 37 North Washington Street, Wilkes-Barre, PA 18701. Hanover Township, **Luzerne County**, Army Corps of Engineers Baltimore District.

To place fill in a 0.13-acre wetland in order to develop a 1.18-acre residential building lot identified as Lot No. 4 in the proposed Clifton Court Residential Subdivision. The project is located approximately 0.6 mile north of the intersection of Ashley Street and Middle Road (Wilkes-Barre West, PA Quadrangle N: 16.3 inches; W: 9.7 inches).

E35-344. Game Commission, 2001 Elmerton Avenue, Harrisburg, PA 17110-9797. Clifton Township, **Lackawanna County**, Army Corps of Engineers Philadelphia District.

To construct and maintain the following: (1) a low-flow crossing consisting of a 48-inch diameter corrugated metal pipe depressed 12-inches below stream bed elevation and a 49-inch x 33-inch corrugated metal arch pipe across Mash Creek; (2) a low-flow crossing consisting of a 30-inch diameter corrugated metal pipe depressed 6-inches below stream bed elevation and a 35-inch x 24-inch corrugated metal arch pipe across Ash Creek; (3) a low-flow crossing consisting of a 24-inch diameter corrugated metal pipe across a tributary to Ash Creek; and (4) a low-flow crossing consisting of a 24-inch diameter corrugated metal pipe across a second tributary to Ash Creek. The crossings will be constructed as part of a haul road for timber harvesting operations and will become a permanent part of the Game Commission's road system. The project is located on State Game Land No. 135, approximately 8,500 feet northwest of the intersection of S.R. 2013 and S.R. 2017 (Thornhurst, PA Quadrangle N: 22.6 inches; W: 8.5 inches).

E48-304. Moore Township, 2491 Community Drive, Bath, PA 18014. Moore Township, **Northampton County**, Army Corps of Engineers Philadelphia District.

To remove the existing structure and to construct and maintain a 117-inch x 79-inch aluminum steel arch culvert in a tributary to Hokendauqua Creek, including a 60-foot long wingwall along the western stream bank for the purpose of directing floodflows through the culvert. The project is located along Township Road T565 (South Oaks Road), approximately 0.4 mile east of S.R. 4005 (Kunkletown, PA Quadrangle N: 3.9 inches; W: 10.7 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E01-226. Hamilton Township, 272 Mummerts Church Road, Abbottstown, PA 17301 in Hamilton Township, **Adams County**, ACOE Baltimore District

To construct and maintain 20,000 feet of gravity sewer main, 10,000 feet of sanitary force main and three pump stations in the floodway of tributaries to South Branch Conewago Creek (WWF) which will permanently impact 0.04 acre of palustrine emergent wetlands (Hampton, PA Quadrangle N: 22.4 inches; W: 4.9 inches) in Hamilton Township, Adams County. The amount of wetland impact is considered a de minimis impact of 0.04 acre and wetland mitigation is not required.

E34-095. Excel Homes, Incorporated, R. R. 2 Box 682, Liverpool, PA 17045 in Susquehanna Township, Dauphin County, ACOE Baltimore District

To place fill in 0.45 acre of wetlands within the floodplain of the Susquehanna River (WWF) for the purpose of constructing a private driveway and to increase the size of a staging area located along the north side of Routes 11 and 15 and approximately 0.38 mile south of Routes 11 and 15 crossing Mahantango Creek (Dalmatia, PA Quadrangle N: 2.3 inches; W: 10.0 inches) in Susquehanna Township, Dauphin County. The permittee is required to provide 0.45 acre of replacement wetlands.

E36-715. Bart Township, 46 Quarry Road, Quarryville, PA 17566 in Bart Township, Lancaster County, ACOE Baltimore District

To relocate about 180 feet of the Meetinghouse Creek (CWF) channel and to construct and maintain a box culvert having a span of 19 feet with an underclearance of 6 feet on Haita Road located about 4,000 feet southwest of Georgetown Village (Gap, PA Quadrangle N: 9.5 inches; W: 12.68 inches) in Bart Township, Lancaster County.

E67-709. Texas Eastern Products Pipeline Company, 71-73 Denison Parkway, Corning, NY 14830 in Lower Allen Township and Fairview Townships, Cumberland and York Counties, ACOE Baltimore District

To remove an existing 6-inch diameter petroleum products pipeline and to construct a new 6-inch diameter petroleum products pipeline under the bed of the Yellow Breeches Creek (CWF), about 5 feet to the south of the existing pipe, at a location approximately 1,000 feet northeast of Saint Johns Road crossing of the creek (Lemoyne, PA Quadrangle N: 14.5 inches; W: 6.85 inches) in Lower Allen Township and Fairview Townships, Cumberland and York Counties.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

E08-384. Pennsylvania Department of Transportation, District 3-0, 715 Jordan Ave., Montoursville, PA 17754 Bridge Replacement in Towanda Township, Bradford County, ACOE Baltimore District (Monroeton, PA Quadrangle N: 21.00 inches; W: 8.13 inches).

To remove the existing through-truss one lane bridge which has a clear span of 181 feet and an out-to-out width of 18 feet and to construct and maintain a twin span composite prestressed I-beam bridge with a span between abutments of 249 feet, a normal span of 120 feet, an underclearance of 21.4 feet on a skew of 75 degrees over Towanda Creek on SR 2024, Section 0001 and to construct a temporary stream crossing approximately 300 feet northwest of the intersection of SR 2024 with Tip Top Road.

E08-385. Martha D. Young, R. R. 1, Box 30, LeRaysville, PA 18829. Building in Floodway, in Pike Township, Bradford County, ACOE Baltimore District (LeRaysville, PA Quadrangle N: 16.7 inches; W: 5.7 inches).

To construct and maintain a barn 100' by 85' with a peripheral 15' wide concrete pad and berm on an average of 3 1/2 feet of placed fill. Approximately 1/3 of the structure and pad will be located in the nondelineated 50' floodway of Ford Street Creek on the north side of SR 1026 approximately one mile east of LeRaysville in Pike Township, Bradford County. This permit was issued under § 105.13(e) "Small Projects."

E14-402. George Khoury, Pennsylvania Department of Transportation, District 2-0, 1924-30 Daisy, Clearfield, PA 16830. SR 6220 Improvements (A11), in Worth Township, Centre County, ACOE Baltimore District (Port Matilda, PA Quadrangle N: 10.85 inches; W: 8.35 inches).

This project includes construction of 2.6 miles of a new four-lane, divided, limited access highway west of State College in Centre County, PA (S.R. 6220). Section A11 is located in Worth Township. This project proposes to construct and maintain the following:

1. Six permanent stormwater ponds and their associated outfalls as part of the floodplain highway fill:

<i>Permanent Stormwater Management Basins</i>	<i>Station and Offset at Discharge</i>	<i>Latitude</i>	<i>Longitude</i>
Pond 1	598+19, SR 6220 NB, 109' Rt.	40° 48' 27"	78° 03' 36"
Pond 2	137+84, SR 0322 EB, 359' Rt.	40° 48' 36"	78° 02' 55"
Pond 3	649+23, SR 6220 NB, 78' Rt.	40° 48' 38"	78° 02' 34"
Pond 4	71+65, SR 0322 EB, 200' Rt.	40° 48' 39"	78° 04' 17"
Pond 5	82+57, SR 0322 EB, 151' Rt.	40° 48' 40"	78° 04' 05"

2. Structure 213, a 720-foot long by 8-foot wide by 8-foot rise box culvert with baffles that is designed to convey Zendt Hollow Run under S.R. 6220, Sta. 633+00 at latitude 40° 48' 40" and longitude 78° 02' 55".
3. Structures 215 (northbound) and 216 (southbound), two concrete parallel bridges across Bald Eagle for S.R. 6220, Sta. 650+00 at latitude 40° 48' 39" and longitude 78° 02' 30".
4. Structure 218, twin 14-foot wide by 6-foot high precast concrete box culverts with the associated R-7 riprap in Oliver Run under Laurel Run Road (T-313) at latitude 40° 48' 42" and longitude 78° 04' 21".
5. Structures 219 (eastbound) and 220 (westbound), two parallel concrete bridges across Oliver Run for S.R. 0322, Sta. 67+90 at latitude 40° 48' 41" and longitude 78° 04' 18".
 - a) Two temporary stream crossings during the construction of Structures 218, 219 and 220: 1) Temporary stream crossing #1, six 48-inch diameter pipes and associated R-6 rock fill in Oliver Run at latitude 40° 48' 41" and longitude 78° 04' 18", 2) Temporary stream crossing #2, five 36-inch pipes and associated R-7 rock fill in Oliver Run at latitude 40° 48' 38" and longitude 78° 04' 04".
6. Culvert #2, a 60-inch diameter 265-foot long reinforced concrete pipe (RCP) and the associated fill to convey an unnamed tributary to Oliver Run under S.R. 0322, Sta. 83+30 at latitude 40° 48' 43" and longitude 78° 04' 01".

a) 135 feet of existing channel is to be relocated approximately 30 feet to the left of its present alignment and turned into a trapezoidal R-5 riprapped lined channel to Oliver Run.

b) A temporary bypass enclosure system comprised of a 365-foot long 60-inch diameter corrugated metal pipe with its associated earthen diversion dam and a 17.3-foot long by 13.0 foot wide concrete USBR Type VI energy-dissipating hanging baffle to pass stream water from the unnamed tributary to Oliver Run around the Culvert #1's construction area.

7. Culverts #3, a 36-inch diameter 390-foot long culvert that is designed to convey an unnamed tributary to Oliver Run under the proposed SR 0322 EB at Sta. 94+76 at latitude 40° 48' 38" and longitude 78° 03' 48".

8. Culverts #4, a 24-inch diameter 375-foot long culvert that is designed to convey an unnamed tributary to Oliver Run under the proposed SR 0322 EB at Sta. 104+03 at latitude 40° 48' 35" and longitude 78° 03' 38".

9. Culverts #6, a 60-inch diameter 965-foot long culvert that is designed to convey an unnamed tributary to Laurel Run under the proposed SR 0622 NB at Sta. 610+03 at 40° 48' 33" and longitude 78° 03' 22".

10. Bridge #211, a concrete bridge and associated storm drain system designed to convey an unnamed tributary to Zendt Hollow Run for the proposed SR 0622 NB at Sta. 623+00 at 40° 48' 37" and longitude 78° 03' 38".

11. To place fill in the following wetlands:

Wetland Impacts for Construction Section A11

<i>Wetland Identifier</i>	<i>Station</i>	<i>Size (acres)</i>	<i>Direct (acres)</i>	<i>Indirect (acres)</i>	<i>Linear (ft)</i>	<i>Latitude</i>	<i>Longitude</i>
* PJD-236	67+40 Lt.	0.049	0.049	0.000		40° 48' 39"	78° 4' 20"
* PJD-237	68+50 Lt.	0.051	0.051	0.000		40° 48' 40"	78° 4' 23"
* DMG-012	69+25	0.164	0.164	0.000	326.6	40° 48' 40"	78° 4' 17"
* PJD-238	70+50 Lt.	0.069	0.020	0.000		40° 48' 40"	78° 4' 19"
* PJD-235	71+50	0.066	0.066	0.000		40° 48' 40"	78° 4' 18"
* DMG-013	72+00 Lt. to 79+25 Rt.	1.439	1.439	0.000		40° 48' 41"	78° 4' 11"
* JHH-008	72+00	0.003	0.003	0.000	12.7	40° 48' 40"	78° 4' 10"
* TRJ-042	76+00 Rt.	0.013	0.000	0.013		40° 48' 39"	78° 4' 12"
* AMB-001	77+00 Rt.	0.012	0.012	0.000		40° 48' 40"	78° 4' 10"
* JHH-009	80+50 Rt.	0.079	0.079	0.000		40° 48' 40"	78° 4' 6"
AMB-002	83+50 Rt.	0.012	0.012	0.000	30.6	40° 48' 38"	78° 4' 4"
* AMB-004	83+00 Rt.	0.007	0.000	0.007	40.6	40° 48' 39"	78° 4' 3"
JHH-010	83+50 Rt.	0.025	0.000	0.025		40° 48' 40"	78° 4' 2"
DMG-014	84+00 Rt.	0.014	0.000	0.014		40° 48' 39"	78° 4' 2"
JHH-012	84+00 Rt.,	0.0003	0.0003	0.000		40° 48' 38"	78° 4' 2"
WRP-019	84+50 Lt.	0.051	0.000	0.051		40° 48' 43"	78° 4' 00"
* AMB-005	84+60 Rt.	0.018	0.000	0.018		40° 48' 39"	78° 4' 1"
PJD-269	85+40 Rt.	0.001	0.001	0.000		40° 48' 40"	78° 4' 00"
DMG-015	87+77 Rt.	0.031	0.031	0.000		40° 48' 39"	78° 3' 58"
WRP-047	85+16 Lt.	0.003	0.000	0.003		40° 48' 44"	78° 3' 59"
WRP-020	85+63 Lt.	0.070	0.070	0.000		40° 48' 44"	78° 3' 59"
PJD-241	90+41 Rt.	0.680	0.357	0.110	530.9	40° 48' 37"	78° 3' 58"
PJD-243	92+59 Rt.	0.248	0.000	0.030		40° 48' 36"	78° 3' 53"
DMG-049	95+50 Lt.	0.002	0.002	0.000	14.1	40° 48' 38"	78° 3' 47"
* EWL-008	96+25 Rt.	0.374	0.076	0.076		40° 48' 34"	78° 3' 49"
MAS-088	104+25 Rt.	0.001	0.001	0.000	11.8	40° 48' 33"	78° 3' 38"
MAS-087	115+70 Rt.	0.040	0.040	0.000	13.6	40° 48' 34"	78° 3' 22"
TRJ-040	113+00 Rt.	0.304	0.160	0.083	300.9	40° 48' 27"	78° 3' 28"
TRJ-039	114+50 Rt.	0.019	0.019	0.000		40° 48' 29"	78° 3' 25"
PJD-259	115+00 Rt.	0.008	0.008	0.000	39.2	40° 48' 30"	78° 3' 24"
JHH-019	116+00	0.010	0.010	0.000		40° 48' 34"	78° 3' 22"
JHH-020	117+00 Lt.	0.074	0.074	0.000	157.4	40° 48' 35"	78° 3' 21"
WRP-003	614+00 Lt.	0.478	0.137	0.246	248.5	40° 48' 37"	78° 3' 20"
AMB-033	609+540 Rt.	0.006	0.006	0.000	15.2	40° 48' 32"	78° 3' 23"

<i>Wetland Identifier</i>	<i>Station</i>	<i>Size (acres)</i>	<i>Direct (acres)</i>	<i>Indirect (acres)</i>	<i>Linear (ft)</i>	<i>Latitude</i>	<i>Longitude</i>
DMG-030	609+93 Rt.	0.010	0.010	0.000	24.4	40° 48' 32"	78° 3' 23"
AMB-034	610+12 Rt.	0.006	0.006	0.000		40° 48' 32"	78° 3' 23"
DMG-031	610+50 Rt.	0.011	0.011	0.000	34.7	40° 48' 32"	78° 3' 22"
AMB-035	610+75 Lt.	0.034	0.034	0.000	118.5	40° 48' 34"	78° 3' 23"
DMG-032	608+10 Lt.	0.038	0.038	0.000		40° 48' 34"	78° 3' 26"
MAS-086	621+50 Lt.	0.054	0.054	0.000	107.1	40° 48' 37"	78° 3' 9"
MAS-084	621+50 Lt.	0.015	0.015	0.000		40° 48' 38"	78° 3' 9"
MAS-085	622+10 Lt.	0.003	0.003	0.000		40° 48' 37"	78° 3' 8"
MAS-081	630+25 Lt.	0.008	0.008	0.000	32	40° 48' 42"	78° 2' 59"
MAS-036	23+50 Rt. Zendt Lane	0.142	0.054	0.000	176.8	40° 48' 39"	78° 3' 12"
MAS-080	630+50 Lt.	0.004	0.004	0.000	23.9	40° 48' 42"	78° 2' 59"
MAS-078	631+25 Lt.	0.026	0.026	0.000	77.9	40° 48' 41"	78° 2' 57"
MAS-079	631+40 Lt.	0.010	0.010	0.000	45.1	40° 48' 41"	78° 2' 57"
PJD-145	632+30 Lt.	0.003	0.003	0.000		40° 48' 40"	78° 2' 56"
MAS-077	632+75	0.104	0.104	0.000	198.6	40° 48' 39"	78° 2' 55"
MAS-076	633+00 Rt.	0.167	0.167	0.000	246.7	40° 48' 37"	78° 2' 53"
MAS-075	633+00 Rt.	0.046	0.046	0.000		40° 48' 38"	78° 2' 54"
MAS-082	633+10 Rt.	0.007	0.007	0.000		40° 48' 39"	78° 2' 54"
PJD-146	641+50 Rt.	0.022	0.022	0.000		40° 48' 41"	78° 2' 45"

* Indicates Exceptional Value (EV) wetlands associated with wild trout streams

Total Riverine Wetland Impact: 1.89 acres 2828 ft

Total Palustrine Wetland Impact: 2.30 acres

12. Construct and maintain a 767-foot relocated applied fluvial geomorphological designed reach of Oliver Run, called Oliver I and IA, near S.R. 0322 WB, Sta. 66+00 at latitude 40° 48' 41" and longitude 78° 04' 20".

13. Divert Oliver Run into the 767-foot reach.

14. Construct and maintain a 338-foot relocated applied fluvial geomorphological designed reach of Oliver Run, called Oliver II, near S.R. 0322 EB, Sta. 76+50 at latitude 40° 48' 38" and longitude 78° 04' 14".

15. Divert Oliver Run into the 338-foot reach.

16. Fill and maintain abandoned reaches of Oliver Run.

E55-176. Pennsylvania Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. Water Obstruction and Encroachment Permit Application in Franklin Township, **Snyder County**, ACOE Susquehanna River Basin District (Middleburg, PA Quadrangle N: 12.4 inches; W: 4.3 inches).

To remove existing corrugated metal pipe, construct and maintain 48 linear feet of 58-inch by 91-inch elliptical concrete pipe in an unnamed tributary to Middle Creek located along SR 1001, Segment 0010, offset 0710, in Franklin Township, Snyder County. This permit was issued under § 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E03-402. Pennsylvania Department of Transportation, Engineering District 10-0, 2550 Oakland Avenue, P. O. Box 429, Indiana, PA 15701-0429. Plumcreek Township, **Armstrong County**, ACOE Pittsburgh District.

To relocate and maintain 197 linear feet of an unnamed tributary to Crooked Creek (WWF) and to place and maintain fill in 0.056 acre of palustrine emergent wetland

for the purpose of widening S.R. 0210, Section 102 (Power Plant Road). Also to construct and maintain a 30 inch diameter RCP outfall in an unnamed tributary to Crooked Creek (WWF). The project is located along S.R. 0210 approximately 4,400 feet south of its intersection with S.R. 0422. To compensate for the loss of wetlands, the applicant proposes a monetary contribution to the Pennsylvania Wetland Replacement Project (Elderton, PA Quadrangle N: 9.4 inches; W: 13.4 inches).

E32-436. Norfolk Southern Corporation, 99 Spring Street, Atlanta, GA 30303-0142. Young Township, **Indiana County**, ACOE Pittsburgh District.

To remove the existing superstructure of the Norfolk Southern bridge No. KF-42.19 across Blacklegs Creek (CWF) and to construct and maintain a concrete ballast deck and a 6-inch concrete encasing on the existing abutments. The proposed bridge has a clear span of 34 feet and an underclearance of 13.1 feet and is located approximately 600 feet east of Whiskey Run Road. Also, to construct and maintain a temporary crossing during construction consisting of four 24-inch diameter pipe (McIntyre, PA Quadrangle N: 11.05 inches; W: 15.5 inches).

E63-511. Pennsylvania Department of Transportation, Engineering District 12-0, P. O. Box 459, Uniontown, PA 15401. Cecil Township, **Washington County**, ACOE Pittsburgh District.

To remove the existing bridge and to construct and maintain a new bridge consisting of two elliptical culverts each having a span of 7.58 feet with an underclearance of 4.83 feet (1.0 foot depressed below streambed) in the channel of an unnamed tributary to Millers Run (WWF) for the purpose of improving highway safety. The bridge is located on S.R. 1003, Segment 0010, Offset 0378, 400 feet north from the intersection of S.R. 1003 and Reissing Hollow (Canonsburg, PA Quadrangle N: 17.0 inches; W: 10.4 inches).

E63-512. Washington County Commissioners, Courthouse Square, 100 West Beaver Street, Washington, PA 15301. North Franklin Township, **Washington County**, ACOE Pittsburgh District.

To remove the existing bridge (West Maiden Street Bridge T-572) and to construct and maintain a new bridge having a span of 20.55 feet with a minimum underclearance of 7.85 feet across the channel of Catfish Creek (WWF) for the purpose of improving West Maiden Street. The bridge is located on West Maiden Street (Washington West, PA Quadrangle N: 7.6 inches; W: 0.2 inch).

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E16-118, Paint Township, 22139 Route 66, Shippenville, PA 16254-8939. T-576/T-573 Bigley Road Across Toby Creek, in Paint and Highland Townships, **Clarion County**, ACOE Pittsburgh District (Clarion, PA Quadrangle N: 20.0 inches; W: 1.35 inches).

To construct and maintain a prestressed concrete I-beam bridge having a clear Span of 30 meters and an

underclearance of 5.2 meters on a 52 degree skew across Toby Creek (CWF) on T-576/T573 (Bigley Road) approximately 0.5 kilometer north of S.R. 1005.

E61-248, Venango Economic Development Corporation, National Transit Building, P. O. Box 128, Oil City, PA 16301-0128. Barkeyville Industrial Park, in Barkeyville Borough, **Venango County**, ACOE Pittsburgh District (Barkeyville, PA Quadrangle N: 13.0 inches; W: 15.5 inches).

To fill a total of 0.62 acre of four wetland areas (0.29 acre PFO, 0.33 acre PSS) for development of two lots and an access roadway within the Barkeyville Industrial Park between I-80 and Stevenson Road approximately 0.5 mile west of S.R. 8. Project includes creation of 1.0 acre of replacement wetland onsite.

SPECIAL NOTICES

Certification to Perform Radon-Related Activities in this Commonwealth

In the month of January 2002, the Department of Environmental Protection, under the authority contained in the Radon Certification Act (63 P. S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the following persons listed perform radon-related activities in this Commonwealth. The period of certification is 2 years. For a complete list of persons currently certified to perform radon-related activities in this Commonwealth and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (800) 23RADON.

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Eric Abraham	3650 Concorde Parkway Suite 100 Chantilly, VA 20151	Testing
Absolute Radon Services, Inc.	17 Fosterville Road Greensburg, PA 15601	Testing
Bob Brennan	3650 Concorde Parkway Suite 100 Chantilly, VA 20151	Testing
William Cairnes	9 Sunset Drive Auburn, PA 17922	Testing and Mitigation
Joe Donnelly	3650 Concorde Parkway Suite 100 Chantilly, VA 20151	Testing
David Evans	3650 Concorde Parkway Suite 100 Chantilly, VA 20151	Testing
Harry Harvey	206 East Mill Street Horseheads, NY 14845	Testing
Gregg Harwood	1278 Vestal Avenue Binghamton, NY 13903	Testing and Mitigation
Harold Henry	622 Japan Street	Testing

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
	Erie, PA 16502	
Steve Hunn	3650 Concorde Parkway Suite 100 Chantilly, VA 20151	Testing
Edward Johnston	1902 Concord Road Ambridge, PA 15003	Testing
Daniel Jones	6 Chestwood Drive Connellsville, PA 15425	Testing
George Kasimirsky, III	P. O. Box 145 Hickory, PA 15340	Testing
Joseph Kelly	156 Chapel Drive Virgenville, PA 19564	Testing
George Kerr	3650 Concorde Parkway Suite 100 Chantilly, VA 20151	Testing
Norman King	525 Main Street Suite 2C Bethlehem, PA 18018	Testing
Russell Kowalik	1153 Stowe Avenue McKees Rock, PA 15136	Testing
Kenneth Ladlee	800 Sunset Lane Stroudsburg, PA 18360	Testing
Daniel Linski	100 N. Wilkes-Barre Blvd. Wilkes-Barre, PA 18702	Testing
Vince Mantegna	3650 Concorde Parkway Suite 100 Chantilly, VA 20151	Testing
Michael McCarney	3650 Concorde Parkway Suite 100 Chantilly, VA 20151	Testing
Timothy McDaniel	330 South Saint Elmo Street Allentown, PA 18104	Testing
Stephen Notwick	27 Jasmine Road Levittown, PA 19056	Mitigation
Dwayne Ott	667 Park Avenue (Rear) Tyrone, PA 16686	Testing
Don Pratt	3650 Concorde Parkway Suite 100 Chantilly, VA 20151	Testing
Professional Home Inspection Services	1278 Vestal Avenue Binghamton, NY 13903	Testing and Mitigation
RSSI	6312 West Oakton Street Morton Grove, IL 60053	Laboratory
Jeffrey Rau	7 North Old Baltimore Pike Newark, DE 19702	Testing
Joseph Schwab	3650 Concorde Parkway Suite 100	Testing

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
	Chantilly, VA 20151	
Rand Singer	806 Nutes Farm Lane Kennett Square, PA 19348	Testing
Tim Stewart	3650 Concorde Parkway Suite 100 Chantilly, VA 20151	Testing
Brian Taylor	1365 Osbourne Avenue Roslyn, PA 19001	Testing
Bruce Thomas	17 Fosterville Road Greensburg, PA 15601	Testing
James Weber	56 Brentwood Road Drums, PA 18222	Testing

Public Hearing for NPDES Permit No. PAS10V038

The Department of Environmental Protection (Department) will hold a public hearing to accept comment on an Individual NPDES Permit Application No. PAS10V038 for the discharge of stormwater from construction activities at the proposed Home Depot USA in Westfall Township, Pike County.

The hearing will be conducted on March 20, 2002, at 7 p.m. in the auditorium of the Delaware Valley High School, intersection of S.R. 006 and S.R. 209, Milford, PA by the Department of Environmental Protection, Water Management Program, Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2553. The hearing is in response to an application submitted by Home Depot USA, Inc., 15 Dan Road, Canton, MA 02021. The NPDES permit application proposes the discharge of stormwater from construction activities to the Delaware River.

The Department requests that individuals wishing to testify at the hearing submit a written notice of intent to Home Depot USA, Inc. Hearing, Department of Environmental Protection, Water Management Program, 2 Public Square, Wilkes-Barre, PA 18711. The Department will accept notices up to the day of the hearing. The Department requests that individuals limit their testimony to 10 minutes so that all individuals have the opportunity to testify. The Department can only review comments made with regard to the NPDES Permit Application No. PAS10V038. Written copies of oral testimony are requested. Relinquishing to time will not be allowed. All individuals attending the hearing will have the opportunity to testify if they so desire; however, individuals who preregister to testify will be given priority on the agenda.

Persons with a disability who wish to testify and require an auxiliary aid, service or other accommodation should contact Richard Shudak at (570) 826-2511 or the Pennsylvania AT&T Relay service at (800) 654-5984 (TDD) to discuss how the Department can meet their needs.

The NPDES permit application is available for review at the Pike County Conservation District Office in Hawley, PA, (570) 226-8220. For further information, contact Mark Carmon of the Department's Northeast Regional Office at (570) 826 2511.

Public Hearing for NPDES Permit No. PAS10V040

The Department of Environmental Protection (Department) will hold a public hearing to accept comment on Individual NPDES Permit Application No. PAS10V040 for the discharge of stormwater from construction activities at the proposed Tamiment Development, The Glen and Highlands, Lehman Township, Pike County.

The public hearing will be conducted on March 26, 2002, at 7 p.m. in the Lehman Township Municipal Building at Municipal Drive off of S.R. 2001 in Bushkill, PA, by the Department of Environmental Protection, Water Management Program, Soils and Waterways Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2553. The hearing is in response to an application submitted by Philip Rizzo, 10 Kerby Lane, Mendham, NJ 07945. The NPDES permit application proposes the discharge of stormwater from construction activities to tributaries to Saw Creek, Bush Kill, Little Bush Kill and the Delaware River.

The Department requests that individuals wishing to testify at the hearing submit a written notice of intent to Tamiment Development Hearing, Department of Environmental Protection, Water Management Program, 2 Public Square, Wilkes-Barre, PA 18711. The Department will accept notices up to the day of the hearing. The Department requests that individuals limit their testimony to 10 minutes so that all individuals have the opportunity to testify. The Department can only review comments made with regard to the NPDES Permit Application No. PAS10V040. Written copies of oral testimony are requested. Relinquishing to time will not be allowed. All individuals attending the hearing will have the opportunity to testify if they so desire; however, individuals who preregister to testify will be given priority on the agenda.

Persons with a disability who wish to testify and require an auxiliary aid, service or other accommodation should contact Richard Shudak at (570) 826-2511 or the Pennsylvania AT&T Relay service at (800) 654-5984 (TDD) to discuss how the Department can meet their needs.

The NPDES permit application is available for review at the Pike County Conservation District Office in Hawley, PA, (570) 226-8220. For further information, contact Mark Carmon of the Department's Northeast Regional Office at (570) 826-2511.

Solicitation of Projects for 2002 Coastal Nonpoint Pollution Program

The Coastal Zone Management (CZM) Program, Office for River Basin Cooperation, Department of Environmental Protection, is soliciting projects for its 2002 Coastal Nonpoint Pollution Program (CNPP). The Federal Office of Ocean and Coastal Resource Management, National Oceanic and Atmospheric Administration will make the project funds available through the 2002 CZM grant award. The 2002 award will run from October 1, 2002, to March 31, 2004.

CNPP projects must be located within the boundaries of the Commonwealth's Coastal Nonpoint Program management area, which includes watersheds of all streams flowing into this Commonwealth's coastal waters within this Commonwealth (the tidal Delaware River, except for the Christiana watershed and Lake Erie tributaries, except for Conneaut Creek).

Eligible Recipients: State agencies, local governments, regional agencies and registered and preapproved non-profit organizations.

CZM project application forms for CNPP projects are included in the "Pennsylvania Coastal Zone Management Program, Project Application Form, Instructions and Examples" document. A copy can be requested from Matt Trepal, Erie County Department of Planning at (814) 451-6336, e-mail: mtrepal@eriecountyplanning.org; Chris Linn, Delaware Valley Regional Planning Commission at (215) 592-1800, e-mail: clinn@dvrpc.org; or Jim Tabor, CZM Program at (717) 772-5626, e-mail: etabor@state.pa.us. For individuals who are planning to submit an application, it is important to read this document. There is beneficial information that can be helpful in completing the application.

Final applications are due by April 1, 2002. Two copies of the application are to be sent to the Coastal Zone Management Program, Office for River Basin Cooperation, Rachael Carson State Office Building, P. O. Box 2063, 400 Market Street, 15th Floor, Harrisburg, PA 17105-2063.

Solicitation of Projects for 2002 Federal Coastal Zone Management (CZM) Grant Award

The CZM Program, Office for River Basin Cooperation, Department of Environmental Protection, is soliciting projects for its 2002 CZM Grant. The Federal Office of Ocean and Coastal Resource Management, National Oceanic and Atmospheric Administration will make project funds available through the 2002 CZM grant award. The 2002 award will run from October 1, 2002, to March 31, 2004.

Funding is being provided through section 306 and 306A of the CZM Program and the Coastal Nonpoint Pollution Program (CNPP). Projects funded through the CZM Program must be located within or directly affect the Lake Erie or Delaware Estuary coastal zones. Projects funded through the CNPP projects must be located within the boundaries of the Commonwealth's Coastal Nonpoint Program management area, which includes watersheds of all streams flowing into this Commonwealth's coastal waters within this Commonwealth (the tidal Delaware River, except for the Christiana watershed and Lake Erie tributaries, except for Conneaut Creek).

Eligible Recipients: State agencies, local governments, regional agencies and registered and preapproved non-profit organizations.

CZM project application forms are included in the "Pennsylvania Coastal Zone Management Program, Project Application Form, Instructions and Examples" document. A copy can be requested from Matt Trepal, Erie County Department of Planning at (814) 451-6336, e-mail: mtrepal@eriecountyplanning.org; Chris Linn, Delaware Valley Regional Planning Commission at (215) 592-1800, e-mail: clinn@dvrpc.org; or Jim Tabor, Coastal Zone Management Program at (717) 772-5626, e-mail: etabor@state.pa.us. For individuals who are planning to submit an application, it is important to read this document. There is beneficial information that can be helpful in completing the application.

Final applications are due by April 1, 2002. Two copies of the application are to be sent to the Coastal Zone Management Program, Office for River Basin Cooperation, Rachael Carson State Office Building, P. O. Box 2063, 400 Market Street, 15th Floor, Harrisburg, PA 17105-2063.

[Pa.B. Doc. No. 02-262. Filed for public inspection February 15, 2002, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are on Department of Environmental Protection's (DEP) website (www.dep.state.pa.us) at the Public Participation Center page. The "December 2001 Inventory" heading is the Governor's list of nonregulatory guidance documents. The "Final Documents" heading is the link to a menu of the various DEP bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to DEP's draft technical guidance documents.

DEP will continue to revise its nonregulatory documents, as necessary, throughout 2002.

Ordering Paper Copies of DEP Technical Guidance

DEP encourages the use of the Internet to view guidance documents. When this option is not available, persons can order a bound paper copy of the latest inventory or an unbound paper copy of any of the final documents listed on the inventory by calling DEP at (717) 783-8727.

In addition, bound copies of some of DEP's documents are available as DEP publications. Please check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

This document contains the current list of recent changes. Persons who have any questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Draft Technical Guidance

DEP ID: 257-4200-001 Title: Closure Requirements for Aboveground Storage Tank Systems Description: Title 25, Chapter 245 established requirements for closure and removal from service for large aboveground storage tanks at Subchapter F. DEP has had numerous requests from tank owners, installers and consultants for specific procedures and guidance to follow to aide in complying with the regulatory requirements. This document is written to provide the necessary guidance. Anticipated Effective Date: April 30, 2002 Comment period ends: March 15,

2002 Contact: Raymond S. Powers at (717) 772-5551 or e-mail: rapowers@state.pa.us.

DAVID E. HESS,
Secretary

[Pa.B. Doc. No. 02-263. Filed for public inspection February 15, 2002, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Abington Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Abington Memorial Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standard contained in this publication: 7.8.A3(l) (relating to Cesarean/delivery suite male and female support persons change area).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail: DDITLOW@STATE.PA.US

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid service or other accommodation to do so, should contact, Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-264. Filed for public inspection February 15, 2002, 9:00 a.m.]

Application of Charles Cole Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Charles Cole Memorial Hospital has requested an exception to the requirements of 28 Pa. Code § 51.23 (relating to positron emission tomography).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from: Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid service or other accommodation to do so, should contact, Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-265. Filed for public inspection February 15, 2002, 9:00 a.m.]

Application of DuBois Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that DuBois Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 51.23 (relating to positron emission tomography).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-266. Filed for public inspection February 15, 2002, 9:00 a.m.]

Application of Saint Vincent Outpatient Center Union City for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Saint Vincent Outpatient Center Union City has requested an exception to the requirements of 28 Pa. Code § 51.3 (relating to notification).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-267. Filed for public inspection February 15, 2002, 9:00 a.m.]

Application of Soldiers and Sailors Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Soldiers and Sailors Memorial Hospital has requested an exception to the requirements of 28 Pa. Code § 143.5 (relating to medical supervision of podiatric patients).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154

for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-268. Filed for public inspection February 15, 2002, 9:00 a.m.]

Application of Soldiers and Sailors Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Soldiers and Sailors Memorial Hospital has requested an exception to the requirements of 28 Pa. Code § 137.3(a) (relating to director).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, e-mail address: DDITLOW@STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

The facility is requesting a waiver of the 10-day comment period before the Department decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT: (717) 783-6154 for Speech and/or Hearing Impaired Persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-269. Filed for public inspection February 15, 2002, 9:00 a.m.]

Organ Donation Advisory Committee Meeting

The Organ Donation Advisory Committee, established under 20 Pa.C.S. § 8622 (relating to The Governor Robert P. Casey Memorial Organ and Tissue Donation Awareness Trust Fund) will hold a public meeting on March 13, 2002, from 10 a.m. to 2 p.m. The meeting will be held in Room 812 Health and Welfare Building, 7th and Forster Streets, Harrisburg, PA.

For additional information contact William J. Neil, Manager, Health Education and Information Program, Bureau of Chronic Diseases and Injury Prevention, 1000 Health and Welfare Building, Harrisburg, PA, (717) 787-5900.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact William J. Neil at (717) 787-5900; V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

This meeting is subject to cancellation without notice.

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-270. Filed for public inspection February 15, 2002, 9:00 a.m.]

Preventive Health and Health Services Block Grant Advisory Committee Meeting

The Preventive Health and Health Services Block Grant Advisory Committee will hold a public meeting on Thursday, February 21, 2002, from 10 a.m. to 1 p.m. The meeting will be held in Room 812 Health and Welfare Building, 7th and Forster Streets, Harrisburg, PA.

For additional information, contact Emilie M. Tierney, Director, Bureau of Chronic Diseases and Injury Prevention, Room 1000 Health and Welfare Building, Harrisburg, PA, (717) 787-6214.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Terry L. Walker, Administrative Officer, (717) 787-6214; V/TT (717) 783-6514 for speech and/or hearing-impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

This meeting is subject to cancellation without notice.

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-271. Filed for public inspection February 15, 2002, 9:00 a.m.]

Requests for Exception; Long-Term Care Nursing Facilities

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Mount Macrina Manor Nursing & Rehabilitation Center
700 West Third Street
Mount Carmel, PA 17851

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.36(h) (relating to bathing facilities):

Highland Park Care Center
209 Sigma Drive
Pittsburgh, PA 15238-2826

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax: (717) 772-2163, e-mail address: PAEXCEPT@HEALTH.STATE.PA.US.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address previously listed.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

ROBERT S. ZIMMERMAN, Jr.,
Secretary

[Pa.B. Doc. No. 02-272. Filed for public inspection February 15, 2002, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Office of Vocational Rehabilitation; Public Comment on Amendments to State Plan

The Department of Labor and Industry (Department), Office of Vocational Rehabilitation (OVR), including the Bureau of Blindness and Visual Services (BBVS), under the Rehabilitation Act of 1973 as amended in the Workforce Investment Act of 1998, announces a period of public comment throughout this Commonwealth. The comment period provides individuals, advocates and other interested parties and/or organizations the opportunity to present their views and recommendations regarding vocational rehabilitation (VR) services for persons with disabilities. In this Commonwealth, those services are provided by the OVR through a network of 21 local offices including the OVR and the BBVS District Offices and the Hiram G. Andrews Center.

The OVR is required under law to develop and implement a Combined Agency State Plan which must be reviewed and, as necessary, revised annually when there are changes to the State's VR program. The Combined Agency State Plan, currently in effect for the period 2000-2004, is a compliance document filed with the Commissioner, Rehabilitation Services Administration, United States Department of Education. It is the blueprint for the provision of VR services to persons with disabilities in this Commonwealth.

This period of public comment gives interested parties an opportunity to provide input regarding the Commonwealth's public VR program. Specifically, comment is being solicited regarding the following State Plan components: comprehensive system of personnel development; annual estimate of individuals to be served and costs of services; the State's goals and priorities; order of selection; innovation and expansion activities; and supported employment services. In addition to these areas, BBVS will accept public comment on the Business Enterprises Program, Social Services and Independent Living Services for Older Persons Who are Blind.

Meeting sites are accessible and interpreters for people who are deaf or hard of hearing will be present at each public forum. For additional information, reasonable accommodation requests or alternative format requests, call the OVR District Office or BBVS District Office conducting the public forum the individual wishes to attend.

If an individual or organization is unable to attend the public forums, but wishes to give testimony, written

comments may be mailed to the appropriate OVR or BBVS District Office serving the area in which the individual/organization resides. Written comments should be submitted to that District Office by April 12, 2002.

A listing of OVR District Offices, the Hiram G. Andrews Center and BBVS District Offices and their addresses and telephone numbers (voice and TTY) follows. The OVR and BBVS public forums are planned for April 1—12, 2002. Persons/organizations wishing to obtain information regarding the specific time and location of the meetings in their area, a copy of the State Plan Attachments or other information regarding OVR or BBVS services should contact the appropriate District Office in their area.

Copies of the current Combined Agency State Plan and revised Attachments will be available on the OVR website: <http://www.dli.state.pa.us/ovr>.

OVR District Offices

Allentown OVR District Office

(Carbon, Lehigh, Monroe and Northampton Counties)
160 Hamilton Street, Suite 100, Allentown, PA 18101
(800) 922-9536 (Voice); (610) 821-6144 (TTY)

Altoona OVR District Office

(Bedford, Blair, Centre, Fulton and Huntingdon Counties)
1101 Green Avenue, Altoona, PA 16601
(800) 442-6343 (Voice); (814) 946-7240 (Voice and TTY)

Altoona BBVS District Office

(Bedford, Blair, Cambria, Centre, Clinton, Columbia, Fulton, Huntingdon, Juniata, Lycoming, Mifflin, Montour, Northumberland, Snyder, Somerset and Union Counties)

1101 Green Ave., Room 139, Altoona, PA 16601
(866) 695-7673 (Voice); (814) 949-7955 (TTY)

DuBois OVR District Office

(Cameron, Clearfield, Elk, Jefferson and McKean Counties)

199 Beaver Drive, DuBois, PA 15801
(800) 922-4017 (Voice); (814) 371-7505 (TTY)

Erie OVR District Office

(Clarion, Crawford, Erie, Forest, Mercer, Venango and Warren Counties)

3200 Lovell Drive, Erie, PA 16503
(800) 541-0721 (Voice); (814) 871-4535 (TTY)

Erie BBVS District Office

(Cameron, Clarion, Clearfield, Crawford, Elk, Erie, Forest, Jefferson, Lawrence, McKean, Mercer, Potter, Venango and Warren Counties)

3100 Lovell Place, Erie, PA 16503
(866) 521-5073 (Voice); (814) 871-4599 (TTY)

Harrisburg OVR District Office

(Cumberland, Dauphin, Juniata, Lebanon, Mifflin and Perry Counties)

2971-B North Seventh Street, Harrisburg, PA 17110
(800) 442-6352 (Voice); (717) 787-4013 (TTY)

Harrisburg BBVS District Office

(Adams, Cumberland, Dauphin, Franklin, Lancaster, Lebanon, Perry and York Counties)

2971-B N. Seventh Street, Harrisburg, PA 17110
(866) 375-8264 (Voice); (717) 787-1733 (TTY)

Johnstown OVR District Office
(Cambria, Indiana, Somerset and Westmoreland Counties)

727 Goucher Street, Section 10, Johnstown, PA 15905
(800) 762-4223 (Voice); (814) 255-5510 (TTY)

New Castle OVR District Office

(Armstrong, Beaver, Butler and Lawrence Counties)
100 Margaret Street, New Castle, PA 16101
(800) 442-6379 (Voice); (724) 656-3252 (TTY)

Philadelphia OVR District Office (Philadelphia County)

444 North Third Street, Fifth Floor, Philadelphia, PA 19123

(800) 442-6381 (Voice); (215) 560-6144 (TTY)

Philadelphia BBVS District Office

(Bucks, Chester, Delaware, Montgomery and Philadelphia Counties)

444 N. 3rd St., 5th Floor, Philadelphia, PA 19123
(866) 631-3892 (Voice); (215) 560-5725 (TTY)

Pittsburgh OVR District Office

(Allegheny County)

217 State Office Building, 300 Liberty Ave., Pittsburgh, PA 15222

(800) 442-6371 (Voice); (412) 392-5921 (TTY)

Pittsburgh BBVS District Office

(Allegheny, Armstrong, Beaver, Butler, Fayette, Greene, Indiana, Washington and Westmoreland Counties)

Kossman Building, Room 1075, 400 Stanwix Street, Pittsburgh PA 15222

(866) 412-4072 (Voice); (412) 565-5509 (TTY)

Reading OVR District Office

(Berks and Schuylkill Counties)

1090 Commons Blvd., Reading, PA 19605-3332
(800) 442-0949 (Voice); (610) 378-4433 (TTY)

Rosemont OVR District Office

(Bucks, Chester, Delaware and Montgomery Counties)

1062 E. Lancaster Ave., Rosemont, PA 19010
(800) 221-1042 (Voice); (610) 525-5835 (TTY)

Washington OVR District Office

(Fayette, Greene and Washington Counties)

201 West Wheeling Street, Washington, PA 15301

(800) 442-6367 (Voice); (724) 223-4430 (Voice and TTY)

Wilkes-Barre OVR District Office

(Bradford, Columbia, Lackawanna, Luzerne, Pike,

Sullivan, Susquehanna, Wayne and Wyoming Counties)

665 Carey Avenue, Suite 1, Wilkes-Barre, PA 18706

(800) 634-2060 (Voice); (570) 826-2023 (TTY)

Wilkes-Barre BBVS District Office

(Berks, Bradford, Carbon, Lackawanna, Lehigh, Luzerne,

Monroe, Northampton, Pike, Schuylkill, Sullivan,

Susquehanna, Tioga, Wayne and Wyoming Counties)

111 N. Pennsylvania Avenue, Third Floor, Wilkes-Barre, PA 18701

(866) 227-4163 (Voice); (570) 826-2361 (Voice and TTY)

Williamsport OVR District Office

(Clinton, Lycoming, Montour, Northumberland, Potter,

Snyder, Tioga and Union Counties)

The Grit Building, Suite 102, 208 West Third Street,

Williamsport, PA 17701

(800) 442-6359 (Voice); (570) 327-3620 (TTY)

York OVR District Office
 (Adams, Franklin, Lancaster and York Counties)
 2550 Kingston Road, Suite 101, York, PA 17402
 (800) 762-6306 (Voice); (717) 771-4433 (TTY)

The Hiram G. Andrews Center
 727 Goucher Street, Johnstown, PA 15905
 (800) 762-4211 (Voice); (814) 255-8200 (Voice and TTY)

JOHNNY J. BUTLER,
Secretary

[Pa.B. Doc. No. 02-273. Filed for public inspection February 15, 2002, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(d) of the Regulatory Review Act (71 P. S. § 745.5(d)) provides that the designated standing committees may issue comments within 20 days of the close of the public comment period, and the Independent Regulatory Review Commission (Commission) may issue comments within 10 days of the close of the Committees' comment period. The Commission's comments are based upon the criteria contained in section 5.1(h) and (i) of the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)).

The Commission issued comments on the following proposed regulations. The agency must consider these comments in preparing the final-form regulation. The final-form regulations must be submitted by the dates indicated.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Issued</i>	<i>Final-Form Submission Deadline</i>
#16A-5115	State Board of Nursing Oral Orders (31 Pa.B. 6544 (December 1, 2001))	2/1/02	12/31/03
#16A-6310	State Board of Psychology Computerized Examinations (31 Pa.B. 6546 (December 1, 2001))	2/1/02	12/31/03

State Board of Nursing Regulation No. 16A-5115 Oral Orders February 1, 2002

We submit for consideration the following objections and recommendations regarding this regulation. Each objection or recommendation includes a reference to the criteria in the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) which have not been met. The State Board of Nursing (Board) must respond to these comments when it submits the final-form regulation. If the final-form regulation is not delivered by December 31, 2003, the regulation will be deemed withdrawn.

1. Section 21.14. Administration of drugs.—Clarity.

This section is under Subchapter A, Registered Nurses. Licensed practical nurses (LPNs) are addressed under Subchapter B, Practical Nurses. Why is the Board includ-

ing an LPN as a person who may administer a drug, in this section, as opposed to Subchapter B?

2. Section 21.145. Functions of the LPN.—Clarity.

In § 21.145(b)(2)(i) the terms "oral order" and "oral prescription or order" are used. For clarity, the Board should be consistent when using this terminology. In addition, a commentator noted that the meaning of "oral prescription or order" is vague and suggested that there may be confusion over the meaning of the words "prescription" and "order." The commentator also suggested that the Board specifically note that "oral prescriptions or orders" include situations in which the practitioner delivers the order in the presence of the LPN and orders received over the telephone. We agree and recommend that the Board define "oral prescription or order."

3. Section 21.145. Functions of the LPN.—Protection of public health.

The House Professional Licensure Committee, along with some of the commentators, has raised concerns with the level of training and instruction LPNs receive relating to their qualifications to receive oral orders. They question whether LPNs are properly trained to administer or question oral orders. Are LPNs adequately prepared to administer oral orders? What are the curriculum requirements of an approved LPN program that prepare them to administer oral orders?

State Board of Psychology Regulation No. 16A-6310 Computerized Examinations February 1, 2002

We submit for consideration the following objections and recommendations regarding this regulation. Each objection or recommendation includes a reference to the criteria in the Regulatory Review Act (71 P. S. § 745.5a(h) and (i)) which have not been met. The State Board of Psychology (Board) must respond to these comments when it submits the final-form regulation. If the final-form regulation is not delivered by December 31, 2003, the regulation will be deemed withdrawn.

Section 41.42. Reexamination.—Consistency with statute; Clarity.

Statutory distinction between second examination and subsequent examinations

In the Preamble, the Board states, "Applicants from this Commonwealth, however, are precluded from taking these National portions of the examination as frequently due to limitations in current § 41.42." However, the limitations in current § 41.42 are consistent with the Professional Psychologists Practice Act (Act). Specifically, 63 P. S. § 1206(c) states:

In case of failure at any examination, the applicant shall have, after the expiration of six months and within two years, the privilege of a second examination by the board with the payment of an additional fee. The board may adopt regulations governing the eligibility of applicants who have failed to pass two examinations in order to be admitted to subsequent examinations.

The amended regulation, as written, does not reflect these statutory time limits for a second examination. The Board should explain its authority to use time limits other than those specified in 63 P. S. § 1206(c). Reapplication requirements after failure of a second examination

Under the existing regulation, subsection (a) addresses reapplication requirements "after first time failure" of an examination. Existing subsection (b) addresses reapplica-

tion requirements "after two unsuccessful examinations." The Preamble expresses the intent to consolidate these subsections since the reexamination requirements are substantially similar. As amended, subsections (a) and (b) would state:

(a) After first-time failure, candidates may be reexamined, upon filing an updated application and paying the reapplication fee specified in § 41.21 (relating to fees).

(b) Applicants may reapply to take any portion of the examination, but shall satisfy conditions prevailing at the time of the reapplication, including administrative, education and experience requirements.

There are three concerns.

First, the amended regulation appears to only address requirements "after first-time failure." What are the reapplication requirements after a subsequent failure?

The second concern is related to the first concern. Subsection (a) would state, "After first-time failure, candidates may be reexamined, upon . . . paying the reapplication fee specified in § 41.12 (relating to fees)." This would be the \$20 fee for "Reapplication fee—first time examination failure." However, § 41.12 also contains a \$90 fee for "Reapplication fee—subsequent examination failure." When would an applicant be required to pay the \$90 fee relating to subsequent examination failure?

Finally, we note subsection (a) should reference fees in § 41.12, not 41.21.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 02-274. Filed for public inspection February 15, 2002, 9:00 a.m.]

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulation on the date indicated. To obtain the date and time of the meeting at which the Commission will consider this regulation, contact the Commission at (717) 783-5417 or visit its website at www.irrc.state.pa.us. To obtain a copy of the regulation, contact the promulgating agency.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Final-Form Received</i>
#61-04	State Civil Service Commission Promotion Procedure	2/05/02

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 02-275. Filed for public inspection February 15, 2002, 9:00 a.m.]

INSURANCE DEPARTMENT

Aetna US Healthcare; Rate Increase Filing for Nongroup Plans

On January 29, 2002, Aetna US Healthcare filed to increase the rates for the nongroup plans in all service areas of this Commonwealth effective July 1, 2002. The

proposed rate increases for the base medical HMO plans are 21.11% in the Southeastern Pennsylvania/Berks service area, 17.41% in the Western Pennsylvania service area and 26.90% in the Central/Northeastern Pennsylvania service area. An increase of 25% for pharmacy coverage is requested for all service areas. These proposed rates would affect approximately 13,600 members.

Benefit changes to the Superior Plan are also requested to be effective July 1, 2002. These changes include increasing the specialist copay from \$10 to \$15 and the outpatient surgery copay from \$0 to \$100.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Carol E. Slack, A&H Actuarial Supervisor, Insurance Department, Accident and Health Bureau, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Secretary

[Pa.B. Doc. No. 02-276. Filed for public inspection February 15, 2002, 9:00 a.m.]

HIGHMARK Blue Cross Blue Shield; Requesting Approval to Increase Rates for Direct Pay COMPLETEcare Plan

By filing No. 1-CCP-02-HBCBS, HIGHMARK Inc., d/b/a Highmark Blue Cross Blue Shield, requests approval to increase the premium rates for its COMPLETEcare Plan. The filing requests an increase of about 14% of current premium, or an average of \$24.51 per contract per month. This will affect about 40,050 contract holders and produce additional premium income of about \$11.7 million. The requested effective date of the change is July 1, 2002.

In addition to the increase in premium rates, the following changes have been requested to the COMPLETEcare Plan:

Effective July 1, 2002, the \$250 deductible option will no longer be marketed. New enrollees will have the choice of selecting either a \$500 or \$1,000 deductible (per contract year). Similarly, at the end of a respective contract year, each COMPLETEcare member enrolled in the \$250 deductible plan will be required to select either a \$500 or \$1,000 deductible option.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's offices in Harrisburg, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Bharat Patel, Actuary, Insurance Department, Accident and Health Bureau, Office of Rate and Policy Regulation, 1311 Strawberry

Square, Harrisburg, PA 17120, within 15 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Secretary

[Pa.B. Doc. No. 02-277. Filed for public inspection February 15, 2002, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68), in connection with the termination of the insured's automobile policy. The hearing will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held in the Insurance Department's regional offices in Pittsburgh, PA. Failure by the appellants to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Pittsburgh Regional Office, Room 304 State Office Building, 300 Liberty Avenue, Pittsburgh, PA 15222.

Appeal of Carlisle T. Fallon; file no. 01-348-73396; Penn National Mutual Casualty Insurance Company; doc. no. PI02-01-032; April 22, 2002, at 3 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses and the like necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the above-referenced administrative hearing and require an auxiliary aid, service or other accommodation to partici-

pate in the hearing, should contact Tracey Pontius, Agency Coordinator, at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 02-278. Filed for public inspection February 15, 2002, 9:00 a.m.]

Surplus Lines Agents and Interested Parties; Export List of Insurance Coverages

In June 2001, the Insurance Commissioner (Commissioner) determined that certain insurance coverages were generally unavailable in the authorized market and declared those coverages as exportable. A list of exportable coverages was published at 31 Pa.B. 3373 (June 23, 2001). Accordingly, for those insurance coverages that are included on the export list, a diligent search among insurers admitted to do business in this Commonwealth is not required before placement of the coverages in the surplus lines market.

The Commissioner declared that the export list would remain in effect until revised or superseded by a subsequent list.

The Commissioner is soliciting comments regarding the current export list. Persons may request in writing that a coverage be added or removed from the list.

Persons wishing to comment on the Commissioner's current export list are invited to submit a written statement within 30 days from the date of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include sufficient detail and relevant facts to inform the Insurance Department of the exact basis of the statement. Written statements should be directed to Cressinda Bybee, Office of Regulation of Companies, Insurance Department, 1345 Strawberry Square, Harrisburg, PA, 17120; fax (717) 787-8557; e-mail cbybee@state.pa.us. After consideration of all comments received, the Commissioner will publish a notice in the *Pennsylvania Bulletin* providing a 15-day opportunity to comment on any proposed changes before formal publication of the revised list.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 02-279. Filed for public inspection February 15, 2002, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed but not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of Bulletin). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no such documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Governor's Office

Management Directive No. 230.10—Travel and Subsistence Allowances, Revision No. 4, Dated January 17, 2002.

Management Directive No. 315.20—Taxability of the Use of State-Provided Vehicles, Revision No. 5, Dated January 9, 2002.

Administrative Circular No. 01-34—Placing of Decals and Logos on Commonwealth Vehicles, Dated December 20, 2001.

Administrative Circular No. 01-35—Winterization of State Vehicles and Commonwealth Garage Parking and Hours of Operation, Dated December 20, 2001.

Administrative Circular No. 02-01—2002-03 Budget Hearing Materials, Dated January 9, 2002.

Administrative Circular No. 02-02—Computation of Interest Penalties, Act 1982-266 Amended, Dated January 9, 2002.

Administrative Circular No. 02-03—Distribution of the 2002-2003 Commonwealth Budget, Dated January 22, 2002.

GARY R. HOFFMAN,
Director
Pennsylvania Bulletin

[Pa.B. Doc. No. 02-280. Filed for public inspection February 15, 2002, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board lease will expire:

Lycoming County, Wine & Spirits Shoppe #4104, 30 South Main Street, Muncy, PA 17756-1307.

Lease Expiration Date: May 31, 2003

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 2,500 to 3,000 net useable square feet of new or existing retail commercial space in Muncy Creek Township along Route 405.

Proposals due: March 8, 2002, at 12 noon

Department: Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110.
Contact: Ronald Hancher, Jr., (717) 657-4228
JOHN E. JONES, III,
Chairperson

[Pa.B. Doc. No. 02-281. Filed for public inspection February 15, 2002, 9:00 a.m.]

MUNICIPAL POLICE OFFICERS EDUCATION AND TRAINING COMMISSION

Mandatory In-Service Course Descriptions and Tuition Rates

(02-201) Legal Update (3 hour required)

Outlines significant changes in the Commonwealth's Crimes Code, Vehicle Code and Rules of Criminal Procedure occurring between July 1, 2000, and June 30, 2001.

Tuition per officer: \$16

(02-202) Police Encounters With the Mentally Ill (3 hour required)

Police Encounters With the Mentally Ill is a follow-up to the 2001 Special Needs Mandatory In-Service Course. This course will examine civil rights laws as they pertain to police encounters with mentally ill (PEMI), Use of Force case law and statutes that apply to PEMI, recognizing impairment and possible causes.

The course will present selected impairments such as psychotic episodes, schizophrenia, affective episodes, bipolar depression, personality disorders such as antisocial paranoid and borderline and substance induced mental impairments.

Finally, this course will look at use of force options such as less lethal force options, alternative options such as 302 commitments and referrals and how to determine which option is appropriate.

Tuition per officer: \$13.65

(02-318) Health and Fitness for Law Enforcement (3 hour elective)

The course provides an introduction to health and fitness and discussion on topics such as health and law enforcement, fitness lifestyle area planning and exercise planning.

Tuition per officer: \$13.65

(02-411) Technology and the First Responding Law Enforcement Officer (3 hour elective)

Technology has made rapid advancements in recent years, but the problem is that criminals are using computers and other high-tech means, such as Internet storage sites, personal digital assistants, micro hard drives and other media to commit crimes, exploit children, deny services, steal data and conduct industrial espionage.

This program designed for first responders will address crime trends, technology, terminology and applicable Commonwealth statutes. The course will also discuss search and seizure issues and provide officers with resources to assist them with investigating computer crimes. A list of "dos and don'ts" when seizing computers and handling an electronic crime scene are key components of this course.

Although the course will be taught in a traditional classroom setting, a variety of teaching methods will be used to enable officers to recognize and seize high-tech devices.

Tuition per officer: \$13.65

(02-512) Leadership for Law Enforcement (3 hour elective)

Leadership for Law Enforcement is a 3-hour course for individuals from nonsupervisory and supervisory levels within the police organization. Leadership concepts will be revisited and new concepts introduced; example, the department's responsibility to train and discipline, communication, liability assessed on leadership and futuristic leadership.

Tuition per officer: \$13.65

COL. PAUL J. EVANKO,
Commissioner

[Pa.B. Doc. No. 02-282. Filed for public inspection February 15, 2002, 9:00 a.m.]

PENNSYLVANIA COUNCIL ON AGING

Meeting Dates for 2002

In accordance with the Sunshine Act of 1986 (P. L. 388, No. 84), the Pennsylvania Council on Aging (Council) has established the following meeting dates for the calendar year 2002:

Wednesday	January 9, 2002
Wednesday	March 6, 2002
Wednesday	May 8, 2002
Wednesday	July 10, 2002
Wednesday	September 11, 2002
Thursday	October 24, 2002

Meetings of the Council, except the October 24, 2002, meeting, will be held in the Fifth Floor Conference Room, 555 Walnut Street, Harrisburg, PA. Meetings are from 9 a.m. to 1 p.m. Contact the Council at (717) 783-1924 for the location of the October 24, 2002, meeting.

Persons with a disability who wish to attend the previously-listed meetings and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Velma Carter-Dryer, Executive Director at (717) 783-1924 to discuss how the Council may best accommodate their needs.

VELMA E. CARTER-DRYER,
Executive Director

[Pa.B. Doc. No. 02-283. Filed for public inspection February 15, 2002, 9:00 a.m.]

PENNSYLVANIA MUNICIPAL RETIREMENT BOARD

Hearing Scheduled

A hearing has been scheduled, as authorized by the Pennsylvania Municipal Retirement Law (53 P. S.

§§ 881.101—881.501) (relating to Pennsylvania Municipal Retirement Board), in connection with the Pennsylvania Municipal Retirement Board's denial of claimants' requests concerning the indicated account.

The hearing will be held before a hearing examiner at the Pennsylvania Municipal Retirement Board, 1010 North 7th Street, Suite 301, Eastgate Center, Harrisburg, PA 17102.

March 25, 2002 Gary Spohn 1:30 p.m.
(Disability Retirement)

Persons with a disability who wish to attend the listed hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact Tina Eisenhart at (717) 787-2065 to discuss how the Pennsylvania Municipal Retirement System may best accommodate their needs.

The party may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 16 Pa. Code § 91.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JAMES B. ALLEN,
Secretary

[Pa.B. Doc. No. 02-284. Filed for public inspection February 15, 2002, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Publication of this notice shall be considered as sufficient notice to all carriers holding authority from this Commission. Applications will be considered without hearing in the absence of protests to the application. Protests to the applications published herein are due on or before March 11, 2002, as set forth in 52 Pa. Code § 3.381 (relating to applications for the transportation of property and persons). The protests shall also indicate whether it applies to the temporary authority application or the permanent application or both.

Application of the following for approval to *begin* operating as common carriers for transportation of *persons* as described under the application.

A-00118601. Safe-Ride Medical Transportation, Inc., t/d/b/a Saferide Transportation (5450 Wisahickon Avenue, Room 901A, Philadelphia, Philadelphia County, PA 19144), a corporation of the Commonwealth of Pennsylvania, persons in paratransit service between points in the city and county of Philadelphia, the counties of Bucks and Delaware, and part of the county of Montgomery as follows: points on and east of the western boundaries of the townships of Salford, Upper Salford,

Skippack and Upper Providence; and part of Chester County as follows: points on and east of the western boundaries of the townships of East Pikeland, West Pikeland, Uwchlan, West Whiteland, East Bradford, West Bradford, Newlin, West Marlboro, London Grove, Penn, New London and Elk. *Attorney:* William T. Wilson, 1542 McDaniel Drive, West Chester, PA 19380.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.

A-00118594. Dan's Moving & Storage, Inc. (211 West 2ND Street, Dunkirk, NY 14048), a corporation of the State of New York—household goods in use, between points in the county of Warren, and from points in said county, to points in Pennsylvania, and vice versa.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 02-285. Filed for public inspection February 15, 2002, 9:00 a.m.]

roe, Susquehanna and Wyoming Counties; and 3) the abandonment by National Utilities, Inc. and Brooklyn Water Company, Inc. of public water service within the aforesaid counties.

This application may be considered without a hearing. Protests or petitions to intervene can be filed with the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant on or before March 4, 2002, under 52 Pa. Code (relating to public utilities).

Applicant: Pennsylvania Suburban Water Company, National Utilities, Inc. and Brooklyn Water Company, Inc.

Through and By Counsel: Mark J. Kropilak, Esquire, 762 West Lancaster Avenue, Bryn Mawr, PA 19010; and Anthony C. Lomma, Esquire, 1120 South Washington Avenue, Scranton, PA 18505.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 02-287. Filed for public inspection February 15, 2002, 9:00 a.m.]

Telecommunications

A-311138F7001. Verizon North Inc. and Allpage Inc. t/a Beeper Street. Joint petition of Verizon North Inc. and Allpage Inc. t/a Beeper Street for approval of an Interconnection Agreement under section 252(e) of The Telecommunications Act of 1996.

Verizon North Inc. and Allpage Inc. t/a Beeper Street, filed on January 25, 2002, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an Interconnection Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon North Inc. and Allpage Inc. t/a Beeper Street joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 02-286. Filed for public inspection February 15, 2002, 9:00 a.m.]

Water Service

A-210104F0012; A-210104F0013; A-210230F2000; and A-210043F2000. Pennsylvania Suburban Water Company, National Utilities, Inc. and Brooklyn Water Company, Inc. Joint application of Pennsylvania Suburban Water Company, National Utilities, Inc. and Brooklyn Water Company, Inc. for approval of: 1) the acquisition by Pennsylvania Suburban Water Company of water system assets of National Utilities, Inc. and Brooklyn Water Company, Inc.; 2) the right of Pennsylvania Suburban Water Company to furnish water service to the public in portions of Lackawanna, Lehigh, Luzerne, Mon-

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's denial of Claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

March 6, 2002	Kenneth M. Jubas (Purchase of Service)	1 p.m.
	Deborah J. Martzall (Class T-D Membership)	2:30 p.m.
March 13, 2002	Maryann A. Bono (Early Ret. Reduction Factor)	1 p.m.
	Pamela J. Nicodemus (Change of Ret. Membership)	2:30 p.m.
March 20, 2002	Thomas A. Torchia (Canc. of Purchase of Service)	1 p.m.
March 27, 2002	James F. Bologna (Class T-D Membership)	1 p.m.
	George R. Smitley (Date of Retirement)	2:30 p.m.
April 10, 2002	Deborah C. Bogar (Date of Retirement)	1 p.m.
	Lloyd J. Reynolds (Class T-D Election)	2:30 p.m.
April 17, 2002	Michelle A. Emery (D) (Death Benefit)	1 p.m.

	Yolanda M. Schaeffer (Effective Date of Retirement)	2:30 p.m.
April 24, 2002	Mary B. Schafer (Final Average Salary)	2:30 p.m.
April 29, 2002	Thomas S. Semple (Effective Date of Retirement)	1:30 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

DALE H. EVERHART,
Secretary

[Pa.B. Doc. No. 02-288. Filed for public inspection February 15, 2002, 9:00 a.m.]

Persons with a disability who wish to attend the listed hearings and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Marilyn Fuller-Smith, Assistant to the Executive Director at (717) 720-4921 to discuss how the Public School Employees' Retirement System may best accommodate their needs.