

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending July 1, 2003.

BANKING INSTITUTIONS

New Charter Applications

<i>Date</i>	<i>Name of Institution</i>	<i>Location</i>	<i>Action</i>
6-24-03	Highview Trust Company Greensburg Westmoreland County <i>Correspondent:</i> Louis T. Steiner 900 Ligonier Street Latrobe, PA 15658	Greensburg	Filed

Mutual Holding Company Reorganization

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
6-30-03	First Savings Bank of Perkasio Perkasie Bucks County Application represents reorganization into a mutual holding company structure to be known as "FSB Mutual Holdings, Inc."	Perkasie	Filed

Conversions

<i>Date</i>	<i>Name of Institution</i>	<i>Location</i>	<i>Action</i>
7-1-03	Huntingdon Valley Bank Huntingdon Valley Montgomery County <i>To:</i> Huntingdon Valley Bank Huntingdon Valley Montgomery County Represents conversion of a Federally-chartered mutual savings association to a State-chartered mutual savings bank.	2617 Huntingdon Pk. Huntingdon Valley Montgomery County	Effective

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
7-1-03	East Penn Bank, Emmaus, and East Penn Interim Bank, Emmaus Surviving Institution— East Penn Bank, Emmaus Merger being effected solely to effect the acquisition of East Penn Bank by East Penn Financial Corporation, Emmaus, a newly-formed bank holding company.	Emmaus	Effective

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
6-27-03	Citizens & Northern Bank Wellsboro Tioga County	130 Court Street Williamsport Lycoming County	Filed

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
12-13-02	Pittsburgh Savings Bank Pittsburgh Allegheny County	125 Brownsville Road Pittsburgh Allegheny County	Effective

SAVINGS INSTITUTIONS**Conversions**

<i>Date</i>	<i>Name of Association</i>	<i>Location</i>	<i>Action</i>
7-1-03	Savings and Loan Association of Milton, PA Milton Northumberland County <i>To:</i> Milton Savings Bank Milton Northumberland County	80 Broadway Milton Northumberland County	Effective

Represents conversion from a State-chartered savings and loan association to a Federally-chartered mutual savings bank.

CREDIT UNIONS**Consolidations, Mergers and Absorptions**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
6-23-03	Belco Community Credit Union, Harrisburg, and CP Lutheran Credit Union, Mechanicsburg Surviving Institution— Belco Community Credit Union, Harrisburg	Harrisburg	Approved Effective 6-30-03

Branch Relocation

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
6-16-03	Superior Credit Union Collegeville Montgomery County	<i>To:</i> 308 Main Street Royersford Montgomery County <i>From:</i> 402 First Avenue Royersford Montgomery County	Effective

Note: Relocation is subsequent to the merger of ARE Federal Credit Union with and into Superior Credit Union. The 402 First Avenue address is the former main office of ARE Federal Credit Union.

A. WILLIAM SCHENCK, III,
Secretary

[Pa.B. Doc. No. 03-1351. Filed for public inspection July 11, 2003, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Consolidated Plan Public Meeting and Regional Housing Advisory Committee Meetings

The Department of Community and Economic Development (DCED) is preparing its Consolidated Plan (plan) for Federal Fiscal Years (FFY) 2004-2008, including the annual Action Plan for FFY 2004. This document must be submitted to, and approved by, the United States Department of Housing and Urban Development (HUD) for the Commonwealth and organizations within this Commonwealth to receive funding under most HUD housing and community development programs. The plan creates a unified strategy for housing and community development

programs, as well as the necessary linkages for building successful neighborhoods and communities.

The Commonwealth's 2004-2008 plan will address how the Commonwealth intends to allocate funds under the following programs: Community Development Block Grant, HOME Investment Partnerships, Emergency Shelter Grant and Housing Opportunities for Persons with AIDS. The Commonwealth anticipates incorporating new outcome measures as a pilot participant in HUD's Consolidated Plan Improvement Initiative. Outcome measures will be a major item of discussion at the public meeting and committee meetings.

Public Meeting

The public meeting will be conducted electronically by means of the Internet. The format will be more accessible in that persons who wish to make a comment or discuss policy may participate directly from their personal computer or from a computer location at their public library on Tuesday, August 19, 2003. Access to the discussion by

means of the Internet will occur between 10 a.m. and 1 p.m. This more widely available personal computer access will replace the usual public meeting.

Individuals or organizations may give testimony or comments by means of the Internet. Comments will be accepted about topics related to community development, housing, the content of the Commonwealth's Action Plan and the process by which the public input is gathered. The Commonwealth encourages public participation in this process.

Individuals who want to participate must register in advance online by means of the Internet at the following website: www.state.pa.us/chat/. If additional assistance is needed, individuals should call Karen Overly Smith at (717) 214-5340 to receive registration instructions for the Internet meeting at least 24 hours prior to the meeting date. Internet public meeting access will be open from 10 a.m. to 1 p.m. on August 19, 2003. During the meeting, if support is required, call (866) 224-4890 and enter "pin number" 6455 and then press the pound (#) sign.

Written Comments

Written testimony, instead of Internet testimony, may be submitted by 5 p.m. on August 22, 2003. Submit comments to Karen Overly Smith, Department of Community and Economic Development, Center for Community Building, Office of Community Development, 400 North Street, 4th Floor, Harrisburg, PA 17120-0225.

Regional Housing Advisory Committee Meetings

The Commonwealth has six Regional Housing Advisory Committees (Committees) across this Commonwealth comprised of appointed members. Meetings of these committees are open to the public under 65 Pa.C.S. §§ 701—716 (relating to Sunshine Act). These committees advise the DCED regarding housing and community development needs, as well as assist in fair housing planning. These meetings will be held as follows:

July 22, 2003

Chamber/CAN DO
Renaissance Center
One South Church Street, Suite 200
Hazelton, PA 18201
8:30 a.m. to 11:30 a.m.

July 24, 2004

Norristown State Hospital
Building #33
1001 Sterigere Street
Norristown, PA 19401
1 p.m. to 4 p.m.

July 25, 2003

Harrisburg Regional Chamber of Commerce
3211 North Front Street
Harrisburg, PA 17110
1:30 p.m. to 4:30 p.m.

July 29, 2003

Cranberry Municipal Building
2525 Rochester Road, Suite 400
Cranberry Township, PA 16066
1 p.m. to 4 p.m.

July 30, 2003

Radisson Hotel Sharon
3377 Newcastle Road
West Middlesex, PA 16159
9 a.m. to 12 p.m.

July 31, 2003

Juniata Valley Chamber of Comm.
152 Market Street, Suite 103
Lewistown, PA 17044
9 a.m. to 12 p.m.

Persons with a disability who wish to attend any of the Committee meetings and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact Karen Overly Smith, Department of Community and Economic Development, Center for Community Building, Office of Community Development, 4th Floor, 400 North Street, Harrisburg, PA 17120-0225, (717) 214-5340, to discuss how the DCED may best accommodate their needs. Text telephone calls can be placed through the Pennsylvania Relay System at (800) 654-5984. Calls will be relayed to the DCED's number listed in this notice.

MICHAEL P. DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 03-1352. Filed for public inspection July 11, 2003, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Community Conservation Partnerships Program Grants; Preapplication Workshops

The Department of Conservation and Natural Resources (Department) announces an open application period for the Community Conservation Partnerships Program grants administered by the Bureau of Recreation and Conservation (Bureau). The open application period will officially begin July 12, 2003, and end at 5 p.m. on October 15, 2003. Funding for recreation and conservation programs, including community recreation, land trusts, rails-to-trails, rivers conservation, Pennsylvania recreational trails, snowmobile/ATV and Land and Water Conservation Fund, will be the focus of 11 workshops and break-out sessions scheduled at the following 9 locations throughout this Commonwealth during July and August, 2003:

July 15, 2003	Days Inn Conference Center, Meadville	8:30 a.m.—12 p.m.
July 16, 2003	Ramada Inn Conference Center, Monroeville	8:30 a.m.—12 p.m. 1 p.m.—4:30 p.m.
July 22, 2003	The Inn at Nichols Village, Clarks Summit	8:30 a.m.—12 p.m.
July 23, 2003	Montgomery County Community College Pottstown	8:30 a.m.—12 p.m.
July 24, 2003	Montgomery County Fire Academy, Conshohocken	1 p.m.—4:30 p.m.
July 29, 2003	Radisson Hotel Williamsport	8:30 a.m.—12 p.m.

July 31, 2003	Clarion Hotel and Convention Center Carlisle	8:30 a.m.—12 p.m. 1 p.m.—4:30 p.m.
August 5, 2003	Holiday Inn, Clarion	8:30 a.m.—12 p.m.
August 6, 2003	Ramada Inn, Altoona	8:30 a.m.—12 p.m.

The Grant Application Manual for fiscal year 2003-2004 as well as additional information regarding associated grant materials and directions to the workshops may be obtained by contacting the Department of Conservation and Natural Resources, Bureau of Recreation and Conservation, 6th Floor, Rachel Carson State Office Building, P. O. Box 8475, Harrisburg, PA 17105-8475, (717) 783-4734, e-mail rec&con@state.pa.us or through the Department's website at www.dcnr.state.pa.us. The Bureau will conduct the workshops in cooperation with the Pennsylvania Recreation and Park Society.

MICHAEL F. DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 03-1353. Filed for public inspection July 11, 2003, 9:00 a.m.]

Conservation and Natural Resources Advisory Council Meeting

The Conservation and Natural Resources Advisory Council to the Department of Conservation and Natural Resources (Department) will hold a meeting at 10 a.m. on Wednesday, July 23, 2003, in Room 105, Lobby Level, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting or agenda items should be directed to Kurt Leitholf at (717) 705-0031.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Claire Guisewite at (717) 705-0031 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

MICHAEL F. DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 03-1354. Filed for public inspection July 11, 2003, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Application of Carnegie Mellon University for Approval of Amendment of Its Articles of Incorporation

Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6504(a) (relating to fundamental changes), the Department of Education (Department) will consider the application of Carnegie Mellon University for

a Certificate of Authority approving the amendment to and the restating of its Articles of Incorporation in their entirety.

In accordance with 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department will act upon the application without hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protest) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protests and requests for hearing shall be filed with Paula Fleck, Chief, Division of Program Services, (717) 772-3623 or Carol Gisselquist, Higher Education Specialist, 333 Market Street, Harrisburg, PA 17126-0333, (717) 787-4448 by 4 p.m. on the due date prescribed by this notice. Persons wishing to review the application should phone or write to the aforementioned office to schedule a time for an in-office review. Duplicate copies are not available.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate should contact Paula Fleck, (717) 772-3623 or Carol Gisselquist, (717) 787-4448 to discuss how the Department may best accommodate their needs.

VICKI L. PHILLIPS, Ed.D.,
Secretary

[Pa.B. Doc. No. 03-1355. Filed for public inspection July 11, 2003, 9:00 a.m.]

Application of Pittsburgh Technical Institute for Approval of Revised Articles of Incorporation

Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application of Pittsburgh Technical Institute for a Certificate of Authority approving the institution's amendments to their Articles of Incorporation and Canons.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without hearing, unless within 30 days after the publication of the notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.25 (relating to protest) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protests and requests for hearing should be filed with Paula Fleck, Chief, Division of Program Services, Department of Education, 333 Market Street, Harrisburg, PA 17126-0333, (717) 772-3623 by 4 p.m. on the due date prescribed by this notice. Persons wishing to review the application should phone or write to the aforementioned office to schedule a time for an in-office review. Copies of the application are not available.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate should contact Paula

Fleck at (717) 772-3623 to discuss how the Department may best accommodate their needs.

VICKI L. PHILLIPS, Ed.D.,
Secretary

[Pa.B. Doc. No. 03-1356. Filed for public inspection July 11, 2003, 9:00 a.m.]

Application of Westminster College for Approval of Revised Articles of Incorporation

Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application of Westminster College for a revision and restatement of its Articles of Incorporation.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without hearing, unless within 30 days after the publication of the notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice

of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.25 (relating to protest) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protests and requests for hearing should be filed with Paula Fleck, Chief, Division of Program Services, Department of Education, 333 Market Street, Harrisburg, PA 17126-0333, (717) 772-3623 by 4 p.m. on the due date prescribed by this notice. Persons wishing to review the application should phone or write to the aforementioned office to schedule a time for an in-office review. Copies of the application are not available.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate should contact Paula Fleck at (717) 772-3623 to discuss how the Department may best accommodate their needs.

VICKI L. PHILLIPS, Ed.D.,
Secretary

[Pa.B. Doc. No. 03-1357. Filed for public inspection July 11, 2003, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes listed in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision at 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the contact office noted before the application, within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications and a public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after any public hearings are held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0052566	Owen J. Mooney 2015 Valley Road Newtown Square, PA 19073	Delaware County Edgemont Township	Unnamed Steam to Ridley Creek	Y
PA0057223	William and Donna Dodson 999 Long Mill Road Telford, PA 18969-2315	Montgomery County Franconia Township	East Branch of the Perkiomen Creek	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0033049	Department of Transportation Rest Area No. 25 Bureau of Design P. O. Box 3060 Harrisburg, PA 17105-3060	Pine Creek Township Jefferson County	Fivemile Run Watershed 17-C	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

PAS212211, Industrial Waste, **Glenwood Stone Co., Inc.**, R. R. 1, Box 1130, Nicholson, PA 18846. This proposed facility is in Lenox Township, **Susquehanna County**.

Description of Proposed Activity: Issuance of new NPDES stormwater permit.

The receiving stream, unnamed tributary to East Branch Tunkhannock Creek, is in the State Water Plan watershed no. 4F and is classified for CWF, aquatic life, water supply and recreation. The nearest downstream public water supply intake for the Danville Water Supply is on the Susquehanna River, approximately 90 miles below the point of discharge.

One stormwater Outfall 001 subject to stormwater Appendix J optional monitoring requirements.

Appendix J—Monitoring for Additional Facilities**

<i>Discharge Parameter</i>	<i>Units</i>	<i>Sample Type</i>	<i>Measurement Frequency</i>
CBOD ₅	(mg/l)	1 Grab	1 Year
Chemical Oxygen Demand	(mg/l)	1 Grab	1 Year
Oil and Grease	(mg/l)	1 Grab	1 Year
pH	(S.U.)	1 Grab	1 Year
Total Suspended Solids	(mg/l)	1 Grab	1 Year
Total Kjeldahl Nitrogen	(mg/l)	1 Grab	1 Year
Total Phosphorous	(mg/l)	1 Grab	1 Year
Effluent Guideline Pollutants*	(mg/l)	1 Grab	1 Year
Iron (Dissolved)	(mg/l)	1 Grab	1 Year

*Any pollutant limited in an effluent guideline to which the facility is subject.

**Facilities subject to Appendix J are not required to monitor and may perform an annual inspection of the facility instead of monitoring.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

PA0028720, Sewage, **Reading Regional Airport Authority**, 2501 Bernville Road, Reading, PA 19605-9611. This facility is in Bern Township, **Berks County**.

Description of activity: Issuance of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Schuylkill River, is in Watershed 3-C and classified for WWF, water supply recreation and fish consumption. The nearest downstream public water supply intake for Pottstown Borough is on the Schuylkill River, approximately 24 miles downstream. The discharge is not expected to affect the water supply.

The proposed Interim effluent limits for Outfall 001 for a design flow of 0.175 MGD are:

Parameter	Average		Instantaneous Maximum (mg/l)
	Monthly (mg/l)	Weekly (mg/l)	
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N	20		40
Total Dissolved Solids	1,000		2,000
Total Residual Chlorine	1.0		1.5
Oil and Grease	15		30
Dissolved Oxygen	minimum of 5.0 at all times		
pH	from 6.0 to 9.0 inclusive		
Fecal Coliform	200/100 ml as a geometric average		
(5-1 to 9-30)	10,000/100 ml as a geometric average		
(10-1 to 4-30)			

The proposed final effluent limits for Outfall 001 for a design flow of 0.42 MGD are:

Parameter	Average		Instantaneous Maximum (mg/l)
	Monthly (mg/l)	Weekly (mg/l)	
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N	20		40
Total Dissolved Solids	1,000		2,000
Total Residual Chlorine	0.5		1.6
Oil and Grease	15		30
Dissolved Oxygen	minimum of 5.0 at all times		
pH	from 6.0 to 9.0 inclusive		
Fecal Coliform	200/100 ml as a geometric average		
(5-1 to 9-30)	10,000/100 ml as a geometric average		
(10-1 to 4-30)			

Individuals may make an appointment to review the Department files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is in effect.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

PA0217468, Industrial Waste, SIC 4941, **Beaver Falls Municipal Authority**, 1425 8th Avenue, P. O. Box 400, Beaver Falls, PA 15010. This application is for renewal of an NPDES permit to discharge treated process water from a water plant in Eastvale Borough, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, the Beaver River, classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is the Beaver Falls Municipal Authority, at New Brighton, 3 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.853 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	Monitor and Report				
TSS			30		60
Aluminum			4		8

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Iron			2		4
Manganese			1		2
TRC			0.5		1.0
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

PA0023892, Sewage, **Masontown Municipal Authority**, 2 Court Street, Masontown, PA 15461-1841. This application is for renewal of an NPDES permit to discharge treated sewage from Bessemer Sewage Treatment Plant (aka Cats Run Sewage Treatment Plant) in Masontown Borough, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Cats Run, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Masontown Borough WW on the Monongahela River.

Outfall 001: existing discharge, design flow of 0.2 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25	37.5		50
Suspended Solids	30	45		60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.0			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0023906, Sewage, **Masontown Municipal Authority**, 2 Court Street, Masontown, PA 15461-1841. This application is for renewal of an NPDES permit to discharge treated sewage from Big Run Sewage Treatment Plant in Masontown Borough, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of the Monongahela River, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Masontown Borough WW on the Monongahela River.

Outfall 001: existing discharge, design flow of 0.4 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25	37.5		50
Suspended Solids	30	45		60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	60,000/100 as a geometric mean			
Total Residual Chlorine	1.0			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0028011, Sewage, **Sunoco, Inc.—East Quaker Park Building**, 1001 Hector Street, 4th Floor, Conshohocken, PA 19428. This application is for renewal of an NPDES permit to discharge treated sewage from Zelenople Station Service Plaza Sewage Treatment Plant in New Sewickley Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Brush Creek, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Beaver Falls Municipal Authority on the Beaver River.

Outfall 001: existing discharge, design flow of 0.05 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	10			20
Suspended Solids	25			50
Ammonia Nitrogen (5-1 to 10-31)	2.0			4.0
(11-1 to 4-30)	6.0			12.0
Phosphorus	0.5			1
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0239151, Sewage, **David F. Buchanan**, 706 Perkinswood Boulevard S. E., Warren, OH 44483. This proposed facility is in West Shenango Township, **Crawford County**.

Description of Proposed Activity: New discharge of treated sewage.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, the existing/proposed downstream potable water supply (stream and public water supplier) considered during the evaluation is the Reynold's Water Company Intake on the Shenango River in Pymatuning Township, Mercer County, approximately 17 miles below point of discharge.

The receiving stream, unnamed tributary to Shenango River, is in watershed 20-A and classified for WWF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameter	Concentrations		
	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅	10		20
Total Suspended Solids	20		40
Fecal Coliform	200/100ml as a geometric average		
Total Residual Chlorine	Monitor and Report		
pH	6.0 to 9.0 standard units at all times		

The EPA waiver is in effect.

PA0239259, Sewage, **David E. Davis, SFTF**, 17 S. Water Street, Albion, PA 16401. This proposed facility is in Spring Township, **Crawford County**.

Description of Proposed Activity: New discharge of treated sewage.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, the existing/proposed downstream potable water supply (stream and public water supplier) considered during the evaluation is Lake Erie, approximately 50 miles below point of discharge.

The receiving stream, an unnamed tributary of Conneaut Creek, is in watershed 15A and classified for CWF, MF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0008 MGD.

Parameter	Concentrations		
	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
Flow	Monitoring Only		
CBOD ₅	10		20
Total Suspended Solids	20		40
Fecal Coliform	200/100ml as a geometric average		
Total Residual Chlorine	XX		
pH	6.0 to 9.0 standard units at all times		

XX—Monitor and Report on AMR.

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

WQM Permit No. 1501426 Amendment, Sewerage, **West Vincent Township**, P. O. Box 163, 2200 Flowing Springs Road, Birchrunville, PA 19421. This proposed facility is in West Vincent Township, **Chester County**.

Description of Proposed Action/Activity: Construction and operation of wastewater collection, treatment and disposal facilities.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 6703406, Sewerage, **Jacobus Borough Sewer Authority**, 126 North Cherry Lane, Jacobus, PA 17407. This proposed facility is in Jacobus Borough, **York County**.

Description of Proposed Action/Activity: Construction/operation of the Creekwood Drive sewer extension and pumping station at The Woods of Lake Redman.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2003201, Industrial Waste, **Oil Creek Plastics**, 45619 State Highway 27, P. O. Box 385, Titusville, PA 16354-0385. This proposed facility is in City of Titusville, **Crawford County**.

Description of Proposed Action/Activity: This project is for the installation and operation of a cooling tower and chilled water system.

WQM Permit No. 2503418, Sewerage, **Waterford Municipal Authority**, 30 South Park Row, Waterford, PA 16441. This proposed facility is in Borough of Waterford, **Erie County**.

Description of Proposed Action/Activity: This project is for the replacement of chlorine disinfection with UV disinfection equipment as well as a conversion from anaerobic digestion to an aerobic process.

WQM Permit No. 3703405, Sewerage, **Neshannock Township Sewer Department**, 3131 Mercer Road, New Castle, PA 16105. This proposed facility is in Union Township and City of New Castle, **Lawrence County**.

Description of Proposed Action/Activity: This project is for the construction of the Shenango Interceptor and sewer extension for the West Bank Sewer Project.

WQM Permit No. 2003418, Sewerage, **Vernon Township Sanitary Authority**, 16678 McMath Avenue, Meadville, PA 16335. This proposed facility is in Vernon Township, **Crawford County**.

Description of Proposed Action/Activity: This project is for the construction of the Harmonsburg Road Sewer Extension to include sewers, manholes, grinder pumps, pump station and electrical equipment.

IV. NPDES Applications for Stormwater Discharges from MS4

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI130515	Buckingham Township P. O. Box 413 Buckingham, PA	Bucks	Buckingham	Y
PAI130507	Charlestown Township P. O. Box 507 Devault, PA	Chester	Charlestown	Y
PAI130523	East Bradford Township 666 Copeland School Rd. West Chester, PA	Chester	East Bradford	Y
PAI130524	East Brandywine Township 1214 Horseshoe Pike Downingtown, PA	Chester	East Brandywine	Y
PAI130536	East Caln Township P. O. Box 232 110 Bell Tavern Rd. Downingtown, PA	Chester	East Caln	Y
PAI130501	East Coventry Township 855 Ellis Woods Rd. Pottstown, PA	Chester	East Coventry	Y
PAI130512	East Fallowfield Township 2264 Strasburg Rd. Coatesville, PA	Chester	East Fallowfield	Y

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI130520	East Goshen Township 1580 Paoli Pike West Chester, PA	Chester	East Goshen	Y
PAI130514	East Pikeland Township Rapps Dam Rd. P. O. Box 58 Kimbertown, PA	Chester	East Pikeland	Y
PAI130518	East Vincent Township 262 Ridge Rd. Spring City, PA	Chester	East Vincent	Y
PAI130508	East Whiteland Township 209 Conestoga Rd. Frazer, PA	Chester	East Whiteland	Y
PAI130509	Easttown Township 566 Beaumont Rd. P. O. Box 79 Devon, PA	Chester	Easttown	Y
PAI130522	Edgmont Township P. O. Box 267 1000 Gradyville Rd. Gradyville, PA	Delaware	Edgmont	Y
PAI130535	Honey Brook Township P. O. Box 1281 Honey Brook, PA	Chester	Honey Brook	Y
PAI130503	London Grove Township 372 Rosehill Road, Suite 100 West Grove, PA	Chester	London Grove	Y
PAI130525	Malvern Borough P. O. Box 437 Malvern, PA	Chester	Malvern	Y
PAI130513	Marlborough Township 6040 Upper Ridge Road Green Lane, PA	Montgomery	Marlborough	Y
PAI130510	Middletown Township 27 N. Pennell Rd. P. O. Box 157 Lima, PA	Delaware	Middletown	Y
PAI130519	Montgomery County P. O. Box 311 Montgomery County Courthouse Norristown, PA	Montgomery	Norristown	N
PAI130516	New Garden Township 8934 Gap Newport Pike Landenberg, PA	Chester	New Garden	Y
PAI130526	New London Township 902 West State Road P. O. Box 1002 New London, PA	Chester	New London	Y
PAI130502	Newtown Township 209 Bishop Hollow Rd. Newtown Square, PA	Delaware	Newtown	Y
PAI130537	North Coventry Township 845 S. Hanover St. Pottstown, PA	Chester	North Coventry	Y
PAI130538	Pennsylvania State University 201 Old Main Physical Plant Building University Park, PA	Delaware	Middletown	N

NOTICES

3381

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI130539	Penn Township 260 Lewis Rd. P. O. Box 39 West Grove, PA	Chester	Penn	Y
PAI130533	Schuylkill Township 101 Valley Park Rd. Phoenixville, PA	Chester	Schuylkill	Y
PAI130541	South Coventry Township 1002 Ridge Rd. Pottstown, PA	Chester	South Coventry	Y
PAI130517	Thornbury Township 6 Township Dr. Cheyney, PA	Delaware	Thornbury	Y
PAI130504	Tredyffrin Township 1100 DuPortail Rd. Berwyn, PA	Chester	Tredyffrin	Y
PAI130540	Trumbauersville Borough 1 Evergreen Dr. Trumbauersville, PA	Bucks	Trumbauersville	Y
PAI130534	Upper Salford Township P. O. Box 100 Salfordville, PA	Montgomery	Upper Salford	Y
PAI130527	Upper Uwchlan Township 140 Pottstown Pike Chester Springs, PA	Chester	Upper Uwchlan	Y
PAI130505	Uwchlan Township 715 N. Ship Rd. Exton, PA	Chester	Uwchlan	Y
PAI130529	Wallace Township P. O. Box 96 Glenmoore, PA	Chester	Wallace	Y
PAI130511	West Bradford Township 1385 Campus Dr. Downingtown, PA	Chester	West Bradford	Y
PAI130532	West Goshen Township 1025 Paoli Pk. West Chester, PA	Chester	West Goshen	Y
PAI130531	West Pikeland Township P. O. Box 6 1208 and Route 113 Chester Springs, PA	Chester	West Pikeland	Y
PAI130530	West Whiteland Township P. O. Box 210 222 N. Pottstown Pk. Exton, PA	Chester	West Whiteland	Y
PAI130528	Westtown Township P. O. Box 79 Westtown, PA	Chester	Westtown	Y
PAI130521	Willistown Township 688 Sugartown Rd. Malvern, PA	Chester	Willistown	Y
PAI130506	Solebury Township P. O. Box 139 Solebury, PA	Bucks	Solebury	Y

V. Applications for NPDES Waiver Stormwater Discharges from MS4

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Wayne County Conservation District: Ag Service Center, 470 Sunrise Ave., Honesdale, PA 18431, (570) 253-0930.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI026403003	Mark Froland R. R. 5, Box 5346D Moscow, PA 18444	Wayne	Salem Township	Moss Hollow Creek HQ-CWF

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No.</i>	<i>Applicant Name and Address</i>	<i>County and Municipality</i>	<i>Receiving Water/Use</i>
PAI041203001	Department of Transportation District 2-0 1924-30 Daisy St. Clearfield, PA 16830	Shippen Township Cameron County	Fourmile Hollow HQ-CWF

Centre Conservation District: 414 Holmes Ave., Bellefonte, PA 16823 814-355-6817.

<i>NPDES No.</i>	<i>Applicant Name & Address</i>	<i>County and Municipality</i>	<i>Receiving Water/Use</i>
PAS10F070R	Department of Transportation Engineering District 2-0 1924-30 Daisy St. Clearfield, PA 16830 (814) 765-0450	Centre County College, Spring and Benner Townships	Spring Creek HQ-CWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

MS4 Notices of Intent Received

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Department Protocol (Y/N)</i>
PAG130007	Doylestown Township 425 Wells Rd. Doylestown, PA	Bucks	Doylestown	Y
PAG130012	Abington Township 1176 Old York Rd. Abington, PA	Montgomery	Abington	Y
PAG130009	Aldan Borough One W. Providence Rd. Aldan, PA	Delaware	Aldan	Y
PAG130036	Ambler Borough 122 E. Butler Ave. Ambler, PA	Montgomery	Ambler	Y
PAG130122	Aston Township 233 Pennell Rd. Aston, PA	Delaware	Aston	Y
PAG130079	Avondale Borough P. O. Box 247 110 Pomeroy Ave. Avondale, PA	Chester	Avondale	Y
PAG130045	Bensalem Township 2400 Byberry Rd. Bensalem, PA	Bucks	Bensalem	Y

NOTICES

3383

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Department Protocol (Y/N)</i>
PAG130076	Bethel Township 1082 Bethel Rd. Boothwyn, PA	Delaware	Bethel	Y
PAG130047	Birmingham Township 1040 W. Street Rd. West Chester, PA	Chester	Birmingham	Y
PAG130117	Bridgeport Borough Fourth and Mill St. Bridgeport, PA	Montgomery	Bridgeport	Y
PAG130105	Bristol Borough 250 Pond St. Bristol, PA	Bucks	Bristol	Y
PAG130151	Bristol Township 2501 Bath Rd. Bristol, PA	Bucks	Bristol	Y
PAG130125	Brookhaven Borough 2 Cambridge Rd., Suite 100 Brookhaven, PA	Delaware	Brookhaven	Y
PAG130111	Bucks County Rt. 611 and Almshouse Rd. Neshaminy Manor Ctr. Doylestown, PA	Bucks	Doylestown	N
PAG130053	Caln Township 253 Municipal Dr. P. O. Box 149 Thorndale, PA	Chester	Caln	Y
PAG130142	Chadds Ford Township P. O. Box 181 Chadds Ford, PA	Delaware	Chadds Ford	Y
PAG130068	Chalfont Borough 40 N. Main St. P. O. Box 80 Chalfont, PA	Bucks	Chalfont	Y
PAG130054	Cheltenham Township 8230 Old York Rd. Elkins Park, PA	Montgomery	Cheltenham	Y
PAG130090	Chester City 36 E. 5th St. Chester City Hall Chester, PA	Delaware	Chester	Y
PAG130119	Chester Heights Borough P. O. Box 658 Chester Heights, PA	Delaware	Chester Heights	Y
PAG130089	Chester Township 1150 Engle St. Chester, PA	Delaware	Chester	Y
PAG130025	Cheyney University P. O. Box 200 Cheyney, PA	Delaware	Thornbury	Y
PAG130143	Clifton Heights Borough 30 S. Springfield Rd. Clifton Heights, PA	Delaware	Clifton Heights	Y
PAG130138	Collegeville Borough 491 East Main St. Collegeville, PA	Montgomery	Collegeville	Y
PAG130120	Collingdale Borough 800 McDade Blvd. Collingdale, PA	Delaware	Collingdale	Y

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Department Protocol (Y/N)</i>
PAG130093	Colwyn Borough 221 Spruce St. Colwyn, PA	Delaware	Colwyn	Y
PAG130158	Concord Township P. O. Box 171 Concordville, PA	Delaware	Concord	Y
PAG130013	Conshohocken Borough 720 Fayette St. Conshohocken, PA	Montgomery	Conshohocken	Y
PAG130127	Darby Borough 821 Summit St. Darby, PA	Delaware	Darby	Y
PAG130088	Darby Township 21 Bartram Ave. Glenolden, PA	Delaware	Darby	Y
PAG130095	Douglass Township 1320 E. Philadelphia Ave. Gilbertsville, PA	Montgomery	Douglass	Y
PAG130140	Downingtown Borough Municipal Government Center 4-10 Lancaster Ave. Downingtown, PA	Chester	Downingtown	Y
PAG130035	Doylestown Borough 57 W. Court St. Doylestown, PA	Bucks	Doylestown	Y
PAG130156	East Greenville Borough 206 Main St. P. O. Box 128 East Greenville, PA	Montgomery	East Greenville	N
PAG130124	East Lansdowne Borough 155 Lexington Ave. East Lansdowne, PA	Delaware	East Lansdowne	Y
PAG130123	East Marlborough Township 721 Unionville Rd. Kennett Square, PA	Chester	East Marlborough	Y
PAG130032	East Norriton Township 2501 Stanbridge St. East Norriton, PA	Montgomery	East Norriton	Y
PAG130162	East Rockhill Township 1622 Ridge Rd. Perkasie, PA	Bucks	East Rockhill	Y
PAG130087	Eddystone Borough 1300 E. 12th St. Eddystone, PA	Delaware	Eddystone	Y
PAG130050	Falls Township 188 Lincoln Hwy., Suite 100 Fairless Hills, PA	Bucks	Falls	N
PAG130015	Folcroft Borough 1555 Elmwood Ave. Folcroft, PA	Delaware	Folcroft	Y
PAG130147	Franconia Township 671 Allentown Rd. P. O. Box 128 Franconia, PA	Montgomery	Franconia	Y
PAG130058	Franklin Township P. O. Box 118 Kemblesville, PA	Chester	Franklin	Y

NOTICES

3385

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Department Protocol (Y/N)</i>
PAG130092	Glenolden Borough 36 E. Boon Ave. Glenolden, PA	Delaware	Glenolden	Y
PAG130034	Hatboro Borough 414 S. York Road Hatboro, PA	Montgomery	Hatboro	Y
PAG130052	Hatfield Borough P. O. Box 190 Main and Chestnut Sts. Hatfield, PA	Montgomery	Hatfield	Y
PAG130114	Hatfield Township 1950 School Rd. Hatfield, PA	Montgomery	Hatfield	Y
PAG130077	Haverford Township 2325 Darby Rd. Havertown, PA	Delaware	Haverford	Y
PAG130040	Hilltown Township P. O. Box 260 13 W. Creamery Rd. Hilltown, PA	Bucks	Hilltown	Y
PAG130157	Horsham Township 1025 Horsham Rd. Horsham, PA	Montgomery	Horsham	N
PAG130153	Ivyland Borough 710 Ivyglenn Circle Ivyland, PA	Bucks	Ivyland	Y
PAG130149	Jenkintown Borough P. O. Box 2176 Jenkintown, PA	Montgomery	Jenkintown	Y
PAG130037	Kennett Square Borough 120 N. Broad St. P. O. Box 5 Kennett Square, PA	Chester	Kennett Square	Y
PAG130146	Kennett Township P. O. Box H 1001 E. Baltimore Pike Longwood Fire Co. Bldg. Kennett Square, PA	Chester	Kennett	Y
PAG130039	Langhorne Borough 114 E. Maple Ave. Langhorne, PA	Bucks	Langhorne	Y
PAG130044	Langhorne Manor Borough 618 Hulmeville Ave. Langhorne, PA	Bucks	Langhorne Manor	Y
PAG130038	Lansdale Borough 1 Vine St. Lansdale, PA	Montgomery	Lansdale	Y
PAG130126	Lansdowne Borough 12 E. Baltimore Ave. Lansdowne, PA	Delaware	Lansdowne	Y
PAG130148	Limerick Township 646 West Ridge Pike Limerick, PA	Montgomery	Limerick	Y
PAG130062	London Britain Township P. O. Box 215 Kemblesville, PA	Chester	London Britain	Y
PAG130091	Lower Chichester Township 1410 Market St. Linwood, PA	Delaware	Lower Chichester	Y

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Department Protocol (Y/N)</i>
PAG130116	Lower Frederick Township P. O. Box 253 53 Spring Mount Rd. Zieglerville, PA	Montgomery	Lower Frederick	Y
PAG130072	Lower Gwynedd Township 1130 N. Bethlehem Pk. P. O. Box 635 Spring House, PA	Montgomery	Lower Gwynedd	Y
PAG130011	Lower Makefield Township 1100 Edgewood Rd. Yardley, PA	Bucks	Lower Makefield	N
PAG130064	Lower Merion Township 75 E. Lancaster Ave. Ardmore, PA	Montgomery	Upper Merion	N
PAG130027	Lower Moreland Township 640 Red Lion Rd. Huntingdon Valley, PA	Montgomery	Lower Moreland	Y
PAG130073	Lower Pottsgrove Township 2199 Buchert Rd. P. O. Box 11 Pottstown, PA	Montgomery	Lower Pottsgrove	Y
PAG130018	Lower Providence Township 100 Parklane Dr. Eagleville, PA	Montgomery	Lower Providence	Y
PAG130131	Lower Salford Township P. O. Box 243 Mainland, PA	Montgomery	Lower Salford	Y
PAG130030	Lower Southampton Township 1500 Desire Ave. Feasterville, PA	Bucks	Lower Southampton	Y
PAG130071	Marcus Hook Borough 1015 Green St., Suite A Marcus Hook Borough Hall Marcus Hook, PA	Delaware	Marcus Hook	Y
PAG130021	Marple Township Springfield and Sproul Rd. 227 South Sproul Road Broomall, PA	Delaware	Marple	Y
PAG130115	Media Borough 301 N. Jackson St., Fl. 2 Media, PA	Delaware	Media	Y
PAG130028	Middletown Township 3 Municipal Way Langhorne, PA	Bucks	Middletown	Y
PAG130136	Milford Township P. O. Box 86 2100 Krames Rd. Spinnerstown, PA	Bucks	Milford	Y
PAG130016	Montgomery Township 1001 Stump Road Montgomeryville, PA	Montgomery	Montgomery	Y
PAG130104	Morrisville Borough 35 Union St. Morrisville, PA	Bucks	Morrisville	Y
PAG130094	Morton Borough 500 Highland Ave. Morton, PA	Delaware	Morton	Y
PAG130080	Narberth Borough 100 Conway Ave. Narberth, PA	Montgomery	Narberth	Y

NOTICES

3387

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Department Protocol (Y/N)</i>
PAG130099	Nether Providence Township 214 Sykes Ln. Wallingford, PA	Delaware	Nether Providence	Y
PAG130154	New Britain Borough 45 Keeler Ave. New Britain, PA	Bucks	New Britain	Y
PAG130060	New Britain Township 207 Park Ave. Chalfont, PA	Bucks	New Britain	Y
PAG130020	New Hanover Township 2943 Charlotte St. Gilbertsville, PA	Montgomery	New Hanover	Y
PAG130065	Newlin Township 929 Springwood Dr. West Chester, PA	Chester	Newlin	Y
PAG130057	Newtown Borough 23 N. State St. Newtown, PA	Bucks	Newtown	Y
PAG130048	Newtown Township 100 Municipal Dr. Newtown, PA	Bucks	Newtown	Y
PAG130159	Norristown Borough 235 E. Airy St. Norristown Borough Hall Norristown, PA	Montgomery	Norristown	Y
PAG130005	North Wales Borough 300 School St. North Wales, PA	Montgomery	North Wales	Y
PAG130098	Northampton Township 55 Township Road Richboro, PA	Bucks	Northampton	Y
PAG130135	Norwood Borough 10 W. Cleveland Ave. P. O. Box 65 Norwood, PA	Delaware	Norwood	Y
PAG130081	Parkesburg Borough 329 W. First Ave. Parkesburg, PA	Chester	Parkesburg	Y
PAG130083	Parkside Borough 22 E. Elbon Rd. Parkside, PA	Delaware	Parkside	Y
PAG130112	Pennsylvania State University 201 Old Main Physical Plant Building University Park, PA	Montgomery	Abington	N
PAG130051	Penndel Borough 300 Bellevue Ave. Penndel, PA	Bucks	Penndel	Y
PAG130063	Pennsburg Borough 76 W. Sixth St. Pennsburg, PA	Montgomery	Pennsburg	Y
PAG130134	Pennsbury Township 702 Baltimore Pike Chadds Ford, PA	Chester	Pennsbury	Y
PAG130139	Perkasie Borough 620 W. Chestnut St. Perkasie, PA	Bucks	Perkasie	Y

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Department Protocol (Y/N)</i>
PAG130069	Perkiomen Township 1 Trappe Rd. Collegeville, PA	Montgomery	Perkiomen	Y
PAG130106	Plumstead Township P. O. Box 387 5186 Stump Rd. Plumsteadville, PA	Bucks	Plumstead	Y
PAG130008	Plymouth Township 700 Belvoir Rd. Norristown, PA	Montgomery	Plymouth	Y
PAG130113	Pocopson Township P. O. Box 1 Pocopson, PA	Chester	Pocopson	Y
PAG130033	Pottstown Borough Authority 241 King St. Pottstown, PA	Montgomery	Pottstown	Y
PAG130121	Prospect Park Borough 720 Maryland Ave. P. O. Box 301 Prospect Park, PA	Delaware	Prospect Park	Y
PAG130096	Quakertown Borough P. O. Box 727 15-35 N. Second St. Quakertown, PA	Bucks	Quakertown	Y
PAG130102	Radnor Township 301 Iven Ave. Wayne, PA	Delaware	Radnor	Y
PAG130059	Richland Township P. O. Box 249 1328 California Rd. Richlandtown, PA	Bucks	Richland	Y
PAG130086	Ridley Park Borough 105 E. Ward St. Ridley Park, PA	Delaware	Ridley Park	Y
PAG130084	Ridley Township 100 E. MacDade Blvd. Ridley Township Municipal Building Folsom, PA	Delaware	Ridley	Y
PAG130152	Rockledge Borough 1 Park Ave. Rockledge, PA	Montgomery	Rockledge	Y
PAG130023	Royersford Borough 300 Main St. P. O. Box 188 Royersford, PA	Montgomery	Royersford	Y
PAG130101	Sadsbury Township P. O. Box 261 Sadsburyville, PA	Chester	Sadsbury	Y
PAG130004	Salford Township P. O. Box 54 Tylersport, PA	Montgomery	Salford	Y
PAG130155	Sellersville Borough 140 E. Church St. Sellersville, PA	Bucks	Sellersville	Y
PAG130014	Sharon Hill Borough 250 Sharon Ave. Sharon Hill, PA	Delaware	Sharon Hill	Y

NOTICES

3389

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Department Protocol (Y/N)</i>
PAG130160	Silverdale Borough P. O. Box 74 Silverdale, PA	Bucks	Silverdale	Y
PAG130022	Skippack Township P. O. Box 164 1455 Sumneytown Pike Skippack, PA	Montgomery	Skippack	Y
PAG130070	Spring City Borough 6 S. Church St. Spring City, PA	Chester	Spring City	Y
PAG130130	Springfield Township 50 Powell Rd. Springfield, PA	Delaware	Springfield	Y
PAG130078	Springfield Township 1510 Paper Mill Rd. Wyndmoor, PA	Montgomery	Montgomery	Y
PAG130001	Swarthmore Borough 121 Park Ave. Swarthmore, PA	Delaware	Swarthmore	Y
PAG130133	Telford Borough P. O. Box 209 Telford, PA	Montgomery	Telford	Y
PAG130067	Thornbury Township 8 Township Dr. Cheyney, PA	Chester	Thornbury	Y
PAG130097	Tinicum Township 629 N. Governor Printz Blvd. Essington, PA	Delaware	Tinicum	Y
PAG130024	Towamencin Township 1675 Sumneytown Pike P. O. Box 303 Kulpsville, PA	Montgomery	Towamencin	Y
PAG130118	Trainer Borough 824 Main St. Trainer Municipal Building Trainer, PA	Delaware	Trainer	Y
PAG130110	Trappe Borough 525 Main St. Trappe, PA	Montgomery	Trappe	Y
PAG130161	Tullytown Borough 500 Main St. Tullytown, PA	Bucks	Tullytown	Y
PAG130085	Upland Borough 224 Castle Ave. Upland, PA	Delaware	Upland	Y
PAG130082	Upper Chichester Township P. O. Box 2187 Furey Rd. Boothwyn, PA	Delaware	Upper Chichester	Y
PAG130003	Upper Darby Township 100 Garrett Rd. Municipal Building Upper Darby, PA	Delaware	Upper Darby	Y
PAG130075	Upper Dublin Township 801 Loch Alsh Ave. Fort Washington, PA	Montgomery	Upper Dublin	Y
PAG130129	Upper Frederick Township P. O. Box 597 Frederick, PA	Montgomery	Upper Frederick	Y

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Department Protocol (Y/N)</i>
PAG130031	Upper Gwynedd Township Parkside Place P. O. Box 1 West Point, PA	Montgomery	Upper Gwynedd	Y
PAG130109	Upper Hanover Township P. O. Box 27 1704 Pillsbury Rd. East Greenville, PA	Montgomery	Upper Hanover	Y
PAG130010	Upper Makefield Township 1076 Eagle Rd. Newtown, PA	Bucks	Upper Makefield	Y
PAG130042	Upper Merion Township 175 W. Valley Forge Rd. King of Prussia, PA	Montgomery	Upper Merion	Y
PAG130019	Upper Moreland Township 117 Park Ave. Willow Grove, PA	Montgomery	Upper Moreland	Y
PAG130107	Upper Pottsgrove Township 1409 Farmington Ave. Pottstown, PA	Montgomery	Upper Pottsgrove	Y
PAG130141	Upper Providence Township 935 N. Providence Rd. Media, PA	Delaware	Upper Providence	Y
PAG130108	Upper Providence Township 1286 Black Rock Rd. P. O. Box 406 Oaks, PA	Montgomery	Upper Providence	Y
PAG130029	Upper Southampton Township 939 Street Rd. Southampton, PA	Bucks	Upper Southampton	Y
PAG130150	Valley Township P. O. Box 467 890 W. Lincoln Hwy. Coatesville, PA	Chester	Valley	Y
PAG130049	Warminster Township Henry and Gibson Ave. Warminster, PA	Bucks	Warminster	Y
PAG130055	Warrington Township 852 Easton Rd. Warrington, PA	Bucks	Warrington	Y
PAG130074	Warwick Township 1733 Township Greene Jamison, PA	Bucks	Warwick	Y
PAG130100	West Brandywine Township 199 Lafayette Rd. Coatesville, PA	Chester	West Brandywine	Y
PAG130145	West Caln Township P. O. Box 175 Wagontown, PA	Chester	West Caln	N
PAG130002	West Chester Borough 401 E. Gay St. West Chester, PA	Chester	West Chester	Y
PAG130056	West Conshohocken Borough 112 Ford St. West Conshohocken, PA	Montgomery	West Conshohocken	Y
PAG130144	West Grove Borough 117 Rosehill Ave. West Grove, PA	Chester	West Grove	Y

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Department Protocol (Y/N)</i>
PAG130006	West Norriton Township 1630 W. Marshall St. Jeffersonville, PA	Montgomery	West Norriton	Y
PAG130061	West Pottsgrove Township 980 Grosstown Rd. Stowe, PA	Montgomery	West Pottsgrove	Y
PAG130046	West Rockhill Township 1028 Ridge Rd. Sellersville, PA	Bucks	West Rockhill	Y
PAG130103	Whitemarsh Township 616 Germantown Pike Lafayette Hill, PA	Montgomery	Whitemarsh	Y
PAG130137	Whitpain Township 960 Wentz Rd. P. O. Box 800 Blue Bell, PA	Montgomery	Whitpain	Y
PAG130026	Worcester Township 1721 Valley Forge Road P. O. Box 767 Worcester, PA	Montgomery	Worcester	Y
PAG130043	Wrightstown Township 738 Penns Park Rd. Wrightstown, PA	Bucks	Wrightstown	Y
PAG130041	Yardley Borough 56 South Main St. Yardley, PA	Bucks	Yardley	Y
PAG130128	Yeadon Borough P. O. Box 5187 Yeadon, PA	Delaware	Yeadon	Y
PAG130017	Phoenixville Borough 140 Church St. Phoenixville, PA	Chester	Phoenixville	Y
PAG130066	Coatesville City One City Hall Place Coatesville, PA	Chester	Coatesville	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Department Protocol (Y/N)</i>
PAG138328	Middlesex Township 133 Browns Hill Road Valencia, PA 16059	Butler	Middlesex Township	Glade Run	Y

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person

proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution

actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the Environmental Cleanup Program Manager in the Department Regional Office after which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Regional Field Office: Joseph A. Brogna, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Former Durkee Foods Property, City of Bethlehem, **Lehigh County**. Peter Berkout, Senior Environmental Engineer, Environmental Waste Management Associates, LLC, 100 Misty Lane, P. O. Box 5430, Parsippany, NJ 07054 has submitted a Notice of Intent to Remediate (on behalf of Tiger Den Partners, LLC, 171 Route 173, Suite 201, Asbury, NJ 08802) concerning the remediation of soils and groundwater found or suspected of being contaminated with various petroleum products, chlorinated solvents, polycyclic aromatic hydrocarbons, lead and/or other inorganics. The applicant proposes to meet a combination of the residential and nonresidential Statewide Health and Site-Specific Standards. A summary of the Notice of Intent to Remediate was reportedly published in *The Morning Call* on June 20, 2003.

The Preserve at College Hill Tract, Forks Township, **Northampton County**. David B. Farrington, P. G., President, Walter B. Satterthwaite Associates, Inc. has submitted a Notice of Intent to Remediate (on behalf of the property owners, John and Constance Panovec, Mitman Road, Easton, PA 18040 and the remediator, Jack Calahan, Jack Calahan, Inc., P. O. Box 1511, Bethlehem, PA 18016) concerning the remediation of soils found or suspected of being contaminated with lead and/or other inorganics. The applicant proposes to meet a combination of the Statewide Health and Site-Specific Standards. A summary of the Notice of Intent to Remediate was reportedly published in the *Express-Times* on June 6, 2003.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Former Chesebrough-Ponds USA Co., Reading City, **Berks County**. TRC Raviv Associates, Inc., 57 East

Willow Street, Milburn NJ 07041, on behalf of Unilever Home and Personal Care—USA, 75 Merritt Boulevard, Trumbull, CT 06611, submitted a Notice of Intent to Remediate site groundwater contaminated with Chlorinated Solvents. The applicant proposes to remediate the site to meet the Site-Specific Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Reading Eagle* on July 2, 2003.

Defense Distribution Depot Susquehanna PA SWMU 27 Tank 950, Fairview Township, **York County**. Defense Logistics Agency, Defense Distribution Depot Susquehanna, PA, 2001 Mission Drive, Suite 1, New Cumberland, PA 17070-5002, submitted a Notice of Intent to Remediate site groundwater contaminated with chlorinated solvents. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Harrisburg Patriot News* and the *York Daily Record/York News Dispatch* on June 13, 2003.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit Application No. 101620. Waste Mgmt. of PA Inc., 4300 Industrial Park Road, Camp Hill, PA 17011, **Hampden Township, Cumberland County**. The application is for the permit renewal for the Waste Management of Central PA Transfer Station. The application was determined to be administratively complete by the Southcentral Regional Office on June 24, 2003.

Comments concerning the application should be directed to John Krueger, Program Manager, Waste Management, 909 Elmerton Avenue, Harrisburg, PA 17110. Persons interested in obtaining more information about the general permit application may contact the Waste Management, (717) 705-4704. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of these applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate Regional Office to schedule an appointment.

Persons wishing to receive a copy of the proposed Plan Approval or Operating Permit must indicate their interest to the Department Regional Office within 30 days of the date of this notice and must file protests or comments on a Proposed Plan Approval or Operating Permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Any comments or protests filed with Department regional offices must include a concise statement of the objections to the issuance of the plan approval or operating permit and relevant facts, which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office identified. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act and regulations adopted under the Act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Mark Wejkszner, New Source Review Chief, (570) 826-2531.

54-399-034: WMPI, PTY, LLC (P. O. Box R, Frackville, PA 17931) for the construction of a coal gasification/liquification plant at their facility to be in Mahanoy and West Mahanoy Townships, **Schuylkill County**.

66-315-043: The Procter and Gamble Paper Products Co. (P. O. Box 32, Route 87, Mehoopany, PA 18629) for the construction of a raw material feed system and associated air cleaning device at their facility in Washington Township, **Wyoming County**.

66-315-012B: The Procter and Gamble Paper Products Co. (P. O. Box 32, Route 87, Mehoopany, PA 18629) for the modification of an air cleaning device to improve dust collection in the 4M paper machine room at their facility in Washington Township, **Wyoming County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

22-03056A: Susquehanna Valley Organics Corp. (3705 Trindle Road, Camp Hill, PA 17011) for the construction of a sludge pelletization plant controlled by two cyclones and two wet scrubbers in the City of Harrisburg,

Dauphin County. The sludge dryer is subject to 40 CFR Part 61, Subpart E—National Emission Standard for Mercury.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

49-00005B: Hoeganaes Corp. (1001 Taylors Lane, Cinnaminson, NJ 08077) to modify a metal powder coating process (insulated particles process) by increasing the allowable emission rate of an HAP, methylene chloride, to a level of 43 tons in any 12 consecutive month period in Delaware Township, **Northumberland County**.

41-00010D: Andritz, Inc. (35 Sherman Street, Muncy, PA 17756) to modify a thermal foundry sand reclamation system by increasing the allowable rate of NOx emissions from 2.07 pounds per hour to 3.1 pounds per hour in Muncy Borough and Muncy Creek Township, **Lycoming County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Edward Brown, Facilities Permitting Chief, (610) 832-6242.

46-0062A: Jefferson Smurfit Corp. (500 Church Road, North Wales, PA 19454) for the installation of an eight-color, 32-inch wide flexographic printing press at their Jefferson Smurfit North Wales plant. The press will be equipped with eight natural gas fired dryers. The North Wales plant is a Title V facility in Upper Gwynedd Township, **Montgomery County**. This installation will result in a VOC net emission increase of 12.5 tons per year. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

65-00693A: USA Valley Facility, Inc. (Pleasant Valley Road, R. R. 2, Box 282A, Irwin, PA 15642) Penn Township, **Westmoreland County**. Under 25 Pa. Code §§ 127.44—127.48, the Department intends to issue a Plan Approval to allow the installation of a new enclosed flare at the Valley landfill. Emissions from the proposed flare have been calculated at 36 tons of NOx per year, 65 tons of CO per year and 2 tons of VOCs per year. The proposed flare is subject to the operational, monitoring, recordkeeping, testing and reporting requirements required by 40 CFR 60, Subpart CC and 25 Pa. Code Chapter 127 and the Plan Approval has been conditioned accordingly. Copies of the Plan Approval application, the Department's analysis and the proposed Plan Approval are available for public inspection during normal business hours at the following address.

Persons wishing to oppose the plan approval may file a written protest. A 30-day comment period, from the date of this publication, will exist for the submission of protests. Written protests must contain the name, address and telephone number of the person filing the protest,

identification of proposed Plan Approval PA-65-00693A and concise statement of the objections to the Plan Approval issuance and relevant facts upon which the objections are based.

A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting written protests or requesting a hearing will be notified of the decision to hold a hearing by publication in the *Pennsylvania Bulletin* or by telephone, where the Department determines notification by telephone is sufficient. Written comments or request for a public hearing should be directed to Barbara Hatch, Air Pollution Control Engineer, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

43-011A: Greenville Metals, Inc. (99 Crestview Drive Extension, Transfer, PA 16154) for the post construction of a manganese sulfide exothermic reaction process in **Mercer County**. The facility currently has a Title V Operating Permit No. 43-00011. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V Operating Permit through an administrative amendment at a later date.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Edward Brown, Facilities Permitting Chief, (610) 832-6242.

09-00030: MSC Engineered Materials and Solutions Group (120 Enterprise Ave., Morrisville, PA 19067) in Falls Township, **Bucks County**. The facility's major emission points include metal coil prime and finishing coating ovens. The amended Title V Operating Permit will contain additional monitoring, recordkeeping, reporting and work practice standards to keep the facility operating within all applicable air quality requirements. The permit is being amended to incorporate following changes: owner and responsible official; and listing of sources, include the VOC content limit of the coatings in pound VOC per gallon coating solids for source CO1.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110 Contact: Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

06-05024: Reliant Energy Mid Atlantic Holdings, LLC (P. O. Box 1050, Johnstown, PA 15907-1050) for operation of an electric generating station at their Titus Station controlled by electrostatic precipitators, low NOx burners and SOFA in Cumru Township, **Berks County**. The facility is subject to Title IV (Acid Rain) Phase II. This permit limits the emissions of nitrogen oxides and the annual emissions of sulfur dioxide. Each of the main units is limited to the sulfur dioxide allowances owned by the applicant for each calendar year under the Phase II Acid Rain regulations and 25 Pa. Code § 127.531.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: Muhammad Zaman, Program Manager, (570) 327-0512.

55-00010: National Limestone Quarry, Inc. (P. O. Box 937, Middleburg, PA 17842) for their Paxtonville Quarry in Franklin Township, **Snyder County**. The facility's main sources include stone crushing process equipment, 1 cold cleaning degreaser, 1 cement facility, 1 water pump and 13 storage tanks. The facility has the potential to emit SOx, NOx, CO, PM10, VOCs and HAPs below the major emission thresholds. The proposed Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

55-00011: National Limestone Quarry, Inc. (P. O. Box 937, Middleburg, PA 17842) for their Fremont Quarry in Perry Township, **Snyder County**. The facility's main sources include stone crushing process equipment, one cold cleaning degreaser and five storage tanks. The facility has the potential to emit SOx, NOx, CO, PM10, VOCs and HAPs below the major emission thresholds. The proposed operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

SMOP 17-00040: Moshannon Valley School District (R. R. 1, Box 314, Houtzdale, PA 16651) for their elementary school and the junior/senior high school in Bigler Township, **Clearfield County**. The facility's main sources include: two bituminous/no. 2 fuel oil-fired boilers, two bituminous coal-fired boilers, two propane-fired emergency generators, no. 2 fuel oil-fired domestic water boiler, storage tanks and a wastewater treatment operation. These sources have the potential to emit major quantities of SOx. The facility has taken restrictions to limit SOx emissions below the major emission thresholds for SOx. The facility has the potential to emit CO, NOx, PM, VOCs and HAPs below the major emission thresholds. The proposed operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

59-00007: Reliant Energy Mid-Atlantic Power Holdings LLC (1001 Broad Street, P. O. Box 1050, Johnstown, PA 15907-1050), for their Blossburg combustion turbine facility in Covington Township, **Tioga County**. The facility's main sources include one natural gas fired combustion turbine and one diesel fired starting engine. The facility has the potential to emit CO and NOx above major emission thresholds but has taken elective restrictions to emit less than major emission thresholds for NOx and CO. This facility also has the potential to emit SOx, PM10, VOCs and HAPs below the major emission thresholds. The proposed operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

49-00028: Wildwood Cemetery Co. (1511 Cemetery Street, Williamsport, PA 17701), for their Pomfret Manor Cemetery in Sunbury, **Northumberland County**. The facility's main sources include two crematory incinerators. The facility has the potential to emit SOx, NOx, CO, PM10, VOCs and HAPs below the major emission thresholds. The proposed operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

59-00014: Wellsboro Small Animal Hospital (23 Tioga Street, Wellsboro, PA 16901), for their Veterinary Medical Center in Richmond Township, **Tioga County**. The facility's main source is one small animal incinerator. The facility has the potential to emit SOx, NOx, CO, PM10, VOCs and HAPs below the major emission thresholds. The proposed Operating Permit contains all appli-

cable regulatory requirements including monitoring, recordkeeping and reporting conditions.

53-00015: SMC Powder Metallurgy (Route 6, West Galeton, PA 16922) for their powdered metal parts manufacturing facility in Pike Township, **Potter County**. The facility's main sources include ten sintering furnaces. The facility has the potential to emit SO_x, NO_x, CO, PM₁₀, VOCs and HAPs below the major emission thresholds. The proposed operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Edward Brown, Facilities Permitting Chief, (610) 832-6242.

15-00088: National Foam, Inc. (350 East Union Street, West Chester, PA 19382) for operation of their chemical preparation facility in West Chester Borough, **Chester County**. The Permit is for a non-Title V (State-only) facility. Major sources of air emissions include a protein-based fire-fighting chemical manufacturing facility and associated control devices. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

46-00116: PECORA Corporation (165 Wambold Road, Harleysville, PA 19438) in Lower Salford Township, **Montgomery County**. The Permit is for a non-Title V (State-only) facility. The facility's sources include mixers and machines. The Permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

46-00158: Colorcon (415 Moyer Boulevard, West Point, PA 19486-2605), for a non-Title V, State-only, Natural Minor Operating Permit in Upper Gwynedd Township, **Montgomery County** and an administrative amendment for Plan Approval 46-317-006A. Colorcon manufactures color additives and specialty coatings for food, drugs and nontoxic printing inks. Operations at the facility include grinding, blending, mixing and packaging of coating materials. Dust collectors and scrubbers are in each section of the plant and are used to control particulate emissions. PM and VOC limits have been reviewed and changes have been made. Colorcon has facility emissions limits of 7.55 tons of PM per year and 22.49 tons of VOCs per year. Monitoring, recordkeeping and reporting requirements have been added to the permit to address applicable limitations.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Mark J. Wejksznar, New Source Review Chief, (570) 826-2531.

39-309-056: Lafarge North America (5160 Main Street, Whitehall, PA 18052) for the operation of a replacement air cleaning device (fabric collector) for the B5 bulk storage group at their Whitehall Plant in Whitehall Township, **Lehigh County**. The particulate emissions from the fabric collector will not exceed the best available technology (BAT) standard of 0.015 grain/DSCFT (2.67 tons per year). The Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The facility currently

has a Title V Operating Permit No. 39-00011. This Operating Permit will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V Operating Permit through an administrative amendment.

39-309-057: Lafarge North America (5160 Main Street, Whitehall, PA 18052) for the operation of a replacement air cleaning device (fabric collector) for the A-frame clinker storage building at their Whitehall Plant in Whitehall Township, **Lehigh County**. The particulate emissions from the new fabric collector will not exceed the BAT standard of 0.02 grain/DSCFT (10.16 tons per year). However, the replacement of the existing 11,500 ACFM fabric collector with the new 15,000 ACFM fabric collector will result in an overall particulate emission increase of 2.32 tons per year. The Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The facility currently has a Title V Operating Permit No. 39-00011. This operating permit will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V Operating Permit through an administrative amendment.

39-309-058: Lafarge North America (5160 Main Street, Whitehall, PA 18052) for the operation of an air cleaning device (fabric collector) for the load-out spouts of the Nos. 2 and 6 clinker storage silos at their Whitehall Plant in Whitehall Township, **Lehigh County**. Only one load-out spout can be in operation at any given time. The particulate emissions from the fabric collector will not exceed the BAT standard of 0.015 grain/DSCFT (0.65 tons per year). The Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The facility currently has a Title V Operating Permit No. 39-00011. This operating permit will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V Operating Permit through an administrative amendment.

54-00037: Copperhead Chemical Company, Inc. (2 river Road, Tamaqua, PA 18252) for operation of two boilers and an acetone recovery system at their facility in Walker Township, **Schuylkill County**.

52-00003: G. F. Edwards Inc. (Box 174, Elmhurst, PA 18416) for operation of a crushing plant and its accessories at their facility in Greene Township, **Pikes County**.

52-00004: Dingmans Ferry Stone Inc. (P. O. Box 686, Dingmans Ferry, PA 18328) for operation of a crushing plant and its accessories at their facility in Delaware Township, **Pikes County**.

39-00060: Day-Timers Inc. (1 Willow Lane, East Texas, PA 18046) for the operation of lithographic printing operation at their facility in Lower Macungie Township, **Lehigh County**.

48-00067: Eastern Industries Inc. (4401 Camp Meeting Road, Center Valley, PA 18034) for operation of a crushing plant and its accessories at their facility in Lower Nazareth Township, **Northampton County**.

48-00058: Efforts Foundry, Inc. (P. O. Box 158, Bath, PA 18014) for operation of a foundry plant and its accessories at their facility in Lower Bath Township, **Northampton County**.

13-00016: Haulmark Industries Inc. (Pennsylvania Division) (P. O. Box 8, McAddod, PA 18237) for operation of a spray booth and its accessories at their facility in Bank Township, **Carbon County**.

54-00051: Department of Corrections (SCI Mahanoy) (301 Morea Road Frackville, PA 17932) for operation of a boiler and generators at their facility in West Mahanoy Township, **Schuylkill County**.

54-00056: Pine Grove Area School District (High School) (103 School Street, Pine-Grove, PA 17963) for operation of a coal fired boiler at their facility in Pine Grove Borough, **Schuylkill County**.

35-00051: Scranton Material Inc. (P. O. Box 196, 2502 Lucon Road, Skippack, PA 19474) for operation of a crushing plant and its accessories at their facility in Ransom Township, **Lackawanna County**.

39-00038: Sure Fit (A Division of Fieldcrest-Cannon Inc.) (939 Marcon Boulevard, Allentown, PA 18103) for the operation of two boilers at their facility in Hanover Township, **Lehigh County**.

39-00053: The Pillsbury Company (A Division of General Mills Inc.) (2132 Downyflake Lane, Allentown, PA 18103) for the operation of nine baking ovens, one boiler and other accessories related to baking operation at their facility in City of Allentown, **Lehigh County**.

54-00015: Sunoco Partners Marketing & Terminals L. P. (1801 Market Street, 19/10 PC, Philadelphia, PA 19103) for the operation of a bulk petroleum products handling with the vapor recovery system at their facility in Rush Township, **Schuylkill County**. This action is the issuance of a State-only Operating Permit as the renewal in place of the Title V Operating Permit, which was issued in 1997, since the emission level of VOCs has been reduced to below the threshold limit.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

01-05004: Reliant Energy Mid Atlantic Power Holdings LLC (1001 Broad Street, Johnstown, PA 15907) for operation of a natural gas or oil fired gas turbine at their electric generating station at the Hamilton Station in Hamilton Township, **Adams County**. The emissions of NO_x will remain below the major source threshold of 100 tons per year. This will be accomplished by limiting the amount of heat input to each unit. The State-only operating permit shall include appropriate conditions designed to keep the facility operating within all other applicable air quality requirements.

28-03043: CAM Superline, Inc. (4763 Zane A. Miller Drive, Waynesboro, PA 17268) for operation of their construction trailer and dump trailer manufacturing facility in Washington Township, **Franklin County**. The facility has the following annual potential emissions: 30 tons of VOC and 1 ton of xylene. The State-only Operating Permit will include emission restrictions, work practice standards and testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

63-00624: Golden Eagle Construction Co. (P. O. Box 945, Uniontown, PA 15401) for their hot mix asphalt plant at their Eighty Four facility in North Strabane Township, **Washington County**. This is a Synthetic Minor.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

42-00198: Elkhorn Field Services—Kane Plant (6307 Route 6 East, Kane, PA 16735) for operation of a Natural Minor Operating Permit for a natural gas processing plant in Wetmore Township, **McKean County**. This facility is subject to Subpart KKK, the Standards of Performance for Equipment Leaks of VOC From Onshore Natural Gas Processing Plants.

27-00019: Department of Corrections—SCI at Forest (HC 2, Box 18, Marienville, PA 16239) for a Natural Minor Operating Permit. The facility's primary emissions are from the four boilers used to provide comfort heat and hot water to the facility in Jenks Township, **Forest County**.

24-00132: Elk County Heat Treaters, Inc. (316 Battery Street, PA 15857-1439) for the issuance of a Natural Minor Operating Permit. The facility's primary emissions are from the 12 small boilers used to provide process steam and from the 12 heat treater furnaces in the Borough of St. Marys, **Elk County**.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); and The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District Mining Office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition to the previous, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of the NPDES permit requirements for a particular mining activity within the previ-

ously mentioned public comment period will be provided with a 30 day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief sum-

mary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas, active areas disturbed by coal refuse disposal activities and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56980101 and NPDES Permit No. PA0234664. Heritage Mining Company, P. O. Box 126, Cresson, PA 16630, permit revision to add surface mine augering within the permit boundary in Shade and Paint Townships, **Somerset County**, affecting 62.3 acres. Receiving streams: unnamed tributary to/and Shade Creek (CWF). The first downstream potable water supply intake from the point of discharge is Cambria Somerset Authority Stonycreek Surface Water Withdrawal. Application received June 18, 2003.

56980101 and NPDES Permit No. PA0234664. Heritage Mining Company, P. O. Box 126, Cresson, PA 16630, permit renewal for continued restoration of a

bituminous surface mine in Shade and Paint Townships, **Somerset County**, affecting 62.3 acres. Receiving streams: unnamed tributary to/and Shade Creek (CWF). The first downstream potable water supply intake from the point of discharge is Cambria Somerset Authority Stonycreek Surface Water Withdrawal. Application received June 20, 2003.

11823003 and NPDES Permit No. PA0608211. Cooney Bros. Coal Company, P. O. Box 246, Cresson, PA 16630, permit renewal for reclamation only and for continued restoration of a bituminous surface mine in Summerhill Township, **Cambria County**, affecting 125.6 acres. Receiving streams: Beaverdam Run (HQ-CWF). The first downstream potable water supply intake from the point of discharge is Cambria Somerset Authority Little Conemaugh Surface Withdrawal. Application received June 23, 2003.

Noncoal Applications Received

Effluent Limits—The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

7675SM1 and NPDES Permit PA0124028. Pennsy Supply, Inc. (P. O. Box 3331, Harrisburg, PA 17105), renewal of an NPDES Permit for discharge of treated mine drainage in West Cornwall and South Annville Townships, **Lebanon County**, receiving Bachman Run (WWF). Application received June 23, 2003.

22880301 and NPDES Permit PA0023948. Rocky Licensing Corp. (P. O. Box 3331, Harrisburg, PA 17105), renewal of an NPDES Permit for discharge of treated

mine drainage in Lower Swatara Township, **Dauphin County**, receiving stream: Swatara Creek (CWF). Application received June 23, 2003.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56030801. Durst Stone, 323 Broadway Street, Meyersdale, PA 15552, commencement, operation and restoration of a small noncoal flagstone/fieldstone mine in Greenville Township, **Somerset County**, affecting 2.5 acres. Receiving streams: unnamed tributary to Miller Run (CWF). There are no potable water supply intakes within 10 miles downstream. Application received June 17, 2003.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the office noted before the application.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E52-185. Tom J. Russo, 103 Park Drive, Milford, PA 18337 in Milford Township, **Pike County**, U. S. Army Corps of Engineers, Philadelphia District.

To modify and maintain an existing house along the right bank within the floodway of Vandermark Creek (HQ-CWF) with work consisting of a 4-foot by 14-foot addition to an existing 8-foot by 14-foot porch and enclosure of the porch. The project is at the southeast corner of the intersection of Moon Valley Road and Park Drive, approximately 300 feet downstream of the confluence of Vandermark Creek and Deep Brook (Milford, PA-NJ Quadrangle N: 15.3 inches; W: 6.7 inches).

E35-366. Karf, LLC, 1000 Greenbriar Drive, Clarks Summit, PA 18411 in Clarks Summit Borough, **Lackawanna County**, U. S. Army Corps of Engineers, Baltimore District.

To construct and maintain a commercial building in the floodway of a tributary to Leggetts Creek (CWF). The project is on the northeast side of, and adjacent to, Routes 6 and 11, approximately 0.4 mile southeast of its intersection with SR 0407 (Grove Street) (Scranton, PA Quadrangle N: 20.4 inches; W: 9.7 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E31-191: James M. and Heather A. Little, 1516-26 Avenue, Altoona, PA 16601 in Henderson Township, **Huntingdon County**, ACOE Baltimore District.

To construct and maintain a 16-foot by 32-foot prefabricated storage shed elevated on piers next to the Juniata River (WWF) along Jacob's Crossing Road in Henderson Township, Huntingdon County (Mount Union, PA Quadrangle N: 14.5 inches; W: 13.9 inches).

E38-140: Nel-Ray Farms, 699 East Lincoln Avenue, Myerstown, PA 17067 in Jackson Township, **Lebanon County**, ACOE Baltimore District.

To relocate and maintain approximately 330 linear feet of an unnamed tributary to Tulpehocken Creek (TSF), also to install and maintain fencing along a 600-foot section of the stream to mitigate losses and restore a riparian buffer. Located at 141 Flanagan Road (Richland, PA Quadrangle N: 21.0 inches; W: 3.9 inches) in Jackson Township, Lebanon County.

E06-504-R: Maiden Creek Township, 1 Quarry Road, Blandon, PA 19510 in Maiden Creek Township, **Berks County**, ACOE Philadelphia District.

To construct and maintain a pedestrian footbridge having a clear span of 25 feet and an instream length of approximately 6 feet across an unnamed tributary to Willow Creek (CWF) at a point within the Maiden Creek Township Community Park, 450 feet northwest of the intersection of Park Road and East Wessner Road (Fleetwood, PA Quadrangle N: 12.7 inches; W: 15.1 inches) in Maiden Creek Township, Berks County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E14-448. Stearns Boal LLP, 100 North Patterson Street, State College, PA 16803. Small Projects Joint Permit Application in College Township, **Centre County**, ACOE Susquehanna River Basin District (State College, PA Quadrangle N: 14.0 inches; W: 9.7 inches).

To construct and maintain two stormwater outfalls into Spring Creek (HQ-CWF). The project is 0.5 mile north along Houserville Road from the intersection of SR 0026 and Houserville Road. This project does not propose to impact any jurisdictional wetlands.

E14-449. Department of Transportation, Engineering District 2-0, 1924-30 Daisy Street, Clearfield, PA

16830. SR 4002 Section A01 Bridge Replacement in Snow Shoe Township, **Centre County**, ACOE Susquehanna River Basin District (Snow Shoe, PA Quadrangle N: 9.9 inches; W: 11.1 inches).

The applicant proposes to remove the existing bridge and appurtenant substructures and: (1) to construct and maintain a precast reinforced concrete box culvert with a single clear span of 16.0 feet (16.0 feet normal), 4.25-foot rise (1 foot depressed invert) and 32.0 feet long with precast reinforced concrete inlet and outlet end section; (2) realign existing drainage ditches along the downstream roadway embankments due to the increased roadway width and proposed approach roadway guide rail; (3) construct a drainage system consisting of a Type D Endwall, inlets, 24-inch thermoplastic pipe, 30-inch thermoplastic pipe and 30-inch reinforced concrete pipe with R-5 rock aprons at the inlet and outlet of the drainage system; (4) permanently fill 0.044 acre of wetland as a result of roadway embankment placement, culvert construction, proposed rock protection, new utility poles and the proposed drainage system; and (5) place R-6 riprap for scour protection at the inlet and outlet of the proposed culvert. The proposed project will directly affect approximately 160 linear feet of Cherry Run (CWF), 0.044 acre of permanent wetland impacts and 0.23 acre of temporary impacts.

E18-365. Lamar Township Supervisors, 148 Beagle Road, Mill Hall, PA 17751. Water Obstruction and Encroachment Permit in Lamar Township, **Clinton County**, ACOE Susquehanna River Basin District (Mill Hall, PA Quadrangle N: 11.98 inches; W: 3.05 inches).

To construct and maintain a 72-foot long dry hydrant in Long Run (HQ-CWF). The project is along SR 0477 approximately 1.5 miles north of Rote in Lamar Township, Clinton County.

E60-160. Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. SR 3002 Section 003 tributary to Penns Creek, bridge replacement in Hartley Township, **Union County**, ACOE Susquehanna River Basin District (Harleton, PA Quadrangle N: 1.05 inches; W: 13.08 inches).

To remove an existing concrete slab bridge and construct and maintain a 16-foot wide by 5-foot high concrete box culvert in a tributary to Penns Creek (CWF). The project is along SR 3002 Segment 0170, Offset 0161 in Hartley Township, Union County. The project proposes to permanently impact 0.014 acre.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1429. Michael and Elizabeth Borza, 228 Elmore Road, Pittsburgh, PA 15221-3741. Borza Residence Bridge in West Deer Township, **Allegheny County**, Pittsburgh ACOE District (Valencia, PA Quadrangle N: 5.9 inches; W: 4.0 inches). The applicant proposes to finish the construction of and to maintain an arch bridge having a span of 14.25 feet and an underclearance of 6.8 feet across Deer Creek (CWF). The bridge will be used to provide access to a proposed residence. The bridge is on the west side of Glasgow Road approximately 1,200 feet north of its intersection with Culmerville Road. The total stream impact is approximately 12 feet.

E02-1430. Maronda Homes, Inc., 202 Park West Drive, Pittsburgh, PA 15275. Canterbury Woods PDR Subdivision in North Fayette Township, **Allegheny County**, Pittsburgh ACOE District (Clinton, PA Quadrangle N: 10.9 inches; W: 1.6 inches). The applicant proposes to place and maintain fill in two wetlands. The

wetlands are within the Montour Run Watershed (TSF). Wetland no. 1 is .004 acre and wetland no. 2 is .016 acre. The wetland encroachments are part of a proposed 138 townhouse unit development. The project is on the east side of Santiago Road approximately 0.5 mile north of its intersection with Old Steubenville Pike Road. The applicant has already received a General Permit No. 7 to impact .006 acre of wetlands. This project will also impact 635 feet of a tributary to Montour Run that meets waiver 105.12(a)(2). The total wetland impacted by the proposed development is 0.026 acre.

E11-300. West Carroll Township Supervisors, P. O. Box 374, Elmora, PA 15737-0374. Sportsman Road Bridge Replacement in West Carroll Township, **Cambria County**, Pittsburgh ACOE District (Latitude: 40°, 37', 59.9999"; Longitude: 78°, 44', 48"). The applicant proposes to remove the existing structure and to construct and maintain a con span bridge with natural streambed having a single opening of 20 feet wide and 8 feet high in Fox Run (CWF). The project is on Sportsman Road (T-626) approximately 0.1 mile south of SR 219.

E56-299-A1. Somerset County Conservation District, 1590 North Center Avenue, Suite 103, Somerset, PA 15501. Quemahoning Creek AMD Abatement Project in the Borough of Jennerstown, **Somerset County**, Pittsburgh ACOE District (Latitude: 40°, 9', 28"; Longitude: 79°, 2', 36"). The applicant proposed to construct and maintain a passive mine drainage treatment system that will impact approximately 4.67 acres of wetlands, which are currently impacted by the mine drainage. The area will be regraded to construct berms to increase detention time within this area for improved passive treatment of the mine discharge. When the area is regarded, approximately 5.46 acres of wetland will be reconstructed including the creation of 0.65 acre of wetland to compensate for wetland impacts that resulted from a previous phase of construction for this project. The project site is adjacent to Beaver Dam Creek (HQ-CWF), between its confluence with the Quemahoning Creek and SR 4023.

E56-323. Cambria Somerset Authority, 244 Walnut Street, Johnstown, PA 15901. Border Dam System Rehabilitation in Richland Township, Paint Township, Ferndale Borough, Stonycreek Township, City of Johnstown in **Cambria County** and Conemaugh Township in **Somerset County**, Pittsburgh ACOE District. (Start: Latitude: 40°, 14', 20"; Longitude: 78°, 53', 32"; End: Latitude: 40°, 19', 36"; Longitude: 78°, 54', 55"). The applicant proposes to operate and maintain a 7.0 mile long 36-inch water pipeline along and across Stony Creek (WWF) including stream bank stabilization along approximately 460 feet of Stony Creek and two temporary roadway crossings in Stony Creek. The total length of pipeline crossing is 1,425 feet. The project is off of Carpenter Park.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E37-151. Norfolk Southern Corporation, 99 Spring Street, SW, Atlanta, GA 30303-0142, Norfolk Southern Railroad Bridge YG-81.99 over Beaver River in Wampum Borough, **Lawrence County**, ACOE Pittsburgh District (New Castle South, PA Quadrangle N: 22.3 inches; W: 11.7 inches).

The purpose of the project is the replacement of the superstructure and pier restoration of Norfolk Southern Bridge YG-81.99. The bridge consists of seven spans, numbered 1—7 from east to west with the following spans lengths: Span 1—127 feet, Spans 2 to 4—116 feet, Span

5—64 feet, Span 6—75 feet and Span 7—51. Spans 1—4 are over the Beaver River, Span 5 is over the west riverbank, Span 6 is over the CSX tracks and Span 7 is over SR 288. The bridge steel superstructure shows extensive deterioration.

The bridge is supported on a substructure of masonry abutments and piers. Piers 1 and 2 have concrete filled cofferdams. Pier 3 needs to be strengthened and protected against scour with a permanent cofferdam around the base.

The existing superstructure will be removed and replaced with a 20-foot 6-inch wide concrete deck supported on steel girders (Spans 1—5) and beams (Span 7). Span 6 over the CSX tracks will be replaced with a 26-foot wide through plate girder span. The new superstructure will be shallower than the existing trusses and will provide higher clearance above the water. The new cofferdam at Pier 3 will be approximately 14 feet by 50 feet by 5.5 feet high and extend 2 feet the water line. No dewatering will be required for construction because an island of land exists around Pier 3.

E62-389, Commonwealth Forest Investments c/o Forest Investment Associates, P. O. Box 1474, Smethport, PA 16749. Dunham Run Culvert Replacement in Sheffield Township, **Warren County**, ACOE Pittsburgh District (Sheffield, PA Quadrangle N: 12.85 inches; W: 8.7 inches).

The applicant proposes to remove the existing structure and: (1) to construct and maintain a 40-foot long, 7.25-foot wide by 5.25-foot high aluminum coated steel pipe arch culvert in Dunham Run (CWF, perennial) on a forestry road approximately 1.5 miles northwest of the intersection of SR 948 and U. S. Route 6; and (2) place riprap for scour protection on upstream and downstream slope around the culvert and at the culvert outlet. The project proposes to directly affect a total of 50 linear feet of stream channel.

Wilkes-Barre District: District Engineer, 2 Public Sq., Floor 5, Wilkes-Barre, PA 18711-0790.

E4011-002, Department of Environmental Protection, Bureau of Abandoned Mine Reclamation, 2 Public Square, Floor 5, Wilkes-Barre, PA 18711-0790. Plymouth Township, **Luzerne County**, ACOE Baltimore District.

To eliminate a public health and safety hazard by removing dangerous highwalls on an abandoned mine site. A wetland area and drainage ditches will be con-

structed to carry flow under an existing bridge that carries SR 0011. A reinforced concrete floor will be constructed beneath the bridge and a concrete u-channel will carry flow downstream of the bridge. The project is approximately 4,000 feet northwest of the intersection of Jersey Hill Road (T-489) and Main Street (SR 0011), Plymouth Township, Luzerne County. A total of 136 acres will be disturbed. (Wilkes-Barre West, Quadrangle N: 19 inches; W: 15.5 inches).

ENVIRONMENTAL ASSESSMENTS

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

EA30-001SW, Stream Restoration, Inc., 3016 Unionville Road, Cranberry Township, PA 16066. Dunkard Township, **Greene County**, Pittsburgh ACOE District. (Morgantown North, PA Quadrangle N: 22.3 inches; W: 12.8 inches). The applicant proposes to construct and maintain an approximately 3.5 acre passive treatment system to reduce the iron concentration of an abandoned mine discharge, which is referred to as the Mathews discharge. The project will reportedly affect approximately 2.0 acres of existing wetland (PEM/PSS) and approximately 380 feet to an unnamed tributary to Dunkard Creek (WWF). The project site is on SR 2004, approximately 1,600 feet from its intersection with SR 2011.

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent for coverage under General Permits. This notice is provided in accordance with regulations at 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal

feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for Coverage under general NPDES permits. The approval for coverage under these general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements

and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

NPDES Permit No. PA0013218, Industrial Waste, **Tredegar Film Products—Pottsville, Inc.**, P. O. Box 160, Maple Avenue, Mar Lin, PA 17951-0160. This proposed facility is in Norwegian Township, **Schuylkill County**.

Description of Proposed Action/Activity: Renewal of NPDES Permit.

NPDES Permit No. PA0032859, Sewage, **Department of Transportation, District 5**, 1713 Lehigh Street, Allentown, PA 18103-4727. This proposed facility is in North Manheim Township, **Schuylkill County**.

Description of Proposed Action/Activity: Renewal of NPDES Permit to discharge treated wastewater into the Schuylkill River.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. Pennsylvania-American Water Company, Industrial Waste, **Pennsylvania-American Water Company, Octoraro Water Treatment Plant**, 800 West Hersheypark Drive, Hershey, PA 17033. This proposed facility is in Colerain Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization to discharge to the receiving waters of the West Branch of the Octoraro Creek in Watershed 7-K.

NPDES Permit No. PA0085090, Industrial Waste, **Berks Products Corporation**, P. O. Box 421, Reading, PA 19603. This proposed facility is in Muhlenberg Township, **Berks County**.

Description of Proposed Action/Activity: Authorization to discharge to Bernhart Creek in Watershed 3-C.

NPDES Permit No. PA0043257, Sewage, **New Freedom Borough Authority**, 49 East Main Street, New Freedom, PA 17349. This proposed facility is in Railroad Borough, **York County**.

Description of Proposed Action/Activity: Authorization to discharge to South Branch Codorus Creek in Watershed 7-H.

NPDES Permit No. PA0081922, Sewage, **Lewisberry Area Joint Authority, Lewisberry Area WWTP**, P. O. Box 172, Lewisberry, PA 17339. This proposed facility is in Lewisberry Borough, **York County**.

Description of Proposed Action/Activity: Authorization to discharge to Bennett Run in Watershed 7-F.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0030325, Sewage, **Pulaski Elementary School, Wilmington Area School District**, 300 Wood Street, New Wilmington, PA 16142-1016. This proposed facility is in Pulaski Township, **Lawrence County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to an unnamed tributary to the Shenango River.

NPDES Permit No. PA0221015, Sewage, **Turnpike Commission**, P. O. Box 67676, Harrisburg, PA 17106-7676. This proposed facility is in North Beaver Township, **Lawrence County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to an unnamed tributary to the Beaver River.

NPDES Permit No. PA0028941, Sewage, **Evans City Borough**, 220 Wahl Avenue, Evans City, PA 16033. This proposed facility is in Evans City Borough, **Butler County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Breakneck Creek.

NPDES Permit No. PA0021504, Sewage, **Western Butler County Authority**, P. O. Box 427, Zelenople, PA 16063. This proposed facility is in Zelenople Borough, **Butler County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Connoquenessing Creek, Glade Run and an unnamed tributary to Glade Run.

NPDES Permit No. PA0238872, Sewage, **West Wind Village**, P. O. Box 2278, Cranberry, PA 16066. This proposed facility is in Wayne Township, **Lawrence County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to an unnamed tributary to Square Run.

NPDES Permit No. PA0102245, Sewage, **Highway 322 Realty Company**, P. O. Box 231, Franklin, PA 16323. This proposed facility is in Cranberry Township, **Venango County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to an unnamed tributary to the Allegheny River.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

WQM Permit No. 2303404, Sewerage, **Bethel Township Sewer Authority**, 1082 Bethel Road, Boothwyn, PA 19061. This proposed facility is in Bethel Township, **Delaware County**.

Description of Proposed Action/Activity: Construction of an extension of its existing sewage collection and conveyance system.

WQM Permit No. 0903407, Sewerage, **Falls Township**, 188 Lincoln Highway, Fairless Hills, PA 19030. This proposed facility is in Falls Township, **Bucks County**.

Description of Proposed Action/Activity: Construction and operation of a sewage pump for a 40 single family residential homes.

WQM Permit No. 2303402, Sewerage, **Suburban Wastewater Company**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010-3489. This proposed facility is in Upper Providence, **Delaware County**.

Description of Proposed Action/Activity: Replacing existing manually cleaned screens with a mechanical screen.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 4003401, Sewerage, **Department of Public Welfare—White Haven Center**, R. R. 2, Box 2195, Oley Valley Road, White Haven, PA 18661. This proposed facility is in Foster Township, **Luzerne County**.

Description of Proposed Action/Activity: Issuance of WQM Permit for installation of an ultraviolet disinfection unit at the White Haven Center's Wastewater Treatment Plant.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 6702201 03-1, Industrial Waste, **York County Solid Waste and Refuse Authority**, 2700

Blackbridge Road, York, PA 17402. This proposed facility is in Manchester Township, **York County**.

Description of Proposed Action/Activity: Approval for the construction/operation of stormwater management facilities and land application facilities.

WQM Permit No. 0602416, Sewerage, **Heather Geissler**, 1255 Ironstone Drive, Boyertown, PA 19512. This proposed facility is in Earl Township, **Berks County**.

Description of Proposed Action/Activity: Construction/operation of a small flow sewage treatment system to serve their single family residence.

WQM Permit No. 6701411 Amendment 03-1, Sewerage, **Daniel M. Bowers**, 10469 Foust Road, Glen Rock, PA 17327. This proposed facility is in Springfield Township, **York County**.

Description of Proposed Action/Activity: Authorization for the construction/operation of sewage treatment facilities.

WQM Permit No. 2102402, Sewerage, **William J. Greene, Chairperson, Hampden Township Sewer Authority**, 230 Sporting Hill Road, Mechanicsburg, PA 17053. This proposed facility is in Hampden Township, **Cumberland County**.

Description of Proposed Action/Activity: Construction of collection system, replacement of pumps, comminutor and generator at pump station, addition of chemical storage tank for odor control and construction of new force main to Roth Lane STP.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2503416, Sewerage, **Jeffrey R. Scheid**, 9205 Footemill Road, Erie, PA 16509. This proposed facility is in Summit Township, **Erie County**.

Description of Proposed Action/Activity: A single residence sewage treatment plant.

WQM Permit No. 1003404, Sewerage, **Paul Caldwell, Perry Lake Estates**, R. R. 4, Box 278, Greensburg, PA 15601. This proposed facility is in Lancaster Township, **Butler County**.

Description of Proposed Action/Activity: This project is for the construction and operation of a small flow treatment facility.

WQM Permit No. 4303405, Sewerage, **Oak Grove Wesleyan Methodist Church**, 10 Oak Grove Road, Mercer, PA 16137. This proposed facility is in Fairview Township, **Mercer County**.

Description of Proposed Action/Activity: This project is for the construction and operation of a small flow treatment facility.

IV. NPDES Stormwater Discharges from MS4 Permit Actions**V. NPDES Waiver Stormwater Discharges from MS4 Actions****VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions**

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Berks County Conservation District, P. O. Box 520, 1238 County Welfare Road, Leesport, PA 19533, (610) 372-4657.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAG2000603013	Lewis Frame P. O. Box 490 Honey Brook, PA 19344	Berks	Cumru Township	Angelica Creek CWF
PAR10C401-1	Angelo Corrado 965 Park Rd. Blandon, PA 19510	Berks	Windsor Township	Schuylkill River WWF
PAG2000603020	Denver Development Co. 181 Denver Rd. Denver, PA 17517	Berks	Womelsdorf Borough	Tulpehocken Creek WWF
PAG2000603027	Richard Parese 908 Timber Lane Sinking Spring, PA 19608	Berks	Spring Township	Tributary to Little Muddy Creek TSF

Blair County Conservation District, 1407 Blair Street, Hollidaysburg, PA 16648, (814) 696-0877.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAG2000703013	Blair County Commissioners 423 Allegheny Street Hollidaysburg, PA 16648	Blair	Frankstown Township	Frankstown Branch of Juniata River WWF
PAG2000703013	Claysburg Vol. Fire Company R. D. 1 Box 466 East Freedom, PA 16637	Blair	Greenfield Township	South Poplar Run CWF
PAG2000703015	Curry-Lee, LLC 3403 Mill Road Duncansville, PA 16635	Blair	Allegheny Township	Spencer Run WWF
PAG2000703016	Sheetz, Inc. 5700 Sixth Avenue Altoona, PA 16602	Blair	City of Altoona Blair Township	Brush Run WWF
PAG2000703017	Furrer Beverage Company 526 Third Avenue Altoona, PA 16602	Blair	Antis Township	UNT Sandy Run CWF
PAG2000703018	Jeff Long R. D. 1 Box 426 Tyrone, PA 16686	Blair	Taylor Township	Halter Creek WWF

Cumberland County Conservation District, 43 Brookwood Avenue, Suite 4, Carlisle, PA 17013, (717) 240-7812.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAG2002103017	Shippensburg Properties, L. P. One Atlantic Avenue Pittsburgh, PA 15202	Cumberland	Shippensburg Township	Burd Run CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI2032103001	Ashton Residential Development Four East High Street Suite 1 Carlisle, PA 17013	Cumberland	South Middletown Township	Yellow Breeches Creek HQ-CWF

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI2030103001	Mike Gastley 65 Mauss Road Biglerville, PA 17307	Adams	Hamiltonban Township	Middle Creek HQ-CWF
<i>Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.</i>				
<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041403001	Tom McGeory North-lands Inc. 416 River Ave. PMB233 Williamsport, PA 17701	Centre	Walker and Marion Township	Little Fishing Creek HQ-CWF
<i>Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.</i>				
<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10L028	National Pike Water Authority 4888 National Pike P. O. Box 10 Markleysburg, PA 15459	Fayette County	Wharton, Stewart and Henry Clay Townships Markleysburg Borough	Deadman Run HQ-CWF Meadow Run HQ-CWF Beaver Creek HQ-CWF Noah's Glade HQ-CWF Little Sandy Creek HQ-CWF Pinkham Run WWF Glade Run WWF
<i>Northwest Region: Oil and Gas Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.</i>				
<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI084203003	DL Resources, Inc. 1066 Hoover Road Smicksburg, PA 16256	McKean	Hamilton Township	Little Meade Run HQ-CWF Markham Run HQ-CWF Root Run HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site

PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

General Permit Type—PAG-2

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Lackawanna County Moosic Borough	PAG2003503006	George Plisko 216 Thoreau Dr. Moosic, PA 18507	Lackawanna River WWF	Lackawanna County Conservation District (570) 281-9495
Bradford County Ridgebury and Athens Townships	PAG2000803003	Rachelle A. King Beldem and Blake Corp. 22811 Titusville Rd. Pleasantville, PA 16341	Bentley Creek, UNT, Fall Creek, UNT Fall Creek, Wolcott Creek WWF	Bradford County Conservation District R. R. 5, Box 5030C Stoll Natural Resource Center Towanda, PA 18848 (570) 265-5539, Ext. 205
Columbia County Hemlock Township	PAG2001903011	Bloomsburg Community Center LLC 300 Market St. Johnstown, PA 15901	Fishing Creek WWF Hemlock Creek CWF	Columbia County Conservation District 702 Sawmill Rd., Suite 204 Bloomsburg, PA 17815 (570) 784-1310
Columbia County Benton Township	PAG2001903010	Louis Ward IV 170 Clark Road Benton, PA 17814	West Creek CWF	Columbia County Conservation District 702 Sawmill Rd., Suite 204 Bloomsburg, PA 17815 (570) 784-1310
Tioga County Wellsboro Borough	PAG2005903012	Orion Development 4125 Freedom Way Weirton, WV 26062	Charleston Creek WWF	Tioga County Conservation District 29 East Ave. Wellsboro, PA 16901 (570) 724-1801
Allegheny County Moon and Findlay Townships	PAR10A4562	Allegheny County Airport Authority Landside Terminal P. O. Box 12370 Pittsburgh, PA 15231-0370	McClarens Run TSF Montour Run TSF	Allegheny County Conservation District (412) 241-7645
Allegheny County Frazier, Indiana, Springdale and Indiana Townships	PAG200050203014	The Mills Corporation Pittsburgh Mills LTD 1300 Wilson Blvd. Suite 400 Arlington, VA 22209	Tawney Run WWF Deer Creek CWF	Allegheny County Conservation District (412) 241-7645
Allegheny County Municipality of Monroeville	PAG200050203026	Forbes Regional Hospital 2570 Haymaker Rd. Monroeville, PA 15146	Turtle Creek TSF	Allegheny County Conservation District (412) 241-7645
Allegheny County Findlay Township	PAG200050203032	Elmhurst Corp. 1 Bigelow Square Pittsburgh, PA 15219	Montour Run WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County South Fayette Township	PAG200050203043	William Miller's Sons, Inc. 4377 William Flynn Highway Allison Park, PA 15101	Pine Creek TSF	Allegheny County Conservation District (412) 241-7645
Allegheny County Bethel Park Borough	PAG200050203045	Carl M. Rizzo 551 N. Street Bethel Park, PA 15102	Lick Run WWF	Allegheny County Conservation District (412) 241-7645

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Allegheny County Town of McCandless	PAG200050203046	Town of McCandless 9955 Grubbs Road Wexford, PA 15090	Lowries Run TSF	Allegheny County Conservation District (412) 241-7645
Allegheny County Osborne Borough	PAG200050203051	Quaker Valley School District 203 Graham Street Sewickley, PA 15143	Ohio River WWF	Allegheny County Conservation District (412) 241-7645
Allegheny County Scott Township	PAG200050203060	Family Video Movie Club 1022 East Adams Springfield, IL 02703 Rockford Construction 8165 Graphic Drive Blemont, MI 49306-0450	Chartiers Creek WWF	Allegheny County Conservation District (412) 241-7645
Washington County Chartiers Township	PAR10W118R	John Subrick 778 Thomas 84 Rd. Eighty Four, PA 15330	UNT to Chartiers Creek WWF	Washington County Conservation District (724) 228-6774
Westmoreland County North Huntingdon Township	PAR10X284	James M. Tobin 1900 Ardmore Blvd. Pittsburgh, PA 15221	Brush Creek WWF	Westmoreland County Conservation District (724) 837-5271
Westmoreland County Unity Township	PAG2056503004	Arnold Palmer 9000 Bay Hill Blvd. Orlando, FL 32819	UNT to Loyalhanna Creek CWF	Westmoreland County Conservation District (724) 837-5271
Westmoreland County Penn Township	PAG2056503008	Miller Penn Dev. Rt. 2, Box 181 Lake Wolf Road New Alexandria, PA 15670	Tributary to Bushy Run TSF	Westmoreland County Conservation District (724) 837-5271
Crawford County West Mead Township	PAG2002003002	Robert Rozell 18257 Industrial Dr. Meadville, PA 16335	French Creek WWF	Crawford County Conservation District (814) 724-1793
Erie County Millcreek Township	PAG2002503030	Norbert Kazmerek 1109 E. 38th St. Erie, PA 16504	Walnut Creek CWF-MF	Erie County Conservation District (814) 825-6403
Erie County Millcreek Township	PAG2002503031	Grandview Car Wash 5232 Jason Drive Erie, PA 16506	UNT of Lake Erie CWF; MF	Erie County Conservation District (814) 825-6403
Erie County Harborcreek Township	PAG2002503032	Nat'l Church Res. of Hbk., PA 2335 North Bank Dr. Columbus, OH 43220	Lake Erie CWF	Erie County Conservation District (814) 825-6403
Erie County City of Erie	PAG2002503033	302 Assoc. Realty Partnership 300 State St., Suite 302 Erie, PA 16507	Lake Erie WWF	Erie County Conservation District (814) 825-6403
Lawrence County North Beaver Township	PAG2003703005	Flat Rock Dev. Corp. 25 N. Mill St., Suite 403 New Castle, PA 16101	UNT to Hickory Creek TSF	Lawrence County Conservation District (724) 652-4512
Mercer County Pymatuning Township	PAG2004303006	Kapital Realty, LP 1001 Highland Road Sharon, PA 16146	Big Run WWF	Mercer County Conservation District (724) 662-2242

General Permit Type—PAG-3

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
York County Mt. Wolf Borough	PAR143523	Georgia Pacific Corporation Mt. Wolf Packaging Facility 25 Walnut Street P. O. Box 906 Mt. Wolf, PA 17347	Hartman Run Manhattan Run WWF	DEP—SCRO 909 Elmerton Ave. Harrisburg, PA 17110 (717) 705-4707

General Permit Type—PAG-4

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Summit Township Erie County	PAG048909	Jeffrey R. Scheid 9205 Footemill Road Erie, PA 16509	Unnamed tributary to Walnut Creek	NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-8

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Site Name and Location</i>	<i>Contact Office and Telephone No.</i>
Warriors Mark, Spruce Creek and Franklin Townships Huntingdon County	PAG083511 PAG083512	Altoona City Authority 3172 Route 764 Duncansville, PA 16635-7800	William Hoover East Farm	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
Warriors Mark Township Huntingdon County	PAG083511 PAG083512	Altoona City Authority 3172 Route 764 Duncansville, PA 16635-7800	William Hoover West Farm	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
Derry Township Dauphin County	PAG083518	Derry Township Municipal Authority 670 Clearwater Drive Hershey, PA 17033	Hershey Trust Farm No. 77	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
Hellam Township York County	PAG083505	Springettsburg Township 1501 Mt. Zion Road York, PA 17402	John Staubach Farm	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707

General Permit Type—PAG-12

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
York County Chanceford Township	PAG123557	Michael J. Jasienski Felton Pig Farm 1068 Main Street Extension Felton, PA 17322	UNT to Carter Creek Muddy Creek	DEP—SCRO 909 Elmerton Ave. Harrisburg, PA 17110 (717) 705-4707

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20a).

Southwest Regional Office, Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
South Strabane Township	550 Washington Road Washington, PA 15301	Washington

Plan Description: The approved plan provides for the extension of sanitary sewers to serve 21 lots, many with malfunctioning onlot septic systems in the Lakeview/Beau Street area of South Strabane Township. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES permits

or WQM permits must be obtained in the name of the municipality or authority as appropriate.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site where one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environ-

mental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected.

For further information concerning the final report, contact the Environmental Cleanup Program Manager in the Department Regional Office after which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Northeast Regional Field Office, Joseph A. Brogna, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Lockhardt Residence, City of Easton, **Northampton County**. Marshall Miller & Associates, 3913 Hartzdale Drive, Suite 1306, Camp Hill, PA 17011 has submitted a Final Report (on behalf of Curtis Lockhardt, E. Wilkes-Barre Street, Easton, PA) concerning the remediation of soils found or suspected to have been accidentally contaminated with home heating oil as the result of an oil delivery to the wrong address. The report was submitted to demonstrate attainment of the Statewide Health Standard.

Latter-Day Saints Property, Oakland Township, **Susquehanna County**. Martin Gilgallon, P. G., Pennsylvania Tectonics, Inc., 826 Main Street, Peckville, PA 18452 has submitted a Final Report (on behalf of The Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-Day Saints, 50 East North Temple Street, Salt Lake City, UT 84150) concerning the remediation of soils found or suspected to be contaminated with lead. The report was submitted to demonstrate attainment of the Statewide Health Standard.

Former Conrail Railroad Property (Main Street and Page Avenue), Kingston Borough, **Luzerne County**. Martha Fleming, Technical Manager, Environmental Strategies Corporation, 300 Corporate Center Drive, Suite 200, Moon Township, PA 15108 has submitted a combined Remedial Investigation Report and Final Report (on behalf of the property owner, David A. Kovalchik, Schuyler Avenue, Kingston, PA) concerning the remediation of soils found or suspected of being contaminated with arsenic as the result of former railroad line operations. The report was submitted to demonstrate attainment of the Site-Specific Standard.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Robert Brandt Residence, Manheim Township, **Lancaster County**. Alternative Environmental Solutions, Inc., 930 Pointview Avenue, Suite B, Ephrata, PA 17522, on behalf of Robert Brandt, 2617 Mondamin Farm Road, Lancaster, PA 17601, submitted a Final Report concerning the remediation of site groundwater contaminated with benzene, cumene, ethylbenzene, fluorene, naphthalene, phenanthrene and toluene. The report is intended to document remediation of the site to the Statewide Health Standard.

Safety Kleen New Kingstown, Silver Spring Township, **Cumberland County**. Shaw Environmental &

Infrastructure, Inc., 1161 McDermott Drive, Suite 101, West Chester, PA 19380-4022, on behalf of Safety-Kleen, 11923 Tramway Drive, Cincinnati, OH, submitted a Final Report concerning remediation of site soils and groundwater contaminated with chlorinated solvents and other organics. The report is intended to document remediation of the site to the Statewide Health Standard.

Former Posey Iron Works and Heritage Trading Company Site, City of Lancaster, **Lancaster County**. BL Companies, 830 Sir Thomas Court, Harrisburg, PA 17109, on behalf of the Redevelopment Authority of the City of Lancaster, 120 North Duke Street, Lancaster, PA 17608, submitted a Baseline Environmental Report concerning remediation of site soils and groundwater contaminated with PCBs, lead, heavy metals, PHCs, PAHs and solvents. The applicant proposes to remediate the site as a Special Industrial Area.

Eastern Industries, Inc.—Formerly Douglassville Hot Mix Asphalt Plant, Amity Township, **Berks County**. EarthRes Group, Inc., P. O. Box 468, Pipersville, PA 18947 on behalf of Eastern Industries, Inc., 4401 Camp Meeting Road, Center Valley, PA 18034-9454, re-submitted a Remedial Investigation Report concerning remediation of site soils and groundwater contaminated with solvents. The applicant seeks to attain a combination of Statewide Health and Site-Specific Standards.

Defense Distribution Depot Susquehanna PA IRP Site 60, Fairview Township, **York County**. Defense Distribution Depot Susquehanna, PA, 2001 Mission Drive, Suite 1, New Cumberland, PA 17070-5002 has submitted a Remedial Investigation Report and Cleanup Plan concerning remediation of groundwater contaminated with solvents. The applicant proposes to remediate the site to meet the requirements of the Site-Specific Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8 and the administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in

environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program Manager in the Department Regional Office after which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Joseph A. Brogna, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Palmer Town Center (former Bethlehem Corporation and Young Volkswagen Mazda), Palmer Township, **Northampton County**. Jim LaRegina, P. G., HRP Associates, Inc., 4807 Jonestown Road, Harrisburg, PA 17109 submitted an amended Cleanup Plan (on behalf of Easton Center LLC, 18202 Minnetonka Boulevard, Suite 1, Wayzata, MN 55391) concerning the remediation of onsite shredded asphalt shingle waste materials. The amended report was submitted in partial fulfillment of a combination of the nonresidential Statewide Health and Site-Specific Standards and was approved on June 6, 2003.

A & E Products Group, Ringtown Borough, **Schuylkill County**. Gilmore & Associates, Inc., 184 W. Main Street, Suite 300, Trappe, PA 19426 submitted a Final Report (on behalf of A & E Products Group, 75 Main Street, Ringtown, PA 17967) concerning the remediation of site groundwater found to have been contaminated with used motor oil. The report documented attainment of the Statewide Health Standard and was approved on June 16, 2003.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Former Mobil Service Station AN788, Lower Paxton Township, **Dauphin County**. B & B Diversified Enterprises, Inc., 125 Analomink Street, East Stroudsburg, PA 18301, on behalf of Corner Associates, LLC, 4800 Linglestown Road, Harrisburg, PA 17112, submitted a combined Remedial Investigation and Final Report concerning remediation of site soils and groundwater contaminated with unleaded gasoline and MTBE. The final

report demonstrated attainment of the Site-Specific Standard and the combined report was approved by the Department on June 23, 2003.

ELCO USA, Smithfield Township, **Huntingdon County**. Vincent Uhl Associates, Inc., on behalf of AVX Corporation, 801 17th Avenue South, Myrtle Beach, SC 29578, submitted a Final Report concerning remediation of site soils contaminated with heavy metals; groundwater contaminated with solvents and BTEX; and surface water and sediment contaminated with solvents. The final report demonstrated attainment of a combination of Site-Specific and Statewide Health Standards and was approved by the Department on June 26, 2003.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

CDR Pigments and Dispersions, 75 Front St., Ridgway Borough, **Elk County**. Civil & Env. Consultants, Inc., 333 Baldwin Rd., Pittsburgh, PA 15205-9702 (on behalf of CDR Pigments and Dispersions, 75 Front St., Ridgway) has submitted a Cleanup Plan concerning the remediation of soil, groundwater and surface water contaminated with lead, heavy metals solvents and BTEX. The Cleanup Plan was approved.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit ID No. WMGR025/SW001. Iser, Inc., Marc Valentine, 1025 Oakdale Road, Tub Mills Farm. Operation of a residual waste composting facility in Elk Lick Township, **Somerset County**. Permit revoked in the regional office on June 18, 2003.

Persons interested in reviewing the permit may contact the Department of Environmental Protection, Land Recycling and Waste Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000. TDD users may contact the Department through the Pennsylvania Relay Service at (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Michael Safko, Facilities Permitting Chief, (570) 826-2531.

35-320-005GP: The P A Hutchison Co. (400 Penn Avenue, Mayfield, PA 18433) to construct and operate a nonheat set lithographic printing press at their facility in Mayfield Borough, **Lackawanna County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Mark Wejkszner, New Source Review Chief, (570) 826-2531.

39-399-057: GEO Specialty Chemicals—Trimet Products Group (2409 North Cedar Boulevard, Allentown, PA 18104-9733) on June 23, 2003, to modify a calcium formate process and associated air cleaning device at their facility in South Whitehall Township, **Lehigh County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Ronald Davis, New Source Review Chief, (717) 705-4702.

01-03029A: Utz Quality Foods, Inc. (900 High Street, Hanover, PA 17331) on June 18, 2003, to construct a tortilla chip fryer controlled by a mist eliminator at their Kindig Lane Plant in Conewago Township, **Adams County**.

06-03098: Ralph Good, Inc. (P. O. Box 924, Adamstown, PA 19501) on June 18, 2003, to install a mist eliminator on a potato chip fryer in Adamstown Borough, **Berks County**.

06-05004C: Baldwin Hardware Corp. (P. O. Box 15048, Reading, PA 19612) on June 18, 2003, to construct a thermal coating removal unit controlled by a combustion zone and cyclone in their facility at the City of Reading, **Berks County**.

06-05096A: The Reading Hospital and Medical Center (Sixth and Spruce Streets, Reading, PA 19612-6052) on June 18, 2003, to modify three 1,500 kW emergency generators in West Reading Borough, **Berks County**.

29-03008A: H. B. Mellott Estate, Inc. (100 Mellott Drive, Suite 100, Warfordsburg, PA 17267) on June 23, 2003, to install a replacement fabric filter at a limestone crushing plant in Bethel Township, **Fulton County**. The crushing plant is subject to 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Contact: Thomas McGinley, New Source Review Chief, (610) 832-6242.

09-0087A: Air Products and Chemicals, Inc. (351 Philadelphia Avenue, Morrisville, PA 19067) on June 30, 2003, to operate an ammonia scrubber in Falls Township, **Bucks County**.

09-0090: Messer Griesheim Industries, Inc. (One Steel Road East, Morrisville, PA 19067) on June 30, 2003, to operate residual cylinder gases in Bristol Township, **Bucks County**.

09-0128: East Coast Sign Advertising (5058 Route 13 North, Bristol, PA 19007) on June 30, 2003, to operate paint spray booths in Bristol Township, **Bucks County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Mark Wejkszner, New Source Review Chief, (570) 826-2531.

66-315-041: The Procter and Gamble Paper Products Co. (P. O. Box 32, Route 87 South, Mehoopany, PA 18629) to construct a diaper raw material delivery systems and associated air cleaning devices at the facility in Washington Township, **Wyoming County**. The plan approval is being extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

08-316-013A: CraftMaster Manufacturing, Inc. (P. O. Box 311, Towanda, PA 18848) on June 16, 2003, to authorize operation of a hardboard press (Line II/Trimboard) and associated air cleaning device (a scrubber) on a temporary basis until October 14, 2003, in Wysox Township, **Bradford County**.

08-0004A: CraftMaster Manufacturing, Inc. (P. O. Box 311, Towanda, PA 18848) on June 16, 2003, to authorize operation of a woodwaste fired boiler and associated air cleaning device (an electrostatic precipitator) on a temporary basis until October 14, 2003, in Wysox Township, **Bradford County**.

08-302-039: CraftMaster Manufacturing, Inc. (P. O. Box 311, Towanda, PA 18848) on June 16, 2003, to authorize operation of two woodwaste fired boilers and associated air cleaning devices (an electrostatic precipitator and a selective noncatalytic reduction system) on a temporary basis until October 14, 2003, in Wysox Township, **Bradford County**.

08-316-014: CraftMaster Manufacturing, Inc. (P. O. Box 311, Towanda, PA 18848) on June 16, 2003, to authorize operation of a wood fiber blending facility and its associated air cleaning device (a fabric collector) and a steam heated hydraulic press (die form press) on a temporary basis until October 14, 2003, in Wysox Township, **Bradford County**. This revision also limits the particulate emissions from the fabric collector to 0.13 pound per hour and 0.57 ton in any 12 consecutive months period.

08-318-024A: CraftMaster Manufacturing, Inc. (P. O. Box 311, Towanda, PA 18848) on June 16, 2003, to authorize operation of a hardboard products surface coating operation (Coating II) on a temporary basis until October 14, 2003, in Wysox Township, **Bradford County**.

41-00010B: Andritz, Inc. (35 Sherman Street, Muncy, PA 17756) on June 24, 2003, to operate a thermal foundry sand reclamation system and associated air cleaning devices (two fabric collectors) on a temporary basis, until October 22, 2003, in Muncy Borough and Muncy Creek Township, **Lycoming County**. The Plan Approval has been extended.

53-00005B: Dominion Transmission, Inc. (625 Liberty Avenue, Pittsburgh, PA 15222) on June 23, 2003, to operate a 4,735 horsepower natural gas-fired reciprocating internal combustion compressor engine on a temporary basis, until October 21, 2003, at the Greenlick Compressor Station in Stewardson Township, **Potter County**. The Plan Approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: William Charlton, New Source Review Chief, (412) 442-4174.

26-00534A: Fayette Thermal, LLC (755 Opossum Lake Road, Carlisle, PA 17013) on June 18, 2003, this

plan approval was modified with following conditions at their facility in Luzerne Township, **Fayette County**.

- Condition No. 3 was revised to reflect the modification.
- Condition No. 5 was revised to reflect that a single bin vent collector was installed to control the sand and limestone silos rather than a bin vent collector for each silo.
- Condition No. 14—the word source was changed to coal-fired boilers.
- Conditions No. 16 and 17—the word PM was changed to preventative maintenance.
- Condition No. 21 was revised to remove requirement to track hours of operation on the natural gas-fired boilers.
- Old Condition No. 10 was deleted; restriction on natural gas-fired boiler hours of operation.
- Conditions No. 10—29 were renumbered from 11—30.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

06-05040: East Penn Manufacturing Co., Inc. (P. O. Box 147, Lyon Station, PA 19536) on June 24, 2003, to operate a secondary lead smelter controlled by various control devices in Richmond Township, **Berks County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Contact: Mark J. Wejksznier, New Source Review Chief, (570) 826-2531.

13-00010: Ametek—Westchester Plastic Division (Route 54, P. O. Box 9, Green Acres Industrial Park, Nesquehoning, PA 18240) on June 20, 2003, a State-only Operating Permit for their facility in Nesquehoning Borough, **Carbon County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Contact: Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

21-03007: Purina Mills LLC (P. O. Box 66812, St. Louis, MO 63166) on June 11, 2003, to operate their livestock feed production facility in Hampden Township, **Cumberland County**.

21-03023: Ames True Temper, Inc. (465 Railroad Avenue, Camp Hill, PA 17011) on June 18, 2003, to operate their lawn and garden tools manufacturing facility in Hampden Township, **Cumberland County**.

36-03024: Astro Machine Works (470 Wenger Drive, Ephrata, PA 17522) on June 24, 2003, to operate a manufacturing facility in Ephrata Borough, **Lancaster County**.

67-03004: The Maple Press Co. (480 Willow Springs Lane, P. O. Box 2695, York, PA 17405) on June 16, 2003, to operate their book manufacturing facility in Manchester Township, **York County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Contact: Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

11-00242: Westmont Hilltop School District (827 Diamond Boulevard, Johnstown, PA 15905) for the Westmont Hilltop High School, Upper Yoder Township, **Cambria County**. The facility's sources of emissions include two tri-fuel boilers. This is a synthetic minor.

11-00003: Westmont Hilltop School District (827 Diamond Boulevard, Johnstown, PA 15905) for the Westmont Elementary School, **Cambria County**. The facility's sources of emissions include two tri-fuel boilers.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Contact: Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

37-00272: Kerry Coal Co. (R. R. 2, Box 2139, Wampum, PA 16157). Natural Minor Operating Permit for emissions from a coal processing plant and diesel-fueled generator in New Beaver Borough, **Lawrence County**.

37-00261: Hickman Williams and Co. (Route 18, Wampum Industrial Park, Wampum, PA 16157) on April 2, 2003, for a Natural Minor Permit to operate their metallurgical coke packaging facility in New Beaver Borough, **Lawrence County**.

10-00309: Hekett Multiserv, Plant No. 16 (c/o A. K. Steel, Route 8 South, Butler, PA 16001) on April 9, 2003, for a Natural Minor Permit to operate their slag processing plant in Butler Township, **Butler County**.

33-00016: PW Hardwood, LLC (11424, Route 36, Brookville, PA 15825) on April 2, 2003, for a Natural Minor Permit to operate their sawmill, planning equipment and drying kilns in Oliver Township, **Jefferson County**.

16-00134: Car Mate Trailers, Inc. (Route 66, Leeper, PA 16233) on June 25, 2003, for a Natural Minor Permit to operate their trailers manufacturing facility in the Township of Farmington, **Clarion County**. Emissions sources associated with this facility include two spray paint booths, one natural gas-fired boiler and one natural gas fueled heating furnace.

24-00124: PA Industrial Heat Treaters (P. O. Box 348, St. Marys, PA 15857) on May 19, 2003, for a Natural Minor Permit to operate their metal heat-treating facility in St. Marys, **Elks County**. Emissions sources associated with this facility include 23 natural gas furnaces and 2 electrostatic precipitators.

62-00032: National Forge Co. (Erie Street, Irvine, PA 16329) on August 6, 2001, for a Synthetic Minor Operating Permit in Brokenstraw Township, **Warren County**.

43-00259: United Community Hospital (631 North Broad Street Extension, Grove City, PA 16127) on May 19, 2003, for a Natural Minor Permit to operate their general medical hospital with surgical facilities in the Township of Pine, **Mercer County**. Emissions sources associated with this facility include dual fuel steam boilers, natural gas fired hot water boilers, hot water heaters and one emergency generator.

10-00139: J. S. McCormick Co. (1043 Branchton Rd., Boyers, PA 16020) Natural Minor Operating Permit for emissions from coke-breeze processing in Cherry Township, **Butler County**.

24-00022: St. Marys Carbon Company, Inc.—Carbon Division (1939 State Street, St. Marys, PA 15857) to issue a Natural Minor Operating Permit. The

facility's primary sources of emissions are the carbon baking kilns and associated equipment in the City of St. Marys, **Elk County**.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Contact: David Aldenderfer, Program Manager, (570) 327-3637.

60-00001: Bucknell University (Physical Plant, Lewisburg, PA 17837) on June 18, 2003, issued a revised Operating Permit, Revision No. 1, for their power plant and campus in East Buffalo Township, **Union County**. The revision of this permit is to incorporate the terms and conditions of plan approval 60-0001B into the State-only (Synthetic Minor) Operating Permit. The State-only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permit Actions

California District Mining Office: 25 Technology Drive, California Technology Park, Coal Center, PA 15423, (724) 769-1100.

11860701. NPDES Permit PA0214981, Cooney Bros. Coal Co. (Box 246, Cresson, PA 16630), to renew the permit for the Sonman Coal Refuse Disposal Area in Portage Township, **Cambria County**, for renewal of existing 87 acres site, Surface Acres Proposed N/A, Underground Acres Proposed N/A, SCP Acres Proposed N/A, CRDP Support Acres Proposed N/A, CRDP Refuse Disposal Acres Proposed N/A, no additional discharges. The first downstream potable water supply intake from the point of discharge is N/A. Permit issued June 25, 2003.

11860701. NPDES Permit PA0214981, Fuel Recovery, Inc. (2591 Wexford-Bayne Road, Suite 204, Sewickley, PA 15143), to transfer the permit for the Sonman Refuse in Portage Township, **Cambria County**, from Cooney Bros. Coal Co., Surface Acres Proposed N/A, Underground Acres Proposed N/A, SCP Acres Proposed N/A, CRDP Support Acres Proposed N/A, CRDP Refuse Disposal Acres Proposed N/A, no additional discharges.

The first downstream potable water supply intake from the point of discharge is N/A. Permit issued June 25, 2003.

32831602. NPDES Permit PA0214515, Reliant Energy Northeast Management Company (1001 Broad Street, Johnstown, PA 15907), to renew the permit for the Central Preparation Plant in West Wheatfield Township, **Indiana County** and related NPDES permit, Surface Acres Proposed N/A, Underground Acres Proposed N/A, SCP Acres Proposed N/A, CRDP Support Acres Proposed N/A, CRDP Refuse Disposal Acres Proposed N/A, no additional discharges. The first downstream potable water supply intake from the point of discharge is N/A. Permit issued June 25, 2003.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

16020102 and NPDES Permit No. PA0242128. Ancient Sun, Inc. (P. O. Box 129, Shipperville, PA 16254). Commencement, operation and restoration of a bituminous strip operation in Toby Township, **Clarion County** affecting 27.9 acres. Receiving streams: unnamed tributary to Little Licking Creek. Application received May 3, 2002. Permit issued June 19, 2003.

33970103 and NPDES Permit No. PA0227391. MSM Coal Company, Inc. (P. O. Box 243, DuBois, PA 15801). Renewal of bituminous strip operation in Oliver Township, **Jefferson County** affecting 26.9 acres. This renewal is issued for reclamation only. Receiving streams: unnamed tributary to Beaver Run and Beaver Run. Application received May 1, 2003. Permit issued June 20, 2003.

33970111 and NPDES Permit No. PA0227536. Falls Creek Energy Co., Inc. (R. D. 6, Box 231, Kittanning, PA 16201). Renewal of bituminous strip operation in McCalmont and Winslow Townships, **Jefferson County** affecting 94.3 acres. This renewal is issued for reclamation only. Receiving streams: Laurel Run and Big Run. Application received April 30, 2003. Permit issued June 26, 2003.

Noncoal Permit Actions

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

40030802. David A. Kotsur (131 Gouge Street, Plains, PA 18705), commencement, operation and restoration of a quarry operation in Salem Township, **Luzerne County**, affecting 2.0 acres, receiving stream: none. Application received May 6, 2003. Permit issued June 24, 2003.

64020802. Bruce R. Stanton (R. R. 1 Box 1350, Starrucca, PA 18462), commencement, operation and restoration of a quarry operation in Preston Township, **Wayne County**, affecting 3.0 acres, receiving stream: none. Application received June 3, 2002. Permit issued June 26, 2003.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

3076SM8. Conneaut Lake Sand & Gravel, Inc. (P. O. Box 233, West Middlesex, PA 16159). Transfer of an existing sand and gravel operation from Jack R. and Robert L. Foust in Sadsbury Township, **Crawford County** affecting 18.8 acres. Receiving streams: unnamed tributary to Watson Run. Application received February 19, 2003. Permit issued June 16, 2003.

37970302. Quality Aggregates, Inc. (200 Neville Road, Pittsburgh, PA 15225). Renewal of NPDES Permit No. PA0227579, Slippery Rock Township, **Lawrence**

County. Receiving streams: unnamed tributaries to Slippery Rock Creek. Application received April 28, 2003. Permit issued June 20, 2003.

4672SM10. I. A. Construction Corp. (P. O. Box 8, Concordville, PA 19331). Renewal of NPDES Permit No. PA0089194, Limestone Township, **Warren County.** Receiving streams: Myers Run and Allegheny River. Application received May 1, 2003. Permit issued June 20, 2003.

37880304. Quality Aggregates, Inc. (200 Neville Road, Pittsburgh, PA 15225). Renewal of NPDES Permit No. PA0204906, Slippery Rock Township, **Lawrence County.** Receiving streams: unnamed tributary of Slippery Rock Creek. Application received April 28, 2003. Permit issued June 20, 2003.

16860310. Glen Gery Corporation (P. O. Box 7001, Wyomissing, PA 19610). Renewal of NPDES Permit No. PA0107395, Limestone and Monroe Townships, **Clarion County.** Receiving streams: unnamed tributary to Piney Creek and Piney Creek, unnamed tributary to Little Piney Creek and Little Piney Creek. Application received May 7, 2003. Permit issued June 25, 2003.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (43 P.S. §§ 151–161); and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

48034017. Ed Wean Drilling & Blasting (112 Ravine Road, Stewartsville, NJ 08886), construction blasting in Forks Township, **Northampton County** with an expiration date of September 10, 2003. Permit issued June 24, 2003.

21034024. R & M Excavating (403 Hilltop Road, Newburg, PA 17240), construction blasting in West Pennsboro Township, **Cumberland County** with an expiration date of December 3, 2004. Permit issued June 24, 2003.

46034018. Schlouch Inc. (Excelsior Industrial Park, P. O. Box 69, Blandon, PA 19510), construction blasting in Douglass Township, **Montgomery County** with an expiration date of July 3, 2004. Permit issued June 24, 2003.

40034018. Charlie Weaver (R. R. 1 Box 248W, White Haven, PA 18661) and **Hayduk Enterprises** (P. O. Box 554, Dalton, PA 18414), construction blasting in Sugarloaf Township, **Luzerne County** with an expiration date of August 27, 2003. Permit issued June 24, 2003.

15034016. Horst Drilling & Blasting, Inc. (141 Ranck's Church Road, New Holland, PA 17557), construction blasting in Charlestown Township, **Chester County** with an expiration date of July 4, 2007. Permit issued June 24, 2003.

15034017. Horst Drilling & Blasting, Inc. (141 Ranck's Church Road, New Holland, PA 17557), construction blasting in East Whiteland Township, **Chester County** with an expiration date of July 4, 2005. Permit issued June 24, 2003.

06034030. Horst Drilling & Blasting, Inc. (141 Ranck's Church Road, New Holland, PA 17557), construc-

tion blasting in Marion Township, **Berks County** with an expiration date of July 4, 2008. Permit issued June 24, 2003.

15034018. Horst Drilling & Blasting, Inc. (141 Ranck's Church Road, New Holland, PA 17557), construction blasting in West Bradford Township, **Chester County** with an expiration date of July 4, 2005. Permit issued June 24, 2003.

64034006. D. H. Blattner & Sons, Inc. (400 County Road 50, Avon, MN 56310) and **Austin Powder Company** (P. O. Box 289, Northampton, PA 18067), construction blasting in Canaan, Carbondale and Clinton Township, **Wayne and Lackawanna Counties** with an expiration date of January 11, 2004. Permit issues: June 26, 2003.

46034019. Rock Work, Inc. (1257 DeKalb Pike, R. D. 2, Blue Bell, PA 19422), construction blasting in Cheltenham Township, **Montgomery County** with an expiration date of September 4, 2003. Permit issued June 26, 2003.

67034032. Stewart & Tate, Inc. (1020 North Hartley Street, P. O. Box 2587, York, PA 17405) and **D. C. Guelich Explosive Company** (P. O. Box 245, Thomasville, PA 17364), construction blasting in Manchester Township, **York County** with an expiration date of July 4, 2004. Permit issued June 26, 2003.

15034019. J. Roy's, Inc. (Box 125, Bowmansville, PA 17507), construction blasting in Kennett Township, **Chester County** with an expiration date of December 31, 2004. Permit issued June 26, 2003.

67034033. J. Roy's, Inc. (Box 125, Bowmansville, PA 17507), construction blasting in Manchester Township, **York County** with an expiration date of December 31, 2004. Permit issued June 26, 2003.

67034034. J. Roy's, Inc. (Box 125, Bowmansville, PA 17507), construction blasting in Springfield Township, **York County** with an expiration date of December 31, 2004. Permit issued June 26, 2003.

09034014. Eastern Blasting Company, Inc. (1292 Street Road, New Hope, PA 18938), construction blasting in Northampton Township, **Bucks County** with an expiration date of January 11, 2004. Permit issued June 26, 2003.

66034003. Borel Builders, Inc. (Meshoppen, PA 18630) and **Hayduk Enterprises** (P. O. Box 554, Dalton, PA 18414), construction blasting in Tunkhannock Township, **Wyoming County** with an expiration date of August 30, 2003. Permit issued June 26, 2003.

48034019. Allan A. Myers, L. P. (P. O. Box 98, Worcester, PA 19490), construction blasting in Palmer Township and Tatamy Borough, **Northampton County** with an expiration date of July 13, 2004. Permit issued June 26, 2003.

48034018. Rick Rufe Drilling & Blasting (R. R. Box 6360B, Saylorsburg, PA 18353) and **Austin Powder Company** (P. O. Box 289, Northampton, PA 18067), construction blasting in Hanover Township, **Northampton County** with an expiration date of April 22, 2004. Permit issued June 26, 2003.

40034019. No. 1 Contracting Corporation (49 South Main Street, Ashley, PA 18706) and **Austin Powder Company** (P. O. Box 289, Northampton, PA 18067), construction blasting in Hanover Township, **Luzerne County** with an expiration date of October 31, 2003. Permit issued June 26, 2003.

39034007. Clair Stahley, Inc. (P. O. Box 526, Orefield, PA 18069-0526) and **Austin Powder Company** (P. O. Box 289, Northampton, PA 18067), construction blasting in North Whitehall Township, **Lehigh County** with an expiration date of July 12, 2004. Permit issued June 26, 2003.

64034007. Explosive Services, Inc. (7 Pine Street, Bethany, PA 18431), construction blasting in Scott Township, **Wayne County** with an expiration date of June 1, 2004. Permit issued June 26, 2003.

36034055. Gerlach's Drilling & Blasting, Inc. (172 Bender Mill Road, Lancaster, PA 17603), construction blasting in Strasburg Township, **Lancaster County** with an expiration date of December 31, 2003. Permit issued June 26, 2003.

67034035. Gerlach's Drilling & Blasting, Inc. (172 Bender Mill Road, Lancaster, PA 17603), construction blasting in Windsor Township, **York County** with an expiration date of July 5, 2008. Permit issued June 26, 2003.

21034025. Gerlach's Drilling & Blasting, Inc. (172 Bender Mill Road, Lancaster, PA 17603), construction blasting in Carlisle Borough, **Cumberland County** with an expiration date of July 9, 2008. Permit issued June 26, 2003.

38034012. Gerlach's Drilling & Blasting, Inc. (172 Bender Mill Road, Lancaster, PA 17603), construction blasting in North Cornwall Township, **Lebanon County** with an expiration date of July 9, 2008. Permit issued June 26, 2003.

09034015. Brubacher Excavating, Inc. (P. O. Box 528, 825 Reading Road, Bowmansville, PA 17507), construction blasting in West Rockhill Township, **Bucks County** with an expiration date of July 15, 2004. Permit issued June 26, 2003.

01034007. Brubacher Excavating, Inc. (P. O. Box 528, 825 Reading Road, Bowmansville, PA 17507), construction blasting in Oxford Township, **Adams County** with an expiration date of July 10, 2004. Permit issued June 26, 2003.

45034018. E. R. Linde Construction Corporation (R. R. 6 Box 6825, Honesdale, PA 18431), construction blasting in Stroud Township, **Monroe County** with an expiration date of July 15, 2004. Permit issued June 26, 2003.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

10034001. Knoch Farms Development LLC (222 Airport Road, Butler, PA 16002). Blasting activity permit to blast for the construction of a sewage line project at the Plantation at Saxonburg in Clinton Township, **Butler County** for 30 days. Application received June 13, 2003. Application issued June 26, 2003.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

32034001. Evergreen Landfill, Inc., Box 195, Coral, PA 15731, landfill expansion—waste management—Evergreen Landfill, Center Township, **Indiana County**. Duration June 19, 2003, through June 19, 2004. Permit Issued June 24, 2003.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.

30034001. Lomik Construction Corp. (15 Rock springs Rd., Delmont, PA 15626), for construction in Franklin Township, **Greene County** with an expected duration of 60 days. Permit issued June 24, 2003.

65034001. Mascaro Constructing (4455 William Penn Highway, Murrysville, PA 15668), for construction in Murrysville Township, **Westmoreland County** with an expected duration of 120 days. Permit issued June 24, 2003.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State Water Quality Standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may

be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of final action for certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E54-304. Trans Western Polymers, Inc., 6645 Las Positas Boulevard, Livermore, CA 94550. Rush Township, **Schuylkill County**, Army Corps of Engineers Philadelphia District.

To place fill in 0.44 acre of wetlands, which results in an additional 0.33 acre of secondary impacts to wetlands in the Nesquehoning Creek watershed, for the purpose of expanding an existing plastics manufacturing facility. The total wetland impact for the project is 0.77 acre. The permittee is required to provide 0.27 acre of replacement wetlands onsite and 0.50 acre of replacement wetlands by participating in the Pennsylvania Wetland Replacement Project. The project is on the south side of Township Road T929 (Progress Avenue) in Tidewood Industrial Park (Tamaqua, PA Quadrangle N: 14.6 inches; W: 15.2 inches).

E35-361. City of Scranton, 340 North Washington Avenue, Scranton, PA 18503. City of Scranton, **Lackawanna County**, Army Corps of Engineers Baltimore District.

To construct and maintain a stream enclosure consisting of 3,165 feet of 60-inch diameter reinforced concrete pipe and 36 feet of 76-inch by 48-inch reinforced concrete arch pipe and to construct and maintain a stream enclosure consisting of a 140-foot long concrete box, having cell dimensions of 14-foot by 3.5-foot in a tributary to Stafford Meadow Brook (WWF) for the purpose of constructing the Meadow Avenue Flood Control Project. The project begins at a point on the east side of Interstate 81, immediately south of the River Street Exit (Exit 184) (Scranton, PA Quadrangle N: 3.0 inches; W: 3.9 inches) and ends at the confluence of the tributary and Stafford Meadow Brook (Scranton, PA Quadrangle N: 2.5 inches; W: 5.4 inches) (Subbasin 5A).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E21-337. Hampden Township Sewer Authority, 230 South Sporting Hill Road, Mechanicsburg, PA 17055 in Hampden and East Pennsboro Townships, **Cumberland County**, ACOE Baltimore District.

To construct and maintain: (1) five sanitary sewer line crossings in Pine Run, five sanitary sewer line crossings of associated wetlands along Pine Run and two ford crossings in Pine Run (WWF); (2) one sanitary sewer line crossing in Sears Run (WWF); (3) one sanitary sewer line crossing of Holtz Run (WWF); and (4) one ford crossing in Holtz Run all for the purpose of constructing the Pine Run Interceptor and Pumping Station project on the eastern side of Interstate Route 81 at the Wertzville Road interchange and situated north and south of Wertzville Road SR 0944 (Harrisburg West, PA Quadrangle N: 6.5 inches; W: 13.0 inches) in Hampden and East Pennsboro Townships, Cumberland County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

E49-268. Tony and Laurie Grafius, 123 East 11th Street, Watsonstown, PA 17777. Water Obstruction and Encroachment Permit in Watsonstown Borough, **Northumberland County**, ACOE Susquehanna River Basin District (Milton, PA Quadrangle N: 16.48 inches; W: 16.01 inches).

To maintain a 25-foot long by 4-foot wide wooden bridge over Spring Run (WWF). The project is along 11th Street approximately 0.5 mile east of SR 0405 and 11th Street in Watsonstown Borough, Northumberland County. This permit was issued under section 105.13(e) Small Projects.

WATER QUALITY CERTIFICATIONS

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Certification Request Initiated by **James A. Kendter, P. E., District Engineer, Engineering District 3-0, Department of Transportation**, P. O. Box 218, Montoursville, PA 17754-0218.

Date of Initial *Pennsylvania Bulletin* Notice: May 24, 2003

Project Description: The proposed project is to construct approximately 6.5 miles of new four-lane limited access highway on a new alignment in Tioga and Lawrence Townships and Lawrenceville Borough, **Tioga County**. The new highway will be part of the U. S. Route 15 Transportation Improvement Project and will continue into Steuben County, New York. The Commonwealth portion of the project will extend from approximately the intersection of existing Route 15 and SR 287 to the New York state line. A total of 11.09 acres of wetlands are proposed to be impacted by the project (9.41 acres PEM, 0.65 acre PSS, 1.02 acre PFO and 0.01 acre POW). In addition, the project will impact the following streams: Bentley Creek, Tioga River, Cowanesque River and 13 unnamed tributaries to the Tioga River. All impacted streams have a Chapter 93 water use protection designation of WWF. Stream and wetland mitigation will be required.

Final Action on Request: Approved

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Land Recycling and Waste Management, Director, P. O. Box 8763, Harrisburg, PA 17105-8763.

SSIP Permit

No.	Applicant Name and Address	County	Municipality	Tank Type	Tank Capacity
03-51-012	Anneliese A. Honsinger Westway Terminal Company Inc. 365 Canal Street, Suite 2900 New Orleans, LA 70130	Philadelphia	Philadelphia	One AST storing regulated substance	70,000 gallons

[Pa.B. Doc. No. 03-1358. Filed for public inspection July 11, 2003, 9:00 a.m.]

DEPARTMENT OF HEALTH

Infant Hearing Screening Advisory Committee Meeting

The Infant Hearing Screening Advisory Committee, established under the Infant Hearing Education, Assessment, Reporting and Referral Act (11 P. S. §§ 876-1—876-9) will hold a public meeting on Wednesday, July 30, 2003, from 1 to 4 p.m. in Conference Room 812, Health and Welfare Building, 7th and Forster Streets, Harrisburg, PA.

The Department of Health reserves the right to cancel this meeting without prior notice.

For additional information or individuals with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Karl Hoffman, Program Administrator, Hearing Program, Division of Newborn Disease Prevention and Identification, (717) 783-8143 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800)-654-5984.

CALVIN B. JOHNSON, M.D., M.P.H.,
Acting Secretary

[Pa.B. Doc. No. 03-1359. Filed for public inspection July 11, 2003, 9:00 a.m.]

Laboratories Approved to Determine Analyses of Blood and/or Serum for Controlled Substances

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (35 P. S. §§ 2151—2165) and/or the Federal Clinical Laboratory Improvement Act of 1967 (42 U.S.C.A. § 263a) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood and/or serum for the determination of controlled substances. This approval is based on demonstrated proficiency in tests conducted by the Bureau of Laboratories of the Department. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to

determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol) as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in blood and/or serum.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory analyses on blood and/or serum. Laboratories approved to perform screening analyses are designated on the approval list by an "S" followed by the letters "B" for blood and/or "Se" for serum. Laboratories approved to screen both blood and serum would therefore have "SBSe" listed after their laboratory name. Laboratories approved to offer confirmatory analyses will be designated on the approval list by a "C" followed by the letters "B" for blood and/or "Se" for serum. Laboratories approved to perform confirmatory analyses on both serum and blood would therefore have "CBSe" listed after the name of their laboratory. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

The name of a laboratory is sometimes changed but the location, personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name of the facility changed, the clinical laboratory permit numbers of the facilities are included in the lists of approved laboratories before the name of the laboratory at the time the list was prepared.

Persons seeking forensic blood and/or serum analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the medicolegal purposes. They should also determine that the director of the facility is agreeable to performing analyses for forensic purposes. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be

directed to M. Jeffery Shoemaker, Ph.D., Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number or persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

000671
ALLEG CNTY CORONERS DIV OF LABS—SBSe, CBSe
542 FORBES AVENUE
ROOM 10, COUNTY OFFICE BUILDING
PITTSBURGH, PA 15219
412-350-6873

000452
ANALYTIC BIO-CHEMISTRIES INC—SBSe, CBSe
1680-D LORETTA AVENUE
FEASTERVILLE, PA 19053
215-322-9210

000009
CLINICAL LABORATORIES INC—SBSe, CBSe
901 KEYSTONE INDUSTRIAL PARK
THROOP, PA 18512-1534
570-346-1759

000266
DEPT OF PATHOLOGY & LAB MED-HUP—SSe, CSe
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
215-662-6880

000977
DRUGSCAN INC—SBSe, CBSe
1119 MEARNS RD
PO BOX 2969
WARMINSTER, PA 18974
215-674-9310

000299
GOOD SAMARITAN HOSPITAL—SSe
4TH & WALNUT STS
PO BOX 1281
LEBANON, PA 17042-1218
717-270-7500

000654
GUTHRIE CLINIC PATH LAB—SSe
GUTHRIE SQUARE
SAYRE, PA 18840
570-888-5858

024655
HEALTH NETWORK LABORATORIES—SBSe, CBSe
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
610-402-8150

020512
LABCORP OCCUPATIONAL TESTING SER—SBSe, CBSe
1904 ALEXANDER DRIVE
PO BOX 12652
RESRCH TRNGL PARK, NC 27709
919-572-7465

000167
LANCASTER REGIONAL MED CENTER—SSe
250 COLLEGE AVENUE
PO BOX 3434
LANCASTER, PA 17604
717-291-8022

005574
MEDTOX LABORATORIES INC—SBSe, CBSe
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
612-636-7466

000203
MERCY HEALTH LAB/MFH—SSe
1500 LANSLOWNE AVENUE
DARBY, PA 19023
610-237-4262

000247
MERCY HEALTH LAB/MHOP—SSe
54 AND CEDAR AVENUE
PHILADELPHIA, PA 19143
215-748-9181

000504
NATIONAL MED SERVICES INC LAB—SBSe, CBSe
3701 WELSH ROAD
WILLOW GROVE, PA 19090
215-657-4900

000520
PITTSBURGH CRIMINALISTICS—SBSe, CBSe
1320 FIFTH AVENUE
PITTSBURGH, PA 15219
412-391-6118

001136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SBSe, CBSe
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
703-802-6900

000482
QUEST DIAGNOSTICS OF PA INC—SBSe, CBSe
875 GREENTREE RD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
412-920-7600

025461
QUEST DIAGNOSTICS VENTURE LLC—SBSe, CBSe
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
412-920-7631

000151
ST JOSEPH QUALITY MEDICAL LAB—SBSe, CBSe
215 NORTH 12TH STREET, BOX 316
READING, PA 19603
610-378-2200

007731
WESTERN RESERVE CARE SYSTEM—SSe, CSe
500 GYPSY LANE
YOUNGSTOWN, OH 44504
216-740-3794

000018
VWHCS HOSP PENNANT LABORATORY—SSe
575 NORTH RIVER STREET
WILKES BARRE, PA 18764
570-829-8111

000141
 YORK HOSPITAL—SSe
 1001 SOUTH GEORGE STREET
 YORK, PA 17405
 717-851-2345

CALVIN B. JOHNSON, M.D., M.P.H.,
Acting Secretary

[Pa.B. Doc. No. 03-1360. Filed for public inspection July 11, 2003, 9:00 a.m.]

Laboratories Approved to Determine Blood Alcohol Content

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood and/or serum and plasma. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories.

Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the analysis of serum proficiency testing specimens are approved to analyze both serum and plasma. These laboratories are also approved and designated under the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol) as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood and/or serum and plasma. Laboratories located outside this Commonwealth may not provide blood and/or serum and plasma alcohol testing services in this Commonwealth unless they are specifically licensed by the Department under the Clinical Laboratory Act.

Persons seeking forensic blood and/or serum and plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes, and that the director of the facility is agreeable to performing determinations for this purpose. The list of approved laboratories will be revised approximately semi-annually and published in the *Pennsylvania Bulletin*.

The name of a laboratory is sometimes changed but the location, personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name of the facility changed, the clinical laboratory permit numbers of the facilities are included in the lists of approved laboratories before the name of the laboratory at the time the list was prepared.

The Department's blood alcohol and serum/plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services in accordance with the requirements contained in the Clinical Laboratory Improvement Amendments of 1988 (42 CFR 493.901 and 493.937) which are administered by the Centers for Medicare and Medicaid Services. Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number or persons who are speech or hearing impaired may use V/TT: (717) 783-6514 or the Pennsylvania AT&T Relay Service (800) 654-5984 [TT].

The symbols S and B indicate the following:

S = approved for serum and plasma analyses

B = approved for blood analyses

SB = approved for serum, plasma and blood analyses

000212

ABINGTON MEMORIAL HOSPITAL-S
 1200 OLD YORK ROAD
 ABINGTON, PA 19001
 215-576-2350

027180

ADVANCED TOXICOLOGY NETWORK-B
 3560 AIR CENTER COVE SUITE 101
 MEMPHIS, TN 38118
 901-794-5770

000233

ALBERT EINSTEIN MED CTR NORTH-S
 5501 OLD YORK ROAD
 PHILADELPHIA, PA 19141
 215-456-6100

000040

ALIQUIPPA COMM HOSP PATHOLOGY DEPT-B
 2500 HOSPITAL DR—PATHOLOGY DEPT
 ALIQUIPPA, PA 15001
 724-857-1240

000671

ALLEG CNTY CORONERS DIV OF LABS-SB
 542 FORBES AVENUE
 ROOM 10 COUNTY OFFICE BUILDING
 PITTSBURGH, PA 15219
 412-350-6873

028233

ALLEGHENY GENERAL HOSP DEPT OF LAB MED-B
 320 E NORTH AVENUE
 PITTSBURGH, PA 15212
 412-359-6886

000077

ALLEGHENY GENERAL HOSPITAL LABORATORIES-B
 1307 NORTH FEDERAL STREET
 PITTSBURGH, PA 15212
 412-359-3521

000100

ALLEGHENY VALLEY HOSPITAL LAB-SB
 1300 CARLISLE ST
 NATRONA HEIGHTS, PA 15065
 724-224-5100

- 000119
ALTOONA HOSPITAL-SB
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
814-946-2340
- 000452
ANALYTIC BIO-CHEMISTRIES INC-SB
1680-D LORETTA AVENUE
FEASTERVILLE, PA 19053
215-322-9210
- 000041
ARMSTRONG COUNTY MEMORIAL HOSP-S
1 NOLTE DRIVE
KITANNING, PA 16201
724-543-8122
- 000047
ASSOCIATED CLINICAL LABORATORIES-SB
1526 PEACH STREET
ERIE, PA 16501
814-461-2400
- 000085
AUH—FORBES REGIONAL-SB
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
412-858-2560
- 000251
AYER CLINICAL LAB—PENN HOSPITAL-S
8TH & SPRUCE STS
PHILADELPHIA, PA 19107
215-829-3541
- 000320
BARNES KASSON COUNTY HOSPITAL-S
400 TURNPIKE STREET
SUSQUEHANNA, PA 18847
570-853-3135
- 000120
BON SECOURS-HOLY FAMILY REG HLTH-SB
2500 SEVENTH AVENUE
ALTOONA, PA 16602-2099
814-949-4495
- 000033
BRADFORD HOSPITAL LAB-SB
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
814-362-8247
- 000296
BRANDYWINE HOSPITAL-S
201 REECEVILLE ROAD
ATTN: LABORATORY
COATESVILLE, PA 19320
610-383-8000
- 000102
BROWNSVILLE GENERAL HOSPITAL LAB-S
125 SIMPSON RD
BROWNSVILLE, PA 15417
724-785-7200
- 000301
BUTLER MEMORIAL HOSPITAL-S
911 EAST BRADY STREET
BUTLER, PA 16001
724-284-4510
- 000107
CANONSBURG GENERAL HOSPITAL-SB
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
724-745-6100
- 000131
CARLISLE REGIONAL MEDICAL CENTER-S
246 PARKER ST
CARLISLE, PA 17013
717-249-1212
- 000215
CENTRAL MONTGOMERY MEDICAL CENTER-S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
215-368-2100
- 000025
CENTRE COMMUNITY HOSPITAL-B
1800 EAST PARK AVENUE
STATE COLLEGE, PA 16803
814-234-6117
- 000132
CHAMBERSBURG HOSPITAL-S
112 NORTH SEVENTH ST
CHAMBERSBURG, PA 17201
717-267-7152
- 000310
CHARLES COLE MEMORIAL HOSPITAL-S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
814-274-9300
- 000198
CHESTER COUNTY HOSPITAL-S
701 E MARSHALL ST
WEST CHESTER, PA 19380
610-431-5182
- 000227
CHESTNUT HILL HOSPITAL-S
8835 GERMANTOWN AVENUE
DEPT OF PATHOLOGY
PHILADELPHIA, PA 19118
215-248-8630
- 000228
CHILDRENS HOSP OF PHILADELPHIA-S
ONE CHILDREN'S CENTER 34TH & CIVIC
PHILADELPHIA, PA 19104
215-590-1000
- 000329
CLARION HOSPITAL-SB
1 HOSPITAL DRIVE
CLARION, PA 16214
814-226-9500
- 000026
CLEARFIELD HOSPITAL LABORATORY-S
809 TURNPIKE AVE
PO BOX 992
CLEARFIELD, PA 16830
814-768-2280
- 000009
CLINICAL LABORATORIES INC-SB
901 KEYSTONE INDUSTRIAL PARK
THROOP, PA 18512-1534
570-346-1759
- 000034
COMMUNITY HOSPITAL-B
NORTH FRALEY STREET
KANE, PA 16735
814-837-4575

000166
COMMUNITY HOSPITAL OF LANCASTER-S
1100 EAST ORANGE STREET
LANCASTER, PA 17602
717-397-3711

000005
COMMUNITY MEDICAL CENTER-S
1800 MULBERRY STREET
SCRANTON, PA 18510
570-969-8000

000125
CONEMAUGH VALLEY MEMORIAL HOSP-SB
1086 FRANKLIN STREET
JOHNSTOWN, PA 15905-4398
814-534-9000

000326
CORY MEMORIAL HOSPITAL-S
612 WEST SMITH STREET
CORY, PA 16407
814-664-4641

000201
CROZER CHESTER MED CENTER-S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
610-447-2000

000209
CROZER-CHESTER MED CTR—SPRINGFLD-S
190 WEST SPROUL ROAD
SPRINGFIELD, PA 19064
610-447-2000

000204
DELAWARE COUNTY MEMORIAL HOSP-S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
610-284-8100

000266
DEPT OF PATHOLOGY & LAB MED—HUP-SB
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
215-662-6880

000194
DOYLESTOWN HOSPITAL-S
595 WEST STATE STREET
DOYLESTOWN, PA 18901
215-345-2250

000977
DRUGSCAN INC-SB
1119 MEARNES RD
PO BOX 2969
WARMINSTER, PA 18974
215-674-9310

000027
DUBOIS REG MED CTR—WEST UNIT-S
100 HOSPITAL AVE
DUBOIS, PA 15801
814-371-2200

000175
EASTON HOSPITAL-B
250 SOUTH 21ST ST
EASTON, PA 18042-3892
610-250-4140

000214
ELKINS PARK HOSPITAL-S
60 EAST TOWNSHIP LINE ROAD
ELKINS PARK, PA 19027
215-663-6102

000332
ELLWOOD CITY GENERAL HOSPITAL-S
724 PERSHING ST
ELLWOOD CITY, PA 16117
724-752-0081

000164
EPHRATA COMMUNITY HOSPITAL-S
169 MARTIN AVE
PO BOX 1002
EPHRATA, PA 17522
717-733-0311

000032
ERHC ST MARYS LABORATORY-B
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
814-788-8525

000181
EVANGELICAL COMMUNITY HOSPITAL-S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
570-522-2510

000192
FRANKFORD HOSP BUCKS CO CAMPUS-S
380 NORTH OXFORD VALLEY ROAD
LANGHORNE, PA 19047-8304
215-934-5227

000236
FRANKFORD HOSPITAL FRANK DIV-S
FRANKFORD AVE & WAKELING ST
PHILADELPHIA, PA 19124
215-831-2068

000341
FRANKFORD HOSPITAL-TORRES DIV-S
RED LION & KNIGHTS ROADS
PHILADELPHIA, PA 19114
215-612-4000

000115
FRICK HOSPITAL-S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
724-547-1500

000330
FULTON COUNTY MEDICAL CENTER-S
216 SOUTH FIRST STREET
MCCONNELLSBURG, PA 17233
717-485-3155

000173
GEISINGER MEDICAL CENTER-SB
N ACADEMY RD
DANVILLE, PA 17822
570-271-6338

000019
GEISINGER WYOMING VALLEY MED CTR-S
1000 E MOUNTAIN DRIVE
WILKES BARRE, PA 18711
570-826-7830

000104
GEORGE TOLSTOI LAB—UNIONTOWN HSP-S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
724-430-5143

000237
GERMANTOWN COMM HLTH WILLOW TERR-S
ONE PENN BOULEVARD
PHILADELPHIA, PA 19144
215-951-8800

000122
GETTYSBURG HOSPITAL-SB
147 GETTYS STREET
GETTYSBURG, PA 17325
717-334-2121

000152
GNADEN HUETTEN MEMORIAL HOSP-SB
11TH & HAMILTON STS
LEHIGHTON, PA 18235
610-377-1300

000299
GOOD SAMARITAN HOSPITAL-B
4TH & WALNUT STS
PO BOX 1281
LEBANON, PA 17042-1218
717-270-7500

000182
GOOD SAMARITAN REGIONAL MED CTR-S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
570-621-4032

000238
GRADUATE HOSPITAL-S
1800 LOMBARD STREET
PHILADELPHIA, PA 19146
215-893-2240

000196
GRAND VIEW HOSPITAL-S
700 LAWN AVE
SELLERSVILLE, PA 18960
215-257-3611

000105
GREENE COUNTY MEMORIAL HOSPITAL-S
BONAR AVENUE
WAYNESBURG, PA 15370
724-627-2608

000654
GUTHRIE CLINIC PATH LAB-S
GUTHRIE SQUARE
SAYRE, PA 18840
570-888-5858

000239
HAHNEMANN UNIVERSITY HOSPITAL-S
BROAD & VINE STS MS 113
PHILADELPHIA, PA 19102
215-762-1783

000046
HAMOT MEDICAL CENTER-S
201 STATE STREET
ERIE, PA 16550
814-877-3131

000139
HANOVER GENERAL HOSPITAL-SB
300 HIGHLAND AVE
HANOVER, PA 17331
717-637-3711

000155
HARRISBURG HOSPITAL LABORATORY-SB
SOUTH FRONT STREET
HARRISBURG, PA 17101
717-782-2832

000010
HAZLETON GENERAL HOSPITAL-SB
EAST BROAD STREET
HAZLETON, PA 18201
570-501-4152

000169
HEALTH NETWORK LABORATORIES-S
1627 WEST CHEW STREET
ALLENTOWN, PA 18102
610-402-2236

000549
HEALTH NETWORK LABORATORIES-S
1200 SOUTH CEDAR CREST BLVD
ALLENTOWN, PA 18103
610-402-8150

000600
HEALTH NETWORK LABORATORIES-S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
484-884-2259

024655
HEALTH NETWORK LABORATORIES-SB
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
610-402-8150

000103
HIGHLANDS HOSPITAL-S
401 EAST MURPHY AVENUE
CONNELLSVILLE, PA 15425
724-628-1500

000130
HOLY SPIRIT HOSPITAL-SB
503 N 21ST STREET
CAMP HILL, PA 17011-2288
717-763-2206

000052
INDIANA REGIONAL MEDICAL CENTER-S
HOSPITAL ROAD
PO BOX 788
INDIANA, PA 15701-0788
724-357-7167

000135
J C BLAIR MEMORIAL HOSPITAL-S
WARM SPRINGS AVE
HUNTINGDON, PA 16652
814-643-8645

000054
JAMESON MEMORIAL HOSPITAL-S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
724-656-4080

000240
JEANES HOSPITAL-S
7600 CENTRAL AVE
PHILADELPHIA, PA 19111
215-728-2347

000113
JEANNETTE DISTRICT MEMORIAL HOSP-S
600 JEFFERSON AVENUE
JEANNETTE, PA 15644
724-527-9330

000038
JEFFERSON REGIONAL MEDICAL CENTER-S
575 COAL VALLEY ROAD
P. O. BOX 18119
PITTSBURGH, PA 15236
412-469-5723

000200
JENNERSVILLE REGIONAL HOSPITAL-S
1015 WEST BALTIMORE PIKE
WEST GROVE, PA 19390
610-869-1080

000053
JRHS—BROOKVILLE HOSPITAL-S
100 HOSPITAL RD
BROOKVILLE, PA 15825
814-849-2312

000532
KENSINGTON HOSPITAL-S
136 WEST DIAMOND STREET
PHILADELPHIA, PA 19122
215-426-8100

021306
LAB CORP OCCUPATIONAL TEST SRVCS-B
1120 STATELINE ROAD WEST
SOUTHAVEN, MS 38671
886-827-8042

005618
LAB CORP OF AMERICA HOLDINGS-SB
6370 WILCOX ROAD
DUBLIN, OH 43016-1296
800-282-7300

001088
LABCORP OF AMERICA HOLDINGS-SB
69 FIRST AVE
PO BOX 500
RARITAN, NJ 08869
201-526-2400

022715
LABONE INC-SB
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
913-888-1770

000165
LANCASTER GENERAL HOSPITAL-S
555 N DUKE ST
PO BOX 3555
LANCASTER, PA 17603
717-299-5511

000163
LANCASTER GENERAL HOSP—SUS DIV-S
306 NORTH SEVENTH STREET
COLUMBIA, PA 17512
717-684-2841

000167
LANCASTER REGIONAL MED CENTER-S
250 COLLEGE AVENUE
PO BOX 3434
LANCASTER, PA 17604
717-291-8022

000114
LATROBE AREA HOSPITAL-S
121 WEST 2ND AVENUE
LATROBE, PA 15650
724-537-1550

000138
LEWISTOWN HOSPITAL-B
HIGHLAND AVENUE
LEWISTOWN, PA 17044
717-248-5411

000030
LOCK HAVEN HOSPITAL-B
24 CREE DRIVE
LOCK HAVEN, PA 17745
570-893-5000

000213
MAIN LINE CLIN LABS BRYN MAWR CP-S
130 BRYN MAWR AVENUE
BRYN MAWR, PA 19010
610-526-3554

000242
MAIN LINE CLIN LABS LANKENAU CP-S
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
610-645-2615

000199
MAIN LINE CLIN LABS PAOLI MEM CP-S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
610-648-1000

000004
MARIAN COMMUNITY HOSPITAL-S
100 LINCOLN AVENUE
CARBONDALE, PA 18407
717-281-1042

000049
MEADVILLE MED CTR—LIBERTY ST-S
751 LIBERTY STREET
MEADVILLE, PA 16335
814-336-3121

000268
MEDICAL COLLEGE OF PA HOSPITAL-S
3300 HENRY AVENUE
PHILADELPHIA, PA 19129
215-842-7306

005574
MEDTOX LABORATORIES INC-SB
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
612-636-7466

000140
MEMORIAL HOSPITAL CLINICAL LAB-SB
325 S BELMONT ST
PO BOX 15118
YORK, PA 17403
717-843-8623

000023
MEMORIAL HOSPITAL LAB-SB
1 HOSPITAL DRIVE
TOWANDA, PA 18848
570-265-2191

000203
MERCY HEALTH LAB/MFH-S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
610-237-4262

000247
MERCY HEALTH LAB/MHOP-S
54 AND CEDAR AVENUE
PHILADELPHIA, PA 19143
215-748-9181

000219
MERCY HEALTH LAB/MSH-S
2701 DEKALB PIKE
NORRISTOWN, PA 19401
610-278-2090

000336
MERCY HEALTH PARTNERS-S
746 JEFFERSON AVE
SCRANTON, PA 18510
570-348-7100

000082
MERCY HOSPITAL LABORATORY-S
PRIDE & LOCUST STREETS
PITTSBURGH, PA 15219
412-232-7831

000017
MERCY HOSPITAL LABORATORY-S
25 CHURCH STREET
PO BOX 658
WILKES BARRE, PA 18765
570-826-3100

000079
MERCY PROVIDENCE HOSPITAL LAB-S
1004 ARCH STREET
PITTSBURGH, PA 15212
412-323-5783

000245
METHODIST HOSP DIVISION/TJUH INC-S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
215-952-9059

000231
MEYERSDALE COMMUNITY HOSPITAL-S
200 HOSPITAL DR
MEYERSDALE, PA 15552
814-634-5911

000269
MIDVALLEY HOSPITAL-S
1400 MAIN STREET
PECKVILLE, PA 18452
570-383-5520

000128
MINERS MEDICAL CENTER-S
290 HAIDA AVENUE
PO BOX 689
HASTINGS, PA 16646
814-948-7171

000108
MONONGAHELA VALLEY HOSP INC-S
COUNTRY CLUB RD RT 88
MONONGAHELA, PA 15063
724-258-1000

000323
MONSOUR MEDICAL CENTER-S
70 LINCOLN WAY E
JEANNETTE, PA 15644
724-527-1511

000217
MONTGOMERY HOSPITAL LAB-S
POWELL & FORNANCE STS
NORRISTOWN, PA 19401
610-270-2173

000007
MOSES TAYLOR HOSPITAL-S
700 QUINCY AVENUE
SCRANTON, PA 18510
570-340-2100

000035
MUNCY VALLEY HOSPITAL-S
215 EAST WATER ST
MUNCY, PA 17756
570-546-8282

000304
NASON HOSPITAL-B
NASON DRIVE
ROARING SPRING, PA 16673
814-224-6215

000504
NATIONAL MED SERVICES INC LAB-SB
3701 WELSH ROAD
WILLOW GROVE, PA 19090
215-657-4900

000248
NAZARETH HOSPITAL-S
2601 HOLME AVE
PHILADELPHIA, PA 19152
215-335-6245

000099
OHIO VALLEY GENERAL HOSPITAL-S
25 HECKEL RD
MCKEES ROCKS, PA 15136
412-777-6161

000807
OMEGA MEDICAL LABORATORIES INC-SB
2001 STATE HILL ROAD SUITE 100
WYOMISSING, PA 19610-1699
610-378-1900

000334
PALMERTON HOSPITAL-S
135 LAFAYETTE AVE
PALMERTON, PA 18071
610-826-3141

000309
PARKVIEW HOSPITAL-S
1331 EAST WYOMING AVENUE
PHILADELPHIA, PA 19124
215-537-7430

000316
PENN STATE MILTON S HERSHEY MED CTR-S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
717-531-8353

022533
PENNSYLVANIA DEPT OF HEALTH-SB
110 PICKERING WAY
LIONVILLE, PA 19353
610-280-3464

022306
PHILIPSBURG AREA HOSPITAL-SB
210 LOCH LOMOND ROAD
PHILIPSBURG, PA 16866
814-342-7112

000197
PHOENIXVILLE HOSPITAL LABORATORY-S
140 NUTT RD
DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
610-983-1612

000157
PINNACLEHLTH/COMM GEN OSTEO HOSP-S
4300 LONDONDERRY RD
PO BOX 3000
HARRISBURG, PA 17109
717-657-7214

000520
PITTSBURGH CRIMINALISTICS-SB
1320 FIFTH AVENUE
PITTSBURGH, PA 15219
412-391-6118

000022
POCONO MEDICAL CENTER LAB-SB
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
570-476-3544

000221
POTTSTOWN MEMORIAL MED CTR MAIN LAB-S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
610-327-7000

000183
POTTSVILLE HOSP AND WARNE CLINIC-SB
420 SOUTH JACKSON STREET
POTTSVILLE, PA 17901
570-621-5262

000258
PRESBYTERIAN MED CNTR OF UNIV OF PA HLTH
51 NORTH 39TH ST
5TH FLR RM 530
DEPARTMENT OF PATHOLOGY & LAB
PHILADELPHIA, PA 19104-2640
215-662-3435

000300
PUNXSUTAWNEY AREA HOSPITAL-S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
814-938-4500

000315
QUEST DIAGNOSTICS CLINICAL LABS INC-SB
900 BUSINESS CENTER DRIVE
HORSHAM, PA 19044
215-957-9300

027461
QUEST DIAGNOSTICS INC-SB
400 EGYPT ROAD
NORRISTOWN, PA 19403
610-631-4219

001136
QUEST DIAGNOSTICS NICHOLS INSTITUTE-SB
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
703-802-6900

000482
QUEST DIAGNOSTICS OF PA INC-SB
875 GREENTREE RD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
412-920-7600

025461
QUEST DIAGNOSTICS VENTURE LLC-SB
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
412-920-7631

000150
READING HOSPITAL & MED CTR-S
6TH AND SPRUCE STREETS
WEST READING, PA 19611
610-988-8080

000206
RIDDLE MEMORIAL HOSPITAL-S
BALTIMORE PIKE HIGHWAY 1
MEDIA, PA 19063
610-566-9400

000243
ROXBOROUGH MEMORIAL HOSPITAL-S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
215-487-4394

000171
SACRED HEART HOSPITAL-S
4TH & CHEW STS
ALLENTOWN, PA 18102
610-776-4727

000259
SAINT AGNES MEDICAL CENTER-S
1900 SOUTH BROAD STREET
PHILADELPHIA, PA 19145
215-339-4360

000087
SAINT CLAIR MEMORIAL HOSPITAL-S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
412-561-4900

000174
SAINT LUKES HOSPITAL-S
801 OSTRUM ST
BETHLEHEM, PA 18015
610-954-4558

000328
SAINT MARY MEDICAL CENTER-S
LANGHORNE—NEWTOWN RD
LANGHORNE, PA 19047
215-750-2162

000048
SAINT VINCENT HEALTH CENTER-S
232 WEST 25TH STREET
ERIE, PA 16544
814-452-5383

000101
SEWICKLEY VALLEY HOSPITAL LAB-S
BLACKBURN RD & FITCH DRIVE
SEWICKLEY, PA 15143
412-741-6600

000064
SHARON REGIONAL HEALTH SYSTEM-SB
740 EAST STATE STREET
SHARON, PA 16146
724-983-3911

000039
SOLDIERS & SAILORS MEM HOSP-S
CENTRAL AVE
WELLSBORO, PA 16901
570-724-1631

000297
SOMERSET HOSPITAL LAB-B
225 S CENTER AVE
SOMERSET, PA 15501
814-443-5000

022376
SPECIALTY LABORATORIES-SB
2211 MICHIGAN AVENUE
SANTA MONICA, CA 90404
310-828-6543

000151
ST JOSEPH QUALITY MEDICAL LAB-SB
215 NORTH 12TH STREET BOX 316
READING, PA 19603
610-378-2200

000261
ST JOSEPH'S HOSPITAL-DIV NPHS-S
16TH ST & GIRARD AVE
PHILADELPHIA, PA 19130
215-787-9000

000318
ST LUKES HOSP ALLENTOWN CAMPUS-S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
610-770-8300

000195
ST LUKES QUAKERTOWN HOSPITAL-S
11TH ST & PARK AVE
PO BOX 9003
QUAKERTOWN, PA 18951
215-538-4681

000094
SUBURBAN GENERAL HOSPITAL-S
100 SOUTH JACKSON AVENUE
BELLEVUE, PA 15202
412-734-6000

000207
TAYLOR HOSPITAL DIV OF CCMC-S
175 E CHESTER PIKE
RIDLEY PARK, PA 19078
610-595-6450

000249
TEMPLE EAST INC NE-S
2301 EAST ALLEGHENY AVENUE
PHILADELPHIA, PA 19134
215-291-3671

000193
TEMPLE LOWER BUCKS HOSPITAL LAB-S
501 BATH ROAD
BRISTOL, PA 19007
215-785-9200

000235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS-S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
215-427-7333

000265
TEMPLE UNIVERSITY HOSPITAL-S
3401 N BROAD ST
PHILADELPHIA, PA 19140
215-707-4353

000205
THE MEDICAL CENTER BEAVER PA-SB
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009-9700
724-728-7000

000241
THOMAS JEFFERSON UNIVERSITY HOSP-S
125 SOUTH 11TH ST 204 PAVILION
PHILADELPHIA, PA 19107
215-955-6374

000051
TITUSVILLE AREA HOSPITAL-S
406 WEST OAK STREET
TITUSVILLE, PA 16354
814-827-1851

000313
TYLER MEMORIAL HOSPITAL-S
880 SR 6 W
TUNKHANNOCK, PA 18657
570-836-2161

000124
TYRONE HOSPITAL-SB
CLAY AVENUE EXTENSION
TYRONE, PA 16686
814-684-0484

000061
UNITED COMMUNITY HOSPITAL-SB
631 NORTH BROAD STREET EXT
GROVE CITY, PA 16127
724-450-7125

000121
UPMC BEDFORD MEMORIAL-SB
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
814-623-3506

000096
UPMC BRADDOCK-S
400 HOLLAND AVENUE
BRADDOCK, PA 15104
412-636-5291

000059
UPMC HORIZON GREENVILLE-SB
110 NORTH MAIN STREET
GREENVILLE, PA 16125
724-588-2100

000057
UPMC HORIZON SHENANGO-SB
2200 MEMORIAL DRIVE
FARRELL, PA 16121
724-981-3500

000126
UPMC LEE REGIONAL HOSPITAL-SB
320 MAIN STREET
JOHNSTOWN, PA 15901
814-533-0130

000098
UPMC MCKEESPORT LABORATORY-S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
412-664-2233

000058
UPMC NORTHWEST-SB
1 SPRUCE STREET
FRANKLIN, PA 16323
814-437-7000

000084
UPMC PASSAVANT-S
9100 BABCOCK BLVD
PITTSBURGH, PA 15237
412-367-6700

005784
UPMC PASSAVANT LABORATORY CRANBERRY-S
ONE ST FRANCIS WAY
CRANBERRY TOWNSHIP, PA 16066
724-772-5370

000083
UPMC PRESBYTERIAN SHADYSIDE CP PUH-S
ROOM 5929 MAIN TOWER CHP
200 LOTHROP STREET
PITTSBURGH, PA 15213-2582
412-648-6000

000092
UPMC PRESBYTERIAN SHADYSIDE LAB SHDY-S
5230 CENTRE AVENUE
PITTSBURGH, PA 15232
412-622-2315

000091
UPMC SAINT MARGARET HOSPITAL-S
815 FREEPORT ROAD
PITTSBURGH, PA 15215
412-784-4000

000622
WARMINSTER HOSPITAL-S
225 NEWTOWN ROAD
WARMINSTER, PA 18974
215-441-6700

000066
WARREN GENERAL HOSPITAL-SB
2 CRESCENT PARK
WARREN, PA 16365
814-723-3300

000111
WASHINGTON HOSPITAL-S
155 WILSON AVE
WASHINGTON, PA 15301
724-223-3136

000298
WAYNE MEMORIAL HOSPITAL-S
601 PARK STREET
HONESDALE, PA 18431
570-253-1300

000133
WAYNESBORO HOSPITAL-S
501 E MAIN STREET
WAYNESBORO, PA 17268
717-765-3403

000095
WESTERN PENNSYLVANIA HOSPITAL-S
4800 FRIENDSHIP AVE
PITTSBURGH, PA 15224
412-578-5779

007731
WESTERN RESERVE CARE SYSTEM-S
500 GYPSY LANE
YOUNGSTOWN, OH 44504
216-740-3794

000112
WESTMORELAND HOSPITAL-S
532 W PITTSBURGH ST
GREENSBURG, PA 15601
724-832-4365

000037
WILLIAMSPORT HOSP & MED CENTER-SB
777 RURAL AVENUE
WILLIAMSPORT, PA 17701-3198
570-321-2300

000106
WINDBER MEDICAL CENTER-B
600 SOMERSET AVE
WINDBER, PA 15963
814-467-6611

000018
WVHCS HOSP PENNANT LABORATORY-SB
575 NORTH RIVER STREET
WILKES BARRE, PA 18764
570-829-8111

025064
WVU HOSPITAL CLINICAL LABS-S
1 MEDICAL CENTER DR
PO BOX 8009
MORGANTOWN, WV 26506-8009
304-598-4241

000141
YORK HOSPITAL-SB
1001 SOUTH GEORGE STREET
YORK, PA 17405
717-851-2345

CALVIN B. JOHNSON, M.D., M.P.H.,
Acting Secretary

[Pa.B. Doc. No. 03-1361. Filed for public inspection July 11, 2003, 9:00 a.m.]

Laboratories Approved to Determine Urine Controlled Substance Content

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (35 P.S. §§ 2151—2165) and/or the Federal Clinical Laboratory Improvement Act of 1967 (42 U.S.C.A. § 263a) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of urine for the determination of controlled substances or their biotransformation products. This approval is based on demonstrated proficiency in tests conducted by the Bureau of Laboratories of the Department. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol) as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in urine.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory urine drug analyses. Laboratories approved to perform screening tests only are designated on the approval list by an "S" after the laboratory's name. Laboratories approved to perform confirmatory testing only are designated by a "C" following the laboratory's name. Those approved to perform both screening and confirmatory analyses are designated by the letters "SC." Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic urine drug analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the purpose. They should also determine that the director of the facility is agreeable to performing analyses for that purpose. Persons seeking the analyses are re-

sponsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. The name of a laboratory is sometimes changed but the location, personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name of the facility changed, the clinical laboratory permit numbers of the facilities are included in the lists of approved laboratories above the name of the laboratory at the time the list was prepared.

Questions regarding this list should be directed to M. Jeffery Shoemaker, Ph.D., Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Dr. Shoemaker at V/TT: (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

000212
ABINGTON MEMORIAL HOSPITAL-S
1200 OLD YORK ROAD
ABINGTON, PA 19001
215-576-2350

027908
ACM MEDICAL LABORATORY-SC
160 ELMGROVE PARK
ROCHESTER, NY 14624
716-429-2264

023114
ACT LAB SERVICES INC-SC
345 DRESHER ROAD
HORSHAM, PA 19044
215-674-0420

027180
ADVANCED TOXICOLOGY NETWORK-SC
3560 AIR CENTER COVE SUITE 101
MEMPHIS, TN 38118
901-794-5770

000233
ALBERT EINSTEIN MED CTR NORTH-S
5501 OLD YORK ROAD
PHILADELPHIA, PA 19141
215-456-6100

000040
ALQUIPPA COMM HOSP PATHOLOGY DEPT-S
2500 HOSPITAL DR—PATHOLOGY DEPT
ALQUIPPA, PA 15001
724-857-1240

000671
ALLEG CNTY CORONERS DIV OF LABS-S
542 FORBES AVENUE
ROOM 10 COUNTY OFFICE BUILDING
PITTSBURGH, PA 15219
412-350-6873

028233
ALLEGHENY GENERAL HOSP DEPT OF LAB MED-S
320 E NORTH AVENUE
PITTSBURGH, PA 15212
412-359-6886

000077
ALLEGHENY GENERAL HOSPITAL LABORATORIES-S
1307 NORTH FEDERAL STREET
PITTSBURGH, PA 15212
412-359-3521

000119
ALTOONA HOSPITAL-S
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
814-946-2340

026620
AMMON ANALYTICAL LABORATORY-SC
600 BLOY STREET
HILLSIDE, NJ 07205
908-624-0004

000452
ANALYTIC BIO-CHEMISTRIES INC-SC
1680-D LORETTA AVENUE
FEASTERVILLE, PA 19053
215-322-9210

000047
ASSOCIATED CLINICAL LABORATORIES-SC
1526 PEACH STREET
ERIE, PA 16501
814-461-2400

000085
AUH—FORBES REGIONAL-S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
412-858-2560

000251
AYER CLINICAL LAB-PENN HOSPITAL-S
8TH & SPRUCE STS
PHILADELPHIA, PA 19107
215-829-3541

000320
BARNES KASSON COUNTY HOSPITAL-S
400 TURNPIKE STREET
SUSQUEHANNA, PA 18847
570-853-3135

021553
BENDINER & SCHLESINGER INC-SC
47 THIRD AVENUE
NEW YORK, NY 10003
212-254-2300

027615
BIOLOGICAL SPECIALTY CORPORATION-S
2165 NORTH LINE STREET
COLMAR, PA 18915
215-997-8771

027616
BIOLOGICAL SPECIALTY CORPORATION-S
3671 HULMEVILLE ROAD
BENSALEM, PA 19020
215-245-9855

027617
BIOLOGICAL SPECIALTY CORPORATION-S
502 PENN STREET
READING, PA 19602
610-375-9862

022757

BIOREFERENCE LABORATORIES INC-SC
481B EDWARD H ROSS DRIVE
ELMWOOD PARK, NJ 07407
201-791-3600

000120

BON SECOURS—HOLY FAMILY REG HLTH-S
2500 SEVENTH AVENUE
ALTOONA, PA 16602-2099
814-949-4495

000033

BRADFORD HOSPITAL LAB-S
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
814-362-8247

000296

BRANDYWINE HOSPITAL-S
201 REECEVILLE ROAD
ATTN: LABORATORY
COATESVILLE, PA 19320
610-383-8000

000102

BROWNSVILLE GENERAL HOSPITAL LAB-S
125 SIMPSON RD
BROWNSVILLE, PA 15417
724-785-7200

000107

CANONSBURG GENERAL HOSPITAL-S
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
724-745-6100

000131

CARLISLE REGIONAL MEDICAL CENTER-S
246 PARKER ST
CARLISLE, PA 17013
717-249-1212

000751

CEDAR CREST EMERGICENTER-S
1101 SOUTH CEDAR CREST BOULEVARD
ALLENTOWN, PA 18103
610-433-4260

000215

CENTRAL MONTGOMERY MEDICAL CENTER-S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
215-368-2100

000025

CENTRE COMMUNITY HOSPITAL-S
1800 EAST PARK AVENUE
STATE COLLEGE, PA 16803
814-234-6117

000132

CHAMBERSBURG HOSPITAL-S
112 NORTH SEVENTH ST
CHAMBERSBURG, PA 17201
717-267-7152

000310

CHARLES COLE MEMORIAL HOSPITAL-S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
814-274-9300

000198

CHESTER COUNTY HOSPITAL-S
701 E MARSHALL ST
WEST CHESTER, PA 19380
610-431-5182

000227

CHESTNUT HILL HOSPITAL-S
8835 GERMANTOWN AVENUE
DEPT OF PATHOLOGY
PHILADELPHIA, PA 19118
215-248-8630

000228

CHILDRENS HOSP OF PHILADELPHIA-S
ONE CHILDREN'S CENTER 34TH & CIVIC
PHILADELPHIA, PA 19104
215-590-1000

000329

CLARION HOSPITAL-S
1 HOSPITAL DRIVE
CLARION, PA 16214
814-226-9500

000009

CLINICAL LABORATORIES INC-SC
901 KEYSTONE INDUSTRIAL PARK
THROOP, PA 18512-1534
570-346-1759

024916

CLINICAL SCIENCE LABORATORY INC-SC
51 FRANCIS AVENUE
MANSFIELD, MA 02048
508-339-6106

000166

COMMUNITY HOSPITAL OF LANCASTER-S
1100 EAST ORANGE STREET
LANCASTER, PA 17602
717-397-3711

000005

COMMUNITY MEDICAL CENTER-S
1800 MULBERRY STREET
SCRANTON, PA 18510
570-969-8000

000125

CONEMAUGH VALLEY MEMORIAL HOSP-S
1086 FRANKLIN STREET
JOHNSTOWN, PA 15905-4398
814-534-9000

025256

CORPORATE HEALTH SERVICES-S
1914 MERCER AVENUE
PO BOX 330
FARRELL, PA 16121
724-346-6425

000326

CORRY MEMORIAL HOSPITAL-S
612 WEST SMITH STREET
CORRY, PA 16407
814-664-4641

000201

CROZER CHESTER MED CENTER-S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
610-447-2000

000363

DE JOHN MED LABORATORY INC-S
1570 GARRETT ROAD
UPPER DARBY, PA 19082
610-626-2112

- 000204
DELAWARE COUNTY MEMORIAL HOSP-S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
610-284-8100
- 024016
DENVER FAMILY PRACTICE-S
63 WEST CHURCH STREET
STEVENS, PA 17578
717-335-3311
- 000266
DEPT OF PATHOLOGY & LAB MED-HUP-SC
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
215-662-6880
- 000194
DOYLESTOWN HOSPITAL-S
595 WEST STATE STREET
DOYLESTOWN, PA 18901
215-345-2250
- 000977
DRUGSCAN INC-SC
1119 MEARNES RD
PO BOX 2969
WARMINSTER, PA 18974
215-674-9310
- 000175
EASTON HOSPITAL-S
250 SOUTH 21ST ST
EASTON, PA 18042-3892
610-250-4140
- 000214
ELKINS PARK HOSPITAL-S
60 EAST TOWNSHIP LINE ROAD
ELKINS PARK, PA 19027
215-663-6102
- 000164
EPHRATA COMMUNITY HOSPITAL-S
169 MARTIN AVE PO BOX 1002
EPHRATA, PA 17522
717-733-0311
- 000031
ERHC RIDGWAY LABORATORY-S
94 HOSPITAL STREET
RIDGWAY, PA 15853
814-788-8525
- 000032
ERHC ST MARYS LABORATORY-S
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
814-788-8525
- 000181
EVANGELICAL COMMUNITY HOSPITAL-S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
570-522-2510
- 021431
FITNESS FOR DUTY CENTER-S
PA POWER & LIGHT CO
PO BOX 467
BERWICK, PA 18603
570-542-3336
- 000192
FRANKFORD HOSP BUCKS CO CAMPUS-S
380 NORTH OXFORD VALLEY ROAD
LANGHORNE, PA 19047-8304
215-934-5227
- 000236
FRANKFORD HOSPITAL FRANK DIV-S
FRANKFORD AVE & WAKELING ST
PHILADELPHIA, PA 19124
215-831-2068
- 000341
FRANKFORD HOSPITAL—TORRES DIV-S
RED LION & KNIGHTS ROADS
PHILADELPHIA, PA 19114
215-612-4000
- 000115
FRICK HOSPITAL-S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
724-547-1500
- 020644
FRIENDS HOSPITAL-S
4641 ROOSEVELT BOULEVARD
PHILADELPHIA, PA 19124-2399
215-831-4771
- 009163
FRIENDS MEDICAL LAB INC-SC
5820 SOUTHWESTERN BLVD
BALTIMORE, MD 21227
412-247-4417
- 024914
GAUDENZIA ERIE INC-S
414 WEST 5TH STREET
ERIE, PA 16507
814-459-4775
- 000173
GEISINGER MEDICAL CENTER-SC
N ACADEMY RD
DANVILLE, PA 17822
570-271-6338
- 000019
GEISINGER WYOMING VALLEY MED CTR-S
1000 E MOUNTAIN DRIVE
WILKES BARRE, PA 18711
570-826-7830
- 000237
GERMANTOWN COMM HLTH WILLOW TERR-S
ONE PENN BOULEVARD
PHILADELPHIA, PA 19144
215-951-8800
- 026799
GHHA OCCUPATIONAL HEALTH CENTER LAB-S
1000 ALLIANCE DRIVE
HAZLETON, PA 18202
570-459-1028
- 000152
GNADEN HUETTEN MEMORIAL HOSP-S
11TH & HAMILTON STS
LEHIGHTON, PA 18235
610-377-1300
- 000299
GOOD SAMARITAN HOSPITAL-S
4TH & WALNUT STS
PO BOX 1281
LEBANON, PA 17042-1218
717-270-7500

000182
GOOD SAMARITAN REGIONAL MED CTR-S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
570-621-4032

000238
GRADUATE HOSPITAL-S
1800 LOMBARD STREET
PHILADELPHIA, PA 19146
215-893-2240

025957
GRAHAM-MASSEY ANALYTICAL LABS-SC
60 TODD ROAD
SHELTON, CT 06484
203-926-1100

000654
GUTHRIE CLINIC PATH LAB-S
GUTHRIE SQUARE
SAYRE, PA 18840
570-888-5858

000239
HAHNEMANN UNIVERSITY HOSPITAL-S
BROAD & VINE STS MS 113
PHILADELPHIA, PA 19102
215-762-1783

000139 HANOVER GENERAL HOSPITAL-S
300 HIGHLAND AVE
HANOVER, PA 17331
717-637-3711

000155
HARRISBURG HOSPITAL LABORATORY-S
SOUTH FRONT STREET
HARRISBURG, PA 17101
717-782-2832

000010
HAZLETON GENERAL HOSPITAL-S
EAST BROAD STREET
HAZLETON, PA 18201
570-501-4152

000169
HEALTH NETWORK LABORATORIES-S
1627 WEST CHEW STREET
ALLENTOWN, PA 18102
610-402-2236

000549
HEALTH NETWORK LABORATORIES-S
1200 SOUTH CEDAR CREST BLVD
ALLENTOWN, PA 18103
610-402-8150

000600
HEALTH NETWORK LABORATORIES-S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
484-884-2259

024655
HEALTH NETWORK LABORATORIES-SC
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
610-402-8150

000216
HOLY REDEEMER HOSPITAL-S
1648 HUNTINGDON PIKE
MEADOWBROOK, PA 19046
215-947-3000

000130
HOLY SPIRIT HOSPITAL-SC
503 N 21ST STREET
CAMP HILL, PA 17011-2288
717-763-2206

000052
INDIANA REGIONAL MEDICAL CENTER-S
HOSPITAL ROAD
PO BOX 788
INDIANA, PA 15701-0788
724-357-7167

000135
J C BLAIR MEMORIAL HOSPITAL-S
WARM SPRINGS AVE
HUNTINGDON, PA 16652
814-643-8645

000054
JAMESON MEMORIAL HOSPITAL-S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
724-656-4080

000240
JEANES HOSPITAL-S
7600 CENTRAL AVE
PHILADELPHIA, PA 19111
215-728-2347

000113
JEANNETTE DISTRICT MEMORIAL HOSP-S
600 JEFFERSON AVENUE
JEANNETTE, PA 15644
724-527-9330

000038
JEFFERSON REGIONAL MEDICAL CENTER-S
575 COAL VALLEY ROAD
P. O. BOX 18119
PITTSBURGH, PA 15236
412-469-5723

000200
JENNERSVILLE REGIONAL HOSPITAL-S
1015 WEST BALTIMORE PIKE
WEST GROVE, PA 19390
610-869-1080

000312
JERSEY SHORE HOSPITAL-S
1020 THOMPSON STREET
JERSEY SHORE, PA 17740
717-398-0100

000532
KENSINGTON HOSPITAL-S
136 WEST DIAMOND STREET
PHILADELPHIA, PA 19122
215-426-8100

026008
KROLL LABORATORY SPECIALISTS-SC
1111 NEWTON STREET
GRETNA, LA 70053
504-361-8989

021306
LAB CORP OCCUPATIONAL TEST SRVCS-SC
1120 STATELINE ROAD WEST
SOUTHAVEN, MS 38671
886-827-8042

000260
LAB OF PATHOLOGY & LAB MEDICINE-S
3601 A STREET
PHILADELPHIA, PA 19134
215-427-5337

020512
LABCORP OCCUPATIONAL TESTING SER-SC
1904 ALEXANDER DRIVE
PO BOX 12652
RESRCH TRNGL PARK, NC 27709
919-572-7465

001088
LABCORP OF AMERICA HOLDINGS-SC
69 FIRST AVE PO BOX 500
RARITAN, NJ 08869
201-526-2400

022715
LABONE INC-SC
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
913-888-1770

000165
LANCASTER GENERAL HOSPITAL-S
555 N DUKE ST
PO BOX 3555
LANCASTER, PA 17603
717-299-5511

000163
LANCASTER GENERAL HOSP-SUS DIV-S
306 NORTH SEVENTH STREET
COLUMBIA, PA 17512
717-684-2841

000167
LANCASTER REGIONAL MED CENTER-S
250 COLLEGE AVENUE
PO BOX 3434
LANCASTER, PA 17604
717-291-8022

000114
LATROBE AREA HOSPITAL-S
121 WEST 2ND AVENUE
LATROBE, PA 15650
724-537-1550

000138
LEWISTOWN HOSPITAL-S
HIGHLAND AVENUE
LEWISTOWN, PA 17044
717-248-5411

000030
LOCK HAVEN HOSPITAL-S
24 CREE DRIVE
LOCK HAVEN, PA 17745
570-893-5000

000639
MAGEE-WOMENS HOSPITAL OF UPMC-S
300 HALKET STREET
PITTSBURGH, PA 15213
412-647-4651

000213
MAIN LINE CLIN LABS BRYN MAWR CP-S
130 BRYN MAWR AVENUE
BRYN MAWR, PA 19010
610-526-3554

000242
MAIN LINE CLIN LABS LANKENAU CP-S
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
610-645-2615

000199
MAIN LINE CLIN LABS PAOLI MEM CP-S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
610-648-1000

000004
MARIAN COMMUNITY HOSPITAL-S
100 LINCOLN AVENUE
CARBONDALE, PA 18407
717-281-1042

000049
MEADVILLE MED CTR-LIBERTY ST-S
751 LIBERTY STREET
MEADVILLE, PA 16335
814-336-3121

000268
MEDICAL COLLEGE OF PA HOSPITAL-S
3300 HENRY AVENUE
PHILADELPHIA, PA 19129
215-842-7306

005574
MEDTOX LABORATORIES INC-SC
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
612-636-7466

000023
MEMORIAL HOSPITAL LAB-S
1 HOSPITAL DRIVE
TOWANDA, PA 18848
570-265-2191

000203
MERCY HEALTH LAB/MFH-S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
610-237-4262

000247
MERCY HEALTH LAB/MHOP-S
54 AND CEDAR AVENUE
PHILADELPHIA, PA 19143
215-748-9181

000219
MERCY HEALTH LAB/MSH-S
2701 DEKALB PIKE
NORRISTOWN, PA 19401
610-278-2090

000336
MERCY HEALTH PARTNERS-S
746 JEFFERSON AVE
SCRANTON, PA 18510
570-348-7100

000017
MERCY HOSPITAL LABORATORY-S
25 CHURCH STREET
PO BOX 658
WILKES BARRE, PA 18765
570-826-3100

000082
MERCY HOSPITAL LABORATORY-S
PRIDE & LOCUST STREETS
PITTSBURGH, PA 15219
412-232-7831

- 000245
METHODIST HOSP DIVISION/TJUH INC-S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
215-952-9059
- 000128
MINERS MEDICAL CENTER-S
290 HAIDA AVENUE
PO BOX 689
HASTINGS, PA 16646
814-948-7171
- 000108
MONONGAHELA VALLEY HOSP INC-S
COUNTRY CLUB RD RT 88
MONONGAHELA, PA 15063
724-258-1000
- 000217
MONTGOMERY HOSPITAL LAB-S
POWELL & FORNANCE STS
NORRISTOWN, PA 19401
610-270-2173
- 000035
MUNCY VALLEY HOSPITAL-S
215 EAST WATER ST
MUNCY, PA 17756
570-546-8282
- 000304
NASON HOSPITAL-S
NASON DRIVE
ROARING SPRING, PA 16673
814-224-6215
- 000504
NATIONAL MED SERVICES INC LAB-SC
3701 WELSH ROAD
WILLOW GROVE, PA 19090
215-657-4900
- 000248
NAZARETH HOSPITAL-S
2601 HOLME AVE
PHILADELPHIA, PA 19152
215-335-6245
- 027246
NORCHEM DRUG TESTING LABORATORY-SC
1760 EAST ROUTE 66, SUITE 1
FLAGSTAFF, AZ 86004
520-526-1011
- 000807
OMEGA MEDICAL LABORATORIES INC-SC
2001 STATE HILL ROAD SUITE 100
WYOMISSING, PA 19610-1699
610-378-1900
- 000309
PARKVIEW HOSPITAL-S
1331 EAST WYOMING AVENUE
PHILADELPHIA, PA 19124
215-537-7430
- 000250
PARKWAY CLINICAL LABORATORIES-S
3448 B PROGRESS DRIVE
BENSALEM, PA 19020
215-245-5112
- 000316
PENN STATE MILTON S HERSHEY MED CTR-S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
717-531-8353
- 022533
PENNSYLVANIA DEPT OF HEALTH-SC
110 PICKERING WAY
LIONVILLE, PA 19353
610-280-3464
- 027512
PHARCHEM INC TEXAS DIVISION-SC
4600 N BEACH STREET
HALTOM CITY, TX 76137
817-215-8826
- 000197
PHOENIXVILLE HOSPITAL LABORATORY-S
140 NUTT RD
DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
610-983-1612
- 000157
PINNACLEHLTH/COMM GEN OSTEO HOSP-S
4300 LONDONDERRY RD
PO BOX 3000
HARRISBURG, PA 17109
717-657-7214
- 000520
PITTSBURGH CRIMINALISTICS-SC
1320 FIFTH AVENUE
PITTSBURGH, PA 15219
412-391-6118
- 000022
POCONO MEDICAL CENTER LAB-S
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
570-476-3544
- 000221
POTTSTOWN MEMORIAL MED CTR MAIN LAB-S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
610-327-7000
- 000183
POTTSVILLE HOSP AND WARNE CLINIC-S
420 SOUTH JACKSON STREET
POTTSVILLE, PA 17901
570-621-5262
- 000258
PRESBYTERIAN MED CNTR OF UNIV OF PA HLTH
51 NORTH 39TH ST
5TH FLR RM 530
DEPARTMENT OF PATHOLOGY & LAB
PHILADELPHIA, PA 19104-2640
215-662-3435
- 000516
PRINCETON BIOMEDICAL LABS INC-S
2921 NEW RODGERS ROAD
BRISTOL, PA 19007
215-785-5200
- 021648
PSYCHEMEDICS COPORATION-SC
5832 UPLANDER WAY
CULVER CITY, CA 90230
800-522-7424

- 000300
PUNXSUTAWNEY AREA HOSPITAL-S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
814-938-4500
- 009620
QUEST DIAGNOSTICS CLIN LABS INC-SC
7600 TYRONE AVENUE
VAN NUYS, CA 91405
818-376-6195
- 000315
QUEST DIAGNOSTICS CLINICAL LABS INC-S
900 BUSINESS CENTER DRIVE
HORSHAM, PA 19044
215-957-9300
- 027461
QUEST DIAGNOSTICS INC-SC
400 EGYPT ROAD
NORRISTOWN, PA 19403
610-631-4219
- 001136
QUEST DIAGNOSTICS NICHOLS INSTITUTE-SC
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
703-802-6900
- 000482
QUEST DIAGNOSTICS OF PA INC-SC
875 GREENTREE RD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
412-920-7600
- 025461
QUEST DIAGNOSTICS VENTURE LLC-SC
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
412-920-7631
- 024249
QUINTILES LABORATORIES LTD-SC
5500 HIGHLANDS PARKWAY SUITE 600
SMYRNA, GA 30082
770-434-8492
- 000150
READING HOSPITAL & MED CTR-S
6TH AND SPRUCE STREETS
WEST READING, PA 19611
610-988-8080
- 025348
REDWOOD TOXICOLOGY LABORATORY-SC
3650 WESTWIND BOULEVARD
SANTA ROSA, CA 95403
707-577-7958
- 000206
RIDDLE MEMORIAL HOSPITAL-S
BALTIMORE PIKE HIGHWAY 1
MEDIA, PA 19063
610-566-9400
- 001247
ROTHSVILLE FAMILY PRACTICE-S
2320 ROTHSVILLE ROAD
LITITZ, PA 17543
717-627-1214
- 000243
ROXBOROUGH MEMORIAL HOSPITAL-S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
215-487-4394
- 000171
SACRED HEART HOSPITAL-S
4TH & CHEW STS
ALLENTOWN, PA 18102
610-776-4727
- 000087
SAINT CLAIR MEMORIAL HOSPITAL-S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
412-561-4900
- 000174
SAINT LUKES HOSPITAL-S
801 OSTRUM ST
BETHLEHEM, PA 18015
610-954-4558
- 000328
SAINT MARY MEDICAL CENTER-S
LANGHORNE—NEWTOWN RD
LANGHORNE, PA 19047
215-750-2162
- 024496
SCIENTIFIC TESTING LABS INC-SC
450 SOUTHLAKE BOULEVARD
RICHMOND, VA 23236
804-378-9130
- 028471
SECON A DIVISION OF CIVIGENICS-S
316 MECCA DRIVE
LAFAYETTE, LA 70508
337-291-9501
- 000101
SEWICKLEY VALLEY HOSPITAL LAB-S
BLACKBURN RD & FITCH DRIVE
SEWICKLEY, PA 15143
412-741-6600
- 000064
SHARON REGIONAL HEALTH SYSTEM-S
740 EAST STATE STREET
SHARON, PA 16146
724-983-3911
- 000039
SOLDIERS & SAILORS MEM HOSP-S
CENTRAL AVE
WELLSBORO, PA 16901
570-724-1631
- 000297
SOMERSET HOSPITAL LAB-S
225 S CENTER AVE
SOMERSET, PA 15501
814-443-5000
- 022376
SPECIALTY LABORATORIES-S
2211 MICHIGAN AVENUE
SANTA MONICA, CA 90404
310-828-6543
- 000151
ST JOSEPH QUALITY MEDICAL LAB-SC
215 NORTH 12TH STREET BOX 316
READING, PA 19603
610-378-2200

000261
ST JOSEPH'S HOSPITAL-DIV NPHS-S
16TH ST & GIRARD AVE
PHILADELPHIA, PA 19130
215-787-9000

000318
ST LUKES HOSP ALLENTOWN CAMPUS-S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
610-770-8300

000094
SUBURBAN GENERAL HOSPITAL-S
100 SOUTH JACKSON AVENUE
BELLEVUE, PA 15202
412-734-6000

000187
SUNBURY COMMUNITY HOSPITAL-S
350 N 11TH ST
SUNBURY, PA 17801
570-286-3333

000207
TAYLOR HOSPITAL DIV OF CCMC-S
175 E CHESTER PIKE
RIDLEY PARK, PA 19078
610-595-6450

024997
TECHNOW INC-S
31 INDUSTRIAL HIGHWAY
ESSINGTON, PA 19029
610-362-0610

000249
TEMPLE EAST INC NE-S
2301 EAST ALLEGHENY AVENUE
PHILADELPHIA, PA 19134
215-291-3671

000193
TEMPLE LOWER BUCKS HOSPITAL LAB-S
501 BATH ROAD
BRISTOL, PA 19007
215-785-9200

000235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS-S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
215-427-7333

000265
TEMPLE UNIVERSITY HOSPITAL-S
3401 N BROAD ST
PHILADELPHIA, PA 19140
215-707-4353

000205
THE MEDICAL CENTER BEAVER PA-S
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009-9700
724-728-7000

000241
THOMAS JEFFERSON UNIVERSITY HOSP-S
125 SOUTH 11TH ST 204 PAVILION
PHILADELPHIA, PA 19107
215-955-6374

000051
TITUSVILLE AREA HOSPITAL-S
406 WEST OAK STREET
TITUSVILLE, PA 16354
814-827-1851

023608
UHS OF FAIRMOUNT INC-S
561 FAIRTHORNE AVENUE
PHILADELPHIA, PA 19128
215-487-4078

000061
UNITED COMMUNITY HOSPITAL-S
631 NORTH BROAD STREET EXT
GROVE CITY, PA 16127
724-450-7125

000121
UPMC BEDFORD MEMORIAL-S
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
814-623-3506

000096
UPMC BRADDOCK-S
400 HOLLAND AVENUE
BRADDOCK, PA 15104
412-636-5291

000059
UPMC HORIZON GREENVILLE-S
110 NORTH MAIN STREET
GREENVILLE, PA 16125
724-588-2100

000057
UPMC HORIZON SHENANGO-S
2200 MEMORIAL DRIVE
FARRELL, PA 16121
724-981-3500

000126
UPMC LEE REGIONAL HOSPITAL-S
320 MAIN STREET
JOHNSTOWN, PA 15901
814-533-0130

000098
UPMC MCKEESPORT LABORATORY-S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
412-664-2233

000058
UPMC NORTHWEST-S
1 SPRUCE STREET
FRANKLIN, PA 16323
814-437-7000

005784

1 UPMC PASSAVANT LABORATORY CRANBERRY-S
ONE ST FRANCIS WAY
CRANBERRY TOWNSHIP, PA 16066
724-772-5370

000083
UPMC PRESBYTERIAN SHADYSIDE CP PUH-SC
ROOM 5929 MAIN TOWER CHP
200 LOTHROP STREET
PITTSBURGH, PA 15213-2582
412-648-6000

000092
UPMC PRESBYTERIAN SHADYSIDE LAB SHDY-S
5230 CENTRE AVENUE
PITTSBURGH, PA 15232
412-622-2315

000091
UPMC SAINT MARGARET HOSPITAL-S
815 FREEPORT ROAD
PITTSBURGH, PA 15215
412-784-4000

027225
US DRUG TESTING LABORATORIES INC-SC
1700 SOUTH MOUNT PROSPECT ROAD
DES PLAINES, IL 60018
847-375-0770

000335
VALLEY FORGE MED CTR & HOSP-S
1033 W GERMANTOWN PIKE
NORRISTOWN, PA 19403
610-539-8500

000622
WARMINSTER HOSPITAL-S
225 NEWTOWN ROAD
WARMINSTER, PA 18974
215-441-6700

000066
WARREN GENERAL HOSPITAL-S
2 CRESCENT PARK
WARREN, PA 16365
814-723-3300

000133
WAYNESBORO HOSPITAL-S
501 E MAIN STREET
WAYNESBORO, PA 17268
717-765-3403

000095
WESTERN PENNSYLVANIA HOSPITAL-S
4800 FRIENDSHIP AVE
PITTSBURGH, PA 15224
412-578-5779

007731
WESTERN RESERVE CARE SYSTEM-SC
500 GYPSY LANE
YOUNGSTOWN, OH 44504
216-740-3794

000112
WESTMORELAND HOSPITAL-S
532 W PITTSBURGH ST
GREENSBURG, PA 15601
724-832-4365

000037
WILLIAMSPORT HOSP & MED CENTER-S
777 RURAL AVENUE
WILLIAMSPORT, PA 17701-3198
570-321-2300

000018
WVHCS HOSP PENNANT LABORATORY-SC
575 NORTH RIVER STREET
WILKES BARRE, PA 18764
570-829-8111

000141
YORK HOSPITAL-S
1001 SOUTH GEORGE STREET
YORK, PA 17405
717-851-2345

CALVIN B. JOHNSON, M.D., M.P.H.,
Acting Secretary

[Pa.B. Doc. No. 03-1362. Filed for public inspection July 11, 2003, 9:00 a.m.]

Laboratories Approved to Perform Blood Lead and/or Erythrocyte Protoporphyrin

The following laboratories are licensed in accordance with the Clinical Laboratory Act (35 P. S. §§ 2151—2165) and/or the Federal Clinical Laboratory Improvement Act of 1967 (42 U.S.C.A. § 263a) and are currently approved under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood for lead or erythrocyte protoporphyrin content. This approval is based on demonstrated proficiency in periodic evaluations conducted by the Bureau of Laboratories of the Department of Health (Department).

Lead poisoning is a reportable noncommunicable disease. Approved laboratories which offer blood lead testing services are required to inform the Department of actual or possible incidents of this condition in accordance with 28 Pa. Code § 27.34 (relating to reporting cases of lead poisoning.) These regulations specify the following requirements for reporting by clinical laboratories.

(1) A clinical laboratory shall report all blood lead test results on both venous and capillary specimens for persons under 16 years of age to the Department's Childhood Lead Poisoning Prevention Program, Division of Maternal and Child Health, Bureau of Family Health.

(2) A clinical laboratory shall report an elevated blood lead level in a person 16 years of age or older to the Department's Division of Environmental Health Epidemiology, Bureau of Epidemiology or to other locations as designated by the Department. An elevated blood lead level is defined by the National Institute for Occupational Safety and Health (NIOSH). As of January 26, 2002, NIOSH defines an elevated blood lead level as a venous blood lead level of 25 micrograms per deciliter ($\mu\text{g/dL}$) or higher. The Department will publish in the *Pennsylvania Bulletin* any NIOSH update of the definition within 30 days of NIOSH's notification to the Department.

(3) A clinical laboratory which conducts blood lead tests on 100 or more specimens per month shall submit results electronically in a format specified by the Department.

(4) A clinical laboratory which conducts blood lead tests on less than 100 blood lead specimens per month shall submit results either electronically or by hard copy in the format specified by the Department.

(5) A laboratory which performs blood lead tests on blood specimens collected in this Commonwealth shall be licensed as a clinical laboratory and shall be specifically approved by the Department to conduct those tests.

(6) Blood lead analyses requested for occupational health purposes on blood specimens collected in this Commonwealth shall be performed only by laboratories which are licensed and approved as specified in paragraph (5) and which are also approved by the Occupational Safety and Health Administration of the United

States Department of Labor under 29 CFR 1910.1025(j)(2)(iii) (relating to lead).

(7) A clinical laboratory shall complete a blood lead test within 5 work days of the receipt of the blood specimen and shall submit the case report to the Department by the close of business of the next work day after the day on which the test was performed. The clinical laboratory shall submit a report of lead poisoning using either the hard copy form or electronic transmission format specified by the Department.

(8) When a clinical laboratory receives a blood specimen without all of the information required for reporting purposes, the clinical laboratory shall test the specimen and shall submit the incomplete report to the Department.

Erythrocyte protoporphyrin determinations may be performed as an adjunct determination to substantiate blood lead levels of 25 µg/dL or higher. Since erythrocyte protoporphyrin concentrations may not increase as a result of low-level exposures to lead, direct blood lead analysis is the only reliable method for identifying individuals with blood lead concentrations below 25 µg/dL.

Persons seeking blood lead or erythrocyte protoporphyrin analyses should determine that the laboratory employs techniques and procedures acceptable for the purpose for which the analyses are sought. Laboratories offering blood lead analysis only are designated with the letter "L" following the name of the laboratory. Those offering erythrocyte protoporphyrin analysis only are designated with the letter "P." Laboratories offering both services are designated with the letters "LP."

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. The name of a laboratory is sometimes changed but the location, personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name of the facility changed, the clinical laboratory permit numbers of the facilities are included in the lists of approved laboratories before the name of the laboratory at the time the list was prepared.

The Department's blood lead proficiency testing program is approved by the United States Department of Health and Human Services in accordance with the requirements contained in the Clinical Laboratory Improvement Amendments of 1988 (42 CFR 493.901 and 493.937) which are administered by the Centers for Medicare and Medicaid Services. Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Dr. Shoemaker at V/TT: (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 [TT].

000671
ALLEG CNTY CORONERS DIV OF LABS-L
542 FORBES AVENUE
ROOM 10 COUNTY OFFICE BUILDING
PITTSBURGH, PA 15219
412-350-6873

000016
ANGELINE KIRBY MEM HEALTH CENTER-L
71 NORTH FRANKLIN STREET
WILKES BARRE, PA 18701
570-823-5450

022912
AURORA CONSOLIDATED LABORATORIES-LP
8901 WEST LINCOLN AVE
WEST ALLIS, WI 53227
414-328-7945

020506
CENTRAL PA ALLIANCE LABORATORY-LP
1803 MT ROSE AVENUE
SUITE C3-C4
YORK, PA 17403
717-851-1426

000009
CLINICAL LABS INC A LAB CORP CO-LP
901 KEYSTONE INDUSTRIAL PARK
THROOP, PA 18512-1534
570-346-1759

027845
CLINICAL REFERENCE LABORATORY-LP
8433 QUIVIRA ROAD
LENEXA, KS 66215
913-492-3652

000561
EAST PENN MFG CO INC-LP
DEKA RD KELLER TECH CENTER
LYONS STATION, PA 19536
610-682-6361

000332
ELLWOOD CITY GENERAL HOSPITAL-LP
724 PERSHING ST
ELLWOOD CITY, PA 16117
724-752-0081

001950
EMSF PATSY J BRUNO MD LABORATORY-L
369 NORTH 11TH STREET
SUNBURY, PA 17801
570-286-7755

027744
EVANGELICAL MEDICAL SERVICES BUILDING-L
905 US 522
SELINSGROVE, PA 17870
570-372-6119

000173
GEISINGER MEDICAL CENTER-L
N ACADEMY RD
DANVILLE, PA 17822
570-271-6338

000104
GEORGE TOLSTOI LAB-UNIONTOWN HSP-L
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
724-430-5143

025914
GREAT SMOKIES DIAGNOSTIC LAB-L
63 ZILLICOA STREET
ASHEVILLE, NC 28801
828-253-0621

020802
HAGERSTOWN MEDICAL LABORATORY-L
11110 MEDICAL CAMPUS RD STE 230
HAGERSTOWN, MD 21742
301-790-8670

024655
HEALTH NETWORK LABORATORIES-LP
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
610-402-8150

005618
LAB CORP OF AMERICA HOLDINGS-LP
6370 WILCOX ROAD
DUBLIN, OH 43016-1296
800-282-7300

021885
LAB CORP OF AMERICA HOLDINGS-LP
1447 YORK COURT
BURLINGTON, NC 27215
800-334-5161

001088
LABCORP OF AMERICA HOLDINGS-LP
69 FIRST AVE PO BOX 500
RARITAN, NJ 08869
201-526-2400

022715
LABONE INC-LP
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
913-888-1770

009523
LABORATORY CORP OF AMERICA-L
13900 PARK CENTER ROAD
HERNDON, VA 20171
703-742-3100

028006
LEAD LAB AT LASALLE UNIVERSITY-L
500 ADAMS AVENUE
PHILADELPHIA, PA 19120
215-728-6404

000242
MAIN LINE CLIN LABS LANKENAU CP-L
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
610-645-2615

009003
MAYO CLINIC-LP
200 FIRST ST SW HILTON 530
ROCHESTER, MN 55905
507-284-3018

026302
MEDICAL ASSOCIATES PC-P
935 HIGHLAND BLVD SUITE 4400
BOZEMAN, MT 59715
406-587-5123

005574
MEDTOX LABORATORIES INC-LP
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
612-636-7466

000203
MERCY HEALTH LAB/MFH-L
1500 LANSDOWNE AVENUE
DARBY, PA 19023
610-237-4262

000082
MERCY HOSPITAL LABORATORY-L
PRIDE & LOCUST STREETS
PITTSBURGH, PA 15219
412-232-7831

000504
NATIONAL MED SERVICES INC LAB-LP
3701 WELSH ROAD
WILLOW GROVE, PA 19090
215-657-4900

000807
OMEGA MEDICAL LABORATORIES INC-L
2001 STATE HILL ROAD SUITE 100
WYOMISSING, PA 19610-1699
610-378-1900

023801
PACIFIC TOXICOLOGY LABORATORIES-LP
9348 DE SOTO AVENUE
CHATSWORTH, CA 91311
818-598-3110

022533
PENNSYLVANIA DEPT OF HEALTH-LP
110 PICKERING WAY
LIONVILLE, PA 19353
610-280-3464

000022
POCONO MEDICAL CENTER LAB-L
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
570-476-3544

000324
PRIMARY CARE HLTH SERV INC LAB-L
7227 HAMILTON AVE
PITTSBURGH, PA 15208
412-244-4728

000255
PUBLIC HEALTH LAB CITY OF PHILA-L
500 SOUTH BROAD STREET
PHILADELPHIA, PA 19146
215-685-6812

009620
QUEST DIAGNOSTICS CLIN LABS INC-L
7600 TYRONE AVENUE
VAN NUYS, CA 91405
818-376-6195

000315
QUEST DIAGNOSTICS CLINICAL LABS INC-LP
900 BUSINESS CENTER DRIVE
HORSHAM, PA 19044
215-957-9300

022174
QUEST DIAGNOSTICS INCORPORATED-LP
33608 ORTEGA HIGHWAY
SAN JUAN CAPISTRANO, CA 92690-6130
949-728-4000

001136
QUEST DIAGNOSTICS NICHOLS INSTITUTE-LP
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
703-802-6900

000482
 QUEST DIAGNOSTICS OF PA INC-LP
 875 GREENTREE RD
 4 PARKWAY CENTER
 PITTSBURGH, PA 15220-3610
 412-920-7600

025461
 QUEST DIAGNOSTICS VENTURE LLC-LP
 875 GREENTREE ROAD
 4 PARKWAY CENTER
 PITTSBURGH, PA 15220-3610
 412-920-7631

000150
 READING HOSPITAL & MED CTR-L
 6TH AND SPRUCE STREETS
 WEST READING, PA 19611
 610-988-8080

022376
 SPECIALTY LABORATORIES-L
 2211 MICHIGAN AVENUE
 SANTA MONICA, CA 90404
 310-828-6543

000151
 ST JOSEPH QUALITY MEDICAL LAB-L
 215 NORTH 12TH STREET BOX 316
 READING, PA 19603
 610-378-2200

025103
 TAMARAC MEDICAL-LP
 7000 SOUTH BROADWAY SUITE 2C
 LITTLETON, CO 80122
 303-794-1083

000083
 UPMC PRESBYTERIAN SHADYSIDE CP PUH-L
 ROOM 5929 MAIN TOWER CHP
 200 LOTHROP STREET
 PITTSBURGH, PA 15213-2582
 412-648-6000

CALVIN B. JOHNSON, M.D., M.P.H.,
Acting Secretary

[Pa.B. Doc. No. 03-1363. Filed for public inspection July 11, 2003, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Finding Allegheny County

Under section 2002(b) of The Administrative Code of 1929 (71 P. S. § 512(b)), the Secretary of Transportation makes the following written finding:

The Department of Transportation (Department) plans to replace the existing Mosside Boulevard Bridge carrying SR 0048 over Turtle Creek in the Borough of Monroeville, Allegheny County. The existing Mosside Boulevard Bridge has been determined eligible for the National Register of Historic Places. The effect of this project on the Mosside Boulevard Bridge will be mitigated by the following measures to minimize harm to the resource.

1. Prior to the replacement of the Mosside Boulevard Bridge, the structure will be recorded following State

level recordation guidelines. The Department shall ensure that all documentation is completed and accepted by the State Historic Preservation Officer (SHPO) prior to implementation of the undertaking and that copies of the recordation are available to the SHPO and appropriate local archives designated by the SHPO.

2. Presentation or display boards, which highlight the significant engineering features of the Mosside Boulevard Bridge will be made available to either the International Bridge Conference or to a National conference for bridge, structural or civil engineers. The presentation or display boards will be completed in consultation with the SHPO.

The Secretary has considered the environmental, economic, social and other effects of the proposed project as enumerated in section 2002 of The Administrative Code of 1929 and has concluded that there is no feasible and prudent alternative to the project as designed, and all reasonable steps have been taken to minimize the effect.

ALLEN D. BIEHLER, P. E.,
Secretary

[Pa.B. Doc. No. 03-1364. Filed for public inspection July 11, 2003, 9:00 a.m.]

Finding Allegheny County

Under section 2002(b) of The Administrative Code of 1929 (71 P. S. § 512(b)), the Secretary of Transportation makes the following written finding:

The Federal Highway Administration (FHWA), the Department of Transportation and Allegheny County are planning to replace the Greensburg Pike Bridge which carries vehicular and pedestrian traffic over Turtle Creek and several railroad lines in North Versailles Township and Turtle Creek Borough, Allegheny County.

The Greensburg Pike Bridge is eligible for listing on the National Register of Historic Places and therefore qualifies as a Section 2002/Section 4(f) resource. The State Historic Preservation Officer (SHPO) has concurred in a determination of "adverse effect" upon the resource.

The subject project is considered a Level 2 Categorical Exclusion in accordance with 23 CFR 771.117(d), Item 3 (relating to categorical exclusions) as published in the August 28, 1987, *Federal Register*.

Based upon studies, there is no prudent and feasible alternative to the proposed action. Mitigation measures will be taken to minimize harm as stipulated in the Categorical Exclusion Evaluation/Programmatic Section 4(f) Evaluation and the Memorandum of Agreement between the FHWA and the SHPO.

The environmental, economic, social and other effects of the proposed project as enumerated in section 2002 of The Administrative Code of 1929 have been considered. It has been concluded that there is no feasible and prudent alternative to the project as designed and all reasonable steps have been taken to minimize effects.

ALLEN D. BIEHLER, P. E.,
Secretary

[Pa.B. Doc. No. 03-1365. Filed for public inspection July 11, 2003, 9:00 a.m.]

**Finding
Allegheny and Westmoreland Counties**

Under section 2002(b) of The Administrative Code of 1929 (71 P. S. § 512(b)), the Secretary of Transportation makes the following written finding:

The Federal Highway Administration (FHWA) and the Department of Transportation are planning to replace the bridge which carries SR 2076 over Pucketa Creek between Plum Borough in Allegheny County and Upper Burrell Township in Westmoreland County.

The bridge is eligible for listing on the National Register of Historic Places and therefore qualifies as a Section 2002/Section 4(f) resource. The State Historic Preservation Officer (SHPO) has concurred in a determination of "adverse effect" upon the resource.

The subject project is considered a Level 2 Categorical Exclusion in accordance with 23 CFR 771.117(d), Items 1 and 3 (relating to categorical exclusions) as published in the August 28, 1987, *Federal Register*.

Based upon studies, there is no prudent and feasible alternative to the proposed action. Mitigation measures will be taken to minimize harm as stipulated in the Categorical Exclusion Evaluation/Programmatic Section 4(f) Evaluation and the Memorandum of Agreement between the FHWA and the SHPO.

The environmental, economic, social and other effects of the proposed project as enumerated in section 2002 of The Administrative Code of 1929 have been considered. It has been concluded that there is no feasible and prudent alternative to the project as designed and all reasonable steps have been taken to minimize effects.

ALLEN D. BIEHLER, P. E.,
Secretary

[Pa.B. Doc. No. 03-1366. Filed for public inspection July 11, 2003, 9:00 a.m.]

**ENVIRONMENTAL
HEARING BOARD**

Titanium Hearth Technologies, Inc. d/b/a Timet v. DEP; EHB Doc. No. 2003-140-L

Titanium Hearth Technologies, Inc. d/b/a/ Timet has appealed the issuance by the Department of Environmental Protection of an NPDES permit to same for a facility in Caernarvon Township, Berks County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457 and may be reviewed by interested parties on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

MICHAEL L. KRANCER,
Chairperson

[Pa.B. Doc. No. 03-1367. Filed for public inspection July 11, 2003, 9:00 a.m.]

FISH AND BOAT COMMISSION

Triploid Grass Carp Permit Applications

Under 58 Pa. Code § 71.7 (relating to triploid grass carp), the Fish and Boat Commission (Commission) may issue permits to stock triploid grass carp in Commonwealth waters. Triploid grass carp are sterile fish that may, in appropriate circumstances, help control aquatic vegetation. The Commission has determined consistent with 58 Pa. Code § 71.7(e)(3) to seek public input with respect to any proposed stockings of triploid grass carp in waters having a surface area of more than 5 acres.

Interested persons are invited to submit written comments, objections or suggestions about the notice to the Executive Director, Fish and Boat Commission, P. O. Box 67000, Harrisburg, PA 17106-7000, within 10 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted. Comments also may be submitted electronically to ra-pfbcregs@state.pa.us. A subject heading of the proposal and a return name and address must be included in each transmission. In addition, all electronic comments must be contained in the text of the transmission, not in an attachment. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt.

The following application to stock triploid grass carp in waters having a surface area of more than 5 acres is currently undergoing staff review:

<i>Applicant</i>	<i>Water</i>	<i>Location of Water</i>	<i>Description of Water</i>	<i>Nature of Vegetation to be Controlled</i>
Cobbs Lake Preserve	Cobbs Lake (a.k.a. Cobbs Pond)	Lake Township Wayne County	40 acre lake which discharges into Wangum Creek	See following list

List of plant species and their respective lake coverages:

- 1. *Dulichium arundinaceum*(three-way sedge) <1%
- 2. *Ceratophyllum demersum*(coontail) <5%
- 3. *Nymphaea odorata*(American white waterlily) <5%
- 4. *Brasenia schreberi*(watershield) <1%
- 5. *Nuphar luteum*(yellow waterlily or spatterdock) <5%
- 6. *Typha latifolia*(broadleaf cattail) <1%
- 7. *Utricularia sp.*(bladderwort) <1%
- 8. *Potamogeton fluitans*(longleaf pondweed) 90%
- 9. *Sparangium sp.*(burreed) <1%
- 10. *Filamentous algae*(various species) 95-100%

PETER A. COLANGELO,
Executive Director

[Pa.B. Doc. No. 03-1368. Filed for public inspection July 11, 2003, 9:00 a.m.]

HISTORICAL AND MUSEUM COMMISSION

State Surplus Property Program; Deaccession Auction

The Historical and Museum Commission will be auctioning items from its permanent collection. These items are being auctioned because they are duplicates and/or do not pertain to Commonwealth history. The public auction will be held on July 30, 2003, by Ziegler's Auction Company, Inc. in Hummelstown, PA. Items being auctioned include a diversity of objects such as porcelain figures, books, tools, dressers and an assortment of 19th century household objects.

JOHN WESLEY,
Interim Executive Director

[Pa.B. Doc. No. 03-1369. Filed for public inspection July 11, 2003, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations on the dates indicated. To obtain the date and time of the meeting at which the Commission will consider these regulations, contact the Commission at (717) 783-5417 or visit its website at www.irrc.state.pa.us. To obtain a copy of the regulation, contact the promulgating agency.

<i>Final-Form Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
10-165	Department of Health Hearing Aid Sales and Registration	6/30/03
10-169	Department of Health Supplemental Nutrition Program for Women, Infants and Children	6/30/03

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 03-1370. Filed for public inspection July 11, 2003, 9:00 a.m.]

INSURANCE DEPARTMENT

Children's Health Insurance Program; Advisory Council Meeting

The Insurance Department (Department) has scheduled a meeting of the Children's Health Advisory Council (Council) on Tuesday, July 29, 2003, at 10 a.m., in the Rachel Carson State Office Building, Room 105, Harrisburg, PA 17120. The Children's Health Care Act (40 P. S. §§ 991.2301—991.2361) charges the Council with the responsibilities of overseeing outreach activities and evaluating access and quality of service provided to children enrolled in the Children's Health Insurance Program. The public is invited to attend. Persons who need accommodations due to a disability who wish to attend the meeting should contact Tracey Pontius, Insurance Department, 1300 Strawberry Square, Harrisburg, PA 17120, (717) 787-4298, at least 24 hours in advance so that arrangements can be made.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 03-1371. Filed for public inspection July 11, 2003, 9:00 a.m.]

Liberty Mutual Fire Insurance Company; Homeowners Policy Program; Rate Filing

On June 25, 2003, the Insurance Department received from Liberty Mutual Fire Insurance Company a filing for a rate level change for homeowners insurance.

The company requests an overall revenue neutral rate filing to be effective September 15, 2003.

Unless formal administrative action is taken prior to August 24, 2003, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Insurance Department's regional offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Michael W. Burkett, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, mburkett@state.pa.us within 15 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 03-1372. Filed for public inspection July 11, 2003, 9:00 a.m.]

William Meis, D.O.; Prehearing

Appeal of William Meis, D.O. under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910); Doc. No. MM03-06-012

On or before July 31, 2003, the appellant shall file a concise statement setting forth the factual and/or legal basis for his disagreement with MCARE'S April 29, 2003, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages.

A prehearing telephone conference initiated by this office is scheduled for August 21, 2003. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before July 11, 2003. A hearing date will be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before August 7, 2003, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any, shall be filed on or before August 14, 2003.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to

participate in the hearing should contact Tracey Pontius, Agency Coordinator, (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 03-1373. Filed for public inspection July 11, 2003, 9:00 a.m.]

Penn Treaty Network America Insurance Company (PTNA); Rate Increase Filing for Long Term Care Series LTC94

Penn Treaty Network America Insurance Company (PTNA) is requesting approval to increase the premium 40% for the Long Term Care Series LTC94 and the associated riders. The average premium will increase from \$1,980 to \$2,151 and will affect 98 policyholders in this Commonwealth.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's regional offices in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Accident and Health Bureau, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120 within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 03-1374. Filed for public inspection July 11, 2003, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68), in connection with the termination of the insureds' automobile policies. The hearings will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearings will be held in the Insurance Department's regional offices in Harrisburg and Philadelphia, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 N. Seventh Street, Harrisburg, PA 17102.

Appeal of Andrew John Weaver; file no. 03-181-04138; State Farm Mutual Automobile Insurance; doc. no. P03-06-018; July 31, 2003, 1:30 p.m.

The following hearings will be held in the Philadelphia Regional Office, Room 1701 State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of Frank D. Caligiuri; file no. 03-210-02067; Travelers Insurance Company; doc. no. PH03-06-024; August 6, 2003, 11:30 a.m.

Appeal of Dennis Clark; file no. 03-267-02425; Nationwide Mutual Fire Insurance Company; doc. no. PH03-06-031; August 6, 2003, 12:30 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend an administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator, (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 03-1375. Filed for public inspection July 11, 2003, 9:00 a.m.]

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with their companies' termination of the insureds' policies. The administrative hearings will be held in the Insurance Department's regional offices in Philadelphia and Pittsburgh, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Philadelphia Regional Office, Room 1701 State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of Michael A. and Jessie M. Brooks; file no. 03-215-02191; State Farm Fire and Casualty Insurance Company; doc. no. PH03-06-020; August 6, 2003, 10 a.m.

The following hearings will be held in the Pittsburgh Regional Office, Room 304 State Office Building, 300 Liberty Avenue, Pittsburgh, PA 15222.

Appeal of Theresa L. LeSuer; file no. 03-494-90706; Old Guard Insurance Company; doc. no. PI03-06-029; August 14, 2003, 1 p.m.

Appeal of the Estate of Bessie Brewer; file no. 03-181-05489; State Farm Fire and Casualty Insurance Company; doc. no. PI03-06-019; August 14, 2003, 3:30 p.m.

Each party may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend an administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator, (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 03-1376. Filed for public inspection July 11, 2003, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board lease will expire:

Chester County, Wine & Spirits Shoppe #1503, 831 W. Baltimore Pike, West Grove, PA 19390.

Lease Expiration Date: May 31, 2007

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 3,600 net useable square feet of new or existing retail commercial space within a 1 mile radius of the intersection of Routes 1 and 796.

Proposals due: August 1, 2003, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128
Contact: James M. Bradley, (215) 482-9671

The Liquor Control Board seeks the following new site:

Montgomery County, Wine & Spirits Shoppe #4621, 1301 Skippack Pike, Blue Bell, PA 19422.

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 5,000 net useable square feet of new or existing retail commercial space within a 1 mile radius on Skippack Pike near the intersection of Routes 73 and 202, Whitpain Township.

Proposals due: August 1, 2003, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128
Contact: Robert Jolly, (215) 482-9671

JONATHAN H. NEWMAN,
Chairperson

[Pa.B. Doc. No. 03-1377. Filed for public inspection July 11, 2003, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Amended Reliability Benchmarks and Standards for Electric Distribution Companies

Public Meeting held
 June 26, 2003

Commissioners Present: Terrance J. Fitzpatrick, Chairperson; Robert K. Bloom, Vice Chairperson; Aaron Wilson, Jr.; Glen R. Thomas, statement follows; Kim Pizzigrilli

Amended Reliability Benchmarks and Standards for the Electric Distribution Companies; Doc. No. M-00991220

Tentative Order

By the Commission:

Today, in conjunction with our proposed rulemaking order, at Docket No. L-00030161 we seek to tighten our standards for performance reliability in the electric distribution industry and reiterate the Commission's regulations regarding qualifying an interruption as a major event as well as the process for filing formal requests for waivers from having to submit reliability data for any reporting period.

Procedural History

The Electricity Generation Customer Choice and Competition Act (act), 1996, Dec. 3, P. L. 802, No. 138 § 4, became effective January 1, 1997. The act amends Title 66 of the *Pennsylvania Consolidated Statutes* (Public Utility Code or Code) by adding Chapter 28 to establish standards and procedures to create direct access by retail customers to the competitive market for the generation of electricity, while maintaining the safety and reliability of the electric system. Specifically, the Commission was given a legislative mandate to ensure that levels of reliability that were present prior to the restructuring of the electric utility industry would continue in the new competitive markets.

In response to this legislative mandate, the Commission adopted a final rulemaking order on April 23, 1998, at Docket No. L-00970120, setting forth various reporting requirements designed to ensure the continuing safety, adequacy and reliability of the generation, transmission and distribution of electricity in this Commonwealth. See 52 Pa. Code §§ 57.191—57.197. The final rulemaking order acknowledged that the Commission could reevaluate its monitoring efforts at a later time as deemed appropriate.

On December 16, 1999, the Commission entered a Final Order at M-00991220, which established reliability bench-

marks and standards for the electric distribution companies in accordance with 52 Pa. Code § 57.194(h).

Discussion

Electric Reliability Benchmarks and Standards

The Commission's regulations for Electric Reliability Standards at § 57.194(h)(1) state that:

"In cooperation with an electric distribution company and other affected parties, the Commission will, from time to time, establish numerical values for each reliability index or other measure of reliability performance that identify the benchmark performance of an electric distribution company, and performance standards."

In a series of orders at Docket No. M-00991220, the Commission established reliability Benchmarks and Standards regarding: (1) Customer Average Interruption Duration Index (CAIDI); (2) System Average Interruption Frequency Index (SAIFI); (3) System Average Interruption Duration Index (SAIDI); and (4) Momentary Average Interruption Index (MAIFI).¹ The benchmark is the average of the historical annual averages for these indices for the 5-year period of 1994-1998 and is company specific. The standard is two standard deviations from the benchmark. These benchmarks and standards have remained in effect since their issuance in December 1999.

In June 2002, the Legislative Budget and Finance Committee (LB&FC) issued a report entitled *Assessing the Reliability of Pennsylvania's Electric Transmission and Distribution Systems*. The report, in part, concluded that the 2-standard deviation minimum performance standard is too loose and should be tightened as it does not assure that reliability performance will be maintained at levels experienced prior to the act.

A Staff Internal Working Group on Electric Service Reliability (Staff Internal Working Group) prepared a report entitled *Review of the Commission's Monitoring Process For Electric Distribution Service Reliability*, dated July 18, 2002, which reviewed the Commission's monitoring process for electric distribution service reliability and commented on the recommendations from the LB&FC report. In its report, the Staff Internal Working Group recommended, in part, that "the Commission should develop minimum performance standards that achieve the Commission's policy objective (See Recommendation III-1, p. 7)." A subsequent Commission Order at Docket No. D-02SPS021, August 29, 2002, directed:

"That the Commission staff shall undertake the preparation of such orders, policy statements, and proposed rulemakings as may be necessary to implement the recommendations contained within the Staff Internal Working Group . . . Report (p. 4)."

The Staff Internal Working Group was assigned this task and conducted field visits to electric distribution companies (EDCs) to identify the current capabilities of each EDC for measuring and reporting reliability performance. These field visits began in October 2002 and

¹CAIDI is Customer Average Interruption Duration Index. It is the average duration of sustained interruptions for those customers who experience interruptions during the analysis period. CAIDI represents the average time required to restore service to the average customer per sustained interruption. It is determined by dividing the sum of all sustained customer interruption durations, in minutes, by the total number of interrupted customers. SAIFI is System Average Interruption Frequency Index. SAIFI measures the average frequency of sustained interruptions per customer occurring during the analysis period. SAIDI is System Average Interruption Duration Index. SAIDI measures the average duration of sustained customer interruptions per customer occurring during the analysis period. MAIFI (Momentary Average Interruption Frequency Index) measures the average frequency of momentary interruptions per customer occurring during the analysis period. These indices are accepted national reliability performance indices as adopted by the Institute of Electrical and Electronics Engineers, Inc. (IEEE), and are defined with formulas at 52 Pa. Code § 57.192.

continued intermittently through March 2003. As a result of the field visits, various forms of reliability reports and reliability data were received from the EDCs and analyzed by the Staff Internal Working Group to determine the most effective and reasonable approach for the Commission to monitor electric distribution service reliability. Ultimately, the Staff Internal Working Group concluded that sufficient data would be available to assess whether each EDC is meeting the statutory requirement to maintain reliability at precompetition levels.

Recalculation of Reliability Benchmarks

During the Staff Internal Working Group's review of the reliability performance standards it became apparent there were two sources of variability in the computation of the permanent benchmarks that made it difficult to set new performance standards equitably across the EDCs. The first source of variability was that some EDCs (that is, PECO) used one, systemwide operating area to compute their reliability metrics, while other EDCs (that is, PPL and GPU) subdivided their service territories and used multiple operating areas to compute their metrics. The number, size and composition of operating areas used for metric computations introduced variability into the criterion used to exclude major events from the reliability metrics reported to the Commission.

The regulations in § 57.192 define an operating area as "a geographical area, as defined by an electric distribution company, of its franchise service territory for its transmission and distribution operations." The definition of a major event in § 57.192 includes: "An interruption of electric service resulting from conditions beyond the control of the electric distribution company which affects at least 10% of the customers in an operating area during the course of an event for a duration of five minutes each or greater." Based on these definitions, an EDC that subdivided its service territory into several small geographic operating areas could exclude major events from its metric calculations based on a criterion of an interruption affecting 10% of the customers in an operating area; whereas another EDC, employing only one, service territory-wide operating area had to meet a much higher criterion of an interruption affecting 10% of the total EDC customer base. The result of this variability was that the metric calculations computed by the EDCs and reported to the Commission were not based on a uniform methodology.² This in turn made it impossible for the Commission to develop an equitable performance standard that is derived from each EDC's benchmark.

The proposed solution to the benchmark variability problem was to develop one uniform calculation method for computing and reporting reliability metrics to the Commission. Two of the EDCs suggested to the Staff Internal Working Group that reliability performance be measured and reported based on systemwide performance (the performance for the entire service territory) as opposed to multiple operating areas that are defined differently by each EDC. The two EDCs indicated that their daily system operations and maintenance programs are managed on a systemwide basis as opposed to individual operating areas. In fact, the two EDCs indicated that they have to recompute their annual reliability data based on multiple operating areas when reporting their annual performance measures to the Commission. Based upon this input, the concept of measuring and

reporting reliability performance on a service territory basis was proposed to the remaining EDCs and was accepted.

Therefore, the Staff Internal Working Group decided that the best uniform calculation method is for each EDC to compute and report its reliability metrics to the Commission considering the entire service territory as one operating area and the major event exclusion of an interruption that affects 10% of the entire customer base for a duration of 5 minutes or longer. Consistent with this decision, the Staff Internal Working Group requested those EDCs that had developed their metrics using more than one operating area to recalculate their metrics for the 1994-2002 period using the entire service territory criterion. Commission staff received very good cooperation from the EDCs in fulfilling this data request. The data recalculations were used by Commission staff to recompute the current benchmarks using a uniform methodology across the EDCs. Appendix A contains a table of the benchmarks as originally calculated and the recomputed benchmarks based on excluding major event data using the entire service territory criterion.

The Commission emphasizes that the recomputed benchmarks do not represent a lowering or raising of the historical benchmarks in any sense. All of the EDCs were asked to apply a uniform exclusion criterion to their original data. The EDCs indicated that the original data was available to perform the recalculation analysis and subsequently provided the results to the Commission. The only major events excluded from the recomputed benchmarks are unscheduled interruptions that affected 10% or more of the customers in the entire service territory for a duration of 5 minutes or longer. For EDCs that had previously excluded major events based on the multiple operating area criterion, the recomputed benchmark values may be higher than the original benchmark values. While the benchmark numerical values did change in some years in which prior exclusions existed on a multiple operating basis (but do not under the entire service territory criterion), the recomputed benchmarks should be viewed as representing the actual reliability performance during the historical period as calculated using a uniform methodology.

A second source of variability known to the Commission in the computation of the permanent benchmarks for Citizens' Electric and Penn Power made it difficult to set new performance standards equitably across the EDCs. Citizens' Electric Company did not exclude major events from their metric calculations for 1994-2002 as permitted by the regulations. This was in contrast to the calculations of all the other EDCs and, therefore, was a source of variability to only Citizens'. In the case of Penn Power, the metrics for the 1994-1997 period were not computed using the definition of a major event as contained in § 57.192. For this period, Penn Power used the First Energy (the parent of Penn Power) definition of a major event, which is different than the definition used by the Commission. In the cases of Citizens' and Penn Power, Commission staff requested that the metrics be recomputed so that they were calculated using the same uniform methodology that other EDCs used. Commission staff received good cooperation from Citizens' and Penn Power, which provided recomputed figures upon request.

It is also important to note that the Commission is proposing the reporting of worst performing circuit reliability data based on reliability indices and other relevant performance data (for example, lockouts) from each of the major EDCs, since the methodology using the entire

²PPL volunteered to perform a series of analyses for Commission staff that included how much variability was introduced by these two calculation methods. PPL computed their metrics using both methods and provided the results to Commission staff. Staff concluded that the two methods can yield significantly different results.

service territory criterion eliminates the measuring and reporting of reliability performance for individual operating areas within an EDC's service territory. This reporting of circuit data will prevent any masking of poor reliability performance in small pockets of a major EDC's service territory. Masking is not an issue with the small EDCs since they have smaller service territories. The specific requirements are addressed in § 57.195(b)(5) and (e)(3) and (4).

Revisiting Performance Standards

In its July 2002 report entitled *Review of the Commission's Monitoring Process for Electric Distribution Service Reliability*, Commission staff identified two shortcomings in the methodology used to establish minimum reliability performance standards (pages 6 and 7). The first shortcoming was statistical in nature in that the method of setting the standard by applying two standard deviations to the benchmarks yielded a result so that an EDC can perform worse on an index after 1998 than in any year during the 1994-1998 benchmark period and still be within the standard. This creates the second shortcoming, namely that the statistical outcome appears to be contrary to the policy objective of the Commission setting standards for reliability that maintain the same level of reliability after restructuring as was experienced prior to restructuring. A similar conclusion was reached by the LB & FC.

Also, according to the LB&FC Report, on page 46, the percent differences between the EDCs' historic performance levels and the Commission's minimum performance standards for CAIDI and SAIFI for the large companies³ were as follows.

<i>Company</i>	<i>CAIDI</i>	<i>SAIFI</i>
PECO	29%	38%
PPL	21	30
Allegheny Power	25	61
GPU ⁴	25	46
Duquesne	18	27
Penn Power	26	40

Notably there is some wide variation between the historic benchmarks and the minimum performance standards for the EDCs. This table shows us how far from the benchmark the 2-standard deviations lie. SAIFI, on average, has a 2-standard deviation that is 40% greater than the benchmark. Whereas, CAIDI has an average 2-standard deviation that is 24% greater than the benchmark.

Based on the previous findings, Commission staff recommended that the Commission move toward setting a standard that is more closely tied to the benchmark but also allows for some degree of year-to-year variability. Therefore, the Commission is proposing a two-tiered reliability performance standard, one tier for rolling 3-year performance and one tier for rolling 12-month performance.

Under the first tier of the standard, an EDC's rolling 3-year average performance for systemwide annual reliability indices should be no higher than 10% above the benchmark level (110% multiplied by the benchmark).⁵ The proposed rolling 3-year standard was set at the threshold of 110% of the benchmark to ensure that the rolling 3-year standard is not worse than the worst

annual performance experienced during the years prior to restructuring (1994-1998). Rolling 3-year performance would be measured against the standard at the end of each calendar year. Appendix B contains a table comparing each EDC's current benchmarks and standards to the proposed recomputed benchmarks and the rolling 3-year standards. The table also shows the worst annual performance experienced by each EDC during the period 1994-1998 prior to restructuring. In addition, the table shows whether the EDCs would have met the rolling 3-year standard for the periods of 1999-2001 and 2000-2002.

A rolling 12-month standard is also being proposed by the Commission to monitor performance on a shorter term basis. For the large EDCs⁶ (companies with 100,000 or more customers), the Commission is proposing that the rolling 12-month averages of systemwide indices be within 20% of the benchmark. For small EDCs⁷ (companies with less than 100,000 customers), the Commission is proposing that rolling 12-month averages of systemwide indices should be within 35% of the historical benchmarks. A greater degree of short-term latitude is being proposed for the small EDCs because a single event can have more of a significant impact on the reliability performance of the small EDCs' distribution systems. Small EDCs have fewer customers and fewer circuits than the large EDCs. Thus, their sample sizes are smaller, and they have higher standards of deviation. Rolling 12-month performance would be measured against the standard on a quarterly basis. Appendix C contains two different tables, which show how the rolling 12-month standard would compare to the current methodology used to establish annual reliability standards (two standard deviations above the benchmark). One table shows the results for the major EDCs (120% of benchmark), while the other table shows the results for the small EDCs (135% of benchmark). In the vast majority of cases (21 of 22), the proposed rolling 12-month standard set points for SAIFI and CAIDI are closer to the benchmarks than the standard set points when applying the two standard deviation methodology. Therefore, the Commission is tightening its standards.

Consistent with proposed changes to the language of the Commission's Electric Reliability Standards in § 57.194(h)(3), the role of the standard is being revised. A failure on the part of an EDC to meet the first tier standard is a trigger for additional involvement of Commission staff in the form of remedial review and perhaps additional reporting by the EDC until performance is within the standard or Commission staff is satisfied that performance over time is not significantly deteriorating. Repeated violations of the 2-tiered standard shall result in the Commission staff pursuing an enforcement action including fines and other remedies available.

The proposed two-tier standard set points were selected for a number of reasons. First, the standards allow for some variability from the benchmarks because reliability performance is influenced by weather conditions and other factors that are inherently variable in nature. Second, a review of historical reliability performance reveals a certain degree of variance from year to year. However, the use of rolling averages, particularly for the 3-year rolling average standard, will tend to even out some of the inherent variances in performance metrics. The longer the period under review, the more year-to-year high and low variations will tend to cancel each other out. As such the 3-year rolling average standard should

³See definition of large and small companies on page 10.

⁴This chart lists GPU instead of the breakdown of Met Ed and Penelec.

⁵When referring to the establishment of new performance standards based on a percentage of the benchmark, it is important to note that this is the recomputed benchmark based on excluding major event data using the entire service territory criterion.

⁶ Large EDCs currently include: Allegheny Power, Duquesne Light, Met-Ed, Penelec, Penn Power, PECO and PPL.

⁷Small EDCs include: UGI, Citizens', Pike County and Wellsboro.

promote reliability performance to gravitate closer to the benchmark over time. Finally, the set points were selected so that the Commission staff would be actively involved when performance deviates significantly from the benchmark but would not be as involved when the variations were within the more typical range.

It is important to understand the interplay between the rolling 3-year and rolling 12-month standards or trigger points contemplated in this Order, and how a combined approach to monitoring reliability differs from the two standard deviation standard, which is the current trigger point established in the previous Commission Order. Under the two standard deviation standard, some EDCs could continuously perform worse than the worst performance experienced during the 1994-1998 period and still fall within the bounds of minimum acceptable performance. Under the proposed rolling 12-month standard (as measured each quarter), it is still possible for the performance of certain EDCs to be worse than the worst performance during the 1994-1998 period. However, this performance could not be sustained for more than a few quarters without triggering Commission action based on these EDCs falling outside the rolling 3-year standard (110% of the benchmark as measured each calendar year). The intent of the two-tiered approach to setting standards is to allow for some variability in performance over a short period of time while pushing that performance towards the benchmark over a longer period of time.

The Commission wants to be clear about how it views the role of benchmarks and standards in relation to long-term expectations for EDC reliability performance. The recomputed benchmarks represent the average performance of each EDC in the 1994-1998 period prior to the introduction of Electric Choice. The Commission's statutory obligation is to have each EDC achieve a level of performance after the introduction of Electric Choice that is at least as good as it was prior to competition. Therefore, the Commission's ultimate goal is to have each EDC achieve benchmark performance in the long-term. At the same time, the Commission acknowledges that, in short-term periods, reliability performance can be variable. By establishing 12-month and 3-year standards, we are noting that we will view performance that falls within the bandwidth between the benchmark and the standards as acceptable as long as the long-term trend is moving towards the benchmark in a reasonable period of time. Alternately, the Commission will not view performance that consistently falls within the bandwidth between the benchmark and the standards, but does trend toward the benchmark, as acceptable.

The Commission has considered but declined to use the standard deviation approach at this time for setting performance standards. A standard deviation measures the degree of variance from an average and can be useful for the establishment of reliability standards. However, because the benchmark data currently available consists of only five sample points for each reliability index (the annual average indices for the years 1994-1998), we are not confident that its use would be appropriate at this time. Nevertheless, since the Commission's revised regulations will result in more frequent reporting (and thus collection of more data points), and better quality data in future years, we will not rule out the use of a standard deviation approach for the establishment of performance standards in the future.

At this time, if the Commission were to tighten performance standards from 2-standard deviations to 1-standard deviation, this would be a tighter standard for

the large EDCs⁸ than a standard of 120% of benchmark standard for CAIDI, but it would be a looser standard for the smaller EDCs than 135% of benchmark for CAIDI. Issues of fairness obviously arise with the one standard deviation approach. Regarding SAIFI, a standard of 120% of benchmark for the large EDCs and a 135% standard for the small EDCs is a significant tightening of the standard from approximately 2-standard deviations to 1-standard deviation. Both CAIDI (average duration of a customer's interruption) and SAIFI (systemwide average frequency of interruptions) are important measurements, and the tightening of these standards should result in better assurance that performance has not been deteriorating since 1999.

Reliability Data Quality Issues

During the Staff Internal Working Group's review of the Commission's electric reliability monitoring efforts, it became clear that there are data quality issues that should be acknowledged and taken into consideration. First, in the case of Allegheny Power, there are several months of data from the 1997 and 1998 years that are lost and not available for analysis. Therefore, the SAIFI metrics for those years are understated, resulting in the appearance of better performance being reported during 1997 and 1998 than actually existed. Because the 1997 and 1998 data was used along with the 1994-1996 years to compute the historical benchmark average, Allegheny Power's SAIFI benchmark is set artificially low. Thus, comparisons of Allegheny Power's SAIFI reliability performance in years subsequent to 1998 with the benchmark are going to be inherently unfavorable. This defect also impacts the SAIDI metric as SAIDI is a function of multiplying SAIFI and CAIDI data. Unfortunately, Allegheny Power cannot recapture the 1997 and 1998 missing data.

A second and more pervasive data quality issue exists that likely affects much of the reliability data reported by the EDCs since 1994. EDCs continue to implement automated reliability management systems that improve the accuracy of reliability monitoring information. Specifically, these systems provide better information about when an outage begins, ends and how many customers the outage has affected. Connectivity, the degree to which each customer is documented on the distribution system, has improved greatly over the last 10 years. This has profound implications for comparing historical reliability performance to current performance. If today's EDC reliability monitoring systems were in place several years ago (including the benchmark period of 1994-1998), we would find that reliability performance was not at the level as reported in the past. Earlier monitoring processes were often manual in nature and did not accurately capture each customer that had lost power, and therefore inaccurately concluded the actual number of customers affected by an interruption. Today, reliability monitoring systems have 96% or better connectivity and are less likely to inaccurately record how customers are affected by outages. This differential ability of the monitoring systems to capture accurate information introduces a degree of uncertainty into our ability to interpret reliability trend data. Trends in reliability metrics can change over time because of true differences in reliability performance as well as because of differential measurement capability. The differential measurement capability can introduce method variance into our trend data. For accurate trend analysis, it is important to separate out

⁸The large EDCs have equal to or greater than 100,000 customers and currently the large EDCs include: Allegheny Power, Duquesne Light, Met-Ed, Penelec, Penn Power, PECO and PPL.

the method variance from the variance in scores that is attributable to true reliability performance. While we conclude that method variance has introduced a degree of change in reliability metrics separate from true changes in reliability performance, we cannot quantify the exact degree of method variance. Therefore, we cannot definitely conclude in every case that the entire differences that we observe in reliability metric trends are due to true changes in reliability performance.

While the data quality issue pertaining to method variance is problematic in the interim, fortunately it is a problem that will resolve itself in the near future. The Commission proposes to move forward with setting new standards at this time and to revisit the potential for setting new benchmarks and standards a few years in the future when we have several years of consistent data collection under the improved reliability monitoring systems being implemented and refined today. Once we reach that point in time the method variance issue will become moot and new benchmarks and standards can be set and used for accurate comparisons of future data.

This process for resolving data quality issues has implications for how the Commission can conduct the task of reliability monitoring during this transition period we are in now. First, a hypothetical application of the proposed standards to recent performance data reveals that a number of the EDCs would not have reliability performance that falls within the proposed standards. Repeated violations of the two-tiered standard shall result in enforcement actions including fines and other available remedies.

Waivers

In its reliability review, the Staff Internal Working Group recommended at Recommendation No. V-1 that the Commission should require all EDCs to formally file petitions for waivers of the reliability reporting requirements when they are unable to conform to such requirements and, upon granting the waiver, the Commission should issue an order that specifies the terms of the waiver.

Title 52, Chapter 57, Subchapter N (Electric Reliability Standards) directs EDCs to file various information related to electric service reliability with the Commission. At times, for various reasons, EDCs may deem it necessary to file information in a manner different than that directed in the *Pennsylvania Code* or to not file the information at all. We take this time to remind EDCs that 52 Pa. Code § 5.43 addresses petitions for issuance, amendment, waiver or repeal of regulations. Requests shall be made in writing, prior to each filing due date of the required information. Thus, if an EDC receives approval of amendment or waiver of a regulation for one reporting period, a subsequent request is necessary for amendment or waiver of additional reporting periods. We specifically reiterate "The petition shall set forth the purpose of, and the facts claimed to constitute the grounds requiring the regulation, amendment, waiver or repeal." See 52 Pa. Code § 5.43. Each request will be approved or denied, in writing, by the Commission.

We direct that all requests for waiver shall be made formally in writing to the Commission. EDCs are required to timely file a petition for waiver of formal reporting requirements, under 52 Pa. Code § 1.91 (relating to applications for waiver of formal requirements). The EDCs are directed to disclose the reasons they are not in full conformity with the reliability regulations in all reliability documents submitted to the Commission.

Formal Requests for Exclusion of Service Interruptions as Major Events-Major Event Definition

The Staff Internal Working Group's Recommendation No. IV-1 states that the Commission should implement a process that will enable EDCs to formally request exclusion of service interruptions for reporting purposes by proving an outage qualifies as a major event. To analyze and set measurable goals for service reliability performance, outage data is partitioned into normal and abnormal days so that only normal event days are used for calculating service reliability indices. The term "major event" is used to identify an abnormal event, for which this outage data is to be excluded when calculating service reliability indices. Section 57.192 currently defines a "major event" as follows:

(i) Either of the following:

(A) An interruption of electric service resulting from conditions beyond the control of the electric distribution company which affects at least 10% of the customers in an operating area during the course of the event for a duration of 5 minutes each or greater. The event begins when notification of the first interruption is received and ends when service to all customers affected by the event are restored. When one operating area experiences a major event, the major event shall be deemed to extend to all other affected operating areas of the electric distribution company.

(B) An unscheduled interruption of electric service resulting from an action taken by an electric distribution company to maintain the adequacy and security of the electrical system, including emergency load control, emergency switching and energy conservation procedures, as described in Section 57.52 (relating to emergency load control and energy conservation by electric utilities), which affects at least one customer.

(ii) A major event does not include scheduled outages in the normal course of business or an electric distribution company's actions to interrupt customers served under interruptible rate tariffs.

The Staff Internal Working Group identified the following scenarios wherein certain EDCs had inappropriately claimed service interruptions as a major event:

- Combining two separate storm events, of which only one meets the definition of a major event, into one major event.
- Excluding outage data from all operating areas when a major event has occurred in only one operating area.
- Excluding all outage data that took place on any day in which a major event took place, regardless of the actual timeframes in which the major event took place.

Reliability performance will appear to be better than it really is when an EDC excludes more outage data from its reliability calculations than it should. The performance will appear to be better because the number of customers interrupted and/or the customer minutes of the interruption are excluded from the calculations of the performance metrics, thus resulting in lower (better) scores. To avoid the inappropriate exclusion of outage data from any calculated service reliability indices reported to the Commission, the Staff Internal Working Group recommended that a process be established, whereby the EDC could formally notify the Commission that it has recently experienced what it believes to be a major event and request that specific outage data associated with this event be excluded for calculating reliability

performance. The Commission could review the request, and if deemed appropriate, grant the EDC permission to exclude the related outage data from its reliability calculations. The Staff Internal Working Group also recommended the following outage data be provided in support of the request:

- The starting and ending times of the outage.
- The main operating areas affected by the major event, including the causes and number of customers affected.
- The neighboring operating areas affected, including the causes and number of customers affected.

Upon further review of this issue, the Commission orders the implementation of a formal process to request the exclusion of service interruptions for reporting purposes by proving a service interruption qualifies as a major event as defined by regulations. The outage data to be provided in support of the request will be as follows:

- (1) The approximate number of customers involved in the incident/outage.
- (2) The total number of customers served in the service territory.
- (3) The geographic areas affected, in terms of the county and local political subdivision.
- (4) The reason for the interruption, including weather conditions if applicable.
- (5) The number of utility workers and others assigned specifically to the repair work.
- (6) The date and time of the first information of a service interruption.
- (7) The actual time that service was restored to the last affected customer.

Appendix D is a sample Major Event exclusion request form which the Commission directs the companies to use to request exclusions for major events.

It will not be necessary to provide information about neighboring operating areas affected, since the Staff Internal Working Group is recommending that the definition of a major event be revised to be based on interruption criteria of the entire service territory of an operating company as opposed to individual operating areas defined by each operating company. The Commission will review the formal request and supporting data, and if deemed appropriate, grant the EDC permission to exclude the related outage data from its reliability calculations.

Starting and Ending Times of Major Events

The LB&FC and Staff Internal Working Group identified scenarios wherein certain EDCs had inappropriately claimed service interruptions as a major event by excluding all outage data that took place on any day in which a major event took place, regardless of the actual timeframes in which the major event took place. The current definition of a "major event" (as defined in 52 Pa. Code § 57.192) indicates that "The event begins when notification of the first interruption is received and ends when service to all customers affected by the event are restored." We agree that the designated starting and ending time of major events should be enforced according to the regulations.

The Staff Internal Working Group advocates the enforcement of current regulations regarding the designated starting and ending times of major events. Although the Staff Internal Working Group is recommending a revision

to the definition of a major event, there are no suggested changes to any provisions regarding the starting and ending times of a major event. The Commission hereby reiterates that there are regulations which define the designated starting and ending times of major events according to 52 Pa. Code § 57.192 and these should be followed by all EDCs. *Therefore,*

It Is Ordered That:

1. The Commission is issuing, under 52 Pa. Code § 57.194(h), tentative benchmarks and standards for EDCs operating within this Commonwealth as set forth in Appendices A, B and C.

2. The Secretary certify this Order and Appendices A, B, C and D and deposit them with the Legislative Reference Bureau to be published in the *Pennsylvania Bulletin* for a 60 day comment period. When proposing comments, parties should consider this Tentative Order in conjunction with the Proposed Rulemaking Order at L-00030161.

3. A copy of this Order and Appendices A, B, C and D shall be filed at the Proposed Rulemaking Docket L-00030161, *Rulemaking Re Amending Electric Service Reliability Regulations at 52 Pa. Code Chapter 57.*

4. An EDC shall request, in writing to the Commission's Secretary's Bureau, any waivers of reliability reporting requirements necessary to fulfill its obligations under 52 Pa. Code Chapter 57, Subchapter N (Electric Reliability Standards).

5. Copies of this Order be served upon all EDCs operating in this Commonwealth, the Attorney General's Office of Consumer Advocate and Office of Small Business Advocate.

6. In the event no comments are filed to this Order, it shall become a Final Order by operation of law within 90 days from its date of publication in the *Pennsylvania Bulletin*.

7. The Commission shall review and consider the EDC's request for waivers and shall issue Secretarial Letters granting or denying said requests.

8. EDCs are directed to use the draft form in Appendix D when requesting the exclusion of service interruptions for reporting purposes by proving a service interruption qualifies as a major event as defined by regulations.

JAMES J. MCNULTY,
Secretary

Statement of Commissioner Glen R. Thomas

Public meeting:
June 26, 2003

Rulemaking Re Amending Electric Service Reliability Regulations at 52 Pa. Code Chapter 57

JUN-2003-L-0064* Docket No. L-00030161

Amended Reliability Benchmarks and Standards for the Electric Distribution Companies

JUN-2003-L-0076* Docket No. M-00991220

The Commission has a statutory responsibility to ensure the reliability of electric service to the citizens of the Commonwealth. I have often referred to reliability as "job one" for the Commission. Today's two-part action takes us a step closer to fulfilling that responsibility.

The tentative benchmarks order would significantly tighten the standards for reliability performance by electric distribution companies ("EDCs"). It would require EDCs to report on a "systemwide" basis as opposed to an

“operating area” basis. The practical result would be that EDCs would not be able to classify as many outages as “major outages.” The order also sets forth reliability performance standards that are more closely tied to the benchmarks. Through standards that gradually toughen, EDCs would be nudged ever closer to the established benchmarks. The ultimate goal is the achievement of the benchmarks. Enhanced reporting would give the Commission the information necessary to determine whether enforcement action is necessary. The proposed rulemaking is designed to go hand-in-hand with the benchmarks order and to set forth clear rules for performance and reporting. As with any tentative order and proposed

rulemaking, I hope that all interested parties provide the Commission with their input.

I would be remiss if I did not acknowledge the two primary groups of people that have been instrumental on reliability issues. First, I would like to extend appreciation to the Legislative Budget & Finance Committee for bringing many of these reliability issues to the attention of the Commission. Second, the Staff Internal Working Group dedicated many long hours to assembling this superior work product. Their efforts are a testament to the quality of people working here at the Commission.

Glen R. Thomas

Appendix A

Current Benchmarks and Recomputed Benchmarks

<i>Name of EDC</i>	<i>Reliability Indices</i>	<i>Current Benchmark</i>	<i>Recomputed Benchmark</i>
Allegheny Power	SAIFI	0.67	0.67
	CAIDI	178	178
	SAIDI	116	119
Duquesne Light	SAIFI	1.15	1.17
	CAIDI	108	108
	SAIDI	123	126
Met-Ed	SAIFI	0.97	1.06
	CAIDI	117	127
	SAIDI	113	135
Penelec	SAIFI	1.07	1.15
	CAIDI	104	115
	SAIDI	108	132
Penn Power	SAIFI	1.01	1.02
	CAIDI	93	92
	SAIDI	95	94
PECO	SAIFI	1.23	1.23
	CAIDI	112	112
	SAIDI	138	138
PPL	SAIFI	0.88	0.98
	CAIDI	128	145
	SAIDI	113	142
UGI	SAIFI	0.83	0.83
	CAIDI	169	169
	SAIDI	147	140
Citizens	SAIFI	1.29	0.20
	CAIDI	73	105
	SAIDI	73	21
Pike County	SAIFI	0.39	0.39
	CAIDI	178	178
	SAIDI	66	69
Wellsboro	SAIFI	2.74	1.23
	CAIDI	128	124
	SAIDI	309	153

Appendix B

Rolling 3-Year Average Standard
(110% of Benchmark)

(A) <i>Name of EDC</i>	(B) <i>Reliability Indices</i>	(C) <i>Current Benchmark</i>	(D) <i>Current Standard</i>	(E) <i>Recomputed Benchmark</i>	(F) <i>2-Std. Dev. Above Recomputed Benchmark</i>	(G) <i>Worst Performance (1994-1998)</i>	(H) <i>Proposed Rolling 3-Yr Avg. Standard</i>	(I) <i>Rolling 3-Yr Avg. (1999-2001)</i>	(J) <i>Performance Meets 3-Yr Standard (Yes/No)</i>	(K) <i>Rolling 3-Yr Avg. (2000-2002)</i>	(L) <i>Performance Meets 3-Yr Standard (Yes/No)</i>
Allegheny Power	SAIFI	0.67	1.08	0.67	1.08	0.95	0.74	0.90	No	1.05	No
	CAIDI	178	223	178	224	205	196	206	No	208	No
	SAIDI	116	159	119	241	NM	144	185	No	220	No
Duquesne Light	SAIFI	1.15	1.46	1.17	1.49	1.30	1.29	1.19	Yes	1.20	Yes
	CAIDI	108	127	108	127	125	119	84	Yes	86	Yes
	SAIDI	123	143	126	189	NM	153	101	Yes	104	Yes
Met-Ed	SAIFI	0.97	1.29	1.06	1.29	1.18	1.17	1.06	Yes	1.18	No
	CAIDI	117	140	127	155	141	140	168	No	164	No
	SAIDI	113	155	135	200	NM	163	175	No	188	No
Penelec	SAIFI	1.07	1.70	1.15	1.42	1.27	1.27	1.36	No	1.58	No
	CAIDI	104	134	115	141	129	127	148	No	159	No
	SAIDI	108	140	132	201	NM	160	209	No	254	No
Penn Power	SAIFI	1.01	1.41	1.02	1.41	1.25	1.12	1.44	No	1.41	No
	CAIDI	93	117	92	119	113.9	101	108	No	122	No
	SAIDI	95	154	94	168	NM	114	155	No	168	No
PECO	SAIFI	1.23	1.70	1.23	1.70	1.51	1.35	1.20	Yes	1.21	Yes
	CAIDI	112	144	112	143	135	123	122	Yes	107	Yes
	SAIDI	138	196	138	244	NM	167	148	Yes	120	Yes
PPL	SAIFI	0.88	1.14	0.98	1.19	1.15	1.08	0.93	Yes	1.04	Yes
	CAIDI	128	155	145	190	174	160	132	Yes	128	Yes
	SAIDI	113	155	142	226	NM	172	123	Yes	135	Yes
UGI	SAIFI	0.83	1.35	0.83	1.35	1.15	0.91	0.77	Yes	0.88	Yes
	CAIDI	169	304	169	305	274	186	110	Yes	149	Yes
	SAIDI	147	331	140	412	NM	170	85	Yes	142	Yes
Citizens	SAIFI	1.29	3.10	0.20	0.38	0.35	0.22	0.19	Yes	0.14	Yes
	CAIDI	73	156	105	230	174	115	95	Yes	78	Yes
	SAIDI	73	123	21	86	NM	25	21	Yes	12	Yes
Pike County	SAIFI	0.39	0.58	0.39	0.58	0.47	0.43	0.46	No	0.47	No
	CAIDI	178	283	178	283	247	196	243	No	269	No
	SAIDI	66	112	69	165	NM	84	113	No	130	No
Wellsboro	SAIFI	2.74	6.16	1.23	1.91	1.61	1.35	2.34	No	2.21	No
	CAIDI	128	195	124	252	217	136	71	Yes	103	Yes
	SAIDI	309	565	153	483	NM	185	163	Yes	224	No

Column C—The current benchmarks established December 16, 1999 at Docket No. M-00991220. It represents the five-year average of the historical performance for years 1994-1998.

Column D—The current standards established December 16, 1999 at Docket No. M-00991220. The standard is plus two standard deviations from the established benchmarks.

Column E—The recomputed benchmarks based on historical performance excluding major event data using the entire service territory criterion.

Column F—Represents what the current standard would be if applying the two-standard deviation methodology to the recomputed benchmarks.

Column G—The worst annual performance experienced during the historical years used to establish pre-restructuring performance.

Column H—The proposed rolling three-year average standard. The threshold is at 110% of the recomputed benchmark.

Columns I—K—Actual rolling average performance for the periods 1999-2001 and 2000-2002, and an indication if the actual performance would have met the proposed standard of a three-year average being no greater than 110% of benchmark.

Note 1—Although SAIDI is the product of SAIFI and CAIDI, the current SAIDI standard in Column D has been based on the statistical calculation of two standard deviations above the current SAIDI benchmark in Column C. All recomputed benchmarks and related values, including the proposed three-year rolling average standard (Columns E, F, and H), for SAIDI represent the product of SAIFI and CAIDI.

Note 2—NM indicates it is not meaningful to compare the proposed SAIDI standards to prior performance since SAIDI is the product of SAIFI and CAIDI, and the proposed SAIFI and CAIDI standards were the basis for the analysis.

Appendix C

Rolling 12-Month Standard for Major EDCs

(120% of Benchmark)

(A) <i>Name of EDC</i>	(B) <i>Reliability Indices</i>	(C) <i>Current Benchmark</i>	(D) <i>Current Standard</i>	(E) <i>Recomputed Benchmark</i>	(F) <i>2-Std. Dev. Above Recomputed Benchmark</i>	(G) <i>Proposed Rolling 12-Month Standard</i>
Allegheny Power	SAIFI	0.67	1.08	0.67	1.08	0.80
	CAIDI	178	223	178	224	214
	SAIDI	116	159	119	241	172
Duquesne Light	SAIFI	1.15	1.46	1.17	1.49	1.40
	CAIDI	108	127	108	127	130
	SAIDI	123	143	126	189	182
Met-Ed	SAIFI	0.97	1.29	1.06	1.29	1.27
	CAIDI	117	140	127	155	152
	SAIDI	113	155	135	200	194
Penelec	SAIFI	1.07	1.70	1.15	1.42	1.38
	CAIDI	104	134	115	141	138
	SAIDI	108	140	132	201	190
Penn Power	SAIFI	1.01	1.41	1.02	1.41	1.22
	CAIDI	93	117	92	119	110
	SAIDI	95	154	94	168	135
PECO	SAIFI	1.23	1.70	1.23	1.70	1.48
	CAIDI	112	144	112	143	134
	SAIDI	138	196	138	244	198
PPL	SAIFI	0.88	1.14	0.98	1.19	1.18
	CAIDI	128	155	145	190	174
	SAIDI	113	155	142	226	205

Rolling 12-Month Standard for Small EDCs

(135% of Benchmark)

(A) <i>Name of EDC</i>	(B) <i>Reliability Indices</i>	(C) <i>Current Benchmark</i>	(D) <i>Current Standard</i>	(E) <i>Recomputed Benchmark</i>	(F) <i>2-Std. Dev. Above Recomputed Benchmark</i>	(G) <i>Proposed Rolling 12-Month Standard</i>
UGI	SAIFI	0.83	1.35	0.83	1.35	1.12
	CAIDI	169	304	169	305	228
	SAIDI	147	331	140	412	256
Citizens	SAIFI	1.29	3.10	0.20	0.38	0.27
	CAIDI	73	156	105	230	141
	SAIDI	73	123	21	86	38
Pike County	SAIFI	0.39	0.58	0.39	0.58	0.53
	CAIDI	178	283	178	283	240
	SAIDI	66	112	69	165	127
Wellsboro	SAIFI	2.74	6.16	1.23	1.91	1.66
	CAIDI	128	195	124	252	167
	SAIDI	309	565	153	483	278

Column C—The current benchmarks established December 16, 1999 at Docket No. M-00991220. It represents the five-year average of the historical performance for years 1994-1998.

Column D—The current standards established December 16, 1999 at Docket No. M-00991220. The standard is plus two standard deviations from the established benchmarks.

Column E—The recomputed benchmarks based on historical performance excluding major event data using the entire service territory criterion.

Column F—Represents what the current standard would be if applying the two-standard deviation methodology to the recomputed benchmarks.

Column G—The proposed rolling 12-month standard. The threshold is at 120% of the recomputed benchmark for the major EDCs and 135% of the recomputed benchmarks for the small EDCs.

NOTICES

Appendix D

REQUEST FOR EXCLUSION OF MAJOR OUTAGE FOR RELIABILITY REPORTING PURPOSES TO PENNSYLVANIA PUBLIC UTILITY COMMISSION P. O. BOX 3265 HARRISBURG, PA 17105-3265

Reports require an original and one copy to be filed with the Secretary's Bureau.

Information Required:

1. Requesting Utility: _____

Address: _____

2. Name and title of person making request:

(Name) (Title)

3. Telephone number: _____
(Telephone Number)

4. Interruption or Outage:

(a) Number of customers affected:
Total number of customers in service territory: _____

(b) Number of troubled locations in each geographic area affected listed by county and local political subdivision:

(c) Reason for interruption or outage, including weather data where applicable:

(d) The number of utility workers and others assigned specifically to the repair work:

(e) The date and time of the first notification of a service interruption: _____

(f) The actual time that service was restored to the last affected customer: _____

Remarks: _____

Default Order

Public Meeting held
June 26, 2003

Commissioners Present: Terrance J. Fitzpatrick, Chairperson; Robert K. Bloom, Vice Chairperson; Aaron Wilson, Jr.; Glen R. Thomas; Kim Pizzingrilli

Pennsylvania Public Utility Commission Law Bureau Prosecutory Staff (2002.0294) v. Allegheny Coin Company, Inc.; Doc. No. C-20039886; A-310296

Default Order

By the Commission:

On April 3, 2003, Law Bureau Prosecutory Staff instituted a complaint against Allegheny Coin Company, Inc. (Respondent or Company), an interexchange reseller certificated at A-310296. In the complaint, Prosecutory Staff alleged that the Commission sent by certified mail a notice to the Respondent that its monthly Universal Service Fund assessments were overdue by 3 or more months. The complaint charged that the Respondent's failure to pay these assessments violates 52 Pa. Code §§ 63.161—63.171 and 66 Pa.C.S. §§ 3001—3009.

The Prosecutory Staff complaint sought an order from the Commission canceling the Respondent's certificate of public convenience for failure to pay its Universal Service Fund assessments. The complaint was mailed by the Secretary's Bureau on April 22, 2003, and, according to the postal return receipt, service was perfected on April 24, 2003. To date, more than 20 days later, no answer has been filed to the complaint and the assessments in the amount of \$4,125.24 have still not been paid. In addition, although we are aware that Respondent has current customers in this Commonwealth, the Respondent was never assigned any NXX Codes.

Prosecutory Staff has repeatedly been forced to take action against Respondent to bring the Company into compliance with the Public Utility Code and our regulations. On April 7, 1999, Prosecutory Staff filed a complaint at C-00992315 for the Respondent's failure to pay its General Assessment for Fiscal Year 1997-1996 in the amount of \$4,624 and its General Assessment for Fiscal Year 1998-1999 in the amount of \$1,987, both of which the Respondent subsequently paid by check on June 24, 1999. On January 16, 2001, Prosecutory Staff filed a complaint at C-0014690 for the Respondent's failure to pay its General Assessments for Fiscal Year 2000-2001 in the amount of \$4,277, which the Respondent subsequently paid by several checks received by the Commission from November 28, 2000, through May 5, 2001. On May 23, 2002, Prosecutory Staff filed a complaint at C-20027846 for Respondent's failure to file its 2000 Annual Report, which the Company subsequently filed on June 26, 2002. On January 17, 2003, Prosecutory Staff filed a complaint at C-20039304 for Respondent's failure to file its 2001 Annual Report, which the Respondent subsequently filed on February 3, 2003, accompanied by the \$250 civil penalty for late filing.

Based on the Respondent's history of noncompliance with regulatory requirements and the failure to file an answer to the April 3, 2003, complaint or pay its assessments, we conclude that revocation of Allegheny Coin Company, Inc.'s certificate of public convenience is in the public interest. The Commission puts the industry on notice that we will not hesitate to invoke our authority under the Public Utility Code to ensure timely compliance with our regulations and orders including the ordering of

another remedy as the Commission may deem appropriate. 66 Pa.C.S. §§ 504, 505, 506 and 3301.

Furthermore, the Commission may take other appropriate action, including the imposition of penalties under section 3301, instead of cancellation, if Respondent seeks relief from this Default Order; *Therefore,*

It Is Ordered That:

1. The allegations in Law Bureau Prosecutory Staff's complaint are deemed admitted and the complaint is thereby sustained.

2. The Secretary serve a copy of this Default Order upon the Office of Consumer Advocate, the Office of Small Business Advocate, the Office of Trial Staff, the Department of General Services, the Department of Corrections and the Attorney General's Bureau of Consumer Protection, and also cause a copy of this Default Order to be published in the *Pennsylvania Bulletin* with a 20-day comment period.

3. Allegheny Coin Company, Inc. immediately cease offering to provide service to any new customers and, within 10 days of the entry of this Default Order, provide a written notice to each existing customer directing each to select an alternative service provider within 30 days of the date of the notice. The notice must include a statement of the Commission's intent to cancel the company's certificate of public convenience absent public comment within the 20-day time period established under Ordering Paragraph No. 2.

4. Absent the filing of adverse public comment, 30 days after publication in the *Pennsylvania Bulletin* and without further action by the Commission, the certificate of public convenience held by Allegheny Coin Company, Inc. at A-310296 shall be canceled, and the company's name stricken from all active utility lists maintained by the Tariff and Annual Report Section of the Commission's Bureau of Fixed Utility Services and the Assessment Section of the Bureau of Audits.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 03-1379. Filed for public inspection July 11, 2003, 9:00 a.m.]

Default Order

Public Meeting held
June 26, 2003

Commissioners Present: Terrance J. Fitzpatrick, Chairperson; Robert K. Bloom, Vice Chairperson; Aaron Wilson, Jr.; Glen R. Thomas; Kim Pizzingrilli

Pennsylvania Public Utility Commission Law Bureau Prosecutory Staff (2002.0294) v. Association Administrators, Inc.; Doc. No. C-20039877; A-310527

Default Order

By the Commission:

On April 1, 2003, Law Bureau Prosecutory Staff instituted a complaint against Association Administrators, Inc. (Respondent), an interexchange reseller certificated at A-310527. In the complaint, Prosecutory Staff alleged that the Commission sent by certified mail a notice to the Respondent that its 5th semiannual Telephone Consumer Education Program Fund Contribution was overdue by 3

or more months. The complaint charged that the Respondent's failure to pay this contribution violates 66 P. S. § 501.

The Prosecutory Staff complaint sought an order from the Commission canceling the Respondent's certificate of public convenience for failure to pay its Telephone Consumer Education Program Fund Contribution. The complaint was mailed by the Secretary's Bureau on April 22, 2003, and, according to the postal return receipt, service was perfected on April 24, 2003. To date, more than 20 days later, no answer has been filed to the complaint, and the contribution has still not been paid. In addition, we are not aware that Respondent has any current customers in this Commonwealth, and Respondent was never assigned any NXX Codes.

Based on Respondent's failure to file an answer to the complaint or pay its contribution, we conclude that revocation of Association Administrator, Inc.'s certificate of public convenience is in the public interest. The Commission puts the industry on notice that we will not hesitate to invoke our authority under the Public Utility Code to ensure timely compliance with our regulations and orders including the ordering of another remedy as the Commission may deem appropriate. 66 Pa.C.S. §§ 504, 505, 506 and 3301. Furthermore, the Commission may take other appropriate action, including the imposition of penalties under section 3301, instead of cancellation, if Respondent seeks relief from this Default Order; *Therefore,*

It Is Ordered That:

1. The allegations in Law Bureau Prosecutory Staff's complaint are deemed admitted and the complaint is thereby sustained.

2. The Secretary serve a copy of this Default Order upon the Office of Consumer Advocate, the Office of Small Business Advocate, the Office of Trial Staff and the Attorney General's Bureau of Consumer Protection, and also cause a copy of this Default Order to be published in the *Pennsylvania Bulletin* with a 20-day comment period.

3. Association Administrators, Inc. immediately cease offering to provide service to any new customers and, within 10 days of the entry of this Default Order, provide a written notice to each existing customer directing each to select an alternative service provider within 30 days of the date of the notice. The notice must include a statement of the Commission's intent to cancel the company's certificate of public convenience absent public comment within the 20-day time period established pursuant to Ordering Paragraph No. 2.

4. Absent the filing of adverse public comment, 30 days after publication in the *Pennsylvania Bulletin* and without further action by the Commission, the certificate of public convenience held by Association Administrators, Inc. at A-310527 shall be canceled, and the company's name stricken from all active utility lists maintained by the Tariff and Annual Report Section of the Commission's Bureau of Fixed Utility Services and the Assessment Section of the Bureau of Audits.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 03-1380. Filed for public inspection July 11, 2003, 9:00 a.m.]

Default Order

Public Meeting held
June 26, 2003

Commissioners Present: Terrance J. Fitzpatrick, Chairperson; Robert K. Bloom, Vice Chairperson; Aaron Wilson, Jr.; Glen R. Thomas; Kim Pizzingrilli

*Pennsylvania Public Utility Commission Law Bureau
Prosecutory Staff (2002.0294) v. Comtel Network, LLC;
Doc. No. C-20039878; A-310982*

Default Order

By the Commission:

On April 1, 2003, Law Bureau Prosecutory Staff instituted a complaint against Comtel Network, LLC (Respondent), an interexchange reseller certificated at A-310982. In the complaint, Prosecutory Staff alleged that the Commission sent by certified mail a notice to the Respondent that its 5th semiannual Telephone Consumer Education Program Fund Contribution was overdue by 3 or more months. The complaint charged that the Respondent's failure to pay this contribution violates 66 P. S. § 501.

The Prosecutory Staff complaint sought an order from the Commission canceling the Respondent's certificate of public convenience for failure to pay its Telephone Consumer Education Program Fund Contribution. The complaint was mailed by the Secretary's Bureau on April 22, 2003, and, according to the postal return receipt, the document was undeliverable to the address on file with the Commission. To date, more than 20 days later, no answer has been filed to the complaint, and the contribution has still not been paid. In addition, we are not aware that Respondent has any current customers in this Commonwealth, and Respondent was never assigned any NXX Codes.

Based on Respondent's failure to file an answer to the complaint or pay its contribution, we conclude that revocation of Comtel Network, LLC's certificate of public convenience is in the public interest. The Commission puts the industry on notice that we will not hesitate to invoke our authority under the Public Utility Code to ensure timely compliance with our regulations and orders including the ordering of another remedy as the Commission may deem appropriate. 66 Pa.C.S. §§ 504, 505, 506 and 3301. Furthermore, the Commission may take other appropriate action, including the imposition of penalties under section 3301, instead of cancellation, if Respondent seeks relief from this Default Order; *Therefore,*

It Is Ordered That:

1. The allegations in Law Bureau Prosecutory Staff's complaint are deemed admitted and the complaint is thereby sustained.

2. The Secretary serve a copy of this Default Order upon the Office of Consumer Advocate, the Office of Small Business Advocate, the Office of Trial Staff and the Attorney General's Bureau of Consumer Protection, and also cause a copy of this Default Order to be published in the *Pennsylvania Bulletin* with a 20-day comment period.

3. Comtel Network, LLC immediately cease offering to provide service to any new customers and, within 10 days of the entry of this Default Order, provide a written notice to each existing customer directing each to select an alternative service provider within 30 days of the date of the notice. The notice must include a statement of the Commission's intent to cancel the company's certificate of

public convenience absent public comment within the 20-day time period established pursuant to Ordering Paragraph No. 2.

4. Absent the filing of adverse public comment, 30 days after publication in the *Pennsylvania Bulletin* and without further action by the Commission, the certificate of public convenience held by Comtel Network, LLC at A-310982 shall be canceled, and the company's name stricken from all active utility lists maintained by the Tariff and Annual Report Section of the Commission's Bureau of Fixed Utility Services and the Assessment Section of the Bureau of Audits.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 03-1381. Filed for public inspection July 11, 2003, 9:00 a.m.]

Default Order

Public Meeting held
June 26, 2003

Commissioners Present: Terrance J. Fitzpatrick, Chairperson; Robert K. Bloom, Vice Chairperson; Aaron Wilson, Jr.; Glen R. Thomas; Kim Pizzigrilli

Pennsylvania Public Utility Commission Law Bureau Prosecutory Staff (2002.0294) v. Long Distance Billing Services, Inc.; Doc. No. C-20039880; A-311062

Default Order

By the Commission:

On April 1, 2003, Law Bureau Prosecutory Staff instituted a complaint against Long Distance Billing Services, Inc. (Respondent), an interexchange reseller certificated at A-311062. In the complaint, Prosecutory Staff alleged that the Commission sent by certified mail a notice to the Respondent that its 5th semiannual Telephone Consumer Education Program Fund Contribution was overdue by 3 or more months. The complaint charged that the Respondent's failure to pay this contribution violates 66 P. S. § 501.

The Prosecutory Staff complaint sought an order from the Commission canceling the Respondent's certificate of public convenience for failure to pay its Telephone Consumer Education Program Fund Contribution. The complaint was mailed by the Secretary's Bureau on April 22, 2003, and, according to the postal return receipt, service was perfected on April 24, 2003. To date, more than 20 days later, no answer has been filed to the complaint, and the contribution has still not been paid. In addition, we are not aware that Respondent has any current customers in this Commonwealth, and Respondent was never assigned any NXX Codes.

Based on Respondent's failure to file an answer to the complaint or pay its contribution, we conclude that revocation of Long Distance Billing Services, Inc.'s certificate of public convenience is in the public interest. The Commission puts the industry on notice that we will not hesitate to invoke our authority under the Public Utility Code to ensure timely compliance with our regulations and orders including the ordering of another remedy as the Commission may deem appropriate. 66 Pa.C.S. §§ 504, 505, 506 and 3301. Furthermore, the Commission may take other appropriate action, including the imposi-

tion of penalties under section 3301, instead of cancellation, if Respondent seeks relief from this Default Order; *Therefore,*

It Is Ordered That:

1. The allegations in Law Bureau Prosecutory Staff's complaint are deemed admitted and the complaint is thereby sustained.

2. The Secretary serve a copy of this Default Order upon the Office of Consumer Advocate, the Office of Small Business Advocate, the Office of Trial Staff and the Attorney General's Bureau of Consumer Protection, and also cause a copy of this Default Order to be published in the *Pennsylvania Bulletin* with a 20-day comment period.

3. Long Distance Billing Services, Inc. immediately cease offering to provide service to any new customers and, within 10 days of the entry of this Default Order, provide a written notice to each existing customer directing each to select an alternative service provider within 30 days of the date of the notice. The notice must include a statement of the Commission's intent to cancel the company's certificate of public convenience absent public comment within the 20-day time period established pursuant to Ordering Paragraph No. 2.

4. Absent the filing of adverse public comment, 30 days after publication in the *Pennsylvania Bulletin* and without further action by the Commission, the certificate of public convenience held by Long Distance Billing Services, Inc. at A-311062 shall be canceled, and the company's name stricken from all active utility lists maintained by the Tariff and Annual Report Section of the Commission's Bureau of Fixed Utility Services and the Assessment Section of the Bureau of Audits.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 03-1382. Filed for public inspection July 11, 2003, 9:00 a.m.]

Default Order

Public Meeting held
June 26, 2003

Commissioners Present: Terrance J. Fitzpatrick, Chairperson; Robert K. Bloom, Vice Chairperson; Aaron Wilson, Jr.; Glen R. Thomas; Kim Pizzigrilli

Pennsylvania Public Utility Commission Law Bureau Prosecutory Staff (2002.0294) v. Norcom, Inc.; Doc. No. C-20039881; A-311011

Default Order

By the Commission:

On April 1, 2003, Law Bureau Prosecutory Staff instituted a complaint against Norcom, Inc. (Respondent), an interexchange reseller certificated at A-311011. In the complaint, Prosecutory Staff alleged that the Commission sent by certified mail a notice to the Respondent that its 5th semiannual Telephone Consumer Education Program Fund Contribution was overdue by 3 or more months. The complaint charged that the Respondent's failure to pay this contribution violates 66 P. S. § 501.

The Prosecutory Staff complaint sought an order from the Commission canceling the Respondent's certificate of public convenience for failure to pay its Telephone Consumer Education Program Fund Contribution. The complaint was mailed by the Secretary's Bureau on April 22, 2003, and, according to the postal return receipt, service was perfected on April 25, 2003. To date, more than 20 days later, no answer has been filed to the complaint, and the contribution has still not been paid. In addition, we are not aware that Respondent has any current customers in this Commonwealth, and Respondent was never assigned any NXX Codes.

Based on Respondent's failure to file an answer to the complaint or pay its contribution, we conclude that revocation of Norcom, Inc.'s certificate of public convenience is in the public interest. The Commission puts the industry on notice that we will not hesitate to invoke our authority under the Public Utility Code to ensure timely compliance with our regulations and orders including the ordering of another remedy as the Commission may deem appropriate. 66 Pa.C.S. §§ 504, 505, 506 and 3301. Furthermore, the Commission may take other appropriate action, including the imposition of penalties under section 3301, instead of cancellation, if Respondent seeks relief from this Default Order; *Therefore*,

It Is Ordered That:

1. The allegations in Law Bureau Prosecutory Staff's complaint are deemed admitted and the complaint is thereby sustained.

2. The Secretary serve a copy of this Default Order upon the Office of Consumer Advocate, the Office of Small Business Advocate, the Office of Trial Staff and the Attorney General's Bureau of Consumer Protection, and also cause a copy of this Default Order to be published in the *Pennsylvania Bulletin* with a 20-day comment period.

3. Norcom, Inc. immediately cease offering to provide service to any new customers and, within 10 days of the entry of this Default Order, provide a written notice to each existing customer directing each to select an alternative service provider within 30 days of the date of the notice. The notice must include a statement of the Commission's intent to cancel the company's certificate of public convenience absent public comment within the 20-day time period established pursuant to Ordering Paragraph No. 2.

4. Absent the filing of adverse public comment, 30 days after publication in the *Pennsylvania Bulletin* and without further action by the Commission, the certificate of public convenience held by Norcom, Inc. at A-311011 shall be canceled, and the company's name stricken from all active utility lists maintained by the Tariff and Annual Report Section of the Commission's Bureau of Fixed Utility Services and the Assessment Section of the Bureau of Audits.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 03-1383. Filed for public inspection July 11, 2003, 9:00 a.m.]

Default Order

Public Meeting held
June 26, 2003

Commissioners Present: Terrance J. Fitzpatrick, Chairperson; Robert K. Bloom, Vice Chairperson; Aaron Wilson, Jr.; Glen R. Thomas; Kim Pizzigrilli

Pennsylvania Public Utility Commission Law Bureau Prosecutory Staff (2002.0294) v. Promisevision Technology, Inc.; Doc. No. C-20039883; A-310875

Default Order

By the Commission:

On April 1, 2003, Law Bureau Prosecutory Staff instituted a complaint against Promisevision Technology, Inc. (Respondent), an interexchange reseller certificated at A-310875. In the complaint, Prosecutory Staff alleged that the Commission sent by certified mail a notice to the Respondent that its 5th semiannual Telephone Consumer Education Program Fund Contribution was overdue by 3 or more months. The complaint charged that the Respondent's failure to pay this contribution violates 66 P. S. § 501.

The Prosecutory Staff complaint sought an order from the Commission canceling the Respondent's certificate of public convenience for failure to pay its Telephone Consumer Education Program Fund Contribution. The complaint was mailed on April 22, 2003, and, according to the postal return receipt, service was perfected on April 25, 2003. To date, more than 20 days later, no answer has been filed to the complaint, and the contribution has still not been paid. In addition, we are not aware that Respondent has any current customers in this Commonwealth, and Respondent was never assigned any NXX Codes.

Based on Respondent's failure to file an answer to the complaint or pay its contribution, we conclude that revocation of Promisevision Technology, Inc.'s certificate of public convenience is in the public interest. The Commission puts the industry on notice that we will not hesitate to invoke our authority under the Public Utility Code to ensure timely compliance with our regulations and orders including the ordering of another remedy as the Commission may deem appropriate. 66 Pa.C.S. §§ 504, 505, 506 and 3301. Furthermore, the Commission may take other appropriate action, including the imposition of penalties under section 3301, instead of cancellation, if Respondent seeks relief from this Default Order; *Therefore*,

It Is Ordered That:

1. The allegations in Law Bureau Prosecutory Staff's complaint are deemed admitted and the complaint is thereby sustained.

2. The Secretary serve a copy of this Default Order upon the Office of Consumer Advocate, the Office of Small Business Advocate, the Office of Trial Staff and the Attorney General's Bureau of Consumer Protection, and also cause a copy of this Default Order to be published in the *Pennsylvania Bulletin* with a 20-day comment period.

3. Promisevision Technology, Inc. immediately cease offering to provide service to any new customers and, within 10 days of the entry of this Default Order, provide a written notice to each existing customer directing each to select an alternative service provider within 30 days of the date of the notice. The notice must include a statement of the Commission's intent to cancel the company's

certificate of public convenience absent public comment within the 20-day time period established pursuant to Ordering Paragraph No. 2.

4. Absent the filing of adverse public comment, 30 days after publication in the *Pennsylvania Bulletin* and without further action by the Commission, the certificate of public convenience held by Promisevision Technology, Inc. at A-310875 shall be canceled, and the company's name stricken from all active utility lists maintained by the Tariff and Annual Report Section of the Commission's Bureau of Fixed Utility Services and the Assessment Section of the Bureau of Audits.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 03-1384. Filed for public inspection July 11, 2003, 9:00 a.m.]

Investigation Order

Public Meeting held
April 17, 2003

Commissioners Present: Glen R. Thomas, Chairperson;
Robert K. Bloom, Vice Chairperson; Aaron Wilson, Jr.;
Terrance J. Fitzpatrick; Kim Pizzingrilli

Generic Investigation in re: Impact on Local Carrier Compensation if a Competitive Local Exchange Carrier Defines Local Calling Areas Differently than the Incumbent Local Exchange Carrier's Local Calling Areas but Consistent with Established Commission Precedent; I-00030096

Investigation Order

By the Commission:

In a recently decided arbitration proceeding, this Commission was presented with the question of whether a Competitive Local Exchange Carrier (CLEC) should be able to broadly define its local calling areas for the purpose of marketing its competitive telecommunications services to end users. See *Petition of Global NAPs South, Inc. for Arbitration pursuant to 47 U.S.C. § 252(b) of Interconnection Rates, Terms and Conditions with Verizon Pennsylvania Inc.*; Docket No. A-310771F7000 (Order entered April 17, 2003) (*Verizon/GNAPs Arbitration*).

This question also raised the related issue of what should be the appropriate intercarrier compensation for calls in each direction between a CLEC customer and all associated customers of the Incumbent Local Exchange Carrier (ILEC) when a CLEC defines its local calling area for a particular exchange differently than the ILEC serving that same exchange.¹

Verizon Pennsylvania Inc. (Verizon) and the Pennsylvania Telephone Association (PTA) filed Exceptions in the *Verizon/GNAPs Arbitration* proceeding raising several policy concerns relative to the question of what is the impact on local carrier compensation when a CLEC's local calling area is different than the ILEC's. From the ILEC's perspective, the issue does not concern a restriction on the size of the calling areas that a CLEC may define for its subscribers. Rather, the crux of the issue is the compensation that CLECs and ILECs should pay each

other for the completion of calls in both directions when the CLEC-defined local calling area is different than the traditionally defined ILEC local calling areas that were instituted by Commission policies, standards and regulations.²

Invariably, the ILECs view the issue as pertaining to wholesale telecommunications services as compared to retail. Based on this view, the ILECs do not favor an "originating carrier" approach to defining the appropriate intercarrier compensation in these instances. ILECs fear that permitting CLECs to define larger local calling areas without the imposition of access charges would circumvent the existing access charge regime and deprive them of terminating access charges to which they are entitled. Therefore, ILECs object to defining CLEC local calling areas more expansively than the ILECs' without the imposition of access charges.

From the CLEC perspective, there is no technical or economic reason for a new competitor to maintain the ILEC's existing local calling area. Therefore, CLECs are of the opinion that "LATA wide" or even Statewide local calling promotes competition and could benefit the consumer in that it may allow CLECs to compete with local exchange providers as well as interexchange carriers. Furthermore, CLECs are of the opinion that reciprocal compensation is the appropriate intercarrier compensation that should apply between CLECs and ILECs when the CLEC's local calling area is larger than the ILEC's.

The majority of jurisdictions which have considered this issue appear to favor retaining the ILEC's local calling area as the basis for intercarrier compensation. However, recent decisions in New York and Florida indicate that an originating party's local calling area is used to define intercarrier compensation. See *In re: Investigation into Appropriate Methods to Compensate Carriers for Exchange of Traffic Subject to Section 251 of the Telecommunications Act of 1996*, FL PSC Docket No. 000075-TP (Phases II and IIA), Order No. PSC-0201248-FOF-TP (September 10, 2002); *Petition of Global Naps, Inc. Pursuant to Section 252(B) of the Telecommunications Act of 1996, For Arbitration to Establish an Intercarrier Agreement with Verizon New York, Inc.*, N.Y. PSC Docket Case 02-C-0006 (May 22, 2002).³

Also, it appears that some jurisdictions have considered the impact of competition and intercarrier compensation in generic proceedings.⁴

When the CLEC defines its calling areas more expansively than the ILEC, numerous issues are raised. As part of this Commission's ongoing initiatives to implement competition in the telecommunications area, consistent with State and Federal law, we believe that it is appropriate to open a generic, on-the-record investigation into the impact on intercarrier compensation where the calling areas of local exchange companies, whether CLEC, ILEC, or other, differ. We shall direct the Office of Administrative Law Judge (OALJ) to conduct this investigation culminating in the issuance of a recommended decision to

²The Commission-defined local calling areas contained in each ILEC local exchange tariff is the required minimum local calling area covered by the tariffed local exchange base rate and which were developed over the years based on "community of interest" policy standards as well as the standards set forth in our Extended Area Service regulations in 52 Pa. Code § 63.77.

³In the arbitration proceeding, Verizon pointed out that the staff of the Florida Public Service Commission, requested reconsideration of its support for using an "originating" carrier approach for intercarrier compensation.

⁴See *Investigation as to Whether Certain Calls are Local; Independent Telephone Companies and Competitive Local Exchange Carriers—Local Calling Areas Final Order*; N.H. Docket No. DT-00-223; DT-00-054, (October 28, 2002) 2002 N.H. PUC LEXIS 165.

¹For purposes of this Order and Investigation, Local Calling Area is defined in accordance with 52 Pa. Code § 63.71 as follows: "Local calling area—The area, consisting of one or multiple telephone exchanges, between which calls may be completed without having interexchange toll rates applied."

the Commission. We shall further direct that all interested participants and the OALJ consider the following questions:

(1) What other alternative intercarrier compensation arrangements, other than access charges and those arrangements contained in the questions below, could be considered in addressing the different local calling areas between ILECs and CLECs? What are the pros and cons of each arrangement and how should each intercarrier compensation arrangement be applied between the carriers?

(2) What are the current intercarrier compensation arrangement(s) that are in use between ILECs today in cases where the Commission has directed implementation of one-way EAS? Are any of these types of intercarrier compensation arrangements viable options between ILECs and CLECs for the traffic at issue in this investigation (i.e., calls made by a CLEC customer to an ILEC customer where the CLEC's local calling area is larger than the ILEC's local calling area and vice versa)?

(3) What are the current intercarrier compensation arrangement(s) that are in use between ILECs today in cases where the Commission has directed implementation of two-way EAS calls between ILECs? Are any of these types of intercarrier compensation arrangements acceptable to both ILECs and CLECs as a fair form of compensation for the traffic at issue in this investigation? (i.e., calls made by a CLEC customer to an ILEC customer where the CLEC's local calling area is larger than the ILEC's local calling area and vice versa)?

(4) What are the pros and cons of non-reciprocal, asymmetrical intercarrier compensation arrangements between CLECs and ILECs when the local calling area of the CLEC and the ILEC are different (i.e., the CLEC's local calling area is larger or smaller than the ILEC's local calling area)?

(5) What is the financial impact on ILECs, CLECs and interexchange carriers, of permitting other viable intercarrier compensation regimes as compared to the current access charge regime?

(6) Is it in the public interest for this Commission to proceed to implement expanded or different local calling areas for CLECs without the necessity of completing access charge reform?

(7) The Commission's Global Order, entered September 30, 1999, at Docket Nos. P-00991648 and P-00991649, contains a consumer protection requirement that all CLECs must offer their customers a local service offering that maintains all pre-existing ILEC EAS routes. Additionally, the Global Order does not prevent CLECs from offering innovative calling plans which include local calling areas that differ from existing ILEC local calling areas. Based on the outcome of this investigation, will it be necessary to revise this policy in any way?

(8) Should the intercarrier compensation agreements be standardized in Pennsylvania for the traffic at issue in this investigation or should carriers be permitted to negotiate individual intercarrier compensation arrangements?

(9) What is the best way to inform other ILEC entities that are not parties to a particular Interconnection Agreement that a CLEC's local calling area is larger than the traditional Commission-established local calling areas?

(10) Should a CLEC be required to file interconnection agreements with all ILECs that will be impacted by the CLEC's decision to expand its local calling areas beyond the traditional Commission-established local calling areas?

(11) Are there any other issues that should be addressed that are deemed necessary and relevant to this investigation?

We request that comments requested under the conduct of the investigation by the OALJ be written in plain English. Furthermore, we request that commenters reference their responses so as to correspond with the specific questions posed in this Investigation Order; *Therefore,*

It Is Ordered That:

1. The Commission hereby commences a generic investigation regarding the impact on intercarrier compensation if a CLEC defines local calling areas differently than the ILEC's local calling area consistent with established Commission precedent.

2. The OALJ shall conduct the generic investigation consistent with this Opinion and Order.

3. A copy of this Order, which gives notice of this generic investigation, shall be published in the *Pennsylvania Bulletin* and interested parties shall file comments within 30 days of publication of this notice. Interested parties shall file substantive comments to the previously listed issues in the Commission's Order instituting this investigation, as well as any other additional issues the Commission or the parties consider relevant to this investigation.

4. The Parties shall file their substantive comments at the previously cited docket number and their comments should be addressed to James J. McNulty, Secretary, Pennsylvania Public Utility Commission, Commonwealth Keystone Building, 400 North Street, Harrisburg, PA 17120.

5. After the submission of the substantive comments, the OALJ shall institute hearings as may be necessary to further develop the record to ensure that the investigation fully addresses all relevant and material issues regarding the impact on intercarrier compensation of defining local calling areas differently than ILECs.

6. The presiding Administrative Law Judge assigned to this investigation may subsequently limit, or otherwise restrict or eliminate, any additional issues submitted by interested parties if those issues are deemed not to be relevant to this investigation.

7. Upon conclusion of hearings, the presiding Administrative Law Judge shall cause to be issued a Recommended Decision which shall be served on all parties and submitted to the Commission for its consideration at public meeting.

8. A copy of this Order shall be served on all jurisdictional telecommunications carriers and the PTA, Office of Consumer Advocate, the Office of Small Business Advocate and the Commission's Office of Trial Staff.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 03-1385. Filed for public inspection July 11, 2003, 9:00 a.m.]

Natural Gas Service

A-121850F2032. National Fuel Gas Distribution Corporation. Application of National Fuel Gas Distribution Corporation for approval of the abandonment of natural gas service to two natural gas service customers located in Sugar Creek Township, Armstrong County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before July 28, 2003. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: National Fuel Gas Distribution Corporation

Through and By Counsel: Christopher M. Trejchel, Esquire, 1100 State Street, P. O. Box 2081, Erie, PA 16512.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 03-1386. Filed for public inspection July 11, 2003, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest should indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265 with a copy served on the applicant, on or before August 4, 2003. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-00119922. All in the Family Auto Sales/Rental Cars, Inc. (2005 Clayton Avenue, Harrisburg, Dauphin County, PA 17109), a corporation of the Commonwealth—persons upon call or demand, in the City of Harrisburg, the Boroughs of Penbrook, Paxtang, Steelton, Hummelstown, Middletown and Highspire, and the Townships of Susquehanna, Swatara, Lower Paxton and Lower Swatara, all located in Dauphin County.

A-00119919. Autocab, Inc. (625 East Orange Street, Lancaster, Lancaster County, PA 17602), a corporation of the Commonwealth—persons upon call or demand, in the City of Lancaster and within an airline distance of 6 statute miles of the limits of said city. *Attorney:* Thomas T. Niesen, 212 Locust Street, Suite 500, P. O. Box 9500, Harrisburg, PA 17101.

A-00119918. Jose' A. Ramirez t/d/b/a Concord Car Service (325 South 8th Street, Reading, Berks County, PA 19602)—persons upon call or demand, in the City of Reading, Berks County.

A-00119915. Veronica Gamboa (P. O. Box 5561, Harrisburg, Dauphin County, PA 17110)—persons upon call or demand in the Counties of Dauphin, Perry, Cumberland, Lebanon and Lancaster.

A-00119913. Yvonne Victoria Kulp t/d/b/a YV Kulp Transportation (12721 Deer Path Drive, East Stroudsburg, Monroe County, PA 18301)—persons in paratransit service, between points in the County of Monroe, and from points in said county, to points in Pennsylvania, and return.

A-00119867 (corrected). John C. and Ida Taylor t/d/b/a Top Notch Van Service (2809 Rhawn Street, City and County of Philadelphia, PA 19152)—persons in paratransit service, from points in the City and County of Philadelphia, to all State and Federal correctional institutions in Pennsylvania, and return.

A-00119897. E Entertainment Inc. (P. O. Box 63212, Philadelphia, PA 19114)—persons in limousine service, between points in the Counties of Bucks, Chester, Delaware, Montgomery and the City and County of Philadelphia, and from points in said territory, to points in Pennsylvania, and return.

Application of the following for *amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for transportation of persons as described under the application.*

A-00088477, Folder 4 Am-C. Lehigh Valley Taxicab Co. (130 West Goepf Street, Bethlehem, Northampton County, PA 18018), a corporation of the Commonwealth, inter alia—persons, in airport transport service, between the Allentown-Bethlehem-Easton Airport, in the Township of Hanover, Lehigh County, and points within an airline distance of 50 statute miles of the limits of said airport; subject to the following conditions: (1) that all transportation must either originate or terminate at the previously named airport; and (2) the service herein authorized is limited to transportation in vehicles having a seating capacity of not more than 15 persons including the driver, without the use of dome lights or taximeters: *So As To Permit* the transportation of persons, in airport transfer service, from the Lehigh Valley International Airport, located in the Township of Hanover, Lehigh County, to any other airport located in Pennsylvania, limited to transportation where the persons were diverted or stranded passengers.

Applications of the following for approval of the *additional right and privilege of operating motor vehicles as common carriers for transportation of persons as described under each application.*

A-00109547, Folder 3. Reading Yellow Cab, Inc. (615 Elm Street, Reading, Berks County, PA 19601), a corporation of the Commonwealth—persons in paratransit service, between points in the County of Berks, and from points in said county, to points in Pennsylvania, and return. *Attorney:* Frederick O. Brubaker, 543 Elm Street, Reading, PA 19601.

A-00118692, Folder 2. Todd W. Callahan t/d/b/a Interstate Airport Shuttle (405 North Wade Avenue, Washington, Washington County, PA 15301)—persons in paratransit service, between points in the Counties of Butler, Cambria, Fayette, Greene, Indiana, Somerset,

Washington and Westmoreland, and from points in said counties and the County of Allegheny, to points in Pennsylvania, and return.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 03-1387. Filed for public inspection July 11, 2003, 9:00 a.m.]

Applicant: Little Washington Wastewater Company

Through and By Counsel: Mark J. Kropilak, Esquire,
762 West Lancaster Avenue, Bryn Mawr, PA 19010-3489.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 03-1389. Filed for public inspection July 11, 2003, 9:00 a.m.]

Telecommunications

A-311087F7000. Verizon Pennsylvania Inc. and PaCLEC Corporation. Joint petition of Verizon Pennsylvania Inc. and PaCLEC Corporation for approval of amendment no. 1 and amendment no. 2 to an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and PaCLEC Corporation, by its counsel, filed on June 20, 2003, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of amendment no. 1 and amendment no. 2 to an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and PaCLEC Corporation joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 03-1388. Filed for public inspection July 11, 2003, 9:00 a.m.]

Water Service

A-210104F0032. Pennsylvania Suburban Water Company. Application of Pennsylvania Suburban Water Company for approval of: (1) the acquisition by Pennsylvania Suburban Water Company of the water system assets of the Thornhurst Country Club Estates Property Owners Association; and (2) the right of Pennsylvania Suburban Water Company to begin to offer, render, furnish and supply water service to the public in a portion of Lehigh Township, Lackawanna County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before July 28, 2003. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Pennsylvania Suburban Water Company

Through and By Counsel: Mark J. Kropilak, Esquire,
762 West Lancaster Avenue, Bryn Mawr, PA 19010-3489.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 03-1390. Filed for public inspection July 11, 2003, 9:00 a.m.]

Wastewater Service

A-230240F0019. Little Washington Wastewater Company. Application of Little Washington Wastewater Company for the approval of: (1) the acquisition by Little Washington Wastewater Company of the wastewater system assets of the Thornhurst Country Club Estates Property Association; and (2) the right of Little Washington Wastewater Company to begin to offer, render, furnish or supply wastewater service to the public in a portion of Lehigh Township, Lackawanna County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before July 28, 2003. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Water Service

A-210104F0033. Pennsylvania Suburban Water Company. Application of Pennsylvania Suburban Water Company for approval of: (1) the acquisition by Pennsylvania Suburban Water Company of the water system assets of Cedar Lane Water Association, Inc.; and (2) the right of Pennsylvania Suburban Water Company to begin to offer, render, furnish and supply water service to the public in a portion of Kingston Township, Luzerne County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before July 28, 2003. The documents filed in support of the application are available for inspection and copying at the office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Pennsylvania Suburban Water Company

Through and by Counsel: Mark J. Kropilak, Esquire,
762 West Lancaster Avenue, Bryn Mawr, PA 19010-3489.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 03-1391. Filed for public inspection July 11, 2003, 9:00 a.m.]

STATE BOARD OF VEHICLE MANUFACTURERS, DEALERS AND SALESPERSONS

**Bureau of Professional and Occupational Affairs v.
Anthony Louis Mione; Doc. No. 0143-60-2002**

On May 22, 2003, the State Board of Vehicle Manufacturers, Dealers and Salespersons (Board) issued an adjudication and order in which it levied a civil penalty of \$500 and suspended Anthony Louis Mione's vehicle salesperson license number MV-071407-L for a minimum of 3 years.

Individuals may obtain a copy of the adjudication by writing to Thomas A. Blackburn, Board Counsel, State Board of Vehicle Manufacturers, Dealers and Salespersons, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of the petition for review. The Board contact for receiving service of appeals is the previously named Board counsel.

EDWARD J. CERNIC, Jr.,
Chairperson

[Pa.B. Doc. No. 03-1392. Filed for public inspection July 11, 2003, 9:00 a.m.]