

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending November 11, 2003.

BANKING INSTITUTIONS

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
11-4-03	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	Voorhees Acme 700 Haddonfield- Berlin Road Voorhees Camden County, NJ	Opened
11-3-03	Minersville Safe Deposit Bank & Trust Company Minersville Schuylkill County	100 W. Main St. Girardville Schuylkill County	Opened
11-5-03	Northwest Savings Bank Warren Warren County	1055 Baltimore St. Hanover Penn Township York County	Filed
11-5-03	Northwest Savings Bank Warren Warren County	370 West Governor Rd. Hershey Derry Township Dauphin County	Filed
11-6-03	New Century Bank Phoenixville Chester County	155 E. Lancaster Ave. (a/k/a 151 E. Lancaster Ave.) Wayne Radnor Township Delaware County	Filed

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
11-6-03	Northwest Savings Bank Warren Warren County	<i>To:</i> 22 Franklin Village Mall East Franklin Township Armstrong County <i>From:</i> 12 Franklin Village Mall East Franklin Township Armstrong County <i>and</i> 165 Butler Road West Kittanning Armstrong County	Filed

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

Conversions

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
11-3-03	Freedom Credit Union Philadelphia Philadelphia County Represents conversion to a community charter.	Philadelphia	Filed

A. WILLIAM SCHENCK, III,
Secretary

[Pa.B. Doc. No. 03-2233. Filed for public inspection November 21, 2003, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after any public hearings are held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0083933 SEW	Georgetown Area Sewer Authority 46 Quarry Road Georgetown, PA 17566	Lancaster County Bart Township	Nickel Mines Run 7K	Y

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0023604 SEW	McAlisterville Area Joint Authority P. O. Box 61 McAlisterville, PA 17049	Juniata County Fayette Township	Little Lost Creek 12B	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0222810	C. Thomas Cumberledge, Sr. P. O. Box 404 Evans City, PA 16033	Connoquenessing Township Butler County	Little Connoquenessing Creek	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

PA0083011, Sewage, **Newberry Township Municipal Authority**, 400 Cly Road, York Haven, PA 17370. This facility is in Newberry Township, **York County**.

Description of activity: Renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving waters, Susquehanna River, are in Watershed 7-E and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for the Wrightsville Water Supply Company is on the Susquehanna River, approximately 15 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 based on an annual average flow rate of 1.3 MGD are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	XXX	50
Total Suspended Solids	30	45	XXX	60
Total Phosphorus	2.0	XXX	XXX	4.0
Total Nitrogen	XXX	Monitor and Report	XXX	XXX
Dissolved Oxygen		minimum of 5.0 at all times		
pH		from 6.0 to 9.0 inclusive		
Fecal Coliform				
(5-1 to 9-30)		200/100 ml as a geometric average		
(10-1 to 4-30)		10,000/100 ml as a geometric average		

Individuals may make an appointment to review the Department files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is not in effect.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

PA0027570, Sewage, **Western Westmoreland Municipal Authority**, 12441 Route 993, North Huntingdon, PA 15642-0366. This application is for renewal of an NPDES permit to discharge treated sewage from Brush Creek STP in North Huntingdon Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Brush Creek, which are classified as a TSF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Pennsylvania American Water Company.

Outfall 001: existing discharge, design flow of 4.4 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	37.5		50
Suspended Solids	30	45		60
Gamma BHC (Lindane)	Monitor and Report			
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.0			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is not in effect.

PA0095885, Sewage, **Beverly Health Care Mountain View**, P. O. Box 138, Hillshall, PA 15746. This application is for renewal of an NPDES permit to discharge treated sewage from Beverly Health Care Mountain View STP in Montgomery Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Painters Run, which are classified as a HQ CWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Pennsylvania American Water Company on the West Branch Susquehanna River.

Outfall 001: existing discharge, design flow of .0125 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	10			20
Suspended Solids	10			20
Ammonia Nitrogen				
(5-1 to 10-31)	3			6
(11-1 to 4-30)	9			18
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 5 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

WQM Permit No. 1503423, Sewerage, **Borough of Phoenixville**, Borough Hall, 140 Church Street, Phoenixville, PA 19460. This proposed facility is in Borough of Phoenixville, **Chester County**.

Description of Proposed Action/Activity: Construction and operation of an 1 1/2 diameter force main to serve five houses equipped with individual grinder pumps.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 6791408, Amendment 03-1, Sewerage, **New Freedom Borough Authority**, 49 East High Street, New Freedom, PA 17349. This proposed facility is in Railroad Township, **York County**.

Description of Proposed Action/Activity: Addition of new effluent pumps in the existing chlorine contact tank to equalize flows from the SBR treatment tanks.

WQM Permit No. 2103407, Sewerage, **Turnpike Commission**, 700 Eisenhower Boulevard, Middletown, PA 17057. This proposed facility is in West Pennsboro Township, **Cumberland County**.

Description of Proposed Action/Activity: Construction of a pump station at the Plainfield Service Plaza that will tie-in to the West Pennsboro Municipal System.

WQM Permit No. 3803403, Sewerage, **North Londonderry Township Authority**, 655 East Ridge Road, Palmyra, PA 17078. This proposed facility is in North Londonderry Township, **Lebanon County**.

Description of Proposed Action/Activity: Replacement of pump station no. 2 and installation of new force main to convey wastewater from the pump station to the Authority's existing sanitary sewer system.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 0203410, Sewerage, **Municipal Authority of the Borough of West View**. This proposed facility is in West View Borough, **Allegheny County**.

Description of Proposed Action/Activity: Application for the construction and operation of a sanitary sewerage extension to separate flow from a combined sewage flow.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2003430, Sewerage, **Edward C. Hajbura**, 306 Pontiac Avenue, Pittsburgh, PA 15237. This proposed facility is in Centerville Borough, **Crawford County**.

Description of Proposed Action/Activity: A single residence sewage treatment plant.

WQM Permit No. 1003416, Sewerage, **Ronald and Nancy J. Nalepa**, 2482 Oneida Valley Road, Petrolia, PA 16050. This proposed facility is in Forward Township, **Butler County**.

Description of Proposed Action/Activity: A single residence sewage treatment plant.

IV. NPDES Applications for Stormwater Discharges from MS4

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Department Protocol (Y/N)</i>
PAI132231	Alburtis Borough 260 Franklin St. P. O. Box 435 Alburtis, PA 18011	Lehigh	Alburtis Borough	Swabia Creek HQ-CWF	Y
PAI132220	Plainfield Township 6292 Sullivan Trail Nazareth, PA 18064	Northampton	Plainfield Township	Little Bushkill Creek HQ-CWF	Y
PAI132228	Lower Nazareth Township 306 Kutztown Road Bethlehem, PA 18020	Northampton	Lower Nazareth Township	Monocacy Creek HQ-CWF	Y
PAI132217	Olyphant Borough 113 Willow Street Olyphant, PA 18447-1489	Lackawanna	Olyphant Borough	Lackawanna River HQ-CWF Sterry Creek CWF Eddy Creek WWF	Y
PAI132223	Hellertown Borough 685 Main Street Hellertown, PA 18055	Northampton	Hellertown Borough	Polk Valley Run CWF Silver Creek CWF Saucon Creek HQ-CWF	Y
PAI132233	Lehman Township P. O. Box 7 Lehman, PA 18627	Luzerne	Lehman Township	Harvey's Creek HQ-CWF Hunlock Creek CWF Toby's Creek CWF, TSF Pike's Creek HQ-CWF	Y
PAI132224	Lackawanna County 200 Adams Avenue Scranton, PA 18503	Lackawanna		Lackawanna River HQ-CWF Rush Brook CWF Wildcat Creek CWF Hull Creek CWF Keyser Creek CWF Unnamed tributaries to Lackawanna River and Spring Brook CWF	Y
PAI132230	Wilson Borough 2040 Hay Terrace Easton, PA 18042-4617	Northampton	Wilson Borough	Lehigh River WWF Bushkill Creek HQ-CWF	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Department Protocol (Y/N)</i>
PAG133702	West Lebanon Township 322 North 22nd Street Lebanon, PA 17046	Lebanon	West Lebanon Township	Unnamed tributary to Swatara WWF	Y

V. Applications for NPDES Waiver Stormwater Discharges from MS4

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
Weisenberg Township 2175 Seipstown Road Fogelsville, PA 18051	Lehigh	Weisenberg Township	Jordan Creek TSF, MF Little Lehigh Creek HQ-CWF
Pringle Borough 89 Evans Street Pringle, PA 18704	Luzerne	Pringle Borough	Tobys Creek CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Department Protocol (Y/N)</i>
PAG133702	West Lebanon Township 322 North 22nd Street Lebanon, PA 17046	Lebanon	West Lebanon Township	Unnamed tributary to Swatara WWF	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Department Protocol (Y/N)</i>
PAG136319	Elco Borough Box 194 Elco, PA 15434	Washington	Elco Borough	Y
PAG136321	Daisytown Borough 93 Baiker Street Johnstown, PA 15902-1604	Cambria	Daisytown Borough	Y
PAG136322	Cheswick Borough 220 South Atlantic Avenue Cheswick, PA 15024	Allegheny	Cheswick Borough	Y
PAG136323	Verona Borough 736 East Railroad Avenue Verona, PA 15147	Allegheny	Verona Borough	Y
PAG136324	West Elizabeth Borough 800 Fourth Street P. O. Box 716 West Elizabeth, PA 15088	Allegheny	West Elizabeth Borough	Y

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011503096	Woodstone Development, Inc. The Addis Property P. O. Box 638 Uwchland, PA	Chester	West Vincent Township	Unnamed tributary Birch Run EV
PAS10T014-R2	Hough/Loew Associates, Inc. Linfield Corporate Center 55 Country Club Drive, Suite 200 Downingtown, PA 19335	Montgomery	Limerick Township	Unnamed tributary Brook Evans Creek WWF
PAI01503098	Mark B. Hallowell Lot No. 1, Asbridge Farms 123 West Wayne Avenue Wayne, PA 19087	Chester	East Goshen Township	Ridley Creek HQ-TSF

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Lehigh County Conservation District: Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023903043	Barry Follweiler 3372 Jordan Rd. Orefield, PA 18069	Lehigh	Weisenberg Township	Hassen Creek HQ-CWF, MF
PAI023903044	Temple Beth-El of Allentown, Inc. 1702 Hamilton St. Allentown, PA 18104	Lehigh	South Whitehall Township	Little Lehigh Creek HQ-CWF

Northampton County Conservation District: Greystone Building, Gracedale Complex, Nazareth, PA 18064-9211, (610) 746-1971.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024803036	Opus East, LLC 620 W. Germantown Pike Suite 150 Plymouth Meeting, PA 19462	Northampton	Bethlehem and Lower Nazareth Townships	Monocacy Creek HQ-CWF

Southcentral Region: Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI030050003001	Daniel A. Deichmiller P. O. Box 400 Dauphin, PA 17018	Perry	Juniata Township	Big Buffalo Creek HQ-CWF
PAI032903002	Forbes Road School District 263 Red Bird Drive Waterfall, PA 16689	Fulton	Taylor Township	Sideling Hill Creek HQ-CWF
PAI032903003	Dublin Township Supervisors 29195 Great Cove Road Fort Littleton, PA 17223	Fulton	Dublin Township	Little Aughwick Creek HQ-CWF

Southwest Region: Water Management Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Fayette County Conservation District: 10 Nickman Plaza, Lemont Furnace, PA 15456, (724) 438-4497.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI052603009	Aqua Filter Fresh, Inc. P. O. Box 14128 One Commerce Drive Pittsburgh, PA 15239	Fayette	Springfield Township	Tributary to Mill Run HQ-CWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

MS4 Notices of Intent Received

Southwest Region: Water Management Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Department Protocol (Y/N)</i>
PAG136319	Elco Borough Box 194 Elco, PA 15434	Washington	Elco Borough	Y
PAG136320	Westmoreland County Department of Public Works R. D. 12 Box 203 Donohoe Road Greensburg, PA 15601	Westmoreland	Greensburg City	Y
PAG136321	Daisytown Borough 93 Baiker Street Johnstown, PA 15902-1604	Cambria	Daisytown Borough	Y
PAG136322	Cheswick Borough 220 South Atlantic Avenue Cheswick, PA 15024	Allegheny	Cheswick Borough	Y
PAG136323	Verona Borough 736 East Railroad Avenue Verona, PA 15147	Allegheny	Verona Borough	Y

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Department Protocol (Y/N)</i>
PAG136324	West Elizabeth Borough 800 Fourth Avenue P. O. Box 716 West Elizabeth, PA 15088	Allegheny	West Elizabeth Borough	Y

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act, the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 4303503 , Public Water Supply.	
Applicant	Hemlock Village MHP
Township or Borough	Wolf Creek Township Mercer County
Responsible Official	David B. Piela, Owner R. R. 6, Box 604 New Castle, PA 16401
Type of Facility	PWS
Consulting Engineer	Robert L. Rabel, P. E. 10560 Walnut St. Albion, PA 16401
Application Received Date	November 3, 2003

Description of Action Develop PWS to service mobile home park.

Permit No. 2503502 , Public Water Supply.	
Applicant	Thomas MHP/Hickory Hill Country Village
Township or Borough	Waterford Township Erie County
Responsible Official	Leo Pfadt, Owner 11962 US Route 19 Waterford, PA 16441
Type of Facility	PWS
Consulting Engineer	Robert L. Rabel, P. E. 10560 Walnut St. Albion, PA 16401
Application Received Date	October 30, 2003
Description of Action	Tie-in new well to existing distribution system.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified, as the mediator of the site, develop and implement a public involvement plan. Requests to be involved and comments should be directed to the mediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office after which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Regional Field Office: Joseph A. Brogna, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Country Boy Chevrolet, Hallstead Borough, **Susquehanna County**. Deborah Murphy, Consultant, Environmental Products and Services of Vermont, Inc., Field Office, 13 Cherry Street, Lyons, NY 14489, has submitted a Notice of Intent to Remediate (on behalf of Matthew Botnick, Country Boy Chevrolet, Route 11, Hallstead, PA 18822) concerning the remediation of soils and groundwater found or suspected to have been contaminated with leaded gasoline constituents. The applicant proposes to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *County Transcript* on October 22, 2003.

Betty Brite Cleaners—Plaza 1500 Shopping Center, Blakely Borough, **Lackawanna County**. Gilbert J. Marshall, Consultant, Marshall Geoscience, Inc. has submitted a Notice of Intent to Remediate (on behalf of William and Lorraine Alaimo, Linair Farm Road, Waverly, PA 18471) concerning the remediation of soils and groundwater found or suspected to have been contaminated with chlorinated solvents. The applicant proposes to meet the Site-Specific Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Scranton Times* on October 31, 2003.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Yorgey's Fine Cleaning, Manor Township, **Lancaster County**. Gannett Fleming, Inc., P. O. Box 10185, Lancaster, PA 17605-0185, on behalf of Richard Yorgey, 328 South State Street, Ephrata, PA 17522, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with volatile organics. The applicant proposes to remediate the site to meet the Site-Specific Standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *Lancaster New Era and Intelligencer Journal* in September 2003.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application for Determination of Applicability Received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and residual waste regulations for a general permit to operate residual waste processing facilities and/or the beneficial use of residual waste other than coal ash

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17101-2301.

General Permit Application No. WMGR081D003. Envirocycle Inc., P. O. Box 899, Hallstead, PA 18822-0899. For the recycling of various uncontaminated and source-separated electronic equipment and components electronics equipment by sorting, disassembling and mechanical processing (by sizing, shaping, separating and volume reduction only). The application for determination of applicability was accepted as administratively complete by the Division of Municipal and Residual Waste on October 30, 2003.

Persons interested in obtaining more information about the general permit application may contact Ronald C. Hassinger, Chief, Beneficial Use/General Permits Section, Division of Municipal and Residual Waste, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department

regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121–143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

40-305-019B: Lang Filter Media LP (603 South Church Street, Hazleton, PA 18201) for modification of an anthracite coal processing and packaging plant and an associated air cleaning device at their facility in Hazleton, **Luzerne County**.

39-304-024: Howmet Aluminum Castings—Bethlehem (2175 Avenue C, Bethlehem, PA 18017) for installation of three air cleaning devices (afterburners) to control emissions from three existing furnaces at their facility in Bethlehem, **Lehigh County**.

48-328-004A: PPL Lower Mount Bethel Energy LLC (2 North Ninth Street, GEN PL6, Allentown, PA 18101) for amendment of Plan Approval 48-328-004 to include emission reductions at their Martins Creek Steam Electric Station in Lower Mount Bethel Township, **Northampton County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

22-05007B: The Harrisburg Authority (One Keystone Plaza, Suite 104, Harrisburg, PA 17101) for modification of the Harrisburg Materials, Energy, Recycling and Recovery Facility in the City of Harrisburg, **Dauphin County**. The proposed installations include three replacement waste combustors, emission controls and emissions monitoring systems. The modifications are subject to 40 CFR Part 60, Subpart Eb—Standards of Performance for Large Municipal Waste Combustors for Which Construction is Commenced After September 20, 1994 or for Which Modification or Reconstruction is Commenced After June 19, 1996.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

04-00706C: Beaver Valley Slag, Inc. (6010 Woodlawn Road, Aliquippa, PA 15001) for installation of an addi-

tional portable screening line at Blacks Run Facility in Center Township, **Beaver County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Edward Brown, Facilities Permitting Chief, (610) 832-6242.

23-0030: Swarthmore College (500 College Avenue, Swarthmore, PA 19081-1397) for installation of a liquid chilling unit which will be powered by a natural gas driven engine, at Swarthmore's facility in Swarthmore Borough, **Delaware County**. This facility is a Title V facility. The Plan Approval will subsequently be incorporated into the College's Title V Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450. The Plan Approval will include recordkeeping, operating and testing requirements to keep the facility operating within the allowable emission limits and all applicable air quality requirements.

23-0001V: Sunoco, Inc.—R & M (Delaware Avenue and Green Street, P. O. Box 426, Marcus Hook, PA 19061-0426) to issue a plan approval under 25 Pa. Code §§ 127.44(a) and 127.424(b) for their refinery in the Borough of Marcus Hook, **Delaware County**.

The Department intends to issue a Plan Approval to Sunoco, Inc. (R & M) to modify a fluidized catalytic cracking unit and a propane/propylene separation unit, as described in the applicant's application of June 27, 2003. The Plan Approval will subsequently be incorporated into the company's Title V Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. PA-23-0001V is for the modification of fluidized catalytic cracking unit and propane/propylene separation unit. Based on the information provided by the applicant and the Department's own analysis, the modification of the fluidized catalytic cracking unit and the propane/propylene separation unit will result in an emission increase of 2.46 tons of VOCs per year. Emissions of SO_x, NO_x and PM will remain the same.

The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, the Department's analysis and other documents used in the evaluation are available for public inspection between 8 a.m. and 4 p.m., weekdays. To make an appointment, contact Records Management, (610) 832-6268.

09-0122 and 09-0122A: ATOFINA Chemical, Inc. (100 PA Route 413, Bristol, PA 19007) for installation of two thermal oxidizers to remove VOCs from their extrusion lines and reactors in Bristol Township, **Bucks County**. This facility is a Title V facility. This installation will result in VOC emissions to decrease. The Plan Approvals and Operating Permit will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark J. Wejkszner, New Source Review Chief, (570) 826-2531.

40-399-038B: Fairchild Semiconductor Corp. (125 Crestwood Road, Mountain Top, PA 18707) for modification and operation of the Fab 8 semiconductor manufacturing process at their facility in Wright Township, **Luzerne County**. The Fab 8 process produces 8-inch diameter single crystal silicon slices (wafers). The company will expand the Fab 8 operations from the 225 wafers starts/day using 60 tools, to its final capacity of 1,200 wafers starts/day using up to 150 tools. The addition of new tools that emit acid exhausts and VOCs will be controlled by the existing acid scrubber and oxidizer. Both have copious amount of available spare capacity to accommodate the tool growth and no emission changes are expected due to these changes. Ammonia emissions will be controlled by a larger, modified scrubber to accommodate the planned growth. The efficiency of the modified scrubber will be 98%. The atmospheric emissions from the Fab 8 process will be reduced to less than or equal to 4 PPM in 12,000 SCFM, or 0.26 lb/hr, or 1.14 TPY of ammonium compounds. The company will operate the facility and maintain the system in accordance with the good engineering practices to assure proper operation of the system. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

54-302-072: VanHoekelen Greenhouses, Inc. (Route 309, P. O. Box 88, McAdoo, PA 18237-0088) for construction of one 20 mmBtu/hr coal fired boiler, one 20 mmBtu/hr fuel oil fired boiler and one emergency generator for the greenhouse in Kline Township, **Schuylkill County**. This facility is not a Title V facility. The particulate matter from the coal boiler will be controlled by a flash arrestor multiclone while SO₂ emissions from the boilers will be controlled by fuel sulfur content limitations. Annual emissions from the equipment will not exceed the following: 39.6 tons of NO_x, 99.9 tons of SO₂, 36.9 tons of CO, 14.1 tons of PM, 4.6 tons of VOC and 0.03 ton of lead. The boilers used in the operation are subject to NSPS Subpart Dc of the Federal Standards of Performance for Nonmetallic Mineral Processing Plants, 40 CFR 60.40c—60.48c. The plan approval will include all appropriate monitoring, recordkeeping and reporting requirements designed to keep the sources operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

17-305-049: Energy Link, Inc. (P. O. Box 602, DuBois, PA 15801) for construction of a coal stockpiling and rail car loading operation (Corman Yard Coal Pile) in Lawrence Township, **Clearfield County**.

Air contaminant emission control will be provided by the use of a water truck and trailer-mounted water tank and the implementation of various work practices (truck tarping, minimizing the front end loader bucket-to-rail car freefall height, and the like). If the water truck, trailer-mounted water tank and work practices are used/implemented, the resultant fugitive particulate matter air contaminant emissions from the respective coal stockpiling and rail car loading operation are expected to be minimal.

The Department has determined that the coal stockpiling and rail car loading operation will comply with all applicable regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12. The Department conse-

quently intends to issue plan approval for the construction of the respective coal stockpiling and rail car loading operation.

The following is a summary of the conditions the Department proposes to place in the plan approval to be issued to ensure compliance with all applicable regulatory requirements:

1. This plan approval does not authorize the construction or installation of any crushers, screens, rotary breakers or diesel-fired stationary engines or generators.
2. No more than 85,000 tons of coal shall be processed in any 12 consecutive month period.
3. A water truck equipped with a pressured spray bar and a trailer-mounted water tank equipped with a pressurized spray nozzle or hose shall be readily available at all times and shall be used, as needed, for the control of fugitive dust from site roadways and stockpile areas.
4. All trucks entering or exiting the site from public roadways shall have their truck beds tarped unless empty. This requirement shall be posted onsite.
5. All site roadways shall have a posted speed limit of 5 miles per hour.
6. The front end loader bucket-to-rail car freefall height shall be kept to a minimum during all rail car loading.
7. Records shall be maintained of the number of tons of coal loaded into rail cars during each month. All records shall be retained for at least 5 years and shall be made available to the Department upon request.

59-00018A: Hanson Aggregates Pennsylvania, Inc. (P. O. Box 231, Easton, PA 18044) for construction of a diesel-fired generator at the Blossburg Quarry in Liberty Township, **Tioga County**.

The proposed generator will have a prime power rating of 572 brake horsepower but will have an average load of no greater than 400.4 horsepower averaged over a 24-hour period. The generator will emit up to 8.39 tons of NO_x, 1.71 tons of SO_x, 1.0 ton of CO, .15 ton of total hydrocarbons and .144 ton of particulate matter per year.

The Department has determined that the proposed generator will comply with all applicable regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12. The Department consequently intends to issue plan approval for the construction of the proposed generator.

The following is a summary of the conditions the Department plans to place in the plan approval to be issued to ensure compliance with all applicable regulatory requirements:

1. The generator shall not operate more than 4,228 hours in any 12 consecutive month period nor shall it use more than 79,200 gallons of diesel fuel in any 12 consecutive month period.
2. The generator shall not use more than 449.52 gallons of diesel fuel in any single day nor shall it have an average load of greater than 400.4 horsepower for any single day.
3. The NO_x and CO emissions from generator shall not exceed 4.5 grams and .537 gram per brake horsepower-hour, respectively.
4. The sulfur content of the diesel fuel burned in the generator shall not exceed .3% by weight.

5. The visible air contaminant emissions from the generator shall not equal or exceed 10% for a period or periods aggregating more than 3 minutes in any 1 hour and shall not equal or exceed 30% at any time.

6. Records shall be kept of the amount of diesel fuel burned in the generator each day as well as the number of hours the generator operates each day. All records shall be retained for at least 5 years and shall be shown to the Department upon request.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

06-05036: Cryovac, Inc. (P. O. Box 295, Reading, PA 19603) for operation of an expandable polystyrene foam products manufacturing facility in Muhlenberg Township, **Berks County**. This action is a renewal of the Title V Operating Permit issued in 1999.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

43-00182: Wheatland Tube Co. (One Council Avenue, Wheatland, PA 16161) for reissuance of a Title V Permit to operate a steel pipe and tubes manufacturing facility in Wheatland Borough, **Mercer County**. The facility's major emission sources include natural gas fired boilers, continuous weld furnace, galvanizing kettles, coating lines, conduit metallizer, sulfuric acid pickling, chrome treatments, coupling department, blow stations, PM threaders, pipe coating, galvanizing furnaces, miscellaneous heaters, lime silo and a wastewater evaporator. The blow stations are subject to the Compliance Assurance Monitoring rule. The facility is a major facility due to its potential to emit VOCs and NOx.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Edward Brown, Facilities Permitting Chief, (610) 832-6242.

09-00021: MRI Flexible Packaging, Inc. (122 Penns Trail, Newtown, PA 18940) for an administrative amendment to the issued Natural Minor Operating Permit for their facility in Newtown Township, **Bucks County**. The permit is being amended to change the name and title of the responsible official and to omit the source level testing and recordkeeping conditions for the flexographic presses control device catalyst plugs. The source level conditions for the flexographic presses control device has been revised to demonstrate compliance by monitoring the flow rate on a per job and daily basis, when operating. This revision will not result in an increase of emissions from the facility. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

09-00074: P. C. R. Enterprises, Inc. (401 Fairview Avenue, Quakertown, PA 18951) in Quakertown Borough, **Bucks County**. The permit is for a non-Title V (State-only-Synthetic Minor) facility. The facility, which includes a fiberglass lay-up room, manufactures concrete products.

The permittee has elected to take emission restrictions including 24.9 ton/year for VOCs and 10 tons/year for total HAPs. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

15-00059: Paulsonbilt, Ltd. (1000 West 11th Ave., Chester, PA 19320) for operation of their facility in Coatesville, **Chester County**. The permit is for a non-Title V (State-only) facility. The facility's main sources include a large spray booth used to surface coat metal containers. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

36-03129: Kalas Manufacturing, Inc. (25 Main Street, Denver, PA 175117) for operation of their manufacturing facility in East Cocalico Township, **Lancaster County**. This is a non-Title V (State-only) facility. The State-only operating permit shall contain testing, monitoring, recordkeeping and reporting requirements, emission restrictions and work practice standards designed to keep the facility operating within all applicable air quality requirements.

36-05011: Pittsburgh Terminals Corp. (P. O. Box 2621, Harrisburg, PA 17105) for administrative amendment to incorporate the ownership change in State-only Operating Permit No. 36-05011 of Lancaster Terminal in Manheim Township, **Lancaster County**. This facility was formerly owned by ExxonMobil Oil Corp. This facility's major source of emissions includes a petroleum product loading rack which primarily emits VOC.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

37-00162: Precision Plating Co., Inc. (407 Summit View Drive, New Castle, PA 16105) for a Natural Minor Operating Permit for a hard chrome electroplating operation in Neshannock Township, **Lawrence County**.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); and The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District Mining Office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition to the previous, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of the NPDES permit require-

ments for a particular mining activity within the previously mentioned public comment period will be provided with a 30 day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas, active areas disturbed by coal refuse disposal activities and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Mining Office: 25 Technology Drive, California Technology Park, Coal Center, PA 15423, (724) 769-1100.

17031301. Parkwood Resources, Inc. (P. O. Box 552, Somerset, PA 15501-0552), to operate the Cherry Tree Mine in Burnside Township, **Clearfield County**, new mine, Surface Acres Proposed 47, Underground Acres Proposed 4,664, SCP Acres Proposed 3,531, West Branch Susquehanna River (WWF), Hazelet Run (HQ-CWF), Cush Cushion Creek and unnamed tributaries to Cush Cushion Creek (HQ-CWF), Kilns Run (CWF), unnamed tributaries to West Branch Susquehanna River (CWF), Shyrock Run and unnamed tributaries to Shyrock Run (CWF), Powell Run and unnamed tributaries to Powell Run (CWF), Cush Creek and unnamed tributaries to Cush Creek (CWF). Application received October 9, 2003.

63901701. NPDES Permit No. PA0001147, Consolidation Coal Company (P. O. Box 355, 172 Route 519, Eighty Four, PA 15330), to renew the permit for the Hahn Treatment Plant/Montour 4 in Cecil Township, **Washington County** and related NPDES permit, no additional discharges. Application received October 24, 2003.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

11880201 and NPDES Permit No. PA0598208. Ebensburg Power Company, 2040 New Germany

Road, P. O. Box 845, Ebensburg, PA 15931, permit renewal for continued operation of a bituminous surface coal refuse reprocessing mine in Cambria Township, **Cambria County**, affecting 56.5 acres. Receiving streams: an unnamed tributary to South Branch Blacklick Creek and the South Branch of Blacklick Creek (CWF). There are no potable water supply intakes within 10 miles downstream. Application received October 29, 2003.

56753048 and NPDES Permit No. PA0119954. Gray Mining Company, Inc., 1134 Stoystown Road, Friedens, PA 15541, permit renewal for continued operation of a bituminous surface mine commencement, operation and restoration of a bituminous surface mine in Quemahoning and Stonycreek Townships, **Somerset County**, affecting 296.0 acres. Receiving streams: Stony Creek (WWF). The first downstream potable water supply intake from the point of discharge is Hooversville Borough Municipal Authority Stonycreek Surface Water Withdrawal. Application received October 29, 2003.

56030108 and NPDES Permit No. PA0249530. Hoffman Mining, Inc., P. O. Box 130, 118 Runway Road, Friedens, PA 15541, commencement, operation and restoration of a bituminous surface and auger mine in Shade Township, **Somerset County**, affecting 33.3 acres. Receiving streams: Dark Shade Creek (CWF). There are no potable water supply intakes within 10 miles downstream. Application received October 23, 2003.

Noncoal Applications Received

Effluent Limits—The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum of 0.5 ml/l applied to surface runoff resulting from a precipitation event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

37960302. Atlantic States Materials of PA, Inc. (P. O. Box 269, Mercer, PA 16137). Transfer of an existing sand, gravel and topsoil operation Little Beaver Township and New Beaver Borough, **Lawrence County** affecting 70.7 acres. Receiving streams: unnamed tributary to North Fork Little Beaver Creek and North Fork Little Beaver Creek (HQ-CWF). There are no potable surface water supply intakes within 10 miles downstream. Transfer from Shamrock Minerals Corporation. Application received November 4, 2003.

Noncoal Applications Withdrawn

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

4275SM19 and NPDES Permit No. PA0599204. New Enterprise Stone & Lime Company, Inc., P. O. Box 77, New Enterprise, PA 16664, permit revision to increase the approved pit depth from 820 feet elevation to 650 feet elevation for the southern section of the permit in Spruce Creek and Warriors Mark Townships, **Huntingdon County**, affecting 533.7 acres. Receiving streams: Little Juniata River (TSF), unnamed tributaries to Little Juniata River (WWF) and Gensimore Run (WWF). There are no potable water supply intakes within 10 miles downstream. Application received July 7, 2003. Permit withdrawn: November 5, 2003.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed

necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the FWPCA (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E54-311. Schuylkill County, 401 North Second Street, Pottsville, PA 17901 in West Penn Township, **Schuylkill County**, U. S. Army Corps of Engineers, Philadelphia District.

To maintain County Bridge No. 56 across Lizard Creek (CWF) with work consisting of the following: (1) pavement milling and overlaying work on the bridge deck and roadway approaches; (2) placement of scour protection and construction of a concrete jacket around the center pier; (3) temporary installation of a clean rock causeway to provide access to the center pier; and (4) repair of concrete spalls on bridge superstructure. The bridge is along Township Road T960 (Andreas Road), approximately 0.2 mile south of SR 0895 (New Tripoli, PA Quadrangle N: 22.6 inches; W: 5.8 inches).

E54-310. Hammer's Towing, Inc., 1298 Valley Road, Pottsville, PA 17901 in Cass Township, **Schuylkill County**, U. S. Army Corps of Engineers, Philadelphia District.

To place fill in 0.50 acre of PEM wetlands for the purpose of expanding an existing parking area for Hammer's Towing, Inc. The project is on the west side of SR 4002, approximately 2,000 feet north of Minersville Borough (Minersville, PA Quadrangle N: 13.0 inches; W: 0.75 inch).

E45-455. Pocono Township, Municipal Building, Route 611 North, P. O. Box 197, Tannersville, PA 18372 in Pocono Township, **Monroe County**, U. S. Army Corps of Engineers, Philadelphia District.

To remove the existing culvert extension structure and to modify and maintain the existing 16-foot by 4-foot concrete box culvert road crossing having a 1-foot culvert depression in Cranberry Creek/Cranberry Swamp (HQ-CWF). The proposed work consists of attaching a 6-foot long section of 16-foot by 4-foot concrete box culvert to the

downstream end of the existing structure. The project is along Township Road, T509 (Bog Road), approximately 0.5 mile east of SR 1001 (Mount Pocono, PA Quadrangle N: 8.2 inches; W: 1.0 inch).

E45-456. Lake Mineola Home Owners Association, Inc., 47 W. Washington Street, Bethlehem, PA 18018 in Chestnut Hill Township, **Monroe County**, U. S. Army Corps of Engineers, Philadelphia District.

To place 8.75 cubic yards of clean gravel in Lake Mineola for the purpose of creating a more suitable wading and swimming area around an existing private recreational dock. The project is on the eastern side of the lake approximately 0.3 mile north of the intersection of Township Road T378 and SR 0209 (Brodheads ville, PA Quadrangle N: 9.9 inches; W: 1.8 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E50-218: Centre Township Board of Supervisors, P. O. Box 727, New Bloomfield, PA 17068 in Centre Township, **Perry County**, ACOE Baltimore District.

To remove the existing structure and then to construct and maintain a 42-foot by 7-foot concrete arch culvert at the channel of Little Juniata Creek on T-361 (Roth Road) to improve the traffic safety conditions about 200 feet from its intersection with SR 34 (Newport, PA Quadrangle N: 7.3 inches; W: 7.3 inches) in Centre Township, Perry County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E08-406. Borough of Wyalusing, P. O. Box 131, 102 Senate Street, Wyalusing, PA 18853-0131. Wyalusing Creek Restoration Project in Wyalusing Borough, **Bradford County**, ACOE Baltimore District (Wyalusing, PA Quadrangle N: 8 inches; W: 0.5 inch).

The proposed project intends to create a stable pattern, dimension and profile that transport sediment with negligible aggradations and degradation. The project consists of 5,381 linear feet of natural stream channel restoration efforts incorporating five W weirs, ten J hook vanes and root wad revetment on the outside of the meander bends. The areas were the existing channel will be relocated are intended to be filled with the excavated material from the new channel configuration. Wyalusing Creek is a WWF. It is proposed that no adverse impacts to public health, safety and environment will result from this project.

E08-407. Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754. Bridge work in Troy Township, **Bradford County**, ACOE Baltimore District (Troy, PA Quadrangle N: 16.45 inches; W: 6.70 inches).

To: (1) remove the existing reinforced concrete slab bridge which has a span of 20 feet, a curb-to-curb width of 34.1 feet, an out-to-out width of 47.3 feet, a 14-foot hydraulic opening an underclearance of 4 feet 3 inches and is on a 90 degree skew; (2) construct a prestressed concrete adjacent plank beam bridge with a clear span of 31.5 feet on a 90 degree skew, an out-to-out width of 47.3 feet and a hydraulic opening of 173 square feet; (3) excavate approximately 1,450 cubic yards of material in the floodway and shift the West Branch of Sugar Creek (WWF) 20 feet to the southwest beginning immediately downstream of the Redington Street Bridge and continuing approximately 250 feet downstream to the confluence with South Branch Sugar Creek; the proposed stream channel will be 24 feet wide with left and right bank

slopes of 1.5 to 1 and 2 to 1 respectively; and (4) construct a temporary roadway around the proposed bridge site on the near side of the bridge and a temporary bridge immediately downstream of the existing structure. The project is in the West Branch of Sugar Creek at the intersection of SR 14 and Redington Street. The project will not impact wetland while impacting approximately 300 feet of waterway. Approximately 0.66 acre of earth will be disturbed by the project.

E08-408. West Burlington Township, R. R. 2, Box 206, Columbia Cross Roads, PA 16914. Culvert maintenance in West Burlington Township, **Bradford County**, ACOE Baltimore District (East Troy, PA Quadrangle N: 4.0 inches; W: 8.9 inches).

To maintain an 8-foot by 60-foot long steel pipe culvert with R-8 riprap covering about 450 square feet at the culvert inlet and 700 square feet at the culvert outlet in an unnamed tributary to Sugar Creek (TSF) on TR 548, approximately 1 mile north of SR 006. The project will not impact wetlands while impacting approximately 80 feet of waterway.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E32-455. P. C. Exploration, Inc., 502 Keystone Drive, Warrendale, PA 15086. Fabin Stream Crossing in Center Township, **Indiana County**, Pittsburgh ACOE District (McIntyre, PA Quadrangle N: 11.05 inches; W: 0.3 inch) (Latitude: 40° 33' 38.7"—Longitude: 79° 15' 8"). The applicant proposes to operate and maintain an existing 13.0-foot long single span bridge having a normal span of 23.0 feet and an underclearance of 4.0 feet across Aultman's Run (TSF) for the purpose of providing access to a natural gas well. The project is off of SR 0286, 3.7 miles south of Indiana.

E32-456. P. C. Exploration, Inc., 502 Keystone Drive, Warrendale, PA 15086. Elkins Stream Crossing in Washington Township, **Indiana County**, Pittsburgh ACOE District (Plumville, PA Quadrangle N: 0.9 inch; W: 7.0 inches) (Latitude: 40° 45' 32"—Longitude: 79° 10' 32"). The applicant proposes to operate and maintain a 30.0-foot long culvert crossing consisting of two 36-inch corrugated plastic pipes in Reddings Run (CWF) authorized for construction under General Permit Authorization No. GP08320220 for the purpose of providing access to a natural gas well. The project is on LR32157, approximately 1.5 miles north of its intersection with SR 4006.

E32-458. P. C. Exploration, Inc., 502 Keystone Drive, Warrendale, PA 15086. Allison Stream Crossing in East Mahoning Township, **Indiana County**, Pittsburgh ACOE District (Marion Center, PA Quadrangle N: 11.5 inches; W: 12.8 inches) (Latitude: 40° 48' 48"—Longitude: 79° 05' 33"). The applicant proposes to operate and maintain a 30.0-foot long low flow stream crossing consisting of three 12-inch pipe culverts in Ross Run (HQ-CWF) authorized for construction under General Permit Authorization No. GP083202214 for the purpose of providing access to a natural gas well. The project is off of SR 4016, 1.7 miles east of its intersection with SR 0210.

E65-834. Derry Township Supervisors, 650 Derry Road, Derry, PA 15627. T-932 Center Street culvert over Saxman Run in Derry Township, **Westmoreland County**, Pittsburgh ACOE District (Derry, PA Quadrangle N: 12.8 inches; W: 13.8 inches) (Latitude: 40° 18' 58"—Longitude: 79° 21' 16"). The applicant proposes to remove the existing structure and to construct and maintain an RC box culvert having a waterway opening of 18 feet wide by 6 feet high (invert depressed 1 foot) and 25.4

feet long in Saxman Run (WWF). The project is on T-932, approximately 100 feet north of T-638.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E62-393, Connie Holden and Dana Holden, P. O. Box 292, Six Mile Road, Tiona, PA 16352-0292. Sixmile Run Culvert in Mead Township, **Warren County**, ACOE Pittsburgh District (Clarendon, PA Quadrangle N: 2.6 inches; W: 5.0 inches).

The applicant proposes to remove the existing structure and to construct and maintain a 30-foot long, 6-foot diameter steel culvert in Sixmile Run (HQ CWF, perennial) on Six Mile Road approximately 1.8 miles northeast of the intersection of U. S. Route 6 and Six Mile Road. The project has been constructed. The existing structure was damaged during the storm of July 21, 2003. The project proposes to directly affect a total of 40 linear feet of stream channel.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

D23-029EA. Delco Anglers & Conservationists, 2320 Chestnut Avenue, Ardmore, PA 19003-3008, Chester City, **Delaware County**, ACOE Philadelphia District.

Project proposes to breach and remove an unnamed dam across Ridley Creek (WWF, MF), for the purpose of returning Ridley Creek to its natural free-flowing condition and to promote unobstructed fish passage. The dam is approximately 1,000 feet northwest of the intersection of Macdade Boulevard and Bullens Lane approximately 3/4 mile north of Chester, PA (Bridgeport, NJ-PA Quadrangle N: 22.3 inches; W: 14.9 inches).

D27-007EA. Forest County Historical Society, P. O. Box 546, Tionesta, PA 16353, Tionesta Township, **Forest County**, ACOE Pittsburgh District.

Project proposes to repair and replace the Tionesta Timber Crib Dam across Tionesta Creek (CWF) to restore the dam to its historical condition. Only necessary portions will be replaced or reconstructed. The dam is at the confluence of Tionesta Creek and the Allegheny River approximately 1/2 mile south of Tionesta (Tionesta, PA Quadrangle N: 20.1 inches; W: 11.2 inches).

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under General Permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOI for coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

NPDES Permit No. (Type)	Facility Name and Address	County and Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0009971	Techneglas, Inc. 140 Industrial Drive Pittston, PA 18640	Jenkins Township Luzerne County	Lampblock Creek 5B	Y
PA0043044 Sewage	Ringtown Sewer Authority P. O. Box 202 Ringtown, PA 17967	Ringtown Borough	Dark Run 5E	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No. (Type)	Facility Name and Address	County and Municipality	Stream Name (Watershed No.)	EPA Waived Y/N?
PA0204960	Briselli, Incorporated Cecil-Hendersonville Road P. O. Box 35A Hendersonville, PA 15339	Washington County Cecil Township	UNT to McPherson Creek	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

PA0080519, Sewage, **Antrim Township**, 10655 Antrim Church Road, P. O. Box 130, Greencastle, PA 17225-0130. This facility is in Antrim Township, **Franklin County**.

Description of activity: Amendment of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Conococheague Creek, is in Watershed 13-C and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Hagerstown, MD is on the Potomac River, approximately 30 miles downstream. The discharge is not expected to affect the water supply.

This notice reflects changes from the notice published in the *Pennsylvania Bulletin*.

1. Effluent limitation for the following parameters have been removed from the permit:

- 3,4-Benzo-fluoranthene
- Benzo (a) anthracene
- Benzo (a) fluoranthene
- Benzo (a) Pyrene
- Dibenz (a,h) anthracene

2. Part C language pertaining to Toxic Reduction Evaluation has been removed from the permit.

Individuals may make an appointment to review the Department files on this case by calling the File Review Coordinator at (717) 705-4732.

NPDES Permit No. PA0080748, Sewage, **Northern Lebanon County Authority, Jonestown WWTP**, P. O. Box 434, Jonestown, PA 17038. This proposed facility is in Union Township, **Lebanon County**.

Description of Proposed Action/Activity: Authorization to discharge to Swatara Creek in Watershed 7-D.

NPDES Permit No. PA0085405, Sewage, **Suzinn, LLC, Baladerry Inn Bed and Breakfast**, 40 Hospital Road, Gettysburg, PA 17325. This proposed facility is in Cumberland Township, **Adams County**.

Description of Proposed Action/Activity: Authorization to discharge to an unnamed tributary Rock Creek in Watershed 13-D.

NPDES Permit No. PA0031135, Sewage, **Borough of Kutztown**, 45 Railroad Street, Kutztown, PA 19536-1112. This proposed facility is in Maxatawny Township, **Berks County**.

Description of Proposed Action/Activity: Authorization to discharge to Sacony Creek in Watershed 3-B.

NPDES Permit No. PA0083429, Sewage, **West Cocalico Township Authority**, 156B West Main Street, Reinholds, PA 17569. This proposed facility is in West Cocalico Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization to discharge to Little Cocalico Creek in Watershed 7-J.

NPDES Permit No. PA0085243, Sewage, **Manns Choice-Harrison Township Joint Municipal Authority**, P. O. Box 28, Manns Choice, PA 15550-0028. This proposed facility is in Harrison Township, **Bedford County**.

Description of Proposed Action/Activity: Authorization to discharge to Raystown Branch Juniata River in Watershed 11-C.

NPDES Permit No. PA0084638, Industrial Waste, **Borough of Boyertown**, 100 South Washington Street, Boyertown, PA 19512-1599. This proposed facility is in Boyertown Borough, **Berks County**.

Description of Proposed Action/Activity: Authorization to discharge to an unnamed tributary to Ironstone Creek in Watershed 3-D.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0239321, Sewage, **Robert Wahlmark**, 31970 Guys Mills Road, Townville, PA 16360. This proposed facility is in Randolph Township, **Crawford County**.

Description of Proposed Action/Activity: Discharge of a single residence sewage treatment plant to an unnamed tributary to Muddy Creek.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

WQM Permit No. 1503414, Sewerage, **Brandywine Creek Campground**, 1091 Creek Road, P. O. Box 257, Lyndell, PA 19354. This proposed facility is in East Brandywine Township, **Chester County**.

Description of Proposed Action/Activity: Construction and operation of a pump station for use on campgrounds.

WQM Permit No. 1598412, Sewerage, **Greenhill Sewer Associates**, 1500 Greenhill Road, West Chester, PA 19380. This proposed facility is in East Goshen Township, **Chester County**.

Description of Proposed Action/Activity: Renewal of the Hershey's Mill Village STP serving the Hershey's Mill Village Retirement Community.

WQM Permit No. 0903415, Sewerage, **Upper Makefield Township**, 1076 Eagle Road, Newtown, PA 18940. This proposed facility is in Upper Makefield Township, **Bucks County**.

Description of Proposed Action/Activity: Construction and operation of an eight-lot age-restricted development.

WQM Permit No. 1503418, Sewerage, **London Grove Township Municipal Authority**, 372 Rose Hill Road, Suite 300, West Grove, PA 19390. This proposed facility is in London Grove Township, **Chester County**.

Description of Proposed Action/Activity: Construction and operation of a pump station and force main tie into an existing force main.

WQM Permit No. 2303401, Sewerage, **Kenneth H. Hutton and Dolores M. Neill**, 719 Cheyney Road, Cheyney, PA 19319. This proposed facility is in Thornbury Township, **Delaware County**.

Description of Proposed Action/Activity: Construction and operation of an STP for a single residence.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 6599415-T1-A1, Sewerage, **MAX Environmental Technologies, Inc.**, 233 MAX Lane, Yukon, PA 15698. This proposed facility is in South Huntingdon Township, **Westmoreland County**.

Description of Proposed Action/Activity: Activated sludge sewage treatment system to serve MAX Environmental Technologies, Inc.—Yukon Plant.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2003422, Sewerage, **Robert Wahlmark**, 31970 Guys Mills Road, Townville, PA 16360. This proposed facility is in Randolph Township, **Crawford County**.

Description of Proposed Action/Activity: Sewage discharge for a single residence.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Department Protocol (Y/N)</i>
PAG133506	Wernersville Borough 100 North Reber Street Wernersville, PA 19565	Berks	Wernersville Borough	Spring Creek TSF	Y
PAG133614	Womelsdorf Borough 101 W. High St. Womelsdorf, PA 19567	Berks	Womelsdorf Borough	Tulpehocken Creek CWF	Y
PAG133507	Washington Township P. O. Box 52 Barto Road Barto, PA 19504	Berks	Washington Township	West Branch of the Perkiomen TSF	Y

NOTICES

5765

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Department Protocol (Y/N)</i>
PAG133526	Union Township 177 Centre Rd. Douglassville, PA 19518	Berks	Union Township	Sixpenny Creek CWF-MF Schuylkill River WWF	Y
PAG133509	Sinking Spring Borough 502 Penn Ave. Sinking Spring, PA 19608	Berks	Sinking Spring Borough	Cacoosing Creek (to the Tulpehocken Creek) WWF Tulpehocken Creek TSF	Y
PAG133508	St. Lawrence Borough 3540 St. Lawrence Ave. Reading, PA 19606	Berks	St. Lawrence Borough	Antietam Creek CWF Tributary 01801 CWF Tributary 01800 CWF Tributary 01799 CWF	Y
PAG133525	Robeson Township 237 W. Lancaster Ave. Shillington, PA 19607	Berks	Robeson Township	Allegheny Creek CWF Schuylkill River WWF	Y
PAG133510	Robesonia Borough P. O. Box 191 Robesonia, PA 19551	Berks	Robesonia Borough	Furnace Creek CWF Tributary 01894 to Furnace Creek CWF	Y
PAG133512	Ontelaunee Township P. O. Box 746 Leesport, PA 19533	Berks	Penn Township	Schuylkill River WWF, MF Maiden Creek WWF Lake Ontelaunee WWF	Y
PAG133524	Richmond Township 11 Kehl Drive P. O. Box 474 Fleetwood, PA 19522	Berks	Richmond Township	Sacony Creek TSF Maiden Creek TSF, WWF Willow Creek CWF	Y
PAG133505	Reading Regional Airport 2501 Bernville Road Reading, PA 19605	Berks	Bern Township	Schuylkill River WWF, MF	Y
PAG133516	Exeter Township 4975 Demoss Road Reading, PA 19606	Berks	Exeter Township	Antietam Creek CWF Trout Run WWF Molasses Creek WWF Schuylkill River WWF Limekiln Creek WWF Monocacy Creek WWF Heisters Creek WWF Owatin Creek WWF	Y

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI2011503006	Bush Associates and Company 504 Pickering Circle Chester Springs, PA 19425	Chester	Uwchlan Township	Pine Creek HQ-TSF
PAI011503065	Lincoln University 1570 Old Baltimore Pike MSC-197, P. O. Box 179 Lincoln University, PA	Chester	Lower Oxford Township	Unnamed tributary Big Elk Creek HQ-TSF-MF
PAI011503069	Eadeh Family Partnership 111 East Lancaster Avenue Devon, PA 19333	Chester	East Whiteland Township	Valley Creek EV
PAI011503076	Vantage Point Retirement Living, Inc. 2393 Kimberton Rd., Suite 200 P. O. Box 864 Kimberton, PA 19442	Chester	West Vincent Township	Pine Creek HQ-TSF
PAI011503064	Chesterpoint Development Inc. 13 Quail Hill Road Downingtown, PA 19335	Chester	West Caln Township	Unnamed tributary West Branch Brandywine Creek HQ-TSF-MF

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024503001	Best Burger, Inc. 17 Stratton Road Matawan, NJ 07747	Monroe	Hamilton and Stroud Townships	Pocono Creek HQ-CWF
PAI024803024	Teramo Enterprises, LLC 6464 Ruch Road Bethlehem, PA 18017-9360	Northampton	Plainfield Township	Bushkill Creek HQ-CWF

Cambria District: Environmental Program Manager, 286 Industrial Park Road, Ebensburg, PA 15931-4119.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI093303002	Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119	Jefferson	Gaskill Township	Clover Run HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site

PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

General Permit Type—PAG-2

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
East Nottingham and West Nottingham Townships Chester County	PAG2001503113	Headley Brothers LLC Box 23 Nottingham, PA 19362	Blackburn Run/Northeast Creek TSE, MF, WWF	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Bethel Township Delaware County	PAG2002303013	Dickinson Development Co. 100 Baltimore Pike Chadds Ford, PA 19317	Naamans Creek WWF	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Upper Dublin Township Montgomery County	PAG2004603145	Upper Dublin Township 801 Loch Alsh Avenue Fort Washington, PA 19034	Pine Run TSE	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Chadds Ford Township Delaware County	PAG2002303044	Christopher DiSabatino 265 Heyburn Road Chadds Ford, PA 19317	Unnamed tributary Brandywine Creek WWF, MF	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Edgmont Township Delaware County	PAG2002303070	Samuel Dixon 1155 Lancaster Avenue Berwyn, PA 19312	Unnamed tributary Chester Creek TSE	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Tinicum Township Delaware County	PAR10J243	Stephen Allen 900 East Second Street Essington, PA 19029	Unnamed tributary Darby Creek MF, WWF	Southeast Regional Office Suite 6010, Lee Park 555 North Lane Conshohocken, PA 19428 (610) 832-6000
Lackawanna County City of Scranton	PAG2003503014	George Parker 340 N. Washington Ave. Scranton, PA 18503	Lackawanna River CWF	Lackawanna County Conservation District (570) 281-9495
Luzerne County Hazel Township	PAG2004003041	Reverend Eleanor DeBalso P. O. Box 126 Harleigh, PA 18255	UNT to Cranberry Creek CWF	Luzerne County Conservation District (570) 674-7991
Schuylkill County N. Manheim Township	PAG2005403022	Siders Hill Dev. Inc. Steven Field Sect. Siders Hill Inc. P. O. Box 359 Pottsville, PA 17901	W. Branch Schuylkill River CWF	Schuylkill County Conservation District (570) 622-3742
Schuylkill County W. Brunswick Township	PAG2005403024	Orwigsburg Rod and Gun Club John Wandzilak 1099 High Dr. Tamaqua, PA 18252	Pine Creek to Schuylkill River CWF	Schuylkill County Conservation District (570) 622-3742

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Monroe County Chestnuthill Township	PAR10S023-R	Richard and Beverly Frantz HCR 1, Box 405 Brodheads ville, PA 18322	Sugar Hollow Creek CWF	Monroe County Conservation District (570) 629-3060
Union Township Lebanon County	PAG2003803028	Victor Diener R. D. 3 Jonestown, PA 17038	Swatara Creek WWF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908
South Lebanon Township Lebanon County	PAG2003803029	Clair Zimmerman 85 Furnace Hills Road Denver, PA 17517	Quittapahilla Creek TSF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908
Palmyra Borough Lebanon County	PAG2003803039	Harold R. Weaver 47 Bell Grove Road Annville, PA 17003	Killinger Creek TSF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908
Bethel Township Lebanon County	PAG2003803038	Elvin Shilling 135 Dove Road Fredricksburg, PA 17026	Deep Run WWF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908
Union Township Lebanon County	PAG2003803015	John Mengel Maura Building Inc. R. D. 4 Box 4075 Jonestown, PA 17038	Swatara Creek WWF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908
Union Township Lebanon County	PAG2003803027	Peter Charles Moore American Legion Post 910 P. O. Box 27 Lebanon, PA 17042	Forge Creek WWF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908
Union Township Lebanon County	PAG2003803040	Dane DiAngelis 646 Jonestown Road Jonestown, PA 17038	Reeds Creek WWF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908
Penn Township York County	PAG2006703092	Jeffrey Garvick Penn Township 20 Wayne Avenue Hanover, PA 17331	Oil Creek/Gitts Run WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Lower Windsor Township York County	PAG2006703025	Rod Bosserman Brook Valley Estates Ext. 1811 Idylewyld Road York, PA 17402	Cabin Creek TSF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Springettsbury Township York County	PAG2006703022	Kinsley Equities II P. O. Box 131-AA Seven Valleys, PA 17360	Kreutz Creek WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430

NOTICES

5769

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Peach Bottom Township York County	PAG2006703071	David Yohn P. O. Box 658 Orchard Road Delta, PA 17314	Susquehanna River WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Hanover Borough York County	PAG2006703128	Anna Leavy Panera Bread 6710 Clayton Road Richmond Heights, MO 63117	UNT to South Branch Conewago Creek WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Shrewsbury Borough York County	PAG2006703074	Deer Creek Cornerstone Development Group 300 Bailey Drive Stewartstown, PA 17363	Deer Creek CWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
York Township York County	PAG2006703070	Hunt Club Final Phase MGM Enterprises 1 Waterford Professional Center York, PA 17402	UNT to Mill Creek WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Hampden Township Cumberland County	PAG2002103040	Roth Farm Village GGF Partnership c/o Homestead Group 4075 Market Street Camp Hill, PA 17011	Pine Creek	Cumberland County Conservation District 43 Brookwood Avenue Carlisle, PA 17013 (717) 240-7812
Centre County Penn Township	PAG2001403047	Penns Valley Area Elementary School 4528 Penns Valley Rd. Spring Mills, PA 16875	Penns Creek CWF	Centre County Conservation District 414 Holmes Ave., Suite 4 Bellefonte, PA 16823 (814) 355-6817
Northumberland County Washington Township	PAG2004903020	Northumberland County Administration Center 399 South Fifth St. Sunbury, PA 17801	Schwaben Creek TSF	Northumberland County Conservation District R. R. 3, Box 238C Sunbury, PA 17801 (570) 286-7114
Northumberland County Rockefeller Township	PAG2004903021	Northumberland County Administration Center 399 South Fifth St. Sunbury, PA 17801	Little Shamokin Creek CWF	Northumberland County Conservation District R. R. 3, Box 238C Sunbury, PA 17801 (570) 286-7114
Snyder County Monroe Township	PAG2005503005	Monroe Manor II Eastern Communities Limited Partnership 7300 Denny St. Harrisburg, PA 17105	Penns Creek and UNT Susquehanna River WWF	Snyder County Conservation District 403 West Market St. Middleburg, PA 17842 (570) 837-0007 x112
Union County Lewis Township	PAG2006003010	Camp Mt. Luther 355 Mt. Luther Lake Mifflinburg, PA 17844	UNT Buffalo Creek CWF	Union County Conservation District 88 Bull Run Crossing Suite 5 Lewisburg, PA 17837 (570) 523-8782
Armstrong County Wayne Township	PAG2000303010	Dayton Agricultural & Mechanical Association P. O. Box 271 Dayton, PA 16222	Unnamed tributaries to Glade Run CWF	Armstrong County Conservation District (724) 548-3425
Beaver County Chippewa Township	PAG2000403016	Daniel Raver Chippewa Evangelical Free Church 239 Braun Road Beaver Falls, PA 125010	Brady's Run TSF	Beaver County Conservation District (724) 774-7090

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Indiana County Banks Township	PAG2093203008	Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119	Unnamed tributary to Brady Run WWF	Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 (814) 472-1800

General Permit Type—PAG-3

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Hanover Township Luzerne County	PAR112223	Koehler-Bright Star, Inc. 380 Stewart Road Hanover Township, PA 18706	Sugar Notch Run (Solomon Creek) CWF	NERO Water Management Program 2 Public Square Wilkes-Barre, PA 18711-0790 (570) 826-2511
Weatherly Borough Carbon County	PAR202219	Weatherly Casting and Machining Co. P. O. Box 21 Weatherly, PA 18255	Black Creek Beaver Creek to Mouth	NERO Water Management Program 2 Public Square Wilkes-Barre, PA 18711-0790 (570) 826-2511

General Permit Type—PAG-4

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Mt. Pleasant Township Westmoreland County	PAG046169	George D. Gula 3801 Slope Hill Rd. Mt. Pleasant, PA 15666	Unnamed tributary of Brush Creek	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Rome Township Crawford County	PAG048570	Joseph A. and Ruth E. Ruggiero 39762 Kunick Road Centerville, PA 16404	Unnamed tributary to Twomile Creek	NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Ashland Township Clarion County	PAG048561	Russell J. Lander, Jr. 1347 Golf Course Road Cranberry, PA 16319	Unnamed tributary to Cogley Run	NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Penn Township Butler County	PAG048587	W. Larry Rodgers P. O. Box 2167 Butler, PA 16003	Unnamed tributary to Thorn Creek	NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-5

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
City of Butler Butler County	PAG058342	Agway Energy Products AEP Butler Plant P. O. Box 4852 Syracuse, NY 13221	Connoquenessing Creek 20-C	NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Harborcreek Township Erie County	PAG058331	Exit 9 Sunoco 6122 Station Road Erie, PA 16510	Unnamed tributary to Six Mile Creek 15	NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

NOTICES

5771

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
City of Butler Butler County	PAG058305	Shell Oil Products US P. O. Box 1243 3139 Village Drive Waynesboro, VA 22980	Connoquenessing Creek 20-C	NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Sugarcreek Borough Venango County	PAG058337	Pennzoil Quaker State Company d/b/a Shell Oil Products US Goss Gas Products P. O. Box 99 260 Elm Street Oil City, PA 16301	Allegheny River 16-G	NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
West Mead Township Crawford County	PAG058334	Meadville Redi Mix Concrete P. O. Box 418 Meadville, PA 16335	Unnamed tributary to French Creek 16-D	NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Summit Township Butler County	PAG058346	McKitten Service Station 686 Glenwood Way Butler, PA 16001	Bonnie Brook 20-C	NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
North Beaver Township Lawrence County	PAG058312	Tic Toc Food Mart 104 547 Mt. Jackson Road New Castle, PA 16102-9701	Hickory Run 20-A	NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Eldred Township McKean County	PAG058313	Todd Motor Sales P. O. Box 367 Port Allegany, PA 16743	Barden Brook 16-C	NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-13

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Department Protocol (Y/N)</i>
PAG136107	Stonycreek Township 1610 Bedford Street Johnstown, PA 15902	Cambria	Stonycreek Township	Stonycreek WWF Sams Run (tributary to Stonycreek) CWF Solomon Run (tributary to Stonycreek) CWF	Y
PAG136114	Jackson Township 513 Pike Road Johnstown, PA 15909	Cambria	Jackson Township	Hinckston Run CWF	Y
PAG136124	New Brighton Borough 610 Third Avenue New Brighton, PA 15066	Beaver	New Brighton Township	Beaver River WNF, N Blockhouse Run WWF	Y
PAG136139	Conemaugh Township 142 Janie Street Johnstown, PA 15902	Cambria	Conemaugh Township	Little Conemaugh River Stony Creek	Y
PAG136144	Vanport Township 477 State Street Beaver, PA 15009	Beaver	Vanport Township	Ohio River WWF Twomile Run WWF	Y

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Department Protocol (Y/N)</i>
PAG136156	Pulaski Township 3401 Sunflower Road New Brighton, PA 15066-2639	Beaver	Pulaski Township	Cemetery Road (T-542) Storm System 3-Blockhouse Run WWF 40th Avenue (T-555) Storm System UNT to 3-Blockhouse Run	Y
PAG136218	Southmont Borough 148 Wonder Street Johnstown, PA 15905	Cambria	Southmont Borough	Cheney Run WWF	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Department Protocol (Y/N)</i>
PAG138312	City of Meadville 984 Water Street Meadville, PA 16335	Crawford	City of Meadville	Y

PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Safe Drinking Water Act for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Operations Permit issued to **Bethlehem Authority**, City Center Administration Building, Room 502, 10 Church Street, Bethlehem, PA 18018, PWS ID 3480046, Lehigh Township, **Northampton County** on September 11, 2003, for the operation of facilities approved under Construction Permit No. 4891504.

Operations Permit issued to **Philip M. Buss Water Company**, 5432 St. Peters Road, Emmaus, PA 18049, PWS ID 3390076, Upper Milford Township, **Lehigh County** on October 20, 2003, for the operation of facilities approved under Construction Permit No. 3903503.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. Minor Amendment. Public Water Supply.

Applicant	Centre Hall Borough Water System Lynn Dutrow, Operator/Manager P. O. Box 54 Centre Hall, PA 16828
Township	Potter
County	Centre
Type of Facility	PWS—Construction of a finished water storage tank to replace the existing storage reservoir.
Consulting Engineer	Dana R. Boob, Surveying and Engineering 136 West Main Street P. O. Box 699 Millheim, PA 16854
Permit to Construct Issued	November 7, 2003

Permit No. Minor Amendment. Public Water Supply.

Applicant	Kreamer Municipal Authority George W. Robinson, Chairperson P. O. Box 220 Kreamer, PA 17833
-----------	--

Township Middlecreek Township
 County **Snyder**
 Type of Facility PWS—Patching and recoating of the interior of the finished water storage tank no. 1.
 Permit to Operate November 7, 2003
 Issued
Permit No. Minor Amendment. Public Water Supply.
 Applicant **Jackson Realty and Mobile Homes, Inc.**
c/o William Them, President
 R. R. 2, Box 128D
 Wysox, PA 18854

Township Wysox
 County **Bradford**
 Type of Facility PWS—Construction of the new sodium hypochlorite system the new sequestration pump and the new booster pumps.
 Consulting Engineer William Sauserman, P. E.
 Stiffler, McGraw & Associates, Inc.
 19 N. Juniata Street
 P. O. Box 462
 Hollidaysburg, PA 16648
 Permit to Construct November 7, 2003
 Issued
Permit No. Minor Amendment. Public Water Supply.
 Applicant **Jackson Realty and Mobile Homes, Inc.**
c/o William Them, President
 R. R. 2, Box 128D
 Wysox, PA 18854

Township Wysox
 County **Bradford**
 Type of Facility PWS—Operation of the new sodium hypochlorite system the new sequestration pump and the new booster pumps.
 Consulting Engineer William Sauserman, P. E.
 Stiffler, McGraw & Associates, Inc.
 19 N. Juniata Street
 P. O. Box 462
 Hollidaysburg, PA 16648
 Permit to Operate November 7, 2003
 Issued

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20a)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Lower Milford Township	R. D. 2, Box 499A Coopersburg, PA 18036	Lehigh

Plan Description: The approved plan provides for a 57-lot single family residential subdivision on a 231-acre tract. Individual on-lot sewage disposal systems will be utilized to treat the proposed 28,500 GPD of sewage flows

(57 lots × 500 GPD/lot = 28,500 GPD). A tested, replacement sewage disposal area has been on each lot to meet the long term sewage disposal needs of the project. All tested sewage disposal areas must remain undisturbed until sewage disposal system construction begins. Private wells will provide water to each lot. The proposed development is on Chestnut Hill Church Road and Church View Road in Lower Milford Township, Lehigh County. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES permits or WQM permits must be obtained in the name of the municipality or authority as appropriate.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Maxatawny Township	127 Quarry Road, Suite 1 Kutztown, PA 19530	Berks

Plan Description: The approved plan provides for the construction of a sewage collection and conveyance system to serve Subareas A—C as defined in the plan when an intermunicipal agreement has been reached between Kutztown Borough and Maxatawny Township for the construction of a regional wastewater treatment facility or an expanded Kutztown treatment facility. The plan also provides for a sewage collection and conveyance system to be constructed to serve Subarea F with treatment at the Lyons Borough wastewater treatment facility. Subarea D and Subarea E will be served by the Topton wastewater treatment facility through the Topton Authority and the Allentown wastewater treatment facility through the Lehigh County Authority respectively when sewer lines are extended to within 100 feet of the municipal boundary. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES permits or WQM permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Jackson Township	439 Roth's Church Road Spring Grove, PA 17362	York

Plan Description: The approved plan provides for a one-lot multifamily residential development on 57 acres with 225 housing units and 1 community center. Total estimated sewage flows are 63,000 gpd, which will be tributary to the Jackson Township Wastewater Treatment Plant. The proposed development is on the east side of Roth's Church Road, approximately 1/2 mile north of Spring Grove Borough in Jackson Township, York County. Any required NPDES permits or WQM permits must be obtained in the name of the municipality or authority as appropriate.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
City of Titusville	107 North Franklin Street Titusville, PA 16354	Crawford

Plan Description: The approved plan provides for an addendum to the Phase II Upgrade Project which was previously granted Department approval by a letter dated August 2, 2002. The addendum addressed a revised project scope and associated costs. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES permits or WQM permits must be obtained in the name of the municipality or authority as appropriate.

HAZARDOUS SITES CLEAN-UP UNDER THE ACT OF OCTOBER 18, 1988

Proposed Consent Order and Agreement Dawson Road Site, Schuylkill Township, Chester County

The Department of Environmental Protection (Department), under the Hazardous Sites Cleanup Act (HSCA) (35 P. S. §§ 6020.10—6020.1305) and the Comprehensive Environmental Response, Compensation and Liability Act, has entered into an agreement with 113 Corporation, 1401 Eland Drive, Phoenixville, PA. In this agreement, 113 Corporation has agreed to take certain response actions to address the release and threatened release of hazardous substances impacting the Dawson Road HSCA Site (Site), Dawson Road, Phoenixville, Schuylkill Township, Chester County. The Site consists of certain residential and commercial properties which have been impacted by groundwater contamination. The contaminant of concern related to this site is perchloroethylene which has been detected in certain residential wells.

113 Corporation is the owner of two commercial properties within the Site area where hazardous substances were released and threatened to be released. As an owner of a portion of the Site, 113 Corporation has agreed to construct a public water supply line and lateral connections to homes impacted by the contamination plume. Impacted wells will be decommissioned after 113 Corporation completes construction of the public water supply line.

This notice is provided under section 1113 of the HSCA (35 P. S. § 6020.1113), which states that a "settlement shall become final upon the filing of the Department's response to the significant written comments." The Consent Order and Agreement (CO&A), which contains the specific terms of the agreement, is available for public review and comment. The agreement can be examined from 8 a.m. to 4 p.m. at the Department's Southeast Regional Office, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428 by contacting either David Minsker, (610) 832-6193, dminsker@state.pa.us or Gina M. Thomas, (610) 832-6300, githomas@state.pa.us. A public comment period on the CO&A will extend for 60 days from November 22, 2003. Persons may submit written comments regarding the agreement within 60 days from November 22, 2003, by submitting them to David Minsker.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following final reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of final reports. A final report is submitted to document cleanup of a release of a regulated substance at a site where one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected.

For further information concerning a final report, contact the environmental cleanup program manager in the Department regional office after which the notice of receipt of a final report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following final reports:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Pennsylvania Steel/Hahn Motor Company Site, Hamburg Borough, Berks County. UAI Environmental, Inc., 6 Commerce Drive, Reading, PA 19607, on behalf of the County of Berks, 633 Court Street, 14th Floor, Reading, PA 19601 and Atchinson Casting Corporation, 200 East Richland Avenue, Myerstown, PA 17067, submitted a combined Remedial Investigation and Final Report concerning remediation of site soils contaminated with inorganics. The report is intended to document remediation of the site to the Site-Specific Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Supelco, Inc., Spring Township, Centre County. Groundwater Sciences Corporation, on behalf of Supelco, Inc., Supelco Park, Bellefonte, PA 16823-0048, has submitted a Final Report concerning groundwater contaminated with chlorinated solvents. This Final Report is intended to demonstrate remediation of the site to meet the Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8 and the administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report

provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a Site-Specific Standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department regional office after which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Joseph A. Brogna, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Electro Chemical Engineering and Manufacturing Company and Impress Industries Parcel, Borough of Emmaus, **Northampton County**. Stephen B. Fulton, P. E., P. G., Project Manager, ARM Group, Inc., 1129 W. Governor Road, P. O. Box 797, Hershey, PA 17033-0797 submitted a combined Remedial Investigation Report and Final Report (on behalf of Electro Chemical Engineering and Manufacturing Company, 750 Broad Street, P. O. Box 509, Emmaus, PA 18049) concerning the remediation of site soils found or suspected to have been contaminated with chlorinated solvents, no. 6 fuel oil, lead and polycyclic aromatic hydrocarbons. The report documented attainment of a combination of both the Nonresidential Statewide Health and Site-Specific Standards and was approved on October 27, 2003.

Former Penn Fuel Gas Manufactured Gas Plant—Slatington Site, Borough of Slatington, **Lehigh County**. RETEC Group, Inc., 3040 William Pitt Way, Pittsburgh, PA 15238 submitted a Cleanup Plan (on behalf of PFG Gas, Inc., a subsidiary of PPL Gas Utilities

Corporation, Two North Ninth Street, Allentown, PA 18101) concerning the remedy design of the subject site for residual contaminants in soil, groundwater and adjacent surface water found or suspected to have been contaminated with metals, polycyclic aromatic hydrocarbons, phenolics, cyanides and BTEX compounds related to historic manufactured gas plant operations. The report was submitted in partial fulfillment of a combination of both the Statewide Health and the Site-Specific Standards and was approved on November 6, 2003.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Hazardous Waste Transporter License Renewed

Action Resources, Inc., 355 County Road 513, Hanceville, AL 35077. License No. PA-AH 0650. Effective September 29, 2003.

AERC.Com, Inc., 2591 Mitchell Avenue, Allentown, PA 18103-6609. License No. PA-AH 0687. Effective October 15, 2003.

Emerald Environmental Services, Inc., 1621 St. Clair Avenue, Kent, OH 44240. License No. PA-AH 0641. Effective October 17, 2003.

Lacy's Express, Inc., P. O. Box 130, Pedricktown, NJ 08067. License No. PA-AH 0243. Effective October 20, 2003.

Midwest Environmental Transport, Inc., 10163 Cincinnati-Dayton Road, Cincinnati, OH 45241. License No. PA-AH 0368. Effective September 22, 2003

Republic Services of South Carolina, LLC, P. O. Box 62679, North Charleston, SC 29419. License No. PA-AH 0542. Effective September 24, 2003.

Vernon Milling Company, Inc., P. O. Box 1617, Vernon, AL 35592. License No. PA-AH 1640. Effective October 14, 2003.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

Infectious and Chemotherapeutic Waste Transporter License actions taken under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and the act of July 13, 1988 (P. L. 525, No. 93) (35 P. S. §§ 6019.1—6019.6) and regulations to transport infectious and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Infectious and Chemotherapeutic Waste Transporter License Voluntarily Terminated

DelVecchio Transport & Materials Handing, Inc., P. O. Box 480, Dunmore, PA 18512-1480. License No. PA-HC 0333. Effective July 1, 2003.

Douglas Brothers, Inc., R. R. 1 Box 42, Wolcott Hollow Road, Athens, PA 18810. License No. PA-HC 0617. Effective September 24, 2003.

HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

Applications terminated under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a hazardous waste treatment, storage or disposal facility.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Intent to Terminate Permit and Interim Status

Permit No. PAD000606285. Eastman Chemical Resins. Operation of a hazardous waste container and tank storage and hazardous waste boiler facility in Jefferson Hills Borough, **Allegheny County**. Eastman's request to terminate its storage permit and boiler interim status authorization was considered for intent to approve by the Regional Office on November 7, 2003. Proposed action on a permit under the Solid Waste Management Act and regulations to operate a hazardous waste storage and treatment facility.

Persons wishing to comment on the proposed action are invited to submit a statement to the Regional Office indicated as the office responsible, within 45 days from the date of this public notice. Comments received within this 45-day period will be considered in the formulation of the final determination regarding this application. Responses should include the name, address and telephone number of the writer and concise statement to inform the Regional Office of the exact basis of any comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 45-day comment period and/or public hearing, the Department will make a final determination regarding the proposed permit action. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit Approved under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and residual waste regulations for a general permit to operate residual waste processing facilities and/or the beneficial use of residual waste other than coal ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit No. WMGR069D002. John F. Martin & Sons, 55 Lower Hillside Road, Stevens, PA 17578. General Permit Number WMGR069D002 is for the beneficial use of wastewater treatment sludge generated from the meat processing operations by land application to agricultural lands. Central Office approved the determination of applicability on November 7, 2003.

Determination of Applicability for General Permit Issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and residual waste

regulations for a general permit to operate residual waste processing facilities and/or the beneficial use of residual waste other than coal ash.

General Permit No. WMGR060D001. Minersville Borough Municipal Authority, 2 E. Sunbury St., Minersville, PA 17954. For the beneficial use of drinking water treatment sludge generated by a water supply treatment facility as a soil additive to facilitate revegetation on quarries and other minelands that lack indigenous vegetation or only contain stressed vegetation due to the previous use of the land. The Department issued the determination of applicability on July 28, 2003.

Persons interested in reviewing the general permit may contact the Division of Municipal and Residual Waste, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits renewal issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 101315. Millville Solid Waste Transfer Station, P. O. Box 208, 388 Jerseytown Road, Millville, PA 17846 in Madison Township, **Columbia County**. This permit renewal was issued by the Williamsport Regional office on October 9, 2003.

Permit No. 101312. Adam J. Deitrick & Sons Disposal & Coal Hauling Inc., R. R. 3 Box 4, Unit 402086, Coal Township, PA 17866-9506, in Coal Township, **Northumberland County**. This permit renewal was issued by the Williamsport regional office on October 6, 2003.

Persons interested in reviewing a permit may contact John C. Hamilton, P. E., Facilities Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3653. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984.

Permit modification issued under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and regulations to operate solid waste processing or disposal area or site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 101315. Millville Solid Waste Transfer Station, R. R. 1, Millville, PA 17846-9801 in Madison Township, **Columbia County**. The permit modification for the implementation of a Radiation Protection and Action Plan was issued by the Williamsport Regional Office on November 3, 2003.

Persons interested in reviewing the permit may contact John C. Hamilton, P. E., Facilities Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3653. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984.

Permits issued under the Solid Waste Management Act, the Municipal Waste Planning, Recycling and Waste Reduction Act and regulations to operate solid waste processing or disposal area or site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit ID No. 101565. Waste Management of Pennsylvania, Inc., Ambridge Transfer Station, 2197 Duss Avenue, Ambridge, PA 15003. Operation of a municipal waste transfer station in Ambridge Borough, **Beaver County**. Permit modification approves a radioactive materials detection and monitoring plan issued in the Regional Office on November 4, 2003.

MUNICIPAL AND RESIDUAL WASTE TRANSPORTER AUTHORIZATION

Issued applications for Municipal and Residual Waste Transporter Interim Authorization received under the Waste Transportation Safety Act (27 Pa.C.S. §§ 6201–6209) and regulations to transport municipal or residual waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Municipal and Residual Waste, P. O. Box 8472, Harrisburg, PA 17105-8472.

Good View Inc., 47-53 South 20th St., Irvington, NJ 07111. Authorization No. WH5377. Effective November 5, 2003.

Venezia Hauling Inc., P. O. Box 909, Royersford, PA 19468. Authorization No. WH5464. Effective November 5, 2003.

Terrace Transportation, P. O. Box 030312, 3249 Richmond Terrace, Staten Island, NY 10303-0312. Authorization No. WH5485. Effective November 5, 2003.

McCardles Hauling, P. O. Box 101, Burnham, PA 17009. Authorization No. WH5494. Effective November 5, 2003.

Cruz & Bonilla Trucking, 217 South St., Elizabeth, NJ 07202. Authorization No. WH5495. Effective November 5, 2003.

G & S Transport Ltd., 28 Gardenia Dr., Maple Shade, NJ 08052-1405. Authorization No. WH5496. Effective November 5, 2003.

Janet & Bert Enterprises, P. O. Box 274, Penn, PA 15675. Authorization No. WH5497. Effective November 5, 2003.

William C. Martin, Jr. Hauling, 507 Nel Dr., Fairless Hills, PA 19030. Authorization No. WH5498. Effective November 5, 2003.

Center Valley Landscapes & Hauling, 1244 Hamilton St., Allentown, PA 18102. Authorization No. WH5510. Effective November 5, 2003.

Jeffrey L. Taylor, 115 Greenvale Ct., Cherry Hill, NJ 08034. Authorization No. WH5511. Effective November 5, 2003.

J. Tennant Trucking Inc., P. O. Box 118, Mt. Morris, PA 15349-0118. Authorization No. WH5512. Effective November 5, 2003.

S. Budd Chiavetta, 31 Sutton Place, Easton, PA 18045-5740. Authorization No. WH5513. Effective November 5, 2003.

C. I. Miller Co., P. O. Box 515, Kimberton, PA 19442. Authorization No. WH5514. Effective November 5, 2003.

Keith Homes Inc., 2455 Park Ave., Washington, PA 15301. Authorization No. WH5515. Effective November 5, 2003.

Omar Calicho, Apt. 3B, 251 Gregory Ave., Passaic, NJ 07055. Authorization No. WH5516. Effective November 5, 2003.

GH Trucking, 83 Good Springs Road, Asbury, NJ 08802. Authorization No. WH5518. Effective November 5, 2003.

Deer Carcass Removal Service LLC, 140 Meirs Road, Cream Ridge, NJ 08514. Authorization No. WH5312. Effective November 7, 2003.

Scott M. Donsecz, 211 High St., Easton, PA 18042. Authorization No. WH5385. Effective November 7, 2003.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Edward Brown, Facilities Permitting Chief, (610) 832-6242.

09-312-036GP: Univar USA, Inc. (200 Dean Sievers Place, Morrisville, PA 19067) on November 5, 2003, for an aboveground storage tank in Falls Township, **Bucks County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

GP1-67-03024: North Metal and Chemical Co. (609 East King Street, York, PA 17405) on October 31, 2003, authorized to operate two small gas and no. 2 oil fired combustion units under GP1 in the City of York, **York County**.

GP4-67-03051: Swam Electric Co., Inc. (490 High Street, Hanover, PA 17331-2124) on October 31, 2003, authorized to operate a burn off oven under GP4 in Hanover Borough, **York County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

GP5-08-01: Belden and Blake Corp. (5200 Stoneham Road, North Canton, OH 44720) on October 15, 2003, to authorize construction and operation of a 538 horsepower natural gas-fired reciprocating internal combustion compressor engine under the General Plan Approval and General Operating Permit for Natural Gas Production Facilities (BAQ-GPA/GP-5) at the Bradford West site in Athens Township, **Bradford County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

GP5-26-00553: Atlas America, Inc. (101 McQuiston Drive, Jackson Center, PA 16133) on November 3, 2003, for installation of a natural gas combustion engine at their Bitner Compressor Station in Franklin Township, **Fayette County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Thomas McGinley, New Source Review Chief, (610) 832-6242.

46-0239: SEI Investments (100 Cider Mill Road, Oaks, PA 19456) on November 5, 2003, to operate two emergency generators in Upper Providence Township, **Montgomery County**.

46-0037N: Cabot Supermetals (County Line Road, Boyertown, PA 19512) on November 5, 2003, to operate a fourth tantalum production line in Douglass and Colebrookdale Townships, **Montgomery and Berks Counties**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

48-328-003A: PPL Generation LLC (Two North Ninth Street, Allentown, PA 18101) on October 31, 2003, for modification of four combustion turbines at the Martins Creek SES Station, Lower Mt. Bethel Township, **Northampton County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

8-310-004: Glenn O. Hawbaker, Inc. (711 East College Avenue, State College, PA 16823) on October 21, 2003, for construction of a sand and gravel processing plant and associated air cleaning device (a water spray dust suppression system) in Canton Township, **Bradford County**. The equipment in this plant is subject to Subpart 000 of the Federal Standards of Performance for New Stationary Sources.

8-313-019D: OSRAM SYLVANIA Products, Inc. (Hawes Street, Towanda, PA 18848) on October 28, 2003, for reactivation of a halo phosphor furnace (furnace 6C) and associated air cleaning devices (two fabric collectors, one cartridge collector and one absolute filter) in North Towanda Township, **Bradford County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

32-00365B: Rosebud Mining Co. (301 Market Street, Kittanning, PA 16201) on November 4, 2003, for increased processed coal throughput of the plant from current 5 million tons to 1 million tons annually and installation of Air Jig at Dutch Run Deep/Parker Mine in Washington Township, **Indiana County**.

56-00287A: Friend to End (5491 Somerset Pike, Hollsopple, PA 15935) on November 7, 2003, to allow the relocation and installation of an existing animal crematory incinerator equipped with an afterburner at facility in Jenner Township, **Somerset County**.

30-00072D: Consol Pennsylvania Coal Co. (1800 Washington Road, Pittsburgh, PA 15241) on November 10, 2003, for upgrades to the refuse conveyor system and wash plant expansion at the Bailey Mine complex in Richhill Township, **Greene County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Devendra Verma, New Source Review Chief, (814) 332-6940.

10-027C: Penreco (138 Petrolia Street, Karns City, PA 16041) on October 28, 2003, for installation of a natural gas/oil fired boiler in Karns City, **Butler County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Thomas McGinley, New Source Review Chief, (610) 832-6242.

09-0128: East Coast Sign Ad (5058 Route 13 North Bristol, PA 19007) on November 3, 2003, for operation of a paint spray booth in Bristol Township, **Bucks County**.

23-0014C: Kimberly Clark PA LLC (Front Street and Avenue of the States, Chester, PA 19013) on November 3, 2003, for operation of a wet scrubber dust control system in City of Chester, **Delaware County**.

46-0112: Palmer International, Inc. (2036 Lucon Road, Skippack, PA 19474) on November 11, 2003, for operation of a thermal oxidizer in Skippack Township, **Montgomery County**.

09-0050: Better Materials Corp. (852 Swamp Road, Penns Park, PA 18943) on November 11, 2003, for operation of one crusher and two conveyor belts in Wrightstown Township, **Bucks County**.

23-0063A Department of Corrections—SCI Chester (500 East 4th Street, Chester, PA 19013) on November 11, 2003, for operation of a boiler in City of Chester, **Delaware County**.

23-0082: Liberty Electric Power LLC (1000 Industrial Highway, Eddystone, PA 19022) on November 11, 2003, for operation of a power plant 500 mW in Eddystone Borough, **Delaware County**.

46-0191B: Merck and Co., Inc. (351 North Summeytown Pike, North Wales, PA 19454) on November 17, 2003, for operation of a 100 kW emergency generator in Upper Gwynedd Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

36-03074A: Colonial Metals Co. (217 Linden Street, Columbia, PA 17512) on October 4, 2003, to renovate their existing scrap metal recycling facility in Columbia Borough, **Lancaster County**. This facility is subject to 40 CFR Part 60, Subpart M—Standards of Performance for Secondary Brass and Bronze Production Plants. This plan approval was extended.

67-02004: P H Glatfelter Co. (228 South Main Street, Spring Grove, PA 17362) on July 10, 2003, for operation of three power boilers controlled by an electrostatic precipitator, a lime calciner controlled by a Venturi scrubber and a softwood fiber line and causticizing area controlled by a regenerative thermal oxidizer in Spring Grove Borough, **York County**. This plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

55-310-002A: National Limestone Quarry, Inc. (P. O. Box 397, Middleburg, PA 17842) on October 31, 2003, to construct various pieces of stone crushing, screening and conveying equipment until February 28, 2004, and to operate various other pieces of stone crush-

ing, screening and conveying equipment on a temporary basis until February 28, 2004, in Franklin Township, **Snyder County**. The plan approval and authorization have been extended.

53-00005B: Dominion Transmission, Inc. (625 Liberty Avenue, Pittsburgh, PA 15222) on October 30, 2003, to operate a 4,735 horsepower natural gas-fired reciprocating internal combustion compressor engine on a temporary basis until February 27, 2004, at the Greenlick Compressor Station in Stewardson Township, **Potter County**. The plan approval and authorization have been extended.

60-303-003: Eastern Industries, Inc. (220 Park Road, Winfield, PA 17889) on October 29, 2003, to operate a drum mix asphalt plant and associated air cleaning device (a fabric collector) on a temporary basis to February 28, 2004, in Buffalo Township, **Union County**. The plan approval and authorization have been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

04-00706B: Beaver Valley Slag, Inc. (6010 Woodlawn Road, Aliquippa, PA 15001) on November 4, 2003, for installation of a screening plant at the Black's Run Slag Mine in Center Township, **Beaver County**. This plan approval was extended.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Edward Brown, Facilities Permitting Chief, (610) 832-6242.

23-00001: Sunoco, Inc. (Delaware Avenue and Green Street, Marcus Hook, PA 19061-0426) on November 3, 2003, in Marcus Hook Borough, **Delaware County**. This amendment is to finalize changes through Plan Approvals PA-23-0001P and PA-23-0001R.

23-00014: Kimberly-Clark Corp. (Front and Avenue of the States, Chester, PA 19013) on November 6, 2003, in the City of Chester, **Delaware County**. The permit was revised and issued in accordance with 25 Pa. Code § 127.462 to change the pressure drop across the bin vent filter associated with the Limestone Storage Silo. The pressure drop range was changed from 2 to 6 inches water gage to 0.5 inch to 6 inches water gage. No additional monitoring or recordkeeping requirements has been added to the permit and this change will not result in an increase in the emissions from the facility.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

06-05025: Morgan Corp. (35 Thousand Oaks Boulevard, P. O. Box 588, Morgantown, PA 19543) on October 28, 2003, for operation of a truck body manufacturing facility at their Morgantown Plant in Caernarvon Township, **Berks County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Edward Brown, Facilities Permitting Chief, (610) 832-6242.

46-00171: John Evans Sons, Inc. (1 Spring Ave., Lansdale, PA 19446) on November 4, 2003, for operation of a natural minor operating permit in Lansdale Borough, **Montgomery County**.

23-00077: County of Delaware—Fair Acres Complex (340 North Middletown Road, Lima, PA 19037) on November 6, 2003, for operation of a synthetic minor operating permit in Middletown Township, **Delaware County**.

23-00081: Chichester School District (711 Market Street, Boothwyn, PA 19061) on November 6, 2003, for operation of a natural minor operating permit in Marcus Hook Borough, **Delaware County**.

46-00200: John Middleton, Inc. (418 West Church Road, King of Prussia, PA 19406) on November 7, 2003, for operation of a synthetic minor operating permit in Upper Merion Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

36-05130: Masonic Homes (1 Masonic Drive, Elizabethtown, PA 17022) on October 30, 2003, for operation of boilers and emergency generators at their retirement facility in Elizabethtown Borough, **Lancaster County**.

44-03007: Hoenstine Funeral Home, Inc. (75 Logan Street, Lewistown, PA 17044) on October 31, 2003, for operation of their human crematory in Lewistown Borough, **Mifflin County**.

67-03035: Martin's Potato Chips, Inc. (P. O. Box 28, Thomasville, PA 17364) on October 29, 2003, for operation of their snack food manufacturing facility in Jackson Township, **York County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

04-00435: Hickman, Williams and Co. (P. O. Box 101, Monaca, PA 15061) on October 29, 2003, for operation of screening coke products at their Pittsburgh Processing Division facility in Potter Township, **Beaver County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

24-00001: Buehler Lumber Co., Inc. (260 West Main Street, Ridgway, PA 15853) on November 5, 2003, for a Natural Minor Operating Permit to operate a sawmill and wood-fired boiler in Ridgway Borough, **Elk County**.

42-00181: Elkhorn Field Services—Lewis Run Plant (1371 South Avenue, Bradford, PA 16701) on November 5, 2003, for a Natural Minor Operating Permit for a natural gas processing facility in Bradford Township, **McKean County**.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Edward Brown, Facilities Permitting Chief, (610) 832-6242.

09-00064: CRC Industries, Inc. (885 Louis Drive, Warminster, PA 18974-0586) on November 4, 2003, the

permit was revised to incorporate the requirements from Plan Approval PA-09-0064 for a new fill line and eight enclosed mixing tanks. It is a non-Title V, Natural Minor facility in Warminster Township, **Bucks County**. A 15,000-gallon aboveground storage tank for toluene that was under General Permit 09-312-034GP was also incorporated into this permit. As a result of these changes, facility-wide limits of 18 tons of VOCs per year, 10 tons of a single HAP per year and 25 tons per year of a combination of HAPs were added to the permit.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

26-00177: Golden Eagle (P. O. Box 945, Uniontown, PA 15401) on October 17, 2003, for their Coolspring Asphalt Plant in North Union Township, **Fayette County**. The following shall be incorporated into the State-only Operating Permit:

1. Natural gas, propane, no. 2, no. 4, no. 6 fuel oil and/or (on spec) waste derived liquid fuel may be used at this facility.
2. Total facility-wide VOC emissions shall not exceed 4.5 tons per consecutive 12-month period for gaseous fuel usage.

<i>Constituent</i>	<i>Maximum Acceptable Levels (PPM)/Analytical Technique</i>	
Arsenic	5	Atomic Absorption
Cadmium	2	Atomic Absorption
Chromium	10	Atomic Absorption
Lead	100	Atomic Absorption
Total Halides	1000	ASTM D-808-81
PCB	10	H ₂ S ₀₄ Extraction/GC with Electron Capture

12. Fuel analysis records shall be kept and maintained onsite for 5 years.
13. Stack testing requirements for each of the asphalt plants, once during the term of the permit.
14. 40 CFR Part 60.8 requirements.
15. 40 CFR Part 60.11 requirements.
16. Miscellaneous clarifications to streamline the permit.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark J. Wejkszner, New Source Review Chief, (570) 826-2531.

40-0005A: Hunlock Creek Energy Ventures (US Route 11, P. O. Box 224, Hunlock Creek, PA 18621) for an increase in VOCs of 0.051 ton per year. The company is a Title V facility. The increase in emissions is a result of utilizing a synthetic fuel in the combustion process at their Hunlock Power Station facility on US Route 11, Hunlock Township, **Luzerne County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining

3. Total facility-wide emissions shall not exceed 9 tons of VOC per consecutive 12-month period for fuel oil and/or on-spec waste derived liquid fuel usage.
4. Burners shall be properly tuned at the of each season and in accordance with the manufacturer's recommendations.
5. A maintenance log for the burner shall be kept and maintained onsite.
6. No. 2, no. 4, no. 6 and/or waste derived liquid fuel usage shall be limited to a total of 1,984,665 gallons per consecutive 12-month period.
7. The sulfur content of any fuel used to fire the burner shall not exceed 0.5% by weight.
8. The owner/operator shall keep and maintain records of daily, monthly and 12-month rolling total of asphalt production.
9. The owner/operator shall keep and maintain a monthly record of gallons and type of liquid fuel used.
10. The owner/operator shall keep and maintain a 12-month rolling total of fuel usage and associated emissions.
11. Waste derived liquid fuel usage shall not exceed the following limitations and shall be analyzed by the following techniques (25 Pa. Code § 127.12b):

Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permit Actions

California District Mining Office: 25 Technology Drive, California Technology Park, Coal Center, PA 15423, (724) 769-1100.

03841305. NPDES Permit No. PA0002275, Keystone Coal Mining Corporation (P. O. Box 219, Shelocta, PA 15774), to revise the permit for the Emilie Mine in Plumcreek Township, **Armstrong County**, to change post-mining land use and revise reclamation plans, no additional discharges. Permit issued November 3, 2003.

17031701. NPDES Permit No. PA0235504, Lady Jane Collieries, Inc. (2 North Ninth Street, Allentown,

PA 18101-1179), to operate the Horning Run Passive Treatment in Huston Township, **Clearfield County** and related NPDES permit, Surface Acres Proposed 7.0, Horning Run (CWF). Permit issued November 7, 2003.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56950108 and NPDES Permit No. PA0213195. Fieg Brothers, 3070 Stoystown Road, Stoystown, PA 15563, permit revision for a stream variance including a stream crossing and also for a permit boundary amendment from 112.2 to 112.25 to accommodate the haul road stream crossing in Brothersvalley Township, **Somerset County**, affecting 112.25 acres. Receiving streams: unnamed tributaries to Buffalo Creek (CWF). There are no potable water supply intakes within 10 miles downstream. Application received July 21, 2003. Permit issued November 3, 2003.

32030104 and NPDES Permit No. PA0249432. Twin Brook Coal, Inc., P. O. Box 225, Clymer, PA 15728, commencement, operation and restoration of a bituminous surface mine and for treated mine drainage in Green Township, **Indiana County**, affecting 61.0 acres. Receiving streams: North Branch Two Lick Creek (CWF) and Pompey Run (WTS). There are no potable water supply intakes within 10 miles downstream. Application received March 18, 2003. Permit issued November 6, 2003.

Noncoal Permit Actions

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

64030801. William Yerkes (HC 1 Box 1204, Milanville, PA 18443-9708), commencement, operation and restoration of a quarry operation in Damascus Township, **Wayne County** affecting 5.0 acres, receiving stream: tributary to Northern Branch of Calkins Creek. Application received January 17, 2003. Permit issued November 5, 2003.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (73 P. S. §§ 151–161) and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

67034072. Kinsley Construction (P. O. Box 2886, 150 Leader Heights Road, York, PA 17405) and **Kesco, Inc.** (127 Oneida Valley Road, Butler, PA 16001), construction blasting at SR 0083 Section 025 in York Township, **York County** with an expiration date of June 30, 2005. Permit issued November 4, 2003.

45034049. Explosive Services, Inc. (7 Pine Street, Bethany, PA 18431), construction blasting at Woods Edge in Middle Smithfield Township, **Monroe County** with an expiration date of October 8, 2004. Permit issued November 4, 2003.

45034048. Explosive Services, Inc. (7 Pine Street, Bethany, PA 18431), construction blasting off Glenbrook Road in Stroud Township, **Monroe County** with an expiration date of October 8, 2004. Permit issued November 4, 2003.

45034047. Explosive Services, Inc. (7 Pine Street, Bethany, PA 18431), construction blasting at Mill Creek

Estates in Barrett Township, **Monroe County** with an expiration date of October 8, 2004. Permit issued November 4, 2003.

01034012. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting at Hilton Garden Inn in Straban Township, **Adams County** with an expiration date of November 27, 2004. Permit issued November 4, 2003.

38034027. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting at Old Stone Way Duplex Development, North Londonderry Township, **Lebanon County** with an expiration date of November 27, 2004. Permit issued November 4, 2003.

48034033. Schlouch, Inc. (Excelsior Industrial Park, P. O. Box 69, Blandon, PA 19510), construction blasting at Easton Avenue Car Wash in Bethlehem Township, **Northampton County** with an expiration date of November 26, 2005. Permit issued November 5, 2003.

39034016. Schlouch, Inc. (Excelsior Industrial Park, P. O. Box 69, Blandon, PA 19510), construction blasting in Upper Macungie Township, **Lehigh County** with an expiration date of November 26, 2006. Permit issued November 5, 2003.

45034050. E. R. Linde Construction Corporation (R. R. 6 Box 6825, Honesdale, PA 18431), construction blasting at the Country Club of Poconos in Middle Smithfield Township, **Monroe County** with an expiration date of November 27, 2004. Permit issued November 6, 2003.

23034017. Horst Drilling & Blasting (141 Ranck's Church Road, New Holland, PA 17557), construction blasting at Lowry Tract in Concord Township, **Delaware County** with an expiration date of December 1, 2007. Permit issued November 6, 2003.

15034039. Horst Drilling & Blasting (141 Ranck's Church Road, New Holland, PA 17557), construction blasting at Steepleview in Wallace Township, **Chester County** with an expiration date of December 1, 2006. Permit issued November 6, 2003.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

31034005. Stone Valley Construction, Inc., P. O. Box 369, Pine Grove Mills, PA 16868, sewer line and utilities at The Highlands, Huntingdon Borough, **Huntingdon County**. Duration November 2003, through March 2004. Permit issued November 6, 2003.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501–508 and 701–704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law (35 P.S. §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E46-946. Department of Transportation, District 6-0, 7000 Geerdes Boulevard, King of Prussia, PA 19406, Upper Salford and Lower Frederick Townships, **Montgomery County**, ACOE Philadelphia District.

To remove an existing six-span stone masonry arch bridge which carries Spring Mount Road (SR 1019) over the Perkiomen Creek (WWF-MF) and to construct and maintain a twin span steel girder bridge measuring a total of 222 feet long and up to 13 feet high at the same location. The removal will require a temporary cofferdam and temporary causeway impacting 0.05 acre of vegetated bars within the top of bank. The site is approximately 4,000 feet northeast of the intersection of SR 29 of Spring Mount Road (SR 1019) (Perkiomenville, PA USGS Quadrangle N: 4.5 inches; W: 11.25 inches).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E13-136. Vacation Charters, Ltd., P. O. Box 592, One Lake Drive, Lake Harmony, PA 18624-0592. Kidder Township, **Carbon County**, Army Corps of Engineers Philadelphia District.

To construct and maintain an outfall channel with a rip-rap apron in the floodway of a tributary to Black Creek (HQ-CWF). The outfall channel is associated with the Mountain Laurel Resort project, approximately 1,500 feet west of the intersection of SR 0940 and the on-ramp of the Turnpike Northeast Extension (Hickory Run, PA Quadrangle N: 12.6 inches; W: 11.5 inches) (Subbasin 2-B).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E67-733. East Manchester Township, 5080 North Sherman Street Extended, Mount Wolf, PA 17347 in East Manchester Township, **York County**, ACOE Baltimore District.

To remove a 26-foot, 48-inch corrugated metal pipe and extend the remaining 17-foot, 48-inch reinforced concrete pipe (RCP) to the north with a 32-foot, 48-inch RCP and construct a headwall in an unnamed tributary to Hartman Run (WWF) in East Manchester Township, York County (York Haven, PA Quadrangle N: 8.9 inches; W: 12.9 inches). The total length of the culvert under Forge Hill Road (T-945) will measure 49 linear feet and have a uniform depression of 6 inches.

E36-765. Department of Transportation, District 8-0, 2140 Herr Street, Harrisburg, PA 17120 in West Cocalico Township, **Lancaster County**, ACOE Baltimore District.

To remove the twin culverts and then to construct and maintain a 10-foot by 5-foot concrete box culvert at the channel of Harnish Run (WWF) on SR 1057, Section 0001, Segment 0020, Offset 1434 and to fill in 0.007 acre of de minimis wetland to improve the roadway width about 0.8 mile northwest of Blainsport Village (Womelsdorf, PA Quadrangle N: 7.2 inches; W: 3.2 inches) in West Cocalico Township, Lancaster County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

E12-143. Richard Gerber, 102 Larch Lane, St. Marys, PA 15857. Gerber garage addition in Emporium Borough, **Cameron County**, ACOE Baltimore District (Emporium, PA Quadrangle N: 1.5 inches; W: 13.25 inches).

To construct, operate and maintain a 12-foot by 20-foot addition to an existing building in the floodway of the

Driftwood Branch of the Sinnemahoning Creek (CWF). The addition shall be constructed of concrete block and is permitted to have a total volume of 2,400 cubic feet. This permit was issued under section 105.13(e) "Small Projects."

E47-077. David R. Cotner, 418 Jerseytown Road, Danville, PA 17821. Cotner Crossing in West Hemlock Township, **Montour County**, ACOE Baltimore District (Millville, PA Quadrangle N: 7.5 inches; W: 13.6 inches).

To remove the existing 4-foot diameter culvert pipe and to construct, operate and maintain an 8-foot diameter culvert pipe 12 feet upstream of the existing pipe. The inlets and outlets will have riprap and headwalls to stabilize the banks and the bottom of the pipe shall be depressed 12 inches. This project is 5 miles east of the intersection of SR 54 and SR 642 on the east side of the road. The project is in the watershed of Mahoning Creek (CWF). This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E49-269. Nicholas and Amy Telesky, 146 North Front St., Milton, PA 17847-1204. Water Obstruction and Encroachment Permit application in Milton Borough, **Northumberland County**, ACOE Susquehanna River Basin District (Northumberland, PA Quadrangle N: 4.0 inches; W: 14.5 inches).

To construct and maintain a 28-foot by 14-foot open deck, which is in the floodway of the West Branch of the Susquehanna River along the eastern right-of-way of North Front Street in Milton Borough, Northumberland County. This permit was issued under section 105.13(e) "Small Projects."

E59-447. Grace Engle, Rachael and Joseph Kolb, Susan Shellman and Faith Matelski, One Charles St., Wellsboro, PA 16901. Kolb Property Crossing in

Middlebury Township, **Tioga County**, ACOE Baltimore District (Crooked Creek, PA Quadrangle N: 14.7 inches; W: 12.6 inches).

To remove the existing twin cell 24-inch corrugated metal pipes in their entirety and to construct, operate and maintain two 3-foot by 4-foot corrugated metal arch culvert pipes. An additional 3-foot by 4-foot corrugated metal arch culvert pipe shall be placed in a braided portion of the stream. The unnamed tributary to Hills Creek is a WWF. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

SPECIAL NOTICES

Announcement of Resource Recovery Demonstration Grants under the Solid Waste-Resource Recovery Development Act

In accordance with 25 Pa. Code §§ 76.13 and 76.82(c), notice is given that the Department of Environmental Protection (Department) has approved grants to the following application sponsors under the Pennsylvania Solid Waste-Resource Recovery Development Act.

The grant offerings are subject to completion of a contract with the Department in accordance with the scope of work approved by the Bureau of Land Recycling and Waste Management. Grants are limited to no more than the maximum amount provided in the grant offering, up to 75% of the total eligible demonstration project costs.

Inquiries concerning this notice should be directed to John Lundsted, Recycling Technical Assistance Coordinator, Department of Environmental Protection, Bureau of Land Recycling and Waste Management, Rachel Carson State Office Building, P. O. Box 8472, Harrisburg, PA 17105-8472.

2003 Act 198 Demonstration Grants

<i>Development Agency</i>	<i>Description of Project</i>	<i>Amount</i>
Liberty Township	Liberty Township, in conjunction with RecycALL Inc., will develop and demonstrate a manufacturing process that utilizes mixed broken glass cullet as a raw material in concrete products.	\$100,000
Philadelphia City	Philadelphia City, in conjunction with The White Dog Café, is going to establish an onsite in-vessel food composting demonstration project in an urban setting to understand the needs and issues of an operation such as this.	\$37,600

[Pa.B. Doc. No. 03-2234. Filed for public inspection November 21, 2003, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are on the Department of Environmental Protection's (Department) website (www.dep.state.pa.us) at the Public Participation Center page. The "Current Inventory" heading is the Governor's list of nonregulatory guidance documents. The "Final Documents" heading is the link to a menu of the various Department bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

The Department will continue to revise its nonregulatory documents, as necessary, throughout 2003.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view guidance documents. When this option is not available, persons can order a bound paper copy of the latest inventory or an unbound paper copy of any of the final documents listed on the inventory by calling the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Notice of Intent to Add Technical Guidance

DEP ID: 251-2200-503. Title: Guidance for the Application of Section 269a.(46)—Transportation Standards, Phase II Hazardous Waste Siting Criteria. Description: Section 269a.(46) provides basic transportation standards, criteria and restrictions regarding hazardous waste transportation and disposal facilities. The purpose of this document is to provide a framework for the review and analysis of the effects of truck traffic when traveling to and from a treatment and disposal facility. This document has been used by the Department as an internal guideline since 1993, but not as a technical guidance document. The Bureau of Land Recycling and Waste Management has made minor revisions to the document, including formatting, renumbering of paragraphs and updating the bureau and Department name. The document will be incorporated into the Department's inventory of technical guidance documents to make it publicly available. Effective Date: November 22, 2003. Contact: Nick Molina, (717) 787-8268, nmolina@state.pa.us.

Draft Technical Guidance—Substantive Revision

DEP ID: 383-3310-109. Title: Pennsylvania Drinking Water Information System (PADWIS) Inventory User's Manual. Description: The purpose of this document is to establish guidance for maintenance of a computerized public water system inventory, and to establish uniform instructions and protocol for maintaining and using a computerized inventory of public water system information. In turn, this information is used for management of the Safe Drinking Water Program. This document contains inventory data for over 10,000 of Pennsylvania's active public drinking water systems. The revisions to this existing technical guidance document include changes and/or replacements of outdated computer systems information. Comment Period Ends: December 22, 2003. Contact: Michael Mark, (717) 772-4466, mmark@state.pa.us.

Final Technical Guidance

DEP ID: 362-0300-002. Title: Small Flow Treatment Facilities Manual. Description: This policy provides major amendments to the existing guidance regarding the design and construction of small flow treatment facilities. The purpose of this guidance is to amend, clarify and add additional treatment facility options to the previous guidance regarding the design, permitting, installation, operation and maintenance of domestic wastewater treatment facilities with flows not greater than 2,000 gallons per day. Effective Date: November 22, 2003. Contact: Keith Bair, (717) 787-8184, kebair@state.pa.us.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 03-2235. Filed for public inspection November 21, 2003, 9:00 a.m.]

Coastal Zone Advisory Committee Meeting Change

The December 10, 2003, meeting of the Coastal Zone Advisory Committee has been changed to January 21, 2004. The meeting will take place on the 2nd floor Rachel Carson State Office Building rather than the usual location of Room 105. Meeting participants should be prepared to obtain visitor passes from the security guards by showing a valid form of picture identification at the guard's desk.

Questions concerning this meeting should be directed to Everal McDonald, (717) 772-5619, emcdonald@state.pa.us. The agenda and meeting materials will be available through the Public Participation Center on the Department of Environmental Protection's (Department) website at www.dep.state.pa.us.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Everal McDonald, (717) 772-5619 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 03-2236. Filed for public inspection November 21, 2003, 9:00 a.m.]

Proposed Revisions to Pennsylvania NPDES General Permit for Discharges from Small Flow Treatment Facilities (PAG-4)

Under the authority of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Clean Water Act (33 U.S.C.A. §§ 1251—1376), the Department of Environmental Protection (Department) proposes to review and revise the term of its NPDES General Permit for Discharges from Single Family Residence Sewage Treatment Plants and retitle it the NPDES General Permit for Discharges from Small Flow Treatment Facilities (PAG-4). The current General Permit will expire on February 5, 2004.

The proposed revisions reflect changes due to the revisions to the Small Flow Treatment Facilities Manual (DEP ID: 362-0300-002) technical guidance document, published as final at 33 Pa.B. 5783 (November 22, 2003).

The proposed permit document package is available on the Department's website at www.dep.state.pa.us (DEP Keyword: Participate). The proposed permit document package is also available by contacting the Bureau of Water Supply and Wastewater Management, P. O. Box 8467, Harrisburg, PA 17105-8467, (717) 783-3795, trutrountma@state.pa.us.

The Department invites public comments on the proposed revisions. Comments must be submitted to the Department by December 22, 2003. If there is significant public interest in the General Permit, or if requested, the comment period may be extended at the discretion of the Department for an additional 15-day period. Only comments received within the specified period will be considered in the formulation of the final documents for this General Permit. If significant issues of public interest are raised, the Department may schedule a public meeting or hearing. Written comments should be submitted to the previous address. The comments will also be accepted by e-mail to kebair@state.pa.us. Comments will not be accepted by facsimile or on voice mail.

Persons with a disability may use the AT&T Relay Service, (800) 654-5984 (TDD users) or (800) 654-5988 (voice users). Following the specified comment period, the Department will review all submitted comments, prepare a written comments and response document and prepare a final documents package for the General Permit. Availability of the final General Permit documents will be announced in the *Pennsylvania Bulletin*. Individuals who

would like to receive a copy of the final documents may request them by contacting the previous address or telephone number.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 03-2237. Filed for public inspection November 21, 2003, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Carlisle Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Carlisle Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 51.23 (relating to positron emission tomography).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, ra-paexcept@state.pa.us.

Individuals who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care, (717) 783-8980, for speech and/or hearing impaired persons V/TT: (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 03-2238. Filed for public inspection November 21, 2003, 9:00 a.m.]

Application of Lehigh Valley Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Lehigh Valley Hospital has requested an exception to the requirements of 28 Pa. Code § 107.62 (relating to oral orders).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, ra-paexcept@state.pa.us.

Individuals who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care, (717) 783-8980, for speech and/or hearing impaired persons V/TT: (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 03-2239. Filed for public inspection November 21, 2003, 9:00 a.m.]

Application of St. Luke's Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that that St. Luke's Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standard contained in this publication: 9.2.H1a (relating to corridor width).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax: (717) 772-2163, ra-paexcept@state.pa.us.

Individuals who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care, (717) 783-8980, for speech and/or hearing impaired persons V/TT: (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 03-2240. Filed for public inspection November 21, 2003, 9:00 a.m.]

Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P. S. §§ 448.101—448.904b), for exceptions to regulations contained in 28 Pa. Code Part IV, Subparts B—G.

Section 51.33(d) provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from September 1, 2003, through November 30, 2003. Future publications of decisions on exception requests will appear on a quarterly basis.

Requests for additional information on the exception requests and the Department's decision should be made

to the relevant division of the Department. Inquiries regarding hospitals and ambulatory surgical facilities shall be addressed to Sandra Knoble, Director, Division of Acute and Ambulatory Care, P. O. Box 90, Harrisburg, PA 17108. Inquiries regarding long-term care facilities shall be addressed to William Bordner, Chief, Division of Nursing Care Facilities, P. O. Box 90, Harrisburg, PA 17108. Persons requiring special assistance for speech and/or hearing impairment should call V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

Exception Requests—Hospitals

<i>Facility Name</i>	<i>Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Decision</i>
Saint Vincent Health Center—Erie	28 Pa. Code § 51.3(a)	notification—60 days	8/9/03	not necessary
Community Medical Center Healthcare System	28 Pa. Code § 107.61	written orders	6/21/03	granted in part
Kindred Hospital, Wyoming Valley	28 Pa. Code § 107.61	written orders	6/21/03	granted in part
Mercy Special Care Hospital—Nanticoke	28 Pa. Code § 107.61	written orders	6/21/03	granted in part
Tyler Memorial Hospital	28 Pa. Code § 107.61	written orders	6/21/03	granted in part
Moses Taylor Hospital	28 Pa. Code § 107.61	written orders	6/21/03	not necessary
St. Lukes Hospital	28 Pa. Code § 107.61	written orders	6/21/03	granted in part
Allied Services Rehab Hospital	28 Pa. Code § 107.61	written orders	6/21/03	not necessary
Geisinger Wyoming Valley Hospital	28 Pa. Code § 107.61	written orders	6/21/03	granted in part
Centre Community Hospital	28 Pa. Code § 107.61	written orders—PAs and midwives	7/26/03	granted
Doylestown Hospital	28 Pa. Code § 107.61	written orders—CRNPs and PAs	7/26/03	granted in part
Geisinger Medical Center	28 Pa. Code § 107.61	written orders—CRNPs and PAs	7/26/03	granted in part
Healthsouth Nittany Valley Rehab Hospital	28 Pa. Code § 107.61	written orders—PAs	7/26/03	granted
Marian Community Hospital	28 Pa. Code § 107.61	written orders	7/26/03	granted in part
Hazleton St. Joseph Medical Ctr.	28 Pa. Code § 107.61	written orders CRNP/PA	7/26/03	granted in part
Hazleton General Hospital	28 Pa. Code § 107.61	written orders CRNP/PA	7/26/03	granted in part
Mercy Hospital—Scranton	28 Pa. Code § 107.61	written orders CRNP/PA	7/26/03	granted in part
Mercy Hospital—Wilkes-Barre	28 Pa. Code § 107.61	written orders CRNP/PA	7/26/03	granted in part
Armstrong County Memorial Hospital	28 Pa. Code § 107.61	written orders CRNP/PA	7/26/03	granted in part
Greene County Memorial Hospital	28 Pa. Code § 107.61	written orders—PA	7/26/03	granted in part
MidValley Hospital	28 Pa. Code § 107.61	written orders CRNP/PA	8/9/03	not necessary
Moses Taylor Hospital	28 Pa. Code § 107.61	written orders CRNP/PA/CNM	8/9/03	not necessary
Punxsutawney Area Hospital	28 Pa. Code § 107.61	written orders PA/CNM	8/9/03	not necessary
Shriners Hospital for Children	28 Pa. Code § 107.61	written orders CRNP/PA	8/9/03	not necessary

<i>Facility Name</i>	<i>Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Decision</i>
St. Clair Hospital	28 Pa. Code § 107.61	written orders CRNP/PA	8/9/03	not necessary
Abington Memorial Hospital	28 Pa. Code § 107.61	written orders CRNP/CNM/PA	8/2/03	not necessary
Community Medical Center Healthcare System	28 Pa. Code § 107.62	oral orders	6/21/03	granted in part
Kindred Hospital, Wyoming Valley	28 Pa. Code § 107.62	oral orders	6/21/03	granted in part
Tyler Memorial Hospital	28 Pa. Code § 107.62	oral orders	6/21/03	granted in part
Moses Taylor Hospital	28 Pa. Code § 107.62	oral orders	6/21/03	not necessary
St. Lukes Hospital	28 Pa. Code § 107.62	oral orders	6/21/03	granted in part
Allied Services Rehab Hospital	28 Pa. Code § 107.62	oral orders	6/21/03	not necessary
Geisinger Wyoming Valley Hospital	28 Pa. Code § 107.62	oral orders	6/21/03	granted in part
Geisinger Medical Center	28 Pa. Code § 107.62	oral orders—CRNPs and PAs	7/26/03	granted in part
Healthsouth Nittany Valley Rehab Hospital	28 Pa. Code § 107.62	oral orders—PAs	7/26/03	granted
Marian Community Hospital	28 Pa. Code § 107.62	oral orders	7/26/03	granted in part
Uniontown Hospital	28 Pa. Code § 107.62	oral orders	7/26/03	granted
Armstrong County Memorial Hospital	28 Pa. Code § 107.62	oral orders CRNP/PA	7/26/03	granted in part
Greene County Memorial Hospital	28 Pa. Code § 107.62	oral orders—PA	7/26/03	granted in part
Punxsutawney Area Hospital	28 Pa. Code § 107.62	oral orders PA/CNM	8/9/03	not necessary
Shriners Hospital for Children	28 Pa. Code § 107.62	oral orders CRNP/PA	8/9/03	not necessary
St. Clair Hospital	28 Pa. Code § 107.62	oral orders CRNP/PA	8/9/03	not necessary
Abington Memorial Hospital	28 Pa. Code § 107.62	oral orders CRNP/CNM/PA	8/2/03	not necessary
Mercy Special Care Hospital—Nanticoke	28 Pa. Code § 107.62(b)	oral orders	6/21/03	granted in part
Hazleton St. Joseph's Medical Center	28 Pa. Code § 107.62(b)	oral orders CRNP/PA	7/26/03	granted in part
Hazleton General Hospital	28 Pa. Code § 107.62(b)	oral orders CRNP/PA	7/26/03	granted in part
Mercy Hospital—Scranton	28 Pa. Code § 107.62(b)	oral orders CRNP/PA	7/26/03	granted in part
Mercy Hospital—Wilkes-Barre	28 Pa. Code § 107.62(b)	oral orders CRNP/PA	7/26/03	granted in part
MidValley Hospital	28 Pa. Code § 107.62(b)	oral orders CRNP/PA CRNP/PA/CNM	8/9/03	not necessary
Moses Taylor Hospital	28 Pa. Code § 107.62(b)	oral orders	8/9/03	not necessary
Allegheny General Hospital	28 Pa. Code § 107.64	administration of drugs	12/14/02	granted
Forbes Regional Hospital	28 Pa. Code § 107.64	administration of drugs	3/29/03	granted in part
Bucktail Medical Center	28 Pa. Code § 109.2(b)	director of nursing	7/26/03	granted
Forbes Regional Hospital	28 Pa. Code § 117.30	emergency paramedic	3/29/03	granted in part
Indiana Hospital	28 Pa. Code § 127.32	written orders— chiropractors	11/17/01	granted
St. Clair Hospital	28 Pa. Code § 127.32	written orders diagnostic radiology CRNP/PA	8/9/03	not necessary
St. Clair Hospital	28 Pa. Code § 131.22	treatment orders for rehabilitation	8/9/03	not necessary

<i>Facility Name</i>	<i>Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Decision</i>
Chambersburg Hospital	28 Pa. Code § 138.2	cardiac catheterization services definitions	3/29/03	granted
Chambersburg Hospital	28 Pa. Code § 138.15	high risk cardiac catheterizations	3/29/03	granted
Jeanes Hospital	28 Pa. Code § 138.15	high risk cardiac catheterization	3/16/02	denied
Chambersburg Hospital	28 Pa. Code § 138.17(c)	emergent PTCA services	3/29/03	granted
Geisinger Medical Center	28 Pa. Code § 153.1	7.28.B8 (relating to ceiling finishes)	1/25/03	granted
Lock Haven Hospital	28 Pa. Code § 153.1	minimum standards—7.23.D4 employee	7/26/03	granted
DuBois Regional Medical Center	28 Pa. Code § 153.1	minimum standards—7.10.H3 control room	7/26/03	not necessary
Meadville Medical Center	28 Pa. Code § 153.1	minimum standards—9.5.F2(1) c Class B OR	8/9/03	granted
Suburban General Hospital	28 Pa. Code § 153.1	minimum standards—7.2.B19 Showers and bathtubs	8/23/03	granted
Hanover Hospital	28 Pa. Code § 153.1	Minimum standards—9.1.c facility access	9/20/03	denied
Edgewood Place	28 Pa. Code § 153.1	minimum standards—7.2.B19 showers and tubs	10/4/03	granted
Exception Requests—Ambulatory Surgical Facilities				
Altoona Hospital ASC	28 Pa. Code § 553	governing body	8/9/03	granted
Suburban Gastroenterology Assoc.	28 Pa. Code § 569.2	fire safety codes	3/29/03	not necessary
Suburban Gastroenterology Assoc.	28 Pa. Code § 571.1	minimum standards—Appendix A Table 4.3	3/29/03	not necessary
Plaza Surgical Center, Inc.	28 Pa. Code § 571.1	minimum standards—9.5.E1 soiled workroom	8/2/03	granted
Plaza Surgical Center, Inc.	28 Pa. Code § 571.1	minimum standards—9.5.F5(m) housekeeping	8/2/03	granted
Exception Requests—Nursing Homes				
Berwick Retirement Village Nursing Home	28 Pa. Code § 201.17	location	3/29/03	rescinded
Mercy Jeannette Hospital Skilled Nursing Center	28 Pa. Code § 201.17	locations	7/26/03	granted
Rothermel L. Caplan Transitional Care Unit	28 Pa. Code § 201.17	location	8/2/03	granted
Linden Hall	28 Pa. Code § 201.18(e)	management	8/23/03	rescinded
Beverly Healthcare Meadville	28 Pa. Code § 205.6(a)	function of building	6/21/03	rescinded
Holy Family Manor, Inc.	28 Pa. Code § 205.6(a)	function of building	7/26/03	granted
The Lebanon Valley Home	28 Pa. Code § 205.6(a)	function of building	7/26/03	granted
ManorCare Health Services—Pottstown	28 Pa. Code § 205.6(a)	function of building	7/26/03	granted
Nottingham Village	28 Pa. Code § 205.6(a)	function of building	8/9/03	granted
Marian Manor Corporation	28 Pa. Code § 205.6(a)	function of building	8/30/03	granted
Westwood Nursing & Rehabilitation Center	28 Pa. Code § 205.6(a)	function of building	9/20/03	denied
Church of the Brethren Home	28 Pa. Code § 205.9(a)	corridors	4/19/03	rescinded

<i>Facility Name</i>	<i>Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Decision</i>
Bloomsburg Health Care Center	28 Pa. Code § 205.19(b)	windows and window sills	8/23/03	granted
Passavant Retirement and Health Center	28 Pa. Code § 205.24(a)	dining room	8/30/03	granted
Passavant Retirement and Health Center	28 Pa. Code § 205.27	lounge and recreation rooms	8/30/03	granted
The Wesley Village	28 Pa. Code § 205.33(a)	utility room	4/26/03	rescinded
The Wesley Village	28 Pa. Code § 205.33(b)	utility room	4/26/03	rescinded
The Wesley Village	28 Pa. Code § 205.33	utility room	4/26/03	rescinded
The Glen at Willow Valley	28 Pa. Code § 205.36(h)	bathing facilities	7/12/03	granted
Masonic Village at Sewickley	28 Pa. Code § 205.36(h)	bathing facilities	8/23/03	granted
Inglis House	28 Pa. Code § 205.36(h)	bathing facilities	8/30/03	granted
Beverly Manor of Lancaster	28 Pa. Code § 205.38(a)	toilet facilities	6/14/03	granted
Holy Family Manor, Inc.	28 Pa. Code § 205.38(b)	toilet facilities	9/6/03	granted

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 03-2241. Filed for public inspection November 21, 2003, 9:00 a.m.]

Requests for Exception; Long-Term Care Nursing Facilities

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Hamilton Arms Center
336 South West End Avenue
Lancaster, PA 17603

Vincentian Regency
9399 Babcock Boulevard
Allison Park, PA 15101-2092

The Sarah A. Reed Retirement Center
227 West 22nd Street
Erie, PA 16502-2689

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.66(g) (relating to special ventilation requirements for new construction):

Landis Homes
1001 East Oregon Road
Lititz, PA 17543

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax: (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who require an alternative format of this document or who wish to comment in an

alternative format (for example, large print, audiotape or Braille) should contact the Division of Nursing Care Facilities at the address or phone number listed previously or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 03-2242. Filed for public inspection November 21, 2003, 9:00 a.m.]

DEPARTMENT OF STATE

State Athletic Commission; Public Meetings for 2004

The State Athletic Commission (Commission) announces its schedule for regular meetings to be held at least once every 2 months in 2004 under 5 Pa.C.S. § 103 (relating to duties of commission).

All meetings will be held at 11 a.m. in Room 303, North Office Building, Harrisburg, PA 17120. These meetings are open to the public and are scheduled as follows:

February 23, 2004
April 26, 2004
June 28, 2004
August 23, 2004
October 25, 2004
December 21, 2004

Individuals having questions regarding these meetings should contact the Commission at (717) 787-5720.

GREGORY P. SIRB,
Executive Director

[Pa.B. Doc. No. 03-2243. Filed for public inspection November 21, 2003, 9:00 a.m.]

HISTORICAL AND MUSEUM COMMISSION

Historic Preservation Certified Local Government Grant Applications

On behalf of Governor Edward G. Rendell, the Historical and Museum Commission (Commission) announces that applications are now being received for 2004 Historic Preservation Certified Local Government (CLG) Grants through the Commission's Bureau for Historic Preservation.

Municipalities do not have to achieve CLG status by the time the grant application is due, but if awarded a grant, they must have achieved CLG status by the contract start date to receive grant funds.

Projects undertaken between August 1, 2004, and July 31, 2005, are eligible.

There are currently 30 CLGs in this Commonwealth. Many kinds of projects can be assisted by these grants to CLGs. Some examples are:

- Conduct systematic surveys to identify and evaluate the municipality's historic and archaeological resources.
- Prepare nominations for the National Register of Historic Places.
- Prepare and publish new or revised historic district design guidelines including signage guidelines.
- Develop the necessary documentation (maps, photographs, inventories, research and writing) to designate additional municipal historic districts or to enlarge a previously designated municipal historic district.
- Historic preservation training for CLG review board/commission members and staff.
- Develop and publish brochures or educational materials that explain municipal historic preservation responsibilities, activities, programs or local regulatory procedures.
- Develop a municipal historic preservation plan or develop a historic preservation plan as a component of a local government's comprehensive plan.
- Prepare predevelopment documents (architectural plans and specifications, engineering and feasibility studies and historic structure reports) for buildings or structures currently listed in the National Register (project must advance the CLG's historic preservation goals).
- Provide staffing/consultant services for CLG historic preservation program administration purposes.
- Develop historic preservation programs or activities that advance heritage park planning or project implementation

The deadline for applications is December 1, 2003. Approximately \$80,000 will be awarded through a competitive selection process contingent on availability of Federal funds.

For information on how to become a CLG or to discuss the program in detail, contact Michel R. Lefevre, (717) 787-0771.

Applicants for Commission grants are required to use the web-based electronic grant application process (eGrant). Exceptions will be made for applicants who do not have access to the Internet. Contact Ira F. Smith, (717) 783-9927 to discuss exceptions.

To apply online, visit the Commission's grants website at www.artsnet.org/phmc and follow the directions for the electronic application process. Refer to the Guidelines for Applicants for specific grant requirements.

For general information about the Commission, including the Pennsylvania Trail of History and the Pennsylvania State Archives, visit the PA PowerPort at www.state.pa.us, PA Keyword: PHMC, or www.phmc.state.pa.us.

JOHN C. WESLEY,
Interim Executive Director

[Pa.B. Doc. No. 03-2244. Filed for public inspection November 21, 2003, 9:00 a.m.]

National Register Nominations to be Reviewed by the Historic Preservation Board

The Historic Preservation Board (Board) will hold a meeting on December 9, 2003, at 9:45 a.m. in Room 515, Historical and Museum Commission, Third and North Streets, Harrisburg, PA. Individuals with a disability who wish to attend this meeting and require an auxiliary aid, service or other accommodation to participate should contact Helena Johnson, (717) 783-2698 or the Pennsylvania AT&T Relay Service, (800) 654-5984 (TDD) to discuss how the Board can accommodate their needs. Individuals with questions or comments should contact the Bureau for Historic Preservation at (717) 783-8946.

Great Valley and Piedmont Region

1. *Steppacher, Walter M. & Brother, Shirt Factory*, 146-150 N. 13th Street, Philadelphia.
2. *Pine Forge Mansion and Industrial Site*, Pine Forge Road and Douglass Drive (Pine Forge), Douglass Township, Berks County.
3. *Williams, Robert, House*, 1711 East Boot Road (West Chester), East Goshen Township, Chester County.
4. *Glenside Memorial Hall*, 185 Keswick Avenue (Glenside), Township of Cheltenham, Montgomery County.
5. *Breyer, Henry W., Sr., House*, 8230 Old York Road (Elkins Park), Township of Cheltenham, Montgomery County.
6. *Levittown Hall*, northwest corner of Levittown Parkway and US 13, Tullytown Borough, Bucks County.
7. *Dill's Tavern*, 227 North Baltimore Street, Dillsburg, York County.

Allegheny Plateau

8. *Park Dinor*, 4019 Main Street, Lawrence Park Township, Erie County.
9. *Sutton-Ditz House*, 18 Grant Street, Clarion, Clarion County.

Anthracite Region and Poconos

10. *Luzerne County Fresh Air Camp*, Middle Road, approximately 1/4 mile northeast of the intersection of Middle Road and SR 3021, Butler Township, Luzerne County.

Ridge and Valley, Southwestern Pennsylvania

No nominations.

JOHN C. WESLEY,
Interim Executive Director

[Pa.B. Doc. No. 03-2245. Filed for public inspection November 21, 2003, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10:30 a.m., Thursday, November 6, 2003, and announced the following:

Regulations Approved

Department of Transportation #18-384: Enhanced Emission Inspection Program (amends 67 Pa. Code Chapter 177)

Department of Revenue #15-418: Personal Income Tax; Employer Withholding (amends 61 Pa. Code Chapters 113 and 121)

Department of Revenue #15-423: Repeal of Obsolete Lottery Regulations (amends 61 Pa. Code Chapters 817, 831, 867, 868 and 869)

Approval Order

Public Meeting held
November 6, 2003

Commissioners Voting: John R. McGinley, Jr., Esq., Chairperson, by phone; Alvin C. Bush, Vice Chairperson; Daniel F. Clark, Esq.; Arthur Coccodrilli; Murray Ufberg, Esq.

Department of Transportation—Enhanced Emission Inspection Program; Regulation No. 18-384

On September 11, 2003, the Independent Regulatory Review Commission (Commission) received this regulation from the Department of Transportation (Department). This rulemaking amends 67 Pa. Code Chapter 177. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*. On October 10, 2003, the Department tolled the review of this regulation and simultaneously submitted revisions to correct typographical errors and clarify specific provisions in the regulation.

In response to Federal standards imposed by the Clean Air Act, the Department is incorporating on-board diagnostic (OBD) testing in its emission inspection program. Annual OBD inspections of 1996 model year and newer vehicles will be required in 17 counties in the Philadelphia, Pittsburgh, Lehigh Valley and South Central regions of the state. Tailpipe testing will still be required for older vehicles in the Philadelphia and Pittsburgh regions. Annual visual inspections and gas cap tests will be required in eight counties across northern Pennsylvania.

We have determined this regulation is consistent with the statutory authority of the Department (75 P.S. §§ 4706 and 6103) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting held
November 6, 2003

Commissioners Voting: John R. McGinley, Jr., Esq., Chairperson, by phone; Alvin C. Bush, Vice Chairperson; Daniel F. Clark, Esq.; Arthur Coccodrilli; Murray Ufberg, Esq.

Department of Revenue—Personal Income Tax; Employer Withholding; Regulation No. 15-418

On August 17, 2001, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Revenue (Department). This rulemaking amends 61 Pa. Code Chapters 113 and 121. The proposed regulation was published in the September 1, 2001, *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on September 30, 2003.

This regulation amends provisions related to the taxation of cafeteria plans and tip income. It clarifies language pertaining to liability for withheld tax. It also updates rules relating to an employer's filing responsibilities.

We have determined this regulation is consistent with the statutory authority of the Department (72 P.S. § 7354) and the intention of the General Assembly. Having considered all the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting held
November 6, 2003

Commissioners Voting: John R. McGinley, Jr., Esq., Chairperson, by phone; Alvin C. Bush, Vice Chairperson; Daniel F. Clark, Esq.; Arthur Coccodrilli; Murray Ufberg, Esq.

Department of Revenue—Repeal of Obsolete Lottery Regulations; Regulation No. 15-423

On September 30, 2003, the Independent Regulatory Review Commission (Commission) received this regulation from the Department of Revenue. This rulemaking amends 61 Pa. Code Chapters 817, 831, 867, 868 and 869. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This final-omitted regulation deletes six obsolete on-line lottery games. The games are: Pennsylvania Lotto, Wild Card Lotto, Pennsylvania Super 7, Hearts and Diamonds, Keystone Jackpot and Pennsylvania Lottery 25th Anniversary TV Game Show.

We have determined this regulation is consistent with the statutory authority of the Department of Revenue (72 P. S. § 3761-303) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 03-2246. Filed for public inspection November 21, 2003, 9:00 a.m.]

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the Committee comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b).

The Commission has issued comments on the following proposed regulations. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
16A-5116	State Board of Nursing CRNP Prescriptive Authority Fees (33 Pa.B. 4462 (September 6, 2003))	10/6/03	11/5/03
10-174	Department of Health Out-of-Hospital Do-Not-Resuscitate Orders (33 Pa.B. 4450 (September 6, 2003))	10/6/03	11/5/03
16A-5211	State Board of Optometry Continuing Education, Fees, Certification to Treat Glaucoma (33 Pa.B. 4464 (September 6, 2003))	10/6/03	11/5/03

State Board of Nursing Regulation No. 16A-5116 CRNP Prescriptive Authority Fees November 5, 2003

We submit for consideration the following comments that include references to the criteria in the Regulatory Review Act (71 P. S. § 745.5b) which have not been met. The State Board of Nursing (Board) must respond to these comments when it submits the final-form regulation. The public comment period for this regulation closed on October 6, 2003. If the final-form regulation is not delivered within 2 years of the close of the public comment period, the regulation will be deemed withdrawn.

1. General.—Statutory authority, reasonableness, clarity.

Board counsel indicated that the fees in this regulation will be applied retroactively to November 18, 2000. In addition, the Board-generated application form for Certified Registered Nurse Practitioner (CRNP) prescriptive authority also states this intent. We have two concerns.

First, there is no mention of the intended retroactive application of these proposed fees in the proposed regulation or its preamble. The Board must clearly explain its intent to the regulated community and establish a justifiable rationale for retroactive collection of fees.

Second, if the Board intends to retroactively apply these fees upon the regulated community, it must justify its statutory authority to do so.

2. Section 21.253. Fees.—Fiscal impact, reasonableness, clarity.

There have been numerous comments that the proposed fees are quite costly and unreasonable. We have four related concerns.

First, the Board pointed out that many of the applications received from CRNPs for collaborative agreements for prescriptive authority are voluminous and contain unnecessary information. As a result, Board staff must undergo a more time-consuming review of the application to ensure that the required information is present and accurate.

The Board indicates that it has developed a simplified form for collaborative agreements for prescriptive authority, but this form is only used by a small percentage of applicants. To avoid the review of unnecessary information and to lower the corresponding costs on the regulated community, the Board should consider adding a provision that all applicants must use the Board-generated collaborative agreement form. This would allow the Board to lower the proposed fee.

Second, the proposed regulation is unclear on what circumstances will require the filing of additional collaborative agreements for prescriptive authority. The vagueness of this provision may cause applicants to submit additional collaborative agreements to the Board when they are not necessary, thus causing the CRNP to pay unnecessary extra fees to the Board.

The Board has indicated that an additional collaborative agreement must be filed only when the primary supervising physician changes or another primary supervising physician becomes necessary. The Board should add or amend language in § 21.285 to clearly indicate when an additional collaborative agreement for prescriptive authority must be filed.

Third, the Board stated that a collaborative agreement may have an unlimited number of substitute physicians and these can be easily added or deleted at any time without cost to the CRNP. Section 21.285(b)(1) should be

amended to clearly reflect the Board's procedures for making amendments to collaborative agreements regarding substitute physicians.

Finally, the Board has indicated that it is necessary to review and approve the collaborative agreements to ensure that all of the necessary requirements are met. In cases where the CRNP is only changing the primary supervising physician, the Board should consider reasonable filing alternatives to reduce the financial burden on the regulated community. The fee could be eliminated or a more reasonable, lesser fee could be charged because less information will need to be reviewed on the new submission.

Department of Health Regulation No. 10-174

Out-of-Hospital Do-Not-Resuscitate Orders

November 5, 2003

We submit for consideration the following comments that include references to the criteria in the Regulatory Review Act (71 P. S. § 745.5b) which have not been met. The Department of Health (Department) must respond to these comments when it submits the final-form regulation. The public comment period for this regulation closed on October 6, 2003. If the final-form regulation is not delivered within 2 years of the close of the public comment period, the regulation will be deemed withdrawn.

1. Section 1005.3. Right to enter, inspect and obtain records.—Clarity.

The preamble states the Department's intention to use a reference to Subpart A. However, this reference is not shown in § 1005.3. Was it the Department's intention to publish the subsections under § 1005.3?

2. Section 1051.13. Person who loses authority to function as a surrogate.—Reasonableness.

There are three questions related to the change of surrogates. First, does an out-of-hospital do-not-resuscitate (DNR) order remain valid if it was established by a surrogate who is subsequently replaced? If so, how could the new surrogate become aware of an existing out-of-hospital DNR order?

Second, this section places responsibilities on former surrogates. However, there is no parallel provision that places responsibilities on the current surrogate. Should similar responsibilities, such as contacting the attending physician, be placed on the current surrogate?

Finally, subsections (b) and (c) require a former surrogate to help the physician locate "the patient *or* the patient's current surrogate." (Emphasis added.) If the patient is unable to communicate, it may be difficult for the physician to locate the current surrogate. Should the word "or" be replaced by "and"?

3. Section 1051.23. Disclosures to patient requesting out-of-hospital DNR order. Section 1051.24. Disclosures to surrogate requesting out-of-hospital DNR order.—Protection of the public health, safety and welfare.

We have three questions. First, why don't §§ 1051.23(9) and 1051.24(5) mandate a physician to contact the patient or surrogate to rescind the out-of-hospital DNR order if the physician discovers the diagnosis of the terminal condition was in error? If the premise for the

out-of-hospital DNR order is in error, an "attempt" to notify the patient or surrogate may not sufficiently protect the patient.

Second, why don't §§ 1051.23(6) and 1051.24(4) require notice to the physician if the patient or surrogate revokes the out-of-hospital DNR order without the physician's approval or knowledge? Subsequent notice to the physician should be required, particularly if a surrogate revoked the order.

Finally, to what other procedures is the Department referring in § 1051.23(5)? The Department should specify what these procedures are by cross-referencing them or delete the phrase "in accordance with other procedures" from this paragraph.

4. Section 1051.26. Physician refusal to issue an out-of-hospital DNR order.—Reasonableness; Clarity.

We have two questions on paragraph (2). First, a physician who is not willing to issue an out-of-hospital DNR order is required to "offer to assist the patient or surrogate to secure the services of another physician who is willing to issue an out-of-hospital DNR order." As written, this requirement presumes that the attending physician knows what diagnosis and conclusion another physician will make. Why is the phrase "who is willing to issue an out-of-hospital DNR order" appropriate?

Second, to what degree is a physician required to assist a patient in obtaining an out-of-hospital DNR order from another physician? Will a referral be sufficient?

5. Section 1051.29. Duty to contact patient or surrogate.—Protection of the public health, safety and welfare.

This section requires a physician to "make a good faith effort" to contact the patient to rescind the out-of-hospital DNR order if the physician discovers the diagnosis of the terminal condition or permanent unconsciousness was in error. If the premise for the out-of-hospital DNR order is in error, shouldn't notification of the patient or surrogate be mandatory?

6. Section 1051.30. Physician destruction of out-of-hospital DNR order, bracelet or necklace.

The preamble states that a physician must have confirmation of the destruction of the out-of-hospital DNR order from a "reliable person" if they do not destroy the order themselves. Subsection (b) does not include this language. The phrase "reliable person" should be added to subsection (b) and defined in § 1051.2.

7. Section 1051.51. Implementation of out-of-hospital DNR order.—Reasonableness; Clarity.

Subsection (a) of this section states "...the EMS provider shall implement the out-of-hospital DNR order only if it contains original signatures." We have two concerns.

First, why are "original signatures" required? Also, how can the emergency medical services provider readily determine if the out-of-hospital DNR order contains original signatures?

Second, commentators have suggested that prehospital practitioners should be able to accept an unaltered copy of the original out-of-hospital DNR order. Is there any reason an unaltered copy wouldn't be acceptable?

State Board of Optometry Regulation No. 16A-5211

**Continuing Education, Fees,
Certification to Treat Glaucoma**

November 5, 2003

We submit for consideration the following comments that include references to the criteria in the Regulatory Review Act (71 P. S. § 745.5b) which have not been met. The State Board of Optometry (Board) must respond to these comments when it submits the final-form regulation. The public comment period for this regulation closed on October 6, 2003. If the final-form regulation is not delivered within 2 years of the close of the public comment period, the regulation will be deemed withdrawn.

Section 23.205. Application procedure.—Consistency with the enabling statute.

Section 3(a)(2.5)(I) of the Optometric Practice and Licensure Act (act) (63 P. S. § 244.3(a)(2.5)(i)) requires optometrists to maintain professional liability insurance in the amounts of \$200,000 per occurrence and \$600,000 per annual aggregate. However, therapeutically certified optometrists are required to have professional liability insurance in the amounts of \$1 million per occurrence and \$3 million per annual aggregate. See section 4b(b) of the act (63 P. S. § 244.4b(b)).

It is our understanding that when an applicant applies for a license as a therapeutically certified optometrist, the applicant must verify, by signature under a statement, that the optometrist has the greater amount of insurance coverage. However, this requirement is not in the proposed regulation. To provide sufficient notice to prospective applicants, the final-form regulation should include the greater insurance requirements established by the act.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 03-2247. Filed for public inspection November 21, 2003, 9:00 a.m.]

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations on the dates indicated. To obtain the date and time of the meeting at which the Commission will consider these regulations, contact the Commission at (717) 783-5417 or visit its website at www.irrc.state.pa.us. To obtain a copy of a regulation, contact the promulgating agency.

<i>Final-Form Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
12-60	Department of Labor and Industry Uniform Construction Code; Administration and Enforcement; Elevators and Other Lifting Devices	11/6/03
16A-4510	State Board of Cosmetology Examination Fees	11/12/03

<i>Final-Form Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
16A-4611	State Board of Dentistry Application Fees	11/12/03

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 03-2248. Filed for public inspection November 21, 2003, 9:00 a.m.]

INSURANCE DEPARTMENT

James E. Dwyer and James & Son, Inc.; Hearing

Order to Show Cause; Doc. No. SC03-07-048

A hearing in this case is scheduled for January 14, 2004, at 10 a.m. in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

A jointly executed written stipulation of facts and documents must be filed with the Administrative Hearings Office on or before January 7, 2004. If either party intends to present witnesses or documents in addition to those identified at the prehearing telephone conference, the information must be presented in writing to the opposing party on or before January 7, 2004. Failure to provide this information may result in preclusion of testimony or evidence.

Persons with a disability who wish to attend the administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator, (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 03-2249. Filed for public inspection November 21, 2003, 9:00 a.m.]

Geisinger Health Plan; Rate Filing

On November 3, 2003, Geisinger Health Plan submitted a filing to increase the group base medical and pharmacy plan rates. The proposed rate increase for the medical plan is 19.54% and 23.87% for the pharmacy plan. The medical increase is expected to generate additional revenue of \$49.2 million and the pharmacy increase is expected to generate additional revenue of \$15.6 million annually. The proposed effective date is April 1, 2004.

This filing is available for public inspection during normal working hours at the Insurance Department's regional office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Cherri Sanders-Jones, Actuary, Insurance Department, Bureau of Accident and Health Insurance, Office of Rate and Policy Regulation, 1311 Strawberry Square, Harrisburg, PA 17120 within 30 days of publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 03-2250. Filed for public inspection November 21, 2003, 9:00 a.m.]

Keystone Insurance Company; Homeowners Rate Filing

On November 6, 2003, the Insurance Department (Department) received from Keystone Insurance Company a filing for a proposed rate level change for homeowners insurance.

The company requests an overall 4.1% increase amounting to \$739,000 annually, to be effective February 17, 2004, for new business and March 1, 2004, for renewal business.

Unless formal administrative action is taken prior to January 5, 2004, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Department's regional offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Xiaofeng Lu, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, xlu@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 03-2251. Filed for public inspection November 21, 2003, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68), in connection with the termination of the insured's automobile policy. The hearing will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearings will be held in the Insurance Department's regional office in Pittsburgh, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Pittsburgh Regional Office, Room 304 State Office Building, 300 Liberty Avenue, Pittsburgh, PA 15222.

Appeal of Martin R. Picha; file no. 03-303-71926; Donegal Mutual Insurance Company; doc. no. PI03-10-034; February 5, 2004, 9 a.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured

wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend an administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator, (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 03-2252. Filed for public inspection November 21, 2003, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by December 15, 2003. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin* operating as *common carriers* for transportation of *persons* as described under each application.

A-00120206 (Corrected). Kids In Motion, Inc. (2 Timber Mill Lane, Landenberg, Chester County, PA 19350), a corporation of the state of Delaware—persons in paratransit service, between points in the Township of Chadds Ford, Delaware County, and within an airline distance of 25 statute miles of the limits thereof.

A-00120285. Daryl W. Jackson t/d/b/a Daryl Jackson Amish Pass. Svc. (470 Houtztown Road, Myerstown, Lebanon County, PA 17067)—persons in paratransit service, between points in the County of Lebanon, and from points in said county, to points in Pennsylvania, and return, limited to the transportation of persons whose personal convictions prevent them from owing or operating motor vehicles.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.

A-00120279. Michael D. Berner t/d/b/a Hershey Mini-Storage (1052 West Chocolate Avenue, Hershey, Dauphin County, PA 17033)—household goods in use, between points in the Township of Derry, Dauphin County, and within an airline distance of 25 statute miles of the limits thereof, excluding the City of Harrisburg, Dauphin County.

Application of the following for amendment to the certificate of public convenience approval of the right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under the application.

A-00097618, Folder 2, Am-C. H. E. Rohrer, Inc. t/d/b/a Rohrer Bus Service (P. O. Box 100, 1515 State Road, Duncannon, Perry County, PA 17020), a corporation of the Commonwealth—discontinuance of service—(1) persons and hand baggage, on a scheduled route between Selinsgrove, Snyder County and Sunbury, Northumberland County via Hummels Wharf, Rolling Green Park, Shamokin Dam, Snyder County. *Additional Rights:* Beginning at the intersection of Third and Market Streets in the City of Sunbury, Northumberland County, thence east on Market Street to Hass Avenue, thence south on Hass Avenue to east end of Susquehanna Silk Mills and returning via same route to place of beginning; beginning at the intersection of Third and Market Streets in the City of Sunbury, Northumberland County, thence east on Market Street to Tenth Street, thence south on Tenth Street to Lenker Avenue, thence east on Lenker Avenue to west end on Susquehanna Silk Mills. *Additional Right:* To operate service as an extension of its presently authorized service in the City of Sunbury, over the following route: beginning at the intersection of Third and Market Streets in the City of Sunbury, thence over streets in the said city to the H. D. Bob Shirt Factory, and return; (2) persons from points in the certificate holder's presently certificated route south of Penn Street in the City of Sunbury, Northumberland County, to the plant of the Westinghouse Electric and Manufacturing Company in the said city, and vice versa; beginning at Market Street, thence via Front Street, Julia Street and Susquehanna Avenue to the said plant and returning via Front Street; provided that the right is granted to issue transfers with the S. & N. Transit Co. at the Public Square in the City of Sunbury for transportation to and from said plant; (3) persons on schedule, over the following alternate route in the City of Sunbury, Northumberland County; beginning at the intersection of Front and Bainbridge Streets, thence via Bainbridge Street to Second Street, thence via Second Street to Market Street; beginning at the intersection of Front and Walnut Streets, thence via Walnut Street to Lenker Avenue; beginning at the intersection of Front and Chestnut Streets, thence via Chestnut Street to Woolverton Street, thence via Woolverton Street to Tenth Street, thence via Tenth Street to Penn Street, thence via Tenth Street to Penn Street, thence via Penn Street to Lenker Avenue, thence via Lenker Avenue to Miller Street, thence via Miller Street to the plant of the Susquehanna Silk Mill Company; beginning at the intersection of Walnut Street and Fourth Street, thence via Fourth Street to Market Street; beginning at the intersection of Market Street and Woolverton Street thence via

Woolverton Street to Tenth Street; right (3) subject to the following condition: That the rights powers and privileges herein granted shall include the right to render through service between points on the previously described alternate routes and points on the certificate holder's presently certificated routes without the change of buses; (4) persons over an alternate route: beginning at the intersection of Highway Route 11 and the western end of the Bainbridge Street Bridge, thence continuing on Highway Route 11 as relocated, to its intersection with Old Highway Route 11 at the north end of the bridge crossing Penn's Creek; right (4) subject to the following condition: that the rights herein granted shall include the right to render through service between points on the alternate route and points on the applicant's presently certificated route between the Borough of Selinsgrove, Snyder County, and the City of Sunbury, Northumberland County; (5) persons and hand baggage over the following routes: *Alternate Route:* Beginning at the intersection of Market Street and Mill Street in the Borough of Selinsgrove, thence on Mill Street, Orange Street and Pine Street to the terminal at Market Street, thence continuing on Market Street, Mill Street, Orange Street and U. S. Highway Route 522 to its intersection with U. S. Highway Route 11 (15), thence returning on U. S. Highway Route 522 to Orange Street, thence on Orange Street. *Spur Routes (in either direction):* Beginning at the intersection of Market and Pine Streets, thence on Pine Street to Susquehanna University; beginning at the intersection of Pine and High Streets, thence on High Street and Bough Street to an alley at Groce's Silk Mill, thence via said alley, Sassafras Street and High Street to Pine Street, the place of beginning; Beginning at the intersection of Market and Pine Streets, thence on Market Street and Township Road 393 to the Selinsgrove Fairgrounds; and (6) persons employed at the Selinsgrove State School in the Borough of Selinsgrove, Snyder County, from the Boroughs of Montandon and Milton, Northumberland County, Lewisburg and Mifflinburg, Union County, Middleburg and Beavertown, Snyder County, and the Villages of Kratzerville, Kreamer and Kantz, Snyder County, to the said school, and vice versa. *Attorney:* Anthony J. Fsch, P. O. Box 88, Harrisburg, PA 17108.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 03-2253. Filed for public inspection November 21, 2003, 9:00 a.m.]

Water Service

A-210104F0038 and A-210040F2000. Pennsylvania Suburban Water Company and Applewood Water Company, Inc. Joint application of Pennsylvania Suburban Water Company and Applewood Water Company, Inc., for approval of: (1) the acquisition by Pennsylvania Suburban Water Company of the water system assets of Applewood Water Company, Inc.; (2) the right of Pennsylvania Suburban Water Company to begin to offer, render, furnish or supply water service to the public in portions of Dallas Township, Luzerne County; and (3) the abandonment by Applewood Water Company, Inc., of public water service within Dallas Township, Luzerne County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harris-

burg, PA 17105-3265, with a copy served on the applicant, on or before December 8, 2003. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicants: Pennsylvania Suburban Water Company and Applewood Water Company

Through and by Counsel: Mark J. Kropilak, Esquire,
762 West Lancaster Avenue, Bryn Mawr, PA 19010-3489.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 03-2254. Filed for public inspection November 21, 2003, 9:00 a.m.]