

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending December 30, 2003.

BANKING INSTITUTIONS

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
12-15-03	S & T Bank Indiana Indiana County	Patch Way Road Strawberry Meadows Development Duncansville Blair Township Blair County	Opened
12-24-03	Beneficial Mutual Savings Bank Philadelphia Philadelphia County	2500 Aramingo Avenue Philadelphia Philadelphia County	Approved
12-24-03	Beneficial Mutual Savings Bank Philadelphia Philadelphia County	1574 Easton Road Warrington Bucks County	Approved
12-24-03	Farmers and Merchants Trust Company of Chambersburg Chambersburg Franklin County	800 East High Street Carlisle Cumberland County	Approved

Branch Relocations/Consolidations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
12-24-03	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	Consolidation of the following five branch offices:	Approved
	<i>Into:</i> 735 Church Lane Yeadon Delaware County	<i>Into:</i> 1515 Market Street Philadelphia Philadelphia County	
	<i>From:</i> 1024 Church Lane* Yeadon Delaware County	<i>From:</i> 30 South 15th Street* Philadelphia Philadelphia County	
	<i>Into:</i> 2nd and Olive Streets Media Delaware County	<i>Into:</i> 6503 Haverford Avenue* Philadelphia Philadelphia County	
	<i>From:</i> 119 West State Street* Media Delaware County	<i>From:</i> 427 North 63rd Street Philadelphia Philadelphia County	
	<i>Into:</i> 8345 Ridge Avenue* Philadelphia Philadelphia County		
	<i>From:</i> 7568 Ridge Avenue* Philadelphia Philadelphia County		

Note: Branches marked with an * will become branches of Citizens Bank of Pennsylvania as a result of a pending merger with Roxborough-Manayunk Bank.

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
12-24-03	Allegheny Valley Bank of Pittsburgh Pittsburgh Allegheny County	<i>To:</i> 875 Greentree Road Pittsburgh Allegheny County <i>From:</i> 1165 McKinney Lane Pittsburgh Allegheny County	Approved
12-24-03	Commercial Bank of Pennsylvania Latrobe Westmoreland County	<i>To:</i> 11361 Route 30 North Huntingdon Westmoreland County <i>From:</i> 8775 Norwin Avenue North Huntingdon Westmoreland County	Approved

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
12-22-03	Mifflinburg Bank & Trust Company Mifflinburg Union County	211 Fairground Road Lewisburg Union County (Limited Service Facility)	Effective
12-22-03	Mifflinburg Bank & Trust Company Mifflinburg Union County	1 River Drive Lewisburg Union County (Limited Service Facility)	Effective

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS**Conversions**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
12-19-03	Corry Jamestown Credit Union Corry Erie County	Corry	Filed

Application represents a request to convert to a community chartered credit union to include an approximate 35-mile radius of Corry, PA.

A. WILLIAM SCHENCK, III,
Secretary

[Pa.B. Doc. No. 04-53. Filed for public inspection January 9, 2004, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Snowmobile and ATV Advisory Committee Meeting Cancellation

The meeting of the Snowmobile and ATV Advisory Committee of the Department of Conservation and Natural Resources scheduled for Tuesday, January 13, 2004, has been cancelled.

Questions concerning this cancellation should be directed to Anthony DiGirolomo, (717) 787-9306.

MICHAEL F. DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 04-54. Filed for public inspection January 9, 2004, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Application of Thomas Jefferson University for Approval of Amendments to its Charter of Incorporation

Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application of Thomas Jefferson University for a Certificate of Authority approving the institution's amendment to its Charter of Incorporation.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without hearing, unless within 30 days after the publication of the notice in the *Pennsylvania Bulletin* a written request for public

hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.25 (relating to protest) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protests and requests for hearing shall be filed with Paula Fleck, Chief, Division of Program Services, Department of Education, 333 Market Street, Harrisburg, PA 17126-0333, (717) 772-3623 by 4 p.m. on the due date prescribed by this notice. Persons wishing to review the application should phone or write to the aforementioned office to schedule a time for an

in-office review. Copies of the application are not available.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate should contact Paula Fleck to discuss how the Department may best accommodate their needs.

VICKI L. PHILLIPS, Ed.D.,
Secretary

[Pa.B. Doc. No. 04-55. Filed for public inspection January 9, 2004, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the contact office noted before the application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after any public hearings are held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0014605 Industrial Waste	United Water PA Rabold WTP 4211 East Park Circle Harrisburg, PA 17111-0151	York County Fairview Township	Yellow Breeches Creek 7E	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

PA0043273, Sewage, **Hollidaysburg Sewer Authority**, 401 Blair Street, Hollidaysburg, PA 16648. This facility is in Frankstown Township, **Blair County**.

Description of activity: Addition of stormwater Outfalls 006—008.

The receiving stream, Frankstown Branch Juniata River, is in Watershed 11-A and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for the United Water Company is on the Susquehanna River, approximately 145 miles downstream. The discharge is not expected to affect the water supply.

The following table describes the outfall locations and drainage areas:

<i>Outfall No.</i>	<i>Acreage</i>	<i>Latitude</i>	<i>Longitude</i>	<i>Area Description</i>
006	0.15	40°25'47"	78°21'36"	Lawn and Driveway
007	0.067	40°25'49"	78°21'37"	Rooftop
008	0.12	40°25'49"	78°21'39"	Rooftop

Individuals may make an appointment to review the Department files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is not in effect.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

PA0030856, Sewage, **Western Beaver County School District**, 343 Ridgemont Drive, Midland, PA 15059. This application is for renewal of an NPDES permit to discharge treated sewage from the Western Beaver Jr./Sr. High School STP in Industry Borough, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as swale to unnamed tributary of Wolf Run, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Midland Borough Municipal Authority on the Ohio River.

Outfall 001: existing discharge, design flow of 0.032 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	2.1			4.2
(11-1 to 4-30)	4.4			8.8
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0030864, Sewage, **Western Beaver County School District**, 343 Ridgemont Drive, Midland, PA 15059. This application is for renewal of an NPDES permit to discharge treated sewage from the Fairview Elementary School STP in Ohioville Borough, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as swale to headwaters of Island Run, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the City of East Liverpool, OH on the Ohio River.

Outfall 001: existing discharge, design flow of 0.0065 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	2.3			4.6
(11-1 to 4-30)	6.6			13.2
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0203700, Sewage, **Bruderhof Communities in PA, Inc.**, Route 381 N., P. O. Box 260, Farmington, PA 15437. This application is for renewal of an NPDES permit to discharge treated sewage from the Spring Valley Sewage Treatment Plant in Wharton Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Deadman Run, which are classified as a HQ-CWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the North Fayette County Municipal Authority on the Youghiogheny River.

Outfall 001: existing discharge, design flow of 0.042 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅				
(5-1 to 10-31)	10			20
(11-1 to 4-30)	15			30
Suspended Solids	10			20
Ammonia Nitrogen				
(5-1 to 10-31)	3.0			6.0
(11-1 to 4-30)	8.0			16.0
Nitrite and Nitrate	10			20
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Dissolved Oxygen	not less than 7.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0217271-A1, Sewage, **Ohio Township Sanitary Authority**, 20399 Route 19, Suite 201, Cranberry Township, PA 16066. This application is for amendment of an NPDES permit to discharge treated sewage from the Kilbuck Run Sewage Treatment Plant in Sewickley Hills Borough, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Kilbuck Run, which are classified as a CWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Moon Township Water Authority on the Ohio River.

Outfall 001: new discharge, design flow of 0.25 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅				
(5-1 to 10-31)	20	30		40
(11-1 to 4-30)	25	37.5		50
Suspended Solids	30	45		60
Ammonia Nitrogen				
(5-1 to 10-31)	2.0	3.0		4.0
(11-1 to 4-30)	5.0	7.5		10.0

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Dissolved Oxygen	not less than 6 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 3277201-A1, Industrial Waste, **Reliant Energy Northeast Management Company**, 121 Champion Way, Suite 200, Canonsburg, PA 15317. This proposed facility is in West Wheatfield Township, **Indiana County**.

Description of Proposed Action/Activity: Application for the modification and operation of the Conemaugh Wastewater Treatment Plant.

WQM Permit No. 0201405-A1, Sewerage, **Urban Redevelopment Authority**, 200 Ross Street, Pittsburgh, PA 15219. This proposed facility is in City of Pittsburgh, **Allegheny County**.

Description of Proposed Action/Activity: Application for the modification and operation of the LTV South Side Works Sewerage Extension.

WQM Permit No. 1171403-A3, Sewerage, **Cambria Township Sewer Authority**, P. O. Box 247, Revloc, PA 15948. This proposed facility is in Cambria Township, **Cambria County**.

Description of Proposed Action/Activity: Application for the modification and operation of the Colver Sewerage Treatment Plant.

WQM Permit No. 6583412, Sewerage, **Delmont Borough**, 77 Greensburg Street, Delmont, PA 15626. This proposed facility is in Delmont Borough, **Westmoreland County**.

Description of Proposed Action/Activity: Application for the modification and operation of the Cramer Pumping Station.

IV. NPDES Applications for Stormwater Discharges from MS4

V. Applications for NPDES Waiver Stormwater Discharges from MS4

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Lehigh County Conservation District: Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

NPDES Permit No.	Applicant Name and Address	County	Municipality	Receiving Water/Use
PAI023903029	Novak Ventures, Inc. 1655 Jonathan Lane Bethlehem, PA 18015	Lehigh	South Whitehall Township	Little Lehigh Creek HQ-CWF

Pike County Conservation District: HC 6, Box 6770, Hawley, PA 18428, (570) 226-8220.

NPDES Permit No.	Applicant Name and Address	County	Municipality	Receiving Water/Use
PAI025203017	Kalian at Poconos, LLC 225 Highway 35 Red Bank, NJ 07701	Pike	Lehman Township	Saw Creek HQ-CWF

Northampton County Conservation District: Greystone Building, Gracedale Complex, Nazareth, PA 18064-9211, (610) 746-1971.

NPDES Permit No.	Applicant Name and Address	County	Municipality	Receiving Water/Use
PAI024803040	Pennsylvania American Water Company 4 Wellington Blvd. Wyomissing, PA 19610	Northampton	Bushkill Township	Bushkill Creek HQ-CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

NPDES Permit
No.

Applicant Name and Address

County

Municipality

Receiving Water/Use

PAI033103003

Calvary Independent Baptist Church
300 Standing Stone Ave.
Huntingdon, PA 16652

Huntingdon

Huntingdon Borough

Standing Stone Creek
HQ-CWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

CAFO Notices of Intent Received

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

PAG123582, CAFO, Lester Weaver, 2560 Sunnyside Road, Manheim, PA 17545. This proposed facility is in Rapho Township, **Lancaster County**.

Description of Size and Scope of Proposed Operation/Activity: Operation of an existing 459.5 AEU dairy farm application includes plans for expanding his animal operation by building a 2,000-head feeder to finish swine operation. The dairy operation currently utilizes a 50-foot by 8-foot earthen manure storage north of the dairy facility. The swine operation will utilize a new 80-foot by 215-foot by 4.4-foot concrete storage structure under the production barn, swine manure can be exported to a neighboring farms to be utilized for agriculture purposes. Heifer and calf manure is stored as a bed pack and applied to the open fields approximately once a month. Crop rotations consist of corn grain or corn silage along with small grains, alfalfa and rye silage cover crop.

The receiving stream, Brubaker Run, is in watershed Chickies Creek/7-G and classified for TSF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and The Clean Streams Law constitutes compliance with the State narrative water quality standards.

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act, the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department

of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17)

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 0803502, Public Water Supply.

Applicant	Sherwood Retirement and Personal Care Home, Inc. Jim Sherman, Owner R. R. 1, Box 35A Canton, PA 17724
Township	Canton Township
Responsible Official	Jim Sherman, Owner R. R. 1, Box 35A Canton, PA 17724
Type of Facility	PWS
Consulting Engineer	Bergmann Associates David W. Young, P. E. 201 East Church Street Elmira, NY 14902
Application Received Date	December 12, 2003
Description of Action	A new community water system.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office after which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager; Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Valley Forge General Hospital, Operable Unit 1, Schuylkill Township, **Chester County.** Scott McClelland, URS Corp., 7101 Wisconsin Ave., Suite 700, Bethesda, MD 20814, on behalf of Kristine Carson, General Services Administration, Property Disposal Div., (4PR) 401 West Peachtree St., Suite 2528, Atlanta, GA, has submitted a Notice of Intent to Remediate soil contaminated with inorganics and groundwater contaminated with chlorinated solvents, inorganics and other organics. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Phoenix* on October 28, 2003.

The Reserve at Gwynedd (Soil), Upper Gwynedd Township, **Montgomery County.** William F. Schmidt, P. E., Pennoni Associates, Inc., 3001 Market St., Philadelphia, PA 19104, on behalf of Carmen Danella, The Reserve at Gwynedd LP, 470 E. Norristown Rd., Suite 100, Blue Bell, PA 19422, has submitted a revised Notice of Intent to Remediate soil contaminated with chlorinated solvents, diesel fuel, fuel oil no. 2 and inorganics and groundwater contaminated with chlorinated solvents, diesel fuel, fuel oil no. 2, inorganics, leaded gasoline, lead, other organics, PAH and unleaded gasoline. The applicant proposes to remediate the site to meet Statewide Health and Site-Specific Standards. A summary of the Notice of Intent to Remediate was reported to have been published in *The Reporter* on September 4, 2003.

SEPTA—Wayne Junction Rail Yard, City of Philadelphia, **Philadelphia County.** Alexander J. DeNadai, Weston Solutions, Inc., 1400 Weston Way, P. O. Box 2653, West Chester, PA 19380, on behalf of SEPTA, James Fox, Director of System Safety, 1234 Market St., Philadelphia, PA 19107-3780, has submitted a Notice of Intent to Remediate soil contaminated with other organics, PAH and PCB. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in *The Philadelphia Inquirer* in January 2004.

General Electric Co., Elmwood Avenue Facility, City of Philadelphia, **Philadelphia County.** Kristen Rolison, MWH, 335 Phoenixville Pike, Malvern, PA 19355, on behalf of General Electric Co., Hal Heckman, 6901 Elmwood Ave., Philadelphia, PA 19142, has submitted a Notice of Intent to Remediate soil contaminated with chlorinated solvents, fuel oil no. 2, fuel oil no. 6, inorganics, lead and PCB; and groundwater contaminated with chlorinated solvents, diesel fuel, fuel oil no. 2 fuel oil no. 6, inorganics, lead and unleaded gasoline. The applicant proposes to remediate the site to meet Site-Specific Standards. A summary of the Notice of Intent to Remediate was reported to have been published in *The Philadelphia Inquirer* on December 10, 2003.

Commercial/Industrial Warehouse Property, City of Philadelphia, **Philadelphia County.** Ethan E. Prout, P. G., American Resource Consultants, Inc., P. O. Box 579, Quakertown, PA 18951, on behalf of Alan E. Casnoff, Wheatsheaf Lane Associates, PNA, LP, 642 N. Broad St., Philadelphia, PA 19130, has submitted a Notice of Intent to Remediate soil contaminated with inorganics (arsenic). The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of

Intent to Remediate was reported to have been published in *The Philadelphia Inquirer* on November 24, 2003.

Northeast Regional Field Office: Joseph A. Brogna, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Former Olin Microelectronics Materials, Inc., Plainfield Township, **Northampton County.** Nils Thompson, P. G., Project Manager, MACTEC Engineering and Consulting, Inc., 3200 Town Point Drive, Kennesaw, GA 30144 has submitted a Notice of Intent to Remediate (on behalf of Olin Corporation, P. O. Box 248, 1186 Lower River Road, NW, Charleston, TN 37310-0248) concerning the remediation of soils and groundwater found or suspected to have been contaminated with inorganics as the result of historic site operations. The applicant proposes to meet a combination of the Nonresidential Statewide Health and Site-Specific Standards. A summary of the Notice of Intent to Remediate was reportedly published in *The Morning Call* on October 10, 2003.

Estate of Cunard Lower and Donald Watkins Property, Lehigh Township, **Northampton County.** Douglas H. Sammak, President, American Analytical and Environmental, Inc., 738 Front Street, Catasauqua, PA 18032 has submitted a Notice of Intent to Remediate (on behalf of Javalyn A. Ramer, West Mountainview Drive, Walnutport, PA and Donald R. Watkins, North Dogwood Road, Danielsville, PA) concerning the remediation of soils found or suspected to have been contaminated with chlorinated solvents and other organics, fuel oil no. 2, leaded gasoline, lead and other inorganics. The applicant proposes to meet the Residential Statewide Health Standard. A summary of the Notice of Intent to Remediate was published in *The Morning Call* on December 16, 2003. A Final Report was simultaneously submitted.

Buckeye Pipe Line Company—Dupont Station, Pittston Township, **Luzerne County.** Jason Mengel, Environmental Coordinator, Buckeye Pipe Line Company, LP, 5002 Buckeye Road, Emmaus, PA 18049 has submitted a Notice of Intent to Remediate concerning the remediation of soils and groundwater found or suspected to have been contaminated with diesel fuel, jet fuel, kerosene and/or unleaded gasoline. The applicant proposes to meet the Nonresidential Statewide Health Standard. A summary of the Notice of Intent to Remediate was published in *The Citizen's Voice* on October 20, 2003. A Final Report was simultaneously submitted.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Former Myers and List Site, Wrightsville Borough, **York County.** BL Companies, 830 Sir Thomas Court, Harrisburg, PA 17109, on behalf of Glenn Myers, P. O. Box 303, Wrightsville, PA 17368, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with leaded gasoline, unleaded gasoline and MTBE. The applicant proposes to remediate the site to meet a combination of the requirements for the Statewide Health and Site-Specific Standards. A summary of the Notice of Intent to Remediate was reported to have been published in the *York Dispatch/York Daily Record* on October 30, 2003.

Northcentral Region: Environmental Cleanup Program, 208 West Third Street, Williamsport, PA 17701.

James Mason Property, Eagles Mere Borough, **Sullivan County.** Alliance Environmental Services, Inc., on behalf of James Mason, P. O. Box 3402, Boulder, CO 80307, has submitted a Notice of Intent to Remediate soil contaminated with fuel oil no. 2. The applicant proposed to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Williamsport Sun-Gazette* on November 21, 2003. See additional information in the Actions section of this *Pennsylvania Bulletin*.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

41-00028A: Koppers Industries, Inc. (436 Seventh Avenue, Pittsburgh, PA 15219) for construction of a 33,475,000 Btu per hour no. 2 fuel oil-fired boiler in Clinton Township, **Lycoming County**.

14-00029A: Con-Stone, Inc. (P. O. Box 28, Bellefonte, PA 16823) for construction of two screens, eight conveyors, a feeder, a bin, an agg conditioner and a fine material screw in an existing stone crushing and screening plant in Haines Township, **Centre County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Edward Brown, Facilities Permitting Chief, (610) 832-6242.

09-0133: Webcraft, LLC (181 Rittenhouse Circle, Bristol, PA) for modification of the existing VOC emissions in Bristol Township, **Bucks County**. This facility is a Natural Minor for NOx and VOCs. Emissions from these sources are 12 tons of VOCs per year. The plan approval will contain recordkeeping and operating restriction designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

49-311-003: The Quikcrete Companies, Inc. (R. R. 9, Box 900, Latrobe, PA 15650) for construction of a dry redi-mix concrete batching and bagging facility on Snyderstown Road in Shamokin Township, **Northumberland County**.

The proposed facility will consist of a natural gas-fired rotary aggregate (gravel and sand) dryer, a number of material silos and bins and various material handling, mixing and bagging operations. The particulate air contaminant emissions from the facility will be controlled by a total of seven fabric collectors. The concentration of particulate matter in the exhaust of these collectors will not exceed .01 grain per dry standard cubic foot of collector exhaust and may well be less than this. The NOx, CO and VOC air contaminant emissions from the combustion of natural gas in the rotary dryer are expected to be no greater than 4.0, 12.0 and .66 pounds per hour, respectively.

The Department's review of the information submitted by The Quikcrete Companies, Inc. indicates that the proposed dry redi-mix concrete batching and bagging facility will meet all applicable air quality requirements pertaining to air contamination sources and the emission of air contaminants including the best available technol-

ogy requirements of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue plan approval for the construction of the respective facility.

The following is a summary of the conditions the Department proposes to place in the plan approval to be issued to ensure compliance with all applicable regulatory requirements:

1. The rotary dryer shall be fired on natural gas only.
2. The concentration of particulate matter in the exhaust of each of the fabric collectors shall not exceed .01 grain per dry standard cubic foot. Additionally, there shall be no visible air contaminant emissions from any fabric collector exhaust (other than water vapor or steam).
3. The air compressor used to supply compressed air to the fabric collectors shall be equipped with an air dryer and an oil trap.
4. The fabric collector used to control the particulate matter emissions from the rotary dryer shall be equipped with instrumentation to monitor both the pressure differential across the collector and the inlet gas temperature to the collector on a continuous basis as well as with an inlet gas temperature interlock system.
5. The fabric collector used to control the particulate matter emissions from the mixing and bagging operations shall be equipped with instrumentation to monitor the pressure differential across the collector on a continuous basis.
6. Spare bags shall be kept on hand for all fabric collectors.
7. The facility throughput shall not exceed 700,800 tons in any 12 consecutive month period. Records shall be maintained of the throughput occurring during each month. All records shall be retained for at least 5 years and shall be made available to the Department upon request.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

37-003D: Essroc Cement Corp.—Bessemer Plant (East Poland Avenue, Bessemer, PA 16112) for modification of the existing pressure drop range across the collector for Source 516 in Bessemer Borough, **Lawrence County**. This will result in no additional emissions. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval at Title V facilities in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date. The source shall comply with the following conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b, pertaining to plan approval terms and conditions, and will demonstrate Best Available Technology for the source:

1. All conditions from Title V Operating Permit 37-00003 amended March 19, 2003, Section D, Source ID 516, remain in effect except for Condition 004(a), which deals with the normal operating range for pressure drop across the collector. All conditions from Section E, Group 6—Other NESHAP Affected Sources, shall remain in effect.
2. During periods of operation, pressure drop across the collector shall remain in the normal operation range of 3 inches to 6 inches wg.

24-009E: Weyerhaeuser Co.—Johnsonburg Mill (100 Center Street, Johnsonburg, PA 15845) for removal of capacity restrictions on coal-fired boilers 81 and 82 in Johnsonburg Borough, **Elk County**. This is an NSPS application at a Title V facility. The public notice is required for sources required to obtain a Plan Approval at Title V facilities in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date. The source shall comply with the following conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b, pertaining to plan approval terms and conditions, and will demonstrate Best Available Technology for the source:

- This plan approval supersedes the following conditions from Plan Approval 24-009C issued June 2, 2003, all other conditions from Plan Approval 24-009C remain in effect:

- Condition 5—Delete condition.

- Condition 6—Delete “The maximum amount of coal burned in each boiler shall not exceed 9.4 tpy.”

- Condition 21—Delete condition.

- This plan approval supercedes the following conditions from Title V Operating Permit 24-00009 amended July 1, 2002, Section D, Sources ID 040 and 041, all other conditions remain in effect:

- Condition No. 001—Delete condition, replaced with 40 CFR 60.42(a)(1).

- Condition No. 002—Modify condition to include 25 Pa. Code § 123.22(a)(4)(i) and make 25 Pa. Code § 123.22(a)(4)(ii) and (iv) not applicable.

- Condition No. 003—Delete condition, replaced with new NOx emission limitation (#/Mt) and SOx emission limitation (tpy) from Scrubber plan approval.

- Condition No. 005—Delete condition.

- Condition No. 017(a)—Delete “The permittee shall continue to operate a lockbox coalfeed system under the direct and sole control of the plant manager, which has been designed to preclude the firing of the boilers above 250 mmbtu/hr.”

- Condition No. 019—Streamlined condition out, the NOx allowance requirements have been included in the permit.

- The sources may operate up to their maximum heat input capacity using coal, oil, gas or a combination of the three fuels.

- The sources are subject to NOx allowance requirements of 25 Pa. Code §§ 123.101—123.120 and the sources shall be treated as new affected sources under 25 Pa. Code § 123.117 and the permittee shall not be entitled to any allowances through the opt-in provisions in 25 Pa. Code § 123.116.

- The sources are subject to NOx budget trading program requirements of 25 Pa. Code Chapter 145 with applicability specified in 25 Pa. Code § 145.4.

- The SOx emissions from the common stack serving boilers 81 and 82 shall not exceed 437 tpy based on any consecutive 12-month period. Compliance will be shown by CEMS.

- The NOx emissions from the common stack serving boilers 81 and 82 shall not exceed 1,314 tpy based on any consecutive 12-month period. Compliance will be shown

by fuel usage and emission limitation based on fuel. The NOx emissions shall not exceed 0.60 lb/mmBtu heat input.

- The VOC emissions from the common stack serving boilers 81 and 82 shall not exceed 5.3 tpy based on any consecutive 12-month period. Compliance will be shown by fuel usage and stated emission factors.

- The CO emissions from the common stack serving boilers 81 and 82 shall not exceed 87.6 tpy based on any consecutive 12-month period. Compliance will be shown by fuel usage and stated emission factors.

- This source is subject to Subpart D of the Standards of Performance for New Stationary Sources and shall comply with all applicable requirements of this subpart. This includes, but is not limited to, the following:

- 40 CFR 60.4 requires submission of copies of all requests, reports, applications, submittals and other communications to both the EPA and the Department. The EPA copies shall be forwarded to Director; Air, Toxics and Radiation Division; US EPA, Region III; 1650 Arch St.; Philadelphia, PA 19103-2029.

- From 40 CFR 60.42:

- (a) No owner or operator subject to the provisions of this subpart shall cause to be discharged into the atmosphere from any affected facility any gases which:

- (1) Contain particulate matter in excess of 0.10 lb per million Btu heat input derived from fossil fuel or fossil fuel and wood residue.

- (2) Exhibit greater than 20% opacity except for one 6-minute period per hour of not more than 27% opacity.

- From 40 CFR 60.43:

- (a)—(c) Streamlined out.

- From 40 CFR 60.44:

- (a) No owner or operator subject to the provisions of this subpart shall cause to be discharged into the atmosphere from any affected facility any gases which contain NOx, expressed as NO₂ in excess of:

- (1) 0.20 lb per million Btu heat input derived from gaseous fossil fuel.

- (2) 0.30 lb per million Btu heat input derived from liquid fossil fuel, liquid fossil fuel and wood residue, or gaseous fossil fuel and wood residue.

- (3) Streamlined out.

- (4) 0.60 lb per million Btu heat input derived from lignite or lignite and wood residue (except as provided under paragraph (a)(5) of this section).

- (5) Not applicable.

- (b) Except as provided under paragraphs (c) and (d) of this section, when different fossil fuels are burned simultaneously in any combination, the applicable standard (in lb/mmBtu) is determined by proration using the equation in 40 CFR 60.44(b).

- (c) Not applicable.

- From 40 CFR 60.45:

- (a) Each owner or operator shall install, calibrate, maintain and operate continuous monitoring systems for measuring the opacity of emissions, sulfur dioxide emissions, NOx emissions and either oxygen or carbon dioxide.

- (b) Not applicable.

(c) For performance evaluations under 40 CFR 60.13(c) and calibration checks under 40 CFR 60.13(d), the procedures specified in 40 CFR 60.45(c) shall be used.

(d) (Reserved).

(e) For any continuous monitoring system installed under paragraph (a) of this section, the conversion procedures specified in 40 CFR 60.45(e) shall be used to convert the continuous monitoring data into units of the applicable standards (ng/J, lb/million Btu).

(f) The values used in the equations under paragraph 40 CFR 60.45(e) are derived as specified in 40 CFR 60.45(f).

(g) Excess emission and monitoring system performance reports shall be submitted to the administrator semiannually for each 6-month period in the calendar year. All semiannual reports shall be postmarked by the 30th day following the end of each 6-month period. Each excess emission and MSP report shall include the information required in 40 CFR 60.7(c). Periods of excess emissions and monitoring systems downtime that shall be reported are defined in 40 CFR 60.45(g).

—From 40 CFR 60.46:

(a) In conducting the performance tests required in 40 CFR 60.8, the owner or operator shall use as reference methods and procedures the test methods in Appendix A of this part or other methods and procedures as specified in this section, except as provided in 40 CFR 60.8(b). Acceptable alternative methods and procedures are given in paragraph (d) of this section.

(b) The owner or operator shall determine compliance with the particulate matter, SO₂ and NO_x standards in 40 CFR 60.42, 60.43 and 60.44 as specified in 40 CFR 60.46(b).

(c) When combinations of fossil fuels or fossil fuel and wood residue are fired, the owner or operator (to compute the prorated standard as shown in 40 CFR 60.43(b) and 60.44(b)) shall determine the percentage (w, x, y or z) of the total heat input derived from each type of fuel as specified in 40 CFR 60.46(c).

(d) The owner or operator may use the provisions in 40 CFR 60.46(d) as alternatives to the reference methods and procedures in this section or in other sections as specified.

10-284C: Seneca Landfill, Inc. (421 Hartmann Road, Evans City, PA 16033) for modification of Plan Approval PA-10-284B, to clarify when the testing requirements are applicable and for the installation of either a 6,000 cfm or 5,000 cfm enclosed flare rather than the two smaller enclosed flares and genet in Jackson Township, **Butler County**. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval at Title V facilities in accordance with 25 Pa. Code § 127.44. This plan approval, in accordance with 25 Pa. Code § 127.450, will be incorporated into the Title V operating permit through an administrative amendment at a later date. The source shall comply with the following conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b, pertaining to plan approval terms and conditions, and will demonstrate Best Available Technology for the source:

• This plan approval supersedes the plan approval issued July 5, 2001, amended January 7, 2002, and extended on December 31, 2002, bearing number PA 10-284B.

• The source shall comply with 25 Pa. Code §§ 123.1, 123.21, 123.31 and 123.41 for fugitive matter, sulfur compound, odor and visible emissions.

• The permittee shall install either the 6,000 cfm or the 5,000 cfm enclosed flare within 6 months of plan approval issuance. The permittee shall notify the Department as to which enclosed flare was installed as part of the notification notice in Condition 3(a). Annually, the permittee shall calculate the year-end gas generation rate in accordance with 40 CFR 60.755(a)(1)(ii) using known year-to-year solid waste acceptance rates. Also, the permittee shall estimate the next year-end gas generation rate using projected solid waste acceptance rates. The permittee shall compare both rates to the installed control devices maximum gas capacity. The permittee shall submit a report containing the calculated year-end and the estimated next year-end gas generation rates by June 30 until a time as the plan approval for the next control device has been submitted. This report may be submitted as part of the Solid Waste Annual Operating Report; however, a copy needs to go to Air Quality. Once the calculated year-end or the estimated next year-end gas generation rate exceeds 80% of the existing control device maximum gas capacity from the report due June 30, the permittee shall submit a new plan approval application, within 60 days of the previous report, for installation of an additional control device that will control landfill gases (LFG) above the permitted capacity.

• Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, the following requirements are hereby established for the flare:

• The flare shall be designed and operated in accordance with 40 CFR 60.18.

• The flare must be an enclosed ground type, which is shrouded with no visible flame shooting from the flare.

• The flare shall be equipped with a continuous pilot ignition source using an auxiliary fuel.

• The flare shall be operated with a flame present at all times. The flare shall be equipped with an automatic shut-off mechanism designed to immediately stop the flow of gases when a flameout occurs. During restart or start-up, there shall be sufficient flow of auxiliary fuel to the burners so that unburnt LFGs are not emitted to the atmosphere.

• The operating temperature of the flare shall be continuously measured and recorded. The recording charts shall be made available to the Department personnel upon request. These charts shall remain on file for a period of 5 years.

• The flare shall be designed for and operated with no visible emissions except for periods not to exceed a total of 5 minutes during any 2 consecutive hours and the emissions during these periods shall not exceed 10% opacity.

• The flare shall achieve and maintain a 98% nonmethane organic compound (NMOC) destruction efficiency for LFG. This minimum destruction efficiency requirement is also required by 40 CFR 60.752(b)(2)(iii)(B) of the Federal New Source Performance Standards.

• PM emissions for the flare shall not exceed 0.02 grain/dscf.

• The flare shall maintain a minimum operating temperature of 1,500°F for at least 0.3 second. The minimum operating temperature of the flare shall be 1,500°F or the

operating temperature maintained during the performance test in which compliance with the 98% destruction efficiency requirement was demonstrated.

- Source tests shall be conducted for the flare, within 60 days after installation but not later than 180 days after initial startup, to demonstrate compliance with the 98% NMOC destruction efficiency requirement and to determine the emission rates of NO_x and CO.

- At least 60 days prior to source testing, three copies of the test procedure and a sketch with dimensions indicating the location of sampling ports and other data to ensure the collection of representative samples shall be submitted to the regional air quality office.

- Within 60 days of the Departmental approval of the stack test protocol, stack tests shall be conducted in accordance with the 40 CFR 60.754(d) and the Department's source testing procedures described in the latest Source Testing Manual referenced in 25 Pa. Code § 139.4(5).

- At least 2 weeks prior to the test, the Regional Air Quality Manager shall be informed, in writing, of the date and time of the test.

- The stack test shall be performed while the flare is using the maximum available amount of LFGs at the time of the test.

- All available operating parameters, including but not limited to LFG flow rate and flare temperature, shall be recorded during the duration of the stack tests.

- Within 60 days after completion of the test, three copies of the complete test report, including all operating parameters, shall be submitted to the Regional Air Quality Manager for approval.

- Under the best available technology provisions of 25 Pa. Code §§ 127.1 and 127.12, the following requirements are hereby established:

- Petroleum contaminated soils may be used as daily landfill cover provided the VOC emissions from the contaminated soils does not exceed 2.7 tpy based on a consecutive 12-month period. The facility shall keep records of the petroleum-contaminated soil received at the landfill. The following information shall be recorded:

- Tons of contaminated soil received.
- Contaminate type (PHC or BTEX).
- PHC is total petroleum hydrocarbons.
- BTEX is benzene, toluene, ethyl benzene and xylenes.
- The maximum and average PHC and/or BTEX (from Waste Management Form FC-1) expressed in mg/kg.

- Potential VOC emissions shall be calculated as follows:

- PHC (expressed as mg/kg) $\times 10^{-6} \times$ tons of soil = tons of VOC.

- BTEX (expressed as mg/kg) $\times 10^{-6} \times$ tons of soil = tons of VOC.

- Quarterly reports shall be submitted to the Department of the VOC emissions within 30-days of the end of each calendar quarter.

- There shall be no passive venting of LFGs to atmosphere from any LFGs collection well from Area D.

- The collection system shall be designed to minimize offsite migration of the subsurface gas. The gas collection system shall be designed to: (1) to collect gas from the

maximum possible area of the landfill; and (2) accommodate the maximum gas generation rate for the landfill.

- The permittee shall perform quarterly monitoring to determine there are no LFG leaks which result in concentrations of 500 ppmv or more measured as propane (or 1,375 ppmv or more measure as methane) at a distance of 0.5 inch from any exposed equipment. The landfill equipment subject to this requirement shall include the exposed portions of the gas wells, piping or any other connections or fittings along the LFG transfer paths of a LFG collection and disposal system. A log shall be kept at the facility indicating any leak that exceeds the previous concentration and the corrective action taken for a period of 5 years and made readily available to Department personnel upon request.

- Should the LFGs flow rate from the disposal area exceed the maximum design capacity of the control devices, the company shall submit a plan approval application for the installation of an additional control device deemed acceptable by the Department.

- The LFGs shall be controlled and monitored in accordance with 25 Pa. Code § 273.292.

- 25 Pa. Code § 273.217 requires landfill operators to implement fugitive air contaminant control measures and otherwise prevent and control air pollution in accordance with the Air Pollution Control Act, Article III and 25 Pa. Code § 273.218. Minimization and control measures shall include the following:

- Ensuring that operation of the facility will not cause or contribute to exceeding ambient air quality standards under 25 Pa. Code § 131.3.

- Ensuring that no open burning occurs at the facility.

- Minimizing the generation of fugitive dust emissions from the facility.

- Fugitive emission control criteria: This criterion specifies the reasonable actions that are necessary for the prevention of fugitive dust emissions from the operation of landfills in accordance with these requirements. The fugitive emission control criteria are as follows:

- The landfill access roadways from the public highway to the landfill shall be paved a minimum of 500 feet. The access roadways shall be maintained to prevent particulate matter from becoming airborne as specified in 25 Pa. Code § 123.1(c).

- The unpaved portions of the access roadways shall have a crown so that water runs off and does not pool. The access roadways shall be maintained to prevent particulate matter from becoming airborne as specified in 25 Pa. Code § 123.1(c).

- All reasonable measures shall be taken to suppress fugitive dust emissions on access roadways or public highways for a distance of 500 feet in both directions from the landfill entrances and exits, caused by landfill operations. When applicable, reasonable accommodations shall be made with the governmental entity with primary responsibility for public highway maintenance and care to ensure that any fugitive emissions in the area of public highway denoted previously, caused by landfill operations, are appropriately suppressed.

- No waste oil shall be used as dust suppressant for the unpaved surface.

- Earth or other material deposited by trucking or other means shall be promptly removed from the paved portions of the access roadways.

- Upon leaving the landfill, the undercarriage, wheels and chassis of the vehicles used to transport wastes and earth shall be washed, as necessary, to prevent earthen carryout onto roadways.

- All waste hauling trucks entering the landfill shall be covered.

- A speed limit of 15 miles per hour shall be observed on all paved access roadways and 10 miles per hour on all unpaved areas. Speed limit signs shall be posted consistent with the requirements of the Department of Transportation (overall dimension 30 inches by 24 inches, "SPEED LIMIT" in 4-inch letters and 10-inch numerals).

- A detailed record describing the time, location, type and amount of roadway surface treatment shall be maintained at the landfill site for at least 5 years. As a minimum, the record shall include the following:

- For paved roadways and parking lot areas:

- Log of action performed to prevent particulate matter from becoming airborne as specified in 25 Pa. Code § 123.1(c). This may include, but is not limited to, the following:

- Log of engine run time or odometer reading for a vacuum sweeper.

- Log of time and location of any maintenance.

- Identification, time and location of any maintenance, repairs, patching or repaving of roads.

- For unpaved roads and shoulders of paved roads:

- Log of action performed to prevent particulate matter from becoming airborne as specified in 25 Pa. Code § 123.1(c). This may include, but is not limited to, the following:

- Log of meter reading of spray-bar and/or pump and odometer reading of trucks used to apply dust suppressants and the identification of the dust suppressants.

- Log of the dilution ratios of the dust suppressants and diluents used if chemical suppressants are used.

- Purchase records of the chemical suppressants, if used.

- Quarterly reports of the previous records shall be submitted to the Department. The reports shall be submitted within 30 days after the end of each calendar quarter.

- The facility shall comply with New Source Performance Standards—40 CFR Part 60 Subpart WWW and shall comply with all applicable requirements of this subpart. This includes, but is not limited to, the following:

- 40 CFR 60.4 requires submission of copies of all requests, reports, applications, submittals and other communications to both the EPA and the Department. The EPA copies shall be forwarded to Director; Air, Toxics and Radiation Division; US EPA, Region III; 1650 Arch Street; Philadelphia, PA 19103.

- In accordance with 40 CFR 60.755(e), the provisions of this subpart apply at all times, except during periods of start-up, shutdown or malfunction, provided that the duration shall not exceed 5 days for collection systems and shall not exceed 1 hour for control devices.

- In accordance with 40 CFR 60.756(b)(2), the facility shall either:

- Install, calibrate and maintain a gas flow rate measuring device that shall record the flow to the control device at least every 15 minutes.

- Secure the bypass line valve in the closed position with a car-seal or a lock-and-key type of configuration. A visual inspection of the seal or closure mechanism shall be performed at least once every month to ensure that the valve is maintained in the closed position and that the gas flow is not diverted through the bypass line.

- In accordance with 40 CFR 60.755(b), each well shall be installed no later than 60 days after the date on which the initial solid waste has been in place for a period of: 5 years or more if active; or 2 years or more if closed or at final grade.

- In accordance with 40 CFR 60.753(b) and 60.756(a), each well head pressure shall be measured monthly. Records shall be kept on file for 5 years and made readily available to Department personnel upon request. Should the pressure be positive during the monitoring of these wellheads, the permittee shall take necessary steps, in accordance with 40 CFR 60.755(a)(3), to bring the affected wellheads into compliance. The collection system shall be operated with negative pressure at each wellhead except under the following conditions:

- A fire or increased well temperature: The owner or operator shall record instances when positive pressure occurs in efforts to avoid a fire. These records shall be submitted with the annual reports as provided in 25 Pa. Code § 60.757(f)(1).

- Use of geomembrane or synthetic cover: The owner or operator shall develop acceptable pressure limits in the design plan.

- A decommissioned well: A well may experience a static positive pressure after shut down to accommodate for declining flows. All design changes shall be approved by the Administrator.

- In accordance with 40 CFR 60.753(c) and 60.756(a), each interior wellhead in the collection system shall be operated with a LFG temperature less than 55°C and with either a nitrogen level less than 20% or an oxygen level less than 5%. The previous parameters shall be monitored monthly and records shall be kept on file for 5 years and made readily available to Department personnel upon request. Should the temperature or nitrogen and/or oxygen level be exceeded during the monitoring of these wellheads, the permittee shall take the necessary steps, in accordance with 40 CFR 60.755(a)(5), to bring the affected wellheads into compliance. The monitoring procedures shall comply with the provisions of 40 CFR 60.756(a).

- In accordance with 40 CFR 60.753(d), 60.755(c) and 60.756(f), the collection system shall be operated so that the methane concentration is less than 500 parts per million above background at the surface of the landfill. The owner or operator shall monitor surface concentrations of methane along the entire perimeter of the collection area and along a serpentine pattern spaced 30 meters apart (or a site-specific established spacing) for each collection area on a quarterly basis. Methane concentration shall be less than 500 parts per million above background at the surface of the landfill using an organic vapor analyzer, flame ionization detector or other portable monitor meeting Section 3, 40 CFR Part 60, Appendix A, Method 21. Records shall be kept on file for a period of five years and made readily available to Department personnel upon request.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Muhammad Zaman, Program Manager, (570) 327-0512.

18-00004: Armstrong World Industries (325 Eagle Valley Road, Beech Creek, PA 16822) for renewal of the Title V operating permit for their Beech Creek Floor Tile plant in Beech Creek Township, **Clinton County**. The facility is currently operating under TVOP 18-00004, which was issued May 10, 1999. The facility's main sources include two natural gas-fired or no. 2 fuel oil-fired boilers, one small natural gas-fired water heater, nine rotogravure press stations, one ink mixing and dispensing operation, one make ready operation, one solvent distillation operation, one propane-fired emergency generator, one no. 2 oil-fired water pump and three storage tanks. The facility has the potential to emit major quantities of VOCs. The facility has the potential to emit SO_x, NO_x, CO, PM (PM₁₀) and HAPs below the major emission thresholds. The proposed Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

36-05077: Beck Industries, L. P. (P. O. Box 244, 74 Newport Road, Leola, PA 17540) for production of mobile home frames and construction equipment trailers at their Upper Leacock Township, **Lancaster County** plant. The facility emissions will be limited to less than 50 tons per year of VOCs. The State-only operating permit will include monitoring, recordkeeping, reporting requirements, emission restrictions and work practice standards designed to keep the facility operating within all applicable air quality requirements.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

24-00158: Rosebud Mining Co. (301 Market Street, Kittanning, PA 16201) for a Natural Minor Permit to operate a coal processing plant at their Little Toby Mine in Horton Township, **Elk County**.

42-00197: M and M Royalty, Ltd. (Route 307, Lewis Run, PA 16738) for a Natural Minor Permit to operate a natural gas processing plant at their Irishtown Plant in Lafayette Township, McKean, **Elk County**.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation

Act (52 P. S. §§ 3301—3326); and The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to the applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District Mining Office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the same address within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition to the previous, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of the NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30 day period to review and submit comments on those requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	3.0mg/l	6.0mg/l	7.0mg/l
Manganese (total)	2.0mg/l	4.0mg/l	5.0mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas, active areas disturbed by coal refuse disposal activities and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

54900101R2. Blackwood, Inc. (P. O. Box 639, Wind Gap, PA 18091), renewal of an existing anthracite surface mine, coal refuse reprocessing, preparation plant, coal ash and biosolids utilization operation in Branch, Reilly and Tremont Townships, **Schuylkill County**, affecting 1847.6 acres. Receiving streams: Panther and Swatara Creeks. Application received December 17, 2003.

19930101R2. Burnrite Coal Company (325 Mulberry Street, Atlas, PA 17851-1025), renewal of an existing anthracite surface mine operation in Conyngham and Mt. Carmel Townships, **Columbia and Northumberland Counties**, affecting 556.1 acres. Receiving streams: none. Application received December 17, 2003.

54860107R3. Reading Anthracite Company (P. O. Box 1200, Pottsville, PA 17901), renewal of an existing anthracite surface mine, refuse reprocessing and refuse disposal operation in Cass Township, **Schuylkill County**, affecting 786.0 acres. Receiving streams: none. Application received December 19, 2003.

54830206R4. Meadowbrook Coal Co., Inc. (6690 SR 209, Lykens, PA 17048), renewal of an existing coal refuse reprocessing operation in Tremont Township, **Schuylkill County**, affecting 11.1 acres. Receiving streams: Stumps Run. Application received December 19, 2003.

54910206R2. Meadowbrook Coal Co., Inc. (6690 SR 209, Lykens, PA 17048), renewal of an existing coal refuse reprocessing operation in Tremont Township, **Schuylkill County**, affecting 190.0 acres. Receiving streams: Stumps Run. Application received December 19, 2003.

40880101R3. Silverbrook Anthracite, Inc. (1 Market Street, Wilkes-Barre, PA 18702), renewal of an existing anthracite surface mine operation in Newport Township, **Luzerne County**, affecting 144.2 acres. Receiving streams: none. Application received December 22, 2003.

54880202R3. Morea Cogen, Inc. (46 Public Square, Suite 600, Wilkes-Barre, PA 18701), renewal of an exist-

ing coal refuse reprocessing operation in Mahanoy Township, **Schuylkill County**, affecting 220.8 acres. Receiving streams: none. Application received December 23, 2003.

California District Mining Office: 25 Technology Drive, California Technology Park, Coal Center, PA 15423, (724) 769-1100.

56981301. NPDES Permit No. PA0215121, Quecreek Mining, Inc. (P. O. Box 149, Friedens, PA 15541), to renew and revise the permit for the Quecreek No. 1 Mine in Lincoln and Somerset Townships, **Somerset County**, to add subsidence control plan acres. SCP Acres Proposed 2206. No additional discharges. Application received October 21, 2003.

33901602. NPDES Permit No. PA0214604, Energy Resources, Inc. (P. O. Box 259, Brockway, PA 15824), to renew the permit for the Brockway Tipple in Snyder Township, **Jefferson County** and related NPDES Permit. No additional discharges. Application received October 31, 2003.

04971301. NPDES Permit No. 0215074, Rosebud Mining Company (301 Market Street, Kittanning, PA 15201), to transfer the permit for the Beaver Valley Mine in Greene Township and Shippingport Borough, **Beaver County**, from MJ Mining Company and to change the operation name from MJ Mine No. 1. No additional discharges. Application received November 18, 2003.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

33980102 and NPDES Permit No. PA0227714. Beth Contracting, Inc. (815 Rock Run Road, Glen Campbell, PA 15742-7806). Renewal of an existing bituminous surface strip operation in Gaskill Township, **Jefferson County**, affecting 32.0 acres. Receiving streams: two unnamed tributaries of East Branch Mahoning Creek (HQ, CWF). The first downstream potable water supply intake from the point of discharge is Pennsylvania American Water Company. Application for reclamation only. Application received December 22, 2003.

Noncoal Applications Received

Effluent Limits—The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum of 0.5 ml/l applied to surface runoff resulting from a precipitation event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

2579302. Bedrock Sand & Gravel, Inc. (10400 Messenger Road, Girard, PA 16417-9210). Renewal of NPDES Permit No. PA0107212, Girard Township, **Erie County**. Receiving streams: Elk Creek (WWF, MF). There are no potable surface water supply intakes within 10 miles downstream. NPDES Renewal application received December 19, 2003.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the FWPCA (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

E23-441. B Conservancy, Inc., P. O. Box 141, Chadds Ford, PA 19317, Chadds Ford Township, **Delaware County**, ACOE, Philadelphia District.

To perform the following activities associated with the Kuerner Farm Pond Restoration Project:

To relocate a reach of an unnamed tributary of Harvey's Run (WWF-MF) through 450 linear feet of new channel by constructing a 2-foot high diversion wall/intake structure and routing flow around an existing drained 0.35-acre reservoir and breach dam.

To remove 500 cubic yards of sediment accumulation from a 0.27-acre portion of the existing drained reservoir and impacting a wetland (PEM) that has developed within the drained reservoir.

The applicant proposes to replace 0.12 acre of wetland impacted by the conversion of this on-stream dam to an off-stream facility as part of the restoration of the Kuerner Farm Pond. The project is approximately 2,000 feet north of the intersection of Ring Road and Bullock Road (Wilmington North, PA Quadrangle N: 21.6 inches; W: 16.6 inches).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E40-629. Mark Development Company, 580 Third Avenue, Kingston, PA 18704 in Dallas Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a stream enclosure of Toby Creek (CWF), consisting of approximately 195 linear feet of 28-foot by 8-foot open-bottomed concrete arch culvert for the purpose of facilitating commercial development. The project includes channel realignment extending approximately 80 feet upstream of the enclosure (incorporating a gabian retaining wall along the right bank and riprap channel protection) and approximately 42 linear feet of riprap channel protection extending downstream of the enclosure. The project is on the west side of SR 0415, at the intersection of SR 0415 and SR 0309 (Kingston, PA Quadrangle N: 14.7 inches; W: 11.0 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E07-373: Cindy D. Bigelow, R. D. 1, Box 188, Williamsburg, PA 16693 in Catharine Township, **Blair County**, ACOE Baltimore District.

To place fill within 15 feet of Roaring Run (WWF) for the purpose of constructing a 40-foot by 100-foot equipment shed along Etna Furnace Road within Catharine Township, Blair County (Spruce Creek, PA Quadrangle N: 4.75 inches; W: 10.3 inches).

E07-379: Hollidaysburg American Legion Post 516, 816 Allegheny Street, Hollidaysburg, PA 16648 in Hollidaysburg Borough, **Blair County**, ACOE Baltimore District.

To build a 72-foot by 60-foot pavilion with associated fill material for a concrete floor to match the elevation of the existing hearth chimneys found within the left floodway of the Beaverdam Branch (TSF) at the site of the former American Legion "Starroom" aside of Memorial Park within Hollidaysburg Borough, Blair County (Hollidaysburg, PA Quadrangle N: 10.3 inches; W: 4.3 inches).

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E14-455. Department of Conservation and Natural Resources, P. O. Box 8451, Harrisburg, PA 17105-8451. Cherry Run Road bridge replacement in Haines Township, **Centre County**, ACOE Baltimore District (Weikert, PA Quadrangle N: 20.00 inches; W: 14.60 inches).

To remove and existing bridge and to construct and maintain a prestressed spread box beam bridge with a normal span of 22.4 feet and a minimum inlet underclearance of 6.10 feet across Cherry Run (EV-CWF), 2 miles up Cherry Run Road from SR 2003. This project is predicted to impact 150 linear feet of Cherry Run without temporary or permanent wetland impacts.

E55-195. Snyder County Conservation District, 403 West Market Street, Middleburg, PA 17841. Water Obstruction and Encroachment Permit in Penn Township, **Snyder County**, ACOE Susquehanna River Basin District (Freeburg, PA Quadrangle N: 13.2 inches; W: 3.9 inches).

To construct and maintain two 30-foot long by 5-foot wide concrete beam, wooden deck bridges over an unnamed tributary to Penns Creek (CWF) for the purposes

of a nature trail. The project is along SR 0015 north 1.0 mile north of the intersection of SR 0522 and Salem Road in Penn Township, Snyder County. The project does not propose to impact any jurisdictional wetlands.

E60-162. Family Practice Center, PC, Buffalo Valley Shopping Center, 307 East Chestnut Street, Mifflinburg, PA 17844. Project is a business expansion in Kelly Township, **Union County**, ACOE Baltimore District (Lewisburg, PA Quadrangle N: 18.4 inches; W: 2.4 inches).

The applicant proposes to expand an existing medical practice and increase the parking lot by 12 spaces. The project will disturb approximately 0.47 acre. Proposed impacts to aquatic resources include filling two isolated emergent wetlands totaling 0.08 acre. These wetlands are classified as "other wetlands" by the Department and are on a partially developed lot off J. P. M. Road in Kelly Township, just north of Lewisburg and are within the Buffalo Creek watershed. The applicant proposes to replace these wetlands through contribution to the Pennsylvania Wetland Replacement Project.

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under General Permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOI for coverage under General NPDES Permits. The approval for coverage under these General NPDES Permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. The permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0028649 Sewage	Municipal Authority of the Borough of Sinking Spring 502 Penn Avenue Sinking Spring, PA 19608-9661	Berks County Spring Township	Cacoosing Creek 3C	Y
PAR10I172R	Larry Troutman Forest Hills Assoc. Inc. 4701 N. Front St. Harrisburg, PA 17110	Dauphin County Lower Paxton Township	Paxton Creek WWF	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0002941 Industrial Waste	Allegheny Energy Supply Company LLC 4350 Northern Pike Monroeville, PA 15146	Greene County Monongahela Township	Monongahela River (Outfalls 001—006, 090, 010 and 013) UNT to Little Whiteley Creek (Outfall 007)	Y
PA0004081 Industrial Waste	Corrective Action Process Regulations Industries 2214 Walnut Street McKeesport, PA 15132	Allegheny County City of McKeesport	Youghioghney River	Y
PA0026034 Sewage	City of Johnstown Bureau of Sewage 414 Washington Street Johnstown, PA 15901	Cambria County West Taylor Township	Conemaugh River	N
PA0026140 Sewage	Rochester Area Joint Sewer Authority 390 Pinney Street, Suite 1 Rochester, PA 15074	Beaver County Rochester Borough	Ohio River	N
PA0204587 Sewage	James C. Noel 108 Front Street Fallentimber, PA 16639	Cambria County White Township	Clearfield Creek	Y
PA0204927 Sewage	Barr Area Municipal Authority P. O. Box 236 Nicktown, PA 15762	Cambria County Barr Township	Hoppel Run	Y
PA0204986 Sewage	Yellow Truckers & Electronic Services Inc. P. O. Box 459 Yukon, PA 15698	Westmoreland County South Huntingdon Township	Lick Run	Y
PA0217832 Sewage	John Edward Schmidt R. D. 2 Box 164A Route 66 and Pfeffer Road Export, PA 15632	Westmoreland County Washington Township	UNT of Thorn Run	Y
PA0217999 Sewage	Jack's Independent Service Inc. 1121 Wallace Run Road Darlington, PA 16115	Beaver County South Beaver Township	UNT of North Fork Little Beaver Creek	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0008265, Amendment No. 3, Industrial Waste, Appleton Papers, 100 Paper Mill Road, Roaring Spring, PA 16673-1488. This proposed facility is in Blair Township, **Blair County**.

Description of Proposed Action/Activity: Amendment to add Foamtrol AF33560 to chemical additive section on page 25 in Part C IV of their existing NPDES permit.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 5602404, Sewerage, **Jane Stitt**, 326 Carriage Ct., Freedom, PA 15042-2826. This proposed facility is in Indian Lake Borough, **Somerset County**.

Description of Proposed Action/Activity: Single residence sewage treatment plant with discharge to a groundwater infiltration field.

WQM Permit No. 5602405, Sewerage, **James and Phyllis Everts**, 135 Shoreline Drive, Penhook, VA 24137. This proposed facility is in Indian Lake Borough, **Somerset County**.

Description of Proposed Action/Activity: Single residence sewage treatment plant with discharge to an at-grade groundwater infiltration bed.

WQM Permit No. 5602411, Sewerage, **Mr. and Mrs. Lambert**, 473 Sheep Ridge Road, Somerset, PA 15501. This proposed facility is in Somerset Township, **Somerset County**.

Description of Proposed Action/Activity: Lambert single residence sewage treatment plant.

WQM Permit No. 6503406, Sewerage, **City of Jeannette**, P. O. Box 294, Penn, PA 15675. This proposed facility is in Jeannette, **Westmoreland County**.

Description of Proposed Action/Activity: To construct approximately 1,543 feet of 8-inch diameter gravity sewers that will serve as a parallel relief sewer around Fourth Street.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10S046-1-R	S. I. D. E. Corporation P. O. Box 1050 Blakeslee, PA 18610	Monroe	Tobyhanna Township	Tobyhanna Creek HQ-CWF
PAI024503006	Meadow Lake Plaza, LLC P. O. Box 1158 Marshalls Creek, PA 18335	Monroe	Middle Smithfield Township	Pond Creek HQ-CWF
PAI024803022	James K. and Sharon L. Carty 619 East Lawn Road Nazareth, PA 18064	Northampton	Bushkill Township	Bushkill Creek HQ-CWF
PAI024803021	Christopher Villani 514 Maple St. Bethlehem, PA 18018	Northampton	Lower Nazareth Township	Bushkill Creek HQ-CWF
PAI024803026	Wind-Drift Read Estate Associates 179 Mikron Road Bethlehem, PA 18020	Northampton	City of Bethlehem	Monocacy Creek HQ-CWF
PAI024803011	Guido and Margaret Bartolacci 3656 Mountainview Ave. Easton, PA 18045	Northampton	Bethlehem Township	Bushkill Creek HQ-CWF
PAI024803023	Main Street Group, Inc. 3359 Durham Rd. Doylestown, PA 18901	Northampton	Hanover Township	Monocacy Creek HQ-CWF

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041803004	Samuel R. Stoltzfus 74 Airstrip Dr. Mill Hall, PA 17751	Clinton	Lamar Township	Fishing Creek HQ-CWF

Northwest Region: Oil and Gas Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6860.

Elk County Conservation District: Courthouse Annex, 300 Center St., Ridgway, PA 15853, (814) 776-5373.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI062403002	Catalyst Energy, Inc. 120 Shangri Lane Pittsburgh, PA 15237-3384	Elk	Highland Township	South Branch Tionesta Creek HQ-CWF Crane Run EV

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Single Residence Sewage Treatment Plant
PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

General Permit Type—PAG-2

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Lackawanna County Dickson City Borough	PAR10N101(1)	Siniawa & Associates 760 Scranton Carbondale Highway Scranton, PA 18509	Tributary to Lackawanna River CWF	Lackawanna County Conservation District (570) 281-9495
Lehigh County Upper Saucon Township	PAG2003903027	GKPS, Inc. James Kusco 4555 Hamilton Blvd. Allentown, PA 18103	Saucon Creek CWF	Lehigh County Conservation District (610) 391-9583
Lehigh County Upper Saucon Township	PAG2003903030	South Lehigh Public Library Association Jerome Trexler 6339 Beverly Hills Rd. Coopersburg, PA 18036	Saucon Creek CWF	Lehigh County Conservation District (610) 391-9583
Monroe County Eldred and Ross Townships	PAG2004503007	William Parsons R. R. 3, 649 Lime St. Palmerton, PA 18071	Buckwha Creek CWF, MF	Monroe County Conservation District (570) 629-3060
Schuylkill County W. Brunswick Township	PAG2005403025	Mary Davenport R. R. 2, Box 2044 Orwigsburg, PA 17961	Pine Creek CWF	Schuylkill County Conservation District (570) 622-3742

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Schuylkill County W. Brunswick Township	PAG2005403030	Metal Sales Mfg. John J. Fenstermacher 29 Pinedale Ind. Rd. Orwigsburg, PA 17961	Pine Creek to Sch. River CWF	Schuylkill County Conservation District (570) 622-3742
Luzerne County Hanover Township	PAG2004003010	Earth Conservancy 101 S. Main St. Ashley, PA 18706	Solomon Creek CWF	Luzerne County Conservation District (570) 674-7991
Northampton County Lower Nazareth Township Nazareth Borough	PAG2004803032	ESSROC Attn: Alfred Barzoloski 3251 Bath Pike Nazareth, PA 18064	Shoeneck Creek WWF	Northampton County Conservation District (610) 746-1971
Bern Township Berks County	PAG2000603098	David Snyder Horizon Custom Homes, Inc. 224 Genesis Drive Blandon, PA 19510	UNT to Schuylkill River WWF	Berks County Conservation District P. O. Box 520 1238 County Welfare Road Leesport, PA 19533 (610) 372-4657
East Hanover Township Dauphin County	PAG2002203040	Scott Groy P. O. Box 185 Jonestown, PA 17038	Swatara Creek WWF Bow Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Rd. Dauphin, PA 17018 (717) 921-8100
Bradford County Athens Township	PAG2000803005	Rachelle King Belden and Blake Corp. 2281 Titusville Rd. Pleasantville, PA 16341	Chemung River WWF	Bradford County Conservation District R. R. 5, Box 5030C Towanda, PA 18848 (570) 265-5539
Lycoming County Loyalsock Township S. Williamsport Borough City of Williamsport	PAG2004103014	Department of Transportation District 3-0 P. O. Box 218 Montoursville, PA 17754	Susquehanna River WWF	Lycoming County Conservation District 542 County Farm Rd. Suite 202 Montoursville, PA 17754 (570) 433-3003
Cambria County Richland Township	PAG2001103005(1)	Alan Bellis 34555 Chagrin Blvd. Moreland Hills, OH 44022 and Randy Straw P. O. Box 9 429 Fetterolf Rd. Boswell, PA 15531	Little Paint Creek CWF Sams Run WWF	Cambria County Conservation District (814) 472-2120
Westmoreland County East Huntingdon Township	PAG2006503052	Gregory Liprando R. R. 2 Box 449 E Greensburg, PA 15601	Sherrick Run WWF	Westmoreland County Conservation District (724) 837-5271
Westmoreland County City of Greensburg	PAG2006503055	Marino & Marino 766 E. Pittsburgh St. Greensburg, PA 15601	Coal Tar Run WWF	Westmoreland County Conservation District (724) 837-5271

General Permit Type—PAG-8 (SSN)

<i>Facility Location and Municipality</i>	<i>Applicant Name and Address</i>	<i>Contact Office and Telephone No.</i>
Walters Farm Biosolids Site White Township Greene County	Lower Ten Mile Run Joint Sewer Authority Williamstown WWTP 144 Chartiers Road Jefferson, PA 15344	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

General Permit Type—PAG-13

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Department Protocol (Y/N)</i>
PAG136264	Edgewood Borough 2 Race Street Edgewood, PA 15218	Allegheny	Edgewood Borough	Nine Mile Run TSF	Y
PAG136268	Green Tree Borough 10 W. Manilla Avenue Pittsburgh, PA 15220	Allegheny	Green Tree Borough	Whiskey Run WWF	Y
PAG136269	Etna Borough 437 Butler Street Pittsburgh, PA 15223	Allegheny	Etna Borough	Pine Creek TSF Little Pine Creek TSF	Y
PAG136273	Frazer Township 2129 Butler Logan Road Tarentum, PA 15084	Allegheny	Frazer Township	Allegheny River (light industrial and recreational)	Y
PAG136276	East McKeesport Borough 907 Florence Avenue East McKeesport, PA 15035	Allegheny	East McKeesport Borough	Turtle Creek WWF	Y
PAG136284	Dormont Borough 1444 Hillsdale Avenue Suite 10 Pittsburgh, PA 15216	Allegheny	Dormont Borough	UNT to Saw Mill Run	Y

PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Safe Drinking Water Act for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Operations Permit issued to **Cedar Acres/Cunningham Inc.**, 1650 Harlansburg Road, New Castle, PA 16101, PWS ID 6370910, Scott Township, **Lawrence County** on December 23, 2003, for the operation of facilities approved under Construction Permit No. 3793502-T1.

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Operations Permit issued to **Grampas Woods Estate Mobile Home Park**, HC 1, Box 1508, Tafton, PA 18464, PWS ID 2520005, Palmyra Township, **Pike County** on December 4, 2003, for the operation of facilities approved under Construction Permit No. 5295504.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 1701504—Innovative Technology. Public Water Supply.

Applicant

Westover Municipal Authority
Gene Hagens, Secretary
Westover Municipal Authority
121 North Main Street
P. O. Box 185
Westover, PA 16692-0185

Borough

Westover Borough

County	Clearfield
Type of Facility	PWS—Approves a Pall Aria AP-3 membrane microfiltration plant, disinfection, phosphate and caustic soda chemical feeds, three system meter pits, customer meter replacement and finished water storage tank repairs and improvements.
Consulting Engineer	Gwin, Dobson and Foreman, Inc. James L. Balliet 3121 Fairway Drive Altoona, PA 16602
Permit to Operate Issued	December 15, 2003

HAZARDOUS SITES CLEAN-UP UNDER THE ACT OF OCTOBER 18, 1988

Prompt Interim Response

Newtown Mercury Site, Newtown Township, Bucks County

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA) (35 P. S. §§ 6020.101—6020.1305), has initiated a prompt interim response at the Newtown Mercury Site (Site), 301 N. Sycamore Street, Newtown, PA 18940, Newtown Township, Bucks County. This response has been initiated under sections 501(a) and 505(b) of the HSCA (35 P. S. §§ 6020.501(a) and 6020.505(b)).

The Site consists of a shed and the soils in the immediate vicinity of the shed on a residential property. The property immediately adjacent and to the west is commercial. The eastern edge of the property borders Newtown Creek. The Site can be found on the Langhorne Quadrangle at approximately latitude 40° 14' 5" N and longitude 74° 56' 11" W.

The shed had apparently been used by the owner to collect mercury from thermometers and other equipment. On October 12, 2003, the SERO Emergency Response Team (ERT), upon the request of the Fire Marshall, responded to the Site and removed 71 pounds of mercury and mercury containing devices from the property. At the conclusion of this action, beads of mercury were visible on the floor of the shed and in some of the open boxes. Beads of mercury were also observed entering cracks in the floor of the shed and were visible on a stone step outside the entrance to the shed. The shed was constructed of wood and elevated approximately 1 foot above the ground surface. Department analyses conducted by the ERT with a Jerome Mercury Vapor analyzer confirmed concentrations of mercury vapors inside the shed above the levels established for inhabited structures. Mercury levels in the soils under and around the shed were unknown. Based upon these conditions at the Site and because of the potential for community exposure to hazardous substances via inhalation, ingestion or dermal contact, the Department determined that there was a reasonable basis for prompt action within the meaning of section 505(b) of the HSCA. On December 3, 2003, the Department initiated an HSCA response at the Site.

The objective of the prompt interim response action was to remove and properly dispose of hazardous wastes and materials stored on the Site. The Department considered two alternative interim response actions for the Site:

Alternative 1—No Action. A “No Action” alternative provides a baseline against which all other alternatives can be prepared and/or judged. Had the Department selected the “No Action” alternative, any actual or potential health and environmental risk posed by the Site would have remained the same.

Alternative 2—Waste Removal and Disposal. This alternative consists of safely repackaging, temporarily storing, sampling for disposal purposes and shipping the wastes offsite to approved disposal facilities. This alternative includes demolition of the shed, disposal at a permitted facility of the resulting debris and the characterization of soils beneath the shed.

In evaluating these alternatives, the Department considered the criteria of permanence, protection of human health and environment and the alternatives' ability to meet applicable, relevant and appropriate State and Federal requirements (ARARs). The Department also considered cost-effectiveness in analyzing the prompt interim alternatives. The Department determined that the “No Action” alternative would not be protective of the public health. The Department selected Alternative 2—Waste Removal and Disposal. This alternative is protective of the public health and environment, complies with ARARs and is feasible and effective.

An Administrative Record which contains more detailed information concerning the prompt interim response action is available for public inspection from 8 a.m. to 4 p.m. at the Department's offices at Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428, (610) 832-6000. Individuals interested in examining the Administrative Record should contact April Flipse at (610) 832-5937 ((484) 250-5721 after February 9, 2004) to arrange for an appointment. The Department is moving on February 6, 2004, to 2 East Main Street, Norristown, PA 19401.

An additional copy of the Administrative Record is available for review at the Newtown Township Building, 100 Municipal Drive, Newtown.

Under section 506(d) of the HSCA, (35 P. S. § 6020.506(d)) public hearing is scheduled for February 26, 2004, at 7 p.m. at the Newtown Township Building, 100 Municipal Drive, Newtown. Department staff will be available to informally answer questions beginning at 6:30 p.m. at the township building. Persons who want to present formal oral comments regarding this prompt interim response may do so by registering with the Department before the hearing. Individuals may register by calling the Department's Community Relations Coordinator Lynda Rebarchak at (610) 832-6219 ((484) 250-5820 after February 9, 2004).

Individuals who wish to attend the public hearing and are in need of an accommodation as provided for in the Americans With Disabilities Act should contact Lynda Rebarchak at the previous number or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

The public may also submit written comments regarding the Department's prompt interim response action during the period of public comment. Under section 506(c) of the HSCA, the Department has established a period for public comment, which shall run from the date of this notice through April 2, 2004. Written comments should be addressed to April Flipse, Project Officer, at the Department's previous address.

Individuals with questions concerning this notice should contact April Flipse.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428.

Valley Forge General Hospital, Operable Unit 1, Schuylkill Township, Chester County. Scott McClelland, URS Corp., 7101 Wisconsin Ave., Suite 700, Bethesda, MD 20814, on behalf of Kristine Carson, General Services Administration, Property Disposal Div., (4PR) 401 West Peachtree St., Suite 2528, Atlanta, GA, has submitted a Final Report concerning remediation of site soil contaminated with inorganics and groundwater contaminated with chlorinated solvents, inorganics and other organics. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Reserve at Gwynedd, Upper Gwynedd Township, Montgomery County. William F. Schmidt, P. E., Pen-noni Associates, Inc. 3001 Market St., Philadelphia, PA

19104, on behalf of Carmen Danella, The Reserve at Gwynedd LP, 470 E. Norristown Rd., Suite 100, Blue Bell, PA 19422, has submitted a Final Report concerning remediation of site soil contaminated with chlorinated solvents, diesel fuel, fuel oil no. 2 and inorganics; and groundwater contaminated with chlorinated solvents, diesel fuel, fuel oil no. 2, inorganics, leaded gasoline, lead, other organics, PAH and unleaded gasoline. The report is intended to document remediation of the site to meet Statewide Health and Site-Specific Standards.

Northeast Regional Field Office, Joseph A. Brogna, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Estate of Cunard Lower and Donald Watkins Property, Lehigh Township, Northampton County. Douglas H. Sammak, President, American Analytical and Environmental, Inc., 738 Front Street, Catasauqua, PA 18032 has submitted a Final Report (on behalf of Javalyn A. Ramer, West Mountainview Drive, Walnutport, PA and Donald R. Watkins, North Dogwood Road, Danielsville, PA) concerning the remediation of soils found or suspected to have been contaminated with chlorinated solvents and other organics, fuel oil no. 2, leaded gasoline, lead and other inorganics. The report was submitted to demonstrate attainment of the Residential Statewide Health Standard. A Notice of Intent to Remediate was simultaneously submitted.

Buckeye Pipe Line Company—Dupont Station, Pittston Township, Luzerne County. Jason Mengel, Environmental Coordinator, Buckeye Pipe Line Company, LP, 5002 Buckeye Road, Emmaus, PA 18049 has submitted a Final Report concerning the remediation of soils and groundwater found or suspected to have been contaminated with diesel fuel, jet fuel, kerosene and/or unleaded gasoline. The report was submitted to demonstrate attainment of the Nonresidential Statewide Health Standard. A Notice of Intent to Remediate was simultaneously submitted.

Meade Residence, Middle Smithfield Township, Monroe County. Ronald S. Carvalho, Principal, FT Associates, LLC, 12 Marshall Street, Unit 8B, Irvington, NJ 07111 has resubmitted a Final Report (on behalf of William Meade, Mountain Top Road, East Stroudsburg, PA 18301) concerning the remediation of soils found or suspected to have been contaminated with no. 2 fuel oil. The report was submitted to demonstrate attainment of the Statewide Health Standard. The report was previously withdrawn by the applicant.

Former Alliance America Facility, Borough of Port Carbon, Schuylkill County. Christopher Orzechowski, P. G., RT Environmental Services, Inc., 215 W. Church Road, King of Prussia, PA 19406 has submitted a combined Remedial Investigation Report and Final Report (on behalf of JDSW Real Estate Limited Partnership, 5th and Mahantango Streets, Pottsville, PA) concerning the remediation of groundwater found or suspected to have been contaminated with solvents. The reports were submitted in fulfillment of a combination of both the Statewide Health and the Site-Specific Standards.

ConAgra Foods (a/k/a Saputo Cheese, 1002 MacArthur Road), Whitehall Township, Lehigh County. Marjory Rinaldo-Lee, P. G., President, GeoLogic NY Inc., P. O. Box 5080, Cortland, NY 13045, has submitted a Final Report (on behalf of ConAgra Foods, 2001 Butterfield Road, Downers Grove, IL 60515) concerning the remediation of soils and groundwater found or suspected to have been contaminated with no. 2, 4 and 6 fuel

oil constituents. The report was submitted to demonstrate attainment of the Statewide Health Standard.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Sunoco Inc., Walters Farm, West Cocalico Township, **Lancaster County**. Aquaterra Technologies, Inc., P. O. Box 744, West Chester, PA 19381, on behalf of Sunoco, Inc., P. O. Box 1135, Marcus Hook, PA 19061, submitted a Final Report concerning remediation of site soils and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to the Statewide Health Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Former B & B Equipment, Clinton Township, **Lycoming County**. BL Companies, on behalf of Hoss-Gorman, Inc., P. O. Box 308, Bartonsville, PA 18321, has submitted a Remedial Investigation Report and a Final Report concerning soil contaminated with leaded gasoline and unleaded gasoline and groundwater contaminated with inorganics, leaded gasoline and unleaded gasoline. This combined submission is intended to demonstrate remediation of this site to meet the Site-Specific Standard.

James Mason Property, Eagles Mere Borough, **Sullivan County**. Alliance Environmental Services, Inc., on behalf of James Mason, P. O. Box 3402, Boulder, CO 80307, has submitted a Final Report concerning soil contaminated fuel oil no. 2. This Final Report is intended to demonstrate remediation of the site soil to meet the Statewide Health Standard. See additional information in the Applications and the Actions sections of this *Pennsylvania Bulletin*.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media,

benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office AFTER which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Joseph A. Brogna, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Helen O'Hora Estate, Silver Lake Township, **Susquehanna County**. Kevin Van Kuren, P. G., Hydrocon Services, Inc., 16 East Minor Street, Emmaus, PA 18049 submitted a Final Report (on behalf of James O'Hora, Case Drive, Vestal, NY 18350) concerning the remediation of soils found or suspected to have been contaminated with home heating oil constituents (no. 2 fuel oil). The report documented attainment of the Residential Statewide Health Standard and was approved on December 9, 2003.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Penn View Mobile Home Park, Exeter Township, **Berks County**. Hafer Environmental Services, Inc., P. O. Box 4418, Reading, PA 19606, on behalf of Mark Reedy, 1121 Broadway Avenue, Reading, PA 19606, submitted a Final Report concerning remediation of site soils contaminated with kerosene. The final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 19, 2003.

Defense Distribution Depot Susquehanna PA SWMU 27 Tank 950, Fairview Township, **York County**. Weston Solutions, Inc., 1400 Weston Way, Building 4-2, West Chester, PA 19380, on behalf of Defense Logistics Agency, Defense Distribution Depot Susquehanna PA, 2001 Mission Drive, Suite 1, New Cumberland, PA 17070-5002, submitted a Final Report concerning remediation of site groundwater contaminated with chlorinated solvents. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 23, 2003.

Whelan Investment Company a/k/a Ettline Foods Corporation, Spring Garden Township, **York County**. Science Applications International Corporation, 6310 Allentown Boulevard, Harrisburg, PA 17112-3377, on

behalf of Martin J. Whelan, 525 State Street, P. O. Box 563, York, PA 17405, submitted a Final Report concerning remediation of site soils and groundwater contaminated with BTEX and PAHs. The final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 23, 2003.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Cognis, Castanea Township, **Clinton County**. Cognis Corporation, 300 Brookside Avenue, Ambler, PA 19002 has submitted a Final Report concerning soil contaminated with no. 2 fuel oil, organics, inorganics and PAHs. This Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 22, 2003.

Munro Farm, Castanea Township, **Clinton County**. American Color & Chemical, LLC, Mount Vernon Street, Lock Haven, PA 17745, has submitted a Final Report concerning soil contaminated with VOCs, SVOCs, pesticides, PCBs and inorganics. This Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 22, 2003.

James Mason Property, Eagles Mere Borough, **Sullivan County**. Alliance Environmental Services, Inc., on behalf of James Mason, P. O. Box 3402, Boulder, CO 80307, has submitted a Final Report concerning soil contaminated fuel oil no. 2. This Final Report demonstrated remediation of the site soil to meet the Statewide Health Standard and was approved by the Department on December 23, 2003. See additional information in the Applications and the Actions sections of this *Pennsylvania Bulletin*.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 602935. York Haven Sewer Authority, Two North Front Street, P. O. Box 394, York Haven, PA 17370-0394, Conewago Township, **York County**. The permit was revoked at the request of the permittee for Glenn Hoover Farm, Conewago Township, York County. The permit was revoked by the Southcentral Regional Office on December 22, 2003.

Persons interested in reviewing the general permit should contact Cynthia Wolfe, File Review Coordinator, Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4732. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984.

MUNICIPAL AND RESIDUAL WASTE TRANSPORTER AUTHORIZATION

Issued applications for Municipal and Residual Waste Transporter Interim Authorization received under the Waste Transportation Safety Act (27 Pa.C.S. §§ 6201—6209) and regulations to transport municipal or residual waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Municipal and Residual Waste, P. O. Box 8472, Harrisburg, PA 17105-8472.

Cesar Prodoscimo, 176 Broadway St., Apt. 3, Somerville, MA 02145. Authorization No. WH5715. Effective December 22, 2003.

Sasko Bozinov, 421 Edmund Ave., Paterson, NJ 07502. Authorization No. WH5716. Effective December 22, 2003.

First Choice Landscaping, 179 Hockhockson Road, Colts Neck, NJ 07722. Authorization No. WH3103. Effective December 22, 2003.

Voluntarily terminated applications for Municipal and Residual Waste Transporter Interim Authorization received under the Waste Transportation Safety Act and regulations to transport municipal or residual waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Municipal and Residual Waste, P. O. Box 8472, Harrisburg, PA 17105-8472.

Cisco & Taylor General Contractors, Inc., 18 East Ave., Mullica Hill, NJ 08062. Authorization No. WH2096. Voluntarily Terminated December 18, 2003.

Miners Fuel Company, Inc., P. O. Box 86, Tremont, PA 17981. Authorization No. WH1570. Voluntarily Terminated June 25, 2003.

Miners Oil Company, Inc., P. O. Box 86, Tremont, PA 17981. Authorization No. WH1572. Voluntarily Terminated June 25, 2003.

Miners Environmental, Inc., P. O. Box 86, Tremont, PA 17981. Authorization No. WH1571. Voluntarily Terminated June 25, 2003.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

GP3-9-07-03014: New Enterprise Stone and Lime Co., Inc. (P. O. Box 77, New Enterprise, PA 17201) on December 18, 2003, authorized to operate a portable nonmetallic mineral processing plant under GP3 in Taylor Township, **Blair County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Devendra Verma, New Source Review Chief, (814) 332-6940.

61-205A: IA Construction Corp.—Nectarine Aggregate Plant (SR 3003, Harrisville, PA 16038) on December 10, 2003, to modify an existing portable nonmetallic crushing/screening plant at their Ben Hal Nectarine mining operation in Irwin Township, **Venango County**.

43-290B: Winner Steel, Inc. (277 Sharpsville Avenue, Sharon, PA 16146) on December 18, 2003, for the installation of a new no. 3 continuous steel strip galvanizing line furnace in the City of Sharon, **Mercer County**. This is a State-only facility.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

67-05004F: P. H. Glatfelter Co. (228 South Main Street, Spring Grove, PA 17362-0500) on December 19, 2003, for modification of a bleach plant scrubber system in Spring Grove Borough, **York County**. This facility is subject to 40 CFR Part 63, Subpart S—National Emission Standards for Hazardous Air Pollutants from the Pulp and Paper Industry. This plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

41-00005B: Lycoming Engines (652 Oliver Street, Williamsport, PA 17701) on December 18, 2003, for construction of three nitriders and associated air cleaning device (an ammonia/gas neutralization unit) to April 16, 2004, in the City of Williamsport, **Lycoming County**. The plan approval has been extended.

18-00009A: Clinton County Solid Waste Authority (264 Landfill Lane, McElhattan, PA 17748) on December 18, 2003, for authorization to operate a landfill gas-fired flare on a temporary basis to April 16, 2004, at the Wayne Township Landfill in Wayne Township, **Clinton County**. The plan approval has been extended.

17-00001A: Reliant Energy Mid-Atlantic Power Holdings, LLC—Reliant Energy Northeast Management Co. (121 Champion Way, Canonsburg, PA 15317) on December 22, 2003, for modification of an ash disposal facility (construction of a 86-acre expansion) by extending the expiration date from December 31, 2003, to June 30, 2004, at the Shawville Station in Bradford Township, **Clearfield County**. The plan approval has been extended.

14-00014A: Glenn O. Hawbaker, Inc. (711 East College Avenue, Bellefonte, PA 16823) on December 19, 2003, to correct a waste oil furnace model number erroneously specified in the plan approval in Spring Township, **Centre County**.

59-00003A: OSRAM SYLVANIA Products, Inc. (One Jackson Street, Wellsboro, PA 16901-1717) on December 22, 2003, authorization to operate two light bulb frosting lines, a frosting solution reclaim system and associated air cleaning device (a packed bed scrubber), as well as a waste water treatment plant filter press and lime mixers, on a temporary basis until April 20, 2004, and to modify a hydrogen fluoride stack testing requirement so that only one of the two frosting lines now needs to be operated during the performance of the testing and to modify a scrubbing solution pH recordkeeping requirement so that records of 20-minute average pH values must now be maintained instead of 1-minute pH values in Wellsboro Borough, **Tioga County**. The Plan Approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

26-00288D: Better Materials Corp. (Salem Place, Suite 340, 390 Route 22, Delmont, PA 15626) on December 23, 2003, at their facility in Connellsville Township, **Fayette County**. Plan Approval 26-00288D will be revised as follows:

- Condition No. 3, change drum mix to batch, add no. 2 fuel oil and remove no. 6 fuel oil.
- Condition No. 8, reduce production from 500,000 tpy to 475,000 tpy to stay below the major source threshold for CO.
- Condition No. 9, removed no. 6 fuel oil.
- Condition No. 10, reduced the annual fuel usage restriction from 1.17 millions gallons to 1,111,500 gallons to coincide with new production limit and removed no. 6 fuel oil.
- Condition No. 12, reduced fuel lead limit from 100 ppm to 65 ppm, changed minimum Btu level from 8,000 Btu/lb to 135,000 Btu/gal, added (Tx) to Total Halides and replaced specific analytical techniques with as determined by appropriate EPA/ASTM methodology.
- Condition No. 16, revised emission limits to coincide with AP-42 emission factors.
- Condition No. 20, removed “and enforce.”
- Condition No. 21, removed requirement to sweep roads weekly and added use of the truck wheel wash.
- Condition No. 31, removed no. 6 fuel oil.
- Deleted former Conditions Nos. 9 and 30 regarding RAP usage. Also removed RAP from Condition No. 35.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Devendra Verma, New Source Review Chief, (814) 332-6940.

25-648A: Nepa Energy, LP (1095 Ackerman Road, Northeast, PA 16428) on December 8, 2003, for operation of a boiler in North East, **Erie County**.

25-648B: Nepa Energy LP (1095 Ackerman Road, Northeast, PA 16428) issued December 8, 2003, for operation of a boiler in North East, **Erie County**.

16-132B: Temple Inland Forest Products (1 Fiberboard Avenue, Shippensburg, PA 16254) on December 30, 2003, for modifications to the fiberboard plant in Paint Township, **Clarion County**.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, Lee Park, Suite 6010, 555 North Lane, Conshohocken, PA 19428; Edward Brown, Facilities Permitting Chief, (610) 832-6242.

23-00038: DELCORA (100 East 5th Street, Chester, PA 19016) on December 22, 2003, an administrative amendment to resolve the appeal of the Title V Operating Permit, filed on October 10, 2003, in Chester City, **Delaware County**. The plant is a Delaware County Regional Water Authority wastewater treatment plant. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility within all applicable air quality requirements. Administrative Amendment of Title V Operating Permit issued under the Air Pollution Control Act and 25 Pa. Code § 127.450.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

12-399-016: Micron Research Corp. (13746 Route 120, Emporium, PA 15834) on December 22, 2003, to delete a requirement erroneously established by the Department that the air contaminant emissions from a double arm carbon products mixer be controlled by an activated carbon odor filter system in Shippen Township, **Cameron County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permit Actions

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.

65980106 and NPDES Permit No. 0202380. Gary Gioia Coal Company (319 Karen Drive, Elizabeth, PA 15037). Renewal permit for continued mining and reclamation to an existing bituminous surface mine in South Huntingdon Township, **Westmoreland County**, affecting 40 acres. Receiving stream: unnamed tributary to Sewickley Creek (WWF). Renewal application received October 22, 2003. Renewal permit issued December 19, 2003.

26980103 and NPDES Permit No. PA0212312. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Transfer of permit formerly issued to Purco Coal, Inc. for continued operation and reclamation of a bituminous surface mining site in Wharton and Stewart Townships, **Fayette County**, affecting 206 acres. Receiving streams: unnamed tributary to Meadow Run. Application received October 29, 2003. Permit transfer issued December 23, 2003.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (73 P. S. §§ 151—161) and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

38034029. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting at Lebanon Valley Bible Church in South Annville Township, **Lebanon County**, with an expiration date of December 25, 2004. Permit issued December 22, 2003.

38034030. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting at 20 Krall Road in Jackson Township, **Lebanon County**, with an expiration date of July 21, 2004. Permit issued December 22, 2003.

21034069. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting at Hickory Ridge in East Pennsboro Township, **Cumberland County**, with an expiration date of December 17, 2004. Permit issued December 22, 2003.

21034070. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting at Ag Choice Farm Credit at Bent Creek Industrial Park in Silver Spring Township, **Cumberland County**, with an expiration date of December 25, 2004. Permit issued December 22, 2003.

21034071. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting at 4 Buttonwood Court in Silver Spring Township, **Cumberland County**, with an expiration date of December 25, 2004. Permit issued December 22, 2003.

48034039. Labrador Construction (P. O. Box 1379, Marshalls Creek, PA 18335), construction blasting at Palmer Industrial Park in Forks Township, **Northampton County**, with an expiration date of February 1, 2004. Permit issued December 22, 2003.

360340120. Gerlach's Drilling & Blasting, Inc. (172 Bender Mill Road, Lancaster, PA 17603), construction blasting at Rolling Ridge Development in Manor Township, **Lancaster County**, with an expiration date of December 25, 2008. Permit issued December 23, 2003.

23034018. Allan A. Myers, L. P. (P. O. Box 98, Worcester, PA 19490), construction blasting at Indian Rock—Jacobucci Homes in Aston and Bethel Townships, **Delaware County**, with an expiration date of November 25, 2005. Permit issued December 23, 2003.

28034043. David H. Martin, Inc. (4961 Cumberland Highway, Chambersburg, PA 17201), construction blasting at Jason A. Johns Construction in the Borough of Green Castle, **Franklin County**, with an expiration date of June 8, 2007. Permit issued December 23, 2003.

28034044. David H. Martin, Inc. (4961 Cumberland Highway, Chambersburg, PA 17201), construction blasting at Shank's Lawn Equipment in Guilford Township, **Franklin County**, with an expiration date of June 8, 2007. Permit issued December 23, 2003.

21034072. M & J Explosives, Inc. (P. O. Box 608, Carlisle, PA 17013), construction blasting at Kelso Road/Westbrook in Southampton Township, **Cumberland**

County, with an expiration date of November 18, 2004. Permit issued December 23, 2003.

38034031. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting at Extreme Exc.—330 Ramona Road in Jackson Township, **Lebanon County**, with an expiration date of July 25, 2004. Permit issued December 23, 2003.

48034040. Austin Powder Company (P. O. Box 289, Northampton, PA 18067), construction blasting at Lehigh Valley Site in Forks Township, **Northampton County**, with an expiration date of April 1, 2004. Permit issued December 23, 2003.

52034027. Holbert Explosives, Inc. (237 Masthope Plank Road, Suite A, Lackawaxen, PA 18435), construction blasting at John Ellis Property in Shohola Township, **Pike County**, with an expiration date of January 2, 2005. Permit issued December 23, 2003.

06034060. Brubacher Excavating, Inc. (P. O. Box 528, 825 Reading Road, Bowmansville, PA 17507), construction blasting at Daniel Boone School in Amity Township, **Berks County**, with an expiration date of January 8, 2007. Permit issued December 23, 2003.

06034061. Popple Construction, Inc. (202 Main Street, Laffin, PA 18702) and **Austin Powder Company** (P. O. Box 289, Northampton, PA 18067), construction blasting at Berk Heim Nursing Facility in Bern Township, **Berks County**, with an expiration date of January 8, 2005. Permit issued December 23, 2003.

54034009. Popple Construction, Inc. (202 Main Street, Laffin, PA 18702) and **D. C. Guelich Explosive Company** (P. O. Box 29, Bloomsburg, PA 17815), construction blasting at Wegman's Southern Retail Service Center in Cass, Butler and Foster Townships, **Schuylkill County**, with an expiration date of November 30, 2004. Permit issued December 23, 2003.

360340121. Keystone Blasting Service (381 Reifsnyder Road, Lititz, PA 17543), construction blasting at Nelson Weaver Dairy Barn in Earl Township, **Lancaster County**, with an expiration date of July 8, 2004. Permit issued December 23, 2003.

360340122. Keystone Blasting Service (381 Reifsnyder Road, Lititz, PA 17543), construction blasting at R. S. Stoltzfus Job in Salisbury Township, **Lancaster County**, with an expiration date of February 8, 2004. Permit issued December 23, 2003.

06034062. Schlouch, Inc. (Excelsior Industrial Park, P. O. Box 69, Blandon, PA 19510), construction blasting at Spring Meadow in Spring Township, **Berks County**, with an expiration date of January 8, 2006. Permit issued December 23, 2003.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board

within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E45-331. Blue Ridge Peat Farms, Inc., R. R. 1, Box 292-A, White Haven, PA 18661. Barrett Township, **Monroe County**, Army Corps of Engineers Philadelphia District, Subbasin 2E.

To operate and maintain a peat extraction operation in approximately 2.6 acres of (PFO) wetlands within the Cranberry Creek watershed (HQ-CWF). The project includes continued operation within approximately 19 acres of wetlands (previously authorized by Permit No. E45-064) and issuance of this permit supersedes Permit No. E45-064. The permittee is required to provide 20 acres of replacement wetlands. The project is on the south side of SR 1008, approximately 0.5 mile east of the intersection of SR 0191 and SR 1008 (Buck Hill Falls, PA Quadrangle N: 5.0 inches; W: 3.2 inches).

E66-131. Richard N. Brewer, 17700 Southeast 85th Ellerbee Avenue, Villages, FL 32162. Tunkhannock Township, **Wyoming County**, Army Corps of Engineers Baltimore District, Subbasin 4-G.

To place fill in approximately 0.17 acre of PFO wetlands for the purpose of providing buildable area for a proposed health care professional office building. The permittee has provided for 0.17 acre of replacement wetlands by participating in the Pennsylvania Wetland Replacement Project. The project is on the west side of SR 0006, just north of the intersection of SR 0006 and Township Road T430 (Tunkhannock, PA Quadrangle N: 12.4 inches; W: 12.2 inches).

E64-231. Department of Transportation, Engineering District 4-0, P. O. Box 111, Scranton, PA 18501. Honesdale Borough, **Wayne County**, Army Corps of Engineers Philadelphia District, Subbasin 01B.

To construct and maintain a two-span prestressed concrete spread box beam bridge (Church Street Bridge), having a total span length of approximately 40.0 meters (131 feet), an underclearance of approximately 4.5 meters (14.8 feet) and a width of 12.5 meters (41 feet), across West Branch Lackawaxen River (HQ-CWF); and to modify and maintain an existing three-span prestressed concrete spread box beam bridge (Fourth Street Bridge), having a total span length of approximately 50.9 meters (167 feet), an underclearance of approximately 6.1 meters (20.0 feet) and a width of 21.1 meters (69 feet), across the Lackawaxen River (HQ-CWF); with work consisting of widening the structure to accommodate four lanes of traffic. The project includes construction of two 450-mm (18-inch) stormwater outfall structures on the downstream side of the Church Street Bridge. The project also includes temporary impacts for causeways and cofferdams during construction of 0.38 acre of West Branch Lackawaxen River (Church Street) and 0.39 acre of Lackawaxen River (Fourth Street). The project is along

SR 0006, Section 673, Segment 0261, Offset 0117 (Honesdale, PA Quadrangle N: 12.5 inches; W: 0.3 inch).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E07-374: Furrer Beverage Company, Inc., 526 Third Avenue, Altoona, PA 16602 in Antis Township, **Blair County**, ACOE Baltimore District.

To construct and maintain water, sewer, telephone, electric and gas utility crossings resulting in temporary impacts to 0.12 acre of exceptional value PEM wetlands at a point approximately 1,008 feet southeast of the intersection of SR 764 and SR 4018 (Bellwood, PA Quadrangle N: 11.8 inches; W: 11.75 inches); and a sewer line crossing resulting in temporary impacts to 0.03 acre of exceptional value PSS wetlands and a 7-foot by 20-foot crossing of a perennial unnamed tributary to Sandy Run (CWF) at a point approximately 426 feet southwest of the intersection of SR 764 and SR 4018 (Bellwood, PA Quadrangle N: 11.7 inches; W: 12.25 inches) in Antis Township, Blair County. The project involves 14 feet of additional impacts to the unnamed tributary to Sandy Run associated with two 2-foot high sandbag coffer dams waived under 105.12.(a)(1). The project proposes to temporarily impact 0.15 acre of exceptional value wetlands and 34 feet of an unnamed tributary to Sandy Run.

E67-716: Dallastown Borough, 18 East Main Street, Dallastown, PA 17313 in Dallastown Borough, **York County**, ACOE Baltimore District.

To construct and maintain a 71-inch by 47-inch corrugated metal pipe arch culvert 20 feet long, 190 feet of 48-inch stormwater piping and inlet system, 202 feet of gabion basket lined channel, 475 feet of impact for an on-stream detention basin (nonjurisdictional dam) to control additional flood flows in an unnamed tributary to Mill Creek (WWF). The site is between North Pleasant Avenue and North Walnut Street in Dallastown Borough (York, PA Quadrangle N: 5.0 inches; W: 2.5 inches) Dallastown Borough, York County.

E34-109: Matthew W. Matter, R. R. 2 Box 197, Millerstown, PA 17062 in Susquehanna Township, **Juniata County**, ACOE Baltimore District.

To remove a 16-foot dual 30-inch CMP road crossing on Dobson Run (CWF, perennial) and a 25-foot by 30-inch CMP road crossing on an unnamed tributary to Dobson Run (CWF, perennial) and to construct and maintain a 24-foot by 48-inch road crossing on Dobson Run at a point (Reward, PA Quadrangle N: 19.2 inches; W: 7.75 inches) approximately 416 feet downstream from T-518 and a 32-foot by 36-inch road crossing on an unnamed tributary to Dobson Run at a point (Reward, PA Quadrangle N: 19.4 inches; W: 7.85 inches) approximately 750 downstream from T-518. The project proposes to direct affect 56 linear feet of stream channel.

E38-137: S, A & B Partners, 1840 Fishburn Road, Hershey, PA 17033 in South Londonderry Township, **Lebanon County**, ACOE Baltimore District.

To construct and maintain: (1) 70 linear feet of stream relocation; (2) an 80-linear foot concrete box culvert with a span of 14 feet and a rise of 3 feet; (3) two utility line crossings; (4) four outfall pipes; and (5) 0.02 acre of wetland fill all within and adjacent to Spring Creek (WWF) for the purpose of constructing Phase II of the Stone Knoll residential subdivision, on the east side of Lawn Road (SR 3015) about 500 feet south of its intersection with U.S. Route 322 (Palmyra, PA Quadrangle N: 4.75 inches; W: 10.9 inches) in South Londonderry

Township, Lebanon County. The amount of wetland impact is considered a de minimis impact of 0.02 acre and wetland mitigation is not required.

E67-747: Jackson Township Board of Supervisors, 439 Roth's Church Road, Spring Grove, PA 17362 in Jackson Township, **York County**, ACOE Baltimore District.

To remove an existing bridge and then to construct and maintain a 28-foot long, 20-foot by 6-foot concrete box culvert at a point where Pine Road (T-513) crosses the Little Conewago Creek (TSF) (West York, PA Quadrangle N: 10.7 inches; W: 16.1 inches) in Jackson Township, York County. Minor road widening will impact 0.015 acre and wetland mitigation is not required.

[Pa.B. Doc. No. 04-56. Filed for public inspection January 9, 2004, 9:00 a.m.]

Proposed Fine Particulate Attainment/Nonattainment Designation Recommendations; Public Meetings

The Department of Environmental Protection (Department) is seeking public comment on its proposed recommendations to the United States Environmental Protection Agency (EPA) for the designation of areas not meeting the health-based National Ambient Air Quality Standards (NAAQS) for fine particulates. The EPA is expected to make final designation of these nonattainment areas in December 2004. Subsequently, the Commonwealth will be developing plans for these areas to meet the NAAQS. Reducing concentrations of this pollutant is important because levels above the health-based standard are a serious human health threat and also can cause or contribute to other negative environmental impacts.

The Commonwealth proposes to recommend to the EPA that boundaries for the designated nonattainment areas generally follow metropolitan area and county boundaries. This approach is similar to the methodology used for designating areas under the 8-hour ozone health-based standard. This proposal is available through the contact persons or on the Department's website: www.dep.state.pa.us (choose Subjects/Air Quality/Ozone/Clean Air Plans).

The Department will hold informational meetings to discuss its proposed recommendations at the following locations:

Tuesday, January 27, 2004, at 1 p.m.
Southwest Regional Office, Waterfront Room A
400 Waterfront Drive
Pittsburgh, PA 15222

Wednesday, January 28, 2004, at 1 p.m.
Department of Transportation
Riverfront Office Center
Transportation University, Room 411
1101 S. Front Street
Harrisburg, PA 17104

Thursday, January 29, 2004, at 2 p.m.
Delaware Regional Planning Commission
111 S. Independence Mall East
The Bourse Building
Philadelphia, PA 19106

Persons who wish to attend a meeting should contact Susan Ferree, (717) 787-9495, sferree@state.pa.us by

January 26, 2004, to speed access into State buildings. Persons with a disability who wish to attend a meeting and require an auxiliary aid, service or other accommodation to participate in the proceeding should also contact Susan Ferree. TDD users may contact the AT&T Relay Service at (800) 654-5984 to discuss how the Department can best accommodate their needs.

Written comments on the recommendations should be sent to J. Wick Havens, Chief, Air Resource Management Division, Bureau of Air Quality, P. O. Box 8468, Harrisburg, PA 17105-8468, jhavens@state.pa.us by 4 p.m. on February 6, 2004. Written comments and e-mail submissions must include the name, affiliation (if any), mailing address and telephone number of the interested person.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 04-57. Filed for public inspection January 9, 2004, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Maximum Pennsylvania Workers' Compensation Payable

Based upon the Statewide Average Weekly Wage, as determined by the Department of Labor and Industry for the fiscal year ending June 30, 2003, the maximum compensation payable under the Workers' Compensation Act, under Article 1, §§ 105.1 and 105.2 shall be \$690 per week for injuries occurring on and after January 1, 2004. For purposes of calculating the update to payments for medical treatment rendered on and after January 1, 2004, the percentage increase in the Statewide Average Weekly Wage is 2.2%

STEPHEN M. SCHMERIN,
Secretary

[Pa.B. Doc. No. 04-58. Filed for public inspection January 9, 2004, 9:00 a.m.]

DEPARTMENT OF MILITARY AND VETERANS AFFAIRS

Per Diem Rates for Residents of Pennsylvania State Veterans' Homes

The following per diem rates for residents of Pennsylvania State Veterans' Homes are effective January 1, 2004, through December 31, 2004:

Hollidaysburg Veterans' Home

Nursing Care	\$221.17
Personal Care	\$133.93

Pennsylvania Soldiers' and Sailors' Home

Nursing Care	\$234.57
Personal Care	\$119.53

Southeastern Veterans' Center

Nursing Care	\$210.73
Personal Care	\$156.08

Northeastern Veterans' Center

Nursing Care	\$212.22
Personal Care	\$105.43

Southwestern Veterans' Center

Nursing Care	\$192.26
Personal Care	\$129.12

Delaware Valley Veterans' Home

Nursing Care	\$233.45
Personal Care	\$115.98

MAJOR GENERAL WILLIAM B. LYNCH,
Adjutant General

[Pa.B. Doc. No. 04-59. Filed for public inspection January 9, 2004, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Fortune Hunter Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Fortune Hunter.

2. *Price:* The price of a Pennsylvania Fortune Hunter instant lottery game ticket is \$3.

3. *Play Symbols:* Each Pennsylvania Fortune Hunter instant lottery game ticket will feature a "Coordinates For Treasure Map" area and a "Treasure Map" area. The play symbols located in the "Coordinates For Treasure Map" area are: The letters A through H, each in combination with the numbers 1 through 7. The play symbols located in the "Treasure Map" area are: A Chest Symbol consisting of six squares; a Shovel Symbol consisting of five squares; A Money Bag Symbol consisting of four squares; a Map Symbol consisting of four squares; a Diamond Symbol consisting of four squares; a Coin Symbol consisting of four squares; a Gold Bar Symbol consisting of two squares; a Scope Symbol consisting of two squares; a Key Symbol consisting of two squares; and a Pick Symbol consisting of two squares.

4. *Prizes:* The prizes that can be won in this game are \$3, \$6, \$9, \$12, \$18, \$30, \$60, \$300, \$3,000 and \$30,000. The player can win up to two times on each ticket.

5. *Approximate Number of Tickets Printed for the Game:* Approximately 6,480,000 tickets will be printed for the Pennsylvania Fortune Hunter instant lottery game.

6. *Determination of Prize Winners:*

(a) Holders of tickets where the player completely uncovers a Chest Symbol, using only the letter-number combinations found in the "Coordinates For Treasure Map" area, on a single ticket, shall be entitled to a prize of \$30,000.

(b) Holders of tickets where the player completely uncovers a Shovel Symbol, using only the letter-number combinations found in the "Coordinates For Treasure Map" area, on a single ticket, shall be entitled to a prize of \$3,000.

(c) Holders of tickets where the player completely uncovers a Money Bag Symbol, using only the letter-number combinations found in the "Coordinates For Treasure Map" area, on a single ticket, shall be entitled to a prize of \$300.

(d) Holders of tickets where the player completely uncovers a Map Symbol, using only the letter-number combinations found in the "Coordinates For Treasure Map" area, on a single ticket, shall be entitled to a prize of \$60.

(e) Holders of tickets where the player completely uncovers a Diamond Symbol, using only the letter-number combinations found in the "Coordinates For Treasure Map" area, on a single ticket, shall be entitled to a prize of \$30.

(f) Holders of tickets where the player completely uncovers a Coin Symbol, using only the letter-number combinations found in the "Coordinates For Treasure Map" area, on a single ticket, shall be entitled to a prize of \$18.

(g) Holders of tickets where the player completely uncovers a Gold Bar Symbol, using only the letter-number combinations found in the "Coordinates For Treasure Map" area, on a single ticket, shall be entitled to a prize of \$12.

(h) Holders of tickets where the player completely uncovers a Scope Symbol, using only the letter-number combinations found in the "Coordinates For Treasure Map" area, on a single ticket, shall be entitled to a prize of \$9.

(i) Holders of tickets where the player completely uncovers a Key Symbol, using only the letter-number combinations found in the "Coordinates For Treasure Map" area, on a single ticket, shall be entitled to a prize of \$6.

(j) Holders of tickets where the player completely uncovers a Pick Symbol, using only the letter-number combinations found in the "Coordinates For Treasure Map" area, on a single ticket, shall be entitled to a prize of \$3.

7. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Win With Prize(s) of:</i>	<i>Win:</i>	<i>Approximate Odds 1 In:</i>	<i>Approximate No. of Winners Per 6,480,000 Tickets</i>
Pick	\$3	6.67	972,000
Key	\$6	16.67	388,800
Scope	\$9	50	129,600
Pick + Key	\$9	50	129,600
Gold Bar	\$12	200	32,400
Pick + Scope	\$12	200	32,400
Coin	\$18	100	64,800
Diamond	\$30	166.67	38,880
Gold Bar + Coin	\$30	250	25,920
Map	\$60	400	16,200
Moneybag	\$300	40,000	162
Shovel	\$3,000	120,000	54
Chest	\$30,000	1,080,000	6

8. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Fortune Hunter instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

9. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Fortune Hunter, prize money from winning Pennsylvania Fortune Hunter instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Fortune Hunter instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

11. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Fortune Hunter or through normal communications methods.

GREGORY C. FAJT,
Secretary

[Pa.B. Doc. No. 04-60. Filed for public inspection January 9, 2004, 9:00 a.m.]

Pennsylvania Pot O' Gold '04 Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Pot O' Gold '04.
2. *Price:* The price of a Pennsylvania Pot O' Gold '04 instant lottery game ticket is \$5.
3. *Play Symbols:*

(a) Each Pennsylvania Pot O' Gold '04 instant lottery game ticket will contain three play areas known as "Game 1," "Game 2" and "Game 3" respectively. Each game has a different game play method and is played separately. Each Pennsylvania Pot O' Gold '04 instant lottery game ticket will also contain a "Fast Cash Bonus" area.

(b) The play symbols and their captions located in the play area for "Game 1" are: \$5⁰⁰ (FIV DOL), \$6⁰⁰ (SIX DOL), \$7⁰⁰ (SVN DOL), \$10⁰⁰ (TEN DOL), \$17\$ (SVNTN), \$51\$ (FTY ONE), \$170 (ONEHUNSTY) and \$50,000 (FTY THO).

(c) The play symbols and their captions located in the play area for "Game 2" are: Leprechaun Symbol (LEPCH) and X Symbol (XXX).

(d) The play area for "Game 3" will contain a "Lucky Symbol" area and a "Your Symbols" area. The play symbols and their captions located in the "Lucky Symbol" area and the "Your Symbols" area are: Chest Symbol (CHEST), Coins Symbol (COINS), Wallet Symbol (WALLET), Moneybag Symbol (MNYBAG), Money Symbol (MONEY), Castle Symbol (CASTLE), Diamond Symbol (DMND), Gold Bar Symbol (GOLD), Pipe Symbol (PIPE), Cabbage Symbol (CABBAGE), Mushroom Symbol (SHROM) and Piggy Bank Symbol (PIGBNK).

4. Prize Play Symbols:

(a) The prize play symbols and their captions located in the "Prize" area for "Game 2" and in the "Your Symbols" area for "Game 3" are: \$5⁰⁰ (FIV DOL), \$6⁰⁰ (SIX DOL), \$7⁰⁰ (SVN DOL), \$10⁰⁰ (TEN DOL), \$17\$ (SVNTN), \$51\$ (FTY ONE), \$170 (ONEHUNSTY) and \$50,000 (FTY THO).

(b) The prize play symbols and their captions located in the "Fast Cash Bonus" area are: \$5⁰⁰ (FIV DOL), \$6⁰⁰ (SIX DOL), \$7⁰⁰ (SVN DOL), \$10⁰⁰ (TEN DOL), \$17\$ (SVNTN), \$51\$ (FTY ONE), \$170 (ONEHUNSTY) and NO BONUS (TRY AGAIN).

5. *Prizes:* The prizes that can be won in "Game 1," "Game 2" and "Game 3" are \$5, \$6, \$7, \$10, \$17, \$51, \$170 and \$50,000. The prizes that can be won in the "Fast Cash Bonus" area are \$5, \$6, \$7, \$10, \$17, \$51 and \$170. The player can win up to eight times on a ticket.

6. *Approximate Number of Tickets Printed for the Game:* Approximately 2,280,000 tickets will be printed for the Pennsylvania Pot O' Gold '04 instant lottery game.

7. Determination of Prize Winners:

(a) Determination of prize winners for "Game 1" are:

(1) Holders of tickets with three matching play symbols of \$50,000 (FTY THO) in the play area, on a single ticket, shall be entitled to a prize of \$50,000.

(2) Holders of tickets with three matching play symbols of \$170 (ONEHUNSTY) in the play area, on a single ticket, shall be entitled to a prize of \$170.

(3) Holders of tickets with three matching play symbols of \$51\$ (FTY ONE) in the play area, on a single ticket, shall be entitled to a prize of \$51.

(4) Holders of tickets with three matching play symbols of \$17\$ (SVNTN) in the play area, on a single ticket, shall be entitled to a prize of \$17.

(5) Holders of tickets with three matching play symbols of \$10^{.00} (TEN DOL) in the play area, on a single ticket, shall be entitled to a prize of \$10.

(6) Holders of tickets with three matching play symbols of \$7^{.00} (SVN DOL) in the play area, on a single ticket, shall be entitled to a prize of \$7.

(7) Holders of tickets with three matching play symbols of \$6^{.00} (SIX DOL) in the play area, on a single ticket, shall be entitled to a prize of \$6.

(8) Holders of tickets with three matching play symbols of \$5^{.00} (FIV DOL) in the play area, on a single ticket, shall be entitled to a prize of \$5.

(b) Determination of prize winners for "Game 2" are:

(1) Holders of tickets with three matching Leprechaun Symbol (LEPCH) play symbols in the same row, column or diagonal, and a prize play symbol of \$50,000 (FTY THO) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$50,000.

(2) Holders of tickets with three matching Leprechaun Symbol (LEPCH) play symbols in the same row, column or diagonal, and a prize play symbol of \$170 (ONEHUNSTY) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$170.

(3) Holders of tickets with three matching Leprechaun Symbol (LEPCH) play symbols in the same row, column or diagonal, and a prize play symbol of \$51\$ (FTY ONE) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$51.

(4) Holders of tickets with three matching Leprechaun Symbol (LEPCH) play symbols in the same row, column or diagonal, and a prize play symbol of \$17\$ (SVNTN) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$17.

(5) Holders of tickets with three matching Leprechaun Symbol (LEPCH) play symbols in the same row, column or diagonal, and a prize play symbol of \$10^{.00} (TEN DOL) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$10.

(6) Holders of tickets with three matching Leprechaun Symbol (LEPCH) play symbols in the same row, column or diagonal, and a prize play symbol of \$7^{.00} (SVN DOL) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$7.

(7) Holders of tickets with three matching Leprechaun Symbol (LEPCH) play symbols in the same row, column or diagonal, and a prize play symbol of \$6^{.00} (SIX DOL) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$6.

(8) Holders of tickets with three matching Leprechaun Symbol (LEPCH) play symbols in the same row, column

or diagonal, and a prize play symbol of \$5^{.00} (FIV DOL) in the "Prize" area for that game, on a single ticket, shall be entitled to a prize of \$5.

(c) Determination of prize winners for "Game 3" are:

(1) Holders of tickets where any one of the "Your Symbols" play symbols matches the "Lucky Symbol" play symbol and a prize play symbol of \$50,000 (FTY THO) appears under the matching "Your Symbols" play symbol, on a single ticket, shall be entitled to a prize of \$50,000.

(2) Holders of tickets where any one of the "Your Symbols" play symbols matches the "Lucky Symbol" play symbol and a prize play symbol of \$170 (ONEHUNSTY) appears under the matching "Your Symbols" play symbol, on a single ticket, shall be entitled to a prize of \$170.

(3) Holders of tickets where any one of the "Your Symbols" play symbols matches the "Lucky Symbol" play symbol and a prize play symbol of \$51\$ (FTY ONE) appears under the matching "Your Symbols" play symbol, on a single ticket, shall be entitled to a prize of \$51.

(4) Holders of tickets where any one of the "Your Symbols" play symbols matches the "Lucky Symbol" play symbol and a prize play symbol of \$17\$ (SVNTN) appears under the matching "Your Symbols" play symbol, on a single ticket, shall be entitled to a prize of \$17.

(5) Holders of tickets where any one of the "Your Symbols" play symbols matches the "Lucky Symbol" play symbol and a prize play symbol of \$10^{.00} (TEN DOL) appears under the matching "Your Symbols" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(6) Holders of tickets where any one of the "Your Symbols" play symbols matches the "Lucky Symbol" play symbol and a prize play symbol of \$7^{.00} (SVN DOL) appears under the matching "Your Symbols" play symbol, on a single ticket, shall be entitled to a prize of \$7.

(7) Holders of tickets where any one of the "Your Symbols" play symbols matches the "Lucky Symbol" play symbol and a prize play symbol of \$6^{.00} (SIX DOL) appears under the matching "Your Symbols" play symbol, on a single ticket, shall be entitled to a prize of \$6.

(8) Holders of tickets where any one of the "Your Symbols" play symbols matches the "Lucky Symbol" play symbol and a prize play symbol of \$5^{.00} (FIV DOL) appears under the matching "Your Symbols" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(d) Determination of prize winners for "Fast Cash Bonus" are:

(1) Holders of tickets with a prize play symbol of \$170 (ONEHUNSTY) in the "Fast Cash Bonus" area, on a single ticket, shall be entitled to a prize of \$170.

(2) Holders of tickets with a prize play symbol of \$51\$ (FTY ONE) in the "Fast Cash Bonus" area, on a single ticket, shall be entitled to a prize of \$51.

(3) Holders of tickets with a prize play symbol of \$17\$ (SVNTN) in the "Fast Cash Bonus" area, on a single ticket, shall be entitled to a prize of \$17.

(4) Holders of tickets with a prize play symbol of \$10^{.00} (TEN DOL) in the "Fast Cash Bonus" area, on a single ticket, shall be entitled to a prize of \$10.

(5) Holders of tickets with a prize play symbol of \$7^{.00} (SVN DOL) in the "Fast Cash Bonus" area, on a single ticket, shall be entitled to a prize of \$7.

(6) Holders of tickets with a prize play symbol of \$6⁰⁰ (SIX DOL) in the "Fast Cash Bonus" area, on a single ticket, shall be entitled to a prize of \$6.

(7) Holders of tickets with a prize play symbol of \$5⁰⁰ (FIV DOL) in the "Fast Cash Bonus" area, on a single

ticket, shall be entitled to a prize of \$5.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Fast Cash Bonus</i>	<i>Game 1</i>	<i>Game 2</i>	<i>Game 3</i>	<i>Win</i>	<i>Approximate Odds 1 In:</i>	<i>Approximate No. of Winners Per 2,280,000 Tickets</i>
\$5				\$5	30	76,000
	\$5			\$5	30	76,000
		\$5		\$5	60	38,000
			\$5	\$5	60	38,000
\$6				\$6	200	11,400
	\$6			\$6	300	7,600
		\$6		\$6	300	7,600
			\$6	\$6	300	7,600
\$7				\$7	300	7,600
	\$7			\$7	300	7,600
		\$7		\$7	300	7,600
			\$7	\$7	300	7,600
			\$5 × 2	\$10	50	45,600
\$10				\$10	120	19,000
	\$10			\$10	120	19,000
		\$10		\$10	150	15,200
			\$10	\$10	150	15,200
\$10		\$7		\$17	60	38,000
\$17				\$17	60	38,000
	\$17			\$17	30	76,000
		\$17		\$17	60	38,000
			\$17	\$17	60	38,000
\$7	\$7	\$7	\$6 × 5	\$51	902.26	2,527
\$51				\$51	902.26	2,527
\$17			\$17 × 2	\$51	902.26	2,527
\$17	\$17	\$17		\$51	902.26	2,527
\$17		\$17	\$17	\$51	902.26	2,527
	\$51			\$51	902.26	2,527
		\$51		\$51	902.26	2,527
			\$51	\$51	909.09	2,508
\$170				\$170	12,000	190
\$17	\$51	\$51	\$51	\$170	12,000	190
\$17		\$51	\$51 × 2	\$170	12,000	190
\$17			\$51 × 3	\$170	12,000	190
	\$170			\$170	12,000	190
		\$170		\$170	12,000	190
			\$170	\$170	12,000	190
	\$50,000			\$50,000	2,280,000	1
		\$50,000		\$50,000	2,280,000	1
			\$50,000	\$50,000	2,280,000	1

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Pot O' Gold '04 instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Pot O' Gold '04, prize money from winning Pennsylvania Pot O' Gold '04 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Pot O' Gold '04 instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Pot O' Gold '04 or through normal communications methods.

GREGORY C. FAJT,
Secretary

[Pa.B. Doc. No. 04-61. Filed for public inspection January 9, 2004, 9:00 a.m.]

Super 6 Lotto

In accordance with 61 Pa. Code § 870.8(j) (relating to determination of prize winners), the Secretary of Revenue hereby announces that in the event that no ticket is sold containing the winning numbers necessary to claim the first place (jackpot) prize for the final Super 6 Lotto drawing to take place January 27, 2004, the allocation of prize money will be as follows:

All first place (jackpot) prize moneys will be shared proportionately by second, third and fourth prize winners. Those prize tiers will be allocated a proportion of the prize pool equal to the proportion of nonjackpot prizes allocated normally to that tier. The following chart indicates the regular percentage of prize pool for each nonjackpot prize tier and the new percentage under the promotion.

Match	Regular Prize Pool %	Promotional Prize Pool %
6	76.0%	00.00%
5	8.0%	33.33%
4	7.5%	31.25%
3	8.5%	35.42%

GREGORY C. FAJT,
Secretary

[Pa.B. Doc. No. 04-62. Filed for public inspection January 9, 2004, 9:00 a.m.]

INSURANCE DEPARTMENT

Continental Insurance Company; Homeowners Insurance Rate and Rule Revision; Rate Filing

On December 18, 2003, the Insurance Department (Department) received from Continental Insurance Company a filing for a proposed rate level and rule changes for homeowners insurance.

Continental Insurance Company requests an overall 2.9% increase amounting to \$1.238 million annually, effective June 1, 2004.

Unless formal administrative action is taken prior to February 16, 2004, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Department's regional offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Xiaofeng Lu, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, xlu@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-63. Filed for public inspection January 9, 2004, 9:00 a.m.]

Continental Insurance Company; Private Passenger Auto Insurance Rate and Rule Revision; Rate Filing

On December 18, 2003, the Insurance Department (Department) received from Continental Insurance Company a filing for a proposed rate level and rule changes for private passenger auto insurance.

Continental Insurance Company requests an overall 3.9% increase amounting to \$3.4 million annually, to be effective June 1, 2004.

Unless formal administrative action is taken prior to February 16, 2004, the subject filing may be deemed approved by operation of law.

Copies of the filing will be available for public inspection, by appointment, during normal working hours at the Department's regional offices in Harrisburg, Philadelphia, Pittsburgh and Erie.

Interested parties are invited to submit written comments, suggestions or objections to Xiaofeng Lu, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, xlu@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-64. Filed for public inspection January 9, 2004, 9:00 a.m.]

HealthAmerica East; Rate Filing

On December 17, 2003, HealthAmerica East submitted filings for the prescription drug riders for the eastern Pennsylvania service area. The requested rate increase is for 5.0—22.3% (percentage varies by co-pay plan) and affects 61,281 members. It will generate an additional annual income of \$310,989. An effective date of April 1, 2004, is requested.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's regional office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Rashmi Mathur, Actuary, Bureau of Accident and Health Insurance, Insurance Department, 1311 Strawberry Square, Harrisburg, PA 17120 within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-65. Filed for public inspection January 9, 2004, 9:00 a.m.]

HealthAmerica West; Rate Filing

On December 17, 2003, HealthAmerica West submitted filings for the prescription drug riders for the western Pennsylvania service area. The requested rate increase is for 3.1—27.7% (percentage varies by co-pay plan) and

affects 51,619 members. It will generate an additional annual income of \$305,491. An effective date of April 1, 2004, is requested.

Copies of the filing are available for public inspection during normal working hours, by appointment, at the Insurance Department's regional offices in Harrisburg and Pittsburgh.

Interested parties are invited to submit written comments, suggestions or objections to Rashmi Mathur, Actuary, Bureau of Accident and Health Insurance, Insurance Department, 1311 Strawberry Square, Harrisburg, PA 17120 within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-66. Filed for public inspection January 9, 2004, 9:00 a.m.]

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with their companies' termination of the insureds' policies. The administrative hearings will be held in the Insurance Department's regional offices in Harrisburg and Philadelphia, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 N. Seventh Street, Harrisburg, PA 17102.

Appeal of James R. Kinard; file no. 03-182-11918; Erie Insurance Exchange; doc. no. P03-12-027; January 28, 2004, 10 a.m.

The following hearing will be held in the Philadelphia Regional Office, Room 1701 State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of Patsy Ciocca; file no. 03-280-05558; Tuscarora-Wayne Mutual Insurance Company; doc. no. PH03-12-012; March 4, 2004, 10:30 a.m.

Each party may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend an administrative hearing and require an auxiliary aid,

service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator, (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-67. Filed for public inspection January 9, 2004, 9:00 a.m.]

Anthony Sison, M.D.; Prehearing

Appeal of Anthony Sison, M.D. under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910); Doc. No. MM03-12-019

On or before January 14, 2004, the appellant shall file a concise statement setting forth the factual and/or legal basis for his disagreement with MCARE's determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for February 4, 2004, at 3 p.m. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before January 4, 2004. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before January 26, 2004, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any, shall be filed on or before January 30, 2004.

Persons with a disability who wish to attend the administrative hearing and require an auxiliary aid service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator, (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-68. Filed for public inspection January 9, 2004, 9:00 a.m.]

Lawrence P. Wean, M.D.; Prehearing

Appeal of Lawrence P. Wean, M.D. under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910); Doc. No. MM03-12-015

On or before January 14, 2004, the appellant shall file a concise statement setting forth the factual and/or legal basis for his disagreement with MCARE's October 23, 2003, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for February 4, 2004, at 10 a.m. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before January 4, 2004. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before January 26, 2004, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any, shall be filed on or before January 30, 2004.

Persons with a disability who wish to attend the administrative hearing and require an auxiliary aid service or other accommodation to participate in the hearing should contact Tracey Pontius, Agency Coordinator, (717)-787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-69. Filed for public inspection January 9, 2004, 9:00 a.m.]

MILK MARKETING BOARD

Hearing and Presubmission Schedule for All Milk Marketing Areas; Minimum Class II Prices

Under the Milk Marketing Law (31 P. S. §§ 700j-101—700j-1302), the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Areas 1—6 on March 3, 2004, at 10 a.m. in Room 202, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning the methodology for establishing minimum Class II wholesale and retail prices.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 4 p.m. on February 9, 2004, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 4 p.m. on February 9, 2004, notification of their desire to be included as a party.

The parties shall observe the following requirements for advance filing of witness information and exhibits. The Board may exclude witnesses or exhibits of a party that fails to comply with these requirements. In addition, the parties shall have available in the hearing room at least 20 additional copies for the use of nonparties attending the hearing.

1. By 4 p.m. on February 23, 2004, each party shall file with the Board seven copies and ensure receipt by all other parties one copy of:

a. A list of witnesses who will testify for the party, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 4 p.m. on February 27, 2004, each party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board, or wish the Board to take official notice of facts shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whenever these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties; in addition, at least 20 copies shall be available for distribution to nonparties attending the hearing.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing and received in the Board office by 4 p.m. on February 9, 2004.

The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons who require this information in an alternate format should call (717) 787-4194 or (800) 654-5984 (Pennsylvania Relay Service for TDD users).

TIMOTHY A. MOYER,
Acting Secretary

[Pa.B. Doc. No. 04-70. Filed for public inspection January 9, 2004, 9:00 a.m.]

Hearing and Presubmission Schedule for All Milk Marketing Areas; Over-Price Premium

Under the Milk Marketing Law (31 P. S. §§ 700j-101—700j-1302), the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Areas 1—6 on February 4, 2004, at 10:30 a.m. in Room 202, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning the timing of the inclusion of the over-price premium in the calculation of minimum wholesale and retail prices. The Board will also receive testimony and exhibits concerning the cross-section of milk dealers used to calculate the over-price premium.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 4 p.m. on January 16, 2004, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 4 p.m. on January 16, 2004, notification of their desire to be included as a party.

The parties shall observe the following requirements for advance filing of witness information and exhibits. The Board may exclude witnesses or exhibits of a party that fails to comply with these requirements. In addition, the parties shall have available in the hearing room at least 20 additional copies for the use of nonparties attending the hearing.

1. By 4 p.m. on January 27, 2004, each party shall file with the Board seven copies and ensure receipt by all other parties one copy of:

a. A list of witnesses who will testify for the party, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as

an expert shall be so identified, along with the witness's area or areas of proposed expertise.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 4 p.m. on January 30, 2004, each party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board or wish the Board to take official notice of facts shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whenever these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties; in addition, at least 20 copies shall be available for distribution to nonparties attending the hearing.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing and received in the Board office by 4 p.m. on January 20, 2004.

The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons who require this information in an alternate format should call (717) 787-4194 or (800) 654-5984 (Pennsylvania Relay Service for TDD users).

TIMOTHY A. MOYER,
Acting Secretary

[Pa.B. Doc. No. 04-71. Filed for public inspection January 9, 2004, 9:00 a.m.]

**PENNSYLVANIA
INFRASTRUCTURE
INVESTMENT AUTHORITY
AND
DEPARTMENT OF
ENVIRONMENTAL
PROTECTION**

Clean Water State Revolving Fund Projects; Public Hearing on Federal Fiscal Year 2004 and 2005 Project Priority List and Fiscal Year 2004 Intended Use Plan

The Pennsylvania Infrastructure Investment Authority (PENNVEST) and the Department of Environmental Protection (Department) have prepared a combined Federal Fiscal Year 2004 and 2005 wastewater construction Project Priority List (PPL) and the Fiscal Year 2004 Intended Use Plan (IUP) list of municipal wastewater projects to be considered for a construction loan from funds the Commonwealth expects to receive from fiscal year 2004 funds approved by Congress to capitalize the Clean Water State Revolving Fund (CWSRF) program.

The projects included on the PPL have a project priority rating under the Department's regulations in 25

Pa. Code Chapter 103 (relating to financial assistance) concerning project priority rating system, and as such, regulations have been approved by the United States Environmental Protection Agency (EPA) for that purpose. The Clean Water Act stipulates that states must maintain a PPL of municipal wastewater projects from which to develop the annual CWSRF IUP list of projects to be funded.

Projects listed on the Fiscal Year 2004 IUP list are on the Commonwealth's CWSRF PPL and are expected to proceed to construction in the near future. Other projects on the PPL are projects that are in development or will be developed for future construction loan consideration. Any project removed from an IUP is maintained on the PPL unless otherwise completed.

A project must appear on the approved IUP before it can receive a loan from the CWSRF. The CWSRF IUP was developed in accordance with the ranking criteria listed in section 10(b) of the Pennsylvania Infrastructure Investment Authority Act (35 P.S. § 751.10(b)). These ranking criteria differ somewhat from the Department regulations in 25 Pa. Code Chapter 103, as does the methodology used to evaluate projects. In addition, a project's readiness to proceed and the reasonable availability of alternative funds also have a bearing on project selection for the IUP. Consequently, the rank ordered list of projects on the PPL does not dictate the order in which they will be chosen for inclusion in the IUP.

The CWSRF will be capitalized with approximately \$52.5 million of Federal Fiscal Year 2004 funds from the EPA and \$10.5 million of State funds. Some \$64.3 million of CWSRF loan repayments will be used to allow additional project funding opportunities on the Fiscal Year 2004 IUP. The Fiscal Year 2004 CWSRF IUP has 31 municipal wastewater construction projects listed with a total dollar value of approximately \$125 million. Some \$2.1 million of the Federal Fiscal Year 2004 funds will be set aside for program administration costs. A public hearing will be held, as described in this notice. After the public hearing and assessment of the comments received, the final Fiscal Year 2004 CWSRF IUP will be completed; potentially, it may include other projects from the CWSRF PPL.

Federal guidance and regulations on development of the CWSRF PPL and IUP direct that the lists be subject to public comment and review before being submitted to the EPA.

The Department has scheduled a public hearing for 10 a.m. on February 25, 2004, in the Auditorium, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The hearing is scheduled for the purpose of receiving comments from the public regarding the combined Fiscal Year 2004/2005 CWSRF PPL and the Fiscal Year 2004 CWSRF IUP. Interested persons are invited to express their views at the public hearing. Persons who wish to offer comments should contact the Administrative Services Section, Division of Municipal Financial Assistance, Bureau of Water Supply and Wastewater Management, 10th Floor, Rachel Carson State Office Building, P. O. Box 8466, Harrisburg, PA 17105-8466, (717) 787-6744, amaisano@state.pa.us by 4 p.m. on February 24, 2004. Where written statements are prepared and will be submitted at the hearing, speakers will be asked to restrict the oral portion of the statement to a summary of the written comments. Speakers will be called to present their comments generally in the order of receipt of the notice of intent to appear at the hearing.

It is not necessary to appear at the public hearing to present comments. Interested persons may submit written comments to the Department at the previous address. The written comments will be considered equivalent to oral statements presented at the hearing. To be considered by the Department and PENNVEST, the written comments must be received by the Administrative Services Section on or before the date of the hearing.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Mr. Maisano at the previous address or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

The Fiscal Year 2004/2005 CWSRF PPL and Fiscal Year 2004 CWSRF IUP list of projects follow this notice. Copies of these lists, as well as the narrative portion of the CWSRF IUP, are available for public review in the offices listed at the end of this notice and are accessible electronically through the Department's website: www.dep.state.pa.us/dep/deputate/watermgmt/WSM/WSM_TAO/Finan_Tech_Asst.htm

Department of Environmental Protection—Southeast Region

Water Management Program Manager
Lee Park, Suite 6010, 555 North Lane
Conshohocken, PA 19428
(610) 832-6131

Department of Environmental Protection—Northeast Region

Water Management Program Manager
2 Public Square
Wilkes-Barre, PA 18711-0790
(570) 826-2553

Department of Environmental Protection—Southcentral Region

Water Management Program Manager
900 Elmerton Avenue
Harrisburg, PA 17110
(717) 705-4707

Department of Environmental Protection—Northcentral Region

Water Management Program Manager
208 West 3rd Street
Williamsport, PA 17701
(570) 327-3669

Department of Environmental Protection—Southwest Region

Water Management Program Manager
400 Waterfront Drive
Pittsburgh, PA 15222-4745
(412) 442-4000

Department of Environmental Protection—Northwest Region

Water Management Program Manager
230 Chestnut Street
Meadville, PA 16335-3481
(814) 332-6942

Department of Environmental Protection—Bureau of Water Supply and Wastewater Management, Division of Municipal Financial Assistance, Administrative Services Section

10th Floor, Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
(717) 787-6744

Pennsylvania Infrastructure Investment Authority

22 S. Third Street
4th Floor, Keystone Building
Harrisburg, PA 17101
(717) 787-8137

KATHLEEN A. MCGINTY,

Secretary

Department of Environmental Protection

Vice Chairperson

Pennsylvania Infrastructure Investment Authority

PAUL K. MARCHETTI,

Executive Director

Pennsylvania Infrastructure Investment Authority

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND DEPARTMENT OF ENVIRONMENTAL PROTECTION CLEAN WATER
STATE REVOLVING FUND
FY 2004 AND FY 2005 PROJECT PRIORITY LIST
IN PRIORITY ORDER**

EXPLANATION OF COLUMNAR HEADINGS (EXCEPT THOSE THAT ARE SELF-EXPLANATORY)

NEEDS CATEGORY:

- I—SECONDARY TREATMENT
- II—TREATMENT MORE STRINGENT THAN SECONDARY
- IIIA—INFILTRATION/INFLOW CORRECTION
- IIIB—MAJOR SEWER SYSTEM REHABILITATION
- IVA—NEW COLLECTOR SEWERS AND APPURTENANCES
- IVB—NEW INTERCEPTORS AND APPURTENANCES
- V—CORRECTION OF COMBINED SEWER OVERFLOWS

PROJECT TYPE:

- STP—SEWAGE TREATMENT PLANT
- STPMOD—SEWAGE TREATMENT PLANT MODIFICATION
- INT—INTERCEPTOR
- PS—PUMP STATION
- FM—FORCE MAIN
- SS—SEWER SYSTEM
- SS REH—SEWER SYSTEM REHABILITATION

NPDES PERMIT NUMBER:

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM PERMIT NUMBER

PROJECT NUMBER:

FEDERAL LOAN PROJECT IDENTIFICATION NUMBER

ELIG. COST:

ESTIMATED LOAN AMOUNT FOR ELIGIBLE PROJECT

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND DEPARTMENT OF ENVIRONMENTAL PROTECTION
 CLEAN WATER STATE REVOLVING FUND
 FY 2004 AND FY 2005 PROJECT PRIORITY LIST
 JANUARY 10, 2004**

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Fredericksburg Sewer & Water Authority P. O. Box 161 Fredericksburg, PA 17026	COUNTY: REGION: NPDES:	Lebanon SC	I: II: III A:	\$479,327 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$1,799,873 \$0 \$0 \$2,279,200	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422304-01 STP PS INT SS 64 1
Northern Blair County Regional Sewer Authority R. R. 4, Box 236A Tyrone, PA 16686	COUNTY: REGION: NPDES:	Blair SC	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$1,105,000 \$0 \$0 \$1,105,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422298-01 SS 55 2
Lenhartsville Borough P. O. Box 238, 19 Willow Street Lenhartsville, PA 19534	COUNTY: REGION: NPDES:	Berks SC	I: II: III A:	\$600,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$656,455 \$350,000 \$0 \$1,606,455	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422300-01 STP INT SS 55 3
BRIDGEWATER TWNP MA P. O. BOX 185 S. MONTROSE, PA 18801	COUNTY: REGION: NPDES:	Susquehanna NE	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$3,190,617 \$797,654 \$0 \$3,988,271	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422412-01 SS INT 53 4
New Ringgold Borough P. O. Box 180 New Ringgold, PA 17960	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: II: III A:	\$673,750 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$998,440 \$0 \$0 \$1,672,190	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421944-01 STP SS INT 52 5
Alexandria-Porter Joint MA R. D. 1 Box 80 Alexandria, PA 16611	COUNTY: REGION: NPDES:	Huntingdon SC	I: II: III A:	\$1,850,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$5,252,000 \$0 \$0 \$7,102,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422296-01 SS STPMOD 50 6
Swatara Township One Supervisors Drive Jonestown, PA 17038	COUNTY: REGION: NPDES:	Lebanon SC	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$2,577,671 \$0 \$0 \$2,577,671	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422310-01 PS INT SS 50 7
Penn Township Municipal Authority 102 Municipal Building Road Duncannon, PA 17020	COUNTY: REGION: NPDES:	Perry SC Pending	I: II: III A:	\$1,600,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$3,075,000 \$0 \$0 \$4,675,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422236-01 STPMOD SS 47 8
Delano Township 140 Hazle Street Delano, PA 18220	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: II: III A:	\$500,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$1,105,900 \$0 \$0 \$1,605,900	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421742-01 STP SS 46 9

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Dublin Township
29195 Great Cove Rd., Box 240
Fort Littleton, PA 17223

COUNTY: Fulton
REGION: SC
NPDES: N/A

I: \$600,000
II: \$0
III: \$0
III A: \$0

IVA: \$2,199,000
IVB: \$0
V: \$0
ELIG. \$2,799,000

PROJECT NO.: CS421813-01
PROJ. TYPE: STP SS PS
PROJECT RATING: 47
PROJECT RANKING: 10

RINGTOWN MSA
P. O. BOX 202
RINGTOWN, PA 17967

COUNTY: Schuylkill
REGION: NE
NPDES:

I: \$789,360
II: \$0
III: \$0
III A: \$740,016

IVA: \$0
IVB: \$0
V: \$0
ELIG. \$1,529,376

PROJECT NO.: CS422420-01
PROJ. TYPE: SSREH
PROJECT RATING: 45
PROJECT RANKING: 11

Covington Township
R. R. 1, Box 87
Covington, PA 16917

COUNTY: Tioga
REGION: NC
NPDES: N/A

I: \$37,500
II: \$0
III: \$0
III A: \$0

IVA: \$257,008
IVB: \$0
V: \$0
ELIG. \$294,508

PROJECT NO.: CS422145-01
PROJ. TYPE: STPMOD SS
PROJECT RATING: 44
PROJECT RANKING: 12

Indiana County Municipal Services
827 Water Street
Indiana, PA 15701

COUNTY: Indiana
REGION: SW
NPDES:

I: \$150,000
II: \$0
III: \$0
III A: \$0

IVA: \$180,000
IVB: \$1,312,500
V: \$0
ELIG. \$1,642,500

PROJECT NO.: CS422359-01
PROJ. TYPE: STP SS PS
PROJECT RATING: 43
PROJECT RANKING: 13

Nelson Township MA
P. O. Box 100
Nelson, PA 16940

COUNTY: Tioga
REGION: NC
NPDES:

I: \$1,266,172
II: \$259,337
III: \$0
III A: \$0

IVA: \$926,243
IVB: \$369,648
V: \$0
ELIG. \$2,821,400

PROJECT NO.: CS422375-01
PROJ. TYPE: STPMOD SS PS
PROJECT RATING: 43
PROJECT RANKING: 14

LOLENDON BOROUGH
24 FRANKLIN ST.
EASTON, PA 18042

COUNTY: Northampton
REGION: NE
NPDES:

I: \$0
II: \$0
III: \$0
III A: \$0

IVA: \$900,000
IVB: \$200,000
V: \$0
ELIG. \$1,100,000

PROJECT NO.: CS422416-01
PROJ. TYPE: SS PS INT
PROJECT RATING: 43
PROJECT RANKING: 15

MAHONING TOWNSHIP
S. R. 224, BOX 99
HILLSVILLE, PA 16132

COUNTY: Lawrence
REGION: NW
NPDES:

I: \$2,100,000
II: \$0
III: \$0
III A: \$0

IVA: \$6,600,000
IVB: \$0
V: \$0
ELIG. \$8,700,000

PROJECT NO.: CS422404-01
PROJ. TYPE: STP SS
PROJECT RATING: 43
PROJECT RANKING: 16

Cromwell Township
P. O. Box 340
Orbisonia, PA 17243

COUNTY: Huntingdon
REGION: SC
NPDES:

I: \$0
II: \$244,000
III: \$0
III A: \$0

IVA: \$1,055,000
IVB: \$0
V: \$0
ELIG. \$1,299,000

PROJECT NO.: CS422226-01
PROJ. TYPE: STP SS
PROJECT RATING: 41
PROJECT RANKING: 17

Tulpehocken Township
P. O. Box 272
Rehlersburg, PA 19550

COUNTY: Berks
REGION: SC
NPDES: N/A

I: \$1,500,000
II: \$0
III: \$0
III A: \$0

IVA: \$2,700,000
IVB: \$0
V: \$0
ELIG. \$4,200,000

PROJECT NO.: CS422192-01
PROJ. TYPE: STP PS INT SS
PROJECT RATING: 41
PROJECT RANKING: 18

ELDRED TOWNSHIP
R. D. 2, BOX 123A
PITTSFIELD, PA 16340

COUNTY: Warren
REGION: NW
NPDES:

I: \$0
II: \$650,000
III: \$0
III A: \$0

IVA: \$1,403,737
IVB: \$0
V: \$0
ELIG. \$2,053,737

PROJECT NO.: CS422401-01
PROJ. TYPE: STP SS
PROJECT RATING: 41
PROJECT RANKING: 19

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

East Providence Township P. O. Box 83 Breezewood, PA 15533	COUNTY: REGION: NPDES:	Bedford SC	I: \$500,000 II: \$84,000 III: \$0 \$400,000	IVA: \$100,000 IVB: \$0 V: \$0 ELIG. \$1,084,000	PROJECT NO.: CS422371-01 PROJ. TYPE: STPMOD SS PS PROJECT RATING: 41 PROJECT RANKING: 20
Chartiers Township 2 Buccaneer Drive Houston, PA 15342	COUNTY: REGION: NPDES:	Washington SW	I: \$0 II: \$0 III: \$0 \$0	IVA: \$396,393 IVB: \$0 V: \$0 ELIG. \$396,393	PROJECT NO.: CS422254-01 PROJ. TYPE: SS PROJECT RATING: 40 PROJECT RANKING: 21
North Sewickley Township Sewer Authority 893 Mercer Road Beaver Falls, PA 15010	COUNTY: REGION: NPDES:	Beaver SW	I: \$0 II: \$0 III: \$0 \$0	IVA: \$3,445,600 IVB: \$8,204,875 V: \$0 ELIG. \$11,650,475	PROJECT NO.: CS422245-01 PROJ. TYPE: SS INT PS FM PROJECT RATING: 40 PROJECT RANKING: 22
MONONGAHELA CITY 449 West Main Street Monongahela, PA 15063	COUNTY: REGION: NPDES:	Washington SW	I: \$0 II: \$0 III: \$0 \$0	IVA: \$3,296,000 IVB: \$0 V: \$0 ELIG. \$3,296,000	PROJECT NO.: CS422394-01 PROJ. TYPE: SS PS FM PROJECT RATING: 40 PROJECT RANKING: 23
Duryea Borough Sewer Authority 504 Main Street Duryea, PA 18642	COUNTY: REGION: NPDES:	Luzerne NE N/A	I: \$0 II: \$0 III: \$0 \$0	IVA: \$583,038 IVB: \$0 V: \$0 ELIG. \$583,038	PROJECT NO.: CS422217-01 PROJ. TYPE: PS SS PROJECT RATING: 40 PROJECT RANKING: 24
Westover Borough Council P. O. Box 199 Westover, PA 16692	COUNTY: REGION: NPDES:	Clearfield NC	I: \$841,500 II: \$0 III: \$0 \$0	IVA: \$0 IVB: \$1,708,500 V: \$0 ELIG. \$2,550,000	PROJECT NO.: CS422379-01 PROJ. TYPE: STP SS PROJECT RATING: 40 PROJECT RANKING: 25
South Coventry Township 1002 Ridge Road Pottstown, PA 19464	COUNTY: REGION: NPDES:	Chester SE N/A	I: \$0 II: \$675,000 III: \$0 \$0	IVA: \$1,210,000 IVB: \$0 V: \$0 ELIG. \$1,885,000	PROJECT NO.: CS422103-01 PROJ. TYPE: STP SS PS INT PROJECT RATING: 40 PROJECT RANKING: 26
Texas Township Municipal Authority 320 Shady Lane Honesdale, PA 18431	COUNTY: REGION: NPDES:	Wayne NE N/A	I: \$2,300,000 II: \$100,000 III: \$0 \$0	IVA: \$600,000 IVB: \$0 V: \$0 ELIG. \$3,000,000	PROJECT NO.: CS422038-01 PROJ. TYPE: STP SS PROJECT RATING: 40 PROJECT RANKING: 27
HEMPFIELD TOWNSHIP MA R. D. 6, BOX 504 GREENSBURG, PA 15601	COUNTY: REGION: NPDES:	Westmoreland SW	I: \$0 II: \$0 III: \$0 \$0	IVA: \$2,000,000 IVB: \$0 V: \$0 ELIG. \$2,000,000	PROJECT NO.: CS422425-01 PROJ. TYPE: SS PROJECT RATING: 40 PROJECT RANKING: 28
Delaware Township R. D. 1, Box 410 Thompsontown, PA 17094	COUNTY: REGION: NPDES:	Juniata SC	I: \$0 II: \$274,622 III: \$0 \$0	IVA: \$322,778 IVB: \$0 V: \$0 ELIG. \$597,400	PROJECT NO.: CS422308-01 PROJ. TYPE: STP PS SS PROJECT RATING: 40 PROJECT RANKING: 29

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Jackson Township P. O. Box 48 Millerton, PA 16936	COUNTY: REGION: NPDES:	Tioga NC N/A	I: \$554,399 II: \$215,600 III: \$0 III: \$0	IVA: \$3,457,208 IVB: \$116,019 V: \$0 ELIG. \$4,343,226	PROJECT NO.: CS422143-01 PROJ. TYPE: STP SS PROJECT RATING: 39 PROJECT RANKING: 30
Strausstown Borough 101 Main Street, P. O. Box 269 Strausstown, PA 19559	COUNTY: REGION: NPDES:	Berks SC	I: \$471,600 II: \$0 III: \$0 III: \$0	IVA: \$1,400,000 IVB: \$650,000 V: \$0 ELIG. \$2,521,600	PROJECT NO.: CS422301-01 PROJ. TYPE: STP PS INT SS PROJECT RATING: 39 PROJECT RANKING: 31
Reilly Township P. O. Box 1 Branchdale, PA 17923	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: \$800,000 II: \$0 III: \$0 III: \$0	IVA: \$531,000 IVB: \$30,000 V: \$0 ELIG. \$1,361,000	PROJECT NO.: CS422087-01 PROJ. TYPE: STP SS INT PROJECT RATING: 39 PROJECT RANKING: 32
Susquehanna Township 1900 Linglestown Road Harrisburg, PA 17110	COUNTY: REGION: NPDES:	Dauphin SC	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$154,000 IVB: \$130,000 V: \$0 ELIG. \$284,000	PROJECT NO.: CS422249-01 PROJ. TYPE: INT SS PROJECT RATING: 38 PROJECT RANKING: 33
MAHONING TOWNSHIP P. O. Box 50 Distant, PA 16223	COUNTY: REGION: NPDES:	Armstrong SW	I: \$1,000,000 II: \$0 III: \$0 III: \$0	IVA: \$3,175,150 IVB: \$0 V: \$0 ELIG. \$4,175,150	PROJECT NO.: CS422393-01 PROJ. TYPE: STP PS SS PROJECT RATING: 38 PROJECT RANKING: 34
Schuylkill Valley Sewer Authority P. O. Box 314 Mary-D, PA 17952	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: \$5,403,989 II: \$0 III: \$0 III: \$0	IVA: \$9,313,264 IVB: \$4,024,247 V: \$0 ELIG. \$18,741,500	PROJECT NO.: CS421749-01 PROJ. TYPE: STP SS INT PROJECT RATING: 38 PROJECT RANKING: 35
West Brownsville Borough Municipal 625 Middle Street West Brownsville, PA 15417	COUNTY: REGION: NPDES:	Washington SW N/A	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$1,928,000 IVB: \$297,000 V: \$0 ELIG. \$2,225,000	PROJECT NO.: CS421486-01 PROJ. TYPE: SS PS INT PROJECT RATING: 38 PROJECT RANKING: 36
Newton Hamilton Borough P. O. Box 65 Newton Hamilton, PA 17075	COUNTY: REGION: NPDES:	Mifflin SC N/A	I: \$700,000 II: \$0 III: \$0 III: \$0	IVA: \$650,000 IVB: \$450,000 V: \$0 ELIG. \$1,800,000	PROJECT NO.: CS421829-01 PROJ. TYPE: STP SS INT PROJECT RATING: 38 PROJECT RANKING: 37
Plymouth Township 5 Towers Road Shavertown, PA 18708	COUNTY: REGION: NPDES:	Luzerne NE N/A	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$2,600,000 IVB: \$0 V: \$0 ELIG. \$2,600,000	PROJECT NO.: CS421940-01 PROJ. TYPE: SS PROJECT RATING: 38 PROJECT RANKING: 38
Cecil Township Municipal Authority Municipal Building Canonsburg, PA 15317	COUNTY: REGION: NPDES:	Washington SW PA0020796	I: \$3,700,000 II: \$0 III: \$0 III: \$0	IVA: \$5,000,000 IVB: \$5,600,000 V: \$0 ELIG. \$14,300,000	PROJECT NO.: CS421031-02 PROJ. TYPE: STP SS INT PROJECT RATING: 37 PROJECT RANKING: 39

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Union Township Municipal Authority P. O. Box 501 Union City, PA 16438	COUNTY: REGION: NPDES:	Erie NW N/A	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$958,680 \$0 \$0 \$958,680	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422123-01 SS PS 37 40
Leacock Township 16 E. Westview Drive Intercourse, PA 17534	COUNTY: REGION: NPDES:	Lancaster SC PA0084212	I: II: III A:	\$2,500,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$0 \$500,000 \$0 \$3,000,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421839-01 STP INT 37 41
New Florence Borough/St. Clair Township San. P. O. Box 369 New Florence, PA 15944	COUNTY: REGION: NPDES:	Westmoreland SW N/A	I: II: III A:	\$750,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$3,000,000 \$1,650,000 \$0 \$5,400,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422167-01 STPMOD PS INT SS 35 42
Port Clinton Borough North Street Port Clinton, PA 19549	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: II: III A:	\$1,200,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$1,440,000 \$60,000 \$0 \$2,700,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421941-01 STP SS PS INT 35 43
Franklin Township 55 Scott School Road Orrtanna, PA 17353	COUNTY: REGION: NPDES:	Adams SC N/A	I: II: III A:	\$190,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$85,000 \$0 \$0 \$275,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422220-01 STP SS 35 44
Avondale Borough 110 Pomeroy Street Avondale, PA 19311	COUNTY: REGION: NPDES:	Chester SE N/A	I: II: III A:	\$3,420,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$0 \$0 \$0 \$3,420,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422370-01 STPMOD 35 45
Londonderry Township 783 S. Geyer's Church Road Middletown, PA 17057	COUNTY: REGION: NPDES:	Dauphin SC PA0082392	I: II: III A:	\$4,140,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$0 \$0 \$0 \$4,140,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421574-01 STP 35 46
Penn Township R. R. 1, Box 15 Coburn, PA 16832	COUNTY: REGION: NPDES:	Centre NC N/A	I: II: III A:	\$457,800 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$888,750 \$0 \$0 \$1,346,550	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422204-01 STP SS 35 47
Scott Township Sewer and Water Authority R. R. 1, Box 457 Olyphant, PA 18447	COUNTY: REGION: NPDES:	Lackawanna NE PA0063207	I: II: III A:	\$2,800,000 \$1,200,000 \$0 \$0	IVA: IVB: V: ELIG.	\$10,700,000 \$300,000 \$0 \$15,000,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421672-01 STP SS INT 35 48
FACTORYVILLE BOROUGH P. O. BOX 77 FACTORYVILLE, PA 18419	COUNTY: REGION: NPDES:	Wyoming NE N/A	I: II: III A:	\$550,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$650,000 \$150,000 \$0 \$1,350,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422415-01 STPMOD PS INT SS 35 49

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Wilkes-Barre Township 150 Watson Street Wilkes-Barre, PA 18702	COUNTY: REGION: NPDES:	Luzerne NE N/A	I: II: III A:	\$0 \$0 \$400,000 \$600,000	IVA: IVB: V: ELIG.	\$1,200,000 \$600,000 \$0 \$2,800,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421943-01 SS SSREH INT 34 50
Manor Township Joint Municipal Authority 2310 Pleasant View Drive Ford City, PA 16226	COUNTY: REGION: NPDES:	Armstrong SW	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$1,778,560 \$1,093,440 \$0 \$2,872,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422242-01 PS SS INT 34 51
Union Township 3904 Finley Elrama Road Finleyville, PA 15332	COUNTY: REGION: NPDES:	Washington SW N/A	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$1,300,000 \$482,530 \$0 \$1,782,530	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422176-01 PS INT SS 34 52
PERRY TOWNSHIP P. O. BOX 183 STAR JUNCTION, PA 15482	COUNTY: REGION: NPDES:	Fayette SW	I: II: III A:	\$0 \$1,000,000 \$0 \$0	IVA: IVB: V: ELIG.	\$1,000,000 \$800,000 \$0 \$2,800,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422428-01 SS INT PS STP 34 53
Jeddo Borough R. D. Box 1269 Freeland, PA 18224	COUNTY: REGION: NPDES:	Luzerne NE N/A	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$1,200,000 \$1,100,000 \$0 \$2,300,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421891-01 SS PS INT 34 54
Conyngham Township P. O. Box 14 Wilburton, PA 17888	COUNTY: REGION: NPDES:	Columbia NC N/A	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$3,535,895 \$2,366,773 \$0 \$5,902,668	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421801-01 PS INT SS 34 55
Dudley-Carbon-Coalmont Joint Municipal P. O. Box 276 Dudley, PA 16634	COUNTY: REGION: NPDES:	Huntingdon SC PA0084883	I: II: III A:	\$0 \$1,548,829 \$0 \$0	IVA: IVB: V: ELIG.	\$2,640,171 \$0 \$0 \$4,189,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421581-01 STP SS INT 34 56
JAY TOWNSHIP SA 81 WEST TEABERRY STREET WEEDVILLE, PA 15868	COUNTY: REGION: NPDES:	ELK NW	I: II: III A:	\$0 \$250,000 \$0 \$0	IVA: IVB: V: ELIG.	\$2,897,777 \$0 \$0 \$3,147,777	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422403-01 STPMOD SS 34 57
Avondale Borough P. O. Box 247 Avondale, PA 19311	COUNTY: REGION: NPDES:	Chester SE PA0025488	I: II: III A:	\$135,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$0 \$0 \$0 \$135,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421644-01 STPMOD 34 58
Decatur Township R. D. 2 McClure, PA 17841	COUNTY: REGION: NPDES:	Mifflin SC N/A	I: II: III A:	\$2,290,339 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$2,679,478 \$1,530,183 \$0 \$6,500,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421831-01 STP SS PS INT 33 59

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Gulich Township P. O. Box 305 Smithmill, PA 16680	COUNTY: REGION: NPDES:	Clearfield NC N/A	I: \$371,300 II: \$0 III: \$0 III: \$0	IVA: \$1,198,300 IVB: \$106,000 V: \$0 ELIG. \$1,675,600	PROJECT NO.: CS421982-01 PROJ. TYPE: STP PS INT SS PROJECT RATING: 33 PROJECT RANKING: 60
Corry City Municipal Authority 100 South Center Street Corry, PA 16407	COUNTY: REGION: NPDES:	Erie NW Pending	I: \$0 II: \$5,275,524 III: \$0 III: \$0	IVA: \$0 IVB: \$0 V: \$716,585 ELIG. \$5,992,109	PROJECT NO.: CS422275-01 PROJ. TYPE: STPMOD SS PROJECT RATING: 33 PROJECT RANKING: 61
Center Township P. O. Box 369 Rogersville, PA 15359	COUNTY: REGION: NPDES:	Greene SW N/A	I: \$754,000 II: \$0 III: \$0 III: \$0	IVA: \$3,705,000 IVB: \$408,000 V: \$0 ELIG. \$4,867,000	PROJECT NO.: CS421487-01 PROJ. TYPE: STP SS INT PROJECT RATING: 32 PROJECT RANKING: 62
Winfield Township P. O. Box 65 Cabot, PA 16023	COUNTY: REGION: NPDES:	Butler NW N/A	I: \$66,000 II: \$554,400 III: \$0 III: \$0	IVA: \$902,880 IVB: \$0 V: \$0 ELIG. \$1,523,280	PROJECT NO.: CS422276-01 PROJ. TYPE: STP SS PROJECT RATING: 32 PROJECT RANKING: 63
Vestaburg-New Hill Joint Authority P. O. Box 189 Vestaburg, PA 15368	COUNTY: REGION: NPDES:	Washington SW N/A	I: \$0 II: \$0 III: \$0 III: \$1,200,000	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$1,200,000	PROJECT NO.: CS422108-01 PROJ. TYPE: SSREH PROJECT RATING: 32 PROJECT RANKING: 64
WASHINGTON TOWNSHIP MA 283 PINE RUN CHURCH RD. APOLLO, PA 15613	COUNTY: REGION: NPDES:	Westmoreland SW N/A	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$4,200,000 IVB: \$0 V: \$0 ELIG. \$4,200,000	PROJECT NO.: CS422430-01 PROJ. TYPE: SS PROJECT RATING: 31 PROJECT RANKING: 65
South Annville Township R. D. 4, Box 454 Lebanon, PA 17042	COUNTY: REGION: NPDES:	Lebanon SC N/A	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$3,300,000 IVB: \$0 V: \$0 ELIG. \$3,300,000	PROJECT NO.: CS421815-01 PROJ. TYPE: SS PS PROJECT RATING: 31 PROJECT RANKING: 66
Conestoga Township P. O. Box 98 Conestoga, PA 17516	COUNTY: REGION: NPDES:	Lancaster SC N/A	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$0 IVB: \$1,725,000 V: \$0 ELIG. \$1,725,000	PROJECT NO.: CS421837-01 PROJ. TYPE: SS PS PROJECT RATING: 31 PROJECT RANKING: 67
Foster Township 1000 Wyoming Street Freeland, PA 18224	COUNTY: REGION: NPDES:	Luzerne NE PA0020435	I: \$1,000,000 II: \$0 III: \$1,000,000 III: \$500,000	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$2,500,000	PROJECT NO.: CS421888-01 PROJ. TYPE: STPMOD SSREH PS PROJECT RATING: 31 PROJECT RANKING: 68
Parryville Borough P. O. Box 10 Parryville, PA 18244	COUNTY: REGION: NPDES:	Carbon NE N/A	I: \$490,600 II: \$0 III: \$0 III: \$0	IVA: \$2,420,000 IVB: \$330,000 V: \$0 ELIG. \$3,240,600	PROJECT NO.: CS421633-01 PROJ. TYPE: STPMOD SS PS PROJECT RATING: 31 PROJECT RANKING: 69

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

PORTLAND BOROUGH P. O. BOX 476 PORTLAND, PA 18351	COUNTY: REGION: NPDES:	Northampton NE	I: \$1,200,000 II: \$0 III: \$0 III: \$0	IVA: \$3,000,000 IVB: \$700,000 V: \$0 ELIG. \$4,900,000	PROJECT NO.: CS422419-01 PROJ. TYPE: STP PS INT SS PROJECT RATING: 31 PROJECT RANKING: 70
Conemaugh Township 1120 Tire Hill Road Johnstown, PA 15905	COUNTY: REGION: NPDES:	Somerset SW	I: \$2,770,000 II: \$0 III: \$0 III: \$0	IVA: \$3,437,500 IVB: \$312,500 V: \$0 ELIG. \$6,520,000	PROJECT NO.: CS421479-01 PROJ. TYPE: STP SS PS INT PROJECT RATING: 30 PROJECT RANKING: 71
Pulaski Township Municipal Authority R. D. 1, Box 1043 Pulaski, PA 16143	COUNTY: REGION: NPDES:	Lawrence NW	I: \$0 II: \$2,992,325 III: \$0 III: \$0	IVA: \$6,968,895 IVB: \$0 V: \$0 ELIG. \$9,961,220	PROJECT NO.: CS421996-01 PROJ. TYPE: STP SS PS PROJECT RATING: 30 PROJECT RANKING: 72
SCRANTON SA 307 NORTH WASHINGTON AVE. SCRANTON, PA 18503	COUNTY: REGION: NPDES:	Lackawanna NE	I: \$3,715,000 II: \$0 III: \$0 III: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$3,715,000	PROJECT NO.: CS422431-01 PROJ. TYPE: PSMOD PROJECT RATING: 30 PROJECT RANKING: 73
Lower Burrell Municipal Authority Schreiber and Bethel Streets Lower Burrell, PA 15068	COUNTY: REGION: NPDES:	Westmoreland SW	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$1,500,000 IVB: \$0 V: \$0 ELIG. \$1,500,000	PROJECT NO.: CS422048-01 PROJ. TYPE: SS PROJECT RATING: 29 PROJECT RANKING: 74
Milton Regional SA Two Filbert Street, P. O. Box 150 Milton, PA 17847	COUNTY: REGION: NPDES:	Northumberland NC	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$7,525,340 IVB: \$645,496 V: \$0 ELIG. \$8,170,836	PROJECT NO.: CS422287-01 PROJ. TYPE: SS PROJECT RATING: 29 PROJECT RANKING: 75
Wayne Township Municipal Authority 1418 Wampum Road, Rte. 288 Ellwood City, PA 16117	COUNTY: REGION: NPDES:	Lawrence NW	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$3,374,000 IVB: \$0 V: \$0 ELIG. \$3,374,000	PROJECT NO.: CS421828-01 PROJ. TYPE: SS INT PROJECT RATING: 29 PROJECT RANKING: 76
Upper Augusta Township Municipal R. R. 2, Box 398-A Sunbury, PA 17801	COUNTY: REGION: NPDES:	Northumberland NC	I: \$256,500 II: \$0 III: \$0 III: \$0	IVA: \$974,054 IVB: \$243,689 V: \$0 ELIG. \$1,474,243	PROJECT NO.: CS422172-01 PROJ. TYPE: PS SS PROJECT RATING: 29 PROJECT RANKING: 77
Rose Township Rte. 3, Box 143 Brookville, PA 15825	COUNTY: REGION: NPDES:	Jefferson NW	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$1,865,430 IVB: \$0 V: \$0 ELIG. \$1,865,430	PROJECT NO.: CS421914-01 PROJ. TYPE: SS PROJECT RATING: 29 PROJECT RANKING: 78
Sergeant Township Box 1A, Clermont S. R. Mt. Jewett, PA 16740	COUNTY: REGION: NPDES:	McKean NW	I: \$126,000 II: \$0 III: \$0 III: \$0	IVA: \$363,255 IVB: \$0 V: \$0 ELIG. \$489,255	PROJECT NO.: CS421992-01 PROJ. TYPE: STP SS PROJECT RATING: 29 PROJECT RANKING: 79

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Blaine Township 123 Main Street Taylorstown, PA 15365	COUNTY: REGION: NPDES:	Washington SW N/A	I: II: III A:	\$0 \$300,000 \$0 \$0	IVA: IVB: V: ELIG.	\$700,000 \$300,000 \$0 \$1,300,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422171-01 STP INT SS 29 80
Herndon Borough P. O. Box 385 Herndon, PA 17830	COUNTY: REGION: NPDES:	Northumberland NC N/A	I: II: III A:	\$760,277 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$1,801,976 \$103,983 \$0 \$2,666,236	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422144-01 STPMOD SS 29 81
Centre Township Municipal Authority 449 Bucks Hill Road Mohrsville, PA 19541	COUNTY: REGION: NPDES:	Berks SC PA0086771	I: II: III A:	\$494,312 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$1,238,688 \$0 \$0 \$1,733,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422030-01 STP SS 29 82
BARKEYVILLE BOROUGH 137 OAK STREET HARRISVILLE, PA 16038	COUNTY: REGION: NPDES:	Venango NW	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$1,003,606 \$0 \$0 \$1,003,606	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422399-01 SS 29 83
Uniontown City 20 N. Gallatin Avenue Uniontown, PA 15401	COUNTY: REGION: NPDES:	Fayette SW	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$0 \$4,311,600 \$0 \$4,311,600	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422261-01 INT 29 84
Leesport Borough Authority P. O. Box 18 Leesport, PA 19533	COUNTY: REGION: NPDES:	Berks SC PA0070149	I: II: III A:	\$1,026,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$406,000 \$0 \$0 \$1,432,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421577-01 STPMOD SS 29 85
Fredericksburg Sewer and Water Authority P. O. Box 161 Fredericksburg, PA 17026	COUNTY: REGION: NPDES:	Lebanon SC	I: II: III A:	\$1,873,380 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$2,226,000 \$0 \$0 \$4,099,380	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422303-01 STPMOD SS PS INT 29 86
Meshoppen Borough P. O. Box 237 Meshoppen, PA 18630	COUNTY: REGION: NPDES:	Wyoming NE	I: II: III A:	\$0 \$860,000 \$0 \$0	IVA: IVB: V: ELIG.	\$989,703 \$290,000 \$0 \$2,139,703	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422267-01 STP INT SS 29 87
Sharon City 155 W. Connelly Boulevard Sharon, PA 16146	COUNTY: REGION: NPDES:	Mercer NW N/A	I: II: III A:	\$0 \$20,552,000 \$0 \$0	IVA: IVB: V: ELIG.	\$0 \$1,993,000 \$0 \$22,545,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422131-01 STPMOD INT 29 88
Lower Towamensing Township R. D. 2, Box 211A Palmerton, PA 18071	COUNTY: REGION: NPDES:	Carbon NE N/A	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$2,700,000 \$300,000 \$0 \$3,000,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421686-01 SS PS INT 29 89

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

CLIFFORD TOWNSHIP P. O. BOX 339 CLIFFORD, PA 18413	COUNTY: REGION: NPDES:	Susquehanna NE	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$1,903,000 \$0 \$0 \$1,903,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422414-01 SS 29 90
NUANGOLA BOROUGH 5150 NUANGOLA ROAD MOUNTAIN TOP, PA 18707	COUNTY: REGION: NPDES:	Luzerne NE	I: II: III A:	\$500,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$2,500,000 \$1,500,000 \$0 \$4,500,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422413-01 STP SS INT 29 91
Moon Township MA 1700 Beaver Grade Rd., Suite 200 Coraopolis, PA 15108	COUNTY: REGION: NPDES:	Allegheny/ Beaver SW	I: II: III A:	\$1,920,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$685,000 \$1,560,000 \$0 \$4,165,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422374-01 STP PS SS 29 92
Worthington-West Franklin Joint Mun. Authority P. O. Box O, R. D. 2, Box 40A Worthington, PA 16262	COUNTY: REGION: NPDES:	Armstrong SW N/A	I: II: III A:	\$2,300,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$4,000,000 \$1,900,000 \$0 \$8,200,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421481-01 STP SS PS INT 28 93
BALDWIN BOROUGH 3344 CHURCHVIEW AVENUE PITTSBURG, PA 15227	COUNTY: REGION: NPDES:	Allegheny SW	I: II: III A:	\$0 \$0 \$0 \$3,700,000	IVA: IVB: V: ELIG.	\$0 \$0 \$0 \$3,700,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422422-01 SSREH 28 94
FAIRCHANCE-GEORGES JMA 141 BIG SIX ROAD SMITHFIELD, PA 15478	COUNTY: REGION: NPDES:	Fayette SW	I: II: III A:	\$2,000,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$0 \$0 \$0 \$2,000,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422423-01 STPMOD 28 95
MCKEESPORT CITY 201 LYSLE BLVD. MCKEESPORT, PA 15132	COUNTY: REGION: NPDES:	Allegheny SW	I: II: III A:	\$0 \$0 \$0 \$750,000	IVA: IVB: V: ELIG.	\$0 \$0 \$0 \$750,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422426-01 SSREH 28 96
Muddy Run Authority R. D. 1, Box 51 Fallentimber, PA 16639	COUNTY: REGION: NPDES:	Clearfield NC N/A	I: II: III A:	\$1,197,728 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$6,446,512 \$1,725,640 \$0 \$9,369,880	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421981-01 STP PS INT SS 27 97
Jenner Area Joint Sewer Authority P. O. Box 202 Jennerstown, PA 15547	COUNTY: REGION: NPDES:	Somerset SW	I: II: III A:	\$343,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$1,227,000 \$0 \$0 \$1,570,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422315-01 STPMOD PS SS 27 98
Pocono Township P. O. Box 197 Tannersville, PA 18372	COUNTY: REGION: NPDES:	Monroe NE N/A	I: II: III A:	\$5,596,100 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$2,626,056 \$80,000 \$0 \$8,302,156	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421642-01 STP SS 27 99

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Ebensburg Borough Municipal Authority 300 W. High Street Ebensburg, PA 15931	COUNTY: REGION: NPDES:	Cambria SW N/A	I: \$4,000,000 II: \$0 III: \$0 III: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$4,000,000	PROJECT NO.: CS422118-01 PROJ. TYPE: STPMOD PROJECT RATING: 27 PROJECT RANKING: 100
East Lampeter Township 2205 Old Philadelphia Pike Lancaster, PA 17602	COUNTY: REGION: NPDES:	Lancaster SC N/A	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$1,626,000 IVB: \$0 V: \$0 ELIG. \$1,626,000	PROJECT NO.: CS421510-01 PROJ. TYPE: PS INT PROJECT RATING: 27 PROJECT RANKING: 101
Vernon Township Sanitary Authority 16678 McMath Avenue Meadville, PA 16335	COUNTY: REGION: NPDES:	Crawford NW N/A	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$1,674,000 IVB: \$1,130,000 V: \$0 ELIG. \$2,804,000	PROJECT NO.: CS422354-01 PROJ. TYPE: SS PS FM PROJECT RATING: 26 PROJECT RANKING: 102
Cranberry Township S. R. 257, P. O. Box 378 Seneca, PA 16346	COUNTY: REGION: NPDES:	Venango NW N/A	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$2,691,996 IVB: \$0 V: \$0 ELIG. \$2,691,996	PROJECT NO.: CS422284-01 PROJ. TYPE: PS SS PROJECT RATING: 26 PROJECT RANKING: 103
Greene Township 9333 Tate Road Erie, PA 16509	COUNTY: REGION: NPDES:	Erie NW N/A	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$9,830,410 IVB: \$0 V: \$0 ELIG. \$9,830,410	PROJECT NO.: CS421995-01 PROJ. TYPE: SS PROJECT RATING: 26 PROJECT RANKING: 104
Rush Township P. O. Box 152 Philipsburg, PA 16866	COUNTY: REGION: NPDES:	Centre NC N/A	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$1,234,945 IVB: \$191,755 V: \$0 ELIG. \$1,426,700	PROJECT NO.: CS422395-01 PROJ. TYPE: SS INT PROJECT RATING: 26 PROJECT RANKING: 105
Dudley-Carbon-Coalmont Joint Municipal P. O. Box 276 Dudley, PA 16634	COUNTY: REGION: NPDES:	Huntingdon SC N/A	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$900,000 IVB: \$0 V: \$0 ELIG. \$900,000	PROJECT NO.: CS422335-01 PROJ. TYPE: SS PROJECT RATING: 26 PROJECT RANKING: 106
North East Township 10300 W. Main Road, P. O Box 249 North East, PA 16428	COUNTY: REGION: NPDES:	Erie NW N/A	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$7,150,000 IVB: \$0 V: \$0 ELIG. \$7,150,000	PROJECT NO.: CS422126-01 PROJ. TYPE: SS PROJECT RATING: 26 PROJECT RANKING: 107
Falls Creek Borough Municipal Authority 117 Taylor Avenue Falls Creek, PA 15840	COUNTY: REGION: NPDES:	Jefferson NW Yes	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$1,940,000 IVB: \$0 V: \$0 ELIG. \$1,940,000	PROJECT NO.: CS422321-01 PROJ. TYPE: PS SS PROJECT RATING: 26 PROJECT RANKING: 108
Foster Township 1000 Wyoming Street Freeland, PA 18224	COUNTY: REGION: NPDES:	Luzerne NE N/A	I: \$300,000 II: \$0 III: \$0 III: \$968,000	IVA: \$1,987,046 IVB: \$143,048 V: \$0 ELIG. \$3,398,094	PROJECT NO.: CS421681-01 PROJ. TYPE: STP SS PS INT PROJECT RATING: 26 PROJECT RANKING: 109

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

NEW MILFOR. D. MA 175 MAIN ST., P. O. BOX 1111 NEW MILFORD, PA 18834	COUNTY: Susquehanna REGION: NE NPDES:	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$1,400,000 IVB: \$1,170,000 V: \$0 ELIG. \$2,570,000	PROJECT NO.: CS422418-01 PROJ. TYPE: PS INT SS PROJECT RATING: 26 PROJECT RANKING: 110
HEMPFIELD TOWNSHIP MA R. D. 6, BOX 501 GREENSBURG, PA 15601	COUNTY: Westmoreland REGION: SW NPDES:	I: \$5,900,000 II: \$0 III: \$0 III: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$5,900,000	PROJECT NO.: CS422424-01 PROJ. TYPE: STPMOD PROJECT RATING: 26 PROJECT RANKING: 111
Ellwood City Borough 525 Lawrence Avenue Ellwood City, PA 16117	COUNTY: Lawrence/ Beaver REGION: NW NPDES: No	I: \$0 II: \$0 III: \$724,000 III: \$0	IVA: \$1,614,000 IVB: \$0 V: \$16,962,000 ELIG. \$19,300,000	PROJECT NO.: CS422280-01 PROJ. TYPE: STP PS FM SSREHI PROJECT RATING: 26 PROJECT RANKING: 112
SCRANTON SA 307 NORTH WASHINGTON AVE. SCRANTON, PA 18503	COUNTY: Lackawanna REGION: NE NPDES:	I: \$6,497,000 II: \$0 III: \$0 III: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$6,497,000	PROJECT NO.: CS422432-01 PROJ. TYPE: STPMOD PROJECT RATING: 26 PROJECT RANKING: 113
SUGARCREEK BOROUGH 212 FOX STREET FRANKLIN, PA 16323	COUNTY: Venango REGION: NW NPDES:	I: \$0 II: \$0 III: \$464,600 III: \$500,000	IVA: \$2,512,700 IVB: \$0 V: \$0 ELIG. \$3,477,300	PROJECT NO.: CS422411-01 PROJ. TYPE: SS SSREHAB INT PROJECT RATING: 25 PROJECT RANKING: 114
HOLLIDAYSBURG SA 401 BLAIR STREET HOLLISDAYSBURG, PA 16648	COUNTY: Blair REGION: SC NPDES:	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$990,385 IVB: \$1,586,000 V: \$0 ELIG. \$2,576,385	PROJECT NO.: CS422392-01 PROJ. TYPE: INT SS PROJECT RATING: 25 PROJECT RANKING: 115
Clearfield Minicipal Authority 107 East Market Street Clearfield, PA 16830	COUNTY: Clearfield REGION: NC NPDES:	I: \$1,870,000 II: \$0 III: \$75,000 III: \$175,000	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$2,120,000	PROJECT NO.: CS422390-01 PROJ. TYPE: STPMOD INT PROJECT RATING: 25 PROJECT RANKING: 116
Bristol Township Authority 2501 Bath Road Bristol, PA 19007	COUNTY: Bucks REGION: SE NPDES:	I: \$150,000 II: \$0 III: \$0 III: \$2,685,000	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$2,835,000	PROJECT NO.: CS422396-01 PROJ. TYPE: PS SSREH FM PROJECT RATING: 25 PROJECT RANKING: 117
Elkland Borough Authority 105 Parkhurst Street Elkland, PA 16920	COUNTY: Tioga REGION: NC NPDES: PA0113398	I: \$150,480 II: \$58,520 III: \$0 III: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$209,000	PROJECT NO.: CS421963-01 PROJ. TYPE: STPMOD PROJECT RATING: 25 PROJECT RANKING: 118
North East Borough 58 E. Main Street North East, PA 16428	COUNTY: Erie REGION: NW NPDES: N/A	I: \$10,982,000 II: \$0 III: \$0 III: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$10,982,000	PROJECT NO.: CS422125-01 PROJ. TYPE: STPMOD PROJECT RATING: 25 PROJECT RANKING: 119

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Elk Lick Township P. O. Box 55 West Salisbury, PA 15565	COUNTY: REGION: NPDES:	Somerset SW	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$0 \$0 \$0 \$0	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422353-01 INT SS 23 120
East Allen Township 5344 Nor-bath Boulevard Northampton, PA 18067	COUNTY: REGION: NPDES:	Northampton NE	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$262,520 \$264,880 \$0 \$527,400	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422273-01 INT SS 23 121
Mid Mon Valley P. O. Box 197 Allenport, PA 15412	COUNTY: REGION: NPDES:	Washington SW	I: II: III A:	\$750,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$0 \$652,535 \$0 \$1,402,535	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422373-01 STPMOD PS 23 122
North Belle Vernon Borough 503 Speer Street North Belle Vernon, PA 15012	COUNTY: REGION: NPDES:	Westmoreland SW	I: II: III A:	\$0 \$0 \$0 \$5,900,000	IVA: IVB: V: ELIG.	\$0 \$0 \$0 \$5,900,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422318-01 SSREH 23 123
Fredericksburg Water and Sewer Authority 150 S. Pine Grove Street Fredericksburg, PA 17026	COUNTY: REGION: NPDES:	Lebanon SC PA0080705	I: II: III A:	\$0 \$450,000 \$0 \$0	IVA: IVB: V: ELIG.	\$300,000 \$0 \$0 \$750,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421924-01 STPMOD SS 23 124
Bald Eagle Township Authority R. D. 2, Box 301 Mill Hall, PA 17751	COUNTY: REGION: NPDES:	Clinton NC N/A	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$858,000 \$700,000 \$0 \$1,558,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421932-01 INT SS PS 23 125
Hopewell Township R. D. 1, Box 95 James Creek, PA 16657	COUNTY: REGION: NPDES:	Huntingdon SC PA0082759	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$700,000 \$0 \$0 \$700,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421571-01 SS PS 23 126
Brockway Area Sewage Authority 501 Main Street Brockway, PA 15824	COUNTY: REGION: NPDES:	Jefferson/Elk NW N/A	I: II: III A:	\$0 \$8,373,305 \$750,000 \$0	IVA: IVB: V: ELIG.	\$6,582,715 \$520,000 \$0 \$16,226,020	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421910-01 STP PS INT SS I/I 23 127
Redbank Valley Municipal Authority 243 Broad Street New Bethlehem, PA 16242	COUNTY: REGION: NPDES:	Clarion NW PA0024511	I: II: III A:	\$1,639,000 \$0 \$1,435,000 \$0	IVA: IVB: V: ELIG.	\$4,089,000 \$2,722,000 \$0 \$9,885,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421900-01 STPMOD SS 23 128
Brush Valley Township R. D. 4, Box 264 Indiana, PA 15701	COUNTY: REGION: NPDES:	Indiana SW N/A	I: II: III A:	\$244,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$1,529,565 \$325,710 \$0 \$2,099,275	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421847-01 STP SS 23 129

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Locust Township R. R. 3 Box 119A Catawissa, PA 17820	COUNTY: REGION: NPDES:	Columbia NC N/A	I: \$464,671 II: \$95,174 III: \$0 IV: \$0	IVA: \$1,031,206 IVB: \$82,407 V: \$0 ELIG. \$1,673,458	PROJECT NO.: CS422140-01 PROJ. TYPE: STP SS INT PROJECT RATING: 23 PROJECT RANKING: 130
East Penn Township 288 Schleicher Avenue Lehighton, PA 18235	COUNTY: REGION: NPDES:	Carbon NE N/A	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$2,620,000 IVB: \$540,000 V: \$0 ELIG. \$3,160,000	PROJECT NO.: CS421679-01 PROJ. TYPE: SS INT PROJECT RATING: 23 PROJECT RANKING: 131
FOXBURG AREA W&SA P. O. Box 2 Foxburg, PA 16036	COUNTY: REGION: NPDES:	Clarion NW N/A	I: \$500,000 II: \$0 III: \$0 IV: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$500,000	PROJECT NO.: CS422386-01 PROJ. TYPE: STPMOD PROJECT RATING: 23 PROJECT RANKING: 132
New Castle Sanitary Authority 110 E. Washington Street New Castle, PA 16101	COUNTY: REGION: NPDES:	Lawrence NW N/A	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$0 IVB: \$8,000,000 V: \$0 ELIG. \$8,000,000	PROJECT NO.: CS421823-01 PROJ. TYPE: SSREH INT PROJECT RATING: 23 PROJECT RANKING: 133
Hallstead-Great Bend Joint Sewer Authority P. O. Box 757 Great Bend, PA 18821	COUNTY: REGION: NPDES:	Susquehanna NE PA0060518	I: \$1,250,000 II: \$0 III: \$0 IV: \$0	IVA: \$475,000 IVB: \$0 V: \$0 ELIG. \$1,725,000	PROJECT NO.: CS421817-01 PROJ. TYPE: STPMOD SS PROJECT RATING: 23 PROJECT RANKING: 134
NORTH AND SOUTH SHENANGO TOWNSHIP 3397 DAM ROAD JAMESTOWN, PA 16134	COUNTY: REGION: NPDES:	Crawford NW N/A	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$1,838,375 IVB: \$0 V: \$0 ELIG. \$1,838,375	PROJECT NO.: CS422409-01 PROJ. TYPE: SS PROJECT RATING: 23 PROJECT RANKING: 135
STONEBORO BOROUGH P. O. BOX 146 STONEBORO, PA 16153	COUNTY: REGION: NPDES:	Mercer NW N/A	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$492,000 IVB: \$0 V: \$0 ELIG. \$492,000	PROJECT NO.: CS422410-01 PROJ. TYPE: SS PROJECT RATING: 23 PROJECT RANKING: 136
ROSTRAVER TOWNSHIP SA 202 PORT ROYAL RD. ROSTRAVER, PA 15012	COUNTY: REGION: NPDES:	Westmoreland SW N/A	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$4,200,000 IVB: \$1,500,000 V: \$0 ELIG. \$5,700,000	PROJECT NO.: CS422429-01 PROJ. TYPE: SS PS PROJECT RATING: 22 PROJECT RANKING: 137
West Mahanoy Township Authority 190 Pennsylvania Avenue Shenandoah Height, PA 17976	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$3,375,000 IVB: \$3,375,000 V: \$0 ELIG. \$6,750,000	PROJECT NO.: CS421906-01 PROJ. TYPE: SS PS INT PROJECT RATING: 22 PROJECT RANKING: 138
Berwick Area Joint Sewer Authority 344 Market Street Berwick, PA 18603	COUNTY: REGION: NPDES:	Columbia NC Yes	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$0 IVB: \$0 V: \$875,375 ELIG. \$875,375	PROJECT NO.: CS422293-01 PROJ. TYPE: INT PROJECT RATING: 22 PROJECT RANKING: 139

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

MEYERSDALE BOROUGH 613 SECOND ST., P. O. BOX 60 MEYERSDALE, PA 15552	COUNTY: REGION: NPDES:	Somerset SW	I: \$0 II: \$0 IIIA: \$0 III: \$0	IVA: \$0 IVB: \$0 V: \$3,000,000 ELIG. \$3,000,000	PROJECT NO.: CS422427-01 PROJ. TYPE: CS PROJECT RATING: 22 PROJECT RANKING: 140
Cambridge Springs Borough 1611 Carringer Street Cambridge Springs, PA 16403	COUNTY: REGION: NPDES:	Crawford NW N/A	I: \$0 II: \$2,100,000 IIIA: \$0 III: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$2,100,000	PROJECT NO.: CS421993-01 PROJ. TYPE: STPMOD PROJECT RATING: 22 PROJECT RANKING: 141
Todd Township 22622 Great Cove Road McConnellsburg, PA 17233	COUNTY: REGION: NPDES:	Fulton SC	I: \$196,775 II: \$0 IIIA: \$0 III: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$196,775	PROJECT NO.: CS422337-01 PROJ. TYPE: STPMOD PROJECT RATING: 22 PROJECT RANKING: 142
Mid-Cameron Authority 421 North Broad Street Emporium, PA 15834	COUNTY: REGION: NPDES:	Cameron NC	I: \$5,372,030 II: \$0 IIIA: \$0 III: \$0	IVA: \$0 IVB: \$145,500 V: \$0 ELIG. \$5,517,530	PROJECT NO.: CS422285-01 PROJ. TYPE: STPMOD INT PROJECT RATING: 22 PROJECT RANKING: 143
Penn Township 260 Lewis Road West Grove, PA 19390	COUNTY: REGION: NPDES:	Chester SE	I: \$0 II: \$550,000 IIIA: \$0 III: \$0	IVA: \$0 IVB: \$160,000 V: \$0 ELIG. \$710,000	PROJECT NO.: CS422232-01 PROJ. TYPE: STPMOD FM PROJECT RATING: 22 PROJECT RANKING: 144
Girard Township 10140 Ridge Road Girard, PA 16417	COUNTY: REGION: NPDES:	Erie NW N/A	I: \$0 II: \$0 IIIA: \$0 III: \$0	IVA: \$5,098,100 IVB: \$0 V: \$0 ELIG. \$5,098,100	PROJECT NO.: CS422124-01 PROJ. TYPE: SS PROJECT RATING: 21 PROJECT RANKING: 145
Hopewell Township 1700 Clark Boulevard Aliquippa, PA 15001	COUNTY: REGION: NPDES:	Beaver SW	I: \$0 II: \$0 IIIA: \$0 III: \$0	IVA: \$0 IVB: \$770,000 V: \$0 ELIG. \$770,000	PROJECT NO.: CS422387-01 PROJ. TYPE: INT SS PROJECT RATING: 20 PROJECT RANKING: 146
ELLPORT BOROUGH 313 BURNS AVENUE ELLWORD CITY, PA 16117	COUNTY: REGION: NPDES:	Lawrence NW	I: \$1,750,000 II: \$0 IIIA: \$0 III: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$1,750,000	PROJECT NO.: CS422402-01 PROJ. TYPE: STPMOD PROJECT RATING: 20 PROJECT RANKING: 147
Muddy Run RA P. O. Box 474 Madera, PA 16661	COUNTY: REGION: NPDES:	Clearfield NC	I: \$475,000 II: \$0 IIIA: \$0 III: \$0	IVA: \$125,000 IVB: \$510,000 V: \$0 ELIG. \$1,110,000	PROJECT NO.: CS422377-01 PROJ. TYPE: STP PS SS PROJECT RATING: 20 PROJECT RANKING: 148
Leechburg Borough 260 Market Street Leechburg, PA 15656	COUNTY: REGION: NPDES:	Armstrong SW	I: \$0 II: \$0 IIIA: \$0 III: \$1,722,635	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$1,722,635	PROJECT NO.: CS422241-01 PROJ. TYPE: SS PROJECT RATING: 20 PROJECT RANKING: 149

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Apollo Borough 45 N. Pennsylvania Avenue Apollo, PA 15613	COUNTY: REGION: NPDES:	Armstrong SW N/A	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$0 \$0 \$3,950,125 \$3,950,125	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422221-01 SS 20 150
North Apollo Borough P. O. Box 501 North Apollo, PA 15673	COUNTY: REGION: NPDES:	Armstrong SW	I: II: III A:	\$0 \$0 \$0 \$889,486	IVA: IVB: V: ELIG.	\$0 \$0 \$0 \$889,486	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422317-01 SSREH 20 151
Derry Township Sanitary Sewer Authority Mill Street, Box N Yeagertown, PA 17099	COUNTY: REGION: NPDES:	Mifflin SC N/A	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$1,083,000 \$850,000 \$0 \$1,933,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS420343-02 SS INT 20 152
Greater Pottsville Area Sewer Authority P. O. Box 1163 Pottsville, PA 17901	COUNTY: REGION: NPDES:	Schuylkill NE PA0043885	I: II: III A:	\$19,400,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$6,305,000 \$2,200,000 \$2,470,000 \$30,375,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422037-01 STPMOD SS INT PS 20 153
Carlisle Suburban Authority 240 Clearwater Drive Carlisle, PA 17013	COUNTY: REGION: NPDES:	Cumberland SC	I: II: III A:	\$0 \$1,200,000 \$0 \$0	IVA: IVB: V: ELIG.	\$3,400,000 \$4,000,000 \$0 \$8,600,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422302-01 STP PS INT SS 20 154
Wayne Township P. O. Box 97 Friedensburg, PA 17933	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$2,502,000 \$0 \$0 \$2,502,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421675-01 SS 20 155
Windber Area Authority 1700 Stockholm Ave. Windber, PA 15963	COUNTY: REGION: NPDES:	Somerset/ Cambria SW Pending	I: II: III A:	\$0 \$0 \$0 \$4,900,000	IVA: IVB: V: ELIG.	\$0 \$0 \$0 \$4,900,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422369-01 SSREHAB 19 156
Cambridge Township 22530 Electric Drive Cambridge Springs, PA 16403	COUNTY: REGION: NPDES:	Crawford NW	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$0 \$309,745 \$0 \$309,745	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422277-01 PS FM 19 157
Brownsville Municipal Authority 200 Bank Street Brownsville, PA 15417	COUNTY: REGION: NPDES:	Fayette SW N/A	I: II: III A:	\$2,000,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$0 \$0 \$0 \$2,000,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422112-01 STPMOD 19 158
Exeter Township R. D. 1, Box 191 Pittston, PA 18643	COUNTY: REGION: NPDES:	Luzerne NE N/A	I: II: III A:	\$1,092,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$1,128,000 \$574,000 \$0 \$2,794,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421727-01 STP SS PS INT 19 159

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Bethany Borough R. D. 3, Box 790 Honesdale, PA 18431	COUNTY: REGION: NPDES:	Wayne NE N/A	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$1,200,000 \$1,000,000 \$0 \$2,200,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421741-01 SS PS INT 19 160
Nicholson Borough Nicholson Borough Building Nicholson, PA 18446	COUNTY: REGION: NPDES:	Wyoming NE N/A	I: II: III A:	\$614,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$596,000 \$151,000 \$0 \$1,361,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421669-01 STP SS INT 19 161
Lemon Township R. D. 1, Box 410 Tunkhannock, PA 18657	COUNTY: REGION: NPDES:	Wyoming NE N/A	I: II: III A:	\$0 \$900,000 \$0 \$0	IVA: IVB: V: ELIG.	\$1,000,000 \$200,000 \$0 \$2,100,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421746-01 STP SS INT 19 162
Dyberry Township Box 1265, R. D. 1 Honesdale, PA 18431	COUNTY: REGION: NPDES:	Wayne NE N/A	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$195,000 \$631,000 \$0 \$826,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421743-01 SS INT 19 163
Grove City Borough 123 W. Main St., P. O. Box 110 Grove City, PA 16127	COUNTY: REGION: NPDES:	Mercer/Butler NW	I: II: III A:	\$0 \$6,216,100 \$2,895,900 \$0	IVA: IVB: V: ELIG.	\$0 \$0 \$0 \$9,112,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422281-01 STPMOD SS 19 164
Mount Pocono Municipal Authority 303 Pocono Boulevard Mount Pocono, PA 18344	COUNTY: REGION: NPDES:	Monroe NE	I: II: III A:	\$2,171,000 \$480,000 \$0 \$0	IVA: IVB: V: ELIG.	\$0 \$0 \$0 \$2,651,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422268-01 STPMOD 19 165
South Hanover Township 111 W. Third Street Hershey, PA 17033	COUNTY: REGION: NPDES:	Dauphin SC N/A	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$2,986,000 \$2,063,000 \$0 \$5,049,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421001-02 SS PS INT 19 166
Sadsbury Township Sewer Authority 1077 White Oak Road Christiana, PA 17509	COUNTY: REGION: NPDES:	Lancaster SC PA0083381	I: II: III A:	\$0 \$469,000 \$0 \$0	IVA: IVB: V: ELIG.	\$1,190,400 \$0 \$0 \$1,659,400	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421717-01 STP SS 19 167
Westfall Township P. O. Box 247 Matamoras, PA 18336	COUNTY: REGION: NPDES:	Pike NE	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$3,368,810 \$0 \$0 \$3,368,810	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422272-01 SS 19 168
Hermitage Municipal Authority 800 N. Hermitage Road Hermitage, PA 16148	COUNTY: REGION: NPDES:	Mercer NW N/A	I: II: III A:	\$1,500,000 \$0 \$0 \$0	IVA: IVB: V: ELIG.	\$0 \$3,950,000 \$0 \$5,450,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422130-01 STPMOD INT 19 169

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Upper Frederick Township 205 Big Road Obelisk, PA 19492	COUNTY: Montgomery REGION: SE NPDES: N/A	I: \$650,000 II: \$0 III: \$0 III: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$650,000	PROJECT NO.: CS422101-01 PROJ. TYPE: STPMOD PROJECT RATING: 19 PROJECT RANKING: 170
MCKEAN BOROUGH 4881 EAST AVENUE MCKEAN, PA 16426	COUNTY: Erie REGION: NW NPDES:	I: \$0 II: \$672,500 III: \$0 III: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$672,500	PROJECT NO.: CS422405-01 PROJ. TYPE: STPMOD PROJECT RATING: 19 PROJECT RANKING: 171
MILFOR. D. WATER AUTHORITY P. O. BOX 459 MILFORD, PA 18337	COUNTY: Pike REGION: NE NPDES:	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$2,863,000 IVB: \$0 V: \$0 ELIG. \$2,863,000	PROJECT NO.: CS422417-01 PROJ. TYPE: SS PROJECT RATING: 19 PROJECT RANKING: 172
Windber Borough 1409 Somerset Avenue Windber, PA 15963	COUNTY: Somerset REGION: SW NPDES:	I: \$0 II: \$0 III: \$0 III: \$1,754,000	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$1,754,000	PROJECT NO.: CS422320-01 PROJ. TYPE: SSREH PROJECT RATING: 18 PROJECT RANKING: 173
Hanover Township 3630 Jacksonville Road Bethlehem, PA 18017	COUNTY: Northampton REGION: NE NPDES: N/A	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$804,174 IVB: \$0 V: \$0 ELIG. \$804,174	PROJECT NO.: CS421728-01 PROJ. TYPE: SS PROJECT RATING: 18 PROJECT RANKING: 174
Titusville City 107 N. Franklin Street Titusville, PA 16354	COUNTY: Crawford REGION: NW NPDES:	I: \$0 II: \$0 III: \$0 III: \$541,191	IVA: \$0 IVB: \$0 V: \$3,449,309 ELIG. \$3,990,500	PROJECT NO.: CS422278-01 PROJ. TYPE: STPMOD PS INT SS PROJECT RATING: 18 PROJECT RANKING: 175
Freeland Borough P. O. Box 117 Freeland, PA 18224	COUNTY: Luzerne REGION: NE NPDES: PA0024716	I: \$2,574,000 II: \$422,000 III: \$0 III: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$2,996,000	PROJECT NO.: CS421682-01 PROJ. TYPE: STPMOD PROJECT RATING: 18 PROJECT RANKING: 176
NESHANNOCK TOWNSHIP SD 3131 MERRER ROAD NEW CASTLE, PA 16105	COUNTY: Lawrence REGION: NW NPDES:	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$0 IVB: \$4,250,000 V: \$0 ELIG. \$4,250,000	PROJECT NO.: CS422407-01 PROJ. TYPE: PS FM INT PROJECT RATING: 18 PROJECT RANKING: 177
NESHANNOCK TOWNSHIP SD 3131 MERRER ROAD NEW CASTLE, PA 16105	COUNTY: Lawrence REGION: NW NPDES:	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$0 IVB: \$1,390,000 V: \$0 ELIG. \$1,390,000	PROJECT NO.: CS422408-01 PROJ. TYPE: INT PROJECT RATING: 18 PROJECT RANKING: 178
Adams Township Municipal Authority P. O. Box 265 Sidman, PA 15926	COUNTY: Cambria REGION: SW NPDES:	I: \$0 II: \$0 III: \$0 III: \$472,271	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$472,271	PROJECT NO.: CS422314-01 PROJ. TYPE: SSREH PROJECT RATING: 17 PROJECT RANKING: 179

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Tunkhannock Township R. D. 2, Box 233A Tunkhannock, PA 18657	COUNTY: REGION: NPDES:	Wyoming NE N/A	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$2,000,000 IVB: \$0 V: \$0 ELIG. \$2,000,000	PROJECT NO.: CS421945-01 PROJ. TYPE: SS PS PROJECT RATING: 17 PROJECT RANKING: 180
Bedminster Township Authority Bedminster Road Bedminster, PA 18910	COUNTY: REGION: NPDES:	Bucks SE N/A	I: \$0 II: \$400,000 III: \$0 IV: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$400,000	PROJECT NO.: CS422100-01 PROJ. TYPE: STP PROJECT RATING: 17 PROJECT RANKING: 181
Lackawanna River Basin Sewer Authority P. O. Box 9068 Dickson City, PA 18519	COUNTY: REGION: NPDES:	Lackawanna NE N/A	I: \$0 II: \$0 III: \$350,000 IV: \$0	IVA: \$290,000 IVB: \$4,485,000 V: \$0 ELIG. \$5,125,000	PROJECT NO.: CS421790-01 PROJ. TYPE: I/I INT SS PROJECT RATING: 17 PROJECT RANKING: 182
Butler Township R. D. 3, Box 796B Drums, PA 18222	COUNTY: REGION: NPDES:	Luzerne NE N/A	I: \$5,681,250 II: \$0 III: \$0 IV: \$0	IVA: \$2,053,188 IVB: \$0 V: \$0 ELIG. \$7,734,438	PROJECT NO.: CS421884-01 PROJ. TYPE: STPMOD SS PROJECT RATING: 16 PROJECT RANKING: 183
Coaldale-Lansford-Summit Hill Sewer 6 Coal Street Lansford, PA 18232	COUNTY: REGION: NPDES:	Schuylkill NE PA0026476	I: \$1,000,000 II: \$0 III: \$0 IV: \$1,000,000	IVA: \$0 IVB: \$0 V: \$1,000,000 ELIG. \$3,000,000	PROJECT NO.: CS421885-01 PROJ. TYPE: STPMOD SSREH PROJECT RATING: 16 PROJECT RANKING: 184
MONROE TOWNSHIP 17956 ROUTE 68 SLIGO, PA 16205	COUNTY: REGION: NPDES:	Clarion NW N/A	I: \$0 II: \$1,601,375 III: \$0 IV: \$0	IVA: \$974,250 IVB: \$0 V: \$0 ELIG. \$2,575,625	PROJECT NO.: CS422406-01 PROJ. TYPE: STP SS PROJECT RATING: 16 PROJECT RANKING: 185
Shenango Township Municipal Authority P. O. Box 266 West Middlesex, PA 16159	COUNTY: REGION: NPDES:	Mercer NW N/A	I: \$585,000 II: \$0 III: \$0 IV: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$585,000	PROJECT NO.: CS422283-01 PROJ. TYPE: STPMOD PROJECT RATING: 16 PROJECT RANKING: 186
Washington Township Water and Sewer 11800 Edinboro Road Edinboro, PA 16412	COUNTY: REGION: NPDES:	Erie NW N/A	I: \$830,000 II: \$0 III: \$0 IV: \$864,000	IVA: \$0 IVB: \$0 V: \$0 ELIG. \$1,694,000	PROJECT NO.: CS422042-01 PROJ. TYPE: STPMOD SSREH PROJECT RATING: 16 PROJECT RANKING: 187
Letterkenny Township 4924 Orrstown Road Orrstown, PA 17244	COUNTY: REGION: NPDES:	Franklin SC N/A	I: \$600,000 II: \$0 III: \$0 IV: \$0	IVA: \$1,202,000 IVB: \$0 V: \$0 ELIG. \$1,802,000	PROJECT NO.: CS422306-01 PROJ. TYPE: STP PS SS PROJECT RATING: 16 PROJECT RANKING: 188
Letterkenny Township 4924 Orrstown Road Orrstown, PA 17244	COUNTY: REGION: NPDES:	Franklin SC N/A	I: \$621,827 II: \$0 III: \$0 IV: \$0	IVA: \$942,692 IVB: \$0 V: \$0 ELIG. \$1,564,519	PROJECT NO.: CS422307-01 PROJ. TYPE: STP PS SS PROJECT RATING: 16 PROJECT RANKING: 189

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Alburtis Borough 260 Franklin Street Alburtis, PA 18011	COUNTY: Lehigh REGION: NE NPDES: N/A	I: \$0 II: \$0 III: \$0 III: \$0	IV: \$170,000 IVB: \$0 V: \$0 ELIG: \$170,000	PROJECT NO.: CS421722-01 PROJ. TYPE: SS PROJECT RATING: 16 PROJECT RANKING: 190
---	--	---	--	--

Palmyra Township HCR 1, Box 15-C Paupack, PA 18451	COUNTY: Pike REGION: NE NPDES:	I: \$4,200,000 II: \$0 III: \$0 III: \$0	IV: \$3,270,450 IVB: \$0 V: \$0 ELIG: \$7,470,450	PROJECT NO.: CS422269-01 PROJ. TYPE: STP PS SS PROJECT RATING: 16 PROJECT RANKING: 191
--	--------------------------------------	---	--	---

Harveys Lake Borough Sewer Authority P. O. Box 53 Harveys Lake, PA 18618	COUNTY: Luzerne REGION: NE NPDES: N/A	I: \$0 II: \$0 III: \$0 III: \$3,000,000	IV: \$0 IVB: \$0 V: \$0 ELIG: \$3,000,000	PROJECT NO.: CS421730-01 PROJ. TYPE: SSREH PROJECT RATING: 16 PROJECT RANKING: 192
--	---	---	--	---

Tuscarora Township R. R. 1, Box 56 Honey Grove, PA 17035	COUNTY: Juniata REGION: SC NPDES:	I: \$253,060 II: \$0 III: \$0 III: \$0	IV: \$959,446 IVB: \$0 V: \$0 ELIG: \$1,212,506	PROJECT NO.: CS422305-01 PROJ. TYPE: STP PS SS PROJECT RATING: 16 PROJECT RANKING: 193
--	---	---	--	---

Allen Township R. R. 1, Box 1596A Saylorsburg, PA 18353	COUNTY: Northampton REGION: NE NPDES:	I: \$0 II: \$0 III: \$0 III: \$0	IV: \$958,000 IVB: \$1,485,688 V: \$0 ELIG: \$2,443,688	PROJECT NO.: CS422263-01 PROJ. TYPE: INT SS PROJECT RATING: 16 PROJECT RANKING: 194
---	---	---	--	--

Kilbuck Township 343 Eicher Road Pittsburgh, PA 15237	COUNTY: Allegheny REGION: SW NPDES: N/A	I: \$0 II: \$0 III: \$0 III: \$0	IV: \$1,930,000 IVB: \$0 V: \$0 ELIG: \$1,930,000	PROJECT NO.: CS422116-01 PROJ. TYPE: SS PROJECT RATING: 16 PROJECT RANKING: 195
---	---	---	--	--

Mount Carmel Municipal Authority Avenue and Oak Street Mount Carmel, PA 17851	COUNTY: Northumberland REGION: NC NPDES:	I: \$9,109,400 II: \$0 III: \$0 III: \$0	IV: \$0 IVB: \$0 V: \$0 ELIG: \$9,109,400	PROJECT NO.: CS422291-01 PROJ. TYPE: STPMOD PROJECT RATING: 15 PROJECT RANKING: 196
---	--	---	--	--

Upper Saucon Township 5500 Camp Meeting Road Center Valley, PA 18039	COUNTY: Lehigh REGION: NE NPDES:	I: \$0 II: \$0 III: \$0 III: \$0	IV: \$0 IVB: \$12,228,300 V: \$0 ELIG: \$12,228,300	PROJECT NO.: CS422270-01 PROJ. TYPE: PS INT SS PROJECT RATING: 15 PROJECT RANKING: 197
--	--	---	--	---

Frackville Area Municipal Authority P. O. Box 471 Frackville, PA 17931	COUNTY: Schuylkill REGION: NE NPDES:	I: \$1,700,000 II: \$0 III: \$0 III: \$0	IV: \$2,951,000 IVB: \$0 V: \$0 ELIG: \$4,651,000	PROJECT NO.: CS422265-01 PROJ. TYPE: STPMOD SSREH PROJECT RATING: 15 PROJECT RANKING: 198
--	--	---	--	---

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Ralpho Township MA
32-A S. Market Street
Elysburg, PA 17824

COUNTY: Columbia/
Northumberland
REGION: NC
NPDES:

I: \$0
II: \$0
III: \$0
IV: \$0

IVA: \$964,330
IVB: \$565,670
V: \$0
ELIG. \$1,530,000

PROJECT NO.: CS422376-01
PROJ. TYPE: SS PS FM
PROJECT RATING: 13
PROJECT RANKING: 199

Lynn Township Sewer Authority
P. O. Box 208
New Tripoli, PA 18066

COUNTY: Lehigh
REGION: NE
NPDES:

I: \$600,000
II: \$200,000
III: \$0
IV: \$0

IVA: \$0
IVB: \$0
V: \$0
ELIG. \$800,000

PROJECT NO.: CS422266-01
PROJ. TYPE: STPMOD
PROJECT RATING: 13
PROJECT RANKING: 200

Weatherly Borough
10 Wilbur Street
Weatherly, PA 18255

COUNTY: Carbon
REGION: NE
NPDES:

I: \$0
II: \$0
III: \$0
IV: \$0

IVA: \$0
IVB: \$0
V: \$0
ELIG. \$4,437,239

PROJECT NO.: CS422271-01
PROJ. TYPE: SSREH
PROJECT RATING: 13
PROJECT RANKING: 201

Dravosburg Borough
P. O. Box 37
Dravosburg, PA 15034

COUNTY: Allegheny
REGION: SW
NPDES: PA0028401

I: \$769,000
II: \$0
III: \$0
IV: \$0

IVA: \$0
IVB: \$0
V: \$0
ELIG. \$769,000

PROJECT NO.: CS421485-01
PROJ. TYPE: STPMOD
PROJECT RATING: 13
PROJECT RANKING: 202

Parker City Sewer Authority
P. O. Box 323
Parker, PA 16049

COUNTY: Armstrong
REGION: SW
NPDES: PA0034851

I: \$0
II: \$3,153,000
III: \$0
IV: \$0

IVA: \$0
IVB: \$0
V: \$0
ELIG. \$3,153,000

PROJECT NO.: CS421475-01
PROJ. TYPE: STPMOD
PROJECT RATING: 13
PROJECT RANKING: 203

COCHRANTON BOROUGH
109 E. ADAMS ST., P. O. BOX 66
COCHRANTON, PA 16314

COUNTY: Crawford
REGION: NW
NPDES:

I: \$0
II: \$975,000
III: \$0
IV: \$0

IVA: \$4,625,000
IVB: \$0
V: \$0
ELIG. \$5,600,000

PROJECT NO.: CS422400-01
PROJ. TYPE: STP SS
PROJECT RATING: 13
PROJECT RANKING: 204

Summit Hill Borough
114 W. Ludlow Street
Summit Hill, PA 18250

COUNTY: Carbon
REGION: NE
NPDES: N/A

I: \$0
II: \$0
III: \$500,000
IV: \$0

IVA: \$0
IVB: \$0
V: \$0
ELIG. \$500,000

PROJECT NO.: CS421907-01
PROJ. TYPE: SSREH
PROJECT RATING: 12
PROJECT RANKING: 205

Springfield Township Sewer Authority
9211 Susquehanna Trail S
Seven Valleys, PA 17360

COUNTY: York
REGION: SC
NPDES: N/A

I: \$0
II: \$0
III: \$0
IV: \$0

IVA: \$795,000
IVB: \$0
V: \$0
ELIG. \$795,000

PROJECT NO.: CS422191-01
PROJ. TYPE: SS
PROJECT RATING: 10
PROJECT RANKING: 206

Reading Township Municipal Authority
5500 Carlisle Pike
New Oxford, PA 17350

COUNTY: Adams
REGION: SC
NPDES: N/A

I: \$1,750,000
II: \$0
III: \$0
IV: \$0

IVA: \$0
IVB: \$0
V: \$0
ELIG. \$1,750,000

PROJECT NO.: CS422053-01
PROJ. TYPE: STPMOD
PROJECT RATING: 10
PROJECT RANKING: 207

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

East Cocalico Township 100 Hill Road Denver, PA 17517	COUNTY: Lancaster REGION: SC NPDES: N/A	I: \$0 II: \$0 III: \$0 III: \$0	IV: \$0 IVB: \$3,416,230 V: \$0 ELIG. \$3,416,230	PROJECT NO.: CS422074-01 PROJ. TYPE: INT PROJECT RATING: 10 PROJECT RANKING: 208
Harmony Township 2501 Woodland Road Ambridge, PA 15003	COUNTY: Beaver REGION: SW NPDES: N/A	I: \$0 II: \$0 III: \$0 III: \$0	IV: \$1,800,000 IVB: \$0 V: \$0 ELIG. \$1,800,000	PROJECT NO.: CS421861-01 PROJ. TYPE: SS PROJECT RATING: 10 PROJECT RANKING: 209
Athens Township Authority 379 Pennsylvania Avenue Sayre, PA 18840	COUNTY: Bradford REGION: NC NPDES: N/A	I: \$141,415 II: \$28,965 III: \$0 III: \$0	IV: \$313,460 IVB: \$0 V: \$0 ELIG. \$483,840	PROJECT NO.: CS422148-01 PROJ. TYPE: STP SS PROJECT RATING: 10 PROJECT RANKING: 210
Coaldale Borough P. O. Box 116 Coaldale, PA 18218	COUNTY: Schuylkill REGION: NE NPDES: N/A	I: \$0 II: \$0 III: \$1,000,000 III: \$0	IV: \$0 IVB: \$0 V: \$0 ELIG. \$1,000,000	PROJECT NO.: CS422082-01 PROJ. TYPE: SSREH PROJECT RATING: 10 PROJECT RANKING: 211
Beech Creek Borough P. O. Box 216 Beech Creek, PA 16822	COUNTY: Clinton REGION: NC NPDES: PA0024538	I: \$1,004,000 II: \$0 III: \$0 III: \$0	IV: \$665,100 IVB: \$210,000 V: \$0 ELIG. \$1,879,100	PROJECT NO.: CS421937-01 PROJ. TYPE: STPMOD SS INT PROJECT RATING: 10 PROJECT RANKING: 212
TREMONT MA 423 WEST MAIN STREET TREMONT, PA 17981	COUNTY: Schuylkill REGION: NE NPDES:	I: \$2,282,445 II: \$0 III: \$766,986 III: \$123,420	IV: \$0 IVB: \$0 V: \$0 ELIG. \$3,172,851	PROJECT NO.: CS422421-01 PROJ. TYPE: STPMOD SSREH PROJECT RATING: 10 PROJECT RANKING: 213
Hummels Wharf MA P. O. Box 165 Hummels Warf, PA 17831	COUNTY: Snyder REGION: SC NPDES:	I: \$0 II: \$0 III: \$0 III: \$1,721,729	IV: \$0 IVB: \$0 V: \$0 ELIG. \$1,721,729	PROJECT NO.: CS422391-01 PROJ. TYPE: SSREH PROJECT RATING: 10 PROJECT RANKING: 214
Mansfield Borough Municipal Authority 19 E. Wellsboro Street Mansfield, PA 16933	COUNTY: Tioga REGION: NC NPDES: PA0021814	I: \$5,265,488 II: \$0 III: \$573,205 III: \$0	IV: \$5,925,475 IVB: \$410,575 V: \$0 ELIG. \$12,174,743	PROJECT NO.: CS421808-01 PROJ. TYPE: STPMOD INT SS PROJECT RATING: 9 PROJECT RANKING: 215
Lansford Borough P. O. Box 126 Lansford, PA 18232	COUNTY: Carbon REGION: NE NPDES: N/A	I: \$0 II: \$0 III: \$0 III: \$4,300,000	IV: \$0 IVB: \$0 V: \$0 ELIG. \$4,300,000	PROJECT NO.: CS421893-01 PROJ. TYPE: SS SSREH PROJECT RATING: 8 PROJECT RANKING: 216

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Minersville Sewer Authority
Two E. Sunbury Street
Minersville, PA 17954

COUNTY: Schuylkill I: \$990,000
REGION: NE II: \$0
NPDES: N/A IIIA: \$0
\$0

IVA: \$0 PROJECT NO.: CS422016-01
IVB: \$0 PROJ. TYPE: STPMOD
V: \$0 PROJECT RATING: 8
ELIG. \$990,000 PROJECT RANKING: 217

East Donegal Township
190 Rock Point Road
Marietta, PA 17547

COUNTY: Lancaster I: \$0
REGION: SC II: \$0
NPDES: N/A IIIA: \$0
\$0

IVA: \$573,500 PROJECT NO.: CS421775-01
IVB: \$0 PROJ. TYPE: SS PS
V: \$0 PROJECT RATING: 7
ELIG. \$573,500 PROJECT RANKING: 218

Ashland Borough
501 Chestnut Street
Ashland, PA 17921

COUNTY: Schuylkill I: \$0
REGION: NE II: \$0
NPDES: IIIA: \$0
\$0

IVA: \$675,000 PROJECT NO.: CS422264-01
IVB: \$0 PROJ. TYPE: PS SS
V: \$0 PROJECT RATING: 7
ELIG. \$675,000 PROJECT RANKING: 219

Athens Township Authority
379 Pennsylvania Avenue
Sayre, PA 18840

COUNTY: Bradford I: \$0
REGION: NC II: \$0
NPDES: IIIA: \$0
\$0

IVA: \$1,517,549 PROJECT NO.: CS422286-01
IVB: \$0 PROJ. TYPE: SS
V: \$0 PROJECT RATING: 4
ELIG. \$1,517,549 PROJECT RANKING: 220

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND DEPARTMENT OF ENVIRONMENTAL PROTECTION CLEAN WATER
STATE REVOLVING FUND**

FY 2004 INTENDED USE PLAN PROJECT LIST

EXPLANATION OF COLUMNAR HEADINGS (EXCEPT THOSE THAT ARE SELF-EXPLANATORY)

NEEDS CATEGORY:

I—SECONDARY TREATMENT

II—TREATMENT MORE STRINGENT THAN SECONDARY

IIIA—INFILTRATION/INFLOW CORRECTION

IIIB—MAJOR SEWER SYSTEM REHABILITATION

IVA—NEW COLLECTOR SEWERS AND APPURTENANCES

IVB—NEW INTERCEPTORS AND APPURTENANCES

V—CORRECTION OF COMBINED SEWER OVERFLOWS

PROJECT TYPE:

STP—SEWAGE TREATMENT PLANT

STPMOD—SEWAGE TREATMENT PLANT MODIFICATION

INT—INTERCEPTOR

PS—PUMP STATION

FM—FORCE MAIN

SS—SEWER SYSTEM

SS REH—SEWER SYSTEM REHABILITATION

NPDES PERMIT NUMBER:

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM PERMIT NUMBER

PROJECT NUMBER:

FEDERAL LOAN PROJECT IDENTIFICATION NUMBER

ELIG. COST:

ESTIMATED LOAN AMOUNT FOR ELIGIBLE PROJECT

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND DEPARTMENT OF ENVIRONMENTAL PROTECTION
 CLEAN WATER STATE REVOLVING FUND
 FY 2004 INTENDED USE PLAN PROJECT LIST
 JANUARY 10, 2004**

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Alexandria-Porter Joint MA R. D. 1 Box 80 Alexandria, PA 16611	COUNTY: Huntingdon REGION: SC NPDES	I: \$1,850,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$5,252,000 IVB: \$0 V: \$0 SRF \$9,070,000	PROJECT NO.: CS422296-01 PROJ. TYPE: SS STPMOD PROJECT RATING: 50 PROJECT RANKING: 6
--	---	--	---	---

PROBLEM DESCRIPTION: Malfunctioning onlot systems
 PROJECT DESCRIPTION: Construction of a collection system

Avondale Borough 110 Pomeroy Street Avondale, PA 19311	COUNTY: Chester REGION: SE NPDES	I: \$3,420,000 II: \$0 III: \$0 IIIB: \$0	IVA: \$0 IVB: \$0 V: \$0 SRF \$4,480,000	PROJECT NO.: CS422370-01 PROJ. TYPE: STPMOD PROJECT RATING: 35 PROJECT RANKING: 45
--	--	--	---	---

PROBLEM DESCRIPTION: Existing STP subject to excessive I/I, at times fails to meet NPDES permit limits (dry and wet weather) and cannot meet future capacity demands
 PROJECT DESCRIPTION: Upgrade and expand current STP utilizing BNR technology. Expand from 0.3 MGD to 0.5 MGD

Berwick Area Joint Sewer Authority 344 Market Street Berwick, PA 18603	COUNTY: Columbia REGION: NC NPDES Yes	I: \$0 II: \$0 III: \$0 IIIB: \$0	IVA: \$0 IVB: \$0 V: \$875,375 SRF \$1,201,710	PROJECT NO.: CS422293-01 PROJ. TYPE: INT PROJECT RATING: 22 PROJECT RANKING: 139
--	---	--	---	---

PROBLEM DESCRIPTION: Hydraulic overloading of conveyance system
 PROJECT DESCRIPTION: Construction of improvements to the conveyance system (additional interceptor)

Bristol Township Authority 2501 Bath Road Bristol, PA 19007	COUNTY: Bucks REGION: SE NPDES	I: \$150,000 II: \$0 III: \$0 IIIB: \$2,685,000	IVA: \$0 IVB: \$0 V: \$0 SRF \$5,500,000	PROJECT NO.: CS422396-01 PROJ. TYPE: PS SSREH FM PROJECT RATING: 25 PROJECT RANKING: 117
---	--------------------------------------	--	---	---

PROBLEM DESCRIPTION: Wet weather overflows at manholes
 PROJECT DESCRIPTION: Construction of two pump stations; 8,000 lf of force main; 10,500 lf of gravity sewers

Brockway Area Sewage Authority 501 Main Street Brockway, PA 15824	COUNTY: Jefferson/Elk REGION: NW NPDES N/A	I: \$0 II: \$8,373,305 III: \$750,000 IIIB: \$0	IVA: \$6,582,715 IVB: \$520,000 V: \$0 SRF \$16,246,020	PROJECT NO.: CS421910-01 PROJ. TYPE: STP PS INT SS I/I PROJECT RATING: 23 PROJECT RANKING: 127
---	--	--	--	---

PROBLEM DESCRIPTION: Hydraulic and organic overloading of treatment plant with high I/I in the collection system. Also malfunctioning onlot systems
 PROJECT DESCRIPTION: New 1.5 MGD oxidation ditch; upgrade and expand two existing pump stations; two interceptor relief sections; new vacuum sewer collection for 938 EDUs in two townships

PENNSYLVANIA BULLETIN, VOL. 34, NO. 2, JANUARY 10, 2004

NOTICES

303

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Clearfield Municipal Authority 107 East Market Street Clearfield, PA 16830	COUNTY: Clearfield REGION: NC NPDES	I: \$1,870,000 II: \$0 III A: \$75,000 III B: \$175,000	IVA: \$0 IVB: \$0 V: \$0 SRF \$2,120,000	PROJECT NO.: CS422390-01 PROJ. TYPE: STPMOD INT PROJECT RATING: 25 PROJECT RANKING: 116
--	---	--	---	--

PROBLEM DESCRIPTION: Equipment/lines wearing out; need to store more digester gas
PROJECT DESCRIPTION: Replace digester covers, clarification mechanism, 2,200 lf of VCP interceptor and 14 manhole covers. Install sludge centrifuge and sludge storage.

Corry City Municipal Authority 100 South Center Street Corry, PA 16407	COUNTY: Erie REGION: NW NPDES Pending	I: \$0 II: \$5,275,524 III A: \$0 III B: \$0	IVA: \$0 IVB: \$0 V: \$716,585 SRF \$7,189,512	PROJECT NO.: CS422275-01 PROJ. TYPE: STPMOD SS PROJECT RATING: 33 PROJECT RANKING: 61
--	---	---	---	--

PROBLEM DESCRIPTION: Hydraulic overloading at treatment facility
PROJECT DESCRIPTION: Construction of treatment facility and collection system improvements

East Providence Township P. O. Box 83 Breezewood, PA 15533	COUNTY: Bedford REGION: SC NPDES	I: \$500,000 II: \$84,000 III A: \$0 III B: \$400,000	IVA: \$100,000 IVB: \$0 V: \$0 SRF \$806,667	PROJECT NO.: CS422371-01 PROJ. TYPE: STPMOD SS PS PROJECT RATING: 41 PROJECT RANKING: 20
--	--	--	---	--

PROBLEM DESCRIPTION: Malfunctioning onlot systems
PROJECT DESCRIPTION: Construction of new sanitary lines to connect 30 homes to existing STP; construction of one pump station, installation of centrifuge to dewater sludge, construction of an equalization tank, construction of new head works and replacement of the existing gas

Falls Creek Borough Municipal Authority 117 Taylor Avenue Falls Creek, PA 15840	COUNTY: Jefferson REGION: NW NPDES Yes	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$1,940,000 IVB: \$0 V: \$0 SRF \$1,940,000	PROJECT NO.: CS422321-01 PROJ. TYPE: PS SS PROJECT RATING: 26 PROJECT RANKING: 108
---	--	---	---	---

PROBLEM DESCRIPTION: Malfunctioning onlot systems and discharge of sewage into streams
PROJECT DESCRIPTION: Construction of an extension to the collection system

FOXBURG AREA W&SA P. O. Box 2 Foxburg, PA 16036	COUNTY: Clarion REGION: NW NPDES	I: \$28,600 II: \$0 III A: \$329,924 III B: \$0	IVA: \$0 IVB: \$0 V: \$0 SRF \$550,000	PROJECT NO.: CS422386-01 PROJ. TYPE: STPMOD PROJECT RATING: 23 PROJECT RANKING: 132
---	--	--	---	--

PROBLEM DESCRIPTION: Hydraulic overloading at the Foxburg STP; a broken outfall sewer and high I/I in portions of the sanitary sewer system
PROJECT DESCRIPTION: Construction of a 100,000-gallon flow equalization tank, a new outfall and two areas of sewer rehabilitation

HOLLIDAYSBURG SA 401 BLAIR STREET HOLLISDAYSBURG, PA 16648	COUNTY: Blair REGION: SC NPDES	I: \$0 II: \$0 III A: \$0 III B: \$0	IVA: \$990,385 IVB: \$1,586,000 V: \$0 SRF \$2,308,965	PROJECT NO.: CS422392-01 PROJ. TYPE: INT SS PROJECT RATING: 25 PROJECT RANKING: 115
--	--------------------------------------	---	---	--

PROBLEM DESCRIPTION: Manhole overflows on Legion park interceptor and near Fort Fetter Siphon during wet weather.
PROJECT DESCRIPTION: Interceptor replacement, eliminate wildcat sewer, combined sewer separation

APPLICANT INFORMATION

Hopewell Township
R. D. 1, Box 95
James Creek, PA 16657

COUNTY: Huntingdon
REGION: SC
NPDES PA0082759

NEEDS CATEGORIES

I: \$0
II: \$0
III: \$0
IIIB: \$0

IVA: \$700,000
IVB: \$0
V: \$0
SRF \$700,000

PROJECT INFORMATION

PROJECT NO.: CS422387-01
PROJ. TYPE: SS PS
PROJECT RATING: 23
PROJECT RANKING: 126

AMOUNT:

PROBLEM DESCRIPTION: Malfunctioning onlot systems and contamination of drinking water wells

PROJECT DESCRIPTION: Construction of a collections system and pump station to serve 65 EDU's in the Pottstown area.

Hopewell Township
1700 Clark Boulevard
Aliquippa, PA 15001

COUNTY: Beaver
REGION: SW
NPDES

I: \$0
II: \$0
III: \$0
IIIB: \$0

IVA: \$0
IVB: \$770,000
V: \$0
SRF \$770,000

PROJECT NO.: CS422387-01
PROJ. TYPE: INT SS
PROJECT RATING: 20
PROJECT RANKING: 146

AMOUNT:

PROBLEM DESCRIPTION: Wet weather bypassing to tributaries of the Racoon Creek

PROJECT DESCRIPTION: Replacement of 525 feet of sewer and upsizing of the Wilson and Heights Pump Station to eliminate wet weather bypassing

Hummels Wharf MA
P. O. Box 165
Hummels Warf, PA 17831

COUNTY: Snyder
REGION: SC
NPDES

I: \$0
II: \$0
III: \$0
IIIB: \$1,721,729

IVA: \$0
IVB: \$0
V: \$0
SRF \$1,721,729

PROJECT NO.: CS422391-01
PROJ. TYPE: SSREH
PROJECT RATING: 10
PROJECT RANKING: 214

AMOUNT:

PROBLEM DESCRIPTION: Existing sewer replacement to reduce I/I

PROJECT DESCRIPTION: Replacement and rehabilitation of oldest subsection of collection system to reduce I/I

Indiana County Municipal Services
827 Water Street
Indiana, PA 15701

COUNTY: Indiana
REGION: SW
NPDES

I: \$150,000
II: \$0
III: \$0
IIIB: \$0

IVA: \$180,000
IVB: \$1,312,500
V: \$0
SRF \$51,667

PROJECT NO.: CS422359-01
PROJ. TYPE: STP SS PS
PROJECT RATING: 43
PROJECT RANKING: 13

AMOUNT:

PROBLEM DESCRIPTION: Malfunctioning onlot systems will be eliminated which in turn will eliminate seepage of sewage into nearby streams and waterways

PROJECT DESCRIPTION: Construction of 25,000 lf of SS, one pump station, 9,000 lf of force main, 3,000 lf of collection lines and a 10,000 GPD STP

MAHONING TOWNSHIP
P. O. Box 50
Distant, PA 16223

COUNTY: Armstrong
REGION: SW
NPDES

I: \$1,000,000
II: \$0
III: \$0
IIIB: \$0

IVA: \$3,175,150
IVB: \$0
V: \$0
SRF \$2,197,150

PROJECT NO.: CS422393-01
PROJ. TYPE: STP PS SS
PROJECT RATING: 38
PROJECT RANKING: 34

AMOUNT:

PROBLEM DESCRIPTION: Wild cat sewers discharging untreated sewage to tributaries of Redbank Creek

PROJECT DESCRIPTION: Construction of a sanitary sewer system to serve 244 existing EDUs that are currently served by wildcat systems. Project consist of 32,000 lf of sewers, two pump stations and a 90,000 GPD STP.

Mid Mon Valley
P. O. Box 197
Allenport, PA 15412

COUNTY: Washington
REGION: SW
NPDES

I: \$750,000
II: \$0
III: \$0
IIIB: \$0

IVA: \$0
IVB: \$652,535
V: \$0
SRF \$1,783,035

PROJECT NO.: CS422373-01
PROJ. TYPE: STPMOD PS
PROJECT RATING: 23
PROJECT RANKING: 122

AMOUNT:

PROBLEM DESCRIPTION: Combined sewer overflows during wet weather events

PROJECT DESCRIPTION: Project involves upgrading current STP and pump station.

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Milton Regional SA
Two Filbert Street, P. O. Box 150
Milton, PA 17847

COUNTY: Northumberland
REGION: NC
NPDES

I: \$0
II: \$0
III A: \$0
III B: \$0

IVA: \$7,525,340
IVB: \$645,496
V: \$0
SRF \$8,170,836

PROJECT NO.: CS422287-01
PROJ. TYPE: SS
PROJECT RATING: 29
PROJECT RANKING: 75

AMOUNT:

PROBLEM DESCRIPTION: New sewage collection system for Montandon Village

PROJECT DESCRIPTION: Construction of a new sewage collection system to serve Montandon Village, East Lewisburg along Old Rt. 45, Sodom Road, Colonial Park, Milton Center East and along SR 405, north of Houses Run Road.

MONONGAHELA CITY
449 West Main Street
Monongahela, PA 15063

COUNTY: Washington
REGION: SW
NPDES

I: \$0
II: \$0
III A: \$0
III B: \$0

IVA: \$3,296,000
IVB: \$0
V: \$0
SRF \$3,296,000

PROJECT NO.: CS422394-01
PROJ. TYPE: SS PS FM
PROJECT RATING: 40
PROJECT RANKING: 23

AMOUNT:

PROBLEM DESCRIPTION: Malfunctioning onlot systems directly discharging into tributaries of Dry Run and Pigeon Creek

PROJECT DESCRIPTION: Construction of sanitary sewers to serve EDUs that are currently unsewered. Project will consist of 26,000 lf of gravity sewer lines, 123 lf of force main and 1 pump station that will serve 120 homes.

Moon Township MA
1700 Beaver Grade Rd, Suite 200
Coraopolis, PA 15108

COUNTY: Allegheny/
Beaver
REGION: SW
NPDES

I: \$1,920,000
II: \$0
III A: \$0
III B: \$0

IVA: \$685,000
IVB: \$1,560,000
V: \$0
SRF \$4,700,000

PROJECT NO.: CS422374-01
PROJ. TYPE: STP PS SS
PROJECT RATING: 29
PROJECT RANKING: 92

AMOUNT:

PROBLEM DESCRIPTION: Overflows from current overloaded Crescent WWTP into Spring Run and Shouse Run

PROJECT DESCRIPTION: Project involves upgrading existing Crescent/S.Heights pump stations, expansion of the Flaugherty Run STP from 2.0 MGD to 3.0 MGD and the extension of the outfall sewer to the Ohio River. Flows in Crescent/S.Heights will be redirected to Moon Township and the Crescent/S. Heights STP will be abandoned.

Muddy Run RA
P. O. Box 474
Madera, PA 16661

COUNTY: Clearfield
REGION: NC
NPDES

I: \$475,000
II: \$0
III A: \$0
III B: \$0

IVA: \$125,000
IVB: \$510,000
V: \$0
SRF \$398,334

PROJECT NO.: CS422377-01
PROJ. TYPE: STP PS SS
PROJECT RATING: 20
PROJECT RANKING: 148

AMOUNT:

PROBLEM DESCRIPTION: Malfunctioning onlot and wildcat sewers throughout borough

PROJECT DESCRIPTION: Construction of a .025 MGD WWTP and 15,000 lf of gravity/pressure sewers

Nelson Township MA
P. O. Box 100
Nelson, PA 16940

COUNTY: Tioga
REGION: NC
NPDES

I: \$1,266,172
II: \$259,337
III A: \$0
III B: \$0

IVA: \$926,243
IVB: \$369,648
V: \$0
SRF \$1,082,600

PROJECT NO.: CS422375-01
PROJ. TYPE: STPMOD SS PS
PROJECT RATING: 43
PROJECT RANKING: 14

AMOUNT:

PROBLEM DESCRIPTION: Malfunctioning onlot systems contaminating potable water wells

PROJECT DESCRIPTION: Construction of 11,200 lf of SS, 7,300 lf of force mains, two pump stations and modifications at the current STP

North Sewickley Township Sewer Authority
893 Mercer Road
Beaver Falls, PA 15010

COUNTY: Beaver
REGION: SW
NPDES

I: \$0
II: \$0
III A: \$0
III B: \$0

IVA: \$3,445,600
IVB: \$8,204,875
V: \$0
SRF \$10,003,100

PROJECT NO.: CS422245-01
PROJ. TYPE: SS INT PS FM
PROJECT RATING: 40
PROJECT RANKING: 22

AMOUNT:

PROBLEM DESCRIPTION: Malfunctioning onlot systems

PROJECT DESCRIPTION: Design of a collection and conveyance system

APPLICANT INFORMATION

Penn Township
R. R. 1, Box 15
Coburn, PA 16832

COUNTY: Centre
REGION: NC
NPDES N/A

NEEDS CATEGORIES

I: \$457,800
II: \$0
III A: \$0
III B: \$0

IVA: \$888,750
IVB: \$0
V: \$0
SRF \$1,346,550

AMOUNT:

PROJECT INFORMATION

PROJECT NO.: CS422204-01
PROJ. TYPE: STP SS
PROJECT RATING: 35
PROJECT RANKING: 47

PROBLEM DESCRIPTION: Malfunctioning onlot systems

PROJECT DESCRIPTION: Design of a collection system and treatment facility

Penn Township Municipal Authority
102 Municipal Building Road
Duncannon, PA 17020

COUNTY: Perry
REGION: SC
NPDES Pending

I: \$1,600,000
II: \$0
III A: \$0
III B: \$0

IVA: \$3,075,000
IVB: \$0
V: \$0
SRF \$6,023,500

AMOUNT:

PROJECT NO.: CS422236-01
PROJ. TYPE: STPMOD SS
PROJECT RATING: 47
PROJECT RANKING: 8

PROBLEM DESCRIPTION: Malfunctioning onlot systems

PROJECT DESCRIPTION: Construction of a collection and conveyance system and expansion of an existing treatment facility

Ralpho Township MA
32-A S. Market Street
Elysburg, PA 17824

COUNTY: Columbia/
Northumberland
REGION: NC
NPDES

I: \$0
II: \$0
III A: \$0
III B: \$0

IVA: \$964,330
IVB: \$565,670
V: \$0
SRF \$1,988,000

AMOUNT:

PROJECT NO.: CS422376-01
PROJ. TYPE: SS PS FM
PROJECT RATING: 13
PROJECT RANKING: 199

PROBLEM DESCRIPTION: Current treatment plant operating at near capacity; also Reeders Grove cottages and residences/businesses within Rt. 487 are discharging improperly treated sewage into the Roaring Creek a High Quality Water

PROJECT DESCRIPTION: Construction of 6,000 lf of force main, one pump station and 6,000 lf of gravity sewer

Rush Township
P. O. Box 152
Philipsburg, PA 16866

COUNTY: Centre
REGION: NC
NPDES

I: \$0
II: \$0
III A: \$0
III B: \$0

IVA: \$1,234,945
IVB: \$191,755
V: \$0
SRF \$1,426,700

AMOUNT:

PROJECT NO.: CS422395-01
PROJ. TYPE: SS INT
PROJECT RATING: 26
PROJECT RANKING: 105

PROBLEM DESCRIPTION: Malfunctioning on-lot septic systems; regional growth

PROJECT DESCRIPTION: Construct sewer extensions and replace faulty private and public sewer sections

Schuylkill Valley Sewer Authority
P. O. Box 314
Mary-D, PA 17952

COUNTY: Schuylkill
REGION: NE
NPDES N/A

I: \$5,403,989
II: \$0
III A: \$0
III B: \$0

IVA: \$9,313,264
IVB: \$4,024,247
V: \$0
SRF \$17,623,500

AMOUNT:

PROJECT NO.: CS421749-01
PROJ. TYPE: STP SS INT
PROJECT RATING: 38
PROJECT RANKING: 35

PROBLEM DESCRIPTION: Malfunctioning onlot systems and discharges of sewage into streams

PROJECT DESCRIPTION: Construction of a collection and conveyance system and treatment facility

Vernon Township Sanitary Authority
16678 McMath Avenue
Meadville, PA 16335

COUNTY: Crawford
REGION: NW
NPDES

I: \$0
II: \$0
III A: \$0
III B: \$0

IVA: \$1,674,000
IVB: \$1,130,000
V: \$0
SRF \$3,470,100

AMOUNT:

PROJECT NO.: CS422354-01
PROJ. TYPE: SS PS FM
PROJECT RATING: 26
PROJECT RANKING: 102

PROBLEM DESCRIPTION: Malfunctioning onlot systems

PROJECT DESCRIPTION: Installation of 1,230 lf of 10-inch gravity sewer, 25,335 lf of 8-inch gravity sewer, 120 manholes, 11,780 lf of force main, 1 pump station and 39 residential grinder pumps.

APPLICANT INFORMATION

Westover Borough Council
P. O. Box 199
Westover, PA 16692

NEEDS CATEGORIES

COUNTY:	Clearfield	I:	\$841,500	IVA:	\$0
REGION:	NC	II:	\$0	IVB:	\$1,708,500
NPDES		IIIA:	\$0	V:	\$0
		IIIB:	\$0	SRF	\$1,002,000
				AMOUNT:	

PROJECT INFORMATION

PROJECT NO.:	CS422379-01
PROJ. TYPE:	STP SS
PROJECT RATING:	40
PROJECT RANKING:	25

PROBLEM DESCRIPTION: 93% of existing onlot systems malfunctioning
 PROJECT DESCRIPTION: Construction of a new 51,000 GPD STP and 23,000 lf of sanitary sewer piping

Windber Area Authority
1700 Stockholm Ave.
Windber, PA 15963

COUNTY:	Somerset/ Cambria	I:	\$0	IVA:	\$0
REGION:	SW	II:	\$0	IVB:	\$0
NPDES	Pending	IIIA:	\$0	V:	\$0
		IIIB:	\$4,900,000	SRF	\$5,680,000
				AMOUNT:	

PROJECT NO.:	CS422369-01
PROJ. TYPE:	SSREHAB
PROJECT RATING:	19
PROJECT RANKING:	156

PROBLEM DESCRIPTION: Wet weather bypassing from SS into Paint Creek
 PROJECT DESCRIPTION: Replacement of 17,000 lf of 24-inch interceptor with 36- and 42-inch sewer to eliminate SSO

[Pa.B. Doc. No. 04-72. Filed for public inspection January 9, 2004, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-311305F7008. CTSI, LLC and Tern Wireless, LLC. Joint petition of CTSI, LLC and Tern Wireless, LLC for approval of a negotiated interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

CTSI, LLC and Tern Wireless, LLC, by its counsel, filed on December 19, 2003, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a negotiated interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the CTSI, LLC and Tern Wireless, LLC joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 04-73. Filed for public inspection January 9, 2004, 9:00 a.m.]

Telecommunications

A-311305F7003. Commonwealth Telephone Company and Tern Wireless, LLC. Joint Petition of Commonwealth Telephone Company and Tern Wireless, LLC for approval of a negotiated interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Commonwealth Telephone Company and Tern Wireless, LLC, by its counsel, filed on December 22, 2003, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a negotiated interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Commonwealth Telephone Company and Tern Wireless, LLC joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 04-74. Filed for public inspection January 9, 2004, 9:00 a.m.]

Tentative Order

Public Meeting held
December 18, 2003

Commissioners Present: Terrance J. Fitzpatrick, Chairperson; Robert K. Bloom, Vice Chairperson; Glen R. Thomas; Kim Pizzingrilli; Wendell F. Holland

Natel, LLC (2003.0333); A-310953

Tentative Order

By the Commission:

Natel, LLC (Natel) has failed to pay its \$734 annual assessment for 2003-2004 under section 510(c) of the Public Utility Code. 66 Pa.C.S. § 510(c). Natel is a telecommunications interexchange reseller certificated at A-310953. Commission staff has been advised by Natel's outside consultant that the company is no longer in business.

The Commission puts the industry on notice that we will not hesitate to invoke our authority under the Public Utility Code to ensure timely compliance with our regulations and orders including the imposition of any remedies as the Commission may deem appropriate. 66 Pa.C.S. §§ 504, 505, 506 and 3301. Based on the information provided by the former consultant and because of Natel's failure to pay its general assessment for 2003-2004, we believe it is appropriate to revoke Natel's certificate of public convenience without the necessity of a formal complaint, and we tentatively conclude that revocation of Natel's certificate of public convenience under 66 Pa.C.S. § 1102(a)(2) is in the public interest. Furthermore, the Commission may take other appropriate action, including the imposition of penalties under section 3301, instead of cancellation, if Natel seeks relief from this Tentative Order; *Therefore,*

It Is Ordered That:

1. Revocation of Natel LLC's certificate of public convenience is hereby tentatively approved as being in the public interest.
2. The Secretary serve a copy of this Tentative Order upon the Office of Consumer Advocate, the Office of Small Business Advocate and the Office of Trial Staff, and also cause a copy of this Tentative Order to be published in the *Pennsylvania Bulletin* with a 30-day comment period.
3. Absent the filing of adverse public comment within 30 days after publication in the *Pennsylvania Bulletin*, this Tentative Order shall become final without further action by the Commission.
4. Upon this order becoming final and without further action by the Commission, the certificate of public convenience held by Natel LLC at A-310953 shall be canceled, and Natel LLC's name stricken from all active utility lists maintained by the Commission's Bureau of Fixed Utility Services and the Assessment Section of the Bureau of Audits.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 04-75. Filed for public inspection January 9, 2004, 9:00 a.m.]

Water Service

A-210104F0045. Pennsylvania Suburban Water Company. Application of Pennsylvania Suburban Water Company for approval of: (1) the acquisition by Pennsylvania Suburban Water Company of the water supply and distribution system assets of Century Land Development Company and Landmark Builders, Inc., along with the installation by Pennsylvania Suburban Water Company of a water treatment plant; and (2) the commencement by Pennsylvania Suburban Water Company of water service to the public in a portion of Marion Township, Berks County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before January 26, 2004. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Pennsylvania Suburban Water Company

Through and By Counsel: Mark J. Kropilak, Esquire,
762 West Lancaster Avenue, Bryn Mawr, PA 19010-3489
JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 04-76. Filed for public inspection January 9, 2004, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project #03-178.1, Canopy Repairs at Pier 80 South Annex until 2 p.m. on Tuesday, January 27, 2004. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 N. Delaware Ave., 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available January 13, 2004. The cost of the bid document is \$35 (includes 7% Pennsylvania sales tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractors must comply with all applicable equal opportunity laws and regulations.

A mandatory prebid job site meeting will be held on Tuesday, January 20, 2004, at 10 a.m. at Columbus Blvd. and Snyder Ave., Philadelphia, PA.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 04-77. Filed for public inspection January 9, 2004, 9:00 a.m.]

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project #03-214.1, Roof Replacement, Pier 84 S., until 2 p.m. on Thursday, January 29, 2004. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 N. Delaware Avenue, 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available January 13, 2004. The cost of the bid document is \$35 (includes 7% Pennsylvania sales tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractors must comply with all applicable equal opportunity laws and regulations.

A mandatory prebid job site meeting will be held on January 22, 2004, at 10 a.m. at Pier 84 S., Porter St. and Columbus Blvd., Philadelphia, PA 19148.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 04-78. Filed for public inspection January 9, 2004, 9:00 a.m.]

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project #03-242.1, 1st Floor Paving, Pier 40 South, until 2 p.m. on Thursday, January 29, 2004. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 N. Delaware Avenue, 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available January 13, 2004. Additional information and project listings may be found at www.philaport.com. The cost of the bid document is \$35 (includes 7% Pennsylvania sales tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractors must comply with all applicable equal opportunity laws and regulations.

A mandatory prebid job site meeting will be held on Thursday, January 22, 2004, at 11 a.m. at Pier 40 South, Columbus Blvd. and Christian St., Philadelphia, PA 19147.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 04-79. Filed for public inspection January 9, 2004, 9:00 a.m.]