

NOTICES

DEPARTMENT OF AGRICULTURE

Interstate/International Quarantine Order; Vesicular Stomatitis

Recital

A. Vesicular stomatitis is an infectious viral disease that primarily affects horses, cattle and swine.

B. Vesicular stomatitis is designated a "dangerous transmissible disease" of animals under 3 Pa.C.S. § 2321(a)(40) (relating to dangerous transmissible diseases).

C. The Department of Agriculture (Department) has broad authority under 3 Pa.C.S. §§ 2301—2389 (relating to the Domestic Animal Law) to regulate the keeping and handling of domestic animals to exclude, contain or eliminate dangerous transmissible diseases. This includes the authority in 3 Pa.C.S. § 2329 (relating to quarantine) to issue the interstate/international quarantine order as follows.

D. Vesicular stomatitis exists in other states and nations, and the transporting of infected animals from these states or nations could spread that disease among susceptible domestic animals in this Commonwealth.

E. There are reasonable and relatively unintrusive quarantine restrictions the Department can impose in order to prevent vesicular stomatitis from entering this Commonwealth.

Order

The Department enters an interstate/international quarantine order with respect to vesicular stomatitis, incorporating the foregoing recitals into this order. This order is entered under authority of 3 Pa.C.S. § 2329 and establishes the following restrictions and conditions:

1. No hooved animals may enter this Commonwealth if vesicular stomatitis has been diagnosed within 10 miles of the premises of origin since January 1, 2004.

2. All hooved animals entering this Commonwealth from a state in which vesicular stomatitis has been diagnosed since January 1, 2004, shall be examined by an accredited veterinarian to determine whether they are free from vesicular stomatitis, and shall be accompanied by a Certificate of Veterinary Inspection with the following written statement signed by that accredited veterinarian:

All animals identified on this Certificate of Veterinary Inspection have been examined and found to be free from vesicular stomatitis. During the past 30 days, these animals have neither been exposed to vesicular stomatitis nor located within 10 miles of a site where vesicular stomatitis has been diagnosed.

3. This order will be automatically rescinded on December 31, 2004, unless extended under the previous authority.

4. This order is effective as of June 30, 2004.

DENNIS C WOLFF,
Secretary

[Pa.B. Doc. No. 04-1298. Filed for public inspection July 16, 2004, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending July 6, 2004.

BANKING INSTITUTIONS

Conversions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
6-30-04	The New Tripoli National Bank New Tripoli Lehigh County	6748 Madison Street New Tripoli Lehigh County	Effective
	<i>To:</i> New Tripoli Bank New Tripoli Lehigh County		

Represents conversion from a Nationally-chartered banking association to a State-chartered bank. The bank is wholly owned by New Tripoli Bancorp, Inc., New Tripoli, an existing bank holding company. Also, New Tripoli Bank has been approved for membership in the Federal Reserve System and that membership became effective as of the date of conversion.

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
	<i>Branch Acquired by Means of Conversion:</i>		
	7747 Claussville Road Orefield Lehigh County		

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
7-1-04	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	3900 Welsh Road Willow Grove Montgomery County	Filed

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
7-1-04	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	<i>To:</i> 2801 East Carson Street Pittsburgh Allegheny County <i>From:</i> 1401 Carson Street Pittsburgh Allegheny County	Filed

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
7-1-04	CSB Bank Curwensville Clearfield County	Route 879 Clearfield/Curwensville Highway Clearfield Lawrence Township Clearfield County	Effective

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

A. WILLIAM SCHENCK, III,
Secretary

[Pa.B. Doc. No. 04-1299. Filed for public inspection July 16, 2004, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Conservation and Natural Resources Advisory Council Meeting

The Conservation and Natural Resources Advisory Council to the Department of Conservation and Natural Resources (Department) will hold a meeting on Wednesday, July 28, 2004, at 10 a.m. in Room 105, Lobby Level, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting or agenda items should be directed to Kurt Leitholf, (717) 705-0031.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Joan Dupes at (717) 705-0031 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

MICHAEL F. DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 04-1300. Filed for public inspection July 16, 2004, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0060691	Luzerne County Parks Department Luzerne County Courthouse 200 West River Street Wilkes-Barre, PA 18711	Luzerne County Plymouth Township	Unnamed tributary to Hunlock Creek 5B	Y

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0063924 Sewage	Department of Conservation and Natural Resources Delaware Canal State Park 2908 Three Mile Run Road Perkasie, PA 18944-2065	Northampton County Williams Township	Delaware River 1E	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0222976	Albert R. Shouey R. R. 2 Box 113B Worthington, PA 16262	Barnett Township Jefferson County	Unnamed tributary to Cather Run	Y
PA0090182 Amendment No. 1	Concordia Lutheran Ministries 134 Marwood Road Cabot, PA 16023	Jefferson Township Butler County	Unnamed tributary to Little Buffalo Creek 18-F	Y
PA0222763	Charter Plastics, Inc. 221 South Perry Street P. O. Box 770 Titusville, PA 16354	City of Titusville Crawford County	Oil Creek 16-E	Y
PA0102181	The Venango Park and Natural Resources Authority Two Mile Run County Park 471 Beach Road Franklin, PA 16323	Oakland Township Venango County	Two Mile Run 16-E	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

PA0031330, Sewage, **Brownsville Area School District**, 1025 Lewis Street, Brownsville, PA 15417. This application is for renewal of an NPDES permit to discharge treated sewage from the Cox-Donahay Elementary School STP in Redstone Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of Dunlap Creek, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the California Water Company.

Outfall 001: existing discharge, design flow of 0.0088 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10			20
Suspended Solids	25			50
Ammonia Nitrogen				
(5-1 to 10-31)	3.0			6.0
(11-1 to 4-30)	9.0			18.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 3.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0031402, Sewage, **Brownsville Area School District**, 1025 Lewis Street, Brownsville, PA 15417. This application is for renewal of an NPDES permit to discharge treated sewage from the Central Elementary School STP in Luzerne Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an unnamed tributary of the Monongahela River, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Tri County Joint Municipal Authority.

Outfall 001: existing discharge, design flow of 0.01 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 3.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0033626, Sewage, **West Greene School District**, 1367 Hargus Creek Road, Waynesburg, PA 15370. This application is for renewal of an NPDES permit to discharge treated sewage from the West Greene Middle School/High School Sewage Treatment Plant in Center Township, **Greene County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Hargus Creek, which are classified as a HQ WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Waynesburg Water Treatment Plant.

Outfall 001: existing discharge, design flow of 0.012 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10			20
Suspended Solids	10			20
Ammonia Nitrogen				
(5-1 to 10-31)	1.5			3.0
(11-1 to 4-30)	4.5			9.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 5 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0093254, Sewage, **Sugar Creek Rest, Inc.**, R. D. 2, Box 80, Worthington, PA 16262. This application is for renewal of an NPDES permit to discharge treated sewage from the Sugar Creek Rest STP in Sugarcreek Township, **Armstrong County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as unnamed tributary of Patterson Run, which are classified as a HQ TSF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Cadogen Water Works.

Outfall 001: existing discharge, design flow of 0.02 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	20			40
Suspended Solids	25			50
Ammonia Nitrogen				
(5-1 to 10-31)	2.5			5.0
(11-1 to 4-30)	6.0			12.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.13			0.3
Dissolved Oxygen	not less than 6.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0215945, Sewage, **Trinity Area School District**, 231 Park Avenue, Washington, PA 15301. This application is for renewal of an NPDES permit to discharge treated sewage from the Trinity South Elementary School WWTP in Amwell Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Little Tenmile Creek, which are classified as a TSF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Marianna Borough, Washington County Water Works.

Outfall 001: existing discharge, design flow of 0.006 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	8.0			16.0
(11-1 to 4-30)	24.0			48.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	4,000/100 ml as a geometric mean			
Total Residual Chlorine	0.7			1.7
Dissolved Oxygen	not less than 3 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0216747, Sewage, **Consol Pennsylvania Coal Company**, 172 Route 519, P. O. Box 355, Eighty Four, PA 15330. This application is for renewal of an NPDES permit to discharge treated sewage from the West Finley Portal STP in West Finley Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as drainage swale of Robinson Fork, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Bayer Corporation on the Ohio River in West Virginia.

Outfall 001: existing discharge, design flow of 0.025 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	5.0			10.0
(11-1 to 4-30)	15.0			30.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.5			1.0
Dissolved Oxygen	not less than 3.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0239518, Sewage, **Meadow Ridge Partners**, Route 68 and Buhl Hill Road, Evans City, PA 15143. This proposed facility is in Forward Township, **Butler County**.

Description of Proposed Activity: New discharge of treated sewage.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, the existing/proposed downstream potable water supply considered during the evaluation is the Zelienople Municipal Water Works intake on the Connoquenessing Creek, approximately 9 miles below point of discharge.

The receiving stream, the unnamed tributary to the Connoquenessing Creek, is in watershed 20-C and classified for WWF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.035 MGD.

<i>Parameter</i>	<i>Concentrations</i>	
	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX	
CBOD ₅	25	50

<i>Parameter</i>	<i>Concentrations</i>	
	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	60
NH ₃ -N		
(5-1 to 10-31)	2	4
(11-1 to 4-30)	6	12
Fecal Coliform		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,100/100 ml as a geometric average	
Ultraviolet Light Intensity	XX	
Phosphorus as P		
(4-1 to 10-31)	2	4
Dissolved Oxygen	minimum of 5 mg/l at all times	
pH	6.0 to 9.0 standard units at all times	

XX—Monitor and Report

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 4004404, Camp Orchard Hill, Inc., R. R. 3, Box 275, Dallas, PA 18612. This proposed facility is in Franklin Township, **Luzerne County**.

Description of Proposed Action/Activity: This project consists of the construction of additional sewage disposal facilities for existing youth campgrounds. The project will construct and utilize a large volume onlot septic system to supplement the existing onlot septic system to accommodate the additional 12,500 gpd of expanded flow.

IV. NPDES Applications for Stormwater Discharges from MS4

V. Applications for NPDES Waiver Stormwater Discharges from MS4

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
Canaan Township R. R. 2, Box 2011 Waymart, PA 18472	Wayne	Canaan Township	VanAuken Creek HQ-TSF, MF Middle Creek

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI010904006	Palisades School District Palisades High School Expansion 20 School Drive Kintnersville, PA 18930	Bucks	Nockamixon Township	Rapp Creek EV
PAI011504039	St. Norbert RC Church Expansion 50 Leopard Road Paoli, PA 19301	Chester	Easttown Township	Crum Creek HQ-CWF

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Lehigh County Conservation District: Lehigh Ag. Ctr., Suite 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10Q182-R	Lehigh Valley Industrial Holdings, LP 171 Route 173 Asbury, NJ 08802	Lehigh	Upper Macungie Township	Little Lehigh Creek HQ-CWF

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023904025	Dale Roth R & T Management 1173 Troupe Rd. Harbor Creek, PA 16421	Lehigh	Lowhill Township	Jordan Creek HQ-CWF, MF
PAI023904026	Jeffrey Johnson 5159 Hoffmansville Rd. Orefield, PA 18069	Lehigh	North Whitehall Township	Hassen Creek HQ-CWF, MF
PAI023904027	Ron Stahley 3256 Levans Rd. Coplay, PA 18037	Lehigh	North Whitehall Township	Unnamed tributary to Jordan Creek HQ-CWF
PAI023904028	Ward Trucking Ward Towers P. O. Box 1553 Altoona, PA 16603	Lehigh	South Whitehall Township	Little Cedar Creek HQ-CWF

Northampton County Conservation District: Greystone Building, Gracedale Complex, Nazareth, PA 18064-9211, (610) 746-1971.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024804021	Raymond Bartolacci, Jr. 711 Frutchey Hill Road Easton, PA 18040	Northampton	Lower Nazareth Township	Bushkill Creek HQ-CWF
PAI024804022	Nazareth Development LLC 25 S. Main St. Nazareth, PA 18064	Northampton	Moore and Bushkill Townships	Bushkill Creek HQ-CWF

Wayne County Conservation District: Ag. Service Center, 470 Sunrise Ave., Honesdale, PA 18431, (570) 253-0930.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI026404004	Clemleddy Construction Rt. 6 Palmyra Professional Complex P. O. Box 609 Hawley, PA 18428-0609	Wayne	Paupack Township	Wallenpaupack Creek HQ-CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI2032104001	171 Associates 3609 Gettysburg Road Camp Hill, PA 17011	Cumberland	Silver Spring Township	Trindle Spring Run CWF/HQ-CWF (Basin 1 drainage area only)
PAI033604005	Frey Brothers, Inc.	Lancaster	Little Britain and East Drumore Townships	UNT to Octoraro Creek HQ
PAI033104001	John G. Gilliland 1 War Path Warriors Mark, PA 16877	Huntingdon	Warriors Mark Township	Warriors Mark Run HQ-CWF

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Westmoreland County Conservation District: Center for Conservation Education, 211 Donohoe Road, Greensburg, PA 15601, (724) 837-5271.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI056503001	Manor Development Gr. 109 Gateway Avenue Wexford, PA 15090	Westmoreland	Murrysville	Unnamed tributary to Steele Run HQ-CWF

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI056504005	Robert Cypher 4790 Old Frankstown Rd. Monroeville, PA 15146	Westmoreland	Murrysville	Unnamed tributary to Steele Run HQ-CWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

MS4 Notices of Intent Received

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Department Protocol (Y/N)</i>
PAG132275	Heidelberg Township P. O. Box 218 New Tripoli, PA 18066	Lehigh	Heidelberg Township	Mill Creek CWF, MF	Y

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 4004504 , Public Water Supply.
Applicant Natures Way Pure Water Systems, Inc.
Township or Borough Dupont Borough, Luzerne County
Responsible Official Matt Sullivan, Controller Natures Way Pure Water Systems, Inc. 164 Commerce Boulevard Dupont, PA 18641
Type of Facility PWS/Bottled Water Facility
Consulting Engineer James P. Palumbo, P. E. Quad Three Group, Inc. Glenmaura Professional Center 72 Glenmaura National Boulevard Moosic, PA 18507
Application Received Date June 9, 2004
Description of Action The applicant requests the addition of a new source of supply (Tomhicken Mountain Springs/Hazleton Water Company) to an existing, permitted bottled water facility (PWS ID 2406411).

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 3604510 , Public Water Supply.
Applicant Manheim Borough Authority
Municipality Manheim Borough
County Lancaster
Responsible Official Robert D. Stoner, Manager 15 East High Street Manheim, PA 17545
Type of Facility PWS

Consulting Engineer George H. Wagner, Jr.
 Rettew Assoc., Inc.
 3020 Columbia Ave.
 Lancaster, PA 17603

Application Received June 1, 2004
 Date

Description of Action Project involves the construction
 of a 10-inch water main and a
 booster pump station to improve
 service at an existing high
 service area in Penn Township.
 This area is known as the Sun
 Hill Service Area.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and

implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Delbar Products, Inc., Perkasio Borough, **Bucks County**. Mark Stevens, Langasam Stevens & Silver, 1616 Walnut Street, Suite 1700, Philadelphia, PA 19103 on behalf of Creig Benfield has submitted a Notice of Intent to Remediate. Fuel oil spill and other nonchlorinated organic contamination from long term operation of a manufacturing facility. Chlorinated organic groundwater contamination from the upgradient stainless site. Non-chlorinated organics—remediation to permit application of the Site Specific Standard. Chlorinated organics—no action based on application of the Background Standard.

Blosinenski Farm, East Brandywine Township, **Chester County**. Michael S. Welsh, P. E. on behalf of Andrew Ruskay and Anthony Wilson, ACR Machine, Inc., 21 North 10th Street, Coatesville, PA 19320 has submitted a Notice of Intent to Remediate. Site contamination is associated with a 1.1-acre former above-grade farm disposal area containing primarily glass, metal and ash mixed with soils. With the exception of the used motor oil compounds, the identified contaminants are believed to be associated with the burning of trash, plastic containers and possibly tires. The intended future use of the property is residential.

The Former Namico Plant, City of Philadelphia, **Philadelphia County**. Paul Martino, P. G., Pennoni Associates, Inc., 3001 Market Street, Philadelphia, PA 19102 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site have been impacted by inorganics, PAH and other organics. The future use of land is for residential use. Proof of publication of notice in the *Philadelphia Daily News*, June 25, 2004.

Former Allegro MicroSystems W. G., Inc. Property, Upper Moreland Township, **Montgomery County**. C. Peter Barringer, Services Environmental, Inc., 375 Morgan Street, Phoenixville, PA 19460, on behalf of Bruce Goodman, Goodman Properties, 636 Old York Road, Jenkintown, PA 19046 has submitted a Notice of Intent to Remediate. Groundwater at the site has been impacted by concentrations of barium. The property is intended to be redeveloped for commercial/retail uses.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Morgan AM&T, 441 Hall Ave., City of St. Marys, **Elk County**. Edward B. Burkett, 180 Environmental Dr., P. O. Box 1017, St. Marys, PA 15857 on behalf of Joshua D. Marvil, EMSOURCE St. Marys LLC, 111 Commercial St., Suite 400, P. O. Box 17914, Portland, ME 04112-7914, has submitted a Notice of Intent to Remediate. The site will be addressed by application of the Background Standard and pathway elimination under the Site-

Specific Standard. Soil contamination, to the extent that there might be any at all, will be addressed by pathway elimination, using the existing buildings and paved surfaces as exposure barriers. With regard to groundwater, concentrations of VOCs not related to the property will be addressed by the Background Standard. VOCs believed to be related to the property will be addressed by pathway elimination. Institutional controls, in the form of deed restrictions, will be implemented to ensure that existing or equivalent barriers are maintained in the future to prevent exposure to soils and restrict future use of groundwater beneath the property. In addition, the local codes and ordinances governing connection to the public water system effectively restrict current and potential future use of ground water beneath the property and in downgradient areas. The NIR will be published in the *Daily Press* of the City of St. Marys.

Goss Gas Property, Sugar creek Borough, **Venango County**. Heather W. Gawne, CORE Environmental Svc. Inc., 4068 Mt. Royal Blvd., Allison Park, PA 15101, on behalf of Harry Perrine, Pennzoil-Quaker State Co. d/b/a SOPUS Products, P. O. Box 99, 260 Elm St., Oil City, PA 16301, has submitted a Notice of Intent to Remediate. Remediation of soil and groundwater is currently being completed through a dual phase vapor extraction system. The NIR was published in the *Oil City Derrick* on June 21, 2004.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and municipal waste regulations for a general permit to operate municipal waste processing facilities and/or the beneficial use of municipal waste.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Determination of Applicability under General Permit No. WMGM007. Associated Products Services, Inc., 14 Long Lane, Mechanicsburg, PA 17055, Silver Springs Township, **Cumberland County**. General permit would allow the temporary storage, at the previous address, of residential septage which facilitates the transfer of the septage prior to offsite processing. An administratively complete determination of applicability was received in the regional office on June 2, 2004.

Comments concerning the application should be directed to John Krueger, Program Manager, Department of Environmental Protection, 909 Elmerton Ave., Harrisburg, PA 17110. Persons interested in obtaining more information about the general permit application should contact the Southcentral Regional Office at (717) 705-4706. TDD users should contact the Department through the Pennsylvania Relay Service, (800) 654-5984. Public comments must be submitted within 30 days of this notice and may recommend revisions to and approval or denial of the application.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Applications Received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904)

and regulations to operate solid waste processing or disposal area or site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

Permit Application No. 101290. Waste Management of PA Inc., 1121 Bordentown Road, Morrisville, PA 19067, City of Philadelphia. This application was received for the permit renewal for the Philadelphia Transfer Station and Recycling Center. The application was received by the Southeast Regional Office on June 23, 2004.

Permit Application No. 400246. DELCORA, 100 E. 5th St., Chester, PA 19013-4508, City of Chester, **Delaware County**. This application is for a modification to a previously approved radiation protection action plan for the facility. The application was received by the Southeast Regional Office on June 28, 2004.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is con-

structed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

54-399-029B: Silberline Manufacturing Co., Inc. (130 Lincoln Drive, Tamaqua, PA 18252) for modification of an aluminum pigment manufacturing operation at their Tidewood East Facility in Rush Township, **Schuylkill County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

07-05029B: Chicago Rivet and Machine Co. (Industrial Park, Tyrone, PA 16686) to change the VOC emissions rate from an existing airless/airtight cleaning machine in Tyrone Borough, **Blair County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

17-00037A: King Coal Sales, Inc. (P. O. Box 712, Philipsburg, PA 16866) for construction of a rotary coal breaker, associated conveyors and associated diesel engine at their Cunard Tipple in Morris Township, **Clearfield County**.

41-00013B: Coastal Aluminum Rolling Mills, Inc. (2475 Trenton Avenue, Williamsport, PA 17701) for construction of a coil coating line and associated air cleaning device (a regenerative thermal oxidizer) in the City of Williamsport, **Lycoming County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

23-0001W: Sunoco, Inc.—R and M (Delaware Avenue and Green Street, P. O. Box 426, Marcus Hook, PA 19061-0426) for modification of their hydrodesulfurization plant.

Under 25 Pa. Code §§ 127.44(a) and 127.424(b), the Department intends to issue a Plan Approval for the company's refinery in the Borough of Marcus Hook, **Delaware County** to modify a hydrodesulfurization plant, as described in the applicant's application of February 24, 2004. The Plan Approval will subsequently be incorporated into the company's Title V Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. PA-23-0001W is for the modification of the hydrodesulfurization plant. In the previous applica-

tion, the hydrodesulfurization plant consisted of a hydrodesulfurization heater, stabilizer heater, storage tank, flare and cooling tower. Sunoco has changed the specifications of the hydrodesulfurization plant. The hydrodesulfurization plant will now consist of the hydrodesulfurization heater and stabilizer heater. Based on the information provided by the applicant and the Department's own analysis, the modification of the hydrodesulfurization plant will result in no emission increase of any pollutants beyond those approved in Plan Approval PA-23-0001U.

The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, the Department's analysis and other documents used in the evaluation are available for public inspection between 8 a.m. and 4 p.m. To make an appointment, contact Records Management at (484) 250-5910.

09-0127A: Bracalente Manufacturing Company, Inc. (20 West Creamery Road, Trumbauersville, PA 18970) for installation of eight cold degreasers at their facility in Trumbauersville Borough, **Bucks County**. This facility is a Minor facility. Total emissions from this source are 3.8 tons of VOC per year. The plan approval will contain recordkeeping and operating restrictions to keep the facility operating within the allowable emissions and all applicable air quality requirements.

09-0027F: Fres-co System USA, Inc. (3005 State Road, Telford, PA 18969) for addition of three printing stations to their existing Press 202 and a laminating station to existing Press 204 of its Telford facility in West Rockhill Township, **Bucks County**. This plant is a Title V facility. This installation and modification will result in 16.8 tons per year of VOC emissions. The Plan Approval and Operating Permit will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

09-0177: North Penn Polishing and Plating, Inc. (40 West Park Avenue, Sellersville, PA 18960) for installation of a batch vapor cleaning machine (degreaser) at their facility in Sellersville Borough, **Bucks County** which is a non-Title V facility. The new batch vapor cleaning machine will replace an existing, less efficient degreaser. Therefore, emissions are expected to decrease from batch vapor cleaning operations. The solvent to be used in the new batch vapor cleaning machine is Techtride NPB DG. Techtride NPB DG is a VOC solution, containing no more than 2% of HAPs. Emissions shall be minimized through the use of a power controlled cover and a secondary condenser. Emissions of VOCs are estimated at 3.12 tons per year. HAP emissions are estimated at 0.06 ton per year. The Plan Approval and Operating Permit will contain recordkeeping and operating restrictions designed to keep the facility operating within these emission rates and all applicable air quality requirements.

46-0054A: Abington Memorial Hospital (1200 Old York Road, Abington, PA 19001) for installation of two 1,500 kW and 600 kW Caterpillar emergency diesel generators at their facility in Abington Township, **Montgomery County**. The facility is a non-Title V facility with site-wide emission limits for applicable criteria air pollutants. Due to the site-wide emission limits, no emission increase at the facility is expected. The Plan

Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

35-317-004: Polarized Meat Company, Inc. (107 Keystone Industrial Park, Dunmore, PA 18512) for installation of an air cleaning device to control emissions from two cooking ovens at their site in the Keystone Industrial Park, Dunmore Borough, **Lackawanna County**. This facility is a non-Title V facility. The malodorous emissions from the facility will not be detected past the property of the person on whose land the source is being operated. The company will operate the facility and maintain the system in accordance with the good engineering practices to assure proper operation of the system.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Devendra Verma, New Source Review Chief, (814) 332-6940.

24-083F: Carbone of America Industrial Corp. (215 Stackpole Street, St. Marys, PA 15857) for construction of Carbon Baking Kiln No. 34 with a thermal oxidizer and connecting to an existing scrubber in St. Marys City, **Elk County**. This installation will not result in NSR or PSD applicability. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval at Title V facilities in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date. The source shall comply with the following conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology for the source:

- This source is subject to 25 Pa. Code §§ 123.1, 123.13(c), 123.31 and 123.41.
- Combined SO_x emissions from CBH Kilns 27, 33 and 34 shall not exceed the following:
 - 500 ppmv instantaneous.
 - Three #/hr 30-day rolling average.
 - Six tpy based on 12-month rolling total.
- Stack test for SO_x emissions and the installation of a Department approved SO_x CEM.
 - The permittee shall monitor the following for the scrubber:
 - Pressure drop.
 - Scrubber gas flow rate.
 - Scrubber liquid pressure and flow rate.
 - Scrubber liquid pH.
 - Outlet gas temperature.

The thermal oxidizer shall be operated, at a minimum, during the pitch-off cycle at a minimum temperature of 750°C. The pitch-off cycle is defined as kiln temperature of between 200°C and 600°C.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

26-00057: Matt Canestrale Contracting, Inc. (P. O. Box 234, Belle Vernon, PA 15012) renewal for operation of a transloading facility which accepts coal refuse and fly ash in Luzerne Township, **Fayette County**.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the district mining office indicated before an application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor

at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas, active areas disturbed by coal refuse disposal activities and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

49860102T2 and NPDES Permit No. PA0224413. Farragut Anthracite Co. (100 Lehigh Avenue, Mt. Carmel, PA 17851), transfer of an existing anthracite surface mine operation from Mid-Valley Coal Sales, Inc. and addition of NPDES permit for discharge of treated mine drainage in Coal Township, **Northumberland County**, affecting 814.6 acres. Receiving streams: Shamokin Creek. Application received June 24, 2004.

54840106R4. City of Philadelphia Trustee, Girard Estates (21 South 12th Street, Philadelphia, PA 19107), renewal of an existing anthracite surface mine operation in Butler and West Mahanoy Townships, **Schuylkill County**, affecting 447.6 acres. Receiving streams: None. Application received June 28, 2004.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

61990102 and NPDES Permit No. PA0228036. Ben Hal Mining Company (389 Irishtown Road, Grove City, PA 16127), renewal of an existing bituminous surface strip operation in Clinton and Venango Townships, **Venango and Butler Counties**, affecting 40.7 acres. Receiving streams: unnamed tributary to Scrubgrass Creek (CWF). There are no potable surface water supply intakes within 10 miles downstream. Application for reclamation only. Application received June 28, 2004.

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum of 0.5 ml/l applied to surface runoff resulting from a precipitation event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

16990104 and NPDES Permit No. PA0241563. Original Fuels, Inc. (P. O. Box 343, Punxsutawney, PA 15767), renewal of an existing bituminous surface strip operation in Porter Township, **Clarion County**, affecting 208.5 acres. Receiving streams: two unnamed tributaries to Leatherwood Creek, one unnamed tributary to West Fork to Leatherwood Creek (CWF). There are no potable surface water supply intakes within 10 miles downstream. Application for reclamation only. Application received June 28, 2004.

33040101 and NPDES Permit No. PA0242497. Original Fuels, Inc. (P. O. Box 343, Punxsutawney, PA 15767), revision to a proposed bituminous surface strip operation in Perry Township, **Jefferson County**, affecting 114.5 acres. Receiving streams: Perryville Run and Nicely Run and unnamed tributaries to Mahoning Creek (CWF). There are no potable surface water supply intakes within 10 miles downstream. Revision to include a post-mining land use from forestland to unmanaged natural habitat. Application received May 14, 2004.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56040103 and NPDES Permit No. PA0249581. Fieg Brothers (3070 Stoystown Road, Stoystown, PA 15563-8164), commencement, operation and restoration of a bituminous surface mine in Southampton Township, **Somerset County**, affecting 55.8 acres. Receiving streams: unnamed tributaries to North Branch Jennings Run (CWF). There are no potable surface water supply intakes within 10 miles downstream. Application received June 23, 2004.

Noncoal Applications Received

Effluent Limits—The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

35940301T. Carrier Coal Enterprises (400 Mill Street, Dunmore, PA 18512), transfer of an existing red ash bank removal operation from Telco Coal Operations,

Inc. in Mayfield Borough, **Lackawanna County**, affecting 16.5 acres. Receiving streams: None. Application received June 24, 2004.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the FWPCA (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E39-437. Heritage Building Group, Inc., 3326 Old York Road, Suite A 100, Furlong, PA 18925 in Upper Macungie Township, **Lehigh County**, U. S. Army Corps of Engineers, Philadelphia District.

To place and maintain fill in the floodway of Schafer Run, to construct and maintain two precast concrete arch bridge roadcrossings of a tributary to Schafer Run (HQ-CWF), the first having a 24-foot span in a 6-foot underclearance and the second having a 28-foot span in a 5.75-foot underclearance and to construct and maintain five outfall structures in the floodway to a tributary to Schafer Run. The project is on the north side of Mosser

Road between Twin Ponds Road and Grim Road (Topton, PA Quadrangle N: 8.5 inches; W: 0.3 inch).

E39-438. City of Allentown, 641 South Tenth Street, Allentown, PA 18103 in City of Allentown, **Lehigh County**, U. S. Army Corps of Engineers, Philadelphia District.

To remove the existing outfall structure and to construct and maintain an outfall structure consisting of a 24-inch diameter polyethylene pipe with a flared end section in the floodway of the Little Lehigh Creek (HQ-CWF). The project is approximately 600 feet southeast of the intersection of Martin Luther King Drive and South Tenth Street (Allentown East, PA Quadrangle N: 17.65 inches; W: 13.75 inches).

E39-439. City of Allentown—Water Resources, 112 Union Street, Allentown, PA 18102-4910 in Upper Macungie Township, **Lehigh County**, U. S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a channel change consisting of rock lining and minor realignment of 200 feet of roadside channel for the purpose of improving safety along Schantz Road and to repair and maintain approximately 1,000 feet of concrete channel with repairs consisting of removing and replacing concrete in a 300-foot section for the purpose of preventing contamination of Schantz spring and aquifer. The channel is a tributary to Cedar Creek (HQ-CWF) basin. The project is on the south side of Schantz Road beginning approximately 0.1 mile east of Cetronia Road (Allentown West, PA Quadrangle N: 14.5 inches; W: 7.6 inches).

E39-440. Borough of Emmaus, 28 South Fourth Street, Emmaus, PA 18049-3802 in Emmaus Borough, **Lehigh County**, U. S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a prefabricated wooden pedestrian bridge having a 40-foot span in a 1-foot underclearance across Liebert Creek (HQ-CWF). The project is in the Emmaus Borough Community Park on the north side of Shimerville Road approximately 0.2 mile east of the Pennsylvania Turnpike (Allentown West, PA Quadrangle N: 4.5 inches; W: 1.7 inches).

E48-352. Signature Homes, 610 Farm Lane, Doylestown, PA 18901 in Forks Township, **Northampton County**, U. S. Army Corps of Engineers, Philadelphia District.

To remove the existing outfall structure and to construct and maintain a 30-inch by 45-inch RCP stormwater outfall structure and associated energy dissipator in the floodway of Bushkill Creek (HQ-CWF). This work is associated with a proposed 26-lot plan residential development, known as Upstream Estates, on the east side of SR 2019 (Bushkill Drive), south of its intersection with Newlins Mill Road (Easton, PA-NJ Quadrangle N: 19.0 inches; W: 17.0 inches).

EA66-003NE. United States Fish and Wildlife Service, Attn: Dave Putnam, 315 South Allen Street, Suite 322, State College, PA 16801-4850 in Forkston Township, **Wyoming County**, U. S. Army Corps of Engineers, Baltimore District.

To construct and maintain streambank stabilization measures consisting of log vanes along approximately 250 feet of the North Branch Mehoopany Creek at the Frank Minor property. This project is being constructed under section 105.12(a)(16) for restoration activities. The project is approximately 0.25 mile west of the intersection of SR 0087 and SR 3001 (Jenningsville, PA Quadrangle N: 6.75 inches; W: 0.5 inch).

E35-377. Homestead Golf Course, R. R. 1, Box 40, Carbondale, PA 18407 in Fell Township, **Lackawanna County**, U. S. Army Corps of Engineers, Baltimore District.

To construct and maintain four wooden pedestrian bridges, each having a 45-foot span and a 4-foot underclearance across Fall Brook (CWF) and to construct and maintain bank stabilization consisting of dumped R-7 rock along 500 feet of Fall Brook for the purpose of repairing damages to the Homestead Golf Course occurring from September 2003 flooding. The project is on the north side of SR 0106 approximately 1.5 miles southeast of SR 0247 (Carbondale, PA Quadrangle N: 5.5 inches; W: 18.2 inches).

E54-316. Schuylkill County, 401 N. Second Street, Pottsville, PA 17901-2528 in Port Clinton Borough, **Schuylkill County**, U. S. Army Corps of Engineers, Philadelphia District.

To maintain a three-span bridge across Little Schuylkill Creek (CWF) (County Bridge 123) with work consisting of underpinning of pier 2, placing rock scour protection at the upstream ends of piers 1 and 2 and the construction of a temporary construction of a temporary construction road crossing. The project is at the Broad Street Bridge, approximately 0.1 mile west of SR 0061 (Auburn, PA Quadrangle N: 14.5 inches; W: 3.7 inches)

E54-315. Schuylkill County, 401 N. Second Street, Pottsville, PA 17901-2528 in North Union Township, **Schuylkill County**, U. S. Army Corps of Engineers, Baltimore District.

To maintain a three-span concrete T-beam bridge across Catawissa Creek (CWF) (County Bridge 100) with work consisting of removing a 35-foot wide by 160-foot long gravel bar upstream and downstream of the center span, filling a 25-foot wide by 25-foot wide scour hole downstream of the right end span and constructing a temporary construction road crossing. The project is at the Labenberg Road (T-453) Bridge approximately 200 feet west of SR 0339 (Nuremberg, PA Quadrangle N: 3.1 inches; W: 12.1 inches)

EA35-003NE. Thornhurst Country Club Estates, 143 Country Club Estates, Thornhurst, PA 18424 in Lehigh Township, **Lackawanna County**, U. S. Army Corps of Engineers, Philadelphia District.

To remove a flood damaged bridge over Pond Creek (HQ-CWF). The project site is on an access driveway off Bear Creek Road to the Pepperoni Brothers Restaurant. The project is being constructed under waiver of permit requirements, section 105.12(a)(11) (Thornhurst, PA Quadrangle N: 15.5 inches; W: 15.5 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E05-325: David J. Baker, 871 Potter Creek Road, New Enterprise, PA 16664 and **John C. Johnston**, 1210 Poplar Avenue, Hollidaysburg, PA 16648 in Woodbury Township, **Bedford County**, ACOE Baltimore District.

To construct and maintain a stream rehabilitation project beginning just upstream of the T-607 bridge (New Enterprise, PA Quadrangle N: 13.95 inches; W: 2.85 inches) and continuing to a point (New Enterprise, PA Quadrangle N: 4.6 inches; W: 3.15 inches) approximately 1,800 feet upstream involving the placement of a total of 731 feet of riprap and topsoil at various locations on both left and right stream banks for the purpose of restoring the proper channel width, reducing local bank scour and

to establish a riparian buffer on Potter Creek (HQ-CWF, perennial) in Woodbury Township, Bedford County.

E36-784: Mount Joy Township Authority, 157 Merts Drive, Elizabethtown, PA 17022 in Mount Joy Township, **Lancaster County**, ACOE Baltimore District.

To construct and maintain an expansion to an existing sanitary sewer pump station within the floodway of a UNT to Donegal Creek (CWF) on the Elizabethtown, PA Quadrangle (Latitude: 40° 08' 18"; Longitude: 76° 33' 22") in Mount Joy Township, Lancaster County.

E01-249: Department of Transportation, District 8-0, 2140 Herr Street, Harrisburg, PA 17103 in Germany and Mount Joy Townships, **Adams County**, ACOE Baltimore District.

To remove the existing single-span bridge and then to construct and maintain a two-span bridge with an overall clear span of 173.96 feet on a 70 degree skew with an underclearance of 8 feet over Alloway Creek (WWF) and related improvements on SR 2012, Section B04, Segment 0040, Offset 0000 about 3.0 miles west of Littlestown Borough (Taneytown, PA Quadrangle N: 21.1 inches; W: 3.0 inches) in Germany and Mount Joy Townships, Adams County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E41-538. Grays Run Club, 2316 Yale Avenue, Camp Hill, PA 17011. Grays Run Stabilization in McIntyre Township, **Lycoming County**, ACOE Baltimore District (Trout Run, PA Quadrangle N: 20 inches; W: 4.2 inches).

The proposed project involves a stream stabilization project of 250 linear feet of Grays Run. The project proposes to repair unstable banks, improve channel stability and reduce sediment production. The project is proposing to incorporate slope reduction of the existing embankments and install in-stream rock structures to reduce near bank stresses and redirect velocities into the center of the channel. All work is intended to only disturb areas within the active stream channel and floodplain.

E57-105. Muncy Creek Watershed Association, Inc., P. O. Box 47, Muncy, PA 17756. Upper Muncy Creek Restoration Project in Davidson and Laporte Townships, **Sullivan County**, ACOE Baltimore District (Sonestown, PA Quadrangle N: 17.1 inches; W: 10.3 inches).

The proposed project involves a stream restoration project involving 6 miles of Muncy Creek. The project proposes to repair unstable channels and bank failures, improve channel stability and reduce sediment production. The project is proposing to incorporate slope reduction of the existing embankments and install in-stream rock structures to reduce near bank stresses and redirect velocities into the center of the channel. All work is intended to only disturb areas within the active stream channel and floodplain. The upstream limit of work is approximately 120 linear feet upstream of the confluence of Peters Creek and the lower limit is approximately 1,310 linear feet upstream of the Muncy Creek Bridge in the Town of Nordmont.

E59-459. Farmington Township, R. R. 2, Box 800, Lawrenceville, PA 16929. Culvert addition in Farmington Township, **Tioga County**, ACOE Baltimore District (Elkland, PA Quadrangle N: 15.3 inches; W: 3.2 inches).

To construct and maintain an 8.5-foot diameter by 30-foot long culvert adjacent to an existing 7-foot diameter by 30-foot long culvert in Thornbottom Creek (WWF)

on Pleasant Valley Road approximately 0.1 mile west of the intersection of Pleasant Valley Road with Thornbottom Road. A stone headwall with wings will be constructed at the inlet to the culverts and 10 linear feet by 25 feet wide by 10 feet high R-7 riprap and geotextile stabilization will be placed at the outlet end. The project will not impact wetlands while impacting approximately 45 feet of waterway and less than 0.02 acre of earth disturbance.

E59-460. Department of Conservation and Natural Resources, Bureau of Forestry, 262 Sizerville Road, Emporium, PA 15834. Pedestrian trail along Pine Creek in Delmar and Elk Townships, **Tioga County**, ACOE Baltimore District (Tiadaghton, PA Quadrangle N: 5 inches; W: 12.1 inches).

The permit application proposes to stabilize the banks of Pine Creek (HQ-CWF) in two locations. The first location proposes to riprap 300 linear feet of stream bank with R-7 riprap. The slopes will follow the approximate existing contours of a 1 to 1 slope. The second site proposes to install 200 linear feet of R-7 riprap along with three rock deflectors constructed in accordance with the General Permit 3 guidelines. The deflectors are proposed to be constructed out of R-7 riprap and shall have toe protection in-between each structure on the downstream side to prevent future erosion of the banks.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1470. Animal Friends, Inc., 2643 Penn Avenue, Pittsburgh, PA 15222. Replace Glen Lane Bridge in Ohio Township, **Allegheny County**, Pittsburgh ACOE District (Emsworth, PA Quadrangle N: 4.0 inches; W: 11.7 inches) (Latitude: 40° 31' 21" and Longitude: 80° 04' 44"). The applicant proposes to remove the existing bridge (Glen Lane Bridge) and to construct and maintain a new bridge having a span of 115.0 feet with a minimum underclearance of 8.0 feet across the channel of Lowries Run (TSF) to provide access to the proposed animal shelter/hospital. The project is on the south side of Camp Horne Road, just south from the intersection of Camp Horne Road and Glen Road and will impact approximately 55.0 linear feet of stream channel.

E65-850. Dominion Transmission, Inc., P. O. Box 66, Route 22, Delmont, PA 15626. Oakford Storage Pool Bridge in Penn and Hempfield Townships, **Westmoreland County**, Pittsburgh ACOE District (Greensburg, PA Quadrangle N: 17.9 inches; W: 10.7 inches) (Latitude: 40° 20' 53" and Longitude: 79° 34' 35"). The applicant proposes to remove the existing structure and to construct and maintain a 52.0-foot long, 12.0-foot by 5.0-foot concrete arch box culvert in Brush Creek (TSF) for the purpose of providing access to an existing gas well. The project is off of Route 766, approximately 600 feet south of its intersection with Route 66.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E10-397. Lawrence W. and Victoria L. Pacey, 103 Pointe Drive, Valencia, PA 16059-2125. Pacey Bridge Project in Middlesex Township, **Butler County**, ACOE Pittsburgh District (Valencia, PA Quadrangle N: 12.5 inches; W: 9.9 inches).

To construct and maintain a pedestrian bridge having a clear span of 32.66 feet and an instream length of 6.0 feet across Glade Run (WWF) at a point approximately 1,500 feet southeast of the intersection of SR 0228 and Park Road, south of Park Road.

E10-398. Robert W. Barr, 149 Weston Lane, Sarver, PA 16055. Barr residence driveway crossing in Buffalo Township, **Butler County**, ACOE Pittsburgh District (Curtisville, PA Quadrangle N: 18.21 inches; W: 1.89 inches).

To remove the existing temporary road crossing constructed under General Permit No. 08-10-03-611 and to construct and maintain a single span bridge having an approximate clear span of 20 feet, an instream length of 20 feet and a minimum under clearance of 5 feet at a point across Sarver Run (HQ-TSF) approximately 1,800 feet northwest of the intersection of SR 0228 and SR 0356, 200 feet south of Coal Hollow Road.

E24-237. Donald Wassel, R. D. 8, Box 298A, Greensburg, PA 15601. Trout Run Camp pedestrian footbridge in Benezette, **Elk County**, ACOE Baltimore District (Weedville, PA Quadrangle N: 13.1 inches; W: 2.2 inches).

To maintain the existing cable supported pedestrian bridge having a 91-foot span length, a 40-inch instream width and an approximate 10-foot minimum clearance over Trout Run (TSF) at a point approximately 4,000 feet northwest of the intersection of SR 0555 and Front Street.

E33-222. Department of Transportation, District 10-0, 2550 Oakland Avenue, P. O. Box 429, Indiana, PA 15701-0429. SR 28, Section 513 roadway widening project in Pinecreek and Warsaw Townships, **Jefferson County**, ACOE Pittsburgh District.

To conduct the following activities associated with the realignment and widening of SR 28, Section 513 extending north of I-80:

1. Remove the existing culvert and to install and maintain a 116-foot long, 48-inch diameter reinforced concrete pipe stream enclosure and fill 0.091 acre of adjoining wetland (Brookville, PA Quadrangle N: 11.5 inches; W: 2.4 inches).

2. Fill 0.091 acre of wetlands associated with widening of the roadway approximately 800 feet east of T-434 (Milliron Road) (Brookville, PA Quadrangle N: 11.2 inches; W: 3.3 inches).

Project proposes contribution to the Wetland Replacement Fund for the total of 0.182 acre of wetland impact.

E42-309. Elk County Fishermen, 6231 Shawmut Road, Ridgway, PA 15853. Twomile Run AMD wetland treatment system in Sergeant Township, **McKean County**, ACOE Pittsburgh District (Hazel Hurst, PA Quadrangle N: 7.1 inches; W: 3.1 inches).

To construct and maintain an acid mine drainage treatment system along Twomile Run within the Upper Clarion River Watershed (HQ-CWF) consisting of: anaerobic vertical flow wetland cells, a flushing pond, limestone channel intakes and outfalls, a check dam and other appurtenant structures along with an access roadway having two minor road crossings all at a point approximately 13,750 feet southwest of the intersection of SR 0146 and the Wilcox/Clermont Road. This project will have a de minimis impact to 0.047 acre of PEM wetlands.

E43-313. Glenn R. Moore, 167 Tieline Road, Grove City, PA 16127. Tieline Road driveway culvert in Pine Township, **Mercer County**, ACOE Pittsburgh District (Grove City, PA Quadrangle N: 5.5 inches; W: 4.6 inches).

The applicant proposes to construct and maintain an approximately 14-foot long, 18-foot wide by 5.5-foot high pipe arch culvert in Swamp Run (CWF, perennial) in

support of a private access driveway and a single family residence on Tieline Road approximately 1.7 miles northwest of the intersection of SR 8 and SR 58. The project proposes to directly affect a total of approximately 30 linear feet of stream channel.

E61-269, William T. Hufnagel, 32 Agnes Street, Coraopolis, PA 15108. Hufnagel Cottage along Porcupine Run in President Township, **Venango County**, ACOE Pittsburgh District (President, PA Quadrangle N: 11.0 inches; W: 6.6 inches).

The applicant proposes to replace and maintain a recently existing seasonal residence having a length of approximately 48 feet and a width of approximately 30 feet partially within the floodway of the left bank of Porcupine Creek (EV, perennial) (President, PA Quadrangle N: 11.0 inches; W: 6.6 inches) in President Township, Venango County approximately 1.0 mile southeast of the intersection of U. S. Route 62 and SR 2023. This application is the result of a compliance action. This project proposes to directly affect a surface area of approximately 1,200 square feet within the floodway.

E61-267, William Wetzel, P. O. Box 53, Ridgway, PA 15853-0053. Porcupine Creek water obstructions in President Township, **Venango County**, ACOE Pittsburgh District (President, PA Quadrangle N: 10.2 inches; W: 6.4 inches).

The applicant proposes to replace an existing retaining wall having a length of approximately 70 feet and to replace and maintain a bridge abutment on the left bank of Porcupine Creek (EV, perennial) and to maintain a deck, fill and house within the floodway and to maintain an existing pedestrian bridge having a clear span of 52 feet approximately 1.2 miles southeast of the intersection of U. S. Route 62 and SR 2023. This application is the result of a compliance action and is at a seasonal residence. This project proposes to directly affect 70 linear feet of stream.

E62-399, North Penn Pipe and Supply, 2351 Dorcon Road, Warren, PA 16365. Stream enclosure replacement in Mead Township, **Warren County**, ACOE Pittsburgh District (Warren, PA Quadrangle N: 13.9 inches; W: 0.5 inch).

The applicant proposes to remove the existing structure and to construct and maintain a 200-foot long, 8-foot diameter CMP stream enclosure in Ott Run (CWF, perennial) at the North Penn Pipe and Supply pipe yard approximately 0.7 mile northwest of the intersection of U. S. Route 6 and SR 59. The current structure is deteriorated and the fill above the structure is sinking in several places in the pipe yard resulting in a potentially unsafe condition and loss of usable yard space for the business. The Department issued Emergency Permit No. EP6204601 on June 10, 2004, to construct the stream enclosure and the applicant is continuing with the permitting process. The project proposes to directly affect a total of approximately 220 linear feet of stream channel.

E43-314, Mercer County Board of Commissioners, 503 Mercer County Courthouse, Mercer, PA 16137. T-607 bridge over an unnamed tributary to Fox Run in Jackson Township, **Mercer County**, ACOE Pittsburgh District (Jackson Center, PA Quadrangle N: 8.7 inches; W: 3.6 inches).

The applicant proposes to remove the existing structure and to construct and maintain a plank beam bridge (County Bridge No. 2106) having a clear span of 24.5 feet and a minimum underclearance of 5 feet on a 90 degree skew across an unnamed tributary to Fox Run (TSF,

perennial) on T-607 (Fox Mine Road) approximately 2.3 miles northeast of the intersection of U. S. Interstate 79 and U. S. Route 62. The project includes construction of wingwalls, riprap protection and roadway approach work and a de minimis wetland impact consisting of 0.005 acre of PSS wetland and 0.034 acre of PEM wetland. The project proposes to directly affect a total of approximately 50 linear feet of stream channel and 0.039 acre of wetland (de minimis): 0.005 acre of PSS and 0.034 acre of PEM wetland.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

D44-011EA, Reedsville Milling Company, Inc., P. O. Box 477, Reedsville, PA 17084. Brown Township, **Mifflin County**, ACOE Baltimore District.

Project proposes to breach and remove an unnamed dam across Tea Creek (HQ-CWF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The dam is approximately 500 feet east of the intersection of Toll Gate Road (SR 1005) and SR 655 (Burnham, PA Quadrangle N: 7.7 inches; W: 14.0 inches).

EA26-002, James V. Weimer, 399 Boxwood Road, Smithfield, PA 15478. Nicholson Township, **Fayette County**, ACOE Pittsburgh District.

Project proposes to construct, operate and maintain a nonjurisdictional dam across an unnamed tributary to York Run (WWF) in Nicholson Township, Fayette County. The proposed dam will inundate 187.5 feet of stream channel and will have no direct or indirect impacts to wetlands. The proposed dam will be approximately 2,200 feet northwest of the intersection of New Geneva Rd. (SR 3006) and Boxwood Rd. (T 464) (Smithfield, PA Quadrangle N: 10.6 inches; W: 13.8 inches).

WATER QUALITY CERTIFICATIONS REQUESTS

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Certification Request initiated by Federal Highway Administration (FHWA) in cooperation with National Park Service (NPS), Eastern Federal Lands, Highway Division, 21400 Ridgetop Circle, Sterling, VA 20166-6511. Project PRA-DEWA 14(5)—replacement of Toms Creek Bridge, on U. S. Route 209 at Milepost 4.9 and road construction from Milepost 16.1 to 17.7 on U. S. Route 209 in Pike County, ACOE Philadelphia District (Flatbrookville, PA Quadrangle N: 22.65 inches; W: 10.75 inches) (bridge).

Project Description: In cooperation with the NPS, the Eastern Federal Lands Highway Division of the FHWA is currently preparing plans for Project PRA-DEWA 14(5). This project consists of milling and overlay of the existing U. S. Route 209 from Milepoint 16.1 to Milepoint 17.7. There will also be drainage repair, minor shoulder widening and work at Conashaugh Creek, including repairs to culvert joints, headwalls and wing walls. This project also includes a bridge replacement at approximately Milepoint 4.9 over Toms Creek; this will include milling and overlay of both approaches. The total project area is 17 acres and the total disturbed area is an estimated 8 acres.

The improvements to the roadway are as follows: mill existing asphalt pavement; rubblize existing Portland cement concrete pavement and widen with aggregate base where needed; and overlay with Superpave hot asphalt concrete pavement, 7.2-meter wide plus 1.5-meter wide

shoulders. The replacement of the bridge over Toms Creek, regarding the land and the construction of the new, longer single-span bridge.

Project Location: Project PRA-DEWA 14(5) is in Pike County, within the limits of Dingman, Lehman and Delaware Townships, as well as the Delaware Water Gap National Recreation Area. All work will be conducted on U. S. Route 209. The replacement of Toms Creek Bridge, spanning Toms Creek, will occur at Milepost 4.9 and road reconstruction will occur between Milepost 16.1 and Milepost 17.7.

Categorical Exclusion Summary: In accordance with NPS procedures, it has been determined that the environmental action associated with the proposed bridge replacement and road reconstruction is a Categorical Exclusion.

Compliance with section 7 of the Endangered Species Act and section 106 of the Historical Preservation Act has been completed. A letter of concurrence received on August 27, 2002, from the Fish and Wildlife Service, determined that there was no adverse effect on threatened and endangered species and their habitats. An NPS Assessment of Effect on cultural resources form was completed on September 5, 2002, for Section 106 compliance with a determination of no effect on cultural resources with a condition of archeological monitoring during construction. To address concerns regarding water quality, the construction plans include specifications for implementing, maintaining and inspecting sediment control measures during construction and the stabilization of disturbed areas.

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0060470 Sewage	Geisinger Foundation/Marworth Lily Lake Road Waverly, PA 18471	Lackawanna County North Abington Township	UNT to Ackerly Creek 4F	Y
PA0061051 Sewage	Farda Associates, Inc. c/o The Summit Resort P. O. Box 130 Tannersville, PA 18372	Monroe County Pocono Township	UNT to Pocono Creek 1E	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0024082 Sewage	Municipal Authority of Westmoreland County P. O. Box 730 Greensburg, PA 15601	Westmoreland County Avonmore Borough	Kiskiminetas River	Y
PA0032085 Sewage	Department of Conservation and Natural Resources Prince Gallitzin State Park 966 Marina Road Patton, PA 16668	Cambria County White Township	Beaverdam Run	Y
PA0092932 Sewage	Berardo Maragni 1056 Mount Pleasant Road Greensburg, PA 15601	Westmoreland County Hempfield Township	Unnamed tributary of Brush Creek	Y
PA0110922 Sewage	Camp Allegheny, Inc. 100 Camp Allegheny Drive Stoystown, PA 15563	Somerset County Stonycreek Township	Unnamed tributary to Calendars Run	Y
PA0205281 Sewage	New Sewickley Township Municipal Authority 233 Miller Road Rochester, PA 15074-2759	Beaver County New Sewickley Township	Unnamed tributary of North Fork Big Sewickley Creek	Y
PA0205729 Sewage	Estate of Lois A. Grose 4141 Henderson Road Hickory, PA 15340	Washington County Blaine Township	Wolf Run	Y
PA0218201 Sewage	RoxCoal, Inc. 1576 Stoystown Road P. O. Box 149 Friedens, PA 15541	Somerset County Shade Township	Coal Run	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N?</i>
PA0102911	Penn Lakes Girl Scout Council Camp Lend-A-Hand 5681 Route 6N Edinboro, PA 16412	Sadsbury Township Crawford County	Unnamed tributary to Conneaut Outlet 16-D	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

PA322202, Sewage, **Blue Ridge Peat Farm, Inc.**, R. R. 1, Box 292A, White Haven, PA 18661. This proposed facility is in Barrett Township, **Monroe County**.

Description of Proposed Activity: Issuance of NPDES permit.

<i>Parameter</i>	<i>Average Monthly</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l) Maximum Daily</i>
		<i>Maximum Daily</i>	<i>Average Monthly</i>	
CBOD				Monitor and Report
COD				Monitor and Report
Oil and Grease				Monitor and Report

Parameter	Average Monthly	Mass (lb/day) Maximum Daily	Average Monthly	Concentration (mg/l) Maximum Daily
pH				Monitor and Report
Total Suspended Solids				Monitor and Report
Total Phosphorus				Monitor and Report
Total Kjeldahl Nitrogen				Monitor and Report
Iron (Dissolved)				Monitor and Report

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No. PA0252638, Sewage, P. O. Box 813, Star Junction, PA 15401. This proposed facility is in Perry Township, **Fayette County**.

Description of Proposed Action/Activity: Discharge of treated wastewater from the proposed Perry Township Municipal Authority sewage treatment plant.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0239496, Sewage, **Forest Area School District, West Forest Elementary Secondary School**, 210 Vine Street, Tionesta, PA 16353-9707. This proposed facility is in Hickory Township, **Forest County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to the Allegheny River in Watershed 16-F.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 3904401, Sewerage, **Parkland School District**, 2219 North Cedar Crest Boulevard, Allentown, PA 18104. This proposed facility is in South Whitehall Township, **Lehigh County**.

Description of Proposed Action/Activity: Issuance of Water Quality Management Permit.

WQM Permit No. 4504404, Sewerage, **Department of General Services**, 18th and Herr Streets, Harrisburg, PA 17125. This proposed facility is in Smithfield Township, **Monroe County**.

Description of Proposed Action/Activity: Issuance of Water Quality Management Permit.

WQM Permit No. 6404402, Sewerage, **B'nai B'rith**, 2020 K Street, NW, Washington, D. C. 20006. This proposed facility is in Buckingham Township, **Wayne County**.

Description of Proposed Action/Activity: Issuance of Water Quality Management Permit.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 0201405-A1, Sewerage, **Urban Redevelopment Authority**, 200 Ross Street, Pittsburgh, PA 15219-2069. This proposed facility is in City of Pittsburgh, **Allegheny County**.

Description of Proposed Action/Activity: Sewer extension to serve South Water Street.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2504412, Sewerage, **John W. Britton**, 9620 Donation Road, Waterford, PA 16441. This proposed facility is in Summit Township, **Erie County**.

Description of Proposed Action/Activity: Sewage discharge for a single residence.

WQM Permit No. 2704402, Sewerage, **Forest Area School District, West Forest Elementary Secondary School**, 210 Vine Street, Tionesta, PA 16353-9707. This proposed facility is in Hickory Township, **Forest County**.

Description of Proposed Action/Activity: This project is for the enlargement of an existing sewage treatment facility to accommodate the proposed additional students at the West Forest Elementary Secondary School.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No.	Applicant Name and Address	County	Municipality	Receiving Water/Use
PAI011504091	West Whiteland Township Boot Road Park 222 North Pottstown Pike Exton, PA 19341	Chester	West Whiteland Township	Valley Creek EV-MF Broad Run HQ-CWF-MF

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023903046	CM Development Corp. 5865 Hanoverville Rd. Bethlehem, PA 18017	Lehigh	City of Allentown	Trout Creek HQ-CWF
PAS10S013R	LTS Development, Inc. P. O. Box 160 Shawnee-on-Delaware, PA 18356	Monroe	Stroud Township Stroudsburg Borough	Brodhead and Cherry Creeks HQ-CWF
PAI024804006	Jaindl Land Co. 3150 Coffeetown Rd. Orefield, PA 18069	Northampton	Hanover and Lower Nazareth Townships	Monocacy Creek HQ-CWF
PAI024804010	Modern Concrete, Inc. 2863 Brodhead Rd. Bethlehem, PA 18020	Northampton	Forks Township	Bushkill Creek HQ-CWF
PAI024804009	City of Bethlehem 10 E. Church St. Bethlehem, PA 18018	Northampton and Lehigh	City of Bethlehem	Monocacy Creek HQ-CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI030104001	Department of Defense 100 Boundary Channel Drive Arlington, VA 22202	Adams	Carroll Valley Borough Hamiltonban and Liberty Townships	Tom's Creek HQ-CWF

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041803006	Kuber Hospitality LLC 31 Comfort Inn Lane Mill Hall, PA 17751	Clinton	Porter Township	Fishing Creek HQ-CWF

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Beaver County Conservation District: 1000 Third Street, Suite 202, Beaver, PA 15009-2026, (724) 774-7090.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI050404001	South Side Area School District 4949 SR 151 Hookstown, PA 15050	Beaver	Greene Township	Little Traverse Creek WWF Tributary to Service Creek HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Single Residence Sewage Treatment Plants
PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage

PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

General Permit Type—PAG-2

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Whitehall Township Lehigh County	PAG2003904010	Michael D. Hobel 5100 Stone Terrace Dr. Whitehall, PA 18052	Coplay Creek CWF	Lehigh County Conservation District (610) 391-9583
Weisenberg Township Lehigh County	PAG2003904013	Brian Goldstein 34 Brookside Dr. Feasterville, PA 19053	Mill Creek CWF, MF	Lehigh County Conservation District (610) 391-9583
Smithfield Township Monroe County	PAG2004503005	Union Motor Lodge P. O. Box 188 Delaware Water Gap, PA 18327	Cherry Creek CWF	Monroe County Conservation District (570) 629-3060
North Manheim Township Schuylkill County	PAG2005404013	Aurther L. Raudenbush 1038 W. Market St. Schuylkill Haven, PA 17972	Mahanoy Creek CWF	Schuylkill County Conservation District (570) 622-3742
Washington Township Schuylkill County	PAG2005404006	Bret Habecker 625 Seidels Run Leesport, PA 19533	UNT to Lower Little Swatara Creek CWF	Schuylkill County Conservation District (570) 622-3742
Wayne Township Schuylkill County	PAG2005404010	Sefton Polak 113 E. Main St. Schuylkill Haven, PA 17972	Lower Little Swatara Creek CWF	Schuylkill County Conservation District (570) 622-3742
Little Meadows Borough Susquehanna County	PAG2005804002	Little Meadows Borough Charlie Fahringer P. O. Box 434 Little Meadows, PA 18836	Apalachin Creek CWF	Susquehanna County Conservation District (570) 278-4600
Cameron County Shippin Township	PAG2041204001	Department of Conservation and Natural Resources 262 Sizerville Road Emporium, PA 15834	Driftwood Branch Sinnemahoning Creek TS	Northcentral Regional Office 208 W. 3rd St. Williamsport, PA 17701 (570) 327-3574
Lycoming County Muncy Township	PAG2004104007	A & B Bldg. Assoc. Inc. William C. Brown 800 West Fourth St. Williamsport, PA 17701	Dry Run/Carpenters Run WWF	Lycoming County Conservation District 542 County Farm Road Suite 202 Montoursville, PA 17754 (570) 433-3003
Beaver County Vanport Township	PAG2000404010	Associated Medical Specialists c/o David Crozier 114 Woodlawn Drive Beaver, PA 15009	Unnamed tributary to the Ohio River WWF	Beaver County Conservation District (724) 774-7090
Cambria County Adams Township	PAG2001104003	Diocese of Altoona/Johnstown 126 Logan Boulevard Hollidaysburg, PA 16648	Otto Run CWF	Cambria County Conservation District (814) 472-2120
Fayette County North Union Township	PAG2002604021	Fairchance Construction Co. P. O. Box 535 Fairchance, PA 15436	Unnamed tributary to Cove Run WWF	Fayette County Conservation District (724) 438-4497
Somerset County Somerset Township	PAG2005604006	Tableland Services, Inc. 535 East Main Street Somerset, PA 15501	Unnamed tributary to East Branch of Coxes Creek TSF	Somerset County Conservation District (814) 445-4652

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Washington County Centerville Borough	PAG2006303024	Alvin Stein 1290 Maple Street Crescent, PA 15046	Monongahela River WWF	Washington County Conservation District (724) 228-6774
Washington County Bentleyville Borough	PAG2006304015	Mental Health Association of Washington County 15 South College St. Washington, PA 15301	Pigeon Creek WWF	Washington County Conservation District (724) 228-6774

General Permit Type—PAG-3

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Allentown City Lehigh County	PAR202213	Olson Technologies, Inc. 132 Linden Street Allentown, PA 18102	Lehigh River WWF	NERO Water Management Program 2 Public Square Wilkes-Barre, PA 18711-0790 (570) 826-2511

General Permit Type—PAG-4

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Gallitzin Township Cambria County	PAG046130	Tony and Sally Wojtarowicz 15125 Kingsway Drive New Berlin, WI 53151	UNT to Glenwhite Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Summit Township Erie County	PAG048973	John W. Britton 9620 Donation Road Waterford, PA 16441	Unnamed tributary to Walnut Creek	NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Jackson Township Butler County	PAG048574	Albert G. Albanowski III 7963 Franklin Road Evans City, PA 16033	Unnamed tributary to Breakneck Creek	NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Lackawannock Township Mercer County	PAG048602	Wade Plymire 2113 Mercer-West Middlesex Road Mercer, PA 16137	Unnamed tributary West Branch Little Neshannock Creek	NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-7

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Site Name and Location</i>	<i>Contact Office and Telephone No.</i>
Antrim Township Franklin County	PAG070003 PAG070005	Synagro Mid-Atlantic, Inc. 1605 Dooley Rd. P. O. Box B Whiteford, MD 21160	Weller Farm	SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707

NOTICES

3753

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Site Name and Location</i>	<i>Contact Office and Telephone No.</i>
Ayr Township Fulton County	PAG070003 PAG070005	Synagro Mid-Atlantic, Inc. 1605 Dooley Rd. P. O. Box B Whiteford, MD 21160	R & R Farms	SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707

General Permit Type—PAG-8

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Site Name and Location</i>	<i>Contact Office and Telephone No.</i>
Antrim Township Franklin County	PAG080002 PAG080003 PAG080006 PAG080008 PAG082201 PAG082203 PAG083501 PAG083502 PAG083506 PAG083515 PAG083517 PAG083518 PAG083522 PAG083535 PAG083540 PAG083542 PAG083547 PAG083551 PAG083825 PAG089903 PAG089904 PAG089905	Synagro Mid-Atlantic, Inc. 1605 Dooley Rd. P. O. Box B Whiteford, MD 21160	Weller Farm	SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
Ayr Township Fulton County	PAG080002 PAG080003 PAG080006 PAG080008 PAG082201 PAG082203 PAG083501 PAG083502 PAG083506 PAG083515 PAG083517 PAG083518 PAG083522 PAG083535 PAG083540 PAG083542 PAG083547 PAG083551 PAG083825 PAG089903 PAG089904 PAG089905	Synagro Mid-Atlantic, Inc. 1605 Dooley Rd. P. O. Box B Whiteford, MD 21160	R & R Farms	SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-470

General Permit Type—PAG-13

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>Department Protocol (Y/N)</i>
PAG132271	Dalton Borough P. O. Box 95 Dalton, PA 18414	Lackawanna	Dalton Borough	Ackerly Creek CWF	Y

PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 6704509 MA, Minor Amendment, Public Water Supply.

Applicant	Dallastown YOE Municipal Authority
Municipality	Dallastown
County	York
Type of Facility	Project involves renovations and repairs to the 200,000-gallon Lion's Park Storage Tank.
Consulting Engineer	Kirt L. Ervin U S Engineering LLC 4 Sunrise Court Highland, IL 62249
Permit to Construct Issued	June 30, 2004

Permit No. 6704510 MA, Minor Amendment, Public Water Supply.

Applicant	Dallastown YOE Municipal Authority
Municipality	Dallastown

County	York
Type of Facility	Project involves renovations and repairs to the 250,000-gallon Park Street Standpipe.
Consulting Engineer	Kirt L. Ervin U S Engineering LLC 4 Sunrise Court Highland, IL 62249
Permit to Construct Issued	June 30, 2004
<i>Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.</i>	
Permit No. 1700502, Public Water Supply.	
Applicant	Department of Corrections
Township or Borough	Karthaus Township
County	Clearfield
Responsible Official	Robert A. Calik, Chief Engineer Department of Corrections P. O. Box 598 Camp Hill, PA 17001-0598
Type of Facility	PWS—Operation.
Consulting Engineer	David J. Brenneman, P. E. Department of Conservation and Natural Resources Bureau of Facility & Design 400 Market Street Harrisburg, PA 17101-8451
Application Issued	June 23, 2004
Description of Action	Authorizing operation of two raw water storage tanks, a finished water storage tank, a finished water booster pumping system, a section of water line to provide additional chlorine contact time and a small amount of raw and finished water transmission line.
Permit No. Minor Amendment, Public Water Supply.	
Applicant	Department of Corrections
Township or Borough	Karthaus Township
County	Clearfield
Responsible Official	Robert A. Calik, Chief Engineer Department of Corrections P. O. Box 598 Camp Hill, PA 17001-0598
Type of Facility	PWS—Operation.
Consulting Engineer	David J. Brenneman, P. E. Department of Conservation and Natural Resources Bureau of Facility & Design 400 Market Street Harrisburg, PA 17101-8451
Application Issued	June 23, 2004
Description of Action	Authorizing operation of two raw water storage tanks, a finished water storage tank, a finished water booster pumping system, a section of water line to provide additional chlorine contact time and a small amount of raw and finished water transmission line.

Permit No. Minor Amendment, Public Water Supply.
 Applicant **Perry Township Municipal Authority**
 Township or Borough Perry Township
 County **Snyder**
 Responsible Official Roger Womer, Chairperson
 Perry Township Municipal Authority
 R. R. 2 Box 37
 Mount Pleasant Mills, PA 17853
 Type of Facility PWS—Construction.
 Application Issued June 25, 2004
 Description of Action Construction of an interconnection with the Church Hill Estates water system, a finished water storage tank and modifications to the disinfection facilities.

Permit No. Minor Amendment, Public Water Supply.
 Applicant **Mansfield University**
 Township or Borough Mansfield Borough
 County **Tioga**
 Responsible Official Benjamin W. Jones
 Director of Facilities
 Management and Operations
 Mansfield University
 Brooks Maintenance Building
 Mansfield, PA 16933
 Type of Facility PWS—Construction.
 Application Issued June 25, 2004
 Description of Action Substitution of liquid form corrosion control products for the dry products.

Permit No. 0895501-T2, Public Water Supply.
 Applicant **Hagadorn's Hillside Acres MHP**
 Township or Borough Ridgebury Township
 County **Bradford**
 Responsible Official William Hagadorn
 P. O. Box 366
 Towanda, PA 18848
 Type of Facility PWS—Transfer of Permit.
 Application Issued May 28, 2004
 Description of Action Transfer of Hanson Park Inc. to Hagadorn's Hillside Acres Mobile Home Park. Including special conditions for operation.

Permit No. 4988504-T2, Public Water Supply.
 Applicant **Community Banks**
 Township or Borough Delaware Township
 County **Northumberland**
 Responsible Official Raymond Granger, Vice President, Special Assets
 Community Banks
 6700 Derry Street
 Harrisburg, PA 17111
 Type of Facility PWS—Transfer of Permit.

Application Issued Date May 18, 2004
 Description of Action Authorization of operation of the public water system of Spring Lake Village Mobile Home Park. Including special conditions.

Permit No. 4902502-T1, Public Water Supply.
 Applicant **Community Banks**
 Township or Borough Delaware Township
 County **Northumberland**
 Responsible Official Raymond Granger, Vice President, Special Assets
 Community Banks
 6700 Derry Street
 Harrisburg, PA 17111
 Type of Facility PWS—Transfer of Permit.
 Application Issued Date May 18, 2004
 Description of Action Authorization of operation of the public water system of Spring Lake Village Mobile Home Park. Including special conditions.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Operations Permit issued to Municipal Authority of the Borough of Oakmont, P. O. Box 73, 721 Allegheny Avenue, Oakmont, PA 15139-1901, PWS ID 5020036, Oakmont Borough, **Allegheny County** on June 24, 2004, for the operation of facilities approved under Construction Permit No. 0203501.

WATER ALLOCATIONS

Actions taken on applications received under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of this Commonwealth.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WA 28-161B, Water Allocations, **Borough of Chambersburg, Franklin County**. The right to withdraw up to a maximum of 6.0 mgd from the Conococheague Creek at an existing intake approximately 1.8 miles downstream of the confluence of Birch Run and the Conococheague Creek. Consulting Engineer: Gene C. Koontz, P. E., Gannett Fleming, Inc. Permit issued June 25, 2004.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20a)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
South Londonderry Township	20 W. Market St. Campbelltown, PA 17010	Lebanon

Plan Description: The approved plan provides for the expansion of the Campbelltown East WWTP to a capacity of 0.513 MGD. The plan also provides for the construction of a force main and pump station to transfer sewage flow from the Campbelltown West sewer service area to the Campbelltown East sewer service area. In addition, the Plan provides for the construction of a gravity sewer line to serve the Stone Knoll area. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES permits or WQM permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location: The proposed conveyance system improvement projects are in Garden Heights, 27th and West Chestnut Avenue and Pleasant Valley.

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Altoona City	1301 12th Street Altoona, PA 16601	Blair

Plan Description: The approved plan provides for the replacement of approximately 16,000 linear feet of gravity sewer to serve existing customers in three separate areas of the collection system within the city. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES permits or WQM permits must be obtained in the name of the municipality or authority as appropriate.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Jackson Township	P. O. Box 48 Millerton, PA 16936	Tioga

Plan Description: The approved plan changes the previously approved plan by changing the collection alternatives and adding service areas to Alder Run, Jackson Center, Walnut Grove and Switchback Roads. In addition, the approved treatment plant will be increased 10,000 gpd to accommodate these new flows. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES permits or WQM permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
West Deer Township	Box 2 Russellton, PA 15076	Allegheny

Plan Description: The approved plan provides for a proposed sewage treatment plant to service a single family home along McIntyre Road and the discharge point can be at Latitude: 40° 38' 18.65" and Longitude: 79° 54' 34.3" on the Valencia topographic map. The treated effluent will be discharged to Deer Creek (CWF). The Department's review of the Sewage Facilities Plan update revision has not identified any significant environmental impacts resulting from this proposal.

HAZARDOUS SITES CLEANUP UNDER THE ACT OF OCTOBER 18, 1988

Interim Response

Mazzaro-McKees Rocks Landfill, Kennedy Township, Allegheny County

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA) (35 P. S. §§ 6020.101—6020.1305), is proposing a response action for the Mazzaro-McKees Rocks Landfill (Site) along McKees Rocks Road in Kennedy Township, Allegheny County. The Site consists of an abandoned landfill used for the disposal of industrial and municipal waste from the 1940s to 1972.

An unknown quantity of industrial waste was dumped or buried at the Site. Several exposed drums containing various wastes are present at the Site. Adjacent to the exposed drums are several mounded areas that are suspected to contain numerous additional drums. Hazardous substances have been detected at the Site in past sampling events. Contaminants may be leaving the Site through ground and surface water. The Site currently poses a substantial threat to public health, safety and the environment.

The Department has considered several alternatives for a response at the site including: (1) no action; (2) restricting the Site; and (3) conducting an investigation.

The Department has determined that conducting a further investigation at the Site is the appropriate alternative. The Department chose this alternative because it complies with section 501(a) of the HSCA (35 P. S. § 6020.501(a)) and is the only alternative that is protective of human health and the environment. An investigation would provide the Department with the information required to determine if additional remediation efforts are necessary at the Site to protect human health and the environment. The Department's proposed action is intended to fully characterize the Site and enable the Department to determine the most appropriate method to remediate the Site.

This notice is being provided under section 506(b) of the HSCA (35 P. S. § 6020.506(b)). The administrative record which contains the information that forms the basis and documents the selection of this response action is available for public review and comment Monday through Friday from 8 a.m. to 4 p.m. at the Department's Southwest Regional Office in Pittsburgh.

The administrative record will be open for comment from July 17, 2004, until October 17, 2004. Persons may submit written comments into the record during this time only by sending them to Kevin Halloran, Environmental Cleanup Program, 400 Waterfront Drive, Pittsburgh, PA 15222 or by delivering them to the Southwest Regional Office in person.

In addition, persons may present oral comments, for inclusion in the administrative record, at a public hearing on August 26, 2004, at 6:30 p.m. at the Kennedy Township Municipal Building, 340 Forest Grove Rd., Coraopolis, PA 15108. Persons wishing to present comments may register before August 26, 2004, with Helen Humphreys Short, 400 Waterfront Drive, Pittsburgh, PA 15222, (412) 442-4000.

Persons with a disability who wish to attend the hearing and require auxiliary aid, service or other accommodations to participate in the proceedings should call

Helen Humphreys Short at (412) 442-4000 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Hinterlieter Residence, Kenneth Township, **Chester County**. Jason Plucinski, React Environmental Service, Inc., 6901 Kingsessing Avenue, Philadelphia, PA 19142 on behalf of Rich Hinterleiter, 820 Burrows Run Rd., Chadds Ford, PA 19317 has submitted a Final Report concerning remediation of site soil contaminated with fuel oil no. 2. The report was submitted within 90 days of the release and is intended to document remediation of the site to meet the Statewide Health Standard.

Keystone Floor Products, Bensalem Township, **Bucks County**. Erik Stephens, Manko, Gold, Katcher &

Fox, LLP, 401 City Avenue, Suite 500, Bala Cynwyd, Philadelphia, PA 19004 on behalf of Keystone Floor Products, 2969 Samuel Dr., Bensalem, PA 19020 has submitted a Remedial Investigation, Remedial Assessment and Cleanup Reports concerning remediation of site soil and groundwater contaminated with lead, heavy metals, PAH and pesticides. The report is intended to document remediation of the site to meet the Site Specific Standard.

Rosemont Estates, Upper Providence Township, **Montgomery County**. Christopher Orzechowski, RT Environmental Services, Inc., 215 W. Church Rd., King of Prussia, PA 19406 on behalf of Penn International Land Co., Inc., 900 E. 8th Ave., Suite 300, King of Prussia, PA 19406 has submitted a Final Report concerning remediation of site soil contaminated with arsenic. The report is intended to document remediation of the site to meet the Site Specific Standard.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

West Shore Office Center, East Pennsboro Township, **Cumberland County**. Marshall Miller and Associates, 3913 Hartzdale Drive, Suite 1306, Camp Hill, PA 17011, on behalf of Senate Avenue Associates, 4601 Presidents Drive, Suite 140, Lanham, MD 20706, submitted a Final Report concerning remediation of site soils and groundwater contaminated with diesel fuel. The report is intended to document remediation of the site to the Statewide Health Standard.

Federal Mogul Corporation, City of Lancaster, **Lancaster County**. Environmental Strategies Consulting LLC, 300 Corporate Center Drive, Suite 200, Moon Township, PA 15108, on behalf of Federal Mogul Corporation, 26555 Northwestern Highway, Southfield, MI 48034, submitted a revised combined remedial investigation and final report concerning remediation of site soils and groundwater contaminated with PCBs, lead, heavy metals, pesticides, solvents, BTEX, PHCs and PAHs. The report is intended to document remediation of the site the Site-Specific Standard.

Former BOC Gases, East Petersburg Borough, **Lancaster County**. ENSR International, Suite 100, 2005 Cabot Boulevard West, Langhorne, PA 19047, on behalf of Auto-Metrics of Lancaster, 1800 West State Street, East Petersburg, PA 17520, submitted a final report concerning remediation of site soils and groundwater contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to the Statewide Health Standards.

Former Phillips Office Equipment, Hampden Township, **Cumberland County**. Alternative Environmental Solutions, Inc., 930 Pointview Avenue, Ephrata, PA 17522, on behalf of The Phillips Group, 501 Fulling Mill Road, Middletown, PA 17057, submitted a Final Report concerning remediation of site soils and groundwater contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to the Statewide Health Standards.

Warren Keller Property, Heidelberg Township, **Lebanon County**. GemChem, Inc., P. O. Box 384, Lititz, PA 17543-0384, on behalf of Warren Keller, 17 St. Joseph Drive, Lebanon, IL 62254, submitted a Final Report concerning remediation of site soils contaminated with fuel oil no. 2. The report was submitted within 90 days of a release and is intended to document remediation of the site to the Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Former Corell Steel Site, Bristol Township, **Bucks County**. Michael Dvorak, STD Associates, L. P., 1027 Conshohocken Road, Conshohocken, PA 19428, has sub-

mitted a Final Report concerning the remediation of site soil contaminated with drums of waste material. The Final Report demonstrated attainment of the Special Industrial Area requirements and was approved by the Department on June 29, 2004.

Thelma McGrail Trust, Parkesburg Borough, **Chester County**. William F. Beers, Tetrahedron Consultants, Inc., P. O. Box 152, Oxford, PA 19363, on behalf of Thelma H. McGrail Trust, Daniel A. Winters, Trustee, 205 Chadds Ford Professional Center, Chadds Ford, PA 19317 has submitted a Final Report concerning the remediation of site soil contaminated with inorganics and PCB. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on June 25, 2004.

Former Exxon Station No. 2-7497, Horsham Township, **Montgomery County**. Jennifer L. O'Reilly, P. G., Groundwater & Environmental Services, Inc., 410 Eagleview Blvd., Suite 110, Exton, PA 19341, has submitted a combined Remedial Investigation/Risk Assessment/Cleanup Plan/Final Report concerning the remediation of site soil and groundwater contaminated with BTEX. The combined Remedial Investigation/Risk Assessment/Cleanup Plan/Final Report demonstrated attainment of the Statewide Health Standard and Special Industrial Area requirements and was approved by the Department on June 21, 2004.

United Transportation Corp., Morton Borough, **Delaware County**. Kurt J. Spiess, Environmental Management Group, Inc., 5066R West Chester Pike, P. O. Box 129, Edgemont, PA 19028 on behalf of United Transportation Corp., 501 Highland Ave., Morton, PA 19070, has submitted a Final Report concerning the remediation of site groundwater contaminated with vinyl chloride and MTBE. The Final Report did not demonstrate attainment of the Statewide Health Standard and was disapproved by the Department on June 25, 2004.

J. W. Maxwell & Son, Inc., Downingtown Borough, **Chester County**. James Arthur, Environmental Standards, Inc., 1140 Valley Forge Rd., P. O. Box 810, Valley Forge, PA 19482-0810 has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil and unleaded gasoline. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on May 7, 2004.

Valley Forge General Hospital, Operable Unit 1, Schuylkill Township, **Chester County**. Scott McClelland, URS Corp., 7101 Wisconsin Ave., Suite 700, Bethesda, MD 20814 on behalf of Kristine Carson, General Services Administration, Property Disposal Div., (4PR) 401 W. Peachtree St., Suite 2528, Atlanta, GA has submitted a Final Report concerning the remediation of site soil contaminated with chlorinated solvents, inorganics and other organics. The Final Report demonstrated attainment of the Site Specific Standard and was approved by the Department on June 29, 2004.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Fogel Commercial Refrigeration Co., Topton Borough and Longswamp Township, **Berks County**. Earth Tech, Inc., 2 Market Plaza Way, Mechanicsburg, PA 17055, on behalf of East Penn Manufacturing Co., Deka Road, Lyon Station, PA 19536, submitted a Baseline Environmental Report concerning remediation of site soils and groundwater contaminated with chlorinated solvents, inorganics, lead, other organics and PAHs. The site is

being remediated as a Special Industrial Area. The report was approved by the Department on May 24, 2004.

Kutztown University Maintenance Facility, Maxatawny Township, **Berks County**. Spotts, Stevens and McCoy, Inc., 1047 North Park Road, Reading, PA 19610-0307, on behalf of Kutztown University, Old Main 7, Kutztown, PA 19530, submitted a combined Remediation Investigation and Final Report concerning remediation of site soils and groundwater contaminated with no. 2 fuel oil. The combined report demonstrated attainment of a combination of the Statewide Health and Site-Specific Standards and was approved by the Department on June 23, 2004.

New Franklin Elementary School, Guilford Township, **Franklin County**. SAIC, 6310 Allentown Boulevard, Harrisburg, PA 17112-3377, on behalf of Chambersburg Area School District, 482 South Main Street, Chambersburg, PA 17201, submitted a Final Report concerning remediation of site soils and groundwater contaminated with fuel oil no. 2. The final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on June 30, 2004.

Homewood Retirement Center of the United Church of Christ, Inc., Martinsburg Borough and North Woodbury Township, **Blair County**. RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406, on behalf of Homewood Retirement Center of The UCC, Inc., 430 South Market Street, Martinsburg, PA 16662, submitted a Final Report concerning remediation of site groundwater contaminated with lead and BTEX. The final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on July 1, 2004.

HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

Draft permits issued, revised or withdrawn under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a hazardous waste treatment, storage or disposal facility.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. PAD002330165. East Penn Manufacturing, Inc., Deka Road, Lyon Station, PA 19536, Richmond Township, **Berks County**. On February 15, 2002, the Department received an application for a hazardous waste permit from East Penn for the storage of spent lead-acid batteries. The Department has completed its review of the permit application and has issued a draft permit. As required by 25 Pa. Code § 270a.80(d)(2), the Department is providing this public notice.

Persons wishing to comment on the draft permit are invited to submit a statement to the Southcentral Regional Office within 45 days from the date of this public notice. Comments received within this 45-day period will be considered in the formulation of the final determination regarding this application. Responses should include the name, address and telephone number of the writer, a concise statement to inform the regional office of the exact basis of any comment and the relevant facts upon which it is based. A public hearing may be held if the regional office considers the public response significant.

Following the 45-day comment period and/or public hearing, the Department will make a final determination regarding the proposed permit action. Notice of this

action will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit ID No. 101439. Brunner Landfill, Joseph J. Brunner, Inc., 278 Brunner Road, Zelenople, PA 16063. Operation of a municipal waste landfill in New Sewickley Township, **Beaver County**. Permit renewal issued in the regional office on June 30, 2004.

Permit ID No. 101619. Brunner Recycling Facility, Joseph J. Brunner Inc., 278 Brunner Road, Zelenople, PA 16063. Operation of a municipal waste processing facility in Harmony Township, **Beaver County**. Permit renewal issued in the regional office on June 30, 2004.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

46-302-226GP: Montgomery County Geriatric and Rehabilitation Center (1600 Black Rock Road, Upper Providence, PA 19468) on June 28, 2004, to operate two natural gas fired boilers in Upper Providence Township, **Montgomery County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

45-310-029GP3: Haines and Kibblehouse, Inc. (P. O. Box 196, 2052 Lucon Road, Skippack, PA 19474) on June 30, 2004, to construct and operate a portable stone crushing plant and associated air cleaning device at their Chestnut Ridge Sand Plant in Ross Township, **Monroe County**.

45-310-030GP3: Digg-It Corp. (946 Springbrook Avenue, Moosic, PA 18507) on June 30, 2004, to construct and operate a portable stone crushing plant and associated air cleaning device at their Sullivan Trail Junior High School, Tobyhanna Township, **Monroe County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

GP3-21-03063: Pennsy Supply, Inc. (1001 Paxton Street, P. O. Box 3331, Harrisburg, PA 17105) on June 28, 2004, for portable nonmetallic mineral processing plants under GP3 in Penn Township, **Cumberland County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Devendra Verma, New Source Review Chief, (814) 332-6940.

25-985: Chase Manufacturing Co. (9 Pennsylvania Avenue, Corry, PA 16407) on June 30, 2004, to renew a burn off oven permit in Corry, **Erie County**.

10-021: Indspec Chemical Corp. (133 Main Street, Petrolia, PA 16050) on June 30, 2004, to install a storage tank in Petrolia, **Butler County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

23-0065: General Chemical, LLC (6100 Philadelphia Pike, Marcus Hook, PA 19061) on July 2, 2004, to operate a 55,000 PPH, 200 psig steam boiler in Marcus Hook Borough, **Delaware County**.

46-0024D: McNeil Consumer and Specialty Pharmaceuticals (7050 Camp Hill Road, Fort Washington, PA 19034) on July 2, 2004, to operate a 25 mmBtu/hr boiler in Whitmarsh Township, **Montgomery County**.

09-0156A: Jolly Gardener Products, Inc. (500 East Pumping Station, Quakertown, PA 1895) on July 2, 2004, to operate three diesel fired engines in Richland Township, **Bucks County**.

23-0025A: Fibre Metal Prod Co. (US Route 1, Brinton Lake Rd., Concordville, PA 19331) on July 2, 2004, to operate a paint booth in Concord Township, **Delaware County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

01-05016E: ISP Minerals, Inc. (P. O. Box O, Blue Ridge Summit, PA 17214-0914) on June 25, 2004, to replace a crusher with a 240-ton per hour crusher and install related conveyors, hopper and bucket elevator, all controlled by existing fabric filter baghouses, at their Charmian facility in Hamiltonban Township, **Adams County**.

06-03102A: City of Reading (815 Washington Street, Reading, PA 19601) on July 1, 2004, to modify their wastewater treatment plant controlled by three wetted packed bed scrubbers and an enclosed ground flare at their facility in the City of Reading, **Berks County**.

21-05012A: MH Technologies, LLC (One Mountain Street, Mount Holly Springs, PA 17065-1406) on June 25, 2004, for restarting a 13 million Btu/hr boiler. M. H. Technologies, Inc. produces electrical insulation paper at their production facility in Mt. Holly Springs Borough, **Cumberland County**.

36-05027C: R. R. Donnelley and Sons Co. (216 Greenfield Road, Lancaster, PA 17601) on July 1, 2004, to install a rotogravure printing press at their Lancaster East facility in Lancaster City, **Lancaster County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

32-00297D: Creps United Publications (1163 Water Street, P. O. Box 746, Indiana, PA 15701) on July 1, 2004, to install a new 48-inch by 21-inch Goss C548 heatset web offset lithographis printing press and a second

regenerative thermal oxidizer at their Christy Park Drive Facility, White Township, **Indiana County**.

32-00376A: Robindale Energy Services, Inc. (1001 Broad Street, Suite 130, Johnstown, PA 15906) on July 6, 2004, to allow the installation of a new coal crusher (rated at 225 tons/hr) powered by a diesel engine (rated at 340 hp) and assorted supporting equipment at the Dilltown Facility, Brushvalley Township, **Indiana County**. Plant will be used to reclaim an old coal refuse pile at a rate of up to 200,000 tons per year.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Devendra Verma, New Source Review Chief, (814) 332-6940.

43-011D: Greenville Metals, Inc. (99 Crestview Drive Extension, Transfer, PA 16154) on June 8, 2004, for a minor modification of a plan approval to change the sulfur dioxide emission limit for the MnS Exothermic Reaction Process at their Greenville Metals site in Pymatuning Township, **Mercer County**.

10-340B: Eagle Printing Co. Inc. (114 West Diamond Street, Butler, PA 16001) on June 11, 2004, to modify Plan Approval 10-340A in Butler, **Butler County**.

10-319B: Main Steel Polishing Co., Inc. (6 Whitney Drive, Harmony, PA 16037) on June 24, 2004, to install a Roto Clone Dust Collector in the City of Harmony, **Butler County**.

10-309C: MultiServ (Route 8 South, Butler, PA 16001) on June 28, 2004, to modify to Plan Approval 10-309B in Butler, **Butler County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

15-0027D: Johnson Matthey, Inc. (456 Devon Park Drive, Wayne, PA 19087) on June 30, 2004, to operate a coating line No. 7 in Tredyffrin Township, **Chester County**.

15-0027F: Johnson Matthey, Inc. (456 Devon Park Drive, Wayne, PA 19087) on June 24, 2004, to operate two dust collectors in Tredyffrin Township, **Chester County**.

15-0090A: National Service Industries (1420 Peachtree Street NE, Atlanta, PA 30309) on June 30, 2004, to operate flexographic and offset presses in Uwchlan Township, **Chester County**.

15-0115B: QVC, Inc. (1200 Wilson Drive, West Chester, PA 19380) on June 30, 2004, to operate three emergency generators in West Goshen Township, **Chester County**.

23-0089: FPL Energy Marcus Hook, LP (P. O. Box 426, Delaware Avenue and Green Street, Marcus Hook, PA 19061) on June 30, 2004, to operate a 750 mW combined cycle in Marcus Hook Borough, **Delaware County**.

46-313-147: Cabot Supermetals (P. O. Box 1608, County Line Road, Boyertown, PA 19512) on June 30, 2004, to operate a refrigerated condenser in Douglass Township, **Montgomery County**.

09-0110A: Riverside Construction Materials, Inc. (355 Newbold Road, Fairless Hills, PA 19030) on July 2, 2004, to operate cement handling in Bristol Township, **Bucks County**.

46-0027: Ortho McNeil Pharmaceutical (Welsh and McKean Roads, Spring House, PA 19477) on June 30, 2004, to operate a 1.5 mW emergency electric generator in Lower Gwynedd Township, **Montgomery County**.

46-0037E: Cabot Supermetals (P. O. Box 1608, County Line Road, Boyertown, PA 19512) on July 2, 2004, to operate a sodium reduction process in Douglass Township, **Montgomery County**.

46-0037M: Cabot Supermetals (P. O. Box 1608, County Line Road, Boyertown, PA 19512) on June 30, 2004, to operate a large scrubber in Douglass Township, **Montgomery County**.

46-0037P: Cabot Supermetals (P. O. Box 1608, County Line Road, Boyertown, PA 19512) on June 30, 2004, to operate an acid gas scrubber in Douglass Township, **Montgomery County**.

46-0037I: Cabot Supermetals (P. O. Box 1608, County Line Road, Boyertown, PA 19512) on June 30, 2004, to operate building 55, Ta/Nb production in Douglass Township, **Montgomery County**.

46-0027A: Ortho McNeil Pharmaceutical (Welsh and McKean Roads, Spring House, PA 19477) on July 2, 2004, to amend selective catalytic reduction process in Lower Gwynedd Township, **Montgomery County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

39-318-111: Gateway Industrial Services (805 Harrison Street, Allentown, PA 18103) on June 30, 2004, to construct two paint spray booths and drying oven and the associated air cleaning device at their facility in Allentown, **Lehigh County**. The Plan Approval has been extended.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05024A: Reliant Energy Mid-Atlantic Power Holdings, LLC (121 Champion Way, Suite 200, Canonsburg, PA 15317) on July 1, 2004, to modify a coal handling operation controlled by covers and wet suppression at their Titus Station in Cumru Township, **Berks County**. This plan approval was extended.

67-02004: P. H. Glatfelter Co. (228 South Main Street, Spring Grove, PA 17362) on July 3, 2004, to operate three power boilers controlled by an electrostatic precipitator, a lime calciner controlled by a Venturi scrubber and a softwood fiber line and causticizing area to be controlled by a regenerative thermal oxidizer in Spring Grove Borough, **York County**. This plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

17-399-020: Eagle Environmental II, LP (11 New Street, Englewood Cliffs, NJ 07632) on July 1, 2004, to construct a residual waste landfill and mine spoil/coal crushing, screening and conveying operation (Royal Oak Residual Waste Landfill) until December 21, 2005, in Chest Township, **Clearfield County**. The plan approval has been extended.

41-00010D: Andritz, Inc. (35 Sherman Street, Muncy, PA 17756) on July 1, 2004, to operate a modified thermal foundry sand reclamation system and associated air cleaning devices (two fabric collectors) on a temporary

basis, until October 29, 2004, in Muncy Borough and Muncy Creek Township, **Lycoming County**. The plan approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

65-302-071: Koppers Industries, Inc. (436 Seventh Avenue, Pittsburgh, PA 15219) on June 30, 2004, for installation of two boilers at their Monessen Coke Works in Monessen, **Westmoreland County**. This plan approval was extended.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Devendra Verma, New Source Review Chief, (814) 332-6940.

61-185A: Heath Oil Co. (Route 8, Barkeyville, PA 16038) on May 31, 2004, to install a portable oil refinery in Barkeyville, **Venango County**.

24-083E: Carbone of America—Graphite Materials Division (1032 Trout Run Road, St. Marys, PA 15857) on June 30, 2004, to install a scrubber in Benzinger Township, **Elk County**.

24-083D: Carbone of America—Graphite Materials Division (1032 Trout Run Road, St. Marys, PA 15857) on June 30, 2004, to install a scrubber in Benzinger Township, **Elk County**.

25-090B: Zurn Industries, Inc. (1301 Raspberry Street, Erie, PA 16502) on June 30, 2004, to modify the cupola and install a scrubber in Erie, **Erie County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Edward Jurdon Brown, Facilities Permitting Chief, (484) 250-5920.

09-00125: Naceville Materials (P. O. Box 196, 2052 Lucon Road, Skippack, PA 19474) on July 2, 2004, to operate a State-only Operating Permit in Plumstead Township, **Bucks County**.

46-00148: Pottstown Plating Works (Washington Street and Industrial Highway, Pottstown, PA 19464) on July 2, 2004, to operate a State-only Operating Permit in Pottstown Borough, **Montgomery County**.

46-00021: Tyco Healthcare Retail Group, Inc. (601 Allendale Road, King of Prussia, PA 19406) in Upper Merion Township, **Montgomery County**, for an Administrative Amendment to State-only (Synthetic Minor) Operating Permit SMOP-46-00021. The Administrative Amendment increases the pressure drop range for the final filter chambers of the facility's sanitary paper product production equipment. The following changes have been addressed in the amended State-only Operating Permit:

The following source, fuel material location and emission point, along with corresponding permit map, conditions and emission restrictions, have been omitted:

101 Onan Emergency Generator, FML02 Onan Emergency Generator Diesel Fuel Tank and S04 Onan Emergency Generator Stack.

- NOx emission restrictions for the emergency generators and fire pump have been added to the permit.

- The source throughput value for the lighting and alarm systems emergency generator has been changed from 2.77 gal/hr to 6.6 gal/hr.

- The source throughput value for the fire pump has been changed from 1.58 gal/hr to 4.8 gal/hr.

- The following source, fuel material location and emission point, along with corresponding Permit Map, conditions and emission restrictions, have been added:

104 Telephone and Computer Systems Emergency Generator, FML05 Telephone and Computer Systems Emergency Generator Diesel Fuel Tank and W02 Telephone and Computer Systems Emergency Generator Stack.

- The pressure drop range for the final filter chambers has been changed from 2 inches to 4 inches of water to 0.5 inch to 9 inch of water.

- The source throughput value for the adult incontinence diaper production equipment has been changed from 7,359 lb/hr to 9,897 lb/hr.

- Production line/dust collection system nos. 55 and 71 have been added to the adult incontinence diaper production equipment.

- The source throughput value for the baby diaper production equipment has been changed from 9,235 lb/hr to 12,967 lb/hr.

- Production line/dust collection system nos. 66 and 67 have been added to the baby diaper production equipment.

- The dust collection system no. for the leg cuts production area of the production scrap room equipment has been changed from 14 to 12.

Administrative Amendment of State-only Operating Permit SMOP-46-00021 is issued under the Air Pollution Control Act and 25 Pa. Code.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

28-03014: Union Tools (400 Means Hollow Road, P. O. Box 69, Shippensburg, PA 17257) on June 25, 2004, for sawmill operations in Southampton Township, **Franklin County**.

36-03044: G/S/M Industrial, Inc. (596 West Trout Run Road, Ephrata, PA 17522) on June 30, 2004, to operate a fabricated metal products plant in Ephrata Township, **Lancaster County**.

36-05076: Lancaster General Hospital (555 North Duke Street, P. O. Box 3555, Lancaster, PA 17604-3555) on June 29, 2004, to operate their medical and surgical hospital facility in the City of Lancaster, **Lancaster County**.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

67-05043: Crown Cork and Seal Co.—USA, Inc. (1650 Broadway, Hanover, PA 17331) to operate a can manufacturing facility in Penn Township, **York County**. On July 1, 2004, the Title V operating permit was amended to include Plan Approval 67-05043B to construct a second welder with a flange/beader for Can Assembly Line No. 3. This is Revision No. 1 of the operating permit.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permit Actions

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

22851304R3. S & M Coal Company (1744 East Grand Avenue, Tower City, PA 17980), renewal of an underground mine operation in Wiconisco Township, **Dauphin County**, affecting 4.2 acres. Receiving streams: None. Application received March 11, 2002. Renewal issued June 28, 2004.

49931601R2. Black Creek Breaker Company (R. R. 2, Box 630, Shamokin, PA 17872), renewal of a coal preparation plant operation in West Cameron Township, **Northumberland County**, affecting 5.7 acres. Receiving streams: None. Application received December 9, 2003. Renewal issued July 1, 2004.

California District Mining Office: 25 Technology Drive, California Technology Park, Coal Center, PA 15423, (724) 769-1100.

30841316 and NPDES Permit No. PA0213535. Consol Pennsylvania Coal Company (P. O. Box 355, 172 Route 519, Eighty Four, PA 15330), to revise the permit for the Bailey Mine and Prep Plant in Richhill Township, **Greene County** and related NPDES permit to install the 4 South No. 3 Air Shaft. Surface Acres Proposed 10.9. Receiving streams: unnamed tributary to South Fork Dunkard Fork (WWF). Permit issued June 25, 2004.

30841317 and NPDES Permit No. PA0213537. Consol Pennsylvania Coal Company (P. O. Box 355, 172 Route 519, Eighty Four, PA 15330), to revise the permit for the Enlow Fork Mine in East Finley Township, **Washington County**, to install an airshaft and add an NPDES point. Surface Acres Proposed 13.6. Receiving streams: unnamed tributary of Templeton Fork (TSF). Permit issued June 30, 2004.

30841317 and NPDES Permit No. PA0213537. Consol Pennsylvania Coal Company (P. O. Box 355, 172 Route 519, Eighty Four, PA 15330), to revise the permit for the Enlow Fork Mine in East Finley Township, **Washington County**, to add acreage to install a ventilation borehole. Surface Acres Proposed 0.5. No additional discharges. Permit issued June 30, 2004.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

24890102 and NPDES Permit No. PA0207331. Energy Resources, Inc. (P. O. Box 259, Brockway, PA 15824), renewal of an existing bituminous strip and auger operation in Horton Township, **Elk County**, affecting 316.0 acres. This renewal is issued for reclamation only. Receiving streams: unnamed tributaries to Mead Run. Application received May 4, 2004. Permit issued June 25, 2004.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

17753050 and NPDES Permit No. PA0044822. River Hill Coal Co., Inc. (P. O. Box 141, Kylertown, PA 16847), renewal of an existing bituminous surface mine-tipple refuse disposal permit in Karthaus Township, **Clearfield County**, affecting 687.6 acres. Receiving streams: unnamed tributaries to Saltlick Run, to Saltlick Run, unnamed tributaries to Mosquito Creek, unnamed tributaries to West Branch Susquehanna River, Saltlick Run, Mosquito Creek all to West Branch Susquehanna River. Application received February 27, 2004. Permit issued June 29, 2004.

Noncoal Permit Actions

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

34040801. Margaret Allen (R. R. 2, Box 390, Port Royal, PA 17082), commencement, operation and restoration of a quarry operation in Milford Township, **Susquehanna County**, affecting 5.0 acres. Receiving streams: None. Application received April 15, 2004. Permit issued June 28, 2004.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

08030807. Robert E. Harkness (R. R. 2, Box 233A-A1, Towanda, PA 18848), commencement, operation and restoration of a small industrial minerals (flagstone) permit in Standing Stone Township, **Bradford County**, affecting 3 acres. Receiving streams: unnamed tributary, tributary to King Creek. Application received September 3, 2003. Application returned: June 24, 2004.

08040804. Jeffery Osmun (5890 Potters Lane, Pipersville, PA 18947), commencement, operation and restoration of a small industrial minerals (flagstone/shale) permit in Tuscarora Township, **Bradford County**, affecting 5 acres. Receiving streams: Mill Creek, tributary to Tuscarora Creek. Application received April 22, 2004. Permit issued June 29, 2004.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (73 P.S. §§ 151-161) and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

48044024. J. Roy's, Inc. (Box 125, Bowmansville, PA 17505), construction blasting at Raubsville Spec House in Williams Township, **Northampton County**, with an expiration date of June 2, 2005. Permit issued June 30, 2004.

35044008. Hayduk Enterprises (P. O. Box 554, Dalton, PA 18414), construction blasting at Roba's Tree

Farm in North Abington Township, **Lackawanna County**, with an expiration date of June 3, 2005. Permit issued June 30, 2004.

09044015. Blooming Glen Contractors (P. O. Box 391, Blooming Glen, PA 18911) and **Douglas Explosives** (P. O. Box 77, Philipsburg, PA 16868), construction blasting at Pennridge Airport Tie-Down Apron in Perkasio Borough and East Rockhill Township, **Bucks County**, with an expiration date of July 22, 2005. Permit issued June 30, 2004.

21044045. Brubacher Excavating, Inc. (P. O. Box 528, 825 Reading Road, Bowmansville, PA 17507), construction blasting at Prologistics Project—Shippensburg in Southampton Township, **Cumberland County**, with an expiration date of June 30, 2005. Permit issued June 30, 2004.

09044016. Hayduk Enterprises (P. O. Box 554, Dalton, PA 18414), construction blasting at Smith School and Deep Run Roads in Bedminster Township, **Bucks County**, with an expiration date of July 23, 2005. Permit issued June 30, 2004.

48044027. MF Ronca & Sons (179 Mikron Road, Bethlehem, PA 18020), construction blasting at Starlite Estates in Palmer Township, **Northampton County**, with an expiration date of October 24, 2004. Permit issued July 1, 2004.

21044047. John W. Gleim, Jr., Inc. (625 Hamilton Street, Carlisle, PA 17013), construction blasting at ProLogis Warehouse in Southampton Township, **Cumberland County**, with an expiration date of December 31, 2004. Permit issued July 1, 2004.

22044018. ABEL Construction Company, Inc. (3925 Columbia Avenue, Mountville, PA 17554), construction blasting at South Point Meadows in Derry Township, **Dauphin County**, with an expiration date of December 28, 2004. Permit issued July 1, 2004.

46044022. Allan A. Myers, L. P. (P. O. Box 98, Worcester, PA 19490), construction blasting at Harrington Village in Franconia Township, **Montgomery County**, with an expiration date of July 28, 2005. Permit issued July 1, 2004.

23044003. Explo-Craft, Inc. (P. O. Box 1332, West Chester, PA 19380), construction blasting at WAWA Site in Concord Township, **Delaware County**, with an expiration date of July 28, 2005. Permit issued July 1, 2004.

64044006. Hayduk Enterprises (P. O. Box 554, Dalton, PA 18414), construction blasting at Wal-lenpaupack Lake Estates in Paupack Township, **Wayne County**, with an expiration date of June 30, 2005. Permit issued July 1, 2004.

15044026. Brubacher Excavating, Inc. (P. O. Box 528, 825 Reading Road, Bowmansville, PA 17507), construction blasting at East Coventry Sanitary Sewer in East Coventry Township, **Chester County**, with an expiration date of July 28, 2005. Permit issued July 1, 2004.

22044019. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting at Amber Fields Phase 4 in Lower Paxton Township, **Dauphin County**, with an expiration date of July 30, 2005. Permit issued July 1, 2004.

67044034. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting at Felton Sewer Project in Felton Borough and Chanceford Town-

ship, **York County**, with an expiration date of January 31, 2005. Permit issued July 1, 2004.

21044049. M & J Explosives, Inc. (P. O. Box 608, Carlisle, PA 17013), construction blasting at ProLogis Warehouse in Southampton Township, **Cumberland County**, with an expiration date of July 31, 2005. Permit issued July 1, 2004.

40044007. Hayduk Enterprises (P. O. Box 554, Dalton, PA 18414), construction blasting at Scoot Kresge, 606 Meadow Run, Bear Creek in Bear Creek Township, **Luzerne County**, with an expiration date of July 2, 2004.

38044010. Gerlach's Drilling & Blasting, Inc. (172 Bender Mill Road, Lancaster, PA 17603), construction blasting at Lebanon Valley Business Park in South Lebanon Township, **Lebanon County**, with an expiration date of July 28, 2005. Permit issued July 2, 2004.

36044064. Keystone Blasting Service (381 Reifsnnyder Road, Lititz, PA 17543), construction blasting at Ammon Weaver Chicken House in Ephrata Township, **Lancaster County**, with an expiration date of November 14, 2004. Permit issued July 2, 2004.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.

65044005. MJM Mechanical, Inc. (51 Bridge St., Suite 217, Pittsburgh, PA 15223), blasting activity permit for construction of Dick's Sporting Goods in Smithton Township, **Westmoreland County**. The expected duration of blasting is 30 days. Permit issued June 29, 2004.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality

Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 P. S. §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E39-430. City of Allentown—Water Department, 435 Hamilton Street, Allentown, PA 18101-1699. City of Allentown, **Lehigh County**, Army Corps of Engineers Philadelphia District, Subbasin 2C.

To remove an existing building and to construct and maintain a 42-foot by 125-foot storage building in the left side floodway of the Little Lehigh Creek (HQ-CWF) and to construct and maintain a 42-foot by 125-foot storage building in the left side floodway fringe of the Little Lehigh Creek. The project is at the city's Water Distribution Facility on the east side of Martin Luther King Drive near its intersection with 15th Street (Allentown East, PA Quadrangle N: 17.25 inches; W: 14.70 inches).

E39-428. Southern Lehigh Public Library Association, 6339 Beverly Hills Road, Coopersburg, PA 18036.

Upper Saucon Township, **Lehigh County**, Army Corps of Engineers Philadelphia District, Subbasin 2C.

To maintain an existing road crossing of a tributary to Saucon Creek (CWF, intermittent) consisting of a 48-inch diameter reinforced concrete pipe; to place and maintain 1 foot to 6 feet of fill in the floodway of and along 500 feet of the right bank of the tributary; to construct and maintain a 15-inch diameter outfall pipe with a rock apron in the floodway of the tributary; and to construct and maintain a 12-foot wide outfall channel in the floodway of the tributary for the purpose of constructing the Southern Lehigh Public Library. The project is on the south side of Preston Road approximately 0.25 mile east of Old Bethlehem Pike (Allentown East, PA Quadrangle N: 6.6 inches; W: 1.9 inches). The project proposes to directly affect 0.3 acre of floodway.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E06-535: Joseph A. Piccone, Inc., 501 Route 113, Chester Springs, PA 19425 in Caernarvon Township, **Berks County**, ACOE Philadelphia District.

To construct and maintain: (1) two stream and associated wetland crossings, the western crossing consists of three 78-foot, 6-foot 1-inch diameter pipe arch culverts with 0.069 acre of wetland fill and three 53-foot long, 6-foot 1-inch pipe arch culverts and 0.17 acre for the eastern fill in and along a tributary to East Branch Conestoga River (WWF); (2) an 8-inch PVC sanitary sewer line crossing and an 8-inch water line crossing; and (3) place fill in 0.44 acre of wetland at a point upstream of the Pennsylvania Turnpike for the purpose of constructing the Tri-County Mall (Morgantown, PA Quadrangle N: 6.8 inches; W: 1.8 inches) in Caernarvon Township, Berks County. The permittee is required to provide a minimum of 0.68 acre of replacement wetland. The permit has been amended to include the following Special Condition: Any provision to the contrary notwithstanding, the terms and conditions of the Consent Order and Agreement between the Department, Joseph A. Piccone, Inc. and Defenders of Wildlife are incorporated in and are a part of this permit. The Consent Order and Agreement is incorporated herein as if fully set forth in this Special Condition. The permit term is extended until all conditions of paragraph 3 of the Corrective Action of the Consent Order and Agreement are fully complied with by the permittee.

E21-315: Logans Run Associates, 15 Central Boulevard, Camp Hill, PA 17011 in East Pennsboro Township, **Cumberland County**, ACOE Baltimore District.

To: (1) fill and maintain 0.26 acre of wetlands; (2) to install and maintain one 23-foot long 36-inch by 22-inch corrugated metal arch pipe; and (3) to install and maintain one 18-inch corrugated metal storm sewer and one 8-inch PVC sanitary sewer line, to cross wetlands and an unnamed tributary to the Conodoguinet Creek (WWF), for the purpose of completing construction on the Penn Valley Development, approximately 0.6 mile north of Wertsville Road (SR 0944) and along the west side of Salt Road (Harrisburg West, PA Quadrangle N: 7.95 inches; W: 11.1 inches) in East Pennsboro Township, **Cumberland County**.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

E12-150. James McCollam, 8538 Schwalm Drive, Jamestown, PA 16134. Camp addition in Lumber Township, **Cameron County**, ACOE Baltimore District (Cameron, PA Quadrangle N: 7.75 inches; W: 11.25 inches).

The permit authorizes the construction, operation and maintenance of a 12-foot by 22-foot addition to an existing camp. The addition will be 32 inches above poured concrete footers placed at grade. This permit was issued under section 105.13(e) "Small Projects."

E17-394. Westover Borough, P. O. Box 199, Westover, PA 16692-0199. Westover Borough wastewater collection and treatment facilities in Westover Borough, **Clearfield County**, ACOE Baltimore District (Westover, PA Quadrangle N: 0.83 inch; W: 6.34 inches).

To construct, operate and maintain eight sanitary sewer crossings Chest Creek and its tributaries, a treated effluent outfall and five manholes along Chest Creek and a wastewater treatment facility within the 100-year floodplain of Chest Creek in association with the Westover Borough wastewater collection and treatment project. The construction, operation and maintenance of the wastewater collection and treatment facilities may require in-stream or floodplain activity at locations that are as follows:

<i>Wastewater Treatment Appurtenance</i>	<i>Regulated Water</i>	<i>Water Quality Designation</i>	<i>Latitude Coordinates</i>	<i>Longitude Coordinates</i>
Treatment Plant	Chest Creek Floodplain	CWF	40° 45' 20.0"	78° 40' 7.8"
Outfall Structure	Chest Creek	CWF	40° 45' 22.0"	78° 40' 2.0"
Manhole No. 50	Chest Creek Floodplain	CWF	40° 45' 10.0"	78° 40' 6.0"
Manhole No. 51	Chest Creek Floodplain	CWF	40° 45' 11.0"	78° 40' 4.0"
Manhole No. 52	Chest Creek Floodplain	CWF	40° 45' 10.0"	78° 40' 3.0"
Sanitary Sewer Crossing	Unnamed tributary	CWF	40° 45' 17.5"	78° 40' 8.4"
Sanitary Sewer Crossing	Unnamed tributary	CWF	40° 45' 14.3"	78° 40' 14.36"
Sanitary Sewer Crossing	Unnamed tributary	CWF	40° 45' 13.7"	78° 40' 18.3"
Sanitary Sewer Crossing	Unnamed tributary	CWF	40° 45' 14.6"	78° 40' 26.9"
Sanitary Sewer Crossing	Chest Creek	CWF	40° 45' 11.0"	78° 40' 5.0"
Sanitary Sewer Crossing	Unnamed tributary	CWF	40° 45' 11."	78° 40' 3.0"
Sanitary Sewer Crossing	Unnamed tributary	CWF	40° 45' 9.63"	78° 39' 53"
Sanitary Sewer Crossing	Unnamed tributary	CWF	40° 45' 9.5"	78° 39' 49.4"
Manhole No. 80	Chest Creek Floodplain	CWF	40° 45' 4.0"	78° 40' 2.0"
Manhole No. 81	Chest Creek Floodplain	CWF	40° 45' 2.0"	78° 40' 2.0"

Construction and maintenance work for sanitary sewer line crossings of Chest Creek and its tributaries shall be

completed during stream low flow and dry work conditions by boring, dam and pumping or diverting stream

flow around the work area. Since Chest Creek is a wild trout fishery, no construction or future repair work shall be completed in or along the stream channels between October 1 and December 31 without prior written permission from the Fish and Boat Commission. Since Chest Creek is also a stocked trout fishery, no construction or future repair work shall be completed in or along the stream channels between March 1 and June 15 without prior written permission from the Fish and Boat Commission. This permit also authorizes construction, operation, maintenance and removal of temporary construction access roads, causeways, cofferdams and rock stream diversions for construction of sanitary sewer lines crossing the waterways. Rock used for temporary structures shall only be clean nonpolluting rock. Upon completion of each specific maintenance project, all temporary structures shall be completely removed with the stream banks restored to original contours and elevations. This permit does not authorize any temporary or permanent impact to wetlands; the permittee shall ensure no wetlands are impacted in association with the project. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E41-535. Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. SR 0442 Little Muncy Creek bridge replacement in Moreland Township, **Lycoming County**, ACOE Susquehanna River Basin District (Hughesville, PA Quadrangle N: 9.65 inches; W: 5.875 inches).

To remove an existing two-span concrete bridge and construct and maintain a single span prestressed concrete box beam bridge having a clear span of 95 feet, with a minimum underclearance of 15.6 feet on a skew of 90° over Little Muncy Creek, along SR 0442, 7 miles east of Muncy and to construct, maintain and remove a temporary causeway consisting of clean R-7 rock, all of which is in Moreland Township, Lycoming County.

E49-274. Marlin W. Snyder, 19 South Market Street, Elysburg, PA 17824. Water obstruction and encroachment permit in Ralpho Township, **Northumberland County**, ACOE Susquehanna River Basin District (Shamokin, PA Quadrangle N: 20.71 inches; W: 7.01 inches).

To remove an existing concrete block, concrete decked bridge and construct and maintain a 28-foot long by 5-foot long pressure treated wood footbridge over and unnamed tributary to Shamokin Creek (CWF). The project is along SR 0054 approximately 0.15 mile south of SR 0487 and SR 0054 intersection in Ralpho Township, **Northumberland County**. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E49-275. Clarence E. Bailey, 331 Stone School Road, Northumberland, PA 17857. Water obstruction and encroachment joint permit application in Upper Augusta Township, **Northumberland County**, ACOE Susquehanna River Basin District (Northumberland, PA Quadrangle N: 1.31 inches; W: 4.85 inches).

To construct and maintain a concrete dock measuring 17 feet wide by 5 feet high by 60 feet long in the floodway of the Susquehanna River, 0.24 mile north of Sunbury on Packers Island, Upper Augusta Township, Northumberland County. This project proposes to have a minimal impact on the floodway of the Susquehanna River (WWF). This permit was issued under section 105.13(e) "Small Projects."

E59-450. Wellsboro Municipal Authority, 28 Crafton Street, Wellsboro, PA 16901. Brownlee raw water convey-

ance line replacement in Charleston and Duncan Townships, **Tioga County**, ACOE Baltimore District (Antrim, PA Quadrangle N: 10.3 inches; W: 1.3 inches).

To remove the existing clay tile water conveyance line and replace it with a 12-inch ductile iron conveyance pipe in the Charleston Creek (WWF) watershed. This permit authorizes ten temporary wetland impacts totaling 0.59 acre and two intermittent stream crossings. Total linear feet of impact is 860 linear feet of wetlands and 60 linear feet of stream. This project is 4 miles from the intersection of SR 3009 and SR 6 (Antrim, PA Quadrangle N: 10.3 inches; W: 1.3 inches) Duncan Township, Tioga County.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1465. Borough of Lincoln, 45 Abes Way, Elizabeth, PA 15037-3024. Stream bank protection in Coursin Hollow Run in Lincoln Borough, **Allegheny County**, Pittsburgh ACOE District (McKeesport, PA Quadrangle N: 11.7 inches; W: 17.1 inches) (Latitude: 40° 18' 52" and Longitude: 80° 15' 36"). To construct and maintain approximately 1,218.0 linear feet of stream bank protection in the channel and along the left bank of an unnamed tributary to the Monongahela River (locally known as Coursin Hollow Run) (WWF) for the purpose of preventing stream bank erosion and protecting Coursin Hollow Road. The project is on the north side of Coursin Hollow Road, just upstream from the mouth of the stream. The project will impact 1,218.0 linear feet of stream channel and will consist of a concrete wall 904.0 feet in length, vegetative slope projection 137.0 feet in length and rip-rap protection 177.0 feet in length.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E10-384. David K. Mason, 887 Ekastown Road, Sarver, PA 16055. Mason House outfall project in Clinton Township, **Butler County**, ACOE Pittsburgh District (Curtisville, PA Quadrangle N: 18.5 inches; W: 6.75 inches).

To construct and maintain a 4-inch diameter outfall as part of a single family residence small flow treatment facility discharging to an unnamed tributary to Little Buffalo Creek (HQ-TSF) at a point approximately 700 feet northwest of the intersection of SR 356 and SR 228.

E10-387. Jesture Venture, L. P., 100 Heaven Lane, Mars, PA 16046-3118. Briar Creek residential development in Cranberry Township, **Butler County**, ACOE Pittsburgh District (Baden, PA Quadrangle N: 18.45 inches; W: 3.25 inches).

To construct and maintain an aluminum plate arch culvert having an instream length of 108 feet, a clear span of 23 feet and a rise of 7.5 feet to be within an unnamed tributary to Brush Creek (WWF) at a point approximately 1,300 feet northeast of Glen Eden Road (SR 3024) within the Briar Creek subdivision and to place fill in 0.05 acre of wetlands. The applicant is not required to provide replacement wetlands for this de minimis impact.

E20-534. Dominion Transmission, Inc., 445 West Main Street, Clarksburg, WV 26301. Existing natural gas pipeline TL-406 in Conneaut, East Fairfield, Sadsbury, Summit, Union and Vernon Townships, **Crawford County**, ACOE Pittsburgh District (Harmonsburg, PA Quadrangle N: 3.7 inches; W: 6.49 inches).

The applicant proposed requesting a permit to operate and maintain an existing 10-inch diameter natural gas

pipeline TL-406 in Conneaut, East Fairfield, Sadsbury, Summit, Union and Vernon Townships, Crawford County from the Cochranon interconnection with the Tennessee Gas Company approximately 800 feet west of the intersection of U. S. Route 322 and Powell Road (Cochranon, PA Quadrangle N: 6.8 inches; W: 10.9 inches) to the Pennsylvania/Ohio border (Leon, OH-PA Quadrangle N: 21.1 inches; W: 2.7 inches) approximately 1.8 feet miles northwest of U. S. Route 6 and the Pennsylvania/Ohio border.

Dominion Transmission, Inc. currently has Permits 11325-1 to 11325-21 which authorized the construction of a 10-inch gas pipeline (TL-406) under the bed and across the channel of various streams in Conneaut, East Fairfield, Summit, Union and Vernon Townships, Crawford County. Rather than issuing a new permit, Permits 11325-1 to 11325-21 are amended to include the following:

To operate and maintain an existing 10-inch diameter natural gas pipeline TL-406 in Crawford County from the Cochranon interconnection with the Tennessee Gas Company approximately 800 feet west of the intersection of U. S. Route 322 and Powell Road (Cochranon, PA Quadrangle N: 6.8 inches; W: 10.9 inches) to the Pennsylvania/Ohio border (Leon, OH-PA Quadrangle N: 21.1 inches; W: 2.7 inches) approximately 1.8 feet miles northwest of U. S. Route 6 and the Pennsylvania/Ohio border. The project crosses and includes the crossing of the following streams and nonexceptional value wetlands (wetland crossings based on NWI maps) as described in the application: UNT to French Creek (perennial) (WWF) (N 41° 32' 11", W 80° 5' 7"), UNT to French Creek (intermittent) (WWF) (N 41° 32' 20", W 80° 5' 29"), French Creek (perennial) (WWF) (N 41° 32' 40", W 80° 6' 13"), UNT to Conneaut Inlet (intermittent) (WWF) (N 41° 32' 54", W 80° 6' 41"), UNT to French Creek (intermittent) (N 41° 33' 7", W 80° 7' 13"), UNT to French Creek (intermittent) (N 41° 33' 21", W 80° 7' 37"), UNT to French Creek (intermittent) (N 41° 34' 15", W 80° 9' 42"), UNT to French Creek (intermittent) (N 41° 35' 3", W 80° 11' 23"), UNT to Watson Run (intermittent) (WWF) (N 41° 35' 46", W 80° 12' 40"), UNT to Watson Run (intermittent) (N 41° 36' 6", W 80° 13' 10"), UNT to Watson Run (intermittent) (N 41° 36' 13", W 80° 13' 24"), UNT to Watson Run (intermittent) (N 41° 36' 46", W 80° 14' 16"), UNT to Watson Run (intermittent) (N 41° 14' 49", W 80° 14' 49"), Watson Run (perennial) (WWF) (N 41° 37' 24", W 80° 15' 26"), UNT to Watson Run (perennial) (WWF) (N 41° 37' 36", W 80° 15' 50"), UNT to Conneaut Lake (perennial) (HQ-WWF) (N 41° 38' 8", W 80° 16' 44"), UNT to Conneaut Lake (perennial) (N 41° 38' 29", W 80° 17' 26"), UNT to Conneaut Lake (perennial) (N 41° 38' 38", W 80° 17' 41"), UNT to Conneaut Lake (perennial) (N 41° 38' 57", W 80° 18' 18"), Inlet Run (perennial) (HQ-WWF) (N 41° 39' 6", W 80° 18' 47"), UNT to Inlet Run (perennial) (HQ-WWF) (N 41° 39' 9", W 80° 18' 54"), UNT to Conneaut Creek (perennial) (WWF, MF) (N 41° 39' 53", W 80° 20' 39"), Conneaut Creek (perennial) (WWF, MF) (N 41° 40' 8", W 80° 21' 13"), UNT to Conneaut Creek (perennial) (N 41° 40' 17", W 80° 21' 35"), UNT to Conneaut Creek (perennial) (N 41° 40' 23", W 80° 21' 49"), UNT to Conneaut Creek (perennial) (N 41° 40' 35", W 80° 22' 16"), UNT to Conneaut Creek (perennial) (N 41° 40' 54", W 80° 22' 54"), UNT to Linesville Creek (perennial) (WWF) (N 41° 41' 46", W 80° 25' 0"), Linesville Creek (perennial) (WWF) (N 41° 41' 59", W 80° 25' 23"), Linesville Creek (perennial) (N 41° 42' 1", W 80° 25' 26"), UNT to Linesville Creek (perennial)

(N 41° 42' 15", W 80° 25' 50"), UNT to Linesville Creek (perennial) (N 41° 42' 16", W 80° 25' 53"), UNT to Linesville Creek (perennial) (N 41° 42' 16", W 80° 25' 53"), UNT to Paden Creek (perennial) (WWF) (N 41° 42' 38", W 80° 26' 46"), UNT to Paden Creek (perennial) (N 41° 43' 2", W 80° 27' 34"), UNT to Paden Creek (perennial) (N 41° 43' 7", W 80° 27' 49"), Paden Creek (perennial) (WWF) (N 41° 42' 38", W 80° 28' 20"), Wetland TL-406-CRA-001 (PSS) (N 41° 32' 38", W 80° 6' 1"), Wetland TL-406-CRA-002 (PSS) (N 41° 32' 38", W 80° 6' 1"), Wetland TL-406-CRA-002 (PSS) (N 41° 32' 40", W 80° 6' 7"), Wetland TL-406-CRA-003 (PSS) (N 41° 36' 8", W 80° 13' 14"), Wetland TL-406-CRA-004 (PFO/PSS) (N 41° 36' 29", W 80° 13' 47"), Wetland TL-406-CRA-005 (PFO) (N 41° 36' 38", W 80° 13' 59"), Wetland TL-406-CRA-006 (PEM/PFO/PSS) (N 41° 37' 24", W 80° 15' 26"), Wetland TL-406-CRA-007 (PEM) (N 41° 38' 55", W 80° 18' 12"), Wetland TL-406-CRA-008 (PFO) (N 41° 41' 59", W 80° 25' 23"), Wetland TL-406-CRA-009 (PFO) (N 41° 43' 19", W 80° 28' 19") and Wetland TL-406-CRA-010 (PFO/PSS) (N 41° 44' 22", W 80° 30' 57").

This includes maintenance of the pipeline under the stream bed and across the channel of the French Creek (N 41° 32' 40", W 80° 6' 13") at a point approximately 800 feet south of the intersection of U. S. Route 322 and SR 2005 in East Fairfield and Union Townships, Crawford County. Fees under Permit No. 11325-1 will be maintained.

E25-684, Bay Harbor Marina Limited Partnership, 9620 Donation Road, Waterford, PA 16441. Cherry Street Marina rehabilitation in the City of Erie, **Erie County**, ACOE Pittsburgh District (Erie North, PA Quadrangle N: 1.1 inches; W: 13.7 inches).

The applicant proposes to maintain a small craft marina including maintenance dredging in Presque Isle Bay, Lake Erie at the foot of Cherry Street approximately 2.4 miles east of the base of the Presque Isle Peninsula and to conduct rehabilitation of the marina to: (1) fill approximately 0.52 acre at the southeast end of the marina for realignment purposes and to construct and maintain a parking lot; (2) remove the existing breakwall across the center of the marina having an area of approximately 0.16 acre and to remove the existing docks and to install and maintain three approximately 770-foot long floating docks and a row of additional slips along the west wall of the marina; and (3) install and maintain a riprap wall at the southern end of the marina having an area of approximately 0.178 acre. The project proposes to directly affect a net total of approximately 0.538 acre of Presque Isle Bay (WWF, perennial). Permit E25-684 replaces the facility's Permit No. E25-13T-1.

E27-044A, Department of Transportation, District 1-0, 255 Elm Street, P. O. Box 398, Oil City, PA 16301. T-345 Kellettville Bridge across Tionesta Creek and SR 666 improvements in Kingsley Township, **Forest County**, ACOE Pittsburgh District (Kellettville, PA Quadrangle N: 8.2 inches; W: 0.9 inch).

To amend on behalf of Forest County, DEP Permit No. E27-044, which authorized Forest County to construct and maintain the Kellettville Bridge, having two clear, normal spans of 140 feet and 120 feet and an underclearance of 17 feet, 4 inches, across Tionesta Creek on T-345 east of SR 666. The proposed amendment is to realign the west approach of the bridge beginning at the west abutment and extending to SR 666. Realignment will fill a total of approximately 0.43 acre of the flood plain of

Tionesta Creek, including impact to a de minimis area of wetland (0.0037 acre).

E33-218, Jefferson County Commissioners, 155 Main Street, Jefferson Place, Brookville, PA 15825. JC-10 (T-542) bridge replacement project in Winslow Township, **Jefferson County**, ACOE Pittsburgh District (DuBois, PA Quadrangle N: 22.7 inches; W: 17.0 inches).

To remove the existing steel "pony" truss bridge having a normal clear span of 87 feet, a curb to curb width of 13 feet and a skew of 90 degrees and to construct and maintain a steel plate girder bridge having a normal clear span of 148 feet, a curb to curb width of 26 feet, a skew of 75 degrees and to fill approximately 0.035 acre of wetlands all at a point along Township Road 542 across Sandy Lick Creek (TSF) approximately 700 feet south of SR 950. Replacement of the de minimis 0.035 acre of wetlands will not be required.

E33-220, Punxsutawney Borough, 301 East Mahoning Street, Punxsutawney, PA 15767. Center Alley outfall/headwall in Borough of Punxsutawney, **Jefferson County**, ACOE Pittsburgh District (Punxsutawney, PA Quadrangle N: 12.3 inches; W: 16.2 inches).

To construct and maintain a 24-inch diameter storm sewer with a concrete endwall at a point approximately 400 feet southwest of the intersection of SR 36 and Grace Way just south of Water Street and discharging to the Mahoning Creek (WWF).

E33-221, Department of Transportation, District 10-0, Bells Mills Bridge No. 2 in McCalmont Township, **Jefferson County**, ACOE Pittsburgh District (Reynoldsville, PA Quadrangle N: 2.0 inches; W: 3.3 inches).

To remove the existing concrete arch bridge having a single clear span of 31 feet, an under clearance of 8 feet, an approximate instream length of 17 feet and is set at a 75 degree left skew and to place fill within approximately 0.043 acre of emergent/scrub-shrub wetlands and to construct and maintain a precast concrete box culvert having a clear span of 26 feet, an effective under clearance of 7 feet, an instream length of 40 feet and is set at a 75 degree skew carrying SR 2019, Section 551 across Bug Run (CWF) at Segment 0050, Offset 0797.

E37-155, Lawrence County. Hilltown Bridge replacement in Mahoning, **Lawrence County**, ACOE Pittsburgh District (Edinburg, PA Quadrangle N: 3.0 inches; W: 14.5 inches).

To remove the existing two-span steel through truss bridge having clear spans of 129 and 153 feet and maximum underclearance of 21 feet and to construct and maintain a three-span precast concrete box beam bridge consisting of two spans each at 86.5 feet and one span at 103 feet, an under clearance of 16.5 feet and an instream length of 32 feet 10 1/2 inches at a point across the Mahoning River (WWF) along Churchill Road (T-324) in Mahoning Township, Lawrence County.

E37-157, North Beaver Township Supervisors, 861 Mount Jackson Road, New Castle, PA 16102. T-361 (Moravia-Petersburg Road) bridge replacement in North Beaver Township, **Lawrence County**, ACOE Pittsburgh District (Bessemer, PA Quadrangle N: 6.4 inches; W: 15.1 inches).

The applicant proposes to remove the existing structure and to construct and maintain a prestressed concrete adjacent box beam bridge having a clear span of 31.54 feet and a minimum underclearance of 7.06 feet on a 72 degree skew across Sugar Creek (HQ-CWF, perennial) on

T-361 (Moravia-Petersburg Road) approximately 1.6 miles northwest of the intersection of U. S. Interstate 76 and SR 551. The project includes rip-rap protection of the abutments and roadway straightening including to fill 0.044 acre (de minimis) of PEM and PSS wetland. The project proposes to directly affect 0.044 acre of PEM and PSS wetlands and approximately 55 linear feet of stream.

Major Amendment E42-275A, Bradford Properties, LP, 609 Alexander Street, Pittsburgh, PA 15220-5503. Bradford Wal-Mart in Foster, **McKean County**, ACOE Pittsburgh District (Derrick City, PA Quadrangle N: 18.8 inches; W: 15.5 inches).

The original permit giving its consent to fill 0.29 acre of wetlands (PEM and PEM/PSS), install and maintain approximately 150 feet of bank stabilization and create 0.3 acre of replacement wetlands is to be amended giving consent to regrade the failed wetland mitigation area to original contours providing vegetative plantings to achieve stabilization and to create additional floodplain by grading an area approximately 200 feet long ranging from 10 to 15 feet in width and re-establishing stabilization with "live stakes" and an appropriate seed mix all to be along the north bank of Foster Brook (CWF) at the Wal-Mart retail center east of East Main Street approximately 1,000 feet north of its intersection with SR 346. The developer will be required to make payment of \$5,000 to the wetland replacement fund in lieu of recreating the failed wetland.

E43-304, Nancy Bires, Hermitage School District, 411 North Hermitage Road, Hermitage, PA 16148-3316. West Branch Pine Hollow Run stream restoration in Hermitage City, **Mercer County**, ACOE Pittsburgh District (Sharon East, PA Quadrangle N: 20.8 inches; W: 10.9 inches).

To construct and maintain a stream restoration project within West Branch Pine Hollow Run (WWF) for the purposes of: stream bank stabilization, improved sediment transport, establishment of riparian buffers and improved aquatic habitat while implementing a natural stream channel design approach consisting of the following construction activities: channel relocation, stream and floodway excavation and filling and the installation of cross vanes all beginning at a point approximately 2,300 feet northwest of the intersection of SR 62 and SR 18 and extending north approximately 1,930 feet to SR 3014 (Highland Road).

E61-266, Department of Conservation and Natural Resources, Bureau of Forestry, Forest District No. 8, 158 South 2nd Avenue, Clarion, PA 16214. Dennison Run ford crossing in Clinton Township, **Venango County**, ACOE Pittsburgh District (Kennerdell, PA Quadrangle N: 4.29 inches; W: 13.28 inches).

To remove the existing ford crossing consisting of deteriorated gabion baskets and to construct and maintain a reinforced concrete low flow crossing consisting of five low flow channels approximately 8 feet wide and 2 feet high and having a steel grate deck, an instream length of 17 feet, concrete approach slabs on both sides and is at a point within Dennison Run (EV) approximately 250 feet west of the mouth at the Allegheny River.

E62-393, Connie Holden and Dana Holden, P. O. Box 292, Six Mile Road, Tiona, PA 16352-0292. Sixmile Run culvert in Mead Township, **Warren County**, ACOE Pittsburgh District (Clarendon, PA Quadrangle N: 2.6 inches; W: 5.0 inches).

The applicant proposes to remove the existing structure and to construct and maintain a 30-foot long, 6-foot

diameter steel culvert in Sixmile Run (HQ CWF, perennial) approximately 1.8 miles northeast of the intersection of U. S. Route 6 and Six Mile Road. The project has been constructed. The existing structure was damaged during the storm of July 21, 2003. The project includes riprap protection of the culvert and adjacent stream banks. The project proposes to directly affect a total of approximately 70 linear feet of stream channel.

E62-394, Warren Electric Cooperative, Inc., P. O. Box 208, Youngsville, PA 16371. Akeley Substation expansion project in Pine Grove Township, **Warren County**, ACOE Pittsburgh District (Russell, PA Quadrangle N: 16.1 inches; W: 1.0 inch).

To place approximately 700 square feet of fill averaging 6 feet deep within a palustrine forested wetland for the purpose of expanding the existing Akeley Electric Substation 0.2 mile east of SR 0062 along the south side of Cable Hollow Road.

E62-396, Department of Conservation and Natural Resources, Cornplanter State Forest District No. 14, 323 North State Street, North Warren, PA 16365-4867. Anders Run Trail bridge replacement in Brokenstraw Township, **Warren County**, ACOE Pittsburgh District (Youngsville, PA Quadrangle N: 13.5 inches; W: 4.75 inches).

The applicant proposes to construct and maintain a steel stringer hiking trail bridge having a clear span of 38 feet and an underclearance of 8.4 feet on a 90 degree skew across Anders Run (CWF, perennial) on the Anders Run Hiking Trail approximately 2.0 miles southwest of the intersection of U. S. Route 6 and U. S. Route 62.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

EA02-006CO. Houston-Starr Company, 300 Brushton Avenue, Pittsburgh, PA 15221. Monroeville Borough, **Allegheny County**, ACOE Pittsburgh District.

Project proposes to construct, operate and maintain a nonjurisdictional dam (Detention Basin 2) and to modify an existing nonjurisdictional dam (Detention Basin 1). The dams are across a tributary to Simpson Run in Monroeville Borough, Allegheny County. Detention basin 2 will impact approximately 100 linear feet of stream channel for stormwater management purposes. The embankment of Detention Basin 1 will be lowered so the reservoir will have a maximum depth of 14.27 feet. The dams are approximately 3,300 feet southwest of the intersection of Saunders Road (SR 2100) and Meadowbrook Road (Murrysville, PA Quadrangle N: 4.95 inches; W: 15.95 inches).

D06-041EA. Game Commission, 1601 Elmerton Avenue, P. O. Box 67000, Harrisburg, PA 17106-7000. Heidelberg and Marion Townships, **Berks County**, ACOE Philadelphia District.

Project proposes to breach and remove Charming Forge Dam across Tulpehocken Creek (TSF), to eliminate a public safety hazard and for stream and fishery restoration. The dam is immediately upstream of Charming Forge Road Bridge (SR 3037) approximately 1,000 feet southeast of the intersection of T 512 and SR 3037 (Strausstown, PA Quadrangle N: 2.2 inches; W: 6.5 inches).

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101—6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Land Recycling and Waste Management, Director, P. O. Box 8763, Harrisburg, PA 17105-8763.

<i>SSIP Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
04-31-001	Gerald Bumgardner Bumgardner & Flasher, Inc. R. R. 1, Box 100 Mount Union, PA 17066	Huntingdon	Shirley Township	1 AST storing heating oil	20,000 gallons
				1 AST storing kerosene	10,000 gallons

SPECIAL NOTICES

Certification to Perform Radon-Related Activities in this Commonwealth

During June 2004, the Department of Environmental Protection, under the Radon Certification Act (63 P. S. §§ 2001—2014) and regulations promulgated thereunder in 25 Pa. Code Chapter 240, has certified the following persons to perform radon-related activities in this Commonwealth. The period of certification is 2 years. For a complete list of persons currently certified to perform radon-related activities in this Commonwealth and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (800) 23RADON.

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
Gerald Aubrey	1517 Daws Road Blue Bell, PA 19422	Testing
William Barroner	R. R. 2 Box 231A Williamsburg, PA 16693	Testing
William Carter, Jr.	759 East Parker Street	Testing

<i>Name</i>	<i>Address</i>	<i>Type of Certification</i>
	Langhorne, PA 19047	
Certified Radon Measurements	123 Grouse Court Venetia, PA 15367	Testing
Don Cessna	407 West Sample Street Ebensburg, PA 15931	Testing
Donald Dietrich	131 Shire Lane Wernersville, PA 19565	Testing
Gregory Gibson	P. O. Box 733 Tannersville, PA 18372	Testing
James F. Andrews Enterprises	353 Loveville Road Warriors Mark, PA 16877	Mitigation
Carl Johanson	6050 Ruhl Road Fairview, PA 16415	Testing
Timothy Kennedy	P. O. Box 492 Dallas, PA 18612	Testing
Harry Lehman Delaware Valley Radon Tech.	3589 Gray Fox Drive Chalfont, PA 18914	Mitigation
Gerald Mutter	657 Walnut Street Easton, PA 18042	Testing
Roman Paul	P. O. Box 731 Valley Forge, PA 19482	Testing
Peter Piazza	1133 Brookside Drive Greensburg, PA 15601	Testing
Pocono Environmental Labs	301 Route 940 Mount Pocono, PA 18344	Testing
Quality Home Services of Delaware Valley, Inc.	700 Braxton Road Ridley Park, PA 19078	Testing
Swindell Enterprises, Inc.	227 Locust Street, Box 12 Alum Bank, PA 15521	Testing
Michael Tokarczyk	753 Lutzville Road Everett, PA 15537	Mitigation
David Welker	12 James Street Mill Hall, PA 17751	Testing
Dennis Workman	P. O. Box 100 Kimberton, PA 19442	Testing

Proposals for Demonstration or Implementation of New or Innovative In-Situ or Ex-Situ Treatment or Abatement Technologies or Enhanced Metals Recovery for Acid Mine Drainage

Through Bid No. OSM PA(AMD-04), the Department of Environmental Protection is soliciting proposals for demonstration or implementation of new or innovative in-situ or ex-situ treatment or abatement technologies or enhanced metals recovery for acid mine drainage. Letters requesting the Request for Proposal must be received by 2 p.m. on August 16, 2004, and shall be sent to Joseph H. Schueck, Chief, Division of Acid Mine Drainage Abatement, Bureau of Abandoned Mine Reclamation, Department of Environmental Protection, P. O. Box 8476, Harrisburg, PA 17105-8476, fax (717) 783-0470. Individuals with questions should contact Joseph H. Schueck, (717) 783-5633, jschueck@state.pa.us.

Request for Comment and Notice of Public Meeting for Proposed Total Maximum Daily Loads (TMDLs) for the Montour Run Watershed in Allegheny County

Greensburg District Mining Office: Watershed Manager; Armbrust Professional Center; R. D. 2, Box 603-C, Greensburg, PA 15601.

The Department of Environmental Protection (Department) is holding a public meeting on July 20, 2004, at 7:30 p.m. in the Commissioner's Meeting Room, Robinson Township Municipal Building, 1000 Churchill Road, Pittsburgh, PA to

discuss and accept comments on a proposed TMDL, established in accordance with the requirements of the 1996 Section 303(d) of the Clean Water Act. One stream segment in the Montour Run Watershed has been identified as impaired on the 1996 Pennsylvania Section 303(d) list due to metals and pH from AMD. The listed segment and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
36684	Montour Run	36.9

The proposed plan provides calculations of the stream's total capacity to accept metals and acidity and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion Value (mg/l)</i>	<i>Total Recoverable/ Dissolved</i>
Aluminum (Al)	0.75	Total Recoverable
Iron (Fe)	1.50	30-day average; Total Recoverable
Manganese (Mn)	1.00	Total Recoverable
pH	6.0—9.0	N/A

The primary pollutant source for the watershed is abandoned mine workings. This watershed was heavily mined for coal in the mid 19th and throughout the 20th centuries. The effects of this are still present. There is one waste load allocation for an active mine in the watershed. All of the remaining allocations made in the TMDL are load allocations (LA) that are made to nonpoint sources of pollution.

The TMDL was developed using Monte Carlo Simulation (MCS) to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. MCS allows for the expansion of a dataset based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL.

The TMDL sets allowable loading rates for metals and acidity at specified points in the watershed. The basis of information used in the establishment of this TMDL is field data collected in 2002 and 2003.

The data and all supporting information used to develop the proposed TMDL are available from the Department. To request a copy of the proposed TMDL and an information sheet or to obtain directions to the meeting place, contact Ron Horansky, Armbrust Professional Center, R. D. 2, Box 603-C, Greensburg, PA 15601, (724) 925-5538, rhoransky@state.pa.us.

The TMDL can be viewed and printed by accessing the Department's website: www.dep.state.pa.us (DEP Keyword: TMDL).

Written comments will be accepted at the previous address and must be postmarked by September 16, 2004. Persons who plan to make a presentation at the public meeting should notify the Department by 12 p.m. on July 20, 2004. The Department will consider all comments in developing the final TMDL, which will be submitted to the EPA for approval.

Request for Comment and Notice of Public Meeting Proposed Total Maximum Daily Loads (TMDLs) for the Moon Run Watershed in Allegheny County

Greensburg District Mining Office: Watershed Manager, Armbrust Professional Center, R. D. 2, Box 603-C, Greensburg, PA 15601.

The Department is holding a public meeting on July 20, 2004, at 7:30 p.m. in the Commissioner's Meeting Room, Robinson Township Municipal Building, 1000 Churchill Road, Pittsburgh, PA to discuss and accept comments on a proposed TMDL, established in accordance with the requirements of the 1996 Section 303(d) of the Clean Water Act. One stream segment in the Moon Run Watershed has been identified as impaired on the 1996 Pennsylvania Section 303(d) list due to metals and pH from AMD. The listed segment and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
36730	Moon Run	6.6

The proposed plan provides calculations of the stream's total capacity to accept metals and acidity and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion Value (mg/l)</i>	<i>Total Recoverable/ Dissolved</i>
Aluminum (Al)	0.75	Total Recoverable
Iron (Fe)	1.50	30-day average; Total Recoverable
Manganese (Mn)	1.00	Total Recoverable
pH	6.0—9.0	N/A

The primary pollutant source for the watershed is abandoned mine workings. This watershed was heavily mined for coal in the late 19th and early 20th centuries. The effects of this are still present. All of the allocations made in the TMDL are LA that are made to nonpoint sources of pollution.

The TMDL was developed using MCS to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. MCS allows for the expansion of a dataset based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL.

The TMDL sets allowable loading rates for metals and acidity at specified points in the watershed. The basis of information used in the establishment of this TMDL is field data collected in 2002 and 2003.

The data and all supporting information used to develop the proposed TMDL are available from the Department. To request a copy of the proposed TMDL and an information sheet or to obtain directions to the meeting place, contact Ron Horansky, Armbrust Professional Center, R. D. 2, Box 603-C, Greensburg, PA 15601, (724) 925-5538, rhoransky@state.pa.us.

The TMDL can be viewed and printed by accessing the Department's website: www.dep.state.pa.us (DEP Keyword: TMDL).

Written comments will be accepted at the previous address and must be postmarked by September 16, 2004. Persons who plan to make a presentation at the public meeting should notify the Department by 12 p.m. on July 20, 2004. The Department will consider all comments in developing the final TMDL, which will be submitted to the EPA for approval.

[Pa.B. Doc. No. 04-1301. Filed for public inspection July 16, 2004, 9:00 a.m.]

State Water Plan Statewide Water Resources Committee Meeting

The State Water Plan Statewide Water Resources Committee has scheduled a meeting at 10 a.m. on July 22, 2004, in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105 to discuss the development of the State Water Plan.

Questions concerning this meeting should be directed to Susan K. Weaver, Water Planning Office, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 783-8055, suweaver@state.pa.us.

Persons with a disability who require accommodations to attend the meeting should contact the Department of Environmental Protection (Department) at (717) 705-2425 or through the Pennsylvania AT&T Relay Services at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 04-1302. Filed for public inspection July 16, 2004, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Chambersburg Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Chambersburg Hospital has requested an exception to the requirements of 28 Pa. Code § 51.23 (relating to positron emission tomography).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously

listed address or phone number, for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 04-1303. Filed for public inspection July 16, 2004, 9:00 a.m.]

Application of Gastroenterologists Ambulatory Surgical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Gastroenterologists Ambulatory Surgical Center has requested an exception to the requirements of 28 Pa. Code § 571.1 (relating to minimum standards), which requires compliance with minimum standards in the *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. Gastroenterologists Ambulatory Surgical Center has also requested an exception to the requirements of 28 Pa. Code § 569.2(a) (relating to fire safety standards) and 28 Pa. Code Chapter 571, Appendix A (relating to alternative construction guidelines).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT: (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 04-1304. Filed for public inspection July 16, 2004, 9:00 a.m.]

Application of UPMC St. Margaret for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC St. Margaret has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating

to minimum standards), which requires compliance with minimum standards in the *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 7.2.A4 (relating to handwashing).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address previously listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT: (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 04-1305. Filed for public inspection July 16, 2004, 9:00 a.m.]

Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P. S. §§ 448.101—448.904b) for exceptions to regulations contained in 28 Pa. Code Part IV, Subparts B—G.

Section 51.33(d) of 28 Pa. Code provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from March 1, 2004, through May 31, 2004. Future publications of decisions on exception requests will appear on a quarterly basis.

Requests for additional information on the exception requests and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals and ambulatory surgical facilities should be addressed to the Division of Acute and Ambulatory Care, Sandra Knoble, Director, P. O. Box 90, Harrisburg, PA 17108. Inquiries regarding long-term care facilities should be addressed to the Division of Nursing Care Facilities, William Bordner, Director, P. O. Box 90, Harrisburg, PA 17108. Persons requiring special assistance for speech and/or hearing impairment should call V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

Exception Requests—Hospitals

<i>Facility Name</i>	<i>Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Decision</i>
Ephrata Community Hospital	28 Pa. Code § 51.23	PET scanning	2/14/2004	granted
Pottstown Memorial Medical	28 Pa. Code § 51.23	PET scanning	4/10/2004	granted
Riddle Memorial Hospital	28 Pa. Code § 107.2	medical staff membership	3/13/2004	granted
UPMC Bedford Memorial	28 Pa. Code § 107.2	medical staff membership	6/12/2004	granted
Abington Memorial Hospital	28 Pa. Code § 107.26(b)(2)	tissue committee	3/13/2004	granted
UPMC Rehabilitation Hospital	28 Pa. Code § 107.32	meetings and attendance	5/22/2004	denied
Indiana Regional Medical Center	28 Pa. Code § 107.62	oral orders—radiology	5/1/2004	granted
St. Luke's Hospital—Bethlehem	28 Pa. Code § 107.62	oral orders—speech path	11/8/2003	granted
Corry Memorial Hospital	28 Pa. Code § 107.62(b)	oral orders, radiology	2/14/2004	granted/ denied
Good Shepherd Rehabilitation	28 Pa. Code § 107.62(b)	oral orders—PA, speech therapist	3/13/2004	granted
Good Shepherd Specialty	28 Pa. Code § 107.62(b)	oral orders—PA, speech therapist	3/13/2004	granted
Holy Spirit Hospital	28 Pa. Code § 107.64	administration of drugs—medical	3/13/2004	withdrawn
St. Luke's Hospital—Bethlehem	28 Pa. Code § 107.64	administration of drugs	4/24/2004	granted
St. Luke's Hospital—Allentown	28 Pa. Code § 107.64	administration of drugs	4/24/2004	granted
St. Luke's Hospital—Allentown	28 Pa. Code § 153.1	minimum standards	11/22/2003	granted
Montrose General Hospital	28 Pa. Code § 153.1	minimum standards	11/8/2003	granted
Carlisle Regional Medical Center	28 Pa. Code § 153.1	minimum standards	2/14/2004	granted
Washington Hospital	28 Pa. Code § 153.1	minimum standards	4/24/2004	granted
Lancaster General Hospital	28 Pa. Code § 153.1	minimum standards	5/1/2004	granted
Lewistown Hospital	28 Pa. Code § 153.1	minimum standards	5/1/2004	granted
Lancaster General Hospital	28 Pa. Code § 153.1	minimum standards	5/22/2004	not needed
Albert Einstein Healthcare	28 Pa. Code § 153.1	minimum standards	6/12/2004	not needed
Temple University Hospital	28 Pa. Code § 153.1	minimum standards	6/26/2004	granted

Exception Requests—Ambulatory Surgical Facilities

<i>Facility Name</i>	<i>Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Decision</i>
Zitelli South Ambulatory Surgical	28 Pa. Code § 553	governing body—recordkeeping	3/13/2004	granted
John A. Zitelli Ambulatory	28 Pa. Code § 553	governing body—recordkeeping	3/13/2004	granted
Zitelli South Ambulatory Surgical	28 Pa. Code § 555	medical staff—recordkeeping	3/13/2004	granted
John A. Zitelli Ambulatory	28 Pa. Code § 555	medical staff—recordkeeping	3/13/2004	granted
Zitelli South Ambulatory Surgical	28 Pa. Code § 557	QA and Improvement—record	3/13/2004	granted
John A. Zitelli Ambulatory	28 Pa. Code § 557	QA and Improvement—record	3/13/2004	granted
Zitelli South Ambulatory Surgical	28 Pa. Code § 563	medical records—recordkeeping	3/13/2004	granted
John A. Zitelli Ambulatory	28 Pa. Code § 563	medical Records—recordkeeping	3/13/2004	granted/ denied
Berks Plastic Surgery Institute	28 Pa. Code § 571.1	minimum standards	4/3/2004	granted/ denied
Main Line Spin	28 Pa. Code § 571.1	minimum standards	6/12/2004	granted
West Shore Endoscopy Center	28 Pa. Code § 571.2(d)	elevators	4/10/2004	granted
Main Line Spine	28 Pa. Code § 571.2(d)	elevators	6/12/2004	granted

Exception Requests—Nursing Care Facilities

Brethren Village	28 Pa. Code § 201.3	definitions	2/28/04	granted
Tel Hai Retirement Community	28 Pa. Code § 201.3	definitions	3/6/04	granted
Montgomery Cty Geriatric & Rehab Center	28 Pa. Code § 201.3	definitions	3/6/04	granted
Regina Community Nsng Center	28 Pa. Code § 201.3	definitions	3/6/04	granted
Landis Homes	28 Pa. Code § 201.3	definitions	3/6/04	granted
Attleboro Nsng & Rehab Center	28 Pa. Code § 201.3	definitions	3/6/04	granted
Cathedral Village	28 Pa. Code § 201.3	definitions	3/6/04	granted
Fairmount Homes	28 Pa. Code § 201.3	definitions	3/6/04	granted
Dr. Arthur Clifton McKinley Health Center	28 Pa. Code § 201.3	definitions	4/3/04	granted
Highland View	28 Pa. Code § 201.3	definitions	4/3/04	granted
Conestoga View	28 Pa. Code § 201.3	definitions	4/3/04	granted
Pine Run Health Care Center	28 Pa. Code § 201.3	definitions	4/3/04	granted
Phoebe Home	28 Pa. Code § 201.3	definition	4/17/04	granted
Arbutus Park Manor	28 Pa. Code § 201.3	definition	4/17/04	granted
Beacon Ridge, A Choice Community	28 Pa. Code § 201.3	definition	4/17/04	granted
The Communities at Indian Haven	28 Pa. Code § 201.3	definition	4/17/04	granted
Nottingham Village	28 Pa. Code § 201.3	definition	5/1/04	granted
St. John Specialty Care Center	28 Pa. Code § 201.3	definitions	5/22/04	granted
Barnes-Kasson County Hospital	28 Pa. Code § 201.3	definitions	5/22/04	granted
Wesbury United Methodist Comm	28 Pa. Code § 201.3	definitions	5/22/04	granted
Phoebe Berks Health Care Center	28 Pa. Code § 201.3	definitions	5/29/04	granted
St. Francis Country House	28 Pa. Code § 201.3	definitions	5/29/04	granted
Christ The King Manor	28 Pa. Code § 201.5	nurse aide definition	4/17/04	granted
Transitional Care Center at St. Clair Hospital	28 Pa. Code § 201.18(e)	management	4/3/04	temp granted
Somerset Hospital Center for Health	28 Pa. Code § 201.18(e)	management	5/29/04	temp granted
Overlook Medical Clinic	28 Pa. Code § 205.6(a)	function of building	2/28/04	granted
Friendship Ridge	28 Pa. Code § 205.6(a)	function of building	11/29/03	granted
Preston Residence	28 Pa. Code § 205.6(a)	function of building	2/28/04	granted
Park Lane at Bellingham, Inc.	28 Pa. Code § 205.6(a)	function of building	2/28/04	granted
Health Care Center at White Horse Village	28 Pa. Code § 205.6(a)	function of building	3/6/04	denied
New Eastwood Care & Rehab Center	28 Pa. Code § 205.6(a)	function of building	3/6/04	granted
Dock Terrace	28 Pa. Code § 205.6(a)	function of building	4/3/04	granted
Grandview Health Homes, Inc	28 Pa. Code § 205.6(a)	function of building	4/3/04	granted
Sugar Creek Rest	28 Pa. Code § 205.6(a)	function of building	4/3/04	not needed
Sena Kean Manor	28 Pa. Code § 205.6(a)	function of building	4/3/04	granted
Fairview Manor	28 Pa. Code § 205.6(a)	function of building	4/10/04	granted
Warren Manor	28 Pa. Code § 205.6(a)	function of building	4/10/04	granted
Willowbrooke Court at Fort Washington Estates	28 Pa. Code § 205.6(a)	function of building	4/10/04	granted
Bradford Manor	28 Pa. Code § 205.6(a)	function of building	4/10/04	denied
Corry Manor	28 Pa. Code § 205.6(a)	function of building	4/10/04	denied

<i>Facility Name</i>	<i>Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Decision</i>
Homewood at Martinsburg, PA, Inc.	28 Pa. Code § 205.6(a)	function of building	4/17/04	denied
Manor Care Health Services—Allentown	28 Pa. Code § 205.6(a)	function of building	4/17/04	granted
Harmar Village Care Center	28 Pa. Code § 205.6(a)	function of building	5/1/04	granted
Mahoning Valley Nursing And Rehab Center	28 Pa. Code § 205.6(a)	function of building	5/1/04	granted
Liberty Nursing and Rehab Center	28 Pa. Code § 205.6(a)	function of building	5/1/04	granted
Old Orchard Health Care Center	28 Pa. Code § 205.6(a)	function of building	5/1/04	granted
ManorCare Health Services—Kingston East	28 Pa. Code § 205.6	function of building	5/22/04	granted
ManorCare Health Services—Dallastown	28 Pa. Code § 205.6	function of building	5/22/04	granted
The Lutheran Home of Johnstown	28 Pa. Code § 205.6(a)	function of building	5/29/04	granted
Willowbrooke Court at Fort Washington Estates	28 Pa. Code § 205.7	basement or cellar	4/10/04	granted
Grandview Health Homes	28 Pa. Code § 205.25(b)	kitchen	5/29/04	granted
Providence Care Center	28 Pa. Code § 205.28(b)	nurses' station	3/6/04	granted
Overlook Medical Clinic	28 Pa. Code § 205.28(b)	nurses' station	2/28/04	granted
Hometown Nursing & Rehab Center	28 Pa. Code § 205.36(h)	bathing facilities	3/6/04	granted
Shenango Presbyterian Home	28 Pa. Code § 205.37(d)	equipment for bathrooms	4/10/04	granted
Shenango Presbyterian Home	28 Pa. Code § 205.37(d)	equipment for bathrooms	4/17/04	granted
Hamilton Arms Center	28 Pa. Code § 205.38(a)	toilet facilities	4/3/04	temp granted

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 04-1306. Filed for public inspection July 16, 2004, 9:00 a.m.]

Laboratories Approved to Determine Analyses of Blood and/or Serum for Controlled Substances

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (35 P.S. §§ 2151—2165) and/or the Federal Clinical Laboratory Improvement Act of 1967 (42 U.S.C.A. § 263a) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood and/or serum for the determination of controlled substances. This approval is based on demonstrated proficiency in tests conducted by the Bureau of Laboratories of the Department. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol) as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in blood and/or serum.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory analyses on blood and/or serum. Laboratories approved to perform screening analyses are designated on the approval list by an "S" followed by the letters "B" for blood and/or "Se" for serum. Laboratories approved to screen both blood and serum would therefore have "SBSe" listed after their laboratory name. Laboratories approved to offer confirmatory analyses will be designated on the approval list by a "C" followed by the letters "B" for blood and/or "Se" for serum.

Laboratories approved to perform confirmatory analyses on both serum and blood would therefore have "CBSe" listed after the name of their laboratory.

Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic blood and/or serum analysis services from a listed laboratory should determine that the laboratory employs techniques and procedures acceptable for the medicolegal purposes. They should also determine that the director of the facility is agreeable to performing analyses for forensic purposes. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The name of a laboratory is sometimes changed but the location, personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name of the facility changed, the clinical laboratory permit numbers of the facilities are included in the lists of approved laboratories above the name of the laboratory at the time the list was prepared.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to M. Jeffery Shoemaker, Ph.D., Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape or Braille) should contact Dr. Shoemaker at the previously listed address or phone number. Persons who are speech or hearing impaired may use V/TT: (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

000671
ALLEG CNTY CORONERS DIV OF LABS—SBSe, CBSe
542 FORBES AVENUE
ROOM 10 COUNTY OFFICE BUILDING
PITTSBURGH, PA 15219
412-350-6873

000452
ANALYTIC BIO-CHEMISTRIES INC—SBSe, CBSe
1680-D LORETTA AVENUE
FEASTERVILLE, PA 19053
215-322-9210

000266
DEPT OF PATHOLOGY & LAB MED-HUP—SSe, CSe
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
215-662-6882

000977
DRUGSCAN INC—SBSe, CBSe
1119 MEARN RD, PO BOX 2969
WARMINSTER, PA 18974
215-674-9310

000654
GUTHRIE CLINIC PATH LAB—SSe
GUTHRIE SQUARE
SAYRE, PA 18840
570-888-5858

024655
HEALTH NETWORK LABORATORIES—SBSe, CBSe
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
610-402-8150

020512
LABCORP OCCUPATIONAL TESTING SER—SBSe,
CBSe
1904 ALEXANDER DRIVE
PO BOX 12652
RESRCH TRNGL PARK, NC 27709
919-572-7465

028960
LABORATORY CORPORATION OF AMERICA
HOLDINGS—SBSe, CBSe
901 KEYSTONE INDUSTRIAL PARK
SUITE A
THROOP, PA 18512
570-346-1759

005574
MEDTOX LABORATORIES INC—SBSe, CBSe
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
612-636-7466

000504
NATIONAL MED SERVICES INC LAB—SBSe, CBSe
3701 WELSH ROAD
WILLOW GROVE, PA 19090
215-657-4900

000520
PITTSBURGH CRIMINALISTICS LABORATORY—SBSe,
CBSe

1320 FIFTH AVENUE
PITTSBURGH, PA 15219
412-391-6118

001136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SBSe,
CBSe
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
703-802-6900

000482
QUEST DIAGNOSTICS OF PA INC—SBSe, CBSe
875 GREENTREE RD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
412-920-7600

025461
QUEST DIAGNOSTICS VENTURE LLC—SBSe, CBSe
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
412-920-7631

000151
ST JOSEPH QUALITY MEDICAL LAB—SBSe, CBSe
215 NORTH 12TH STREET BOX 316
READING, PA 19603
610-378-2200

007731
WESTERN RESERVE CARE SYSTEM—SSe, CSe
500 GYPSY LANE
YOUNGSTOWN, OH 44504
216-740-3794

000018
WVHCS HOSPITAL—SSe
575 NORTH RIVER STREET
WILKES BARRE, PA 18764
570-829-8111

000141
YORK HOSPITAL—SSe
1001 SOUTH GEORGE STREET
YORK, PA 17405
717-851-2345

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 04-1307. Filed for public inspection July 16, 2004, 9:00 a.m.]

Laboratories Approved to Determine Blood Alcohol Content

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (35 P. S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood and/or serum and plasma. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories.

Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the analysis of serum proficiency testing specimens are ap-

proved to analyze both serum and plasma. These laboratories are also approved and designated under the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol) as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood and/or serum and plasma. Laboratories located outside this Commonwealth may not provide blood and/or serum and plasma alcohol testing services in this Commonwealth unless they are specifically licensed by the Department under the Clinical Laboratory Act.

Persons seeking forensic blood and/or serum and plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes and that the director of the facility is agreeable to performing determinations for this purpose. The list of approved laboratories will be revised approximately semi-annually and published in the *Pennsylvania Bulletin*.

The name of a laboratory is sometimes changed but the location, personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name of the facility changed, the clinical laboratory permit numbers of the facilities are included in the lists of approved laboratories above the name of the laboratory at the time the list was prepared.

The Department's blood alcohol and serum/plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services in accordance with the requirements contained in the Clinical Laboratory Improvement Amendments of 1988 (42 CFR 493.901 and 493.937), which are administered by the Centers for Medicare and Medicaid Services. Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape or Braille) should contact Dr. Shoemaker at the previously listed address or phone number. Persons who are speech or hearing impaired should use V/TT: (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols S and B indicate the following:

S = approved for serum and plasma analyses

B = approved for blood analyses

SB = approved for serum, plasma and blood analyses

000212
ABINGTON MEMORIAL HOSPITAL-S
1200 OLD YORK ROAD
ABINGTON, PA 19001
215-576-2350

027180
ADVANCED TOXICOLOGY NETWORK-B
3560 AIR CENTER COVE SUITE 101
MEMPHIS, TN 38118
901-794-5770

000233
ALBERT EINSTEIN MEDICAL CENTER-S
5501 OLD YORK ROAD
PHILADELPHIA, PA 19141
215-456-6100

000040 ALIQUIPPA COMM HOSP PATHOLOGY DEPT-B
2500 HOSPITAL DR-PATHOLOGY DEPT
ALIQUIPPA, PA 15001
724-857-1240

000671
ALLEG CNTY CORONERS DIV OF LABS-SB
542 FORBES AVENUE
ROOM 10 COUNTY OFFICE BUILDING
PITTSBURGH, PA 15219
412-350-6873

028233
ALLEGHENY GENERAL HOSP DEPT OF LAB MED-B
320 E NORTH AVENUE
PITTSBURGH, PA 15212
412-359-6886

000077
ALLEGHENY GENERAL HOSPITAL-B
1307 FEDERAL STREET
PITTSBURGH, PA 15212
412-359-3521

000100
ALLEGHENY VALLEY HOSPITAL LAB-SB
1300 CARLISLE ST
NATRONA HEIGHTS, PA 15065
724-224-5100

000119
ALTOONA HOSPITAL-SB
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
814-946-2340

000452
ANALYTIC BIO-CHEMISTRIES INC-SB
1680-D LORETTA AVENUE
FEASTERVILLE, PA 19053
215-322-9210

000041
ARMSTRONG COUNTY MEMORIAL HOSP-S
1 NOLTE DRIVE
KITTINGING, PA 16201
724-543-8122

000047
ASSOCIATED CLINICAL LABORATORIES-SB
1526 PEACH STREET
ERIE, PA 16501
814-461-2400

000320
BARNES KASSON COUNTY HOSPITAL-S
400 TURNPIKE STREET
SUSQUEHANNA, PA 18847
570-853-3135

000120
BON SECOURS-HOLY FAMILY REG HLTH-SB
2500 SEVENTH AVENUE
ALTOONA, PA 16602-2099
814-949-4495

000033
BRADFORD REGIONAL MEDICAL CENTER-SB
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
814-362-8247

000296
BRANDYWINE HOSPITAL-S
201 REECEVILLE ROAD ATTN: LABORATORY
COATESVILLE, PA 19320
610-383-8000

000053
BROOKVILLE HOSPITAL-S
100 HOSPITAL RD
BROOKVILLE, PA 15825
814-849-2312

000102
BROWNSVILLE GENERAL HOSPITAL LAB-S
125 SIMPSON RD
BROWNSVILLE, PA 15417
724-785-7200

000301
BUTLER MEMORIAL HOSPITAL-S
911 EAST BRADY STREET
BUTLER, PA 16001
724-284-4510

000107
CANONSBURG GENERAL HOSPITAL-SB
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
724-745-3916

000131
CARLISLE REGIONAL MEDICAL CENTER-S
246 PARKER ST
CARLISLE, PA 17013
717-249-1212

000215
CENTRAL MONTGOMERY MEDICAL CENTER-S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
215-368-2100

000132
CHAMBERSBURG HOSPITAL-S
112 NORTH SEVENTH ST
CHAMBERSBURG, PA 17201
717-267-7152

000310
CHARLES COLE MEMORIAL HOSPITAL-S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
814-274-9300

000198
CHESTER COUNTY HOSPITAL-S
701 E MARSHALL ST
WEST CHESTER, PA 19380
610-431-5182

000227
CHESTNUT HILL HOSPITAL-S
8835 GERMANTOWN AVENUE
DEPT OF PATHOLOGY
PHILADELPHIA, PA 19118
215-248-8630

000228
CHILDRENS HOSP OF PHILADELPHIA-S
ONE CHILDREN'S CENTER 34TH & CIVIC
PHILADELPHIA, PA 19104
215-590-1000

000329
CLARION HOSPITAL-SB
1 HOSPITAL DRIVE
CLARION, PA 16214
814-226-9500

000026
CLEARFIELD HOSPITAL LABORATORY-S
809 TURNPIKE AVE PO BOX 992
CLEARFIELD, PA 16830
814-768-2280

000034
COMMUNITY HOSPITAL-B
NORTH FRALEY STREET
KANE, PA 16735
814-837-4575

000166
COMMUNITY HOSPITAL OF LANCASTER-S
1100 EAST ORANGE STREET
LANCASTER, PA 17602
717-397-3711

000005
COMMUNITY MEDICAL CENTER-S
1800 MULBERRY STREET
SCRANTON, PA 18510
570-969-8000

000125
CONEMAUGH VALLEY MEMORIAL HOSP-SB
1086 FRANKLIN STREET
JOHNSTOWN, PA 15905-4398
814-534-9000

000326
CORY MEMORIAL HOSPITAL-S
612 WEST SMITH STREET
CORY, PA 16407
814-664-4641

000201
CROZER CHESTER MED CENTER-S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
610-447-2000

000209
CROZER-CHESTER MED CTR-SPRINGFLD-S
190 WEST SPROUL ROAD
SPRINGFIELD, PA 19064
610-447-2000

000204
DELAWARE COUNTY MEMORIAL HOSP-S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
610-284-8100

000266
DEPT OF PATHOLOGY & LAB MED-HUP-SB
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
215-662-6882

000194
DOYLESTOWN HOSPITAL-S
595 WEST STATE STREET
DOYLESTOWN, PA 18901
215-345-2250

000977
DRUGSCAN INC-SB
1119 MEARN'S RD, PO BOX 2969
WARMINSTER, PA 18974
215-674-9310

000027
DUBOIS REG MED CTR—WEST UNIT-S
100 HOSPITAL AVE
DUBOIS, PA 15801
814-371-2200

000175
EASTON HOSPITAL-B
250 SOUTH 21ST ST
EASTON, PA 18042-3892
610-250-4140

000332
ELLWOOD CITY HOSPITAL-S
724 PERSHING ST
ELLWOOD CITY, PA 16117
724-752-0081

000164
EPHRATA COMMUNITY HOSPITAL-S
169 MARTIN AVE PO BOX 1002
EPHRATA, PA 17522
717-733-0311

000032
ERHC ST MARYS LABORATORY-B
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
814-788-8525

000181
EVANGELICAL COMMUNITY HOSPITAL-S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
570-522-2510

000085
FORBES REGIONAL HOSPITAL-SB
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
412-858-2560

000192
FRANKFORD HOSP BUCKS CO CAMPUS-S
380 NORTH OXFORD VALLEY ROAD
LANGHORNE, PA 19047-8304
215-934-5227

000341
FRANKFORD HOSPITAL-S
RED LION & KNIGHTS ROADS
PHILADELPHIA, PA 19114
215-612-4000

000236
FRANKFORD HOSPITAL FRANK DIV-S
FRANKFORD AVE & WAKELING ST
PHILADELPHIA, PA 19124
215-831-2068

000115
FRICK HOSPITAL-S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
724-547-1500

000330
FULTON COUNTY MEDICAL CENTER-S
216 SOUTH FIRST STREET
MCCONNELLSBURG, PA 17233
717-485-3155

000173
GEISINGER MEDICAL CENTER-SB
N ACADEMY RD
DANVILLE, PA 17822
570-271-6338

000019
GEISINGER WYOMING VALLEY MED CTR-S
1000 E MOUNTAIN DRIVE
WILKES BARRE, PA 18711
570-826-7830

000104
GEORGE TOLSTOI LAB-UNIONTOWN HSP-S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
724-430-5143

000237
GERMANTOWN COMM HLTH WILLOW TERR-S
ONE PENN BOULEVARD
PHILADELPHIA, PA 19144
215-951-8800

000122
GETTYSBURG HOSPITAL-SB
147 GETTYS STREET
GETTYSBURG, PA 17325
717-334-2121

000152
GNADEN HUETTEN MEMORIAL HOSP-B
11TH & HAMILTON STS
LEHIGHTON, PA 18235
610-377-1300

000299
GOOD SAMARITAN HOSPITAL-B
4TH & WALNUT STS PO BOX 1281
LEBANON, PA 17042-1218
717-270-7500

000182
GOOD SAMARITAN REGIONAL MED CTR-S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
570-621-4032

000238
GRADUATE HOSPITAL-S
1800 LOMBARD STREET
PHILADELPHIA, PA 19146
215-893-2240

000196
GRAND VIEW HOSPITAL-S
700 LAWN AVE
SELLERSVILLE, PA 18960
215-257-3611

000105
GREENE COUNTY MEMORIAL HOSPITAL-S
BONAR AVENUE
WAYNESBURG, PA 15370
724-627-2608

000654
GUTHRIE CLINIC PATH LAB-S
GUTHRIE SQUARE
SAYRE, PA 18840
570-888-5858

000239
HAHNEMANN UNIVERSITY HOSPITAL-S
BROAD & VINE STS MS 113
PHILADELPHIA, PA 19102
215-762-1783

000046
HAMOT MEDICAL CENTER-S
201 STATE STREET
ERIE, PA 16550
814-877-3131

000139
HANOVER HOSPITAL,INC.-SB
300 HIGHLAND AVE
HANOVER, PA 17331
717-637-3711

000155
HARRISBURG HOSPITAL LABORATORY-SB
SOUTH FRONT STREET
HARRISBURG, PA 17101
570-782-2832

000010
HAZLETON GENERAL HOSPITAL-SB
700 EAST BROAD
HAZLETON, PA 18201
570-501-4152

000169
HEALTH NETWORK LABORATORIES-S
1627 WEST CHEW STREET
ALLENTOWN, PA 18102
610-402-2236

000549
HEALTH NETWORK LABORATORIES-S
1200 SOUTH CEDAR CREST BLVD
ALLENTOWN, PA 18103
610-402-8150

000600
HEALTH NETWORK LABORATORIES-S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
484-884-2259

024655
HEALTH NETWORK LABORATORIES-SB
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
610-402-8150

000103
HIGHLANDS HOSPITAL-S
401 EAST MURPHY AVENUE
CONNELLSVILLE, PA 15425
724-628-1500

000130
HOLY SPIRIT HOSPITAL-SB
503 N 21ST STREET
CAMP HILL, PA 17011-2288
717-763-2206

000052
INDIANA REGIONAL MEDICAL CENTER-S
HOSPITAL ROAD PO BOX 788
INDIANA, PA 15701-0788
724-357-7167

000135
J C BLAIR MEMORIAL HOSPITAL-S
1225 WARM SPRINGS AVENUE
HUNTINGDON, PA 16652
814-643-8645

000054
JAMESON MEMORIAL HOSPITAL-S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
724-656-4080

000240
JEANES HOSPITAL-S
7600 CENTRAL AVE
PHILADELPHIA, PA 19111
215-728-2347

000038
JEFFERSON REGIONAL MED CTR—S
565 COAL VALLEY ROAD
BIBRO BLDG 4TH FLOOR
PITTSBURGH, PA 15236
412-469-5723

000200
JENNERSVILLE REGIONAL HOSPITAL-S
1015 WEST BALTIMORE PIKE
WEST GROVE, PA 19390
610-869-1080

000532
KENSINGTON HOSPITAL-S
136 WEST DIAMOND STREET
PHILADELPHIA, PA 19122
215-426-8100

005618
LAB CORP OF AMERICA HOLDINGS-SB
6370 WILCOX ROAD
DUBLIN, OH 43016-1296
800-282-7300

001088
LABCORP OF AMERICA HOLDINGS-SB
69 FIRST AVE PO BOX 500
RARITAN, NJ 08869
908-526-2400

022715
LABONE INC-SB
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
913-888-1770

028960
LABORATORY CORPORATION OF AMERICA
HOLDINGS-SB
901 KEYSTONE INDUSTRIAL PARK
SUITE A
THROOP, PA 18512
570-346-1759

000165
LANCASTER GENERAL HOSPITAL-S
555 N DUKE ST PO BOX 3555
LANCASTER, PA 17604
717-299-5511

000167
LANCASTER REGIONAL MED CENTER-S
250 COLLEGE AVENUE
PO BOX 3434
LANCASTER, PA 17604
717-291-8022

000114
LATROBE AREA HOSPITAL-S
121 W SECOND AVENUE
LATROBE, PA 15650
724-537-1550

000138
LEWISTOWN HOSPITAL-B
400 HIGHLAND AVENUE
LEWISTOWN, PA 17044
717-248-5411

000030
LOCK HAVEN HOSPITAL-B
24 CREE DRIVE
LOCK HAVEN, PA 17745
570-893-5000

000213
MAIN LINE CLIN LABS BRYN MAWR CP-S
130 BRYN MAWR AVENUE
BRYN MAWR, PA 19010
610-526-3554

000242
MAIN LINE CLIN LABS LANKENAU CP-S
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
610-645-2615

000199
MAIN LINE CLIN LABS PAOLI MEM CP-S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
610-648-1000

000004
MARIAN COMMUNITY HOSPITAL-S
100 LINCOLN AVENUE
CARBONDALE, PA 18407
717-281-1042

000049
MEADVILLE MED CTR-LIBERTY ST-S
751 LIBERTY STREET
MEADVILLE, PA 16335
814-336-3121

000268
MEDICAL COLLEGE OF PA HOSPITAL-S
3300 HENRY AVENUE
PHILADELPHIA, PA 19129
215-842-7306

005574
MEDTOX LABORATORIES INC-SB
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
612-636-7466

000140
MEMORIAL HOSPITAL CLINICAL LAB-SB
325 S BELMONT ST PO BOX 15118
YORK, PA 17403
717-843-8623

000023
MEMORIAL HOSPITAL LAB-SB
1 HOSPITAL DRIVE
TOWANDA, PA 18848
570-265-2191

000203
MERCY FITZGERALD HOSPITAL-S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
610-237-4262

000247
MERCY HEALTH LAB/MHOP-S
54 AND CEDAR AVENUE
PHILADELPHIA, PA 19143
215-748-9181

000219
MERCY HEALTH LAB/MSH-S
2701 DEKALB PIKE
NORRISTOWN, PA 19401
610-278-2090

000336
MERCY HOSPITAL-S
746 JEFFERSON AVE
SCRANTON, PA 18510
570-348-7100

000017
MERCY HOSPITAL LABORATORY-S
25 CHURCH STREET
PO BOX 658
WILKES BARRE, PA 18765
570-826-3100

000079
MERCY HOSPITAL NORTH SHORE LAB-S
1004 ARCH STREET
PITTSBURGH, PA 15212
412-323-5766

000082
MERCY HOSPITAL OF PITTSBURGH-S
PRIDE & LOCUST STREETS
PITTSBURGH, PA 15219
412-232-7831

000113
MERCY JEANNETTE HOSPITAL-S
600 JEFFERSON AVENUE
JEANNETTE, PA 15644
724-527-9330

028436
METHODIST HOSP DIV TJUH INC ER LAB-S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
215-952-9055

000245
METHODIST HOSP DIVISION/TJUH INC-S
1900 S. BROAD STREET
PHILADELPHIA, PA 19145
215-952-9059

000231
MEYERSDALE COMMUNITY HOSPITAL-S
200 HOSPITAL DR
MEYERSDALE, PA 15552
814-634-5911

000269
MIDVALLEY HOSPITAL-S
1400 MAIN STREET
PECKVILLE, PA 18452
570-383-5520

000128
MINERS MEDICAL CENTER-S
290 HAIDA AVENUE
PO BOX 689
HASTINGS, PA 16646
814-948-7171

000108
MONONGAHELA VALLEY HOSPITAL-S
COUNTRY CLUB ROAD RT 88
MONONGAHELA, PA 15063
724-258-1109

000323
MONSOUR MEDICAL CENTER-S
70 LINCOLN WAY E
JEANNETTE, PA 15644
724-527-1511

000217
MONTGOMERY HOSPITAL LAB-S
POWELL & FORNANCE STS
NORRISTOWN, PA 19401
610-270-2173

000007
MOSES TAYLOR HOSPITAL-S
700 QUINCY AVENUE
SCRANTON, PA 18510
570-340-2100

000214
MOSS REHAB EINSTEIN AT ELKINS PARK-S
60 EAST TOWNSHIP LINE ROAD
ELKINS PARK, PA 19027
215-663-6102

000025
MOUNT NITTANY MEDICAL CENTER-B
1800 PARK AVENUE
STATE COLLEGE, PA 16803
814-234-6117

000035
MUNCY VALLEY HOSPITAL-S
215 EAST WATER ST
MUNCY, PA 17756
570-546-8282

000304
NASON HOSPITAL-B
NASON DRIVE
ROARING SPRING, PA 16673
814-224-6215

000504
NATIONAL MED SERVICES INC LAB-SB
3701 WELSH ROAD
WILLOW GROVE, PA 19090
215-657-4900

000248
NAZARETH HOSPITAL-S
2601 HOLME AVE
PHILADELPHIA, PA 19152
215-335-6245

029067
NORTHWEST TOXICOLOGY-SB
1141 EAST 3900 SOUTH
SALT LAKE CITY, UT 84124
801-293-2300

000099
OHIO VALLEY GENERAL HOSPITAL-S
25 HECKEL RD
MCKEES ROCKS, PA 15136
412-777-6161

000807
OMEGA MEDICAL LABORATORIES INC-SB
2001 STATE HILL ROAD SUITE 100
WYOMISSING, PA 19610-1699
610-378-1900

000334
PALMERTON HOSPITAL-S
135 LAFAYETTE AVE
PALMERTON, PA 18071
610-826-3141

000316
PENN STATE MILTON S HERSHEY MED CTR-S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
717-531-8353

022533
PENNSYLVANIA DEPT OF HEALTH-SB
110 PICKERING WAY
LIONVILLE, PA 19353
610-280-3464

000251
PENNSYLVANIA HOSPITAL OF THE UNIV OF PA
HLTH-S
8TH & SPRUCE STS
PHILADELPHIA, PA 19107
215-829-3541

022306
PHILIPSBURG AREA HOSPITAL-SB
210 LOCH LOMOND ROAD
PHILIPSBURG, PA 16866
814-343-8720

000197
PHOENIXVILLE HOSPITAL LABORATORY-S
140 NUTT RD DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
610-983-1612

000157
PINNACLEHLTH/COMM GEN OSTEO HOSP-S
4300 LONDONDERRY RD PO BOX 3000
HARRISBURG, PA 17109
717-657-7214

000520
PITTSBURGH CRIMINALISTICS LABORATORY-SB
1320 FIFTH AVENUE
PITTSBURGH, PA 15219
412-391-6118

000022
POCONO MEDICAL CENTER LAB-SB
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
570-476-3544

000221
POTTSTOWN HOSPITAL COMPANY, LLC-S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
610-327-7000

000183
POTTSVILLE HOSP AND WARNE CLINIC-SB
420 SOUTH JACKSON STREET
POTTSVILLE, PA 17901
570-621-5262

000300
PUNXSUTAWNEY AREA HOSPITAL-S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
814-938-4500

000315
QUEST DIAGNOSTICS CLINICAL LABS INC-SB
900 BUSINESS CENTER DRIVE
HORSHAM, PA 19044
215-957-9300

027461
QUEST DIAGNOSTICS INC-SB
400 EGYPT ROAD
NORRISTOWN, PA 19403
610-631-4219

001136
QUEST DIAGNOSTICS NICHOLS INSTITUTE-SB
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
703-802-6900

000482
QUEST DIAGNOSTICS OF PA INC-SB
875 GREENTREE RD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
412-920-7600

025461
QUEST DIAGNOSTICS VENTURE LLC-SB
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
412-920-7631

000150
READING HOSPITAL & MED CTR-S
6TH AND SPRUCE STREETS
WEST READING, PA 19611
610-988-8080

000206
RIDDLE MEMORIAL HOSPITAL-S
BALTIMORE PIKE HIGHWAY 1
MEDIA, PA 19063
610-566-9400

000243
ROXBOROUGH MEMORIAL HOSPITAL-S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
215-487-4394

000171
SACRED HEART HOSPITAL-S
4TH & CHEW STS
ALLENTOWN, PA 18102
610-776-4727

00087
SAINT CLAIR MEMORIAL HOSPITAL-S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
412-561-4900

000174
SAINT LUKES HOSPITAL-S
801 OSTRUM ST
BETHLEHEM, PA 18015
610-954-4558

000328
SAINT MARY MEDICAL CENTER-S
LANGHORNE - NEWTOWN RD
LANGHORNE, PA 19047
215-710-2162

000048
SAINT VINCENT HEALTH CENTER-S
232 WEST 25TH STREET
ERIE, PA 16544
814-452-5383

000101
SEWICKLEY VALLEY HOSPITAL LAB-S
BLACKBURN RD & FITCH DRIVE
SEWICKLEY, PA 15143
412-741-6600

000064
SHARON REGIONAL HEALTH SYSTEM-SB
740 EAST STATE STREET
SHARON, PA 16146
724-983-3911

000039
SOLDIERS & SAILORS MEM HOSP-S
CENTRAL AVE
WELLSBORO, PA 16901
570-723-0133

000297
SOMERSET HOSPITAL CENTER FOR HEALTH-B
225 S CENTER AVE
SOMERSET, PA 15501
814-443-5000

022376
SPECIALTY LABORATORIES-S
2211 MICHIGAN AVENUE
SANTA MONICA, CA 90404
310-828-6543

000151
ST JOSEPH QUALITY MEDICAL LAB-SB
215 NORTH 12TH STREET BOX 316
READING, PA 19603
610-378-2200

000261
ST JOSEPH'S HOSPITAL-DIV NPHS-S
16TH ST & GIRARD AVE
PHILADELPHIA, PA 19130
215-787-9000

000318
ST LUKES HOSP ALLENTOWN CAMPUS-S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
610-770-8300

000195
ST LUKES QUAKERTOWN HOSPITAL-S
11TH ST & PARK AVE PO BOX 9003
QUAKERTOWN, PA 18951
215-538-4681

029015
STERLING REFERENCE LABORATORIES-SB
624 MARTIN LUTHER KING JR WAY
TACOMA, WA 98405
253-552-1551

000094
SUBURBAN GENERAL HOSPITAL PITTSBURGH-S
100 SOUTH JACKSON AVENUE
BELLEVUE, PA 15202
412-734-6000

000207
TAYLOR HOSPITAL DIV OF CCMC-S
175 E CHESTER PIKE
RIDLEY PARK, PA 19078
610-595-6450

000249
TEMPLE EAST INC NE-S
2301 EAST ALLEGHENY AVENUE
PHILADELPHIA, PA 19134
215-291-3671

000193
TEMPLE LOWER BUCKS HOSPITAL LAB-S
501 BATH ROAD
BRISTOL, PA 19007
215-785-9200

000235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS-S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
215-427-7333

000265
TEMPLE UNIVERSITY HOSPITAL-S
3401 N BROAD ST
PHILADELPHIA, PA 19140
215-707-4353

- 000205
THE MEDICAL CENTER BEAVER PA-SB
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009-9700
724-728-7000
- 000241
THOMAS JEFFERSON UNIVERSITY HOSP-S
125 SOUTH 11TH ST 204 PAVILION
PHILADELPHIA, PA 19107
215-955-6374
- 000051
TITUSVILLE AREA HOSPITAL-S
406 WEST OAK STREET
TITUSVILLE, PA 16354
814-827-1851
- 000313
TYLER MEMORIAL HOSPITAL-S
880 SR 6 W
TUNKHANNOCK, PA 18657-6149
570-836-4705
- 000124
TYRONE HOSPITAL-SB
CLAY AVENUE EXTENSION
TYRONE, PA 16686
814-684-0484
- 000061
UNITED COMMUNITY HOSPITAL-SB
631 NORTH BROAD STREET EXT
GROVE CITY, PA 16127
724-450-7125
- 000258
UNIVERSITY OF PENNA MED CTR-PRESBYTERIAN-S
51 NORTH 39TH ST 5TH FLR RM 530
DEPARTMENT OF PATHOLOGY & LAB
PHILADELPHIA, PA 19104-2640
215-662-3435
- 000121
UPMC BEDFORD MEMORIAL-SB
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
814-623-3506
- 000096
UPMC BRADDOCK-S
400 HOLLAND AVENUE
BRADDOCK, PA 15104
412-636-5291
- 000059
UPMC HORIZON GREENVILLE-SB
110 NORTH MAIN STREET
GREENVILLE, PA 16125
724-588-2100
- 000057
UPMC HORIZON SHENANGO-SB
2200 MEMORIAL DRIVE
FARRELL, PA 16121
724-981-3500
- 000126
UPMC LEE REGIONAL HOSPITAL-SB
320 MAIN STREET
JOHNSTOWN, PA 15901
814-533-0130
- 000098
UPMC MCKEESPORT LABORATORY-S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
412-664-2233
- 000058
UPMC NORTHWEST-SB
1 SPRUCE STREET
FRANKLIN, PA 16323
814-437-7000
- 000084
UPMC PASSAVANT-S
9100 BABCOCK BLVD
PITTSBURGH, PA 15237
412-367-6700
- 005784
UPMC PASSAVANT LABORATORY CRANBERRY-S
ONE ST FRANCIS WAY
CRANBERRY TOWNSHIP, PA 16066
724-772-5370
- 000083
UPMC PRESBYTERIAN SHADYSIDE CP PUH-S
ROOM 5929 MAIN TOWER CHP
200 LOTHROP STREET
PITTSBURGH, PA 15213-2582
412-648-6000
- 000091
UPMC SAINT MARGARET HOSPITAL-S
815 FREEPORT ROAD
PITTSBURGH, PA 15215
412-784-4000
- 000092
UPMC SHADYSIDE-S
5230 CENTRE AVENUE
GROUND FLOOR WEST WING
PITTSBURGH, PA 15232
412-623-5950
- 000093
UPMC SOUTH SIDE-S
2000 MARY STREET
PITTSBURGH, PA 15203
412-488-5731
- 000622
WARMINSTER HOSPITAL-S
225 NEWTOWN ROAD
WARMINSTER, PA 18974
215-441-6700
- 000066
WARREN GENERAL HOSPITAL-SB
2 CRESCENT PARK
WARREN, PA 16365
814-723-3300
- 000111
WASHINGTON HOSPITAL-S
155 WILSON AVE
WASHINGTON, PA 15301
724-223-3136
- 000298
WAYNE MEMORIAL HOSPITAL-S
601 PARK STREET
HONESDALE, PA 18431
570-253-1300
- 000133
WAYNESBORO HOSPITAL-S
501 E MAIN STREET
WAYNESBORO, PA 17268
717-765-3403

000095
WESTERN PENNSYLVANIA HOSPITAL-S
4800 FRIENDSHIP AVE
PITTSBURGH, PA 15224
412-578-5779

007731
WESTERN RESERVE CARE SYSTEM-S
500 GYPSY LANE
YOUNGSTOWN, OH 44504
216-740-3794

000112
WESTMORELAND REGIONAL HOSPITAL-S
532 W PITTSBURGH ST
GREENSBURG, PA 15601
724-832-4365

000037
WILLIAMSPORT HOSP & MED CENTER-SB
777 RURAL AVENUE
WILLIAMSPORT, PA 17701-3198
570-321-2300

000106
WINDBER MEDICAL CENTER-B
600 SOMERSET AVE
WINDBER, PA 15963
814-467-6611

000018
WVHCS HOSPITAL-SB
575 NORTH RIVER STREET
WILKES BARRE, PA 18764
570-829-8111

025064
WVU HOSPITAL CLINICAL LABS-S
1 MEDICAL CENTER DR PO BOX 8009
MORGANTOWN, WV 26506-8009
304-598-4241

000141
YORK HOSPITAL-SB
1001 SOUTH GEORGE STREET
YORK, PA 17405
717-851-2345

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 04-1308. Filed for public inspection July 16, 2004, 9:00 a.m.]

Laboratories Approved to Determine Urine Controlled Substance Content

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (35 P.S. §§ 2151—2165) and/or the Federal Clinical Laboratory Improvement Act of 1967 (42 U.S.C.A. § 263a) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of urine for the determination of controlled substances or their biotransformation products. This approval is based on demonstrated proficiency in tests conducted by the Bureau of Laboratories of the Department. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating

to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol) as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in urine.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory urine drug analyses. Laboratories approved to perform screening tests only are designated on the approval list by an "S" after the laboratory's name. Laboratories approved to perform confirmatory testing only are designated by a "C" following the laboratory's name. Those approved to perform both screening and confirmatory analyses are designated by the letters "SC." Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic urine drug analysis services from a listed laboratory should determine that the laboratory employs techniques and procedures acceptable for the purpose. They should also determine that the director of the facility is agreeable to performing analyses for that purpose. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. The name of a laboratory is sometimes changed but the location, personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name of the facility changed, the clinical laboratory permit numbers of the facilities are included in the lists of approved laboratories above the name of the laboratory at the time the list was prepared.

Questions regarding this list should be directed to M. Jeffery Shoemaker, Ph.D., Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape or Braille) should contact Dr. Shoemaker at the previously listed address or phone number. Persons who are speech or hearing impaired may use V/TT: (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

000212
ABINGTON MEMORIAL HOSPITAL-S
1200 OLD YORK ROAD
ABINGTON, PA 19001
215-576-2350

027908
ACM MEDICAL LABORATORY-SC
160 ELMGROVE PARK
ROCHESTER, NY 14624
716-429-2264

- 023114
ACT LAB SERVICES INC-SC
345 DRESHER ROAD
HORSHAM, PA 19044
215-674-0420
- 027180
ADVANCED TOXICOLOGY NETWORK-SC
3560 AIR CENTER COVE SUITE 101
MEMPHIS, TN 38118
901-794-5770
- 000233
ALBERT EINSTEIN MEDICAL CENTER-S
5501 OLD YORK ROAD
PHILADELPHIA, PA 19141
215-456-6100
- 000040
ALIQUIPPA COMM HOSP PATHOLOGY DEPT-S
2500 HOSPITAL DR-PATHOLOGY DEPT
ALIQUIPPA, PA 15001
724-857-1240
- 000671
ALLEG CNTY CORONERS DIV OF LABS-S
542 FORBES AVENUE
ROOM 10 COUNTY OFFICE BUILDING
PITTSBURGH, PA 15219
412-350-6873
- 028233
ALLEGHENY GENERAL HOSP DEPT OF LAB MED-S
320 E NORTH AVENUE
PITTSBURGH, PA 15212
412-359-6886
- 000077
ALLEGHENY GENERAL HOSPITAL-S
1307 FEDERAL STREET
PITTSBURGH, PA 15212
412-359-3521
- 000119
ALTOONA HOSPITAL-S
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
814-946-2340
- 026620
AMMON ANALYTICAL LABORATORY-SC
1622 SOUTH WOOD AVENUE
LINDEN, NJ 07036
908-862-4404
- 000452
ANALYTIC BIO-CHEMISTRIES INC-SC
1680-D LORETTA AVENUE
FEASTERVILLE, PA 19053
215-322-9210
- 000047
ASSOCIATED CLINICAL LABORATORIES-SC
1526 PEACH STREET
ERIE, PA 16501
814-461-2400
- 000320
BARNES KASSON COUNTY HOSPITAL-S
400 TURNPIKE STREET
SUSQUEHANNA, PA 18847
570-853-3135
- 021553
BENDINER & SCHLESINGER INC-SC
47 THIRD AVENUE
NEW YORK, NY 10003
212-254-2300
- 027615
BIOLOGICAL SPECIALTY CORPORATION-S
2165 NORTH LINE STREET
COLMAR, PA 18915
215-997-8771
- 027616
BIOLOGICAL SPECIALTY CORPORATION-S
3671 HULMEVILLE ROAD
BENSALEM, PA 19020
215-245-9855
- 027617
BIOLOGICAL SPECIALTY CORPORATION-S
502 PENN STREET
READING, PA 19602
610-375-9862
- 022757
BIOREFERENCE LABORATORIES INC-SC
481B EDWARD H ROSS DRIVE
ELMWOOD PARK, NJ 07407
201-791-3600
- 000120
BON SECOURS-HOLY FAMILY REG HLTH-S
2500 SEVENTH AVENUE
ALTOONA, PA 16602-2099
814-949-4495
- 000033
BRADFORD REGIONAL MEDICAL CENTER-S
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
814-362-8247
- 000296
BRANDYWINE HOSPITAL-S
201 REECEVILLE ROAD ATTN: LABORATORY
COATESVILLE, PA 19320
610-383-8000
- 000102
BROWNSVILLE GENERAL HOSPITAL LAB-S
125 SIMPSON RD
BROWNSVILLE, PA 15417
724-785-7200
- 000301
BUTLER MEMORIAL HOSPITAL-S
911 EAST BRADY STREET
BUTLER, PA 16001
724-284-4510
- 000107
CANONSBURG GENERAL HOSPITAL-S
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
724-745-3916
- 000131
CARLISLE REGIONAL MEDICAL CENTER-S
246 PARKER ST
CARLISLE, PA 17013
717-249-1212
- 000751
CEDAR CREST EMERGICENTER-S
1101 SOUTH CEDAR CREST BOULEVARD
ALLENTOWN, PA 18103
610-433-4260
- 000215
CENTRAL MONTGOMERY MEDICAL CENTER-S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
215-368-2100

000132
CHAMBERSBURG HOSPITAL-S
112 NORTH SEVENTH ST
CHAMBERSBURG, PA 17201
717-267-7152

000310
CHARLES COLE MEMORIAL HOSPITAL-S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
814-274-9300

000198
CHESTER COUNTY HOSPITAL-S
701 E MARSHALL ST
WEST CHESTER, PA 19380
610-431-5182

000227
CHESTNUT HILL HOSPITAL-S
8835 GERMANTOWN AVENUE
DEPT OF PATHOLOGY
PHILADELPHIA, PA 19118
215-248-8630

000228
CHILDRENS HOSP OF PHILADELPHIA-S
ONE CHILDREN'S CENTER 34TH & CIVIC
PHILADELPHIA, PA 19104
215-590-1000

000329
CLARION HOSPITAL-S
1 HOSPITAL DRIVE
CLARION, PA 16214
814-226-9500

024916
CLINICAL SCIENCE LABORATORY INC-SC
51 FRANCIS AVENUE
MANSFIELD, MA 02048
508-339-6106

000166
COMMUNITY HOSPITAL OF LANCASTER-S
1100 EAST ORANGE STREET
LANCASTER, PA 17602
717-397-3711

000005
COMMUNITY MEDICAL CENTER-S
1800 MULBERRY STREET
SCRANTON, PA 18510
570-969-8000

000125
CONEMAUGH VALLEY MEMORIAL HOSP-S
1086 FRANKLIN STREET
JOHNSTOWN, PA 15905-4398
814-534-9000

025256
CORPORATE HEALTH SERVICES-S
295 NORTH KERRWOOD DRIVE
HERMITAGE, PA 16148
724-346-6425

000326
CORY MEMORIAL HOSPITAL-S
612 WEST SMITH STREET
CORY, PA 16407
814-664-4641

000201
CROZER CHESTER MED CENTER-S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
610-447-2000

000363
DE JOHN MED LABORATORY INC-S
1570 GARRETT ROAD
UPPER DARBY, PA 19082
610-626-2112

000204
DELAWARE COUNTY MEMORIAL HOSP-S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
610-284-8100

000266
DEPT OF PATHOLOGY & LAB MED-HUP-SC
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
215-662-6882

028893
DOMINION DIAGNOSTICS LLC-SC
211 CIRCUIT DRIVE
NORTH KINGSTOWN, RI 02852
401-667-0800

000194
DOYLESTOWN HOSPITAL-S
595 WEST STATE STREET
DOYLESTOWN, PA 18901
215-345-2250

000977
DRUGSCAN INC-SC
1119 MEARNES RD, PO BOX 2969
WARMINSTER, PA 18974
215-674-9310

000175
EASTON HOSPITAL-S
250 SOUTH 21ST ST
EASTON, PA 18042-3892
610-250-4140

000164
EPHRATA COMMUNITY HOSPITAL-S
169 MARTIN AVE PO BOX 1002
EPHRATA, PA 17522
717-733-0311

000031
ERHC RIDGWAY LABORATORY-S
94 HOSPITAL STREET
RIDGWAY, PA 15853
814-788-8525

000032
ERHC ST MARYS LABORATORY-S
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
814-788-8525

000181
EVANGELICAL COMMUNITY HOSPITAL-S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
570-522-2510

021431
FITNESS FOR DUTY CENTER-S
PA POWER & LIGHT CO PO BOX 467
BERWICK, PA 18603
570-542-3336

000085
FORBES REGIONAL HOSPITAL-S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
412-858-2560

000192
FRANKFORD HOSP BUCKS CO CAMPUS-S
380 NORTH OXFORD VALLEY ROAD
LANGHORNE, PA 19047-8304
215-934-5227

000341
FRANKFORD HOSPITAL-S
RED LION & KNIGHTS ROADS
PHILADELPHIA, PA 19114
215-612-4000

000236
FRANKFORD HOSPITAL FRANK DIV-S
FRANKFORD AVE & WAKELING ST
PHILADELPHIA, PA 19124
215-831-2068

000115
FRICK HOSPITAL-S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
724-547-1500

020644
FRIENDS HOSPITAL-S
4641 ROOSEVELT BOULEVARD
PHILADELPHIA, PA 19124-2399
215-831-4771

009163
FRIENDS MEDICAL LAB INC-SC
5820 SOUTHWESTERN BLVD
BALTIMORE, MD 21227
412-247-4417

024914
GAUDENZIA ERIE INC-S
414 WEST 5TH STREET
ERIE, PA 16507
814-459-4775

000173
GEISINGER MEDICAL CENTER-SC
N ACADEMY RD
DANVILLE, PA 17822
570-271-6338

000019
GEISINGER WYOMING VALLEY MED CTR-S
1000 E MOUNTAIN DRIVE
WILKES BARRE, PA 18711
570-826-7830

000237
GERMANTOWN COMM HLTH WILLOW TERR-S
ONE PENN BOULEVARD
PHILADELPHIA, PA 19144
215-951-8800

026799
GHHA OCCUPATIONAL HEALTH CENTER LAB-S
1000 ALLIANCE DRIVE
HAZLETON, PA 18202
570-459-1028

000152
GNADEN HUETTEN MEMORIAL HOSP-S
11TH & HAMILTON STS
LEHIGHTON, PA 18235
610-377-1300

000299
GOOD SAMARITAN HOSPITAL-S
4TH & WALNUT STS PO BOX 1281
LEBANON, PA 17042-1218
717-270-7500

000182
GOOD SAMARITAN REGIONAL MED CTR-S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
570-621-4032

000238
GRADUATE HOSPITAL-S
1800 LOMBARD STREET
PHILADELPHIA, PA 19146
215-893-2240

025957
GRAHAM-MASSEY ANALYTICAL LABS-SC
60 TODD ROAD
SHELTON, CT 06484
203-926-1100

000654
GUTHRIE CLINIC PATH LAB-S
GUTHRIE SQUARE
SAYRE, PA 18840
570-888-5858

000239
HAHNEMANN UNIVERSITY HOSPITAL-S
BROAD & VINE STS MS 113
PHILADELPHIA, PA 19102
215-762-1783

000139
HANOVER HOSPITAL, INC.-S
300 HIGHLAND AVE
HANOVER, PA 17331
717-637-3711

000155
HARRISBURG HOSPITAL LABORATORY-S
SOUTH FRONT STREET
HARRISBURG, PA 17101
570-782-2832

000010
HAZLETON GENERAL HOSPITAL-S
700 EAST BROAD
HAZLETON, PA 18201
570-501-4152

000169
HEALTH NETWORK LABORATORIES-S
1627 WEST CHEW STREET
ALLENTOWN, PA 18102
610-402-2236

000549
HEALTH NETWORK LABORATORIES-S
1200 SOUTH CEDAR CREST BLVD
ALLENTOWN, PA 18103
610-402-8150

000600
HEALTH NETWORK LABORATORIES-S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
484-884-2259

024655
HEALTH NETWORK LABORATORIES-SC
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
610-402-8150

000216
HOLY REDEEMER HOSPITAL-S
1648 HUNTINGDON PIKE
MEADOWBROOK, PA 19046
215-947-3000

000130
HOLY SPIRIT HOSPITAL-SC
503 N 21ST STREET
CAMP HILL, PA 17011-2288
717-763-2206

000052
INDIANA REGIONAL MEDICAL CENTER-S
HOSPITAL ROAD PO BOX 788
INDIANA, PA 15701-0788
724-357-7167

022201
INTERNATIONAL MEDICAL SYSTEMS LABS-S
660 THOMAS ROAD
EUGENIA HOSPITAL
LAFAYETTE HILL, PA 19444
610-292-0613

000135
J C BLAIR MEMORIAL HOSPITAL-S
1225 WARM SPRINGS AVENUE
HUNTINGDON, PA 16652
814-643-8645

000054
JAMESON MEMORIAL HOSPITAL-S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
724-656-4080

000240
JEANES HOSPITAL-S
7600 CENTRAL AVE
PHILADELPHIA, PA 19111
215-728-2347

000038
JEFFERSON REGIONAL MED CTR—S
565 COAL VALLEY ROAD
BIBRO BLDG 4TH FLOOR
PITTSBURGH, PA 15236
412-469-5723

000200
JENNERVILLE REGIONAL HOSPITAL-S
1015 WEST BALTIMORE PIKE
WEST GROVE, PA 19390
610-869-1080

000312
JERSEY SHORE HOSPITAL-S
1020 THOMPSON STREET
JERSEY SHORE, PA 17740
570-398-0100

000532
KENSINGTON HOSPITAL-S
136 WEST DIAMOND STREET
PHILADELPHIA, PA 19122
215-426-8100

026008
KROLL LABORATORY SPECIALISTS-SC
1111 NEWTON STREET
GRETNA, LA 70053
504-361-8989

020512
LABCORP OCCUPATIONAL TESTING SER-SC
1904 ALEXANDER DRIVE
PO BOX 12652
RESRCH TRNGL PARK, NC 27709
919-572-7465

001088
LABCORP OF AMERICA HOLDINGS-SC
69 FIRST AVE PO BOX 500
RARITAN, NJ 08869
908-526-2400

022715
LABONE INC-SC
10101 RENNEN BOULEVARD
LENEXA, KS 66219-9752
913-888-1770

028960
LABORATORY CORPORATION OF
AMERICA HOLDINGS-SC
901 KEYSTONE INDUSTRIAL PARK
SUITE A
THROOP, PA 18512
570-346-1759

000165
LANCASTER GENERAL HOSPITAL-S
555 N DUKE ST PO BOX 3555
LANCASTER, PA 17604
717-299-5511

000167
LANCASTER REGIONAL MED CENTER-S
250 COLLEGE AVENUE
PO BOX 3434
LANCASTER, PA 17604
717-291-8022

000114
LATROBE AREA HOSPITAL-S
121 W SECOND AVENUE
LATROBE, PA 15650
724-537-1550

000138
LEWISTOWN HOSPITAL-S
400 HIGHLAND AVENUE
LEWISTOWN, PA 17044
717-248-5411

000030
LOCK HAVEN HOSPITAL-S
24 CREE DRIVE
LOCK HAVEN, PA 17745
570-893-5000

000639
MAGEE-WOMENS HOSPITAL OF UPMC HEALTH-S
300 HALKET STREET
PITTSBURGH, PA 15213
412-647-4651

000213
MAIN LINE CLIN LABS BRYN MAWR CP-S
130 BRYN MAWR AVENUE
BRYN MAWR, PA 19010
610-526-3554

000242
MAIN LINE CLIN LABS LANKENAU CP-S
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
610-645-2615

000199
MAIN LINE CLIN LABS PAOLI MEM CP-S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
610-648-1000

000004
 MARIAN COMMUNITY HOSPITAL-S
 100 LINCOLN AVENUE
 CARBONDALE, PA 18407
 717-281-1042

027684
 MARWORTH-S
 BOX 36 LILLY LAKE ROAD
 WAVERLY, PA 18471
 570-563-1112

000049
 MEADVILLE MED CTR-LIBERTY ST-S
 751 LIBERTY STREET
 MEADVILLE, PA 16335
 814-336-3121

000268
 MEDICAL COLLEGE OF PA HOSPITAL-S
 3300 HENRY AVENUE
 PHILADELPHIA, PA 19129
 215-842-7306

005574
 MEDTOX LABORATORIES INC-SC
 402 WEST COUNTY ROAD D
 ST PAUL, MN 55112
 612-636-7466

000023
 MEMORIAL HOSPITAL LAB-S
 1 HOSPITAL DRIVE
 TOWANDA, PA 18848
 570-265-2191

000203
 MERCY FITZGERALD HOSPITAL-S
 1500 LANSDOWNE AVENUE
 DARBY, PA 19023
 610-237-4262

000247
 MERCY HEALTH LAB/MHOP-S
 54 AND CEDAR AVENUE
 PHILADELPHIA, PA 19143
 215-748-9181

000219
 MERCY HEALTH LAB/MSH-S
 2701 DEKALB PIKE
 NORRISTOWN, PA 19401
 610-278-2090

000336
 MERCY HOSPITAL-S
 746 JEFFERSON AVE
 SCRANTON, PA 18510
 570-348-7100

000017
 MERCY HOSPITAL LABORATORY-S
 25 CHURCH STREET
 PO BOX 658
 WILKES BARRE, PA 18765
 570-826-3100

000079
 MERCY HOSPITAL NORTH SHORE LAB-S
 1004 ARCH STREET
 PITTSBURGH, PA 15212
 412-323-5766

000082
 MERCY HOSPITAL OF PITTSBURGH-S
 PRIDE & LOCUST STREETS
 PITTSBURGH, PA 15219
 412-232-7831

000113
 MERCY JEANNETTE HOSPITAL-S
 600 JEFFERSON AVENUE
 JEANNETTE, PA 15644
 724-527-9330

000245
 METHODIST HOSP DIVISION/TJUH INC-S
 1900 S. BROAD STREET
 PHILADELPHIA, PA 19145
 215-952-9059

000128
 MINERS MEDICAL CENTER-S
 290 HAIDA AVENUE
 PO BOX 689
 HASTINGS, PA 16646
 814-948-7171

028907
 MIRMONT TREATMENT CENTER-S
 100 YEARSLEY MILL ROAD
 LIMA, PA 19063
 610-744-1400

000108
 MONONGAHELA VALLEY HOSPITAL-S
 COUNTRY CLUB ROAD RT 88
 MONONGAHELA, PA 15063
 724-258-1109

000217
 MONTGOMERY HOSPITAL LAB-S
 POWELL & FORNANCE STS
 NORRISTOWN, PA 19401
 610-270-2173

000214
 MOSS REHAB EINSTEIN AT ELKINS PARK-S
 60 EAST TOWNSHIP LINE ROAD
 ELKINS PARK, PA 19027
 215-663-6102

000025
 MOUNT NITTANY MEDICAL CENTER-S
 1800 PARK AVENUE
 STATE COLLEGE, PA 16803
 814-234-6117

000035
 MUNCY VALLEY HOSPITAL-S
 215 EAST WATER ST
 MUNCY, PA 17756
 570-546-8282

000304
 NASON HOSPITAL-S
 NASON DRIVE
 ROARING SPRING, PA 16673
 814-224-6215

000504
 NATIONAL MED SERVICES INC LAB-SC
 3701 WELSH ROAD
 WILLOW GROVE, PA 19090
 215-657-4900

000248
 NAZARETH HOSPITAL-S
 2601 HOLME AVE
 PHILADELPHIA, PA 19152
 215-335-6245

027246
 NORCHEM DRUG TESTING LABORATORY-SC
 1760 EAST ROUTE 66, SUITE 1
 FLAGSTAFF, AZ 86004
 928-526-1011

000099
OHIO VALLEY GENERAL HOSPITAL-S
25 HECKEL RD
MCKEES ROCKS, PA 15136
412-777-6161

000807
OMEGA MEDICAL LABORATORIES INC-SC
2001 STATE HILL ROAD SUITE 100
WYOMISSING, PA 19610-1699
610-378-1900

000250
PARKWAY CLINICAL LABORATORIES-S
3494 D PROGRESS DRIVE
BENSALEM, PA 19020
215-245-5112

000316
PENN STATE MILTON S HERSHEY MED CTR-S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
717-531-8353

022533
PENNSYLVANIA DEPT OF HEALTH-SC
110 PICKERING WAY
LIONVILLE, PA 19353
610-280-3464

000251
PENNSYLVANIA HOSPITAL OF THE
UNIV OF PA HLTH-S
8TH & SPRUCE STS
PHILADELPHIA, PA 19107
215-829-3541

027512
PHARMCHEM INC TEXAS DIVISION-SC
4600 N BEACH STREET
HALTOM CITY, TX 76137
817-215-8826

000197
PHOENIXVILLE HOSPITAL LABORATORY-S
140 NUTT RD DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
610-983-1612

000157
PINNACLEHLTH/COMM GEN OSTEO HOSP-S
4300 LONDONDERRY RD PO BOX 3000
HARRISBURG, PA 17109
717-657-7214

000520
PITTSBURGH CRIMINALISTICS LABORATORY-SC
1320 FIFTH AVENUE
PITTSBURGH, PA 15219
412-391-6118

000022
POCONO MEDICAL CENTER LAB-S
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
570-476-3544

000221
POTTSTOWN HOSPITAL COMPANY, LLC-S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
610-327-7000

000183
POTTSVILLE HOSP AND WARNE CLINIC-S
420 SOUTH JACKSON STREET
POTTSVILLE, PA 17901
570-621-5262

000516
PRINCETON BIOMEDICAL LABS INC-S
2921 NEW RODGERS ROAD
BRISTOL, PA 19007
215-785-5200

021648
PSYCHEMEDICS CORPORATION-SC
5832 UPLANDER WAY
CULVER CITY, CA 90230
800-522-7424

000300
PUNXSUTAWNEY AREA HOSPITAL-S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
814-938-4500

028675
QUEST DIAGNOSTICS-SC
506 E STATE PKWY
SCHAUMBURG, IL 60173
847-885-2010

009620
QUEST DIAGNOSTICS CLIN LABS INC-SC
7600 TYRONE AVENUE
VAN NUYS, CA 91405
818-376-6195

000315
QUEST DIAGNOSTICS CLINICAL LABS INC-S
900 BUSINESS CENTER DRIVE
HORSHAM, PA 19044
215-957-9300

027461
QUEST DIAGNOSTICS INC-SC
400 EGYPT ROAD
NORRISTOWN, PA 19403
610-631-4219

001136
QUEST DIAGNOSTICS NICHOLS INSTITUTE-SC
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
703-802-6900

000482
QUEST DIAGNOSTICS OF PA INC-SC
875 GREENTREE RD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
412-920-7600

025461
QUEST DIAGNOSTICS VENTURE LLC-SC
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
412-920-7631

024249
QUINTILES LABORATORIES LTD-SC
5500 HIGHLANDS PARKWAY SUITE 600
SMYRNA, GA 30082
770-434-8492

000150
READING HOSPITAL & MED CTR-S
6TH AND SPRUCE STREETS
WEST READING, PA 19611
610-988-8080

025348
REDWOOD TOXICOLOGY LABORATORY-SC
3650 WESTWIND BOULEVARD
SANTA ROSA, CA 95403
707-577-7958

000206
RIDDLE MEMORIAL HOSPITAL-S
BALTIMORE PIKE HIGHWAY 1
MEDIA, PA 19063
610-566-9400

000243
ROXBOROUGH MEMORIAL HOSPITAL-S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
215-487-4394

000171
SACRED HEART HOSPITAL-S
4TH & CHEW STS
ALLENTOWN, PA 18102
610-776-4727

000087
SAINT CLAIR MEMORIAL HOSPITAL-S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
412-561-4900

000174
SAINT LUKES HOSPITAL-S
801 OSTRUM ST
BETHLEHEM, PA 18015
610-954-4558

000328
SAINT MARY MEDICAL CENTER-S
LANGHORNE-NEWTOWN RD
LANGHORNE, PA 19047
215-710-2162

024496
SCIENTIFIC TESTING LABS INC-SC
450 SOUTHLAKE BOULEVARD
RICHMOND, VA 23236
804-378-9130

028471
SECON A DIVISION OF CIVIGENICS-S
316 MECCA DRIVE
LAFAYETTE, LA 70508
337-291-9501

000101
SEWICKLEY VALLEY HOSPITAL LAB-S
BLACKBURN RD & FITCH DRIVE
SEWICKLEY, PA 15143
412-741-6600

000064
SHARON REGIONAL HEALTH SYSTEM-S
740 EAST STATE STREET
SHARON, PA 16146
724-983-3911

000039
SOLDIERS & SAILORS MEM HOSP-S
CENTRAL AVE
WELLSBORO, PA 16901
570-723-0133

000297
SOMERSET HOSPITAL CENTER FOR HEALTH-S
225 S CENTER AVE
SOMERSET, PA 15501
814-443-5000

022376
SPECIALTY LABORATORIES-S
2211 MICHIGAN AVENUE
SANTA MONICA, CA 90404
310-828-6543

000260
ST CHRISTOPHERS HOSP FOR CHILDREN-S
3601 A STREET
PHILADELPHIA, PA 19134
215-427-5337

000151
ST JOSEPH QUALITY MEDICAL LAB-SC
215 NORTH 12TH STREET BOX 316
READING, PA 19603
610-378-2200

000261
ST JOSEPH'S HOSPITAL-DIV NPHS-S
16TH ST & GIRARD AVE
PHILADELPHIA, PA 19130
215-787-9000

000318
ST LUKES HOSP ALLENTOWN CAMPUS-S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
610-770-8300

029015
STERLING REFERENCE LABORATORIES-SC
624 MARTIN LUTHER KING JR WAY
TACOMA, WA 98405
253-552-1551

000094
SUBURBAN GENERAL HOSPITAL PITTSBURGH-S
100 SOUTH JACKSON AVENUE
BELLEVUE, PA 15202
412-734-6000

000187
SUNBURY COMMUNITY HOSPITAL-S
350 N 11TH ST
SUNBURY, PA 17801
570-286-3333

000207
TAYLOR HOSPITAL DIV OF CCMC-S
175 E CHESTER PIKE
RIDLEY PARK, PA 19078
610-595-6450

024997
TECHNOW INC-S
31 INDUSTRIAL HIGHWAY
ESSINGTON, PA 19029
610-362-0610

000249
TEMPLE EAST INC NE-S
2301 EAST ALLEGHENY AVENUE
PHILADELPHIA, PA 19134
215-291-3671

000193
TEMPLE LOWER BUCKS HOSPITAL LAB-S
501 BATH ROAD
BRISTOL, PA 19007
215-785-9200

000235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS-S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
215-427-7333

000265
TEMPLE UNIVERSITY HOSPITAL-S
3401 N BROAD ST
PHILADELPHIA, PA 19140
215-707-4353

000205
THE MEDICAL CENTER BEAVER PA-S
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009-9700
724-728-7000

000241
THOMAS JEFFERSON UNIVERSITY HOSP-S
125 SOUTH 11TH ST 204 PAVILION
PHILADELPHIA, PA 19107
215-955-6374

000051
TITUSVILLE AREA HOSPITAL-S
406 WEST OAK STREET
TITUSVILLE, PA 16354
814-827-1851

023608
UHS OF FAIRMOUNT INC-S
561 FAIRTHORNE AVENUE
PHILADELPHIA, PA 19128
215-487-4078

000061
UNITED COMMUNITY HOSPITAL-S
631 NORTH BROAD STREET EXT
GROVE CITY, PA 16127
724-450-7125

000258
UNIVERSITY OF PENNA MED CTR-PRESBYTERIAN-S
51 NORTH 39TH ST 5TH FLR RM 530
DEPARTMENT OF PATHOLOGY & LAB
PHILADELPHIA, PA 19104-2640
215-662-3435

000121
UPMC BEDFORD MEMORIAL-S
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
814-623-3506

000096
UPMC BRADDOCK-S
400 HOLLAND AVENUE
BRADDOCK, PA 15104
412-636-5291

000059
UPMC HORIZON GREENVILLE-S
110 NORTH MAIN STREET
GREENVILLE, PA 16125
724-588-2100

000057
UPMC HORIZON SHENANGO-S
2200 MEMORIAL DRIVE
FARRELL, PA 16121
724-981-3500

000126
UPMC LEE REGIONAL HOSPITAL-S
320 MAIN STREET
JOHNSTOWN, PA 15901
814-533-0130

000098
UPMC MCKEESPORT LABORATORY-S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
412-664-2233

000058
UPMC NORTHWEST-S
1 SPRUCE STREET
FRANKLIN, PA 16323
814-437-7000

005784
UPMC PASSAVANT LABORATORY CRANBERRY-S
ONE ST FRANCIS WAY
CRANBERRY TOWNSHIP, PA 16066
724-772-5370

000083
UPMC PRESBYTERIAN SHADYSIDE CP PUH-SC
ROOM 5929 MAIN TOWER CHP
200 LOTHROP STREET
PITTSBURGH, PA 15213-2582 412-648-6000

000091
UPMC SAINT MARGARET HOSPITAL-S
815 FREEPORT ROAD
PITTSBURGH, PA 15215
412-784-4000

000092
UPMC SHADYSIDE-S
5230 CENTRE AVENUE
GROUND FLOOR WEST WING
PITTSBURGH, PA 15232
412-623-5950

000093
UPMC SOUTH SIDE-S
2000 MARY STREET
PITTSBURGH, PA 15203
412-488-5731

027225
US DRUG TESTING LABORATORIES INC-SC
1700 SOUTH MOUNT PROSPECT ROAD
DES PLAINES, IL 60018
847-375-0770

000335
VALLEY FORGE MED CTR & HOSP-S
1033 W GERMANTOWN PIKE
NORRISTOWN, PA 19403
610-539-8500

000622
WARMINSTER HOSPITAL-S
225 NEWTOWN ROAD
WARMINSTER, PA 18974
215-441-6700

000066
WARREN GENERAL HOSPITAL-S
2 CRESCENT PARK
WARREN, PA 16365
814-723-3300

000133
WAYNESBORO HOSPITAL-S
501 E MAIN STREET
WAYNESBORO, PA 17268
717-765-3403

000095
WESTERN PENNSYLVANIA HOSPITAL-S
4800 FRIENDSHIP AVE
PITTSBURGH, PA 15224
412-578-5779

007731
WESTERN RESERVE CARE SYSTEM-SC
500 GYPSY LANE
YOUNGSTOWN, OH 44504
216-740-3794

000112
WESTMORELAND REGIONAL HOSPITAL-S
532 W PITTSBURGH ST
GREENSBURG, PA 15601
724-832-4365

000037
WILLIAMSPORT HOSP & MED CENTER-S
777 RURAL AVENUE
WILLIAMSPORT, PA 17701-3198
570-321-2300

000018
WVHCS HOSPITAL-SC
575 NORTH RIVER STREET
WILKES BARRE, PA 18764
570-829-8111

000141
YORK HOSPITAL-S
1001 SOUTH GEORGE STREET
YORK, PA 17405
717-851-2345

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 04-1309. Filed for public inspection July 16, 2004, 9:00 a.m.]

Requests for Exception; Long-Term Care Nursing Facilities

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 201.3 (relating to definitions):

Garvey Manor
128 Logan Boulevard
Hollidaysburg, PA 16648
Lackawanna County Health Care Center
Sturges Road
Olyphant, PA 18447-2501

Immaculate Mary Home
2990 Holme Avenue
Philadelphia, PA 19136
FAC ID # 090902

Meadowood
3205 Skippack Pike
P. O. Box 670
Worcester, PA 19490-0670
FAC ID # 392602

The following long-term care nursing facility is seeking an exception to 28 Pa. Code §§ 205.25(b) and 205.32(a) (relating to kitchen; and janitor closet):

Highlands Care Center
Route 42 Main Street
Laporte, PA 18626

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who require an alternative format of this document or who wish to comment in an alternative format (for example, large print, audiotape or Braille) should contact the Division of Nursing Care Facilities at the address or phone number listed previously, for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 04-1310. Filed for public inspection July 16, 2004, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Income Limits and Copayments for the Subsidized Child Day Care Program

The purpose of this notice is to increase the income limits codified at 55 Pa. Code Chapter 3040, Appendix B (relating to subsidized child day care eligibility) under 55 Pa. Code § 3040.62(b) (relating to availability and use of the Federal Poverty Income Guidelines (FPIG)). This increase is effective May 1, 2004.

Section 3040.62(b) of 55 Pa. Code requires the Department of Public Welfare to update the copayment schedule in 55 Pa. Code Chapter 3040, Appendix B to reflect changes in the FPIG. Effective May 1, 2004, the income guidelines for the subsidized child day care program are increased due to increases in the FPIG. The copayment schedule is adjusted to reflect the increases. Chapter 3040, Appendix B of 55 Pa. Code also establishes the family copayment levels according to the family's computed annual income and lists the weekly family copayment based on the annual family income.

ESTELLE B. RICHMAN,
Secretary

Fiscal Note: 14-NOT-392. No fiscal impact; (8) recommends adoption.

APPENDIX B
COPAYMENT CHART

FAMILY COPAYMENT SCALE

(BASED ON THE 2004 FEDERAL POVERTY INCOME GUIDELINES)

Weekly Copay	Family Size: 1 Annual Income	
	Less than:	
\$5.00	\$7,310.01	\$7,310
\$10.00	\$7,310.01	\$9,310
\$15.00	\$9,310.01	\$11,310
\$20.00	\$11,310.01	\$13,310
\$25.00	\$13,310.01	\$15,310
\$30.00	\$15,310.01	\$17,310
\$35.00	\$17,310.01	\$19,310
\$40.00	\$19,310.01	\$21,310
\$45.00	\$21,310.01	\$21,879
\$50.00		
\$55.00		
\$60.00		
\$65.00		
\$70.00		
	200% FPIG	\$18,620

Family Size: 2 Annual Income		
Less than:		
\$10,490.01	\$10,490	
\$12,490.01	\$12,490	
\$14,490.01	\$14,490	
\$16,490.01	\$16,490	
\$18,490.01	\$18,490	
\$20,490.01	\$20,490	
\$22,490.01	\$22,490	
\$24,490.01	\$24,490	
\$26,490.01	\$26,490	
\$28,490.01	\$28,490	
\$29,352		
	200% FPIG	\$24,980

Family Size: 3 Annual Income		
Less than:		
\$11,670.01	\$11,670	
\$13,670.01	\$13,670	
\$15,670.01	\$15,670	
\$17,670.01	\$17,670	
\$19,670.01	\$19,670	
\$21,670.01	\$21,670	
\$23,670.01	\$23,670	
\$25,670.01	\$25,670	
\$27,670.01	\$27,670	
\$29,670.01	\$29,670	
\$31,670.01	\$31,670	
\$33,670.01	\$33,670	
\$35,670.01	\$36,825	
	200% FPIG	\$31,340

Weekly Copay	Family Size: 4 Annual Income	
	Less than:	
\$5.00	\$12,850.01	\$12,850
\$10.00	\$12,850.01	\$14,850
\$15.00	\$14,850.01	\$16,850
\$20.00	\$16,850.01	\$18,850
\$25.00	\$18,850.01	\$20,850
\$30.00	\$20,850.01	\$22,850
\$35.00	\$22,850.01	\$24,850
\$40.00	\$24,850.01	\$26,850
\$45.00	\$26,850.01	\$28,850
\$50.00	\$28,850.01	\$30,850
\$55.00	\$30,850.01	\$32,850
\$60.00	\$32,850.01	\$34,850
\$65.00	\$34,850.01	\$36,850
\$70.00	\$36,850.01	\$38,850
\$75.00	\$38,850.01	\$40,850
\$80.00	\$40,850.01	\$42,850
\$85.00	\$42,850.01	\$44,298
\$90.00		
\$95.00		
\$100.00		
\$105.00		
\$110.00		
\$115.00		
\$120.00		
	200% FPIG	\$37,700

Family Size: 5 Annual Income		
Less than:		
\$14,030.01	\$14,030	
\$16,030.01	\$16,030	
\$18,030.01	\$18,030	
\$20,030.01	\$20,030	
\$22,030.01	\$22,030	
\$24,030.01	\$24,030	
\$26,030.01	\$26,030	
\$28,030.01	\$28,030	
\$30,030.01	\$30,030	
\$32,030.01	\$32,030	
\$34,030.01	\$34,030	
\$36,030.01	\$36,030	
\$38,030.01	\$38,030	
\$40,030.01	\$40,030	
\$42,030.01	\$42,030	
\$44,030.01	\$44,030	
\$46,030.01	\$46,030	
\$48,030.01	\$48,030	
\$50,030.01	\$50,030	
\$51,771		
	200% FPIG	\$44,060

Family Size: 6 Annual Income		
Less than:		
\$15,210.01	\$15,210	
\$17,210.01	\$17,210	
\$19,210.01	\$19,210	
\$21,210.01	\$21,210	
\$23,210.01	\$23,210	
\$25,210.01	\$25,210	
\$27,210.01	\$27,210	
\$29,210.01	\$29,210	
\$31,210.01	\$31,210	
\$33,210.01	\$33,210	
\$35,210.01	\$35,210	
\$37,210.01	\$37,210	
\$39,210.01	\$39,210	
\$41,210.01	\$41,210	
\$43,210.01	\$43,210	
\$45,210.01	\$45,210	
\$47,210.01	\$47,210	
\$49,210.01	\$49,210	
\$51,210.01	\$51,210	
\$53,210.01	\$53,210	
\$55,210.01	\$55,210	
\$57,210.01	\$57,210	
\$59,210.01	\$59,210	
\$59,244		
	200% FPIG	\$50,420

NOTICES

<i>Weekly Copay</i>	<i>Family Size: 7 Annual Income</i>	
\$5.00	Less than:	\$16,390
\$10.00	\$16,390.01	\$18,390
\$15.00	\$18,390.01	\$20,390
\$20.00	\$20,390.01	\$22,390
\$25.00	\$22,390.01	\$24,390
\$30.00	\$24,390.01	\$26,390
\$35.00	\$26,390.01	\$28,390
\$40.00	\$28,390.01	\$30,390
\$45.00	\$30,390.01	\$32,390
\$50.00	\$32,390.01	\$34,390
\$55.00	\$34,390.01	\$36,390
\$60.00	\$36,390.01	\$38,390
\$65.00	\$38,390.01	\$40,390
\$70.00	\$40,390.01	\$42,390
\$75.00	\$42,390.01	\$44,390
\$80.00	\$44,390.01	\$46,390
\$85.00	\$46,390.01	\$48,390
\$90.00	\$48,390.01	\$50,390
\$95.00	\$50,390.01	\$52,390
\$100.00	\$52,390.01	\$54,390
\$105.00	\$54,390.01	\$56,390
\$110.00	\$56,390.01	\$58,390
\$115.00	\$58,390.01	\$60,390
\$120.00	\$60,390.01	\$62,390
\$125.00	\$62,390.01	\$64,390
\$130.00	\$64,390.01	\$66,390
\$135.00	\$66,390.01	\$66,717
\$140.00		
\$145.00		
\$150.00		
\$155.00		
\$160.00		
\$165.00		
	200% FPIG	\$56,780

<i>Family Size: 8 Annual Income</i>		
Less than:	\$17,570	
\$17,570.01	\$19,570	
\$19,570.01	\$21,570	
\$21,570.01	\$23,570	
\$23,570.01	\$25,570	
\$25,570.01	\$27,570	
\$27,570.01	\$29,570	
\$29,570.01	\$31,570	
\$31,570.01	\$33,570	
\$33,570.01	\$35,570	
\$35,570.01	\$37,570	
\$37,570.01	\$39,570	
\$39,570.01	\$41,570	
\$41,570.01	\$43,570	
\$43,570.01	\$45,570	
\$45,570.01	\$47,570	
\$47,570.01	\$49,570	
\$49,570.01	\$51,570	
\$51,570.01	\$53,570	
\$53,570.01	\$55,570	
\$55,570.01	\$57,570	
\$57,570.01	\$59,570	
\$59,570.01	\$61,570	
\$61,570.01	\$63,570	
\$63,570.01	\$65,570	
\$65,570.01	\$67,570	
\$67,570.01	\$69,570	
\$69,570.01	\$71,570	
\$71,570.01	\$73,570	
\$73,570.01	\$74,190	
	200% FPIG	\$63,140

<i>Family Size: 9 Annual Income</i>		
Less than:	\$18,750	
\$18,750.01	\$20,750	
\$20,750.01	\$22,750	
\$22,750.01	\$24,750	
\$24,750.01	\$26,750	
\$26,750.01	\$28,750	
\$28,750.01	\$30,750	
\$30,750.01	\$32,750	
\$32,750.01	\$34,750	
\$34,750.01	\$36,750	
\$36,750.01	\$38,750	
\$38,750.01	\$40,750	
\$40,750.01	\$42,750	
\$42,750.01	\$44,750	
\$44,750.01	\$46,750	
\$46,750.01	\$48,750	
\$48,750.01	\$50,750	
\$50,750.01	\$52,750	
\$52,750.01	\$54,750	
\$54,750.01	\$56,750	
\$56,750.01	\$58,750	
\$58,750.01	\$60,750	
\$60,750.01	\$62,750	
\$62,750.01	\$64,750	
\$64,750.01	\$66,750	
\$66,750.01	\$68,750	
\$68,750.01	\$70,750	
\$70,750.01	\$72,750	
\$72,750.01	\$74,750	
\$74,750.01	\$76,750	
\$76,750.01	\$78,750	
\$78,750.01	\$80,750	
\$80,750.01	\$81,663	
	200% FPIG	\$69,500

<i>Weekly Copay</i>	<i>Family Size: 10 Annual Income</i>	
\$5.00	Less than:	\$19,930
\$10.00	\$19,930.01	\$21,930
\$15.00	\$21,930.01	\$23,930
\$20.00	\$23,930.01	\$25,930
\$25.00	\$25,930.01	\$27,930
\$30.00	\$27,930.01	\$29,930
\$35.00	\$29,930.01	\$31,930
\$40.00	\$31,930.01	\$33,930

<i>Family Size: 11 Annual Income</i>	
Less than:	\$21,110
\$21,110.01	\$23,110
\$23,110.01	\$25,110
\$25,110.01	\$27,110
\$27,110.01	\$29,110
\$29,110.01	\$31,110
\$31,110.01	\$33,110
\$33,110.01	\$35,110

<i>Family Size: 12 Annual Income</i>	
Less than:	\$22,290
\$22,290.01	\$24,290
\$24,290.01	\$26,290
\$26,290.01	\$28,290
\$28,290.01	\$30,290
\$30,290.01	\$32,290
\$32,290.01	\$34,290
\$34,290.01	\$36,290

<i>Weekly Copay</i>	<i>Family Size: 10 Annual Income</i>	
\$45.00	\$33,930.01	\$35,930
\$50.00	\$35,930.01	\$37,930
\$55.00	\$37,930.01	\$39,930
\$60.00	\$39,930.01	\$41,930
\$65.00	\$41,930.01	\$43,930
\$70.00	\$43,930.01	\$45,930
\$75.00	\$45,930.01	\$47,930
\$80.00	\$47,930.01	\$49,930
\$85.00	\$49,930.01	\$51,930
\$90.00	\$51,930.01	\$53,930
\$95.00	\$53,930.01	\$55,930
\$100.00	\$55,930.01	\$57,930
\$105.00	\$57,930.01	\$59,930
\$110.00	\$59,930.01	\$61,930
\$115.00	\$61,930.01	\$63,930
\$120.00	\$63,930.01	\$65,930
\$125.00	\$65,930.01	\$67,930
\$130.00	\$67,930.01	\$69,930
\$135.00	\$69,930.01	\$71,930
\$140.00	\$71,930.01	\$73,930
\$145.00	\$73,930.01	\$75,930
\$150.00	\$75,930.01	\$77,930
\$155.00	\$77,930.01	\$79,930
\$160.00	\$79,930.01	\$81,930
\$165.00	\$81,930.01	\$83,930
\$170.00	\$83,930.01	\$85,930
\$175.00	\$85,930.01	\$87,930
\$180.00	\$87,930.01	\$89,136
\$185.00		
\$190.00		
\$195.00		
\$200.00		
\$205.00		
\$210.00		
	200% FPIG	\$75,860

<i>Family Size: 11 Annual Income</i>		
\$35,110.01	\$37,110	
\$37,110.01	\$39,110	
\$39,110.01	\$41,110	
\$41,110.01	\$43,110	
\$43,110.01	\$45,110	
\$45,110.01	\$47,110	
\$47,110.01	\$49,110	
\$49,110.01	\$51,110	
\$51,110.01	\$53,110	
\$53,110.01	\$55,110	
\$55,110.01	\$57,110	
\$57,110.01	\$59,110	
\$59,110.01	\$61,110	
\$61,110.01	\$63,110	
\$63,110.01	\$65,110	
\$65,110.01	\$67,110	
\$67,110.01	\$69,110	
\$69,110.01	\$71,110	
\$71,110.01	\$73,110	
\$73,110.01	\$75,110	
\$75,110.01	\$77,110	
\$77,110.01	\$79,110	
\$79,110.01	\$81,110	
\$81,110.01	\$83,110	
\$83,110.01	\$85,110	
\$85,110.01	\$87,110	
\$87,110.01	\$89,110	
\$89,110.01	\$91,110	
\$91,110.01	\$93,110	
\$93,110.01	\$95,110	
\$95,110.01	\$96,609	
	200% FPIG	\$82,220

<i>Family Size: 12 Annual Income</i>		
\$36,290.01	\$38,290	
\$38,290.01	\$40,290	
\$40,290.01	\$42,290	
\$42,290.01	\$44,290	
\$44,290.01	\$46,290	
\$46,290.01	\$48,290	
\$48,290.01	\$50,290	
\$50,290.01	\$52,290	
\$52,290.01	\$54,290	
\$54,290.01	\$56,290	
\$56,290.01	\$58,290	
\$58,290.01	\$60,290	
\$60,290.01	\$62,290	
\$62,290.01	\$64,290	
\$64,290.01	\$66,290	
\$66,290.01	\$68,290	
\$68,290.01	\$70,290	
\$70,290.01	\$72,290	
\$72,290.01	\$74,290	
\$74,290.01	\$76,290	
\$76,290.01	\$78,290	
\$78,290.01	\$80,290	
\$80,290.01	\$82,290	
\$82,290.01	\$84,290	
\$84,290.01	\$86,290	
\$86,290.01	\$88,290	
\$88,290.01	\$90,290	
\$90,290.01	\$92,290	
\$92,290.01	\$94,290	
\$94,290.01	\$96,290	
\$96,290.01	\$98,290	
\$98,290.01	\$100,290	
\$100,290.01	\$102,290	
\$102,290.01	\$104,082	
	200% FPIG	\$88,580

<i>Weekly Copay</i>	<i>Family Size: 13 Annual Income</i>	
\$5.00	Less than:	\$23,470
\$10.00	\$23,470.01	\$25,470
\$15.00	\$25,470.01	\$27,470
\$20.00	\$27,470.01	\$29,470
\$25.00	\$29,470.01	\$31,470
\$30.00	\$31,470.01	\$33,470
\$35.00	\$33,470.01	\$35,470
\$40.00	\$35,470.01	\$37,470

<i>Family Size: 14 Annual Income</i>	
Less than:	\$24,650
\$ 24,650.01	\$26,650
\$26,650.01	\$28,650
\$28,650.01	\$30,650
\$30,650.01	\$32,650
\$32,650.01	\$34,650
\$34,650.01	\$36,650
\$36,650.01	\$38,650

<i>Family Size: 15 Annual Income</i>	
Less than:	\$25,830
\$25,830.01	\$27,830
\$27,830.01	\$29,830
\$29,830.01	\$31,830
\$31,830.01	\$33,830
\$33,830.01	\$35,830
\$35,830.01	\$37,830
\$37,830.01	\$39,830

NOTICES

<i>Weekly Copay</i>	<i>Family Size: 13 Annual Income</i>	
\$45.00	\$37,470.01	\$39,470
\$50.00	\$39,470.01	\$41,470
\$55.00	\$41,470.01	\$43,470
\$60.00	\$43,470.01	\$45,470
\$65.00	\$45,470.01	\$47,470
\$70.00	\$47,470.01	\$49,470
\$75.00	\$49,470.01	\$51,470
\$80.00	\$51,470.01	\$53,470
\$85.00	\$53,470.01	\$55,470
\$90.00	\$55,470.01	\$57,470
\$95.00	\$57,470.01	\$59,470
\$100.00	\$59,470.01	\$61,470
\$105.00	\$61,470.01	\$63,470
\$110.00	\$63,470.01	\$65,470
\$115.00	\$65,470.01	\$67,470
\$120.00	\$67,470.01	\$69,470
\$125.00	\$69,470.01	\$71,470
\$130.00	\$71,470.01	\$73,470
\$135.00	\$73,470.01	\$75,470
\$140.00	\$75,470.01	\$77,470
\$145.00	\$77,470.01	\$79,470
\$150.00	\$79,470.01	\$81,470
\$155.00	\$81,470.01	\$83,470
\$160.00	\$83,470.01	\$85,470
\$165.00	\$85,470.01	\$87,470
\$170.00	\$87,470.01	\$89,470
\$175.00	\$89,470.01	\$91,470
\$180.00	\$91,470.01	\$93,470
\$185.00	\$93,470.01	\$95,470
\$190.00	\$95,470.01	\$97,470
\$195.00	\$97,470.01	\$99,470
\$200.00	\$99,470.01	\$101,470
\$205.00	\$101,470.01	\$103,470
\$210.00	\$103,470.01	\$105,470
\$215.00	\$105,470.01	\$107,470
\$220.00	\$107,470.01	\$109,470
\$225.00	\$109,470.01	\$111,470
\$230.00	\$111,470.01	\$111,555
\$235.00		
\$240.00		
\$245.00		
\$250.00		
\$255.00		
\$260.00		
	200% FPIG	\$94,940

<i>Family Size: 14 Annual Income</i>		
\$38,650.01	\$40,650	
\$40,650.01	\$42,650	
\$42,650.01	\$44,650	
\$44,650.01	\$46,650	
\$46,650.01	\$48,650	
\$48,650.01	\$50,650	
\$50,650.01	\$52,650	
\$52,650.01	\$54,650	
\$54,650.01	\$56,650	
\$56,650.01	\$58,650	
\$58,650.01	\$60,650	
\$60,650.01	\$62,650	
\$62,650.01	\$64,650	
\$64,650.01	\$66,650	
\$66,650.01	\$68,650	
\$68,650.01	\$70,650	
\$70,650.01	\$72,650	
\$72,650.01	\$74,650	
\$74,650.01	\$76,650	
\$76,650.01	\$78,650	
\$78,650.01	\$80,650	
\$80,650.01	\$82,650	
\$82,650.01	\$84,650	
\$84,650.01	\$86,650	
\$86,650.01	\$88,650	
\$88,650.01	\$90,650	
\$90,650.01	\$92,650	
\$92,650.01	\$94,650	
\$94,650.01	\$96,650	
\$96,650.01	\$98,650	
\$98,650.01	\$100,650	
\$100,650.01	\$102,650	
\$102,650.01	\$104,650	
\$104,650.01	\$106,650	
\$106,650.01	\$108,650	
\$108,650.01	\$110,650	
\$110,650.01	\$112,650	
\$112,650.01	\$114,650	
\$114,650.01	\$116,650	
\$116,650.01	\$118,650	
\$118,650.01	\$119,028	
	200% FPIG	\$101,300

<i>Family Size: 15 Annual Income</i>		
\$39,830.01	\$41,830	
\$41,830.01	\$43,830	
\$43,830.01	\$45,830	
\$45,830.01	\$47,830	
\$47,830.01	\$49,830	
\$49,830.01	\$51,830	
\$51,830.01	\$53,830	
\$53,830.01	\$55,830	
\$55,830.01	\$57,830	
\$57,830.01	\$59,830	
\$59,830.01	\$61,830	
\$61,830.01	\$63,830	
\$63,830.01	\$65,830	
\$65,830.01	\$67,830	
\$67,830.01	\$69,830	
\$69,830.01	\$71,830	
\$71,830.01	\$73,830	
\$73,830.01	\$75,830	
\$75,830.01	\$77,830	
\$77,830.01	\$79,830	
\$79,830.01	\$81,830	
\$81,830.01	\$83,830	
\$83,830.01	\$85,830	
\$85,830.01	\$87,830	
\$87,830.01	\$89,830	
\$89,830.01	\$91,830	
\$91,830.01	\$93,830	
\$93,830.01	\$95,830	
\$95,830.01	\$97,830	
\$97,830.01	\$99,830	
\$99,830.01	\$101,830	
\$101,830.01	\$103,830	
\$103,830.01	\$105,830	
\$105,830.01	\$107,830	
\$107,830.01	\$109,830	
\$109,830.01	\$111,830	
\$111,830.01	\$113,830	
\$113,830.01	\$115,830	
\$115,830.01	\$117,830	
\$117,830.01	\$119,830	
\$119,830.01	\$121,830	
\$121,830.01	\$123,830	
\$123,830.01	\$125,830	
\$125,830.01	\$126,501	
	200% FPIG	\$107,660

<i>Weekly Copay</i>	<i>Family Size: 16 Annual Income</i>		<i>Family Size: 17 Annual Income</i>		<i>Family Size: 18 Annual Income</i>	
\$5.00	Less than:	\$29,010	Less than:	\$30,190	Less than:	\$31,370
\$10.00	\$29,010.01	\$31,010	\$30,190.01	\$32,190	\$31,370.01	\$33,370
\$15.00	\$31,010.01	\$33,010	\$32,190.01	\$34,190	\$33,370.01	\$35,370
\$20.00	\$33,010.01	\$35,010	\$34,190.01	\$36,190	\$35,370.01	\$37,370
\$25.00	\$35,010.01	\$37,010	\$36,190.01	\$38,190	\$37,370.01	\$39,370
\$30.00	\$37,010.01	\$39,010	\$38,190.01	\$40,190	\$39,370.01	\$41,370
\$35.00	\$39,010.01	\$41,010	\$40,190.01	\$42,190	\$41,370.01	\$43,370
\$40.00	\$41,010.01	\$43,010	\$42,190.01	\$44,190	\$43,370.01	\$45,370
\$45.00	\$43,010.01	\$45,010	\$44,190.01	\$46,190	\$45,370.01	\$47,370
\$50.00	\$45,010.01	\$47,010	\$46,190.01	\$48,190	\$47,370.01	\$49,370
\$55.00	\$47,010.01	\$49,010	\$48,190.01	\$50,190	\$49,370.01	\$51,370
\$60.00	\$49,010.01	\$51,010	\$50,190.01	\$52,190	\$51,370.01	\$53,370
\$65.00	\$51,010.01	\$53,010	\$52,190.01	\$54,190	\$53,370.01	\$55,370
\$70.00	\$53,010.01	\$55,010	\$54,190.01	\$56,190	\$55,370.01	\$57,370
\$75.00	\$55,010.01	\$57,010	\$56,190.01	\$58,190	\$57,370.01	\$59,370
\$80.00	\$57,010.01	\$59,010	\$58,190.01	\$60,190	\$59,370.01	\$61,370
\$85.00	\$59,010.01	\$61,010	\$60,190.01	\$62,190	\$61,370.01	\$63,370
\$90.00	\$61,010.01	\$63,010	\$62,190.01	\$64,190	\$63,370.01	\$65,370
\$95.00	\$63,010.01	\$65,010	\$64,190.01	\$66,190	\$65,370.01	\$67,370
\$100.00	\$65,010.01	\$67,010	\$66,190.01	\$68,190	\$67,370.01	\$69,370
\$105.00	\$67,010.01	\$69,010	\$68,190.01	\$70,190	\$69,370.01	\$71,370
\$110.00	\$69,010.01	\$71,010	\$70,190.01	\$72,190	\$71,370.01	\$73,370
\$115.00	\$71,010.01	\$73,010	\$72,190.01	\$74,190	\$73,370.01	\$75,370
\$120.00	\$73,010.01	\$75,010	\$74,190.01	\$76,190	\$75,370.01	\$77,370
\$125.00	\$75,010.01	\$77,010	\$76,190.01	\$78,190	\$77,370.01	\$79,370
\$130.00	\$77,010.01	\$79,010	\$78,190.01	\$80,190	\$79,370.01	\$81,370
\$135.00	\$79,010.01	\$81,010	\$80,190.01	\$82,190	\$81,370.01	\$83,370
\$140.00	\$81,010.01	\$83,010	\$82,190.01	\$84,190	\$83,370.01	\$85,370
\$145.00	\$83,010.01	\$85,010	\$84,190.01	\$86,190	\$85,370.01	\$87,370
\$150.00	\$85,010.01	\$87,010	\$86,190.01	\$88,190	\$87,370.01	\$89,370
\$155.00	\$87,010.01	\$89,010	\$88,190.01	\$90,190	\$89,370.01	\$91,370
\$160.00	\$89,010.01	\$91,010	\$90,190.01	\$92,190	\$91,370.01	\$93,370
\$165.00	\$91,010.01	\$93,010	\$92,190.01	\$94,190	\$93,370.01	\$95,370
\$170.00	\$93,010.01	\$95,010	\$94,190.01	\$96,190	\$95,370.01	\$97,370
\$175.00	\$95,010.01	\$97,010	\$96,190.01	\$98,190	\$97,370.01	\$99,370
\$180.00	\$97,010.01	\$99,010	\$98,190.01	\$100,190	\$99,370.01	\$101,370
\$185.00	\$99,010.01	\$101,010	\$100,190.01	\$102,190	\$101,370.01	\$103,370
\$190.00	\$101,010.01	\$103,010	\$102,190.01	\$104,190	\$103,370.01	\$105,370
\$195.00	\$103,010.01	\$105,010	\$104,190.01	\$106,190	\$105,370.01	\$107,370
\$200.00	\$105,010.01	\$107,010	\$106,190.01	\$108,190	\$107,370.01	\$109,370
\$205.00	\$107,010.01	\$109,010	\$108,190.01	\$110,190	\$109,370.01	\$111,370
\$210.00	\$109,010.01	\$111,010	\$110,190.01	\$112,190	\$111,370.01	\$113,370
\$215.00	\$111,010.01	\$113,010	\$112,190.01	\$114,190	\$113,370.01	\$115,370
\$220.00	\$113,010.01	\$115,010	\$114,190.01	\$116,190	\$115,370.01	\$117,370
\$225.00	\$115,010.01	\$117,010	\$116,190.01	\$118,190	\$117,370.01	\$119,370
\$230.00	\$117,010.01	\$119,010	\$118,190.01	\$120,190	\$119,370.01	\$121,370

<i>Weekly Copay</i>	<i>Family Size: 16 Annual Income</i>	
\$235.00	\$119,010.01	\$121,010
\$240.00	\$121,010.01	\$123,010
\$245.00	\$123,010.01	\$125,010
\$250.00	\$125,010.01	\$127,010
\$255.00	\$127,010.01	\$129,010
\$260.00	\$129,010.01	\$131,010
\$265.00	\$131,010.01	\$133,010
\$270.00	\$133,010.01	\$133,974
\$275.00		
\$280.00		
\$285.00		
\$290.00		
\$295.00		
\$300.00		
	200% FPIG	\$114,020

<i>Family Size: 17 Annual Income</i>	
\$120,190.01	\$122,190
\$122,190.01	\$124,190
\$124,190.01	\$126,190
\$126,190.01	\$128,190
\$128,190.01	\$130,190
\$130,190.01	\$132,190
\$132,190.01	\$134,190
\$134,190.01	\$136,190
\$136,190.01	\$138,190
\$138,190.01	\$140,190
\$140,190.01	\$141,447
200% FPIG	\$120,380

<i>Family Size: 18 Annual Income</i>	
\$121,370.01	\$123,370
\$123,370.01	\$125,370
\$125,370.01	\$127,370
\$127,370.01	\$129,370
\$129,370.01	\$131,370
\$131,370.01	\$133,370
\$133,370.01	\$135,370
\$135,370.01	\$137,370
\$137,370.01	\$139,370
\$139,370.01	\$141,370
\$141,370.01	\$143,370
\$143,370.01	\$145,370
\$145,370.01	\$147,370
\$147,370.01	\$148,920
200% FPIG	\$126,740

<i>Weekly Copay</i>	<i>Family Size: 19 Annual Income</i>	
\$5.00	Less than:	\$32,550
\$10.00	\$32,550.01	\$34,550
\$15.00	\$34,550.01	\$36,550
\$20.00	\$36,550.01	\$38,550
\$25.00	\$38,550.01	\$40,550
\$30.00	\$40,550.01	\$42,550
\$35.00	\$42,550.01	\$44,550
\$40.00	\$44,550.01	\$46,550
\$45.00	\$46,550.01	\$48,550
\$50.00	\$48,550.01	\$50,550
\$55.00	\$50,550.01	\$52,550
\$60.00	\$52,550.01	\$54,550
\$65.00	\$54,550.01	\$56,550
\$70.00	\$56,550.01	\$58,550
\$75.00	\$58,550.01	\$60,550
\$80.00	\$60,550.01	\$62,550
\$85.00	\$62,550.01	\$64,550
\$90.00	\$64,550.01	\$66,550
\$95.00	\$66,550.01	\$68,550
\$100.00	\$68,550.01	\$70,550
\$105.00	\$70,550.01	\$72,550
\$110.00	\$72,550.01	\$74,550
\$115.00	\$74,550.01	\$76,550
\$120.00	\$76,550.01	\$78,550
\$125.00	\$78,550.01	\$80,550
\$130.00	\$80,550.01	\$82,550
\$135.00	\$82,550.01	\$84,550
\$140.00	\$84,550.01	\$86,550

<i>Family Size: 20 Annual Income</i>	
Less than:	\$33,730
\$33,730.01	\$35,730
\$35,730.01	\$37,730
\$37,730.01	\$39,730
\$39,730.01	\$41,730
\$41,730.01	\$43,730
\$43,730.01	\$45,730
\$45,730.01	\$47,730
\$47,730.01	\$49,730
\$49,730.01	\$51,730
\$51,730.01	\$53,730
\$53,730.01	\$55,730
\$55,730.01	\$57,730
\$57,730.01	\$59,730
\$59,730.01	\$61,730
\$61,730.01	\$63,730
\$63,730.01	\$65,730
\$65,730.01	\$67,730
\$67,730.01	\$69,730
\$69,730.01	\$71,730
\$71,730.01	\$73,730
\$73,730.01	\$75,730
\$75,730.01	\$77,730
\$77,730.01	\$79,730
\$79,730.01	\$81,730
\$81,730.01	\$83,730
\$83,730.01	\$85,730
\$85,730.01	\$87,730

<i>Family Size: 21 Annual Income</i>	
Less than:	\$34,910
\$34,910.01	\$36,910
\$36,910.01	\$38,910
\$38,910.01	\$40,910
\$40,910.01	\$42,910
\$42,910.01	\$44,910
\$44,910.01	\$46,910
\$46,910.01	\$48,910
\$48,910.01	\$50,910
\$50,910.01	\$52,910
\$52,910.01	\$54,910
\$54,910.01	\$56,910
\$56,910.01	\$58,910
\$58,910.01	\$60,910
\$60,910.01	\$62,910
\$62,910.01	\$64,910
\$64,910.01	\$66,910
\$66,910.01	\$68,910
\$68,910.01	\$70,910
\$70,910.01	\$72,910
\$72,910.01	\$74,910
\$74,910.01	\$76,910
\$76,910.01	\$78,910
\$78,910.01	\$80,910
\$80,910.01	\$82,910
\$82,910.01	\$84,910
\$84,910.01	\$86,910
\$86,910.01	\$88,910

<i>Weekly Copay</i>	<i>Family Size: 19 Annual Income</i>	
\$145.00	\$86,550.01	\$88,550
\$150.00	\$88,550.01	\$90,550
\$155.00	\$90,550.01	\$92,550
\$160.00	\$92,550.01	\$94,550
\$165.00	\$94,550.01	\$96,550
\$170.00	\$96,550.01	\$98,550
\$175.00	\$98,550.01	\$100,550
\$180.00	\$100,550.01	\$102,550
\$185.00	\$102,550.01	\$104,550
\$190.00	\$104,550.01	\$106,550
\$195.00	\$106,550.01	\$108,550
\$200.00	\$108,550.01	\$110,550
\$205.00	\$110,550.01	\$112,550
\$210.00	\$112,550.01	\$114,550
\$215.00	\$114,550.01	\$116,550
\$220.00	\$116,550.01	\$118,550
\$225.00	\$118,550.01	\$120,550
\$230.00	\$120,550.01	\$122,550
\$235.00	\$122,550.01	\$124,550
\$240.00	\$124,550.01	\$126,550
\$245.00	\$126,550.01	\$128,550
\$250.00	\$128,550.01	\$130,550
\$255.00	\$130,550.01	\$132,550
\$260.00	\$132,550.01	\$134,550
\$265.00	\$134,550.01	\$136,550
\$270.00	\$136,550.01	\$138,550
\$275.00	\$138,550.01	\$140,550
\$280.00	\$140,550.01	\$142,550
\$285.00	\$142,550.01	\$144,550
\$290.00	\$144,550.01	\$146,550
\$295.00	\$146,550.01	\$148,550
\$300.00	\$148,550.01	\$150,550
\$305.00	\$150,550.01	\$152,550
\$310.00	\$152,550.01	\$154,550
\$315.00	\$154,550.01	\$156,393
\$320.00		
\$325.00		
\$330.00		
\$335.00		
\$340.00		
\$345.00		
\$350.00		
	200% FPIG	\$133,100

<i>Family Size: 20 Annual Income</i>		
\$87,730.01	\$89,730	
\$89,730.01	\$91,730	
\$91,730.01	\$93,730	
\$93,730.01	\$95,730	
\$95,730.01	\$97,730	
\$97,730.01	\$99,730	
\$99,730.01	\$101,730	
\$101,730.01	\$103,730	
\$103,730.01	\$105,730	
\$105,730.01	\$107,730	
\$107,730.01	\$109,730	
\$109,730.01	\$111,730	
\$111,730.01	\$113,730	
\$113,730.01	\$115,730	
\$115,730.01	\$117,730	
\$117,730.01	\$119,730	
\$119,730.01	\$121,730	
\$121,730.01	\$123,730	
\$123,730.01	\$125,730	
\$125,730.01	\$127,730	
\$127,730.01	\$129,730	
\$129,730.01	\$131,730	
\$131,730.01	\$133,730	
\$133,730.01	\$135,730	
\$135,730.01	\$137,730	
\$137,730.01	\$139,730	
\$139,730.01	\$141,730	
\$141,730.01	\$143,730	
\$143,730.01	\$145,730	
\$145,730.01	\$147,730	
\$147,730.01	\$149,730	
\$149,730.01	\$151,730	
\$151,730.01	\$153,730	
\$153,730.01	\$155,730	
\$155,730.01	\$157,730	
\$157,730.01	\$159,730	
\$159,730.01	\$161,730	
\$161,730.01	\$163,730	
\$163,730.01	\$163,866	
	200% FPIG	\$139,460

<i>Family Size: 21 Annual Income</i>		
\$88,910.01	\$90,910	
\$90,910.01	\$92,910	
\$92,910.01	\$94,910	
\$94,910.01	\$96,910	
\$96,910.01	\$98,910	
\$98,910.01	\$100,910	
\$100,910.01	\$102,910	
\$102,910.01	\$104,910	
\$104,910.01	\$106,910	
\$106,910.01	\$108,910	
\$108,910.01	\$110,910	
\$110,910.01	\$112,910	
\$112,910.01	\$114,910	
\$114,910.01	\$116,910	
\$116,910.01	\$118,910	
\$118,910.01	\$120,910	
\$120,910.01	\$122,910	
\$122,910.01	\$124,910	
\$124,910.01	\$126,910	
\$126,910.01	\$128,910	
\$128,910.01	\$130,910	
\$130,910.01	\$132,910	
\$132,910.01	\$134,910	
\$134,910.01	\$136,910	
\$136,910.01	\$138,910	
\$138,910.01	\$140,910	
\$140,910.01	\$142,910	
142,910.01	\$144,910	
\$144,910.01	\$146,910	
\$146,910.01	\$148,910	
\$148,910.01	\$150,910	
\$150,910.01	\$152,910	
\$152,910.01	\$154,910	
\$154,910.01	\$156,910	
\$156,910.01	\$158,910	
\$158,910.01	\$160,910	
\$160,910.01	\$162,910	
\$162,910.01	\$164,910	
\$164,910.01	\$166,910	
\$166,910.01	\$168,910	
\$168,910.01	\$170,910	
\$170,910.01	\$171,339	
	200% FPIG	\$145,820

[Pa.B. Doc. No. 04-1311. Filed for public inspection July 16, 2004, 9:00 a.m.]

DEPARTMENT OF REVENUE

Adjustment of Program Service Revenue Amounts

Under section 6(a)(5) of the Institutions of Purely Public Charity Act (act) (10 P. S. § 376(a)(5)), the Department of Revenue is required to adjust the annual program service revenue amount used as a benchmark in section 6(a)(1) and (2) of the act for the purpose of asserting a rebuttable presumption.

The annual program service revenue amounts referred to in section 6(a)(1) and (2) of the act shall be increased by 1% as follows:

- (1) Effective July 1, 1999—Program Service Revenues—\$10,100,000.
- (2) Effective July 1, 2000—Program Service Revenues—\$10,201,000.
- (3) Effective July 1, 2001—Program Service Revenues—\$10,303,010.
- (4) Effective July 1, 2002—Program Service Revenues—\$10,406,040.
- (5) Effective July 1, 2003—Program Service Revenues—\$10,510,100.
- (6) Effective July 1, 2004—Program Service Revenues—\$10,615,201.

GREGORY C. FAJT,
Secretary

[Pa.B. Doc. No. 04-1312. Filed for public inspection July 16, 2004, 9:00 a.m.]

Pennsylvania Cool 7's '04 Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Cool 7's '04.

2. *Price:* The price of a Pennsylvania Cool 7's '04 instant lottery game ticket is \$5.

3. *Play Symbols:*

(a) Each Pennsylvania Cool 7's '04 instant lottery game ticket will contain seven play areas known as Game 1, Game 2, Game 3, Game 4, Game 5, Game 6, and Game 7. Each game is played separately.

(b) The play symbols and their captions located in the "YOUR SYMBOL" and "LUCKY SYMBOL" play areas for Game 1 are: Money Bag Symbol (MNYBG), Pot of Gold Symbol (PTGLD), Rabbit Foot Symbol (RBTFT), Horse Shoe Symbol (SHOE), Star Symbol (STAR) and Diamond Symbol (DIMND).

(c) The play symbols and their captions located in the "YOUR NUMBERS" and "WINNING NUMBERS" areas for Game 7; in the play areas for Game 2, Game 3 and Game 5 are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVEN), and 12 (TWELVE).

(d) The play symbols and their captions located in the "BONUS" area for Game 6 are: \$7⁰⁰ (SVN DOL), \$10⁰⁰ (TEN DOL), \$15\$ (FIFTN), \$17\$ (SVNTN), \$20\$ (TWENTY), \$77\$ (SVY SVN), \$117 (HUNSVNTN) and NO BONUS (TRY AGAIN).

4. *Prize Play Symbols:* The prize play symbols and their captions located in the play areas for Game 1, Game 4 and Game 7; in the "PRIZE" area in Game 2, Game 3 and Game 5 are: \$5⁰⁰ (FIV DOL), \$7⁰⁰ (SVN DOL), \$10⁰⁰ (TEN DOL), \$15\$ (FIFTN), \$17\$ (SVNTN), \$20\$ (TWENTY), \$27\$ (TWY SVN), \$77\$ (SVY SVN), \$117 (HUNSVNTN), \$700 (SVN HUN), and \$70,000 (SVY THO).

5. *Prizes:* The prizes that can be won in Game 1, Game 2, Game 3, Game 4, Game 5 and Game 7 are \$5, \$7, \$10, \$15, \$17, \$20, \$27, \$77, \$117, \$700, and \$70,000. The prizes that can be won in Game 6 are \$7, \$10, \$15, \$17, \$20, \$77, and \$117. A player can win up to 6 times on a ticket.

6. *Approximate Number of Tickets Printed for the Game:* Approximately 6,720,000 tickets will be printed for the Pennsylvania Cool 7's '04 instant lottery game.

7. *Determination of Prize Winners:*

(a) Determination of prize winners for Game 1 are:

(1) Holders of tickets upon which any one of the "YOUR SYMBOL" play symbols matches the "LUCKY SYMBOL" play symbol and a prize symbol of \$70,000 (SVY THO) appears under the matching "YOUR SYMBOL" play symbol, on a single ticket, shall be entitled to a prize of \$70,000.

(2) Holders of tickets upon which any one of the "YOUR SYMBOL" play symbols matches the "LUCKY SYMBOL" play symbol and a prize symbol of \$700 (SVN HUN) appears under the matching "YOUR SYMBOL" play symbol, on a single ticket, shall be entitled to a prize of \$700.

(3) Holders of tickets upon which any one of the "YOUR SYMBOL" play symbols matches the "LUCKY SYMBOL" play symbol and a prize symbol of \$117 (HUNSVNTN) appears under the matching "YOUR SYMBOL" play symbol, on a single ticket, shall be entitled to a prize of \$117.

(4) Holders of tickets upon which any one of the "YOUR SYMBOL" play symbols matches the "LUCKY SYMBOL" play symbol and a prize symbol of \$77\$ (SVY SVN) appears under the matching "YOUR SYMBOL Your Symbol" play symbol, on a single ticket, shall be entitled to a prize of \$77.

(5) Holders of tickets upon which any one of the "YOUR SYMBOL" play symbols matches the "LUCKY SYMBOL" play symbol and a prize symbol of \$27\$ (TWY SVN) appears under the matching "YOUR SYMBOL" play symbol, on a single ticket, shall be entitled to a prize of \$27.

(6) Holders of tickets upon which any one of the "YOUR SYMBOL" play symbols matches the "LUCKY SYMBOL" play symbol and a prize symbol of \$20\$ (TWENTY) appears under the matching "YOUR SYMBOL" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(7) Holders of tickets upon which any one of the "YOUR SYMBOL" play symbols matches the "LUCKY SYMBOL" play symbol and a prize symbol of \$17\$

(SVNTN) appears under the matching "YOUR SYMBOL" play symbol, on a single ticket, shall be entitled to a prize of \$17.

(8) Holders of tickets upon which any one of the "YOUR SYMBOL" play symbols matches the "LUCKY SYMBOL" play symbol and a prize symbol of \$15\$ (FIFTN) appears under the matching "YOUR SYMBOL" play symbol, on a single ticket, shall be entitled to a prize of \$15.

(9) Holders of tickets upon which any one of the "YOUR SYMBOL" play symbols matches the "LUCKY SYMBOL" play symbol and a prize symbol of \$10⁰⁰ (TEN DOL) appears under the matching "YOUR SYMBOL" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(10) Holders of tickets upon which any one of the "YOUR SYMBOL" play symbols matches the "LUCKY SYMBOL" play symbol and a prize symbol of \$7⁰⁰ (SVN DOL) appears under the matching "YOUR SYMBOL" play symbol, on a single ticket, shall be entitled to a prize of \$7.

(11) Holders of tickets upon which any one of the "YOUR SYMBOL" play symbols matches the "LUCKY SYMBOL" play symbol and a prize symbol of \$5⁰⁰ (FIV DOL) appears under the matching "YOUR SYMBOL" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(b) Determination of prize winners for Game 2 and Game 3 are:

(1) Holders of tickets with two 7 (SEVEN) play symbols in the same play area and a prize symbol of \$70,000 (SVY THO) appearing in the "PRIZE" area for that Game, on a single ticket, shall be entitled to a prize of \$70,000.

(2) Holders of tickets with two 7 (SEVEN) play symbols in the same play area and a prize symbol of \$700 (SVN HUN) appearing in the "PRIZE" area for that Game, on a single ticket, shall be entitled to a prize of \$700.

(3) Holders of tickets with two 7 (SEVEN) play symbols in the same play area and a prize symbol of \$117 (HUNSVNTN) appearing in the "PRIZE" area for that Game, on a single ticket, shall be entitled to a prize of \$117.

(4) Holders of tickets with two 7 (SEVEN) play symbols in the same play area and a prize symbol of \$77\$ (SVY SVN) appearing in the "PRIZE" area for that Game, on a single ticket, shall be entitled to a prize of \$77.

(5) Holders of tickets with two 7 (SEVEN) play symbols in the same play area and a prize symbol of \$27\$ (TWY SVN) appearing in the "PRIZE" area for that Game, on a single ticket, shall be entitled to a prize of \$27.

(6) Holders of tickets with two 7 (SEVEN) play symbols in the same play area and a prize symbol of \$20\$ (TWENTY) appearing in the "PRIZE" area for that Game, on a single ticket, shall be entitled to a prize of \$20.

(7) Holders of tickets with two 7 (SEVEN) play symbols in the same play area and a prize symbol of \$17\$ (SVNTN) appearing in the "PRIZE" area for that Game, on a single ticket, shall be entitled to a prize of \$17.

(8) Holders of tickets with two 7 (SEVEN) play symbols in the same play area and a prize symbol of \$15\$ (FIFTN) appearing in the "PRIZE" area for that Game, on a single ticket, shall be entitled to a prize of \$15.

(9) Holders of tickets with two 7 (SEVEN) play symbols in the same play area and a prize symbol of \$10⁰⁰

(EGHTN) appearing in the "PRIZE" area for that Game, on a single ticket, shall be entitled to a prize of \$10.

(10) Holders of tickets with two 7 (SEVEN) play symbols in the same play area and a prize symbol of \$7⁰⁰ (SVN DOL) appearing in the "PRIZE" area for that Game, on a single ticket, shall be entitled to a prize of \$7.

(11) Holders of tickets with two 7 (SEVEN) play symbols in the same play area and a prize symbol of \$5⁰⁰ (FIV DOL) appearing in the "PRIZE" area for that Game, on a single ticket, shall be entitled to a prize of \$5.

(c) Determination of prize winners for Game 4 are:

(1) Holders of tickets with three matching play symbols of \$70,000 (SVY THO) in the play area, on a single ticket, shall be entitled to a prize of \$70,000.

(2) Holders of tickets with three matching play symbols of \$700 (SVN HUN) in the play area, on a single ticket, shall be entitled to a prize of \$700.

(3) Holders of tickets with three matching play symbols of \$117 (HUNSVNTN) in the play area, on a single ticket, shall be entitled to a prize of \$117.

(4) Holders of tickets with three matching play symbols of \$77\$ (SVY SVN) in the play area, on a single ticket, shall be entitled to a prize of \$77.

(5) Holders of tickets with three matching play symbols of \$27\$ (TWY SVN) in the play area, on a single ticket, shall be entitled to a prize of \$27.

(6) Holders of tickets with three matching play symbols of \$20\$ (TWENTY) in the play area, on a single ticket, shall be entitled to a prize of \$20.

(7) Holders of tickets with three matching play symbols of \$17\$ (SVNTN) in the play area, on a single ticket, shall be entitled to a prize of \$17.

(8) Holders of tickets with three matching play symbols of \$15\$ (FIFTN) in the play area, on a single ticket, shall be entitled to a prize of \$15.

(9) Holders of tickets with three matching play symbols of \$10⁰⁰ (TEN DOL) in the play area, on a single ticket, shall be entitled to a prize of \$10.

(10) Holders of tickets with three matching play symbols of \$7⁰⁰ (SVN DOL) in the play area, on a single ticket, shall be entitled to a prize of \$7.

(11) Holders of tickets with three matching play symbols of \$5⁰⁰ (FIV DOL) in the play area, on a single ticket, shall be entitled to a prize of \$5.

(d) Determination of prize winners for Game 5 are:

(1) Holders of tickets with three matching 7 (SEVEN) play symbols in the same row, column or diagonal and a prize play symbol of \$70,000 (SVY THO) appearing in the "PRIZE" area for the Game, on a single ticket, shall be entitled to a prize of \$70,000.

(2) Holders of tickets with three matching 7 (SEVEN) play symbols in the same row, column or diagonal and a prize play symbol of \$700 (SVN HUN) appearing in the "PRIZE" area for the Game, on a single ticket, shall be entitled to a prize of \$700.

(3) Holders of tickets with three matching 7 (SEVEN) play symbols in the same row, column or diagonal and a prize play symbol of \$117 (HUNSVNTH) appearing in the "PRIZE" area for the Game, on a single ticket, shall be entitled to a prize of \$117.

(4) Holders of tickets with three matching 7 (SEVEN) play symbols in the same row, column or diagonal and a

prize play symbol of \$77\$ (SVN SUN) appearing in the "PRIZE" area for the Game, on a single ticket, shall be entitled to a prize of \$77.

(5) Holders of tickets with three matching 7 (SEVEN) play symbols in the same row, column or diagonal and a prize play symbol of \$27\$ (TWY SVN) appearing in the "PRIZE" area for the Game, on a single ticket, shall be entitled to a prize of \$27.

(6) Holders of tickets with three matching 7 (SEVEN) play symbols in the same row, column or diagonal and a prize play symbol of \$20\$ (TWENTY) appearing in the "PRIZE" area for the Game, on a single ticket, shall be entitled to a prize of \$20.

(7) Holders of tickets with three matching 7 (SEVEN) play symbols in the same row, column or diagonal and a prize play symbol of \$17\$ (SVNTN) appearing in the "PRIZE" area for the Game, on a single ticket, shall be entitled to a prize of \$17.

(8) Holders of tickets with three matching 7 (SEVEN) play symbols in the same row, column or diagonal and a prize play symbol of \$15\$ (FIFTN) appearing in the "PRIZE" area for the Game, on a single ticket, shall be entitled to a prize of \$15.

(9) Holders of tickets with three matching 7 (SEVEN) play symbols in the same row, column or diagonal and a prize play symbol of \$10⁰⁰ (TENDOL) appearing in the "PRIZE" area for the Game, on a single ticket, shall be entitled to a prize of \$10.

(10) Holders of tickets with three matching 7 (SEVEN) play symbols in the same row, column or diagonal and a prize play symbol of \$7⁰⁰ (SVN DOL) appearing in the "PRIZE" area for the Game, on a single ticket, shall be entitled to a prize of \$7.

(11) Holders of tickets with three matching 7 (SEVEN) play symbols in the same row, column or diagonal and a prize play symbol of \$5⁰⁰ (FIV DOL) appearing in the "PRIZE" area for the Game, on a single ticket, shall be entitled to a prize of \$5.

(e) Determination of prize winners for Game 6 are:

(1) Holders of tickets with a \$117 (HUNSVNTN) play symbol in the "BONUS" area, on a single ticket, shall be entitled to a prize of \$117.

(2) Holders of tickets with a \$77\$ (SVY SVN) play symbol in the "BONUS" area, on a single ticket, shall be entitled to a prize of \$77.

(3) Holders of tickets with a \$20\$ (TWENTY) play symbol in the "BONUS" area, on a single ticket, shall be entitled to a prize of \$20.

(4) Holders of tickets with a \$17\$ (SVNTN) play symbol in the "BONUS" area, on a single ticket, shall be entitled to a prize of \$17.

(5) Holders of tickets with a \$15\$ (FIFTN) play symbol in the "BONUS" area, on a single ticket, shall be entitled to a prize of \$15.

(6) Holders of tickets with a \$10⁰⁰ (TEN DOL) play symbol in the "BONUS" area, on a single ticket, shall be entitled to a prize of \$10.

(7) Holders of tickets with a \$7⁰⁰ (SVN DOL) play symbol in the "BONUS" area, on a single ticket, shall be entitled to a prize of \$7.

(f) Determination of prize winners for Game 7 are:

(1) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "WIN-

NING NUMBER" play symbol and a prize symbol of \$70,000 (SVY THO) appears under the matching "YOUR NUMBER" play symbol, on a single ticket, shall be entitled to a prize of \$70,000.

(2) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "WINNING NUMBER" play symbol and a prize symbol of \$700 (SVN HUN) appears under the matching "YOUR NUMBER" play symbol, on a single ticket, shall be entitled to a prize of \$700.

(3) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "WINNING NUMBER" play symbol and a prize symbol of \$117 (HUNSVNTN) appears under the matching "YOUR NUMBER" play symbol, on a single ticket, shall be entitled to a prize of \$117.

(4) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "WINNING NUMBER" play symbol and a prize symbol of \$77\$ (SVY SVN) appears under the matching "YOUR NUMBER" play symbol, on a single ticket, shall be entitled to a prize of \$77.

(5) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "WINNING NUMBER" play symbol and a prize symbol of \$27\$ (TWY SVN) appears under the matching "YOUR NUMBER" play symbol, on a single ticket, shall be entitled to a prize of \$27.

(6) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "WINNING NUMBER" play symbol and a prize symbol of \$20\$ (TWENTY) appears under the matching "YOUR NUMBER" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(7) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "WINNING NUMBER" play symbol and a prize symbol of \$17\$ (SVNTN) appears under the matching "YOUR NUMBER" play symbol, on a single ticket, shall be entitled to a prize of \$17.

(8) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "WINNING NUMBER" play symbol and a prize symbol of \$15\$ (FIFTN) appears under the matching "YOUR NUMBER" play symbol, on a single ticket, shall be entitled to a prize of \$15.

(9) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "WINNING NUMBER" play symbol and a prize symbol of \$10⁰⁰ (TEN DOL) appears under the matching "YOUR NUMBER" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(10) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "WINNING NUMBER" play symbol and a prize symbol of \$7⁰⁰ (SVN DOL) appears under the matching "YOUR NUMBER" play symbol, on a single ticket, shall be entitled to a prize of \$7.

(11) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "WINNING NUMBER" play symbol and a prize symbol of \$5⁰⁰ (FIV DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate

number of winners, amount of prizes and approximate odds of winning:

<i>Win With Prize(s) of:</i>	<i>Win:</i>	<i>Approximate Odds of 1 In:</i>	<i>Approximate No. of Winners Per 6,720,000 Tickets</i>
\$5	\$5	10.17	660,800
\$7	\$7	300	22,400
\$7 (BONUS)	\$7	75	89,600
\$5 × 2	\$10	85.71	78,400
\$10	\$10	300	22,400
\$10 (BONUS)	\$10	600	11,200
\$5 × 3	\$15	600	11,200
\$10 + \$5	\$15	600	11,200
\$15	\$15	600	11,200
\$15 (BONUS)	\$15	300	22,400
\$10 + \$7	\$17	300	22,400
\$17 (BONUS)	\$17	13.95	481,600
\$17	\$17	120	56,000
\$5 × 4	\$20	200	33,600
\$10 × 2	\$20	300	22,400
\$20	\$20	300	22,400
\$20 (BONUS)	\$20	200	33,600
\$17 (BONUS)+ \$20 × 3	\$77	480	14,000
\$27 + \$10 × 5	\$77	560.75	11,984
\$77	\$77	560.75	11,984
\$77 (BONUS)	\$77	240	28,000
\$17 (BONUS)+ \$20 × 5	\$117	30,000	224
\$10 × 4 + \$77	\$117	30,000	224
\$20 × 2 + \$77	\$117	30,000	224
\$117	\$117	40,000	168
\$117 (BONUS)	\$117	30,000	224
\$700	\$700	240,000	28
\$70,000	\$70,000	960,000	7

Game 1—When any of “YOUR SYMBOL”(s) match the “LUCKY SYMBOL” win prize shown under the matching symbol.

Game 2—Get 2 “7” symbols, win prize shown.

Game 3—Get 2 “7” symbols, win prize shown.

Game 4—Get three like amounts, win that prize.

Game 5—Get three “7” symbols in a row, column, or diagonal, win prize shown.

Game 6— (BONUS) Reveal prize amounts between \$7 and \$117 and win that prize.

Game 7—When any of “YOUR NUMBERS” match the “WINNING NUMBER,” win prize shown under the matching number.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Cool 7's '04 instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Cool 7's '04, prize money from winning Pennsylvania Cool 7's '04 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Cool 7's '04 instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Cool 7's '04 or through normal communications methods.

GREGORY C. FAJT,
Secretary

[Pa.B. Doc. No. 04-1313. Filed for public inspection July 16, 2004, 9:00 a.m.]

Pennsylvania Fire ‘N’ Ice Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Fire 'N' Ice.

2. *Price:* The price of a Pennsylvania Fire 'N' Ice instant lottery game ticket is \$2.

3. *Play Symbols:* Each Pennsylvania Fire 'N' Ice instant lottery game ticket will contain one play area featuring a "WINNING NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN) and 20 (TWENT). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT) and Diamond Symbol (DMND).

4. *Prize Symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20\$ (TWENTY), \$25\$ (TWY FIV), \$40\$ (FORTY), \$100 (ONE HUN), \$500 (FIV HUN), \$2,500 (TWYFIVHUN) and \$25,000 (TWYFIVTHO).

5. *Prizes:* The prizes that can be won in this game are \$1, \$2, \$4, \$5, \$10, \$20, \$25, \$40, \$100, \$500, \$2,500 and \$25,000. A player can win up to 10 times on a ticket.

6. *Approximate Number of Tickets Printed for the Game:* Approximately 7,200,000 tickets will be printed for the Pennsylvania Fire 'N' Ice instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$25,000 (TWYFIVTHO) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$25,000.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$2,500 (TWYFIVHUN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$2,500.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Diamond Symbol (DMND), and a prize symbol of \$500 (FIV HUN) appears under the Diamond Symbol (DMND) on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Diamond Symbol (DMND),

and a prize symbol of \$100 (ONE HUN) appears under the Diamond Symbol (DMND) on a single ticket, shall be entitled to a prize of \$100.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$40\$ (FORTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Diamond Symbol (DMND), and a prize symbol of \$40\$ (FORTY) appears under the Diamond Symbol (DMND) on a single ticket, shall be entitled to a prize of \$40.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$25\$ (TWY FIV) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$25.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Diamond Symbol (DMND), and a prize symbol of \$25\$ (TWY FIV) appears under the Diamond Symbol (DMND) on a single ticket, shall be entitled to a prize of \$25.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$20\$ (TWENTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Diamond Symbol (DMND), and a prize symbol of \$10⁰⁰ (TEN DOL) appears under the Diamond Symbol (DMND) on a single ticket, shall be entitled to a prize of \$10.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Diamond Symbol (DMND), and a prize symbol of \$5⁰⁰ (FIV DOL) appears under the Diamond Symbol (DMND) on a single ticket, shall be entitled to a prize of \$5.

(p) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$4⁰⁰ (FOR DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$4.

(q) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Diamond Symbol (DMND), and a prize symbol of \$4⁰⁰ (FOR DOL) appears under the Diamond Symbol (DMND) on a single ticket, shall be entitled to a prize of \$4.

(r) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$2⁰⁰ (TWO DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$2.

(s) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Diamond Symbol (DMND), and a prize symbol of \$2⁰⁰ (FOR DOL) appears under the Diamond Symbol (DMND) on a single ticket, shall be entitled to a prize of \$2.

(t) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1⁰⁰ (ONE DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

When Any of Your Numbers Match Either Winning Number; Win With Prize(s) of:

<i>When Any of Your Numbers Match Either Winning Number; Win With Prize(s) of:</i>	<i>Win:</i>
\$1 x 2	\$2
\$2	\$2
\$2 w/Diamond	\$2
\$1 x 4	\$4
\$4	\$4
\$4 w/Diamond	\$4
\$1 x 5	\$5
\$5	\$5
\$5 w/Diamond	\$5
\$2 x 5	\$10
\$1 x 10	\$10
\$5 x 2	\$10
\$10	\$10
\$10 w/Diamond	\$10
\$5 x 5	\$25
\$25	\$25
25 w/Diamond	\$25
\$4 x 10	\$40
\$5 x 8	\$40
\$10 x 4	\$40
\$40	\$40
\$40 w/Diamond	\$40
\$10 x 10	\$100
\$20 x 5	\$100
\$100	\$100
\$100 w/Diamond	\$100
\$100 x 5	\$500
\$500	\$500
\$500 w/Diamond	\$500
\$500 x 5	\$2,500
\$2,500	\$2,500
\$25,000	\$25,000

<i>Approximate Odds of 1 In:</i>	<i>Approximate No. of Winners Per 7,200,000 Tickets</i>
30	240,000
33.33	216,000
30	240,000
50	144,000
50	144,000
50	144,000
100	72,000
100	72,000
150	48,000
300	24,000
300	24,000
300	24,000
150	48,000
300	24,000
300	24,000
150	48,000
300	24,000
1,500	4,800
1,500	4,800
1,500	4,800
1,500	4,800
1,500	4,800
40,000	180
40,000	180
40,000	180
60,000	120
120,000	60
120,000	60
120,000	60
1,200,000	6
1,200,000	6
1,200,000	6

Diamond = Win prize shown automatically

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Fire 'N' Ice instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Fire 'N' Ice, prize money from winning Pennsylvania Fire 'N' Ice instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Fire 'N' Ice instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Fire 'N' Ice or through normal communications methods.

GREGORY C. FAJT,
Secretary

[Pa.B. Doc. No. 04-1314. Filed for public inspection July 16, 2004, 9:00 a.m.]

Pennsylvania Joker's Wild '04 Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Joker's Wild '04.

2. *Price:* The price of a Pennsylvania Joker's Wild '04 instant lottery game ticket is \$1.

3. *Play Symbols:* Each Pennsylvania Joker's Wild '04 instant lottery game ticket will contain one play area featuring a "WINNING CARD" area and a "YOUR CARDS" area. The play symbols and their captions located in the "WINNING CARD" area are: 2 Card Symbol (TWO), 3 Card Symbol (THR), 4 Card Symbol (FOR), 5 Card Symbol (FIV), 6 Card Symbol (SIX), 7 Card Symbol (SVN), 8 Card Symbol (EGT), 9 Card Symbol (NIN), 10 Card Symbol (TEN), Jack Card Symbol (JCK), Queen Card Symbol (QUN), King Card Symbol (KNG) and Ace Card Symbol (ACE). The play symbols and their captions located in the "YOUR CARDS" area are: 2 Card Symbol (TWO), 3 Card Symbol (THR), 4 Card Symbol (FOR), 5 Card Symbol (FIV), 6 Card Symbol (SIX), 7 Card Symbol (SVN), 8 Card Symbol (EGT), 9 Card Symbol (NIN), 10 Card Symbol (TEN), Jack Card Symbol (JCK), Queen Card Symbol (QUN), King Card Symbol (KNG), Ace Card Symbol (ACE) and Joker Card Symbol (JKR).

4. *Prize Symbols:* The prize symbols and their captions located in the "YOUR CARDS" area are: \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$3⁰⁰ (THR DOL), \$5⁰⁰ (FIV DOL), \$6⁰⁰ (SIX DOL), \$10⁰⁰ (TEN DOL), \$12\$ (TWELV), \$18\$ (EGHTN), \$30\$ (THRTY), \$50\$ (FIFTY), \$60\$ (SIXTY), \$300 (THR HUN) and \$3,000 (THR THO).

5. *Prizes:* The prizes that can be won in this game are \$1, \$2, \$3, \$5, \$6, \$10, \$12, \$18, \$30, \$50, \$60, \$300, and \$3,000. A player can win up to 6 times on a ticket.

6. *Approximate Number of Tickets Printed for the Game:* Approximately 12,480,000 tickets will be printed for the Pennsylvania Joker's Wild '04 instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "YOUR CARDS" play symbols matches the "WINNING CARD" play symbol and a prize symbol of \$3,000 (THR THO) appears under the matching "YOUR CARDS" play symbol, on a single ticket, shall be entitled to a prize of \$3,000.

(b) Holders of tickets upon which any one of the "YOUR CARDS" play symbols matches the "WINNING CARD" play symbol and a prize symbol of \$300 (THR HUN) appears under the matching "YOUR CARDS" play symbol, on a single ticket, shall be entitled to a prize of \$300.

(c) Holders of tickets upon which any one of the "YOUR CARDS" play symbols is a Joker Card Symbol (JKR), and six prize symbols of \$50 (FIFTY) appear under the "YOUR CARDS" play symbols on a single ticket, shall be entitled to a prize of \$300.

(d) Holders of tickets upon which any one of the "YOUR CARDS" play symbols matches the "WINNING CARD" play symbol and a prize symbol of \$60 (SIXTY)

appears under the matching "YOUR CARDS" play symbol, on a single ticket, shall be entitled to a prize of \$60.

(e) Holders of tickets upon which any one of the "YOUR CARDS" play symbols is a Joker Card Symbol (JKR), and six prize symbols of \$10 (TEN DOL) appear under the "YOUR CARDS" play symbols on a single ticket, shall be entitled to a prize of \$60.

(f) Holders of tickets upon which any one of the "YOUR CARDS" play symbols matches the "WINNING CARD" play symbol and a prize symbol of \$50 (FIFTY) appears under the matching "YOUR CARDS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(g) Holders of tickets upon which any one of the "YOUR CARDS" play symbols matches the "WINNING CARD" play symbol and a prize symbol of \$30 (THRTY) appears under the matching "YOUR CARDS" play symbol, on a single ticket, shall be entitled to a prize of \$30.

(h) Holders of tickets upon which any one of the "YOUR CARDS" play symbols is a Joker Card Symbol (JKR), and six prize symbols of \$5 (FIV DOL) appear under the "YOUR CARDS" play symbols on a single ticket, shall be entitled to a prize of \$30.

(i) Holders of tickets upon which any one of the "YOUR CARDS" play symbols matches the "WINNING CARD" play symbol and a prize symbol of \$18 (EGHTN) appears under the matching "YOUR CARDS" play symbol, on a single ticket, shall be entitled to a prize of \$18.

(j) Holders of tickets upon which any one of the "YOUR CARDS" play symbols is a Joker Card Symbol (JKR), and six prize symbols of \$3 (THR DOL) appear under the "YOUR CARDS" play symbols on a single ticket, shall be entitled to a prize of \$18.

(k) Holders of tickets upon which any one of the "YOUR CARDS" play symbols matches the "WINNING CARD" play symbol and a prize symbol of \$12 (TWELV) appears under the matching "YOUR CARDS" play symbol, on a single ticket, shall be entitled to a prize of \$12.

(l) Holders of tickets upon which any one of the "YOUR CARDS" play symbols is a Joker Card Symbol (JKR), and six prize symbols of \$2 (TWO DOL) appear under the "YOUR CARDS" play symbols on a single ticket, shall be entitled to a prize of \$12.

(m) Holders of tickets upon which any one of the "YOUR CARDS" play symbols matches the "WINNING CARD" play symbol and a prize symbol of \$10 (TEN DOL) appears under the matching "YOUR CARDS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(n) Holders of tickets upon which any one of the "YOUR CARDS" play symbols matches the "WINNING CARD" play symbol and a prize symbol of \$6 (SIX DOL) appears under the matching "YOUR CARDS" play symbol, on a single ticket, shall be entitled to a prize of \$6.

(o) Holders of tickets upon which any one of the "YOUR CARDS" play symbols is a Joker Card Symbol (JKR), and six prize symbols of \$1 (ONE DOL) appear under the "YOUR CARDS" play symbols on a single ticket, shall be entitled to a prize of \$6.

(p) Holders of tickets upon which any one of the "YOUR CARDS" play symbols matches the "WINNING CARD" play symbol and a prize symbol of \$5 (FIV DOL) appears under the matching "YOUR CARDS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(q) Holders of tickets upon which any one of the "YOUR CARDS" play symbols matches the "WINNING CARD" play symbol and a prize symbol of \$3 (THR DOL)

appears under the matching "YOUR CARDS" play symbol, on a single ticket, shall be entitled to a prize of \$3.

(r) Holders of tickets upon which any one of the "YOUR CARDS" play symbols matches the "WINNING CARD" play symbol and a prize symbol of \$2 (TWO DOL) appears under the matching "YOUR CARDS" play symbol, on a single ticket, shall be entitled to a prize of \$2.

(s) Holders of tickets upon which any one of the

"YOUR CARDS" play symbols matches the "WINNING CARD" play symbol and a prize symbol of \$1 (ONE DOL) appears under the matching "YOUR CARDS" play symbol, on a single ticket, shall be entitled to a prize of \$1.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

When Any of Your Cards Match The Winning Card, Win With Prize(s) of:

	<i>Win:</i>	<i>Approximate Odds of 1 In:</i>	<i>Approximate No. of Winners Per 12,480,000 Tickets</i>
\$1	\$1	9.09	1,372,800
\$1 x 2	\$2	37.50	332,800
\$2	\$2	50	249,600
\$1 x 3	\$3	75	166,400
\$3	\$3	100	124,800
\$1 x 5	\$5	300	41,600
\$5	\$5	300	41,600
\$1 x 6	\$6	1,500	8,320
\$1 x 6 w/Joker	\$6	85.71	145,600
\$2 x 3	\$6	3,000	4,160
\$6	\$6	1,500	8,320
\$2 x 5	\$10	1,000	12,480
\$5 x 2	\$10	1,500	8,320
\$10	\$10	600	20,800
\$6 x 2	\$12	3,000	4,160
\$2 x 6 w/Joker	\$12	375	33,280
\$12	\$12	3,000	4,160
\$3 x 6	\$18	1,000	12,480
\$3 x 6 w/Joker	\$18	750	16,640
\$6 x 3	\$18	3,000	4,160
\$18	\$18	1,500	8,320
\$5 x 6	\$30	6,000	2,080
\$5 x 6 w/Joker	\$30	1,000	12,480
\$10 x 3	\$30	6,000	2,080
\$30	\$30	3,000	4,160
\$50	\$50	40,000	312
\$10 x 6	\$60	240,000	52
\$10 x 6 w/Joker	\$60	240,000	52
\$30 x 2	\$60	240,000	52
\$60	\$60	240,000	52
\$50 x 6 w/Joker	\$300	120,000	104
\$300	\$300	120,000	104
\$3,000	\$3,000	960,000	13

Joker = Win all 6 prizes shown

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Joker's Wild '04 instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Joker's Wild '04, prize money from winning Pennsylvania Joker's Wild '04 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Joker's Wild '04 instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Joker's Wild '04 or through normal communications methods.

GREGORY C. FAJT,
Secretary

[Pa.B. Doc. No. 04-1315. Filed for public inspection July 16, 2004, 9:00 a.m.]

Pennsylvania Pirate’s Treasure Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Pirate’s Treasure.

2. *Price:* The price of a Pennsylvania Pirate’s Treasure instant lottery game ticket is \$3.

3. *Play Symbols:* Each Pennsylvania Pirate’s Treasure instant lottery game ticket will feature a “Coordinates For Treasure Map” area and a “Treasure Map” area. The play symbols located in the “Coordinates For Treasure Map” area are: The letters A through H, each with the numbers 1 through 7. The play symbols located in the “Treasure Map” area are: A Chest Symbol consisting of six squares; a Pirate Symbol consisting of four squares; A Money Bag Symbol consisting of four squares; a Skull Symbol consisting of four squares; a Diamond Symbol consisting of four squares; a Coin Symbol consisting of four squares; a Ship Symbol consisting of three squares; a Flag Symbol consisting of three squares; a Scope Symbol consisting of two squares; and a Parrot Symbol consisting of two squares.

4. *Prizes:* The prizes that can be won in this game are \$3, \$6, \$9, \$12, \$18, \$30, \$60, \$300, \$3,000 and \$60,000. The player can win up to two times on each ticket.

5. *Approximate Number of Tickets Printed for the Game:* Approximately 6,720,000 tickets will be printed for the Pennsylvania Pirate’s Treasure instant lottery game.

6. *Determination of Prize Winners:*

(a) Holders of tickets where the player completely uncovers a Chest Symbol, using only the letter-number combinations found in the “Coordinates For Treasure Map” area, on a single ticket, shall be entitled to a prize of \$60,000.

(b) Holders of tickets where the player completely uncovers a Pirate Symbol, using only the letter-number combinations found in the “Coordinates For Treasure Map” area, on a single ticket, shall be entitled to a prize of \$3,000.

(c) Holders of tickets where the player completely uncovers a Money Bag Symbol, using only the letter-number combinations found in the “Coordinates For Treasure Map” area, on a single ticket, shall be entitled to a prize of \$300.

(d) Holders of tickets where the player completely uncovers a Skull Symbol, using only the letter-number combinations found in the “Coordinates For Treasure Map” area, on a single ticket, shall be entitled to a prize of \$60.

(e) Holders of tickets where the player completely uncovers a Diamond Symbol, using only the letter-number combinations found in the “Coordinates For Treasure Map” area, on a single ticket, shall be entitled to a prize of \$30.

(f) Holders of tickets where the player completely uncovers a Coin Symbol, using only the letter-number combinations found in the “Coordinates For Treasure Map” area, on a single ticket, shall be entitled to a prize of \$18.

(g) Holders of tickets where the player completely uncovers a Ship Symbol, using only the letter-number combinations found in the “Coordinates For Treasure Map” area, on a single ticket, shall be entitled to a prize of \$12.

(h) Holders of tickets where the player completely uncovers a Flag Symbol, using only the letter-number combinations found in the “Coordinates For Treasure Map” area, on a single ticket, shall be entitled to a prize of \$9.

(i) Holders of tickets where the player completely uncovers a Scope Symbol, using only the letter-number combinations found in the “Coordinates For Treasure Map” area, on a single ticket, shall be entitled to a prize of \$6.

(j) Holders of tickets where the player completely uncovers a Parrot Symbol, using only the letter-number combinations found in the “Coordinates For Treasure Map” area, on a single ticket, shall be entitled to a prize of \$3.

7. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Win With Prize(s) of:</i>	<i>Win:</i>	<i>Approximate Odds 1 In:</i>	<i>Approximate No. of Winners Per 6,720,000 Tickets</i>
Parrot	\$3	10	672,000
Scope	\$6	16.67	403,200
Flag	\$9	50	134,400
Parrot + Scope	\$9	100	67,200
Ship	\$12	100	67,200
Parrot + Flag	\$12	200	33,600
Coin	\$18	100	67,200
Diamond	\$30	200	33,600
Ship + Coin	\$30	200	33,600
Skull	\$60	207.25	32,424
Moneybag	\$300	30,000	224
Pirate	\$3,000	120,000	56
Chest	\$60,000	1,680,000	4

8. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Pirate’s Treasure instant lottery game tick-

ets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

9. *Unclaimed Prize Money.* For a period of 1 year from the announced close of Pennsylvania Pirate's Treasure, prize money from winning Pennsylvania Pirate's Treasure instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Pirate's Treasure instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. *Governing Law.* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

11. *Termination of the Game.* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Pirate's Treasure or through normal communications methods.

GREGORY C. FAJT,
Secretary

[Pa.B. Doc. No. 04-1316. Filed for public inspection July 16, 2004, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Disadvantaged Business Enterprise Participation in Federally Funded Contracts

This notice is intended to clarify the notices "Disadvantaged Business Enterprise Participation in Federal Aviation Administration Funded Contracts," "Disadvantaged Business Enterprise Participation in Federal Highway Administration Funded Contracts" and "Disadvantaged Business Enterprise Participation in Federal Transit Administration Funded Contracts" published at 34 Pa.B. 3074, 3076 and 3077 (June 12, 2004) regarding the Department of Transportation's (Department) proposed methodologies and goals for participation by disadvantaged business enterprises in Federally-assisted contracts. The earlier notices were intended to provide information relative to the current status of the goals to be submitted to the Federal Aviation Administration, the Federal Highway Administration and the Federal Transit Administration. The Department is still in the process of compiling data for each of its goals and it is the Department's intention to begin the Federally mandated 45-day formal comment period on or before August 1, 2004, the actual regulatory date for submission of all goals.

Members of the public are encouraged and invited to submit comments prompted by the notices that appeared at 34 Pa.B. 3074, 3076 and 3077. Comments received prior to the formal comment period will receive due consideration.

ALLEN D. BIEHLER, P. E.,
Secretary

[Pa.B. Doc. No. 04-1317. Filed for public inspection July 16, 2004, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws; Michael D. Newton, Jr.; Doc. No. SC04-07-005

Notice is hereby given of the Order to Show Cause issued on July 7, 2004, by the Deputy Insurance Commissioner in the previously referenced matter. Violation of the following is alleged: 40 P.S. §§ 241—297.4, 310.1—310.99a, 1171.4 and 1171.5(a)(2) and (12).

The respondent shall file a written answer to the Order to Show Cause within 20 days of the date of issue. If the respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code Chapter 56 (relating to special rules of administrative practice and procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102.

Persons with a disability who wish to attend the administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Jeffrey Wallace, Agency ADA Coordinator, (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-1318. Filed for public inspection July 16, 2004, 9:00 a.m.]

Appeal of Lees Construction; State Workers' Insurance Fund; Doc. No. WC04-07-004

This order is made on July 2, 2004, and addresses the appeal and request for hearing filed by Lees Construction (Lees) received on July 1, 2004. The appeal challenged action of Department of Labor and Industry, State Workers' Insurance Fund (Fund) in characterizing individuals as employees rather than independent contractors.

This case is bifurcated and a hearing on the merits will occur, if at all, following consideration of jurisdictional and other threshold issues.

On or before July 19, 2004, Lees shall file a concise statement setting forth legal argument supporting why the Insurance Department should hear this case, given the facts as alleged in its June 29, 2004, letter. At a minimum, the argument shall address the subject matter jurisdiction issues. Alternatively, should Lees seek review by the Board of Claims and request a stay of this action before the Insurance Commissioner prior to July 19, 2004, an indefinite stay will be granted.

On or before August 9, 2004, the Fund shall: (1) answer factual assertions in the June 29, 2004, letter; (2) set forth its arguments in opposition to those advanced by Lees; and (3) raise additional affirmative defenses which may bar the relief sought by the appellant as a matter of law given the undisputed facts.

On or before August 16, 2004, the appellant may reply to the Fund's submission.

Petitions to intervene or notices of intervention shall be filed on or before August 14, 2004.

Persons with a disability who wish to attend the administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Jeffrey Wallace, Agency Coordinator, (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-1319. Filed for public inspection July 16, 2004, 9:00 a.m.]

Appeal of The Press X-Press, Inc.; State Workers' Insurance Fund; Doc. No. WC04-06-102

This order is made on June 28, 2004, and addresses the petition for review filed by The Press X-Press, Inc. (appellant) challenging actions of the Department of Labor and Industry, State Workers' Insurance Fund (Fund) in characterizing individuals as employees rather than independent contractors.

This case is bifurcated and a hearing on the merits will occur, if at all, following consideration of jurisdictional and other threshold issues.

On or before July 14, 2004, the appellant shall file a concise statement setting forth additional facts, if any, and legal argument supporting why the Insurance Department should hear this case. At a minimum, the argument shall address the timeliness and subject matter jurisdiction issues.

On or before August 2, 2004, the Fund shall: (1) answer factual assertions in the appellant's petition for review and additional filing; (2) set forth its arguments in opposition to the appellant's; and (3) raise additional affirmative defenses which may bar the relief sought by the appellant as a matter of law given the undisputed facts.

On or before August 12, 2004, the appellant may reply to the Fund's submission.

Petitions to intervene or notices of intervention shall be filed on or before July 29, 2004.

Persons with a disability who wish to attend an administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Jeffrey Wallace, Agency Coordinator, (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-1320. Filed for public inspection July 16, 2004, 9:00 a.m.]

Ashton Road Automotive, Inc.; Hearing

Appeal of Ashton Road Automotive, Inc. under the Storage Tank and Spill Prevention Act; Underground Storage Tank Indemnification Fund; USTIF File No. 04-009(F); Doc. No. UT04-06-065

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Ad-

ministrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and any other relevant procedure provisions of law.

A prehearing telephone conference shall be held on August 16, 2004, at 1:30 p.m. A hearing shall occur on September 9, 2004, at 10:30 a.m. in the Administrative Hearings Office, Room 200, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102.

On or before August 26, 2004, each party shall file with the Administrative Hearings Office a prehearing statement which shall contain: (1) a comprehensive statement of undisputed facts to be stipulated between the parties; (2) a statement of additional contended facts; (3) names and address of witnesses along with the specialties of experts to be called; (4) a list of documents to be used at the hearing; (5) special evidentiary or other legal issues; and (6) the estimated time for that party's case. Contemporaneously with service of the prehearing statement on the opposing party, each party shall supply the other with a copy of any report generated by an expert witness designated on the prehearing statement. Any report subsequently received from a party's expert witness prior to hearing shall be supplied to the other party within 2 business days. Copies of expert reports need not be filed with the Administrative Hearings Office. Experts will be permitted to testify only on matters substantially contemplated by reports supplied to the other party in accordance with this paragraph.

Motions preliminary to those at the hearing, protests, petitions to intervene, notices of appearance or notices of intervention, if any, must be filed with the Hearings Administrator at the previous address on or before August 19, 2004. Answers to petitions to intervene, if any, shall be filed on or before August 26, 2004.

A date for a hearing shall be determined, if necessary, at the prehearing/settlement telephone conference.

Persons with a disability who wish to attend the administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Jeffrey Wallace, Agency Coordinator, (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-1321. Filed for public inspection July 16, 2004, 9:00 a.m.]

Donegal Mutual Insurance Company; Homeowners Insurance Rate and Rule Revision; Rate Filing

On June 24, 2004, the Insurance Department (Department) received from Donegal Mutual Insurance Company a filing for a rate and rule revision for homeowners insurance.

The company requests an overall 1.79% decrease amounting to \$639,000 annually, to be effective August 1, 2004, for new business and September 1, 2004, for renewal business.

Unless formal administrative action is taken prior to August 23, 2004, the subject filing may be deemed approved by operation of law.

A copy of the filing is available for review on the Department's website: www.ins.state.pa.us. To access the filing, under "Quick Links" choose "Rate filings published in the PA Bulletin."

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's regional offices in Harrisburg, Philadelphia and Pittsburgh.

Interested parties are invited to submit written comments, suggestions or objections to Xiaofeng Lu, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, xlu@state.pa.us within 15 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-1322. Filed for public inspection July 16, 2004, 9:00 a.m.]

**Penn Treaty Network America Insurance Company;
Rate Increase Filing for Long Term Care Home
Health Series HHC91, HHC92 and HHC92R; Rate
Filing**

Penn Treaty Network America is requesting approval to increase the premium 50% for the Long Term Care Home Health Series HHC91, HHC92, HHC92R and the associated riders. The average premium will increase from \$590 to \$885 and will affect 508 policyholders in this Commonwealth.

Unless formal administrative action is taken prior to September 23, 2004, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) website: www.ins.state.pa.us. To access the filing, select "Consumer Information" on the left side. Under "General Information," click on "Notices." The pdf copy is at the "Filing.pdf" link following the name of the filing.

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's regional office Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-1323. Filed for public inspection July 16, 2004, 9:00 a.m.]

**Penn Treaty Network America Insurance Company;
Rate Increase Filing for Long Term Care Nursing
Home Series NHP-A, NHP-EHR, NHP-800 GR and
SNH-30; Rate Filing**

Penn Treaty Network America is requesting approval to increase the premium 50% for the Long Term Care Nursing Home Series NHP-A, NHP-EHR, NHP-800 GR, SNH-30 and the associated riders. The average premium will increase from \$876 to \$1,314 and will affect 1,148 policyholders in this Commonwealth.

Unless formal administrative action is taken prior to September 23, 2004, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) website: www.ins.state.pa.us. To access the filing, select "Consumer Information" on the left side. Under "General Information," click on "Notices." The pdf copy is at the "Filing.pdf" link following the name of the filing.

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's regional office Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-1324. Filed for public inspection July 16, 2004, 9:00 a.m.]

**Pennsylvania Medical Society Liability Insurance
Company; Physicians and Surgeons Liability
Rates; Rate and Rule Filing**

On July 1, 2004, the Insurance Department (Department) received from the Pennsylvania Medical Society Liability Insurance Company (Company) a filing for a rate level change in physicians and surgeons liability rates.

The Company requests to increase the overall average rate level by 10.8%, effective January 1, 2005. The increase is comprised of an average 8.0% base rate increase with the balance of the increase due to revisions of specialty and rate class relativities.

Unless formal administrative action is taken prior to August 15, 2004, the subject filing may be deemed approved by operation of law.

The filing is available for review on the Department's website: www.ins.state.pa.us. To access the filing, under "Quick Links" click on "Rate filings published in the PA Bulletin."

Copies of the filing are also available for public inspection during normal working hours, by appointment, at the Department's regional offices in Harrisburg, Philadelphia and Pittsburgh.

Interested parties are invited to submit written comments, suggestions or objections to Ken Creighton, ACAS, Insurance Department, Insurance Product Regulation and Market Enforcement, 1311 Strawberry Square, Harrisburg, PA 17120, kcreighton@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-1325. Filed for public inspection July 16, 2004, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68), in connection with the termination of the insureds' automobile policies. The hearings will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearings will be held in the Insurance Department's regional offices in Harrisburg, Philadelphia and Pittsburgh, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 N. Seventh Street, Harrisburg, PA 17102.

Appeal of Cheryl L. Bowser; file no. 04-181-05404; Selective Insurance Company; doc. no. P04-06-071; August 17, 2004, 1:30 p.m.

The following hearings will be held in the Philadelphia Regional Office, Room 1701 State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of Todd and Nancy Russell; file no. 04-267-02075; AAA Mid-Atlantic Insurance Company; doc. no. PH04-06-067; August 11, 2004, 2 p.m.

Appeal of Nicole L. Nein; file no. 04-182-05363; State Farm Mutual Automobile Insurance Company; doc. no. PH04-06-091; August 11, 2004, 3 p.m.

The following hearings will be held in the Pittsburgh Regional Office, Room 304 State Office Building, 300 Liberty Avenue, Pittsburgh, PA 15222.

Appeal of Lisa D. and Robert A. Harding; file no. 04-308-80254; Erie Insurance Exchange; doc. no. PI04-06-095; September 10, 2004, 9 a.m.

Appeal of Kimberly A. Morrah; file no. 04-182-05777; Erie Insurance Exchange; doc. no. PI04-06-090; September 10, 2004, 10 a.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated represen-

tatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend an administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Jeffrey Wallace, Agency Coordinator, (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-1326. Filed for public inspection July 16, 2004, 9:00 a.m.]

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with their company's termination of the insureds' policy. The administrative hearing will be held in the Insurance Department's regional office in Harrisburg, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 N. Seventh Street, Harrisburg, PA 17102.

Appeal of Robert J. and Tammy J. Jones; file no. 04-183-05479; Erie Insurance Exchange; doc. no. P04-06-068; August 18, 2004, 1:30 p.m.

Each party may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend an administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Jeffrey Wallace, Agency Coordinator, (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-1327. Filed for public inspection July 16, 2004, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board lease will expire:

Philadelphia County, Wine & Spirits Shoppe # 5148, 6132 Lancaster Avenue, Philadelphia, PA 19151.

Lease Expiration Date: 90-day status since November 1, 2001

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 4,000 to 6,000 net useable square feet of new or existing retail commercial space within a 3/4-mile radius of 6132 Lancaster Avenue, Philadelphia.

Proposals due: August 6, 2004, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128
Contact: James M. Bradley, (215) 482-9671

JONATHAN H. NEWMAN,
Chairperson

[Pa.B. Doc. No. 04-1328. Filed for public inspection July 16, 2004, 9:00 a.m.]

PATIENT SAFETY AUTHORITY

Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. § 1303.303), enacted on March 20, 2002, will hold a meeting of the Authority's 11 member board on Monday, August 2, 2004, at 10:30 a.m. in the Wildwood Conference Center, Harrisburg Area Community College, One HACC Drive, Harrisburg, PA.

Individuals having questions regarding this meeting, which is open to the public, should contact the Authority at (717) 346-0469.

ALAN B.K. RABINOWITZ,
Administrator

[Pa.B. Doc. No. 04-1329. Filed for public inspection July 16, 2004, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by August 9, 2004. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-00120860. Transportation Information Enterprises, LLC (1141 Washington Boulevard, Pittsburgh, Allegheny County, PA 15206-3321), a limited liability company of the Commonwealth—persons, upon call or demand, in the City of Pittsburgh, Allegheny County; which is to be a transfer of all the right authorized under the certificate issued at A-00076135, F.2 to Peoples Cab Co., subject to the same limitations and conditions. *Attorney:* Ray F. Middleman, Northridge Office Plaza, 117 VIP Drive, Suite 310, Wexford, PA 15090.

A-00120861. Doral Katrice Linson t/d/b/a Kids Cruiser (R. R. 1, Box 1373, Henryville, Monroe County, PA 18332)—persons in paratransit service, between points in the County of Monroe, and from points in said county, to points in Pennsylvania, and return.

Application of the following for approval of the additional right and privilege of operating motor vehicles as common carriers for transportation of persons as described under the application.

A-00115578, F.2. Pessognelli, Inc. t/d/b/a Club Limo (P. O. Box 3780, York, York County, PA 17402), a corporation of the Commonwealth—additional right—persons in group and party service, in vehicles with a seating capacity of 11 to 15 passengers, including the driver, between points in the Counties of Adams, Cumberland, Dauphin, Lancaster, Lebanon and York, and from points in said counties, to points in Pennsylvania, and return. *Attorney:* Craig A Doll, P. O. Box 403, Hummelstown, PA 17036-0403.

Applications of the following for amendment to the certificate of public convenience approval of the right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.

A-00112914, F.1, AM-A. Trudy Jane Cline t/d/b/a Trudy's Taxi (P. O. Box 766, Waynesboro, Franklin County, PA 17268)—discontinuance of service—persons upon call or demand in the Borough of Waynesboro and the Townships of Quincy and Washington, Franklin County.

A-00115844, F.1, AM-A. Irene Rae Klein t/d/b/a Amish Farmland Tours (9 Janis Road, Gordonville, Lancaster County, PA 17529)—discontinuance of service—persons in paratransit service, between points in the County of Lancaster, and from points in said county, to points in Pennsylvania, and return, limited to the transportation of persons whose personal convictions prevent them from owing or operating motor vehicles.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 04-1330. Filed for public inspection July 16, 2004, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project # 04-021.1, Painting of

Exterior Improvements & Warehouse at Piers 38-40 South, until 2 p.m. on Thursday, August 5, 2004. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 N. Delaware Ave., 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available July 20, 2004. Additional information and project listings can be found at www.philaport.com. The cost of the bid document is \$35 (includes 7% Pennsylvania sales tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractors must comply with all applicable equal opportunity laws and regulations.

A mandatory prebid job site meeting will be held on July 29, 2004, at 10 a.m. inside the gate between Piers 38-40, S. Columbus Blvd. and Christian St., Philadelphia, PA 19148.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 04-1331. Filed for public inspection July 16, 2004, 9:00 a.m.]

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project # 04-062.1, Roof Replacement, Building 2A, Packer Avenue Marine Terminal (PAMT), until 2 p.m. on Tuesday, August 3, 2004. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 N. Delaware Ave., 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available July 20, 2004. Additional information and project listings can be found at www.philaport.com. The cost of the bid document is \$35 (includes 7% Pennsylvania sales tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractors must comply with all applicable equal opportunity laws and regulations.

A mandatory prebid job site meeting will be held on Tuesday, July 27, 2004, at 11 a.m. at South Guard House (PAMT Service Road), 3201 S. Columbus Blvd., Philadelphia, PA 19148.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 04-1332. Filed for public inspection July 16, 2004, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearing Scheduled

A hearing has been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of claimant's request concerning the indicated account.

The hearing will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

July 29, 2004 Florence M. Pozda 1 p.m.
(Reimbursement of Nursing
Home Care)

Persons with a disability who wish to attend the listed hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Marilyn Fuller-Smith, Assistant to the Executive Director, (717) 720-4921 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JEFFREY B. CLAY,
Executive Director

[Pa.B. Doc. No. 04-1333. Filed for public inspection July 16, 2004, 9:00 a.m.]