

NOTICES

DEPARTMENT OF AGRICULTURE

Application Period for the Agricultural and Rural Youth Grant Program

The Department of Agriculture (Department) announces the opening of the application period for funding from the Agricultural and Rural Youth Grant (grant) Program for 2004-2005. Grant applications will be accepted from August 30, 2004, to October 8, 2004, in Room 310, Department of Agriculture, 2301 North Cameron Street, Harrisburg, PA 17110-9408. Applications must be postmarked by October 8, 2004, to be considered for funding. Fax and e-mail submissions are not acceptable.

The objective of the grant program is to encourage projects that will increase knowledge and awareness of

agricultural issues and other issues specific to rural areas in this Commonwealth. This educational effort is directed toward the youth of this Commonwealth.

For this application year, the grant program will award direct grants of up to \$2,500 and matching grants up to \$10,000.

Obtaining Applications

Applications and program guidelines are available upon request by contacting G. Carl Muller, Department of Agriculture, Room 310, 2301 N. Cameron St., Harrisburg, PA 17110-9408, (717) 783-3181, gmuller@state.pa.us. Applications and program guidelines are also available on the Department's website: www.agriculture.state.pa.us.

DENNIS C WOLFF,
Secretary

[Pa.B. Doc. No. 04-1364. Filed for public inspection July 23, 2004, 9:00 a.m.]

DEPARTMENT OF BANKING

Action of Applications

The Department of Banking, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending July 13, 2004.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
7-7-04	Yardville National Bancorp, Trenton, NJ, to acquire up to 19.9% of the outstanding common stock of Bucks County Bank (In Organization), Doylestown, PA	Trenton, NJ	Filed

New Charters

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
7-8-04	Meridian Bank Berwyn Chester County	1436 Lancaster Avenue Berwyn Chester County	Began Operations

Consolidations, Mergers, and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
7-7-04	Northwest Savings Bank, Warren, and First Carnegie Deposit, Carnegie Surviving Institution—Northwest Savings Bank, Warren	Warren	Filed

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
7-7-04	Citizens & Northern Bank Wellsboro Tioga County	2 East Mountain Avenue South Williamsport Lycoming County	Approved

NOTICES

3915

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
7-12-05	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	Eight branch offices in Giant Food Stores at the following locations: 3935 Perkiomen Avenue Reading Berks County 550 Centerville Road Lancaster Lancaster County 32nd Street and Trindle Road Camp Hill Cumberland County 255 South Spring Garden Street Carlisle Cumberland County 450 East Main Street Middletown Dauphin County 3175 Cape Horn Road Red Lion York County 2415 East Market Street York York County 1750 Loucks Road York York County	Approved

Branch Consolidations/Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
7-7-04	Northside Bank Pittsburgh Allegheny County	<i>Into:</i> 100 Federal Street Pittsburgh Allegheny County <i>From:</i> 701 Liberty Avenue Pittsburgh Allegheny County	Approved
7-7-04	S & T Bank Indiana Indiana County	<i>To:</i> 220 New Castle Road Butler Butler County <i>From:</i> 181 New Castle Road Butler Butler County	Approval

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

Articles of Amendment

<i>Date</i>	<i>Name of Credit Union</i>	<i>Purpose</i>	<i>Action</i>
6-18-04	Yorkco School Employees Credit Union York York County	Amendment to Article 8 provides for the addition of students to the field of membership.	Filed Approved and Effective 7-8-04

<i>Date</i>	<i>Name of Credit Union</i>	<i>Purpose</i>	<i>Action</i>
6-21-04	The Altoona Postal Employees Credit Union Altoona Blair County	Amendment to Article 1 provides for a change in name to American Pride Credit Union.	Filed Approved and Effective 7-8-04
6-25-04	Philadelphia Telco Credit Union Trevose Bucks County	Amendment to Article 1 provides for a change in name to TruMark Financial Credit Union.	Filed Approved and Effective 7-8-04

A. WILLIAM SCHENCK, III,
Secretary

[Pa.B. Doc. No. 04-1365. Filed for public inspection July 23, 2004, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Nominations for the Pennsylvania Recreational Trails Advisory Board

The Department of Conservation and Natural Resources (Department) is accepting nominations through September 1, 2004, for three new appointments to the Pennsylvania Recreational Trails Advisory Board (Board). The Board was created on October 29, 1992, under the Transportation Equity Act for the 21st Century (TEA 21).

The Board consists of one member from each of the following nine recreational trail user organizations: hiking, cross-country skiing, off-highway motorcycling, snowmobiling, horseback riding, all-terrain vehicle driving, bicycling, four-wheel driving and water trails. One member also represents physically challenged individuals.

The Board's main responsibilities include advising the Department on the use of Federal trails funding in this Commonwealth, reviewing and ranking trail project applications and presenting an annual report to the Secretary

of the Department (Secretary) on the accomplishments of the preceding Federal fiscal year, including recommendations for changes.

Nominations for the three new appointees are to be made from individuals representing the following trail user organizations: cross-country skiing, four-wheel driving and horseback riding.

Nominations must be submitted to the Department by September 1, 2004. Appointments will be made by the Secretary. Appointees will serve for 3 consecutive years.

To obtain a nomination form, contact the Pennsylvania Recreational Trails Program, P. O. Box 8475, Harrisburg, PA 17105-8475, (717) 787-2316, vtierney@state.pa.us.

For more information, visit the Department's website: www.dcnr.state.pa.us.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Marlene Long at (717) 787-7672 or through the AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

MICHAEL F. DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 04-1366. Filed for public inspection July 23, 2004, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0008231	Gold Mills, Inc. 1 Penn Dye Street Pine Grove, PA 17963	Schuylkill County Pine Grove Borough	Swatara Creek 7D	N
PA0036102	Lehigh County Authority P. O. Box 3348 Allentown, PA 18106	Lehigh County Heidelberg Township	Unnamed tributary to Mill Creek 2C	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0034304 IW	Cambridge Lee Industries, LLC Reading Tube Division P. O. Box 14026 Reading, PA 19612-4026	Berks County Ontelaunee Township	Schuylkill River 3C	Y
PA0043494 SEW	Loysville Village Municipal Authority P. O. Box 133 Loysville, PA 17047	Perry County Tyrone Township	Muddy Run 7A	Y
PA0021636 SEW	Fleetwood Borough 110 W. Arch St., Suite 104 Fleetwood, PA 19522	Berks County Richmond Township	Willow Creek 3B	Y

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0082937 IW	RR Donnelly & Sons Co. 1375 Harrisburg Pike Lancaster, PA 17601-2612	Lancaster County Lancaster City	UNT Little Conestoga Creek 7J	Y
PA0040860 IW	Delaware County Solid Waste Authority Rolling Hills Landfill 1521 N. Providence Road Media, PA 19063	Berks County Earl Township	Manatawny Creek 3C	Y

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0008036 IW	Ingersoll-Rand Company 101 North Main Street Athens, PA 18810	Bradford County Athens Borough	Chemung River 4B	Y
PA0114138 Sewerage	Athens Township Authority 379 Pennsylvania Ave. Sayre, PA 18840-2825	Athens Township Bradford County	Chemung River 4B	Y
PA0208914 Sewerage	Great Dane Limited Partnership 70 Strick Road Danville, PA 17821	Limestone Township Montour County	UNT County Line Branch 10-D	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

PA0020397, Sewage, SIC 4952, **Bridgeport Borough**, 4th and Mill Streets, Bridgeport, PA 19405. This facility is in Upper Merion Township, **Montgomery County**.

Description of Proposed Activity: Renewal of an NPDES permit to discharge treated sewage from a wastewater treatment plant.

The receiving stream, the Schuylkill River, is in the State Water Plan watershed 3F and classified for WWF, aquatic life, water supply and recreation. The nearest downstream public water supply intake for the Philadelphia Water Department is on the Schuylkill River, 10.2 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.9 mgd.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40		50
Total Suspended Solids	30	45		60
NH ₃ -N	20			40
Fecal Coliform	200#/100 ml			
Dissolved Oxygen	Monitor			
pH (Std. Units)	6.0 Instantaneous Minimum			
Total Residual Chlorine	0.5			9.0
Copper	Monitor			1.2
Lead	Monitor			
Zinc	Monitor			

In addition to the effluent limits, the permit contains the following major special conditions: CSO requirement to implement nine minimum controls and long term control plan; and special test methods for certain pollutants.

The EPA waiver is in effect.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

PA212214, Industrial, **Gustin Stone Supply, Inc.**, R. R. 2, Box 2790, Lakewood, PA 18439. This proposed facility is in Preston Township, **Wayne County**.

The receiving streams, unnamed tributary to Meshoppen Creek and unnamed tributary to Equinunk Creek, are in the State Water Plan watershed no. 1A and classified for HQ-CWF.

The proposed effluent limits for Outfall 001:

Parameter	Mass (lb/day)		Concentration (mg/l)	
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily
CBOD				Report
COD				Report
Oil and Grease				Report
pH				Report
TSS				Report
Total Phosphorus				Report
Total Kjeldahl Nitrogen				Report
Iron (Dissolved)				Report

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

PA0247405, Sewage, **David Stup**, 5394 Big Creek Road, Clearville, PA 15535. This facility is in Monroe Township, **Bedford County**.

Description of activity: Renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, a UNT to West Branch Sidling Hill Creek, is in Watershed 13-B and classified for EV, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Hancock, MD is on the Potomac River. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.0004 mgd are:

Parameter	Average Monthly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅	25	50
Total Suspended Solids	30	60
Total Residual Chlorine	Monitor and Report from 6.0 to 9.0 inclusive	
pH		
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	2,000/100 ml as a geometric average	

Individuals may make an appointment to review the Department files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is in effect.

PA0026549, SIC Code 4952, Sewage, **City of Reading**, 815 Washington Street, Reading, PA 19601-3690. This application is for renewal of an NPDES permit for an existing discharge of treated sewage to the Schuylkill River in Watershed 3-C in Reading City, **Berks County**.

The receiving stream is classified for WWF, recreation, water supply and aquatic life. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing downstream potable water supply intake considered during the evaluation was the Pottstown Borough on the Schuylkill River. The discharge is not expected to impact any potable water supply.

The proposed effluent limits for Outfall 001 for a design flow of 28.5 mgd are:

Parameter	Average Monthly (mg/l)	Average Average (mg/l)	Instantaneous Weekly (mg/l)
CBOD ₅ (5-1 to 10-31)	20	30	40
(11-1 to 4-30)	25	40	50
Suspended Solids	30	45	60
NH ₃ -N (5-1 to 10-31)	6.0	XXX	12
(11-1 to 4-30)	18	XXX	24
Total Mercury	0.00023	XXX	0.00046
Total Residual Chlorine	0.40	XXX	1.31
Dissolved Oxygen	minimum of 5.0 at all times		
pH	from 6.0 to 9.0 inclusive		
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	10,000/100 ml as a geometric average		
Color	186	XXX	465

Individuals may make an appointment to review the Department files on this case by calling Mary DiSanto, File Review Coordinator, (717) 705-4732.

The EPA waiver is in effect.

PA0247502, Sewage, **David and Mona Ketner**, 308 Steeleastown Road, Newville, PA 17241. This facility is in North Newton Township, **Cumberland County**.

Description of activity: Issuance of an NPDES permit for new discharge of treated sewage.

The receiving stream, an unnamed tributary to Conodoguinet Creek, is in Watershed 7-B and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Carlisle Borough is on the Conodoguinet Creek, approximately 19.9 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.0004 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
Total Residual Chlorine	Monitor and Report	XXX
pH	from 6.0 to 9.0 inclusive	
Fecal Coliform	200/100 ml as a geometric average	
(5-1 to 9-30)	100,000/100 ml as a geometric average	
(10-1 to 4-30)		

Individuals may make an appointment to review the Department files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is in effect.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PA0110582, Sewage, SIC 4952, **Eastern Snyder County Regional Authority**, P. O. Box 330, Selinsgrove, PA 17870. This existing facility is in Penn Township, **Snyder County**.

Description of Proposed Activity: The Authority is applying to renew the existing NPDES permit. Certain changes are anticipating the Authority's plans to upgrade its treatment plant to incorporate nutrient reduction technology. The permit has been amended to include monitoring requirements for Total N and Total P (Report). The annual average design flow will be reduced from the current 2.8 mgd to 2.0 mgd once the new facilities are operational. The maximum monthly design flow will be 3.0 mgd.

The receiving stream, Susquehanna River, is in the State Water Plan watershed 6B and classified for WWF. The nearest downstream public water supply intake for United Water Pennsylvania is on the Susquehanna River, 39 river miles below the point of discharge at Dauphin.

The existing effluent limits for Outfall 001 are based on a design flow of 2.8 mgd, for the period of permit issuance to the completion of upgrade construction:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
TSS	30	45		60
CBOD ₅	25	40		50
Total Chlorine Residual	0.50			1.6
pH	within the range 6.0 to 9.0			
Fecal Coliform	200 per 100 mL as a geometric average			
(5-1 to 9-30)	2,000 per 100 mL as a geometric average			
(10-1 to 4-30)				
Total Nitrogen	Report			
Total Phosphorus	Report			

The proposed effluent limits for Outfall 001 are based on a design flow of 2.0 mgd, for the period of completion of upgrade construction to permit expiration:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
TSS	30	45		60
CBOD ₅	25	40		50
Total Chlorine Residual	0.50			1.6
pH	within the range 6.0 to 9.0			
Fecal Coliform	200 per 100 mL as a geometric average			
(5-1 to 9-30)	2,000 per 100 mL as a geometric average			
(10-1 to 4-30)				
Total Nitrogen	Report			
Total Phosphorus	Report			

In addition to the effluent limits, the permit contains the following major special conditions: BNR upgrade; and Phase II stormwater coverage.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

PA0000507, Industrial Waste, SIC, 2821, **Eastman Chemical Resins, Inc.**, SR 837, P. O. Box 567, West Elizabeth, PA 15088-0567. This application is for renewal of an NPDES permit to discharge untreated cooling water, stormwater and groundwater from the Jefferson Plant in Jefferson Borough, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, Monongahela River and an unnamed tributary to the Monongahela River, classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is the Pennsylvania American Water Company at Mile 4.4—Monongahela River, approximately 19.12 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.1 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	Monitor and Report				
Temperature (°F)					110
Oil and Grease			15		30
Suspended Solids			30		60
Phenols (4AAP)			0.016	0.032	
Fluoride			Monitor and Report		
Zinc			0.117	0.234	
pH	not less than 6.0 nor greater than 9.0				

Outfall 002: existing stormwater discharge, design flow of variable mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	Monitor and Report				
Zinc					Monitor and Report
Aluminum					Monitor and Report
Xylene					Monitor and Report
Styrene					Monitor and Report

The previous monitoring requirements are in effect for the first 3 years of the permit.

Outfall 002: existing stormwater discharge, design flow of variable mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	Monitor and Report				
Zinc					0.117
Aluminum					0.75
Xylene					0.033
Styrene					0.016

The previous limits are in effect for the last 2 years of the permit.

Outfalls 004: existing stormwater discharge, design flow of variable mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	Monitor and Report				
Zinc					Monitor and Report
Aluminum					Monitor and Report

The previous monitoring requirements are in effect for the first 3 years of the permit.

Outfalls 004: existing stormwater discharge, design flow of variable mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	Monitor and Report				
Zinc					0.117
Aluminum					0.75

The previous limits are in effect for the last 2 years of the permit.

Outfalls 005: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Zinc	Monitor and Report				
Aluminum	Monitor and Report				

The previous monitoring requirements are in effect for the first 3 years of the permit.

Outfalls 005: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Zinc	Monitor and Report				
Aluminum	Monitor and Report				
					0.117
					0.75

The previous limits are in effect for the last 2 years of the permit.

Outfalls 008: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
BOD ₅	Monitor and Report				
Zinc	Monitor and Report				
Aluminum	Monitor and Report				
Ethylbenzene	Monitor and Report				
Xylene	Monitor and Report				

The previous monitoring requirements are in effect for the first 3 years of the permit.

Outfalls 008: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
BOD ₅	Monitor and Report				
Zinc	Monitor and Report				
Aluminum	Monitor and Report				
Ethylbenzene	Monitor and Report				
Xylene	Monitor and Report				
					30
					0.117
					0.75
					0.033

The previous limits are in effect for the last 2 years of the permit.

Outfalls 009: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Zinc	Monitor and Report				
Aluminum	Monitor and Report				
Xylene	Monitor and Report				

The previous monitoring requirements are in effect for the first 3 years of the permit.

Outfalls 009: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Zinc	Monitor and Report				
Aluminum	Monitor and Report				
Xylene	Monitor and Report				
					0.117
					0.75
					0.033

The previous limits are in effect for the last 2 years of the permit.

Outfalls 011: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Nitrate-Nitrite	Monitor and Report				
Zinc	Monitor and Report				
Aluminum	Monitor and Report				
Xylene	Monitor and Report				

The previous monitoring requirements are in effect for the first 3 years of the permit.

Outfalls 011: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Nitrate-Nitrite					
Zinc	0.68				
Aluminum	0.117				
Xylene	0.750				
	0.033				

The previous limits are in effect for the last 2 years of the permit.

Outfalls 012: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Nitrate-Nitrite	Monitor and Report				
Zinc	Monitor and Report				
Aluminum	Monitor and Report				
Toluene	Monitor and Report				

The previous monitoring requirements are in effect for the first 3 years of the permit.

Outfalls 012: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Nitrate-Nitrite					
Zinc	0.68				
Aluminum	0.117				
Toluene	0.75				
	0.033				

The previous limits are in effect for the last 2 years of the permit.

Outfalls 013: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Zinc	Monitor and Report				
Aluminum	Monitor and Report				
Toluene	Monitor and Report				

The previous monitoring requirements are in effect for the first 3 years of the permit.

Outfalls 013: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Zinc	0.117				

NOTICES

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Aluminum					0.75
Toluene					0.033

The previous limits are in effect for the last 2 years of the permit.

Outfalls 014a: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Oil and Grease					Monitor and Report
Zinc					Monitor and Report
Aluminum					Monitor and Report
Xylene					Monitor and Report

The previous monitoring requirements are in effect for the first 3 years of the permit.

Outfalls 014a: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Oil and Grease					15
Zinc					0.117
Aluminum					0.75
Xylene					0.033

The previous limits are in effect for the last 2 years of the permit.

Outfalls 014b: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Oil and Grease					Monitor and Report
Zinc					Monitor and Report
Aluminum					Monitor and Report
Xylene					Monitor and Report

The previous monitoring requirements are in effect for the first 3 years of the permit.

Outfalls 014b: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Oil and Grease					15
Zinc					0.117
Aluminum					0.75
Xylene					0.033

The previous limits are in effect for the last 2 years of the permit.

Outfalls 014c: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Oil and Grease					Monitor and Report
Zinc					Monitor and Report
Aluminum					Monitor and Report
Xylene					Monitor and Report

The previous monitoring requirements are in effect for the first 3 years of the permit.

Outfalls 014c: existing stormwater discharge, design flow of variable mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	Monitor and Report				
Oil and Grease					15
Zinc					0.117
Aluminum					0.75
Xylene					0.033

The previous limits are in effect for the last 2 years of the permit.

Outfalls 015: existing stormwater discharge, design flow of variable mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	Monitor and Report				
Oil and Grease				Monitor and Report	Monitor and Report
Nitrate-Nitrite				Monitor and Report	Monitor and Report
Zinc				Monitor and Report	Monitor and Report
Aluminum				Monitor and Report	Monitor and Report
Xylene				Monitor and Report	Monitor and Report
Styrene				Monitor and Report	Monitor and Report

The previous monitoring requirements are in effect for the first 3 years of the permit.

Outfalls 015: existing stormwater discharge, design flow of variable mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	Monitor and Report				
Oil and Grease					15
Nitrate-Nitrite					0.68
Zinc					0.117
Aluminum					0.75
Xylene					0.033
Styrene					0.016

The previous limits are in effect for the last 2 years of the permit.

Outfalls 016: existing stormwater discharge, design flow of variable mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	Monitor and Report				
Zinc				Monitor and Report	Monitor and Report
Aluminum				Monitor and Report	Monitor and Report

The previous monitoring requirements are in effect for the first 3 years of the permit.

Outfalls 016: existing stormwater discharge, design flow of variable mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	Monitor and Report				
Zinc					0.117
Aluminum					0.75

The previous limits are in effect for the last 2 years of the permit.

Outfalls 017: existing stormwater discharge, design flow of variable mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	Monitor and Report				
Aluminum				Monitor and Report	Monitor and Report

The previous monitoring requirements are in effect for the first 3 years of the permit.

Outfalls 017: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Aluminum					0.75

The previous limits are in effect for the last 2 years of the permit.

Outfalls 019: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Aluminum				Monitor and Report	

The previous monitoring requirements are in effect for the first 3 years of the permit.

Outfalls 019: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Aluminum					0.75

The previous limits are in effect for the last 2 years of the permit.

Outfalls 020: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Nitrate-Nitrite				Monitor and Report	
Zinc				Monitor and Report	
Aluminum				Monitor and Report	

The previous monitoring requirements are in effect for the first 3 years of the permit.

Outfalls 020: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Nitrate-Nitrite					0.68
Zinc					0.117
Aluminum					0.75

The previous limits are in effect for the last 2 years of the permit.

Outfalls 023a: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
BOD ₅				Monitor and Report	
Nitrate-Nitrite				Monitor and Report	
Zinc				Monitor and Report	
Aluminum				Monitor and Report	
Toluene				Monitor and Report	

The previous monitoring requirements are in effect for the first 3 years of the permit.

Outfalls 023a: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average</i>	<i>Maximum</i>	<i>Average</i>	<i>Maximum</i>	<i>Instantaneous</i>	
	<i>Monthly</i>	<i>Daily</i>	<i>Monthly</i>	<i>Daily</i>	<i>Maximum</i>	
Flow	Monitor and Report					
BOD ₅					30	
Nitrate-Nitrite					0.68	
Zinc					0.117	
Aluminum					0.75	
Toluene					0.033	

The previous limits are in effect for the last 2 years of the permit.

Outfalls 023b: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average</i>	<i>Maximum</i>	<i>Average</i>	<i>Maximum</i>	<i>Instantaneous</i>	
	<i>Monthly</i>	<i>Daily</i>	<i>Monthly</i>	<i>Daily</i>	<i>Maximum</i>	
Flow	Monitor and Report					
Nitrate-Nitrite					Monitor and Report	
Zinc					Monitor and Report	
Aluminum					Monitor and Report	
Toluene					Monitor and Report	

The previous monitoring requirements are in effect for the first 3 years of the permit.

Outfalls 023b: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average</i>	<i>Maximum</i>	<i>Average</i>	<i>Maximum</i>	<i>Instantaneous</i>	
	<i>Monthly</i>	<i>Daily</i>	<i>Monthly</i>	<i>Daily</i>	<i>Maximum</i>	
Flow	Monitor and Report					
Nitrate-Nitrite					0.68	
Zinc					0.117	
Aluminum					0.75	
Toluene					0.033	

The previous limits are in effect for the last 2 years of the permit.

Outfalls 024: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average</i>	<i>Maximum</i>	<i>Average</i>	<i>Maximum</i>	<i>Instantaneous</i>	
	<i>Monthly</i>	<i>Daily</i>	<i>Monthly</i>	<i>Daily</i>	<i>Maximum</i>	
Flow	Monitor and Report					
Oil and Grease					Monitor and Report	
Nitrate-Nitrite					Monitor and Report	
Zinc					Monitor and Report	
Aluminum					Monitor and Report	

The previous monitoring requirements are in effect for the first 3 years of the permit.

Outfalls 024: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average</i>	<i>Maximum</i>	<i>Average</i>	<i>Maximum</i>	<i>Instantaneous</i>	
	<i>Monthly</i>	<i>Daily</i>	<i>Monthly</i>	<i>Daily</i>	<i>Maximum</i>	
Flow	Monitor and Report					
Oil and Grease					15.0	
Nitrate-Nitrite					0.68	
Zinc					0.117	
Aluminum					0.75	

The previous limits are in effect for the last 2 years of the permit.

Outfalls 025: existing stormwater discharge, design flow of variable mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>			<i>Concentration (mg/l)</i>		
	<i>Average</i>	<i>Maximum</i>	<i>Average</i>	<i>Maximum</i>	<i>Instantaneous</i>	
	<i>Monthly</i>	<i>Daily</i>	<i>Monthly</i>	<i>Daily</i>	<i>Maximum</i>	
Flow	Monitor and Report					
Oil and Grease					Monitor and Report	
Nitrate-Nitrite					Monitor and Report	

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Zinc					Monitor and Report
Aluminum					Monitor and Report
Xylene					Monitor and Report

The previous monitoring requirements are in effect for the first 3 years of the permit.

Outfalls 025: existing stormwater discharge, design flow of variable mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	Monitor and Report				
Oil and Grease					15.0
Nitrate-Nitrite					0.68
Zinc					0.117
Aluminum					0.75
Xylene					0.033

The previous limits are in effect for the last 2 years of the permit.

Outfalls 006, 007a, 007b, 010a, 010b, 021 and 022: existing discharge, design flow of variable mgd.

The discharge from these outfalls shall consist uncontaminated stormwater runoff only.

The EPA waiver is not in effect.

PA0013820, Industrial Waste, SIC 3312, **Allegheny Ludlum Corporation**, 100 River Road, Brackenridge, PA 15014. This application is for renewal of an NPDES permit to discharge treated process water and untreated noncontact cooling water and stormwater from the Brackenridge facility in Brackenridge, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, Allegheny River classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is the Brackenridge Water Works in Brackenridge, 0.2 mile below the discharge point.

Outfall 001: existing discharge, design flow of 0.80 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)		Monitor and Report			
Temperature (°F)				110	
Iron				Monitor and Report	
Manganese				Monitor and Report	
Aluminum				Monitor and Report	
pH	not less than 6.0 nor greater than 9.0				

Outfall 002: existing discharge to Allegheny River.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow(mgd)	Monitor and Report				
Temperature (°F)				110	
Iron				Monitor and Report	
Manganese				Monitor and Report	
Aluminum				Monitor and Report	
pH	not less than 6.0 nor greater than 9.0				

Outfall 103: existing discharge to Outfall 003.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	Monitor and Report				
Total Suspended Solids	1,689.55	4,506.2	30	70	87.5
Oil and Grease		1,868		10	12.5
Total Residual Chlorine			0.5		1.25
Cyanide	2.11	3.11	0.13	0.29	0.36

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Lead	0.33	0.54	0.20	0.42	0.53
Zinc	12.95	20.92	0.61	1.46	1.83
Ammonia	31.75	72.77	58.6	133.3	166.6
Fluoride	14.31	32.31	26.4	59.5	74.4
Titanium			0.41	0.94	1.17
Total Residual Chlorine			0.5	1.0	1.25
pH	not less than 6.0 nor greater than 9.0				

Outfall 003: existing discharge to the Allegheny River.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Temperature (°F)				110	
Oil and Grease				Monitor and Report	
Iron				Monitor and Report	
Aluminum				Monitor and Report	
Zinc				Monitor and Report	
Total Residual Chlorine				1.0	1.25
pH	not less than 6.0 nor greater than 9.0				

Outfall 104: existing discharge to Outfall 004.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Total Suspended Solids	1,350	3,146	30	70	87.5
Chromium	20.29	42.62	0.4	1.0	1.25
Nickel	13.49	40.42	0.3	0.9	1.13
Iron			7.3	14.6	
Temperature (°F)				110	
Total Residual Chlorine			0.5	1.0	1.25
pH	not less than 6.0 nor greater than 9.5				
Nitrate-Nitrate				Monitor and Report	
Total Dissolved Solids				Monitor and Report	

Outfall 004: existing discharge to the Allegheny River.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Temperature (°F)				110	
Aluminum					0.75
Zinc				Monitor and Report	
Total Residual Chlorine			0.5	1.0	1.25
pH	not less than 6.0 nor greater than 9.0				
Nitrate-Nitrate				Monitor and Report	
Total Dissolved Solids				Monitor and Report	

Outfall 005: existing discharge to the Allegheny River.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Temperature (°F)				110	
Iron				Monitor and Report	
Manganese				Monitor and Report	
Aluminum				Monitor and Report	
pH	not less than 6.0 nor greater than 9.0				

Outfall 106: existing discharge to Outfall 006. (Permit issuance through 3 years after issued date.)

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report				
Total Suspended Solids	61.12	183.89	50	150	187.5
Lead	0.36	1.1	0.3	0.9	1.13
Zinc	0.55	1.65	0.45	1.35	1.7
Total Residual chlorine			0.5	1.0	1.25
Temperature (°F)				110	
pH	not less than 6.0 nor greater than 9.0				

Outfall 006: existing discharge to the Allegheny River.

This outfall is submerged.

Outfall 007: existing discharge to the Allegheny River.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report				
Temperature (°F)				110	
Iron				Monitor and Report	
Zinc				Monitor and Report	
pH	not less than 6.0 nor greater than 9.0				

Outfall 008: existing discharge to the Allegheny River.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report				
Temperature (°F)				110	
pH	not less than 6.0 nor greater than 9.0				

Outfalls 901B, 902, 904 and 908: existing discharges to the Allegheny River.

These discharges consist solely of stormwater runoff.

Outfall 906: existing discharge to the Allegheny River.

This discharge shall consist solely of river water intake overflow. Debris collected on the strainer shall not be returned to the waterway.

Outfall 907: existing discharge to the Allegheny River.

This discharge shall consist solely of river water intake strainer overflow. Debris collected on the strainer shall not be returned to the waterway.

The EPA waiver is not in effect.

PA0092223, Industrial Waste, SIC 2822 and 2821, **BASF Corporation**, 370 Frankfort Road, Monaca, PA 15061. This application is for renewal of an NPDES permit to discharge treated process water, sewage, untreated cooling water and stormwater from BASF in Potter Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, Ohio River and Raccoon Creek, classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is the Midland Borough Water Authority on the Ohio River, approximately 6.6 miles below the discharge point.

Outfall 101: existing discharge, flow of 0.066 mgd (Basoplast Production) total discharge flow of 0.133 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Acenaphthene	0.012	0.0325	0.022	0.059	
Acrylonitrile	0.053	0.132	0.096	0.242	
Benzene	0.021	0.076	0.037	0.0136	
Carbon Tetrachloride	0.01	0.021	0.018	0.038	
Chlorobenzene	0.008	0.015	0.015	0.028	
1,2,4 Trichlorobenzene	0.037	0.077	0.068	0.140	
Hexachlorobenzene	0.008	0.015	0.015	0.028	
1,2 Dichloroethane	0.037	0.116	0.068	0.211	
1,1,1 Trichloroethane	0.011	0.029	0.021	0.054	

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Hexachloroethane	0.011	0.029	0.021	0.054	
1,1 Dichloroethane	0.012	0.032	0.022	0.059	
1,1,2 Trichloroethane	0.011	0.029	0.021	0.054	
Chloroethane	0.058	0.148	0.104	0.268	
Chloroform	0.011	0.025	0.021	0.046	
2 Chlorophenol	0.018	0.055	0.031	0.098	
1,2 Dichlorobenzene	0.042	0.09	0.077	0.163	
1,3 Dichlorobenzene	0.018	0.024	0.031	0.044	
1,4 Dichlorobenzene	0.008	0.015	0.015	0.028	
1,1 Dichloroethylene	0.008	0.014	0.016	0.025	
1,2 Trans Dichloroethylene	0.011	0.029	0.021	0.054	
2,4 Dichlorophenol	0.021	0.061	0.039	0.112	
1,2 Dichloropropane	0.084	0.127	0.153	0.23	
1,3 Dichloropropylene	0.016	0.024	0.029	0.44	
2,4 Dimethylphenol	0.01	0.02	0.018	0.36	
2,4 Dinitrotoluene	0.063	0.156	0.113	0.285	
2,6 Dinitrotoluene	0.145	0.35	0.255	0.641	
Ethyl benzene	0.018	0.06	0.032	0.11	
Fluoranthene	0.014	0.037	0.025	0.068	
Methylene chloride	0.023	0.048	0.040	0.089	
Methyl chloride	0.048	0.096	0.086	0.19	
Hexachlorobutadiene	0.011	0.027	0.020	0.049	
Naphthalene	0.013	0.032	0.022	0.059	
Nitrobenzene	0.014	0.037	0.027	0.068	
2 Nitrophenol	0.023	0.037	0.041	0.068	
4 Nitrophenol	0.04	0.068	0.072	0.124	
2,4 Dinitrophenol	0.04	0.068	0.071	0.123	
4,6 Dinitro-o-cresol	0.043	0.153	0.078	0.272	
Phenol	0.008	0.014	0.15	0.026	
Bis(2 ethylhexyl)phthalate	0.056	0.153	0.103	0.279	
Di-n-butyl phthalate	0.014	0.031	0.027	0.057	
Diethyl phthalate	0.045	0.111	0.081	0.203	
Dimethyl phthalate	0.01	0.025	0.019	0.047	
Benzo(a)anthracene	0.013	0.032	0.022	0.059	
Benzo(a)pyrene	0.013	0.034	0.023	0.061	
3,4 Benzofluoranthene	0.013	0.034	0.023	0.061	
Benzo(k)fluoranthene	0.013	0.032	0.022	0.059	
Chrysene	0.013	0.032	0.022	0.059	
Acenaphthylene	0.013	0.032	0.022	0.059	
Anthracene	0.013	0.032	0.022	0.059	
Fluorene	0.013	0.032	0.022	0.059	
Phenanthrene	0.013	0.032	0.022	0.059	
Pyrene	0.013	0.032	0.025	0.067	
Tetrachloroethylene	0.013	0.031	0.022	0.056	
Toluene	0.014	0.043	0.026	0.080	
Trichloroethylene	0.011	0.029	0.021	0.054	
Vinyl Chloride	0.058	0.148	0.104	0.268	
Total Chromium	0.612	1.52	1.11	2.77	
Total Copper (WQ)			0.5	1.0	
Total Cyanide	0.23	0.66	0.42	1.20	
Total Lead	0.18	0.37	0.32	0.69	
Total Nickel	0.93	2.19	1.69	3.98	
Total Zinc	0.58	1.43	1.05	2.61	
BOD ₅	70	124	24	64	
TSS	135	242	40	130	
COD	1,442	2,155	624	1,660	
Oil and Grease	57	89	15	30	
Benzidine* (WQ)			0.003	0.06	
Iron (T)			2	4	
Aluminum (T)			4	8	
Manganese (T)			1	2	
pH	not less than 6.0 nor greater than 9.0				

Outfall 201: existing discharge, design flow of 0.007 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
CBOD ₅			25	50	
TSS			30	60	
Fecal Coliform (5-1 to 9-30)		200/100 ml as a geometric mean			
(10-1 to 4-30)		2,000/100 ml as a geometric mean			
Total Residual Chlorine			1.4	3.5	
pH	not less than 6.0 nor greater than 9.0				

Outfall 001: existing discharge, design flow of 0.72 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Total Residual Chlorine			0.5	1.0	
Temperature (°F)				110	
Benzidine	not detectable using EPA test method no. 605				
pH	not less than 6.0 nor greater than 9.0				

Outfalls 002—004: existing discharge, design flow of N/A mgd—stormwater.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
NO ₂ -NO ₃			Monitor and Report		
TSS			Monitor and Report		
Zinc			Monitor and Report		
Aluminum			Monitor and Report		
Mercury			Monitor and Report		
BOD ₅			Monitor and Report		

The EPA waiver is not in effect.

PA0033642, Sewage, **West Greene School District**, 1367 Hargus Creek Road, Waynesburg, PA 15370. This application is for renewal of an NPDES permit to discharge treated sewage from the Graysville Elementary School Sewage Treatment Plant in Gray Township, **Greene County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Grays Fork, which are classified as a HQ WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Waynesburg Water Treatment Plant.

Outfall 001: existing discharge, design flow of 0.008 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	10			20
Suspended Solids	10			20
Ammonia Nitrogen (5-1 to 10-31)	1.5			3.0
(11-1 to 4-30)	4.5			9.0
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.4			0.8
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. 0904411, Sewerage, **Warrington Township**, 1585 Turk Road, Warrington, PA 18976. This proposed facility is in Warrington Township, **Bucks County**.

Description of Proposed Action/Activity: Proposed retail, residential and office center with stormwater management infiltration beds.

WQM Permit No. 1504201, Sewerage, **Rick's Mushroom Service**, P. O. Box 797, Avondale, PA 19311. This proposed facility is in New Garden Township, **Chester County**.

Description of Proposed Action/Activity: Construction and operation of an agricultural runoff storage lagoon and spray irrigation field.

Southcentral Region: Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 2204404, Sewerage, **Lenker Estates Homeowners Association, Donco Construction, Inc.**, P. O. Box 123, Dauphin, PA 17018. This proposed facility is in Halifax Township, **Dauphin County**.

Description of Proposed Action/Activity: Construction of a sewage treatment plant to serve Lenker Estates Phases I and II.

WQM Permit No. 6703407, Amendment 04-1, Sewerage, **Dillsburg Area Authority**, P. O. Box 370, Dillsburg, PA 17019. This proposed facility is in Dillsburg Borough, **York County**.

Description of Proposed Action/Activity: Modifications to the collection and conveyance portion to include the construction of gravity sewer to convey the wastewater to the Authority's wastewater treatment plant. In addition to the force main, the pump station portion has also been modified, rather than submersible pumps the Authority plans to use suction lift pumps and to also install odor control facilities (a blower to agitate the wet well and magnesium hydroxide feed equipment).

WQM Permit No. 2204405, Sewerage, **South Hanover Township Sewer Authority**, 111 West Third Street, Hershey, PA 17033. This proposed facility is in South Hanover Township, **Dauphin County**.

Description of Proposed Action/Activity: Construction of the Whippoorwill pump station submersible pump station to serve the Meadows of Hanover Phases 9 and 13.

WQM Permit No. 2104409, Sewerage, **North Middleton Township Authority**, 2051 Spring Road, Carlisle, PA 17013-1059. This proposed facility is in North Middleton Township, **Cumberland County**.

Description of Proposed Action/Activity: Seeking approval to construct a residential subdivision consisting of 187 townhouse units and 6 commercial building lots in the northeastern corner of Post Road and SR 0011 Carlisle Pike in Middlesex and North Middleton Townships.

WQM Permit No. 2104408, Sewerage, **Middlesex Township Municipal Authority**, 350 North Middlesex Road, Suite No. 2, Carlisle, PA 17013-8422. This proposed facility is in Middlesex Township, **Cumberland County**.

Description of Proposed Action/Activity: Seeking approval to construct a residential subdivision consisting of 187 townhouse units and 6 commercial building lots in the northeastern corner of Post Road and SR 0011 Carlisle Pike in Middlesex and North Middleton Townships.

WQM Permit No. 2104410, Sewerage, **Middlesex Township Municipal Authority**, 350 North Middlesex Road, Suite No. 2, Carlisle, PA 17013-8422. This proposed facility is in Carlisle Borough, **Cumberland County**.

Description of Proposed Action/Activity: Construction of a traditional development including residential, multifamily residential rental, commercial and civic establishments on a 503.6-acre site.

WQM Permit No. 3604412, Sewerage, **Northwestern Lancaster County Authority**, 97 North Penryn Road, Manheim, PA 17545. This proposed facility is in Penn Township, **Lancaster County**.

Description of Proposed Action/Activity: Upgrade/relocation of pump station no. 3.

WQM Permit No. WQMG013501, Sewerage, **Donald E. Weaver, Jr.**, 221 Pleasant Street, Hanover, PA 17331. This proposed facility is in Heidelberg Township, **York County**.

Description of Proposed Action/Activity: Construction of a small flow treatment facility to serve a residence on Smith Station Road, Spring Grove.

Northcentral Region: Water Management Program Manager; 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. 4104402, Sewerage 4952, **Jersey Shore Borough**, 232 Smith Street, Jersey Shore, PA 17740. This proposed facility is in Jersey Shore Borough, **Lycoming County**.

Description of Proposed Action/Activity: Replacement of 14-inch pipe with a new 18-inch line and a new bypass pipe with metering manhole at the Jersey Shore Borough wastewater treatment plant.

WQM Permit No. 1795408A45, Sewerage 4952, **Gospel Chapel Church**, 300 Pleasant Valley Road, P. O. Box 165, Woodland, PA 16881. This proposed facility is in Bradford Township, **Clearfield County**.

Description of Proposed Action/Activity: Construction of a small flow sewage treatment system to serve the Gospel Church of Clearfield County.

WQM Permit No. 1404405, Sewage, **Spring-Benner-Walker Joint Authority**, 170 Irish Hollow Road, Bellefonte, PA 16823. This proposed facility is in Walker Township, **Centre County**.

Description of Proposed Action/Activity: The applicant proposes to construct and operate a sewerage collection and conveyance system for the Springfield Subdivision.

WQM Permit No. 4904401, Sewerage, **Noah and Rebecca Peachey**, 3350 SR 54, Turbotville, PA 17772. This proposed facility is in Lewis Township, **Northumberland County**.

Description of Proposed Action/Activity: Construction and operation of a small flow treatment facility to serve a residence. The treatment facility will discharge to an unnamed tributary to Beaver Run (WWF).

WQM Permit No. 1404406, Sewage 7261, **Centre Hall-Potter Sewer Authority**, P. O. Box 497, Centre Hall, PA 16828. This proposed facility is in Potter Township, **Centre County**.

Description of Proposed Action/Activity: The applicant proposes to construct and operate a sewer extension and pump station to Ashford Manor.

1804201, Industrial Waste, SIC 2621, **First Quality Tissue, LLC**, 599 South Highland Street, Lock Haven, PA 17745-3431. This existing facility is in Castanea Township, **Clinton County**.

Description of Proposed Action/Activity: Applicant seeks a permit which will authorize the renovation and operation of the existing industrial waste treatment system serving the new papermaking process at the facility. Discharge will be to Bald Eagle Creek (WWF).

6004401, Sewerage, SIC 4952, **Lewisburg Area Joint Sewer Authority**, P. O. Box 305, Lewisburg, PA 17837. This existing facility is in East Buffalo Township, **Union County**.

Description of Proposed Action/Activity: Applicant seeks a permit to authorize the upgrades and operation of the existing sewage treatment facilities. Upgrades include replacement of the aeration diffusers, modifications to the aeration tanks, installation of blowers and installation of an anaerobic selector zone.

1404404, Sewerage, SIC 4952, **Spring-Benner-Walker Joint Authority**, 170 Irish Hollow Road, Bellefonte, PA 16823. This proposed facility will be in Spring Township, **Centre County**.

Description of Proposed Action/Activity: Applicant seeks a permit to authorize the construction and operation of a new suction lift pump station to (initially) serve 76 units in the Rosewood Cove Residential Subdivision. The project will also include the construction of a gravity sewer and force main.

IV. NPDES Applications for Stormwater Discharges from MS4

V. Applications for NPDES Waiver Stormwater Discharges from MS4

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No.	Applicant Name and Address	County	Municipality	Receiving Water/Use
PAI011504041	The Percheron Group Preserve at Valley Forge 48 George Warren Blvd., Suite 102 Malvern, PA 19355	Chester	Tredyffrin Township	Little Valley Creek EV
PAI011504042	Harvest Development, LLC Filman Road 4 Lot Subdivision P. O. Box 704 Pottstown, PA 19464	Chester	Uwchlan Township	Shamona Creek HQ-TSF
PAI011504043	Dan Scott Fellowship Road, LP Lexus of Chester Springs 568 West Lancaster Avenue Haverford, PA 19041	Chester	Upper Uwchlan Township	Brandywine Creek HQ-TSF

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Lehigh County Conservation District: Lehigh Ag. Ctr., Suite. 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

NPDES Permit No.	Applicant Name and Address	County	Municipality	Receiving Water/Use
PAI023904029	Vincent Palumbo 1612 West Allen St. Allentown, PA 18102	Lehigh	Upper Macungie Township	Little Lehigh Creek HQ-CWF

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Lycoming County Conservation District: 542 County Farm Road, Suite 202, Montoursville, PA 17754, (570) 433-3003.

NPDES Permit No.	Applicant Name and Address	County	Municipality	Receiving Water/Use
PAI044104003	Thomas and Linda Dunlop 914 Pine Creek Ave. Jersey Shore, PA 17740	Lycoming	Porter Township	UNT Pine Creek HQ-TSF

Potter County Conservation District: 107 Market St., Coudersport, PA 16915, (814) 274-8411.

NPDES Permit No.	Applicant Name and Address	County	Municipality	Receiving Water/Use
PAI045304002	Roulette Township R. R. 1 Roulette, PA 16746	Potter	Roulette Township	Fishing Creek CWF Laninger Creek HQ-CWF Allegheny River CWF

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Warren County Conservation District: 609 Rouse Avenue, Suite 203, Youngsville, PA 16371.

Lawrence County Conservation District: Lawrence County Government Center, 430 Court Street, New Castle, PA 16101.

NPDES Permit No.	Applicant Name and Address	County	Municipality	Receiving Water/Use
PAI006204001	Eldred Township R. D. 2 Box 123A Pittsfield, PA 16340	Warren	Eldred Township	Caldwell Creek HQ CWF
PAI063704001	Sean Doran, General Partner D & D Development Brian Herr, Operator Linton Industries	Lawrence	New Castle City	Shenango River WWF

VII. List of NOIs for NPDES and/or Other General Permit Types

- PAG-12 CAFOs
- PAG-13 Stormwater Discharges from MS4

**PUBLIC WATER SUPPLY (PWS)
PERMIT**

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 1504506, Public Water Supply.

Applicant **Westtown School**
 Township Westtown
 Responsible Official George Schaab
 P. O. Box 1799
 Westtown, PA 19395
 Type of Facility PWS
 Consulting Engineer Richard M. Johnson
 Walter B. Satterthwaite
 Associates, Inc.
 720 Old Fern Hill Road
 West Chester, PA 19380

Application Received July 1, 2004
 Date

Description of Action Permitting of an existing water supply system that serves the Westtown School and 15 homes. Also, modification to extend the chlorine contact time to a minimum of 20 minutes.

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 4804503, Public Water Supply.

Applicant **Hometown America Communities**
 Township or Borough Lehigh Township, **Northampton County**

Responsible Official Patrick Brennan, President
1161 Valley Stream Drive
Perkiomenville, PA 18074
(215) 234-8809

Type of Facility Community Water System

Consulting Engineer Douglas N. Kern, P. E.
1161 Valley Stream Drive
Perkiomenville, PA 18074
(215) 234-8809

Application Received Date June 21, 2004

Description of Action This application provides for modification of the community water system serving the community of Mountain View (PWS ID 3480075). The modification will provide for installation of a pressure pump package unit for maintaining system pressure, with conversion of the existing 8,000-gallon hydropneumatic tank to serve strictly as a system storage tank.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 3204506, Public Water Supply.

Applicant **Little Mahoning Bible Camp**
1065 Alabran Road
Smicksburg, PA 16256

Township or Borough North Mahoning

Responsible Official Leonard Kinney, Camp Missionary
Little Mahoning Bible Camp
1065 Alabran Road
Smicksburg, PA 16256

Type of Facility Water Treatment Plant

Consulting Engineer Bankson Engineers, Inc.
267 Blue Run Road
P. O. Box 200
Indianola, PA 15051

Application Received Date June 29, 2004

Description of Action Water treatment facilities that include reverse osmosis, air stripper, chlorinator, filtration, water conditioner, pressure tank and storage tanks.

Central Office: Bureau Director, Water Supply and Wastewater Management, P. O. Box 8467, Harrisburg, PA 17105-8467.

Permit No. 9996286, Public Water Supply.

Applicant **Mountainwood Spring Water Company**

Township or Borough Blairstown, NJ

Responsible Official William Egan, President

Type of Facility Out-of-State Bottled Water System

Application Received Date June 29, 2004

Description of Action Applicant requesting Department approval to sell bottled water in this Commonwealth under the brand name Mountainwood Natural Spring Water.

MINOR AMENDMENT

Applications Received under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Application No. Minor Amendment (PWS ID 2520044).

Applicant **Matamoras Municipal Authority**
304 Pennsylvania Avenue
Matamoras, PA 18336

Township or Borough Matamoras Borough, **Pike County**

Responsible Official Norman Krause, Chairperson

Type of Facility PWS

Consulting Engineer McGoey, Hauser and Edsall
507 Broad Street
Milford, PA 18337

Application Received Date June 18, 2004

Description of Action Replacement of a 100,000-gallon finished water storage reservoir.

Application No. Minor Amendment.

Applicant **Aqua Pennsylvania, Inc.**

Township or Borough Hazle Township, **Luzerne County**

Responsible Official Mark J. Kropilak, Vice President
Corporate Development
Aqua Pennsylvania, Inc.
762 West Lancaster Avenue
Bryn Mawr, PA 19010

Type of Facility PWS

Application Received Date June 28, 2004

Description of Action The applicant requests the transfer of PWS Permit No. 5499503 issued on January 4, 2000, from Eagle Rock Utility Corporation to Aqua Pennsylvania, Inc.

Application No. Minor Amendment.

Applicant **Aqua Pennsylvania, Inc.**

Township or Borough East Union Township, **Schuylkill County**

Responsible Official Mark J. Kropilak, Vice President
Corporate Development
Aqua Pennsylvania, Inc.
762 West Lancaster Avenue
Bryn Mawr, PA 19010

Type of Facility PWS

Application Received Date June 28, 2004

Description of Action The applicant requests the transfer of PWS Permit No. 5498508 issued on July 2, 1999, from Eagle Rock Utility Corporation to Aqua Pennsylvania, Inc.

Application No. Minor Amendment.

Applicant **Aqua Pennsylvania, Inc.**
 Township or Borough East Union Township, **Schuylkill County**
 Responsible Official Mark J. Kropilak, Vice President
 Corporate Development
 Aqua Pennsylvania, Inc.
 762 West Lancaster Avenue
 Bryn Mawr, PA 19010
 Type of Facility PWS
 Application Received Date June 28, 2004
 Description of Action The applicant requests the transfer of PWS Permit No. 5498507 issued on July 1, 1999, from Eagle Rock Utility Corporation to Aqua Pennsylvania, Inc.

Application No. Minor Amendment.

Applicant **Aqua Pennsylvania, Inc.**
 Township or Borough East and North Union Townships, **Schuylkill and Luzerne Counties**
 Responsible Official Mark J. Kropilak, Vice President
 Corporate Development
 Aqua Pennsylvania, Inc.
 762 West Lancaster Avenue
 Bryn Mawr, PA 19010
 Type of Facility PWS
 Application Received Date June 28, 2004
 Description of Action The applicant requests the transfer of PWS Permit No. 5474501 issued on October 16, 1974, from the Oneida Water Company to Aqua Pennsylvania, Inc.

Application No. Minor Amendment.

Applicant **Fox Ledge, Inc.**
 R. R. 1 Box 1230
 Honesdale, PA 18431
 Township or Borough Mount Pleasant Township, **Wayne County**
 Responsible Official Alfred A. Alessi, Jr., President
 Type of Facility Bottling Plant
 Consulting Engineer Keystone Consulting & Associates
 34 Brown Street
 Honesdale, PA 18431
 Application Received Date July 6, 2004
 Description of Action The replacement of a finished water storage tank.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 5604503, Minor Amendment.

Applicant **H Manor LLC**
 1379 Peninsula Drive
 Central City, PA 15626
 Responsible Official Jeffry Griffith, President
 H Manor LLC
 1379 Peninsula Drive
 Central City, PA 15626
 Type of Facility Hillcrest Manor
 Application Received Date July 8, 2004
 Description of Action Transfer from Hillcrest Manor Mobile Estates to H Manor LLC.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment

period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Church Parking Lot, City of Philadelphia, Philadelphia County. John Luxford, Apex Environmental, Inc., 269 Great Valley Parkway, Malvern, PA 19355 on behalf of Thomas Roberts, Church of the Lord Jesus Christ of the Apostolic Faith, 701 South 22nd Street, Philadelphia, PA 19146 has submitted a Notice of Intent to Remediate. Soil quality at the south end of the tanks indicates residual ethylbenzene remains at a depth of 7 feet at concentrations above the Statewide Health Standard, soil-to-groundwater medium specific concentration. The current and future use of the site is a parking lot for the adjacent church. The remediation will be to the Site Specific Standard.

Northeast Regional Field Office: Joseph A. Brogna, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

PPL—Quarry Substation (East Market Street), City of Bethlehem, Northampton County. PPL Electric Utilities, 2 North Ninth Street, Allentown, PA 18101 has electronically submitted a Notice of Intent to Remediate concerning the remediation of site soils found or suspected to be contaminated with polychlorinated biphenyls. The applicant proposes to meet the Residential Statewide Health Standard. A summary of the Notice of Intent to Remediate is expected to be published in a local newspaper serving the general area sometime in the near future.

Hazleton Oil and Environmental, Banks Township, Carbon County and Kline Township, **Schuylkill County.** Jeremy Bolyn, Senior Environmental Scientist, Patriot Environmental Management, LLC, P. O. Box 629, Douglasville, PA 19518 has electronically submitted a Notice of Intent to Remediate (on behalf of Hazleton Oil and Environmental, 300 South Tamaqua Street, Hazleton, PA 18201) concerning the remediation of soils and/or groundwater found or suspected to have been contaminated with benzene, toluene, ethyl benzene, xylenes, MTBE, naphthalene, cumene, fluorene and phenanthrene as the result of historic site operations as a petroleum distribution facility. The applicant proposes to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate is expected to be published in a local newspaper serving the general area sometime in the near future.

Geyer Residence (Page Lake), New Milford Township, Susquehanna County. Marjory Rinaldo-Lee, P. G., GeoLogic NY, Inc., P. O. Box 5080, Cortland, NY 13045 18013 has submitted a Notice of Intent to Remediate (on behalf of Leonora Geyer, Hill Road, Salisbury Mills, NY 12577) concerning the remediation of soils and/or ground-

water found or suspected to have been contaminated with no. 2 fuel oil constituents as the result of an accidental aboveground storage tank release. The applicant proposes to meet the Residential Statewide Health Standard. A summary of the Notice of Intent to Remediate was expected to have been published in the *Susquehanna County Transcript* on or about June 20, 2004. A Final Report was also submitted.

Estate of Pauline Kime (12 Oteyakwa Lake Drive), Franklin Township, Susquehanna County. Kevin Van Kuren, P. G., Hydrocon Services, Inc., 16 East Minor Street, Emmaus, PA 18049 has submitted a Notice of Intent to Remediate (on behalf of Attorney Myron DeWitt, 249 Main Street, Susquehanna, PA 18847) concerning the remediation of soils and/or groundwater found or suspected to have been contaminated with no. 2 fuel oil constituents as the result of an underground storage tank release. The applicant proposes to meet the Residential Statewide Health Standard. A summary of the Notice of Intent to Remediate was published in the *Susquehanna County Independent* on June 23, 2004. A Final Report was also submitted.

Former Antigas Service Station, City of Bethlehem, Lehigh County. Matthew Malhame, MEA, Inc., 1365 Ackermanville Road, Bangor, PA 18013 has electronically submitted a Notice of Intent to Remediate (on behalf of Wawa, Inc., 207 West Baltimore Pike, Wawa, PA 19063) concerning the remediation of soils found or suspected to have been contaminated with heating oil, waste oil, hydraulic oil and possibly gasoline constituents. The applicant proposes to meet the Residential Statewide Health Standard. A summary of the Notice of Intent to Remediate is expected to be published in a local newspaper serving the general area sometime in the near future. A Final Report was also submitted.

Godshalk Residence (2460 North Delaware Drive), Upper Mount Bethel Township, Northampton County. Kevin Keat, Senior Environmental Scientist, MEA, Inc., 1365 Ackermanville Road, Bangor, PA 18013 has submitted a Notice of Intent to Remediate (on behalf of Valerie Godshalk, P. O. Box 102, Swiftwater, PA 18370) concerning the remediation of soils and/or groundwater found or suspected to have been contaminated with no. 2 fuel oil constituents as the result of an accidental aboveground storage tank release. The applicant proposes to meet the Residential Statewide Health Standard. A summary of the Notice of Intent to Remediate is expected to be published in a local newspaper serving the general area sometime in the near future. A Final Report was also submitted.

Jaggard Residence, Borough of Stroudsburg, Monroe County. Rebecca Gross, MEA Inc., 1365 Ackermanville Road, Bangor, PA 18013 has submitted a Notice of Intent to Remediate (on behalf of Doreen Jaggard, Village Drive, Stroudsburg, PA 18360) concerning the remediation of soils found to be contaminated with no. 2 fuel oil constituents as the result of an overflow of an aboveground storage tank. The applicant proposes to meet the Residential Statewide Health Standard. A summary of the Notice of Intent to Remediate was published in the *Pocono Record* on June 17, 2004. A Final Report was simultaneously submitted.

Michelman Cancelliere Iron Works, Inc., East Allen Township, Northampton County. Douglas H. Sammak, P. G., American Analytical & Environmental, Inc., 738 Front Street, Catasauqua, PA 18032 has submitted a Notice of Intent to Remediate (on behalf of John Cancelliere, Michelman Cancelliere Iron Works, P. O. Box 40,

7230 Beth-Bath Pike, Bath, PA 18104) concerning the characterization of groundwater found or suspected to have been contaminated as the results of historic structural steel fabricating site operations. The applicant proposes to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate is expected to be published in the near future in a newspaper serving the local area.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Invensys Metering Systems, North Union Township, **Fayette County**. Mathew C. Plautz, P. E., Blasland, Bouck & Lee, Inc., 600 Waterfront Drive, Pittsburgh, PA 15222 (on behalf of Fayette Industrial Fund, P. O. Box 487, Uniontown, PA 15401 and Gary Ballesteros, Rockwell Automation, Inc., 777 East Wisconsin Avenue, Suite 1400, Milwaukee, WI 53202) has submitted a Final Report concerning remediation of site groundwater contaminated with heavy metals and VOCs. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Triangle Fastener, City of Pittsburgh, **Allegheny County**. Greg Hilty, Delta Environmental Consultants, Inc., 1418 Brice Road, Suite 205, Reynoldsburg, OH 43068 (on behalf of Charles Friday, Partners Investment LP, 1925 Preble Avenue, Pittsburgh, PA 15223 and Tara Popik, Group Environmental Management Co. (A BP Affiliated Company), 4850 East 49th Street, MBC 1, Cuyahoga Heights, OH 44125) has submitted a Risk Assessment Report concerning remediation of site soil and groundwater contaminated with diesel fuel and leaded gasoline. The report is intended to document remediation of the site to meet the Site Specific Standard.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Crossett Spill Site Allegheny National Forest, Corydon Township, **McKean County**. David J. Birchard, Environmental Remediation & Recovery, 5719 Rt. 6N, Edinboro, PA 16412, on behalf of Jerry White, Crosett Inc., P. O. Box 946, Warren, PA 16365 has submitted a Notice of Intent to Remediate. Remediation measures included soil removal, interceptor trenches, boom containment and use of sorbent material.

American Refinery Group, North Kendall Ave., City of Bradford, Foster Township, **McKean County**. James Kay, Conestoga-Rovers & Associates, 2055 Niagara Falls Blvd., Niagara Falls, NY 14304 on behalf of Harry Halloran, American Refinery Group, 100 Four Falls, Suite 215, West Conshohocken, PA 19428 has submitted a Notice of Intent to Remediate. Soil and groundwater contamination are present as a result of operating a petroleum storage, processing and refining facility. Primary contaminants are volatile hydrocarbons and polycyclic aromatic hydrocarbons attributable to petroleum products and metals. Public notice of the NIR was published in the *Bradford Eon* May 10, 2004.

Intl. Paper, 1540 East Lake Rd., City of Erie, **Erie County**. William F. Staph, Atlantic Env. Group Inc., 20990 Neiltown Rd., Pleasantville, PA 16341 on behalf of Jeffrey L. Shumaker, International Paper Co., 6400 Poplar Ave., Memphis, TN 38197 has submitted a Notice of Intent to Remediate. Known contaminants are VOCs, semi-VOCs, diesel fuel, no. 2 fuel oil, inorganics, leaded and unleaded gasoline, PAHs and PCBs. Proposed use of the site will be development and operation of a horse race track, gaming and entertainment complex, including club-

house, hotel and amenities, exhibition hall, restaurants, retail outlets, boating and related facilities. The NIR is being submitted jointly by IP (current owner of site) and Presque Isle Downs, Inc. (future owner). The NIR will be published in the *Erie Times* on July 10, 2004.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

Applications received or withdrawn under the Solid Waste Management (35 P. S. §§ 6018.101—6018.1003), the act of July 13, 1988 (P. L. 525, No. 93) (35 P. S. §§ 6019.1—6019.6) and regulations to transport infectious and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

New Applications Received

Environmental Waste Minimization, Inc., 14 Brick Kiln Court, Northampton, PA 18067. Received on June 10, 2004.

MARCOR Remediation, Inc., 540 Trestle Place, Downingtown, PA 19355. Received on June 1, 2004.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Applications Received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

Permit Application No. 101680. Waste Mgmt. Dspl. Svc. of Pa. Inc., 1121 Bordentown Rd., Morrisville, PA 19067, Falls Township, **Bucks County**. Application for a new 124-acre landfill to be known as GROWS North Landfill received under 25 Pa. Code § 271.202. An alternative project timeline of 500 days was negotiated for the review of the Phase I and II components of the application. The application was received by the Southeast Regional Office on July 7, 2004.

Permit Application No. 101494. Waste Mgmt. of Pa. Inc., 1121 Bordentown Rd., Morrisville, PA 19067, Falls Township, Borough of Tullytown, **Bucks County**. Application for a 35-acre eastern expansion to the Tullytown Resource Recovery Facility Landfill received under 25 Pa. Code § 271.202. An alternative project timeline of 500 days was negotiated for the review of the Phase I and II components of the application. The application was received by the Southeast Regional Office on July 7, 2004.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one

time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121–143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Devendra Verma, New Source Review Chief, (814) 332-6940.

43-196A: General Electric Transportation Systems—Grove City Plant (1503 West Main Street Extension, Grove City, PA 16127) for increase in the allowed fuel consumption in the test cells while maintaining the underlying NO_x emission limitation in Grove City Borough, **Mercer County**. This is a Title V facility.

24-131H: SGL Carbon LLC (900 Theresia Street, St., Marys, PA 15857) for use of freon 134a as a process gas for its vacuum out gas furnace in the City of St. Marys, **Elk County**. This is a Title V facility.

33-155B: Trail King Industries (147 Industrial Park Road, Brookville, PA 15825-9798) for installation of a grit blasting system with 14,000 cfm Torrit Downflow air filtration system in Brookville Borough, **Jefferson County**. This is a State-only facility.

62-017J: United Refining (Bradley and Dobson Streets, Warren, PA 16365) for modification of Plan Approval 62-302-010A to reflect the CO emission limits based on stack tests rather than AP-42 emission factor estimates at the Warren Refinery in Warren, **Warren County**. The refinery is a Title V Facility.

16-132C: Aconcagua Timber Corporation (143 Fiberboard Road, Box 340, Shippensburg, PA 16245). Replacement of an existing prefilter with a Turbo Venturi Scrubber in Paint Township, **Clarion County**. The facility is a Title V facility.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

54-399-029B: Silberline Manufacturing Co., Inc. (130 Lincoln Drive, Tamaqua, PA 18252-0420) for modification of a vacuum metalize aluminum pigment manufacturing process at their Tidewood facility at 36 Progress Avenue, Rush Township, **Schuylkill County**. This facility is a non-Title V facility. The modification will incorporate the removal and replacement of some of the process equipment. There will be no increase in potential VOC emissions from the modification. The plan approval will include all appropriate monitoring, recordkeeping and reporting requirements designed to keep the source operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

21-05021D: Arnold Fuel Oil Inc. (P. O. Box 2621, Harrisburg, PA 17105-2621) for installation of a carbon adsorption vapor recovery unit at the Mechanicsburg North Terminal, 127 Texaco Road, Silver Spring Township, **Cumberland County**. The primary emissions from the facility are VOCs. This unit will replace an existing unit that controls the VOC emissions.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; Richard Maxwell, New Source Review Chief, (570) 327-3637.

17-314-001F: Sensus Metering Systems—North America, Inc. (805 Liberty Blvd., DuBois, PA 15801) for installation of an air cleaning device (a fiber bed mist eliminator system) on three existing natural gas-fired rubber gas meter diaphragm drying/curing ovens in the City of DuBois, **Clearfield County**.

The proposed fiber bed mist eliminator system will be used to remove an oil/organic mist or aerosol which is driven off of the rubber in the ovens and will replace an existing scrubber system. The resultant particulate matter emissions are expected to be no greater than .332 ton per year, which is believed to be less than the particulate matter emission rate currently existing.

The Department's review of the information submitted by Sensus Metering Systems—North America, Inc. indicates that following the installation of the fiber bed mist eliminator system, the drying/curing ovens will comply with all applicable air quality regulations pertaining to air contamination sources and the emission of air contaminants, including the PM emission requirements of 25

Pa. Code § 123.13 and the visible air contaminant emission requirements of 25 Pa. Code § 123.41. Based on this finding, the Department intends to issue plan approval for the installation of the proposed fiber bed mist eliminator system. Additionally, if the Department determines that the drying/curing ovens are operating in compliance with all applicable plan approval conditions and regulatory requirements following the installation of the fiber bed mist eliminator system, the conditions established in the plan approval will be incorporated into Operating Permit 17-314-001B through administrative amendment under 25 Pa. Code § 127.450.

The following is a summary of the conditions the Department proposes to place in the plan approval to be issued to ensure compliance with all applicable regulatory requirements:

1. The fiber bed mist eliminator system shall be equipped with instrumentation to continuously monitor the pressure differential across the system's prefilter and the pressure differential across the fiber bed elements. Prefilters shall be replaced when the differential pressure reaches 5 inches of water and the fiber bed elements shall be replaced when the differential pressure reaches 20 inches of water.

2. Spare prefilters and fiber bed elements shall be kept onsite.

3. Whenever the curing of a batch of diaphragms has been completed, the oven access doors shall remain closed until the oven operating temperature falls to 175°F or less.

4. The drying/curing ovens shall not be used to process any material other than acrylonitrile-butadiene unless Department approval has first been obtained.

19-310-002D: Hanson Aggregates Pennsylvania, Inc. (2200 Springfield Pike, Connellsville, PA 15425) for the construction of a vertical shaft impact crusher in a stone crushing and screening plant at the Bloomsburg Quarry in Hemlock Township, **Columbia County**.

The proposed crusher will replace an existing crusher. The fugitive particulate matter emissions from the proposed crusher will be controlled by an existing fabric collector. The resultant PM emissions are expected to be no greater than 2.6 tons per year.

The Department's review of the information submitted by Hanson Aggregates Pennsylvania, Inc. indicates that the proposed crusher will comply with all applicable air quality requirements pertaining to air contamination sources and the emission of air contaminants, including the requirements of Subpart OOO of the Federal Standards of Performance for New Stationary Sources, 40 CFR 60.670–60.676, and the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department intends to issue plan approval for the construction of the proposed crusher. Additionally, if the Department determines that the crusher is operating in compliance with all applicable plan approval conditions and regulatory requirements after it is constructed, the conditions established in the plan approval will be incorporated into Operating Permit 19-310-002C through administrative amendment under 25 Pa. Code § 127.450.

The following is a summary of the conditions the Department proposes to place in the plan approval to be issued to ensure compliance with all applicable regulatory requirements:

1. The crusher shall not be operated without the simultaneous operation of the fabric collector.

2. The PM emissions from the exhaust of the fabric collector shall not exceed .01 grain per dry standard cubic foot of exhaust.

3. The fabric collector shall be equipped with instrumentation to monitor the pressure differential across the collector on a continuous basis.

4. The air compressor supplying compressed air to the fabric collector shall be equipped with an air dryer and an oil trap.

5. Spare bags shall be kept onsite for the fabric collector.

6. Dust shall only be removed from the fabric collector dust hopper by loading it into a tarp covered truck bed via an enclosed loadout chute.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Devendra Verma, New Source Review Chief, (814) 332-6940.

24-012C: C/G Electrodes LLC—St. Marys Plant (800 Theresa Street, St. Marys, PA 15857-1898) for installation of graphite machining operations in Building 607 and two dust collectors in St. Marys City, **Elk County**. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval at Title V facilities in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date. The source shall comply with the following conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology for the source:

1. The source shall comply with 25 Pa. Code §§ 123.1, 123.13, 123.31 and 123.41 for fugitive matter, PM, odor and visible emissions.

2. The permittee shall perform a daily operational inspection of the control device. The operational inspection shall include, at a minimum, recording the pressure drop across the control device and a visual inspection of the system for leaks, and the like. In the event that the pressure drop is out of specification, the baghouse will be inspected by the use of a black light and all defective filters replaced.

3. The permittee shall maintain a manometer or similar device to measure the pressure drop across the control device.

4. The permittee shall operate the control device at all times that the source is operation.

5. The permittee shall maintain and operate the source and control device in accordance with the manufacturer's specifications and in accordance with good air pollution control practices.

6. The permittee shall maintain a record of all preventative maintenance inspections of the control device. These records shall, at a minimum, contain the dates of the inspections, any problems or defects, the actions taken to correct the problem or defects and any routine maintenance performed.

37-304B: Heraeus Electro-Nite (3 Fountain Avenue, Ellwood City, PA 16117) for addition of a Skiving machine and replacement of the existing baghouse with a larger baghouse in Ellwood City Borough, **Lawrence County**.

This is a State-only Title V facility. The public notice is required for sources required to obtain a Plan Approval at Title V facilities in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date. The source shall comply with the following conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology for the source:

- Source 101 (Skiving machine).
- The source shall comply with 25 Pa. Code §§ 123.1, 123.31 and 123.41 for fugitive matter, odor and visible emissions.
 - PM emissions shall not exceed 0.02 grain per dry standard cubic foot.
 - Throughput for each Skiving machine shall not exceed 400,000 ft/yr.
 - Stack test for PM compliance.
 - The permittee shall maintain a record of all preventative maintenance inspections of the control device. These records shall, at a minimum, contain the dates of the inspections, any problems or defects, the actions taken to correct the problem or defects and any routine maintenance performed.
 - The permittee shall maintain daily records of the throughput for each Skiving machine (ft/day).
 - The permittee shall maintain monthly records of the throughput for each Skiving machine (ft/month).
 - The permittee shall maintain monthly records of the throughput for each Skiving machine (ft/yr).
 - The permittee shall perform a daily operational inspection of the control device. The operational inspection shall include, at a minimum, recording the pressure drop across the control device.
 - The permittee shall operate the control device at all times that the source is operation.
 - The permittee shall maintain a magnehelic gauge to measure the pressure drop across the control device. The pressure drop range shall be maintained between 0.5 inch and 4 inches wg. The pressure drop shall be monitored and recorded daily.
 - Ten percent of the total number of bags in the baghouse must be on hand as replacements.
 - The permittee shall maintain and operate the source and control device in accordance with the manufacturer's specifications and in accordance with good air pollution control practices.

37-011C: Dairy Farmers of America, Inc.—Farmers Cheese Plant (Routes 208 and 18, New Wilmington, PA 16142) for revision of the pressure drop range across the collector from Plan Approval PA-37-011B in Wilmington Township, **Lawrence County**. This is a State-only V facility. The public notice is required for sources required to obtain a Plan Approval at Title V facilities in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date. The source shall comply with the following conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology for the source:

- The source shall comply with 25 Pa. Code §§ 123.1, 123.21, 123.31 and 123.41 for fugitive matter, sulfur, odor and visible emissions.
- PM emissions shall not exceed 0.02 grain per dry standard cubic foot.
- Opacity shall not exceed 10% for a period or periods aggregating more than 3 minutes in any 1 hour or 30% at any time.
- The permittee shall maintain a magnehelic gauge to measure the pressure drop across the control device. The new pressure drop range shall be maintained between 1 inch and 3 inches wg. The pressure drop shall be monitored and recorded daily.
- Ten percent of the total number of bags in the baghouse must be on hand as replacements.

37-248F: United States Can Co. (1902 Old Butler Road, New Castle, PA 16101) for temporary bypassing of the RTO when using compliant coatings during periods of RTO maintenance and malfunctions for Sources 101 and 102 in Shenango Township, **Lawrence County**. This installation will not result in NSR or PSD applicability. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval at Title V facilities in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date. The source shall comply with the following conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology for the source:

- During periods of bypassing the RTO, the source will comply with all requirements in their most recent Title V permit except for conditions that deal with the RTO and its operation. The permittee shall use compliant coatings (25 Pa. Code § 129.52, Table 1) during this temporary period.
- The VOC emissions from the sources shall not exceed 35.54 tpy (this remains unchanged).

16-132C: Aconcagua Timber Corporation (143 Fiberboard Road, Box 340, Shippensburg, PA 16245) in Paint Township, **Clarion County**. The facility is a Title V facility. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date.

The permit will not increase any emissions from the currently permitted levels in existing Plan Approval 16-132B. The Plan Approval contains conditions for testing to verify compliance with the existing emission limits, monitoring of the pH and pressure drop across the new scrubber and additional recordkeeping and reporting to keep the facility operating within all applicable air quality requirements.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05069E: East Penn Manufacturing Co., Inc. (P. O. Box 147, Lyon Station, PA 19536-0147) for construc-

tion and modification of various sources used in the manufacturing of lead/acid storage batteries controlled by various fabric collectors and mist eliminator at Assembly Plant A-2 in Richmond Township, **Berks County**. Some of the sources are subject to 40 CFR Part 60, Subpart KK, Standards of Performance for New Stationary Sources. The proposed sources will result in minor increases in the potential emissions from the facility. The plan approval will include monitoring, recordkeeping, work practices and reporting requirements designed to keep the sources operating within all applicable air quality requirements. The facility is presently covered by the Title V Operating Permit Application No. 06-05069. The plan approval will be incorporated into this application in accordance with 25 Pa. Code § 127.450.

36-05017: Conestoga Wood Specialties Corp. (245 Reading Road, East Earl, PA 17519-0518) for a Title V Operating Permit Renewal in East Earl Township, **Lancaster County**. The facility's major sources of emissions include woodworking operations controlled by dust collectors and coating booths, which primarily emit VOCs. The Title V operating permit will contain VOC emission limits, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104; Edward Braun, Chief, (215) 823-7584.

V95-006: Exelon Generation Co.—Schuylkill Generating Station (2800 Christian Street, Philadelphia, PA 19146) for operation of an electric utility in the City of Philadelphia, **Philadelphia County**, to modify testing requirements for its oil-fired 1,530 mmBtu/hr boiler and to modify contact information. The facility currently must test the boiler for NOx emissions annually at one load. After the modification, the boiler will be tested under the requirements of 40 CFR Part 75, Appendix E for oil-fired peaking units, which requires NOx testing every 3,000 hours or 5 years under four different loads. The Title V operating permit was originally issued on December 28, 2001.

The operating permit will be reissued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at the AMS, 321 University Ave., Philadelphia, PA 19104. For further information, contact Edward Wiener, (215) 685-9426.

Persons wishing to file protest or comments on the operating permit must submit the protest or comments within 30 days from the date of this notice. Protests or comments filed with the AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, the AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least 30 days before the hearing.

V03-003: ThyssenKrupp Budd Co. (2450 Hunting Park Avenue, Philadelphia, PA 19129) for operation of a transportation equipment manufacturing facility in the City of Philadelphia, **Philadelphia County**. The facility's air emissions' sources include a 97 mmBtu/hr boiler and an 87 mmBtu/hr boiler.

The operating permit will be reissued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management

Regulation XIII. Permit copies and other supporting information are available for public inspection at the AMS, 321 University Ave., Philadelphia, PA 19104. For further information, contact Edward Wiener, (215) 685-9426.

Persons wishing to file protest or comments on the operating permit must submit the protest or comments within 30 days from the date of this notice. Protests or comments filed with the AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, the AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least 30 days before the hearing.

Intent to Issue Operating Permits under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Edward Jurdon Brown, Facilities Permitting Chief, (484) 250-5920.

46-00122: Unisys Corp. (Township and Union Meeting Roads, M/S E2-127 Unisys Way, Blue Bell, PA 19424) for operation of four boilers, four emergency generators and a heater at the Blue Bell central office in Whitpain Township, **Montgomery County**. The permit is for a non-Title V (State-only) facility. The facility has elected to cap NOx to less than 25 tons per year each; therefore, the facility is a Synthetic Minor. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

04-00705: Pittsburgh Coatings (8105 Perry Highway, Pittsburgh, PA 15237) for operation of a blasé and surface coating plant in Ambridge Borough, **Beaver County**.

03-00196: National Fuel Gas Supply Corp. (1100 State Street, Erie, PA 16512) a renewal for operation of a natural gas compressor station in Sugar Creek Township, **Armstrong County**.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water

Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the district mining office indicated before an application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code

Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas, active areas disturbed by coal refuse disposal activities and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Mining Office: 25 Technology Drive, California Technology Park, Coal Center, PA 15423, (724) 769-1100.

30841317. Consol Pennsylvania Coal Company (1525 Pleasant Grove Road, P. O. Box J, Claysville, PA 15323), to revise the permit for the Enlow Fork Mine in East Finley Township, **Washington County**, ACOE Pittsburgh District (Claysville, PA Quadrangle N: 6.9 inches; W: 4.1 inches to N: 7.5 inches; W: 3.5 inches). Application received June 30, 2004.

This is a Chapter 105 Water Obstruction and Encroachment permit application (Stream Module 15) and 401 Water Quality Certification request, if applicable, submitted as part of the mining permit revision application to authorize the stream restoration of Templeton Fork at East Finley Township Park to eliminate water pooling that may result from mine subsidence.

Written comments or objections on the request for Section 401 Water Quality Certification or to the issuance of the Water Obstruction and Encroachment Permit (Stream Module 15) may be submitted to the Department within 30 days of the date of this notice to the previous district mining office. Comments should contain the name, address and telephone number of the person commenting, identification of the request for 401 Water Quality Certification and Chapter 105 permit application (Stream Module 15) to which the comments or objections

are addressed and a concise statement of comments, objections or suggestions including relevant facts upon which they are based. The Water Obstruction and Encroachment permit application is available for review at the California District Mining Office, by appointment.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

10010101 and NPDES Permit No. PA0241873. Ancient Sun, Inc. (P. O. Box 129, Shippenville, PA 16254), transfer of an existing bituminous surface strip operation in Muddy Creek Township, **Butler County** affecting 38.2 acres. Receiving streams: unnamed tributaries to Cheeseman Run (CWF). There are no potable surface water supply intakes within 10 miles downstream. Transfer from Ben Hal Mining Company. Application received July 2, 2004.

1307-10010101-E-1. Ancient Sun, Inc. (P. O. Box 129, Shippenville, PA 16254), application for stream encroachment to conduct support activities within 25 feet of and remove coal to within 50 feet of an unnamed tributary to Cheeseman Run in Muddy Creek Township, **Butler County**. There are no potable surface water supply intakes within 10 miles downstream. Application received July 2, 2004.

16763035 and NPDES Permit No. PA0121657. Terry Reddinger (P. O. Box 58, Distant, PA 16223), renewal of

an existing bituminous surface strip and auger operation in Redbank Township, **Clarion County**, affecting 230.6 acres. Receiving streams: unnamed tributary to Town Run to Redbank Creek; and unnamed tributary to Pine Creek (CWF). The first downstream potable water supply intake from the point of discharge is the Hawthorn Water Authority. Application for reclamation only. Application received July 6, 2004.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56040104 and NPDES Permit No. PA0249599. AMFIRE Mining Company, LLC (One Energy Place, Suite 7500, Latrobe, PA 15650), commencement, operation and restoration of a bituminous surface mine in Jenner Township, **Somerset County**, affecting 96.4 acres. Receiving streams: unnamed tributaries of Flat Run to Flat Run and unnamed tributaries to Gum Run to Gum Run to Roaring Run to Quemahoning Creek to Stonycreek River (CWF). The first downstream potable water supply intake from the point of discharge is the Quemahoning Reservoir. Application received July 1, 2004.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.

26910108 and NPDES Permit No. PA0592366. Dunkard Disposal (P. O. Box 229, Mt. Braddock, PA 15465), application received for transfer of permit currently issued to Stash Mining Company for continued reclamation only of a bituminous surface mining site in Georges Township, **Fayette County**, affecting 64.0 acres. Receiving streams: unnamed run to North Branch of Browns Run to Browns Run to the Monongahela River (WWF). The first downstream potable water supply intake from the point of discharge is greater than 10 miles from the site. Transfer application received June 29, 2004.

65990106 and NPDES Permit No. PA0202649. Ralph Smith & Son, Inc. (R. R. 1, Box 185A, Derry, PA 15627), permit renewal for reclamation only to an existing bituminous surface mine in Salem Township, **Westmoreland County**, affecting 82.5 acres. Receiving streams: unnamed tributaries to Porters Run (CWF). There is no potable water supply intake within 10 miles from the point of discharge. Renewal application received July 6, 2004.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

17040902 and NPDES Permit No. PA0243761. Blue Mountain Coal Company (753 Richards Road, Irvona, PA 16656), commencement, operation and restoration of an incidental coal extraction permit in Chest Township, **Clearfield County**, affecting 15.6 acres. Receiving streams: Holes Run and unnamed tributary A to Hockenberry Run, both to North Witmer Run to Clearfield Creek (CWF). There is no potable water supply intake within 10 miles from the point of discharge. Application received June 23, 2004.

17930127 and NPDES Permit No. PA0219703. River Hill Coal Company, Inc. (P. O. Box 141, Kylertown, PA 16847), renewal and transfer of an existing bituminous surface mine permit from Jerry C. Bowman Coal Company. The permit is in Woodward Township, **Clearfield County** and affects 186.2 acres. Receiving streams: unnamed tributary to Moshannon Creek (CWF), Moshannon Creek (TSF), Whiteside Run, unnamed tributaries to Whiteside Run (CWF). Application received June 9, 2004.

17703032 and NPDES Permit No. PA0610291. River Hill Coal Company, Inc. (P. O. Box 141, Kylertown, PA 16847), renewal and transfer of an existing bituminous surface mine permit from W. C. Bowman. The permit is in Woodward Township, **Clearfield County** and affects 116.3 acres. Receiving streams: Moshannon Creek (TSF). Application received June 8, 2004.

17860122 and NPDES Permit No. PA0115410. AMFIRE Mining Company, LLC (One Energy Place, Latrobe, PA 15650), revision to an existing bituminous surface mine permit for a stream variance. The proposed variance entails the construction and maintenance of a haul road stream crossing on an unnamed tributary to Wallace Run, situated at a point 1,450 feet upstream from the unnamed tributary's confluence with Wallace Run. The permit is in Lawrence Township, **Clearfield County** and affects 490.5 acres. Application received June 10, 2004.

Noncoal Applications Received

Effluent Limits—The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum of 0.5 ml/l applied to surface runoff resulting from a precipitation event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

64002801. Wayco, Inc. (P. O. Box Y, Waymart, PA 18472), Stages I and II bond release for a quarry operation in South Canaan Township, **Wayne County**, affecting 5.0 acres on property owned by Chauncey and Ann Frazee. Application received July 1, 2004.

58020848. Matt VanDeMark (4 Joan Drive, Tunkhannock, PA 18657), Stages I and II bond release for a quarry operation in Auburn Township, **Susquehanna County**, affecting 1.0 acre on property owned by James Kernan. Application received July 2, 2004.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the FWPCA (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

E09-876. Bensalem Township, 2400 Byberry Road, Bensalem, PA 19067, Bensalem Township, **Bucks County**, ACOE Philadelphia District.

To remove the existing Bristol Pike (SR 0013) bridge, a 35-foot long, 14-foot wide by 6-foot high structure and replace with a 72.3-foot long, 24-foot wide by 8-foot high arch bridge across an unnamed tributary of Neshaminy Creek (WWF-MF). The proposed modification and realignment of Bristol Pike (SR 0013) is associated with road improvements for the Deluca Homes, St. Francis Residential Development at the intersection of Street Road (SR 0132) and Bristol Pike (SR 0013). The site is approximately 2,000 feet northeast of intersection of Street Road and Bristol Pike (Beverly, PA-NJ USGS Quadrangle N: 15.84 inches W: 8.4 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E22-475: 84 Lumber Co./Pierce Hardy LP, 1019 Route 519, Bldg. 5, Eighty Four, PA 15330 in Highspire Borough, **Dauphin County**, ACOE Baltimore District.

To construct and maintain a one-span bridge attaching to an existing masonry arch crossing extending the crossing an additional 35 linear feet across Laurel Run (WWF), for the purpose of widening the access road leading to the proposed 84 Lumber facility, approximately 1/4 mile downstream of the current Interstate 76 river bridge and about 600 feet southwest of Route 230 (Steelton, PA Quadrangle N: 15.0 inches; W: 6.5 inches) in Highspire Borough, Dauphin County.

E06-592: Earl Township, 19 Schoolhouse Road, Boyertown, PA 19512 in Earl Township, **Berks County**, ACOE Philadelphia District.

To remove an existing corrugated metal pipe and to construct and maintain a single cell box culvert with the purpose of providing more conveyance capacity over Furnace Run (CWF) (Boyertown, PA Quadrangle N: 18.6 inches; W: 14.3 inches) in Earl Township, Berks County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E14-464. Paul Fisher, 168 Beiler Drive, Rebersburg, PA 16872. Fisher Farm bridge in Miles Township, **Centre County**, ACOE Baltimore District (Millheim, PA Quadrangle N: 12.3 inches; W: 6.6 inches).

To remove an existing silted-in multicultvert stream crossing and the associated fill, then to construct and maintain a 24-foot clear span concrete/I-beam bridge with the associated concrete wingwalls to allow Elk Creek to restore a natural cross-section at the farm lane stream crossing that is 1.2 miles east of the SR 192 and SR 880 intersection. This project proposes to permanently impact a 40 linear feet of Elk Creek (HQ-CWF).

E18-376. John R. Cottoni, 129 Crestmont Drive, Lock Haven, PA 17745. Pavilion construction in Woodland Township, **Clinton County**, ACOE Baltimore District (Lock Haven, PA Quadrangle N: 5.63 inches; W: 4.25 inches).

To: (1) construct and maintain a 32-foot by 42-foot open pavilion on a 5-inch concrete/fiber mix pad; (2) place a 12-foot by 16-foot by 16-foot storage shed on skids; and (3) regrade an area 125 linear feet by 35 feet wide of the site in the 100-year floodway of the West Branch Susquehanna River (WWF) on a private lot off Eden Lane immediately west of the intersection of Eden Lane with Water Valley Road. The project will not impact wetlands or waterways while disturbing approximately 0.09 acre of earth.

E41-539. Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. SR 0284 Block House Creek bridge replacement in Pine Township, **Lycoming County**, ACOE Susquehanna River Basin District (Hughesville, PA Quadrangle N: 17.9 inches; W: 14.7 inches).

To remove an existing single span steel truss bridge and construct and maintain a single span prestressed concrete box beam bridge having a clear span of 92 feet, with a minimum underclearance of 9.85 feet on a skew of 84° over Blockhouse Creek, along SR 0284, 4.5 miles east of the intersection of SR 0015 South and SR 0284 in Pine Township, Lycoming County. This project proposes to have a minimal impact on Blockhouse Creek (CWF). This project proposes to impact 0.01 acre of jurisdictional wetlands.

E53-402. Kenneth W. Deboer, 8 Maple Road, Roulette, PA 16746-1536. Deboer private road crossing Trout Brook in Roulette Township, **Potter County**, Pittsburgh ACOE District (Coudersport, PA Quadrangle N: 5.57 inches; W: 16.25 inches).

To modify, operate and maintain a private road crossing Trout Brook (CWF) to provide access for a single dwelling residence. The private road crossing shall be constructed with a single corrugated metal culvert pipe having minimum diameter of 5.3 feet and a depression of 1 foot below the existing streambed elevations. The private road crossing Trout Brook shall also include concrete slab headwalls. Since Trout Brook is a wild trout fishery, no construction or future repair work shall be done in the stream channel between October 1 and December 31 without the prior written approval of the Fish and Boat Commission. All modification and future maintenance work shall be conducted at stream low flow. As proposed, the project will not impact wetlands while impacting 50 feet of waterway. The Deboer private road crossing project is along the northern right-of-way of SR 0006 approximately 3,800 feet north of T-323 and SR 0006 intersection. This permit does not authorize any temporary or permanent wetland impacts and as such, the permittee shall ensure no wetland impacts result from any modifications of the private road crossing.

E55-197. Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. Water Obstruction and Encroachment permit application in Chapman Township, **Snyder County**, ACOE Susquehanna River Basin District (Dalmatia, PA Quadrangle N: 11.4 inches; W: 1.8 inches).

To remove an existing reinforced concrete I-beam bridge and construct and maintain a reinforced concrete box culvert measuring 20 feet wide by 7 feet high in Chapman Creek along SR 2013, Segment 0020 at offset 0000. This project proposes to have a minimal impact on Chapman Creek (WWF). The project does not propose to impact any jurisdictional wetlands.

E59-458. Nelson Township Authority, P. O. Box 100, Lakeview Drive, Nelson, PA 16940. Nelson water treatment facility in Nelson Township, **Tioga County**, ACOE Baltimore District (Elkland, PA Quadrangle N: 19 inches; W: .75 inch).

The permit application proposes to construct a river intake structure that would be submerged under the existing bed of the Cowanesque River, construction of a wet well within the floodway of the Cowanesque River and to construct a 35-foot by 60-foot pump station in the floodway of the Cowanesque River. The project will impact 270 square feet the Cowanesque River (WWF). This project does not propose any wetland impacts.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1472. Verona Borough, 736 Railroad Avenue, Verona, PA 15147. Construction of boat dock in Verona Borough, **Allegheny County**, Pittsburgh ACOE District (Braddock, PA Quadrangle N: 22.0 inches; W: 13.6 inches) (Latitude: 40° 29' 46" and Longitude: 79° 50' 52"). The applicant proposes to construct and maintain a boat dock along the left bank of the Allegheny River (WWF) near River Mile 10.5. This permit will replace the applicants existing General Permits GP020204203 and GP030204206 and cancel the submerged lands license agreement for the general permit for the boat dock.

E02-1473. Tech 21 Partners, LP c/o C. B. Richard Ellis, 600 Grant Street, Suite 1400, Pittsburgh, PA

15219-2703. Construction of technology/residential park in Marshall Township, **Allegheny County**, Pittsburgh ACOE District (Mars, PA Quadrangle N: 5.5 inches; W: 14.3 inches) (Latitude: 40° 39' 12" and Longitude: 80° 6' 9"). The applicant proposes to remove the existing structures, to construct and maintain a 12 foot wide by 6 foot high concrete box culvert approximately 120 feet long in a tributary to Brush Creek (WWF), to place and maintain fill in eight wetlands: Wetland B: 1.09 acres, Wetland E: 0.01 acre, Wetland F: 0.01 acre, Wetland G: 0.05 acre, Wetland I: 0.03 acre, Wetland L: 0.002 acre, Wetland M: 0.001 acre and Wetland N: 0.07 acre for a total impact of 1.26 acres (PEM/PSS), to temporarily impact various tributaries to Brush Creek and 0.21 acre of wetlands for utility line crossings, to construct various outfalls to tributaries to Brush Creek, to fill or culvert approximately 975 feet of tributaries to Brush Creek which meets the Department's waiver 105.12(a)(2). To compensate for the stream impacts the applicant proposes to construct and maintain 725 feet of stream enhancements within two tributaries to Brush Creek and to construct and maintain 430 feet of stream relocation/restoration within three tributaries to Brush Creek. To compensate for the wetland impact the applicant proposes to construct and maintain 1.6 acres of replacement wetlands. The proposed impacts are part of a proposed technology park to be known as Tech 21 Research Park in the northwest corner of the Warrendale/Bayne Road and Brush Run Road intersection. The total proposed impacts are 1,095 feet of stream impacts to tributaries to Brush Creek, 1.26 acres of permanent wetland impacts and 0.21 acre of temporary wetland impacts.

E63-560. Alex-Canonsburg LP, 219D Grandview Avenue, Pittsburgh, PA 15211. To construct a new retail development in Canonsburg Borough, **Washington County**, Pittsburgh ACOE District (Canonsburg, PA Quadrangle N: 1.3 inches; W: 11.0 inches) (Latitude: 40° 15' 26" and Longitude: 80° 12' 14"). The applicant proposes to remove existing structures, to construct and maintain a retail development and its associated parking along the left bank flood way of Chartiers Creek (WWF) for approximately 250 feet and along the right bank of a tributary to Chartiers Creek (WWF) for approximately 230 feet to replace and maintain approximately 14 feet of an existing 24-inch diameter culvert with 36-inch diameter culvert in the same tributary and to construct and maintain an outfall to the same tributary. The project is part of a 13,824 square foot retail development.

E65-851 Department of Transportation, Engineering District 12-0, P. O. Box 459, Uniontown, PA 15401. Replace culvert in Upper Burrell Township, **Westmoreland County**, Pittsburgh ACOE District (New Kensington East, PA Quadrangle N: 2.85 inches; W: 9.0 inches) (Latitude: 40° 30' 57" and Longitude: 79° 41' 23"). The applicant proposes to remove the existing structures and to: (1) construct and maintain a precast reinforced concrete box culvert having a single waterway opening 16.0 feet wide and 8.0 feet high (1-foot depressed invert) and 46.1-foot long with concrete wing walls in an unnamed tributary to Pucketa Creek (TSF); (2) construct and maintain a temporary crossing consisting of five 72-inch diameter corrugated metal pipes and upstream of the proposed bridge in an unnamed tributary to Pucketa Creek; and (3) temporarily place and maintain fill in 0.0068 acre of PFO wetland for the purpose of constructing the temporary crossing. The bridge construction project proposes to directly affect 70 linear feet of perennial stream temporarily affect 0.0068 acre of wetland and 75 linear feet of stream.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E24-218, Albert Prechtel, 1300 Brussels Street, St. Marys, PA 15857. North Branch Elk Creek crossing culvert amendment in City of St. Marys, **Elk County**, ACOE Pittsburgh District (St. Marys, PA Quadrangle N: 11.9 inches; W: 7.4 inches).

To amend Permit E24-218 which authorizes Albert Prechtel to install and maintain twin 30-foot long, 60-inch diameter concrete culverts in North Branch Elk Creek on a private driveway extending east from Washington Road approximately 1 mile north of SR 1001.

The proposed amendment is to install and maintain two additional twin 30-foot long, 60-inch diameter concrete culverts in North Branch Elk Creek (CWF, perennial) for a commercial driveway extending east from Washington Road approximately 1 mile north of SR 1001. The project proposes to directly affect a total of approximately 70 linear feet of stream channel.

E25-685, Amity Township Supervisors, 15030 Casler Road, Union City, PA 16438. T-490 (Sammons Road Bridge) over UNT Hubbel Run in Amity, **Erie County**, ACOE Pittsburgh District (Union City, PA Quadrangle N: 22.1 inches; W: 7.4 inches).

The applicant proposes to remove the existing structure and to construct and maintain a 40-foot long, 10.67-foot wide by 6.9-foot high structural metal plate pipe arch

culvert in an unnamed tributary to Hubbel Run (WWF, perennial) on T-490 Sammons Road approximately 0.3 mile east of the intersection of SR 8 and SR 89. The project includes construction of wingwalls. The project proposes to directly affect a total of approximately 60 linear feet of stream channel.

ENVIRONMENTAL ASSESSMENTS

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

EA43-06-004, Whittaker Corporation, 1955 N. Surveyor Ave., Simi Valley, CA. Mercer Alloys (Whittaker) Site remediation in Pymatuning Township, **Mercer County**, ACOE Pittsburgh District (Sharpsville, PA Quadrangle N: 19.8 inches; W: 3.7 inches).

Restoration plan provided under 25 Pa. Code § 105.12(a)(16) for the remediation of the Mercer Alloys (Whittaker) Site at the Reynolds Industrial Park. Restoration includes the removal of radioactive slag and slag-like material from the floodway of the Shenango River based on onsite characterization and hand removal of chunks of radioactive slag from wetlands in the floodway of the Shenango River based on onsite characterization. The site is a waste and slag storage area regulated under United States Nuclear Regulatory Commission Source Material License No. SMA-1018 for the possession of source material and the performance of specified surveillance, maintenance and control activities in support of decontamination and decommissioning.

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permit application has been received by the Department of Environmental Protection (Department) and is currently under review. Persons wishing to comment on the proposed permit are invited to submit a statement to the Bureau of Land Recycling and Waste Management, Division of Storage Tanks, P. O. Box 8763, Harrisburg, PA 17105-8763 within 30 days from the date of this publication. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of the comment and the relevant facts upon which it based.

The following applications have been received for Storage Tank Site-Specific Installation Permits under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101—6021.1102) and 25 Pa. Code Chapter 245, Subchapter C.

SSIP

<i>Application No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
04008	Scott W. Welsh Penn-Mar Ethanol, LLC 140 Roosevelt Ave. Suite 208 York, PA 17404	Lancaster	Conoy Township	2 ASTs storing ethanol	165,000 gallons each
				1 AST storing unleaded gasoline	75,000 gallons
				2 ASTs storing fuel ethanol	750,000 gallons each
				1 AST storing sulfuric acid	7,000 gallons

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0062961 IW	Laminations, Inc. 1008 S. Irving Avenue Scranton, PA 18505	Lackawanna County Scranton	Stafford Meadow Brook 5A	Y

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0114545 IW	Troy Schoenly c/o Troy's Suds Depot P. O. Box 156 Sylvania, PA 16945	Troy Township Bradford County	South Branch Sugar Creek 4-C	Y
PA0044245 Sewage	Department of Conservation and Natural Resources Parker Dam State Park 28 Fairview Road Penfield, PA 15849	Huston Township Clearfield County	Laurel Run 8A	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0031291 Sewage	YMCA of Pittsburgh Deer Valley Camp 254 Deer Valley Drive Fort Hill, PA 15540-2116	Somerset County Elk Lick Township	Cove Run	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES Permit No. (Type)</i>	<i>Facility Name and Address</i>	<i>County and Municipality</i>	<i>Stream Name (Watershed No.)</i>	<i>EPA Waived Y/N ?</i>
PA0222747	Seagull Cove Treatment Facility Association 11986 East Lake Road P. O. Box 506 North East, PA 16428-0506	North East Township Erie County	Unnamed tributary to Lake Erie 15	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No. PA0042617, Industrial Waste, **Uniform Tubes, Inc.**, 200 West Seventh Avenue, Collegeville, PA 19426. This proposed facility is in Trappe Borough, **Montgomery County**.

Description of Proposed Action/Activity: Applicant granted approval for the renewal to discharge from the facility into an unnamed tributary to Perkiomen Creek, in Watershed 3E.

NPDES Permit No. PA0012637, Industrial Waste, **ConocoPhillips Company, Trainer Oil Refinery**, 4101 Post Road, Trainer, PA 19061. This proposed facility is in Trainer Borough, **Delaware County**.

Description of Proposed Action/Activity: Applicant is granted approval for the renewal to discharge from the facility into Marcus Hook Creek, Stony Creek and Delaware Estuary Zone 4 in Watershed 3G.

NPDES Permit No. PA0052094, Sewage, **Montgomery Sewer Company, Inc.**, P. O. Box 851, Montgomeryville, PA 18936. This proposed facility is in Montgomery Township, **Montgomery County**.

Description of Proposed Action/Activity: Applicant granted approval for the renewal to discharge from a facility known as Orchard Dev. STP into Little Neshaminy Creek in Watershed 2F.

NPDES Permit No. PA0051004, Sewage, **Lower Salford Township Authority**, P. O. Box 243, Harleysville, PA 19438. This proposed facility is in Lower Salford Township, **Montgomery County**.

Description of Proposed Action/Activity: Applicant grant approval for the renewal to discharge from a facility known as Indian Hill STP into the West Branch of Skippack Creek in Watershed 3E.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0085502, Sewage, **DeAnn Corporation, Manada Creek Mobile Home Park, RVG Management and Development Company**, 1000 North Front Street, Suite 240, Wormleysburg, PA 17043. This proposed facility is in East Hanover Township, **Dauphin County**.

Description of Proposed Action/Activity: Authorization to discharge to an unnamed tributary of Manada Creek in Watershed 7-D.

NPDES Permit No. PA0247081 Amendment No. 1, Sewage, **Hopewell Township Supervisors, Batesville Wastewater Treatment Plant**, 2759 Raystown Road, Hopewell, PA 16650. This proposed facility is in Hopewell Township, **Bedford County**.

Description of Proposed Action/Activity: Authorization to discharge to Pipers Run in Watershed 11-D.

NPDES Permit No. PA0246760, Industrial Waste, **Franklin County General Authority, Cumberland Valley Business Park Water Treatment Plant**, 5121A Coffey Avenue, Chambersburg, PA 17201. This proposed facility is in Greene Township, **Franklin County**.

Description of Proposed Action/Activity: Authorization to discharge to a dry swale to an unnamed tributary of the Conococheague Creek in Watershed 13-C.

NPDES Permit No. PA0085928, Industrial Waste, **Eldorado Properties Corporation, Highspire Petroleum Storage Terminal**, 900 Eisenhower Boulevard, P. O. Box 2621, Harrisburg, PA 17105. This proposed facility is in Lower Swatara Township, **Dauphin County**.

Description of Proposed Action/Activity: Authorization to discharge to an unnamed tributary of Laurel Run in Watershed 7-C.

NPDES Permit No. PA0082457, Industrial Waste, **Alexandria Borough Water Company**, P. O. Box 336, Alexandria, PA 16611. This proposed facility is in Porter Township, **Huntingdon County**.

Description of Proposed Action/Activity: Authorization to discharge to Robinson Run in Watershed 11-A.

NPDES Permit No. PA0084468, Amendment, Industrial Waste, **Dura-Bond Pipe, LLC**, 2716 South Front Street, Steelton, PA 17113. This proposed facility is in Steelton Borough, **Dauphin County**.

Description of Proposed Action/Activity: Permit transfer.

NPDES Permit No. PA0088285 Amendment No. 1, CAFO, **Kreider Farms, Kreider Dairy Farm**, 1461 Lancaster Road, Manheim, PA 17545. This proposed facility is in Penn Township, **Lancaster County**.

Description of Size and Scope of Proposed Operation/Activity: Authorization to operate a dairy and poultry operation in Watershed 7-G.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327 3666.

PA0034576, Sewerage SIC, 4952, **Towanda Municipal Authority**, 724 Main Street, Towanda, PA 18848. This existing facility is in Towanda Borough, **Bradford County**.

Description of Proposed Activity: This proposed action is for amendment of an NPDES permit to expand an existing discharge of treated sewage wastewater and add stormwater best management practices.

The receiving stream, Susquehanna River, is in the State Water Plan watershed 4C and classified for WWF. The nearest downstream public water supply intake for the Danville Municipal Authority is on the Susquehanna River, 133 miles below the point of discharge.

The proposed effluent limits for the expansion of Outfall 001 based on a design flow of 1.74 mgd.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40		50
TSS	30	45		60
% UV Transmittance	Report Daily Minimum			
Fecal Coliform				
(5-1 to 9-30)	200 col/100 ml as a geometric mean			
(10-1 to 4-30)	2,000 col/100 ml as a geometric mean			
pH	6.0 to 9.0 at all times			

In addition to the effluent limits, the permit contains Part C 8 that requires reporting of sanitary sewer overflows and Part C 9 Stormwater Management.

PA0228796, SIC 4952, **Matthew M. Barr**, 667 Marjorie Mae Street, State College, PA 16803. This proposed action is for a new NPDES permit for discharge of treated sewage to Halfmoon Creek in Halfmoon Township, **Centre County**.

The receiving stream is in the Little Juniata Watershed (11-A) and classified for HQ, CWF and aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the downstream potable water supply considered during the evaluation is the Pennsylvania American Water Company below the discharge on the West Branch Susquehanna River.

Outfall 001: The proposed effluent limits, based on a design flow of 0.0006 mgd, are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Suspended Solids	10	20
Free Chlorine Residual	Monitor	
Fecal Coliform		
(5-1 to 9-30)	200/100 ml as a geometric average	
(10-1 to 4-30)	200/100 ml as a geometric average	
pH	6.0—9.0 SU at all times	

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 0503404 Amendment 04-1, Sewerage, **Hopewell Township Supervisors**, 2759 Raystown Road, Hopewell, PA 16650. This proposed facility is in Hopewell Township, **Bedford County**.

Description of Proposed Action/Activity: Approval for the construction/operation of sewage treatment facilities, sewers and appurtenances and pump stations.

WQM Permit No. 2104406, Sewerage, **Hampden Township Sewer Authority**, 230 South Sporting Hill Road, Mechanicsburg, PA 17055. This proposed facility is in Hampden Township, **Cumberland County**.

Description of Proposed Action/Activity: Approval for the construction/operation of sewerage facilities consisting of an upgrade of pump station no. 8 by installing three new pumps and a new channel grinder.

WQM Permit No. 2104402, Sewerage, **Silver Spring Township Authority**, 6415 Rear Carlisle Pike, Mechanicsburg, PA 17050. This proposed facility is in Silver Spring Township, **Cumberland County**.

Description of Proposed Action/Activity: Approval of construction/operation of a pump station and force main serving the new Golden Triangle Industrial Park and the existing Leiby Mobile Home Park.

WQM Permit No. 3804201, Industrial Waste, **CHP Acquisition, LLC**, 220 North Center Street, Fredericksburg, PA 17026. This proposed facility is in Bethel Township, **Lebanon County**.

Description of Proposed Action/Activity: Approval of the construction of operation facilities consisting of equalization tank, two forward flow pumps, coarse bubble diffusers and three blowers.

WQM Permit No. 2804201, Industrial Waste, **Franklin County General Authority**, 5121-A Coffey Avenue, Chambersburg, PA 17201. This proposed facility is in Greene Township, **Franklin County**.

Description of Proposed Action/Activity: Approval of the construction/operation of industrial wastewater facilities consisting of a circular gravity setting tank/clarifier will be added to process the backwash from the rapid sand filters and the solids from the primary settling and flocculation tanks.

WQM Permit No. 3104201, Industrial Waste, **Alexandria Borough Water Authority**, P. O. Box 336, Alexandria, PA 16611. This proposed facility is in Porter Township, **Huntingdon County**.

Description of Proposed Action/Activity: Approval for the construction and operation of industrial wastewater facilities.

WQM Permit No. 3602401, Industrial Waste, **Frey Brothers, Inc.**, 372 Puseyville Road, Quarryville, PA 17566. This proposed facility is in East Drumore and Little Britain Township, **Lancaster County**.

Description of Proposed Action/Activity: Construction/operation of a 324,255 cf (2.4 mg) impoundment with a double liner and leak detection system to collect stormwater runoff from hardwood mulch piles.

WQM Permit No. 0104201, CAFO, **Mason Dixon Farms, Inc.**, 1750 Mason Dixon, Gettysburg, PA 17325. This proposed facility is in Freed and Cumberland Townships, **Adams County**.

Description of Proposed Action/Activity: Construction/operation of manure storage facilities for a 4,207 AEU CAFO at the location identified in Part B. The facilities approved for construction and operation under this permit are as follows: construction of circular concrete manure storage tank to be used to transfer manure from a free stall barn to the manure digester.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. 1204401, Sewerage 4952, **Mid-Cameron Authority**, 421 North Broad Street, Emporium, PA 15834. This existing facility is in Shippen Township, **Cameron County**.

Description of Proposed Action/Activity: Mid-Cameron Authority is approved for treatment upgrades and an increase in design flow of their wastewater treatment plant in Shippen Township, Cameron County. The treatment upgrades will provide for the existing needs as identified in the Act 537 Plan and will also reduce the number of combined sewer overflow events.

WQM Permit No. 1703404, Sewerage 4952, **Westover Borough**, P. O. Box 199, Westover, PA 16692-0199. This proposed facility is in Westover Borough, **Clearfield County**.

Description of Proposed Action/Activity: Applicant granted Part II permit for the construction of 0.051 mgd wastewater treatment plant, approximately 21,000 feet of gravity sewer, 550 feet of force main, two grinder pumps and one wastewater pumping station.

WQM Permit No. 1404402, Sewerage 4952, **Matthew M. Barr**, 667 Marjorie May Street, State College, PA 16803. This proposed facility is in Halfmoon Township, **Centre County**.

Description of Proposed Action/Activity: Construction of small flow sewage treatment system.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 0490403-A3, Sewage, **Center Township Sewer Authority**, 224 Center Grange Road, Aliquippa, PA 15001. This proposed facility is in Center Township, **Beaver County**.

Description of Proposed Action/Activity: Installation of approximately 4,700 feet of 15-inch interceptor sewer and appurtenances.

WQM Permit No. 1104403, Sewerage, **Cambria Township Sewer Authority**. This proposed facility is in Cambria Township, **Cambria County**.

Description of Proposed Action/Activity: Construction and modification of the Colver Wastewater Treatment Plant and sewer improvements.

WQM Permit No. 1185402-A4, Sewerage, **Municipal Authority of the Borough of Ebensburg**, 300 West High Street, Ebensburg, PA 15931. This proposed facility is in Cambria Township, **Cambria County**.

Description of Proposed Action/Activity: Construction and modification of the Ebensburg Borough wastewater treatment plant and sewer improvements.

WQM Permit No. 6598406-A1, Sewage, **John Edward Schmidt**, R. R. 2, Box 164A, Route 66, Pfeffer Road, Export, PA 15632-9412. This proposed facility is in Washington Township, **Westmoreland County**.

Description of Proposed Action/Activity: Construction of a 3,000-gallon equalization tank at the head of the existing sewage treatment plant.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 3704405, Sewerage, **North Beaver Township Municipal Authority**, 861 Mt. Jackson Road, New Castle, PA 16102. This proposed facility is in North Beaver Township, **Lawrence County**.

Description of Proposed Action/Activity: This project is for the construction of a sewer extension to serve the William Gwin five-lot subdivision.

IV. NPDES Stormwater Discharges from MS4 Permit Actions**V. NPDES Waiver Stormwater Discharges from MS4 Actions****VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions**

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011504003	Custom Woodworking Levis Stoltzfus Furniture Retail Store 3400 Horseshoe Pike Honey Brook, PA 19344-8647	Chester	Honeybrook Township	West Branch Brandywine Creek HQ-TSF-MF
PAI011504016	Calvary Baptist Church of Pottstown Development 2096 Schuylkill Road Pottstown, PA 19465	Chester	East Coventry Township	Unnamed tributary Schuylkill River HQ-TSF

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI025204004	Nemanie Village, Inc. P. O. Box 77 Hawley, PA 18428	Pike	Palmyra Township	Wallenpaupack Creek HQ-CWF
PAI025403001	Ringtown Valley Sunrise Enterprises 401 West Preston Ave. Girardville, PA 17935	Schuylkill	Ringtown Borough Union Township	Little Catawissa Creek HQ-CWF Dark Run HQ-CWF
PAI026603001	Department of Transportation Engineering District 4-0 P. O. Box 111 Scranton, PA 18501	Wyoming	Monroe Township	Bowman Creek HQ-CWF

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS101718-1	Dennis Raybuck President International Custom Products Inc. Oklahoma-Salem Road DuBois, PA 15801	Clearfield	Sandy Township	Reisinger Run CWF

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Beaver County Conservation District: 1000 Third Street, Suite 202, Beaver, PA 15009-2026, (724) 774-7090.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI050404002 (previously published as application PAI050403001)	NVR Building Products Darlington Plant 189 Little Beaver Rd. Enon Valley, PA 16120	Beaver	Darlington Township	North Fork of Little Beaver Creek HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Single Residence Sewage Treatment Plants
PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application

PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

General Permit Type—PAG-2

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Doylestown Township Bucks County	PAR10D445-R	Doylestown Commerce Center, LP c/o Penn's Grant Corporation 2005 South Easton Road Doylestown, PA 18901	Unnamed tributary Neshaminy Creek TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
New Britain Township Bucks County	PAG20009031442	Central Bucks School District Simon Butler Elementary School 320 West Swamp Road Doylestown, PA 18901	Unnamed tributary West Branch Neshaminy Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Makefield Township Bucks County	PAG2000904045	S. Marc Flannery Lot 12—Eagle Farms 40 Woodhill Road Newtown, PA 18940	Jericho Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Warrington Township Bucks County	PAG2000903149	Katz Builders and Developers Lamplighter Village II 1800 Street Road Warrington, PA 18976	Little Neshaminy Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
East Rockhill Township Bucks County	PAG2000904008	Walter and Helen Buck Buck Subdivision 8043 Richlandtown Road Quakertown, PA 18951	Tohickon Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
East Rockhill Township Bucks County	PAG2000904027	DRP Partners, LLC Cliff's Auto Body 1074 Natallie Lane Coopersburg, PA 18036	Tohickon Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Bristol Borough Bucks County	PAG2000904065	Ralph Diguissepe Walnut Hill Development 518 Lafayette Street Bristol, PA 19007	Delaware River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Nockamixon Township Bucks County	PAG2000903085	Edward and Deborah Litzenberger Litzenberger Minor Subdivision P. O. Box 357 8919 Easton Road Ottsville, PA 18942	Gallows Run— Delaware River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900

NOTICES

3955

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Richland and Springfield Townships Bucks County	PAG2000904042	Columbia Gas Transmission Corp. Gas Replacement 1278 Line 1700 MacCorkle Avenue SE Charleston, WV 25314	Unnamed tributary Tohickon Creek/Delaware River TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Makefield Township Bucks County	PAG2000904022	Heritage Conservancy Rapuano Tract 85 Old Dublin Pike Doylestown, PA 18901	Delaware River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Wrightstown Township Bucks County	PAG2000904104	Donald Schaffer Tract 77 Richboro Road Newtown, PA 18940	Unnamed tributary Neshaminy Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Warrington Township Bucks County	PAG2000903153	Pickertown Hickory Associates Windsong 1243 Easton Road Warrington, PA 18976	Unnamed tributary Neshaminy Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
London Grove Township Chester County	PAG2001504022	Ronald and Elizabeth Ford Ford Autobody 703 West State Road West Grove, PA 19390-9401	Middle Branch White Clay Creek TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Pennsbury Township Chester County	PAG2001504011	Conner Cumins McFadden Road Subdivision 5208 West Chester Pike Newtown Square, PA 19073	Ring Run WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Darby Township Delaware County	PAG2002303054	Vincent Pennoni One Drexel Plaza 3001 Market Street Philadelphia, PA 190104	Darby Creek WF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Bethel Township Delaware County	PAG2002303064	Arters, Grease and Brown, Inc. 29 Wellfleet Drive Media, PA 19063	West Branch Naamans Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Chichester Township Delaware County	PAG2002303076	Michael Golde 401 Cherry Tree Road Aston, PA 19061	Tributary to Naamans Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Lower Providence Township Montgomery County	PAG2004603238	Edwin Saslow Subdivision 1030 Broadmoor Road Bryn Mawr, PA 19010	Eagleville Run TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Providence Township Montgomery County	PAG2004604080	Heritage Building Group Nace Tract 3326 Old York Road Suite A-100 Furlong, PA 18929	Crossmans Run WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Montgomery Township Montgomery County	PAG2004603249	The Cutler Group, Inc. Heather Lea Phase II 5 Sentry Parkway West Suite 100 Blue Bell, PA 19422	Little Neshaminy Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Lower Gwynedd Township Montgomery County	PAG2004604003	McNeillab, Inc. Ortho McNeil Springhouse Welsh and McKean Road Spring House, PA 19477	Oak Terrace WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Towamencin Township Montgomery County	PAG2004604083	Union National Bank t/a Univest 14 North Main Street P. O. Box 197 Souderton, PA 18964	Skippack Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Lansdale Borough Montgomery County	PAG2004604011	Elm Terrace Gardens 660 North Broad Street Lansdale, PA 19446	El Terrace Gardens TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Franconia Township Montgomery County	PAG2004603187	Macoby Run, LP Club View at Indian Valley 404 Sumneystown Pike Suite 200 North Wales, PA 19454	Unnamed tributary Indian Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Perkiomen Township Montgomery County	PAG2004604049	Mask Trust, Inc. 11 West Skippack Pike Broad-Axe, PA 19002	Landis Run TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Hanover Township Montgomery County	PAG2004604081	Ike Heckler Brooke Run—Phases 6 and 7 2278 East Bucks Road Pennsburg, PA 18073	Unnamed tributary Macoby Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Hanover Township Montgomery county	PAG2004603182	Heritage Building Group, Inc. Kistler Tract 3326 Old York Road Suite A-100 Furlong, PA 18925	Macoby Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Cheltenham Township Montgomery County	PAG2004604043	East Cedarbrook Plaza, LLC 370 Seventh Avenue Suite 1700 New York, PA 10001	Unnamed tributary Frankford Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Mt. Bethel Township Northampton County	PAG2004804009	Paul Tomasello 101 Sandy Shore Dr. Mt. Bethel, PA 18343	Delaware River (UNT) WWF, MF	Northampton County Conservation District (610) 746-1971
Upper Nazareth Township Northampton County	PAG2004804011	Dr. Victor Lesky Nazareth Area School District One Education Plaza Nazareth, PA 18064	Shoeneck Creek WWF	Northampton County Conservation District (610) 746-1971
Allen Township Northampton County	PAG2004804013	Mike Horwith Horwith Leasing Co. 1449 Nor-Bath Blvd. Northampton, PA 18067	Dry Run and Hokendauqua Creek CWF	Northampton County Conservation District (610) 746-1971

NOTICES

3957

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Centre County Ferguson Township	PAR10F139	Foxpoint Subdivision Carl Bankert S & A Custom Built Homes 501 Rolling Ridge Drive, Suite 200 State College, PA 16801	UNT Big Hollow CWF	Centre County Conservation District 414 Holmes Ave. Suite 4 Bellefonte, PA 16823 (814) 355-6817
Centre County Spring Township	PAG2001404008	Spring Benner Walker Joint Authority 170 Irish Hollow Road Bellefonte, PA 16823	UNT Spring Creek CWF	Centre County Conservation District 414 Holmes Ave. Suite 4 Bellefonte, PA 16823 (814) 355-6817
Snyder County Monroe Township	PAG2005504005	Northumberland National Bank Loni Lane Selinsgrove, PA 17870	UNT Susquehanna River WWF	Snyder County Conservation District 403 West Market St. Middleburg, PA 17842 (570) 837-0007, Ext. 112
Union County Buffalo Township	PAG2006004008	Wenger Market Mark Wenger 962 Orchard Rd. Milmont, PA 17845	Buffalo Creek CWF	Union County Conservation District 88 Bull Run Crossing Suite 5 Lewisburg, PA 17837 (570) 523-8782
Union County Kelly Township	PAG2006004009	James Horning 208 Warren Road Lewisburg, PA 17837	UNT Buffalo Creek CWF	Centre County Conservation District 414 Holmes Ave. Suite 4 Bellefonte, PA 16823 (814) 355-6817
Armstrong County South Bend Township	PAG2000304004	T. W. Phillips Gas & Oil Co. 205 North Main Street Butler, PA 16001	Tributary to Big Run (tributary to Blacklegs Creek) CWF	Armstrong County Conservation District (724) 548-3425
Beaver County Hopewell Township	PAR100260-R	Bet-Tech International, Inc. c/o Richard W. Dorothy 1150 Brodhead Road Monaca, PA 15061	Ohio River WWF	Beaver County Conservation District (724) 774-7090
Beaver County Brighton Township	PAG2000404009	Anthony Cocca Cocca Development, Ltd. 100 Debartolo Place Suite 400 Boardman, OH 44512	Six Mile Run WWF	Beaver County Conservation District (724) 774-7090
Cambria County Richland Township	PAG2001104010	University of Pittsburgh 3400 Forbes Avenue Pittsburgh, PA 15260	Unnamed tributary to Little Paint Creek CWF	Cambria County Conservation District (814) 472-2120
Fayette County Dunbar Township	PAG2002604019	Fayette County Airport Authority 874 Airport Road Lemont Furnace, PA 15456	Unnamed tributary to Gist Run TSF	Fayette County Conservation District (724) 438-4497
Indiana County Green Township	PAG2003204002	Ronald Homer Cherry Tree Borough Municipal Authority Box 156 Cherry Tree, PA 15724	West Branch Susquehanna River Peg Run Cush Cushion Creek Unnamed tributaries WWF, CWF, HQ-CWF	Indiana County Conservation District (724) 463-8547

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Westmoreland County Hempfield Township	PAG2006503060	Hempfield School District R. R. 6, Box 76 Greensburg, PA 15601	Little Sewickley Creek TSF	Westmoreland County Conservation District (724) 837-5271
Elk County Horton Township	PAG2002404004	Toby Creek Watershed Association, Inc. P. O. Box 247 Brockway, PA 15824	Brandy Camp Creek CWF	Elk County Conservation District (814) 776-5373
Forest County Hickory and Tionesta Townships	PAG2062703001	Forest Area School District 210 Vine Street Tionesta, PA 16353	Allegheny River WWF	NWRO (814) 332-6942
Lawrence County Mahoning Township	PAG2003703007	Thomas Dickson Subdivision 1229 Mohawk School Road Edinburg, PA 16116	UNT to Mahoning River WWF	Lawrence County Conservation District (724) 652-4512

General Permit Type—PAG-3

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
City of Philadelphia Philadelphia County	PAR800126	Onyx Waste Services 310 Washington St. Norristown, PA 19404	Stony Creek/Schuylkill River 3F Watershed	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5970
Hazle Township Luzerne County	PAR232241	Continental PET Technologies Inc. 12 Maplewood Drive Hazleton, PA 18202	Unnamed tributary to Catawissa Creek	NERO Water Management Program 2 Public Square Wilkes-Barre, PA 18711-0790 (570) 826-2511
Kingston Borough Luzerne County	PAR802240	United States Postal Service Kingston Post Office 435 Wyoming Avenue Kingston, PA 18704-3698	Susquehanna River WWF	NERO Water Management Program 2 Public Square Wilkes-Barre, PA 18711-0790 (570) 826-2511
Palmer Township Northampton County	PAR802237	United States Postal Service Easton Post Office—Palmer Branch 650 S. Greenwood Ave. Easton, PA 18045-9998	Lehigh River WWF	NERO Water Management Program 2 Public Square Wilkes-Barre, PA 18711-0790 (570) 826-2511
Scranton City Lackawanna County	PAR802221	United States Postal Service Vehicle Maintenance Facility 2800 Stafford Avenue Scranton, PA 18505-9603	Stafford Meadow Brook WWF	NERO Water Management Program 2 Public Square Wilkes-Barre, PA 18711-0790 (570) 826-2511
Allentown City Lehigh County	PAR802238	United States Postal Service Allentown Post Office—Airport Branch 1000 Postal Road Allentown, PA 18109-8900	Lehigh River WWF	NERO Water Management Program 2 Public Square Wilkes-Barre, PA 18711-0790 (570) 826-2511

NOTICES

3959

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Bethlehem City Northampton County	PAR802239	United States Postal Service Bethlehem Post Office 535 Wood Street Bethlehem, PA 18016-9998	Lehigh River WWF	NERO Water Management Program 2 Public Square Wilkes-Barre, PA 18711-0790 (570) 826-2511
Berks County Reading City	PAR153504	Rohm & Haas Powder Coatings P. O. Box 15209 Reading, PA 19612-5209	Tulpehocken Creek WWF	SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Wilmington Township Bradford County	PAR604813	Vernon Ambrosius Ambrosius Auto Parts R. D. 1, Box 145 New Albany, PA 18833	UNT North Fork Mehoopany Creek CWF	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Monroe Township Snyder County	PAR704805	Sunbury Generation LLC Old Trail General Delivery Shamokin Dam, PA 17876	Rolling Green Run WWF	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666

General Permit Type—PAG-4

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Lancaster County Caernarvon Township	PAG043611	Jacob L. Smucker 6397 Division Highway Narvon, PA 17555	7J	SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
York County Heidelberg Township	PAG043719	Donald E. Weaver, Jr. 221 Pleasant Street Hanover, PA 17331	UNT Oil Creek WWF	SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Concord Township Erie County	PAG048965	Stanley J. Butcher Gingerbread House 21089 Lindsey Hollow Road Corry, PA 16407-7507	Unnamed tributary to Winton Run Watershed 16-B	NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-7

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
East Hanover Township Dauphin County	PAG07003 PAG07005	Synagro Mid-Atlantic, Inc. 1605 Dooley Rd. P. O. Box B Whiteford, MD 21160	Haldeman Farm	SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707

General Permit Type—PAG-8

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
East Hanover Township Dauphin County	PAG080002 PAG080003 PAG080006 PAG080008 PAG082201 PAG082203 PAG083501 PAG083502 PAG083506 PAG083515 PAG083517 PAG083518 PAG083522 PAG083535 PAG083540 PAG083542 PAG083547 PAG083551 PAG083825	Synagro Mid-Atlantic, Inc. 1605 Dooley Rd. P. O. Box B Whiteford, MD 21160	Haldeman Farm	SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
Route 144, 0.25 mile north of Bellefonte Spring Township Centre County	PAG084814 Renewal	Borough of Bellefonte 236 West Lamb Street Bellefonte, PA 16823	Bellefonte WWTP	NCRO (570) 327-3655

General Permit Type—PAG-8 (SSN)

<i>Facility Location and Municipality</i>	<i>Applicant Name and Address</i>	<i>Contact Office and Telephone No.</i>
Kuckuck Farm Biosolids Site Conemaugh Township Indiana County	City of Johnstown WWTP 241 Asphalt Road Johnstown, PA 15906	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

General Permit Type—PAG-9 (SSN)

<i>Facility Location and Municipality</i>	<i>Permit No.</i>	<i>Applicant Name and Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office and Telephone No.</i>
Intersection of Elkhorn Road and Farmington Hill Road Farmington Township Tioga County	PAG094808	B & L Portable Toilet Rental, Inc. R. R. 1, Box 112 Tioga, PA 16946	Larry Gee Farm 1	NCRO (570) 327-3655

General Permit Type—PAG-13

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name and Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAG130161	Tullytown Borough 500 Main St. Tullytown, PA 19007	Bucks	Tullytown	Delaware River—South
PAG130163	South Coatesville Borough 136 Modena Rd. Coatesville, PA 19320	Chester	South Coatesville	3H Watershed

PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the

Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available

in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act.

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 1504503, Minor Amendment. Public Water Supply.

Applicant	Pennsylvania American Water Company 800 W. Hersheypark Drive Hershey, PA 17033
Township	Valley
County	Chester
Type of Facility	PWS
Consulting Engineer	Scott M. Thomas Pennsylvania American Water Company 800 W. Hersheypark Drive Hershey, PA 17033
Permit to Construct Issued	July 8, 2004

Permit No. 1504502, Minor Amendment. Public Water Supply.

Applicant	MISA Corporation 1007 Appleville Road West Chester, PA 19380
Township	East Brandywine
County	Chester
Type of Facility	PWS
Consulting Engineer	Evans Mill Environmental, Inc. 101 Fellowship Road Uwchland, PA 19408
Permit to Operate Issued	July 12, 2004

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Operations Permit issued to **Aqua Pennsylvania, Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010, PWS ID 2400067, Exeter Township, **Luzerne County** on June 14, 2004, for the operation of facilities approved under Construction Permit N/A.

Operations Permit issued to **Aqua Pennsylvania, Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010, PWS ID 2400053, Exeter Township, **Luzerne County** on June 14, 2004, for the operation of facilities approved under Construction Permit N/A.

Operations Permit issued to **Aqua Pennsylvania, Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010, PWS ID 2400085, Exeter Township, **Luzerne County** on June 16, 2004, for the operation of facilities approved under Construction Permit No. 167W002 by the Department of Health.

Operations Permit issued to **Bowmanstown Borough Authority**, P. O. Box 127, Bowmanstown, PA 18030, PWS ID 3130021, Bowmanstown Borough, **Carbon County** on June 23, 2004, for the operation of facilities approved under Construction Permit No. 1301501.

Operations Permit issued to **Municipal Authority of the Borough of Minersville**, 2 East Sunbury Street, Minersville, PA 17954, PWS ID 3540035, Cass Township, **Schuylkill County** on June 24, 2004, for the operation of facilities approved under Construction Permit N/A.

Operations Permit issued to **Nathan's Hamlet c/o J. Jeffrey Maitland**, Box 303, HCR 1, Sciota, PA 18354, PWS ID 3130052, Franklin Township, **Carbon County** on June 24, 2004, for the operation of facilities approved under Construction Permit No. 1398501

Operations Permit issued to **Auburn Municipal Authority**, P. O. Box 296, Auburn, PA 17922, PWS ID 3540015, Borough of Auburn, **Schuylkill County** on June 29, 2004, for the operation of facilities approved under Construction Permit Minor Amendment of July 14, 2003.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. Minor Amendment, Public Water Supply.

Applicant	Hidden Valley Mobile Home Park
Township or Borough	Woodward Township
County	Lycoming
Responsible Official	Vernon S. Pettengill Hidden Valley Mobile Home Park Box 133 Linden, PA 17744
Type of Facility	Public Water Supply—Construction.
Consulting Engineer	Richard W. Marcinkevage, P. E. 431 South Jones Street Lock Haven, PA 17745
Application Issued Date	July 2, 2004
Description of Action	Authorizing construction of well no. 1.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 3204503, Public Water Supply.

Applicant	Crystal Waters, Inc. 4639 Route 199 North Home, PA 15747
Borough or Township	Rayne Township
County	Indiana

Type of Facility Personal Care Home
 Consulting Engineer Musser Engineering, Inc.
 7785 Lincoln Highway
 Central City, PA 15926
 Permit to Construct July 8, 2004
 Issued

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 3303501, Public Water Supply
 Applicant **Reynoldsville Water Authority**
 Borough or Township Reynoldsville Borough
 County **Jefferson**
 Type of Facility PWS
 Consulting Engineer Mark A. Zemaitis, P. E.
 Partridge Venture Engineering
 PC
 Permit to Construct July 6, 2004
 Issued

Permit No. 4389503-MA1, Minor Amendment.
 Applicant **Leesburg Comm Water Assn.**
 Borough or Township Springfield Township
 County **Mercer**
 Type of Facility PWS
 Consulting Engineer Kevin L. Szakelyhidi, P. E.
 Bankson Engineers, Inc.
 Permit to Construct July 7, 2004
 Issued

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20a)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Herrick Township	R. R. 1, Box 41 Thompson, PA 18465	Susquehanna

Plan Description: The approved plan provides for the upgrade of the existing wastewater pumping station and an increase in the capacity of the existing wastewater treatment plant from 28,000 gpd to 60,000 gpd. Installation of the following units are planned: an aerated equalization tank, two sequencing batch reactor units, blowers and an ultraviolet light disinfection unit. The treated effluent will be discharged into the East Branch of the Tunkhannock Creek, a tributary of the Tunkhannock Creek and the Susquehanna River. The approved plan also includes making any needed improvements to the sewage collection and conveyance system. The Department's review of the plan has not identified any significant environmental impacts resulting from this proposal. Any required NPDES permits or WQM permits must be obtained in the name of the municipality or authority as appropriate.

HAZARDOUS SITES CLEANUP UNDER THE ACT OF OCTOBER 18, 1988

Prompt Interim Response

Keystone Ordnance Works Site, Greenwood Township, Crawford County

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA) (35 P. S. §§ 6020.101—6020.1305), has conducted an investigation and has determined that further response action is appropriate for the Keystone Ordnance Works Site (Site). The Site is in the former Keystone Ordnance Works military munitions manufacturing facility near the Town of Geneva, Greenwood Township, Crawford County. Since the closure of the facility in 1946, much of the facility has been redeveloped for industrial usage by various entities. The Site includes a wastewater treatment plant where media from the trickling filter accumulated mercury from a trickling filter distribution arm seal. A significant release of elemental mercury has occurred within the trickling filter. In addition to the observable release, it is likely that mercury has been lost from the trickling filter distribution arm during the operation of the facility through attrition. It is equally likely that mercury was released into downstream components of the wastewater treatment plant and beyond the treatment plant outfall into the tributary to the Conneaut Marsh, an assumption supported by mercury observed in a sediment sample collected from an unnamed tributary.

For this prompt interim response, the Department considered two alternatives for the Site: (1) no action with ongoing monitoring; and (2) collection/excavation of mercury contaminated trickling filter materials and wastewater sludge, offsite disposal or recycling of those materials and restoration of the treatment plant trickling filter unit.

Each alternative was evaluated with respect to four comparison criteria of: (1) effectiveness; (2) implementability; (3) ability to meet State and Federal requirements; and (4) cost. Furthermore, this comparative analysis evaluated the relative performance of each alternative in relation to each specific comparison criterion. The comparative analysis identified advantages and disadvantages of each alternative, so that tradeoffs between the alternatives could be determined.

Based on the comparative analysis the Department chose to implement Alternative 2 (collection/excavation of mercury contaminated trickling filter materials and wastewater sludge before offsite disposal or recycling and restoration of the treatment plant trickling filter unit) as the prompt interim response for the Site. This alternative was proposed because it would, in the more cost-effective manner, protect the public and environmental receptors from direct contact with Site-related mercury and eliminate the ongoing release and threat of release of mercury into the environment.

This notice is being provided under section 506(b) of the HSCA (35 P. S. § 6020.506(b)). The administrative record, which contains the information that forms the basis and documents the selection of this response, is available for public review and comment. The administrative record is at the Department's Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335 and is available for review Monday through Friday from 8 a.m. to 4 p.m. To make an appointment, call (814) 332-6648.

The administrative record will be open for comment from July 24, 2004, until October 22, 2004. Persons may submit written comments into the record, during this time only, by sending them to Gary Mechtly, Project Manager, Northwest Regional Office or by delivering them to the office in person.

In addition, persons may present oral comments, for inclusion in the administrative record at a public hearing. Persons wishing to present comments must register with Gary Mechtly before September 22, 2004. Persons interested in finding out if anyone has registered should contact Gary Mechtly. If no one registers to present oral comments before September 22, 2004, the public meeting will not be held.

Persons with a disability who wish to attend the hearing and require auxiliary aid, service or other accommodations to participate in the proceedings, should call Gary Mechtly at (814) 332-6648 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at

the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Montgomery Commons Shopping Center, Montgomery Township, **Montgomery County**. Jeffrey Goudswaard, Penn E & R, Inc., 2755 Bergey Road, Hatfield, PA 19440 on behalf of Donald Cafiero, Montgomery Commons Associates, LP c/o Pennmark, 1000 E. Germantown Pike, Suite A-2, Plymouth Meeting, PA 19462 has submitted a Remedial Investigation/Final Report concerning remediation of site soil contaminated with dry cleaning fluid. The report is intended to document remediation of the site to meet the Site Specific Standard.

Tioga Pipe Supply Co., City of Philadelphia, **Philadelphia County**. Darryl Borrelli, Manko, Gold, Katcher & Fox, LLP, 401 City Avenue, Suite 500, Bala Cynwyd, PA 19004 on behalf of David Keiser, Geaux Investment, Inc./Keiser General Partnership, 2450 Wheatshaf Ln., Philadelphia, PA 19137 has submitted a Remedial Investigation/Risk Assessment/Cleanup Plan Report concerning remediation of site soil and groundwater contaminated with no. 2 fuel oil. The report is intended to document remediation of the site to meet the Site Specific Standard.

Northeast Regional Field Office, Joseph A. Brogna, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Estate of Pauline Kime (12 Oteyakwa Lake Drive), Franklin Township, **Susquehanna County**. Kevin Van Kuren, P. G., Hydrocon Services, Inc., 16 East Minor Street, Emmaus, PA 18049 has submitted a Final Report (on behalf of Attorney Myron DeWitt, 249 Main Street, Susquehanna, PA 18847) concerning the remediation of soils and/or groundwater found or suspected to have been contaminated with no. 2 fuel oil constituents as the result of an underground storage tank release. The report was submitted to demonstrate attainment of the residential Statewide Health Standard. A Notice of Intent to Remediate was also submitted.

Godshalk Residence (2460 North Delaware Drive), Upper Mount Bethel Township, **Northampton County**. Kevin Keat, Senior Environmental Scientist, MEA, Inc., 1365 Ackermanville Road, Bangor, PA 18013 has submitted a Final Report (on behalf of Valerie Godshalk, P. O. Box 102, Swiftwater, PA 18370) concerning the remediation of soils and/or groundwater found or suspected to have been contaminated with no. 2 fuel oil constituents as the result of an accidental aboveground storage tank release. The report was submitted to demonstrate attainment of the Residential Statewide Health Standard. A Notice of Intent to Remediate was also submitted.

Former Antigas Service Station, City of Bethlehem, **Lehigh County**. Matthew Malhame, MEA, Inc., 1365 Ackermanville Road, Bangor, PA 18013 has submitted a Final Report (on behalf of Wawa, Inc., 207 West Baltimore Pike, Wawa, PA 19063) concerning the remediation of soils found or suspected to have been contaminated with heating oil, waste oil, hydraulic oil and possibly gasoline constituents. The report was submitted to demonstrate attainment of the Statewide Health Standard. A Notice of Intent to Remediate was also submitted.

Geyer Residence (Page Lake), New Milford Township, **Susquehanna County**. Marjory Rinaldo-Lee, P. G., GeoLogic NY, Inc., P. O. Box 5080, Cortland, NY 13045 has submitted a Final Report (on behalf of Leonora Geyer, Hill Road, Salisbury Mills, NY 12577) concerning the remediation of soils and/or groundwater found or suspected to have been contaminated with no. 2 fuel oil constituents as the result of an accidental aboveground storage tank release. The report was submitted to demonstrate attainment of the Residential Statewide Health Standard. A Notice of Intent to Remediate was also submitted.

Jaggard Residence, Borough of Stroudsburg, **Monroe County**. Rebecca Gross, MEA Inc., 1365 Ackermanville Road, Bangor, PA 18013 has submitted a Final Report (on behalf of Doreen Jaggard, Village Drive, Stroudsburg, PA 18360) concerning the remediation of site soils found to be contaminated with no. 2 fuel oil constituents as the result of an overflow of an aboveground storage tank. The report was submitted to demonstrate attainment of the Residential Statewide Health Standard. A Notice of Intent to Remediate was simultaneously submitted.

Bald Mountain Transect, Newton Township, **Lackawanna County**. Hazem Hijazi, P. E., Vice President, EMS Environmental, Inc., 4550 Bath Pike, Bethlehem, PA 18017 has submitted a Final Report (on behalf of Buckeye Pipeline Company, LP, 5002 Buckeye Road, Emmaus, PA 18049) concerning the remediation of soils impacted by petroleum hydrocarbons as the result of a release of hydrostatic test water. The report was submitted to demonstrate attainment of the Statewide Health Standard.

Former Penn Fuel Gas Manufactured Gas Plant—Pottsville Site, City of Pottsville, **Schuylkill County**. RETEC Group, Inc., 3040 William Pitt Way, Pittsburgh, PA 15238 has submitted a Final Report (on behalf of PPL Gas Utilities, Two North Ninth Street, Allentown, PA 18101) concerning the remedy design of the subject site for residual contaminants in soil, groundwater and adjacent surface water found or suspected to have been contaminated with metals, polycyclic aromatic hydrocarbons, phenolics, cyanides and BTEX compounds related to historic manufactured gas plant operations. The report was submitted in partial fulfillment of a combination of both the Statewide Health and the Site-Specific Standards.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Lancaster Laboratories, Inc., Upper Leacock Township, **Lancaster County**. ARM Group, Inc., P. O. Box 797, Hershey, PA 17033-0797, on behalf of Lancaster Laboratories, Inc., 2425 New Holland Pike, P. O. Box 12425, Lancaster, PA 17605-2425, submitted a Final Report concerning remediation of site soils and groundwater contaminated with VOCs, SVOCs, PCBs, pesticides and metals. The report is intended to document remediation of the site to the Statewide Health Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Scientific Systems, Inc.—Carolean Drive Property, College Township, **Centre County**. Blazosky Associates, Inc. on behalf of Scientific Systems, Inc., 349 North Science Park Road, State College, PA 16803, has submitted a Final Report concerning soil and groundwater contaminated with chlorinated solvents. This Final Report is intended to demonstrate attainment of the Site-Specific Standard.

Americana, Inc.—Truck Spill, South Centre Township, **Columbia County**. Marshall Miller & Associates, Inc., on behalf of American, Inc., P. O. Box 71, Wolcott, IN 47994, has submitted a Final Report concerning soil contaminated with diesel fuel. This Final Report is intended to demonstrate attainment of the Statewide Health Standard.

Pennsylvania American Water—White Deer Treatment Facility, White Deer Township, **Union County**. Molesevich Environmental Services, P. O. Box 654, Lewisburg, PA 17837, has submitted a Final Report concerning soil contaminated with diesel fuel. This Final Report is intended to demonstrate attainment of the Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program man-

ager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Barnes Residence, Lower Makefield Township, **Bucks County**. Staci Nelson-Cottone, American Resource Consultants, Inc., P. O. Box 579, Quakertown, PA 18951 on behalf of Elaine Barnes, 41 North Homestead Road, Lower Makefield, PA 19067 has submitted a Final Report concerning the remediation of site soil contaminated with fuel oil. The Final Report demonstrated attainment of the Statewide Health Standards was approved by the Department on July 2, 2004.

Phoenixville High School Site, Phoenixville Borough, **Chester County**. Richard D. Trimpi, Trimpi Associates, Inc. 1635 Old Plains Rd., Pennsburg, PA 18073 on behalf of Phoenixville Area School District, David Noyes has submitted a Final Report concerning the remediation of site soil contaminated with no. 2 fuel oil. The Final Report demonstrated attainment of the Statewide Health Standards and was approved by the Department on July 1, 2004.

Northeast Region: Joseph A. Brogna, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Jaggard Residence, Borough of Stroudsburg, **Monroe County**. David Everitt, Senior Environmental Scientist, President, MEA Inc., 1365 Ackermanville Road, Bangor, PA 18103 submitted a Final Report (on behalf of Doreen Jaggard, Village Drive, Stroudsburg, PA 18603) concerning the remediation of soils found or suspected to have been contaminated with fuel oil no 2. The report demonstrated attainment of the Residential Statewide Health Soil Standard and was approved on July 8, 2004.

Bald Mountain Transect, Newton Township, **Lackawanna County**. Hazem Hijazi, P. E., Vice President, EMS Environmental, Inc., 4550 Bath Pike, Bethlehem, PA 18017 submitted a Final Report (on behalf of Buckeye Pipeline Company, LP, 5002 Buckeye Road, Emmaus, PA 18049) concerning the remediation of soils impacted by petroleum hydrocarbons as the result of a release of hydrostatic test water. The report demonstrated attainment of the Statewide Health Standard and was approved on June 30, 2004.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Wire-Coe-Dowdy Property, Manheim Township, **Lancaster County**. Skelly & Loy, Inc., 2601 North Front Street, Harrisburg, PA 17110, on behalf of Elizabeth Wire, Marcia Coe and Robert Dowdy, Jr., 246 West Ridge Road, Dillsburg, PA 17019, submitted a Final Report concerning remediation of site soils and groundwater contaminated with fuel oil no. 2. The final report demonstrated attainment of a combination of the Statewide Health and Background Standards and was approved by the Department on July 12, 2004.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Wise Foods, Inc.—Berwick, Berwick Borough, **Columbia County**. Gannett Fleming, Inc. on behalf of Wise Foods, Inc., 228 Raseley Street, Berwick, PA 18603, has submitted a Final Report concerning groundwater contaminated with 1,1,1-Trichloroethane, 1,1-Dichloroethane and 1,1-Dichloroethene. This Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on July 8, 2004.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Diesel Fuel Spill I-90, Summit Township, **Erie County**. Ed Layton, Blazosky Associates, One David Rd., Suite 200, P. O. Box 987, Valley Forge, PA 19482 on behalf of Steven Owen, Robert Owen Trucking, P. O. Box 28, Navarre, OH 44662 has submitted a Final Report concerning the remediation of site soil contaminated with diesel fuel. The Final Report was approved by the Department on July 7, 2004.

American Refinery Group, North Kendall Ave., City of Bradford, Foster Township, **McKean County**. James Kay, Conestoga-Rovers Associates, 2055 Niagara Falls Blvd., Niagara Falls, NY 14304 on behalf of Harry Halloran, American Refinery Group, 100 Four Falls, Suite 215, West Conshohocken, PA 19428 has submitted a Remedial Investigation Report and a Risk Assessment Report concerning the remediation of site soil and groundwater contaminated with volatile hydrocarbons and polycyclic aromatic hydrocarbons. The report is intended to document remediation of the site to meet the Site-Specific Standards.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Hazardous Waste Transporter License Issued

Univar USA, Inc., 6100 Carillon Point, Kirkland, WA 98033. License No. PA-AH-0711. Effective June 16, 2004.

Hazardous Waste Transporter License Renewed

AllState Power Vac, Inc., 928 E. Hazelwood Avenue, Rahway, NJ 07065. License No. PA-AH0339. Effective June 23, 2004.

Aqua-Tex Transport, Inc., 219 N. White Horse Pike, P. O. Box 1204, Hammonton, NJ 08037. License No. PA-AHS179. Effective July 2, 2004.

ChemClene Corp., 258 N. Phoenixville Pike, Malvern, PA 19355-1126. License No. PA-AH0150. Effective July 7, 2004.

Enpro Services, Inc., 12 Mulliken Way, Newburyport, MA 01950. License No. PA-AH0696. Effective June 24, 2004.

Hydrochem Industrial Services, Inc., 900 Georgia Avenue, Deer Park, TX 77536. License No. PA-AH0694. Effective June 18, 2004.

Industrial Marine Service, Incorporated, P. O. Box 1779, Norfolk, VA 23501. License No. PA-AH0593. Effective June 3, 2004.

Page E. T. C. Inc., P. O. Box 1290, Weedsport, NY 13166. License No. PA-AH0338. Effective June 29, 2004.

S & M Management Inc., P. O. Box 1429, Milford, PA 18337-1429. License No. PA-AH0412. Effective July 2, 2004.

Suttles Truck Leasing, Inc., P. O. Box 129, Demopolis, AL 36723. License No. PA-AH0332. Effective June 18, 2004.

West Central Environmental Corp., P. O. Box 83, Rensselaer, NY 12144-0083. License No. PA-AH0422. Effective June 21, 2004.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

Actions on applications for Infectious and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the act of July 13, 1988 (P. L. 525, No. 93) (35 P. S. §§ 6019.1—6019.6) and regulations to transport infectious and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Infectious and Chemotherapeutic Waste Transporter License Issued

Environmental Waste Minimization, Inc., 14 Brick Kiln Court, Northampton, PA 18067. License No. PA-HC0219. Effective July 1, 2004.

MARCOR Remediation, Inc., 540 Trestle Place, Downingtown, PA 19355. License No. PA-HC0218. Effective June 17, 2004.

Infectious and Chemotherapeutic Waste Transporter License Voluntarily Terminated

American Waste Industries, Inc., 508 E. Indian River Road, Norfolk, VA 23523. License No. PA-CH0210. Effective June 14, 2004.

HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

Draft permits issued, revised or withdrawn under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a hazardous waste treatment, storage or disposal facility.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

This notice reflects changes from the notice published at 34 Pa.B. 3759 (July 17, 2004). The company name was incorrect. The correct version of the company name is as follows, with ellipses referring to the existing text of the notice.

Permit No. PAD002330165. East Penn Manufacturing Company, Deka Road, Lyon Station, PA 19536, Richmond Township, Berks County.

* * * * *

MUNICIPAL WASTE GENERAL PERMITS

Permits Issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and municipal waste regulations for a general permit to operate municipal waste processing facilities and the beneficial use of municipal waste.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGM024. Riverside Materials, Inc., 2870 East Allegheny Avenue, Philadelphia, PA 19134. General Permit No. WMGM024 is for the processing and beneficial use of highway construction and demolition waste (that is, concrete and asphalt) as: (1) an aggregate, a subgrade or a sub-base for roadway construction; (2) a cold and hot-mix asphalt material for roadway and shoulder applications; and (3) being blended with other virgin aggregate as a sub-base for roadway construction. The general permit was issued by the Central Office on July 9, 2004.

Persons interested in reviewing the general permit should contact Ronald C. Hassinger, Chief, General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Land Recycling and Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users should contact the Department through the Pennsylvania Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit ID No. 101619. Joseph J. Brunner Inc., 278 Brunner Road, Zelienople, PA 16063. Operation of a municipal waste processing facility in Harmony Township, **Beaver County**. Permit modification approving a radioactive materials monitoring and protection plan issued in the Regional Office on July 9, 2004.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

GP5-17-24: Petroleum Development Corp. (103 East Main Street, Bridgeport, WV 26330) on June 18, 2004, to authorize the construction and operation of a 145 horsepower natural gas-fired reciprocating internal combustion compressor engine, equipped with a catalytic converter and a 150,000 Btu per hour glycol dehydrator under the General Plan Approval and General Operating Permit for Natural Gas Production Facilities (BAQ-GPA/GP-5) at the Tate/Hepburnia Extension site in Penn Township, **Clearfield County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Devendra Verma, New Source Review Chief, (814) 332-6940.

62-168: Great Lakes Energy Partners—Trisket Station (Carrier Hanna Road, Grand Valley, PA 16420) on

July 2, 2004, to operate a natural gas production facility in Columbus Township, **Warren County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

46-0029: Glasgow Inc. (Route 309 and Hartman Rd., Montgomeryville, PA 18936) on July 13, 2004, to operate a hot mix asphalt plant in Montgomery Township, **Montgomery County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

54-322-004: Pine Grove Landfill, Inc. (P. O. Box 307, Pine Grove, PA 17963) on June 29, 2004, to install and operate one 5,000 scfm capacity enclosed flare for the combustion of landfill gas at their facility in Pine Grove Township, **Schuylkill County**. This action does not represent any additional waste being introduced into the landfill, or an expansion of the landfill, merely the installation of a control device.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05069D: East Penn Manufacturing Co., Inc. (P. O. Box 147, Lyon Station, PA 19536-0147) on July 8, 2004, to install fabric collectors and HEPA filters to control two lead oxide storage silos (industrial plant), modification of their no. 2 industrial plant pasting line controlled by a fabric collector; construction of a COS machine and modification of six Dynamac machines all controlled by a fabric collector and HEPA filter and the relocation of a concasting machine and lead pot controlled by a fabric collector in Richmond Township, **Berks County**.

28-05030A: Industrial Power Generating Corp. (2250 Dabney Road, Richmond, VA 23230) on July 9, 2004, to expand their existing electric generating facility from 12 to 16 megawatts with the addition of two engine groups of six engines each in Peters Township, **Franklin County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

41-318-047A: Reynolds Iron Works, Inc. (157 Palmer Industrial Road, Williamsport, PA 17701) on June 1, 2004, to modify a surface coating operation by increasing the allowable VOC emission rate from 6.0 tons in any 12 consecutive month period to 14.87 tons in any 12 consecutive month period in the City of Williamsport, **Lycoming County**.

49-00054A: Meckley's Limestone Products, Inc. (R. R. 1, Box 1682, Herndon, PA 17830) on June 8, 2004, to install an air cleaning device (fabric collector) on a dust storage bin (dust bunker) in Lower Mahanoy Township, **Northumberland County**.

41-310-012A: Glenn O. Hawbaker, Inc. (711 East College Avenue, Bellefonte, PA 16823) on June 15, 2004, to install an air cleaning device (a water spray dust

suppression system) on a sandstone processing facility in Armstrong Township, **Lycoming County**.

59-00005E: Dominion Transmission, Inc. (625 Liberty Avenue, Pittsburgh, PA 15222) on June 15, 2004, to install an air cleaning device (a high pressure fuel injection system) on a 2,000 horsepower natural gas-fired reciprocating internal combustion compressor engine (Engine 6) at their Sabinsville Compressor Station in Clymer Township, **Clinton County**.

17-305-050: Penfield Collieries, LLC (301 Market Street, Kittanning, PA 16201) on June 29, 2004, to reactivate their coal preparation plant in Huston Township, **Clearfield County**.

55-318-010: Schreck's Painting (P. O. Box 6, Mount Pleasant Mills, PA 17853) on June 29, 2004, to construct a modular/mobile home parts surface coating operation in Perry Township, **Snyder County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

09-0063A: New Hope Crushed Stone (P. O. Box 248, New Hope, PA 18938) on July 8, 2004, to operate a stone crushing plant in Solebury Township, **Bucks County**.

09-0155: Milton Roy Co. (201 Ivyland Road, Ivyland, PA 18974) on July 7, 2004, to operate two paint booths in Ivyland Borough, **Bucks County**.

23-0014C: Kimberly-Clark PA LLC (Front Street and Avenue of the States, Chester, PA 19103) on July 7, 2004, to operate a wet scrubber dust control system in City of Chester, **Delaware County**.

46-0069B: Highway Materials, Inc. (1750 Walton Road, Blue Bell, PA 19422) on July 8, 2004, to operate a dryer burner in Whitemarsh Township, **Montgomery County**.

23-0098: SAP America, Inc. (3999 West Chester Pike, Newtown Square, PA 19073) on July 9, 2004, amended four electric generators and three boilers in Newtown Township, **Delaware County**.

46-0222: Bostik Findley, Inc. (1500 Parker Road, Conyers, GA 30094) on July 9, 2004, amended an adhesive and sealant manufacturing process in Upper Moreland Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

21-05031B: Waste Systems International, Inc. (620 Neville Road, Newburg, PA 17240) on May 24, 2004, to install a portable stone processing plant controlled by wet suppression at the Sandy Run, Mostoller and Cumberland County landfills in **Bedford, Somerset and Cumberland Counties**. This plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

41-399-026: Penn Recycling, Inc. (2525 Trenton Avenue, Williamsport, PA 17701) on July 7, 2004, to operate an automobile/metal shredding system and associated air cleaning devices (a foam injection system and a cyclone

collector) on a temporary basis, until November 4, 2004, in the City of Williamsport, **Lycoming County**. The plan approval has been extended.

60-303-003: Eastern Industries, Inc. (220 Park Road, Winfield, PA 17889) on July 7, 2004, to operate a drum mix asphalt plant and associated air cleaning device (a fabric collector) on a temporary basis, until November 4, 2004, in Buffalo Township, **Union County**. The plan approval has been extended.

41-00010B: Andritz, Inc. (35 Sherman Street, Muncy, PA 17756) on July 7, 2004, to operate a thermal foundry sand reclamation system and associated air cleaning devices (two fabric collectors) on a temporary basis until November 4, 2004, in Muncy Borough and Muncy Creek Township, **Lycoming County**. The plan approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

04-00013B: Jewel Acquisition, LLC (100 River Road, Brackenridge, PA 15014-1597) on July 12, 2004, to install two pickling tanks and DRAP Boiler at their Midland Facility in Midland Borough, **Beaver County**. This plan approval was extended.

Title V Operating Permits Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

15-00005: West Chester University (University Avenue, West Chester, PA 19383) on July 7, 2004, renewal of a facility Title V operating permit in West Chester Borough, **Chester County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

65-00634: Dominion Transmission Inc.—Token Compressor Station (625 Liberty Avenue, Pittsburgh, PA 15222) on July 1, 2004, to renew a TV facility in Murrysville Borough, **Westmoreland County**. The facility's major source of emissions include two internal combustion engines and a space heating boiler which primarily emit NOx. There are also small quantities of fugitive VOX emissions from facility pumps, valves, flanges, and the like.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

46-00167: Montgomery County Geriatric and Rehabilitation Center (1600 Black Rock Road, Upper Providence, PA 19468) on July 7, 2004, to operate a synthetic minor operating permit in Upper Providence Township, **Montgomery County**.

23-00064: Lawn Croft Cemetery (P. O. Box 1287, Linwood, PA 19061) on July 12, 2004, to operate a natural

minor operating permit in Lower Chichester Township, **Delaware County**.

09-00057: Ametek, Inc.—U. S. Gauge Division (900 Clymer Avenue, Sellersville, PA 18960) on July 12, 2004, to operate a synthetic minor operating permit in Sellersville Borough, **Bucks County**.

46-00101: United States Can Co. (431 Privet Road, Horsham, PA 19044) on July 12, 2004, to operate a synthetic minor operating permit in Horsham Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

31-05013: New Enterprise Stone and Lime Co. (P. O. Box 77, New Enterprise, PA 16664) on July 7, 2004, to operate an asphaltic concrete batch plant (controlled by a cyclone in series with a fabric collector) at their Tyrone Blacktop Plant in Warriors Mark Township, **Huntingdon County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

24-00025: Alpha Sintered Metals, Inc. (95 Mason Run Road, Ridgway, PA 15853) on July 8, 2004, for a Natural Minor Operating Permit for a powdered metal mixing process and associated powder metal sintering processes in Ridgway Township, **Elk County**.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

36-03135: Shared Mail Acquisitions, LLC (72 Industrial Circle, Lancaster, PA 17601-5928) on July 8, 2004, to operate presses at their printing facility in Upper Leacock Township, **Lancaster County**. The State-only operating permit was administratively amended to incorporate Plan Approval 36-03135B into the facility's Natural Minor operating permit. This is Revision No. 1 of the operating permit.

67-05005: PPL Generation, LLC (Two North Ninth Street, Allentown, PA 18101-1179) on July 9, 2004, issued the Phase II Acid Rain Permit to operate their Brunner Island generation plant in East Manchester Township, **York County**.

67-05052: New York Wire Co. (441 East Market Street, P. O. Box 1749, York, PA 17405) on July 2, 2004, for operations to include the weaving and coating of steel, aluminum and bronze screen products which primarily emit VOCs. The Title V operating permit was amended due to a typographical error. Condition No. 004 of Section D was erroneously inserted in the operating permit. This is Revision No. 2 of the operating permit.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

04-00695: Norfolk Southern Railway Co. (425 Holiday Drive, Pittsburgh, PA 15220) on July 7, 2004, for an

administrative amendment to incorporate conditions from Plan Approval 04-00695A into the State-only operating permit for the Conway Classification Yard in Conway Borough, **Beaver County**.

63-00624: Golden Eagle Construction Co. (P. O. Box 945, Uniontown, PA 15401) on July 8, 2004, for their Eighty Four Asphalt Plant in North Strabane Township, **Washington County**. The operating permit will be modified to include the following changes:

Section C: Site Level

1. Section C, Site Level Requirements, Restrictions: Updated 123.1 language.
2. Section C, Site Level Requirements, Restrictions: Updated 123.2 language.
3. Section C, Site Level Requirements, Restrictions: Relocated 25 Pa. Code § 123.41 to Source Level Requirements, Source ID No. 101.
4. Section C, Site Level Requirements, Restrictions: Relocated 25 Pa. Code § 123.42 to Source Level Requirements Source ID No. 101.
5. Section C, Site Level Requirements, Restrictions: Relocated the asphalt production restriction of 400,000 tpy to Site Level.
6. Section C, Site Level Requirements, Restrictions: Relocated 25 Pa. Code § 123.43 to Source Level Requirements, Source ID No. 101.
7. Section C, Site Level Requirements, Restrictions: New condition for waste derived liquid fuel contaminant constituents, maximum acceptable levels and analytical techniques: waste derived liquid fuel usage shall not exceed the following limitations and shall be analyzed by the following techniques (25 Pa. Code § 127.12b):

<i>Constituent</i>	<i>Maximum Acceptable Levels (PPM)</i>	<i>Analytical Technique**</i>
Arsenic	5	Atomic Absorption
Cadmium	2	Atomic Absorption
Chromium	10	Atomic Absorption
Lead	100	Atomic Absorption
Total Halides	1,000	ASTM D-808-81
PCB	10	H ₂ S ₀₄ Extraction/GC with Electron Capture

**An alternate analytical technique may be used with prior, written Department approval.

8. Section C, Site Level Requirements, Restrictions: New condition for authorized fuel usage at the facility has been relocated from Source Level, Source ID 101, Requirements. "Natural gas, propane, No. 2, No. 4, No. 5, No. 6 fuel oil and/or (on spec) waste derived liquid fuel may be used at this facility."
9. Section C, Site Level Requirements Restrictions: New Condition for the applicable requirement of 25 Pa. Code § 129.14.
10. Section C, Site Level Requirements, Restrictions: This fuel content restriction has been relocated from the Source Level, Source ID 101, Requirements. "The sulfur content of any fuel used to fire the burner shall not exceed 0.5% by weight."

11. Section C, Site Level Requirements, Testing Requirements: Addition of 40 CFR Part 60.8 Testing Requirements.

12. Section C, Site Level Requirements, Monitoring Requirements: New condition combining the weekly monitoring requirements for malodors, visible emissions and fugitive emissions.

13. Section C, Site Level Requirements, Recordkeeping Requirements: New recordkeeping condition for fuel analysis and usage, asphalt production and associated emissions.

The owner/operator shall keep and maintain onsite for 5 years, records of the following:

- a. Monthly records of gallons and type of liquid fuel used.
- b. Daily, monthly and 12-month rolling total of asphalt production from both plants.
- c. The 12-month rolling total of fuel usage and associated emissions.
- d. Fuel Analysis records

14. Section C, Site Level Requirements, Recordkeeping Requirements: New recordkeeping condition for emission surveys.

15. Section C, Site Level Requirements, Reporting: Updated Address for the EPA.

16. Section C, Site Level Requirements, Reporting: Updated Malfunction reporting requirement.

17. Section C, Site Level Requirements, Work Practice Standard: Updated language for 25 Pa. Code § 123.1.

18. Section C, Site Level Requirements, Work Practice Standard: New Condition for source operation.

Section D: Source Level

19. Section D, Source Level Requirements, Source ID No. 101, Restrictions: The hourly emission restrictions of 16 tpy, 37.5 tpy and 9.5 tons per year have been transmuted to annual emission restrictions of 13 tons of NOx per consecutive 12-month period, 60 tons of CO per consecutive 12-month period and 8 tons VOC per consecutive 12-month period.

20. Section D, Source Level Requirements, Source ID No. 101, Restrictions: Asphalt production restrictions have been relocated to Site Level.

21. Section D, Source Level Requirements, Source ID No. 101, Recordkeeping: A maintenance log for the burner shall be kept and maintained onsite for 5 years.

22. Section D, Source Level Requirements, Source ID No. 101, Recordkeeping: The asphalt production records and method of compliance has been relocated to Site Level Monitoring and Recordkeeping Requirements.

63-00624: Golden Eagle Construction Co. (P. O. Box 945, Uniontown, PA 15401) on July 8, 2004, for their Eighty Four Asphalt Plant in North Strabane Township, **Washington County**. The operating permit will be amended to identify the new permit contact person.

11-00356: Dominion Peoples (625 Liberty Avenue, Pittsburgh, PA 15222) on July 8, 2004, for the Rager Mountain/Laurel Ridge Compressor Station in Jackson Township, **Cambria County**. The facility's major source of emissions include five internal combustion engines, three pipeline heaters, three glycol dehydrators, miscellaneous combustion and process equipment and a methanol storage tank which primarily emit NOx and VOCs.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permit Actions

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

54940201R2. White Pine Coal Co., Inc. (P. O. Box 119, Ashland, PA 17921), renewal of an existing coal refuse reprocessing operation in West Mahanoy Township, **Schuylkill County**, affecting 56.3 acres. Receiving streams: None. Application received April 28, 2004. Renewal issued July 7, 2004.

19980101R. Kovalchick Coal Company (10 Archery Club Road, New Ringgold, PA 17960), renewal of an existing anthracite surface mine operation in Conyngham Township, **Columbia County**, affecting 215.0 acres. Receiving streams: None. Application received April 27, 2004. Renewal issued July 7, 2004.

49871304R2 and NPDES Permit No. PA0595306. West Cameron Mining (R. R. 2, Box 630, Shamokin, PA 17872), renewal of an existing anthracite underground mine operation in West Cameron Township, **Northumberland County**, affecting 6.0 acres. Receiving streams: unnamed tributary to Mahanoy Creek. Application received October 29, 1997. Renewal issued July 7, 2004.

49871304R3 and NPDES Permit No. PA0595306. West Cameron Mining (R. R. 2, Box 630, Shamokin, PA 17872), renewal of an existing anthracite underground mine operation in West Cameron Township, **Northumberland County**, affecting 6.0 acres. Receiving streams: unnamed tributary to Mahanoy Creek. Application received May 8, 2003. Renewal issued July 7, 2004.

California District Mining Office: 25 Technology Drive, California Technology Park, Coal Center, PA 15423, (724) 769-1100.

30831303. RAG Cumberland Resources, LP (148 Portal Road, P. O. Box 1020, Waynesburg, PA 15370), to revise the permit for the Cumberland Mine in Whiteley Township, **Greene County**, ACOE Pittsburgh District (Oak Forest, PA Quadrangle N: 15.2 inches; W: 1.3 inches to N: 15.4 inches; W: 1.8 inches; and N: 16.2 inches; W: 4.0 inches to N: 16.1 inches; W: 4.2 inches and N: 15.7 inches; W: 12.0 inches to N: 15.9 inches; W: 1.9 inches and N: 16.4 inches; W: 4.1 inches to N: 16.6 inches; W: 4.1 inches and N: 16.1 inches; W: 3.4 inches to N: 16.1 inches; W: 3.6 inches). This is a Chapter 105 Water Obstruction and Encroachment permit

application (Stream Module 15) and 401 Water Quality Certification request, if applicable, submitted as part of the mining permit revision application to authorize the Dryers Fork Stream Restoration Project over Longwall Panels 45—47. Permit issued July 7, 2004.

The permit applicant has met the wetland replacement requirement by participating in the Pennsylvania Wetland Replacement Project. The Water Obstruction and Encroachment permit application is available for review at the California District Mining Office, by appointment.

56910701 and NPDES Permit No. PA0213560. PBS Coals, Inc. (P. O. Box 260, Friedens, PA 15541), to renew the permit for the Job 10 CRDA in Brothersvalley and Somerset Townships, **Somerset County** and related NPDES permit. Receiving streams: tributary to Kimberly Run (CWF). No additional discharges. Permit issued July 7, 2004.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.

03793072 and NPDES Permit No. PA061237. Keystone Coal Mining Corporation (P. O. Box 219, 400 Overview Drive, Shelocta, PA 15774), permit renewal issued for continued reclamation and discharge treatment only at a bituminous surface mine in Kiskiminetas Township, **Armstrong County**, and Young Township, **Indiana County**, affecting 302 acres. Receiving streams: Big Run and unnamed tributary to Long Run. Renewal application received March 2, 2004. Renewal permit issued July 2, 2004.

Noncoal Permit Actions

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

13032801. Douglas D. Eckhart (3560 Hahn's Dairy Road, Palmerton, PA 18071), commencement, operation and restoration of a quarry operation in Lower Towamensing Township, **Carbon County**, affecting 5.0 acres. Receiving streams: None. Application received May 6, 2003. Permit issued July 8, 2004.

58040812. Frank A. Newhart, Jr. (R. R. 1, Box 109B, Wyalusing, PA 18853), commencement, operation and restoration of a quarry operation in Middletown Township, **Susquehanna County**, affecting 5.0 acres. Receiving streams: None. Application received March 1, 2004. Permit issued July 8, 2004.

58040817. Stanley Bennett (R. R. 4, Box 121C, Montrose, PA 18801), commencement, operation and restoration of a quarry operation in Rush Township, **Susquehanna County**, affecting 3.0 acres. Receiving streams: None. Application received March 19, 2004. Permit issued July 8, 2004.

58040819. Panzitta Stone Co., Inc. (215 North Main Street, Wilkes-Barre, PA 18702), commencement, operation and restoration of a quarry operation in Oakland Township, **Susquehanna County**, affecting 5.0 acres. Receiving streams: None. Application received March 24, 2004. Permit issued July 8, 2004.

66040803. Ernest C. Lynn (225 SR 1002, Tunkhannock, PA 18657), commencement, operation and restoration of a quarry operation in Tunkhannock Township, **Wyoming County**, affecting 1.0 acre. Receiving streams: None. Application received April 9, 2004. Permit issued July 8, 2004.

58040831. Paul A. Kelly (25 Public Avenue, Montrose, PA 18801), commencement, operation and restoration of a

quarry operation in Bridgewater Township, **Susquehanna County**, affecting 5.0 acres. Receiving streams: None. Application received May 12, 2004. Permit issued July 8, 2004.

66040805. Charles A. Kern (1029 Lower Demunds Road, Dallas, PA 18612), commencement, operation and restoration of a quarry operation in Tunkhannock Township, **Wyoming County**, affecting 5.0 acres. Receiving streams: None. Application received May 27, 2004. Permit issued July 8, 2004.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

Permit No. 05920301 and NPDES Permit No. PA0212261. New Enterprise Stone & Lime Company, Inc. (P. O. Box 77, New Enterprise, PA 16664), renewal of NPDES permit in Snake Spring Township, **Bedford County**. Receiving streams: Cove Creek and Raystown Branch of the Juniata River (EV and TSF). There are no potable water supply intakes within 10 miles downstream. Application received May 3, 2004. Permit issued July 2, 2004.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (73 P.S. §§ 151–161) and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2454, (570) 621-3118.

45044028. Hayduk Enterprises (P. O. Box 554, Dalton, PA 18414), construction blasting at Jonah's Estates in Polk and Penn Forest Townships, **Monroe and Carbon Counties**, with an expiration date of June 12, 2005. Permit issued July 2, 2004.

48044025. Allan A. Myers, L. P. (P. O. Box 98, Worcester, PA 19490), construction blasting at Fox Run Housing Development in Palmer Township, **Northampton County**, with an expiration date of July 22, 2005. Permit issued July 2, 2004.

39044009. AMROC (7531 Chestnut Street, Zionsville, PA 18092), construction blasting at Queen City Airport in the City of Allentown, **Lehigh County**, with an expiration date of July 22, 2005. Permit issued July 2, 2004.

48044028. Allan A. Myers, L. P. (P. O. Box 98, Worcester, PA 19490), construction blasting at Mill Race Housing Development in Palmer Township, **Northampton County**, with an expiration date of August 2, 2005. Permit issued July 2, 2004.

54044004. J. Roy's, Inc. (Box 125, Bowmansville, PA 17505), construction blasting at Fountain Springs County Club in Butler Township, **Schuylkill County**, with an expiration date of June 30, 2005. Permit issued July 2, 2004.

35044009. Holbert Explosives, Inc. (237 Masthope Plant Road, Lackawaxen, PA 18435), construction blasting at Leggett Creek Development in the City of Scranton, **Lackawanna County**, with an expiration date of August 1, 2005. Permit issued July 2, 2004.

21044050. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting at

Marckcrete, Inc. in Silver Spring Township, **Cumberland County**, with an expiration date of July 31, 2005. Permit issued July 2, 2004.

38044011. Keystone Blasting Services (381 Reifsnnyder Road, Lititz, PA 17543), construction blasting for Cornwall Hill Development in Cornwall Borough, **Lebanon County**, with an expiration date of July 28, 2005. Permit issued July 6, 2004.

45044029. Holbert Explosives, Inc. (237 Masthope Plank Road, Suite A, Lackawaxen, PA 18435), construction blasting at Great Wolf Lodge in Pocono Township, **Monroe County**, with an expiration date of August 1, 2005. Permit issued July 7, 2004.

44044002. Ameron Construction Company, Inc. (2501 North Atherton Street, State College, PA 16803) and **Douglas Explosives, Inc.** (P. O. Box 77, Philipsburg, PA 16866), construction blasting at Edge Wood Estates Phase 3 in Brown Township, **Mifflin County**, with an expiration date of December 31, 2004. Permit issued July 7, 2004.

15044027. Horst Drilling & Blasting, Inc. (141 Ranck's Church Road, New Holland, PA 17557), construction blasting at Links at Knob Hill in Honey Brook Township, **Chester County**, with an expiration date of July 30, 2005. Permit issued July 7, 2004.

21044052. John W. Gleim, Jr., Inc. (625 Hamilton Street, Carlisle, PA 17013), construction blasting at Giant Food Fuel Tank in Mechanicsburg Borough, **Cumberland County**, with an expiration date of September 30, 2004. Permit issued July 7, 2004.

21044051. John W. Gleim, Jr., Inc. (625 Hamilton Street, Carlisle, PA 17013), construction blasting at Bent Creek in Silver Spring Township, **Cumberland County**, with an expiration date of November 30, 2004. Permit issued July 7, 2004.

36044065. Keystone Blasting Service (381 Reifsnnyder Road, Lititz, PA 17543), construction blasting at Weaverland Mennonite Church and Mose Sensenig Project in East Earl Township, **Lancaster County**, with an expiration date of August 30, 2004. Permit issued July 8, 2004.

28044026. David H. Martin, Inc. (4961 Cumberland Highway, Chambersburg, PA 17201), construction blasting at Valley Townhouses (Franklin Housing Authority) in Waynesboro Borough, **Franklin County**, with an expiration date of July 31, 2005. Permit issued July 8, 2004.

15044028. Explo-Craft, Inc. (P. O. Box 1332, West Chester, PA 19380), construction blasting at Electronics Boutique in Sadsbury Township, **Chester County**, with an expiration date of July 30, 2005. Permit issued July 8, 2004.

21044053. Brubacher Excavating, Inc. (P. O. Box 528, 825 Reading Road, Bowmansville, PA 17507), construction blasting at Lot 3 at 3605R Hartzdale Drive in Lower Allen Township, **Cumberland County**, with an expiration date of July 31, 2005. Permit issued July 8, 2004.

15044029. Brubacher Excavating, Inc. (P. O. Box 528, 825 Reading Road, Bowmansville, PA 17507), construction blasting at Meadowbrook in Valley Township, **Chester County**, with an expiration date of August 8, 2005. Permit issued July 8, 2004.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

07044005. T. L. Long Excavating Contractor, Inc. (R. D. 1, P. O. Box 667, Martinsburg, PA 16662), construction blasting—Homewood stormwater system, Martinsburg Borough, **Blair County**. Duration of blasting: July 6, 2004, through September 30, 2004. Permit issued July 2, 2004.

07044004. Grannas Brothers Stone & Asphalt Company (P. O. Box 488, Hollidaysburg, PA 16648-9802), construction blasting—Logan Town Centre Mall, Logan Township, **Blair County**. Duration of blasting: July 1, 2004, through December 31, 2004. Permit issued July 2, 2004.

32044003. Precision Blasting, Inc. (2415 Caroline Road, Flatwoods, KY 41139), industrial blasting—Homer City Generation L. P. safety deslag of boiler, Center Township, **Indiana County**. Duration of blasting: July 1, 2004, through June 30, 1995. Permit issued July 2, 2004.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.

65044003. Brentzel Contracting, Inc. (217 Fifth Street, Irwin, PA 15642). Blasting activity permit for construction of sewer line in Hempfield Township, **Westmoreland County**. Expected duration of blasting is 14 days. Permit issued July 6, 2004.

65044004. Atlas Services, Inc. (1600 Rt. 136, Washington, PA 15301), blasting activity permit for construction at Arnold Palmer Airport in Unity Township, **Westmoreland County**. Expected duration of blasting is 180 days. Permit issued July 6, 2004.

65044006. Great Lakes Geophysical, Inc. (P. O. Box 127, Williamsburg, MI 49690), blasting activity permit for construction of sewer/gas line in South Huntingdon Township, **Westmoreland County**. Expected duration of blasting is 10 days. Permit issued July 6, 2004.

26044006. Great Lakes Geophysical, Inc. (P. O. Box 127, Williamsburg, MI 49690), blasting activity permit for construction of sewer/gas line in Springfield, Dunbar and Connellsville Townships, **Westmoreland County**. Expected duration of blasting is 10 days. Permit issued July 6, 2004.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once.

Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E40-630. The Ice Lakes Limited, 220 Pine Ridge Road, Tunkhannock, PA 18657. Rice Township, **Luzerne County**, Army Corps of Engineers Baltimore District.

To construct and maintain road crossings, access paths, boat launch ramps, docks and utility line crossings as

follows for the purpose of constructing building lots, roads, utilities and lake access facilities for the Ice Lakes Subdivision:

(1) A road crossing (A) of a tributary to Little Wapwalopen Creek (CWF) and 0.08 acre of adjacent wetlands, consisting of a stream enclosure utilizing 118 linear feet of 14.0-foot by 5.6-foot open-bottomed corrugated metal arch culvert, including approximately 45 linear feet of R-7 riprap channel protection downstream of the culvert.

(2) A road crossing (B) of a tributary to Little Wapwalopen Creek and 0.08 acre of adjacent wetlands, consisting of 80 linear feet of 13.0-foot by 5.1-foot open-bottomed corrugated metal arch culvert.

(3) A road crossing (C) of a tributary to Little Wapwalopen Creek and 0.003 acre of adjacent wetlands, consisting of 50 linear feet of 30-inch SLCPP culvert with its invert depressed 1.0 foot below streambed elevation, including 30 linear feet of R-5 riprap channel protection extending upstream and downstream of the culvert.

(4) A road crossing (D) of a tributary to Little Wapwalopen Creek and 0.01 acre of adjacent EV, PFO wetlands, consisting of 38 linear feet of 30-inch SLCPP culvert with its invert depressed 1.0 foot below streambed elevation, including 30 linear feet of R-5 riprap channel protection extending upstream and downstream of the culvert;

(5) Placement of fill in 0.37 acre of EV, PFO wetlands for construction of 9-foot wide stone access paths for each of 31 lakefront parcels and 2 3-foot wide stone paths within greenway areas.

(6) Two 15-foot wide stone boat launch ramps (one at the upper lake and one at the lower lake), each extending approximately 20 feet lakeward from the shoreline, impacting 0.01 acre of EV, PFO wetlands.

(7) Two pile-supported docks having maximum areas of 750 square feet each and maximum lengths of 50 feet (one at the upper lake and one at the lower lake).

(8) Two 6-inch PVC dry hydrant intake structures, one in the upper lake and one in the lower lake, each extending approximately 25 feet lakeward from the shoreline.

(9) A directional-drilled sanitary sewer line crossing of approximately 50 linear feet of the upper lake.

(10) A sanitary sewer line crossing of a tributary to Little Wapwalopen Creek at the outlet of the lower lake.

(11) Placement of fill in a 0.01-acre isolated PFO wetland along the proposed Ice Harvest Drive.

The project will impact a total of 0.56 acre of wetlands. The permittee is required to provide 0.56 acre of replacement wetlands. The project is along the south side of Nuangola Road (SR 2042), approximately 1 mile east of SR 0081 (Wilkes-Barre West, PA Quadrangle N: 2.3 inches; W: 8.5 inches) (Subbasin 5B).

E52-194. John E. and Cheryl L. Crozier, P. O. Box 546, Birdsboro, PA 19508. Delaware Township, **Pike County**, Army Corps of Engineers Philadelphia District.

To construct and maintain a single-span bridge, having a span of approximately 35 feet and an underclearance of approximately 3.5 feet, across Adams Creek (EV), for the purpose of providing access to a private residence. The project is on the east side of Spencer Road (T-335), approximately 1.3 miles northwest of the intersection of

T-335 and SR 2001 (Milford Road) (Edgemere, PA Quadrangle N: 4.2 inches; W: 4.0 inches) (Subbasin 1D).

E66-132. Department of Transportation, Engineering District 4-0, P. O. Box 111, Scranton, PA 18501. Monroe Township, **Wyoming County**, Army Corps of Engineers Baltimore District.

To remove the existing structure and to construct and maintain a single span prestressed concrete adjacent box beam bridge having a clear span of approximately 115 feet on a 45 degree skew and an average underclearance of approximately 12.8 feet across Bowman Creek (HQ-CWF). The project also includes the construction of a temporary bridge having a single clear span of approximately 100 feet and an underclearance of approximately 8.5 feet, 40 feet downstream from SR 0029. The project will permanently impact 44 LF of stream with an additional 75 LF of temporary impacts to Bowman Creek (HQ-CWF). The project is along SR 0029, Section 770, approximately 0.1 mile northwest of its intersection with SR 0309 (Noxen, PA Quadrangle N: 11.4 inches; W: 2.8 inches) (Subbasin 046).

E52-195. Birchwood Lakes Community Association, P. O. Box 222, Dingmans Ferry, PA 18328. Army Corps of Engineers Philadelphia District.

To remove the existing structures and to: (1) construct and maintain five SLCPP culverts varying from 18 to 24 inches in diameter at road crossings of tributaries to Dingmans Creek (HQ-CWF) and/or PFO and PEM wetlands; (2) construct and maintain approximately 200 to 425 linear feet of 15-inch CMP stream enclosure of a tributary to Dingmans Creek, extending downstream from and including the outlet of a nonjurisdictional dam known as the Middle Birchwood Lake Dam; (3) maintain a 24-inch SLCPP culvert in a tributary to Dingmans Creek along Aspen Road; and (4) maintain approximately 170 linear feet of rock-lined channel in a tributary to Dingmans Creek, between the Aspen Road culvert and a water body known as East Birchwood Lake. The project impacts a de minimis area of PFO and PEM wetlands equal to approximately 0.01 acre and a total of 843.5 linear feet of tributaries to Dingmans Creek (HQ-CWF). Issuance of this permit also constitutes approval of the environmental assessment associated with replacement of the outlet pipe from a nonjurisdictional dam. The project is within the Birchwood Lakes Community on the western side of SR 0739 (Lake Maskenozha, PA-NJ Quadrangle N: 22.1 inches; W: 5.3 inches) in Delaware Township, Pike County (Subbasin 01D).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E05-321: Jeff Lesak, 321 Leonard Road, Alum Bank, PA 15521 in West Saint Clair Township, **Bedford County**, ACOE Baltimore District.

To construct and maintain a stream rehabilitation project on an unnamed tributary to Ryot Run (WWF, perennial), beginning at a point (Ogeltown, PA Quadrangle N: 5.95 inches; W: 6.3 inches) approximately 2,300 feet upstream of SR 4024 and extending to a point (Ogeltown, PA Quadrangle N: 6.2 inches; W: 6.5 inches) 1,158 feet upstream using a natural stream channel design approach involving floodway excavation, filling and grading, the placement of log and rock cross vanes, log and rock J-hook vanes, log vanes and step-pool structures for the purpose of improving channel stability and aquatic habitat in West Saint Clair Township, Bedford County. The project proposes to directly affect 1,158 linear feet of the unnamed tributary to Ryot Run.

E22-469: West Hanover Township, 7171 Allentown Boulevard, Harrisburg, PA 17112 in West Hanover Township, **Dauphin County**, ACOE Baltimore District.

To: (1) place fill within the delineated floodway of Beaver Creek (WWF); and (2) remove an existing 27-inch by 45-inch corrugated metal pipe arch (CMPA) culvert and install and maintain a 57-inch by 38-inch CMPA replacement culvert crossing of an unnamed tributary to Beaver Creek (WWF), all for the purpose of super-elevating and widening Picketown Road starting at a point approximately 1,000 feet north of Interstate 81 and proceeding for 775 linear feet to the north (Harrisburg East, PA Quadrangle N: 15.35 inches; W: 1.15 inches) in West Hanover Township, Dauphin County.

E07-385: Ansley RV, Inc., P. O. Box 239, Duncansville, PA 16635 in Allegheny Township, **Blair County**, ACOE Baltimore District.

To construct and maintain 93 linear feet of 48-inch SWPP culvert with a 13-foot by 9-foot rock apron all depressed a minimum of 6 inches below the existing streambed elevation and parallel to the existing streambed slope, two 15-inch SWPP stormwater outfalls with 10-foot by 7.75-foot rock aprons and the placement of fill material in the floodway of an unnamed tributary to Gillians Run (CWF) at a point (Hollidaysburg, PA Quadrangle N: 10.8 inches; W: 9.0 inches) southwest of the intersection of Kuhn Lane and SR 764 for the purpose of expanding Ansley RV, Inc. in Allegheny Township, Blair County. The project will result in 121.5 feet of direct permanent impacts to the channel of the unnamed tributary to Gillians Run.

E22-453: Lower Paxton Township, 75 S. Houcks Road, Harrisburg, PA 17109 in Lower Paxton Township, **Dauphin County**, ACOE Baltimore District.

To place fill in 0.51 acre of wetland and to construct and maintain a 51-foot long, 3-foot by 6-foot bottomless box culvert road crossing and a 590-foot long by 36-inch stream enclosure in and along a tributary to Beaver Creek (WWF) at a point along Nyes Road for the purpose of constructing a public recreational park (Harrisburg East, PA Quadrangle N: 12.25 inches; W: 4.45 inches) in Lower Paxton Township, Dauphin County. The permittee is required to provide a minimum of 0.52 acre of replacement wetland.

E36-767: City of Lancaster c/o Charlotte H. Katzenmoyer, 120 North Duke Street, Lancaster, PA 17608 in Lancaster Township, **Lancaster County**, ACOE Philadelphia District.

To construct and maintain an 8-foot by 6-foot precast concrete sewer overflow that is to outfall along the Conestoga River (WWF), at a point approximately 550 feet south of the intersection of SR 0324 and SR 0222 (Lancaster, PA Quadrangle N: 3.9 inches; W: 7.7 inches) in Lancaster Township, Lancaster County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

E14-457. Thistlewood Association, 2300 South Atherton Street, State College, PA 16801. Thistlewood in Ferguson Township, **Centre County**, ACOE Baltimore District (McAlevys Fort, PA Quadrangle N: 20.7 inches; W: 16.8 inches).

Construct and maintain the following encroachments, as a result of channel work in intermittent streams of Slab Cabin Run that are not waived in accordance with 25 Pa. Code § 105.12(a)(2) include the following:

<i>Type of Activity</i>	<i>Length (feet)</i>	<i>Latitude/Longitude</i>
Minor Road	20	40°44'21"/77°52'35"
Stream Crossing 5, one 24-inch HDPE Pipe	51	40°44'20"/77°52'33"
Stream Crossing 2, one 24-inch HDPE Pipe	42	40°44'25"/77°52'32"
Stream Crossing 3, one 18-inch HDPE Pipe	57	40°44'18"/77°52'17"
Stream Crossing 4, one 18-inch HDPE Pipe	47	40°44'21"/77°52'15"
Stream Crossing 1, two 36-inch HDPE Pipes	75	40°44'34"/77°52'23"
Total	292	

Place and maintain a total of 3,250 cubic yards of clean fill material within 50 feet of the left and right top of bank of Slab Cabin Run to facilitate residential home and road construction above the 100-year flood elevation. Latitude/Longitude 40°44'24"/77°52'39".

The following is information regarding the stream enclosure and removal of the existing structure:

<i>Type of Activity</i>	<i>Length (feet)</i>	<i>Latitude/Longitude</i>
Crossing 6, 11-foot 5-inch by 7-foot 3-inch Corrugated Metal Arch Stream Enclosure	100	40°44'25"/77°52'37"
Existing Culvert Removal	16	40°44'24"/77°52'39"
Total	116	

In addition to the construction and removal of structures, the following utilities will be installed across Slab Cabin Run at the location of the culvert removal:

<i>Type of Activity</i>	<i>Length (feet)</i>	<i>Latitude/Longitude</i>
Water Line Main	10	40°44'24"/77°52'39"
Sanitary Sewer	10	40°44'24"/77°52'39"
Elect./Cable	10	40°44'24"/77°52'39"
Total	30	

The following is a list of stormwater management facilities that are included in the permit that encroach on regulated waterways.

<i>Type of Activity</i>	<i>Length (feet)</i>	<i>Latitude/Longitude</i>
Detention Basin 4, on intermittent stream	350	40°44'25"/77°52'32"
Detention Basin 2 R-5 riprap wetland outfall	15	40°44'34"/77°52'28"
Total	365	

The following table lists all wetland impacts associated with the project.

<i>Type of Activity</i>	<i>Impact</i>	<i>Square Feet</i>
Temp. Diversion Pipe	Temporary	94
Sewer Main	Temporary	211

Type of Activity	Impact	Square Feet
Stream Crossing 4	Permanent	833
Driveway	Permanent	574
Water line lateral	Temporary	30
Sanitary line	Temporary	30
Elect./Cable	Temporary	30
Driveway	Permanent	579
Water line lateral	Temporary	30
Sanitary line	Temporary	30
Elect./Cable	Temporary	30
Total	Temporary = 485 (0.0110 acre)	
	Permanent = 1,986 (0.0456 acre)	

The following table outlines portions of the project where water obstructions are waived in accordance with 25 Pa. Code § 105.12(a)(2).

Type of Activity	Length (feet)	Latitude/Longitude
Stream Crossing 5	222	40°44'20"/77°52'33"
Elect./Cable	10	40°44'21"/77°52'35"
Elect./Cable	10	40°44'21"/77°52'33"
Sanitary Sewer Line	10	40°44'20"/77°52'33"
Stream Crossing No. 2	90	40°44'25"/77°52'32"
Elect./Cable	10	40°44'25"/77°52'24"
Sanitary Sewer Line	10	40°44'25"/77°52'24"
Water Line	10	40°44'25"/77°52'24"
Sanitary Sewer Line	10	40°44'27"/77°52'29"
Stream Crossing No. 3	103	40°44'18"/77°52'17"
Elect./Cable	10	40°44'18"/77°52'17"
Water Line	10	40°44'18"/77°52'17"
Sanitary Sewer Line	10	40°44'18"/77°52'17"
Stream Crossing No. 4	106	40°44'21"/77°52'15"
Elect./Cable	10	40°44'21"/77°52'15"
Water Line	10	40°44'21"/77°52'15"
Sanitary Sewer Line	10	40°44'21"/77°52'15"
Driveway	15	40°44'22"/77°52'13"
Water line laterals	10	40°44'22"/77°52'13"
Sewer Line lateral	10	40°44'22"/77°52'13"
Sewer Line lateral	10	40°44'22"/77°52'16"
Driveway	15	40°44'24"/77°52'15"
Water line laterals	10	40°44'23"/77°52'14"
Sewer Line lateral	10	40°44'23"/77°52'14"
Water line laterals	10	40°44'24"/77°52'16"
Sewer Line lateral	10	40°44'24"/77°52'16"
Elect./Cable	10	40°44'24"/77°52'15"
Elect./Cable	10	40°44'24"/77°52'15"
Driveway	15	40°44'26"/77°52'17"
Water line laterals	10	40°44'25"/77°52'16"
Sewer Line lateral	10	40°44'24"/77°52'17"
Water line laterals	10	40°44'27"/77°52'18"
Sewer Line lateral	10	40°44'27"/77°52'18"

Type of Activity	Length (feet)	Latitude/Longitude
Elect./Cable	10	40°44'26"/77°52'17"
Elect./Cable	10	40°44'26"/77°52'17"
Driveway	15	40°44'27"/77°52'18"
Water line laterals	10	40°44'27"/77°52'18"
Sewer Line lateral	10	40°44'28"/77°52'19"
Elect./Cable	10	40°44'28"/77°52'18"
Intake	10	40°44'34"/77°52'21"
Total	911	

The project is in the Slab Cabin Run drainage in the Spring Creek watershed on the eastern edge of Pine Grove Mills in Ferguson Township, Centre County (McAleveys Fort, PA Quadrangle N: 20.7 inches; W: 16.8 inches).

E17-398. International Custom Products, Inc. (ICP), Oklahoma-Salem Road, DuBois, PA 15801. Sanitary sewer line installation in Sandy Township, Clearfield County, ACOE Baltimore District (Luthersburg, PA Quadrangle N: 19.25 inches; W: 15.50 inches).

The applicant proposes to construct approximately 6,700 linear feet of private sanitary sewer line which will extend from an existing City of DuBois manhole to the ICP site. Installing the sewer line will involve ten wetland crossings, a temporary wetland encroachment around the City of DuBois manhole and crossing an intermittent stream. This project will temporarily impact 1,577 linear feet of wetlands through the permitted crossings and 0.21 acre of wetland for connection to the City of DuBois manhole. The project site is in Sandy Township and the City of DuBois in Clearfield County (Luthersburg, PA Quadrangle N: 19.38 inches; W: 14.75 inches).

E49-276. Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. SR 0225 unnamed tributary to Mahantango Creek bridge replacement in Lower Mahanoy Township, Northumberland County, ACOE Susquehanna River Basin District (Pillow, PA Quadrangle N: 5.6 inches; W: 9.5 inches).

To remove an existing and existing concrete slab bridge having a length of 14 feet and construct and maintain a 16-foot long by 5-foot high concrete box culvert over an unnamed tributary to Mahantango Creek (WWF). The project is along SR 0225 approximately 3.25 miles south of SR 0225 and SR 0147 intersection in Lower Mahanoy Township, Northumberland County. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E53-399. Roydew W. Knowlton and Verda W. Knowlton, 143 Willis Road, Roulette, PA 16746-1215. Aspenwood Tree Farm road crossing Trout Brook in Roulette Township, Potter County, Pittsburgh ACOE District (Coudersport, PA Quadrangle N: 7.25 inches; W: 13.75 inches).

To construct, operate and maintain a private road crossing Trout Brook to provide access for the agricultural activities of Aspenwood Tree Farm. The private road crossing shall be constructed with a single corrugated metal culvert pipe. The corrugated metal culvert pipe shall have a minimum rise of 5.6 feet, minimum span of 7.9 feet and a depression of 1 foot below the existing

streambed elevations. The private road crossing Trout Brook shall also include concrete slab headwalls. Since Trout Brook is a wild trout fishery, no construction or future repair work shall be done in or along the stream channel between October 1 and December 31 without the prior written approval of the Fish and Boat Commission. All construction and future work shall be conducted at stream low flow. The Aspenwood Tree Farm road crossing project is along the northern right-of-way of SR 0006 approximately 1.6 miles north of T-323 and SR 0006 intersection. This permit does not authorize any temporary or permanent wetland impacts and as such, the permittee shall ensure no wetland impacts result from the construction of the proposed road crossing. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E55-196. Middleburg Municipal Authority, 13 North Main Street, Middleburg, PA 17842. Water Obstruction and Encroachment Permit application in Middleburg Borough, **Snyder County**, ACOE Susquehanna River Basin District (Middleburg, PA Quadrangle N: 6.16 inches; W: 6.88 inches).

To construct and maintain 680 linear feet of 8-inch sewer line in the floodplain of the Middle Creek along the southern right-of-way of Edmund Avenue in Middleburg Borough, Snyder County. This permit was issued under section 105.13(e) "Small Projects."

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E03-424. Armstrong County Commissioners, Administration Building, Courthouse Annex, 450 Market Street, Kittanning, PA 16201. Box culvert in Roaring Run in Kiskiminetas Township, **Armstrong County**, Pittsburgh ACOE District. To remove the existing structures and to construct and maintain an 85-foot long twin cell 14-foot wide by 7-foot high concrete box culvert (the invert's depressed 1 foot below existing streambed) in Roaring Run (CWF) (Vandergrift, PA Quadrangle N: 12.3 inches; W: 2.2 inches) (Latitude: 40°34'04" and Longitude: 79°30'57"); to construct and maintain a 6-foot high by 84-foot long gabion wall along the right downstream bank of Roaring Run (CWF) (Vandergrift, PA Quadrangle N: 12.3 inches; W: 2.2 inches) (Latitude 40°34'04" and Longitude: 79°30'57"); and to construct and maintain an 18-inch diameter RCP outfall in Roaring Run (CWF) (Vandergrift, PA Quadrangle N: 12.3 inches; W: 2.2 inches) (Latitude: 40°34'04" and Longitude: 79°30'57"). The project will impact 175 linear feet of perennial stream; no vegetated wetlands wetland will be impacted. The project is on SR 2051 near its intersection with Township Road T-460 (McCartney Road).

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E20-535. Crawford County Commissioners. Leimbach Road (T-658) County Bridge No. 44 Replacement in Woodcock Township, **Crawford County**, ACOE Pittsburgh District (Blooming Valley, PA Quadrangle N: 21.4 inches; W: 7.4 inches).

The applicant proposes to remove the existing structure and to construct and maintain a 21.67-foot long, 24-foot wide by 5.33-foot high precast concrete arch (Crawford County Bridge No. 44) in Gravel Run (WWF, perennial) (Blooming Valley, PA Quadrangle N: 21.4 inches; W: 7.4 inches) in Woodcock Township, Crawford County on T-658 (Leimbach Road) approximately 800 feet south of the intersection of Gravel Run Road and T-658 (Leimbach

Road). The project includes riprap rock protection, wing walls and a direct impact (de minimis) of 0.014 acre of PEM and 0.02 acre of PSS wetland. The project proposes to directly affect a total of approximately 40 linear feet of stream channel and 0.034 acre of wetland (de minimis): 0.014 acre of PEM and 0.02 acre of PSS wetland.

E25-687. Department of Transportation, District 1-0, 255 Elm Street, P. O. Box 398, Oil City, PA 16301-1412. SR 0090, Section B07, Segment 0110, Offset 2082 (EB) and Segment 0111, Offset 2153 (WB) bridge replacement in Girard Township, **Erie County**, ACOE Pittsburgh District (Albion, PA Quadrangle N: 18.2 inches; W: 8.1 inches).

The applicant proposes remove the existing structures and to construct and maintain two dual three-span steel plate girder bridges each having a spans of 115 feet, 169 feet and 169 feet and an average underclearance of 61.5 feet on a 70 degree skew across Halls Run (CWF, MF, perennial) on SR 0090 (Interstate 90—Eastbound and Westbound Lanes), Section B07, Segment 0110, Offset 2082 (EB) and Segment 0111, Offset 2153 (WB) approximately 1.8 miles northeast of the intersection of Interstate 90 and SR 18. The project proposes to directly affect a total of approximately 160 linear feet of stream channel.

E62-397. Robert Brace, Robert Brace & Sons, Inc., 1131 Route 97, Waterford, PA 16441. Blue Eye Run bridge reconstruction project in Pittsfield Township, **Warren County**, ACOE Pittsburgh District (Pittsfield, PA Quadrangle N: 11.85 inches; W: 6.52 inches).

To repair and maintain two of the existing reinforced concrete abutments and to construct and maintain a pre-engineered steel bridge having a clear span of 75 feet a maximum rise of 13.5 feet and an instream length of 20 feet across Blue Eye Run (CWF) at a point approximately 6,000 feet due east of Garland along Old Kane Road.

WATER QUALITY CERTIFICATIONS

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Except as otherwise noted, on July 14, 2004, the Department, under section 401(a) of the Federal Clean Water Act (act) (33 U.S.C.A. § 1341(a)), certifies that the construction and operation herein described will comply with the applicable provisions of sections 301, 302, 303, 306 and 307 of the act and that the construction will not violate applicable Federal and State water quality standards, provided the following requirements are met: only clean nonpolluting materials may be used in the construction and maintenance of the fishing pier; and proper erosion and sedimentation controls are used during the project construction.

Final or proposed action on certain other certification requests for projects which require both a Water Obstruction and Encroachment permit and either a U. S. Army Corps of Engineers individual permit or a Nationwide Permit 14, 18 or 26 will be published with Actions of Applications filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27).

Regional Office: Regional Manager, Water Management Program, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481

Certification Request Initiated by: U. S. Army Corps of Engineers

Date of Initial *Pennsylvania Bulletin* Notice: May 15, 2004

Project Description: To construct and maintain a 125-foot long by 11.5-foot wide pile supported handicap accessible fishing pier and a 30-foot wide by 30-foot long parking area along the right (north) bank of the Allegheny River immediately downstream of the Kinzua Dam stilling basin (Clarendon, PA Quadrangle N: 16.6 inches; W: 0.5 inch).

Location: Glade Township, Allegheny County

Final Action on Request: Approved

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SPECIAL NOTICES

Certified Emission Reduction Credits in this Commonwealth's ERC Registry

Emission reduction credits (ERCs) are surplus, permanent, quantified and Federally enforceable emission re-

ductions used to offset emission increases of NOx, VOCs and the following criteria pollutants: CO, lead, SOx, PM, PM10 and PM10 precursors.

The Department of Environmental Protection (Department) maintains an ERC registry in accordance with the requirements of 25 Pa. Code § 127.209. The ERC registry system provides for the tracking of the creation, transfer and use of ERCs. Prior to registration of the credits, ERC registry applications are reviewed and approved by the Department to confirm that the ERCs meet the requirements of 25 Pa. Code §§ 127.206—127.208. Registration of the credits in the ERC registry system constitutes certification that the ERCs satisfy applicable requirements and that the credits are available for use. The following registered and certified ERCs in the ERC Registry are currently available for use as follows:

- (1) To satisfy new source review (NSR) emission offset ratio requirements.
- (2) To "net-out" of NSR at ERC-generating facilities.
- (3) To sell or trade the ERCs for use as emission offsets at new or modified facilities.

The following certified ERCs, expressed in tons per year (tpy), satisfy the applicable ERC requirements in 25 Pa. Code §§ 127.206—127.208. ERCs created from the curtailment or shutdown of a source or facility expires for use as offsets 10 years after the emission reduction occurs. ERCs generated by the overcontrol of emissions by an existing facility do not expire for use as offsets. However, credits in the registry that are not used in a plan approval will be discounted if new air quality requirements are adopted by the Department or the EPA.

For additional information concerning the listing of certified ERCs, contact Virendra Trivedi, Bureau of Air Quality, Division of Permits, Department of Environmental Protection, 12th Floor, Rachel Carson State Office Building, P. O. Box 8468, Harrisburg, PA 17105-8468, (717) 787-4325. This ERC registry report, ERC registry application and instructions are on the Department's website: www.dep.state.pa.us (Subjects/Air Quality/Business/Permits/Emission Reduction Credit registry System).

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration Date</i>	<i>Intended Use of ERCs</i>
R. R. Donnelley & Sons Co. County: Lancaster Ozone Nonattainment Status: Moderate Contact Person: Frederick Shaak, Jr.	VOCs	54.00		Internal Use
R. R. Donnelley & Sons Co. County: Lancaster Ozone Nonattainment Status: Moderate Contact Person: Frederick Shaak, Jr.	VOCs	25.00	3/30/2011	Internal Use
Kurz Hastings Inc. County: Philadelphia Ozone Nonattainment Status: Severe Contact Person: George Gornick, (215) 632-2300	VOCs	137.45		Trading
Kurz Hastings Inc. County: Philadelphia Ozone Nonattainment Status: Severe Contact Person: George Gornick, (215) 632-2300	NOx VOCs	8.01 64.55	Varies from 3/28/2013 to 1/9/2014	Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration Date</i>	<i>Intended Use of ERCs</i>
ConAgra Grocery Products Company Source Location: Milton Borough County: Northumberland Ozone Nonattainment Status: Moderate Contact Person: Karl Henschel, (570) 742-6644	NOx VOCs	24.45 12.88	4/1/2006	Trading
Metallized Paper Corporation of America Recipient/Holder: PNC Bank, National Association, assignee (by private lien foreclosure) from Metallized Paper Corp. Source Location: McKeesport County: Allegheny Ozone Nonattainment Status: Moderate Contact Person: Martin Mueller, (412) 762-5263	VOCs	41.70	6/30/2006	Trading
PPG Industries, Inc. Source Location: Springdale Complex County: Allegheny Ozone Nonattainment Status: Moderate Contact Person: Lori Burgess, (412) 274-3884	VOCs	171.82		Trading
York International Corporation Sources: Trichloroethylene Vapor Degreaser (151), Trichloroethylene Vapor Degreaser (152) Source Location: Spring Garden Township County: York Ozone Nonattainment Status: Moderate Contact Person: Garen Macdonald, (717) 771-7346	VOCs VOCs	12.20 2.70	6/1/2006 10/1/2005	Trading
REXAM DSI Source Location: Muhlenberg Township County: Berks Ozone Nonattainment Status: Moderate Contact Person: LeRoy H. Hinkle, (610) 916-4248	NOx	9.42	11/22/2005	Trading
Recipient/Holder of ERC: Coastal Aluminum Rolling Mills Inc. ERC Generating Facility: Fasson Div. of Avery Dennison Corp. ERC-generating facility location: Quakertown, Bucks Ozone Nonattainment Status: Severe Contact Person: Jesse Hackenberg, (570) 323-4430	VOCs	3.62		Internal Use/Trading
Recipient/Holder of ERC: PG&E Energy Trading-Power, L. P. ERC Generating Facility: Fasson Div. of Avery Dennison Corp. ERC-generating facility location: Quakertown, Bucks Ozone Nonattainment Status: Severe Contact Person: Mark Sheppard, (301) 280-6607	VOCs	39.84	8/1/2006	Trading
Baldwin Hardware Corporation Source Location: Reading County: Berks Ozone Nonattainment Status: Moderate Contact Person: D. David Hancock, Jr., (215) 777-7811	VOCs	18.00	7/28/2005	Trading
Magee Rieter Automotive Systems Source Location: Bloomsburg County: Columbia Ozone Nonattainment Status: Moderate Contact Person: Tim Bergerstock, (717) 784-4100	NOx VOCs	0.39 0.02	4/17/2006	Internal Use
Congoleum Corporation Source Location: Marcus Hook County: Delaware Ozone Nonattainment Status: Severe Contact Person: Theresa C. Garrod, (609) 584-3000	NOx	5.20		Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration Date</i>	<i>Intended Use of ERCs</i>
Dominion Transmission, Inc. CNG Transmission Corporation Source Location: Leidy Township County: Clinton Ozone Nonattainment Status: Moderate Contact Person: Sean R. Sleight, (304) 623-8462	NOx VOCs	15.28 0.55	10/27/2004	Internal Use and Trading
Bethlehem Structural Products Corp. Source Location: Bethlehem County: Northampton Ozone Nonattainment Status: Moderate Contact Person: Joseph E. Schindler, (610) 694-5104	NOx VOCs	1,054.00 473.80	Varies from 3/28/2008 to 6/19/2008	Trading
Morgan Adhesives Company (MACTac) Source Location: Scranton County: Lackawanna Ozone Nonattainment Status: Moderate Contact Person: Tim Owens, (330) 688-1111	VOCs	75.00	6/30/2008	Trading
National Fuel Gas Supply Corporation Sources: Generators 1 and 2, Dehydrator 1 Source Location: Ellisburg Station County: Potter Ozone Nonattainment Status: Moderate Contact Person: Gary A. Young, (814) 871-8657	NOx VOCs	16.14 1.80	2/1/2009	Internal Use
General Electric Company Source Location: Lawrence Park County: Erie Ozone Nonattainment Status: Moderate Contact Person: Scott Gowdy, (814) 875-2427	VOCs	33.60 2.60 1.80	12/1/2004 12/31/2005 12/31/2006	Internal Use/Trading
Sun Company, Inc. Source: API Separator 10 and 1-F Source Location: Marcus Hook County: Delaware Ozone Nonattainment Status: Severe Contact Person: John A. Rossi	VOCs	2.37	9/30/2004	Internal Use
TYK America, Inc. Source Location: Irvona Facility County: Clearfield Ozone Nonattainment Status: Moderate Contact Person: David B. Orr, (412) 384-4259	NOx VOCs	0.30 0.02	11/6/2008	Trading
Smithkline Beechman Pharmaceuticals Sources: Two boilers and oxidizer Source Location: Spring Garden Street Facility County: Philadelphia Ozone Nonattainment Status: Severe Contact Person: Eileen Ackler, (610) 239-5239	NOx VOCs	5.72 0.10	12/31/2008	Trading
Recipient/Holder of ERC: PG&E Energy Trading-Power, LP ERC Generating Facility: Global Packaging, Inc. ERC-generating facility location: Oaks Plant, Montgomery County Ozone Nonattainment Status: Severe Contact Person: Sarah M. Barpoulis, (301) 280-6607	VOCs	7.70	9/1/2006	Trading
Recipient/Holder of ERC: PG&E Energy Trading-Power, L. P. ERC Generating Facility: Global Packaging, Inc. ERC-generating facility location: Oaks Plant, Montgomery County Ozone Nonattainment Status: Severe Contact Person: Sarah M. Barpoulis, (301) 280-6607	VOCs	43.50		Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration Date</i>	<i>Intended Use of ERCs</i>
The Procter & Gamble Paper Products Company Source Location: Mehoopany Plant County: Wyoming Ozone Nonattainment Status: Moderate Contact Person: Lars Lundin, (570) 833-3545	NOx VOCs	136.00 237.67	5/3/2009	Internal Use/Trading
Caparo Steel Company Source: EAF Furnace No. 2 and Ladle Preheater No. 2 Source Location: Farrell Plant County: Mercer County Ozone nonattainment status: Moderate Contact Person: Richard A. Herman, (724) 983-6464	NOx VOCs	36.73 12.07	8/18/2007	Trading
LTV Steel Company, Inc. Source Location: Pittsburgh Coke Plant County: Allegheny Ozone Nonattainment Status: Moderate Contact Person: William L. West, (216) 642-7178	NOx VOCs	1,663.00 373.00	2/28/2008	Trading
Newcomer Products Inc. Source Location: Latrobe County: Westmoreland Ozone Nonattainment Status: Moderate Contact Person: Edward M. Nemeth, (724) 694-8100	VOCs	26.00	7/14/2010	Trading
Cyprus Cumberland Resources Corporation Source Location: Cumberland Mine, Whiteley Township County: Greene Ozone Nonattainment Status: Moderate Contact Person: Terry L. Dayton, (412) 627-2219	NOx VOCs	64.00 15.00	6/30/2005	Trading
Allegheny Ludlum Corp. Sources: Three electric arc furnaces Source Location: Washington Plant County: Washington Ozone Nonattainment Status: Moderate Contact Person: Deborah L. Calderazzo, (724) 226-5947	NOx	7.78	7/31/2004	Trading
Scranton-Altoona Terminals Corporation Source Location: Monroe Township County: Cumberland County Ozone nonattainment status: Moderate Contact Person: Thomas M. Carper, (717) 939-0466	VOCs	4.84	9/30/2010	Trading
Pennzoil Wax Partner Company Source Location: Rouseville County: Venango Ozone Nonattainment Status: Moderate Contact Person: David W. Dunn, (713) 546-6941	NOx VOCs	15.47 0.68	2/26/2010	Trading
Pennzoil Wax Partner Company Source Location: Rouseville County: Venango Ozone Nonattainment Status: Moderate Contact Person: David W. Dunn, (713) 546-6941	NOx VOCs	2.82 44.34	4/1/2010	Trading
INDSPEC Chemical Corp. Source: Boiler No. 8 Source Location: Petrolia County: Butler Ozone Nonattainment Status: Moderate Contact Person: Terry Melis, (412) 756-2376	NOx	158.68		Trading
Sun Company, Inc. Sources: Separators Source Location: Marcus Hook Borough County: Delaware Ozone nonattainment status: Severe Contact Person: Steve Martini, (610) 859-1000	VOCs	81.88	9/30/2004	Trading/ Internal Use

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration Date</i>	<i>Intended Use of ERCs</i>
Sun Company, Inc. Source: Wastewater Conveyance System Source Location: Marcus Hook Borough County: Delaware Ozone nonattainment status: Severe Contact Person: Steve Martini, (610) 859-1000	VOCs	426.59		Trading/ Internal Use
Columbia Gas Transmission Corporation Source Location: Kent Station County: Indiana Ozone nonattainment status: Moderate Contact Person: Gregory Lago, (304) 357-2079	NOx VOCs	44.36 2.66	5/31/2011	Trading
Columbia Gas Transmission Corporation Source Location: Homer Station County: Indiana Ozone nonattainment status: Moderate Contact Person: Gregory Lago, (304) 357-2079	NOx VOCs	45.89 3.79	5/31/2011	Trading
ISG Steelton, Inc. Source: Rail Heat Treating and Quenching Source Location: Steelton Plant County: Dauphin Ozone Nonattainment Status: Moderate Contact Person: James R. Hernjak, (717) 986-2042	NOx VOCs	7.00 43.00	11/9/2009	Trading
General Electric Transportation System Source: Boiler No. 2 Source Location: E. Lake Road County: Erie Ozone nonattainment status: Moderate Contact Person: Mark D. Restifo, (814) 875-5406	NOx VOCs	280.90 1.70	12/31/2010	Trading
Hershey Foods Corporation Source Location: East Plant County: Dauphin Ozone Nonattainment Status: Moderate Contact Person: Shawn P. Greenwood, (610) 678-0552	NOx	189.00	10/4/2004	Trading
3M Minnesota Mining & Manufacturing Source Location: Bristol Plant County: Bucks Ozone Nonattainment Status: Severe Contact Person: Jeff Muffat, (651) 778-4450	VOCs VOCs	607.00 279.00	11/30/2011 12/17/2011	Trading
Kosmos Cement Company, Cemex Inc. Source Location: Neville Road, Pittsburgh County: Allegheny Ozone nonattainment status: Moderate Contact Person: Amarjit Gill, (713) 653-8554	NOx VOCs	910.00 26.00	4/24/2011	Trading
Edgewater Steel Ltd. Source Location: College Avenue, Oakmont County: Allegheny Ozone nonattainment status: Moderate Contact Person: Peter M. Guzanick, (412) 517-7217	NOx VOCs	17.05 1.87	8/6/2008	Trading
JG Furniture Group, Inc. Source Location: Quakertown, Bucks County: Bucks Ozone Nonattainment Status: Severe Contact Person: Donald Boisselle, (336) 410-7263	VOCs	24.4	9/1/2007	Trading
Recipient/Holder of ERC: Cypress Energy, Inc. ERC Generating Facility: Laclede Steel Corporation Source Location: Fairless County: Bucks Ozone nonattainment status: Severe Contact Person: Gary Stephenson, (781) 993-3098	NOx VOCs	104.00 45.00	11/29/2011	Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration Date</i>	<i>Intended Use of ERCs</i>
Recipient/Holder of ERC: Natsource Emissions Brokers ERC Generating Facility: Laclede Steel Corporation Source Location: Fairless County: Bucks Ozone nonattainment status: Severe Contact Person: David Oppenheimer, (212) 232-5305	NOx VOCs	0.27 1.50	11/29/2011	Trading
Trinity Industries, Inc. Source Location: Greenville County: Mercer County Ozone nonattainment status: Moderate Contact Person: Dennis Lencioni, (214) 589-8141	VOCs	61.65	10/31/2010	Trading
Rohm and Haas Company Source Location: Bristol Township County: Bristol Ozone nonattainment status: Severe Contact Person: Lloyd Davis, (215) 785-8871	VOCs VOCs	1.15 0.32	10/30/2010 1/30/2011	Trading
The Worthington Steel Company Source Location: Malvern, East Whiteland County: Chester Ozone nonattainment status: Severe Contact Person: Gregory Sautter, (614) 438-3197	VOCs	113.00	1/31/2012	Trading
PPL Inc. Source Location: Holtwood Station County: Lancaster Ozone nonattainment status: Moderate Contact Person: Linda A. Boyer, (610) 774-5410	NOx VOCs	3,702.09 9.70	4/29/2009	Trading
North American Refractories Company Source Location: Womelsdorf County: Lebanon Ozone Nonattainment Status: Moderate Contact Person: Rhonda Vete, (412) 469-6122	NOx NOx VOCs	5.11 62.57 0.25	12/15/2010 9/30/2008 9/30/2008	Trading
The Quaker Oats Company Source Location: Shiremanstown Plant County: Cumberland Ozone nonattainment status: Moderate Contact Person: Richard C. Pitzer, (717) 731-3334	NOx VOCs	4.00 1.68	Varies from 4/3/2010 to 7/15/2011	Trading
Glasgow, Inc. Source Location: Plymouth Meeting County: Montgomery Ozone nonattainment status: Severe Contact Person: Brian Chabak, (215) 884-8800	NOx VOCs NOx VOCs	2.72 0.21 6.54 0.52	12/31/2010 12/31/2010 6/1/2010 6/1/2010	Trading
Scranton-Altoona Terminals Corporation Source Location: East Freedom Terminal County: Cumberland County Ozone nonattainment status: Moderate Contact Person: Thomas M. Carper, (717) 939-0466	VOCs	9.19	4/1/2009	Trading
SLI Lighting Inc. Source Location: Ellwood City County: Lawrence Ozone nonattainment status: Moderate Contact Person: Tim Haubach, (724) 752-6493	VOCs	5.70	6/3/2010	Trading
National Fuel Gas Supply Corp. Source Location: Van Compressor St., Cranberry Township County: Venango Ozone nonattainment status: Moderate Contact Person: Gary A. Young, (814) 871-8657	NOx VOCs	80.90 0.65	7/19/2006	Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration Date</i>	<i>Intended Use of ERCs</i>
Harvard Industries, Inc. Plant name: Pottstown Precision Casting Inc. Source Location: West Pottsgrove Township County: Montgomery Ozone nonattainment status: Severe Contact Person: Allan B. Currie, Jr., (517) 787-5181	NOx VOCs	28.25 8.70	11/12/2011	Trading
Recipient/Holder of ERC: Morgan Stanley Capital Group Inc. ERC Generating Facility: Occidental Chemical Corp. ERC Generating Source Location: Pottsgrove Township County: Montgomery County Ozone nonattainment status: Severe Contact Person: Trevor Woods, (212) 761-8895	NOx	71.40	2/28/2007	Trading
Recipient/Holder of ERC: Kvaerner Philadelphia Shipyard, Inc. ERC Generating Facility: Occidental Chemical Corp. ERC Generating Source Location: Pottsgrove Township County: Montgomery County Ozone nonattainment status: Severe Contact Person: Michael Masington, (215) 875-2649	NOx	50.00	2/28/2007	Trading
Horsehead Resource Co., Inc. Source Location: East Plant (Waelz) County: Carbon Ozone Nonattainment Status: Moderate Contact Person: John M. Cigan, (610) 826-8719	NOx VOCs	30.80 53.80	5/31/2006	Trading
Lafarge Corporation Source Location: Whitehall Plant County: Lehigh Ozone Nonattainment Status: Moderate Contact Person: Edward F. Werkheiser, (610) 261-3424	NOx VOCs	298.10 3.70	10/15/2004	Trading
The Peoples Natural Gas Company Source Location: Laurel Ridge Station County: Cambria Ozone Nonattainment Status: Moderate Contact Person: Sheri Franz, (412) 497-6582	NOx VOCs	13.00 4.00	11/11/2004	Trading
Alcoa, Inc. Source Location: Lebanon Township County: Lebanon County Ozone nonattainment status: Moderate Contact Person: Kevin S. Barnett, (412) 553-2094	NOx VOCs	48.86 882.43	Varies from 9/29/2010 to 5/1/2012	Trading
Rohm and Haas Source Location: Richmond Street County: Philadelphia Ozone nonattainment status: Severe Contact Person: Frank Jackson, (215) 537-4000	NOx VOCs NOx	50.10 30.30 0.19	6/13/2005 12/31/2004	Trading
American Color Graphics, Inc. Formerly Flexi-Tech Graphics, Inc. Source Location: Barnhart Drive, Hanover County: York Ozone nonattainment status: Moderate Contact Person: Glenn Shaffer, (717) 792-8104	VOCs	9.60	1/15/2012	Trading
Allegro Microsystems, Inc. Source Location: Upper Moreland Township County: Montgomery Ozone nonattainment status: Severe Contact Person: Wendy Cooper, (610) 286-7434	VOCs	42.61	3/29/2012	Trading
National Fuel Gas Supply Corp. Source Location: Heath Station County: Jefferson County Ozone Nonattainment Status: Moderate Contact Person: Gary A. Young, (814) 871-8657	NOx VOCs	122.80 2.10	7/1/2005	Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration Date</i>	<i>Intended Use of ERCs</i>
Williams Generation Company Source Location: Hazleton Co-Gen Facility County: Luzerne Ozone Nonattainment Status: Moderate Contact Person: Terrie Blackburn, (918) 573-9766	NOx	794.6	1/31/2007	Trading
Calumet Lubricants Company Source Location: Rouseville Plant County: Venango Ozone nonattainment status: Moderate Contact Person: Daniel R. Chapman, (814) 678-4602	NOx VOCs	89.80 2.38	5/21/2012	Trading
Avery Dennison Corporation Source Location: Dungan Road County: Philadelphia Ozone nonattainment status: Severe Contact Person: Frank J. Brandauer, (626) 398-2773	VOCs	3.13	6/30/2012	
Henry Miller Spring & Manufacturing Company Source Location: Sharpsburg County: Allegheny Ozone nonattainment status: Moderate Contact Person: David J. Jablonowski, (412) 782-7300	NOx VOCs	10.96 36.47	1/22/2010	Trading
Penco Products, Inc. Source Location: Lower Providence Township County: Montgomery Ozone nonattainment status: Severe Contact Person: Allan J. Goss, (610) 666-0500	NOx VOCs	3.11 29.48	10/1/2011	Trading
Norfolk Southern Railway Co. Source Location: Hollidaysburg Car Shop County: Blair Ozone nonattainment status: Moderate Contact Person: Carl Russo, (814) 949-1479	NOx VOCs	4.35 69.80	7/19/2012	Trading
World Kitchen Inc. Source Location: Charleroi Plant County: Washington Ozone Nonattainment Status: Moderate Contact Person: James Rowlett, (724) 489-2288	NOx	251.43		Trading
PPG Industries, Inc. Source Location: Greenwood Township County: Crawford Ozone nonattainment status: Moderate Contact Person: David J. Neal, (412) 492-5507	NOx	1,118.50		Trading
Sentry Paint Technologies, Inc. Source Location: Mill Street, Darby County: Delaware Ozone nonattainment status: Severe Contact Person: Benjamin Breskman, (610) 522-1900	VOCs	3.56	4/30/2013	Trading
R. H. Sheppard Company, Inc. Source Location: Core making operation in Hanover County: York Ozone nonattainment status: Moderate Contact Person: Julie L. Smith, (717) 637-3751	VOCs	14.43	4/15/2013	Trading

Summary of ERC Transaction

The following ERC transaction is approved by the Bureau of Air Quality. The ERC transaction requirements are specified in 25 Pa. Code § 127.208.

ERC Generating Facility Information

ERC Generating Facility Name: PPL Holtwood LLC
 Location of Source: Martic Township, Lancaster County
 Certified ERCs (tpy): 3769.09 tpy of NOx and 9.7 tpy of VOCs
 Amount of ERCs traded to Purchaser/Recipient: 67 tpy of NOx
 Date of ERCs Transfer: 6/18/04
 ERCs available for future use: 3702.09 tpy of NOx and 9.7 tpy of VOCs

Purchaser/Recipient of ERCs

Purchaser/Recipient of ERCs: Nucor Steel Auburn, Inc.
 Location of Source: Auburn, New York
 Permit Number: 7-0501-00044/00007
 NOx credits used: 67 tpy
 NOx credits available for future use: 0

[Pa.B. Doc. No. 04-1367. Filed for public inspection July 23, 2004, 9:00 a.m.]

Alternative Fuels Incentive Grant Program Opportunity Notice

The Department of Environmental Protection (Department), Bureau of Energy, Innovations and Technology Development, announces an opportunity to apply for grants under the Alternative Fuels Incentive Grant (grant) program. This grant program is to promote and expand the use of alternative transportation fuels and fuel systems such as compressed natural gas, liquefied natural gas, liquid propane gas, ethanol, methanol, hydrogen, hythane, electricity, coal-derived liquid fuels and fuels derived from biological materials.

Grant funds can be used to pay for the difference between an alternative fuel vehicle and a conventional gasoline or diesel vehicle, to convert an existing gasoline vehicle to operate on an alternative fuel, to purchase a new energy efficient hybrid electric vehicle, to purchase and install a refueling or recharging facility or to evaluate new alternative fuel technologies. Eligible applicants for incentive grants are schools and vocational school districts, municipal authorities, counties, cities, boroughs, incorporated towns, townships, county institution districts, nonprofit entities and corporations or partnerships incorporated or registered in the Commonwealth and Commonwealth residents.

Grants awarded in this funding cycle will cover up to 20% of the applicant's eligible costs. Project costs cannot be incurred before the submittal of an application during the open opportunity.

Grant applications can be requested by contacting Cleo Arp, Department of Environmental Protection, Bureau of Energy, Innovations and Technology Development, P. O. Box 8772, Harrisburg, PA 17105-8772, (717) 772-8912, fax (717) 773-2703, carp@state.pa.us. Specify the project type when requesting an application package. The application package is available on the Department's website: www.dep.state.pa.us (DEP Keyword: Alternative Fuels). The deadline for submitting a Cycle 12 application is 4 p.m. on October 1, 2004.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 04-1368. Filed for public inspection July 23, 2004, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are on the Department of Environmental Protection's (Department) website: www.dep.state.pa.us (DEP Keyword: Participate). The "Current Inventory" heading is the Governor's list of nonregulatory guidance documents. The "Final Documents" heading is the link to a menu of the various Department bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical

Guidance" heading is the link to the Department's draft technical guidance documents.

The Department will continue to revise its nonregulatory documents, as necessary, throughout 2004.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view guidance documents. When this option is not available, persons can order a bound paper copy of the latest inventory or an unbound paper copy of any of the final documents listed on the inventory by calling the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Draft Technical Guidance

DEP ID: 150-2302-005. Title: Procedures for the Approval and Accreditation of Drinking Water Laboratories in the Commonwealth of Pennsylvania. Description: This guidance document formalizes existing guidance that was previously developed and has been implemented since 1995. The Environmental Laboratory Accreditation Advisory Committee (Committee) assisted in the development of this guidance. The purpose of this document is to establish minimum criteria that laboratories must meet to obtain and maintain accreditation under the Pennsylvania Laboratory Accreditation Program. The guidance will apply to all laboratories desiring to obtain and maintain accreditation under the Commonwealth's drinking water program. Additional guidance is contained in Critical Elements guidance documents 150-2301-001, 150-2302-002 and 150-2302-003, in addition to the most current edition of the United States Environmental Protection Agency's (EPA) *Manual for the Certification of Laboratories Analyzing Drinking Water*. Accreditation using the National Environmental Laboratory Accreditation Conference (NELAC) Standard is also available as an alternate to accreditation using these guidelines. The procedures for accreditation using the NELAC Standard are described in *Procedures for the Approval and Accreditation of Laboratories in the Commonwealth of Pennsylvania Utilizing the NELAC Standard*, 150-2302-004. Written Comments: Interested persons may submit written comments on draft technical guidance 150-2302-005 by August 17, 2004. Comments submitted by facsimile will not be accepted. The Department will accept comments submitted by e-mail. A return name and address must be included in each e-mail transmission. Written comments should be submitted to Richard H. Sheibley, Laboratory Accreditation Program, Bureau of Laboratories, Evan Press Building, rsheibly@state.pa.us.

Questions regarding the draft technical guidance document should be directed Richard H. Sheibley, (717) 705-2425, rsheibley@state.pa.us.

DEP ID: 150-2302-004. Title: Procedures for the Approval and Accreditation of Laboratories in the Commonwealth of Pennsylvania Utilizing the NELAC Standard. Description: The purpose of this document is to establish minimum criteria that laboratories must meet to obtain and maintain accreditation under the Pennsylvania NELAP program. The Committee assisted in the development of this guidance. The guidance will apply to all laboratories wishing to obtain and maintain accreditation under the Pennsylvania NELAP program as an alternative within the Environmental Laboratory Accreditation Program. To ensure that Commonwealth laboratories are continuing to report the most accurate information according to the most reliable standards, the Department is offering a dual system of laboratory accreditation. Current Commonwealth safe drinking water laboratory certification is based upon compliance with Departmental guidelines, including the *Procedures for the Approval and Accreditation of Drinking Water Laboratories in the Commonwealth of Pennsylvania* and Critical Elements documents and the current edition of the EPA's *Manual for the Certification of Laboratories Analyzing Drinking Water*. See 25 Pa. Code § 109.806 (relating to standards of or certification). Commonwealth oil and gas laboratory certification is based upon compliance with Departmental guidelines and specific regulatory requirements. See 25 Pa. Code § 78.144 (relating to standard of or certification). Accreditation using the previous guidance is available as an alternative to accreditation using the NELAC standards and this guidance. Written Comments: Interested persons may submit written comments on draft technical guidance 150-2302-004 by August 17, 2004. Comments submitted by facsimile will not be accepted. The Department will accept comments submitted by e-mail. A return name and address must be included in each e-mail transmission. Written comments should be submitted to Richard H. Sheibley, Laboratory Accreditation Program, Bureau of Laboratories, Evan Press Building, rsheibly@state.pa.us. Questions regarding the draft technical guidance document should be directed Richard H. Sheibley, (717) 705-2425, rsheibley@state.pa.us.

DEP ID: 012-5500-001. Title: 2005 Environmental Education Grants Program Manual and Forms. Description: The 2005 Environmental Education Grants Program Manual and Forms is a guide for eligible organizations interested in applying for the Department's Environmental Education (EE) grants program. It provides information on eligibility and details on how to apply and the operational procedures if a grant is awarded. The Pennsylvania Environmental Education Act (act) was signed into law on June 22, 1993. The act established a Commonwealth policy that EE is critically important to all citizens; created an EE Fund from 5% of the Department's pollution fine moneys; and created the EE grants program for the distribution of the EE fund money. It is the Department's policy to provide schools, county conservation districts and nonprofit groups (with a conservation/education mission) with the information necessary to participate in the EE grants program. Written comments: Interested persons may submit written comments on draft technical guidance 150-2302-004 by August 17, 2004. Comments submitted by facsimile will not be accepted. The Department will accept comments submitted by e-mail. A return name and address must be included in each e-mail transmission. Written comments should be submitted to Jack Farster, Director

of Environmental Education, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105, jfarster@state.pa.us. Questions regarding the draft technical guidance document should be directed to Jack Farster, (717) 705-3767, jfarster@state.pa.us.

Final Technical Guidance

DEP ID: 383-2131-001. Title: Screening Criteria on Water Quality/Quantity Impacts for Drinking Water. Description: The screening procedures set forth in this guidance will be used to determine if permit applications for the development of new or expanded ground or surface sources of supply should be approved or if further evaluation is necessary to determine the impact of the proposed project on adjacent water resources. This screening process is designed to: determine which water resources may be significantly impacted by the development and use of the new or expanded sources; assess the magnitude and significance of potential impacts on the identified vulnerable water resources; and determine that the development and use of the new or expanded source complies with the provisions of The Clean Streams Law. Effective Date: July 24, 2004.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 04-1369. Filed for public inspection July 23, 2004, 9:00 a.m.]

Innovative Uses and New Market Opportunities for Waste Tires; Request for Information

The Department of Environmental Protection (Department) is seeking ideas and suggestions for innovative uses and new market opportunities for waste tires currently located on a property owned by Max Starr in Greenwood Township, Columbia County. The site contains approximately 6-10 million tires accumulated since the early 1980s. The Department, its agents and contractors will have access to the site to perform waste tire removal and other actions as deemed necessary. The Department's objective is to demonstrate the ability to beneficially use waste tires in this Commonwealth to promote a sustainable market-based outlet for the remaining tires onsite. The Department strives to identify a process or use for waste tires so that the product derived from waste tires will be used as a commodity in this Commonwealth. The Department seeks detailed ideas for projects that would require funding for a period of time not exceeding 2 years. These ideas should ultimately remove tires from the site as well as identify innovative uses that result in the manufacture of consumer products from the waste tires or consumption of the waste tires instead of other raw materials. Ideas that include supplementing the removal cost of the tires from the site should clearly indicate how the activities to be funded will be sustainable without funding after the subsidy ends.

Examples of potential ideas include the following:

- Processing waste tires for use as high value end use products:
 - Crumb rubber.
 - Mats.
 - Playground surface.
 - Rubber mulch.
 - Carpet underlayment.

- Railroad crossing mats.
- Flooring.
- Sound barriers.
- Hexagonal pavers.
- Swing seats.
- Parking stops.
- Processing waste tires for use as tire-derived material for fuel.
 - Processing waste tires for civil engineering uses:
 - Subgrade fill and embankments.
 - Back fill for walls and bridge abutments.
 - Subgrade insulation for roads.
 - Landfill leachate collection systems.
 - Septic system drain fields.
 - French drain systems.
 - Residential backfill around foundations.
 - Use of whole tires for:
 - Erosion control.
 - Crash barriers.
 - Artificial reefs.
 - Innovative tire processing methodologies or innovative tire product development.

Other Requirements

Ideas should:

- Permanently remove tires from the site.
- Promotion of a market for waste tire reuse.
- Deliver waste tire products for consumer or beneficial reuse.
- Track use or sale of tire products from the site.
- Stimulate community partnerships, support and involvement.

The Department will not provide compensation for submission of information in response to this request. James Miller of the Department's North Central Regional Office will provide two site tours for the purposes of providing adequate access and information for idea submitting. Contact James Miller at (570) 327-3653 to arrange for a tour. Contractors should submit ideas by mail only by August 13, 2004, to the Department of Environmental Protection, Office of Energy and Technology Development, Attn: David Althoff—Starr Tire Pile, 400 Market St., 15th Floor, Harrisburg, PA 17101.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 04-1370. Filed for public inspection July 23, 2004, 9:00 a.m.]

DEPARTMENT OF HEALTH

Approved Drugs for ALS Ambulance Services

Under 28 Pa. Code § 1005.11 (relating to drug use, control and security), the following drugs are approved for use by ground advanced life support (ALS) ambulance services and may be administered by emergency medical

technician-paramedics, prehospital registered nurses and health professional physicians when use of the drugs is permitted by the applicable Department of Health (Department) approved regional medical treatment protocols:

1. Adenosine
2. Albuterol
3. Amiodarone
4. Aspirin
5. Atropine sulfate
6. Benzocaine—for topical use only
7. Bretylium
8. Calcium chloride
9. Dexamethasone sodium phosphate
10. Diazepam
11. Dilaudid—for interfacility transports only
12. Diltiazem
13. Diphenhydramine HCL
14. Dobutamine
15. Dopamine
16. Epinephrine HCL
17. Fentanyl
18. Furosemide
19. Glucagon
20. Heparin by intravenous drip—for interfacility transports only
21. Heparin lock flush
22. Hydrocortisone sodium succinate
23. Glycoprotein IIb/IIIa Inhibitors—for interfacility transports only
 - a. Abciximab
 - b. Eptifibatide
 - c. Tirofiban
24. Intravenous electrolyte solutions
 - a. Dextrose
 - b. Lactated Ringer's
 - c. Sodium chloride
 - d. Normosol
 - e. Potassium—for interfacility transports only
25. Ipratropium bomide
26. Isoproterenol HCL—for interfacility transports only
27. Levalbuterol—for interfacility transports only
28. Lidocaine HCL
29. Lorazepam
30. Magnesium sulfate
31. Metaproterenol
32. Methylprednisolone
33. Midazolam
34. Morphine sulfate
35. Naloxone HCL

36. Nitroglycerin by intravenous drip—for interfacility transports only
37. Nitroglycerin ointment
38. Nitroglycerin spray
39. Nitroglycerin sublingual tablets
40. Nitrous oxide
41. Oxytocin
42. Phenergan
43. Pralidoxime CL
44. Procainamide
45. Sodium bicarbonate
46. Sodium thiosulfate
47. Sterile water for injection
48. Terbutaline
49. Tetracaine—for topical use only
50. Verapamil

This list supercedes the list of approved drugs published at 33 Pa.B. 2713 (June 7, 2003). Changes made are as follows: (1) addition of levalbuterol for interfacility transports only; (2) addition of ipratropium bromide; and (3) change of benzocaine/tetracaine in combination to separate listings of benzocaine and tetracaine for topical use. Ambulance services are not authorized to stock drugs designated "for interfacility transports only." However, paramedics and health professionals may administer a drug so designated if the facility transferring a patient provides the drug, directs that it be administered to the patient during the transfer and the regional transfer and medical treatment protocols permit the administration of the drug by those personnel.

Section 1005.11 of 28 Pa. Code permits a ground ALS ambulance service to exceed, under specified circumstances, the drugs (taken from the master list) that a region's medical treatment protocols authorize for use within the region. In addition, under 28 Pa. Code § 1001.161 (relating to research), the Department may approve an ambulance service to engage in a research project that involves use of a drug not included in a region's medical treatment protocols. Finally, under 28 Pa. Code § 1001.4 (relating to exceptions), a ground ALS ambulance service and its ALS service medical director may apply to the Department for an exception to a region's medical treatment protocols.

The list of drugs in this notice does not apply to air ambulance services. Under 28 Pa. Code § 1007.7(i)(2) (relating to licensure and general operating requirements), each air ambulance service is to develop its own medical treatment protocols which identify drugs that may be used by the air ambulance service. The air ambulance service is to then submit the protocols to the medical advisory committee of the appropriate regional emergency medical services council for the medical advisory committee's review and recommendations. Following its consideration of the recommendations, and after making further revisions if needed, the air ambulance service is to file the protocols with the Department for approval.

Persons with a disability who require an alternate format of this notice (for example, large print, audiotape or Braille) should contact Robert Gaumer, Department of Health, Emergency Medical Services Office, Room 1032,

Health and Welfare Building, Harrisburg, PA, 17120, (717) 787-8740, speech or hearing impaired persons may use V/TT: (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 04-1371. Filed for public inspection July 23, 2004, 9:00 a.m.]

Prehospital Practitioner Scope of Practice

Under 28 Pa. Code §§ 1003.21(c)(13), 1003.22(e)(3), 1003.23(f), 1003.24(e) and 1003.25b(c), the Department of Health (Department) is publishing the scope of practice for ambulance attendants, first responders, emergency medical technicians (EMT), EMT-paramedics and prehospital registered nurses (PHRN) under the Emergency Medical Services Act (35 P. S. §§ 6921—6938).

Skills identified may be performed by a prehospital practitioner at the practitioner's level of certification/recognition only if the practitioner has successfully completed training (cognitive, affective and psychomotor) on the specified skill, which includes training to perform the skill on adults, children and infants, as appropriate.

A PHRN with medical command authorization may perform, in addition to those services within an EMT-paramedic's scope of practice, other services authorized by The Professional Nursing Law (63 P. S. §§ 211—225.5), when authorized by a medical command physician through either on-line medical command or standing medical treatment protocols. To administer drugs in addition to those permitted by applicable medical treatment protocols, a PHRN must also have received approval to do so by the advanced life support service medical director of the advanced life support ambulance service under which the PHRN is functioning.

This list supercedes the list of skills in the scope of practice of prehospital personnel published at 33 Pa.B. 2713 (June 7, 2003). Changes made are: (1) clarification related to immunizations. Immunizations may only be done when the practitioner is functioning as a physician extender under the Medical Practice Act of 1985 (act) (63 P. S. §§ 422.1—422.51a) and Osteopathic Medical Practice Act (63 P. S. §§ 271.1—271.18).

Persons with a disability who require an alternate format of this notice (for example, large print, audiotape or Braille) should contact Bob Gaumer, Department of Health, Emergency Medical Services Office, Room 1032, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-8740. Speech or hearing impaired persons should call by using V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

Yes—The skill is in the scope of practice for the level of certification.

No—The skill is not in the scope of practice for the level of certification.

AA—Ambulance attendant.

FR—First responder.

EMT—Emergency medical technician.

EMT-P—Emergency medical technician paramedic.

1—May assist higher level practitioner only when in the physical presence and under the direct supervision of the ALS practitioner.

2—Additional training and approval by service medical director required.

3—The skill may be performed by BLS personnel in accordance with Statewide BLS protocols or medical command order.

4—The skill is not approved for the level of certification regardless if taught in a course approved for that level of certification.

5—The acronym is explained following the table.

6—Skill may only be used when functioning with a licensed ambulance service or QRS that complies with Department requirements for performing this skill.

7—May only be done as a physician extender under the act.

<i>Topic</i>	<i>Skill</i>	<i>AA</i>	<i>FR</i>	<i>EMT</i>	<i>EMT-P</i>
Airway/ventilation/oxygenation	Airway—esophageal tracheal—dual lumen CombiTube®	No	No	No	Yes
Airway/ventilation/oxygenation	Airway—oral and nasal	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Airway—pharyngeal tracheal lumen	No	No	No	No ⁴
Airway/ventilation/oxygenation	Bag-valve-ETT/CombiTube® ventilation	No	Yes ¹	Yes ¹	Yes
Airway/ventilation/oxygenation	Bag-valve-mask (BVM)—with in-line small-volume nebulizer	No	Yes ¹	Yes ¹	Yes
Airway/ventilation/oxygenation	BVM ventilation	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Chest decompression—needle	No	No	No	Yes
Airway/ventilation/oxygenation	CPAP/BiPAP ⁵ —demonstrate application of	No	No	No	Yes
Airway/ventilation/oxygenation	Cricoid pressure (Sellick maneuver)	No	Yes	Yes	Yes
Airway/ventilation/oxygenation	Cricothyrotomy—needle	No	No	No	Yes
Airway/ventilation/oxygenation	Cricothyrotomy—open/surgical	No	No	No	Yes
Airway/ventilation/oxygenation	Cricothyrotomy—overwire (Seldinger) technique	No	No	No	Yes
Airway/ventilation/oxygenation	End tidal CO ₂ monitoring/capnography	No	Yes ¹	Yes ¹	Yes
Airway/ventilation/oxygenation	Esophageal obturator airway/esophageal gastric tube airway	No	No	No	No ⁴
Airway/ventilation/oxygenation	Extubation	No	No	No	Yes
Airway/ventilation/oxygenation	Flow restricted oxygen powered ventilation device (demand valve)	No	Yes	Yes	Yes
Airway/ventilation/oxygenation	Gastric decompression—OG ⁵ and NG ⁵ tube (suction)	No	No	No	Yes
Airway/ventilation/oxygenation	Gastric tube insertion—nasal and oral	No	No	No	Yes
Airway/ventilation/oxygenation	Head-tilt/chin-lift	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Intubation—digital and lighted stylet	No	No	No	Yes
Airway/ventilation/oxygenation	Intubation—endotracheal tube	No	No	No	Yes
Airway/ventilation/oxygenation	Intubation—medication paralytics assisted (RSI ³)	No	No	No	No ⁴
Airway/ventilation/oxygenation	Intubation—nasotracheal and orotracheal	No	No	No ⁴	Yes
Airway/ventilation/oxygenation	Intubation—retrograde	No	No	No	No ⁴
Airway/ventilation/oxygenation	Intubation—transillumination/lighted stylet	No	No	No	Yes
Airway/ventilation/oxygenation	Jaw thrust and modified jaw thrust (trauma)	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Laryngeal mask airway	No	No	No	No ⁴
Airway/ventilation/oxygenation	Mouth-to-mouth, nose, stoma, barrier and pocket mask	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Obstruction—direct laryngoscopy (remove with forceps)	No	No	No	Yes

<i>Topic</i>	<i>Skill</i>	<i>AA</i>	<i>FR</i>	<i>EMT</i>	<i>EMT-P</i>
Airway/ventilation/oxygenation	Obstruction—manual (Heimlich, finger sweep, chest thrusts) upper airway	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Oxygen therapy—blow-by delivery	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Oxygen therapy—humidifiers	No	Yes	Yes	Yes
Airway/ventilation/oxygenation	Oxygen therapy—nasal cannula	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Oxygen therapy—nonrebreather mask	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Oxygen therapy—partial rebreather	No	Yes	Yes	Yes
Airway/ventilation/oxygenation	Oxygen therapy—regulators	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Oxygen therapy—simple face mask	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Oxygen therapy—Venturi mask	No	No	No	Yes
Airway/ventilation/oxygenation	Peak expiratory flow assessment	No	No	No	Yes
Airway/ventilation/oxygenation	Pulse oximetry	Yes ¹	Yes ²	Yes ²	Yes
Airway/ventilation/oxygenation	Suctioning—meconium aspiration	No	No	No	Yes
Airway/ventilation/oxygenation	Suctioning—stoma	No	No	Yes	Yes
Airway/ventilation/oxygenation	Suctioning—tracheobronchial	No	No	No	Yes
Airway/ventilation/oxygenation	Suctioning—upper airway (nasal)	No	Yes	Yes	Yes
Airway/ventilation/oxygenation	Suctioning—upper airway (oral)	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Transtracheal jet ventilation	No	No	No	Yes
Airway/ventilation/oxygenation	Ventilators—automated transport (ATV)	Yes ¹	Yes ²	Yes ²	Yes
Assessment of	Glasgow Coma Scale	Yes	Yes	Yes	Yes
Assessment of	Level of consciousness	Yes	Yes	Yes	Yes
Assessment of	Patient assessment skills identified in the NSC ⁵	Yes	Yes	Yes	Yes
Assessment of	Vital sign—body temperature	Yes	Yes	Yes	Yes
Assessment of	Vital sign—pulse	Yes	Yes	Yes	Yes
Assessment of	Vital sign—pupils	Yes	Yes	Yes	Yes
Assessment of	Vital sign—respirations	Yes	Yes	Yes	Yes
Assessment of	Vital sign—skin color/temperature and condition (CTC)	Yes	Yes	Yes	Yes
Cardiovascular/circulation	Blood pressure—auscultation	Yes	Yes	Yes	Yes
Cardiovascular/circulation	Blood pressure—electronic noninvasive	Yes	Yes	Yes	Yes
Cardiovascular/circulation	Blood pressure—palpation	Yes	Yes	Yes	Yes
Cardiovascular/circulation	Cardiac monitoring—apply electrodes	No	Yes ¹	Yes ¹	Yes
Cardiovascular/circulation	Cardiac monitoring—multilead	No	No	No	Yes
Cardiovascular/circulation	Cardiac monitoring—single lead (interpretive)	No	No	No	Yes
Cardiovascular/circulation	Cardiopulmonary resuscitation (CPR) adult, infant, child, one and two person	Yes	Yes	Yes	Yes
Cardiovascular/circulation	Cardioversion—synchronized	No	No	No	Yes
Cardiovascular/circulation	Carotid massage (vagal maneuvers)	No	No	No	Yes
Cardiovascular/circulation	Defibrillation—counter shock—manual	No	No	No	Yes
Cardiovascular/circulation	Defibrillation—automated external defibrillator	Yes ²	Yes ²	Yes ²	Yes
Cardiovascular/circulation	Hemodynamic monitoring/assist (Swan Ganz, arterial, central venous lines)	No	No	No	No ⁴
Cardiovascular/circulation	Intra-aortic balloon pump monitoring/assist	No	No	No	No ⁴
Cardiovascular/circulation	Mechanical CPR device	No	No	No	Yes
Cardiovascular/circulation	Military/pneumatic antishock trousers/garment (MAST ⁵)	No	No	Yes	Yes

<i>Topic</i>	<i>Skill</i>	<i>AA</i>	<i>FR</i>	<i>EMT</i>	<i>EMT-P</i>
Cardiovascular/circulation	Thrombolytic therapy—initiation	No	No	No	No ⁴
Cardiovascular/circulation	Thrombolytic therapy—monitoring	No	No	No	No ⁴
Cardiovascular/circulation	Transcutaneous pacing	No	No	No	Yes
Cardiovascular/circulation	Use a (cardiac) magnet to alter the mode of an AICD ⁵ or pacemaker	No	No	No	Yes
Communications	Verbal patient report to receiving personnel	No	Yes	Yes	Yes
Communications	Communications with PSAPs ⁵ , hospitals, medical command facilities	Yes	Yes	Yes	Yes
Documentation	Out-of-hospital do not resuscitate (DNR) orders (Act 59)	Yes	Yes	Yes	Yes
Documentation	Patient Care Report completion	No	Yes	Yes	Yes
Hazardous materials	Contaminated equipment disposal (sharps and PPE ⁵)	Yes	Yes	Yes	Yes
Hazardous materials	Decontamination	Yes	Yes	Yes	Yes
Hazardous materials	Disinfection	Yes	Yes	Yes	Yes
Hazardous materials	PPE ⁵ use	Yes	Yes	Yes	Yes
Immobilization	PASG/MAST ⁵ —pelvic stabilization	No	No	Yes	Yes
Immobilization	Spinal immobilization—helmet stabilization or removal	No	No	Yes	Yes
Immobilization	Spinal immobilization—long board w/pt supine and standing	Yes	Yes	Yes	Yes
Immobilization	Spinal immobilization—manual stabilization and cervical collar	Yes	Yes	Yes	Yes
Immobilization	Spinal immobilization—rapid extrication	No	No	Yes	Yes
Immobilization	Spinal immobilization—seated patient (KED ⁶ , and the like)	No	No	Yes	Yes
Immobilization	Splinting—manual, ridged, soft, vacuum	Yes	Yes	Yes	Yes
Immobilization	Splinting—traction	Yes	Yes	Yes	Yes
IV initiation/maintenance/fluids	Central venous cannulation (femoral vein only)	No	No	No	Yes
IV initiation/maintenance/fluids	Central venous line—access of existing catheters	No	No	No	Yes
IV initiation/maintenance/fluids	Clean technique	No	No	No	Yes
IV initiation/maintenance/fluids	External jugular vein cannulation	No	No	No	Yes
IV initiation/maintenance/fluids	Heparin/saline lock insertions as no-flow intravenous (IV)	No	No	No	Yes
IV initiation/maintenance/fluids	Indwelling IV catheters as described in 28 Pa. Code § 1003.23(e)(2) (relating to EMT)	No	No	Yes	Yes
IV initiation/maintenance/fluids	Intraosseous—needle placement and infusion—anterior tibia or distal femur	No	No	No	Yes
IV initiation/maintenance/fluids	Peripheral venous—initiation (cannulation)	No	No	No	Yes
IV initiation/maintenance/fluids	Subcutaneous indwelling catheters—access of existing catheters	No	No	No	Yes
IV initiation/maintenance/fluids	Vascular access devices in home healthcare—access of existing catheters	No	No	No	Yes
IV initiation/maintenance/fluids	Venous (blood sampling)—obtaining	No	No	No	Yes
IV initiation/maintenance/fluids	Venous central line (blood sampling)—obtaining	No	No	No	No ⁴
IV initiation/maintenance/fluids	Arterial line—capped—transport	No	No	Yes	Yes
IV initiation/maintenance/fluids	Arterial line—monitoring/assist	No	No	No	No ⁴

<i>Topic</i>	<i>Skill</i>	<i>AA</i>	<i>FR</i>	<i>EMT</i>	<i>EMT-P</i>
IV initiation/maintenance/fluids	Blood/blood-by products	No	No	No	No ⁴
Lifting and moving	Patient lifting, moving and transfers per NSC ⁵	Yes	Yes	Yes	Yes
Lifting and moving	Patient restraints on transport devices	Yes	Yes	Yes	Yes
Medication administration routes	Endotracheal tube	No	No	No	Yes
Medication administration routes	Inhalation (aerosolized/nebulized)	No	No	No	Yes
Medication administration routes	Intramuscular	No	No	No	Yes
Medication administration routes	Intraosseous—anterior tibia or distal femur	No	No	No	Yes
Medication administration routes	IV—bolus	No	No	No	Yes
Medication administration routes	IV infusion, including by IV pump	No	No	No	Yes
Medication administration routes	Nasogastric	No	No	No	Yes
Medication administration routes	Oral	No	No	No	Yes
Medication administration routes	Rectal	No	No	No	Yes
Medication administration routes	Subcutaneous	No	No	No	Yes
Medication administration routes	Sublingual	No	No	No	Yes
Medication administration routes	Topical	No	No	No	Yes
Medication administration routes	Auto-injectors	No	No	Yes ³	Yes
Medications	Activated charcoal	No	No	Yes ³	Yes
Medications	As published in the <i>Pennsylvania Bulletin</i> by the Department	No	No	No	Yes
Medications	Immunizations	No	No	No	Yes ⁷
Medications	Oral glucose	No	No	Yes ³	Yes
Medications	Over-the-counter medications	No	No	No	No ⁴
Medications	Oxygen	Yes	Yes	Yes	Yes
Medications	Autoinjected epinephrine—primary use—not patient's prescription	No	No	Yes ^{2, 3, 6}	Yes
Medications—patient assisted	Autoinjected epinephrine	No	No	Yes ³	Yes
Medications—patient assisted	Metered dose inhaler—bronchodilator	No	No	Yes ³	Yes
Medications—patient assisted	Nitroglycerin	No	No	Yes ³	Yes
Patient assessment/management	Behavioral—restrain violent patient	No	No	Yes	Yes
Patient assessment/management	Blood glucose assessment	No	No	No	Yes
Patient assessment/management	Burns—chemical, electrical, inhalation, radiation, thermal	Yes	Yes	Yes	Yes
Patient assessment/management	Childbirth—umbilical cord cutting	No	Yes	Yes	Yes
Patient assessment/management	Childbirth (abnormal/complications)	No	No	Yes	Yes
Patient assessment/management	Childbirth (normal)—cephalic delivery	Yes	Yes	Yes	Yes
Patient assessment/management	Dislocation reduction (shoulder)	No	No	No	No ⁴
Patient assessment/management	Eye irrigation/care	Yes	Yes	Yes	Yes
Patient assessment/management	Hemorrhage control—diffuse, direct, pressure point, tourniquet, bandaging	Yes	Yes	Yes	Yes
Patient assessment/management	Intracranial monitoring/assist	No	No	No	No ⁴
Patient assessment/management	As outlined in Department approved regional and Statewide TX ⁵ and transport protocols	Yes	Yes	Yes	Yes
Patient assessment/management	Multiple casualty incident/incident command system	No	Yes	Yes	Yes
Patient assessment/management	Triage (prioritizing patients)—use of tags	Yes	Yes	Yes	Yes
Patient assessment/management	Urinary catheterization	No	No	No	Yes
Rescue	Vehicle access and extrication	Yes	Yes	Yes	Yes

<i>Acronym</i>	<i>Explanation</i>
AICD	Automatic implantable cardioverter defibrillators
CPAP/BiPAP	Continuous positive airway pressure/biphasic positive airway pressure
KED	Kendrick extrication device
NSC	United States Department of Transportation National Standard Curriculum
OG and NG	Oral gastric and nasal gastric tube
PASG/MAST	Pneumatic antishock garment/military antishock trousers
PPE	Personal protective equipment
PSAP	Public safety answering point
RSI	Rapid sequence induction
TX	Treatment

[Pa.B. Doc. No. 04-1372. Filed for public inspection July 23, 2004, 9:00 a.m.]

Traumatic Brain Injury Advisory Board Meeting

The Traumatic Brain Injury Advisory Board, established under the Federal Traumatic Brain Injury Act of 1996 (Pub. L. No. 104-66), will hold a public meeting on Wednesday, July 28, 2004, from 10 a.m. to 3 p.m. in the Health and Welfare Building, Room 812, Commonwealth Avenue at Forster Street, Harrisburg, PA.

For additional information or persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact Annette D. Jacek, Program Manager, Special Conditions Section, Division of Child and Adult Health Services, (717) 772-4959, for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

This meeting is subject to cancellation without notice.

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 04-1373. Filed for public inspection July 23, 2004, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Grand Central Sanitary Landfill, Inc. v. Commonwealth of Pennsylvania, Department of Environmental Protection; EHB Doc. No. 2003-171-MG

The Commonwealth, Department of Environmental Protection (Department) and Grand Central Sanitary Landfill, Inc. (Appellant) have agreed to a settlement of the previous matter. The Commonwealth, through the Department, had issued Water Obstruction and Encroachment Permit No. E48-318 (Permit) to the Appellant that authorized the Appellant's request, through an application, for the construction and maintenance of two road crossings associated with the Grand Central Sanitary Landfill (Landfill) and across two tributaries to the Little Bushkill Creek, which are designated by regulation to be high quality, cold water fishery, and to fill 0.28 acre of wetlands. The Permit required that the Appellant sign a copy of both the Permit and the Acknowledgment of Appraisal of Permit Conditions (Acknowledgment) and return these executed documents to the Department, indicating that the Appellant accepted the conditions of the Permit. The Appellant did not sign or return these documents to the Department, and by this action and the

terms of the Permit, the Permit is void. The Appellant appealed the Permit to the Environmental Hearing Board.

The parties agreed to a settlement on June 21, 2004, the major provisions of which include the following:

1. The Appellant withdraws its request and application for a permit to allow construction of the two road crossings. To the extent that the application has been withdrawn, the Permit and Acknowledgment are unsigned, the Permit is void, the statement that the wetlands are exceptional value is of no effect and is not to be considered a final determination by the Department. The parties agree that the Department reserves the right to make the determination regarding wetlands and that the Appellant reserves the right to challenge the determination in the context of any future action.

2. The settlement shall in no way limit or restrict the ability of the Appellant to: (a) submit future applications to the Department and others for the expansion of the Landfill; (b) assert any objections raised in its Notice of Appeal in this matter in any future action, appeal, permit modification plan or application, including without limitation a major permit modification for expansion of the Landfill; or (c) assert any objections raised in its Notice of Appeal in response to future actions by the Department or any other person or entity.

3. The settlement shall in no way limit or restrict the ability of the Commonwealth to review any application for the expansion of the Landfill in accordance with paragraph 4.

4. Consistent with 25 Pa. Code § 273.202(b) (relating to areas where municipal waste landfills are prohibited), the Department agrees in connection with its review of any applications for the expansion of the Landfill, that the isolation distances identified in 25 Pa. Code § 273.202(a)(2) shall not apply to the areas that were permitted as a municipal waste landfill prior to April 9, 1988, and included in a municipal waste landfill permit issued between April 9, 1988, and December 23, 2000. These areas are identified on maps attached to the settlement agreement.

Copies of the full settlement agreement are in the hands of Lance Zeyher, Esquire, Regional Counsel, Department of Environmental Protection, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 820-4855; and Jonathan E. Rinde, Esquire, Manko, Gold, Katcher & Fox, LLP, 401 City Avenue, Suite 500, Bala Cynwyd, PA 19004, (484) 430-2300.

Copies of the full agreement may be reviewed by any interested party on request during normal business hours

at the office of the Environmental Hearing Board, 2nd Floor, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

MICHAEL L. KRANCER,
Chairperson

[Pa.B. Doc. No. 04-1374. Filed for public inspection July 23, 2004, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Merger

An application has been received requesting approval of the merger of UPMC Health Benefits, Inc., a stock casualty insurance company organized under the laws of the Commonwealth, with and into UPMC Health Network, Inc., a preferred provider organization organized under the laws of the Commonwealth. The filing was made under the Insurance Holding Companies Act (40 P. S. §§ 991.1401—991.1413). Persons wishing to comment on the grounds of public or private interest in this merger are invited to submit a written statement to the Insurance Department (Department) within 7 days from the date of publication of this notice in the *Pennsylvania Bulletin*. Written statements must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Stephanie Ohnmacht, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, sohnmacht@state.pa.us.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-1375. Filed for public inspection July 23, 2004, 9:00 a.m.]

Repeal of Outdated Bulletins and Notices; Notice 2004-06

The Insurance Commissioner hereby formally repeals the following bulletin notices. The notices were issued to provide general information, guidance in advance of the promulgation of a regulation or announce a change in law or Insurance Department practice. The insurance industry is now familiar with the information contained in these notices or the information is outdated and no longer relevant or necessary for the proper regulation of the insurance industry in this Commonwealth.

<i>Notice No.</i>	<i>Date</i>	<i>Title</i>
2003-05	6/7/03	Per Diem Charges for Financial Examinations Conducted by the Department (Effective 7/1/03)
2003-04	6/7/03	Per Diem Charges for Market Conduct Examinations of Insurance Companies (Effective 7/1/03)
2003-03	4/26/03	Applications for Insurance Agent and Broker Licenses

<i>Notice No.</i>	<i>Date</i>	<i>Title</i>
2002-14	12/07/02	Viatical Settlements Act Applications Notice
2002-12	10/26/02	Hard Copy Filings of Financial Statements Discontinued in Pennsylvania Replaced by Affidavit of Filing and Financial Statement Attestation
2002-11	10/19/02	Disclosure of Departures from Statutory Accounting Principles
2002-06	7/13/02	Repeal of Outdated Bulletins and Notices
2002-02	5/3/02	Admissibility of Prepaid Premium Taxes in Financial Statements
2001-02	2/10/01	Act 132 of 2000—Amendments to Insurance Holding Companies Law (PPOs)
2001-01	2/10/01	Act 132 of 2000—Amendments to Insurance Holding Companies Law
2000-01	1/29/00	Department addresses and hours of operation.

Questions regarding this notice should be addressed to Peter J. Salvatore, Regulatory Coordinator, 1326 Strawberry Square, Harrisburg, PA 17120, (717) 787-4429, fax (717) 772-1969, psalvatore@state.pa.us.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 04-1376. Filed for public inspection July 23, 2004, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of Bulletin). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Executive Board

Resolution # CB-04-145, Dated, June 9, 2004. Authorizes the interest arbitration award between the Commonwealth and the PSPOA, effective July 1, 2003.

Resolution # CB-04-160, Dated, June 15, 2004. Authorizes implementation of the Memorandum of Understanding between the Commonwealth and the OPEIU Healthcare Pennsylvania, Local 112, first-level Supervisory Nursing and Supportive Medical Service Unit (P5).

Resolution # CB-04-161, Dated, June 22, 2004. Authorizes implementation of the Memorandum of Understanding between the Commonwealth and the Pennsylvania Social Services Union, affiliated with Service Employees International Union (SEIU), first-level supervisory Compensation Referees Unit (I5).

Resolution # CB-04-162, Dated, June 22, 2004. Authorizes implementation of the Collective Bargaining Agreement between the Commonwealth and District 1199P, SEIU, Nursing and Supportive Medical Service Unit (P4).

Resolution # CB-04-174, Dated, July 6, 2004. Authorizes implementation of the Collective Bargaining Agreement between the Commonwealth and Council 13, AFSCME, Act 111 Bargaining Unit K8, effective July, 2003, through June 30, 2007.

Resolution # CB-04-177, Dated, July 6, 2004. Authorizes implementation of Memorandum of Understanding between the Commonwealth and the Federation of State Cultural and Educational Professionals, Local 2382, Pennsylvania Federation of Teachers, American Federation of Teachers, first-level supervisory unit (C5).

Resolution # CB-04-178, Dated, July 6, 2004. Authorizes implementation of Collective Bargaining Agreement between the Commonwealth and the Federation of State Cultural and Educational Professional, Local 2382, Pennsylvania Federation of Teachers, American Federation of Teachers, rank and file unit (C4).

MARY JANE PHELPS,
Director
Pennsylvania Bulletin

[Pa.B. Doc. No. 04-1377. Filed for public inspection July 23, 2004, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board leases will expire:

Bucks County, Wine & Spirits Shoppe # 0901, Hilltown Crossings Shopping Ctr., 1547 Bethlehem Pike, Hatfield, PA 19440-1301.

Lease Expiration Date: June 30, 2006

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 5,000 net useable square feet of new or existing retail commercial space within a 1/2-mile radius of the Hilltown Shopping Center, Hilltown.

Proposals due: August 13, 2004, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128
Contact: Robert J. Jolly, (215) 482-9671

Bucks County, Wine & Spirits Shoppe # 0905, Logan Square Shopping Ctr., 6542-C Logan Square, New Hope, PA 18938-1084.

Lease Expiration Date: June 30, 2005

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 8,000 to 10,000 net useable square feet of new or existing retail commercial space within a 1-mile radius from Route 202 and Route 179, New Hope, Solebury Township.

Proposals due: August 13, 2004, 12:00 p.m.

Department: Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128
Contact: Robert J. Jolly, (215) 482-9671

Bucks County, Wine & Spirits Shoppe # 0911, 510 South Oxford Valley Road, Fairless Hills, PA 19030-4202.

Lease Expiration Date: June 30, 2008

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 8,000 net useable square feet of new or existing retail commercial space within a 1-mile radius from Levittown Highway and Oxford Valley Road, Fairless Hills, Bristol Township.

Proposals due: August 13, 2004, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128
Contact: Robert J. Jolly, (215) 482-9671

The Liquor Control Board seeks the following new sites:

Montgomery County, Wine & Spirits Shoppe # 4642, Marketplace at Huntingdon Valley, 2010 County Line Road, Huntingdon Valley, PA 19006.

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 4,000 net useable square feet of new or existing retail commercial space within a 1/2-mile radius of the intersection of County Line Road and Davisville Road, Upper Moreland Township.

Proposals due: August 13, 2004, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128
Contact: Robert J. Jolly, (215) 482-9671

Montgomery County, Wine & Spirits Shoppe # 4643, Ralph's Corner Shopping Ctr., Forty Foot Road and Route 63, Lansdale, PA 19446.

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 4,000 net useable square feet of new or existing retail commercial space within a 1/2-mile radius of the intersection of Forty Foot Road and Main Street (Route 63), Lansdale.

Proposals due: August 13, 2004, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128
Contact: Robert J. Jolly, (215) 482-9671

Montgomery County, Wine & Spirits Shoppe # 4644, Blair Mill Road and Moreland Road, Horsham, PA 19040.

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 4,000 net useable square feet of new or existing retail commercial space within a 1/2-mile radius of the intersection of Blair Mill Road and Moreland Road, Horsham Township.

Proposals due: August 13, 2004, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128
Contact: Robert J. Jolly, (215) 482-9671

Philadelphia County, Wine & Spirits Shoppe # 5104, 1518 Walnut Street, Philadelphia, PA.

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 4,000 net useable square feet of new

or existing retail commercial space within a 1/2-mile radius of the intersection of 15th Street and Walnut Street, Philadelphia.

Proposals due: August 13, 2004, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128
Contact: Robert J. Jolly, (215) 482-9671
 JONATHAN H. NEWMAN,
Chairperson

[Pa.B. Doc. No. 04-1378. Filed for public inspection July 23, 2004, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Order

Public Meeting held
July 8, 2004

Commissioners Present: Terrance J. Fitzpatrick, Chairperson; Robert K. Bloom, Vice Chairperson; Glen R. Thomas; Kim Pizzingrilli; Wendell F. Holland

Petition of SBC Telecom, Inc. for Issuance of a Protective Order Regarding Contents of Its 2003 Annual Report; Doc. No. P-00042104

Order

By the Commission:

Before the Commission for consideration and disposition is a Petition for a Protective Order filed under 52 Pa. Code § 5.423 by applicant, SBC Telecom, Inc. (SBC), on April 30, 2004, regarding certain parts of SBC's 2003 Class C Annual Report. In its petition, SBC requests "the issuance of a protective order restricting the disclosure of certain schedules which are deemed competitive, proprietary and confidential" that are incorporated into SBC's 2003 Class C Annual Report. In this Order, we grant in part and deny in part SBC's request for a protective order.

I. *Background*

The Commission has established protection for proprietary information through 52 Pa. Code § 5.362(a)(7), which provides for the issuance of protective orders upon motion by a participant when good cause has been shown to prohibit disclosure of trade secrets or other confidential commercial information. Protective orders to protect or limit from disclosure proprietary information are issued under 52 Pa. Code § 5.423. This section provides, in pertinent part, as follows:

A protective order to limit the disclosure of a trade secret or other confidential information on the public record shall be issued only when a participant demonstrates that the potential harm to the participant of providing the information would be substantial and that the harm to the participant if the information is disclosed without restriction outweighs the public's interest in free and open access to the administrative hearing process.

52 Pa. Code § 5.423(a). The section then goes on to spell out relevant factors that should be considered in determining whether a protective order to limit the availability of proprietary information should be issued. These factors include: (1) the extent to which disclosure would create unfair economic or competitive harm; (2) the extent to which the information is known by others and used in similar activities; (3) the value of the information to the participant versus the participant's competitors; (4) the degree of difficulty and cost of developing the information; and (5) other statutes or regulations dealing with disclosure of the information.

Generally, whenever a public utility claims that information in a tariff filing, annual report or quarterly financial report is confidential, the Commission's internal rules require Commission staff to honor the claim by not placing the information in the public folder document. Under our rules, a petition for protective order generally does not need to be filed until or unless a third party requests access to the proprietary information and states that the proprietary designation is not warranted. When a proprietary designation is challenged, the party seeking the proprietary protection has 14 days to file the petition or its proprietary information claim will deemed to have been waived. 52 Pa. Code § 5.423(b)(4).

For telecommunications utilities filing annual reports, however, this general rule was recently changed because of recommendations made to the Commission in the Final Report of the Collaborative Working Group created by Commission order dated September 12, 2000, at M-00001374. In this Final Report, dated March 15, 2001, and filed at that docket, the Collaborative recommended that certain schedules in the annual reports should be treated in their entirety as proprietary, that another group of schedules should be treated as containing both proprietary and public information, and that other schedules should be treated in their entirety as public information. There are three different annual reports for telecommunications carriers, one each for incumbent local exchange carriers subject to alternative form of regulation (Class A Annual Report), incumbent local exchange carriers subject to rate base/rate of return regulation (Class B Annual Report) and competitive local exchange carriers (Class C Annual Report).

To facilitate the administration of this process by Commission staff, the Collaborative further recommended that if a telecommunication utility's proprietary designation is limited to the schedules, or parts thereof, that were pre-determined to be proprietary in nature, then the same general procedure already in place at the Commission should be followed, that is, the reporting carrier may so designate without filing a petition for protective order and would not need to until a third party challenged the designation. The Collaborative also recommended, however, that if the reporting carrier attempts to designate as proprietary any schedules predetermined to be public information, then the carrier must immediately file a petition for protective order with its annual report or waive its proprietary designation. This new process for annual reports filed by telecommunications utilities was later approved by the Commission for implementation when we adopted all the recommendations of the Collaborative contained in its Final Report. *Rulemaking Re: Financial Reporting Requirements For All Telecom-*

munications Carriers, Doc. No. L-00010153, at 2-3 (Proposed Rulemaking Order entered June 28, 2001).¹

SBC filed its petition on April 30, 2004, under this new process at the same time it filed its 2003 Annual Report requesting proprietary designation of certain schedules appearing at pages 27, 41 and 43-44 of its report. The Secretary's Bureau thereafter directed SBC to serve copies of its instant petition on the Office of Consumer Advocate, the Office of Small Business Advocate and the Office of Trial Staff, which SBC did on June 3, 2004. No answers being filed by the deadline of June 28, 2004, this matter is now ripe for disposition. See 52 Pa. Code §§ 1.56(a) and (b) and 5.61(a).

II. Discussion

In this matter, SBC seeks a protective order to prevent public disclosure of its "Accounts Payable to Affiliated Companies," "Territory Served" and "Customers Served by County" schedules. We note preliminarily that pages 43-44 of the 2003 Class C Annual Report referred to in SBC's petition for the "Customers Served by County" schedule is actually an internal document for Commission staff and not intended to be attached to the report. Moreover, pages 43-44 provide the same information that is included in the "Territory Served" schedule at page 41 that SBC requests proprietary treatment as well. Pages 43-44, therefore, will be removed from SBC's Annual Report for filing purposes, and we will address SBC's concerns relating to this information when we address the "Territory Served" schedule.

To justify its request to grant proprietary treatment of the "Accounts Payable to Affiliated Companies" schedule at page 27 of the 2003 Class C Annual Report, SBC simply states that this information is of a "competitive, proprietary and confidential nature" and, therefore, its petition should be granted. The information provided in this schedule by SBC is an aggregate number with no further breakdown as to how or what it was used for within the company. SBC fails to provide any further justification or to otherwise elaborate how making this information publicly available would provide competitive harm to it. Other than its summary language, SBC has not provided any proof which would show potential harm sufficient to warrant a protective order.

The "Territory Served" schedule at page 41 of the 2003 Class C Annual Report provides a somewhat different problem. This schedule was added as a filing requirement after the Collaborative engaged in its effort to streamline the filing requirements for annual reports and to designate which schedules should receive proprietary versus public treatment. Specifically, this schedule was added by the Commission to support the Pennsylvania Emergency Management Agency's (PEMA) homeland security responsibilities because PEMA believes it is important to know the territories each public utility serves in the State. SBC makes the same general claim that this information is competitive in nature and should be treated as proprietary.

This schedule actually provides two different types of information: the counties served by the carrier and the number of actual customers in each county served. As for identifying the counties served, this was the specific

¹ Our final regulations in this proceeding were approved by order entered December 4, 2001, and became effective upon publication in the *Pennsylvania Bulletin* on April 6, 2002, at 32 Pa.B. 1723. The Final Rulemaking Order, however, did not reference the issue of proprietary treatment of annual reports as this issue had been fully resolved in the Proposed Rulemaking Order.

information requested by PEMA and the information is routinely contained in the tariffs filed by carriers, including SBC. We, therefore, do not believe granting SBC's request for a protective order to protect disclosure of the counties served by SBC is justified, especially where SBC has failed to provide any proof that would show potential harm sufficient to warrant an order. The number of customers served in each county, however, was not specifically requested by PEMA, and we can see where providing this information publicly could be unfairly used by SBC's competitors to SBC's disadvantage; *Therefore,*

It Is Ordered That:

1. The Petition for Protective Order filed by SBC is granted with respect to all the information identifying the actual number of customers served by county contained in the schedule appearing at page 41 of SBC's 2003 Class C Annual Report but is denied with respect to all the information identifying the territory served by counties in the same schedule for the reasons discussed in the body of this Order.

2. The Petition for Protective Order is denied with respect to all the information contained in the "Accounts Payable to Affiliated Companies" schedule appearing at page 27 of SBC's 2003 Class C Annual Report for the reasons discussed in the body of this Order.

3. The Petition for Protective Order requesting proprietary treatment of all information appearing at pages 43-44 of the 2003 Class C Annual Report is deemed moot for the reasons discussed in the body of this Order.

4. SBC is directed to file revised public and proprietary versions of its 2003 Class C Annual Report within 30 days of entry of this Order, incorporating the changes identified in Ordering Paragraphs 1 and 2 and excluding pages 43 and 44 for the reasons discussed in the body of this Order.

5. The proprietary information designated in the "Territory Served" schedule at page 41 of the Class C Annual Report will be made available, consistent with the process approved by Commission Order entered June 28, 2001, at L-00010153, to the Office of Trial Staff, the Office of Consumer Advocate, the Office of Small Business Advocate or any State-level executive or legislative branch agency that may make a request to the Commission to review proprietary information if that executive or legislative branch agency confirms that the information is for official governmental use only, and that each of the agencies receiving this Annual Report agrees not to disclose publicly the proprietary information without permission from SBC or by Commission order and to disclose the proprietary information only to employees who have a need to know. As per the procedures approved in our earlier Order at L-00010153, a confidentiality agreement must be executed by each requesting party to have access to any information designated as proprietary.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 04-1379. Filed for public inspection July 23, 2004, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility

Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by August 16, 2004. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-00120896. Mark L. Garner t/d/b/a Blue Ridge Transportation Service (2381-B Minebank Road, Strasburg, VA 22657)—persons upon call or demand in the City of Butler, Butler County, and within an airline distance of 20 statute miles of the limits thereof.

A-00120873. John A Shirk (P. O. Box 124, Goodville, Lancaster County, PA 17528)—persons in paratransit service, between points in the Counties of Berks, Blair, Franklin, Lancaster, and Union, and from points in said counties, to points in Pennsylvania, and return, limited to the transportation of persons whose personal convictions prevent them from owning or operating motor vehicles.

A-00120893. Homer E. Schrock and Deborah H. Schrock (10A Schapansky Road, Cochranville, Chester County, PA 19330)—persons in paratransit service, between points in the Counties of Lancaster and that portion of Chester, on and west of U. S. Highway Route 10, and from points in said area, to points in Pennsylvania, and return, limited to the transportation of persons whose personal convictions prevent them from owning or operating motor vehicles.

A-00120898. Thomas E. Cassick and Christy K. Hunt, Copartners t/d/b/a Cassick's Cab (526 South 2nd Street, Clearfield, Clearfield County, PA 16830)—persons upon call or demand in Clearfield County.

A-00120897. Mohammed Ali (705 McAllister Street, Hanover, York County, PA 17331)—persons, upon call or demand, in the Counties of York, Adams and Dauphin. *Attorney:* D. J. Hart, 40 York Street, Hanover, PA 17331.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under each application.

A-00120894. Leon M. Brubacher (430 Pleasant Valley Road, Denver, Lancaster County, PA 17517)—persons, in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, between points in the County of Lancaster, and from points in said county, to points in Pennsylvania, and return: which is to be a transfer of all the right authorized under the certificate issued at A-00100278 to Simeon L. Martin (D) by Dorothy S. Martin, executrix of the estate, subject to the same limitations and conditions.

A-00120899. Retriever Transport, Inc. (1288 Valley Forge Road, P. O. Box 521, Phoenixville, Chester County, PA 19460), a corporation of the Commonwealth—persons, in paratransit service, to and from medical facilities, to

include doctors' offices, hospitals, clinics, treatment centers, nursing facilities and personal care facilities, between points in the City and County of Philadelphia and the Counties of Bucks, Montgomery, Berks and Delaware; subject to the following condition: that the service herein authorized is limited to the transportation of injured persons involved in civil litigation and workers' compensation cases to and from medical facilities for treatment and to and from independent medical examinations; which is to be a transfer of all the rights authorized under the certificate issued at A-00115549 to EMT Transport, Inc., subject to the same limitations and conditions.

A-00119180, Folder 2. Dennis Sosa t/d/b/a Xpres Limousine Service (R. R. 1, Box 1113 A, Waymast, Wayne County, PA 18407)—persons, in limousine service, between points in Pennsylvania; which is to be a transfer of all the right authorized under the certificate issued at A-00116152 to Xpres Limousine Service, Inc., subject to the same limitations and conditions. *Attorney:* Joseph R. Ryzdzewski, At Lake Wallenpaupack, HCR 6, Box 6025, Hawley, PA 18428.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 04-1380. Filed for public inspection July 23, 2004, 9:00 a.m.]

Telecommunications

A-310674F7000. Verizon Pennsylvania Inc. and Momentum Telecom, Inc. Joint petition of Verizon Pennsylvania Inc. and Momentum Telecom, Inc. for approval of adoption of an interconnection agreement under section 252(i) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and Momentum Telecom, Inc., by its counsel, filed on June 17, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of adoption of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and Momentum Telecom, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 04-1381. Filed for public inspection July 23, 2004, 9:00 a.m.]

Telecommunications

A-311307F7000. Verizon Pennsylvania Inc. and SusCom Business Solutions of PA, Inc. Joint petition of Verizon Pennsylvania Inc. and SusCom Business Solutions of PA, Inc. for approval of adoption of an intercon-

nection agreement under section 252(i) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. and SusCom Business Solutions of PA, Inc., by its counsel, filed on June 23, 2004, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of adoption of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. and SusCom Business Solutions of PA, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 04-1382. Filed for public inspection July 23, 2004, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Proposals

The Philadelphia Regional Port Authority (PRPA) will accept proposals for Project # 04-097.P, Pocket Planners/2005 Diaries, until 2 p.m. on Thursday, August 5, 2004. The proposal documents can be obtained from the Director of Procurement, PRPA, 3460 N. Delaware Ave., 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available July 27, 2004. PRPA is an equal opportunity employer. Contractors must comply with all applicable equal employment opportunity laws and regulations.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 04-1383. Filed for public inspection July 23, 2004, 9:00 a.m.]