

NOTICES

DELAWARE RIVER BASIN COMMISSION

Meeting and Public Hearing

The Delaware River Basin Commission (Commission) will hold an informal conference followed by a public hearing on Wednesday, January 19, 2005. The hearing will be part of the Commission's regular business meeting. Both the conference session and business meeting are open to the public and will be held at the Commission's offices, 25 State Police Drive, West Trenton, NJ.

The conference among the Commissioners and staff will begin at 9:30 a.m. Topics of discussion will include: response to the Athos I oil spill; staff recommendations on a proposal to amend the *Water Quality Regulations, Water Code* and *Comprehensive Plan* to classify the Lower Delaware River as Special Protection Waters; progress report on Stage 2 TMDLs for PCBs in the Delaware Estuary; report on the Delaware Estuary Science Conference of January 10–12, 2005; report on the Flow Management Technical Advisory Committee Work Group Meetings of November 9–10 and December 3, 2004, and January 6 and 18, 2005; and a proposed resolution to adopt the Commission's annual budget for the fiscal year ending June 30, 2005, and to apportion among the signatory parties the amounts required for support of the Commission's annual and operating budgets.

The subjects of the public hearing to be held during the 1 p.m. business meeting include the dockets listed as follows:

1. *Knoll, Inc. D-74-162-2*. An application to modify a wastewater treatment plant discharge for the Knoll Furniture Manufacturing Facility located off Water Street, approximately 1,000 feet northeast of its intersection with Peevy Road in Upper Hanover Township, Montgomery County, PA. No new treatment facilities are proposed. A junction box at the sewage treatment plant will be repaired, and the facility will be rerouted to include an additional 3,000 gallons of wastewater flow. Although the current docket provides for a flow of 0.07 million gallons per day (mgd), the wastewater treatment plant provides advanced treatment of a total flow of 0.073 mgd from sanitary, process and cooling water sources prior to discharge to Perkiomen Creek in the Schuylkill River Watershed.

2. *Alcoa Extrusions, Inc. D-82-5-3*. An application for the renewal of a groundwater withdrawal project to reduce withdrawal from 21.6 million gallons per 30 days (mg/30 days) to 11.0 mg/30 days to supply the applicant's manufacturing facility from existing Wells Nos. 1 and 2 in the West Branch Schuylkill River Watershed. The project is located in Cressona Borough, Schuylkill County, PA.

3. *Occidental Chemical Corporation D-83-9-2*. An application to amend the current docket, which provides for a discharge from the 0.3 mgd (design) industrial waste treatment plant (IWTP) to contain and treat mercury contaminated groundwater at the applicant's Delaware City chemical manufacturing plant located off State Route 9 in New Castle County, DE. Barrier walls have been constructed around the perimeter of the Process Area and Waste Lake 1. Contaminated groundwater from within these containments will be pumped at a maximum

rate of 30 gallons per minute (43,200 gallons per day) for treatment at an activated carbon treatment system before being discharged to the existing IWTP for mercury removal. The IWTP discharge is to the Delaware River in Water Quality Zone 5.

4. *County of Chester D-83-15 CP-2*. An application to upgrade the applicant's existing 0.105 mgd sewage treatment plant (STP) from a secondary treatment facility to tertiary treatment with no increase in treatment capacity. The STP will continue to serve only the Pocopson Home and Prison. The STP is located approximately 1/2 mile north of the intersection of Route 52 and Wawaset Road in Pocopson Township, Chester County, PA in the Pocopson Creek Watershed. The existing effluent spray field irrigation system will also be upgraded and no effluent discharge to surface water is proposed. (This docket was NAR'd as D-2004-7 CP.)

5. *Waste Management Disposal Services of Pennsylvania, Inc. D-88-54-2*. An application to modify a landfill leachate treatment plant discharge to the tidal Delaware River by means of a constructed discharge cove in Water Quality Zone 2. The treatment plant serves the Tullytown and GROWS Landfills and is located off Bordentown Road in Falls Township, Bucks County, PA. The existing 0.1 mgd leachate treatment plant utilizes the Best Available Treatment Technology but cannot consistently meet effluent total dissolved solids and color limits. The docket holder has requested modification of its docket to allow an increase in the average discharge concentration of Total Dissolved Solids to 10,000 mg/l from the current 6,560 mg/l and an increase in the maximum effluent limit for True Color to 1,500 units from the current 750 units on a platinum-cobalt scale. In support of its requested modifications, the docket holder has completed an environmental study that indicates the changes would result in no significant impact to the Delaware Estuary. No increase in treatment plant capacity is proposed. The docket holder also proposes to construct two effluent storage tanks at the GROWS leachate treatment plant to replace an existing tank and seeks approval to haul nonhazardous leachate to a proposed transfer station that will reroute flow to the Morrisville Borough STP, just upstream on the tidal Delaware River within Water Quality Zone 2.

6. *Blue Ridge Real Estate Company D-91-46-2*. An application for the renewal of a surface water withdrawal project to continue withdrawal of 12 mg/30 days to supply the applicant's proposed golf course at the Jack Frost Ski Area from an existing intake in the Tobyhanna Creek. The project is located in Kidder Township, Carbon County, PA.

7. *Borough of Sellersville D-92-84 CP RENEWAL*. An application for the renewal of a groundwater withdrawal project to continue withdrawal of 20.54 mg/30 days to supply the applicant's distribution system from existing Wells Nos. 1 and 4–6 in the Tohickon Creek and East Branch Perkiomen Creek Watersheds. The project is located in West Rockhill Township and the Borough of Sellersville, Bucks County, PA and is located in the Southeastern Pennsylvania Groundwater Protected Area.

8. *The Premcor Refining Group, Inc. D-93-4-3*. An application to replace the withdrawal of water from Well No. P-9 in the applicant's water supply system, which has become an unreliable source of supply. The applicant requests withdrawal from replacement Well No. P-9A. No

change in the total withdrawal from all wells—currently 180 mg/30 days—is proposed. The project is located in the C & D Canal East, Dragon Run and Red Lion Creek Watersheds in Delaware City, New Castle County, DE.

9. *AMETEK U.S. Gauge Division D-93-25(G)-2*. An application for the renewal of a groundwater withdrawal project to continue withdrawal of 3.88 mg/30 days to supply the applicant's industrial facility and groundwater remediation project from existing Wells Nos. RW-1 and MW-6S and new Well No. MW-10S in the East Branch Perkiomen Creek Watershed. The project is located in Sellersville Borough, Bucks County, PA within the Southeastern Pennsylvania Groundwater Protected Area.

10. *United Water Delaware D-96-50 CP-2*. An application for the renewal of a surface water withdrawal project to continue withdrawal of 30 mgd to provide supply to the applicant's public water distribution system, originally docketed under D-91-72 CP, and for a proposed revision to the operating plan of the tidal capture structure (TCS) originally docketed under D-96-50 CP. The applicant requests removal of the Q_{7-10} passby requirement when the natural stream flow is less than 17.2 mgd or chlorides immediately at the outlet of the TCS bypass structure downstream of the TCS are greater than 250 ppm. Surface water is withdrawn from the confluence of the White Clay Creek and Red Clay Creek at the Stanton Intake, and/or from the tidal backflow from the Christina River created by the TCS, by means of an intake at the TCS. The modification of the TCS operating plan is designed to increase water supply reliability during low flow conditions, attenuate brackish water impacts and maintain essential physical habitat at the tidal/freshwater interface controlled by the TCS. The TCS operating plan revision includes incremental passby flow targets in conjunction with salinity monitoring to protect the applicant's water supply and preserve depth of water downstream of the TCS for aquatic habitat protection. The project is located in New Castle County, DE.

11. *Plumstead Township D-97-33 CP-2*. An application for approval of a groundwater withdrawal project to renew the allocation included in Docket D-94-43 P.A. and consolidate all other docket approvals for Plumstead Township, retaining the existing withdrawal from all wells of 15.31 mg/30 days. Docket D-97-33 CP-2 consolidates allocations approved under D-92-76 P.A., D-94-43 P.A., D-95-18 CP and D-97-33 CP. The project is located in the North Branch Neshaminy Creek, Geddes Run, Cabin Run and Pine Run Watersheds in Plumstead Township, Bucks County, PA, within the Southeastern Groundwater Protected Area.

12. *Green-Waltz Water Company, Inc., Nestlé Waters North America Inc., D-98-55-2*. An application for approval of a groundwater withdrawal project to supply up to 11.7 mg/30 days of water for bulk water supply to the applicant's bottling plant from replacement Well B-1, screened in the unconsolidated deposits overlying the Martinsburg Formation. Well B-1 will replace Well 1 (also known as W-1). Green-Waltz Water Company, Inc. sold to Nestlé Waters North America Inc. (NWNA) its interests in waters from the spring sources located on the subject property, but remains a co-owner of the site and facilities. The NWNA has assumed the role of operator of the facilities, and as such, has responsibility for the operation and maintenance of the withdrawal from Well B-1. The applicant has not requested a change in the existing allocation of 11.7 mg/30 days. The project is located in the Waltz Creek Watershed in Washington Township, Northampton County, PA.

13. *Pennsylvania American Water Company D-99-30 CP 2*. An application for approval of a groundwater withdrawal project to supply up to 5.83 mg/30 days of water to the applicant's Glen Alsace public water supply distribution system from replacement Well GL-2A in the Brunswick Formation, and to retain the existing withdrawal from all wells at 50 mg/30 days. Proposed replacement Well No. GL-2A will replace former Well No. GL-2 and is planned to be used as a regular source to the Glen Alsace distribution system. The project also includes two existing interconnections from the Reading Area Water Authority (45 mg/30 days) and the Mount Penn Water Authority (6 mg/30 days). The project is located in the Antietam Creek Watershed in Exeter Township, Berks County, PA.

14. *Lower Perkiomen Valley Regional Sewer Authority D-2001-42 CP-2*. An application to expand the Oaks STP from 9.5 mgd to 14.25 mgd. The plant will continue to provide advanced secondary treatment by means of an anoxic/oxic biological process. The Oaks STP is located at the confluence of Perkiomen Creek and the Schuylkill River in Upper Providence Township, Montgomery County, PA. The project will continue to serve portions of Upper Providence, Perkiomen and Skippack Townships, plus Colledgeville and Trappe Boroughs, all in Montgomery County, PA. STP effluent will continue to be discharged to the Schuylkill River through the existing outfall. (This docket was NAR'd as D-2004-20 CP.)

15. *Little Washington Wastewater Company D-2001-54-2*. An application to expand a 0.12 mgd STP to process 0.155 mgd on a maximum monthly basis, while maintaining tertiary level of treatment. The plant is located just south of Little Washington-Lyndell Road in East Brandywine Township, Chester County, PA. Currently, up to 53,100 gpd of STP effluent is discharged to Culbertson Run in the Brandywine Creek Watershed and up to 66,133 gpd to effluent disposal beds that recharge the groundwater table. The additional effluent from the proposed expansion will be routed back to the proposed Hideaway Farm subdivision for application to new disposal beds. The proposed expansion will enable the applicant to serve additional residential development in East Brandywine Township.

16. *Pennsylvania-American Water Company D-2003-6 CP-1*. An application for approval of a groundwater withdrawal project to supply up to 5.616 mg/30 days of water to the applicant's Country Club of the Poconos at Big Ridge distribution system from new Wells Nos. 3 and 5 in the Mahatango Formation, and to increase the existing withdrawal from all wells to 9.316 mg/30 days. The project is located in the Pond Creek Watershed in Middle Smithfield Township, Monroe County, PA in the drainage area of the Special Protection Waters. (This docket was NAR'd as D-2003-6 CP.)

17. *Air Products and Chemicals, Inc. D-2004-27-1*. An application for an existing industrial wastewater treatment plant to process up to 0.135 mgd and to continue to discharge to the Lehigh River through an existing outfall. No modification of the existing plant or increase in flow is proposed. The applicant is a manufacturing facility located in the Borough of Glendon, Northampton County, PA, in the area covered by the Lower Delaware River Management Plan.

18. *The Glass Group, Inc. D-2004-29-1*. An application for approval of a groundwater withdrawal project to supply up to 30 mg/30 days of water to the applicant's manufacturing facility from Wells Nos. 13–16 in the

Cohansey Formation. The project is located in the Maurice River Watershed in the City of Millville, Cumberland County, NJ.

19. *Warren Investments, LLC D-2004-31-1*. An application for approval of a groundwater withdrawal project to supply up to 6.91 mg/30 days of water for supplemental irrigation of the applicant's proposed Shetland Crossing Golf Club from new Wells WIA, WIB, WIC and WID, all in the Locketong Formation. In conjunction with the groundwater withdrawal, the golf course will utilize supplemental irrigation from stormwater collected in four onsite storage ponds. The project is located in the Wickecheoke Creek Watershed in Franklin Township, Hunterdon County, NJ.

20. *Bear Creek Management Company, LLC D-2004-35-1*. An application for approval of a groundwater and surface water withdrawal project to supply up to 11 mg/30 days of water to the applicant's ski resort from new Wells Nos. 1—6 and up to 36 mg/30 days of water to the applicant's snowmaking operations from four ponds and one detention basin and to limit the withdrawal from all sources to 36.6 mg/30 days. The project is located in the Swabia Creek Watershed in Longswamp Township, Berks County, PA.

21. *Borough of Portland D-2003-9 CP*. An application to construct a 0.105 mgd wastewater treatment plant to provide tertiary treatment of flow from the proposed Portland Industrial Park and from local onlot septic systems located in Portland Borough, Northampton County, PA. The plant will be constructed in the southeast corner of Portland Borough and the project outfall will discharge to the Delaware River. This location is in DRBC Water Quality Zone 1D and in the drainage area of the Lower Delaware Management Plan.

In addition to the public hearing on the dockets listed previously, the Commission's 1 p.m. business meeting will include a public hearing and possible action on a resolution to amend Resolution No. 2002-33 relating to the operation of Lake Wallenpaupack during drought watch, drought warning and drought operations; a resolution to amend the Commission's administrative procedure and

fee schedule for renewal of project approvals under Section 3.8 and Article 10 of the *Delaware River Basin Compact*; a resolution to amend the *Water Quality Regulations, Water Code and Comprehensive Plan* to designate the Lower Delaware River as Special Protection Waters; a resolution authorizing the Executive Director to extend the Commission's contract with Axys Analytical Laboratories, Inc. for analytical services in connection with the control of toxic substances in the Delaware Estuary; a resolution authorizing the Executive Director to engage a contractor to assist the Commission staff with tasks to be completed under Pennsylvania Act 220; and a resolution to adopt the Commission's annual budget for the fiscal year ending June 30, 2005, and to apportion among the signatory parties the amounts required for support of the Commission's annual and operating budgets.

In addition, the meeting will include: adoption of the Minutes of the October 27, 2004, business meeting; announcements; a report on Basin hydrologic conditions; a report by the Executive Director; a report by the Commission's General Counsel; and an opportunity for public dialogue. Draft dockets and the resolutions scheduled for public hearing on January 19, 2005, will be posted on the Commission's website, www.drbc.net, where they can be accessed through Next DRBC Meeting. Additional documents relating to the dockets and other items may be examined at the Commission's offices. Contact William Muszynski at (609) 883-9500, Ext. 221 with any docket-related questions.

Individuals in need of an accommodation as provided for in the Americans With Disabilities Act who wish to attend the informational meeting, conference session or hearings should contact the Commission Secretary directly at (609) 883-9500, Ext. 203 or through the Telecommunications Relay Services (TRS) at 711 to discuss how the Commission may accommodate their needs.

PAMELA M. BUSH,
Secretary

[Pa.B. Doc. No. 05-58. Filed for public inspection January 7, 2005, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending December 28, 2004.

BANKING INSTITUTIONS

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
9-20-04	Bank of Hanover and Trust Company Hanover York County	2300 South Queen Street York York County	Opened
12-21-04	Greater Delaware Valley Savings Bank d/b/a/ Alliance Bank Broomall Delaware County	82 East Lancaster Avenue Paoli Tredyffrin Township Chester County	Approved

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
12-21-04	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	<i>To:</i> 1188 Mae Street Hershey Dauphin County <i>From:</i> 1201 Governor Road Hershey Dauphin County	Approved

Articles of Amendment

<i>Date</i>	<i>Name of Bank</i>	<i>Purpose</i>	<i>Action</i>
12-23-04	The Philadelphia Trust Company Philadelphia Philadelphia County	To provide for the amendment to Article 2 of the Articles of Incorporation to provide for the change in location of the principal place of business <i>from:</i> 1735 Market Street, 27th Floor; <i>to:</i> 1760 Market Street, 2nd Floor, both addresses in Philadelphia, Philadelphia County.	Approved and Effective

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS**Consolidations, Mergers and Absorptions**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
12-22-04	Steel Seven Credit Union, Harrisburg, and Pennsylvania Central Federal Credit Union, Harrisburg Surviving Institution— Pennsylvania Central Federal Credit Union, Harrisburg	Harrisburg	Filed

Branch Applications

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
12-20-04	TruMark Financial Credit Union Trevose Bucks County	1141 Baltimore Pike Springfield Delaware County	Filed

A. WILLIAM SCHENCK, III,
Secretary

[Pa.B. Doc. No. 05-59. Filed for public inspection January 7, 2005, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Federal Even Start Grants

The Federal Even Start Family Literacy Program, renamed the "William F. Goodling Even Start Family Literacy Programs," is authorized by Title I, Part B, Subpart 3 of the Elementary and Secondary Education Act (ESEA), reauthorized as the No Child Left Behind Act of 2001 (NCLB Act). This program is administered by the Department of Education for family literacy programs that will:

1) Target families living in areas of high concentration of poverty who are receiving welfare benefits and who have educational needs.

2) Enable communities to foster cooperative partnerships that build on existing community resources to create a new range of services.

3) Provide services that are of sufficient intensity in terms of hours, and of sufficient duration, to make sustainable changes in a family, and that integrate all of the following:

a. Interactive literacy activities between parents and their children.

b. Training for parents regarding how to be the primary teacher for their children and full partners in the education of their children.

c. Parent literacy training that leads to economic self-sufficiency.

d. An age-appropriate education to prepare children for success in school and life experiences.

Eligibility

Organizations eligible to apply for an Even Start grant are a Local Educational Agency (LEA) or Community-based Organization (CBO). Eligible entities are required to establish a formal partnership between one or more LEAs and one or more CBOs. A private nonprofit entity,

including a faith-based organization, as part of a partnership may serve as the fiscal agent, since school-age children who are enrolled in private elementary and secondary schools are eligible for Even Start services under the equitable participation provisions of the NCLB Act. Under these circumstances, a public agency, particularly an LEA, is required to control and administer program funds used to provide equitable services to private school students.

Selection Process

Consideration will be given to applications that meet the following conditions:

- 1) Reflect the family focus of Even Start.
- 2) Locate new sites in areas designated by the Federal government as empowerment zones or enterprise communities.
- 3) Provide early childhood services for a 3-year age range.
- 4) Submit a total budget which contains a local match beyond the required Even Start statutory percentages.
- 5) Target services to families most in need (that is, educationally disadvantaged adults who are receiving public assistance; do not have high school diplomas; are members of minority groups; are single parents; are victims of domestic violence; have children with developmental delays; reside in a Title I school attendance area; and (if in primary grades) are receiving Title I services).
- 6) Coordinate with adult education and literacy programs; county assistance offices; social service agencies; public libraries; Team PA CareerLink One-Stop Centers; Workforce Investment Act programs; elementary schools; family centers; preschool programs such as Head Start; licensed child care centers; and other community groups or agencies that provide services and assistance to persons in need of basic literacy skills and/or support services.

Funding Priorities for Grant Applications

- 1) Renewal of grants to currently-funded Even Start Family Literacy Programs, providing sufficient progress is made toward meeting program objectives in relation to the Pennsylvania Family Literacy Program Performance Standards and the Pennsylvania Family Literacy Summer Reading Program policy. (Note: Even Start projects applying for their 4th or 8th year of operation should consult the Application Guidelines for special provisions pertaining to the duration of projects.)
- 2) New Even Start Family Literacy Programs by school districts or charter schools receiving Title I, Part A, ESEA funds in areas of counties not served by a current Even Start or State Act 143 Family Literacy grant.
- 3) New Even Start Family Literacy Programs by community-based organizations, in partnership with school districts and/or charter schools receiving Title I, Part A, ESEA funds in areas of counties not served by a current Even Start or State Act 143 Family Literacy grant.

Grant Period

The "Grant Period" (or duration of an Even Start grant) will be for a term of 4 years provided that sufficient progress is made towards meeting program objectives in

relation to the Pennsylvania Family Literacy Program Performance Standards and the Pennsylvania Family Literacy Summer Reading Program policy. The Commonwealth will not, however, issue a 4-year grant. Each year, or "Grant Year," grantees will be required to apply for continuation funding. At the end of the grant period, grantees will be authorized to reapply and compete with other applicants for another 4-year term. Upon the completion of eight years, special provisions apply to the continuation of program operations. Refer to the Application Guidelines for details.

Restrictions

1) The Federal program requires a local contribution/matching funds in addition to the requested grant amount. The total cost of the program is to be supported by grant funds and a "local share." The Even Start statute requires a graduated increase in the local share, which ranges from 10% (in the first year) to 65% depending upon the year of operation (see Application Guidelines for details).

2) Section 1234 of the Even Start statute prohibits a local program from using grant funds for indirect costs. This restriction includes the project's matching funds (local share).

Application Procedures

Even Start renewal and new applications must be completed online and submitted by means of the e-Grant website at www.egrants.ed.state.pa.us to the Bureau of Adult Basic and Literacy Education, Department of Education, on or before March 11, 2005.

Instructions and the Application Guidelines are available by means of ABLE site at www.able.state.pa.us and by means of the e-Grant website.

All potential applicants are urged to attend the annual proposal development workshop to learn the latest changes to program guidelines and new requirements for submitting e-Grant applications for adult education and family literacy programs funded through (1) the Federal Workforce Investment Act, Section 231; (2) State Act 143 of 1986—Adult and Family Literacy Education Act; and (3) the Federal Even Start Family Literacy Program. This workshop will be conducted by teleconference on January 24, 2005, 1 to 2:30 p.m. For the nearest downlink site and to ensure that space, materials and handouts are available, all attendees must register online using the PATTAN Distance Learning homepage at www.pattan.k12.pa.us. The registration deadline is January 14, 2005. Participants will not be required to register in e-Campus. Act 48 or professional development hours will not be credited for this activity. If unable to access the online registration information, interested parties may fax their registration request to Kristen Olszyk at (412) 826-6872. Individuals with special needs as addressed by the Americans With Disabilities Act and need assistance at the workshop should make their needs known when registering. Reasonable efforts will be made to accommodate those individuals. To ensure timely administration and processing of e-Grant applications, both the grant writer and the fiscal officer should attend the workshop.

FRANCIS V. BARNES, Ph.D.,
Secretary

[Pa.B. Doc. No. 05-60. Filed for public inspection January 7, 2005, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N ?</i>
PA0088242 (CAFO)	Country View Family Farms— Huston Hollow Farm P. O. Box 526 Ephrata, PA 17522-0526	Fulton County Taylor Township	Intermittent UNT to Wooden Bridge Creek/12-C	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N ?</i>
PA0080586 (SEWAGE)	Morton Building, Inc. 3370 York Road Gettysburg, PA 17325-8258	Adams County Straban Township	UNT Swift Run/7-F	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PA 0023744, Sewage, **Northeastern York County Sewer Authority**, P. O. Box 516, 175 Chestnut Street, Mount Wolf, PA 17347. This facility is located in East Manchester Township, **York County**.

Description of activity: The application is for the amendment of an NPDES permit for an existing discharge of treated sewage.

The receiving waters, Susquehanna River, is in Watershed 7-F, and classified for warm water fishery, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Wrightsville Water Supply Co. is located on the Susquehanna River, approximately 10 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 based on an annual average flow rate of 1.7 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	XXX	50
Total Suspended Solids	30	45	XXX	60
NH ₃ -N (Interim)	Monitor & Report	XXX	XXX	XXX
NH ₃ -N (Final) (5/1 to 10/31)	12	XXX	XXX	24
(11/1 to 4/30)	Monitor & Report	XXX	XXX	XXX
Total Phosphorus	2.0	XXX	XXX	4.0
Total Residual Chlorine	0.4	XXX	Monitor & Report	1.3
Total Nitrogen	XXX	XXX	Monitor & Report	XXX
Oil and Grease	XXX	XXX	Monitor & Report	XXX
Total Copper	XXX	XXX	Monitor & Report	XXX
Total Aluminum	XXX	XXX	Monitor & Report	XXX
Total Mercury	XXX	XXX	Monitor & Report	XXX
Dissolved Oxygen		Minimum of 5.0 at all times		
pH		From 6.0 to 9.0 inclusive		
Fecal Coliform (5/1 to 9/30)		200/100 ml as a geometric average		
(10/1 to 4/30)		10,000/100 ml as a geometric average		

All limitations and monitoring requirements for this permit amendment are the same as those contained in the NPDES permit issued on September 12, 2003, with the exception of the acute Whole Effluent Toxicity limit, which will be removed based on the identification and elimination of the source of toxicity.

Individuals may make an appointment to review the files on this case by calling the File Review Coordinator at (717) 705-4732.

The EPA waiver is not in effect.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PA0228851, CAFO, SIC 0213, **Country View Family Farms**, R. D. 2, Box 54A, Columbia Crossroads, PA 16914. This proposed facility will be located in Columbia Township, **Bradford County**.

Description of Proposed Activity: Van Blarcom Farms, an existing dairy farm, proposes the construction of a new swine farm. The new swine operation will consist of a breeding and gestation barn, a farrowing barn, a grower barn, a solids separating area, a stacking area and manure storage ponds. Manure will be conveyed from under-barn storages to solids separating area, where solids will be removed and liquids will be further conveyed to the manure storage ponds. The manure storages will have HDPE liners and leak detection systems. The two manure storages will have a total storage of 2,754,100 gallons. All manure will be land applied on lands operated by Van Blarcom Farms. Total AEUs at the site will be 1,316.3.

The nearest stream, North Branch Sugar Creek, is in the State Water Plan watershed 4C and is classified for: TSF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO individual permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

PA0028126, Industrial Waste, SIC, 4941, **Pennsylvania American Water**, 800 West Hersheypark Drive, Hershey, PA 17033. This application is for renewal of an NPDES permit to discharge backwash water and untreated stormwater from Hays Mine Beck Run Complex WTP in Pittsburgh, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, Becks Run Creek, classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream PWS is West View Municipal Authority, located at Ohio River, 9 miles below the discharge point.

Outfall 001: existing discharge, design flow of 1.72 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	Monitor and Report				
Total Suspended Solids			30		60
Total Iron			2		4
Aluminum (T)			4		8
Manganese (T)			1		2
Total Residual Chlorine			0.5		1
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

PA0252743, Industrial Waste, SIC, **Indian Creek Valley Water Authority**, P. O. Box 486, Indian Head, PA 15446-0486. This application is for issuance of an NPDES permit to discharge treated process water from Neal's Run Well Water Treatment Plant in Saltlick Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, Back Creek, classified as a CWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is North Fayette County Municipal Authority, located at Dunbar—Youghiogheny River, approximately 16.5 miles below the discharge point.

Outfall 001: new discharge, design flow of 0.0043 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor & Report				
Suspended Solids			30		60
Iron			2.0		4.0
Aluminum			1.3		2.6
Manganese			1.0		2.0
Total Residual Chlorine			0.5		1.0
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

PA0020656, Sewage, **Newell Municipal Authority**, 413 Second Street, P. O. Box 356, Newell, PA 15466-0356. This application is for renewal of an NPDES permit to discharge treated sewage from Newell Sewage Treatment Plant in Newell Borough, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Monongahela River, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Washington Township Municipal Authority on the Monongahela River.

Outfall 001: existing discharge, design flow of 0.1 mgd.

Parameter	Concentration (mg/l)		
	Average Monthly	Average Weekly	Maximum Daily
CBOD ₅	25	37.5	50
Suspended Solids	30	45	60
Fecal Coliform (5/ to 9/30) (10/1 to 4/30)	200/100 ml as a geometric mean 2,000/100 ml as a geometric mean		
Total Residual Chlorine	1.4		3.3
pH	not less than 6.0 nor greater than 9.0		

The EPA waiver is in effect.

PA0026069-A1, Sewage, **Latrobe Municipal Authority**, P. O. Box 88, Latrobe, PA 15650. This application is for amendment of an NPDES permit to discharge treated sewage from Latrobe Municipal Authority Sewage Treatment Plant in Latrobe Borough, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Loyalhanna Creek, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Freeport Water Company.

Outfall 001: existing discharge, design flow of 5.0 mgd.

This permit is amended to delete the discharge limit for Total Residual Chlorine since ultraviolet radiation versus chlorination is now used for disinfection.

PA0094960, Sewage, **Williams Barnes**, P. O. Box 337, Eighty Four, PA 15330.

This application is for renewal of an NPDES permit to discharge treated sewage from Barnes Apartments Sewage Treatment Plant in Somerset Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Little Chartiers Creek, which are classified as a H-Q WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Western Pennsylvania Water Authority.

Outfall 001: existing discharge, design flow of 0.0023 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5/1 to 10/31)	3.0			6.0
(11/1 to 4/30)	9.0			18.0
Fecal Coliform				
(5/1 to 9/30)	200/100 ml as a geometric mean			
(10/1 to 4/30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 5 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0216224, Sewage, **Richard Prostejovsky**, 1083 Manor Drive, Ebensburg, PA 15931. This application is for renewal of an NPDES permit to discharge treated sewage from the Prostejovsky Single Residence STP in Cambria Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as an UNT of North Branch Little Conemaugh River, which are classified as a CWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Blairsville Municipal Authority on the Conemaugh River.

Outfall 001: existing discharge, design flow of 0.0004 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60
Fecal Coliform				
(5/1 to 9/30)	200/100 ml as a geometric mean			
(10/1 to 4/30)	2000/100 ml as a geometric mean			
Total Residual Chlorine	Monitor and Report			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications Under the Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 3904201, Industrial Waste, **Pennsylvania Turnpike Commission**, P. O. Box 67676, Harrisburg, PA 17106-7676. This proposed facility is located in Washington Township, **Lehigh County**, PA.

Description of Proposed Action/Activity: This project involves construction of a .0026 mgd industrial waste treatment facility to treat wastewater from Pennsylvania Turnpike Commission at Slatington Maintenance Facility.

WQM Permit No. 3904406, Sewerage, **Upper Saucon Sewage Treatment Authority**, 5500 Camp Meeting Road, Center Valley, PA 18034-9444. This proposed facility is located in Upper Saucon Township, **Lehigh County**, PA.

Description of Proposed Action/Activity: This project consists of replacing the existing chlorine disinfection system with ultraviolet disinfection system.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 2104414, Sewerage, **South Middleton Township Municipal Authority**, P. O. Box 8, Boiling Springs, PA 17007. This proposed facility is located in South Middleton Township, **Cumberland County**.

Description of Proposed Action/Activity: Construction of the Carlisle Crossing sewer extension and replacement of existing pump station to serve department stores, small shops, restaurants, and the like).

WQM Permit No. 3604417, Sewerage, **Suburban Lancaster Sewer Authority**, 218 West Orange Street, P. O. Box 1271, Lancaster, PA 17603. This proposed facility is located in West Lampeter Township, **Lancaster County**.

Description of Proposed Action/Activity: Construction of sewer extension and pumping station to serve the Horst Tract.

WQM Permit No. 567s030, Amendment 04-1, Sewerage, **Pennsylvania Turnpike Commission** (Sideling Hill Service Plaza), Administration Building, 700 South Eisenhower Boulevard, Middletown, PA 17057. This proposed facility is located in Taylor Township, **Fulton County**.

Description of Proposed Action/Activity: Upgrade of wastewater treatment plant.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. 0804202, CAFO Operation, SIC 0213, **Country View Family Farms**, R. D. 2, Box 54A, Columbia Crossroads, PA 16914. This proposed facility will be located in Columbia Township, **Bradford County**.

Description of Proposed Activity: Van Blarcom Farms, an existing dairy farm, proposes the construction of a new swine farm. The new swine operation will consist of a breeding and gestation barn, a farrowing barn, a grower barn, a solids separating area, a stacking area and manure storage ponds. Manure will be conveyed from under-barn storages to solids separating area, where solids will be removed and liquids will be further conveyed to the manure storage ponds. The manure storages will have HDPE liners and leak detection systems. The two manure storages will have a total storage of 2,754,100 gallons. All manure will be land applied on lands operated by Van Blarcom Farms. Total AEUs at the site will be 1,316.3.

WQM Permit No. 0804203, CAFO Operation 0213, **Country View Family Farms**, Ephrata, PA 17522. This existing facility is located in Wells Township, **Bradford County**.

Description of Proposed Action/Activity: Improvements to the leak detection system, concrete vault liners and stormwater management system at the existing facility.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

V. Applications for NPDES Waiver Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI010904014	Prime Building Group Biddle Tract 1631 Meetinghouse Road Chalfont, PA 18914	Bucks	Milford Township	Molasses Creek/Unami Creek (HQ-CWF)
PAI011504090	Great Valley School District Sugartown Elementary School Add. 47 Church Road Malvern, PA 19355	Chester	Willistown Township	West Branch Crum Creek (EV)
PAI011504091	Joe Budis Budis Subdivision Development 10 First Street Murray Hill, NJ 07944	Chester	Honey Brook Borough and Township	West Branch Brandywine Creek (HQ)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Lehigh County Conservation District: Lehigh Ag. Ctr., Ste. 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023904040	Trexlerstown Plaza Associates Paul Mullins 600 Old Country Rd. Garden City, NY 11530	Lehigh	Lower Macungie Township	Little Lehigh Creek, HQ-CWF

Monroe County Conservation District: 8050 Running Valley Road, Stroudsburg, PA 18360, (570) 629-3060.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI024504030	Forte Inc. P. O. Box 153 Stroudsmoor Rd. Stroudsburg, PA 18360	Monroe	Stroud Township	Cherry Creek, HQ-CWF, MF

Northampton County Conservation District: Greystone Building, Gracedale Complex, Nazareth, PA 18064-9211, (610) 746-1971.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI024804043	Hecktown Fire Company Attn: Jeff Seip 230 Nazareth Pike Bethlehem, PA 18020	Northampton	Lower Nazareth Township	Monocacy Creek, HQ-CWF
PAI024804044	Mark Wagner, President Wagner Enterprises, LTD P. O. Box 3154 Easton, PA 18043	Northampton	City of Bethlehem	Saucon Creek, HQ-CWF (Black River to SR 412 Bridge)

Southcentral Region: Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI-0328-04-006	JATIM Enterprises, Inc. 421 South Washington Street Berkeley Springs, WV 25411	Franklin	Guilford Township	Conococheague Creek/HQ-CWF

Northcentral Region: Water Management Program Manager; 208 West Third Street, Williamsport, PA 17701.

Centre County Conservation District: 414 Holmes Ave., Suite 4, Bellefonte, PA 16823 (814) 355-6817.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI041404018	Sports Management Group Inc., Phase IV Gary Ream P. O. Box 93 Rt. 45 Woodward, PA 16882	Centre	Haines Township	UNT Pine Creek EV

Clearfield County Conservation District: 650 Leonard St., Clearfield, PA 16830, (814) 765-2629.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI041704002	Mosquito Creek Sportsmens Assoc. P. O. Box 218 Frenchville, PA 16836	Clearfield	Girard Township	Lost run-HQ-CWF Deserter run-HQ-CWF Gifford Run-HQ-CWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should in-

clude the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0104504, Public Water Supply.

Applicant	Possum Valley Municipal Authority
Municipality	Menallen Township
County	Adams
Responsible Official	John W. Breighner Jr, Chairperson P. O. Box 420 Bendersville, PA 17306
Type of Facility	Public Water Supply
Consulting Engineer	Janet R McNally, P. E. William F. Hill & Assoc., Inc. 207 Baltimore St. Gettysburg, PA 17325
Application Received Date	10/22/2004
Description of Action	Installation of transmission mains and a stream intake on Opossum Creek for a pilot study.

Permit No. 2204506, Public Water Supply.

Applicant	Wissahickon Spring Water
Municipality	Williams Township
County	Dauphin
Responsible Official	Albert Lear, Dir. Quality Assurance 10447 Drummond Rd. Philadelphia, PA 19154
Type of Facility	Public Water Supply
Consulting Engineer	Thomas G. Pullar, P. E. EarthRes Group Inc P. O. Box 468 Pipersville, PA 18947
Application Received Date	8/9/2004
Description of Action	The addition of a new water source (borehole BH-2) at the Temple Spring bulk water facility.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908)

Sections 302, 303, 304 and 305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified below, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified below. During this comment period the municipality may request that the person identified below, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Wimmer Scrap Facility (Former), Etna Borough, **Allegheny County**. Wendy Noe, American Geosciences, Inc., 3925 Reed Blvd., Suite 400, Murrysville, PA 15668-1848 (on behalf of Marco Pompeo, Etna Properties, LLP, 2201 Main Street, Pittsburgh, PA 15215) has submitted a Notice of Intent to Remediate soil contaminated with heavy metals, and PCBs. The applicant proposes to remediate the site to meet the Special Industrial Area Requirements. A summary of the Notice of Intent to Remediate was reported to have been published in the Pittsburgh Post Gazette on August 10, 2004.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application received, Under the Solid Waste Management Act (35 P. S. §§ 6018.101— 6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit ID No. 100172. Arden Landfill, Inc., 200 Rangos Lane, Washington, PA 15301. Arden Landfill, 200 Rangos Lane, Washington, PA 15301. Application for the expansion of a municipal waste landfill in Chartiers Township, **Washington County** was received in the Regional Office on December 23, 2004.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department

regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570)-826-2531.

54-303-016: Foster Materials—Division of Naceville Materials (1371 West Street Road, Warminster, PA 18974) for construction of a batch asphalt plant with the capability to utilize waste derived liquid fuels and associated air cleaning device at their Ryan Stone Quarry in Foster Township, **Schuylkill County**.

45-301-029: HG Smith-Wilbert Vault Co. (2120 North Fifth Street, Stroudsburg, PA 18360) for construction of a crematory and associated air cleaning device at their facility on Dreher Avenue, Stroudsburg Borough, **Monroe County**.

48-317-020: ConAgra Food Ingredients Co. (Route 611, Martins Creek, PA 18063) for installation of air cleaning devices to capture emissions from flour milling and loading operations at their facility in Lower Mount Bethel Township, **Northampton County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Devendra Verma, New Source Review Chief, (814) 332-6940.

10-348A: Amerikohl Mining, Inc. (PA Route 58, Butler PA 16001) for plan approval to construct a 200 tph coal crusher/stockpile at their Hortert Mine, SMP No. 10990101, in Venango Township, **Butler County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.

15-0010A: ISG Plate, LLC (139 Modena Road, Coatesville, PA 19320) for modification of a 200' NAB Furnace (CHT) at their facility in the City of Coatesville,

Chester County. This facility is a Title V facility. The 200' NAB Furnace (CHT) is identified in the facility's Title V Operating Permit as Source 146B. ISG Plate LLC proposes to install new high efficiency burners to replace older burners. To assure that PSD would not apply on a "past actual to future potential" basis, Source 146B will be subject to the following restrictions: 1) a limit of 30.6 tons of NOx per year, as a 12 month rolling sum (this is a reduction in the source's current potential to emit of 93.2 tons per year), 2) a fuel usage restriction for the 200' NAB Furnace (CHT), 3) a limitation to only burning natural gas, 4) the installation of a fuel usage meter, 5) a requirement to monitor and record fuel usage, and 6) a requirement to stack test the furnace to verify its NOx emission rate. The Plan Approval will contain monitoring and recordkeeping requirements designed to keep Source 146B operating within the allowable emissions and all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, Richard Maxwell, New Source Review Chief, (570) 327-3637.

55-399-005A: Professional Building Systems, Inc. (72 East Market Street, Middleburg, PA 17842) for construction of a modular home manufacturing facility in Middleburg Borough, **Snyder County.**

The modular home manufacturing facility incorporates various manufacturing activities involving the use of adhesives, sealants, paints, cleaning solvents, and the like. The facility will emit up to 8.39 tons of volatile organic compounds and 1.11 tons of volatile hazardous air pollutants per year.

The Department of Environmental Protection's (Department) review of the information provided by Professional Building Systems, Inc. indicates that the modular manufacturing facility will comply with all Air Quality requirements pertaining to air contamination sources and the emission of air contaminants, including the best available technology requirement of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue plan approval for the construction of the modular home manufacturing facility.

The following is a summary of the conditions that the Department proposes to place in the plan approval to be issued to ensure compliance with all applicable regulatory requirements:

1. This plan approval supersedes Plan Approval 55-399-005 in its entirety.
2. The total combined volatile organic compound emissions shall not exceed 8.39 tons in any 12 consecutive month period and the total combined volatile hazardous air pollutant emissions shall not exceed 1.11 tons in any 12 consecutive month period.
3. Only those specific adhesives, sealants, coatings (paints, stains, topcoats, and the like), cleaning solvents, and the like identified in the plan approval application (or an alternate material determined by the Department to have an equivalent, or lower, air contaminant emission potential) shall be used.
4. All materials listed below shall comply with the usage limitations identified as applying to that material:

<i>Material</i>	<i>Max. lbs used for 12 consecutive month period</i>
Titebond DA (and any alternate materials)	14,500

<i>Material</i>	<i>Max. lbs used for 12 consecutive month period</i>
Red Devil Acrylic Caulk (and any alternate materials)	5,312
Gun Cleaner (and any alternate materials)	410
Bondaflex Sil 100 (and any alternate materials)	323
Rector Seal T-2 (and any alternate materials)	50
Oatey Low VOC Purple Primer (and any alternate materials)	350
Oatey All Purpose Cement (and any alternate materials)	416
Whitlam Turf—Pool Cement (and any alternate materials)	1,835
Genova Uncopper CPVC Cement (and any alternate materials)	156
Golden Carmel Interior Stain (and any alternate materials)	482
Terminator T-2 Interior Primer (and any alternate materials)	163
Prokote 901 Interior Paint (and any alternate materials)	450,360
Seameal Plus Caulk (and any alternate materials)	3,375
CSL 160 Silicone Caulk (and any alternate materials)	483
Bondaflex Sil-A 700 Caulk (and any alternate materials)	274
Star Stuk Cement (and any alternate materials)	23
Simple Green (and any alternate materials)	172
Goof Off (and any alternate materials)	254
Titebond CA (and any alternate materials)	17,219
Amstone Roof Cement (and any alternate materials)	378
Duron Spray Paint (and any alternate materials)	2,333
Duron Weathershield Exterior (and any alternate materials)	576

5. All materials listed below shall comply with the VOC and volatile hazardous air pollutant (VHAP) content limitations identified as applying to that material:

<i>Material</i>	<i>Maximum VOC Content (weight %)</i>	<i>Maximum VHAP Content (weight %)</i>
Titebond DA (and any alternate materials)	2.47	1.82
Red Devil Acrylic Caulk (and any alternate materials)	2.90	.90
Gun Cleaner (and any alternate materials)	100.00	.00
Bondaflex Sil 100 (and any alternate materials)	3.50	.00
Rector Seal T-2 (and any alternate materials)	30.00	.00
Oatey Low VOC Purple Primer (and any alternate materials)	100.00	80.00
Oatey All Purpose Cement (and any alternate materials)	88.00	40.00
Whitlam Turf-Pool Cement (and any alternate materials)	81.00	7.00

<i>Material</i>	<i>Maximum VOC Content (weight %)</i>	<i>Maximum VHAP Content (weight %)</i>
Genova Uncopper CPVC Cement (and any alternate materials)	90.00	.00
Genesis Interior Semi-Gloss (and any alternate materials)	.00	.00
Golden Carmel Interior Stain (and any alternate materials)	7.80	.00
Terminator T-2 Interior Primer (and any alternate materials)	2.10	1.00
Prokote 901 Interior Paint (and any alternate materials)	2.52	.00
Seameal Plus Caulk (and any alternate materials)	.20	.00
CSL 160 Silicone Caulk (and any alternate materials)	5.00	.00
Bondaflex Sil-A 700 Caulk (and any alternate materials)	1.72	.90
Star Stuk Cement (and any alternate materials)	65.00	40.00
Simple Green (and any alternate materials)	1.00	.00
Titebond CA (and any alternate materials)	2.25	1.52
Amstone Roof Cement (and any alternate materials)	34.40	.00
Duron Spray Paint (and any alternate materials)	53.00	33.00
Duron Weathershield Exterior (and any alternate materials)	6.40	4.00

6. The use of "Foamseal 2100A," "Foamseal 2100," "Macroplast UR-8225BH," "AD Firebarrier," "Draft Stop" and "Everflux" shall not result in the emission of any VOCs or VHAPs.

7. Only airless, air-assisted airless or HVLP spray technology shall be used to apply coatings other than those applied by brush or cloth.

8. All containers of VOC-containing and volatile hazardous air pollutant-containing materials shall be kept closed except when in active use. Any solvent flushed from spray lines shall be flushed in a solid stream into a container. Solvent may not be removed from spray lines by spraying into the air or by spraying an atomized spray into a container. All solvent-wet rags shall be stored in closed containers.

9. Appropriate records shall be kept to demonstrate compliance with all plan approval conditions. These records shall be submitted to the Department of Environmental Protection on a quarterly basis.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Devendra Verma, New Source Review Chief, (814) 332-6940.

16-136C: Glenn O. Hawbaker, Inc.—Plant No. 14—Clarion Asphalt Facility (State Route 3011, Clarion, PA 16214) to burn alternative fuels including No. 2, No. 5, No. 6, fuel oil or any combination of No. 2, No. 4, No. 6 and reprocessed/recycled oil in Beaver Township, **Clarion County**.

In accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b), the Department of Environmental Protection intends to issue a plan approval to: burn alternative fuels including No. 2, No. 5, No. 6, fuel oil or any combination of No. 2, No. 4, No. 6 and reprocessed/recycled oil in Beaver Township, Clarion County. This plan approval

will, in accordance with 25 Pa. Code § 127.450, be incorporated into a State Only operating permit through an administrative amendment at a later date.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

20-00040: Advanced Cast Products, Inc. (18700 Mill Street, Meadville, Pa 16335) for a Reissuance of the Title V Operating Permit. The facility is in the City of Meadville, **Crawford County**. The facility manufactures gray and ductile iron foundries casting products. The facility's major emission sources include preheating and charge, melting and transfer, pouring-cooling-shakeout, new grinding and goff, grinding and cleaning, core making and baking, sand handling, heat treating- austemper operation, painting operation, air-makeup units three, miscellaneous natural gas usage and two degreaser units. The facility is a major facility due to its potential to emit of particulate matter.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Braun, Chief, (215) 823-7584.

V04-010: Arbill Industries, Inc. (2270 West Glenwood Avenue, Philadelphia, PA 19132) for operation of an industrial laundry and petroleum based dry-cleaning facility in the City of Philadelphia, **Philadelphia County**. The Title V facility's air emission sources include two 5.5 MMBtu/hr boilers, two heavy-duty petroleum solvent dry cleaning washer, ten textile dryers with built-in condensers, three vacuum stills for petroleum solvent recovery and 26 hampers used to convey textiles.

The operating permit will be issued under the 25 Pa. Code, Philadelphia code title 3 and air management regulation xiii. Permit copies and other supporting information are available for public inspection at AMS, 321 University Ave., Philadelphia, PA 19104. For further information, contact Edward Wiener (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428, Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

46-00245: Neptune Chemical Pump Co., Inc. (215 Keystone Drive, Montgomeryville, PA 18936) for operation of their facility in Lansdale, **Montgomery County**. The permit is for a non-Title V (State only) facility. The facility's primary emission sources are two spray paint booths and a Pressurized Drum. The permit will include

monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the district mining office indicated before an application within 30 days of this publication, or within 30 days

after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits

The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
suspended solids	35 mg/l	70 mg/l	90 mg/l
pH ¹		greater than 6.0; less than 9.0	

alkalinity greater than acidity¹

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423.

30841317. NPDES Permit No. PA0213527, Consol Pennsylvania Coal Company, (P. O. Box J, Claysville, PA 15323), to revise the permit for the Enlow Fork Mine in East Finley Township, **Washington County** to conduct blasting activity to construct airshaft. No additional discharges. Application received December 14, 2004.

Greensburg District Mining Office: R. R. 2, Box 603-C, Greensburg, PA 15601, (724) 925-5500.

26040104 and NPDES Permit No. PA0250627. David L. Patterson, Jr. (12 Short Cut Road, Smithfield, PA 15478). Application for commencement, operation and reclamation of a bituminous surface mine, located in Nicholson Township, **Fayette County**, affecting 26.2 acres. Receiving streams: UNT to Monongahela River, classified for the following use: WWF. The potable water supply intakes within 10 miles downstream from the point of discharge: Masontown Water Works, Carmichaels Municipal Authority and Southwestern PA Water Authority. Application received: December 14, 2004.

26040105 and NPDES Permit No. PA0250635. Amerikohl Mining, Inc. (P. O. box 427, Acme, PA 15610-0427). Application for commencement, operation and reclamation of a bituminous surface mine, located in

Dunbar Township, **Fayette County**, affecting 364.6 acres. Receiving streams: Gist Run and UNTs to Laurel Run and Ferguson Run, classified for the following use: TSF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: December 14, 2004.

Knox District Mining Office: P. O. Box 669, Knox, PA 16232, 814-797-1191.

16040104 and NPDES Permit No. PA0242608. Reichard Contracting, Inc. (212 Olean Trail, New Bethlehem, PA 16242). Commencement, operation and restoration of a bituminous surface strip operation in Porter Township, **Clarion County** affecting 70.5 acres. Receiving streams: Two UNTs to Leatherwood Creek, one UNT to Long Run and Long Run, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: December 16, 2004.

1642-10010112-E-1. T. C. Mining (252 Lower Hays Run Road, Kittanning, PA 16201). Application for stream encroachment to construct E & S controls within the 100 foot barrier and reestablish at portion of an UNT to the South Branch of Slippery Rock Creek in Clay and Concord Townships, **Butler County**. Receiving streams: UNT to South Branch of Slippery Rock Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: December 17, 2004.

33990108 and NPDES Permit No. PA0241482. T. L. H. Coal Company (4401 Pollock Road, Marion Center, PA 15759). Renewal of an existing bituminous surface strip operation in Young Township, **Jefferson County** affecting 49.5 acres. Receiving streams: UNT to Sawmill Run, classified for the following: CWF. There are no potable surface water supply intakes within 10 miles

downstream. Application for reclamation only. Application received: December 20, 2004.

24900103 and NPDES Permit No. PA0207977. Energy Resources, Inc. (P. O. Box 259, Brockway, PA 15824). Renewal of an existing bituminous surface strip, auger, and beneficial use of fluidized bed ash use of co-product operation in Fox and Horton Townships, **Elk County** affecting 367.0 acres. Receiving streams: McCauley Run, Curry Run, Boderocco Run, Brandy Camp Creek and UNTs to Little Toby Creek, classified for the following uses: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application for reclamation only. Application received: December 21, 2004.

Pottsville District Mining Office: 5 W. Laurel Boulevard, Pottsville, PA 17901 (570) 621-3118.

40663024C8. Coal Contractors (1991), Inc., (P. O. Box 39, Hazleton, PA 18201), correction to an existing anthracite surface mine operation for a stream variance for Hazle Creek in Hazle Township, **Luzerne County** affecting 925.0 acres, receiving stream: Hazle Creek. Application received December 16, 2004.

54040203. Wheelabrator Culm Services, Inc., (Liberty Lane, Hampton, NH 03842), commencement, operation and restoration of an anthracite coal refuse reprocessing operation in Mahanoy Township, **Schuylkill County** affecting 42.1 acres, receiving stream: North Mahanoy Creek, classified for the following use: CWF. Application received December 16, 2004.

Noncoal Applications Received

Effluent Limits

The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity ¹		greater than 6.0;	less than 9.0

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Pottsville District Mining Office: 5 W. Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

66880301T and NPDES Permit No. PA0594229. Reading Materials, Inc., (P. O. Box 1467, Skippack, PA 19474), transfer of an existing quarry operation from Wyoming Sand & Gravel, Inc. and renewal of NPDES Permit for discharge of treated mine drainage in Falls Township, **Wyoming County** affecting 328.6 acres, receiving stream: Buttermilk Creek, classified for the following use: cold water fishery. Application received December 20, 2004.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water

Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing,

of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401 of the FWPCA (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E17-403. Karthaus Township, HC Box 6, 367 Market Street, Karthaus, PA 16845. T-748 Bridge Replacement, Karthaus Township, **Clearfield County**, ACOE Baltimore District (Karthaus, PA Quadrangle N: 21.6 inches; W: 15.2 inches).

To remove an existing bridge superstructure and to construct, operate and maintain a single span concrete box beam bridge to carry T-748 (Oak Hill Road) across Mosquito Creek: a HQ-CWF. The bridge across Mosquito Creek shall be constructed with a minimum span of 82 feet, width of 43.5 feet and an underclearance of 16 feet. All construction and future repair work shall be completed during stream low flow. All in-stream structures shall be constructed in dry work conditions by dams and pumping or fluming stream flow around work areas. Construction of the bridge will permanently impact 75 feet of Mosquito Creek while temporarily impacting 828 square feet of wetland that is located along the northern right-of-way of SR 0879 approximately 60 feet west of T-748 and SR 0879 intersection. The 828 square feet of wetland impacts are deemed de minimus, as such the applicant will not be required to mitigate the impacts with replacement wetlands.

E18-383. Renovo Borough, 128 Fifth Street, Renovo, PA 17764. Water Line Relocation, in Renovo Borough, **Centre County**, ACOE Baltimore District (Renovo East, PA Quadrangle N: 14.75 inches; W: 14.81 inches).

To relocate and concrete encase an 8-inch diameter line 100 feet upstream from its current location next to a SR 120 bridge, due to the proposed replacement of the bridge. The water line will cross 78 feet of the channel bed. The project proposes to temporarily impact 30 linear feet of the run and permanently impact 5 linear feet of Paddy Run, which is classified as an Exceptional Value stream. The project will not impact any wetlands.

E18-384. Western Clinton County Municipal Authority, P. O. Box 363, Renovo, PA 17764. State Route 0120, Section A01 Sanitary Sewer Line Relocation in Renovo Borough, **Clinton County**, ACOE Baltimore District (Renovo East, PA Quadrangle N: 14.59 inches; W: 14.15 inches).

To relocate and concrete encase an existing PVC sanitary sewer line 100 feet upstream from its current location next to the SR 120 bridge, due to the proposed replacement of the bridge. The sewer line will cross 68 feet of the channel bed. The project proposes to temporarily impact 30 linear feet of Paddy Run and permanently impact 5 linear feet of Paddy Run that is classified as an Exceptional Value stream. The project will not impact any wetlands.

E49-282. Milton Area Industrial Development Association, One South Arch Street, Milton, PA 17847. Standard Joint Water Obstruction and Encroachment Permit, in Milton Borough, **Northumberland County**, ACOE Susquehanna River Basin District (Milton, PA Quadrangle N: 18.1 inches; W: 14.1 inches). This application was mistakenly published as an action at 34 Pa.B. 6709 (December 18, 2004).

To develop in accordance with the attached plans to develop Phase II of the Belford addition, which encompasses approximately 50 acres of land. The development will include new roadways, road reconstruction, and utility line extension. The project will permanently impact 1.15 acres of forested nontidal wetlands for the widening of Marsh Road and 0.49 acre of emergent nontidal wetlands for a new road (across wetland No. 14). The project will also disturb 138 linear feet of stream to place two 41-foot box culverts and a 42-foot arch culvert in UNTs; and temporarily impact 4,185 square feet of wetlands and 75 linear feet of stream for utility line crossings and placement of stormwater piping. The applicants stated purpose is to accommodate the growing needs of the local economy by providing developable lots to eliminate the current traffic patterns through the nearby town of Montandon, Milton Borough, Northumberland County.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1478. Jefferson Hills Borough, 925 Old Clairton Road, Jefferson Hills, PA 15025. To construct a culvert in Jefferson Hills Borough, **Allegheny County**, Pittsburgh ACOE District. (Glassport, PA Quadrangle N: 12.3 inches; W: 12.7 and Latitude: 40° 19' 4"—Longitude: 79° 57' 58"). The applicant proposes to construct and maintain a 8' x 8' concrete box culvert (depressed 1') approximately 296 feet long within a tributary to Lick Run (TSF) for a proposed roadway to connect to two residential developments known as Jefferson Estates and Hunters Field. The new street will be known as Frank Street. The total stream impact from this project is approximately 296 feet to a tributary to Lick Run.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E62-403. William T. Krahe, Echo Warren Associates, L. P., 701 Alpha Drive Pittsburgh, PA 15238. Warren County Retail Center, in Conewango Township, **Warren County**, ACOE Pittsburgh District (Russell, PA Quadrangle N: 1.0 inches; W: 3.5 inches).

The applicant proposes to construct a commercial development consisting of a Wal-Mart (204,000 square feet), a home improvement center (111,000 square feet), 81,000 square feet of additional retail shops and associated parking immediately NW of the intersection of U. S. Route 62 (Market Street Extension) and SR 69 (Jackson Run Road) involving 1) to fill 0.62 acre of PEM wetland, 2) to restore 1.01 acres of wetland onsite and to enhance 0.56 acre of existing wetland onsite and 3) to construct and maintain a 3-foot diameter HDPE stormwater outfall

discharging to Jackson Run. The project proposes to directly affect 0.62 acre of PEM wetlands and to restore 1.01 acres of wetland onsite and to enhance 0.56 acre of existing wetland onsite. Jackson Run is a perennial stream with a wild trout designation and classified as a CWF.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

D14-111EA. Jake Eckenrode, 310 Wallace Run Road, Bellefonte, PA 16823. Boggs Township, **Centre County**, ACOE Baltimore District.

Project proposes to breach and remove an unnamed dam located across Wallace Run (EV) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The dam is located along Wallace Run Road approximately 2,000 feet West of the intersection of Gum Stump Road (T810) and SR 144, west of the town of Gum Stump. (Bellefonte, PA Quad-range N: 18.95 inches; W: 14.8 inches).

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0216364 Industrial Waste	Center Township Water Authority 224 Center Grange Road Aliquippa, PA 15001	Beaver County Center Township	Rag Run	Y
PA0096521 Sewage	Bureau of State Parks Ohiopyle State Park P. O. Box 195 Dinnerbell Road Ohiopyle, PA 15470-0105	Fayette County Stewart Township	Meadow Run	Y
PA0216208 Sewage	John F. Kotun 319 Anderson Hozak Road Clinton, PA 15026	Beaver County Raccoon Township	Swale to UNT of Service Creek	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions**III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)**

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. WQG016105, Sewerage, **Steven and Kim Sowinski**, 1502 Winners Cup Circle, St. Charles, IL 60174. This proposed facility is located in East Huntingdon Township, **Westmoreland County**.

Description of Proposed Action/Activity: Construction of a single residence sewage treatment plant to serve the Sowinski residence.

IV. NPDES Stormwater Discharges from MS4 Permit Actions**V. NPDES Waiver Stormwater Discharges from MS4 Actions**

Southwest Region: Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>DEP Protocol (Y/N)</i>
PAG136360	Brownstown Borough 350 Habicht Street Johnstown, PA 15906	Cambria	Brownstown Borough	NA	NA
PAG136362	Franklin Borough Municipal Building 1125 Main Street Johnstown, PA 15909	Cambria	Franklin Borough	NA	NA

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011504034	Rouse/Chamberlin Homes Providence Hill Subdivision 500 Exton Commons Exton, PA 19341	Chester	East Fallowfield Township	UNT West Branch Brandywine Creek (EV-MF-WWF)

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041404011	DCNR Bureau of Forestry 15187 Renovo Rd. Renovo, PA 17764-9521	Centre Clinton	Curtin Township Beech Creek Township	W. Br. Big Run EV
PAI041804002	Sheri L. Franz Dominion Transmission Inc. 445 West Main St. Clarksburg, WV 26301	Clinton	Leidy, E. Keating & Chapman Townships	Young Womens Creek-HQ-CWF Kettle Creek-EV

Cambria District: Environmental Program Manager, 286 Industrial Park Road, Ebensburg, PA 15931-4119.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI090404003	Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119	Beaver	Big Beaver Borough	Jordan Run tributary to North Fork of Little Beaver Creek, HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Single Residence Sewage Treatment Plants
PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

General Permit Type—PAG-2

Facility Location & Municipality	Permit No.	Applicant Name & Address	Receiving Water/Use	Contact Office & Phone No.
Chadds Ford Township Delaware County	PAG2002304039	Newlin Homes 1657 Warpath Road West Chester, PA 19382	UNT Harvey Run (WWF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Gwynedd Township Montgomery County	PAG2004604140	Erb-Mascio Builders Gwynedd Meadows Subdivision 2930 Felton Road Norristown, PA 19401	UNT Wissahickon Creek	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Limerick Township Montgomery County	PAG2004604128	Limerick Township Municipal Authorities King Road WWTP 529 King Road P. O. Box 29 Royersford, PA 19468	UNT Schuylkill River	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Bridgeport Borough Montgomery County	PAG2004604204	County of Montgomery Fish Passage Facilities at Norristown Dam P. O. Box 311 Norristown, PA 19404	Schuylkill River	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Collegeville Borough Montgomery County	PAG2004604029	Lower Perkiomen Valley Regional Sewer Authority 5 River Road Oaks, PA 19456	Perkiomen Creek	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Lower Frederick Township Montgomery County	PAG2004604206	James P. and Lora K. Krier 207 Meng Road Schwenksville, PA 19473	Mine Run	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Hazle Township and Black Creek Township Luzerne County	PAG2024004001	Eagle Rock Resort Co. 1031 Valley of Lakes Hazleton, PA 18201	Black Creek, CWF; Tomhicken Creek, CWF; Stoney Creek, CWF; Sugarloaf Creek, CWF	Luzerne County Conservation District (570) 674-7991
Washington Township Lehigh County	PAG2003904029	William Markson Barry Follweiler 3372 Jordan Rd. Orefield, PA 18069	Mill Creek, CWF, MF	Lehigh County Conservation District (610) 391-9583
Walker Township Schuylkill County	PAG2005404023	John Brulia Maurer & Scott P. O. Box 20843 Lehigh Valley, PA 18002-0843	Schuylkill River and Wabash Creek, CWF	Schuylkill County Conservation District (570) 622-3742
East Union Township Schuylkill County	PAG2005404036	First Quality Nonwovens, Inc. 101 Green Mountain Rd. Hazleton, PA 18201	Tomhicken Creek, CWF	Schuylkill County Conservation District (570) 622-3742
Douglass Township Berks County	PAG2-0006-04-104	Robert Sharp 411 Old Philadelphia Pike Douglassville, PA 19518	Schuylkill River/WWF	Berks County Conservation District 1238 County Welfare Road P. O. Box 520 Leesport, PA 17110
Amity Township Berks County	PAG2-0006-04-117	David Hope American Crane & Equipment 531 Old Swede Road Douglassville, PA 19518	Schuylkill River/WWF	Berks County Conservation District 1238 County Welfare Road P. O. Box 520 Leesport, PA 17110
Tioga County Nelson Township	PAG2005904009	Dept. of Transportation District 3-0 P. O. Box 218 Montoursville, PA 17754	UNT Cowanesque River-WWF	Tioga County Conservation District 29 East Ave. Wellsboro, PA 16901 (570) 724-1801
Mercer County Hempfield Township	PAG2-0043-04-019	Diane L. Fry Gordons Auto Sales Inc. 62 Hadley Road Greenville, PA 16125	UNT to Little Shenango River-TSF	Mercer Conservation District (724) 662-2242
Hazle Township, Luzerne County	PAG21140002	DEP-BAMR 2 Public Square 5th Floor Wilkes-Barre, PA 18711-0790	Cranberry Creek / CWF	DEP-BAMR 2 Public Square 5th Floor Wilkes-Barre, PA 18711-0790 (570) 826-2371

*General Permit Type—PAG-3**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Eddystone Borough Delaware County	PAR310001	Baker Petrolite Corp 301 Saville Ave. Eddystone, PA 19061	Delaware River-3G Watershed	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5970

*General Permit Type—PAG-4**Facility Location*

<i>County & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Allegheny County Franklin Park Borough	PAG046135	Luz M. Turgeman 6112 Riverfront Drive Pittsburgh, PA 15238	UNT to East Branch Big Sewickley Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000
Allegheny County Marshall Township	PAG046200	John G. Kraynik 221 Oak Creek Lane Baden, PA 15005	UNT of Big Sewickley Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000
Westmoreland County Derry Township	PAG046201	Bruce E. Horton 141 State Park Road New Alexandria, PA 15670	UNT of Keystone Lake	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000
Allegheny County West Deer Township	PAG046287	Keith Gray 36 Werner Camp Road Pittsburgh, PA 15238	Deer Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000
Westmoreland County East Huntingdon Township	PAG046296	Steven and Kim Sowinski 1502 Winners Cup Circle St. Charles, IL 60174	UNT of Jacobs Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000

General Permit Type—PAG-13

Southcentral Region: Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>DEP Protocol (Y/N)</i>
PAG133613	Lebanon City 400 S. Eighth St. Lebanon, PA 17042	Lebanon	Lebanon City	Quittapahilla Creek/TSF	Y/N

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>DEP Protocol (Y/N)</i>
PAG133652	Springfield Township 9211 Susquehanna Trail Seven Valleys, PA 17360	York	Springfield Township	Fishel Creek/WWF Foust Creek/WWF Sears Run/WWF	Y
PAG133703	Myerstown Borough 101 E. Washington Ave. Myerstown, PA 17067	Lebanon	Myerstown Borough	Tulpehocken/CWF	Y
PAG133697	Lebanon County 400 S. Eighth St. Rm. 207 Lebanon, PA 17402	Lebanon	Lebanon City	Quittapahilla Creek/TSF	Y
PAG133679	North Lebanon Township 725 Kimmerlings Rd. Lebanon, PA 17046	Lebanon	North Lebanon Township	Swatara Creek/CWF	Y
PAG133695	Jonestown Borough 37 W. Market St. Jonestown, PA 17038-9628	Lebanon	Jonestown Borough	Swatara Creek/WWF Little Swatara Creek/WWF	Y
PAG133702	West Lebanon Township 322 N. 22nd St. Lebanon, PA 17046	Lebanon	West Lebanon Township	UNT to Swatara/WWF	Y
PAG136358	Fairchance Borough 125 West Church Street Fairchance, PA 15436	Fayette	Fairchance Borough	Georges Creek/WWF Muddy Run/WWF	Y
PAG136361	East Conemaugh Borough 355 First Street Johnstown, PA 15909	Cambria	East Conemaugh Borough	Little Conemaugh River/WWF UNT of Little Conemaugh River/CWF	Y
PAG136363	Forward Township 500 Liggett Avenue Monongahela, PA 15063	Allegheny	Forward Township	Monongahela River/WWF Kelly Run/WWF Sunfish Run/WWF Beckets Run/WWF Fallen Timber Run/WWF	Y

PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of

itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17).

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 4604506 , Public Water Supply.	
Applicant	Pottstown Borough Authority 100 East High Street Pottstown, PA 19464
Township	Lower Pottsgrove
County	Montgomery
Type of Facility	PWS

Consulting Engineer BCM Engineers
920 Germantown Pike
Plymouth Meeting, PA 19462

Permit to Construct December 16, 2004
Issued

Operations Permit issued to: **North Coventry Water Authority**, P. O. Box 394, Pottstown, PA 19464, (PWSID 1150220) North Coventry Township, **Chester County** on December 17, 2004 for the operation of facilities approved under construction permit No. 1504507.

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Operations Permit issued to: **Deer Haven, LLC**, 41 Elm Street, Suite 1C, Morristown, NJ 07960 (PWSID 2520110) Palmyra Township, **Pike County** on December 13, 2004 for the operation of facilities approved under construction permit No. 5298501.

Operations Permit issued to: **Hazleton City Authority (Water Department)**, 400 East Arthur Gardner Parkway, Hazleton, PA 18201 (PWSID 2408011) Sugarloaf Township (Village of Tomhicken), **Luzerne County** on December 16, 2004 for the operation of facilities approved under construction permit No. 4000503.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 2804505, Public Water Supply.

Applicant	Washington Township Municipal Authority
Municipality	Washington Township
County	Franklin
Type of Facility	Construction of water distribution lines and a 0.144 mgd booster pump station to serve the proposed 40-unit Edgewood Estates development.
Consulting Engineer	Merle J Holsinger, P. E. Civil Planning & Design 1800 East Main Street Waynesboro, PA 17268
Permit to Construct Issued:	12/7/2004

Operations Permit issued to: **Pennsylvania American Water Company**, 3060069, Spring Township, **Berks County** on 12/8/2004 for the operation of facilities approved under Construction Permit No. 0604507.

Operations Permit issued to: **Pennsylvania American Water Company**, 3060088, Exeter Township, **Berks County** on 12/14/2004 for the operation of facilities approved under Construction Permit No. 0604508 MA.

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Operations Permit issued to: **Greenville Borough Municipal Authority**, 44 Clinton St., Greenville, PA 16125, PWSID 6430037, West Salem Township, **Mercer County**, on December 17, 2004, for the interior and exterior painting of the 0.255 mg West Main Street Storage Tank, as approved under Construction Permit No. 2884-MA1.

WATER ALLOCATIONS

Actions taken on applications received under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of this Commonwealth.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WA 67-62C, Water Allocations. York Water Company, York County. Expansion of service area to include the additional areas of Spring Grove Borough and small sections of Jackson and North Codorus Townships, **York County**. Consulting Engineer: Ryan M. Ural, P. E., The York Water Company. Permit Issued: 12/22/2004.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20a)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Plan Location: Bethlehem Commerce Center

Borough or Township	Borough or Township Address	County
City of Bethlehem	City Hall 10 East Church Street Bethlehem, PA 18018	Northampton

Plan Description: The Plan provides for construction of a sewer line extension to serve the proposed Bethlehem Commerce Center located on the former Bethlehem Steel Plant Property, fronting on Hellertown Road (PA Route 412) in the City of Bethlehem. The proposed sanitary improvements include an 18-inch PVC gravity sewer and appurtenances that will extend approximately 1,100 feet from an existing 27-inch City of Bethlehem sewer line along PA Route 412. The proposed sewer will run parallel to PA Route 412 to an intersection with Commerce Center Boulevard. The new 18-inch sewer will then run approximately 4,200 linear feet along the proposed Commerce Center Boulevard. The existing 27-inch City of Bethlehem sewer line connects to a 36-inch interceptor at a point near the intersection of PA Route 412 (Hellertown Road) and Shimersville Road. The 36-inch interceptor travels along Shimersville Road until entering the City's Wastewater Treatment Plant. The sewer line is sized to handle an average daily flow of 2.2 million gallons per day at ultimate build-out. Any required WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

Borough or Township	Borough or Township Address	County
Brush Creek Township	1792 Layton Road Warfordsburg PA 17267	Fulton

Plan Description: The approved plan provides for a private treatment plant to serve a 69 acre boys ranch with flows of 4,400 gallons per day. The Department's review of the sewage facilities planning module has not identified any significant environmental impacts resulting from this proposal. Required NPDES Permits or WQM Permits must be obtained in the name of the owners.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20a)

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Plan Location:

Borough or Township	Borough or Township Address	County
Morris Township	R. R. 2, Box 157A Morrisdale, PA 16858	Clearfield
Rush Township	P. O. Box 152 Philipsburg, PA 16866	Centre

Plan Description: This plan proposed construction by the Municipal Authority of the Township of Morris a sewer extension to serve 271 existing equivalent dwelling units in Morris and Rush Townships. Treatment of the collected wastewater was proposed at the existing Moshannon Valley Joint Sewer Authority STP, which is currently organically and organically overloaded. An alternative studied in the update, but not selected, would have utilized a less expensive low pressure collection system, and it would have directed the majority of the collected flow to an existing treatment facility with available capacity in Cooper Township. The plan was disapproved because it would have unnecessarily directed flow to the overloaded treatment facility, and because the high cost project selected did not appear to be affordable, thus the update did not propose an implementable solution to problems identified.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated

substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Wilden Nuss Property, College Township, **Centre County**, Groundwater & Environmental Services, Inc., 410 Eagleview Blvd., Suite 100, Exton, PA 19341 has submitted a Final Report concerning soil contaminated with fuel oil no.2. This Final Report is intended to demonstrate attainment of the Statewide Health Standard.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Lexington Avenue, City of Pittsburgh, **Allegheny County**. Gary Ballesteros, Esq., Rockwell Automation, Inc., 777 East Wisconsin Avenue, Suite 1400, Milwaukee, WI 53202 (on behalf of Urban Redevelopment Authority of Pittsburgh, 200 Ross Street, Pittsburgh, PA 15219, University of Pittsburgh, B-50 Benedum Hall, Pittsburgh, PA 15261, and Blasland, Bouck, & Lee, Inc., 600 Waterfront Drive, Pittsburgh, PA 15222-4741) has submitted a Final Report concerning remediation of site soil and groundwater contaminated with PCBs, Heavy Metals, BTEX, PAHs, Pesticides and VOCs. The Final Report is intended to document remediation of the site to meet the Site Specific Standard.

Rite Aid (Indiana Site), Borough of Indiana, **Indiana County**. Steven R. Vedder, BL Companies, 830 Sir Thomas Court, Harrisburg, PA 17109 (on behalf of Robert Lerner, Rite Aid Corporation, 30 Hunter Lane, Camp Hill, PA 17011) has submitted a Final Report, concerning remediation of site soil and groundwater contaminated with leaded gasoline, unleaded gasoline and MTBE. The report is intended to document remediation of the site to meet the Background and Statewide Health Standards.

210 Oliphant Road (David Kennedy Residence), Georges Township, **Fayette County**. David Socks, Marshall Miller & Associates, Inc., 3913 Hartzdale Drive, Suite 1306, Camp Hill, PA 17011 has submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Pittsburgh Tube Company Facility (Former), City of Monaca, **Beaver County**. William G. Weir, Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205 (on behalf of Beaver County Corporation for Economic Development, 250 Insurance Street, Suite 300, Beaver PA 15009, and Pittsburgh Tube Company, 600 Clubhouse Drive Suite 200, Moon Township, PA 15108-3195) has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with PCBs, Lead, Heavy Metals, Solvents Antimony,

Arsenic, Copper and Selenium. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Wimmer Scrap Facility (Former), Etna Borough, **Allegheny County**. Wendy Noe, American Geosciences, Inc., 3925 Reed Blvd., Suite 400, Murrysville, PA 15668-1848 (on behalf of Marco Pompeo, Etna Properties, LLP, 2201 Main Street, Pittsburgh, PA 15215) has submitted a Baseline Environmental Report concerning the remediation of site soil contaminated with heavy metals, and PCBs. The report is intended to document remediation of the site to meet the Special Industrial Area Requirements.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information

concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Dana Structural Solutions International-Division, Reading City, **Berks County**. MACTEC Engineering and Consulting, Inc., 5205 Militia Hill Road, Plymouth Meeting, PA 19462, on behalf of Dana Structural Solutions International-Division, Robeson and Weiser Streets, Reading PA 19612-3459, submitted a Final Report concerning remediation of site soils and groundwater contaminated with PCBs, lead, heavy metals, BTEX, PHCs, PAHs and solvents. The final report demonstrated attainment of a combination of the Statewide Health and Site-specific standards, and was approved by the Department on December 20, 2004.

Former Myers and List Site, Wrightsville Borough, **York County**. BL Companies, 830 Sir Thomas Court, Harrisburg, PA 17109, on behalf of Glenn Myers, P. O. Box 303, Wrightsville, PA 17368, submitted a Final Report concerning remediation of site soils and groundwater contaminated with leaded gasoline, unleaded gasoline, and MTBE. The final report demonstrated attainment of a combination of the Statewide Health and Site-specific standards, and was approved by the Department on December 20, 2004.

Bamberger's Inc., City of Lebanon, **Lebanon County**. BL Companies, 830 Sir Thomas Court, Harrisburg, PA 17109, on behalf of Rite Aid of Pennsylvania, Inc., 30 Hunter Lane, Camp Hill, PA 17011, submitted a Remedial Investigation Report/Work Plan concerning remediation of site soils and groundwater contaminated with gasoline and BTEX. The applicant is seeking attainment of a Site-specific standard. The Remedial Investigation Report/Work Plan was approved December 21, 2004.

Laurel Springs Condominiums, Exeter Township, **Berks County**. Synergy Environmental, Inc., 607 Washington Street, Reading, PA 19601, on behalf of Laurel Homeowners Association, 625A East Neversink Road, Reading, PA 19606, submitted a Final Report concerning remediation of site soils and groundwater contaminated with heating oil. The final report demonstrated attainment of the Statewide Health standard, and was approved by the Department on December 22, 2004.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Osram Sylvania Frost Reclaim Area, Wellsboro Township, **Tioga County**, Civil & Environmental Consultants, Inc., Four Triangle Lane, Suite 200, Export, PA 15632-9255, on behalf of Osram Sylvania Products Inc., One Jackson Street, Wellsboro, PA 16901 has submitted a Final Report concerning soil contaminated with hydrofluoric acid glass etching solution. This Final Report demonstrated attainment of the Site-specific Standard and was approved by the Department on December 2, 2004.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Flood City Brass (Former), Johnstown, **Cambria County**. Martin Knuth, Civil & Environmental Consult-

ants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205 (on behalf of Deborah Walter, Johnstown Redevelopment Authority, 401 Washington Street, Johnstown, PA 15901) has submitted a Baseline Environmental Report soil and groundwater contaminated with Lead, Other Organics, PAH and PCB. The Baseline Environmental Report was approved by the Department on October 18, 2004

Works Garage, North Union Township, **Fayette County**. Joe Miller, Chambers Environmental Group, Inc., 629 East Rolling Ridge Drive, Bellefonte, PA 16823 (on behalf of Paula Works, Works Garage, 305 Craig Lane, Hopwood, PA 15455, and Jessica Mangus, Intern, 629 East Rolling Ridge Drive, Bellefonte, PA 16823) has submitted a Final Report concerning remediation of site soil contaminated with leaded and unleaded gasoline, chlorinated solvents, PAHs and other organics. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on November 24, 2004.

LTV Southside Works (Parcel F3), City of Pittsburgh, **Allegheny County**. Martin Knuth, Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205 (on behalf of Urban Redevelopment Authority, 200 Ross Street, Pittsburgh, PA 15219, and 3000 Sidney Street Associates LLC., c/o Colliers Penn, 223 Fourth Ave., Pittsburgh, PA 15222) has submitted a Final Report concerning the remediation of site soil contaminated with chlorinated solvents, PCBs, PAHs, other organics and inorganics. The Final Report demonstrated attainment of the Site Specific Standard and was approved by the Department on October 21, 2004.

Legionville Hollow Site, Baden, Economy and Harmony Boroughs **Beaver County**. David P. Pusateri, Esquire, McGuire Woods, LLP, Dominion Tower, 23rd Floor, 625 Liberty Avenue, Pittsburgh, PA 15222 (on behalf of Robertson CECO Corporation, c/o Carolyn Johnson, Controller, Star Building Systems, 8600 South I-35, Oklahoma City, OK 73149) has submitted a Final Report concerning remediation of site soil, surface water and groundwater contaminated with heavy metals. The Final Report demonstrated attainment of the Statewide Health and Site-Specific Standards and was approved by the Department on November 19, 2004.

LTV Southside Works (Parcel B1A), City of Pittsburgh, **Allegheny County**. Martin Knuth, Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205 (on behalf of Urban Redevelopment Authority, 200 Ross Street, Pittsburgh, PA 15219, and 2600 East Carson Street Associates, LP, 400 Penn Centre Blvd., Suite 211, Pittsburgh, PA 15222) has submitted a Final Report concerning the remediation of site soil contaminated with chlorinated solvents, PCBs, PAHs, other organics and inorganics. The Final Report demonstrated attainment of the Site Specific Standard and was approved by the Department on November 16, 2004.

Aliquippa Tin Mill (Former), City of Aliquippa, **Beaver County**. Jason R. Cashmere, Trant Corporation, 11676 Perry Highway, Wexford Prof. Bldg. 3, Suite 3100 (on behalf of Dick Dorothy, C. J. Betters Enterprises, 3468 Brodhead Road, Monaca, PA 15061) has submitted a Baseline Remedial Investigation Work Plan concerning remediation of site soil and groundwater contaminated with heavy metals, PCBs, inorganics and other organics. The Work Plan was approved by the Department on September 28, 2004. The Work Plan is intended to direct characterization of the site to meet the Special Industrial Area Requirements.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of applicability for General Permit issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and residual waste regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the beneficial use of residual waste other than coal ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit No. WMGR068D001. Scrubgrass Generating Co., L. P., 2151 Lisbon Rd., Kennerdell, PA 16374. For the beneficial use as a fuel of the following carbonaceous wastes: petroleum coke, uncontaminated, untreated wood chips and other paper and wood industry wastes comprised primarily of wood fibers, as alternate fuels to be combined with waste coal/coal to produce specification fuel for circulating fluidized bed boilers; and the beneficial use of the resulting ash generated by co-firing the approved alternative fuels with waste coal/coal, for the beneficial uses authorized for coal ash in accordance with 25 Pa. Code §§ 287.661—287.666 (relating to beneficial use of coal ash). The Department approved the determination of applicability on December 21, 2004.

Persons interested in reviewing the general permit may contact the General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 101549. Bucks County Resource Recovery Inc., 701 Penn Ave, Marcus Hook PA 19061, Marcus Hook Borough, **Delaware County**. Permit reissued from Safety Disposal Systems of Pennsylvania, Inc. to Bucks County Resource Recovery Inc. The reissuance action also approved a Radiation Protection Action Plan, which was pending under a separate application. The permit was reissued by the Southeast Regional Office on December 23, 2004.

Permit revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 603270 Leslie L. McMullen, 10 Colonial Avenue, Millersville, PA 17551-1416. The permit was

revoked at the request of the permittee for the Ranck Farm No. 44, Chanceford Township, **York County**. The permit was revoked by the Southcentral Regional Office on December 21, 2004.

Persons interested in reviewing the general permit may contact Cynthia Wolfe, File Review Coordinator, Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4732. TDD users may contact the Department through the Pennsylvania Relay service, (800) 654-5984.

Consent Order and Agreement executed under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations for the post closure care of a hazardous waste landfill.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Permit ID No. PAD000805028. Bet-Tech International, Inc., 3469 Broadhead Road, Monaca, PA 15061. For the post closure care of hazardous waste landfill at Bet-Tech's Blacks Run site in Hopewell Township, **Beaver County**. Consent Order and Agreement executed in the Regional Office on December 15, 2004.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

48-310-051GP3: Brubacher Excavating, Inc. (825 Reading Road, P. O. Box 528, Bowmansville, PA 17507) on December 21, 2004, to construct and operate a portable stone crushing plant and associated air cleaning device at their facility in Bethlehem Township, **Northampton County**.

40-302-150GP1: State Correctional Institution—Dallas (1000 Follies Road, Dallas, PA 18612) on December 21, 2004, to construct and operate a No. 2 oil fired boiler at their facility in Jackson Township, **Luzerne County**.

48-310-052GP3: Essroc Cement Corp. (Route 248 and Easton Road, Nazareth, PA 18064) on December 20, 2004, to construct and operate a portable stone screening operation and associated air cleaning device at their facility in Upper Nazareth Township, **Northampton County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

35-322-008: Environmental and Recycling Services, Inc. (1100 Union Street, Taylor, PA 18517) on

December 10, 2004, to install an air cleaning device at their facility in Taylor Borough, **Lackawanna County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Devendra Verma, New Source Review Chief, 814-332-6940.

ERC 61-00020: Honeywell International—Emlenton Plant (Route 446, Smethport, PA 16749) on November 22, 2004, for approved emission reduction credits in Emlenton Borough, **Venango County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

23-0001S: Sunoco, Inc.—R and M (100 Green Street, P. O. Box 426, Marcus Hook, PA 19061) on December 22, 2004, to operate a boiler and heater in Marcus Hook Borough, **Delaware County**.

46-0005M: Merck and Co., Inc. (Sumneytown Pike, P. O. Box WP20, West Point, PA 19486) on December 22, 2004, to operate a natural gas-fired combustion turbine in Upper Gwynedd Township, **Montgomery County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

65-302-071: Koppers Industries, Inc. (436 Seventh Avenue, Pittsburgh, PA 15219) on December 17, 2004, for two boilers at Monessen Coke Works in Monessen Borough, **Westmoreland County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Devendra Verma, New Source Review Chief, 814-332-6940.

20-295A: Baillie Lumber Co. (45529 State Highway Route 27 East, Titusville, PA 16354) on December 16, 2004, to construct a wood-fired boiler to generate process steam for their facility in Oil Creek Township, **Crawford County**.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Edward Jurdon Brown, Facilities Permitting Chief, (484) 250-5920.

46-00045: PECO Energy Co. (300 Front Street, West Conshohocken, PA 19428) on December 22, 2004, to operate a facility Title V Operating Permit in West Conshohocken Borough, **Montgomery County**.

46-00198: Blommer Chocolate Co. (P. O. Box 45, 1101 Blommer Drive, East Greenville, PA 18041) on December 16, 2004, to modify the operation of a facility Title V Operating Permit in Upper Hanover Township, **Montgomery County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

46-00202: Elan Drug Delivery, Inc. (3500 Horizon Drive, King of Prussia, PA 19406) on December 16, 2004, to operate a Natural Minor Operating Permit in Upper Merion Township, **Montgomery County**.

09-00010: TEVA Pharmaceuticals USA, Inc. (650 Cathill Road, Sellersville, PA 18960) on December 16, 2004, to operate a Synthetic Minor Operating Permit in West Rockhill Township, **Bucks County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

65-00143: Hanson Aggregates PMA, Inc. (2200 Springfield Pike, Connellsville, PA 15425) on December 8, 2004, for their Torrance Sand and Gravel Plant in Derry Township, **Westmoreland County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Eric Gustafson, Facilities Permitting Chief, 814-332-6940.

25-00979: National Fuel Gas Supply Corp. (Follette Road, Corry, PA 16407) on November 22, 2004, to re-issue a Natural Minor Permit to perform natural gas transmission at the Carter Hill compressor station located in Wayne Township, **Erie County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-7100.

10841302. NPDES Permit No. PA0002780, Pristine Resources, Inc., (3250 Interstate Drive, Richfield, OH 44286), to transfer the permit for the Fawn Mine No. 91 in Clinton Township, **Butler County** from BethEnergy Mines, Inc. No additional discharges. Permit issued December 20, 2004.

11890701. NPDES Permit No. PA0009890, RNS Services, Inc., (7 Riverside Plaza, P. O. Box 38, Blossburg, PA 16912), to renew the permit for the No. 20 Refuse Site in East Carroll Township, **Cambria County** and related NPDES Permit. No additional discharges. Permit issued December 22, 2004.

30921601. NPDES Permit No. PA0214060, River Processing Corporation, (P. O. Box 1020, 158 Portal Road, Waynesburg, PA 15370), to transfer the permit for the Monongahela Resource Tipple in Jefferson Township, **Greene County** and related NPDES permit from RAG River Processing Corporation. No additional discharges. Permit issued December 22, 2004.

Greensburg District Mining Office: R. R. 2, Box 603-C, Greensburg, PA 15601, (724) 925-5500.

65810113 and NPDES Permit No. PA0615668. M. B. Energy, Inc. (P. O. Box 1319, Indiana, PA 15701). NPDES renewal issued for continued treatment of discharges at a bituminous surface mining site located in Cook and Donegal Townships, **Westmoreland County**, affecting 103.8 acres. Receiving streams: unnamed tributary to Four Mile Run to Loyalhanna Creek. Application received: October 21, 2004. NPDES Renewal issued: December 22, 2004.

Knox District Mining Office: P. O. Box 669, Knox, PA 16232, 814-797-1191.

33030108. Falls Creek Energy Co., Inc. (R. D. 6, Box 231, Kittanning, PA 16201) Revision to an existing bituminous strip and auger operation to add 5.5 acres in Beaver Township, **Jefferson County**. Total SMP acreage is now 97.8 acres. Receiving streams: Unnamed tributary to Sandy Lick Creek. Application received: August 15, 2004. Permit Issued: December 15, 2004.

Moshannon District Mining Office: 186 Enterprise Drive, Phillipsburg, PA 16866, 814-342-8200.

17-04-03—Whitetail Contracting (P. O. Box 220, Woodland, PA 16881). The Moshannon District Office for the Department of Environmental Protection awarded a Government Financed Construction Contract to Whitetail Contracting on October 28, 2004, that will result in incidental coal removal necessary to accomplish reclamation of an abandoned mine land site affecting 6.3 acres. The site is located in Karthaus Township, **Clinton County**. Under the terms of the contract no reprocessing of the coal refuse may take place and no coal refuse materials may be returned to the site once removed. The contract requires total reclamation and revegetation of the project area. This project was made possible under a program developed by the Department which allows for expedited removal and reclamation of old coal refuse piles which are generally eyesores as well as major sources of siltation and pollution to the streams of the Commonwealth. Application received: July 6, 2004. Permit issued: October 28, 2004.

Noncoal Permits Actions

Knox District Mining Office: P. O. Box 669, Knox, PA 16232, (814) 797-1191.

10990302. Quality Aggregates, Inc. (202 Neville Rd., Pittsburgh, PA 15225) Renewal of NPDES Permit No. PA0241598 in Marion Township, **Butler County**. Receiving streams: UNT to North Branch Slippery Rock Creek and unnamed tributary to Blacks Creek. Application received: October 26, 2004. Permit Issued: December 16, 2004.

Pottsville District Mining Office: 5 W. Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

58040844. Matthew Shaddock (R. R. 1 Box 1545, Lawton, PA 18828), commencement, operation and restoration Bluestone Quarry operation in Rush Township, **Susquehanna County** affecting 5.0 acres, receiving

stream: North Branch of Wyalusing Creek. Application received July 13, 2004. Permit issued December 21, 2004.

6276SM6C3 and NPDES Permit No. PA0595365. Donegal Rock Products, LLC, (P. O. Box 10, Rheems, PA 17570), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in West Donegal Township, **Lancaster County**, receiving stream: UNT to Donegal Creek. Application received October 7, 2004. Renewal issued December 23, 2004.

6172SM6C6 and NPDES Permit No. PA0223484. Bear Gap Stone, Inc., (R. R. 1 Box 138, Elysburg, PA 17824), renewal of NPDES Permit for discharge of treated mine drainage from quarry operation in Ralpho Township, **Northumberland County**, receiving stream: UNT to South Branch Roaring Creek. Application received November 5, 2004. Renewal issued December 23, 2004.

8073SM1C7 and NPDES Permit No. PA0614602. Highway Materials, Inc., (1750 Walton Road, Blue Bell, PA 19422), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Marlborough Township, **Montgomery County**, receiving stream: Unami Creek. Application received November 5, 2004. Renewal issued December 23, 2004.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (43 P. S. §§ 151–161) and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Greensburg District Mining Office: R. R. 2, Box 603-C, Greensburg, PA 15601, (724) 925-5500.

02044009. Wampum Hardware Company (636 Paden Road, New Galilee, PA 16141). Blasting activity permit for construction at Kelly Run Landfill, located in Forward Township, **Allegheny County**, with an expected duration of 120 days. Blasting permit issued: December 22, 2004.

Moshannon District Mining Office: 186 Enterprise Drive, Phillipsburg, PA 16866, (814) 342-8200.

08044003. Great Lakes Geophysical, Inc. (P. O. Box 127, Williamsburg, MI 49690), for construction blasting, located in Wells Township, **Bradford County**, with an expected duration of 5 days beginning in January, 2004. Permit issued: December 20, 2005.

Pottsville District Mining Office: 5 W. Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

36044126. Keystone Blasting Services, (381 Reifsnnyder Road, Lititz, PA 17543), construction blasting for a house in East Donegal Township, **Lancaster County** with an expiration date of December 30, 2004. Permit issued December 17, 2004.

28044104. Hall Explosives, Inc., (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting for Thornwood Village & Estates in Southampton Township, **Franklin County** with an expiration date of December 30, 2005. Permit issued December 20, 2004.

09044044. AMROC, (7531 Chestnut Street, Zionsville, PA 18092), construction blasting at Richland Township

Water Tank in Richland Township, **Bucks County** with an expiration date of April 10, 2005. Permit issued December 21, 2004.

21044072. Fitz & Smith, Inc., (483 East Locust Street, Dallastown, PA 17313), construction blasting at United Rentals in Upper Allen Township, **Cumberland County** with an expiration date of December 31, 2005. Permit issued December 21, 2004.

66044101. Hayduk Enterprises, (P. O. Box 554, Dalton, PA 18414), construction blasting for Hayduk Enterprises in Lemon Township, **Wyoming County** with an expiration date of December 31, 2005. Permit issued December 22, 2004.

28044105. R & M Excavating, (403 Hilltop Road, Newburg, PA 17240), construction blasting for Park Place South in Shippensburg Borough, **Franklin County** with an expiration date of March 18, 2005. Permit issued December 22, 2004.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301-303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501–508 and 701–704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1–693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302)

**and The Clean Streams Law (35 §§ 691.1—691.702)
and Notice of Final Action for Certification under
section 401 of the FWPCA (33 U.S.C.A. § 1341).**

*Permits, Environmental Assessments and 401 Water
Quality Certifications Issued*

**WATER OBSTRUCTIONS AND
ENCROACHMENTS**

*Northcentral Region: Water Management Program Manager,
208 West Third Street, Williamsport, PA 17701.*

E08-417. Smithfield Township Supervisors, P. O. Box 27, East Smithfield, PA 18817. Culvert replacement in Smithfield Township, **Bradford County**, ACOE Baltimore District (Ulster, PA Quadrangle N: 18.3 inches; W: 10.9 inches).

To: 1) remove the existing arch corrugated steel arch pipe which has a span of 8 feet 2 inches and a rise of 5 feet 9 inches; 2) construct and maintain a 40 foot long, 8 foot 7 inch by 5 foot 11 inch ACMP culvert with a waterway opening of 40 square feet in an unnamed tributary to Sugar Creek on T-623 about 0.8 mile south of the intersection of T-623 with Riggs Road; and 3) place R-5 riprap 24 inches deep 6 feet by 10 feet long by 10 feet wide at the outlet end of the pipe. The project will not impact wetlands while impacting about 60 feet of waterway. Sugar Creek is a WWF stream.

This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E12-153. Delvin Cole, 27 Beyers Street, Clearfield, PA 16830. Floodway fill in Lumber Township, **Cameron County**, ACOE Baltimore District.

To construct and maintain: 1) 18' by 12' by 10' pressure treated lumber pavilion with a metal roof; 2) 10' by 10' by 10' pressure treated lumber storage shed; 3) A roof over existing 31' by 8' camper; 4) To fill a 30' by 100' long trapezoidal shaped depression with gravel, covered with topsoil and stabilized with grass seed; 5) Install and maintain a 1,000 gallon water storage tank.

The previously listed facilities are in the 100 year floodplain while about 1/2 of the depression is within the 50' floodway of Driftwood Branch of Sinnemahoning Creek. The project is located 7.5 miles east of Emporium on the west side of SR 120 across from the Country Club (Cameron, PA Quadrangle N: 11.25 inches; W: 8.3 inches) in Lumber Township, Cameron County.

The project will not impact waterways or wetlands while impacting about 3,500 square feet of earth. Driftwood Branch is a trout stocked fisheries. This permit was issued under Section 105.13(e) "Small Projects."

E49-277. Milton Regional Sewer Authority, P. O. Box 433, Milton, PA 17847. Milton Wastewater Collection Expansion, in West Chillisquaque Township, **Northumberland County**, ACOE Baltimore District, located at centroid (Northumberland, PA Quadrangle N: 19.55 inches; W: 14.92 inches).

To construct, operate and maintain one pump station within the floodway and one pump station within the floodplain and approximately 50,000 linear feet of 8-inch force mains and approximately 42,496 linear feet of 8-inch gravity sanitary sewer line within the Susquehanna River watershed (WWF) for the treatment of municipal wastewater. Construction of the sanitary sewer lines will require one stream and three wetland crossings that are as follows:

<i>Service area</i>	<i>Wetland impacts (ft²)</i>	<i>Stream impacts (ft)</i>
East Lewisburg	2,016	22
Sodom Road	16,000	
Milton Center East	24,480	
Total	42,496	22

All sewer line crossings shall be constructed with a minimum of 3 feet of cover with concrete encasement beneath the waterways. Trench plugs or clay dikes shall be used at every sewer line crossing a waterway or wetland to ensure the hydrology of the streams or wetland is not altered. The project will temporarily impact 1 acre of jurisdictional wetlands and 22 feet of waterway. The project is located within Milton Borough and West Chillisquaque Township, Northumberland County. The project does not propose to permanently impact any jurisdictional wetlands.

E53-406. Nicolo Tamburo, Two Monaco Avenue, Elmont, NY 11003. Construct, operate and maintain a private bridge across a contributory flood channel associated to First Fork-Sinnemahoning Creek in Wharton Township, **Potter County**, ACOE Baltimore District (Wharton, PA Quadrangle N: 8.2 inches; W: 3.3 inches).

To remove an existing structure and construct, operate and maintain a private single span bridge across a contributory flood channel associated to First Fork-Sinnemahoning Creek. The private single span bridge shall be constructed with a minimum clear span of 38-feet, width of 12-feet and underclearance of 6-feet. Bridge construction and maintenance shall be completed during stream low flow. Since First Fork-Sinnemahoning Creek is a stocked trout fishery, no construction or future repair work shall be done in or along the stream channel between March 1 and June 15 without prior written approval of the Fish and Boat Commission. The bridge construction project is located along the western right-of-way of SR 0872 approximately 1.2-miles north of SR 3001 and SR 0872 intersection. This permit does not authorize any temporary or permanent impacts to wetlands that are associated to the flood channel; as such the permittee shall take all precautions necessary to prevent any impact to wetlands. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

*Southwest Region: Water Management Program Manager,
400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

E03-427. Manor Housing Limited Partnership IV, 4415 Fifth Avenue, Pittsburgh, PA 15213. To fill wetland in Manor Township, **Armstrong County**, Pittsburgh ACOE District. (Kittanning, PA Quadrangle N: 6.7 inches; W: 2.4 inches and Latitude: 40° 47' 13"—Longitude: 79° 31' 32"). To place and maintain fill in a de minimus area of wetland equal to 0.046 acre as part of developing a 20 unit senior housing apartment community. The project is located off of Valley Drive.

*Northwest Region: Water Management Program Manager,
230 Chestnut Street, Meadville, PA 16335-3481.*

E62-400. Eldred Township, R. D. 2, Box 123A, Pittsfield, PA 16340. Eldred Township Wastewater Treatment Plant and Conveyance System, in Eldred Township, **Warren County**, ACOE Pittsburgh District (Grand Valley, PA Quadrangle N: 17.2 inches; W: 5.9 inches).

The applicant proposes to construct and maintain a wastewater treatment system and conveyance systems within Eldred Township, Warren County having a total of approximately 20,000 lineal feet of 8-inch PVC plastic

gravity line, 3-inch pressure line, 2-inch pressure line and 1.5-inch pressure line involving 1) to construct and maintain an 8-inch diameter PVC plastic sewage treatment plant effluent outfall pipe discharging to Caldwell Creek, 2) to cross approximately 4,137 lineal feet of PSS and PFO wetland with 16 crossings by sewer lines using directional bore, and 3) to cross Caldwell Creek (HQ-CWF), unnamed tributaries to Caldwell Creek (HQ-CWF), and Dunderdale Creek (HQ-CWF) with 10 crossings by sewer lines using directional bore.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

EA67-009: Raymond Melato, York College: West Campus Project, 439 Country Club Road, York, PA 17405-7199, Spring Garden Township, **York County**, ACOE Baltimore District.

To remove an existing stream enclosure and construct and maintain a 5-foot by 5-foot concrete box culvert, with a 6-inch depression below the streambed, measuring 74 linear feet and restore 180 linear feet of open channel of an unnamed tributary to Codorus Creek (WWF) on the York College West Campus (York, PA Quadrangle N: 12.41 inches; W: 15.84 inches) in Spring Garden Township, York County.

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105-8457.

D11-075EA. Highland Sewer and Water Authority, 120 Tank Drive, Johnstown, PA 15904, Portage Township, **Cambria County**, ACOE Pittsburgh District.

Project proposes to breach and remove Bens Creek Intake Dam across Bens Creek (EV) to eliminate a threat to public safety and to restore the stream to a free flowing condition. The dam is located approximately 1 mile Southeast of the town of Bens Creek. (Cresson, PA Quadrangle N: 3.4 inches; W: 16.0 inches).

D11-019EA. Highland Sewer and Water Authority, 120 Tank Drive, Johnstown, PA 15904. Adams and Summerhill Townships, **Cambria County**, ACOE Pittsburgh District.

Project proposes to breach and remove Lloydell Intake Dam across South Fork Little Conemaugh River (HQ-CWF) to eliminate a threat to public safety and to restore the stream to a free flowing condition. The dam is located approximately 3/4 of a mile Southeast of the town of Lloydell. (Beaverdale, PA Quadrangle N: 10.10 inches; W: 8.15 inches).

EA15-026CO. Natural Lands Trust, Binky Lee Preserve, 1445 Pikeland Road, Chester Springs, PA 19425. West Pikeland Township, **Chester County**. ACOE Philadelphia District.

Project proposes to breach and remove Binky Lee Preserve Dam across a tributary to Pickering Creek (HQ-TSF) for the purpose of restoring the stream to a free flowing condition. The dam is located approximately 1,400 feet southeast of the intersection of SR 0113 and Pikeland Road (T488) (Malvern, PA Quadrangle N: 17.85 inches; W: 14.80 inches).

SPECIAL NOTICES

Categorical Exclusion

Southwest Regional Office, Water Management Program Manager, 400 Waterfront Drive, Pittsburgh PA 15222-4745.

Location: Village of Colver, Cambria Township Sewer Authority, P. O. Box 247, Revloc, PA 15948.

Description: The Pennsylvania Infrastructure Investment Authority (Authority) which administers the Commonwealth's State Revolving Fund, is intended to be the funding source for this project. The Authority proposes to renovate and increase the peak capacity of the Colver Sewage Treatment Plant and replace portions of the associated sewer system. The Department of Environmental Protection's (Department) review of the project and the information received has not identified any significant adverse environmental impact resulting from this proposal. The Department hereby categorically excludes this project from the State Environmental Review Process.

BUREAU OF DEEP MINE SAFETY

Request for Variance

The Department of Environmental Protection (Department), Bureau of Deep Mine Safety (Bureau), has received a request for variance from RoxCoal, Inc. The following notification contains a summary of this request. A complete copy of the variance request may be obtained from Allison Gaida at (724) 439-7469 or from the Bureau's website at www.dep.state.pa.us/dep/deputate/minres/dms/dms.htm. The Department is publishing a summary of the request in order to solicit comments from affected parties on the proposed variance request. Comments may be used by the Bureau to assist in its investigation of the variance request. Comments will be accepted for 30 days following the publication of this notice. Comments should be addressed to Joseph A. Scaffoni, Director, Bureau of Deep Mine Safety, Fayette County Health Center, 100 New Salem Road, Room 167, Uniontown, PA 15401.

Section 702 of the Pennsylvania Bituminous Coal Mine Act (act) (53 P.S. §701-702) provides a mechanism for operators to obtain variances from specific requirements of the act to accommodate the adoption of new machinery, equipment, tools, supplies, methods or processes.

Section 242(c) of the act (53 P.S. §701-242(c)) states that where belt conveyors are installed, main stoppings and regulators shall be so arranged as to reduce the quantity of air traveling in the belt conveyor entry to a minimum for effective ventilation and to provide an intake air split as an escapeway from the face area to the main air current.

Summary of the Request: RoxCoal, Inc. requests a variance to use point carbon monoxide early warning fire detection system and entries in common with the belt conveyor entry at the Roytown Mine.

Request for Comment and Notice of Public Meeting for the Proposed Total Maximum Daily Load (TMDL) Developed for Aylesworth Creek, Lackawanna County

The Department of Environmental Protection (Department) and the Susquehanna River Basin Commission are holding a public meeting on January 25, 2005, at 7 p.m. at the Dickson City Borough Hall, Dickson City, PA. The purpose of the meeting is to discuss and accept comments on the proposed TMDL developed for Aylesworth Creek in Lackawanna County. In accordance with the requirements of section 303(d) of the Clean Water Act, several stream segments in the watershed have been identified as impaired due to high levels of metals and low pH as a result of acid mine drainage.

The proposed TMDL sets allowable loadings for iron, manganese, aluminum and acidity in the Aylesworth

Creek in order for the stream to meet water quality standards. The TMDL sets allowable loading rates for metals and acidity at specified points in the watershed. All of the allocations made in the TMDL are load allocations made to nonpoint sources of pollution. The basis of information used in establishment of the TMDL is field data collected from 1993 to 2003.

The data and all supporting documentation used to develop the proposed TMDL are available from the Department. The proposed TMDL and information on the TMDL program can be viewed on the Department's website, www.dep.state.pa.us/watermanagement_apps/tmdl. To request a copy of this TMDL, contact Chuck Yingling, PADEP, Water Quality Assessment and Standards, 400 Market Street, P. O. Box 8467, Harrisburg, PA 17105, (717) 783-2958.

Written comments will be accepted at the previously listed address and must be postmarked by March 9, 2005. The Department will consider all comments in developing the final TMDL, which will be submitted to United States Environmental Protection Agency for approval.

Request for Comment and Notice of a Public Meeting for the Proposed Total Maximum Daily Load (TMDL) Developed for Bear Run in Clearfield, Indiana and Jefferson Counties

The Department of Environmental Protection (Department) and the Susquehanna River Basin Commission are holding a public meeting on February 7, 2005, at 7 p.m. at the Banks Township Municipal Building, Rossiter, PA. The purpose of the meeting is to discuss and accept comments on the proposed TMDL developed for Bear Run in Clearfield, Indiana and Jefferson Counties. In accordance with the requirements of section 303(d) of the Clean Water Act, several stream segments in the watershed have been identified as impaired due to high levels of metals and low pH as a result of acid mine drainage.

The proposed TMDL sets allowable loadings for iron, manganese, aluminum and acidity in Bear Run for the stream to meet water quality standards. These loading rates are determined for specified points in the watershed. Most of the allocations made in the TMDL are to nonpoint sources of pollution; however, there are several allocations made to permitted mining operations and one future mining operation. The basis of information used in establishment of the proposed TMDL is field data collected from 1998 to 2003.

The data and all supporting documentation used to develop the proposed TMDL are available from the Department. The proposed TMDL and information on the TMDL program can be viewed on the Department's website, www.dep.state.pa.us/watermanagement_apps/tmdl. To request a copy of this proposed TMDL, contact Chuck Yingling, PADEP, Water Quality Assessment and Standards, 400 Market Street, P. O. Box 8467, Harrisburg, PA 17105, (717) 783-2958.

Written comments will be accepted at the previously listed address and must be postmarked by March 9, 2005. The Department will consider all comments in developing the final TMDL, which will be submitted to United States Environmental Protection Agency for approval.

Request for Comment and Notice of a Public Meeting for the Proposed Total Maximum Daily Load (TMDL) Developed for the Bens Creek Watershed in Cambria County.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931.

The Department of Environmental Protection (Department) is holding a public meeting on January 18, 2005, beginning at 6:30 p.m. at the Portage Municipal Water Authority Building, Portage, PA to discuss and accept comments on a proposed TMDL. The proposed TMDL was established in accordance with the requirements of the 1996 section 303(d) of the Clean Water Act. One stream segment in the Bens Creek Watershed has been identified as impaired on the Commonwealth's 1996, 1998 and 2002 section 303(d) lists due to high concentrations of metals and siltation. The listed segment and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
46908 (Segment 20010917-1000-ALF)	Bens Creek	0.7

The proposed plan provides calculations of the stream's total capacity to accept metals (aluminum, iron, and manganese) and pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5	Total Recoverable
Manganese	1.00	Total Recoverable
pH	6.0-9.0	NA

The primary pollutant source for the watershed is abandoned mine workings. This watershed was heavily mined for coal in the 20th century. The effects of this are still present. The TMDL consists of load allocations, which are made to nonpoint sources of pollution.

The TMDL was developed using Monte Carlo Simulation to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. Monte Carlo Simulation allows for the expansion of a dataset based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL.

The TMDL sets allowable loading rates for metals, sediment and acidity at specified points in the watershed. The basis of information used in the establishment of this TMDL is field data collected throughout 2001.

The data and all supporting information used to develop the proposed TMDL are available from the Department. To request a copy of the proposed TMDL and an information sheet, contact Tom Pongrac at (814) 472-1900 between 8 a.m. and 3 p.m., Monday through Friday, at Cambria District Mining Office, 286 Industrial Park Road, Ebensburg, PA 15931. E-mail will be received at tpongprac@state.pa.us. Directions to the meeting place can also be obtained through this contact.

The TMDL can be viewed and printed by accessing the Department's website at www.dep.state.pa.us (PA Keyword: TMDL).

Written comments will be accepted at the previously listed address and must be postmarked by March 9, 2005. Persons who plan to make a presentation at the public meeting should notify the Department no later than 3 p.m. Friday, January 14th. The Department will consider all comments in developing the final TMDL, which will be submitted to the United States Environmental Protection Agency for approval.

Request for Comment and Notice of Public Meeting for the Proposed Total Maximum Daily Loads (TMDLs) Developed for Curleys Run, Grimes Run and Sandy Creek in Clearfield County

The Department of Environmental Protection (Department) and the Susquehanna River Basin Commission are holding a public meeting on February 2, 2005, at 7 p.m. at the Karthaus Fire Hall, Karthaus, PA. The purpose of the meeting is to discuss and accept comments on the proposed TMDLs developed for Curleys Run, Grimes Run and Sandy Creek in Clearfield County. In accordance with the requirements of section 303(d) of the Clean Water Act, stream segments in the Curleys Run and Grimes Run watersheds have been identified as impaired due to high levels of metals and siltation as a result of acid mine drainage. Several stream segments in Sandy Creek have been determined to be impaired by high levels of metals and low pH as a result of acid mine drainage.

The proposed TMDL sets allowable loadings for iron, manganese, aluminum and acidity in Curleys Run, Grimes Run and Sandy Creek in order for the streams to meet water quality standards. The TMDLs set allowable loading rates for metals and acidity at specified points in the watersheds. All of the allocations made in the TMDLs are load allocations made to nonpoint sources of pollution. The basis of information used in establishment of the TMDLs is field data collected from 1994 to 2004 for Curleys Run TMDL; from 1996 to 2004 for the Grimes Run TMDL; and from 2001 to 2002 for the Sandy Creek TMDL.

The data and all supporting documentation used to develop the proposed TMDLs are available from the Department. The proposed TMDL and information on the TMDL program can be viewed on Department's website, www.dep.state.pa.us/watermanagement_apps/tmdl/. To request a copy of any of the TMDLs, contact Chuck Yingling, PADEP, Water Quality Assessment and Standards, 400 Market Street, P. O. Box 8467, Harrisburg, PA 17105, (717) 783-2958.

Written comments will be accepted at the previously listed address and must be postmarked by March 9, 2005. The Department will consider all comments in developing the final TMDL, which will be submitted to United States Environmental Protection Agency for approval.

Request for Comment and Notice of a Public Meeting for the Proposed Total Maximum Daily Load (TMDL) Developed for Dents Run in Elk and Cameron Counties

The Department of Environmental Protection (Department) and the Susquehanna River Basin Commission are holding a public meeting as part of the Bennett Branch Watershed Association meeting on February 3, 2005, at 7 p.m. at the Benazette Community Building, Benazette, PA. The purpose of the meeting is to discuss and accept comments on the proposed TMDL developed for Dents Run in Elk and Cameron Counties. In accordance with the requirements of section 303(d) of the Clean Water Act several stream segments in the watershed have been identified as impaired due to high levels of metals and low pH as a result of acid mine drainage.

The proposed TMDL sets allowable loadings for iron, manganese, aluminum and acidity in Dents Run in order for the stream to meet water quality standards. These loading rates are determined for specified points in the watershed. Most of the allocations made in the TMDL are load allocations that are made to nonpoint sources of pollution; however, there is one waste-load allocation to a

permitted mining operation. The basis of information used in establishment of the proposed TMDL is field data collected from 1998 to 2003.

The data and all supporting documentation used to develop the proposed TMDL are available from the Department. The proposed TMDL and information on the TMDL program can be viewed on the Department's website (www.dep.state.pa.us/watermanagement_apps/tmdl/). To request a copy of this proposed TMDL, contact: Chuck Yingling, PADEP, Water Quality Assessment and Standards, 400 Market Street, P. O. Box 8467, Harrisburg, PA 17105, (717) 783-2958.

Written comments will be accepted at the previously listed address and must be postmarked by March 9, 2005. The Department will consider all comments in developing the final TMDL, which will be submitted to United States Environmental Protection Agency for approval.

Request for Comment and Notice of Public Meeting for the Proposed Total Maximum Daily Load (TMDL) Developed for Grassy Island Creek, Lackawanna County

The Department of Environmental Protection (Department) and the Susquehanna River Basin Commission are holding a public meeting on January 25, 2005, at 7 p.m. at the Dickson City Borough Hall, Dickson City, PA. The purpose of the meeting is to discuss and accept comments on the proposed TMDL developed for Grassy Island Creek in Lackawanna County. In accordance with the requirements of section 303(d) of the Clean Water Act, several stream segments in the watershed have been identified as impaired due to high levels of metals and low pH as a result of acid mine drainage.

The proposed TMDL sets allowable loadings for iron, manganese, aluminum and acidity in the Grassy Island Creek in order for the stream to meet water quality standards. The TMDL sets allowable loading rates for metals and acidity at specified points in the watershed. All of the allocations made in the TMDL are load allocations made to nonpoint sources of pollution. The basis of information used in establishment of the TMDL is field data collected during 2002.

The data and all supporting documentation used to develop the proposed TMDL are available from the Department. The proposed TMDL and information on the TMDL program can be viewed on the Department's website, www.dep.state.pa.us/watermanagement_apps/tmdl/. To request a copy of this TMDL, contact Chuck Yingling, PADEP, Water Quality Assessment and Standards, 400 Market Street, P. O. Box 8467, Harrisburg, PA 17105, (717) 783-2958.

Written comments will be accepted at the previously listed address and must be postmarked by March 9, 2005. The Department will consider all comments in developing the final TMDL, which will be submitted to United States Environmental Protection Agency for approval.

Request for Comment and Notice of Public Meeting for the Proposed Total Maximum Daily Load (TMDL) Developed for the Lackawanna River in Lackawanna, Luzerne, Susquehanna and Wayne Counties

The Department of Environmental Protection (Department) and the Susquehanna River Basin Commission are holding a public meeting on January 25, 2005, at 7 p.m. at the Dickson City Borough Hall, Dickson City, PA. The purpose of the meeting is to discuss and accept comments on the proposed TMDL developed for the Lackawanna

River and several tributaries in Lackawanna, Luzerne, Susquehanna and Wayne Counties. In accordance with the requirements of section 303(d) of the Clean Water Act, several stream segments in the watershed have been identified as impaired due to high levels of metals and low pH as a result of acid mine drainage.

The proposed TMDL sets allowable loadings for iron, manganese, aluminum and acidity in the Lackawanna River and selected tributaries in order for the stream to meet water quality standards. The TMDL sets allowable loading rates for metals and acidity at specified points in the watershed. All of the allocations made in the TMDL are load allocations made to nonpoint sources of pollution. The basis of information used in establishment of the TMDL is field data collected from 1983 to 2002.

The data and all supporting documentation used to develop the proposed TMDL are available from the Department. The proposed TMDL and information on the TMDL program can be viewed on the Department's website, www.dep.state.pa.us/watermanagement_apps/tmdl/. To request a copy of this TMDL, contact Chuck Yingling, PADEP, Water Quality Assessment and Standards, 400 Market Street, P. O. Box 8467, Harrisburg, PA 17105, (717) 783-2958.

Written comments will be accepted at the previously listed address and must be postmarked by March 9, 2005. The Department will consider all comments in developing the final TMDL, which will be submitted to United States Environmental Protection Agency for approval.

**Request for Comment and Notice of Public Meeting
for the Proposed Total Maximum Daily Load
(TMDL) Developed for Lick Run in Clearfield
County**

The Department of Environmental Protection (Department) and the Susquehanna River Basin Commission are holding a public meeting on January 27, at 7 p.m. at the Clearfield County Conservation District, 650 Leonard Street, Clearfield, PA. The purpose of the meeting is to discuss and accept comments on the proposed TMDL developed for Lick Run in Clearfield County. In accordance with the requirements of section 303(d) of the Clean Water Act, several stream segments in the watershed have been identified as impaired due to high levels of metals and low pH as a result of acid mine drainage.

The proposed TMDL sets allowable loadings for iron, manganese, aluminum and acidity in Lick Run in order for the stream to meet water quality standards. The TMDL sets allowable loading rates for metals and acidity at specified points in the watershed. All of the allocations made in the TMDL are load allocations made to nonpoint sources of pollution. The basis of information used in establishment of the TMDL is field data collected from 1991 to 2003.

The data and all supporting documentation used to develop the proposed TMDL are available from the Department. The proposed TMDL and information on the TMDL program can be viewed on the Department's website, www.dep.state.pa.us/watermanagement_apps/tmdl/. To request a copy of this TMDL, contact Chuck Yingling, PADEP, Water Quality Assessment and Standards, 400 Market Street, P. O. Box 8467, Harrisburg, PA 17105, (717) 783-2958.

Written comments will be accepted at the previously listed address and must be postmarked by March 9, 2005. The Department will consider all comments in developing the final TMDL, which will be submitted to United States Environmental Protection Agency for approval.

**Request for Comment and Notice of Public Meeting
for the Proposed Total Maximum Daily Load
(TMDL) Developed for Powderly Creek,
Lackawanna County**

The Department of Environmental Protection (Department) and the Susquehanna River Basin Commission are holding a public meeting on January 25, 2005, at 7 p.m. at the Dickson City Borough Hall, Dickson City, PA. The purpose of the meeting is to discuss and accept comments on the proposed TMDL developed for Powderly Creek in Lackawanna County. In accordance with the requirements of section 303(d) of the Clean Water Act, several stream segments in the watershed have been identified as impaired due to high levels of metals as a result of acid mine drainage.

The proposed TMDL sets allowable loadings for iron, manganese and aluminum in the Powderly Creek in order for the stream to meet water quality standards. The TMDL sets allowable loading rates for metals at specified points in the watershed. All of the allocations made in the TMDL are load allocations made to nonpoint sources of pollution. The basis of information used in establishment of the TMDL is field data collected from 2001 to 2002.

The data and all supporting documentation used to develop the proposed TMDL are available from the Department. The proposed TMDL and information on the TMDL program can be viewed on the Department's website, www.dep.state.pa.us/watermanagement_apps/tmdl/. To request a copy of this TMDL, contact Chuck Yingling, PADEP, Water Quality Assessment and Standards, 400 Market Street, P. O. Box 8467, Harrisburg, PA 17105, (717) 783-2958.

Written comments will be accepted at the previously listed address and must be postmarked by March 9, 2005. The Department will consider all comments in developing the final TMDL, which will be submitted to United States Environmental Protection Agency for approval.

**Request for Comment and Notice of Public Meeting
for the Proposed Total Maximum Daily Load
(TMDL) Developed for the Spring Run Watershed in
Cambria County**

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931.

The Department of Environmental Protection (Department) is holding a public meeting on January 18, 2005, beginning at 6:30 p.m. at the Portage Municipal Water Authority Building, Portage, PA to discuss and accept comments on a proposed TMDL. The proposed TMDL was established in accordance with the requirements of the 1996 section 303(d) of the Clean Water Act. One stream segment in the Spring Run Watershed has been identified as impaired on the 1996, 1998 and 2002 section 303(d) lists due to depressed pH and high concentrations of metals. The listed segment and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
46070 (Segment)	Spring Run	3.1
20010918-1530-ALF)		

The proposed plan provides calculations of the stream's total capacity to accept metals (aluminum, iron and manganese) and pH, and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/ Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5	Total Recoverable
Manganese	1.00	Total Recoverable
PH	6.0-9.0	NA

The primary pollutant source for the watershed is abandoned mine workings. This watershed was heavily mined for coal in the 20th century. The effects of this are still present. The TMDL consists of load allocations, which are made to nonpoint sources of pollution and waste load allocations, which are made to permitted point sources.

The TMDL was developed using Monte Carlo Simulation to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. Monte Carlo Simulation allows for the expansion of a dataset based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL.

The TMDL sets allowable loading rates for metals, sediment and acidity at specified points in the watershed. The basis of information used in the establishment of this TMDL is field data collected throughout 2001.

The data and all supporting information used to develop the proposed TMDL are available from the Department. To request a copy of the proposed TMDL and an information sheet, contact Miles Baird at (814) 472-1900 between 8 a.m. and 3 p.m., Monday through Friday, at Cambria District Mining Office, 286 Industrial Park Road, Ebensburg, PA 15931. E-mail will be received at mbaird@state.pa.us. Directions to the meeting place can also be obtained through this contact.

The TMDL can be viewed and printed by accessing the Department's website at www.dep.state.pa.us (PA Keyword: TMDL).

Written comments will be accepted at the previously listed address and must be postmarked by March 9, 2005. Persons who plan to make a presentation at the public meeting should notify the Department no later than 3 p.m. Friday, January 14. The Department will consider all comments in developing the final TMDL, which will be submitted to the United States Environmental Protection Agency for approval.

Request for Comment and Notice of Public Meeting for the Proposed Total Maximum Daily Load (TMDL) Developed for Wilson Creek, Lackawanna County

The Department of Environmental Protection (Department) and the Susquehanna River Basin Commission are holding a public meeting on January 25, 2005, at 7 p.m. at the Dickson City Borough Hall, Dickson City, PA. The purpose of the meeting is to discuss and accept comments on the proposed TMDL developed for Wilson Creek in Lackawanna County. In accordance with the requirements of section 303(d) of the Clean Water Act, several stream segments in the watershed have been identified as impaired due to high levels of metals and low pH as a result of acid mine drainage.

The proposed TMDL sets allowable loadings for iron, manganese, aluminum, and acidity in Wilson Creek in order for the stream to meet water quality standards. The TMDL sets allowable loading rates for metals and acidity

at specified points in the watershed. All of the allocations made in the TMDL are load allocations made to nonpoint sources of pollution. The basis of information used in establishment of the TMDL is field data collected from 1991 to 2003.

The data and all supporting documentation used to develop the proposed TMDL are available from the Department. The proposed TMDL and information on the TMDL program can be viewed on the Department's website, www.dep.state.pa.us/watermanagement_apps/tmdl/. To request a copy of this TMDL, contact Chuck Yingling, PADEP, Water Quality Assessment and Standards, 400 Market Street, P. O. Box 8467, Harrisburg, PA 17105, (717) 783-2958.

Written comments will be accepted at the previously listed address and must be postmarked by March 9, 2005. The Department will consider all comments in developing the final TMDL, which will be submitted to United States Environmental Protection Agency for approval.

[Pa.B. Doc. No. 05-61. Filed for public inspection January 7, 2005, 9:00 a.m.]

Technical Advisory Committee on Diesel-Powered Equipment Meeting Cancellation

The meeting of the Technical Advisory Committee on Diesel-Powered Equipment scheduled for Tuesday, January 18, 2005, has been cancelled. The next meeting is scheduled for Tuesday, April 19, 2005, at 10 a.m. in the Fayette County Health Center, Uniontown, PA.

Questions concerning the cancellation of the January 28, 2005, meeting can be directed to Allison Gaida at (724) 439-7289 or agaida@state.pa.us.

The agenda and meeting materials for the April 19, 2005, meeting will be available through the Public Participation Center on the Department of Environmental Protection's (Department) website at www.dep.state.pa.us (DEP Keyword: Participate).

Persons with a disability who require accommodations to attend the April 19, 2005, meeting should contact the Department at (724) 439-7289 or the Pennsylvania AT&T Relay services at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 05-62. Filed for public inspection January 7, 2005, 9:00 a.m.]

Water Resources Advisory Committee Meeting Cancellation

The January 12, 2005, meeting of the Water Resources Advisory Committee has been cancelled. The next scheduled meeting will be held on March 9, 2005, at 9:30 a.m. in the 2nd floor Training Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning the March 9, 2005, meeting can be directed to Bonita Moore at (717) 787-9637 or bmoore@state.pa.us. The agenda and meeting materials for the March 9, 2005, meeting will be available through the Public Participation Center on the Department

of Environmental Protection's (Department) website at www.dep.state.pa.us (DEP Keyword: Participate).

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact the Department at (717) 787-9637 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 05-63. Filed for public inspection January 7, 2005, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Geisinger Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Geisinger Medical Center has requested an exception to the requirements of 28 Pa. Code §§ 553.1—553.4, 555.1—555.4, 557.2—557.4, 567.2(1) and 553.31(b).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 05-64. Filed for public inspection January 7, 2005, 9:00 a.m.]

Application of The Surgery Center at Briton Lake, LLC for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that The Surgery Center at Briton Lake, LLC has requested an exception to the requirements of 28 Pa. Code § 571.1 (relating to minimum standards), which requires compliance with minimum standards contained in *Guidelines for Design and Construction of Hospital and*

Healthcare Facilities. The facility specifically requests exemption from the following standard contained in this publication: 9.5.F3(c) (relating to recovery bays).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 05-65. Filed for public inspection January 7, 2005, 9:00 a.m.]

Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P. S. §§ 448.101—448.904b) for exceptions to regulations contained in 28 Pa. Code Part IV, Subparts B—G.

Section 51.33(d) provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from June 1, 2004, through September 30, 2004. Future publications of decisions on exception requests will appear on a quarterly basis.

Requests for additional information on the exception requests and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals and ambulatory surgical facilities shall be addressed to the Division of Acute and Ambulatory Care, Sandra Knoble, Director, P. O. Box 90, Harrisburg, PA 17108. Inquiries regarding long-term care facilities shall be addressed to the Division of Nursing Care Facilities, William Bordner, Chief, P. O. Box 90, Harrisburg, PA 17108. Those persons requiring special assistance for speech and/or hearing impairment should call V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

Exception Requests—Hospitals

Facility Name	Regulation	Relating to	Request Published	Decision
York Hospital	28 Pa. Code § 51.6(b)	staff identification	8/21/2004	granted
St. Mary's Medical	28 Pa. Code § 51.22	cardiac catheterization	3/13/2004	granted

<i>Facility Name</i>	<i>Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Decision</i>
Warren General Hospital	28 Pa. Code § 51.23	PET scan services	11/8/2004	granted
Chambersburg Hospital	28 Pa. Code § 51.23	mobile PET scanning	7/17/2004	granted
Jennersville Regional Hosp	28 Pa. Code § 51.23	mobile PET scanning	8/14/2004	granted
Adler Institute for Advanced Imaging, LLC	28 Pa. Code § 51.23	PET scanning services	8/14/2004	denied
Lehigh Valley Hospital	28 Pa. Code § 101.4	definition of practitioner	9/11/2004	denied
Lehigh Valley Hospital— Muhlenberg	28 Pa. Code § 101.4	definition of practitioner	9/11/2004	denied
Bryn Mawr Rehabilitation Hospital	28 Pa. Code § 107.2	medical staff membership—podiatrists	7/31/2004	granted
Troy Community Hospital	28 Pa. Code § 107.2	medical staff membership—podiatrists	7/31/2004	granted
UPMC Passavant	28 Pa. Code § 107.2	medical staff membership	8/21/2004	granted
UPMC McKeesport	28 Pa. Code § 107.2	medical staff membership	9/4/2004	granted
Suburban General Hospital	28 Pa. Code § 107.2	medical staff membership—podiatrists	9/18/2004	granted
Sunbury Community Hospital	28 Pa. Code § 107.2	medical staff membership—podiatrists	9/11/2004	granted
Kindred Hospital at Heritage Valley	28 Pa. Code § 107.2	medical staff membership—podiatrists	9/18/2004	granted
Western Pennsylvania Hospital	28 Pa. Code § 107.2	medical staff membership—podiatrists	9/18/2004	granted
UPMC South Side	28 Pa. Code § 107.2	medical staff membership—podiatrists	9/18/2004	granted
UPMC Horizon	28 Pa. Code § 107.2	medical staff membership—podiatrists	9/18/2004	granted
St. Vincent Health	28 Pa. Code § 107.2	medical staff membership—podiatrists	10/16/2004	granted
Westmoreland Health System for Frick Hospital and Westmoreland Regional Hospital	28 Pa. Code § 107.26(b)(2)	tissue committee	12/20/2004	withdrawn
Nason Hospital	28 Pa. Code § 107.26(b)	tissue committee	8/14/2004	granted
Mount Nittany Medical Center	28 Pa. Code § 107.26(b)(2)	tissue committee meetings	8/14/2004	granted
Sacred Heart Hospital	28 Pa. Code § 107.31	medical staff meetings	7/31/2004	denied
Select Specialty Hospital Camp Hill and York	28 Pa. Code § 107.32	medical staff meetings	8/9/2004	withdrawn
Sacred Heart Hospital	28 Pa. Code § 107.32	meetings and attendance	7/31/2004	denied
Nason Hospital	28 Pa. Code § 107.32	meetings and attendance	8/14/2004	granted
Wyoming Valley Health Care System Hospital	28 Pa. Code § 107.61	written orders—PA's and CRNP's	6/21/2004	not necessary
UPMC Passavant	28 Pa. Code § 107.62	oral orders—radiology techs, occupational therapists, speech therapist, nuclear medicine tech, diagnostic medical	8/14/2004	granted in part, denied in part
Philipsburg Area	28 Pa. Code § 107.62	oral orders—registered dietitians	8/14/2004	granted
Sharon Regional Health System	28 Pa. Code § 107.62(b)	oral orders—dietitians and radiology	9/11/2004	granted
Wyoming Valley Health Care System Hospital	28 Pa. Code § 109.61	medication/treatment	6/21/2004	not necessary
Tyrone Hospital	28 Pa. Code § 137.21(b)(5)	criteria for oxytocic agents	9/11/2004	granted

<i>Facility Name</i>	<i>Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Decision</i>
St. Mary's Medical	28 Pa. Code § 138.1	principle—cardiac catheterization	3/13/2004	granted
Mount Nittany Medical Center	28 Pa. Code §§ 138.2, 138.15, 138.17	cardiac catheterization services	2/14/2004	denied
UPMC Lee Regional	28 Pa. Code § 138.15	high-risk cardiac catheterization	8/14/2004	denied
Meadville Medical	28 Pa. Code § 138.15	high-risk cardiac catheterization	9/4/2004	denied
Indiana Regional Medical Center	28 Pa. Code § 138.15	high risk cardiac catheterization	10/16/2004	denied
Indiana Regional Medical Center	28 Pa. Code § 138.18(b)	therapeutic	10/16/2004	denied
Ephrata Community Hospital	28 Pa. Code § 153.1(c)	minimum standards NFPA life safety code	10/19/2004	not necessary
St. Joseph Medical Center	28 Pa. Code § 153.1	7.2.B10 examination/treatment room(s); 7.2.B19 showers and bathtubs; 7.2.A6 storage of personal effects; 7.4.A7 workroom(s) in nurseries	6/26/2004	granted in part not necessary in part
UPMC S. Margaret	28 Pa. Code § 153.1	7.2.A4 handwashing	7/17/2004	granted
Washington Hospital	28 Pa. Code § 153.1	construction standards—7.9.D24 secured holding room	8/14/2004	granted
Lancaster General Hospital	28 Pa. Code § 153.1	construction standards—7.10.H2 cardiac	8/21/2004	granted
UPMC Passavant	28 Pa. Code § 153.1	9.5.F2c minimum dimension of OR 15'	9/11/2004	granted
Mount Nittany Medical Center	28 Pa. Code § 153.1	7.2.A4 handwashing stations electrophysiologic	9/11/2004	granted
Hospital of the University of Pennsylvania	28 Pa. Code § 153.1	7.4.c sq feet per bassinets catheterization procedure room	10/30/2004	granted
Exception Requests—Ambulatory Surgical Facilities				
Gettysburg Hospital Minor Procedure Suite	28 Pa. Code § 553.31(a)	full time administrator	8/14/2004	granted
Gastroenterologists Ambulatory Surgical Center at Bucks County Surgery Center	28 Pa. Code § 569.2(a)	Life Safety Code	7/17/2004	denied
Wyomissing Hills Podiatric Surgical Center	28 Pa. Code § 571.1	Minimum standards—9.2.A8 General storage, 9.2.B7 Clean storage, 9.5.D8 General storage facilities, 9.5.E1 Soiled workroom, 9.5.E2 Clean assembly workroom	12/20/2004	granted in part
Wyomissing Hills Podiatric Surgical Center	28 Pa. Code § 571.1	Minimum standards—9.5.F2 Ambulatory operating room size, 9.5.F5(b) Drug distribution, 9.5.F5(d) Soiled workroom, 9.5.F5(f) Provisions for anesthesia equipment, 9.5.F5(g) Medical gas storage	12/20/2004	granted in part

<i>Facility Name</i>	<i>Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Decision</i>
Wyomissing Hills Podiatric Surgical Center	28 Pa. Code § 571.1	Minimum standards— 9.5.F5(h) Equipment storage, 9.5.F5(i) Staff clothing change areas, 9.5.F5(k) Stretcher storage area, 9.5.F5(m) Housekeeping room, 9.5.H1(a) Minimum public corridor	12/20/2004	granted in part
Gastroenterologists Ambulatory Surgical Center at Bucks County Surgery Center	28 Pa. Code § 571.1	Table 4.5 Square Footage Program Endoscopy Office Administration areas Main consultation room Audio Visual Library Office/conference; Procedure areas; Service areas; Storage elevators	7/17/2004	denied
Spinal Care Management	28 Pa. Code § 571.2(d) and (e)	elevators	8/9/2004	granted
UPMC Monroeville Surgery Center	28 Pa. Code § 571.2(d)	elevators	8/21/2004	granted

Exception Requests—Nursing Care Facilities

Bloomsburg Health Care Center	28 Pa. Code § 201.2	requirements	8/21/2004	granted
Broad Mountain Nursing & Rehab	28 Pa. Code § 201.3	definitions	8/21/2004	granted
Friendship Ridge	28 Pa. Code § 201.3	definitions	6/26/2004	granted
West Haven Nsng. Home	28 Pa. Code § 201.3	definitions	6/26/2004	granted
Hickory House Nsng. Home	28 Pa. Code § 201.3	definitions	6/26/2004	granted
Abington Crest Nursing and Rehab Center	28 Pa. Code § 201.3	definitions	6/26/2004	granted
The Caring Place	28 Pa. Code § 201.3	definitions	6/26/2004	granted
Elk Haven Nsng. Home	28 Pa. Code § 201.3	definitions	6/26/2004	granted
Grove Manor	28 Pa. Code § 201.3	definitions	6/26/2004	granted
Rouse-Warren Ctry. Home	28 Pa. Code § 201.3	definitions	6/26/2004	granted
Fairways @ Brookline	28 Pa. Code § 201.3	definitions	7/10/2004	granted
Valley Manor Nursing & Rehab Ctr.	28 Pa. Code § 201.3	definitions	7/10/2004	granted
Havencrest Nursing Ctr.	28 Pa. Code § 201.3	definitions	7/10/2004	granted
Lafayette Manor, Inc.	28 Pa. Code § 201.3	definitions	7/10/2004	granted
Sugar Creek Rest	28 Pa. Code § 201.3	definitions	7/10/2004	granted
Countryside Convalescent Home Limited Partnership	28 Pa. Code § 201.3	definitions	7/10/2004	granted
Chicora Medical Center	28 Pa. Code § 201.3	definitions	7/10/2004	granted
Westmoreland Manor	28 Pa. Code § 201.3	definitions	7/10/2004	granted
Garvey Manor	28 Pa. Code § 201.3	definitions	7/17/2004	granted
Lackawanna Cty. Health Care Center	28 Pa. Code § 201.3	definitions	7/17/2004	granted
Immaculate Mary Home	28 Pa. Code § 201.3	definitions	7/17/2004	granted
Meadowood	28 Pa. Code § 201.3	definitions	7/17/2004	granted
Meadowcrest Nursing Center	28 Pa. Code § 201.3	definitions	7/31/2004	granted
Beaver Valley Nursing & Rehab Ctr.	28 Pa. Code § 201.3	definitions	7/31/2004	granted
Belair Health & Rehab Ctr.	28 Pa. Code § 201.3	definitions	7/31/2004	granted

<i>Facility Name</i>	<i>Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Decision</i>
Eldercrest Nursing Center	28 Pa. Code § 201.3	definitions	7/31/2004	granted
Heritage Nursing Home, Inc.	28 Pa. Code § 201.3	definitions	7/31/2004	granted
Sugar Creek Station Skilled Nsng. & Rehab Complex	28 Pa. Code § 201.3	definitions	7/31/2004	granted
Heatherbank	28 Pa. Code § 201.3	definitions	7/31/2004	granted
Deer Meadows	28 Pa. Code § 201.3	definitions	8/14/2004	granted
York County Nursing Home	28 Pa. Code § 201.3	definitions	10/2/2004	granted
Ohesson Manor	28 Pa. Code § 201.3	definitions	10/2/2004	granted
Centre Crest	28 Pa. Code § 201.3	definitions	10/2/2004	granted
Pennswood Village	28 Pa. Code § 201.3	definitions	10/2/2004	granted
Buffalo Valley Lutheran Village	28 Pa. Code § 201.3	definitions	10/2/2004	granted
The Williamsport Home	28 Pa. Code § 201.3	definitions	10/2/2004	granted
Broad Acres Health & Rehab Ctr.	28 Pa. Code § 201.3	definitions	10/9/2004	granted
Spring Creek Rehab & Health Care Center	28 Pa. Code § 201.3	definitions	10/9/2004	granted
St. Joseph's Manor	28 Pa. Code § 201.18(e)	management	7/10/2004	denied
HRH Transitional Care Unit	28 Pa. Code § 201.18(e)	management	7/10/2004	denied
Latrobe Area Hosp Transitional Care Center	28 Pa. Code § 201.18(e)	management	9/18/2004	temp grant
Frick Hospital Skilled Nursing Unit	28 Pa. Code § 201.18(e)	management	9/18/2004	granted
HRH Transitional Care Unit	28 Pa. Code § 201.22(k)	prevention, control and surveillance of TB	8/21/2004	denied
ManorCare Health Services—Pottsville	28 Pa. Code § 205.6(a)	function of building	6/26/2004	granted
Trinity Living Center	28 Pa. Code § 205.6(a)	function of building	6/26/2004	granted
Wesbury United Methodist Comm.	28 Pa. Code § 205.6(a)	function of building	6/26/2004	granted
ManorCare Health Svcs.— Bethel Park	28 Pa. Code § 205.6(a)	function of building	7/31/2004	reapplied
ManorCare Health Svcs.— McMurray	28 Pa. Code § 205.6(a)	function of building	7/31/2004	granted
Manchester Presby Lodge	28 Pa. Code § 205.6(a)	function of building	7/31/2004	granted
Presbyterian Lodge	28 Pa. Code § 205.6(a)	function of building	7/31/2004	granted
Rouse-Warren County Home	28 Pa. Code § 205.6(a)	function of building	8/14/2004	granted
Saint Mary's East	28 Pa. Code § 205.6(a)	function of building	8/21/2004	granted
The Health Center at The Hill at Whitemarsh	28 Pa. Code § 205.6(a)	function of building	9/18/2004	granted
Friendship Ridge	28 Pa. Code § 205.6(a)	function of building	9/18/2004	granted
The Communities at Indian Haven	28 Pa. Code § 205.6(a)	function of building	10/9/2004	granted
Meda Nipple Conv. Home	28 Pa. Code § 205.20(f)	resident bedrooms	7/31/2004	granted
Bethany Village Retirement Center	28 Pa. Code § 205.21	special care room	8/21/2004	not necessary
Meda Nipple Conv. Home	28 Pa. Code § 205.23	location of bedrooms	5/22/2004	granted
Highlands Care Center	28 Pa. Code § 205.25(b)	kitchen	7/17/2004	granted
Meda Nipple Conv. Home	28 Pa. Code § 205.25(b)	kitchen	5/22/2004	granted
Meda Nipple Conv. Home	28 Pa. Code § 205.26(e)	laundry	5/22/2004	granted

<i>Facility Name</i>	<i>Regulation</i>	<i>Relating to</i>	<i>Request Published</i>	<i>Decision</i>
William Hood Dunwoody Care Center	28 Pa. Code § 205.26(e)	laundry	6/26/2004	granted
Naamans Creek Ctry. Manor	28 Pa. Code § 205.26(e)	laundry	6/26/2004	granted
Woodland Place	28 Pa. Code § 205.28(b)	nurses' station	6/26/2004	granted
Highlands Care Center	28 Pa. Code § 205.32(a)	janitor closet	7/17/2004	temp grant
Meda Nipple Conv. Home	28 Pa. Code § 205.33(c)	utility room	5/22/2004	granted
Colonial Manor Nursing Home	28 Pa. Code § 205.36	bathing facilities	8/14/2004	granted
Meda Nipple Conv. Home	28 Pa. Code § 205.36 (c)(g)(h)	bathing	5/22/2004	granted
The Jewish Home of Eastern Pennsylvania	28 Pa. Code § 205.36(h)	bathing facilities	8/21/2004	granted
Bethany Village Retirement Center	28 Pa. Code § 205.36(h)	bathing facilities	8/21/2004	ganted
Meda Nipple Conv. Home	28 Pa. Code § 205.37(d)	equipment for bathrooms	5/22/2004	granted
Bethany Village Retirement Center	28 Pa. Code § 205.38	toilet facilities	8/21/2004	granted
Brookline Manor & Retirement	28 Pa. Code § 205.38(b)	toilet facilities	10/2/2004	granted
Woodland Place	28 Pa. Code § 205.38(e)	toilet facilities	6/26/2004	granted
Meda Nipple Conv. Home	28 Pa. Code § 205.38(e)(f)	toilet facilities	5/22/2004	granted
Meda Nipple Conv. Home	28 Pa. Code § 205.39(b)	toilet room equipment	5/22/2004	not necessary
Brookline Manor & Retirement	28 Pa. Code § 205.39(b)	toilet room equipment	10/2/2004	granted
Crawford Country Care Ctr.	28 Pa. Code § 211.12(b)	nursing services	6/26/2004	temp grant
The Zendt Home	28 Pa. Code § 211.12(f)(1)	nursing services	12/7/2004	not necessary

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 05-66. Filed for public inspection January 7, 2005, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Inpatient Hospital Services

This notice provides notice of the Department of Public Welfare's (Department) intent to revise its payment method for inpatient hospital services effective on or after January 1, 2005. These revisions will affect acute care general hospitals, private psychiatric hospitals, psychiatric units of general hospitals, rehabilitation hospitals and rehabilitation units of general hospitals.

The Department and representatives of the hospital industry have met extensively to negotiate the terms of a Hospital Rate Agreement. Based on these negotiations, the Department proposes to change its payment methodology for inpatient services as follows:

Base Payment Rates

Effective January 1, 2005, the Department will increase each hospital's or hospital unit's base payment rate for inpatient services provided on a fee-for-service basis by 2.5%.

Inpatient Disproportionate Share; Outpatient Disproportionate Share; and Direct Medical Education Payments

Effective January 1, 2005, the Department intends to increase Inpatient Disproportionate Share payments by 3.5%. For Fiscal Year (FY) 2004-2005, the aggregate amount of Inpatient Disproportionate Share payments is to be limited to \$63.211 million in total funds. In addition to the current three qualifying methods for hospitals, a new qualifying method will be added for acute care hospitals effective January 1, 2005. An acute care hospital, including its units, will be eligible for inpatient DSH if its total number of Medical Assistance (MA) inpatient days (including exempt unit days) is equal to or greater than two standard deviations above the mean of all such days for all hospitals in this Commonwealth. Hospitals qualifying under this method will be ranked with all other previously qualified hospitals to determine a payment amount.

Effective January 1, 2005, the Department intends to increase Outpatient Disproportionate Share payments by 3.0%, with no change in the current methodology for determining eligibility for those payments. For FY 2004-2005, the aggregate amount of Outpatient Disproportionate Share payments is to be limited to \$61.405 million in total funds.

Effective January 1, 2005, the Department intends to increase Medical Education payments by 3.0%, with no change in the current methodology for determining eligibility for those payments. For FY 2004-2005, the aggregate

gate amount of Medical Education payments is to be limited to \$76.712 million in total funds.

Hospital Quality Care Incentive Proposal

The Department is proposing a pilot program that would begin July 1, 2005, and would adjust the rate of increase for disproportionate share hospitals' medical education and disproportionate share payments based on individual hospital performance related to certain quality related measures and activities.

In this program, the Department proposes to provide incentives to hospitals that demonstrate commitment to improved management of the healthcare needs of MA consumers by rewarding hospitals for the better management of chronic diseases and drug therapies, better coordination with physicians, Managed Care Organizations and the ACCESS Plus Program and investing in quality related infrastructure.

The Department is proposing a payment system that would adjust the rate of increase for hospitals' disproportionate share and medical education payments by up to 150% based on a scoring system used to measure re-admission rates for the most common chronic diseases in the MA population, measures related to left ventricular function assessment and community acquired pneumonia, the reduction of pharmacy errors, the use of a single medical record and quality reporting used to score hospitals.

Changes to Acute Care Hospital Reimbursement Methodology

The Department proposes to convert its current Medicare-based Diagnosis Related Group (DRG) payment methodology to the All Patient Refined DRG methodology in calendar year 2006. The Department intends to publish a separate public notice detailing this new payment methodology.

Medical Short Stay Program

The Department intends to establish a Medical Short Stay Program (Program) to provide for payments for patients seen by hospitals where an inpatient admission is not warranted, but care beyond a typical emergency room visit is required. The Department will publish a separate public notice detailing this Program.

Fiscal Impact

This change will result in a cost of \$6.111 million in total funds (\$3.270 million in Federal funds, \$2.841 million in State funds) for FY 2004-05 and a cost of \$28.557 million in total funds (\$15.476 million in Federal funds, \$13.081 million in State funds) for FY 2005-06.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Public Welfare, Office of Medical Assistance Programs, c/o Deputy Secretary's Office, Attention: Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered in determining the final payment rates and payment methodologies for inpatient hospital services.

Persons with a disability who require an auxiliary aid or service may submit comments using the AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ESTELLE B. RICHMAN,
Secretary

Fiscal Note: 14-NOT-406. (1) General Fund;

	Inpatient	Outpatient
(2) Implementing Year 2004-05 is	\$2.633 million	\$208,000
(3) 1st Succeeding Year 2005-06 is	\$12.013 million	\$1.068 million
2nd Succeeding Year 2006-07	\$12.013 million	\$1.068 million
3rd Succeeding Year 2007-08	\$12.013 million	\$1.068 million
4th Succeeding Year 2008-09	\$12.013 million	\$1.068 million
5th Succeeding Year 2009-10	\$12.013 million	\$1.068 million
(4) 2003-04 Program	\$411.042 million	\$727.979 million
2002-03 Program	\$407.104 million	\$666.832 million
2001-02 Program	\$417.512 million	\$705.750 million

(7) MA-Inpatient and MA-Outpatient; (8) recommends adoption. Funds for Fiscal Year 2004-05 payments have been included in Act 7-A of 2004, the General Appropriation Act of 2004.

[Pa.B. Doc. No. 05-67. Filed for public inspection January 7, 2005, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania High Card Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania High Card.

2. *Price:* The price of a Pennsylvania High Card instant lottery game ticket is \$1.

3. *Play Symbols:* Each Pennsylvania High Card instant lottery game ticket will contain one play area consisting of Game 1, Game 2, Game 3 and Game 4. Each "GAME" is played separately. Each "GAME" features a "YOUR CARD" area and a "DEALER'S CARD" area. The play symbols and their captions located in the "YOUR CARD" area are: 3 (THR), 4 (FOR), 5 (FIV), 6 (SIX), 7 (SVN), 8 (EGT), 9 (NIN), 10 (TEN), Jack (JCK), Queen (QUN), King (KNG) and Ace (ACE) card play symbols. The play symbols and their captions located in the "DEALER'S CARD" area are: 2 (TWO), 3 (THR), 4 (FOR), 5 (FIV), 6 (SIX), 7 (SVN), 8 (EGT), 9 (NIN), 10 (TEN), Queen (QUN) and King (KNG) card play symbols.

4. *Prize Symbols:* The prize symbols and their captions located in the "PRIZE" area of each "GAME" are: \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20\$ (TWENTY), \$40\$ (FORTY), \$250 (TWOHUNFTY), \$1,000 (ONE THO) and \$4,000 (FOR THO).

5. *Prizes:* The prizes that can be won in this game are \$1, \$2, \$4, \$5, \$10, \$20, \$40, \$250, \$1,000 and \$4,000. The player can win up to 4 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 12,480,000 tickets will be printed for the Pennsylvania High Card instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets where the "YOUR CARD" play symbol is greater than the "DEALER'S CARD" play symbol in the same "GAME," and a prize symbol of \$4,000 (FOR THO) appears in the "PRIZE" area for that "GAME," on a single ticket, shall be entitled to a prize of \$4,000.

(b) Holders of tickets where the "YOUR CARD" play symbol is greater than the "DEALER'S CARD" play symbol in the same "GAME," and a prize symbol of \$1,000 (ONE THO) appears in the "PRIZE" area for that "GAME," on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets where the "YOUR CARD" play symbol is greater than the "DEALER'S CARD" play symbol in the same "GAME," and a prize symbol of \$250 (TWOHUNFTY) appears in the "PRIZE" area for that "GAME," on a single ticket, shall be entitled to a prize of \$250.

(d) Holders of tickets upon which any one of the "YOUR CARD" play symbols is a Jack Card Symbol (JCK), and a prize symbol of \$20 (TWENTY) appears in each of the four "PRIZE" areas on a single ticket, shall be entitled to a prize of \$80.

(e) Holders of tickets where the "YOUR CARD" play symbol is greater than the "DEALER'S CARD" play symbol in the same "GAME," and a prize symbol of \$40\$ (FORTY) appears in the "PRIZE" area for that "GAME," on a single ticket, shall be entitled to a prize of \$40.

(f) Holders of tickets upon which any one of the "YOUR CARD" play symbols is a Jack Card Symbol (JCK), and a prize symbol of \$10⁰⁰ (TEN DOL) appears in each of the four "PRIZE" areas on a single ticket, shall be entitled to a prize of \$40.

(g) Holders of tickets where the "YOUR CARD" play symbol is greater than the "DEALER'S CARD" play symbol in the same "GAME," and a prize symbol of \$20\$ (TWENTY) appears in the "PRIZE" area for that "GAME," on a single ticket, shall be entitled to a prize of \$20.

(h) Holders of tickets upon which any one of the "YOUR CARD" play symbols is a Jack Card Symbol (JCK), and a prize symbol of \$5⁰⁰ (FIV DOL) appears in each of the four "PRIZE" areas on a single ticket, shall be entitled to a prize of \$20.

(i) Holders of tickets where the "YOUR CARD" play symbol is greater than the "DEALER'S CARD" play symbol in the same "GAME," and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "PRIZE" area for that "GAME," on a single ticket, shall be entitled to a prize of \$10.

(j) Holders of tickets upon which any one of the "YOUR CARD" play symbols is a Jack Card Symbol (JCK), and a prize symbol of \$2⁰⁰ (TWO DOL) appears in three of the "PRIZE" areas and a prize symbol of \$4⁰⁰ (FOR DOL) appears in the fourth of the "PRIZE" areas on a single ticket, shall be entitled to a prize of \$10.

(k) Holders of tickets where the "YOUR CARD" play symbol is greater than the "DEALER'S CARD" play symbol in the same "GAME," and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the "PRIZE" area for that "GAME," on a single ticket, shall be entitled to a prize of \$5.

(l) Holders of tickets upon which any one of the "YOUR CARD" play symbols is a Jack Card Symbol (JCK), and a prize symbol of \$1⁰⁰ (ONE DOL) appears in three of the "PRIZE" areas and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the fourth of the "PRIZE" areas on a single ticket, shall be entitled to a prize of \$5.

(m) Holders of tickets where the "YOUR CARD" play symbol is greater than the "DEALER'S CARD" play symbol in the same "GAME," and a prize symbol of \$4⁰⁰ (FOR DOL) appears in the "PRIZE" area for that "GAME," on a single ticket, shall be entitled to a prize of \$4.

(n) Holders of tickets upon which any one of the "YOUR CARD" play symbols is a Jack Card Symbol (JCK), and a prize symbol of \$1⁰⁰ (ONE DOL) appears in each of the four "PRIZE" areas on a single ticket, shall be entitled to a prize of \$4.

(o) Holders of tickets where the "YOUR CARD" play symbol is greater than the "DEALER'S CARD" play symbol in the same "GAME," and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the "PRIZE" area for that "GAME," on a single ticket, shall be entitled to a prize of \$2.

(p) Holders of tickets where the "YOUR CARD" play symbol is greater than the "DEALER'S CARD" play symbol in the same "GAME," and a prize symbol of \$1⁰⁰ (ONE DOL) appears in the "PRIZE" area for that "GAME," on a single ticket, shall be entitled to a prize of \$1.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Your Card Beats The Dealer's Card, Win With Prize(s) of:</i>	<i>Win:</i>	<i>Approximate Odds of 1 In:</i>	<i>Approximate No. of Winners Per 12,480,000 Tickets</i>
\$1	\$1	10	1,248,000
\$1 × 2	\$2	33.33	374,400
\$2	\$2	33.33	374,400
\$1 × 4	\$4	200	62,400
\$2 × 2	\$4	200	62,400
Jack w/\$1 × 4	\$4	100	124,800
\$4	\$4	150	83,200
Jack w/\$1 × 3 + \$2	\$5	150	83,200

*When Your Card
Beats The Dealer's
Card, Win With
Prize(s) of:*

<i>Prize(s) of:</i>	<i>Win:</i>	<i>Approximate Odds of 1 In:</i>	<i>Approximate No. of Winners Per 12,480,000 Tickets</i>
\$5	\$5	150	83,200
\$2 + \$4 × 2	\$10	1,000	12,480
\$2 × 3 + \$4	\$10	1,000	12,480
Jack w/\$2 × 3 + \$4	\$10	375	33,280
\$5 × 2	\$10	1,500	8,320
\$10	\$10	750	16,640
\$5 × 4	\$20	1,500	8,320
Jack w/\$5 × 4	\$20	750	16,640
\$10 × 2	\$20	1,500	8,320
\$20	\$20	1,500	8,320
\$10 × 4	\$40	4,000	3,120
Jack w/\$10 × 4	\$40	4,000	3,120
\$20 × 2	\$40	4,000	3,120
\$40	\$40	4,000	3,120
\$20 × 4	\$80	60,000	208
Jack w/\$20 × 4	\$80	60,000	208
\$40 × 2	\$80	60,000	208
\$250	\$250	60,000	208
\$250 × 4	\$1,000	1,248,000	10
\$1,000	\$1,000	832,000	15
\$1,000 × 4	\$4,000	2,496,000	5
\$4,000	\$4,000	2,496,000	5

Jack = Wins all 4 prizes shown automatically.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania High Card instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania High Card, prize money from winning Pennsylvania High Card instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania High Card instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law, the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania High Card or through normal communications methods.

GREGORY C. FAJT,
Secretary

[Pa.B. Doc. No. 05-68. Filed for public inspection January 7, 2005, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Finding Lawrence County

Under section 2002(b) of The Administrative Code of 1929 (71 P. S. § 512(b)), the Deputy Secretary for Highway Administration, Department of Transportation (Department), makes the following written finding:

The Department plans to widen and rehabilitate approximately 2.9 km (1.8 miles) of Mercer Road between Mitchell Road to the south and Maitland Road to the north, in Neshannock and Wilmington Townships, Lawrence County. The roadway widening and rehabilitation requires the taking of approximately 0.33 ha (0.8 acre) from Pearson Park and the use of a Pearson Park parcel which qualifies as a Section 2002/Section 4(f) resource.

Mitigation measures to minimize harm to the resource include the following:

1. Access to Pearson Park will be maintained at all times. Signs will be posted during Phase 3 of construction, which requires a detour in front of Pearson Park that allows park users to access the park through the detour or access the park through an alternate entrance.

2. The proposed construction activities will be limited to the minimal area necessary to conduct the required roadway improvements.

3. Storage of construction equipment and materials will be restricted from the park.

4. All disturbed areas will be returned to pre-construction conditions when work is completed.

5. The Department will continue to coordinate with Neshannock Township regarding the project schedule and project impacts.

The Deputy Secretary has considered the environmental, economic, social and other effects of the proposed project as enumerated in section 2002 of The Administrative Code of 1929 and has concluded that there is no feasible and prudent alternative to the project as designed, and all reasonable steps have been taken to minimize the effect.

GARY L. HOFFMAN, P. E.,
Deputy Secretary for Highway Administration

[Pa.B. Doc. No. 05-69. Filed for public inspection January 7, 2005, 9:00 a.m.]

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's regional office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to James Lavery, Actuary, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlavery@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 05-71. Filed for public inspection January 7, 2005, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meeting Schedules

The following meetings of the Health Care Cost Containment Council have been scheduled: Wednesday, January 12, 2005, Data Systems Committee Meeting—10 a.m., Education Committee Meeting—1 p.m.; Thursday, January 13, 2005, Council Meeting—10 a.m. The meetings will be held in the conference room at the Council Office, 225 Market Street, Suite 400, Harrisburg, PA 17101. The public is invited to attend. Individuals who need accommodation due to a disability and want to attend the meetings should contact Cherie Elias, Health Care Cost Containment Council, 225 Market Street, Harrisburg, PA 17101 or (717) 232-6787 at least 24 hours in advance so that arrangements can be made.

MARC P. VOLAVKA,
Executive Director

[Pa.B. Doc. No. 05-70. Filed for public inspection January 7, 2005, 9:00 a.m.]

INSURANCE DEPARTMENT

Conseco Senior Health Insurance Company; Rate Increase Filing for Long Term Care Policy 11001 and 11006; Rate Filing

Conseco Senior Health Insurance Company is requesting approval to increase the premium 15% for the Long Term Care policy 11001, 11006 and the associated riders. The Transport Life Insurance Company originally issued this form. The average premium will increase from \$1,671 to \$1,903 and will affect 907 policyholders in this Commonwealth.

Unless formal administrative action is taken prior to March 24, 2005, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) website at www.ins.state.pa.us. Scroll down the home page and click on "Consumer Information" located on the left side. Next, scroll down to "General Information" located in the middle of the page and click on "Notices." The pdf copy of this filing is located at the link "Filing.pdf" following the name of the filing.

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68), in connection with the termination of the insureds' automobile policies. The hearings will be held in accordance with the requirements of the act; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearings will be held in the Insurance Department's regional offices in Harrisburg, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 N. Seventh Street, Harrisburg, PA 17102.

Appeal of Jessy X. DiPorto; file no. 04-181-08711; State Farm Fire and Casualty Company; doc. no. P04-12-024; February 22, 2005, 1:30 p.m.

Appeal of Margarete W. Maloy; file no. 04-303-71868; Shelby Casualty Insurance Co.; doc. no. P104-11-019; January 10, 2005, 1 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated represen-

tatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend an administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Jeffrey Wallace, Agency Coordinator, (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 05-72. Filed for public inspection January 7, 2005, 9:00 a.m.]

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with their companies' termination of the insureds' policies. The administrative hearings will be held in the Insurance Department's regional offices in Harrisburg and Philadelphia, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearings will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 N. Seventh Street, Harrisburg, PA 17102.

Appeal of Nancy C. Rohrer; file no. 04-181-11476; Old Guard Mutual Insurance Company; doc. no. P04-12-022; February 23, 2005, 1:30 p.m.

Appeal of Thomas and Joanne Wilt; file no. 04-188-11590; Penn National Insurance; doc. no. P04-12-023; February 22, 2005, 10 a.m.

The following hearing will be held in the Philadelphia Regional Office, Room 1701, State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of Rosemarie J. Collins; file no. 04-265-04525; State Farm Fire and Casualty; doc. no. PH04-12-011; February 17, 2005, 9 a.m.

Each party may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend an administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Jeffrey Wallace, Agency Coordinator, (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 05-73. Filed for public inspection January 7, 2005, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board leases will expire:

Fayette County, Wine & Spirits Shoppe #2611, Uniontown Shopping Center, 946 Morgantown Road, Uniontown, PA 15401-4839.

Lease Expiration Date: June 30, 2006

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 3,600 net useable square feet of new or existing retail commercial space in a shopping center environment located within 1/2 mile of the intersection of Morgantown Road and Walnut Hill Road, Uniontown.

Proposals due: January 28, 2005, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Bruce VanDyke, (412) 565-5130

Washington County, Wine & Spirits Shoppe #6302, 43 E. Pike Street, Canonsburg, PA 15317-1311.

Lease Expiration Date: February 28, 2006

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 3,500 net useable square feet of new or existing retail commercial space serving Canonsburg. The site must have convenient off-street customer parking and access for separate tractor-trailer deliveries.

Proposals due: January 28, 2005, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Bruce VanDyke, (412) 565-5130

JONATHAN H. NEWMAN,
Chairperson

[Pa.B. Doc. No. 05-74. Filed for public inspection January 7, 2005, 9:00 a.m.]

**PENNSYLVANIA
INFRASTRUCTURE
INVESTMENT AUTHORITY
AND
DEPARTMENT OF
ENVIRONMENTAL
PROTECTION**

**Clean Water State Revolving Fund; Federal FY
2004 and 2005 Project Priority List**

The Pennsylvania Infrastructure Investment Authority (PENNVEST) and the Department of Environmental Protection (Department) have amended the combined Federal Fiscal Year (FY) 2004/2005 Clean Water State Revolving Fund (CWSRF) Project Priority List (List) of municipal sewage construction projects.

The FY 2004/2005 List was prepared in conformance with the requirements of Title II and Title VI of The Clean Water Act and Federal guidance and was previously approved by the Environmental Protection Agency (EPA). The projects included on the List have a project priority rating established under the Department's EPA approved Chapter 103 (relating to financial assistance) project priority rating system. See 25 Pa. Code Chapter 103. The Clean Water Act stipulates that states must maintain a Project Priority List of municipal sewage projects from which to develop the annual CWSRF Intended Use Plan (IUP) list of projects to be funded.

The projects added to the List will not replace any project currently on the approved FY 2004/2005 List. Projects were placed in the appropriate ranking slot in relation to other rated and ranked projects on the List. The rank order standing of projects on the List does not dictate the order in which projects are chosen for funding in the CWSRF program. A project may be selected from any numerical rank position on the List for funding. A project's readiness to proceed and the reasonable availability of alternative sources of funds have a bearing on project selection for funding in the program.

Some projects added to the FY 2004/2005 List are expected to proceed to construction in the near future, and others are being added as potential projects for future construction loan consideration. The projects expected to be ready for loan funding in the near future have submitted applications for funding and may be placed on an IUP to (1) replace projects that have not proceeded timely toward initiation of project construction and/or (2) to fill funding gaps that have developed as a result of cost savings. Projects removed from an IUP will remain on the List and be considered for CWSRF loan funds in the future.

Interested persons are invited to express their views on the priority rating or ranking of projects on the amended FY 2004/2005 List. Persons who wish to offer comments should submit them in writing to the Administrative Services Section, Division of Municipal Financial Assistance, Bureau of Water Supply and Wastewater Management, 10th Floor, Rachel Carson State Office Building, P. O. Box 8466, Harrisburg, PA 17105-8466, (717) 787-6744, amaisano@state.pa.us.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Tony Maisano as noted in this notice or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

A copy of the amended FY 2004/2005 Project Priority List that shows all municipal sewage projects in priority and ranked order is included in this notice and is available for public review in the offices listed below. This list is also accessible electronically through the Department's website as follows:

http://www.dep.state.pa.us/dep/deputate/watermgt/WSM/WSM_TAO/Finan_Tech_Asst.htm

DEP—Southeast Region:
Water Management Program Manager
2 East Main Street
Norristown, PA 19401
(484) 250-5970

DEP—Northeast Region:
Water Management Program Manager
2 Public Square
Wilkes-Barre, PA 18711-0790
(570) 826-2553

DEP—Southcentral Region:
Water Management Program Manager
909 Elmerton Avenue
Harrisburg, PA 17110
(717) 705-4707

DEP—Northcentral Region:
Water Management Program Manager
208 West 3rd Street
Williamsport, PA 17701
(570) 327-3669

DEP—Southwest Region:
Water Management Program Manager
400 Waterfront Drive
Pittsburgh, PA 15222-4745
(412) 442-4000

DEP—Northwest Region:
Water Management Program Manager
230 Chestnut Street
Meadville, PA 16335-3481
(814) 332-6942

DEP—Bureau of Water Supply and Wastewater Management
Division of Municipal Financial Assistance
Administrative Services Section
10th Floor, RCSOB
400 Market Street
Harrisburg, PA 17101
(717) 787-6744

PENNVEST
22 S. Third Street
4th Floor, Keystone Building
Harrisburg, PA 17101
(717) 787-8137

KATHLEEN A. MCGINTY,
Secretary
Department of Environmental Protection
Vice-Chairperson
Pennsylvania Infrastructure Investment Authority
PAUL K. MARCHETTI,
Executive Director
Pennsylvania Infrastructure Investment Authority

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND DEPARTMENT OF ENVIRONMENTAL PROTECTION
CLEAN WATER STATE REVOLVING FUND
FY 2004 AND FY 2005 AMENDED PROJECT PRIORITY LIST IN PRIORITY ORDER**

EXPLANATION OF COLUMNAR HEADINGS (EXCEPT THOSE THAT ARE SELF-EXPLANATORY)

NEEDS CATEGORY:

- I—SECONDARY TREATMENT
- II—TREATMENT MORE STRINGENT THAN SECONDARY
- IIIA—INFILTRATION/INFLOW CORRECTION
- IIIB—MAJOR SEWER SYSTEM REHABILITATION
- IVA—NEW COLLECTOR SEWERS AND APPURTENANCES
- IVB—NEW INTERCEPTORS AND APPURTENANCES
- V—CORRECTION OF COMBINED SEWER OVERFLOWS

PROJECT TYPE:

- STP—SEWAGE TREATMENT PLANT
- STPMOD—SEWAGE TREATMENT PLANT MODIFICATION
- INT—INTERCEPTOR
- PS—PUMP STATION
- FM—FORCE MAIN
- SS—SEWER SYSTEM
- SS REH—SEWER SYSTEM REHABILITATION

NPDES PERMIT NUMBER:

NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM PERMIT NUMBER

PROJECT NUMBER:

FEDERAL LOAN PROJECT IDENTIFICATION NUMBER

ELIG. COST:

ESTIMATED LOAN AMOUNT FOR ELIGIBLE PROJECT

**PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY AND DEPARTMENT OF ENVIRONMENTAL PROTECTION
 CLEAN WATER STATE REVOLVING FUND
 FY 2004 AND FY 2005 AMENDED PROJECT PRIORITY LIST
 January 8, 2005**

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Fredericksburg Sewer & Water Authority P. O. Box 161 Fredericksburg, PA 17026	COUNTY: REGION: NPDES:	Lebanon SC	I: II: III A:	\$479,327 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$1,799,873 \$0 \$0 \$2,279,200	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422304-01 STP PS INT SS 64 1
East Earl Sewer Authority P. O. Box 339 Blue Ball, PA 17506	COUNTY: REGION: NPDES:	Lancaster SC	I: II: III A:	\$798,900 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$1,639,300 \$0 \$0 \$2,438,200	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422346-01 STP SS 57 2
Northern Blair County Regional Sewer Auth R. R. 4, Box 236A Tyronne, PA 16686	COUNTY: REGION: NPDES:	Blair SC	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$1,105,000 \$0 \$0 \$1,105,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422298-01 SS 55 3
Lenhartsville Borough P. O. Box 238, 19 Willow Street Lenhartsville, PA 19534	COUNTY: REGION: NPDES:	Berks SC PA0246921	I: II: III A:	\$600,000 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$656,455 \$350,000 \$0 \$1,606,455	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422300-02 STP INT SS 55 4
BRIDGEWATER TWNP MA P. O. BOX 185 S. MONTROSE, PA 18801	COUNTY: REGION: NPDES:	Susquehanna NE	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$3,190,617 \$797,654 \$0 \$3,988,271	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422412-01 SS INT 53 5
BEDFORD TOWNSHIP MA - WOLFSBURG P. O. BOX 371 BEDFORD, PA 15522	COUNTY: REGION: NPDES:	Bedford SC	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$1,330,000 \$0 \$0 \$1,330,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422465-01 SS 52 6
New Ringgold Borough P. O. Box 180 New Ringgold, PA 17960	COUNTY: REGION: NPDES:	Schuylkill NE PA0064157	I: II: III A:	\$673,750 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$998,440 \$0 \$0 \$1,672,190	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421944-01 STP SS INT 52 7
Alexandria-Porter Joint MA R. D. 1 Box 80 Alexandria, PA 16611	COUNTY: REGION: NPDES:	Huntingdon SC PA0043443	I: II: III A:	\$1,850,000 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$5,252,000 \$0 \$0 \$7,102,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422296-01 SS STPMOD 50 8
Swatara Township One Supervisors Drive Jonestown, PA 17038	COUNTY: REGION: NPDES:	Lebanon SC	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$2,577,671 \$0 \$0 \$2,577,671	PROJECT NO.: PROJECT TYPE: PROJECT RATING: PROJECT RANKING:	CS422310-01 PS INT SS 50 9

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Penn Twp Municipal Authority 102 Municipal Building Road Duncannon, PA 17020	COUNTY: REGION: NPDES:	Perry SC PA0084701 & IIIA:	I: \$1,600,000 II: \$0 III: \$0 IV: \$0	IVA: \$3,075,000 IVB: \$0 V: \$0 ELIB: \$4,675,000	PROJECT NO.: CS422236-01 PROJ. TYPE: STPMOD SS PROJECT RATING: 47 PROJECT RANKING: 10
Dublin Township 29195 Great Cove Rd., Box 240 Fort Littleton, PA 17223	COUNTY: REGION: NPDES:	Fulton SC N/A	I: \$600,000 II: \$0 III: \$0 IV: \$0	IVA: \$2,199,000 IVB: \$0 V: \$0 ELIB: \$2,799,000	PROJECT NO.: CS421813-01 PROJ. TYPE: STP SS PS PROJECT RATING: 47 PROJECT RANKING: 11
RINGTOWN MSA P. O. BOX 202 RINGTOWN, PA 17967	COUNTY: REGION: NPDES:	Schuykill NE	I: \$789,360 II: \$0 III: \$0 IV: \$740,016	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$1,529,376	PROJECT NO.: CS422420-01 PROJ. TYPE: SSREH PROJECT RATING: 45 PROJECT RANKING: 12
Covington Township R. R. 1, Box 87 Covington, PA 16917	COUNTY: REGION: NPDES:	Tioga NC N/A	I: \$37,500 II: \$0 III: \$0 IV: \$0	IVA: \$257,008 IVB: \$0 V: \$0 ELIB: \$294,508	PROJECT NO.: CS422145-01 PROJ. TYPE: STPMOD SS PROJECT RATING: 44 PROJECT RANKING: 13
Indiana County Municipal Services 827 Water Street Indiana, PA 15701	COUNTY: REGION: NPDES:	Indiana SW PA0252506	I: \$150,000 II: \$0 III: \$0 IV: \$0	IVA: \$180,000 IVB: \$1,312,500 V: \$0 ELIB: \$1,642,500	PROJECT NO.: CS422359-01 PROJ. TYPE: STP SS PS PROJECT RATING: 43 PROJECT RANKING: 14
Nelson Township MA P. O. Box 100 Nelson, PA 16940	COUNTY: REGION: NPDES:	Tioga NC PA0060208	I: \$1,266,172 II: \$259,337 III: \$0 IV: \$0	IVA: \$926,243 IVB: \$369,648 V: \$0 ELIB: \$2,821,400	PROJECT NO.: CS422375-01 PROJ. TYPE: STPMOD SS PS PROJECT RATING: 43 PROJECT RANKING: 15
LOLENDON BOROUGH 24 FRANKLIN ST EASTON, PA 18042	COUNTY: REGION: NPDES:	Northampton NE	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$900,000 IVB: \$200,000 V: \$0 ELIB: \$1,100,000	PROJECT NO.: CS422416-01 PROJ. TYPE: SS PS INT PROJECT RATING: 43 PROJECT RANKING: 16
MAHONING TOWNSHIP SR 224, BOX 99 HILLSVILLE, PA 16132	COUNTY: REGION: NPDES:	Lawrence NW	I: \$2,100,000 II: \$0 III: \$0 IV: \$0	IVA: \$6,600,000 IVB: \$0 V: \$0 ELIB: \$8,700,000	PROJECT NO.: CS422404-01 PROJ. TYPE: STP SS PROJECT RATING: 43 PROJECT RANKING: 17
Cromwell Twp P. O. Box 340 Orbisonia, PA 17243	COUNTY: REGION: NPDES:	Huntingdon SC PA0247014	I: \$0 II: \$244,000 III: \$0 IV: \$0	IVA: \$1,055,000 IVB: \$0 V: \$0 ELIB: \$1,299,000	PROJECT NO.: CS422438-01 PROJ. TYPE: SS STP PROJECT RATING: 41 PROJECT RANKING: 18
Tulpehocken Township P. O. Box 272 Rehlersburg, PA 19550	COUNTY: REGION: NPDES:	Berks SC N/A	I: \$1,500,000 II: \$0 III: \$0 IV: \$0	IVA: \$2,700,000 IVB: \$0 V: \$0 ELIB: \$4,200,000	PROJECT NO.: CS422192-01 PROJ. TYPE: STP PS INT SS PROJECT RATING: 41 PROJECT RANKING: 19

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

ELDRED TOWNSHIP R. D. 2, BOX 123A PITTSFIELD, PA 16340	COUNTY: Warren REGION: NW NPDES:	I: \$0 II: \$650,000 III: \$0 III: \$0	IVA: \$1,403,737 IVB: \$0 V: \$0 ELIB: \$2,053,737	PROJECT NO.: CS422401-01 PROJ. TYPE: STP SS PROJECT RATING: 41 PROJECT RANKING: 20
East Providence Township P. O. Box 83 Breezewood, PA 15533	COUNTY: Bedford REGION: SC NPDES: PA0038733	I: \$500,000 II: \$84,000 III: \$0 III: \$400,000	IVA: \$100,000 IVB: \$0 V: \$0 ELIB: \$1,084,000	PROJECT NO.: CS422371-01 PROJ. TYPE: STPMOD SS PS PROJECT RATING: 41 PROJECT RANKING: 21
Chartiers Township 2 Buccaneer Drive Houston, PA 15342	COUNTY: Washington REGION: SW NPDES:	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$396,393 IVB: \$0 V: \$0 ELIB: \$396,393	PROJECT NO.: CS422254-01 PROJ. TYPE: SS PROJECT RATING: 40 PROJECT RANKING: 22
North Sewickley Township Sewer Authority 893 Mercer Road Beaver Falls, PA 15010	COUNTY: Beaver REGION: SW NPDES: PA0026832	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$3,445,600 IVB: \$8,204,875 V: \$0 ELIB: \$11,650,475	PROJECT NO.: CS422245-01 PROJ. TYPE: SS INT PS FM PROJECT RATING: 40 PROJECT RANKING: 23
MONONGAHELA CITY 449 West Main Street Monongahela, PA 15063	COUNTY: Washington REGION: SW NPDES: PA0025950	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$3,296,000 IVB: \$0 V: \$0 ELIB: \$3,296,000	PROJECT NO.: CS422394-01 PROJ. TYPE: SS PS FM PROJECT RATING: 40 PROJECT RANKING: 24
FAIRCHANCE-GEORGES JMA 141 BIG SIX ROAD SMITHFIELD, PA 15478	COUNTY: FAYETTE REGION: SW NPDES:	I: \$3,142,980 II: \$0 III: \$0 III: \$0	IVA: \$5,674,657 IVB: \$600,000 V: \$0 ELIB: \$9,417,637	PROJECT NO.: CS422423-01 PROJ. TYPE: STPMOD, SS, INT, PS PROJECT RATING: 40 PROJECT RANKING: 25
Duryea Borough Sewer Authority 504 Main Street Duryea, PA 18642	COUNTY: Luzerne REGION: NE NPDES: N/A	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$583,038 IVB: \$0 V: \$0 ELIB: \$583,038	PROJECT NO.: CS422217-01 PROJ. TYPE: PS SS PROJECT RATING: 40 PROJECT RANKING: 26
Westover Borough Council P. O. Box 199 Westover, PA 16692	COUNTY: Clearfield REGION: NC NPDES: PA0228737	I: \$841,500 II: \$0 III: \$0 III: \$0	IVA: \$0 IVB: \$1,708,500 V: \$0 ELIB: \$2,550,000	PROJECT NO.: CS422379-01 PROJ. TYPE: STP SS PROJECT RATING: 40 PROJECT RANKING: 27
Markleysburg Borough 213 Main Street Marklesyburg, PA 15459	COUNTY: Fayette REGION: SW NPDES:	I: \$700,000 II: \$0 III: \$0 III: \$0	IVA: \$1,769,900 IVB: \$39,100 V: \$0 ELIB: \$2,509,000	PROJECT NO.: CS422360-01 PROJ. TYPE: PROJECT RATING: 40 PROJECT RANKING: 28
SOUTH VERSAILLES TOWNSHIP P. O. BOX 66 COULTER, PA 15028	COUNTY: Allegheny REGION: SW NPDES:	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$171,580 IVB: \$0 V: \$0 ELIB: \$171,580	PROJECT NO.: CS422457-01 PROJ. TYPE: SS PROJECT RATING: 40 PROJECT RANKING: 29

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Texas Township Municipal Authority 320 Shady Lane Honesdale, PA 18431	COUNTY: Wayne REGION: NE NPDES: N/A	I: \$2,300,000 II: \$100,000 III: \$0 IV: \$0	IVA: \$600,000 IVB: \$0 V: \$0 ELIB: \$3,000,000	PROJECT NO.: CS422038-01 PROJ. TYPE: STP SS PROJECT RATING: 40 PROJECT RANKING: 30
Delaware Township R. D. 1, Box 410 Thompsontown, PA 17094	COUNTY: Juniata REGION: SC NPDES:	I: \$0 II: \$274,622 III: \$0 IV: \$0	IVA: \$322,778 IVB: \$0 V: \$0 ELIB: \$597,400	PROJECT NO.: CS422308-01 PROJ. TYPE: STP PS SS PROJECT RATING: 40 PROJECT RANKING: 31
Reilly Township P. O. Box 1 Branchdale, PA 17923	COUNTY: Schuylkill REGION: NE NPDES: N/A	I: \$800,000 II: \$0 III: \$0 IV: \$0	IVA: \$531,000 IVB: \$30,000 V: \$0 ELIB: \$1,361,000	PROJECT NO.: CS422087-01 PROJ. TYPE: STP SS INT PROJECT RATING: 39 PROJECT RANKING: 32
Milford Township R. R. 3, Box 675 Mifflintown, PA 17059	COUNTY: Juniata REGION: SC NPDES:	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$1,930,000 IVB: \$0 V: \$0 ELIB: \$1,930,000	PROJECT NO.: CS422363-01 PROJ. TYPE: SS PS PROJECT RATING: 39 PROJECT RANKING: 33
Lycoming County Water & Sewer Authority 216 Old Cement Road Montoursville, PA 17754	COUNTY: Lycoming REGION: NC NPDES:	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$3,406,474 IVB: \$2,472,326 V: \$0 ELIB: \$5,878,800	PROJECT NO.: CS422288-01 PROJ. TYPE: PS INT SS PROJECT RATING: 39 PROJECT RANKING: 34
Jackson Township P. O. Box 48 Millerton, PA 16936	COUNTY: Tioga REGION: NC NPDES: N/A	I: \$554,399 II: \$215,600 III: \$0 IV: \$0	IVA: \$3,457,208 IVB: \$116,019 V: \$0 ELIB: \$4,343,226	PROJECT NO.: CS422143-01 PROJ. TYPE: STP SS PROJECT RATING: 39 PROJECT RANKING: 35
Strausstown Borough 101 Main Street, P. O. Box 269 Strausstown, PA 19559	COUNTY: Berks REGION: SC NPDES:	I: \$471,600 II: \$0 III: \$0 IV: \$0	IVA: \$1,400,000 IVB: \$650,000 V: \$0 ELIB: \$2,521,600	PROJECT NO.: CS422301-01 PROJ. TYPE: STP PS INT SS PROJECT RATING: 39 PROJECT RANKING: 36
Susquehanna Township 1900 Linglestown Road Harrisburg, PA 17110	COUNTY: Dauphin REGION: SC NPDES:	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$154,000 IVB: \$130,000 V: \$0 ELIB: \$284,000	PROJECT NO.: CS422249-01 PROJ. TYPE: INT SS PROJECT RATING: 38 PROJECT RANKING: 37
Shanksville Borough P. O. Box 58 Shanksville, PA 15560	COUNTY: Somerset REGION: SW NPDES:	I: \$500,000 II: \$0 III: \$0 IV: \$0	IVA: \$1,200,000 IVB: \$150,000 V: \$0 ELIB: \$1,850,000	PROJECT NO.: CS422355-01 PROJ. TYPE: STP SS INT PS PROJECT RATING: 38 PROJECT RANKING: 38
MAHONING TOWNSHIP P. O. Box 50 Distant, PA 16223	COUNTY: Armstrong REGION: SW NPDES: PA0252581	I: \$1,000,000 II: \$0 III: \$0 IV: \$0	IVA: \$3,175,150 IVB: \$0 V: \$0 ELIB: \$4,175,150	PROJECT NO.: CS422393-01 PROJ. TYPE: STP PS SS PROJECT RATING: 38 PROJECT RANKING: 39

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Schuylkill Valley Sewer Authority P. O. Box 314 Mary-D, PA 17952	COUNTY: REGION: NPDES:	Schuylkill NE PA0064211	I: \$5,403,989 II: \$0 III: \$0 III: \$0	IVA: \$9,313,264 IVB: \$4,024,247 V: \$0 ELIB. \$18,741,500	PROJECT NO.: CS421749-01 PROJ. TYPE: STP SS INT PROJECT RATING: 38 PROJECT RANKING: 40
Butler Twp 415 West Butler Drive Drums, PA 18222	COUNTY: REGION: NPDES:	Luzerne NE PA0024716	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$470,000 IVB: \$0 V: \$0 ELIB. \$470,000	PROJECT NO.: CS422436-01 PROJ. TYPE: SS PROJECT RATING: 37 PROJECT RANKING: 41
Indiana Cty MSA 827 Water Street INDIANA, PA 15701	COUNTY: REGION: NPDES:	Indiana SW PA0218839	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$3,124,000 IVB: \$450,000 V: \$0 ELIB. \$3,574,000	PROJECT NO.: CS422442-01 PROJ. TYPE: SS PS PROJECT RATING: 37 PROJECT RANKING: 42
Hopewell Township R. D. 1, Box 95 James Creek, PA 16657	COUNTY: REGION: NPDES:	Huntingdon SC PA0082759	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$94,400 IVB: \$0 V: \$0 ELIB. \$94,400	PROJECT NO.: CS421571-01 PROJ. TYPE: SS PS PROJECT RATING: 37 PROJECT RANKING: 43
Union Township Municipal Authority P. O. Box 501 Union City, PA 16438	COUNTY: REGION: NPDES:	Erie NW N/A	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$958,680 IVB: \$0 V: \$0 ELIB. \$958,680	PROJECT NO.: CS422123-01 PROJ. TYPE: SS PS PROJECT RATING: 37 PROJECT RANKING: 44
Leacock Township 16 E. Westview Drive Intercourse, PA 17534	COUNTY: REGION: NPDES:	Lancaster SC PA0084212	I: \$2,500,000 II: \$0 III: \$0 III: \$0	IVA: \$0 IVB: \$500,000 V: \$0 ELIB. \$3,000,000	PROJECT NO.: CS421839-01 PROJ. TYPE: STP INT PROJECT RATING: 37 PROJECT RANKING: 45
Nicholson Boro WA P. O. Box 324 Nicholson, PA 18446	COUNTY: REGION: NPDES:	Wyoming NE PENDING	I: \$926,358 II: \$0 III: \$0 III: \$0	IVA: \$2,468,539 IVB: \$0 V: \$0 ELIB. \$3,394,897	PROJECT NO.: CS422437-01 PROJ. TYPE: SS STP PROJECT RATING: 36 PROJECT RANKING: 46
Indiana County Municipal Services 827 Water Street Indiana, PA 15701	COUNTY: REGION: NPDES:	Indiana/ Cambria/ SW	I: \$1,536,000 II: \$0 III: \$0 III: \$0	IVA: \$2,285,000 IVB: \$480,000 V: \$0 ELIB. \$4,301,000	PROJECT NO.: CS422339-01 PROJ. TYPE: STP PS SS PROJECT RATING: 35 PROJECT RANKING: 47
Port Clinton Borough North Street Port Clinton, PA 19549	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: \$1,200,000 II: \$0 III: \$0 III: \$0	IVA: \$1,440,000 IVB: \$60,000 V: \$0 ELIB. \$2,700,000	PROJECT NO.: CS421941-01 PROJ. TYPE: STP SS PS INT PROJECT RATING: 35 PROJECT RANKING: 48
Franklin Township 55 Scott School Road Orrtanna, PA 17353	COUNTY: REGION: NPDES:	Adams SC N/A	I: \$190,000 II: \$0 III: \$0 III: \$0	IVA: \$85,000 IVB: \$0 V: \$0 ELIB. \$275,000	PROJECT NO.: CS422220-01 PROJ. TYPE: STP SS PROJECT RATING: 35 PROJECT RANKING: 49

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Avondale Borough 110 Pomeroy Street Avondale, PA 19311	COUNTY: Chester REGION: SE NPDES: PA0025488	I: \$3,420,000 II: \$0 III: \$0 IV: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$3,420,000	PROJECT NO.: CS422370-01 PROJ. TYPE: STPMOD PROJECT RATING: 35 PROJECT RANKING: 50
Penn Township (Centre County) R. R. 1, Box 15 Coburn, PA 16832	COUNTY: Centre REGION: NC NPDES: PA0228681	I: \$210,004 II: \$0 III: \$0 IV: \$0	IVA: \$776,596 IVB: \$0 V: \$0 ELIB: \$986,600	PROJECT NO.: CS422204-01 PROJ. TYPE: STP SS PROJECT RATING: 35 PROJECT RANKING: 51
FACTORYVILLE BOROUGH P. O. BOX 77 FACTORYVILLE, PA 18419	COUNTY: Wyoming REGION: NE NPDES:	I: \$550,000 II: \$0 III: \$0	IVA: \$650,000 IVB: \$150,000 V: \$0 ELIB: \$1,350,000	PROJECT NO.: CS422415-01 PROJ. TYPE: STPMOD PS INT SS PROJECT RATING: 35 PROJECT RANKING: 52
Wilmington Township Sewer Authority R. D. 5, Box 469 New Castle, PA 16105	COUNTY: Lawrence REGION: NW NPDES:	I: \$0 II: \$0 III: \$0	IVA: \$3,029,065 IVB: \$0 V: \$0 ELIB: \$3,029,065	PROJECT NO.: CS422231-01 PROJ. TYPE: PS SS PROJECT RATING: 35 PROJECT RANKING: 53
Wilkes-Barre Township 150 Watson Street Wilkes-Barre, PA 18702	COUNTY: Luzerne REGION: NE NPDES: N/A	I: \$0 II: \$0 III: \$400,000 IV: \$600,000	IVA: \$1,200,000 IVB: \$600,000 V: \$0 ELIB: \$2,800,000	PROJECT NO.: CS421943-01 PROJ. TYPE: SS SSREH INT PROJECT RATING: 34 PROJECT RANKING: 54
Middlesex Township 133 Browns Hill Road Valencia, PA 16059	COUNTY: Butler REGION: NW NPDES: N/A	I: \$5,050,000 II: \$0 III: \$0	IVA: \$5,352,000 IVB: \$598,000 V: \$0 ELIB: \$11,000,000	PROJECT NO.: CS422122-01 PROJ. TYPE: STP SS PS INT PROJECT RATING: 34 PROJECT RANKING: 55
PERRY TOWNSHIP P. O. BOX 183 STAR JUNCTION, PA 15482	COUNTY: Fayette REGION: SW NPDES: PA0252638	I: \$0 II: \$1,160,000 III: \$0	IVA: \$1,738,435 IVB: \$530,000 V: \$0 ELIB: \$3,428,435	PROJECT NO.: CS422428-01 PROJ. TYPE: SS INT PS STP PROJECT RATING: 34 PROJECT RANKING: 56
EAST HANOVER TOWNSHIP - DAIRY 8848 JONESTOWN ROAD GRANTVILLE, PA 17028	COUNTY: Dauphin REGION: SC NPDES:	I: \$2,900,000 II: \$0 III: \$0	IVA: \$150,000 IVB: \$1,750,000 V: \$0 ELIB: \$4,800,000	PROJECT NO.: CS422466-01 PROJ. TYPE: STP, PS, INT, SS PROJECT RATING: 34 PROJECT RANKING: 57
New Sewickley Township Municipal P. O. Box 65 Freedom, PA 15042	COUNTY: Beaver REGION: SW NPDES:	I: \$0 II: \$0 III: \$0	IVA: \$727,900 IVB: \$0 V: \$0 ELIB: \$727,900	PROJECT NO.: CS422080-01 PROJ. TYPE: SS PROJECT RATING: 34 PROJECT RANKING: 58
Union Township 3904 Finley Elrama Road Finleyville, PA 15332	COUNTY: Washington REGION: SW NPDES: N/A	I: \$0 II: \$0 III: \$0	IVA: \$1,300,000 IVB: \$482,530 V: \$0 ELIB: \$1,782,530	PROJECT NO.: CS422176-01 PROJ. TYPE: PS INT SS PROJECT RATING: 34 PROJECT RANKING: 59

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Independence-Cross Creek JSA P. O. Box 156 Avella, PA 15312	COUNTY: REGION: NPDES:	Washington SW	I: \$1,348,000 II: \$0 III: \$0 \$4,642,221	IVA: \$250,000 IVB: \$0 V: \$0 ELIB. \$6,240,221	PROJECT NO.: CS422372-01 PROJ. TYPE: STP SS PS PROJECT RATING: 34 PROJECT RANKING: 60
Jeddo Borough R. D. Box 1269 Freeland, PA 18224	COUNTY: REGION: NPDES:	Luzerne NE N/A	I: \$0 II: \$0 III: \$0 \$0	IVA: \$1,200,000 IVB: \$1,100,000 V: \$0 ELIB. \$2,300,000	PROJECT NO.: CS421891-01 PROJ. TYPE: SS PS INT PROJECT RATING: 34 PROJECT RANKING: 61
Conyngham Township P. O. Box 14 Wilburton, PA 17888	COUNTY: REGION: NPDES:	Columbia NC N/A	I: \$0 II: \$0 III: \$0 \$0	IVA: \$3,535,895 IVB: \$2,366,773 V: \$0 ELIB. \$5,902,668	PROJECT NO.: CS421801-01 PROJ. TYPE: PS INT SS PROJECT RATING: 34 PROJECT RANKING: 62
JAY TOWNSHIP SA 81 WEST TEABERRY STREET WEEDVILLE, PA 15868	COUNTY: REGION: NPDES:	Elk NW	I: \$0 II: \$250,000 III: \$0 \$0	IVA: \$2,897,777 IVB: \$0 V: \$0 ELIB. \$3,147,777	PROJECT NO.: CS422403-01 PROJ. TYPE: STPMOD SS PROJECT RATING: 34 PROJECT RANKING: 63
Decatur Township R. D. 2 McClure, PA 17841	COUNTY: REGION: NPDES:	Mifflin SC N/A	I: \$2,290,339 II: \$0 III: \$0 \$0	IVA: \$2,679,478 IVB: \$1,530,183 V: \$0 ELIB. \$6,500,000	PROJECT NO.: CS421831-01 PROJ. TYPE: STP SS PS INT PROJECT RATING: 33 PROJECT RANKING: 64
Gulich Township P. O. Box 305 Smithmill, PA 16680	COUNTY: REGION: NPDES:	Clearfield NC N/A	I: \$371,300 II: \$0 III: \$0 \$0	IVA: \$1,198,300 IVB: \$106,000 V: \$0 ELIB. \$1,675,600	PROJECT NO.: CS421982-01 PROJ. TYPE: STP PS INT SS PROJECT RATING: 33 PROJECT RANKING: 65
Corry City Municipal Authority 100 South Center Street Corry, PA 16407	COUNTY: REGION: NPDES:	Erie NW PA0028223	I: \$0 II: \$5,275,524 III: \$0 \$0	IVA: \$0 IVB: \$0 V: \$716,585 ELIB. \$5,992,109	PROJECT NO.: CS422275-01 PROJ. TYPE: STPMOD SS PROJECT RATING: 33 PROJECT RANKING: 66
CENTER TOWNSHIP 100 MUNICIPAL DRIVE ROGERSVILLE, PA 15359	COUNTY: REGION: NPDES:	Greene SW	I: \$486,000 II: \$0 III: \$0 \$0	IVA: \$594,000 IVB: \$0 V: \$0 ELIB. \$1,080,000	PROJECT NO.: CS421487-02 PROJ. TYPE: SS STP PROJECT RATING: 32 PROJECT RANKING: 67
Winfield Township P. O. Box 65 Cabot, PA 16023	COUNTY: REGION: NPDES:	Butler NW	I: \$66,000 II: \$554,400 III: \$0 \$0	IVA: \$902,880 IVB: \$0 V: \$0 ELIB. \$1,523,280	PROJECT NO.: CS422276-01 PROJ. TYPE: STP SS PROJECT RATING: 32 PROJECT RANKING: 68
Vestaburg - New Hill Joint Authority P. O. Box 189 Vestaburg, PA 15368	COUNTY: REGION: NPDES:	Washington SW N/A	I: \$0 II: \$0 III: \$0 \$1,200,000	IVA: \$0 IVB: \$0 V: \$0 ELIB. \$1,200,000	PROJECT NO.: CS422108-01 PROJ. TYPE: SSREH PROJECT RATING: 32 PROJECT RANKING: 69

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Newport Township 1002 Center Street Nanticoke, PA 18634	COUNTY: REGION: NPDES:	Luzerne NE N/A	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$250,000 \$0 \$0 \$250,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422084-01 SS 31 70
South Annville Township R. D. 4, Box 454 Lebanon, PA 17042	COUNTY: REGION: NPDES:	Lebanon SC N/A	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$3,300,000 \$0 \$0 \$3,300,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421815-01 SS PS 31 71
Conestoga Township P. O. Box 98 Conestoga, PA 17516	COUNTY: REGION: NPDES:	Lancaster SC N/A	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$0 \$1,725,000 \$0 \$1,725,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421837-01 SS PS 31 72
Foster Township 1000 Wyoming Street Freeland, PA 18224	COUNTY: REGION: NPDES:	Luzerne NE PA0020435	I: II: III A:	\$1,000,000 \$0 \$1,000,000 \$500,000	IVA: IVB: V: ELIB.	\$0 \$0 \$0 \$2,500,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421888-01 STPMOD SSREH PS 31 73
PORTLAND BOROUGH P. O. BOX 476 PORTLAND, PA 18351	COUNTY: REGION: NPDES:	Northampton NE N/A	I: II: III A:	\$1,267,772 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$2,184,510 \$307,900 \$0 \$3,760,182	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422419-01 STP PS INT SS 31 74
Conemaugh Township 1120 Tire Hill Road Johnstown, PA 15905	COUNTY: REGION: NPDES:	Somerset SW PA0217301	I: II: III A:	\$2,770,000 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$3,437,500 \$312,500 \$0 \$6,520,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421479-01 STP SS PS INT 30 75
Pulaski Township Municipal Authority R. D. 1, Box 1043 Pulaski, PA 16143	COUNTY: REGION: NPDES:	Lawrence NW N/A	I: II: III A:	\$0 \$2,992,325 \$0 \$0	IVA: IVB: V: ELIB.	\$6,968,895 \$0 \$0 \$9,961,220	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421996-01 STP SS PS 30 76
SOMERSET TOWNSHIP MA P. O. BOX 247 SOMERSET, PA 15501	COUNTY: REGION: NPDES:	Somerset SW N/A	I: II: III A:	\$1,500,000 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$1,305,000 \$1,309,500 \$0 \$4,114,500	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422463-01 STP, PS, INT, SS 30 77
SCRANTON SA 307 NORTH WASHINGTON AVE. SCRANTON, PA 18503	COUNTY: REGION: NPDES:	Lackawanna NE PA0026492	I: II: III A:	\$0 \$0 \$0 \$3,944,160	IVA: IVB: V: ELIB.	\$0 \$0 \$0 \$3,944,160	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422431-01 PSMOD 30 78
WESTERN WESTMORELAND MA 12441 ROUTE 993 NORTH HUNTINGDON, PA 15642	COUNTY: REGION: NPDES:	Westmoreland SW N/A	I: II: III A:	\$1,463,700 \$0 \$0 \$697,300	IVA: IVB: V: ELIB.	\$0 \$0 \$0 \$2,161,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422459-01 STPMOD, SSREHAB 30 79

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

HEMPFIELD TOWNSHP MA R. D. 6, BOX 501 GREENSBURG, PA 15601	COUNTY: REGION: NPDES:	Westmoreland SW	I: II: IIIA:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$2,575,800 \$0 \$0 \$2,575,800	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422425-01 SS 29 80
Lower Burrell Municipal Authority Schreiber & Bethel Streets Lower Burrell, PA 15068	COUNTY: REGION: NPDES:	Westmoreland SW	I: II: IIIA:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$1,500,000 \$0 \$0 \$1,500,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422048-01 SS 29 81
Upper Augusta Township Municipal R. R. 2, Box 398-A Sunbury, PA 17801	COUNTY: REGION: NPDES:	Northumberland NC	I: II: IIIA:	\$256,500 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$974,054 \$243,689 \$0 \$1,474,243	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422172-01 PS SS 29 82
Milton Regional SA Two Filbert Street, P. O. Box 150 Milton, PA 17847	COUNTY: REGION: NPDES:	Northumberland NC	I: II: IIIA:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$7,525,340 \$645,496 \$0 \$8,170,836	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422287-01 SS 29 83
NEW BUFFALO BOROUGH P. O. BOX 245 NEW BUFFALO, PA 17069	COUNTY: REGION: NPDES:	Perry SC	I: II: IIIA:	\$300,000 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$325,000 \$175,000 \$0 \$800,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422453-01 STP PS INT SS 29 84
WAYNE TOWNSHIP MA 1418 Wampum Road, Rte. 288 Ellwood City, PA 16117	COUNTY: REGION: NPDES:	Lawrence NW	I: II: IIIA:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$2,842,850 \$0 \$0 \$2,842,850	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421828-01 SS, PS, FM 29 85
Oxford Township P. O. Box 86 New Oxford, PA 17350	COUNTY: REGION: NPDES:	Adams SC	I: II: IIIA:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$3,600,000 \$0 \$0 \$3,600,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422025-01 SS PS 29 86
CLINTON TWP R. R. 1, BOX 33 MONTGOMERY, PA 17752	COUNTY: REGION: NPDES:	Lycoming NC	I: II: IIIA:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$600,000 \$0 \$0 \$600,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422026-01 SS 29 87
Rose Township Rte. 3, Box 143 Brookville, PA 15825	COUNTY: REGION: NPDES:	Jefferson NW	I: II: IIIA:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$1,865,430 \$0 \$0 \$1,865,430	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421914-01 SS 29 88
Sergeant Township Box 1A, Clermont SR Mt. Jewett, PA 16740	COUNTY: REGION: NPDES:	McKean NW	I: II: IIIA:	\$126,000 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$363,255 \$0 \$0 \$489,255	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421992-01 STP SS 29 89

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Blaine Township 123 Main Street Taylorstown, PA 15365	COUNTY: REGION: NPDES:	Washington SW N/A	I: II: III A:	\$0 \$300,000 \$0 \$0	IVA: IVB: V: ELIB.	\$700,000 \$300,000 \$0 \$1,300,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422171-01 STP INT SS 29 90
Herndon Borough P. O. Box 385 Herndon, PA 17830	COUNTY: REGION: NPDES:	Northumberland NC N/A	I: II: III A:	\$760,277 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$1,801,976 \$103,983 \$0 \$2,666,236	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422144-01 STPMOD SS 29 91
BARKEYVILLE BOROUGH 137 OAK STREET HAR. R.ISVILLE, PA 16038	COUNTY: REGION: NPDES:	Venango NW	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$1,003,606 \$0 \$0 \$1,003,606	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422399-01 SS 29 92
Midway Sewer Authority P. O. Box 600 Midway, PA 15060	COUNTY: REGION: NPDES:	Washington SW	I: II: III A:	\$1,800,000 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$8,100,000 \$2,500,000 \$0 \$12,400,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422071-01 STP SS PS INT 29 93
Moon Township MA 1700 Beaver Grade Rd, Suite 200 Coraopolis, PA 15108	COUNTY: REGION: NPDES:	Allegheny/ Beaver SW PA0046906	I: II: III A:	\$1,920,000 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$685,000 \$1,560,000 \$0 \$4,165,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422374-01 STP PS SS 29 94
LEETSDALE BOROUGH MA 5 SIXTH STREET LEETSDALE, PA 15056	COUNTY: REGION: NPDES:	Allegheny SW	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$0 \$860,000 \$0 \$860,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422456-01 PSMOD 29 95
Gratz Borough P. O. Box 305 Gratz, PA 17030	COUNTY: REGION: NPDES:	Dauphin SC N/A	I: II: III A:	\$785,000 \$1,150,920 \$0 \$0	IVA: IVB: V: ELIB.	\$0 \$0 \$0 \$1,935,920	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421696-01 STP SS 29 96
Fredericksburg Sewer & Water Authority P. O. Box 161 Fredericksburg, PA 17026	COUNTY: REGION: NPDES:	Lebanon SC	I: II: III A:	\$1,873,380 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$2,226,000 \$0 \$0 \$4,099,380	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422303-01 STPMOD SS PS INT 29 97
Meshoppen Borough P. O. Box 237 Meshoppen, PA 18630	COUNTY: REGION: NPDES:	Wyoming NE	I: II: III A:	\$0 \$860,000 \$0 \$0	IVA: IVB: V: ELIB.	\$989,703 \$290,000 \$0 \$2,139,703	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422267-01 STP INT SS 29 98
Scott Township 2600 Old Greentree Road Carnegie, PA 15106	COUNTY: REGION: NPDES:	Allegheny SW N/A	I: II: III A:	\$0 \$0 \$5,949,317 \$0	IVA: IVB: V: ELIB.	\$0 \$0 \$0 \$5,949,317	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422170-01 SSREH 29 99

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Sharon City 155 W. Connelly Boulevard Sharon, PA 16146	COUNTY: Mercer REGION: NW NPDES: N/A	I: \$0 II: \$20,552,000 III: \$0 IV: \$0	IVA: \$0 IVB: \$1,993,000 V: \$0 ELIB: \$22,545,000	PROJECT NO.: CS422131-01 PROJ. TYPE: STPMOD INT PROJECT RATING: 29 PROJECT RANKING: 100
CLIFFORD TOWNSHIP P. O. BOX 339 CLIFFORD, PA 18413	COUNTY: Susquehanna REGION: NE NPDES:	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$1,903,000 IVB: \$0 V: \$0 ELIB: \$1,903,000	PROJECT NO.: CS422414-01 PROJ. TYPE: SS PROJECT RATING: 29 PROJECT RANKING: 101
NUANGOLA BOROUGH 5150 NUANGOLA ROAD MOUNTAIN TOP, PA 18707	COUNTY: Luzerne REGION: NE NPDES:	I: \$500,000 II: \$0 III: \$0 IV: \$0	IVA: \$2,500,000 IVB: \$1,500,000 V: \$0 ELIB: \$4,500,000	PROJECT NO.: CS422413-01 PROJ. TYPE: STP SS INT PROJECT RATING: 29 PROJECT RANKING: 102
Worthington-West Franklin Joint Mun Auth P. O. Box 0, R. D. 2, Box 40A Worthington, PA 16262	COUNTY: Armstrong REGION: SW NPDES: N/A	I: \$2,300,000 II: \$0 III: \$0 IV: \$0	IVA: \$4,000,000 IVB: \$1,900,000 V: \$0 ELIB: \$8,200,000	PROJECT NO.: CS421481-01 PROJ. TYPE: STP SS PS INT PROJECT RATING: 28 PROJECT RANKING: 103
BALDWIN BOROUGH 3344 CHURCHVIEW AVENUE PITTSBURG, PA 15227	COUNTY: Allegheny REGION: SW NPDES: PA0025984	I: \$0 II: \$0 III: \$0 IV: \$3,700,000	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$3,700,000	PROJECT NO.: CS422422-01 PROJ. TYPE: SSREH PROJECT RATING: 28 PROJECT RANKING: 104
MCKEESPORT CITY 201 LYSLE BLVD MCKEESP. O.RT, PA 15132	COUNTY: Allegheny REGION: SW NPDES: PA0026913	I: \$0 II: \$0 III: \$0 IV: \$750,000	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$750,000	PROJECT NO.: CS422426-01 PROJ. TYPE: SSREH PROJECT RATING: 28 PROJECT RANKING: 105
Ambridge Borough Municipal Authority Municipal Building, 600 11th St. Ambridge, PA 15003	COUNTY: Beaver REGION: SW NPDES:	I: \$1,800,000 II: \$0 III: \$0 IV: \$0	IVA: \$200,000 IVB: \$0 V: \$0 ELIB: \$2,000,000	PROJECT NO.: CS422322-01 PROJ. TYPE: STPMOD SS PROJECT RATING: 28 PROJECT RANKING: 106
Upper Shenango Valley Water Poll Cont P. O. Box 1449 Hermitage, PA 16148	COUNTY: Mercer REGION: NW NPDES: N/A	I: \$0 II: \$0 III: \$0 IV: \$901,000	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$901,000	PROJECT NO.: CS422132-01 PROJ. TYPE: PS PROJECT RATING: 28 PROJECT RANKING: 107
Edgewood Borough 2 Race Street Edgewood, PA 15218	COUNTY: Allegheny REGION: SW NPDES:	I: \$0 II: \$0 III: \$0 IV: \$359,880	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$359,880	PROJECT NO.: CS422325-01 PROJ. TYPE: SSREH PROJECT RATING: 27 PROJECT RANKING: 108
Mount Oliver Borough 150 Brownsville Road Pittsburgh, PA 15210	COUNTY: Allegheny REGION: SW NPDES:	I: \$0 II: \$0 III: \$0 IV: \$672,250	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$672,250	PROJECT NO.: CS422243-01 PROJ. TYPE: SSREH PROJECT RATING: 27 PROJECT RANKING: 109

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Ebensburg Borough Municipal Authority 300 W. High Street Ebensburg, PA 15931	COUNTY: REGION: NPDES:	Cambria SW N/A	I: \$4,000,000 II: \$0 III: \$0 IV: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIB. \$4,000,000	PROJECT NO.: CS422118-01 PROJ. TYPE: STPMOD PROJECT RATING: 27 PROJECT RANKING: 110
Vernon Township Sanitary Authority 16678 McMath Avenue Meadville, PA 16335	COUNTY: REGION: NPDES:	Crawford NW PA0025470	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$1,674,000 IVB: \$1,130,000 V: \$0 ELIB. \$2,804,000	PROJECT NO.: CS422354-01 PROJ. TYPE: SS PS FM PROJECT RATING: 26 PROJECT RANKING: 111
Concord Township Sewer Authority P. O. Box 171 Concordville, PA 19331	COUNTY: REGION: NPDES:	Delaware SE N/A	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$600,000 IVB: \$0 V: \$0 ELIB. \$600,000	PROJECT NO.: CS422064-01 PROJ. TYPE: SS PROJECT RATING: 26 PROJECT RANKING: 112
Cranberry Township State Route 257, P. O. Box 378 Seneca, PA 16346	COUNTY: REGION: NPDES:	Venango NW	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$2,691,996 IVB: \$0 V: \$0 ELIB. \$2,691,996	PROJECT NO.: CS422284-01 PROJ. TYPE: PS SS PROJECT RATING: 26 PROJECT RANKING: 113
Greene Township 9333 Tate Road Erie, PA 16509	COUNTY: REGION: NPDES:	Erie NW N/A	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$9,830,410 IVB: \$0 V: \$0 ELIB. \$9,830,410	PROJECT NO.: CS421995-01 PROJ. TYPE: SS PROJECT RATING: 26 PROJECT RANKING: 114
Falls Creek Borough Municipal Authority 117 Taylor Avenue Falls Creek, PA 15840	COUNTY: REGION: NPDES:	Jefferson NW PA0027375	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$1,940,000 IVB: \$0 V: \$0 ELIB. \$1,940,000	PROJECT NO.: CS422321-01 PROJ. TYPE: PS SS PROJECT RATING: 26 PROJECT RANKING: 115
Rush Township P. O. Box 152 Philipsburg, PA 16866	COUNTY: REGION: NPDES:	Centre NC PA0037966	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$1,234,945 IVB: \$191,755 V: \$0 ELIB. \$1,426,700	PROJECT NO.: CS422395-01 PROJ. TYPE: SS INT PROJECT RATING: 26 PROJECT RANKING: 116
LATROBE MA P. O. BOX 88 LATOBE, PA 15650	COUNTY: REGION: NPDES:	Westmoreland SW	I: \$0 II: \$0 III: \$0 IV: \$599,000	IVA: \$0 IVB: \$0 V: \$0 ELIB. \$599,000	PROJECT NO.: CS422461-01 PROJ. TYPE: SSREHAB PROJECT RATING: 26 PROJECT RANKING: 117
North East Township 10300 W. Main Road, P. O. Box 249 North East, PA 16428	COUNTY: REGION: NPDES:	Erie NW N/A	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$7,150,000 IVB: \$0 V: \$0 ELIB. \$7,150,000	PROJECT NO.: CS422126-01 PROJ. TYPE: SS PROJECT RATING: 26 PROJECT RANKING: 118
Dudley-Carbon-Coalmont JMA P. O. Box 276 Dudley, PA 16634	COUNTY: REGION: NPDES:	Huntingdon SC PA0246727	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$900,000 IVB: \$0 V: \$0 ELIB. \$900,000	PROJECT NO.: CS422335-01 PROJ. TYPE: SS PROJECT RATING: 26 PROJECT RANKING: 119

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Silver Lake Township P. O. Box 1975 Brackney, PA 18812	COUNTY: REGION: NPDES:	Susquehanna NE N/A	I: \$0 II: \$151,000 III: \$0 III: \$0	IVA: \$449,514 IVB: \$260,000 V: \$0 ELIB: \$860,514	PROJECT NO.: CS422088-01 PROJ. TYPE: STPMOD SS INT PROJECT RATING: 26 PROJECT RANKING: 120
HEMPFIELD TOWNSHIP MA R. D. 6, BOX 501 GREENSBURG, PA 15601	COUNTY: REGION: NPDES:	Westmoreland SW PA0096211	I: \$5,900,000 II: \$0 III: \$0 III: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$5,900,000	PROJECT NO.: CS422424-01 PROJ. TYPE: STPMOD PROJECT RATING: 26 PROJECT RANKING: 121
KISKI VALLEY WPCA 1200 PINE CAMP ROAD LEECHBURG, PA 15656	COUNTY: REGION: NPDES:	Armstrong SW N/A	I: \$602,800 II: \$0 III: \$0 III: \$0	IVA: \$0 IVB: \$2,018,000 V: \$2,620,800 ELIB: \$5,241,600	PROJECT NO.: CS422455-01 PROJ. TYPE: PSREH STPMOD PROJECT RATING: 26 PROJECT RANKING: 122
NEW MILFORD MA 175 MAIN ST., P. O. BOX 1111 NEW MILFORD, PA 18834	COUNTY: REGION: NPDES:	Susquehanna NE N/A	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$1,400,000 IVB: \$1,170,000 V: \$0 ELIB: \$2,570,000	PROJECT NO.: CS422418-01 PROJ. TYPE: PS INT SS PROJECT RATING: 26 PROJECT RANKING: 123
Lock Haven City 20 E. Church Street Lock Haven, PA 17745	COUNTY: REGION: NPDES:	Clinton NC N/A	I: \$2,536,011 II: \$0 III: \$0 III: \$592,719	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$3,128,730	PROJECT NO.: CS422294-01 PROJ. TYPE: STPMOD SS PROJECT RATING: 26 PROJECT RANKING: 124
SCRANTON SA 307 NORTH WASHINGTON AVE. SCRANTON, PA 18503	COUNTY: REGION: NPDES:	Lackawanna NE N/A	I: \$6,497,000 II: \$0 III: \$0 III: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$6,497,000	PROJECT NO.: CS422432-01 PROJ. TYPE: STPMOD PROJECT RATING: 26 PROJECT RANKING: 125
Cambria Twp SA P. O. BOX 247 REVLOC, PA 15948	COUNTY: REGION: NPDES:	Cambria SW N/A	I: \$0 II: \$1,480,000 III: \$0 III: \$320,000	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$1,800,000	PROJECT NO.: CS422441-01 PROJ. TYPE: STPMOD SSREHAB PROJECT RATING: 25 PROJECT RANKING: 126
SUGARCREEK BOROUGH 212 FOX STREET FRANKLIN, PA 16323	COUNTY: REGION: NPDES:	Venango NW N/A	I: \$0 II: \$0 III: \$0 III: \$158,000	IVA: \$3,194,206 IVB: \$818,905 V: \$0 ELIB: \$4,171,111	PROJECT NO.: CS422411-01 PROJ. TYPE: SS, PS, FM, SSREH, PROJECT RATING: 25 PROJECT RANKING: 127
HOLLIDAYSBURG SA 401 BLAIR STREET HOLLISDAYSBURG, PA 16648	COUNTY: REGION: NPDES:	Blair SC PA0043273	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$990,385 IVB: \$1,586,000 V: \$0 ELIB: \$2,576,385	PROJECT NO.: CS422392-01 PROJ. TYPE: INT SS PROJECT RATING: 25 PROJECT RANKING: 128
Clearfield Municipal Authority 107 East Market Street Clearfield, PA 16830	COUNTY: REGION: NPDES:	Clearfield NC PA0026310	I: \$1,870,000 II: \$0 III: \$75,000 III: \$175,000	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$2,120,000	PROJECT NO.: CS422390-01 PROJ. TYPE: STPMOD INT PROJECT RATING: 25 PROJECT RANKING: 129

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Northern Blair County RSA Washington Avenue & Third Street Tyrone, PA 16686	COUNTY: REGION: NPDES:	Blair SC	I: \$1,054,000 II: \$0 III A: \$0 \$0	IVA: \$0 IVB: \$0 V: \$0 ELIB. \$1,054,000	PROJECT NO.: CS422368-01 PROJ. TYPE: STPMOD PROJECT RATING: 25 PROJECT RANKING: 130
Quakertown Borough P. O. Box 727 Quakertown, PA 18951	COUNTY: REGION: NPDES:	Bucks SE	I: \$0 II: \$0 III A: \$0 \$3,408,280	IVA: \$0 IVB: \$0 V: \$0 ELIB. \$3,408,280	PROJECT NO.: CS422352-01 PROJ. TYPE: SSREH PROJECT RATING: 25 PROJECT RANKING: 131
Bristol Township Authority 2501 Bath Road Bristol, PA 19007	COUNTY: REGION: NPDES:	Bucks SE	I: \$150,000 II: \$0 III A: \$0 \$2,685,000	IVA: \$0 IVB: \$0 V: \$0 ELIB. \$2,835,000	PROJECT NO.: CS422396-01 PROJ. TYPE: PS SSREH FM PROJECT RATING: 25 PROJECT RANKING: 132
HUNTINGDON BOROUGH WASHINGTON STREET HUNTINGDON, PA 16652	COUNTY: REGION: NPDES:	Huntingdon SC	I: \$0 II: \$0 III A: \$0 \$0	IVA: \$0 IVB: \$900,000 V: \$0 ELIB. \$900,000	PROJECT NO.: CS422467-01 PROJ. TYPE: INT PROJECT RATING: 25 PROJECT RANKING: 133
Oley Township Municipal Authority P. O. Box 19 Oley, PA 19547	COUNTY: REGION: NPDES:	Berks SC N/A	I: \$0 II: \$996,000 III A: \$0 \$0	IVA: \$0 IVB: \$0 V: \$0 ELIB. \$996,000	PROJECT NO.: CS422021-01 PROJ. TYPE: STPMOD PROJECT RATING: 25 PROJECT RANKING: 134
Elkland Borough Authority 105 Parkhurst Street Elkland, PA 16920	COUNTY: REGION: NPDES:	Tioga NC PA0113398	I: \$150,480 II: \$58,520 III A: \$0 \$0	IVA: \$0 IVB: \$0 V: \$0 ELIB. \$209,000	PROJECT NO.: CS421963-01 PROJ. TYPE: STPMOD PROJECT RATING: 25 PROJECT RANKING: 135
North East Borough 31 W. MAIN STREET North East, PA 16428	COUNTY: REGION: NPDES:	Erie NW N/A	I: \$10,982,000 II: \$0 III A: \$0 \$0	IVA: \$0 IVB: \$0 V: \$0 ELIB. \$10,982,000	PROJECT NO.: CS422125-01 PROJ. TYPE: STPMOD PROJECT RATING: 25 PROJECT RANKING: 136
WASHINGTON TOWNSHIP MA 283 PINE RUN CHURCH RD. APOLLO, PA 15613	COUNTY: REGION: NPDES:	Westmoreland SW	I: \$0 II: \$0 III A: \$0 \$0	IVA: \$4,200,000 IVB: \$0 V: \$0 ELIB. \$4,200,000	PROJECT NO.: CS422430-01 PROJ. TYPE: SS PROJECT RATING: 23 PROJECT RANKING: 137
Elk Lick Twp - SS System 1507 St. Paul Rd. P. O. Box 55 West Salisbury, PA 15565	COUNTY: REGION: NPDES:	Somerset SW	I: \$789,000 II: \$0 III A: \$0 \$0	IVA: \$1,621,000 IVB: \$1,690,000 V: \$0 ELIB. \$4,100,000	PROJECT NO.: CS422451-01 PROJ. TYPE: SS PS INT STPMOD PROJECT RATING: 23 PROJECT RANKING: 138
East Brandywine Township 1214 Horseshoe Pike Downingtown, PA 19335	COUNTY: REGION: NPDES:	Chester SE N/A	I: \$0 II: \$0 III A: \$0 \$0	IVA: \$600,000 IVB: \$0 V: \$0 ELIB. \$600,000	PROJECT NO.: CS422099-01 PROJ. TYPE: SS PS PROJECT RATING: 23 PROJECT RANKING: 139

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

East Allen Township 5344 Nor-bath Boulevard Northampton, PA 18067	COUNTY: REGION: NPDES:	Northampton NE	I: II: IIIA:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$262,520 \$264,880 \$0 \$527,400	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422273-01 INT SS 23 140
Mid Mon Valley P. O. Box 197 Allenport, PA 15412	COUNTY: REGION: NPDES:	Washington SW	I: II: IIIA:	\$750,000 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$0 \$652,535 \$0 \$1,402,535	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422373-01 STPMOD PS 23 141
Beavertown Municipal Authority 419 Old Orchard Drive Beavertown, PA 17813	COUNTY: REGION: NPDES:	Snyder NC	I: II: IIIA:	\$1,766,596 \$361,833 \$0 \$380,814	IVA: IVB: V: ELIB.	\$0 \$442,807 \$0 \$2,952,050	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422137-01 STPMOD INT 23 142
Brockway Area Sewage Authority 501 Main Street Brockway, PA 15824	COUNTY: REGION: NPDES:	Jefferson/Elk NW	I: II: IIIA:	\$0 \$8,373,305 \$750,000 \$0	IVA: IVB: V: ELIB.	\$6,582,715 \$520,000 \$0 \$16,226,020	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421910-01 STP PS INT SS I/I 23 143
FOXBURG AREA W&SA P. O. Box 2 Foxburg, PA 16036	COUNTY: REGION: NPDES:	Clarion NW	I: II: IIIA:	\$28,600 \$0 \$329,924 \$0	IVA: IVB: V: ELIB.	\$0 \$0 \$0 \$358,524	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422386-01 STPMOD 23 144
Big Beaver Boro - Stockman Run Sewer 120 Brighton Street Racine, PA 15010	COUNTY: REGION: NPDES:	Beaver SW	I: II: IIIA:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$1,190,587 \$500,000 \$0 \$1,690,587	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422449-01 SS INT PS 23 145
Fredericksburg Water & Sewer Authority 150 S. Pine Grove Street Fredericksburg, PA 17026	COUNTY: REGION: NPDES:	Lebanon SC	I: II: IIIA:	\$0 \$450,000 \$0 \$0	IVA: IVB: V: ELIB.	\$300,000 \$0 \$0 \$750,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421924-01 STPMOD SS 23 146
Redbank Valley Municipal Authority 243 Broad Street New Bethlehem, PA 16242	COUNTY: REGION: NPDES:	Clarion NW	I: II: IIIA:	\$1,639,000 \$0 \$1,435,000 \$0	IVA: IVB: V: ELIB.	\$4,089,000 \$2,722,000 \$0 \$9,885,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421900-01 STPMOD SS 23 147
Locust Township R. R. 3 Box 119A Catawissa, PA 17820	COUNTY: REGION: NPDES:	Columbia NC	I: II: IIIA:	\$464,671 \$95,174 \$0 \$0	IVA: IVB: V: ELIB.	\$1,031,206 \$82,407 \$0 \$1,673,458	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422140-01 STP SS INT 23 148
NORTH AND SOUTH SHENANGO TWP 3397 DAM ROAD JAMESTOWN, PA 16134	COUNTY: REGION: NPDES:	Crawford NW	I: II: IIIA:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$1,838,375 \$0 \$0 \$1,838,375	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422409-01 SS 23 149

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

STONEBORO BOROUGH P. O. BOX 146 STONEBORO, PA 16153	COUNTY: REGION: NPDES:	Mercer NW	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$492,000 \$0 \$0 \$492,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422410-01 SS 23 150
East Penn Township 288 Schleicher Avenue Lehighton, PA 18235	COUNTY: REGION: NPDES:	Carbon NE N/A	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$2,620,000 \$540,000 \$0 \$3,160,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421679-01 SS INT 23 151
New Castle Sanitary Authority 110 E. Washington Street New Castle, PA 16101	COUNTY: REGION: NPDES:	Lawrence NW N/A	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$0 \$8,000,000 \$0 \$8,000,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421823-01 SSREH INT 23 152
Hallstead-Great Bend Joint Sewer Authority P. O. Box 757 Great Bend, PA 18821	COUNTY: REGION: NPDES:	Susquehanna NE PA0060518	I: II: III A:	\$1,250,000 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$475,000 \$0 \$0 \$1,725,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421817-01 STPMOD SS 23 153
ROSTRAVER TOWNSHIP SA 202 PORT ROYAL RD. ROSTRAVER, PA 15012	COUNTY: REGION: NPDES:	Westmoreland SW	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$4,200,000 \$1,500,000 \$0 \$5,700,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422429-01 SS PS 22 154
West Mahanoy Township Authority 190 Pennsylvania Avenue Shenandoah Height, PA 17976	COUNTY: REGION: NPDES:	Schuylkill NE N/A	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$3,375,000 \$3,375,000 \$0 \$6,750,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421906-01 SS PS INT 22 155
Berwick Area Joint Sewer Authority 344 Market Street Berwick, PA 18603	COUNTY: REGION: NPDES:	Columbia NC PA0023248	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$0 \$0 \$875,375 \$875,375	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422293-01 INT 22 156
MEYERSDALE BOROUGH 613 SECOND ST., P. O. BOX 60 MEYERSDALE, PA 15552	COUNTY: REGION: NPDES:	Somerset SW PA0024481	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$0 \$0 \$3,000,000 \$3,000,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422427-01 CS 22 157
Cambridge Springs Borough 1611 Carringer Street Cambridge Springs, PA 16403	COUNTY: REGION: NPDES:	Crawford NW N/A	I: II: III A:	\$0 \$2,100,000 \$0 \$0	IVA: IVB: V: ELIB.	\$0 \$0 \$0 \$2,100,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421993-01 STPMOD 22 158
Todd Township 22622 Great Cove Road McConnellsburg, PA 17233	COUNTY: REGION: NPDES:	Fulton SC	I: II: III A:	\$196,775 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$0 \$0 \$0 \$196,775	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422337-01 STPMOD 22 159

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Penn Township 260 Lewis Road West Grove, PA 19390	COUNTY: Chester REGION: SE NPDES:	I: \$0 II: \$550,000 III: \$0 IV: \$0	IVA: \$0 IVB: \$160,000 V: \$0 ELIB: \$710,000	PROJECT NO.: CS422232-01 PROJ. TYPE: STPMOD FM PROJECT RATING: 22 PROJECT RANKING: 160
SANDY TOWNSHIP 1094 CHESTNUT AVENUE DUBOIS, PA 15801	COUNTY: Clearfield REGION: NC NPDES:	I: \$0 II: \$0 III: \$0 IV: \$4,800,000	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$4,800,000	PROJECT NO.: CS422454-01 PROJ. TYPE: SSREH PROJECT RATING: 21 PROJECT RANKING: 161
Brownsville MA - SS Improv. Proj Phase I P. O. Box 330 Brownsville, PA 15417	COUNTY: Fayette REGION: SW NPDES:	I: \$7,515,000 II: \$0 III: \$0 IV: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$7,515,000	PROJECT NO.: CS422450-01 PROJ. TYPE: STP, PS PROJECT RATING: 21 PROJECT RANKING: 162
BUTLER TOWNSHIP-TERRACE 415 WEST BUTLER DR DRUMS, PA 18222	COUNTY: Luzerne REGION: NE NPDES:	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$347,000 IVB: \$0 V: \$0 ELIB: \$347,000	PROJECT NO.: CS422469-01 PROJ. TYPE: SS PROJECT RATING: 21 PROJECT RANKING: 163
Girard Township 10140 Ridge Road Girard, PA 16417	COUNTY: Erie REGION: NW NPDES: N/A	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$5,098,100 IVB: \$0 V: \$0 ELIB: \$5,098,100	PROJECT NO.: CS422124-01 PROJ. TYPE: SS PROJECT RATING: 21 PROJECT RANKING: 164
Hopewell Township 1700 Clark Boulevard Aliquippa, PA 15001	COUNTY: Beaver REGION: SW NPDES: PA0026328	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$0 IVB: \$770,000 V: \$0 ELIB: \$770,000	PROJECT NO.: CS422387-01 PROJ. TYPE: INT SS PROJECT RATING: 20 PROJECT RANKING: 165
ELLPORT BOROUGH 313 BURNS AVENUE ELLWORD CITY, PA 16117	COUNTY: Lawrence REGION: NW NPDES:	I: \$1,750,000 II: \$0 III: \$0 IV: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$1,750,000	PROJECT NO.: CS422402-01 PROJ. TYPE: STPMOD PROJECT RATING: 20 PROJECT RANKING: 166
Muddy Run RA P. O. Box 474 Madera, PA 16661	COUNTY: Clearfield REGION: NC NPDES: PA0228672	I: \$475,000 II: \$0 III: \$0 IV: \$0	IVA: \$125,000 IVB: \$510,000 V: \$0 ELIB: \$1,110,000	PROJECT NO.: CS422377-01 PROJ. TYPE: STP PS SS PROJECT RATING: 20 PROJECT RANKING: 167
Leechburg Borough 260 Market Street Leechburg, PA 15656	COUNTY: Armstrong REGION: SW NPDES:	I: \$0 II: \$0 III: \$0 IV: \$1,722,635	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$1,722,635	PROJECT NO.: CS422241-01 PROJ. TYPE: SS PROJECT RATING: 20 PROJECT RANKING: 168
North Apollo Borough P. O. Box 501 North Apollo, PA 15673	COUNTY: Armstrong REGION: SW NPDES:	I: \$0 II: \$0 III: \$0 IV: \$889,486	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$889,486	PROJECT NO.: CS422317-01 PROJ. TYPE: SSREH PROJECT RATING: 20 PROJECT RANKING: 169

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

WINDBER AREA AUTHORITY 1700 STOCKHOLM AVE WINDBER, PA 15963	COUNTY: REGION: NPDES:	Cambria/ Somerset SW	I: \$19,500,000 II: \$0 III: \$0 III: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIB. \$19,500,000	PROJECT NO.: CS422464-01 PROJ. TYPE: STPMOD PROJECT RATING: 20 PROJECT RANKING: 170
STONYPARK TWP 1610 BEDFORD ST. JOHNSTOWN, PA 15902	COUNTY: REGION: NPDES:	CAMBRIA SW	I: \$0 II: \$0 III: \$0 III: \$745,000	IVA: \$155,000 IVB: \$0 V: \$0 ELIB. \$900,000	PROJECT NO.: CS422452-01 PROJ. TYPE: SSREH SS PROJECT RATING: 20 PROJECT RANKING: 171
Moshannon Valley JSA P. O. Box 581 Phillipsburg, PA 16866	COUNTY: REGION: NPDES:	Clearfield NC PA0037966	I: \$4,365,180 II: \$0 III: \$0 III: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIB. \$4,365,180	PROJECT NO.: CS422440-01 PROJ. TYPE: STPMOD PROJECT RATING: 20 PROJECT RANKING: 172
Apollo Borough 45 N. Pennsylvania Avenue Apollo, PA 15613	COUNTY: REGION: NPDES:	Armstrong SW N/A	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$0 IVB: \$0 V: \$3,950,125 ELIB. \$3,950,125	PROJECT NO.: CS422221-01 PROJ. TYPE: SS PROJECT RATING: 20 PROJECT RANKING: 173
Carlisle Suburban Authority 240 Clearwater Drive Carlisle, PA 17013	COUNTY: REGION: NPDES:	Cumberland SC	I: \$0 II: \$1,200,000 III: \$0 III: \$0	IVA: \$3,400,000 IVB: \$4,000,000 V: \$0 ELIB. \$8,600,000	PROJECT NO.: CS422302-01 PROJ. TYPE: STP PS INT SS PROJECT RATING: 20 PROJECT RANKING: 174
Reading City City Hall, 815 Washington St. Reading, PA 19601	COUNTY: REGION: NPDES:	Berks SC N/A	I: \$8,000,000 II: \$0 III: \$0 III: \$6,000,000	IVA: \$0 IVB: \$0 V: \$0 ELIB. \$14,000,000	PROJECT NO.: CS422022-01 PROJ. TYPE: STPMOD SSREH PROJECT RATING: 20 PROJECT RANKING: 175
Windber Area Authority 1700 Stockholm Ave Windber, PA 15963	COUNTY: REGION: NPDES:	Somerset/ Cambria SW PA0026778	I: \$0 II: \$0 III: \$0 III: \$4,900,000	IVA: \$0 IVB: \$0 V: \$0 ELIB. \$4,900,000	PROJECT NO.: CS422369-01 PROJ. TYPE: SSREHAB PROJECT RATING: 19 PROJECT RANKING: 176
Cambridge Area JTA 161 CARRINGER STREET CAMBRIDGE, PA 16403	COUNTY: REGION: NPDES:	Crawford NW	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$115,560 IVB: \$444,640 V: \$0 ELIB. \$560,200	PROJECT NO.: CS422444-01 PROJ. TYPE: SS INT PROJECT RATING: 19 PROJECT RANKING: 177
Cambridge Township 22530 Electric Drive Cambridge Springs, PA 16403	COUNTY: REGION: NPDES:	Crawford NW	I: \$0 II: \$0 III: \$0 III: \$0	IVA: \$0 IVB: \$309,745 V: \$0 ELIB. \$309,745	PROJECT NO.: CS422277-01 PROJ. TYPE: PS FM PROJECT RATING: 19 PROJECT RANKING: 178
Brownsville Municipal Authority 200 Bank Street Brownsville, PA 15417	COUNTY: REGION: NPDES:	Fayette SW N/A	I: \$2,000,000 II: \$0 III: \$0 III: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIB. \$2,000,000	PROJECT NO.: CS422112-01 PROJ. TYPE: STPMOD PROJECT RATING: 19 PROJECT RANKING: 179

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

CRANBERRY TWP MS&WA 2525 ROCHESTER RD., SUITE 700 CRANBERRY TWP, PA 16066	COUNTY: Butler REGION: NW NPDES: PA0024571	I: \$0 II: \$20,000,000 III: \$0 IV: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$20,000,000	PROJECT NO.: CS421917-01 PROJ. TYPE: STPMOD PROJECT RATING: 19 PROJECT RANKING: 180
Grove City Borough 123 W. Main St, P. O. Box 110 Grove City, PA 16127	COUNTY: Mercer/Butler REGION: NW NPDES:	I: \$0 II: \$6,216,100 III: \$2,895,900 IV: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$9,112,000	PROJECT NO.: CS422281-01 PROJ. TYPE: STPMOD SS PROJECT RATING: 19 PROJECT RANKING: 181
Mount Pocono Municipal Authority 303 Pocono Boulevard Mount Pocono, PA 18344	COUNTY: Monroe REGION: NE NPDES:	I: \$2,171,000 II: \$480,000 III: \$0 IV: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$2,651,000	PROJECT NO.: CS422268-01 PROJ. TYPE: STPMOD PROJECT RATING: 19 PROJECT RANKING: 182
Westfall Township P. O. Box 247 Matamoras, PA 18336	COUNTY: Pike REGION: NE NPDES:	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$3,368,810 IVB: \$0 V: \$0 ELIB: \$3,368,810	PROJECT NO.: CS422272-01 PROJ. TYPE: SS PROJECT RATING: 19 PROJECT RANKING: 183
Hermitage Municipal Authority 800 N. Hermitage Road Hermitage, PA 16148	COUNTY: Mercer REGION: NW NPDES: N/A	I: \$1,500,000 II: \$0 III: \$0 IV: \$0	IVA: \$0 IVB: \$3,950,000 V: \$0 ELIB: \$5,450,000	PROJECT NO.: CS422130-01 PROJ. TYPE: STPMOD INT PROJECT RATING: 19 PROJECT RANKING: 184
Upper Frederick Township 205 Big Road Obelisk, PA 19492	COUNTY: Montgomery REGION: SE NPDES: N/A	I: \$650,000 II: \$0 III: \$0 IV: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$650,000	PROJECT NO.: CS422101-01 PROJ. TYPE: STPMOD PROJECT RATING: 19 PROJECT RANKING: 185
MIDDLEBORO MA P. O. BOX 189 MCKEAN, PA 16426	COUNTY: Erie REGION: NW NPDES:	I: \$0 II: \$602,400 III: \$0 IV: \$0	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$602,400	PROJECT NO.: CS422405-01 PROJ. TYPE: STPMOD PROJECT RATING: 19 PROJECT RANKING: 186
MILFORD WATER AUTHORITY P. O. BOX 459 MILFORD, PA 18337	COUNTY: Pike REGION: NE NPDES:	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$2,863,000 IVB: \$0 V: \$0 ELIB: \$2,863,000	PROJECT NO.: CS422417-01 PROJ. TYPE: SS PROJECT RATING: 19 PROJECT RANKING: 187
Clearfield Boro Phase I SS Replacement 6 South Front Street Clearfield, PA 16830	COUNTY: Clearfield REGION: NC NPDES:	I: \$0 II: \$0 III: \$0 IV: \$10,900,000	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$10,900,000	PROJECT NO.: CS422448-01 PROJ. TYPE: SSREHAB PROJECT RATING: 18 PROJECT RANKING: 188
NESHANNOCK TOWNSHIP SD 3131 MERRER ROAD NEW CASTLE, PA 16105	COUNTY: Lawrence REGION: NW NPDES:	I: \$0 II: \$0 III: \$0 IV: \$0	IVA: \$0 IVB: \$4,250,000 V: \$0 ELIB: \$4,250,000	PROJECT NO.: CS422407-01 PROJ. TYPE: PS FM INT PROJECT RATING: 18 PROJECT RANKING: 189

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

NESHANNOCK TOWNSHIP SD
3131 MERRER ROAD
NEW CASTLE, PA 16105

COUNTY: Lawrence I: \$0
REGION: NW II: \$0
NPDES: IIIA: \$0
\$0

IVA: \$0
IVB: \$1,390,000
V: \$0
ELIB. \$1,390,000

PROJECT NO.: CS422408-01
PROJ. TYPE: INT
PROJECT RATING: 18
PROJECT RANKING: 190

Tunkhannock Township
R. D. 2, Box 233A
Tunkhannock, PA 18657

COUNTY: Wyoming I: \$0
REGION: NE II: \$0
NPDES: N/A IIIA: \$0
\$0

IVA: \$2,000,000
IVB: \$0
V: \$0
ELIB. \$2,000,000

PROJECT NO.: CS421945-01
PROJ. TYPE: SS PS
PROJECT RATING: 17
PROJECT RANKING: 191

Bedminster Township Authority
Bedminster Road
Bedminster, PA 18910

COUNTY: Bucks I: \$0
REGION: SE II: \$400,000
NPDES: N/A IIIA: \$0
\$0

IVA: \$0
IVB: \$0
V: \$0
ELIB. \$400,000

PROJECT NO.: CS422100-01
PROJ. TYPE: STP
PROJECT RATING: 17
PROJECT RANKING: 192

Lackawanna River Basin Sewer
Authority
P. O. Box 9068
Dickson City, PA 18519

COUNTY: Lackawanna I: \$0
REGION: NE II: \$0
NPDES: N/A IIIA: \$350,000
\$0

IVA: \$290,000
IVB: \$4,485,000
V: \$0
ELIB. \$5,125,000

PROJECT NO.: CS421790-01
PROJ. TYPE: I/I INT SS
PROJECT RATING: 17
PROJECT RANKING: 193

Lower Bucks County Joint Municipal
7811 New Falls Road
Levittown, PA 19055

COUNTY: Bucks I: \$0
REGION: SE II: \$0
NPDES: IIIA: \$0
\$0

IVA: \$0
IVB: \$200,000
V: \$0
ELIB. \$200,000

PROJECT NO.: CS422228-01
PROJ. TYPE: PSMOD
PROJECT RATING: 17
PROJECT RANKING: 194

Butler Township
R. D. 3, Box 796B
Drums, PA 18222

COUNTY: Luzerne I: \$5,681,250
REGION: NE II: \$0
NPDES: N/A IIIA: \$0
\$0

IVA: \$2,053,188
IVB: \$0
V: \$0
ELIB. \$7,734,438

PROJECT NO.: CS421884-01
PROJ. TYPE: STPMOD SS
PROJECT RATING: 16
PROJECT RANKING: 195

Coaldale-Lansford-Summit Hill Sewer
6 Coal Street
Lansford, PA 18232

COUNTY: Schuylkill I: \$1,000,000
REGION: NE II: \$0
NPDES: PA0026476 IIIA: \$0
\$1,000,000

IVA: \$0
IVB: \$0
V: \$1,000,000
ELIB. \$3,000,000

PROJECT NO.: CS421885-01
PROJ. TYPE: STPMOD
SSREH
PROJECT RATING: 16
PROJECT RANKING: 196

MONROE TOWNSHIP
17956 ROUTE 68
SLIGO, PA 16205

COUNTY: Clarion I: \$0
REGION: NW II: \$1,601,375
NPDES: IIIA: \$0
\$0

IVA: \$974,250
IVB: \$0
V: \$0
ELIB. \$2,575,625

PROJECT NO.: CS422406-01
PROJ. TYPE: STP SS
PROJECT RATING: 16
PROJECT RANKING: 197

East Rockhill Township
1622 Ridge Road
Perkasie, PA 18944

COUNTY: Bucks I: \$0
REGION: SE II: \$875,000
NPDES: N/A IIIA: \$0
\$0

IVA: \$0
IVB: \$600,000
V: \$0
ELIB. \$1,475,000

PROJECT NO.: CS422076-01
PROJ. TYPE: STP SS INT
PROJECT RATING: 16
PROJECT RANKING: 198

Shenango Township Municipal Authority
P. O. Box 266
West Middlesex, PA 16159

COUNTY: Mercer I: \$585,000
REGION: NW II: \$0
NPDES: IIIA: \$0
\$0

IVA: \$0
IVB: \$0
V: \$0
ELIB. \$585,000

PROJECT NO.: CS422283-01
PROJ. TYPE: STPMOD
PROJECT RATING: 16
PROJECT RANKING: 199

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Washington Township Water & Sewer 11800 Edinboro Road Edinboro, PA 16412	COUNTY: Erie REGION: NW NPDES: N/A	I: \$830,000 II: \$0 III: \$864,000	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$1,694,000	PROJECT NO.: CS422042-01 PROJ. TYPE: STPMOD SSREH PROJECT RATING: 16 PROJECT RANKING: 200
Mid-Cameron Authority 421 North Broad Street Emporium, PA 15834	COUNTY: Cameron REGION: NC NPDES:	I: \$5,372,030 II: \$0 III: \$0 \$0	IVA: \$0 IVB: \$145,500 V: \$0 ELIB: \$5,517,530	PROJECT NO.: CS422285-01 PROJ. TYPE: STPMOD INT PROJECT RATING: 16 PROJECT RANKING: 201
Letterkenny Township 4924 Orrstown Road Orrstown, PA 17244	COUNTY: Franklin REGION: SC NPDES:	I: \$600,000 II: \$0 III: \$0 \$0	IVA: \$1,202,000 IVB: \$0 V: \$0 ELIB: \$1,802,000	PROJECT NO.: CS422306-01 PROJ. TYPE: STP PS SS PROJECT RATING: 16 PROJECT RANKING: 202
Letterkenny Township 4924 Orrstown Road Orrstown, PA 17244	COUNTY: Franklin REGION: SC NPDES:	I: \$621,827 II: \$0 III: \$0 \$0	IVA: \$942,692 IVB: \$0 V: \$0 ELIB: \$1,564,519	PROJECT NO.: CS422307-01 PROJ. TYPE: STP PS SS PROJECT RATING: 16 PROJECT RANKING: 203
Palmyra Township HCR 1, Box 15-C Paupack, PA 18451	COUNTY: Pike REGION: NE NPDES:	I: \$4,200,000 II: \$0 III: \$0 \$0	IVA: \$3,270,450 IVB: \$0 V: \$0 ELIB: \$7,470,450	PROJECT NO.: CS422269-01 PROJ. TYPE: STP PS SS PROJECT RATING: 16 PROJECT RANKING: 204
Harveys Lake Borough Sewer Authority P. O. Box 53 Harveys Lake, PA 18618	COUNTY: Luzerne REGION: NE NPDES: N/A	I: \$0 II: \$0 III: \$0 \$3,000,000	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$3,000,000	PROJECT NO.: CS421730-01 PROJ. TYPE: SSREH PROJECT RATING: 16 PROJECT RANKING: 205
Tuscarora Township R. R. 1, Box 56 Honey Grove, PA 17035	COUNTY: Juniata REGION: SC NPDES:	I: \$253,060 II: \$0 III: \$0 \$0	IVA: \$959,446 IVB: \$0 V: \$0 ELIB: \$1,212,506	PROJECT NO.: CS422305-01 PROJ. TYPE: STP PS SS PROJECT RATING: 16 PROJECT RANKING: 206
Allen Township R. R. 1, Box 1596A Saylorsburg, PA 18353	COUNTY: Northampton REGION: NE NPDES:	I: \$0 II: \$0 III: \$0 \$0	IVA: \$958,000 IVB: \$1,485,688 V: \$0 ELIB: \$2,443,688	PROJECT NO.: CS422263-01 PROJ. TYPE: INT SS PROJECT RATING: 16 PROJECT RANKING: 207
Kilbuck Township 343 Eicher Road Pittsburgh, PA 15237	COUNTY: Allegheny REGION: SW NPDES: N/A	I: \$0 II: \$0 III: \$0 \$0	IVA: \$1,930,000 IVB: \$0 V: \$0 ELIB: \$1,930,000	PROJECT NO.: CS422116-01 PROJ. TYPE: SS PROJECT RATING: 16 PROJECT RANKING: 208
Mount Carmel Municipal Authority Avenue and Oak Street Mount Carmel, PA 17851	COUNTY: Northumberland REGION: NC NPDES:	I: \$9,109,400 II: \$0 III: \$0 \$0	IVA: \$0 IVB: \$0 V: \$0 ELIB: \$9,109,400	PROJECT NO.: CS422291-01 PROJ. TYPE: STPMOD PROJECT RATING: 15 PROJECT RANKING: 209

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Upper Saucon Township 5500 Camp Meeting Road Center Valley, PA 18039	COUNTY: REGION: NPDES:	Lehigh NE	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$0 \$12,228,300 \$0 \$12,228,300	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422270-01 PS INT SS 15 210
Frackville Area Municipal Authority P. O. Box 471 Frackville, PA 17931	COUNTY: REGION: NPDES:	Schuylkill NE	I: II: III A:	\$1,700,000 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$2,951,000 \$0 \$0 \$4,651,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422265-01 STPMOD SSREH 15 211
Wyoming Valley San Auth 1000 Wilkes-Barre Street Wilkes-Barre, PA 18711	COUNTY: REGION: NPDES:	Luzerne NE	I: II: III A:	\$730,000 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$0 \$0 \$0 \$730,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422433-01 Incinerator Ht Exch 14 212
Ralpho Township MA 32-A S. Market Street Elysburg, PA 17824	COUNTY: REGION: NPDES:	Columbia/ Northumberland NC	I: II: III A:	\$0 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$964,330 \$565,670 \$0 \$1,530,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422376-01 SS PS FM 13 213
Lynn Township Sewer Authority P. O. Box 208 New Tripoli, PA 18066	COUNTY: REGION: NPDES:	Lehigh NE	I: II: III A:	\$600,000 \$200,000 \$0 \$0	IVA: IVB: V: ELIB.	\$0 \$0 \$0 \$800,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422266-01 STPMOD 13 214
Union Chapman Regional Authority R. R. 1, Box 598 Port Trevorton, PA 17864	COUNTY: REGION: NPDES:	Snyder NC N/A	I: II: III A:	\$771,000 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$1,570,000 \$207,000 \$0 \$2,548,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS421977-01 STP PS INT SS 13 215
Mt. Jewett Regional Sewer Authority 1 Center Street, P. O. Box 680 Mt. Jewett, PA 16740	COUNTY: REGION: NPDES:	McKean NW	I: II: III A:	\$0 \$0 \$0 \$200,508	IVA: IVB: V: ELIB.	\$0 \$0 \$0 \$200,508	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422334-01 SSREH 13 216
Columbia Borough Municipal Authority 308 Locust Street Columbia, PA 17512	COUNTY: REGION: NPDES:	Lancaster SC N/A	I: II: III A:	\$1,744,600 \$0 \$0 \$0	IVA: IVB: V: ELIB.	\$0 \$0 \$0 \$1,744,600	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422190-01 STPMOD 13 217
Weatherly Borough 10 Wilbur Street Weatherly, PA 18255	COUNTY: REGION: NPDES:	Carbon NE	I: II: III A:	\$0 \$0 \$0 \$4,437,239	IVA: IVB: V: ELIB.	\$0 \$0 \$0 \$4,437,239	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422271-01 SSREH 13 218
COCHRANTON BOROUGH 109 E. ADAMS ST., P. O. BOX 66 COCHRANTON, PA 16314	COUNTY: REGION: NPDES:	Crawford NW	I: II: III A:	\$0 \$975,000 \$0 \$0	IVA: IVB: V: ELIB.	\$4,625,000 \$0 \$0 \$5,600,000	PROJECT NO.: PROJ. TYPE: PROJECT RATING: PROJECT RANKING:	CS422400-01 STP SS 13 219

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

APPLICANT INFORMATION	COUNTY:	REGION:	NPDES:	NEEDS CATEGORIES	ELIB.	PROJECT INFORMATION
Summit Hill Borough 114 W. Ludlow Street Summit Hill, PA 18250	Carbon	NE	N/A	I: \$0 II: \$0 III: \$500,000 IV: \$0	IVA: \$0 IVB: \$0 V: \$0 \$500,000	PROJECT NO.: CS421907-01 PROJ. TYPE: SSREH PROJECT RATING: 12 PROJECT RANKING: 220
Hummels Wharf MA P. O. Box 165 Hummels Warf, PA 17831	Snyder	NC	PA0110582	I: \$0 II: \$0 III: \$0 \$1,721,729	IVA: \$0 IVB: \$0 V: \$0 \$1,721,729	PROJECT NO.: CS422391-01 PROJ. TYPE: SSREH PROJECT RATING: 10 PROJECT RANKING: 221
Reading Township Municipal Authority 5500 Carlisle Pike New Oxford, PA 17350	Adams	SC	N/A	I: \$1,750,000 II: \$0 III: \$0 \$0	IVA: \$0 IVB: \$0 V: \$0 \$1,750,000	PROJECT NO.: CS422053-01 PROJ. TYPE: STPMOD PROJECT RATING: 10 PROJECT RANKING: 222
East Cocalico Township 100 Hill Road Denver, PA 17517	Lancaster	SC	N/A	I: \$0 II: \$0 III: \$0 \$0	IVA: \$0 IVB: \$3,416,230 V: \$0 \$3,416,230	PROJECT NO.: CS422074-01 PROJ. TYPE: INT PROJECT RATING: 10 PROJECT RANKING: 223
Harmony Township 2501 Woodland Road Ambridge, PA 15003	Beaver	SW	N/A	I: \$0 II: \$0 III: \$0 \$0	IVA: \$1,800,000 IVB: \$0 V: \$0 \$1,800,000	PROJECT NO.: CS421861-01 PROJ. TYPE: SS PROJECT RATING: 10 PROJECT RANKING: 224
Athens Township Authority 379 Pennsylvania Avenue Sayre, PA 18840	Bradford	NC	N/A	I: \$141,415 II: \$28,965 III: \$0 \$0	IVA: \$313,460 IVB: \$0 V: \$0 \$483,840	PROJECT NO.: CS422148-01 PROJ. TYPE: STP SS PROJECT RATING: 10 PROJECT RANKING: 225
Coaldale Borough P. O. Box 116 Coaldale, PA 18218	Schuylkill	NE	N/A	I: \$0 II: \$0 III: \$1,000,000 \$0	IVA: \$0 IVB: \$0 V: \$0 \$1,000,000	PROJECT NO.: CS422082-01 PROJ. TYPE: SSREH PROJECT RATING: 10 PROJECT RANKING: 226
Beech Creek Borough P. O. Box 216 Beech Creek, PA 16822	Clinton	NC	PA0024538	I: \$1,004,000 II: \$0 III: \$0 \$0	IVA: \$665,100 IVB: \$210,000 V: \$0 \$1,879,100	PROJECT NO.: CS421937-01 PROJ. TYPE: STPMOD SS INT PROJECT RATING: 10 PROJECT RANKING: 227
TREMONT MA 423 WEST MAIN STREET TREMONT, PA 17981	Schuylkill	NE		I: \$2,282,445 II: \$0 III: \$766,986 \$123,420	IVA: \$0 IVB: \$0 V: \$0 \$3,172,851	PROJECT NO.: CS422421-01 PROJ. TYPE: STPMOD SSREH PROJECT RATING: 10 PROJECT RANKING: 228
Mansfield Borough Municipal Authority 19 E. Wellsboro Street Mansfield, PA 16933	Tioga	NC	PA0021814	I: \$5,265,488 II: \$0 III: \$573,205 \$0	IVA: \$5,925,475 IVB: \$410,575 V: \$0 \$12,174,743	PROJECT NO.: CS421808-01 PROJ. TYPE: STPMOD INT SS PROJECT RATING: 9 PROJECT RANKING: 229

APPLICANT INFORMATION

NEEDS CATEGORIES

PROJECT INFORMATION

Lansford Borough
P. O. Box 126
Lansford, PA 18232

COUNTY: Carbon
REGION: NE
NPDES: N/A
I: \$0
II: \$0
III: \$0
III A: \$0
\$4,300,000

IVA: \$0
IVB: \$0
V: \$0
ELIB: \$4,300,000
PROJECT NO.: CS421893-01
PROJ. TYPE: SS SSREH
PROJECT RATING: 8
PROJECT RANKING: 230

Minersville Sewer Authority
Two E. Sunbury Street
Minersville, PA 17954

COUNTY: Schuylkill
REGION: NE
NPDES: N/A
I: \$990,000
II: \$0
III: \$0
III A: \$0
\$0

IVA: \$0
IVB: \$0
V: \$0
ELIB: \$990,000
PROJECT NO.: CS422016-01
PROJ. TYPE: STPMOD
PROJECT RATING: 8
PROJECT RANKING: 231

Ashland Borough
501 Chestnut Street
Ashland, PA 17921

COUNTY: Schuylkill
REGION: NE
NPDES:
I: \$0
II: \$0
III: \$0
III A: \$0
\$0

IVA: \$675,000
IVB: \$0
V: \$0
ELIB: \$675,000
PROJECT NO.: CS422264-01
PROJ. TYPE: PS SS
PROJECT RATING: 7
PROJECT RANKING: 232

Athens Township Authority
379 Pennsylvania Avenue
Sayre, PA 18840

COUNTY: Bradford
REGION: NC
NPDES:
I: \$0
II: \$0
III: \$0
III A: \$0
\$0

IVA: \$1,517,549
IVB: \$0
V: \$0
ELIB: \$1,517,549
PROJECT NO.: CS422286-01
PROJ. TYPE: SS
PROJECT RATING: 4
PROJECT RANKING: 233

[Pa.B. Doc. No. 05-75. Filed for public inspection January 7, 2005, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Water Service

A-210153F2000. Beverly Hills Water Company, Inc.
Application of Beverly Hills Water Company, Inc. for approval of the abandonment or discontinuance of water service to 43 homes in the Beverly Hills subdivision of Lower Milford Township, Lehigh County, PA.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before January 24, 2005. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Beverly Hills Water Company, Inc.

Through: Phyllis Reiss, P. O. Box 149, Limeport, PA 18060.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 05-76. Filed for public inspection January 7, 2005, 9:00 a.m.]

Water Service

A-210013F0016. United Water Pennsylvania, Inc.
Application of United Water Pennsylvania, Inc. for approval of the right to begin to offer, render, furnish or supply domestic water service to the public in an additional territory in a portion of Monroe Township, Cumberland County, PA.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before January 24, 2005. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: United Water Pennsylvania, Inc.

Through and By Counsel: John J. Gallagher, Esquire, Edward G. Lanza, Esquire, Saul Ewing, LLP, Penn National Insurance Plaza, Two North 2nd Street, 7th Floor, Harrisburg, PA 17101.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 05-77. Filed for public inspection January 7, 2005, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearing Scheduled

A hearing has been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of claimant's requests concerning the indicated account.

The hearing will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

March 9, 2005 Paul Robert Barbadoro 1 p.m.
(Class T-D)

Individuals with a disability, who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should contact Marilyn Fuller-Smith, Assistant to the Executive Director, at (717) 720-4921 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501-508 and 701-704 (relating to the Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JEFFREY B. CLAY,
Executive Director

[Pa.B. Doc. No. 05-78. Filed for public inspection January 7, 2005, 9:00 a.m.]

STATE BOARD OF VEHICLE MANUFACTURERS, DEALERS AND SALESPERSONS

Bureau of Professional and Occupational Affairs v. Maureen Campellone; Doc. No. 1213-60-2003

On November 9, 2004, the State Board of Vehicle Manufacturers, Dealers and Salespersons (Board) levied a civil penalty of \$1,000 on Maureen Campellone.

Individuals may obtain a copy of the adjudication by writing to Thomas A. Blackburn, Board Counsel, State Board of Vehicle Manufacturers, Dealers and Salespersons, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must

NOTICES

serve the Board with a copy of the petition for review. The Board contact for receiving service of the appeals is the previously named Board Counsel.

EDWARD K. GALBREATH, Jr.,
Chairperson

[Pa.B. Doc. No. 05-79. Filed for public inspection January 7, 2005, 9:00 a.m.]
