

NOTICES

DELAWARE RIVER BASIN COMMISSION

Commission Meeting and Public Hearing

The Delaware River Basin Commission (Commission) will hold an informal conference followed by a public hearing on Wednesday, May 10, 2006. The hearing will be part of the Commission's regular business meeting. Both the conference session and business meeting are open to the public and will be held at the Commission's office building, located at 25 State Police Drive, West Trenton, NJ.

The conference among the Commissioners and staff will begin at 10:15 a.m. Topics of discussion will include presentations by guest speakers on the Philadelphia Tidal Delaware Initiative; proposed adoption of a records retention schedule developed with the assistance of the New Jersey Division of Archives and Records Management; a progress report on PCB TMDL development, including a report on meetings of the Commission's Toxics Advisory Committee and PCB Expert Panel in March of 2006; a report on a joint meeting of the DRBC Water Quality and Water Management Advisory committees to discuss updating the memoranda of agreement between DRBC and its member states governing project review in accordance with Section 3.8 of the *Delaware River Basin Compact*; and a presentation on a stormwater retrofit plan for the site of the Commission's office building.

The subjects of the public hearing to be held during the 1:30 p.m. business meeting include the dockets listed as follows:

1. *Maidencreek Township Authority D-91-58 CP-3*. An application for approval of a groundwater withdrawal project to supply up to 5.7 million gallons per 30 days (mg/30 days) of water to the applicant's public water supply distribution system from new Well No. 5 in the Allentown Formation, and to retain the existing withdrawal from all wells of 22.7 mg/30 days. Well No. 5 is proposed as a redundant source to provide flexibility and reliability in operation of the applicant's public water supply distribution system. The project is located in the Maiden Creek Watershed in Maidencreek Township, Berks County.

2. *Old York Country Club D-95-3-2*. An application for the renewal of a ground and surface water withdrawal project to continue withdrawal of up to 8 mg/30 days to supply the applicant's golf course irrigation system and potable water supply from existing Wells Nos. 1 and 2 in the Magothy Formation and two man-made storage reservoirs fed by a wet well and stormwater. The project is located in the Blacks Creek Watershed in Chesterfield Township, Burlington County, NJ.

3. *Bridgeport Disposal, LLC D-72-49-2*. An application for approval of a groundwater and surface water withdrawal project to supply up to 0.05 mg/30 days of water from a surface water intake on Raccoon Creek, up to 17.86 mg/30 days from 21 remediation wells in the Raritan-Magothy Formation and up to 17.91 mg/30 days from both combined sources. The requested allocation represents a decrease from the existing allocation of 1.44 mg/30 days for the surface water withdrawal and an increase from the existing allocation of 4.5 mg/30 days for

the groundwater withdrawal. The project is located in the Raccoon Creek Watershed in Logan Township, Gloucester County, NJ.

4. *Borough of Boyertown D-73-199 CP-2*. An application to modify the outfall location for the docket holder's existing wastewater treatment plant (WWTP). The outfall was moved from unnamed tributary 01337 (UNT) to Swamp Creek. The docket holder relocated the outfall in order to avert toxics monitoring on the impaired UNT. The construction of the relocated outfall was completed in November 2000. The WWTP discharges approximately 750,000 gallons per day (gpd) to Swamp Creek, a tributary of Perkiomen Creek, which is a tributary to the Schuylkill River. The facility is located in Douglass Township, Montgomery County.

5. *Fleetwood Borough Authority D-87-54 CP-2*. An application to expand a 0.5 million of gallons per day (mgd) WWTP to treat an average flow of 0.7 mgd, while continuing to provide secondary treatment. The WWTP is located off Walnuttown Road in Richmond Township, Berks County. The plant currently serves the predominantly residential area of Fleetwood Borough only. However, part of the proposed additional capacity is needed to serve a portion of Richmond Township. The WWTP will continue to discharge to Willow Creek, a tributary of Maiden Creek in the Schuylkill River Watershed.

6. *Giorgio Foods, Inc. D-88-43-2*. An application to modify the docket holder's existing food processing industrial wastewater treatment plant (IWTP) by the addition of a forced draft cooling tower along with temperature controller/recorders, cooling tower pumps and recirculation pumps. The modifications are being undertaken to meet new effluent temperature requirements. The IWTP discharges approximately 500,000 gpd to Willow Creek, a tributary of Maiden Creek, which is a tributary to the Schuylkill River. The facility is located in Maidencreek Township, Berks County.

7. *Gloucester County Utilities Authority D-90-74 CP-2*. An application for approval of a WWTP rerate project from 24.1 mgd to 27 mgd. The WWTP effluent will be discharged to the Delaware River in Water Quality Zone 4. The project is located in West Deptford Township, Gloucester County, NJ. The WWTP will continue to serve Clayton Borough, Deptford Township, Glassboro Borough, Mantua Township, Monroe Township, National Park Borough, Paulsboro Borough, Pitman Borough, Washington Township, Wenonah Borough, West Deptford Township, Westville Borough, Woodbury City and Woodbury Heights Borough, all in Gloucester County.

8. *Brodhead Creek Regional Authority D-91-1 CP-2*. An application for the renewal of a ground and surface water withdrawal project to add new Well No. 3 in the Butter-milk Falls Formation to the distribution system with an allocation not to exceed 28.94 mg/30 days and to limit the total withdrawal from new Well No. 3 and existing Wells PW-1 and PW-2 in the Marrellus Formation to 114.94 mg/30 days and to limit the existing surface water intakes in the Brodhead Creek and the Stokes Mill Spring to 126 mg/30 days to supply the applicant's public supply distribution system. The project is located in the Brodhead Creek Watershed in Stroud Township, Monroe County.

9. *Bernville Corp. D-92-27-2*. An application for the renewal of a groundwater withdrawal project and for an increase in allocation from 4.5 mg/30 days to 8.3 mg/30

days to supply the applicant's golf course from an existing intake in the Tulpehocken Creek. The project is located in the Tulpehocken Creek Watershed in Jefferson Township, North Heidelberg Township, Berks County.

10. *The Premcor Refining Group, Inc. D-93-4-4.* An application for the renewal of a groundwater withdrawal project to increase withdrawal from 180 mg/30 days to 192.96 mg/30 days to supply the applicant's refinery and electric generating station from existing Wells Nos. P-1A, P-3A, P-4A, P-5B, P-6A, P-9A, P-10A, R-15 and P-16A in the Upper, Middle and Lower Potomac formations and to increase the allocation for the Delaware River intake from the existing allocation of 13,560 mg/30 days to 13,570.6 mg/30 days, and to incorporate two existing pre-Compact surface water withdrawals in the Red Lion Creek and Dragon Run with allocations of 38.9 mg/30 days and 48.62 mg/30 days, respectively. The project is located in the C & D Canal East, Dragon Run Creek and Red Lion Creek watersheds in Delaware City, New Castle County, DE.

11. *New Castle County Department of Special Services D-93-6 CP-2.* An application to upgrade and expand a 1.7 mgd WWTP to treat 2.5 mgd by means of chemical addition and Sequential Batch Reactor processes. The project is located off Old Corbit Road just east of the Town of Odessa along the tidal Appoquinimink River in DRBC Water Quality Zone 5 and will continue to serve the Middletown-Odessa-Townsend area of southern New Castle County, DE. The WWTP will continue to discharge a portion of its effluent to a tributary of the Appoquinimink River and up to 1.08 mgd will continue to be discharged to adjacent spray application fields. The Appoquinimink River is a tributary of the Delaware River and is the subject of a United States Environmental Protection Agency and Delaware DNREC Total Maximum Daily Load study. The proposed upgrade of the WWTP is needed to produce a higher quality effluent to meet more stringent NPDES permit limits.

12. *Logan Township Municipal Utilities Authority D-95-7 CP-2.* An application to expand a 2 mgd sewage treatment plant (STP) to process 2.75 mgd, while continuing to provide secondary level treatment. The project is located in Logan Township, Gloucester County, NJ approximately 200 feet west of High Hills Road and just south of the railroad right-of-way through Maple Swamp. Due to high quality treatment processes, the applicant proposes to meet stringent NPDES permit limits regarding effluent loadings and concentrations. The project effluent will continue to discharge to the Delaware River in Water Quality Zone 4 by means of an existing outfall, which is shared with Ferro Corporation, formerly owned by Monsanto Chemical Company.

13. *Richland Township Water Authority D-96-44 CP-2.* An application for approval of a groundwater withdrawal project to supply up to 2.25 mg/30 days of water to the applicant's public water supply distribution system from Wells Nos. 2—4, recently purchased from Melody Lakes Properties, and to increase the total combined withdrawal from these wells and the existing Richland Township Water Authority wells to 31.55 mg/30 days. While this represents an increase in allocation to the Richland Township Water Authority, it does not represent an increase in withdrawals from the watershed since both the Melody Lakes project allocation and the existing Richland Township Water Authority allocation are located in the Tohickon Creek Watershed. The project is located in the Brunswick Formation in Richland Township, Bucks County, and is located in the Southeastern Pennsylvania Ground Water Protected Area.

14. *Sanofi Pasteur, Inc. D-99-71-2.* An application to expand the applicant's existing IWTP from 0.35 mgd to 0.95 mgd and to increase the discharge to Swiftwater Creek from 0.35 mgd to 0.55 mgd. Beginning in 2007, wastewater will be treated by means of Sanofi Pasteur's (Sanofi's) existing IWTP, rerouted to process 0.45 mgd, and disposed through a combination of landscape irrigation (up to 0.045 mgd), discharge to Swiftwater Creek (0.45 mgd) and wastewater reuse. Beginning in 2008, wastewater will be treated via Sanofi's upgraded IWTP and disposed through a combination of land application (up to 0.245 mgd), discharge to Swiftwater Creek (up to 0.55 mgd) and wastewater reuse. Beginning in 2010, wastewater will be treated by means of Sanofi's upgraded IWTP and disposed through a combination of land application (up to 0.245 mgd), discharge to Swiftwater Creek (up to 0.55 mgd), use of the proposed Pocono Township Wastewater Treatment Plant (up to 0.35 mgd) and wastewater reuse. The application is for a discharge of 0.55 mgd to Swiftwater Creek, a tributary to the Brodhead Creek. The facility is located in Pocono Township, Monroe County.

15. *Artesian Water Company, Inc. D-2003-22 CP-2.* An application for approval of a groundwater withdrawal project to supply up to 4.32 mg/30 days of water to the applicant's public water supply distribution system from replacement Well No. 1R in the Upper Mt. Laurel Formation in the Bayview Wellfield and to retain the existing withdrawal of 150 mg/30 days from the applicant's nine wellfields supplying the Southern New Castle County distribution system. The project is located in the C & D Canal East Watershed in New Castle County, DE.

16. *Alcoa Extrusions, Inc. D-2005-1-2.* An application to increase the average and maximum discharge concentration of total dissolved solids from 1,000 milligrams per liter (mg/l) to 2,000 mg/l and 4,000 milligrams per liter, respectively. The discharge will be made via an existing outfall to the West Branch Schuylkill River. In support of the requested modification, the docket holder has submitted an analysis concluding that the increased solids concentrations will cause no adverse effect on the downstream aquatic community, nor will they threaten potable water supply intakes located over 65 river miles downstream of the confluence of the West Branch Schuylkill River with the main stem Schuylkill River. No expansion of the treatment facility is proposed. The proposed modifications are attributable to installation of a new reverse osmosis treatment system that will reduce water consumption at the facility but will generate a concentrated waste stream during operation. The treatment facility is located in Cressona Borough, Schuylkill County.

17. *Pierson-Gaskill Golf Properties, Inc. D-2000-49.* An application for approval of a groundwater withdrawal project to supply up to 4.24 mg/30 days of water to the applicant's Town & Country Golf Links golf course irrigation system from new Wells Nos. 1 and 2 in the Mt. Laurel/Wenonah Aquifer and up to 8 mg/30 days from one intake in an irrigation pond and to limit the withdrawal from all sources to 8 mg/30 days. The project is located in Pilesgrove Township, Salem County, NJ.

18. *New Egypt Speedway D-2006-1-1.* An application for approval of a ground and surface water withdrawal and importation project to supply less than 3.1 mg/30 days of water to the applicant's automobile racing track from the Pond Well, Office Well and Pond Intake. The Pond Well and Pond Intake are located in the Atlantic Basin. The Office Well is located in the Mt. Laurel-Wenonah Formation in the Crosswicks Creek Watershed in Plumsted Township, Ocean County, NJ.

19. *Schering Corporation D-2006-2-1*. An application for approval of a groundwater withdrawal project to supply up to 4.0 mg/30 days of water to the applicant's pharmaceutical research facility from existing Wells Nos. 1—7 and new Wells Nos. 9—12. The project is located in the Kittatinny Aquifer in the Paulins Kill River Watershed in Lafayette Township, Sussex County, NJ.

20. *Surfside Products, LLC D-2006-3-1*. An application for approval of an existing 50,000 gpd discharge of treated industrial wastewater generated by clam processing. The IWTP discharges approximately 50,000 gpd to the Maurice River, tributary to Delaware Bay. The facility is located in Commercial Township, Cumberland County, NJ.

21. *Sussex County Municipal Utilities Authority D-2006-6 CP-1*. An application for the approval of an existing 50,000 gpd discharge from the Hampton Commons wastewater treatment facility. The wastewater treatment facility discharges to Marsh's Farm Creek, a tributary to the Paulins Kill River. The facility is located in Hampton Township, Sussex County, NJ.

In addition to the public hearing on the dockets listed, the Commission's 1:30 p.m. business meeting will include a public hearing on a proposed resolution establishing a Pollutant Minimization Plan Peer Review Advisory Committee; a resolution establishing a DRBC Finance Advisory Committee to be composed of representatives of each of the signatory parties for the purpose of developing recommendations for maintaining the financial stability of the Commission; a resolution authorizing the Executive Director to contract for fish tissue analysis; a resolution for the minutes authorizing the Executive Director to enter into a professional services contract for evaluation of the mechanical and electrical systems of the Commis-

sion's office building to identify and evaluate opportunities for improving efficiency and reducing cost; a resolution for the minutes amending the *Administrative Manual: Bylaws, Management and Personnel* to provide for greater flexibility in establishing vacation credits awarded to new hires for senior management positions; and a resolution providing for election of the Commission Chair, Vice Chair and Second Vice Chair for the year 2006-2007, commencing July 1, 2006.

The meeting will also include: adoption of the minutes of the March 1, 2006, business meeting; announcements; a report on basin hydrologic conditions; a report by the Executive Director; a report by the Commission's general counsel; and an opportunity for public dialogue. Draft dockets and the resolutions scheduled for public hearing on May 10, 2006, will be posted on the Commission's website, www.drbc.net, where they can be accessed through the Notice of Commission Meeting and Public Hearing. Additional documents relating to the dockets and other items may be examined at the Commission's offices. Contact William Muszynski at (609) 883-9500, Ext. 221, with any docket-related questions.

Individuals in need of an accommodation as provided for in the Americans With Disabilities Act who wish to attend the informational meeting, conference session or hearings should contact the Commission Secretary directly at (609) 883-9500, Ext. 203 or through the Telecommunications Relay Services at 711, to discuss how the Commission can accommodate their needs.

PAMELA M. BUSH,
Secretary

[Pa.B. Doc. No. 06-704. Filed for public inspection April 28, 2006, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 9, 2002 (P. L. 1572, No. 207), known as the Credit Union Code, has taken the following action on applications received for the week ending April 18, 2006.

BANKING INSTITUTIONS

Interim Charter Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-13-06	Berkshire Interim Bank Wyomissing Berks County	Wyomissing	Approved
	Interim bank being incorporated solely to facilitate the reorganization of Berkshire Bank, Wyomissing, into a holding company form of business.		

Bank Holding Company Reorganizations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-18-06	Enterprise Bank, Allison Park and Enterprise Interim Bank, Allison Park Surviving Institution— Enterprise Bank, Allison Park	Allison Park	Effective
	The merger is being effected solely to facilitate the acquisition of Enterprise Bank, Allison Park, by Enterprises Financial Services Group Inc., Allison Park, a newly-formed bank holding company.		

2024

NOTICES

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-10-06	Nesquehoning Savings Bank Nesquehoning Carbon County	100 East Phillips Street Coaldale Schuylkill County	Opened
4-12-06	New Century Bank Phoenixville Chester County	Lincoln Court Shopping Center Route 30 Malvern East Whiteland Township Chester County	Approved
4-13-06	Bucks County Bank Doylestown Bucks County	200 South Main Street Doylestown Bucks County	Approved
4-13-06	PeoplesBank, a Codorus Valley Company York York County	Shrewsbury Lutheran Retirement Village 800 Bollinger Drive Shrewsbury Shrewsbury Township York County (Limited Service Facility)	Filed

Branch Relocations/Consolidations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-13-06	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	<i>Into:</i> 3835 Peach Street Erie Erie County <i>From:</i> 1520 West 26th Street Erie Erie County	Approved
4-13-06	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	<i>Into:</i> 815 East 38th Street Erie Erie County <i>From:</i> 1702 East 38th Street Erie Erie County	Approved
4-18-06	Irwin Bank & Trust Company Irwin Westmoreland County	<i>Into:</i> 9350 Lincoln Highway Irwin Westmoreland County <i>From:</i> 8775 Norwin Avenue North Huntingdon Westmoreland County	Approved

SAVINGS INSTITUTIONS**Branch Applications**

<i>Date</i>	<i>Name of Association</i>	<i>Location</i>	<i>Action</i>
3-13-06	Slovenian Savings and Loan Association of Franklin-Conemaugh Conemaugh Cambria County	585 Goucher Street Johnstown Upper Yoder Township Cambria County	Opened

CREDIT UNIONS

No activity.

The Department's website at www.banking.state.pa.us includes public notices for more recently filed applications.A. WILLIAM SCHENCK, III,
Secretary

[Pa.B. Doc. No. 06-705. Filed for public inspection April 28, 2006, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Allegheny River Conservation Plan

The Department of Conservation and Natural Resources (Department), Bureau of Recreation and Conservation has approved the Allegheny River Conservation Plan (Plan) and is placing a segment of the Allegheny River covered in the Plan in Allegheny, Armstrong, Butler, Clarion, Venango and Westmoreland Counties, on the Pennsylvania Rivers Conservation Registry (Registry).

The Pennsylvania Environmental Council (Council) submitted the Plan and other required information to gain Registry status.

After review of the Plan and other information, the Department has determined that the Pennsylvania Rivers Conservation Program (Program) requirements have been satisfied and places the following on the Registry:

1. A segment of the Allegheny River, from the Emlenton northern municipal border in Venango County, to Lock and Dam 3 at Harmar Township in Allegheny County—75 linear river miles.

2. All municipalities adjacent to this river segment.

This action becomes effective April 29, 2006. Projects identified in the Plan become eligible for implementation, development or acquisition grant funding through the Program.

A copy of the Final Plan is available for review at the Pennsylvania Environmental Council, Western Pennsylvania Office, 22 Terminal Way, Pittsburgh, PA 15219, (412) 481-9400, www.pecwest.org; and the Department of Conservation and Natural Resources, Rachel Carson State Office Building, 400 Market Street, 6th Floor, Harrisburg, PA 17101, (717) 787-7672.

Maps and supporting data are available by contacting the Council.

MICHAEL F. DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 06-706. Filed for public inspection April 28, 2006, 9:00 a.m.]

Crum Creek Watershed Conservation Plan

The Department of Conservation and Natural Resources (Department), Bureau of Recreation and Conservation has approved the Crum Creek Watershed Conservation Plan (Plan) and is placing the Crum Creek Watershed and all tributaries covered in the Plan in Chester and Delaware Counties, on the Pennsylvania Rivers Conservation Registry (Registry).

The Chester Ridley Crum Watersheds Association (Association) submitted the Plan and other required information to gain Registry status.

After review of the Plan and other information, the Department has determined that the Pennsylvania Rivers Conservation Program (Program) requirements have been satisfied and places the following on the Registry:

1. The watershed area of Crum Creek (Chester and Delaware Counties) from the headwaters to its confluence with the Delaware River—38.3 square miles.

2. All tributary streams within the Crum Creek Watershed.

This action becomes effective April 29, 2006. Projects identified in the Plan become eligible for implementation, development or acquisition grant funding through the Program.

A copy of the Final Plan is available for review at the Chester Ridley Crum Watersheds Association, Ridley Creek State Park, 1023 Sycamore Mills Road, Media, PA 19063, (610) 892-8731, www.crcwatersheds.org; and the Department of Conservation and Natural Resources, Rachel Carson State Office Building, 400 Market Street, 6th Floor, Harrisburg, PA 17101, (717) 787-7672.

Maps and supporting data are available by contacting the Association.

MICHAEL F. DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 06-707. Filed for public inspection April 28, 2006, 9:00 a.m.]

Paunacussing Creek Watershed Conservation Plan

The Department of Conservation and Natural Resources (Department), Bureau of Recreation and Conservation has approved the Paunacussing Creek Watershed Conservation Plan (Plan) and is placing the Paunacussing Creek Watershed, Hickory Run Watershed and all tributaries covered in the Plan in Chester and Delaware Counties, on the Pennsylvania Rivers Conservation Registry (Registry).

The Paunacussing Watershed Association (Association) submitted the Plan and other required information to gain Registry status.

After review of the Plan and other information, the Department has determined that the Pennsylvania Rivers Conservation Program (Program) requirements have been satisfied and places the following on the Registry:

1. The watershed area of Paunacussing Creek (Bucks County) from the headwaters to its confluence with the Delaware River—8.9 square miles.

2. All tributary streams within the Paunacussing Creek Watershed.

3. The watershed area of Hickory Run Creek (Bucks County) from the headwaters to its confluence with the Delaware River—1.5 square miles.

This action becomes effective April 29, 2006. Projects identified in the Plan become eligible for implementation, development or acquisition grant funding through the Program.

A copy of the Final Plan is available for review at the Paunacussing Watershed Association, Box 81, Carversville, PA 18913, (215) 297-5800; and the Department of Conservation and Natural Resources, Rachel Carson State Office Building, 400 Market Street, 6th Floor, Harrisburg, PA 17101, (717) 787-7672.

Maps and supporting data are available by contacting the Association.

MICHAEL F. DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 06-708. Filed for public inspection April 28, 2006, 9:00 a.m.]

Maps and supporting data are available by contacting the Pike County Office of Community Planning.

MICHAEL F. DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 06-709. Filed for public inspection April 28, 2006, 9:00 a.m.]

The Sawkill and Vandermark Creek Watersheds: A Rivers Conservation Plan

The Department of Conservation and Natural Resources (Department), Bureau of Recreation and Conservation has approved The Sawkill and Vandermark Creek Watersheds Rivers Conservation Plan (Plan) and is placing the Sawkill Creek and Vandermark Creek Watersheds and all tributaries covered in the Plan in Pike County, on the Pennsylvania Rivers Conservation Registry (Registry).

The Pike County Office of Community Planning, on behalf of Pike County and the municipal planning partners of Shohola Township, Westfall Township, Milford Township, Dingman Township and Milford Borough submitted the Plan and other required information to gain Registry status.

After review of the Plan and other information, the Department has determined that the Program requirements have been satisfied and places the following on the Registry:

1. The watershed area of Sawkill Creek (Pike County) from the headwaters to its confluence with the Delaware River—24.7 square miles.
2. All tributary streams within the Sawkill Creek Watershed.
3. The watershed area of Vandermark Creek (Pike County) from the headwaters to its confluence with the Delaware River—5.22 square miles.
4. All tributary streams within the Vandermark Creek Watershed.

This action becomes effective April 29, 2006. Projects identified in the Plan become eligible for implementation, development or acquisition grant funding through the Program.

A copy of the Final Plan is available for review at the Pike County Office of Community Planning, HC8 Box 6772, Route 402, Blooming Grove, Hawley, PA 18428, (570) 226-6293, www.pikepa.org; and the Department of Conservation and Natural Resources, Rachel Carson State Office Building, 400 Market Street, 6th Floor, Harrisburg, PA 17101, (717) 787-7672.

Shenango River Watershed Conservation Plan

The Department of Conservation and Natural Resources (Department), Bureau of Recreation and Conservation has approved the Shenango River Watershed Conservation Plan (Plan) and is placing the Shenango River Watershed and all tributaries covered in the Plan in Crawford, Mercer and Lawrence Counties, on the Pennsylvania Rivers Conservation Registry (Registry).

The Western Pennsylvania Conservancy (Conservancy) submitted the Plan and other required information to gain Registry status.

After review of the Plan and other information, the Department has determined that the Program requirements have been satisfied and places the following on the Registry:

1. The watershed area of the Shenango River (Crawford, Mercer and Lawrence Counties) from the headwaters in Crawford County to the mouth where it forms the Beaver River in New Castle, PA—787.65 square miles.
2. All tributary streams within the Shenango River Watershed.

This action becomes effective April 29, 2006. Projects identified in the Plan become eligible for implementation, development or acquisition grant funding through the Program.

A copy of the Final Plan is available for review at the Western Pennsylvania Conservancy, Freshwater Conservation Program, 246 South Walnut Street, Blairsville, PA 15717, (724) 459-0953, www.paconserve.org; and the Department of Conservation and Natural Resources, Rachel Carson State Office Building, 400 Market Street, 6th Floor, Harrisburg, PA 17101, (717) 787-7672.

Maps and supporting data are available by contacting the Conservancy's Freshwater Conservation Program.

MICHAEL F. DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 06-710. Filed for public inspection April 28, 2006, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a

general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0060623	Silver Lake Township Municipal Authority P. O. Box 1975 Brackney, PA 18812	Silver Lake Township Susquehanna County	Little Rhiney Creek CWF Watershed 4E	Y

In accordance with the Chesapeake Bay Tributary Nutrient Reduction Strategy nutrient monitoring for Ammonia-N, Kjeldahl-N, Nitrite/Nitrate-N, Total Phosphorus and Total Nitrogen were added to Outfall 001 of this permit.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N ?</i>
PA0083992 (Sewage)	Delores J. Carrigan 112 Pondview Lane Clearville, PA 15535	Bedford County Southampton Township	UNT Sweet Root Creek HQ/13-A	Y
PA0083917 (Industrial Waste)	Edge Rubber Gary Smith 811 Progress Avenue Chambersburg, PA 17201-3257	Franklin County Chambersburg Borough	Conococheague Creek 13-C	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N ?</i>
PA0088251 (Sewage)	Upper Bern Township 25 North 5th Street P. O. Box 185 Shartlesville, PA 19554	Berks County Upper Bern Township	Wolf Creek 3-C	Y
PA0039551 (Sewage)	Lebanon Valley Mobile Home Community 1 Lebanon Valley Court Lebanon, PA 17042	Lebanon County Bethel Township	UNT Little Swatara Creek 7-D	Y
PA0046221 (Sewage)	Newville Borough Water & Sewer Authority 99 Cove Alley Newville, PA 17241	Cumberland County Newville Borough	Big Spring Creek 7-B	Y
PA0084581 (Industrial Waste)	New Holland Borough Authority 436 East Main Street New Holland, PA 17557	Lancaster County East Earl Township	UNT Mill Creek 7-J	Y
PA0070050 (Industrial Waste)	Reading Alloys, Inc. P. O. Box 53 Robesonia, PA 19551-0053	Berks County Heidelberg and South Heidelberg Townships	Spring Creek 3-C	Y

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N ?</i>
PA0007455 IW	Lycoming Engines 652 Oliver Street Williamsport, PA 17701-6441	Lycoming County Williamsport City	Lycoming Creek 10A	Y
PA0114898 SP	Madison Township Municipal Authority P. O. Box 620 Millville, PA 17846-0620	Columbia County Madison Township	Mud Creek 10D	Y
PA0060305 IW	Department of Conservation and Natural Resources Bureau of State Parks Mt. Pisgah State Park R. R. 3 Box 362 Troy, PA 16947-9948	Bradford County West Burlington Township	UNT to Mill Creek 4C	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

PA0010944, Industrial Waste, **Glenn Springs Holdings, Inc.** Mailing address: 2480 Fortune Drive, Suite 300, Lexington, KY 40509. This facility is located at the former Occidental Chemical Corporation Pottstown PVC site at 375 Armand Hammer Boulevard, Lower Pottsgrove Township, **Montgomery County**.

Description of Proposed Activity: This application is for modification/amendment of an NPDES Permit to include discharge of treated groundwater to an intermittent swale prior to discharging to the Schuylkill River. The previous NPDES permit for this site included stormwater, oil/water separator and fire water reservoir discharges. These discharges will remain the same.

Schuylkill River is in State Water Plan Watershed 3D—Manatawny and is classified for WWF, aquatic life, water supply and recreation. The nearest downstream public water supply intake for Pennsylvania American Water Company is located on Schuylkill River and is approximately 6 miles below the point of discharge.

The proposed effluent limits for Outfall 005 are based on a pumping rate of 0.5 mgd:

<i>Parameters</i>	<i>Concentration (ug/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum (mg/l)</i>
Tetrachloroethene (PCE)	Nondetect		Nondetect
Trans-1,2-Dichloroethene	Nondetect		Nondetect
Vinyl Chloride	Nondetect		Nondetect
Cis-1,2-Dichloroethene	Nondetect		Nondetect
Chloroform	Nondetect		Nondetect
Trichloroethene (TCE)	Nondetect		Nondetect

<i>Parameters</i>	<i>Concentration (ug/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum (mg/l)</i>
Ethylbenzene	Nondetect		Nondetect
Styrene	Nondetect		Nondetect
Phenols, Total	Monitor and Report		Monitor and Report
pH (STD Unit)	6.0 (min)		9.0 (max)

The proposed effluent limits for Monitoring Point 103 are for fire water reservoir overflow:

<i>Parameters</i>	<i>Concentration (ug/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	0.5		
Total Residual Chlorine			1.0

The proposed stormwater monitoring requirements are for Outfalls 003, 004, 005* and 006:

<i>Parameters</i>	<i>Concentration (ug/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum (mg/l)</i>
Chemical Oxygen Demand			Monitor and Report
Oil and Grease			Monitor and Report
pH			Monitor and Report
Total Suspended Solids			Monitor and Report
Total Phosphorus			Monitor and Report
Iron (Dissolved)			Monitor and Report
Total Zinc			Monitor and Report
Total Kjeldahl Nitrogen			Monitor and Report
Water Priority Chemicals			Monitor and Report

*Outfall 005 contains two discharge points—stormwater and groundwater effluent.

The proposed monitoring requirements for the oil/water separator discharging to Outfall Monitoring Point 303:

<i>Parameters</i>	<i>Concentration (ug/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow			
Total Suspended Solids	30	60	75
Total Dissolved Solids	1,000	2,000	2,500
Oil and Grease	15		30
pH	6.0 (Minimum)		9.0
Temperature			110°F
Total Zinc	Monitor and Report	Monitor and Report	

In addition to the effluent limits, the permit contains the following major special conditions:

1. Discharge must not cause nuisance or health hazard.
2. Stormwater outfall monitoring twice per year.
3. Applicable test methods.
4. No discharge of stripper tower cleaning wastewaters to waters of this Commonwealth.

PA0025976, Sewage, SIC 4952, **Upper Moreland Hatboro Joint Sewer Authority**, 2875 Terwood Road, P. O. Box 535, Willow Grove, PA 19090-0535. This proposed facility is located in Upper Moreland Township, **Montgomery County**.

Description of Proposed Activity: renewal of the NPDES permit to discharge treated sewage at an average annual rate of 7.173 mgd and a maximum monthly flow of 9.08 mgd to Pennypack Creek.

The receiving stream, Pennypack Creek is in the State Water Plan watershed 3J and is classified for TS and MF. There is no nearest downstream public water supply intake.

The proposed effluent limits for Outfall 001 are based on a design flow of 7.173 mgd.

<i>Parameters</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅				
(5-1 to 10-31)	15	23		30
(11-1 to 4-30)	25	40		50
Suspended Solids	30	45		60
NH ₃ -N				
(5-1 to 10-31)	2.0			4.0
(11-1 to 4-30)	6.0			12.0

<i>Parameters</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Fecal Coliform	200 Col. Per 100 ml			
Dissolved Oxygen	6.0 minimum			
pH (STD)	6.0 minimum			9.0
Copper, Total	Monitor		Monitor	Monitor
Zinc, Total	0.19		0.37	0.47

In addition to the effluent limits, the permit contains the following major special conditions:

1. NH₃-N instantaneous maximum during the month of May is allowed at 5.0 mg/l.
2. Implementation of Infiltration/Inflow Abatement Program.
3. Implementation of High Flow Maintenance Plan.
4. Blending during influent flow exceeding 17 mgd.
5. Emergency discharge through a separate Outfall during influent flow exceeding 23 mgd.
6. Pretreatment Program.
7. Sludge Disposal.
8. Stormwater Outfalls.
9. Operations and Maintenance Plan.
10. Laboratory Certification.
11. The changes are made to the notice published at 21 Pa.B. 1153 (March 23, 2001).

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

PA0023469, Sewage, **Honesdale Borough**, 985 Main Street, Honesdale, PA 18431. This proposed facility is located in Honesdale Borough, **Wayne County**.

Description of Proposed Activity: Renewal of NPDES Permit.

The receiving stream, Lackawaxen River, is in the State Water Plan watershed 01B and is classified for HQ-CWF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 based on a design flow of 1.19 mgd.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			
(5-1 to 10-31)	20	30	40
(11-1 to 4-30)	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	12		24
(11-1 to 4-30)	20		
Phosphorus as "P"	a minimum of 6.0 mg/l at all times		
Dissolved Oxygen	a minimum of 6.0 mg/l at all times		
Fecal Coliform	a minimum of 6.0 mg/l at all times		
(5-1 to 9-30)	200/100 ml as a geometric mean		
(10-1 to 4-30)	2,000/100 ml as a geometric mean		
pH	6.0 to 9.0 standard units at all times		
Total Residual Chlorine	1.0		2.0

In addition to the effluent limits, the permit contains the following major special conditions: special conditions for combined sewer overflows.

The proposed effluent limits for Outfall 001 based on a design flow of 2.2 mgd.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	15.4	23.1	30.8
Total Suspended Solids	21	31.5	42
NH ₃ -N	6.5		13
NO ₃ -NO ₂ -N	9.5		19
Phosphorus as "P"	2.7		5.4
Dissolved Oxygen	a minimum of 7.0 mg/l at all times.		
Fecal Coliform	a minimum of 7.0 mg/l at all times.		
(5-1 to 9-30)	200/100 ml as a geometric mean		
(10-1 to 4-30)	2,000/100 ml as a geometric mean		
pH	6.0 to 9.0 standard units at all times.		
Total Residual Chlorine	0.5		1.0

In addition to the effluent limits, the permit contains the following major special conditions: special conditions for combined sewer overflows.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA0204030, Industrial Waste, SIC, 4226 and 3999, **Calgon Carbon Corporation**, 4301 Grand Avenue, Pittsburgh, PA 15225. This application is for renewal of an NPDES permit to discharge hydrostatic water, carbon system flow test water and stormwater from Neville West Island Plant facility located in Neville Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, Back Channel of the Ohio River, classified as a WWF with existing and/or potential uses for aquatic life, water supply, and recreation. The first existing/proposed downstream potable water supply is Midland Borough W.A., located at approximately 28 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.0144 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	Monitor and Report				
TSS			30		60
Oil and Grease			15		30
pH	Between 6.0 and 9.0 at all times				

The EPA waiver is in effect.

PA0218278, Industrial Waste, SIC, 3567, **Westinghouse Plasma Center**, P. O. Box 410, Madison, PA 15663-0410. This application is for renewal of an NPDES permit to discharge untreated cooling water from the Westinghouse Plasma Center in Sewickley Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, UNT to Calleys Run and Calleys Run, classified as WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is Midland Borough, located at Midland, Beaver County, 25.3 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.0012 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow	Monitor and Report				
Temperature					110°F
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

PA0095745, Sewage, **Deer Lakes Mobile Home Park**, 19 Moretti Drive, Tarentum, PA 15084. This application is for renewal of an NPDES permit to discharge treated sewage from Deer Lakes Mobile Home Park STP in West Deer Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as UNT of Little Deer Creek, which are classified as a TSF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Oakmont Borough Municipal Authority on the Allegheny River.

Outfall 001: existing discharge, design flow of 0.025 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	1.9			3.8
(11-1 to 4-30)	2.8			5.6
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.02			0.04
Dissolved Oxygen	not less than 6.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0239771, Sewage, **Green Meadows Mobile Home Park**, 189 Thomas Circle, Enon Valley, PA 16120. This proposed facility will be located in New Beaver Borough, **Lawrence County**.

Description of Proposed Activity: proposed new discharge of treated sewage.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, the existing/proposed downstream potable water supply, considered during the evaluation is the Beaver Falls Municipal Authority of Eastvale located on the Beaver River and is approximately 9.6 miles below point of discharge.

The receiving stream, the UNT to Jenkins Run, is in watershed 20-B and classified for WWF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0064 mgd.

Parameters	Loadings			Concentrations	
	Average Monthly (lb/day)	Average Weekly (lb/day)	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
Flow (mgd)	XX				
CBOD ₅			25		50
Total Suspended Solids			30		60
NH ₃ -N					
(5-1 to 10-31)			2.5		5
(11-1 to 4-30)			7.5		15
Fecal Coliform					
(5-1 to 9-30)				200/100 ml as a geometric average	
(10-1 to 4-30)				2,000/100 ml as a geometric average	
Total Residual Chlorine			0.4		0.94
Dissolved Oxygen		Min. 3 mg/l			
pH		6.0 to 9.0 standard units at all times			

XX—Monitor and report on monthly DMRs.

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications Under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. 1506401, Sewerage, **Blackburn Realty Associates, Inc.**, 1595 Paoli Pike, Suite 201, P. O. Box 1906, West Chester, PA 19380-6167. This proposed facility is located in East Marlborough Township, **Chester County**.

Description of Action/Activity: Construction and operation of a existing automatic lift pump station with larger pumps to serve and existing and new domestic wastewater projects.

WQM Permit No. 1506402, Sewerage, **Northwestern Chester County Municipal Authority**, P. O. Box 308, 37 Dampman Road, Honey Brook, PA 19344. This proposed facility is located in Honey Brook Township, **Chester County**.

Description of Action/Activity: Construction and operation of a Lagoon Treatment Plant.

WQM Permit No. 1506403, Sewerage, **Pennsylvania American Water Company**, 4 Wellington Boulevard, Wyomissing, PA 19610. This proposed facility is located in Coatesville City, **Chester County**.

Description of Action/Activity: Construction and operation of a 12" PVC pipe and two new manholes to properly increase flow to new development.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. WQG02010601, Sewerage, **Berwick Township**, 85 Municipal Road, Hanover, PA 17331. This proposed facility is located in Berwick Township, **Adams County**.

Description of Proposed Action/Activity: Seeking approval for the construction/operation of a sewage pumping station to provide public sewer service to the Cambraïn Hills subdivision.

WQM Permit No. 0706401, Sewerage, **Freedom Township Water & Sewer Authority**, P. O. Box 156, East Freedom, PA 16637. This proposed facility is located in Blair Township, **Blair County**.

Description of Proposed Action/Activity: Replacement/Operation of the Newry Pump Station.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 1106201, Industrial Waste, **Great Lakes Energy Partners, LLC**, P. O. Box 235, Route 85 and Northern Avenue, Yatesboro, PA 16263. This proposed facility is located in Allegheny Township, **Cambria County**.

Description of Proposed Action/Activity: Application for the construction and operation of a water treatment facility for ground water produced from coal seams, consisting of retention ponds and stream outfall.

WQM Permit No. 6506202, Industrial Waste, **Great Lakes Energy Partners, LLC**, P. O. Box 235, Route 85 and Northern Avenue, Yatesboro, PA 16263. This proposed facility is located in St. Clair Township, **Westmoreland County**.

Description of Proposed Action/Activity: Application for the construction and operation of a water treatment facility for ground water produced from coal seams, consisting of retention ponds and stream outfall.

WQM Permit No. 1106402, Sewage, **Windber County Club**, 1392 Forest Hills Drive, Salix, PA 15952. This proposed facility is located in Adams Township, **Cambria County**.

Description of Proposed Action/Activity: Application for the construction and operation of a sewage treatment plant.

WQM Permit No. 2606402, Sewage, **North Union Township Municipal Services Authority**, 6 South Evans Station Road, Lemont Furnace, PA 15456. This proposed facility is located in North Union Township, **Fayette County**.

Description of Proposed Action/Activity: Application for the construction and operation of a new pump station to serve the Fayette County Industrial Park.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2506404, Sewerage, **Mark Herrmann**, 9915 Jones Avenue, Erie, PA 16510. This proposed facility is located in Greene Township, **Erie County**.

Description of Proposed Action/Activity: A Single Residence Sewage Treatment Plant.

WQM Permit No. 2506406, Sewerage, **Charles Callahan**, 6767 Station Road, Erie, PA 16510. This proposed facility is located in Harborcreek Township, **Erie County**.

Description of Proposed Action/Activity: A Single Residence Sewage Treatment Plant.

WQM Permit No. 2506405, Sewerage, **Rory Hamilton**, 2147 Hare Road, Waterford, PA 16441. This proposed facility is located in Waterford Township, **Erie County**.

Description of Proposed Action/Activity: A Single Residence Sewage Treatment Plant.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

V. Applications for NPDES Waiver Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011506028	Anna Francis Thistlewood Subdivision 557 Street Road Cochranville, PA 19330	Chester	Londonderry Township	Big Elk Creek (HQ-TSF-MF)
PAI011506029	Brian Campbell Fair Hill Estates Subdivision 401 Bayard Road Kennett Square, PA 19348	Chester	Elk Township	Little Elk Creek (HQ-TSF-MF)

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

Monroe County Conservation District: 8050 Running Valley Rd., Stroudsburg, PA 18360, (570) 629-3060

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024506010	Bruce and Karen Ecke R. R. 4 Box 4054 Saylorburg, PA 18353	Monroe	Hamilton Township	Tributary to Lake Creek HQ-CWF
PAI024503009-1	Arcadia Properties, LLC 100 Gateway Drive Suite 310 Bethlehem, PA 18017	Monroe	Coolbaugh Township	Hawkey Run HQ-CWF

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024506011	Venezia Enterprises, Inc. 86 Airport Road P. O. Box 909 Royersford, PA 19468 and Locust Ridge Quarry HC 88, Box 282 Pocono Lake, PA 18347	Monroe	Tobyhanna Township	Indian Run HQ-CWF

Schuylkill County Conservation District: 1206 Ag. Center Drive, R. R. 5, Box 5810, Pottsville, PA 17901, (570) 622-3742.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI025406002	Penske Truck Leasing 801 Katie Court Harrisburg, PA 17109	Schuylkill	Cass Township	Dyer Run CWF

Northampton County Conservation District: Greystone Bldg., Gracedale Complex, Nazareth, PA 18064-9211, (610) 746-1971.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024806009	DP Industrial, LLC Attn: Stephen Bailey 200 N. Third St. Suite 1402 Harrisburg, PA 17101	Northampton	Lower Nazareth Township	Monocacy Creek HQ-CWF
PAI024806010	3 Twins Realty Partner, Inc. 287 Park Ave. Bangor, PA 18013	Northampton	Plainfield Township	Bushkill Creek HQ-CWF
PAI024806011	James Carty 619 East Lawn Road Nazareth, PA 18064	Northampton	Bushkill Township	Bushkill Creek HQ-CWF
PAI024806012	Lafayette College Plant Operations Easton, PA 18042-1768	Northampton	City of Easton	Bushkill Creek HQ-CWF

Southcentral Region: Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI030606002	Forino Co., LP 555 Mountain Home Road Sinking Spring, PA 19608	Berks	Spring Township	Wyomissing Creek HQ-CWF
PAI033606003	Silvano Giannini 332 Snyder Hollow Road New Providence, PA 17560	Lancaster	Providence Township	Trout Run HQ

Northwest Region: Watershed Management Program Manager; 230 Chestnut Street, Meadville, PA 16335-3481.

Lawrence Conservation District: Lawrence County Government't Center, 430 Court Street, New Castle, PA 16101, (724) 652-4512.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI063705002(1)	Turnpike Commission 700 S. Eisenhower Road Middletown, PA 17057-5529 and Joseph B. Fay Company P. O. Box 66 Russellton, PA 15084	Lawrence	Little Beaver and North Beaver Townships	North Fork Little Beaver Creek HQ

Erie Conservation District: 1927 Wager Road Erie, PA 16509, (814) 825-6403.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI062506001	John Strauss, President, SB3, LLC and Brad Davis, Lake Erie Biofuels, LLC 1540 East Lake Road Erie, PA 16511 Former International Paper Erie Mill North Parcel	Erie	Erie City	Lake Erie WWF
PAI062506001	John Strauss, President SB3, LLC and Brad Davis Lake Erie Biofuels, LLC 1540 East Lake Road Erie, PA 16511 Former International Paper Erie Mill North Parcel	Erie	Erie City	Lake Erie WWF

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041406002	Samuel E. King 131 Back Road Robersburg, PA 16872	Centre	Miles Township	Elk-Creek HQ-CWF
PAI041406006	Poe Valley State Park c/o Reeds Gap State Park Alan Lichtenwalner 1405 New Lancaster Valley Road Milroy, PA 17063	Centre	Penn Township	Poe Creek HQ-CWF
PAI041406008	S & A Custom Built Homes Keith Sunderman 2121 Old Gatesburg Road Suite 200 State College, PA 16803 DeerHaven Subdivision	Centre	Walker Township	UNT to Nittany Creek CWF UNT to Little Fishing Creek HQ-CWF

Clinton County Conservation District: 45 Cooperation Lane, Mill Hall, PA 17751 (570) 726-3798.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041806002	Penn Dutch Farms, LP	Clinton	Beech Creek Township	Twin Run CWF Monument Run HQ

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice.

Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

WATER ALLOCATIONS

Applications received under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WA48-191B, Water Allocations. **Pennsylvania American Water Company (PAWC)**, 100 N. Pennsylvania Avenue, Wilkes-Barre, PA 18701, Bangor Water Supply System, Upper Mount Bethel Township, **Northampton County**. The PAWC has made application to renew an existing withdrawal of 1.75 mgd, peak day, from springs and rivulets leading to the Lower Handlelong Reservoir.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WA11-779B, Water Allocations. **Jackson Township Water Authority**, 2949 William Penn Avenue, Johnstown, PA 15909, **Cambria County**. The applicant is requesting the right to purchase 319,000 gpd of water, as a peak, 30-day average, from the Nanty Glo Water Authority and for a service area expansion into Jackson Township, Cambria County.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of

Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Harrelson Res., New Garden Township, **Chester County**. Richard D. Trimpi, Trimpi Assoc., Inc. 1635 Old Plains Road, Pennsburg, PA 18703 on behalf of John Harrelson, 28 Chambers Rock Road, Landenberg, PA 19340 has submitted a Notice of Intent to Remediate. Soil at the site was impacted with No. 2 fuel oil spill in the basement. The property will be used as a residence in the future. A summary of the Notice of Intent to Remediate was reported to have been published in the *Daily Local News* on February 26, 2006.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Cumberland Technology Park Site, Hampden Township, **Cumberland County**. BL Companies, Inc., 213 Market Street, 6th Floor, Harrisburg, PA 17101, on behalf of John and Kathryn Harbilas, 33 North Second Street, Harrisburg, PA 17011 and Deimler Sr. Trust, c/o Eugene R. Deimler, Wertzville Road, Enola, PA 17025, submitted a Notice of Intent to Remediate groundwater contaminated with VOCs. The intended future use of the property is nonresidential (commercial/industrial) activities. The applicant intends to remediate to the Site-Specific Standard.

General Electric Parcel B, Lebanon City, Lebanon County. Groundwater Environmental Services, Inc., 410 Eagleview Boulevard, Suite 110, Exton, PA 19341, on behalf of General Electric Environmental Services, Inc., One River Road, Building 43, 2nd Floor, Room 243, Schenectady, NY, 12345, submitted a Notice of Intent to Remediate site soils contaminated with PCBs and lead. The intended future use of the property is commercial activities. The applicant intends to remediate to the Statewide Health Standard.

Huck Fasteners Facility, Altoona City, Blair County. L. Robert Kimball & Associates, Inc., 516 Highland Avenue, Ebensburg, PA 15931, on behalf of Robert Lynn, LLC, 207 Ridge Avenue, Altoona, PA 16602, submitted a Notice of Intent to Remediate site soils contaminated with VOCs and lead and groundwater contaminated with chromium. The intended future use of the property is commercial activities. The applicant intends to remediate to the Statewide Health Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Catawissa Lumber Paxinos Property, Ralpho Township, Northumberland County. Converse Consultants, 2738 W. College Ave., State College, PA 16801 on behalf of Catawissa Lumber & Specialty Co., Inc., Route 487, Paxinos, PA 17960 has submitted a Notice of Intent to Remediate soil contaminated with VOCs that include styrene, toluene, xylenes, trimethylbenzenes and trichloroethene. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Shamokin News Item*.

Pennsylvania Air National Guard Station (former), College Township, Centre County. CH2M HILL, 1700 Market Street, Suite 1600, Philadelphia, PA 19103 on behalf of United States Air National Guard, 3500 Fetchet Ave., Andrews Air Force Base, MD 20762-5157 has submitted a Notice of Intent to Remediate groundwater contaminated with trichloroethene. The applicant proposes to remediate the site to meet the Statewide Health Standard.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application Received Under the Solid Waste Management Act (35 P. S. §§ 6018.101–6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101–4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

Permit Application No. 101477. BFI Transfer Sys of PA, LLC, 2209 S. 58th St, Philadelphia PA 19143, City of Philadelphia. This application was received for the reissuance of the waste permit for the Transcyclery Transfer Station. The application was received by the Southeast Regional Office on April 13, 2006.

Permit modification application Under the Solid Waste Management Act (35 P. S. §§ 6018.101–6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101–4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 301315. PP&L Electric Utilities Corporation, 18 McMichael Road, Washingtonville, PA 17884, located in Derry Township, **Montour County.** The permit modification application for a groundwater abatement plan was received by the Williamsport office on April 13, 2006.

Comments concerning the application should be directed to David Garg, P. E., Facilities Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Persons interested in obtaining more information about the general permit application may contact the Williamsport Regional Office, (570) 327-3653. TDD users may contact the Department of Environmental Protection through the Pennsylvania Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121–143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570)-826-2531.

39-399-058: Service Tire Truck Center, Inc. (2255 Avenue A, Bethlehem, PA 18017) for a tire retread manufacturing process and associated air cleaning device in Bethlehem, **Lehigh County**.

54-308-023: ALCOA Extrusions LLC (53 Pottsville Street, Cressona, PA 17929) for replacement of a billet furnace in Cressona Borough, **Schuylkill County**.

40-318-057: Four Daughters LLC (1 Korn Street, Kingston, PA 18704) for construction of a paint spray operation and associated air cleaning devices in Kingston Borough, **Luzerne County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

36-05086C: Donsco, Inc. (P. O. Box 2001, Wrightsville, PA 17368) for installation of two 3-ton electric furnaces to replace an existing furnace at the ferrous foundry in Mount Joy Borough, **Lancaster County**.

21-05011A: Frog Switch and Manufacturing Co. (600 East High Street, Carlisle, PA 17013) for replacement of a natural gas fired heat treat furnace in the Carlisle Borough, **Cumberland County**.

36-03162A: Ivy Creek Custom Cabinetry, Inc. (449 Running Pump Road, Suite 113, Lancaster, PA 17601) for construction of a custom cabinet facility, including two surface coating booths. These sources will be controlled by the use dry panel filters. The facility is located in East Hempfield Township, **Lancaster County**.

36-05067J: C and D Technologies, Inc. (82 East Main Street, Leola, PA 17540) to modify the existing lead-acid battery manufacturing plant. The modifications include installation of two lead melting pots and additional battery assembly stations in Upper Leacock Township, **Lancaster County**.

50-03004A: Tuscarora Hardwoods, Inc. (2240 Shermans Valley Road, Elliottsburg, PA 17024) for installation of a 27.4 mmBtu/hr wood fired boiler in Spring Township, **Perry County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

59-00021A: Phoenix Resources, Inc. (782, Antrim Road, Wellsboro, PA 16901) for modification of a construction and demolition waste landfill by expansion of the landfill and by increasing the average daily waste volume

from 1,250 tons per day to 1,500 tons per day at the Phoenix Resources Landfill in Duncan Township, **Tioga County**.

14-00002H: Graymont—PA, Inc. (4411 Old Berwick Road, Bloomsburg, PA 17815) for construction of a semiwet scrubbing system to control SO_x emissions from kiln No. 7 at the Pleasant Gap facility in Spring Township, **Centre County**.

19-00026C: Haddon Craftsmen, Inc. (4411 Old Berwick Road, Bloomsburg, PA 17815) for construction of a heatset web offset lithographic printing press, to be exhausted to an existing air cleaning device (regenerative thermal oxidizer), in South Centre Township, **Columbia County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

42-111D: Ethan Allen Mfg. Corp.—Eldred Division (3289 Route 446, Eldred, PA 16731), for converting the current surface coating system (Booths 5–7, and Ovens E and F) from a two-pass system to a new one-pass system which will include new Booths 1–4 and Ovens A–C in Eldred Township, **McKean County**. This is a State-only facility.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

39-399-058: Service Tire Truck Center, Inc. (2255 Avenue A, Bethlehem, PA 18017) for construction and operation of a truck tire retreading process and associated air cleaning device (fabric collector) in the City of Bethlehem, **Lehigh County**. The facility is a non-Title V facility. The operation of the tire retreading process will result in 6.6 tons per year of particulate emissions based on the best available technology standard of 0.02 grain/dscf and 22.7 tpy of VOCs. The plan approval will include emission restrictions, monitoring, reporting and work practice requirements designed to keep the sources operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

67-05005E: PPL Brunner Island, LLC (2 North 9th Street, Allentown, PA 18101) for construction of a limestone and gypsum handling operation at the Brunner Island Steam Electric Station in East Manchester Township, **York County**. This modification is expected to increase the facility's annual emissions of PM and PM₁₀ by 21.57 tpy and 5.88 tpy, respectively. The plan approval will include emission limits, monitoring, work practice standards, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

19-00026C: Haddon Craftsmen, Inc. (4411 Old Berwick Road, Bloomsburg, PA 17815) for construction of a heatset web offset lithographic printing press equipped

with two dryers (Source ID P118) in South Centre Township, **Columbia County**. The air contaminant emissions from the printing press will be controlled by an existing regenerative thermal oxidizer, permitted under Plan Approval 19-00026A. The facility will remain as a synthetic minor facility.

The printing press will utilize inks, fountain solutions, and cleaning solvents that contain VOCs and HAPs. The VOC and HAP emissions from the proposed press will be restricted to 4.37 tons and 0.73 ton in any 12-consecutive month period (CMP), respectively. The facility as a whole is restricted to emit less than 50 tons of VOCs in any 12 CMP to be considered as a synthetic minor facility.

The Department of Environmental Protection's (Department) review of the information provided by Haddon Craftsmen, Inc. indicates that the new source will comply with all air quality requirements, including the best available technology (BAT) requirements of 25 Pa. Code §§ 127.1 and 127.12, pertaining to air contamination sources and the emission of air contaminants. Based on this finding, the Department intends to issue a plan approval for the construction and operation of a heatset web offset lithographic printing press. Additionally, if the Department determines that the source and the air cleaning device are operating in compliance with the plan approval conditions, the conditions established in the plan approval will be incorporated into the operating permit via an administrative amendment under 25 Pa. Code § 127.450. The following is a summary of the conditions that the Department proposes to place in the plan approval to ensure compliance with all applicable regulatory requirements.

1. Conditions contained in existing Plan Approval 19-00026A and existing Operating Permit 19-320-001E remain in effect unless superseded or amended by conditions contained in this plan approval (19-00026C). If there is a conflict between a condition contained in this plan approval and a condition contained in existing Plan Approval 19-00026A or existing Operating Permit 19-320-001E, the permittee shall comply with the condition contained in this plan approval.

2. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the total combined emission of VOCs from existing printing press HCM-015 shall not exceed 8.2 tons in any 12 CMP. This condition supersedes Section C, Condition No. 006 of Plan Approval 19-00026A.

3. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the emission of VOCs from all sources at the facility shall not equal or exceed 50 tons in any 12 CMP.

4. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the total combined emission of VOCs from printing presses HCM-016—HCM-018 that are captured and destroyed in the regenerative thermal oxidizer (RTO) shall not exceed 2.29 tons in any 12 CMP. This condition supersedes Section D, Source ID P116, Condition No. 006 of Plan Approval 19-00026A.

5. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the RTO shall destroy the VOC/HAP emissions ducted to it from printing presses HCM-016—HCM-018 at a destruction efficiency of no less than 97% (by weight) or the VOC/HAP concentration in the exhaust of the RTO is no greater than 20 parts per million, by volume, dry basis (ppmvd), expressed as methane. This condition supersedes Section D, Source ID P116, Condition No. 010 of Plan Approval 19-00026A.

6. Within 120 days of the initial startup of printing press HCM-018, the permittee shall perform stack testing upon the inlet and outlet of the RTO while the RTO is being used to control emissions from printing presses HCM-016—HCM-018 to determine the amount of VOCs and HAPs present and the VOC/HAP destruction efficiency of the RTO. If the stack testing demonstrates compliance with the destruction efficiency and VOC emissions limitation for the RTO, then the permittee shall perform additional stack testing within 5 years. The stack testing shall be conducted while printing presses HCM-016—HCM-018 are simultaneously operating at representative operating conditions. Additionally, the test shall verify compliance with a VOC/HAP destruction efficiency of 97% for the RTO and a VOC/HAP concentration of no greater than 20 ppmvd from the outlet of the RTO. Testing is to be performed while operating the combustion chamber of the RTO as close to 1,500°F as can reasonably be achieved (but not less than 1,500°F). Additionally, the pressure drop of the bed media of the RTO shall be monitored and recorded during testing. This condition supersedes Section D, Source ID P116, Condition No. 011 of Plan Approval 19-00026A.

7. The permittee shall keep up-to-date records of Certified Product Data Sheets that identify the VOC content and HAP content of each VOC and/or HAP containing material used at the facility. This condition supersedes Section C, Condition No. 009 of Plan Approval 19-00026A.

8. The permittee shall keep records of the supporting calculations for VOC emissions from printing press HCM-015 and the exhaust of the RTO associated with printing presses HCM-016—HCM-018 on a monthly basis and shall verify compliance with the VOC emission limitations in any 12 CMP. These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

9. The permittee shall submit reports to the Department on a semiannual basis that include the supporting calculations used to verify compliance with the VOC emission limitations for printing press HCM-015 and the exhaust of the RTO associated with printing presses HCM-016—HCM-018 in any 12 CMP. The semiannual reports shall be submitted to the Department no later than March 1 (for January 1 through December 31 of the previous year) and September 1 (for July 1 of the previous year through June 30 of the current year).

10. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the total combined emission of VOCs from printing press HCM-018, including the RTO, shall not exceed 4.37 tons in any 12 CMP.

11. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the emission of total combined HAPs from printing press HCM-018 shall not exceed 0.73 ton in any 12 CMP. Additionally, the materials used in printing press HCM-018 shall not contain HAPs in any quantity, except for 1,4-dioxane, acetaldehyde, acrylamide, benzene, cumene, ethyl benzene, ethylene dichloride, ethylene glycol, ethylene oxide, formaldehyde, glycol ethers, hexane, hydrogen fluoride, hydroquinone, methanol, methyl isobutyl ketone, methylene chloride, naphthalene, propylene oxide, toluene, vinyl acetate and xylenes. Additional HAPs may be used in printing press HCM-018 as long as the permittee requests, in writing, and the Department approves, in writing, the new HAP prior to its use.

12. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the inks used in printing press

HCM-018 shall not contain more than 37% VOCs (by weight), as applied, on a weighted average basis, calculated monthly.

13. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the fountain solutions used in printing press HCM-018 shall not contain more than 1.0% VOCs (by weight), as applied.

14. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the permittee shall only use natural gas or propane as fuel for each press dryer of printing press HCM-018.

15. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the VOC emissions from ink oil used in printing press HCM-018 that are not retained in the substrate shall be captured with an efficiency of 100% and exhausted to the RTO. The VOC emissions from fountain solution used in printing press HCM-018 shall be captured with an efficiency of 70% and exhausted to the RTO.

16. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, printing press HCM-018 shall be equipped with a pressure measuring device to monitor the differential pressure of each press dryer of printing press HCM-018 with respect to the ambient pressure of the pressroom at all times printing press HCM-018 is in operation.

17. The permittee shall keep records of the identity and amount of each VOC-containing and/or HAP-containing material used each month in printing press HCM-018. Additionally, the permittee shall keep records of the supporting calculations for VOC and HAPs emissions from printing press HCM-018, including the RTO, and shall verify compliance with total combined VOC and total combined HAPs emission limitations in any 12 CMP. These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

18. The permittee shall submit reports to the Department on a semiannual basis that include the records of the identity and amount of each VOC-containing material used each month in printing press HCM-018. Additionally, the permittee shall submit reports to the Department on a semiannual basis that include the supporting calculations used to verify compliance with the total combined VOC emission limitation for printing press HCM-018, including the RTO and the total combined HAPs emission limitation for printing press HCM-018 in any 12 CMP. The semiannual reports shall be submitted to the Department no later than March 1 (for January 1 through December 31 of the previous year) and September 1 (for July 1 of the previous year through June 30 of the current year).

19. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the VOC-containing materials used for cleanup purposes in printing press HCM-018 shall not have a vapor pressure greater than 6.1 millimeters of mercury at 68°F. A material with a higher vapor pressure may be used in any printing press at the facility as long as the permittee requests, in writing, and the Department approves, in writing, the new material prior to its use.

20. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, printing press HCM-018 shall not be operated without the simultaneous operation of the RTO.

21. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, each press dryer of printing press

HCM-018 shall be operated at a negative differential pressure with respect to the ambient pressure of the pressroom at all times the printing press is in operation. Each press dryer of printing press HCM-018 shall be equipped with an interlocking device that prevents the printing press from operating if the differential pressure with respect to the ambient pressure of the pressroom is not negative.

22. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the permittee shall keep all containers of cleanup solvent associated with printing press HCM-018 closed when not in actual use and store all solvent-wet rags, and the like in closed containers when not in actual use. Under no circumstances shall the permittee dispose of waste solvent associated with printing press HCM-018 via evaporation or treat or pretreat solvent-wet rags, and the like prior to disposal or reuse by subjecting them to air drying or any other means of solvent removal that would unnecessarily cause solvent to be evaporated into the air.

23. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, VOC-containing material added to the fountain solution used in printing press HCM-018 shall not have a vapor pressure greater than 3.0 mm Hg at 68°F.

24. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, upon each occurrence of operation of printing press HCM-018, the combustion chamber of the RTO shall achieve a temperature of at least 1,500°F prior to the commencement of printing and the combustion chamber temperature shall thereafter be maintained at no less than 1,500°F at all times during operation of printing press HCM-018. The RTO shall be equipped with an interlock that prevents printing press HCM-018 from operating if the combustion chamber temperature of the RTO is below 1,500°F.

A copy of the plan approval application and the Department's review is available for public review between 8 a.m. and 4 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at (570) 327-3693. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Chief, Facilities Permitting Section, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-0512.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

33-132A: Matson Lumber Co. (132 Main Street, Brookville, PA 15825) for construction of a wood-fired boiler rated at 18.9 mmBu/hr with two cyclones in Union Township, **Jefferson County**. This source is subject to NSPS requirements 40 CFR 60, Subpart Dc. This is a State-only facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the State-only Operating Permit through an administrative amendment at a later date. The source shall comply with the following conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology for the source:

- The source shall comply with 25 Pa. Code §§ 123.1, 123.31 and 123.41 for fugitive matter, odor and visible emissions.
- Source is subject to 25 Pa. Code § 123.22 for sulfur emissions.
- PM emissions shall not exceed 3.8 #/hr or 16.6 tpy based on 12-month rolling total.
- CO emissions shall not exceed 11.4 #/hr or 49.8 tpy based on 12-month rolling total.
- NOx emissions shall not exceed 4.2 #/hr or 18.3 tpy based on 12-month rolling total.
- Source shall stack test to show compliance with the above emission limitations.
- Permittee shall operate the cyclones at all times that the source is in operation.
- Source is subject to 40 CFR 60.48c with regards to recordkeeping/reporting requirements.
- The permittee shall maintain and operate the source in accordance with the manufacturer specifications and in accordance with good air pollution control practices.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

15-00045: Sealed Air Corporation (22 Meredith Court, Modena, PA 19358) for renewal of their Title V Operating Permit in Modena Borough, **Chester County**. The initial permit was issued on June 1, 2001. The facility is primarily used for recycling corrugated scrap paper to rolls of crepe paper. A 46 million Btu/hr boiler provides the steam that is necessary for the process. As a result of potential emissions of NOx, the facility is a major stationary source as defined in Title 1, Part D of the Clean Air Act Amendments, and is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The proposed Title V Operating Renewal does not adopt any new regulations and does not reflect any change in air emissions from the facility. The facility is not subject to Compliance Assurance Monitoring under 40 CFR Part 64. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

20-00135: Clear Lake Lumber Inc.—Spartansburg Plant (409 Main Street, Spartansburg, PA 16434-0129) to operate a wood fired boiler with a multicloner in Spartansburg Borough, **Crawford County**.

61-00185: Heath Oil, Inc. (5609 SR, Route 8, R. D. No. 1, Harrisville, PA 16038) for operation of retail trade-fuel oil dealers. The facility included sources floating and fixed roof tanks, fugitives from facility, oil heaters large and small, miscellaneous loading racks, two portable transmix refineries, tank wagon loading rack in Barkeyville Borough, **Venango County**.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Braun, Chief, (215) 685-9476.

506-001: The Wistar Institute (3601 Spruce Street, Philadelphia, PA 19104) for operation of a biomedical research facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission source includes three 448 Hp boilers and four emergency generators.

The operating permit will be issued under the 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the district mining office indicated before an application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition,

more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application num-

ber; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

30841316 and NPDES Permit No. PA0213535, Consol Pennsylvania Coal Company, (P. O. Box J, 1525 Pleasant Grove Road), to revise the permit for the Bailey Mine and Prep Plant in Richhill Township, **Greene County** to add acreage for development mining. Underground Acres Proposed 487.5, SCP Acres Proposed 487.5. No additional discharges. Application received March 10, 2006.

32061302 and NPDES Permit No. NA, Western Allegheny Energy, LLC, (301 Market Street, Kittanning, PA 16201-9642), to operate the Knob Creek Mine in Young Township, **Indiana County** a new underground mine and related NPDES permit. Surface acres proposed 31.2, underground acres proposed 1,514.0, SCP Acres Proposed 1,384.0. Receiving stream: Marshall Run, classified for the following use: CWF. Application received March 10, 2006.

32713707 and NPDES Permit No. PA0009890, RNS Services, Inc., (P. O. Box 38, Blossburg, PA 16912), to revise the permit for the No. 24 Refuse Site in Pine Township, **Indiana County** to add pyritic rock to existing site, change postmining land use and modify discharge monitoring. No additional discharges. Application received February 10, 2006.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

43850105 and NPDES Permit No. PA0208758, Grove City Materials, LP (R. R. 6, Box 344, New Castle, PA 16101). Renewal of an existing bituminous surface strip operation in Pine and Mercer Townships,

Mercer and Butler Counties affecting 103.0 acres. Receiving streams: two UNTs to Swamp Run, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: April 10, 2006.

33820149 and NPDES Permit No. PA0605557, Strishock Coal Company (220 Hillcrest Drive, DuBois, PA 15801). Transfer of an existing bituminous surface strip and limestone removal operation in Washington Township, **Jefferson County** affecting 54.0 acres. Receiving streams: one UNT to Mill Creek, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Transfer from Rosio Coal Company. Application received April 10, 2006.

33950106 and NPDES Permit No. PA0227081, Falls Creek Energy Co., Inc. (R. R. 6, Box 231, Kittanning, PA 16201). Renewal of an existing bituminous surface strip operation in Perry Township, **Jefferson County** affecting 148.4 acres. Receiving streams: UNT to Mahoning Creek, UNT to Sawmill Run and UNT to Rose Run, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application for reclamation only. Application received: April 4, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

40900203R3, Northampton Fuel Supply Co., Inc. (1 Horwith Drive, Northampton, PA 18067), renewal of an existing anthracite coal refuse reprocessing operation in Newport Township, **Luzerne County** affecting 49.5 acres, receiving stream: none. Application received April 6, 2006.

Noncoal Applications Received

Effluent Limits

The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity ¹			
pH ¹		greater than 6.0; less than 9.0	

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

16060303 and NPDES Permit No. PA0258130. Star Mining Corporation (8100 Ohio River Boulevard, Emsworth, PA 15202). Commencement, operation and restoration of a sand and gravel operation in Perry Township, **Clarion County** affecting 8.7 acres. Receiving streams: one UNT to the Allegheny River and the Allegheny River, classified for the following use: WWF. There are no potable surface water supply intakes within 10 miles downstream. Application received March 29, 2006.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

08060807. Clinton Crawford (R. R. 1, Box 57, Sugar Run, PA 18846), commencement, operation and restoration of a small, noncoal (flagstone) surface mine with blasting in Wilmot Township, **Bradford County**, affecting 5.0 acres. Receiving stream: UNT to Panther Lick Creek, classified for the following use: CWF. Application received April 3, 2006.

08060806. NatureStone—Wood Products, LLC (P. O. Box 243, Wyalusing, PA 18853), commencement and restoration of a small, noncoal (bluestone, other stone), surface mine in Terry Township, **Bradford County**, affecting 5.0 acres. Receiving stream: UNT to Susquehanna River. Application received April 5, 2006.

08060808. John Preston (R. R. 1, Box 20, Wyalusing, PA 18853), commencement, operation and restoration of a small, noncoal (flag/bluestone) surface mine with blasting in Wyalusing Township, **Bradford County**, affecting 2.0 acres. Receiving stream: UNT to Susquehanna River. Application received April 7, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

7373SM3C5 and NPDES Permit No. PA0593306. Lehigh Asphalt Paving & Construction Co. Inc., (P. O. Box 59, Tamaqua, PA 18252), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in East Penn Township, **Carbon County**, receiving stream: Lizard Creek, classified for the following use: TSF. Application received April 5, 2006.

8274SM1T and NPDES Permit No. PA05957050. ICM of Pennsylvania, Inc. (638 Lancaster Avenue, Malvern, PA 19355), transfer of an existing quarry operation and NPDES Permit for discharge of treated mine drainage from a quarry operation from DM Stoltzfus & Son, Inc. in Upper Leacock and Manheim Townships, **Lancaster County** affecting 78.1 acres. Receiving stream: Conestoga River. Application received April 7, 2006.

8274SM5T and NPDES Permit No. PA0123480. ICM of Pennsylvania, Inc. (638 Lancaster Avenue, Malvern, PA 19355), transfer of an existing quarry operation and NPDES Permit for discharge of treated mine drainage from a quarry operation from DM Stoltzfus & Son, Inc. in Fulton Township, **Lancaster County** affecting 318.5 acres. Receiving stream: Octoraro Creek. Application received April 7, 2006.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the FWPCA (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E48-370. Todd H. Dreisbach, 4315 Fox Drive, Walnutport, PA 18104, in Lehigh Township, **Northampton County**, United States Army Corps of Engineers, Philadelphia District.

To authorize the deepening and expansion of the reservoir of a nonjurisdictional dam having a surface area of approximately 0.3 acre located across a tributary to Bertsch Creek (CWF) and to maintain a dry fire hydrant and a 90 ft² pile supported private recreational dock in the reservoir area. This work was conducted during the repair and restoration of the dam embankment that was damaged by flood waters. The project is located west of the intersection of Deer Path Drive and Fox Drive (Palmerton, PA Quadrangle N: 7.2 inches; W: 7.9 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E36-808: Penn Township, 97 North Penryn Road, Manheim, PA 17545 in Penn Township, **Lancaster County**, ACOE Baltimore District.

To impact approximately 7,150 square feet (0.164 acre) of emergent wetlands for the widening of White Oak Road to improve access to a new middle school (Manheim, PA Quadrangle; Latitude: 40° 10' 27", Longitude: 76° 23' 20"; N: 9.0 inches; W: 1.95 inches), and to extend an existing 2' by 4' box culvert by 10 feet at the intersection of White Oak Road and Steigel Valley Road (Manheim, PA Quadrangle; Latitude: 40° 10' 17", Longitude: 76° 23' 18"; N: 8.4 inches; W: 1.9 inches). The applicant is proposing to provide for future wetland mitigation in an adjacent municipality.

E05-339: Bedford Township Municipal Authority, P. O. Box 371, Bedford, PA 15522, Bedford Township, **Bedford County**, ACOE Baltimore District.

To conduct various activities associated with a sanitary sewer and water line improvement/construction project of the Bedford Township Municipal Authority located in Bedford Springs Village, Bedford Township, Bedford County including:

1. The construction and maintenance of 12 manholes and a 10-inch diameter, 2,553-foot long sanitary sewer line along the floodway and floodplain of Shober's Run (HQ-CWF), in a PSS wetland resulting in 0.16 acre of temporary wetland impacts (Everett West, PA Quadrangle N: 0.4 inch, W: 17.4 inches; Latitude: 40° 00' 08", Longitude: 78° 29' 57", in a PEM wetland resulting in 0.07 acre of temporary wetland impacts (Rainsburg, PA Quadrangle N: 22.6 inches, W: 0.4 inch; Latitude: 39° 59' 08", Longitude: 78° 30' 09"), and under 98 linear feet of the streambed of Shober's Run (Rainsburg, PA Quadrangle N: 22.4 inches, W: 0.55 inch; Latitude: 39° 59' 54", Longitude: 78° 30' 14") all starting at point about 1,600 feet south of the Elks Country Club (Everett West, PA Quadrangle N: 0.2 inch; W: 17.45 inches; Latitude: 40° 00' 08"; longitude: 78 °29' 59") and continuing to a point about 520 feet northeast of the existing Bedford Springs Hotel (Rainsburg, PA Quadrangle N: 22.4 inches; W: 0.63 inch; Latitude: 39° 59' 54"; Longitude: 78° 30' 16").

2. The construction and maintenance of three manholes, a 10-inch diameter, 130-foot long sanitary sewer line and an 8-inch diameter, 130-foot long water line in the floodway and floodplain and under 20 linear feet of the streambed of Shober's Run (HQ-CWF) located immediately downstream of T-408 bridge (Rainsburg, PA Quadrangle N: 21.64 inches; W: 1.24 inches; Latitude: 39° 59' 39"; Longitude: 78° 30' 32").

3. The construction and maintenance of a 10-inch diameter, 10-foot long sanitary sewer line, an 8-inch diameter, 10-foot long water line and a fire hydrant in the floodway and under an existing 18-inch CMP carrying a UNT to Shober's Run (HQ-CWF) (Rainsburg, PA Quadrangle N: 20.6 inches; W: 2.2 inches; Latitude: 39° 59' 44"; Longitude: 78° 30' 55").

4. The construction and maintenance of a 10-inch diameter, 10-foot long sanitary sewer line, an 8-inch diameter, 10-foot long water line and a fire hydrant in the floodway and under an existing 24-inch RCP carrying a UNT to Shober's Run (HQ-CWF) (Rainsburg, PA Quadrangle N: 20.63 inches; W: 2.3 inches; Latitude: 39° 59' 19"; Longitude: 78° 30' 59").

5. The construction and maintenance of a 10-inch diameter, 10-foot long sanitary sewer line, an 8-inch diameter, 10-foot long water line and a fire hydrant in the floodway and under an existing 24-inch RCP carrying a UNT to Shober's Run (HQ-CWF) (Rainsburg, PA Quadrangle N: 19.93 inches; W: 2.61 inches; Latitude: 39° 59' 05"; Longitude: 78° 31' 07").

6. The construction and maintenance of a 10-inch diameter, 10-foot long sanitary sewer line and an 8-inch diameter, 10-foot long water line under an existing 24-inch RCP carrying a UNT to Shober's Run (HQ-CWF) (Rainsburg, PA Quadrangle N: 21.89 inches; W: 1.36 inches; Latitude: 39° 59' 44"; Longitude: 78° 30' 35").

7. The construction and maintenance of a 10-inch diameter, 22-foot long sanitary sewer line and an 8-inch diameter, 22-foot long water line in a PEM wetland resulting in 0.01 acre of temporary wetland impacts (Rainsburg, PA Quadrangle N: 21.89 inches; W: 1.56 inches; Latitude: 39° 59' 44"; Longitude: 78° 30' 35").

8. The construction and maintenance of an 8-inch diameter, 53-foot long sanitary sewer line and a 6-inch diameter, 53-foot long water line in a PEM wetland resulting in 0.03 acre of temporary wetland impacts (Rainsburg, PA Quadrangle N: 22.55 inches; W: 0.51 inch; Latitude: 39° 59' 57"; Longitude: 78° 30' 13").

9. The construction and maintenance of a temporary road crossing consisting of four 24-inch diameter, 20-foot long CMP culverts in Shober's Run located at a point about 1,000 feet northeast of the existing Bedford Springs Hotel (Rainsburg, PA Quadrangle N: 22.5 inches; W: 0.54 inch; Latitude: 39° 59' 56"; Longitude: 78° 30' 14").

The project will result in temporary impacts to a total of 145 linear feet of stream channel and 0.27 acre of wetlands.

E60-178. William A. Moore, 110 S. Second Street, Lewisburg, PA 17837. Paris Meadow Estates, in East Buffalo Township, **Union County**, ACOE Baltimore District (Lewisburg, PA Quadrangle N: 14.0 inches; W: 6.9 inches).

To: 1) relocate, maintain and operate 1,450 linear feet of UNT of Limestone Run with the associated turf reinforcement mat before filling in 1,450 linear feet of the existing intermittent stream channel, construct, maintain and operate; 2) two separate sets of three 28 foot long, 13 inch by 17 inch CSP-Arch multiculvert driveway crossings of the tributary and the associated R-3 riprap armoring of the clean approach fill and culvert aprons for two separate proposed residential lots No. 28 and No. 29; 3) an out-of-scope dam for a stormwater detention basin immediately to the right of the realigned channel near the corner of Ridge Road and Fairfield Drive; 4) an outfall of a 6-inch perforated HDPE underdrain pipe at Station

16+00 of the realigned channel near the stormwater basin emergency spillway; 5) a 93 square yard R-6 riprap apron for a 36-inch perforated HDPE-SB detention basin drain pipe at Station 17+50 of the realigned channel near the corner of Ridge Road and Fairview Drive; 6) 130 cubic yards of excavation and 250 cubic yards of fill within the 100-year floodway of the existing channel and the proposed lots Nos. 28 and 29, all of which is being done to create a 29-lot residential subdivision between Fairfield Road and Fairview Drive in East Buffalo Township, Union County, Lewisburg, PA Quadrangle N: 14.0 inches; W: 6.9 inches. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1315. Millvale Borough Marina (Amendment), 501 Lincoln Avenue, Millvale, PA 15209. To construct a pedestrian bridge in Millvale Borough, **Allegheny County**, Pittsburgh ACOE District. (Pittsburgh East, PA Quadrangle N: 17.02 inches; W: 13.89 inches and Latitude: 40° 28' 07.39"—Longitude: 79° 58' 29.54"). The applicant proposes to construct and maintain a pedestrian bridge across the Allegheny River back channel between the Borough of Millvale and Washington's Landing in the City of Pittsburgh. This bridge will be part of the riverfront trail system. The bridge span will be approximately 220 feet. Approximately 30 feet of stream bank will be impacted.

E63-584. 84 Lumber Company (Pierce Hardy LP), 1019 Route 519, Building 5, Eighty Four, PA 15330. To relocate 450 LF of a UNT to Chartiers Creek and place fill in wetlands in North Strabane Township, **Washington County**, Pittsburgh ACOE District. (Washington East, PA Quadrangle N: 11.25 inches; W: 1.5 inches and Latitude: 40° 11' 37"—Longitude: 80° 07' 84"). The applicant proposes to relocate and maintain approximately 450 linear feet of a UNT to Little Chartiers Creek (HQ-WWF) (UNT No. 1) and approximately 0.011 acre of associated wetlands (PEM). To place and maintain fill in approximately 830 linear feet of a UNT to Little Chartiers Creek (HQ-WWF) (UNT No. 2) and approximately 0.113 acre of associated PEM wetlands and to place and maintain fill in approximately 258 linear feet of a UNT to Little Chartiers Creek (HQ-WWF) (UNT No. 3) and approximately 0.010 acre of associated PEM wetlands for the purpose of expanding the existing 84 Lumber Company headquarters. The project is located on the east side of Thomas Road (SR 519) just southeast from the intersection of Thomas Road (SR 519) and Christy Road.

E65-894. St. Vincent College, St. Vincent Archabbey, Latrobe, PA 15650. To construct a twin box culvert in Monastery Run in Unity Township, **Westmoreland County**, Pittsburgh ACOE District. (Latrobe, PA Quadrangle N: 7.4 inches; W: 3.4 inches and Latitude: 40° 17' 27"—Longitude: 79° 23' 53"). The applicant proposes to construct and maintain an 86 LF long, twin box culvert with two 16 ft. wide by 10 ft. clearance cells depressed 1 ft. in Monastery Run (WWF), with a drainage area of 2.97 square miles; construct and maintain stormwater outfalls; and fill and maintain a total of 0.33 acre of adjacent PEM/PSS wetlands. One culvert cell will have an additional 1 ft. of streambed material placed to foster normal stream flows to be conveyed by the other cell. The applicant also proposes to construct and maintain a 120 ft. long, 53 inch wide by 34 inch high elliptical culvert; a 120 ft. of stream relocation in adjoining drainage areas of

less than 100 acres. Construction and maintenance of a total of 2.89 acres of PEM and PFO replacement wetlands will be part of the permit associated with the nearby road improvement and SR 1045, St. Vincent Drive relocation projects. This project is located on the St. Vincent College campus in Unity Township, Westmoreland County. Total proposed impacts are approximately 316 ft. of stream channel and 0.33 acre of wetland.

E65-895. Westmoreland County Commissioners, 601 Courthouse Square, Greensburg, PA 15601. To construct a culvert in Monastery Run and impact wetlands in Unity Township, **Westmoreland County**, Pittsburgh ACOE District. (Latrobe, PA Quadrangle N: 8.3 inches; W: 3.1 inches and Latitude: 40° 17' 44"—Longitude: 79° 23' 51"). The applicant proposes to construct and maintain a 75 LF long, 30.0 ft span, 11 ft. vertical clearance Beatty Road concrete arch culvert in Monastery Run (WWF) with a drainage area of 2.97 square miles; and fill and maintain a total of 0.71 acre of adjacent PEM wetlands. Construction and maintenance of a total of 2.89 acres of PEM and PFO replacement wetlands will be a part of the permit associated with the nearby road improvement and SR 1045, St. Vincent Drive relocation projects. The applicant also proposes to demolish the adjoining and existing Beatty Road metal plate arch culvert that has a span of 28 ft., rise of 8 ft. and length of 36 ft. and construct and maintain storm water outfalls. This project is located adjacent to St. Vincent College. The total proposed impacts are approximately 100 ft. of stream channel and 0.71 acre of wetland.

E65-896. Department of Transportation, Engineering District 12-0, 825 North Gallatin Avenue Extension, Uniontown, PA 15401. To construct a stream enclosure in Monastery Run in Unity Township, **Westmoreland County**, Pittsburgh ACOE District. (Latrobe, PA Quadrangle N: 7.4 inches; W: 3.2 inches and Latitude: 40° 17' 17"—Longitude: 79° 24' 00"). The applicant proposes to construct and maintain a 200 LF long, twin box culvert with two 16 ft. wide by 10 ft. clearance cells depressed 1 ft. in Monastery Run (WWF) with a drainage area of 2.97 square miles; construct and maintain stormwater outfalls; and fill and maintain a total of 1.0 acre of adjacent PEM/PSS wetlands. One culvert cell will have an additional 1 ft. of streambed material placed to foster normal stream flows to be conveyed by the other cell. The applicant also proposes to construct and maintain a 230 ft. long, 53 inch wide by 34 inch high elliptical culvert; a 240 ft. long, 54 inch diameter culvert; a 240 ft. long 40 inch diameter culvert; a 80 ft. long 48 inch diameter culvert replacement; and 310 ft. of stream relocation in adjoining and nearby UNTs to Monastery Run with drainage areas of less than 100 acres. Construction and maintenance of a total of 2.89 acres of PEM and PFO replacement wetlands will also be part of this permit to mitigate impacts associated with this project and the nearby coordinated Department of Transportation, Westmoreland County and St. Vincent College Road improvement and relocation projects. This project is associated with the 0.75 mile long relocation of SR 1045 also known as St. Vincent Drive (from approximately Latitude: 40° 17' 08"—Longitude: 79° 24' 15" to Latitude: 40° 17' 44" and Longitude: 79° 23' 51") located substantially on the St. Vincent College campus. Total proposed impacts are approximately 1,450 ft. of stream channel and 1.0 acre of wetland.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E20-545, James Family Trust, 351 Morrison Drive, Pittsburgh, PA 15216. James Family Trust Dock, in

Sadsbury Township, **Crawford County**, ACOE Pittsburgh District (Harmonsburg, PA Quadrangle N: 21.7 inches; W: 6.7 inches).

The applicant proposes the following in and adjacent to Conneaut Lake approximately 1.0 mile NW of the intersection of SR 18 and SR 322 in Sadsbury Township, Crawford County involving: 1) to remove the existing concrete end section, steel sheet pile and existing wooden platforms; 2) to install and maintain fiberglass sheet pile; 3) to lower and maintain the existing 70-foot long earthen dock; 4) to install and maintain two floating docks at the lakeward end of the earthen dock; and 5) to maintain the existing approximately 100-foot long by 5-foot high sea wall. Conneaut Lake is body of water classified as a HQ-WWF.

E25-603A, Commodore Perry Yacht Club, Bayfront Highway, P. O. Box 3455, Erie, PA 16507-2318. Yacht Club Wave Protection, in City of Erie, **Erie County**, ACOE Pittsburgh District (Erie North, PA Quadrangle N: 1.1 inches; W: 14.1 inches).

The applicant proposes to install wave protection and other improvements at the Commodore Perry Yacht Club, located at 664 West Bayfront Highway, near the north end of Poplar Street, involving and including: 1) to operate and maintain the Commodore Perry Yacht Club; 2) to construct and maintain rubble fill wave protection having a length of approximately 570 feet, and a width of approximately 15 feet, along the north side of the north breakwall, extending east from the end of the existing western breakwall; 3) to construct and maintain a rubble mound breakwater having a length of approximately 75 feet, and a width of approximately 32 feet, extending west from the eastern marina wall, approximately 75 feet south of the end of the existing eastern marina wall; 4) to construct and maintain rubble fill wave protection having a length of approximately 1,048 feet, and width varying from 9 to 12 feet, along the north side of the southern wall of the yacht club; and 5) to install and maintain three floating docks, having lengths of 437.5 feet, 223 feet and 437.5 feet, respectively, within the confines of the yacht club. Presque Isle Bay is a body of water classified as a WWF. This project proposes to fill 0.47 acre of Presque Isle Bay.

E25-666, Technica Development Corporation for Presque Isle Downs, Inc., 4800 Tramarlac Lane, Erie, PA 16505-1360. Presque Isle Downs Horseracing Facility, in Summit Township, **Erie County**, ACOE Pittsburgh District (Erie South, PA Quadrangle N: 42°, 04', 20"; W: 80°, 01', 48").

On March 24, 2006, the Department received a request from Presque Isle Downs, Inc. to extend the time limit on Water Obstruction and encroachment Permit No. E25-666 originally issued on July 18, 2003, and having an expiration date of December 31, 2006. The request is for a 2-year extension to December 31, 2008, to allow for completion of construction. The permit, as amended, authorizes the following activities associated with construction of the Presque Isle Downs horseracing facility south of I-90 east of SR 97:

1. To fill a total of 8.61 acres of 24 nonexceptional value wetland areas. Project includes the creation of a total of 10.56 acres of replacement wetlands at five areas within the project site.

2. To construct and maintain a prefabricated steel truss bridge having three 116.67-foot spans and a maximum underclearance of 23 feet across Walnut Creek (WWF-MF) approximately 3,000 feet upstream of SR 97.

3. To construct and maintain a prefabricated steel truss bridge having two 125-foot spans and a maximum underclearance of 15 feet across Walnut Creek approximately 4,800 feet upstream of SR 97.

4. To impact a total of approximately 11,808 feet of tributaries to Walnut Creek and elimination of approximately 12.1 acres of floodplain storage as a result of grading and fills associated with site construction, stormwater detention and wetland replacement. Approximately 1,576 feet of new open channel will be created near the north end of the site as part of the relocation of a tributary to Walnut Creek, restoration of approximately 1.79 acres of previously impacted floodplain of Walnut Creek, excavation to provide 11.8 acres of additional floodplain storage and construction of stream bank enhancement at 9 locations along Walnut Creek.

5. To construct and maintain a 352.9-foot long Con Span concrete arch stream enclosure having a single span of 20 feet and a rise of 6 feet in the relocated tributary to Walnut Creek approximately 780 feet upstream of its mouth.

6. To construct and maintain a 248.6-foot long Con Span concrete arch stream enclosure having a single span of 20 feet and a rise of 6 feet in the relocated tributary to Walnut Creek approximately 175 feet downstream of the existing railroad line.

7. To modify and maintain the existing 50-foot long, 60-inch diameter steel culvert in a tributary to Walnut Creek on Footemill Road approximately 750 feet north of Robison Road.

8. To construct and maintain five stormwater outfalls to Walnut Creek and adjoining wetlands.

9. To fill an approximately 0.58 acre manmade pond at the northern end of the site.

10. To install and maintain sanitary sewer and water lines across Walnut Creek attached to the northern bridge.

To install and maintain a sanitary sewer line across a tributary to Walnut Creek on the southern end of the site.

E37-171, Lawrence County Economic Development Corporation, 100 East Reynolds Street, New Castle, PA 16101. Millennium Technology Park, Phase I, in Neshannock Township, **Lawrence County**, ACOE Pittsburgh District (Edinburg, PA Quadrangle N: 41°, 02', 10"; W: 80°, 23', 45").

To conduct the following activities associated with construction of Millennium Technology Park, Phase I, a "ready-to-build" industrial park to attract future industrial/manufacturing users and tenants located south of Kings Chapel Road between SR 60 and the Shenango River on the former Lawrence County Sportsmen's Club property:

1. Fill a total of 0.51 acre of five wetland areas.

2. Fill a 7.5-acre lake under a plan for remediation of lead contamination caused by the former shooting range activities.

3. Impact approximately 871 feet of a tributary to Shenango River having a contributory drainage area of less than 100 acres. The tributary flows into the 7.5-acre lake.

4. To remove and restore approximately 700 feet of the existing Kings Chapel Road from the 100-year floodway of the Shenango River as part of the realignment of Kings Chapel Road.

The project proposes the creation of 1.08 acres of replacement wetland onsite.

E62-408, KCS Energy, Inc., P. O. Box 187, Warren, PA 16365. Warren County SGL 29, in Watson Township, Warren County, ACOE Pittsburgh District (Warren, PA Quadrangle N: 0.1 inch; W: 14.0 inches).

The applicant proposes to install 14,930 feet of 4-inch diameter plastic natural gas pipeline to transport natural gas from well locations to a collection and transport facility in State Game Lands No. 29 approximately 2.7 miles SE of the intersection of SR 3005 and Lenhart

Road involving the crossing of Wildcat Run (Warren, PA Quadrangle N: 0.1 inch; W: 14.0 inches), Slater Run (Warren, PA Quadrangle N: 2.4 inches; W: 14.3 inches) and PEM wetlands on the right and left of the Wildcat Run crossing for a length of approximately 125 feet and 80 feet respectively. Wildcat Run and Slater Run are perennial streams classified as Exceptional Value. The wetlands adjacent to Wildcat Run are classified as Exceptional Value. The project proposes to directly impact approximately 40 linear feet of stream and to temporarily impact 0.05 acre of PEM wetlands.

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0061263	Wheelabrator Frackville Energy Company, Inc. 475 Morea Road Frackville, PA 17931	Schuylkill County Mahanoy Township	Mill Creek CWF 3A	Y

Mass Limits for Chromium and Zinc were added to this final permit as published on December 10, 2005.

<i>NPDES No. Type</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0033553 (Sewage)	Melvin Weaver Gehman's Mennonite School 650 Gehman School Road Denver, PA 17517-8921	Lancaster County Brecknock Township	Muddy Run 7-J	Y
PA0087131 (Sewage)	Northern Lancaster County Authority Gehman School Road Pump Station 983 Beam Road Denver, PA 17517	Lancaster County Brecknock Township	Little Muddy Creek 7-J	Y
PA0081523 (Sewage)	Mohammad Dowlut Blair Chalet R. R. 1 Box 379 Hollidaysburg PA 16648-9516	Blair County Blair Township	Frankstown Branch 11-A	Y
PA0014621 (Industrial Waste)	Art Saunders United Water Pennsylvania 4211 East Park Drive Harrisburg, PA 17111-0151	Dauphin County Susquehanna Township	Susquehanna River 7-C	Y
PA0082651 (Sewage)	Scott Foster Landisburg Municipal Authority 202 East Main Street P. O. Box 213 Landisburg, PA 17040	Perry County Tyrone Township	Mountour Creek 7-A	Y
PA0088323 (Industrial Waste)	Robert Chip Haley Ontelaunee Power Operating Company, LLC 5115 Pottsville Pike Reading, PA 19605	Berks County Ontelaunee Township	Schuylkill River 3-C	Y
PA0088536 (Sewage)	Camp Hebron Harlan A. Millette 957 Camp Hebron Road Halifax, PA 17032-9520	Dauphin County Halifax Township	Powell Creek 6-C	Y
PA0080501 (Sewage)	Tuscarora School District Thomas Stapleford 118 East Seminary Street Mercersburg, PA 17236	Franklin County Montgomery Township	UNT West Branch Conococheague Creek 13-C	Y
PA0086215 (Sewage)	Peifer Brothers Jay Peifer P. O. Box 550 Elizabethtown, PA 17022	York County Lower Windsor Township	UNT Cabin Creek 7-F	Y
PA0083712 (Industrial Waste)	Bear Valley Franklin County Pennsylvania Joint Authority P. O. Box 308 St. Thomas, PA 17252-0308	Franklin County St. Thomas Township	Broad Run 13-C	Y
PAR10M215-R	Green Valley Estates Preston Bellows Creekridge II, LLC 2082 Lincoln Way East Chambersburg, PA 17201	Franklin County Greene Township	Conococheague Creek CWF	Y

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0113433	Lanny Fetterman Residence Small Flow Treatment Facility 2074 Old Reading Road Catawissa, PA 17820	Columbia County Roaring Creek Township	UNT to Roaring Creek (SWP 5E)	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0004685 Industrial Waste	Penna Flame Industries 1856 Route 588 Zelienople, PA 16063-9724	Beaver County Franklin Township	Tributary of Connoquenessing Creek	Y
PA0217077 Industrial Waste	Almac Machine Company, Inc. 205 Morgan Place Johnstown, PA 15907	City of Johnstown Cambria County	Little Conemaugh River	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0032727	Department of Transportation P. O. Box 3060 Harrisburg, PA 17105-3060	Irwin Township Venango County	UNT to East Branch of Wolf Creek 20-C	Y
PA0032778	Department of Transportation P. O. Box 3060 Harrisburg, PA 17105-3060	Irwin Township Venango County	UNT to Scrubgrass Creek 16-G	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No. PA00563651, Industrial Waste, **Johnson Matthey Inc.** 1401 King Road, West Chester, PA 19380-1467. This proposed facility is located in West Whiteland Township, **Chester County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge from a groundwater remediation system (Outfall 001) and stormwater (Outfall 002) into the East Branch Brandywine Creek in Watershed 3H.

NPDES Permit No. PA0053970, Sewage, **Martins Community, LP**, 25 Randy Lane, Cochranville, PA 19330. This proposed facility is located in West Nottingham Township, **Chester County**.

Description of Proposed Action/Activity: Approval for the renewal and transfer to discharge treated sewage from Martins Mobile Home Village STP into a UNT to Northeast Creek.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0247961, Industrial Waste, Anthony Madison, **HPE Extrusion Solutions**, 20 North Front Street, Bally, PA 19503. This proposed facility is located in Bally Borough, **Berks County**.

Description of Proposed Action/Activity: Authorization to discharge to UNT West Branch Perkiomen Creek in Watershed 3-E.

NPDES Permit No. PA0248002, CAFO, John Hess, **Jobo Holstein Farms, LLC**, 200 Tall Oaks Road, Gettysburg, PA 17325. This proposed facility is located in Mt. Pleasant Township, **Lancaster County**.

Description of Size and Scope of Proposed Operation/Activity: Authorization to operate a 1,548-AEU dairy operation.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

PA0040312, Sewage, **Mount Pleasant Township Municipal Authority**, Box 158, Poker Road, Mammoth, PA 15664. This proposed facility is located in Mt. Pleasant Township, **Westmoreland County**.

Description of Proposed Action/Activity: Proposed new sewage treatment rated at 0.33 mgd for discharge to receiving waters known as Sewickley Creek.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. 4605409, Sewerage, **Upper Moreland-Hatboro Joint Sewer Authority**, P. O. Box 535, 2875 Terwood Road, Willow Grove, PA 19090. This proposed facility is located in Upper Moreland Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a 20" ductile iron sewer pipe and modifications or installation of three manholes to existing sewer interceptor.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 3806402, Sewerage, Barry Batz, **Northern Lebanon County Authority**, P. O. Box 434, Jonestown, PA 17038. This proposed facility is located in Swatara Township, **Lebanon County**.

Description of Proposed Action/Activity: Approval of the construction/operation of sewage facilities consisting of an 80-gallon per minute (0.1152 mgd) duplex suction lift pump and approximately 2,340 linear feet of 4-inch diameter epoxy lined ductile iron force main, Blatt Subdivision Pump Station.

WQM Permit No. 2105406, Sewerage, Steve Campbell, **Hampden Township Sewer Authority**, 230 South Sporting Hill Road, Mechanicsburg, PA 17055. This proposed facility is located in Hampden Township, **Cumberland County**.

Description of Proposed Action/Activity: Approval of the construction/operation of sewerage facilities consisting of improvements and expansion of Pump Stations Nos. 11, 12 and 15.

WQM Permit No. 0506401, Sewerage, **Jay and Heather Kauffman**, 2395 Dunkard Hollow Road, Alum Bank, PA 15521. This proposed facility is located in West St. Clair Township, **Bedford County**.

Description of Proposed Action/Activity: Approval of the construction/operation of a small flow sewage treatment system to serve their single family residence.

WQM Permit No. 3105401, Sewerage, **Hopewell Township**, R. D. 1, Box 95, James Creek, PA 16657. This proposed facility is located in Hopewell Township, **Huntingdon County**.

Description of Proposed Action/Activity: Approval of the construction/operation of sewerage facilities consisting of conventional gravity collection system, related appurtenances and a pumping station in Puttstown area of the township to serve 59 EDUs. Wastewater will be conveyed through the existing collection system to Liberty Township, Bedford County to the Saxton Borough treatment plant.

WQM Permit No. WQG02360602, Sewerage, **Leola Sewer Authority**, 115 Newport Road, Leola, PA 17540. This proposed facility is located in Upper Leacock Township, **Lancaster County**.

Description of Proposed Action/Activity: Approval of the construction/operation of sewage facilities consisting of a 0.0112 mgd low pressure pump station equipped with dual submersible centrifugal grinder pumps and 2-inch force main.

WQM Permit No. 0705401, Sewerage, **Northern Blair County Regional Sewer Authority**, R. R. 4, Box 236-A, Tyrone, PA 16686. This proposed facility is located in Antis Township, **Blair County**.

Description of Proposed Action/Activity: Approval of the construction/operation of sewerage facilities consisting of the Pinecroft Interchange Pump Station.

WQM Permit No. 0106201, CAFO, John Hess, **Jobo Holstein Farms, LLC**, 200 Tall Oak Road, Gettysburg, PA 17325. This proposed facility is located in Mount Pleasant Township, **Adams County**.

Description of Proposed Action/Activity: Approval of the construction/operation of manure storage facility consisting of one new HDPE-lines manure storage facility with top dimensions of 310 feet long by 310 feet wide and a maximum depth of 14 feet. The impoundment will have approximately 7.9 million gallons of total storage capacity and 6.85 million gallons of storage capacity with 2 feet of freeboard.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. 1705409, Sewerage, **Burnside Borough Council**, P. O. Box 208, Burnside, PA 15721. This proposed facility is located in Burnside Borough, **Clearfield County**.

Description of Proposed Action/Activity: The permit issuance covers the construction and operation of a collection system and an extended aeration treatment facility. The collection system will serve 120 EDUs and be comprised of 13,000 linear feet of gravity sewer main, 6,000 linear feet of pressure sewer, 3,000 linear feet of force main and a wastewater pump station. The 0.040 mgd wastewater treatment facility will include a sewage grinder in the headworks with a bypass barscreen, a surge tank, extended aeration tanks, clarifiers, ultraviolet disinfection and post-aeration.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. WQG016120, Sewerage, **Benjamin and Brandi Morrison**, P. O. Box 96, Champion, PA 15622. This proposed facility is located in Saltlick Township, **Fayette County**.

Description of Proposed Action/Activity: Permit issuance for the construction and operation of a single residence sewage treatment plant.

WQM Permit No. WQG026103, Sewerage, **Burrell Township Sewer Authority**, 4345 Park Drive, Black Lick, PA 15716. This proposed facility is located in Burrell Township, **Indiana County**.

Description of Proposed Action/Activity: Permit issuance for the construction and operation of a pump station and force main to municipal sewers to service student housing.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. WQG018455, Sewerage, **Donald E. Petak**, 110 Avalon Drive, Bedford, OH 44146. This proposed facility is located in Conneaut Township, **Crawford County**.

Description of Proposed Action/Activity: a single residence sewage treatment plant.

IV. NPDES Stormwater Discharges from MS4 Permit Actions**V. NPDES Waiver Stormwater Discharges from MS4 Actions****VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions**

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011506009	Education Carousel, Inc. The Malvern School 20 Creek Road Glen Mills, PA 19342	Chester	Willistown Township	Crum Creek (HQ)
PAI012304006	Sposata-Rayer Builders, Inc. Old Forge Road Subdivision 114 Black Bass Lane-West Media, PA 19063	Delaware	Middletown Township	Rocky Run (HQ-CWF-MF)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI032105012	Classic Communities 2151 Linglestown Road, Suite 300 Harrisburg, PA 17110	Cumberland	Hampden Township	Trindle Spring Run HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Single Residence Sewage Treatment Plants
PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

General Permit Type—PAG-02

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Sadsbury Township Chester County	PAG2001505096	JYF Partners Lafayette Square Development P. O. Box 10 Sadsburyville, PA 19369	Buck Run (TSF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
City of Philadelphia Philadelphia County	PAG2015105050	Wigard Development, LLC Valley Green Mews Development P. O. Box 315 Plymouth Meeting, PA 19462	Wissahickon Creek (TSF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Lansford Borough Carbon County	PAG2001306003	Borough of Lansford 26 E. Patterson Street P. O. Box 126 Lansford, PA 18232	Panther Creek CWF	Carbon County Cons. Dist. (610) 377-4894
South Abington Township Lackawanna County	PAG2003504011	Michael Noto P. O. Box 716 Waverly, PA 18471	Summit Lake Creek TSF	Lackawanna County Cons. Dist. (570) 281-9495
West Brunswick Township Schuylkill County	PAG2005405004	Forino Company, LP 555 Mountain Home Road Sinking Spring, PA 19608	Mahannon Creek CWF and Pine Creek CWF	Schuylkill County Cons. Dist. (570) 622-3742
Olyphant Borough Lackawanna County	PAG2003506003	Robert Naegele 1610 Forest Acre Drive Clarks Summit, PA 18411	Lackawanna River CWF	Lackawanna County Cons. Dist. (570) 281-9495
Lower Mt. Bethel Township Northampton County	PAG2004806006	PPL Interstate Co. 214 Shoemaker Rd. Pottstown, PA 19464	Delaware River WWF, MF	Northampton County Cons. Dist. (610) 746-1971
Near McCoysville Tuscarora Township Juniata County	PAG2003406002	Brian K. Ford R. R. 1 Box 420 Honey Grove, PA 17035	UNT to McKinley Run CWF	Juniata County Conservation District R. R. 5 Box 35 Stoney Creek Road Mifflintown, PA 17059 (717) 436-8953
Saint Thomas Township Franklin County	PAG20028030511	Random Oaks Phase 2 Harry Fox 600 Cold Springs Road Dillsburg PA 17109	Back Creek CWF	Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5
Greene Township Franklin County	PAG2002805088	Longview Subdivision Ray Rachuba Rachuba Land LLC 946-a Manmich Court Eldersburg MD 21784	Conococheague Creek CWF	Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5
Washington Township Franklin County	PAG2002806015	K & M DriLoy Masonry David Kirkpatrick 13590 Scott Road Waynesboro PA 17268	West Branch Antietam CWF	Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5
Chambersburg Borough Franklin County	PAG2002806015	Brian Soyka 5700 Sixth Ave. Altoona PA 16002	Conococheague Creek CWF	Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5

NOTICES

2053

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Antrim Township Franklin County	PAG2002806018	Patricia Valentine 3010 Buchanan Trail West Greencastle PA 17225	UNT to Conococheague Creek CWF	Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5
Montgomery Township Franklin County	PAG2002806010	Milton Stamper Milton Stamper Builders 313 East Wilson Blvd. Suite 1 Hagerstown MD 21740	West Branch of Conococheague Creek CWF	Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5
Quincy Township Franklin County	PAG2002806028	Mong Subdivision Richard O. Mong, Jr. 9944 Five Forks Road Waynesboro PA 17244	UNT to Five Forks Creek CWF	Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5
Huntington Township Adams County	PAG2000105018	Dr. William Shoemaker Bermudian Springs School District 7335 Carlisle Pike York Springs, PA 17372	Mud Run WWF	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 (717) 334-0636
Gettysburg Borough Adams County	PAG2000106001	Paul K. Hoover Kennie's Market, Inc. 217 W. Middle St. Gettysburg, PA 17325	Stevens Run to Rock Creek WWF	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 (717) 334-0636
Reading Township Adams County	PAG2000105024	Lavere A. Stump 1396 Fish and Game Road East Berlin, PA 17316	Tributaries to Red Run WWF	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 (717) 334-0636
Oxford Township Adams County	PAG2000105028	Reuben Ness 180 Brickyard Road New Oxford, PA 17350	Tributary to Pine Run WWF	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 (717) 334-0636
East Providence Township Bedford County	PAG2030506004	Carl E. Dallmeyer 4775 N. Sherman St. Extended, Unit 1 Mount Wolf, PA 17347-9713	UNT to Shaffer Creek WWF	Bedford County Conservation District 702 W. Pitt St. Suite 4 Bedford, PA 15522 (814) 623-7900
Allegheny County Leetsdale Borough	PAR10A032 R	Chapman Properties 100 Leetsdale Industrial Drive Leetsdale, PA 15056	Ohio River WWF	Allegheny County CD (412) 241-7645
Allegheny County Marshall Township	PAG2000206001	Wilmar Group 451 Browns Lane Pittsburgh, PA 15237	Brush Creek WWF	Allegheny County CD (412) 241-7645
Allegheny County Elizabeth Township	PAG2000206002	REM Development 1625 Lincoln Way White Oak, PA 15131	Youghiogheny River WWF	Allegheny County CD (412) 241-7645

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Allegheny County Bethel Park	PAG2000206003	Hillcrest Christian Academy 2500 Bethel Church Road Bethel Park, PA 15102	Saw Mill Run WWF	Allegheny County CD (412) 241-7645
Allegheny County Penn Hills Boro	PAG2000206007	Municipality of Penn Hills 12245 Frankstown Road Pittsburgh, PA 15235	Thompson Run WWF	Allegheny County CD (412) 241-7645
Allegheny County Duquesne	PAG2000206009	City of Duquesne 12 South Second Street Duquesne, PA 15110	Monongahela River WWF	Allegheny County CD (412) 241-7645
Allegheny County Bethel Park	PAG2000206013	Oakbrooke Muse, LP P. O. Box 10360 300 Weyman plaza Pittsburgh, PA 15234	Piney Fork WWF	Allegheny County CD (412) 241-7645
Allegheny County Franklin Park	PAG2000206036	New Heights Church of God 2580 Wexford Bayne Road Sewickley, PA 15143	Kilbuck Run WWF	Allegheny County CD (412) 241-7645
Allegheny County North Fayette Township	PAG2000206037	George J. Wagner, Jr. P. O. Box 419 Sturgeon, PA 15082	Robinson Run WWF	Allegheny County CD (412) 241-7645
Greene County Franklin Township	PAG2003006002	County of Greene 93 East High Street Waynesburg, PA 15370-1839	Laurel Run WWF	Greene County CD (724) 852-5278
Greene County Cumberland Township	PAG2003006005	Wellington Dev., WVDT, LLC 1620 Locust Avenue Fairmont, WV 26554	Monongahela River and Peg's Run WWF	Greene County CD (724) 852-5278
Indiana County Indiana Borough	PAG2003206005	Donna Putt Indiana University of Pennsylvania Sutton Hall Room 103 1011 South Drive Indiana, PA 15705	Stoney Run CWF	Indiana County CD (724) 463-8547
Washington County South Strabane Township	PAG2006306010	Ryan Cronk The Foundry at South Strabane, LLC 5252 East 82nd Street Suite 300 Indianapolis, IN 46250	Tributary of Chartiers Creek WWF	Washington County CD (724) 228-6774
Crawford County Conneautville Borough	PAG2002006003	Conneautville Borough P. O. Box 288 Conneautville, PA 16406	Conneaut Creek and UNT WWF-MF	Crawford Conservation District (814) 763-5269
Erie County Millcreek Township	PAG2002506005	Tom Montagna 1132 West 54th Street Erie, PA 16509	Walnut Creek CWF, MF	Erie Conservation District (814) 825-6403
McKean County Bradford Township	PAG2064206002	Bradford City Water Authority 28 Kennedy Street Bradford, PA 16701-2006	Marilla Brook CWF	Dept. of Environmental Protection 230 Chestnut Street Meadville, PA 16335
Mercer County City of Hermitage	PAG2004306002	Marcia Hirschmann City of Hermitage 800 N. Hermitage Road Hermitage, PA 16148	UNT Golden Run WWF	Mercer Conservation District (724) 662-2242

*General Permit Type—PAG-3**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Horsham Township Montgomery County	PAR800068	United Parcel Service Inc. 700 Blair Mill Road Horsham, PA 19044	Pennypack Creek 3J Watershed	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5970
Lansdale Borough Montgomery County	PAR600063	Mattero Brothers d/b/a Joe Mattero Recycling 316 W. 7th Street Philadelphia, PA 19446	West Branch of Neshaminy Creek 2F Watershed	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5970
Bristol Township Bucks County	PAR900003	Exelon Generation Co., LLC 955 River Road Bristol, PA 19201	Delaware River 2E Watershed	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5970
West Goshen Township Chester County	PAR800065	United Parcel Service, Inc. 1200 Ward Ave. West Chester, PA 19380	UNT to Chester Creek 3G Watershed	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5970
New Garden Township Chester County	PAR600068	Blittersdorf Inc. 1019 Newark Road Toughkenamon, PA 19374	UNT to White Clay Creek 3I Watershed	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5970
Venango Township Erie County	PAR148302	International Paper Uniflow Center Room D 1525 East Lake Road Erie, PA 16511	UNT to French Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-4**Facility Location*

<i>County & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Fayette County Saltlick Township	PAG046317	Benjamin and Brandi Morrison P. O. Box 96 Champion, PA 15622	Wash Run	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Conneaut Township Crawford County	PAG049244	Donald E. Petak 110 Avalon Drive Bedford, OH 44146	UNT to Linesville Creek 20-A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
East Mead Crawford County	PAG048416	Paul M. Mercier 26143 North Frenchtown Road Guys Mills, PA 16327-1131	UNT to Little Sugar Creek 16-D	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-8 (SSN)**Facility Location:
Municipality &
County**Permit No.**Applicant Name &
Address**Site Name &
Location**Contact Office &
Phone No.*Adams County
Reading TownshipPAG080002
PAG080003
PAG080004
PAG080006
PAG080008
PAG082201
PAG082203
PAG083501
PAG083502
PAG083506
PAG083515
PAG083517
PAG083518
PAG083522
PAG083535
PAG083540
PAG083542
PAG083547
PAG083551
PAG083556
PAG083565
PAG083596
PAG083825
PAG089903
PAG089904
PAG089905Synagro Mid Atlantic
P. O. Box B
1605 Dooley Road
Whiteford, MD 21160

Ed Carson Farm

DEP—SCRO
909 Elmerton Avenue
Harrisburg, PA
17110-8200
(717) 705-4707Franklin County
Quincy Township

PAG083590

Mont Alto Municipal
Authority
3 North Main Street
Mont Alto, PA 17237Mont Alto Municipal
Authority FarmDEP—SCRO
909 Elmerton Avenue
Harrisburg, PA
17110-8200
(717) 705-4707Berks County
Heidelberg and
Lower Heidelberg
TownshipsPAG080002
PAG080003
PAG080004
PAG080006
PAG080008
PAG082201
PAG082203
PAG083501
PAG083502
PAG083506
PAG083515
PAG083517
PAG083518
PAG083522
PAG083535
PAG083540
PAG083542
PAG083547
PAG083551
PAG083556
PAG083596
PAG083825
PAG089903
PAG089904
PAG089905SYNAGRO
1605 Dooley Road
P. O. Box B
Whiteford, MD 21160

Larry Gelsinger Farm

DEP—SCRO
909 Elmerton Avenue
Harrisburg, PA
17110-8200
(717) 705-4707

General Permit Type—PAG-9

<i>Facility Location & County/Municipality Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Derry Township Westmoreland County PAG096117	John S. Pavlik 900 Livermore Road Blairsville, PA 15717	John S. Pavlik Sanitation	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000

General Permit Type—PAG-9 (SSN)

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Fulton County Ayr Township	PAG093547	Jim Chestnut 327 Chestnut Farm Lane McConnellsburg, PA 17233	Chestnut Farm	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707

PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act.

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Operations Permit issued to the **Borough of Sellersville**, 140 East Church Street, Sellersville, PA

18960, (PWS ID 1090062) West Rockhill Township, **Bucks County** on April 12, 2006, for the operation of facilities approved under construction Permit No 0905502, for the Filtration Plant Renovation.

Operations Permit issued to the Sellersville Borough Municipal Authority, 140 East Church Street, Sellersville, PA 18960, (PWS ID 1090062) West Rockhill Township, **Bucks County** on April 12, 2006, for the operation of facilities approved under construction Permit No. 0905510, for installation of a sodium hypochlorite disinfection system on Well No. 1.

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 3480015, Public Water Supply.

Applicant	Hickory Hills Mobil Home Court Moore Township Northampton County
Responsible Official	Donald Evans, Community Manager Hickory Hills Mobil Home Court 121 Hickory Hills Drive Bath, PA 18014
Type of Facility	Community Water System
Permit Issuance Date	April 17, 2006
Description of Action	PWS permit issued for operation of backup treatment facilities constructed under permit No. 4899502, issued February 17, 2000.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 3805501 MA, Minor Amendment, Public Water Supply.

Applicant	West Lebanon Township
Municipality	West Lebanon Township
County	Lebanon

Type of Facility Construction of a new 300,000 gallon storage tank to replace the existing inground tank, Improvements to wellhouse No. 2 and relocation of the interconnection with the City of Lebanon. The UER was submitted on 3-28-2006 and approved.

Consulting Engineer Angelo A. Tesoriero, P. E.
GeoSource Engineers
7 Winter Drive
Dillsburg, PA 17019-9550

Permit to Construct Issued: 3/31/2006

Permit No. 0605526MA, Minor Amendment, Public Water Supply.

Applicant **Wissahickon Spring Water**

Municipality Hamburg Borough

County **Berks**

Type of Facility Move bottling plant from Kutztown to Hamburg.

Consulting Engineer Gary Kribbs
AEON Geoscience, Inc.
2120 Bellemead Ave.
Havertown, PA 19083

Permit to Construct Issued: 4/14/2006

Operations Permit issued to the **North Middleton Authority**, 7210049, North Middleton Township, **Cumberland County** on 4/10/2006 for the operation of facilities approved under Construction Permit No. 2105509 MA.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Operations Permit issued to the Ohiopyle Borough, P. O. Box 83, Ohiopyle, PA 15470, (PWS ID 5260015), Ohiopyle Borough, **Fayette County** on April 17, 2006, for the operation of facilities approved under Construction Permit No. 465W009-A2.

Operations Permit issued to the **Southwestern Pennsylvania Water Authority**, P. O. Box 187, 1442 Jefferson Road, Jefferson, PA 15344, (PWS ID 5300017), German and Washington Townships, **Fayette and Greene Counties** on April 17, 2006, for the operation of facilities approved under Construction Permit No. 3002501.

Operations Permit issued to the **Southwestern Pennsylvania Water Authority**, P. O. Box 187, 1442 Jefferson Road, Jefferson, PA 15344, (PWS ID 5300017), Washington Township, **Greene County** on April 17, 2006, for the operation of facilities approved under Construction Permit No. 3004501.

Permit No. 0406501MA, Minor Amendment. Public Water Supply.

Applicant **Municipal Authority of the Township of North Sewickley**

Borough or Township North Sewickley Township

County **Beaver**

Type of Facility Wisers Grove water storage tank

Consulting Engineer US Engineering, LLC
75 Jardin Circle
Highland, IL 62249

Permit to Construct Issued: March 7, 2006

WATER ALLOCATIONS

Applications received under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

WA 21-419B, Water Allocations. Newville Borough Water & Sewer Authority, Cumberland County. Withdrawal a maximum of 500,000 gpd from either Big Spring Creek or Cool Spring, or a combination of the two sources. Consulting Engineer: Janet R McNally, P. E., William F. Hill & Assoc., Inc.. Permit Issued: 4/3/2006.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20a)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Plan Location: The Estates At Coldwater Crossings, Phase II

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Upper Macungie Township	Upper Macungie Township Municipal Building Thomas C. Gorr Township Secretary 8330 Schantz Road Breinigsville, PA 18031	Lehigh

Plan Description: The approved plan provides for a 124 lot single-family residential subdivision on 126 acres of a 154.8 acre tract with proposed sewage flows of 45,650 gpd. A proposed pump station and force main will serve the 124 lots of Phase II and has been sized to accommodate sewage flows from 42 offsite homes from another proposed subdivision. This Planning Approval pertains only to the 124 lots of The Estates At Coldwater Crossings, Phase II. Separate Planning Approval will be required for the offsite homes. The Phase II force main will connect to Manhole CWC-26 located in the Phase I Section of Coldwater Crossings. The 8" PVC Gravity Sewer in Phase I connects into the Lehigh County Authority Western Lehigh Interceptor at Manhole U-41. The City of Allentown will provide wastewater treatment facilities for the project. A General Permit has been obtained from the Department of Environmental Protection to allow the work in the wetlands associated with the sanitary sewer connection to the Lehigh County Interceptor. Lehigh County Authority will provide public water to the project. The proposed development is located on Brookdale Road, Upper Macungie Township, Lehigh County. Required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
North Middleton Township.	2051 Spring Road Carlisle, PA 17013	Cumberland

Plan Description: The approved plan provides for a Small Flow Treatment Facility (SFTF) of 500 gpd to serve the proposed new residence on the existing A. C. Kuhn property at Lot 1—Kendor Summit. The proposed SFTF will discharge to the Conodoguinet Creek. The SFTF is the interim method of sewage disposal until public sewers are available. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
East Cocalico Township	100 Hill Road Denver, PA 17517	Lancaster County

Plan Description: The approved plan provides for extension of sewer service to the Woodcrest Retreat Camp. A total of 10,514 gpd of sewage will be tributary to a private collection system and pump station owned by Woodcrest Retreat Assn. and then to the East Cocalico Township sewage collection system. Sewage will be treated at the Ephrata Borough wastewater treatment plant. The DEP code number for this plan is A3-36924-197-3 and the APS number is 552233. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required WQM Permits must be obtained in the name of the Woodcrest Retreat Association as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Antrim Township	P. O. Box 130 10655 Antrim Church Road Greencastle, PA 17225	Franklin County

Plan Description: The approved plan, in the name of Rochester Place, provides for 270 townhouse units using ATMA sewer with sewage flows of 108,000 gpd. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Required NPDES Permits or WQM Permits must be obtained in the name of the Authority.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Antrim Township	P. O. Box 130 10655 Antrim Church Road Greencastle, PA 17225	Franklin County

Plan Description: The approved plan, in the name of Heritage Estates West, provides for 209 single family residential dwellings, 73 duplex units and 162 townhouse units using ATMA sewer with sewage flows of 177,600 gpd. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Required NPDES Permits or WQM Permits must be obtained in the name of the Authority.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Galeton Borough	P. O. Box 222 Galeton, PA 16922	Potter

Plan Description: The approved plan provides for constructing new sanitary and storm sewers in the North Sewer Shed portion of Galeton Borough. Additionally a new pump station will be installed to divert flow to the new sewers and the existing CSO will be upgraded to facilitate solids removal. This construction will significantly reduce CSO discharges and I and I flow in the Borough's sewage facilities. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

HAZARDOUS SITES CLEAN-UP UNDER THE ACT OF OCTOBER 18, 1988

NOTICE OF PROMPT INTERIM RESPONSE

Intercourse TCE Site

Leacock Township, Lancaster County, PA

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA) (35 P.S. §§ 6020.101—6020.1305) has initiated a prompt interim response at the Intercourse TCE Site (Site). The prompt interim response has been initiated under sections 501(a) and 505(b) of the HSCA (35 P.S. §§ 6020.501(a) and 6020.505(b)).

The site is located in Leacock Township, Lancaster County. Groundwater serving a number of residential wells in the area of Intercourse is contaminated with trichloroethylene (TCE), a VOC. This residential area is located about 8 to 10 miles east of Lancaster City which is the nearest public water supply.

Department considered three alternatives:

1. *Institutional Controls:* The Department would use institutional controls to limit the use of groundwater. Individuals would be notified of the health risks for continued use of contaminated private water supplies. Institutional controls such as deed notices or deed restrictions would be placed on record that would alert new property owners, during property transactions, of the contaminated groundwater. Deed notices are attached to the deed to inform prospective property purchasers of the contamination present at the property. Deed restrictions placed on property deeds would restrict or limit future site activities to prevent human contact with contaminated groundwater, and place limitations on the use of groundwater without adequate treatment. This alternative would not remove the actual exposure of the residents to the hazardous substances in the groundwater and would not be protective of human health and the environment unless the individual property owners initiated measures to limit their exposure. This alternative would not comply with applicable or relevant and appropriate requirements (ARARs) for the site. The annual analytical cost for the groundwater monitoring in this alternative is \$4,000.

2. *Bottled Water:* This alternative provides for the Department to furnish commercial bottled water to the

impacted residences. Bottled water would be delivered regularly to each residence that has a water supply contaminated in excess of the MCL for TCE. This would effectively remove the risk posed by ingestion, but would not remove the risk posed by inhalation and dermal contact. This alternative would reduce the negative health impact of using the contaminated groundwater for private water supplies and thus provide an increase in protection of human health and the environment. The present cost of this alternative for the known 38 residential supplies that exceed the MCL for TCE, and do not have a treatment system, is approximately \$10,000 per year.

3. *Point-Of Use Water Treatment Units*: This alternative provides for the Department to install carbon treatment systems on the supply line of private wells that are contaminated. The Department will provide continuing laboratory monitoring of these systems and provide maintenance of these units until a final remedial decision for the site. This is not a permanent solution and would require continued actions by the Department to monitor and operate the units. The remedy would need to be continued until the Department completes an investigation of the area to determine the possible source of contamination and final remediation alternatives. The carbon treatment systems would effectively remove the risk posed by ingestion, inhalation and dermal contact. This alternative will be protective of human health and the environment. Initial installation of a carbon treatment system is estimated to cost \$3,670 per unit, currently 4 units. Annual carbon change out and UV light replacement is estimated at \$1,415. Sampling and analytical monitoring costs are estimated at \$1,040 a year per system.

The Department has selected Alternatives 2 and 3 as prompt interim responses. Alternative 2, Bottled Water, was initiated on February 1, 2006 for residences with water supply contamination levels greater than 5 ppb of TCE but less than 25 ppb. Bottled water delivery will continue until a more permanent solution is provided. Alternative 3, Point of Use Water Treatment Systems, will be provided for residences that have TCE levels greater than the inhalation risk numeric value of 25 ppb TCE in their water supply. These systems will be monitored and maintained by the Department until further notice.

The Department is providing this notice under sections 505(b) and 506(b) of the HSCA, and the publication of this notice in the *Pennsylvania Bulletin* starts the administrative record period under the HSCA. The administrative record which contains information about this site and which supports the Department's decision to perform this action at the site is available for public review and comment. The administrative record can be examined Monday through Friday from 8 a.m. to 4 p.m. at the Department's Southcentral Regional Office located at 909 Elmerton Avenue, Harrisburg, PA 17110, by contacting Crystal Snook at (717) 705-6645. The Administrative Record can also be reviewed at the Leacock Township Building, 3545 West Newport Road, Intercourse, PA, (717) 768-8585 from 8 a.m. to 4 p.m., Monday through Friday.

The administrative record will be open for comment from the date of publication of this notice in the *Pennsylvania Bulletin* on April 29, 2006, and will remain open for 90 days. Persons may submit written comments regarding this action to the Department before July 28, 2006, by mailing them to Crystal Snook at the DEP Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

The public will have an opportunity to present oral comments regarding the proposed action at a public hearing. The hearing has been scheduled for June 14, 2006, at 7 p.m. at the Leacock Township Building, 3545 West Newport Road, Intercourse, PA. Persons wishing to present formal oral comment at the hearing should register before 4 p.m., June 7, 2006, by calling Sandra Roderick at (717) 705-4703.

If no person registers to present oral comments, by June 7, 2006, the hearing will not be held, but will be replaced with an informational meeting. Persons interested in finding out if anyone has registered, and if the hearing will be held, should also contact Sandra Roderick at the number previously listed.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, should call Sandra Roderick at the previously listed number or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at

the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Harrelson Res., New Garden Township, **Chester County**. Richard D. Trimpi, Trimpi Assoc., Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of John Harrelson, 28 Chambers Rock Road, Landenberg, PA 19340 has submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Sheetz 38, City of Altoona, **Blair County**. Groundwater & Environmental Services, Inc. 6 Sheraton Drive, Suite 2, Altoona, PA 16601, on behalf of Sheetz, Inc., 5700 6th Avenue, Altoona, PA, 36334, submitted a Final Report concerning remediation of site soils and groundwater contaminated with compounds associated with unleaded gasoline. The report is intended to document remediation of the site to the Statewide Health Standard.

IFS Industries, former Prizer Painter Stove Works, Inc., City of Reading, **Berks County**. Golder Associates, Inc., 1951 Old Cuthbert Road, Suite 301, Cherry Hill, NJ 08034, on behalf of IFS Industries, Inc., 400 Orrton Avenue, Reading, PA 19603 and Prizer Painter Stove Works, Inc., 600 Arlington Street, Reading, PA 19603, submitted a Remedial Investigation Report and a Cleanup Plan concerning remediation of site soils and groundwater contaminated with metals, naphthalene and VOCs. The site will be remediated to a combination of Statewide Health and Site-Specific Standards.

Kohler Well Drilling, Hellam Borough, **York County**. GemChem, Inc. 53 North Cedar Street, P. O. Box 384, Lititz, PA 17543, on behalf of Eichelbergers, Inc., 107 Texaco Road, Mechanicsburg, PA 17050, submitted a Final Report concerning remediation of site soils contaminated with diesel fuel. The report was submitted within 90 days of the release and is intended to document remediation of the site to the Statewide Health Standard.

Mercer Paper Tube, Manchester Township, **York County**. EPSYS Corporation, 1414 North Cameron Street, Harrisburg, PA 17103, on behalf of The Newark Group, Inc., 20 Jackson Drive, Cranford, NJ, 07016, submitted a Final Report concerning remediation of site soils and groundwater contaminated with No. 2 heating oil. The report is intended to document remediation of the site to the Statewide Health Standard.

Adhesives Research, Springfield Township, **York County**. URS Corporation, 5010 Ritter Road, Suite 101, Mechanicsburg, PA 17055, on behalf of Adhesives Research, Inc., 400 Seaks Run Road, P. O. Box 100, Glen Rock, PA 17327, submitted a Final Report within 90 days of release concerning remediation of site soils contaminated with VOCs. The report is intended to document remediation of the site to the Statewide Health Standard.

Greg's Automotive Repair, Gettysburg Borough, **Adams County**. Alliance Environmental Services, Inc., 1820 Linglestown Road, PA 17110, on behalf of Greg's Automotive Repair, 500 York Street, Gettysburg, PA 17325, submitted a Remedial Investigation report con-

cerning remediation of site soil and groundwater contaminated with gasoline constituents. The report is intended to document remediation of the site to the Site Specific Standard.

Eatwell Diner—former, North Lebanon Township, **Lebanon County**. Alliance Environmental Services, Inc., 1820 Linglestown Road, PA 17110, on behalf of Hamdy Aboshusa, c/o Timothy Engler, Esq., Engler Law Office, 411 Cumberland Street, Lebanon, PA 17042, submitted a Final Report within 90 days of release concerning remediation of site soils and groundwater contaminated with No. 2 heating oil. The report is intended to document remediation of the site to the Statewide Health Standard.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Calumet Lubricants Rouseville Plant 1, Rouseville Borough, **Venango County**. Daniel Bremer, Rybricon Env. Consulting, 302 Seneca Street, 2nd Floor, Oil City, PA 16301 on behalf of Dan Chapman, Calumet Lubricants Co., 1884 Allegheny Ave., Reno, PA 16343 has submitted a Remedial Investigation Report/Risk Assessment Report concerning remediation of site soil and groundwater contaminated with diesel fuel, fuel oil, kerosene, lead, motor oil, polynuclear aromatic hydrocarbons and unleaded gasoline. The report is intended to document remediation of the site to meet the Site Specific Standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan

for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

380 and 382 North Hanover Street, Borough of Pottstown, **Montgomery County**. Jeremy Boly, Patriot Env. Mgmt., LLC, P. O. Box 629, Douglassville, PA 19518 on behalf of Ken Cusamano, 380 North Hanover St., Pottstown, PA 19464 and Robert Keim, 382 North Hanover St., Pottstown, PA 19464 has submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The report was submitted within 90-days of release-demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on March 21, 2006.

Smith Res., Willistown Township, **Chester County**. Richard D. Trimpi, Trimpi Assoc., Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of William Smith, 769 S. Warren Ave., Willistown, PA 19355, has submitted a Final Report concerning the remediation of site soil, groundwater and surface water contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on April 4, 2006.

Smith Prop., East Coventry Township, **Chester County**. Richard D. Trimpi, Trimpi Assoc., Inc., 1635 Old Plains Rd., Pennsburg, PA 18073 on behalf of Andrew Wright, Dtr. of Planning and Site Dev., Equitable Owners, The Nolen Group, 5051 1/2 Germantown Pike, Lafayette Hill, PA 19444 has submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on April 7, 2006.

Cavanugh-Patterson Funeral Home, Borough of Media **Montgomery County**. Joseph Diamadi, Jr., P. G. Marshall Geoscience, Inc., 170 East First Ave., Colledgeville, PA 19426 on behalf of Lee Cavanugh, 43 East Baltimore Avenue, Media, PA 19086 has submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The report was submitted within 90-days of release-demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on April 5, 2006.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Susquehanna Township School District-Middle School, Susquehanna Township, **Dauphin County**. Alliance Environmental Services, Inc., 1820 Linglestown Road, Harrisburg, PA 17110, on behalf of Susquehanna Township School District, 3550 Elmerton Avenue, Harrisburg, PA 17109, submitted a Final Report concerning remediation of site soils and groundwater contaminated with heating fuel oil. The final report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department on April 18, 2006.

HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

Draft permits issued, revised or withdrawn under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

PAD 003 025 418, BAE Systems, Ground Systems Division, P. O. Box 15512, York, PA 17045-1512, West Manchester Township, **York County**.

Draft Postclosure Permit revised on April 17, 2006

The Department of Environmental Protection (Department) is publishing a revised draft postclosure permit for BAE Systems, Ground Systems Division (formerly United Defense, LP). The postclosure permit includes maintenance provisions for the closed Lagoons 1-4 (a/k/a the MTR Landfill) and groundwater monitoring provisions for this hazardous waste disposal unit. The draft permit was originally issued for public comment on November 16, 1997. The draft permit has subsequently been revised to update a change in ownership and address, changes to the proposed postclosure groundwater monitoring system and to include financial assurance provisions for a RCRA Corrective Action permit modification issued by the United States Environmental Protection Agency on March 6, 2006.

Persons wishing to comment on the draft permit should submit comments to the Southcentral Regional Office within 45 days from the date of this public notice. Comments received within this 45-day period will be considered in the formulation of the final determination regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Regional Office of the exact basis of any comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 45-day comment period and/or public hearing, the Department will make a final determination regarding the proposed permit action. Notice of this action will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

39-302-182GP1: Allentown State Hospital (1600 Hanover Avenue, Allentown, PA 18109) on April 13, 2006, to construct and operate a Superior Boiler in Allentown, **Lehigh County**.

66-310-011GP3: Haines and Kibblehouse, Inc. (P. O. Box 196, 2052 Lucon Road, Skippack, PA 19474) on April 13, 2006, to construct and operate a portable stone crushing plant and associated air cleaning device in Falls Township, **Wyoming County**.

48-310-061GP3: Haines and Kibblehouse, Inc. (P. O. Box 196, 2052 Lucon Road, Skippack, PA 19474) on April 13, 2006, to construct and operate a Pegson portable stone crushing plant and associated air cleaning device at the ABE Materials facility in Lower Mount Bethel Township, **Northampton County**.

48-310-062GP3: Reading Materials, Inc. (P. O. Box 1467, Skippack, PA 19474) on April 13, 2006, to construct and operate a Nordberg portable stone crushing plant and associated air cleaning device at the ABE Materials facility in Lower Mount Bethel Township, **Northampton County**.

54-310-038GP3: Pennsy Supply, Inc. (1001 Paxton Street, Harrisburg, PA 17104) on April 13, 2006, to construct and operate a portable stone crushing plant and associated air cleaning device at the Summit Station facility in Wayne Township, **Schuylkill County**.

45-329-002GP9: Sanofi Pasteur, Inc. (Discovery Drive, Swiftwater, PA18370) to construct and operate of eight emergency generators in Pocono Township, **Monroe County**.

45-312-002GP2: Sanofi Pasteur, Inc. (Discovery Drive, Swiftwater, PA18370) to construct and operate a fuel oil storage tank in Pocono Township, **Monroe County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

GP1-07-03001: Altoona Area School District (2407 6th Avenue, Altoona, PA 16602) on April 10, 2006, for Small Gas and No. 2 oil fired combustion units under GP1 in City of Altoona, **Blair County**.

GP3-5-05-03010: New Enterprise Stone and Lime Co., Inc. (P. O. Box 77, New Enterprise, PA 16664) on April 10, 2006, for Portable Nonmetallic Mineral Processing Plants under GP3 in Snake Spring Township, **Bedford County**.

GP3-13-07-03014: New Enterprise Stone and Lime Co., Inc. (P. O. Box 77, New Enterprise, PA 16664) on April 10, 2006, for Portable Nonmetallic Mineral Processing Plants under GP3 in Taylor Township, **Blair County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

GP3-56-00011C: The New Enterprise Stone and Lime Co., Inc. (P. O. Box 77, New Enterprise, PA 16664) on April 11, 2006, to operate the following equipment under the provisions of General Permit No. 3, "Portable Nonmetallic Mineral Processing Plants": One Allis-Chalmers No. 3655 Crusher (700 tons/hr), One Barber-Greene Conveyor (700 tons/hr), and One Caterpillar No.

3508 Diesel Generator (1089 Bhp). This equipment will be at the Central City Sand Plant in Shade Township, **Somerset County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

GP-10-306: Universal Manufacturing Corp. (550 West New Castle Street, Zelienople, PA 16063) on April 6, 2006, for a burn off oven in Zelienople, **Butler County**.

Plan Approvals Issued under the Air Pollution Control Act and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.

46-0029B: Glasgow, Inc. (Route 309 and Hartman Road, Montgomeryville, PA 18936) on April 14, 2006, to operate a replace components/upgrades in Montgomery Township, **Montgomery County**.

23-0091A: Union Packaging, LLC (6250 Baltimore Ave, Yeadon, PA 19050) on April 14, 2006, to operate a flexographic printing press in Yeadon Borough, **Delaware County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

54-305-022: Wheelabrator Culm Services, Inc. (475 Morea Road, Frackville, PA 17931) on April 5, 2006, to construct an anthracite coal culm processing plant in Mahanoy Township, **Schuylkill County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

67-05004K: P. H. Glatfelter Co. (28 South Main Street, Spring Grove, PA 17362-1000) on April 10, 2006, to use calcium chloride as an antifreezing agent to railcar delivered coal during the months of January and February in Spring Grove Borough, **York County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

37-023D: Orion Power Midwest, LP—New Castle (2189 Street, Route 168 South, West Pittsburgh, PA 16160-0325) on April 7, 2006, to permanently install the selective noncatalytic reduction systems on Units 3—5 in Taylor Township, **Lawrence County**. This is a Title V facility.

42-178B: Glenn O. Hawbaker, Inc. (Turtlepoint Sid-ing, Turtlepoint, PA 16750) on April 12, 2006, to modify a plan approval to burn alternative fuels including Nos. 2, 5 and 6, reprocessed/recycled oil or biodiesel fuel at Glenn O. Hawbaker, Inc. Plant No. 7—Turtlepoint Asphalt in Annin Township, **McKean County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.

09-0122: Arkema Inc. (2000 Market Street, Philadelphia, PA 19103) on April 13, 2006, to operate a thermal oxidizer in Bristol Township, **Bucks County**.

09-0122A: Arkema Inc. (2000 Market Street, Philadelphia, PA 19103) on April 13, 2006, to operate a B66 thermal oxidizer in Bristol Township, **Bucks County**.

46-0035D: SmithKline Beecham d/b/a GlaxoSmith-Kline (1250 South Collegeville Road, Collegeville, PA 19426) on April 14, 2006, to operate an incinerator in Upper Merion Township, **Montgomery County**.

46-0220: Micro Coax Inc. (206 Jones Boulevard, Pottstown, PA 19464) on April 13, 2006, to operate two horizontal jennings extruders in Limerick Township, **Montgomery County**.

09-0061: Donaldson Company, Inc.—Tetratrec (85 Railroad Drive, Warminster, PA 18974) on April 14, 2006, to operate an extrusion line in Northampton Township, **Bucks County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

48-306-008D: Northampton Generating Co., LP (1 Horwith Drive, Northampton, PA 18067) on April 1, 2006, to modify a fluidized bed boiler to utilize alternate fuels in Northampton Borough, **Northampton County**. The Plan Approval has been extended.

48-328-003A: PPL Generation, LLC (Two North Ninth Street, Allentown, PA 18101) on April 3, 2006, to modify four combustion turbines at at Martins Creek SES, Lower Mount Bethel Township, **Northampton County**. The Plan Approval has been extended.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

31-05011C: U. S. Silica Co. (P. O. Box 187, Berkeley Springs, WV 25411) on April 14, 2006, to modify an existing fluid bed dryer to use additional fuels of Nos. 4 and 6 oil and recycled oil at their Mapleton Depot Plant in Brady Township, **Huntingdon County**. This plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

41-399-026: Penn Recycling, Inc. (2525 Trenton Avenue, Williamsport, PA 17701) on April 10, 2006, to operate an automobile/metal shredding system and associated air cleaning devices (a foam injection system and cyclone collector) on a temporary basis until August 8, 2006, in the City of Williamsport, **Lycoming County**. The plan approval has been extended.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

24-083E: Carbone of America—Graphite Materials Division (1032 Trout Run Road, St. Marys, PA 15857) on April 30, 2006, to install a scrubber in Benzinger Township, **Elk County**. This is a Title V facility.

24-083F: Carbone of America—Graphite Materials Division (1032 Trout Run Road, St. Marys, PA 15857) on April 30, 2006, to construct Carbon Baking Kiln No. 34 with a thermal oxidizer and connecting to an existing scrubber in Benzinger Township, **Elk County**. This is a Title V facility.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

04-00446: AES Beaver Valley, LLC (394 Frankfort Road, Monaca, PA 15061-2254) on March 8, 2006, for their cogeneration facility that sells electricity and steam to neighboring companies in Monaca, **Beaver County**. As a result of the potential levels of NO_x emitted from this facility, it is a major stationary source as defined in Title I, Part D of the Clean Air Amendments. The facility is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

24-00009: Weyerhaeuser Co. (100 Center Street, Johnsonburg, PA 15845) on April 4, 2006, to reissue their Title V Operating Permit to operate the paper plant in Johnsonburg Borough, **Elk County**. As a result of potential emissions of NO_x, the facility is a major source, and is therefore subject to Reasonable Available Control Technology. The issued renewal Title V Operating Permit does not reflect any changes in air emission from the facility. The facility is subject to Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. Two sources (boilers Nos. 6 and 7) at the facility are subject to Compliance Assurance Monitoring under 40 CFR Part 64.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

09-00004: Tolas Health Care Packaging (905 Pennsylvania Boulevard, Feasterville, PA 19053) on April 14, 2006, to operate two rotogravure presses, six lithographic presses and two cold degreasers to the facility Synthetic Minor Operating Permit in Lower Southampton Township, **Bucks County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

22-05034: Pennsy Supply, Inc. (1001 Paxton Street, Harrisburg, PA 17105) on April 12, 2006, for a hot mix batch asphalt plant at their facility in Hummelstown Quarry in South Hanover Township, **Dauphin County**. This operating permit was administratively amended to update the conditions for waste oil. This is revision No. 1.

22-05037: Pennsy Supply, Inc. (1001 Paxton Street, Harrisburg, PA 17105) on April 13, 2006, to operate an asphalt plant at their Paxton Street Asphalt Plant in the City of Harrisburg, **Dauphin County**. This operating permit was administratively amended to update the conditions for waste oil. This is revision No. 1.

28-05019: Valley Quarries, Inc. (169 Quarry Road, Chambersburg, PA 17201-9099) on April 12, 2006, to operate two asphalt plants at their Chambersburg facility in Guilford Township, **Franklin County**. This is a renewal of the State-only operating permit.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

41-00063: Ralph S. Alberts Co., Inc. (60 Choate Circle, Montoursville, PA 17754) on March 17, 2006, to issue a State-only operating permit for their polyurethane foam parts manufacturing facility in Fairfield Township, **Lycoming County**. The facility's main sources include a molded plastic parts surface coating operation consisting of five spray booths and one spray gun solvent cleaning sink. The State-only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

10-00028: II VI Inc.—Clinton Township (375 Saxonburg Blvd. Saxonburg, PA 16056) on April 4, 2006, to operate their optical instrument and lenses plant located in Clinton Township, **Butler County**.

25-00984: Harrison Machine Co. (3118 Station Road, Erie, PA 16510-6502) on April 11, 2006, to reissue a Natural Minor Operating Permit to operate a metal products fabrication and surface coating operation in Wesleyville Borough, **Erie County**.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

37-00302: Axion Battery Products, Inc. (3601 Clover Lane, New Castle, PA 16105) on April 11, 2006, to issue an administrative amendment to document the change of ownership from New Castle Battery Manufacturing Co. to Axion Power International Inc. in Neshannock Township,

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, (814) 472-1900.

Permit No. 11900106 and NPDES No. PA 0598909. Cloe Mining, Inc., P. O. Box I, Grampian, PA 16838, permit renewal for reclamation only of a bituminous surface auger mine in Barr and West Carroll Townships, **Cambria County**, affecting 196.5 acres. Receiving streams: Hoppel Run and UNTs to/and West Branch Susquehanna River, classified for the following uses: CWF and WWF. There are no potable water supply intakes within 10 miles downstream. Application received March 3, 2006. Permit issued: April 10, 2006.

Permit No. 11940201 and NPDES Permit No. 0212831. AMFIRE Mining Company LLC, One Energy Place, Latrobe, PA 15650, permit revision—land use change on InterPower-Alhcon Partners LP property from pastureland to unmanaged natural habitat in Adams Township, **Cambria County**, affecting 76.9 acres. Receiving streams: UNTs to South Fork of the Little Conemaugh River classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received on January 19, 2006. Permit issued: April 11, 2006.

Permit No. 32020106 and NPDES Permit No. 0249271. Britt Energies Inc., 2450 Philadelphia Street, Indiana, PA 15701, permit revision—land use change on Mystic Brooke Development LP property from Forestland to Pastureland in Center Township, **Indiana County**, affecting 114.4 acres. Receiving streams: UNTs to Yellow Creek and UNTs to Tearing Run classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received on January 26, 2006. Permit issued: April 11, 2006.

Greensburg District Mining Office: Armbrust Building, R. R. 2 Box 603-C, Greensburg, PA 15601-0982, (724) 925-5500.

03940111 and NPDES Permit No. PA0201138. Canterbury Coal Company (125 Old Farm Drive, Pittsburgh, PA 15239-2353). Permit renewal issued for continued reclamation only of a bituminous surface/auger mine located in Kiskiminetas Township, **Armstrong County**, affecting 88.4 acres. Receiving streams: UNTs to Roaring Run and Roaring Run. Application received on January 4, 2006. Reclamation only renewal issued on April 12, 2006.

26000201 and NPDES Permit No. PA0202801. Carbon Fuel Resources, Inc. (200 College Drive, Suite 300, Lemont Furnace, PA 15456). Permit renewal issued for continued operation and reclamation of a bituminous surface/coal refuse reprocessing mine located in German Township, **Fayette County**, affecting 73.7 acres. Receiving streams: UNT to Browns Run, Browns Run and the Monongahela River. Application received on January 19, 2006. Renewal issued on April 12, 2006.

65950111 and NPDES Permit No. PA0201511. M. B. Energy, Inc. (175 McKnight Road, Blairsville, PA 15717-7961). Permit renewal issued for continued operation and reclamation of a bituminous surface mine located in Derry Township, **Westmoreland County**, affecting 84.7 acres. Receiving streams: UNT to Miller Run to Loyalhanna Creek. Application received on February 1, 2006. Renewal issued on April 12, 2006.

03900110 and NPDES Permit No. PA0592404. State Industries, Inc. (P. O. Box 1022, Kittanning, PA 16201). Permit renewal issued for continued operation and reclamation of a bituminous surface/auger mine located in Boggs Township, **Armstrong County**, affecting 81.3 acres. Receiving streams: North Fork Pine Creek and

UNT to North Fork of Pine Creek to Allegheny River. Application received on March 16, 2006. Renewal issued on April 12, 2006.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

33950102 and NPDES Permit No. PA0226904. Leonard Yenzi (P. O. Box 62, Anita, PA 15711) Renewal of an existing bituminous strip operation in Knox Township, **Jefferson County** affecting 68.0 acres. This renewal is issued for reclamation only. Receiving stream: Sandy Lick Creek. Application received on December 27, 2005. Permit issued on April 7, 2006.

10803018 and NPDES Permit No. PA0126268. Western Hickory Coal Co., Inc. (R. R. 2, Box 2139, Wampum, PA 16157) Renewal of an existing bituminous strip, auger and coal ash placement operation in Venango Township, **Butler County** affecting 509.9 acres. This renewal is issued for reclamation only. Receiving streams: three UNTs of Seaton Creek and two UNTs to Little Scrubgrass Creek and Little Scrubgrass Creek. Application received on February 8, 2006. Permit issued on April 11, 2006.

24960101 and NPDES Permit No. PA0227170. Energy Resources, Inc. (P. O. Box 259, Brockway, PA 15824) Renewal of an existing bituminous strip and auger operation in Horton Township, **Elk County** affecting 235.0 acres. This renewal is issued for reclamation only. Receiving streams: four UNTs to Mead Run and Mead Run. Application received on November 2, 2005. Permit issued on April 12, 2006.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

17980122 and NPDES No. 0238155. Forcey Coal, Inc. (P. O. Box 225, Madera, PA 16661), renewal for reclamation only of a bituminous surface mine in Knox Township, **Clearfield County**, affecting 110.0 acres. Receiving streams: Pine Run and UNTs of Pine Run to Pine Run, Pine Run to Clearfield Creek, Clearfield Creek to West Branch Susquehanna River. Application received: April 6, 2006.

17950113 and NPDES No. PA0220159. Waroquier Coal Company (P. O. Box 128, Clearfield, PA 16830), permit renewal for the continued operation and restoration of a bituminous surface auger mine in Greenwood Township, **Clearfield County**, affecting 60.2 acres. Receiving streams: UNTs Nos. 1 and 2 to Watts Creek to Watts Creek to Clearfield Creek to West Branch of the Susquehanna River classified for the following use: HQF. Application received on January 25, 2006. Permit issued on April 6, 2006.

Noncoal Permits Actions

Knox District Mining Office: White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191.

37002803. S & S Processing, Inc. (P. O. Box 373, West Pittsburg, PA 16160) Transfer of an existing small noncoal operation from B. & P. Slag Co. in Pulaski Township, **Lawrence County** affecting 6.0 acres. Receiving streams: Shenango River. Application received on April 25, 2005. Permit Issued on April 6, 2006.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

08050802. Steven C. Tewell (R. R. 1, Box 102D, Sugar Run, PA 18846), commencement, operation and restoration of a small, noncoal (flagstone) surface mine in Wilmot Township, **Bradford County**, affecting 5.0 acres.

Receiving stream: none. Application received on January 13, 2005. Application withdrawn on April 19, 2006.

08060801. Gerald C. Sarnosky (R. R. 1, Box 91, Ulster, PA 18850), commencement, operation and restoration of a small, noncoal (bluestone) surface mine in Wilmot Township, **Bradford County**, affecting 5.0 acres. Receiving stream: Sugar Run, tributary to Susquehanna River. Application received on February 21, 2006. Permit issued: on April 5, 2006.

08000810. Donald E. Johnson, Jr. (R. R. 2, Box 48H, Wysox, PA 18854), transfer of an existing small, noncoal (bluestone) surface mine permit from Donald E. Johnson, Sr. (R. D. 2, Box 278, Towanda, PA 18848), in Warren Township, **Bradford County**, affecting 5.0 acres. Receiving streams: UNT to Wappasening Creek, Pendleton Creek. Application received March 25, 2005. Application returned: April 7, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

66050802. Shawn L. Adams (R. R. 1, Box 152, Sugar Run, PA 18846), commencement, operation and restoration of a quarry operation in Falls Township, **Wyoming County**, affecting 5.0 acres. Receiving stream: none. Application received on August 31, 2005. Permit issued on April 13, 2006.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (73 P.S. §§ 151–161) and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

24064001. Dirt Excavating (792 W. Songbird Road, Bradford, PA 16701). Blasting activity permit for the excavation of service roads for wells in Highland and Wetmore Townships, **Elk and McKean Counties**. This blasting activity permit will expire on April 10, 2007. Application received on April 5, 2006. Application issued on April 10, 2006.

20064002. Eugene C. Carpenter (36 Vaughn Street, Jackson, OH 45640). Blasting activity permit for seismic exploration in Springboro Borough and Cussewago Township, **Crawford County**. This blasting activity permit will expire on August 14, 2006. Application received on April 12, 2006. Application issued on April 14, 2006.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

59065001. Issued April 13, 2006. Application received April 13, 2006. The description of the project is Jackson 3D NY-PA 06-2001. The permit is located in Tioga, Lawrence and Jackson Townships, **Tioga County**. This permit expires July 1, 2006.

08064001. Demtech, Inc. (65 Bald Mountain Road, Dubois, WY 82513), construction blasting for Athens bridge replacement located in Athens Borough and Township, **Bradford County**. Application received April 7, 2006. Permit issued April 14, 2006 Permit expiration date is May 14, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

40064109. Hayduk Enterprises (P. O. Box 554, Dalton, PA 18414), construction blasting for Walgreens in Dallas Borough, **Luzerne County** with an expiration date of December 31, 2006. Permit issued April 10, 2006.

67064014. J. Roy's, Inc. (Box 125, Bowmansville, PA 17507), construction blasting at Thistle Downs Subdivision in West Manchester Township, **York County** with an expiration date of March 31, 2007. Permit issued April 12, 2006.

67064015. Abel Construction Company, Inc. (P. O. Box 476, Mountville, PA 17554), construction blasting at Rentzel Heights Phase I Subdivision in East Manchester Township, **York County** with an expiration date of March 31, 2007. Permit issued April 12, 2006.

67064016. J. Roy's, Inc. (Box 125, Bowmansville, PA 17507), construction blasting at Spring Meadows Subdivision in Manchester Township, **York County** with an expiration date of April 15, 2007. Permit issued April 12, 2006.

01064107. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting for Adams Commerce Center in Straban Township, **Adams County** with an expiration date of April 30, 2007. Permit issued April 12, 2007.

06064107. Schlouch, Inc. (P. O. Box 69, Blandon, PA 19510), construction blasting for Furnace Manor in Wernersville Borough, **Berks County** with an expiration date of January 1, 2007. Permit issued April 12, 2007.

15064110. Brubacher Excavating, Inc. (P. O. Box 528, Bowmansville, PA 17507), construction blasting for Schuylkill Elementary Center in Phoenixville Borough and Schuylkill Township, **Chester County** with an expiration date of December 31, 2007. Permit issued April 12, 2006.

21064122. Newville Construction Services, Inc. (408 Mohawk Road, Newville, PA 17241), construction blasting for a pool in Silver Spring Township, **Cumberland County** with an expiration date of April 1, 2007. Permit issued April 12, 2006.

35064104. Hayduk Enterprises (P. O. Box 554, Dalton, PA 18414), construction blasting for Summerfield Development in Glenburn Township, **Lackawanna County** with an expiration date of April 30, 2007. Permit issued April 12, 2006.

36064105. Warren's Excavating & Drilling, Inc. (P. O. Box 189, Bowmansville, PA 17507), construction blasting for a single dwelling in Paradise Township, **Lancaster County** with an expiration date of April 15, 2007. Permit issued April 12, 2006.

39064105. Hayduk Enterprises (P. O. Box 554, Dalton, PA 18414), construction blasting for Cedar Hill Cemetery in Hanover Township, **Lehigh County** with an expiration date of April 30, 2007. Permit issued April 12, 2006.

45064128. Hayduk Enterprises (P. O. Box 554, Dalton, PA 18414), construction blasting for Greenwood Acres in Tunkhannock Township, **Monroe County** with an expiration date of April 30, 2007. Permit issued April 12, 2006.

45064129. Austin Powder Company (25800 Science Park Drive, Cleveland, OH 44122), construction blasting for Columbia Pipeline Section 3 in Middle Smithfield Township, **Monroe County** and Dingman Township, **Pike County** with an expiration date of July 1, 2007. Permit issued April 12, 2006.

45064130. Explosive Services, Inc. (7 Pine Street, Bethany, PA 18431), construction blasting for Ivy Ridge in Smithfield Township, **Monroe County** with an expiration date of April 10, 2007. Permit issued April 12, 2006.

46064112. Austin Powder Company (25800 Science Park Drive, Cleveland, OH 44122), construction blasting for Conservatory at Perkiomen in Perkiomen Township, **Montgomery County** with an expiration date of April 10, 2007. Permit issued April 12, 2006.

52064112. Hayduk Enterprises (P. O. Box 554, Dalton, PA 18414), construction blasting for Hemlock Farms Development in Blooming Grove, Porter and Dingman Townships, **Pike County** with an expiration date of April 30, 2007. Permit issued April 12, 2006.

52064113. Hayduk Enterprises (P. O. Box 554, Dalton, PA 18414), construction blasting for Pocono Ranch Lands in Lehman Township, **Pike County** with an expiration date of April 30, 2007. Permit issued April 12, 2006.

67064114. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting for Chestnut Valley in East Manchester Township, **York County** with an expiration date April 30, 2007. Permit issued April 12, 2006.

45064131. Austin Powder Company (25800 Science Park Drive, Cleveland, OH 44122), construction blasting for Columbia Pipeline Section 3 in Middle Smithfield Township, **Monroe County** and Dingman Township, **Pike County** with an expiration date of July 1, 2007. Permit issued April 15, 2006.

46064113. Newville Construction Services, Inc. (408 Mohawk Road, Newville, PA 17241), construction blasting for Swamp Creek Sewer Project in New Hanover Township, **Montgomery County** with an expiration date of April 12, 2007. Permit issued April 15, 2006.

46064114. Austin Powder Company (25800 Science Park Drive, Cleveland, OH 44122), construction blasting for the Conservatory at Perkiomen in Perkiomen Township, **Montgomery County** with an expiration date of April 10, 2007. Permit issued April 15, 2006.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board

within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E36-904, Harry H. Bean, III, 404 Rome Road, Lititz, PA 17543 in Lititz Borough, Lancaster County, ACOE Baltimore District.

To maintain a 170-foot long and 38-inch high timber crib wall made of railroad ties at the left bank of Hubers Run (WWF) to restore the stream bank erosion located about 800 feet from its confluence with Santo Domingo Creek (Lititz, PA Quadrangle N: 6.41 inches; W: 6.25 inches) (Lat: 40°, 09', 37"; Long: 76°, 17', 41") in Lititz Borough, **Lancaster County**.

E06-551, George Moyer, 231 Frystown Road, Myerstown, PA 17067, Bethel Township, **Berks County**, ACOE Baltimore District Office.

To excavate and fill a 0.35 acre complex of emergent and scrub/shrub wetlands and 220 lineal feet of a UNT to Little Swatara Creek (CWF) for the purpose of constructing a fire protection pond. The permit also authorizes the construction and maintenance of a 15-inch permanent outfall structure with a 12-foot by 16-foot rock apron from the pond to a UNT to Little Swatara Creek (CWF). The project is located on the north side of Frystown Road (SR 4002) about 0.89 mile east of its intersection with SR 0645 (Bethel, PA Quadrangle; N: 14.33 inches, W: 9.66 inches; Latitude: 40° 27' 14", Longitude: 76° 19' 10") in Bethel Township, Berks County. To compensate for wetland impacts, the permittee will construct 0.35 acre of replacement wetlands adjacent to the existing wetlands and proposed pond.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1516. Allegheny County Public Works, 501 County Office Building, 542 Forbes Avenue, Pittsburgh, PA 15219. To construct an arch bridge in West Deer Township, **Allegheny County**, Pittsburgh ACOE District. (New Kensington West, PA Quadrangle N: 21.5 inches; W: 11.7 inches and Latitude: 40° 37' 16.5"—Longitude: 79° 50' 02.5"). To remove the existing structure, construct and maintain a 36 foot by 7.5 foot conspan arch bridge; approximately 100 feet long; to reconstruct approximately 220 feet of the channel on the upstream side of the new bridge; to reconstruct approximately 180 feet of the channel on the downstream side of the new bridge and to construct and maintain various outfalls to Little Deer Creek (TSF). The bridge (Little Deer Creek Bridge No. 6) is located on McKrell Road near its intersection with Little Deer Creek. The total proposed project impacts will be 500 feet of Little Deer Creek.

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504 and 6021.1101—6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Land Recycling and Waste Management, Director, P. O. Box 8763, Harrisburg, PA 17105-8763.

SSIP Permit No.	Applicant Name & Address	County	Municipality	Tank Type	Tank Capacity
06-61-005	Heath Oil, Inc. P. O. Box 1128 Oil City, PA 16301 Attn: Richard Fisher	Venango	Barkeyville Borough	One existing AST to regulated use storing gasoline	292,900 gallons
06-42-002	American Refining Group, Inc. 77 N. Kendall Ave. Bradford, PA 16701 Attn: Steve Sherk	McKean	Bradford City	Four ASTs storing diesel fuel and new oil	1,639,723 gallons total capacity

SPECIAL NOTICES

Catergorical Exclusion

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701

Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Elkland Borough	105 Parkhurst St. Elkland, PA 16920	Tioga

Description: The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is intended to be the funding source for this project. The Borough of Elkland proposes to replace sewers on Ellison Road in conjunction with the Department of Transportation's bridge replacement. This work will require realignment of the existing sewers. The Department of Environmental Protection's (Department) review of the project and the information received has not identified any significant, adverse environmental impacts resulting from this proposal. The Department has categorically excluded this project from the State Environmental Review Process.

Notice of Public Hearing For NPDES Permit No. PAI025406002

The Department of Environmental Protection (Department) will hold a public hearing to accept comments on individual NPDES Permit Application No. PAI025406002 for discharge of stormwater from construction activities at the proposed Penske Truck Leasing land development project in Cass Township, Schuylkill County.

The public hearing will be conducted on Wednesday, June 7, 2006, at 7 p.m. in the Department's Pottsville District Office, 5 West Laurel Boulevard, Pottsville, PA 17901, by the Department of Environmental Protection, Watershed Management Program, Permitting and Technical Services Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511. The hearing is in response to an application submitted by Penske Truck Leasing. The NPDES permit application proposes the discharge of stormwater from construction activities to Dyer Run.

The Department requests that individuals wishing to testify at the hearing submit a written notice of intent to Penske Truck Leasing Public Hearing, Department of Environmental Protection, Watershed Management Program, Permitting and Technical Services Section, 2 Public Square, Wilkes-Barre, PA 18711-0790. The Department will accept notices up to the day of the hearing. The Department requests that individuals limit their testimony to 10 minutes so that all individuals have the opportunity to testify. The Department can only review comments made with regard to NPDES Permit Application No. PAI025406002. Written copies of oral testimony are requested. Relinquishing of time to others will not be allowed. Individuals attending the hearing will have the opportunity to testify if they so desire; however, individuals who preregister to testify will be given priority on the agenda.

Persons with a disability who wish to testify and require an auxiliary aid, service or other accommodation should contact Christine Domashinski, (570) 826-2511 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department can meet their needs.

The NPDES permit application is available for review at the Department's Northeast Regional Office in Wilkes-Barre. Contact the Records Management Section at (570) 826-2511 to schedule an appointment to review the application. The permit application is also available for review at the Schuylkill County Conservation District offices, (570) 622-3742.

For further information, contact Mark Carmon, Northeast Regional Office, (570) 826-2511.

Catergorical Exclusion

West Providence Township Municipal Authority, 83 East Fifth Avenue, Everett, PA 15537.

The Pennsylvania Infrastructure Investment Authority which administers the Commonwealth's State Revolving Fund is intended to be the funding source for this project. The Authority's proposed project involves replacement of the existing sewers in the township. The Department of Environmental Protection's review of the project and the information received has not identified any significant adverse environmental impact resulting from this proposal. The Department hereby categorically excludes this project from the State Environmental Review Process.

[Pa.B. Doc. No. 06-711. Filed for public inspection April 28, 2006, 9:00 a.m.]

Acceptance of Applications for New or Innovative Water/Wastewater Technology Grants Through the Growing Greener Program

As part of the Department of Environmental Protection's (Department) Growing Greener Program, applications are now being accepted for New or Innovative Water/Wastewater Technology Grants. The Environmental Stewardship and Watershed Protection Act, 27 Pa.C.S. §§ 6101—6113, authorizes the Department to make these grants available to municipalities, municipal authorities, counties and school districts that are making improvements to existing drinking water or sewage treatment facilities using new or innovative technology. Grants for individual projects will be available up to \$500,000 under this program. Preference will be given to the following new or innovative projects:

- Cost-effective treatment of groundwater under the direct influence of surface water that promotes virus inactivation rather than removal.
- Holistic approaches to treatment of drinking water for arsenic.
- Water reuse and water conservation technologies, consistent with applicable Department guidelines.
- Nutrient reduction technologies, particularly biOMEMBRANE technologies, in watersheds where nutrient removal has been identified by the Department as a priority (see the 2004 Pennsylvania Integrated Water Quality Monitoring and Assessment Report, available for viewing on the Department's website at www.depweb.state.pa.us (DEP Keywords: "Water Quality Standards").

The deadline for submitting grant applications to the Department's Growing Greener Grants Center is June 30, 2006. The grant application form is available electronically on the Department's website at www.depweb.state.pa.us (Select "Forms and Publications" and "Water Standards and Facility Regulation"). The form number

and name are: 3800-FM-WSFR0271, Application for Growing Greener Grant Assistance New or Innovative Water/Wastewater Technology.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-712. Filed for public inspection April 28, 2006, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) website at www.depweb.state.pa.us (DEP Keywords: Technical Guidance). The "Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

The Department will continue to revise its nonregulatory documents, as necessary, throughout 2006.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Final Technical Guidance:

DEP ID: 361-0100-003. Title: Water Quality Toxics Management Strategy. Description: This guidance provides for a coordinated and consistent Statewide process for dealing with the United States Environmental Protection Agency priority pollutants with known or suspected toxic impacts under the National Pollutant Discharge Elimination System permit program. It is based upon the Department's Toxics Management Policy statement as contained in 25 Pa. Code Chapter 16 (relating to water quality toxics management strategy—statement of policy). Notice of availability of the draft of this document was published at 35 Pa.B. 2355 (April 16, 2005), with provision for a 30-day public comment period. The Department did not receive any comments from the public on the draft of this technical guidance. Contact: Tom Starosta, Bureau of Water Standards and Facility Regulation, Rachel Carson State Office Building, P. O. Box 8774, Harrisburg, PA 17105-8774; (717) 787-4317; tstarosta@state.pa.us. Effective Date: April 29, 2006

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-713. Filed for public inspection April 28, 2006, 9:00 a.m.]

Draft Pennsylvania Stormwater Best Management Practices Manual; Public Meetings

At 36 Pa.B. 1797 (April 15, 2006), the Department of Environmental Protection (Department) published a notice of availability for draft technical guidance document #363-0300-002: Pennsylvania Stormwater Best Management Practices Manual (Draft Manual). The Department will hold four public meetings concerning the Draft Manual. At these meetings, the Department will also provide a general overview of a proposed draft Stormwater Management Model Ordinance (Draft Ordinance), which it expects to publish for public comment in the *Pennsylvania Bulletin* in the near future. These meetings will be information sessions to inform the public about the Draft Manual and Draft Ordinance and how the documents relate to one another to promote coordinated stormwater management. These public meetings will not be public hearings nor will they provide the public with opportunities to provide testimony. The public meetings are scheduled as follows:

Allegheny County, Tuesday, May 2, 2006

Ross Township Municipal Building, 1000 Ross Municipal Drive, Pittsburgh, PA 15237. The 1 p.m.—4 p.m. meeting will be held in the gymnasium. The 6 p.m.—9 p.m. meeting will be held in the Commissioner's meeting room. Driving directions can be found on the Ross Township website, www.ross.pa.us/administration/communctr.htm.

Dauphin County, Thursday, May 4, 2006

Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105. Both the 1 p.m.—4 p.m. and 6 p.m.—9 p.m. meetings will be held in the second floor auditorium. Driving directions can be found on the Department's website, www.depweb.state.pa.us/dep/cwp/view.asp?a=3&q=474491.

Lehigh County, Monday, May 8, 2006

Lehigh Carbon Community College, Schnecksville Campus (Main Campus), 4525 Education Park Drive, Schnecksville, PA 18078. Both the 1 p.m.—4 p.m. and 6 p.m.—9 p.m. meetings will be held in Room 8113/8115 of the Administration Building. Driving directions can be found on the Lehigh Carbon Community College website, www.lccc.edu/default.aspx?pageid=58.

Montgomery County, Thursday, June 1, 2006

DEP Southeast Regional Office, 2 East Main Street, Norristown, PA 19401. Both the 1 p.m.—4 p.m. and 6 p.m.—9 p.m. meetings will be held in the Delaware River conference room. Driving directions can be found on the Department's Southeast Regional Office website, www.depweb.state.pa.us/southeastro/site/default.asp.

The purpose of the Draft Manual is to establish recommended guidance for stormwater management utilizing best management practices in this Commonwealth. Due to the increased need to improve water quality and protect water resources through improved stormwater runoff management, the Draft Manual will provide the planning concepts and design standards to guide local and state governments, planners, land developers, contractors and others involved with planning, designing, reviewing, approving and constructing land development projects in meeting those needs. The Department is accepting comments on the Draft Manual until June 14, 2006. See 36 Pa.B. 1797.

Questions concerning the meetings can be directed to the Bureau of Watershed Management, Division of Water-

ways, Wetlands and Stormwater Management, P. O. Box 8775, Harrisburg, PA 17105-8775, (717) 787-6827. An electronic copy of the Draft Manual is located on the Department's website at www.depweb.state.pa.us (DEP Keywords: Stormwater Management; select "Announcements"; and then select "Draft PA Stormwater Best Management Practices Manual—(363-0300-002)")."

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-714. Filed for public inspection April 28, 2006, 9:00 a.m.]

Various Ozone Transport Region Measures under Consideration by the Ozone Transport Commission and the Mid-Atlantic/Northeast Visibility Union; Public Meetings

The Department of Environmental Protection (Department) is holding three public meetings regarding control measures under consideration for adoption by the Ozone Transport Commission (Commission). These meetings will be held at 10 a.m. as follows:

- May 22, 2006 Department of Environmental Protection
Rachel Carson State Office Building
Room 105
Market Street
Harrisburg, PA 17105
- May 23, 2006 Department of Environmental Protection
Southwest Regional Office, Waterfront
A & B
400 Waterfront Drive
Pittsburgh, PA 15222
- May 25, 2006 Department of Environmental Protection
Southeast Regional Office, Library
2nd Floor
2 East Main Street
Norristown, PA 19401

At the meetings, Department staff will review the control measures, answer questions on them and seek public input. These meetings are being held consistent with the requirements of section 7.4 of the Air Pollution Control Act (35 P.S. § 4007.4). At the June 6, 2006, meeting of the Commission, the Environmental Commissioners of the Ozone Transport Region (OTR) jurisdictions are scheduled to vote on a number of action items and recommendations for additional programs to be considered by the OTR jurisdictions for implementation to reduce ground-level ozone and its precursors.

Specific action items for follow up and/or to be voted on by the Commissioners are:

1. Authorizing the Chair of the Commission to send a letter to the United States Environmental Protection Agency (EPA) urging EPA's adoption of rulemaking to require small engine manufacturers to meet the most stringent technically and economically feasible emission reduction control measures.
2. Directing Commission executive staff to work with staff from Commission jurisdictions to develop revisions to the Commission Consumer Products model rule.
3. Directing Commission executive staff to work with staff from Commission jurisdictions to develop revisions to the Commission Architectural and Industrial Maintenance (AIM) Coatings model rule.

4. Directing Commission executive staff to work with staff from Commission jurisdictions to develop a model rule that mandates the installation and maintenance of software (chip reflashing) to correct the defeat device option on certain heavy-duty diesel engines.

In addition, the Commissioners have directed the Commission executive staff to work with staff from Commission jurisdictions to advance air quality modeling efforts to ensure that the control strategy modeling for 2009 reflects the appropriate level of emission reductions from a number of control measures under consideration for model rule development. The candidate control measures include reducing emissions from the following source categories:

1. AIM Coatings.
2. Asphalt Paving.
3. Asphalt Production Plants.
4. Auto Refinish Coatings.
5. Consumer Products, including Portable Fuel Containers.
6. Diesel Truck Chip Reflash.
7. Electrical Generating Units.
8. EGU Peaking Units.
9. Glass Furnaces.
10. Lime Kilns.
11. Cement Plants.
12. Industrial, Commercial and Institutional Boilers.
13. Municipal Waste Combustors.
14. Refineries.
15. A Regional Motor Fuel based on Reformulated Gasoline Options.
16. A Regional Distillate Fuel Sulfur Content Limit of 500 parts per million.

The Department is requesting comments regarding the four specific action items scheduled for consideration and the proposed inclusion in regional ozone air quality modeling of anticipated emission reductions from the 16 candidate control measures.

In addition to the importance of these potential control strategies for the reduction of ozone, the strategies are being evaluated by the Mid-Atlantic/Northeast Visibility Union (MANE-VU). The Department is also requesting comment on the implementation of the potential strategies to address the sulfate, nitrate and organic components of regional haze.

Written comments should be sent by May 30, 2006, to J. Wick Havens, Chief, Division of Air Resource Management, Bureau of Air Quality, P. O. Box 8468, Harrisburg, PA 17105-8468, jhavens@state.pa.us. The Department will review and consider all written comments prior to voting on any mechanism that would commit the Commonwealth to adopt and implement these control strategies.

Persons with a disability who wish to attend a meeting and require an auxiliary aid, service or other accommodation to participate in the meeting should contact Connie Cross at (717) 787-9498 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Information regarding the action items may be found at: www.otcair.org/document.asp?fview=meeting#.

Information regarding the 16 candidate control strategies proposed for inclusion in regional ozone air quality modeling may be found at: www.otcair.org/projects_details.asp?FID=93&fview=stationary

The Commission is a multistate organization created under the Federal Clean Air Act. The Commission is responsible for advising the EPA on transport issues and for developing and implementing regional solutions to the ground-level ozone problem in the Northeast and Mid-Atlantic regions. The Commonwealth is a member of the Commission.

MANE-VU was formed by the Mid-Atlantic and Northeastern states, tribes and Federal agencies to coordinate regional haze planning activities for the region and to encourage a coordinated approach to meeting the requirements of the EPA's regional haze rules and reducing visibility impairment in major National parks and wilderness areas in the Northeast and Mid-Atlantic region.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-715. Filed for public inspection April 28, 2006, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Federal Poverty Income Guidelines for 2006

The Department of Public Welfare (Department) announces the implementation in this Commonwealth of the 2006 Federal Poverty Income Guidelines (FPIGs) which were issued by the Department of Health and Human Services and published at 71 FR 3848 (January 24, 2006).

The FPIGs are the basis for the income eligibility limits for several categories of Medicaid whose regulations are published in 55 Pa. Code (relating to public welfare) and administered by the Department. These categories include Healthy Beginnings for Pregnant Women and Qualified Children (55 Pa. Code Chapter 140, Subchapter A), Healthy Horizons for the Elderly and Disabled (55 Pa. Code Chapter 140, Subchapter B) and Extended Medical Coverage under Categorically Needy TANF-Related Categories (55 Pa. Code Chapter 140, Subchapter C).

The percentages for the Medicaid categories of Healthy Beginnings and Healthy Horizons are set forth as follows:

These percentages apply as follows:

Healthy Beginnings—

- a. 185% for pregnant women and infants up to 1 year of age.
- b. 133% for children age 1 through 5 years of age.
- c. 100% for children age 6 and older.

Healthy Horizons—

- a. 100% for persons eligible for the categorically needy and Medicare cost-sharing benefits.
- b. 120% for persons eligible for the Specified Low-Income Medicare Beneficiaries and Medically Needy Only benefits.
- c. 135% for persons eligible for the Qualifying Individuals Beneficiaries benefits.

(There are different resource limits for each of these programs.)

<i>Persons</i>	<i>100% of FPIG</i>		<i>120% of FPIG</i>		<i>133% of FPIG</i>		<i>135% of FPIG</i>	
	<i>Month</i>	<i>Annual</i>	<i>Month</i>	<i>Annual</i>	<i>Month</i>	<i>Annual</i>	<i>Month</i>	<i>Annual</i>
1	\$817	\$9,800	\$980	\$11,760	\$1,087	\$13,034	\$1,103	\$13,230
2	\$1,100	\$13,200	\$1,320	\$15,840	\$1,463	\$17,556	\$1,485	\$17,820
3	\$1,384	\$16,600	\$1,660	\$19,920	\$1,840	\$22,078	\$1,868	\$22,410
4	\$1,667	\$20,000	\$2,000	\$24,000	\$2,217	\$26,600	\$2,250	\$27,000
5	\$1,950	\$23,400	\$2,340	\$28,080	\$2,594	\$31,122	\$2,633	\$31,590
6	\$2,234	\$26,800	\$2,680	\$32,160	\$2,971	\$35,644	\$3,015	\$36,180
7	\$2,517	\$30,200	\$3,020	\$36,240	\$3,348	\$40,166	\$3,398	\$40,770
8	\$2,800	\$33,600	\$3,360	\$40,320	\$3,724	\$44,688	\$3,780	\$45,360
Each Additional Person	\$284	\$3,400	\$340	\$4,080	\$377	\$4,522	\$383	\$4,590

Persons	185% of FPIG		200% of FPIG		235% of FPIG		250% of FPIG	
	Month	Annual	Month	Annual	Month	Annual	Month	Annual
1	\$1,511	\$18,130	\$1,634	\$19,600	\$1,920	\$23,030	\$2,042	\$24,500
2	\$2,035	\$24,420	\$2,200	\$26,400	\$2,585	\$31,020	\$2,750	\$33,000
3	\$2,560	\$30,710	\$2,767	\$33,200	\$3,251	\$39,010		
4	\$3,084	\$37,000	\$3,334	\$40,000	\$3,917	\$47,000		
5	\$3,608	\$43,290	\$3,900	\$46,800	\$4,583	\$54,990		
6	\$4,132	\$49,580	\$4,467	\$53,600	\$5,249	\$62,980		
7	\$4,656	\$55,870	\$5,034	\$60,400	\$5,915	\$70,970		
8	\$5,180	\$62,160	\$5,600	\$67,200	\$6,580	\$78,960		
Each Additional Person	\$525	\$6,290	\$567	\$6,800	\$666	\$7,990		

Additional information on the programs is available at the county assistance offices.

This notice shall take effect upon publication in the *Pennsylvania Bulletin* and apply retroactively to January 24, 2006.

Public Comments

Interested persons are invited to submit written comments regarding this notice to the Department of Public Welfare, Office of Income Maintenance, Edward J. Zogby, Director, Bureau of Policy, Room 431 Health and Welfare Building, Harrisburg, PA 17120, (717) 787-4081. Comments received within 30-calendar days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ESTELLE B. RICHMAN,
Secretary

Fiscal Note: 14-NOT-469. No fiscal impact; (8) recommends adoption.

Annex A

TITLE 55. PUBLIC WELFARE

PART II. PUBLIC ASSISTANCE MANUAL

Subpart C. ELIGIBILITY REQUIREMENTS

CHAPTER 140. SPECIAL MA ELIGIBILITY PROVISIONS

Subchapter C. ELIGIBILITY PROVISIONS

FOR EMC UNDER THE CATEGORICALLY NEEDY PROGRAM FOR AFDC/AFDC-U RELATED CATEGORIES

APPENDIX A

EXTENDED MEDICAL COVERAGE (EMC) MONTHLY INCOME LIMITS

185% OF THE 2006 FEDERAL POVERTY INCOME GUIDELINES

<i>Family Size</i>	<i>185% of the Federal Poverty Income Guidelines</i>
1	\$1,511
2	\$2,035
3	\$2,560
4	\$3,084
5	\$3,608
6	\$4,132
7	\$4,656
8	\$5,180
Each Additional Person	\$525

[Pa.B. Doc. No. 06-716. Filed for public inspection April 28, 2006, 9:00 a.m.]

2005 Group Two Exception Requests—Additional Request; Medical Assistance Long-Term Care Participation Review

The purpose of this notice is to add an exception request to the 2005 Group Two Exception Requests.

On August 29, 2005, Beverly Health and Rehabilitation Services wrote to the Department of Public Welfare (Department) requesting to add nursing facility beds to their Blue Ridge Mountain facility in Dauphin County.

The letter was received in the Division of Long-Term Care Client Services on September 19, 2005, but was not provided to the Participation Review Unit until late January, 2006.

Based on the original date of receipt by the Division of Long-Term Care Client Services, this request meets the time frame for inclusion in the 2005 Group Two review group covering the submission period of July 1, 2005, through December 31, 2005, and is being added to the 2005 Group Two Exception Request public notice published at 36 Pa.B. 1017 (February 25, 2006).

Expansion Projects

<i>Number</i>	<i>Facility</i>	<i>Address</i>	<i>County</i>	<i>Beds</i>
JD05002	Beverly Healthcare— Blue Ridge Mountain	3625 North Progress Avenue Harrisburg, PA 17110	Dauphin	56

A copy of the previously listed exception request is available for review during the 30-day comment period. The public may review the request during regular business hours. To schedule an appointment to review a request, call (717) 705-3705.

Public Comment

Interested persons are invited to submit written comments regarding this notice within 30 days of this publication. Comments should be sent to the Department of Public Welfare, Bureau of LTC Programs, Attention: Policy Section, P. O. Box 2675, Harrisburg, PA 17105.

Persons with a disability may use the AT&T Relay Service by calling (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ESTELLE B. RICHMAN,
Secretary

Fiscal Note: 14-NOT-470. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 06-717. Filed for public inspection April 28, 2006, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Contemplated Sale of Land and Improvements No Longer Needed for Transportation Purposes

The Department of Transportation (Department), under section 2003(e)(7) of The Administrative Code of 1929 (71 P. S. § 513(e)(7)), intends to sell certain land owned by the Department.

The following is a property available for sale by the Department:

Eldred Township, Jefferson County. The parcel contains 16,117.20 square feet of improved land situated at the northeast corner of Route 36 and Route 949, Sigel, PA 15860 and is further identified as Tax Map Number 09-001-0300. The estimated fair market value is \$46,000.

Interested public entities are invited to express their interest in purchasing the site within 30 calendar days from the date of publication of this notice to Larry Williams Real Estate Specialists, Department of Trans-

portation Engineering District 10-0, 2550 Oakland Avenue, P. O. Box 429, Indiana, PA 15701.

ALLEN D. BIEHLER, P. E.,
Secretary

[Pa.B. Doc. No. 06-718. Filed for public inspection April 28, 2006, 9:00 a.m.]

Finding

Susquehanna County

Under the provisions section 2002(b) of The Administrative Code (71 P. S. § 512(b)), the Deputy Secretary for Highway Administration makes the following written finding:

The Department of Transportation (Department) plans to construct SR 7407, Section BRG, the T-691, Shaughnessy Bridge Replacement Project in Susquehanna County.

The purpose of this bridge replacement project is to improve the safety and efficiency of the Shaughnessy Road Bridge (also known as Little Meadows Borough Bridge No. 1) to maintain local travel patterns. The existing bridge has a 6-ton weight restriction, and a deck width of 14.2 feet restricting the safe and adequate movement of various vehicle types that include emergency response vehicles, school buses and delivery trucks.

The proposed action is to replace the existing one-lane bridge that carries T-691, Shaughnessy Road, over Apalachin Creek in Little Meadows Borough in Susquehanna County. Structure Replacement Alternative, the preferred alternative, proposes to replace the existing bridge with a two-lane, prestressed concrete box beam bridge superstructure and concrete substructure at the existing location. The replacement bridge will be 56.4 feet long and 24 feet wide with minor grade adjustments to the roadway approaches. Also included in this project are 3-R roadway improvements between the bridge and SR 0858 for a distance of approximately 1,000 feet.

Alternatives were evaluated as required by section 2002 of The Administrative Code. The Structure Replacement Alternative has been identified as the alternative that satisfies the purpose and needs associated with this project and best balance impacts to the socio-economic, cultural and natural environment in the study area. The Structure Replacement Alternative will require the demolition of the Little Meadows Borough Bridge No. 1, a

Section 2002 resource determined eligible for listing on the National Register of Historic Places. Under section 106 of the National Historic Preservation Act, it has been determined that the construction of the Structure Replacement Alternative will have an Adverse Effect on this Section 2002 resource. A Memorandum of Agreement (MOA) has been executed between the Federal Highway Administration and the State Historic Preservation Officer and concurred with by the Department of Transportation and the Susquehanna County Historical Society. Mitigation measures stipulated in the MOA include photographic documentation of the bridge and marketing the bridge for reuse.

The Acting Deputy Secretary for Highway Administration has considered the environmental, economic, social and other effects of the proposed project as enumerated in section 2002 of The Administrative Code, and have concluded that there is no feasible and prudent alternative to the project as designed, and all reasonable steps have been taken to minimize the effect.

RICHARD H. HOGG, P. E.,
*Acting Deputy Secretary for
Highway Administration*

[Pa.B. Doc. No. 06-719. Filed for public inspection April 28, 2006, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meeting Schedule

The following meetings of the Health Care Cost Containment Council (Council) have been scheduled: Wednesday, May 3, 2006, Data Systems Committee meeting—10 a.m., Education committee meeting—1 p.m.; Thursday, May 4, 2006, Council meeting—10 a.m. The meetings will be held in the conference room at the Council Office, 225 Market Street, Suite 400, Harrisburg, PA 17101. The public is invited to attend. Persons who need accommodation due to a disability and want to attend the meetings should contact Choric Filias, Health Care Cost Containment Council, 225 Market Street, Harrisburg, PA 17101, or call (717) 232-6787 at least 24 hours in advance so that arrangements can be made.

MARC P. VOLAVKA,
Executive Director

[Pa.B. Doc. No. 06-720. Filed for public inspection April 28, 2006, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market St., 14th Floor, Harrisburg at 10:30 a.m. Note that the time and date of the meeting are tentative and interested parties are encouraged to contact the Commission at (717) 783-5417 or www.irrc.state.pa.us to confirm that information. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy.

Final-Form

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
4-82	Department of Community and Economic Development Manufactured Housing Improvement Program	4/13/06	5/18/06
16A-5412	State Board of Pharmacy Drug Therapy and Injectable Medications, Biologicals and Immunizations	4/13/06	5/18/06

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 06-721. Filed for public inspection April 28, 2006, 9:00 a.m.]

INSURANCE DEPARTMENT

Ernest E. Cope, M. D.; Prehearing

**Appeal of Ernest E. Cope, M. D. under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910);
Doc. No. MM06-03-051**

A prehearing telephone conference initiated by this office is scheduled for May 9, 2006. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before May 4, 2006. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before April 25, 2006, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any, shall be filed on or before May 2, 2006.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-722. Filed for public inspection April 28, 2006, 9:00 a.m.]

Germantown Hospital; Hearing**Appeal of Germantown Hospital under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910); Doc. No. MM06-02-036**

On or before May 2, 2006, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's January 20, 2006, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for May 9, 2006. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before May 4, 2006. A hearing shall occur on June 20, 2006, in Room 200, Administrative Hearings Office, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA.

On or before June 13, 2006, each party shall file with the Administrative Hearings Office a prehearing statement which shall contain: (1) a comprehensive statement of undisputed facts to be stipulated between the parties; (2) a statement of additional contended facts; (3) names and address of witnesses along with the specialties of experts to be called; (4) a list of documents to be used at the hearing; (5) special evidentiary or other legal issues; and (6) the estimated time for that party's case. Contemporaneously with service of the prehearing statement on the opposing party, each party shall supply the other with a copy of any report generated by an expert witness designated on the prehearing statement. Any report subsequently received from a party's expert witness prior to hearing shall be supplied to the other party within 2 business days. Copies of expert reports need not be filed with the Administrative Hearings Office.

Persons with a disability who wish to attend the administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Kathryn Culbertson, Agency Coordinator, (717) 705-4194.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-723. Filed for public inspection April 28, 2006, 9:00 a.m.]

Amy L. Harvey, M. D.; Prehearing**Appeal of Amy L. Harvey, M. D. under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910); Doc. No. MM06-03-052**

On or before April 26, 2006, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's March 9, 2006, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for May 18, 2006. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before May 11, 2006. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before May 4, 2006, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any, shall be filed on or before May 11, 2006.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-724. Filed for public inspection April 28, 2006, 9:00 a.m.]

Lancaster Surgical Group, PC; Prehearing**Appeal of Lancaster Surgical Group, PC under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910); Doc. No. MM06-04-005**

On or before May 10, 2006, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's March 15, 2006, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for May 31, 2006. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before May 25, 2006. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before May 17, 2006, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any, shall be filed on or before May 24, 2006.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-725. Filed for public inspection April 28, 2006, 9:00 a.m.]

Mark P. Mantell, M. D.; Prehearing**Appeal of Mark P. Mantell, M. D. under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910); Doc. No. MM06-03-054**

On or before April 26, 2006, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's March 10, 2006, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for May 16, 2006. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before May 11, 2006. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any,

must be filed on or before May 3, 2006, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any, shall be filed on or before May 10, 2006.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-726. Filed for public inspection April 28, 2006, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68) (Act 68) in connection with the termination of the insureds' automobile policies. The hearings will be held in accordance with the requirements of Act 68; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearings will be held in the Insurance Department's regional offices in Harrisburg and Pittsburgh, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearings will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 N. Seventh Street, Harrisburg, PA 17102.

Appeal of Thom E. Lewis; file no. 06-119-16573; Progressive Insurance Company; doc. no. P06-03-043; May 25, 2006, 10 a.m.

Appeal of Gary and Rita Basehore; file no. 06-119-13173; Allstate Insurance Co.; doc. no. P06-04-013; June 13, 2006, 10 a.m.

The following hearing will be held in the Pittsburgh Regional Office, Room 304 State Office Building, 300 Liberty Avenue, Pittsburgh, PA 15222.

Appeal of Laurretta Moncrief; file no. 05-303-13333; Safeco Insurance Co. of Indiana; doc. no. P06-03-044; July 13, 2006, 2 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The

Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend an administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Kathryn Culbertson, Agency Coordinator, (717) 705-4194.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-727. Filed for public inspection April 28, 2006, 9:00 a.m.]

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. § 1171.8) in connection with their companies' termination of the insureds' policies. The administrative hearings will be held in the Insurance Department's regional offices in Harrisburg and Pittsburgh, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearings will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 N. Seventh Street, Harrisburg, PA 17102.

Appeal of Steven Bailey; file no. 06-119-15172; Harleysville Mutual Insurance Co.; doc. no. P06-03-042; June 6, 2006, 1 p.m.

Appeal of Walter F. Texter; file no. 06-130-15353; Lehigh Mutual Insurance Co.; doc. no. P06-04-012; June 7, 2006, 10 a.m.

The following hearing will be held in the Pittsburgh Regional Office, Room 304 State Office Building, 300 Liberty Avenue, Pittsburgh, PA 15222.

Appeal of Regis and Regina McClelland; file no. 06-303-13713; Allstate Insurance Co.; doc. no. PI06-03-029; July 13, 2006, 1 p.m.

Each party may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Commissioner may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insurance must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will

be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend an administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Kathryn Culbertson, Agency Coordinator, (717) 705-4194.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-728. Filed for public inspection April 28, 2006, 9:00 a.m.]

Stephanie J. Schwartz, M. D.; Prehearing

Appeal of Stephanie J. Schwartz, M. D. under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910); Doc. No. MM06-03-055

On or before April 26, 2006, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's March 9, 2006, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for May 18, 2006. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before May 11, 2006. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before May 4, 2006, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any, shall be filed on or before May 11, 2006.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-729. Filed for public inspection April 28, 2006, 9:00 a.m.]

Upper Bucks Orthopedic Associates; Prehearing

Appeal of Upper Bucks Orthopedic Associates under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910); Doc. No. MM06-03-053

A prehearing telephone conference initiated by this office is scheduled for May 9, 2006. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before May 4, 2006. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before April 25, 2006, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Sev-

enth Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any, shall be filed on or before May 2, 2006.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-730. Filed for public inspection April 28, 2006, 9:00 a.m.]

Whetstone Mobil; Hearing

Appeal of Whetstone Mobil under the Storage Tank and Spill Prevention Act; Underground Storage Tank Indemnification Fund; USTIF File 2004-0187(M); Doc. No. UT06-03-046

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedures) and any other relevant procedure provisions of law.

A prehearing telephone conference shall be held on May 11, 2006. A hearing shall occur on May 24, 2006, in the Administrative Hearings Office, Room 200, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102. Motions preliminary to those at hearing, protests, petitions to intervene, notices of appearance or notices of intervention, if any, must be filed with the Hearings Administrator at the previous address on or before April 25, 2006. Answers to petitions to intervene, if any, shall be filed on or before May 8, 2006.

Persons with a disability who wish to attend the administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Kathryn Culbertson, Agency Coordinator, (717) 705-4194.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-731. Filed for public inspection April 28, 2006, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The Liquor Control Board seeks the following new site:

Allegheny County, Wine & Spirits Shoppe #0232, Pittsburgh.

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 4,000 net useable square feet of new or existing retail commercial space in a shopping center environment along the North Shore of the Ohio River within 1 mile of the intersection of Route 65 and I-79, Pittsburgh.

Proposals due: May 19, 2006, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: George Danis, (412) 565-5130

The following Liquor Control Board leases will expire:

Clinton County, Wine & Spirits Shoppe #1802, 536 Erie Avenue, Renovo, PA 17764.

Lease Expiration Date: March 31, 2007

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 1,200 net useable square feet of new or existing retail commercial space. Location must be within Renovo Borough.

Proposals due: May 19, 2006, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Matthew L. Sweeney, (717) 657-4228

Dauphin County, Wine & Spirits Shoppe #2201, Kline Village Shopping Center, 29 Kline Village, Harrisburg, PA 17104.

Lease Expiration Date: May 31, 2007

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 3,800 net useable square feet of new or existing retail commercial space. Location must be on South 25th Street between Martin Luther King Boulevard and Rudy Road, Harrisburg.

Proposals due: May 19, 2006, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Charles D. Mooney, (717) 657-4228

Erie County, Wine & Spirits Shoppe #2509, Eastway Plaza, 4045 Buffalo Road, Erie, PA 16510.

Lease Expiration Date: May 31, 2007

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 4,000 to 4,500 net useable square feet of new or existing retail commercial space in a shopping center environment along Buffalo Road in Harborcreek Township. Site should have free parking and access for tractor-trailer loading.

Proposals due: May 19, 2006, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: George Danis, (412) 565-5130

Lancaster County, Wine & Spirits Shoppe #3612, Village at Gap Shopping Center, 5360 Lincoln Highway, Store 14, Gap, PA 17527-9619.

Lease Expiration Date: May 31, 2007

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 2,500 net useable square feet of new or existing retail commercial space. Location must be on U.S. Route 30 within 1/2 mile of its intersection with SR 41, Salisbury Township.

Proposals due: May 19, 2006, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Matthew L. Sweeney, (717) 657-4228

Luzerne County, Wine & Spirits Shoppe #4013, South Main Plaza, 379 South Main Street, Wilkes-Barre, PA 18701.

Lease Expiration Date: April 30, 2007

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 6,000 net useable square feet of new or existing retail commercial space. Location must be on South Main Street between South Street and Garfield Street, City of Wilkes-Barre.

Proposals due: May 19, 2006, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Matthew L. Sweeney, (717) 657-4228

Luzerne County, Wine & Spirits Shoppe #4026, Gateway Shopping Center, Store #27, Edwardsville, PA 18704.

Lease Expiration Date: March 31, 2007

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 4,000 to 7,000 net useable square feet of new or existing retail commercial space. Location must be within the immediate vicinity of the intersection of U.S. Route 11 and Northampton Street, Edwardsville or Kingston Boroughs.

Proposals due: May 19, 2006, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Charles D. Mooney, (717) 657-4228

Lycoming County, Wine & Spirits Shoppe #4110, Loyal Plaza Shopping Center, 1903 E. 3rd Street, Williamsport, PA 17701.

Lease Expiration Date: April 30, 2007

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 6,000 to 9,000 net useable square feet of new or existing retail commercial space. Location must be within the immediate vicinity of the intersection of East Third Street and Tinsman Avenue, Loyalsock Township.

Proposals due: May 19, 2006, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, Brandywine Plaza, 2223 Paxton Church Road, Harrisburg, PA 17110-9661
Contact: Charles D. Mooney, (717) 657-4228

JONATHAN H. NEWMAN,
Chairperson

[Pa.B. Doc. No. 06-732. Filed for public inspection April 28, 2006, 9:00 a.m.]

PATIENT SAFETY AUTHORITY

Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. § 1303.303), enacted on March 20, 2002, will hold a meeting of the Authority's 11 member board on Tuesday, May 9, 2006, at 10:30 a.m. in the Wildwood Conference Center, Harrisburg Area Community College, One HAAC Drive, Harrisburg, PA.

Individuals having questions regarding this meeting, which is open to the public, should contact the Authority at (717) 346-0469.

ALAN B. K. RABINOWITZ,
Administrator

[Pa.B. Doc. No. 06-733. Filed for public inspection April 28, 2006, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Petition for a Determination

P-00062211. UGI Utilities, Inc.—Gas Division. Petition of UGI Utilities, Inc.—Gas Division, for a determination under section 619 of the Pennsylvania Municipalities Planning Code (53 P. S. § 10619) that the placement of a building is reasonably necessary for the convenience or welfare of the public.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before May 15, 2006. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: UGI Utilities, Inc.—Gas Division

Through and By Counsel: Mark C. Morrow, Esquire,
460 North Gulph Road, King of Prussia, PA 19406

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-734. Filed for public inspection April 28, 2006, 9:00 a.m.]

Request for Qualifications; Implementation of the Alternative Energy Portfolio Standards Act of 2004; Doc. No. M-00051865

The Pennsylvania Public Utility Commission (Commission) has issued the following Request for Qualifications (RFQ). The RFQ is issued under the Alternative Energy Portfolio Standards Act of 2004 (73 P. S. §§ 1648.1—1648.8), which authorizes the Commission to select an alternative energy credits program administrator. Qualified individuals or firms may submit a Statement of Qualifications to the Commission for review.

Responses to this RFQ must be complete and consistent with the instructions set forth in the RFQ. After reviewing the responses, the Commission will inform applicants of a schedule of interviews. Statements of Qualifications are due within 45 days of publication of this notice in the *Pennsylvania Bulletin*, and should be filed with the Secretary's Bureau. Copies should be submitted by electronic mail to cbeale@state.pa.us.

JAMES J. MCNULTY,
Secretary

Request For Qualifications for Alternative Energy Credit Program Administrator

PART I: GENERAL INFORMATION FOR CONTRACTORS

I-1. Purpose. This request for qualifications ("RFQ") provides interested contractors with sufficient information to enable them to prepare and submit qualifications for consideration by the Pennsylvania Public Utility Commission ("Commission") to assist in the selection of an alternative energy credit program administrator.

I-2. Issuing Office. This RFQ is issued by the Commission's Bureau of Conservation, Economics and Energy Planning. The Commission regulates public utilities furnishing the following in-state services for compensation: electricity, natural gas, telephone, water, wastewater collection and disposal, steam heat, transportation of passengers and property by motor coach, truck and taxicab, pipeline transmission of natural gas and oil, and public highway-railroad crossings. The Commission is funded by assessments of regulated public utilities.

The contact for this RFQ is:

Carrie Beale
PA Public Utility Commission
Commonwealth Keystone Building
Bureau of Conservation, Economics and Energy
Planning
400 North Street, 2nd Floor
Harrisburg, PA 17120
(717) 783-5411
E-mail: cbeale@state.pa.us

The Issuing Office is the sole point of contact in the Commonwealth for this RFQ.

I-3. Scope. This RFQ contains instructions governing the Statement of Qualification to be submitted by contractors and the material to be included therein and a description of the service to be provided by the alternative energy credit program administrator.

I-4. Problem Statement. The Alternative Energy Portfolio Standards Act of 2004 (the "Act"), 73 P.S. §§ 1648.1 — 1648.8, requires electric distribution companies ("EDCs") and electric generation suppliers ("EGSs") to use certain percentages of electricity derived from alternative energy sources in their sales to retail customers in Pennsylvania. The Commission is responsible for carrying out the provisions of this Act.

Compliance with the act is measured in quantities of alternative energy credits, which represent one megawatt hour of electric generation from a qualified alternative energy source.

The Act authorizes the Commission to establish an alternative energy credit trading program. 73 P.S. § 1648.3(e)(2). An independent entity will serve as the program administrator. Specifically, the Act provides that:

The commission shall approve an independent entity to serve as the alternative energy credits program administrator. The administrator shall have those powers and duties assigned by commission regulations. Such powers and duties shall include, but not be limited to, the following:

(i) To create and administer an alternative energy credits certification, tracking and reporting program. This program should include, at a minimum, a process for qualifying alternative energy systems and determining the manner credits can be created, accounted for, and transferred.

(ii) To submit reports to the commission at such times and in such manner as the commission shall direct.

73 P.S. § 1648.3(e)(2). Services provided pursuant to this section are exempt from the competitive procurement procedures of 62 Pa.C.S. (relating to procurement). 73 P.S. § 1648.3(e)(1).

I-5. Administrator Responsibilities. Consistent with the Problem Statement, the Commission expects that the program administrator role would encompass the following responsibilities:

- Administering a process for qualifying alternative energy systems. This process will involve a review of applications, incorporating the Pennsylvania Department of Environmental Protection's ("DEP") verification of alternative energy source status and environmental compliance into the qualification process, making qualification decisions consistent with standards established by the Commission, and notifying applicants of qualifications decisions. Applicants should review the Commission's Tentative Order proposing standards and processes on this matter. *Implementation of the Alternative Energy Portfolio Standards Act of 2004: Standards and Processes for Alternative Energy System Qualification and Alternative Energy Credit Certification*, Docket No. M-00051865 (Order entered January 31, 2006).¹

¹ Commission Orders are available at www.puc.state.pa.us using the "Search for document" feature.

- Administering an alternative energy credits certification, tracking and reporting program consistent with standards established by the Commission. This program will involve the use of an alternative energy credits registry, such as the PJM Environmental Services, Inc.'s Generation Attribute Tracking System ("GATS").² The administrator may need to independently verify data provided by behind the meter generators and demand side management/energy efficiency resources. Some information collected by the administrator will need to be made available to the public. Some additional verification may need to be performed for non-PJM generation. Applicants should review the Commission's Orders designating GATS as the alternative energy credit registry and providing for demand side management/energy efficiency tracking and verification standards. *Implementation of the Alternative Energy Portfolio Standards Act of 2004: Designation of the Alternative Energy Credit Registry*, Docket No. M-00051865 (Order entered January 31, 2006); *Implementation of the Alternative Energy Portfolio Standards Act of 2004: Standards for the Participation of Demand Side Management Resources*, Docket No. M-00051865 (Order entered October 3, 2005)

- The administrator may need to serve as an aggregator for behind the meter generation and demand side management/energy efficiency resources in order that qualified systems receive alternative energy credits.

- The administrator may need to assist the Commission in determining whether alternative energy resources are reasonably available, in the event that an EDC or EGS requests a force majeure determination.

- Confirming that the same alternative energy used to satisfy another state's portfolio requirements is not used to satisfy the requirements of the Act.

- Providing reports on EDC and EGS compliance to the Commission at the end of each reporting period (May 31).

- Providing reports on EDC and EGS compliance to the Commission at the end of each true-up period (August 30).

- Assisting the Commission and DEP in preparing reports to the Pennsylvania General Assembly on the alternative energy market.

- Maintaining a log of all administrator activities, issues requiring Commission action, and opportunities for improvement of the program.

I-6. Work Proposals, Bid Process, Evaluation Criteria and Contract Terms and Conditions. After reviewing the Statements of Qualifications and completing an initial round of interviews, the Commission will notify contractors of the process and requirements for submitting work proposals, bids, the criteria for evaluation, and contract terms and conditions. Only those contractors who have submitted a Statement of Qualifications will be eligible to submit a work proposal and bid for the program administrator role.

The first reporting year for the Act commences on June 1, 2006, and runs through May 31, 2007. Actual compliance is not required for EDCs and EGSs until February 28, 2007. The Commission's objective is for an administrator to be selected and performing by February 28, 2007.

² www.pjm-eis.com

PART II: INFORMATION REQUIRED FROM CONTRACTORS

Statements of Qualifications must be submitted in the format, including heading descriptions, outlined below. To be considered, the Statement of Qualifications must respond to all requirements in this part of the RFQ. Any other information thought to be relevant, but not applicable to the enumerated categories, should be provided as an appendix to the proposal.

II-1. Statement of the Problem. State in succinct terms your understanding of the problem presented or the service required by this RFQ.

II-2. Management Summary. Contractors must provide an executive summary of the proposed activities to the Commission. It should be a high level overview of how the contractor proposes to manage the responsibilities identified at I-5.

II-3. Prior Experience. Include all relevant experience. As part of the review and approval process, the following information must be provided. In responding to each statement, please cite the alpha/numeric reference point. Experience shown should be work done by individuals who will be assigned to this project as well as that of your company. Studies or projects referred to should be identified and the name of the customer shown, including the name, address, and telephone number of the responsible official of the customer, company, or agency who may be contacted.

a. Company Profile

1. Complete name and address,
2. A short narrative description of company's organization, including organizational charts and indicate company officers by name where applicable,
3. Principal type of business,
4. Total number of years in business, and
5. Number of years providing services similar to those requested in this Statement of Work.

If subcontractors are to be used for this project, please provide the following information on each subcontractor:

b. Subcontractor Profile

1. Complete name and address,
2. A short narrative of the sub-contractor's experience level, years in business, and years experience providing services similar to those requested in this Statement of Work.

3. Experience

c. Provide detailed experience related to the requirements of this project, to include at least three past clients; most notable would be work performed for governmental agencies. For each of these references include:

1. Business name,
2. Address,
3. Contact Person,
4. Phone Number,
5. Type of work performed,
6. Period work was performed, and
7. Brief description of scope of work, limit the description to one page per client,
8. If you intend to subcontract, describe the Vendor's experience in managing subcontractors and the experience with the proposed subcontractor.

II-4. Personnel. Include the number, and names where practicable, of executive and professional personnel, analysts, auditors, researchers, programmers, consultants, etc., who will be engaged in the work. Show where these personnel will be physically located during the time they are engaged in the work. Include through a resume or similar document (1-2 pages) their education and relevant work experience.

Indicate the responsibilities each will have in this project and how long each has been with your company. Identify subcontractors you intend to use and the services they will perform.


Contractor staff assigned to this project must be able to communicate clearly and work in a cooperative fashion with various Commission staff during all phases of the project. Contractor staff must be able to coordinate and receive direction from designated Commission staff during the project. The Commission will identify specific individuals to provide supervision, direction and coordination to the contractor throughout the project. The Commission will assign certain staff to the project to work in conjunction with the selected contractor as part of an overall project. The Commission cannot at this time identify the specific number of resources that it will dedicate to this project.

Due to the sensitive nature of client information handled by the Commission, the approved contractor's participating staff will be required to sign confidentiality agreements before commencing with the project. Contractor staff must also have a criminal background check completed by the Pennsylvania State Police before beginning work on this project. Due to the sensitive nature of client information handled by the Commission, the approved contractor's participating staff, as well as any subcontractors, must not include offshore resources.

II-5. Conflicts of interest. Identify all affiliations, investments, agreements or client relationships with entities or the parent company of entities regulated by the Commission, including EDCs and EGSSs, participating in Pennsylvania's energy markets, including generators and energy services providers, and entities or the parent company of entities participating in any matter pending before the Commission.

APPENDIX A

Resource Qualification Process



[Pa.B. Doc. No. 06-735. Filed for public inspection April 28, 2006, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before, May 22, 2006. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Application of the following for approval to *begin operating as common carriers for transportation of persons as described under the application.*

A-00122577. Robert F. Book (11 South Hershey Avenue, Leola, Lancaster County, PA 17540)—persons, in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the County of Lancaster, to points in Pennsylvania, and return.

Application of the following for *amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for transportation of persons as described under the application.*

A-00117236, F.2, Am-A. Darlene Pearson McKinney t/a Moving Right Along (726 Greenleaf Street, Allentown, Lehigh County, PA 18102) for amendment to her certificate to transport, as a common carrier, by motor vehicle, persons in paratransit service, between points in the County of Lehigh, and from points in said county, to points in Pennsylvania, and return, subject to the following conditions: (1) persons to and from work at Lehigh Valley Industrial Park No. 1, DayTimer, Inc. on East Texas Boulevard in Emmaus, ManPower, Inc. in Allentown and industrial sites in Fogelsville; (2) elementary school children to and from school and daycare centers; (3) individuals from senior citizens' facilities to grocery stores; and (4) individuals for after school summer programs, *So As To Permit*: transportation of persons in paratransit service from points in Lehigh and Northampton Counties, to points in Pennsylvania and return. *Attorney*: Michael S. Hino, Esq., 400 Berwyn Park, 899 Cassatt Road, Berwyn, PA 19312-1183.

Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under the application.*

A-00122588. P. T. Cruisers, LLC (299 U. S. Route 130 South, Cinnaminson, NJ 08057)—persons in limousine service, between points in Pennsylvania, excluding the right to transport between points in the County of Allegheny, and excluding service which is under the jurisdiction of the Philadelphia Parking Authority; which is to be a transfer of all the right authorized under the certificate issued at A-00115500 to Tony's Class Act Limousine Service, Inc. t/a Class Act Limousine, subject

to the same limitations and conditions. *Attorney*: Thomas J. Coleman, Esquire, 325 Albany Road, Moorestown, NJ 08057.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-736. Filed for public inspection April 28, 2006, 9:00 a.m.]

Telecommunications

A-311014F7005. North Pittsburgh Telephone Company and Armstrong Telecommunications, Inc. Joint petition of North Pittsburgh Telephone Company and Armstrong Telecommunications, Inc. for approval of an Interconnection Agreement under section 252(e) of the Telecommunications Act of 1996.

North Pittsburgh Telephone Company and Armstrong Telecommunications, Inc., by its counsel, filed on April 10, 2006, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. The comments are due on or before 10 days after the date of publication of this notice. Copies of the North Pittsburgh Telephone Company and Armstrong Telecommunications, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-737. Filed for public inspection April 28, 2006, 9:00 a.m.]

Telecommunications

A-310084F7002. The United Telephone Company of Pennsylvania d/b/a Sprint and Capital Telecommunications, Inc. Joint petition of The United Telephone Company of Pennsylvania d/b/a Sprint and Capital Telecommunications, Inc. for approval of a master resale agreement under section 252(e) of The Telecommunications Act of 1996.

The United Telephone Company of Pennsylvania d/b/a Sprint and Capital Telecommunications, Inc., by its counsel, filed on April 7, 2006, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a master resale agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the The United Telephone Company of Pennsylvania d/b/a Sprint and Capital Telecommunications, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-738. Filed for public inspection April 28, 2006, 9:00 a.m.]

Telecommunications

A-310555F7000. Verizon Pennsylvania Inc. (f/k/a Bell Atlantic-Pennsylvania, Inc.) and RCN Telecom Services of Philadelphia, Inc. (f/k/a C-TEC Services Inc., f/k/a Residential Communications Network, Inc.). Joint petition of Verizon Pennsylvania Inc. (f/k/a Bell Atlantic-Pennsylvania, Inc.) and RCN Telecom Services of Philadelphia, Inc. (f/k/a C-TEC Services Inc., f/k/a Residential Communications Network, Inc.) for approval of amendment no. 5 to the interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania Inc. (f/k/a Bell Atlantic-Pennsylvania, Inc.) and RCN Telecom Services of Philadelphia, Inc. (f/k/a C-TEC Services Inc., f/k/a Residential Communications Network, Inc.), by its counsel, filed on March 30, 2006, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of amendment no. 5 to the interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania Inc. (f/k/a Bell Atlantic-Pennsylvania, Inc.) and RCN Telecom Services of Philadelphia, Inc. (f/k/a C-TEC Services Inc., f/k/a Residential Communications Network, Inc.) joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY
Secretary

[Pa.B. Doc. No. 06-739. Filed for public inspection April 28, 2006, 9:00 a.m.]

Water Service

A-212285F0134. Pennsylvania-American Water Company and Lexington Woods Corporation. Application of Pennsylvania-American Water Company and Lexington Woods Corporation, for approval of: 1) the transfer, by sale, of the water works property and rights of the Lexington Woods Corporation to Pennsylvania-American Water Company; and 2) the commencement by Pennsylvania-American Water Company of water service to the public in additional portions of Coolbaugh Township, Monroe County, PA, presently being served by Lexington Woods Corporation.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities).

ties). Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before May 15, 2006. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Pennsylvania-American Water Company

Through and By Counsel: Velma A. Redmond, Esquire, Susan Simms Marsh, Esquire, Seth A. Mendelsohn, Esquire, 800 West Hersheypark Drive, Hershey, PA 17033

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-740. Filed for public inspection April 28, 2006, 9:00 a.m.]

Water Service

A-212490F2000. Redstone Water Company, Inc. Application of Redstone Water Company, Inc., for approval of: 1) the sale of its Royal Water System to the North Fayette County Municipal Authority; and 2) the abandonment of water service by Redstone Water Company, Inc. to its Royal Water System Customers in what is known as the Chestnut Ridge Area of Redstone Township, Fayette County, PA.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before May 15, 2006. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Redstone Water Company, Inc.

Through and By Counsel: Thomas T. Niesen, Esquire, Thomas, Thomas, Armstrong and Niesen, 212 Locust Street, P. O. Box 9500, Harrisburg, PA 17108-9500

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-741. Filed for public inspection April 28, 2006, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project #06-006.1, South Apron Repairs at Pier 80 South until 2 p.m. on Thursday, June 8, 2006. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 N. Delaware Ave., 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available May 9, 2006. Additional information and project listings may be found at www.philaport.com. The cost of the bid document is \$35 (includes 7% Pennsylvania

nia Sales Tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractors must comply with all applicable equal opportunity laws and regulations. Bidders must provide to the Procurement Department, in writing, the names of individuals that will be attending prebid meetings. This information is needed 24 hours prior to the meeting. Fax to (215) 426-6800, Attn: Procurement Department.

A mandatory prebid job site meeting will be held on May 18, 2006, at 10 a.m. at Columbus Blvd. and Snyder Ave. (Pier entrance gate, north of Pier 78 S. Annex), Philadelphia, PA.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 06-742. Filed for public inspection April 28, 2006, 9:00 a.m.]

STATE BOARD OF PHARMACY

**Bureau of Professional and Occupational Affairs v.
Robert Matthew Shutty, R. Ph.; Doc. No. 0105-
54-05**

On March 8, 2006, Robert Matthew Shutty, License No. RP-028637-L, of Grantville, Dauphin County was assessed a \$1,000 civil penalty and ordered to make up the deficient 30 credit hours and submit them to the State Board of Pharmacy (Board) counsel by April 7, 2006, the effective date of the order, based on his failure to complete 30 hours of continuing education during the biennial renewal period and trying to procure a license through fraud, misrepresentation or deceit because he believed he had the required number of credit hours.

Individuals may obtain a copy of the amended adjudication by writing to Carole L. Clarke, Board Counsel, State Board of Pharmacy, P. O. Box 2649, Harrisburg, PA 17105-2649.

This amended adjudication and order represent the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must

serve the Board with a copy of the petition for review. The Board contact for receiving service of appeals is the previously named Board counsel.

EDWARD J. BECHTEL, R. Ph.,
Chairperson

[Pa.B. Doc. No. 06-743. Filed for public inspection April 28, 2006, 9:00 a.m.]

STATE REAL ESTATE COMMISSION

**Bureau of Professional and Occupational Affairs v.
William F. Dynarski; Doc. No. 0460-56-01**

On January 5, 2006, the State Real Estate Commission (Commission) assessed a \$3,000 civil penalty and reprimanded the license for acting in the capacity of a real estate salesperson without possessing a real estate license and being a party to materially false or misleading representation in a writing regarding a real estate transaction in which respondent was acting in a representative capacity in violation of sections 301 and 604(a)(15) of the Real Estate Licensing and Registration Act (63 P. S. §§ 455.301 and 455.604(a)(15)).

Individuals may obtain a copy of the adjudication by writing to Judith Pachter Schulder, Board Counsel, State Real Estate Commission, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final Commission decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court, must serve the Commission with a copy of the petition for review. The Commission contact for receiving service of appeals is the previously named board counsel.

JOSEPH TARANTINO,
Chairperson

[Pa.B. Doc. No. 06-744. Filed for public inspection April 28, 2006, 9:00 a.m.]