

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 9, 2002 (P. L. 1572, No. 207), known as the Credit Union Code, has taken the following action on applications received for the week ending May 9, 2006.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
5-1-06	Orrstown Financial Services, Inc., Shippensburg, to acquire 100% of the voting shares of The First National Bank of Newport, Newport	Shippensburg	Effective
	The First National Bank of Newport will be operated as a wholly-owned subsidiary of Orrstown Financial Services, Inc.		

Conversions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
5-9-06	Compass Federal Savings Bank Wilmerding Allegheny County	Wilmerding	Approved
	<i>To:</i> Compass Savings Bank Wilmerding Allegheny County		
	Application represents a conversion from a Federally-chartered mutual savings bank to a State-chartered mutual savings bank.		

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-27-06	The Muncy Bank and Trust Company Muncy Lycoming County	319 South Main Street Muncy Lycoming County (Drive-Up Facility)	Opened
4-24-06	Allegiance Bank of North America Bala Cynwyd Montgomery County	190 East DeKalb Pike King of Prussia Montgomery County	Opened
4-24-06	Fulton Bank Lancaster Lancaster County	2350 North Reading Road Denver East Cocalico Township Lancaster County	Opened
5-5-06	Northwest Savings Bank Warren Warren County	950 South Pine Island Road Suite 180 Plantation Broward County, FL	Approved
5-5-06	Northwest Savings Bank Warren Warren County	8221 Peters Road Plantation Broward County, FL (Drive-Up Facility)	Approved
5-8-06	Integrity Bank Camp Hill Cumberland County	100 Senate Avenue Camp Hill East Pennsboro Township Cumberland County	Filed

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
5-4-06	Atlantic Central Bankers Bank Camp Hill Cumberland County	<i>To:</i> Gateway One Newark Essex County, NJ <i>From:</i> 400A Commerce Boulevard Carlstadt Bergen County, NJ	Effective
5-5-06	Fulton Bank Lancaster Lancaster County	<i>To:</i> South Market Street and Cumberland Parkway Mechanicsburg Upper Allen Township Cumberland County <i>From:</i> 360 Cumberland Parkway Mechanicsburg Upper Allen Township Cumberland County	Approved
5-5-06	Coatesville Savings Bank Coatesville Chester County	<i>To:</i> 1099 Georgetown Road Bart Lancaster County <i>From:</i> 1082 Georgetown Road Bart Lancaster County	Filed

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-22-06	Fulton Bank Lancaster Lancaster County	1976 Bowmansville Road Adamstown Lancaster County	Effective
5-1-06	Orrstown Bank Shippensburg Cumberland County	13 Center Square Greencastle Franklin County	Filed

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS**Conversions to Community Charters**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
3-27-06	White Rose Credit Union York York County	York	**

**Conversion to community charter became effective by Operation of Law under section 501(g) of the Credit Union Code. The conversion was completed by filing Articles of Amendment with the Department of State effective May 5, 2006 (see following).

Articles of Amendment

<i>Date</i>	<i>Name of Credit Union</i>	<i>Purpose</i>	<i>Action</i>
5-5-06	White Rose Credit Union York York County	Amendment to Article 8 of the Articles of Incorporation provides for a change by extending the field of membership to include "All people who live, work, worship, attend school in, and businesses and other legal entities in York and Adams County, in the Commonwealth of Pennsylvania."	Effective

BRANCH APPLICATIONS

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
5-8-06	HealthCare First Credit Union Johnstown Cambria County	1152 Franklin Street Johnstown Cambria County	Filed

The Department's website at www.banking.state.pa.us includes public notices for more recently filed applications.

A. WILLIAM SCHENCK, III,
Secretary

[Pa.B. Doc. No. 06-870. Filed for public inspection May 19, 2006, 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of June 2006

The Department of Banking (Department), under the authority contained in section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), hereby determines that the maximum lawful rate of interest for residential mortgages for the month of June 2006 is 7 3/4%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. No. 96-221). Further preemption was instituted with the signing of Pub. L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as a principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the United States Treasury. The latest yield rate on long-term government securities is 5.11 to which was added 2.50 percentage points for a total of 7.61 that by law is rounded off to the nearest quarter at 7 3/4%.

A. WILLIAM SCHENCK, III,
Secretary

[Pa.B. Doc. No. 06-871. Filed for public inspection May 19, 2006, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Yellow Breeches Creek Watershed Conservation Plan

The Department of Conservation and Natural Resources (Department), Bureau of Recreation and Conservation has approved the Yellow Breeches Creek Watershed Conservation Plan (Plan) and is placing the Yellow Breeches Creek Watershed and all tributaries covered in the Plan in Adams, Cumberland and York Counties on the Pennsylvania Rivers Conservation Registry (Registry).

The Yellow Breeches Watershed Association (Association) submitted the Plan and other required information to gain Registry status.

After review of the Plan and other information, the Department has determined that the Pennsylvania Rivers Conservation Program (Program) requirements have been satisfied and places the following on the Registry:

1. The watershed area of the Yellow Breeches Creek (Adams, Cumberland and York Counties) from the headwaters to its confluence with the Susquehanna River—219 square miles.
2. All tributary streams within the Yellow Breeches Creek Watershed.

This action becomes effective May 20, 2006. Projects identified in the Plan become eligible for implementation, development or acquisition grant funding through the Program.

A copy of the Final Plan is available for review at the Yellow Breeches Watershed Association, c/o Lower Allen Township Authority, 120 Limekiln Road, New Cumberland, PA 17070-2428, www.ybwa.org and the Department of Conservation and Natural Resources, Rachel Carson State Office Building, 400 Market Street, 6th Floor, Harrisburg, PA 17101, (717) 787-7672.

Maps and supporting data are available by contacting the Association.

MICHAEL F. DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 06-872. Filed for public inspection May 19, 2006, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Revised Fee Structure for Certification Applications

Effective July 1, 2006, the Department of Education (Department), under the act of April 2, 1925 (P. L. 122, No. 87) (71 P. S. § 1011), will implement a revised fee structure for all certification applications in this Commonwealth raising the present rate of \$15 for any and all applications as follows:

- \$40 nonrefundable fee for all in-State certification applications
- \$80 nonrefundable fee for all out-of-State certification applications

The in-State fee must be submitted along with each application for any type of certification received from a graduate of a Department-approved teacher education program or an application from a currently certified educator in this Commonwealth seeking an additional certification, duplicate certificate, inactive status or removal therefrom.

The out-of-State fee must be submitted along with each application in the following two circumstances: (1) an application received from a graduate of a teacher education program at a college/university outside of this Commonwealth; or (2) an application received from an educator certified by another state.

In addition to revising the certification fee structure, the Department will reorganize its Bureau of Teacher

Certification and Preparation (Bureau), Division of Candidate Evaluation Services to include a Call Center that will both enhance its responsiveness to inquiries regarding certification in this Commonwealth and also reduce the processing time for certification applications.

Direct questions about the fee structure increase or Bureau reorganization to Charles P. Sabulski, Chief of the Division of Candidate Evaluation Services at (717) 772-4508 or csabulski@state.pa.us.

GERALD L. ZAHORCHAK, D. Ed.
Secretary

[Pa.B. Doc. No. 06-873. Filed for public inspection May 19, 2006, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0060763	Middle Smithfield Township Municipal Authority 25 Municipal Drive East Stroudsburg, PA 18301	Monroe County Middle Smithfield Township	Bushkill Creek HQ-CWF 1E	Y
PA0064114 (Minor Sewage)	Jim Thorpe Area School District 1100 Center Street Jim Thorpe, PA 18229	Carbon County Kidder Township	Dilldown Creek (2A)	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N ?</i>
PA0051764 (Sew)	Galen Hall Corporation 815 Lancaster Avenue Reading, PA 19607	Berks County South Heidelberg Township	Conestoga River 7-J	Y
PA0024228 (IW)	BC Natural Chicken, LLC 2609 Route 22 P. O. Box 70 Fredericksburg, PA 17026-0070	Lebanon County Bethel Township	Deep Run 7-D	Y
PA0082015 (Sew)	Meadows Sewer Company, Inc. 5015 East Trindle Road Mechanicsburg, PA 17050-3622	Cumberland County Middlesex Township	Conodoguinet Creek 7-B	Y
PA0042781 (IW)	Mount Joy Wire Company 1000 East Main Street Mount Joy, PA 17552-9332	Lancaster County Mount Joy Borough	Little Chickies Creek 7-G	Y
PA0044113 (Sew)	South Middleton Township Municipal Authority P. O. Box 8 Boiling Springs, PA 17007-0008	Cumberland County Monroe Township	Yellow Breeches Creek 7-E	Y
PA0024350 (Sew)	Borough of Dauphin 200 South Church Street Dauphin, PA 17018	Dauphin County Dauphin Borough	Susquehanna River 7-C	Y
PA0086860 (Sew)	Springfield Township 9211 Susquehanna Trail South Seven Valleys, PA 17360	York County Springfield Township	UNT to Codorus Creek 7-H	Y
PA0081752 (Sew)	Philhaven Hospital 283 South Butler Road Lebanon, PA 17402	Lebanon County West Cornwall Township	Bachman Run 7-D	Y
PA0085073 (Sew)	Wood Broadtop Wells Joint Municipal Authority P. O. Box 7 Wood, PA 16694	Bedford County Broad Top Township Fulton County Wells Township Huntingdon County Wood Township	UNT to Great Trough Creek 11-D	Y
PA0088684 (Sew)	Terry W. Henry Pleasant Hills Resort Inc. Box 86 Hesston, PA 16647-0086	Huntingdon County Penn Township	Hauns Run 11-D	Y

NOTICES

2417

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N ?</i>
PA0081183 (Sew)	Margaret Carbaugh Happy Hollow Restaurant 10910 Raystown Road Saxton, PA 16678	Bedford County Liberty Township	UNT to Sugar Camp Run 11-D	Y
PAR10C227R1	Franco DiBiase DiBiase Construction Company 230 Wernersville Road Sinking Spring, PA 19608	Berks County Ruscombmanor Township	Furnace Creek TSF Willow Creek TSF	Y
PAR10I255R	Yingst Homes 4712 Smith St. Harrisburg, PA 17112	Dauphin County West Hanover Township	Beaver Creek WWF	Y

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N ?</i>
PA0010430 IW	Hanover Foods Corporation P. O. Box 193 Centre Hall, PA 16828	Potter Township Centre County	Sinking Creek 6A	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0238619	Chestnut Grove Master Homeowners Association 198 Saxonburg Road Butler, PA 16001	Franklin Township Butler County	Mulligan Run 20-C	Y
PA0091341	Moniteau School District 1810 West Sunbury Road West Sunbury, PA 16061	Cherry Township Butler County	Glade Run Dam Lake (South Branch Slippery Rock Creek) 20-C	Y
PA0001481	Marcegaglia USA, Inc. Damascus Tube Company 1001 East Waterfront Drive Munhall, PA 15120	Pymatuning Township Mercer County	Shenango River 20-A	Y
PA0104108	North Beaver Township Municipal Authority Hickory View Terrace 861 Mount Jackson Road New Castle, PA 16102	North Beaver Township Lawrence County	Hickory Run 20-B	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

PA0060071, Industrial, **Sanofi Pasteur**, Discovery Drive, Swiftwater, PA 18370-0187. This proposed facility is located in Pocono Township, **Monroe County**.

Description of Proposed Activity: Renewal of NPDES Application for increased discharge up to 0.550 mgd.

The receiving stream, Swiftwater Creek is in the State Water Plan watershed 1E and is classified for HQ-CWF. The nearest downstream public water supply intake for East Stroudsburg is located on the Delaware River below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of .35 mgd.

Effective for existing conditions:

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
BOD ₅	187	447	64	153	
NH ₃ -N (5-1 to 10-31)	8.8	17.5	3.0	6.0	

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
(11-1 to 4-30)	26.3	52.5	9.0	18.0	
Phosphorus	4.4		1.5		3.0
Total Suspended Solids	87.6	1,75.3	30	60	75
Total Dissolved Solids	2,657	3,879	1,200		
COD	474	2,505	162	858	
pH	6.0 to 9.0 at all times				
Nitrites/Nitrates	Monitor and Report				
Dissolved Oxygen	minimum to 6.0 at all times				
Fecal					
(5-1 to 9-30)	200/100 ml as geometric average				
(10-1 to 4-30)	2,000/100 ml as geometric average				
Cyanide	20.43	72.97	7.00	25.00	
Acetone	0.44	1.08	0.15	0.37	
Acetonitrile	22.18	55.46	7.60	19.00	
n-Amyl acetate	1.08	2.92	0.37	1.00	
Amyl alcohol	8.87	21.60	3.0	7.40	
Benzene	0.04	0.11	0.015	0.037	
n-Butyl acetate	1.08	2.83	0.37	0.97	
Chlorobenzene	0.13	0.32	0.045	0.110	
Chloroform	0.02	0.04	0.007	0.015	
o-Dichlorobenzene	0.13	0.32	0.045	0.11	
1,2 Dichloroethane	0.05	0.08	0.018	0.027	0.036
Diethyl amine	220.97	542.93	75.7	186	
Dimethyl Sulfoxide	81.15	198.49	27.8	68	
Ethanol	8.87	21.60	3.0	7.40	
Ethyl acetate	1.08	2.92	0.37	1.00	
n-Heptene	0.04	0.11	0.015	0.37	
n-Hexane	0.04	0.06	0.015	0.022	
Isobutraldehyde	1.08	2.60	0.37	0.89	
Isopropanol	3.50	8.47	1.2	2.90	
Isopropyl acetate	1.08	2.83	0.37	0.97	
Isopropyl ether	5.55	18.10	1.9	6.20	
Methanol	8.87	21.60	3.0	7.40	
Methyl Cellosolve	87.6	216	30	74	
melhylene Chloride	0.64	1.02	0.220	.35	
Methyl formate	1.08	2.92	0.37	1.00	
MIBK	0.44	1.08	0.15	0.37	
Mercury	0.0013	0.0019	0.00043	0.000663	
Phenol	0.044	0.11	0.015	0.037	
Tetrahydrofuran	5.55	18.10	1.9	6.200	
Toluene	0.044	0.13	0.015	0.045	
Triethyl Amine	220.97	542.93	75.7	186.000	
Xylenes	0.02	0.06	0.007	0.022	

The proposed effluent limits for Outfall 001 based on a design flow of .45 mgd.

Effective for existing conditions.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
BOD ₅	195	468	52	124.8	
NH ₃ -N					
(5-1 to 10-31)	10.13	20.27	2.7	5.4	
(11-1 to 4-30)	30	60	8.0	16	
Phosphorus	5.63		1.5		3.0
Total Suspended Solids	96	192	25	51	
Total Dissolved Solids	2,792	4,076	1,200		
COD	472.9	923	126	246	
pH	6.0 to 9.0 at all times				
Nitrites/Nitrates	Monitor and Report				
Dissolved Oxygen	minimum to 6.0 at all times				
Fecal					
(5-1 to 9-30)	200/100 ml as geometric average				
(10-1 to 4-30)	359/100 ml as geometric average				
Cyanide	20.42	72.68	5.44	19.36	

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Acetone	0.43	1.08	0.115	.29	
Acetonitrile	22.03	53.98	5.87	14.38	
n-Amyl acetate	1.08	2.81	0.29	0.75	
Amyl alcohol	8.86	21.61	2.36	5.76	
Benzene	0.05	0.11	0.012	0.030	
n-Butyl acetate	1.08	2.81	0.288	0.749	
Chlorobenzene	0.13	0.33	0.035	0.088	
Chloroform	0.02	0.034	0.006	0.009	
o-Dichlorobenzene	0.13	0.33	0.035	0.088	
1,2 Dichlotethane	0.05	0.08	0.014	0.022	
Diethyl amine	220.3	539.7	58.7	143.8	
Dimethyl Sulfoxide	81.0	197.6	21.5	52.6	
Ethanol	8.86	21.61	2.36	5.76	
Ethyl acetate	1.08	2.81	0.288	0.749	
n-Heptene	0.05	0.11	0.012	0.030	
n-Hexane	0.05	0.07	0.012	0.018	
Isobutraldehyde	1.08	2.59	0.288	0.691	
Isopropanol	3.46	8.99	0.92	2.39	
Isopropyl acetate	1.08	2.81	0.288	0.749	
Isopropyl ether	5.61	18.13	1.496	4.832	
Methanol	8.86	21.61	2.36	5.75	
Methyl Cellosolve	88.87	218.62	23.68	58.25	
melhylene Chloride	0.68	1.01	0.180	0.270	
Methyl formate	1.08	2.81	0.288	0.749	
Mercury	0.0013	0.0020	0.00034	0.00053	
MIBK	0.45	1.13	0.12	0.300	
Phenol	0.05	0.11	0.012	0.030	
Tetrahydrofuran	5.63	18.18	1.5	4.84	
Toluene	0.05	0.14	0.012	0.036	
Triethyl Amine	220.3	539.7	58.7	143.8	
Xylenes	0.02	0.07	0.006	0.018	

The proposed effluent limits for Outfall 001 based on a design flow of .55 mgd.

Effective from the date the treatment plant upgrade is complete.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
BOD ₅	203.7	489	44.0	106.6	
NH ₃ -N					
(5-1 to 10-31)	11.2	22.5	2.4	4.9	
(11-1 to 4-30)	33.7	67.4	7.3	14.7	
Phosphorus	6.05		1.32		2.64
Total Suspended Solids	104	208	22.0	45	
Total Dissolved Solids	2,927	4,273	1,200		
COD	472	926	103	202	
pH		6.0 to 9.0 at all times			
Nitrites/Nitrates			Monitor and Report		
Dissolved Oxygen		Minimum to 6.0 at all times			
Fecal					
(5-1 to 9-30)		200/100 ml as geometric average			
(10-1 to 4-30)		338/100 ml as geometric average			
Cyanide	20.44	72.75	4.455	15.860	
Acetone	0.43	1.08	0.094	0.235	
Acetonitrile	22.03	53.98	4.803	11.767	
n-Amyl acetate	1.08	2.80	0.235	0.611	
Amyl alcohol	8.86	21.61	1.931	4.712	
Benzene	0.04	0.10	0.009	0.023	
n-Butyl acetate	1.08	2.80	0.235	0.611	
Chlorobenzene	0.13	0.32	0.028	0.070	
Chloroform	0.02	0.04	0.005	0.008	
o-Dichlorobenzene	0.13	0.32	0.028	0.070	
1,2 Dichlotethane	0.06	0.08	0.0120	0.018	
Diethyl amine	220.33	539.80	48.03	117.68	
Dimethyl Sulfoxide	81.00	197.64	17.65	43.08	

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Ethanol	8.86	21.61	1.931	4.712	
Ethyl acetate	1.08	2.80	0.235	0.611	
n-Heptene	0.04	0.10	0.009	0.023	
n-Hexane	0.04	0.06	0.009	0.014	
Isobutraldehyde	1.08	2.59	0.235	0.564	
Isopropanol	3.45	8.98	0.753	1.958	
Isopropyl acetate	1.08	2.80	0.235	0.611	
Isopropyl ether	5.61	18.13	1.224	3.954	
Methanol	8.86	21.61	1.931	4.712	
Methyl Cellosolve	87.70	215.74	19.119	47.033	
melhylene Chloride	0.64	1.01	0.140	0.220	
Methyl formate	1.08	2.80	0.235	0.611	
Mercury	0.0013	0.0021	0.000280	0.00045	
MIBK	0.43	1.08	0.094	0.235	
Phenol	0.04	0.10	0.009	0.023	
Tetrahydrofuran	5.61	18.13	1.22	3.95	
Toluene	0.04	0.12	0.009	0.027	
Triethyl Amine	220.3	539.8	48.0	117.6	
Xylenes	0.02	0.07	0.005	0.015	

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PA 0248126, Sewage, **Gary and Susan Aungst**, 45 Evergreen Road, McVeytown, PA 17051. This facility is located in Juniata Township, **Huntingdon County**.

Description of activity: The application is for issuance of an NPDES permit for new discharge of treated sewage.

The receiving stream, a UNT to Raystown Branch Juniata River is in Watershed 11-D and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Newport Borough Water Authority is located on the Juniata River, approximately 79 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.0004 mgd are:

Parameter	Average Monthly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅	25	50
Total Suspended Solids	30	60
Total Residual Chlorine		
Dissolved Oxygen		Monitor and Report minimum of 5.0 at all times
pH		from 6.0 to 9.0 inclusive
Fecal Coliform		200/100 ml as a geometric average

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0083704, Industrial Waste, SIC Code 4941, **Shippensburg Borough Authority**, 111 North Fayette Street, Shippensburg, PA 17257-0129. This facility is located in Lurgan Township, **Franklin County**.

Description of activity: The application is for renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Trout Run is in Watershed 7-B, and classified for CWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake is Carlisle Borough located on the Conodoguinet Creek, approximately 48.4 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 based on a design flow of 0.088 mgd are:

Parameter	Concentration (mg/l)		
	Average Monthly	Maximum Daily	Instantaneous Maximum
Total Residual Chlorine	0.7		2.3
Total Suspended Solids	30	60	75
Total Aluminum	4.0	8.0	10
Total Iron	2.0	4.0	5.0
Total Manganese	1.0	2.0	2.5

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0247952, Concentrated Animal Feeding Operation (CAFO), **Stoner's Hijos Hill, Inc.** 7678 Oellig Road, Mercersburg, PA 17236.

Stoner's Hijos Hill, Inc. has submitted an application for an Individual NPDES permit for its farm located in Peters Township, **Franklin County**. The CAFO is situated near a UNT of West Branch Conococheague Creek (Watershed 13-C), which is classified for TSF and MF. The CAFO has a target animal population of approximately 1,197 animal equivalent units (AEUs) consisting of 550 milking cows, 80 dry cows, 40 Springer cows, 380 heifers aged 6—22 months, 150 calves and 14 bulls. Manure is stored in three existing manure storage facilities. The operation consists of a main dairy, a heifer and calf facility and two satellite heifer farms.

A release or discharge to waters of this Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

The permit application and draft permit are on file at the Southcentral Regional Office of the Department. Persons may make an appointment to review the files by calling the file review coordinator at (717) 705-4732.

Persons wishing to comment on the proposed permit are invited to submit written comments to the previous address within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the basis of the comment and the relevant facts upon which it is based.

Following the 30-day comment period, the Watershed Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Application No. PA 0248037, Sewage, **Bethel Township Municipal Authority**, P. O. Box 24, Bethel, PA 19507. This facility is located in Bethel Township, **Berks County**.

Description of activity: The application is for issuance of an NPDES permit for a new discharge of treated sewage.

The receiving stream, Little Swatara Creek is in Watershed 7-D and classified for CWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Pennsylvania American Water Company is located on the Swatara Creek, approximately 40 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.205 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	16	24	32
Total Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	5		10
(11-1 to 4-30)	15		30
NO ₂ -N + NO ₃ -N		Monitor and Report	
Total Kjeldahl Nitrogen		Monitor and Report	
Total Phosphorus		Monitor and Report	
Total Residual Chlorine	0.5		1.6
Dissolved Oxygen		minimum of 5.0 at all times	
pH		from 6.0 to 9.0 inclusive	
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		13,000/100 ml as a geometric average	

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0247910, Sewage, **Bethel Township Municipal Authority**, P. O. Box 24, Bethel, PA 19507. This facility is located in Bethel Township, **Berks County**.

Description of activity: The application is for issuance of an NPDES permit for new discharge of treated sewage.

The receiving stream, Little Swatara Creek is in Watershed 7-D and classified for CWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Pennsylvania American Water Company is located on the Swatara Creek, approximately 35 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.0724 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NO ₂ -N + NO ₃ -N		Monitor and Report	
Total Kjeldahl Nitrogen		Monitor and Report	
Total Phosphorus		Monitor and Report	
Total Residual Chlorine	0.5		1.6
Dissolved Oxygen		minimum of 5.0 at all times	
pH		from 6.0 to 9.0 inclusive	
Fecal Coliform		200/100 ml as a geometric average	
(5-1 to 9-30)		64,000/100 ml as a geometric average	
(10-1 to 4-30)			

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0028142, Amendment No. 1, Sewage, Pennsylvania National Guard, Fort Indiantown Gap, Building No. 0-11, Annville, PA 17003-4002. This facility is located in East Hanover Township, **Lebanon County**.

Description of activity: The application is for an amendment of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Swatara Creek is in Watershed 7-D and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Pennsylvania American Water Company is located on the Swatara Creek, approximately 13 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 1.0 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
NH ₃ -N		
(5-1 to 10-31)	12	24
(11-1 to 4-30)	Monitor and Report	Monitor and Report
Total Phosphorus	2.0	4.0
Dissolved Oxygen		minimum of 5.0 at all times
pH		from 6.0 to 9.0 inclusive
Fecal Coliform		200/100 ml as a geometric average
(5-1 to 9-30)		11,000/100 ml as a geometric average
(10-1 to 4-30)		

In addition to the effluent limits, the permit contains the following major special conditions: a total annual load limit of 24,353 pounds of total Nitrogen and 3,044 pounds of total Phosphorus will become effective on April 1, 2007.

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is not in effect.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA0092525, Sewage, Scottdale Manor Rehabilitation Center, LLC, 900 Porter Avenue, Scottdale PA 15683. This application is for renewal of an NPDES permit to discharge treated sewage from Scottdale Manor Rehabilitation Center STP in East Huntingdon Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as UNT of Jacobs Creek, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the McKeesport Municipal Water Authority.

Outfall 001: existing discharge, design flow of 0.00159 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	7.0			14.0
(11-1 to 4-30)	21.0			42.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.4
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0204234, Sewage, **M. J. Redden**, 350 Water Dam Road, McDonald PA 15057. This application is for renewal of an NPDES permit to discharge treated sewage from M. J. Redden in Robinson Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as UNT to Robinson Run, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the West View Borough Municipal Authority.

Outfall 001: existing discharge, design flow of 0.000455 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	Monitor and Report			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0026697, Sewage, **Butler Area Sewer Authority**, 100 Littman Road, Butler, PA 16001-3256. This facility is located in the City of Butler, **Butler County**.

Description of Proposed Activity: Renewal of an existing discharge of treated sewage.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, the existing/proposed downstream potable water supply, considered during the evaluation is the Beaver Falls Municipal Authority—Eastvale Plant intake is located on the Beaver River and is approximately 50 miles below the point of discharge.

The receiving streams, Connoquenessing Creek—Outfall 001 and Butchers Run Outfalls 005, 011—014 and 018, are in watershed 20-C and classified for WWF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a design flow of 10.0 mgd.

Parameters	Loadings		Concentrations		
	Average Monthly (lb/day)	Average Weekly (lb/day)	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
Flow (mgd)	XX	XX			
CBOD ₅					
(5-1 to 10-31)	1,001	1,501	12	18	24
(11-1 to 04-30)	2,002	3,002	24	36	48
Total Suspended Solids	2,502	3,753	30	45	60
NH ₃ -N					
(5-1 to 10-31)	167		2		4
(11-1 to 4-30)	500		6		12

Parameters	Loadings		Concentrations		Instantaneous Maximum (mg/l)
	Average Monthly (lb/day)	Average Weekly (lb/day)	Average Monthly (mg/l)	Average Weekly (mg/l)	
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)			200/100 ml as a geometric average 2,000/100 ml as a geometric average		
Total Residual Chlorine			0.33		1.1
Dissolved Oxygen			minimum of 5 mg/l at all times		
Phosphorus as "P"	167		2		4
pH			6.0 to 9.0 standard units at all times		

XX—Monitor and report on monthly DMRs.

Outfall 005 (Sewage Treatment Plant-Alternative Outfall)

The proposed discharge limits are based upon a design flow of N/A mgd.

This is for emergency use only.

Outfall No. 011	Lat: 40° 50' 29"	Long: 79° 55' 06"
Outfall No. 012	Lat: 40° 50' 29"	Long: 79° 55' 06"
Outfall No. 013	Lat: 40° 50' 27"	Long: 79° 55' 00"
Outfall No. 014	Lat: 40° 50' 28"	Long: 79° 54' 50"
Outfall No. 018	Lat: 40° 50' 28"	Long: 79° 55' 50"

These discharges shall consist of uncontaminated stormwater runoff from the sewage treatment plant site only.

Permit Special Conditions

1. Supersede previous WQM permit.
2. Continuation of a Federal Pretreatment Program.
3. TRC Minimization.
4. Chronic WET Testing.
5. WET testing for the permit renewal.
6. Stormwater.
7. SSO Condition.

The EPA waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications Under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 4506406, Sewerage, **PA American Water Company**, West Hersheypark Drive, Hershey, PA 17033. This proposed facility is located in Coolbaugh Township, **Monroe County**.

Description of Proposed Action/Activity: This project involves the replacement of approximately 8,800 ft. of existing 10" PVC sewer line with new 15" PVC sewer line along Rosemont Drive.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 3606403, Sewerage, **Lancaster Area Sewer Authority**, 130 Centerville Road, Lancaster, PA 17603. This proposed facility is located in Manheim Township, **Lancaster County**.

Description of Proposed Action/Activity: Seeking approval for the upgrade and expansion at the Eden Road Pumping Station.

WQM Permit No. 6771423 Amendment 06-1, Sewerage, **Chanceford Manor Village Sewer Company, Inc.**, 200 Bailey Drive, Suite 204, Stewartstown, PA 17363. This proposed facility is located in Chanceford Township, **York County**.

Description of Proposed Action/Activity: Seeking approval for the construction/operation for a wastewater treatment plant using aerobic lagoons.

WQM Permit No. 0606401, Sewerage, **Washington Township Municipal Authority**, P. O. Box 156, Barto, PA 19504. This proposed facility is located in Washington Township, **Berks County**.

Description of Proposed Action/Activity: Seeking approval for the construction/operation of the Washington Mews Pump Station.

WQM Permit No. 5003401 Amendment 06-1, Sewerage, **Penn Township Municipal Authority**, 102 Municipal Building Road, Duncannon, PA 17020. This proposed facility is located in Penn Township, **Perry County**.

Description of Proposed Action/Activity: Seeking approval for an organic capacity rerating of the Cove Wastewater Treatment Facility.

WQM Permit No. 0700404 Amendment 06-1, Sewerage, Logan Township, 800 39th Street, Altoona, PA 16602-1799. This proposed facility is located in Antis Township, **Blair County**.

Description of Proposed Action/Activity: Seeking approval to increase the hydraulic capacity of the wastewater treatment facility located along Lower Riggles Gap Road.

WQM Permit No. 3690413 Amendment 06-1, Sewerage, **Manheim Borough Authority**, 15 East High Street, Manheim, PA 17545-0534. This proposed facility is located in Penn Township, **Lancaster County**.

Description of Proposed Action/Activity: Seeking approval to make modifications to the wastewater treatment plant biosolids digestion process from aerobic to facultative.

WQM Permit No. 2206402, Sewerage, **Conewago Municipal Authority**, 3279 Old Hershey Road, Elizabethtown, PA 17022. This proposed facility is located in Conewago Township, **Dauphin County**.

Description of Proposed Action/Activity: Seeking approval to construct, Ridge Road West Pump Station, Ridge Road East Pump Station and the Old Hershey Road Pump Station and 8" sanitary sewer extensions. The estimated proposed flow is 184,800 gpd.

WQM Permit No. 3806404, Sewerage, **Jackson Township Authority**, 60 North Ramona Road, Myerstown, PA 17067. This proposed facility is located in Jackson Township, **Lebanon County**.

Description of Proposed Action/Activity: Seeking approval for construction/operation of their wastewater treatment plant.

WQM Permit No. WQG02060601, Sewerage, **Municipal Authority of the Borough of Sinking Spring**, 3940 Penn Avenue, Sinking Spring, PA 19608. This proposed facility is located in Sinking Spring Township, **Berks County**.

Description of Proposed Action/Activity: Seeking approval for the construction/operation of the Mountain Home Road Pump Station and Sewer Extension.

WQM Permit No. 6706406, Sewerage, **Jefferson Codorus Joint Sewer Authority**, P. O. Box 223, Codorus, PA 17311. This proposed facility is located in Codorus Township, **York County**.

Description of Proposed Action/Activity: Seeking approval for construction/operation of their wastewater treatment plant.

WQM Permit No. WQG02360603, Sewerage, **Paradise Township Sewer Authority**, 2 Township Drive, P. O. Box 40, Paradise, PA 17562. This proposed facility is located in Paradise Township, **Lancaster County**.

Description of Proposed Action/Activity: Seeking approval for construction/operation of the Vintage Phase II Sewer Extension project.

WQM Permit No. 3806405, Sewerage, **West Cornwall Township Municipal Authority**, P. O. Box 1262, Quentin, PA 17083-1262. This proposed facility is located in West Cornwall Township, **Lebanon County**.

Description of Proposed Action/Activity: Seeking approval for the construction/operation of the Butler Road Pump Station.

WQM Permit No. WQG01210601, Sewerage, **Matt Madden**, 20 South Hanover Street, Carlisle, PA 17013. This proposed facility is located in North Middleton Township, **Cumberland County**.

Description of Proposed Action/Activity: Seeking approval for the construction/operation of a small flow sewage treatment system for a single family home along Shatto Drive on Lot No. 22 in Kendor Summit Subdivision.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. WQG016126, Sewerage, **Mark Wrigley**, 285 Canterwood Lane, Wexford, PA 15090. This proposed facility is located in Sewickley Heights Borough, **Allegheny County**.

Description of Proposed Action/Activity: Application for the construction and operation of a single residence sewage treatment plant.

WQM Permit No. 0206402, Sewerage, **Pittsburgh Water and Sewer Authority**, 441 Smithfield Street, Pittsburgh, PA 15222. This proposed facility is located in the City of Pittsburgh, **Allegheny County**.

Description of Proposed Action/Activity: Application for a sewer remediation project to reduce combined sewer flows.

WQM Permit No. 3274405-A2, Sewerage, **Clymer Borough Municipal Authority**, 470 Adams Street, Clymer, PA 15728. This proposed facility is located in Clymer Borough, **Indiana County**.

Description of Proposed Action/Activity: Application for the construction and operation of two additional sludge drying beds to augment the existing sewage treatment plant.

WQM Permit No. 6506202, Industrial Waste 4925, **Great Lakes Energy Partners, LLC**, Route 85 and Northern Avenue, P. O. Box 235, Yatesboro, PA 16263. This proposed facility is located in St. Clair Township, **Westmoreland County**.

Description of Proposed Action/Activity: Treatment and discharge of groundwater captured in association with coal bed methane extraction.

WQM Permit No. 1106201, Industrial Waste 4925, **Great Lakes Energy Partners, LLC**, Route 85 and Northern Avenue, P. O. Box 235, Yatesboro, PA 16263. This proposed facility is located in Allegheny Township, **Cambria County**.

Description of Proposed Action/Activity: Treatment and discharge of groundwater captured in association with coal bed methane extraction.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. WQG018462, Sewerage, **Theodore Finn**, 13600 Colver Road, West Springfield, PA 16443. This proposed facility is located in Springfield Township, **Erie County**.

Description of Proposed Action/Activity: A single residence sewage treatment plant.

WQM Permit No. WQG018447, Sewerage, **Dan and Pauline Severino**, 130 Ash Stop Road, Evans City, PA 16033. This proposed facility is located in Forward Township, **Butler County**.

Description of Proposed Action/Activity: A single residence sewage treatment plant.

WQM Permit No. WQG018452, Sewerage, **Christopher J. Kovski**, 5540 Zessinger Road, McKean, PA 16426. This proposed facility is located in Washington Township, **Erie County**.

Description of Proposed Action/Activity: A single residence sewage treatment plant.

WQM Permit No. WQG018463, Sewerage, **Gary E. Hawk**, 17632 Norrisville Road, Conneautville, PA 16406. This proposed facility is located in Hayfield Township, **Crawford County**.

Description of Proposed Action/Activity: A single residence sewage treatment plant.

WQM Permit No. WQG018449, Sewerage, **Hamid Torab**, 7300 Crane Road, Edinboro, PA 16412. This proposed facility is located in Washington Township, **Erie County**.

Description of Proposed Action/Activity: A single residence sewage treatment plant.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

V. Applications for NPDES Waiver Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011506035	Stephen Cushman Corner Ketch Landing Dev. P. O. Box 72294 Thorndale, PA 19372	Chester	East Brandywine Township	East Branch Brandywine Creek (HQ-TSF-MF)
PAI012306004	Episcopal Academy 367 North Latches Lane Merion, PA 19066	Delaware	Newtown Township	Crum Creek (HQ-CWF)

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Pike County Conservation District: HC 6, Box 6770, Hawley, PA 18428, (570) 226-8220.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI025206005	Community Self Storage 486 Route 6 and 209 Milford, PA 18337	Pike	Milford Township	Sawkill Creek EV

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Clearfield County Conservation District: 650 Leonard Street, Clearfield, PA 16830, (814) 765-2629.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI041704001	River Hill Power, LLC 94 Spruce Street Indiana, PA 15701	Clearfield	Karthaus Township	Mosquito Creek HQ-CWF Shingle Hollow Creek HQ-CWF

Clinton County Conservation District: 45 Cooperation Lane, Mill Hall, PA 17751, (570) 726-3798.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI041806003	R. C. Bowman, Inc. 1436 Nittany Valley Dr. Mill Hall, PA 17751	Clinton	Lamar Township	Fishing Creek HQ

Union County Conservation District: 88 Bull Run Crossing, Suite 5, Lewisburg, PA 17837 (570) 523-8782.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI046006001	Eastern Industries William Valentine P. O. Box 177 Winfield, PA 17889	Union	White Deer Township	White Deer Creek HQ-CWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 3906502, Public Water Supply

Applicant	Nestle Waters North America, Inc. 405 Nestle Way Breinigsville, PA 18031 Upper Macungie Township Lehigh County
Responsible Official	Edward Murphy
Type of Facility	Bottled Water
Consulting Engineer	Edward E. Davis, P. E.
Application Received Date	February 28, 2006
Description of Action	The addition of a bottling line (No. 10) at the permitted bottling plant.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 6702510, Public Water Supply.

Applicant	Borough of Hanover
Municipality	Conewago Township
County	York
Responsible Official	Bruce Rebert, Borough Manager 44 Frederick Street Hanover, PA 17331

Type of Facility Public Water Supply
 Consulting Engineer Ronald L. Orndorff, P. E.
 44 Frederick Street
 Hanover, PA 17331

Application Returned: 5/2/2006

Description of Action Construction Permit Application for Well No. 2. The well will be pumped at a rate not to exceed 125 gallons per minute. Treatment will be provided at the existing, previously permitted Hanover Borough surface water filtration facility.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 5906501—Construction Public Water Supply.

Applicant **Osceola Township Municipal Authority**

Township or Borough Osceola Township

County **Tioga**

Responsible Official Jon Seely, Chairperson
 Osceola Township Municipal Authority
 P. O. Box 249
 Osceola, PA 16942

Type of Facility Public Water Supply—Construction

Consulting Engineer Gregory M. Cummings, P. E.
 Larson Design Group, Inc.
 P. O. Box 487
 1000 Commerce Park Drive
 Williamsport, PA 17703

Application Received Date May 4, 2006

Description of Action Well modifications, replacement of water lines, water storage tank and water treatment facility.

Permit No. 1406503—Construction Public Water Supply.

Applicant **Spring Mills Water Association**

Township or Borough Gregg Township

County **Centre**

Responsible Official Thomas Stitzer
 Spring Mills Water Association
 P. O. Box 165
 Spring Mills, PA 16875

Type of Facility Public Water Supply—Construction

Consulting Engineer Robert S. Decker
 Nittany Engineering and Associates
 136 West Main Street
 P. O. Box 700
 Millheim, PA 16854

Application Received Date May 1, 2006

Description of Action Construction of a filtration plant and new water storage tank.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 5636541, Public Water Supply.

Applicant **Al's Water Service**
 2699 Jefferson Avenue
 Washington, PA 15301

Township or Borough Canton Township

Responsible Official Al Pinkerton
 Al's Water Service
 2699 Jefferson Avenue
 Washington, PA 15301

Type of Facility Bulk water hauling facility

Consulting Engineer Sawyer Engineering
 205 Robinhood Lane
 McMurray, PA 15317

Application Received Date February 8, 2006

Description of Action 16 carrier vehicles utilizing a finished water source.

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Application, Minor Amendment.

Applicant **PA American Water Company**
 Lehman Township
Pike County

Responsible Official Paul A. Zielinski, Director
 Environmental Compliance & Mgmt.
 PA American Water Company
 800 West Hersheypark Drive
 Hershey, PA 17033
 (717) 533-5000

Type of Facility Community Water System

Consulting Engineer N/A

Application Received Date April 26, 2006

Description of Action Application for transfer of PWS operation permit No. 2520096 and facilities approved under PWS operation permit Nos. 5289501 and 2520022 from Saville Rustin Water Company to PA American Water Co. Also being transferred, PWS construction permit Nos. 5291507, 5295505, 5295502 and 5203503 as issued December 22, 1992, January 19, 1996, October, 13, 1999, and August 12, 2003, respectfully.

WATER ALLOCATIONS

Applications received under the act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631–641) relating to the acquisition of rights to divert waters of the Commonwealth

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

WA 36-403C, Water Allocations, Manheim Borough Authority, Lebanon County. The right to withdraw up to a maximum of 720,000 gpd from Metzler's Quarry. Consulting Engineer: Yves E. Pollart, RETTEW Associates, Inc. Application Returned: 5/2/2006.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101–6026.908).

Sections 302–305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and

implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Messiah College, Hoffman UST Release, Upper Allen Township, Cumberland County. HRP Associates, Inc., 4811 Jonestown Road, Suite 235, Harrisburg, PA, 17109, on behalf of Messiah College, One College Avenue, Grantham, PA 17027, submitted a Notice of Intent to Remediate site soils contaminated with No. 2 heating oil. The property is residential and will continue to be used as residential. The applicant seeks to remediate to the Statewide Health Standard under the Low Risk option.

Cotton Mill Store, Inc. Property, Shillington Borough, Berks County. Liberty Environmental, 10 North Fifth Street, Suite 800, Reading, PA 19601, on behalf of Cotton Mill Store, Inc., 601 East Lancaster Avenue, Shillington, PA 19607, submitted a Notice of Intent to Remediate site soils contaminated with No. 2 fuel oil. The property is used as a commercial facility and will continue to be used commercially. The applicant seeks to remediate to the Statewide Health Standard.

Loucks Mill Road Warehouse, Spring Garden Township, York County. RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406, on behalf of Loucks Mill Logistics LLC, 7 Corporate Drive, Keene, NH, 53555, submitted a Notice of Intent to Remediate groundwater contaminated with chlorinated solvents. The applicant seeks to remediate to the Background Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Dominion Transmission Greenlick Compressor Station, Stewardson Township, Potter County. URS Corporation, Foster Plaza 4, 501 Holiday Drive, Suite 300, Pittsburgh, PA 15220 on behalf of Dominion Transmission, 445 West Main St., Clarksburg, WV 26301 has submitted a Notice of Intent to Remediate soil and groundwater contaminated with BTEX constituents and PCBs. The applicant proposes to remediate the site to meet the Site-Specific Standard. A summary of the Notice of Intent to Remediate was reported to have been published in the *Potter Leader-Enterprise* on December 22, 2004.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Keystone Rolls Facility, Wheatland Borough, Mercer County. Steven Gerritsen, Consultant, SE Technologies, Inc., 98 Vanadium Road, Bridgeville PA 15017 on behalf of Keith Young, Owner Representative, Xaloy, Inc., 1399 Countyline Road, New Castle, PA 16107 has submitted a Notice of Intent to Remediate. The contamination at the site includes chlorinated hydrocarbons that are migrating onto the property by means of groundwater from an offsite, upgradient source. The offsite contaminant

source is inferred to be from past industrial processes/waste management practices. The intended future use of the property is industrial. Proof of publication was published in the *The Herald/Allied News* on April 13, 2006.

Keystone Rolls Facility, Wheatland Borough, **Mercer County**. Steven Gerritsen, Consultant, SE Technologies, Inc., 98 Vanadium Road, Bridgeville PA 15017 on behalf of Keith Young, Owner Representative, Xaloy, Inc., 1399 Countyline Road, New Castle, PA 16107 has submitted a Final Report to demonstrate attainment of the Background Standard for groundwater at a site located at 40 Council Avenue. The contamination at the site includes chlorinated hydrocarbons that are migrating onto the property by means of groundwater from an offsite, upgradient source.

Caparo Steel Company, City of Farrell, City of Sharon, **Mercer County**. Paul Wojciak, Consultant, Environmental Management Associates, LLC, 10925 Perry Highway, Suite 23, Wexford, PA 15090 on behalf of Richard A. Herman, owner/remediator, Caparo Steel Company c/o Duferco Farrell Corporation, 15 Roemer Boulevard, Farrell, PA 16121 has submitted a Notice of Intent to Remediate. The AOC-6 former Finishing Division A is a portion of an inactive steel finishing facility owned by Caparo Steel Company located at 15 Roemer Boulevard, Farrell, PA. The site is currently leased to and being partially used by Duferco Farrell Cop for industrial purposes. The site was formerly owned and used by Sharon Steel Corp and its predecessors for steelmaking, hot and cold rolling of carbon and stainless steel strip, annealing, pickling, shipping, related storage, maintenance and support shops and facilities. The site may have contaminated by inorganics/metals, lead, PCBs, VOCs, SVOCs and other petroleum products/oils. Future site use will be industrial/nonresidential for Duferco plan storage and support purposes. Published in *The Herald* on April 28, 2006.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

Applications received or withdrawn under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P. L. 525, No. 93) and regulations to transport infectious and chemotherapeutic waste.

Central Office: Bureau of Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Renewal Applications Received

Environmental Waste Minimization, Inc., 14 Brick Kiln Ct.; Northampton, PA 18067; **License No. PA-HC 0219**. Received 4/19/06.

Healthcare Waste Solutions of PA, LLC, 380 Locust St., McKeesport, PA 15132; **License No. PA-HC 0217**. Received 3/3/06.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application received, under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act 53 P. S. §§ 4000.101—4000.1904 and regulations to operate Solid Waste Processing or Disposal Area or Site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Permit ID No.300657. Allegheny Ludlum Corporation, Environmental Affairs Department, 100 River Road, Brackenridge, PA 15014-1597. Route 356 Residual Waste Landfill, Route 356, Freeport, PA 16229-1512. A major permit modification for a proposed wastewater treatment system at a residual waste landfill in Allegheny Township, **Westmoreland County** was received in the Regional Office on May 2, 2006.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit Application No. 300971, S. S. Fisher Steel Corporation, Pesquea Township, **Lancaster County**. The application is for a revision to the Closure Plan. The permit was determined to be administratively complete on May 8, 2006.

Comments concerning the application should be directed to John Krueger, Program Manager, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110. Persons interested in obtaining more information about the general permit application may contact the Waste Management Program, (717) 705-4706. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

66-318-004: The Procter and Gamble Paper Products Company (P. O. Box 32, Route 87, Mehoopany, PA 18629) for modification of adhesive application equipment on five existing converting lines in Washington Township, **Wyoming County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05069K: East Penn Manufacturing Co., Inc. (Deka Road, P. O. Box 147, Lyon Station, PA 19536-0147) for construction of a new lead/acid storage battery assembly plant controlled by fabric collectors, HEPA filters and mist eliminators, and the construction of six lead oxide mills controlled by cyclones, fabric collectors and HEPA filters in Richmond Township, **Berks County**. Some sources are subject to 40 CFR Part 60, Subpart KK, Standards of Performance for lead-acid battery manufacturing plants.

67-03103A: Gerhardt USA (400 East Locust Street, Dallastown, PA 17313) for construction of a chrome plating line in Dallastown Borough, **York County**. The chrome plating tanks are subject to 40 CFR Part 63, Subpart N—National Emission Standards for Chromium Emissions from Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

27-033A: National Forest Products, LTD (South Forest Street, Marienville, PA 16239) for construction of a surface coating operation in Jenks Township, **Forest County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.

15-0004F: Alcoa Flexible Packaging, LLC (520 Lincoln Avenue, Downingtown, PA 19335) for installation of an unwind stand, full enclosure and the booster fan on a rotogravure press No. 5 in Downingtown Borough, **Chester County**. This installation will reduce total VOC emissions of 45.4 tpy. This facility is a Major for VOC. The Plan approval will contain recordkeeping and operating restriction designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

40-399-056: Smiths Aerospace Components (701 Crestwood Drive, Mountaintop, PA 18707-0068) for plan approval to exhaust an existing dust collector to the outdoors in Wright Township, **Luzerne County**. The dust collector is used to control particulate dust generated during stainless steel ring splitting operations, and currently vents inside the building. The purpose to exhaust outside is to minimize nuisance odor buildup inside the building. Expected particulate emission rate will be less than 0.02 grain/dscf from the dust collector. The company will operate the facility and maintain the systems in accordance with the good engineering practices to assure proper operation of the system. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

39-309-064: Lafarge North America, Inc. (5160 Main Street, Whitehall, PA 18052) for installation of a mixing fan on the No. 2 cement kiln at the Whitehall Plant in Whitehall Township, **Lehigh County**. The facility currently has a Title V Operating Permit No. 39-00011. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V Operating Permit through an administrative amendment at a later date.

The installation and operation of a mixing fan on the No. 2 cement kiln will improve the combustion characteristics of the kiln by eliminating stratified air near the tire injection point. The cement kiln can be fired by either a combination of coke and bituminous coal; or a combination of coke and bituminous coal with tire-derived fuel (TDF) and/or plastic-derived fuel (PDF). The emissions will not exceed the following emission limits (unchanged from the issued Plan Approval No. 39-309-063 for PDF and the current Title V permit) listed below:

Pollutant	Pounds/hour
Arsenic	0.00151
Cadmium	0.00525
Hexavalent Chromium	0.00135
Lead	0.07
Mercury	0.00744
Nickel	0.0189
Zinc	0.38689
Total VOCs	5.4
SO ₂	362.0
	(3-hr Block Average)
NOx (with TDF/PDF)	260.5
	(30-day Rolling Average)
NOx (NO TDF/PDF)	297.7
	(30-day Rolling Average)
Particulates	14.8
HCl	2.23
HCN	0.059
Chlorine	0.077

The Plan Approval will contain additional recordkeeping, testing and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The company will be required to continue to operate and maintain a Continuous Emission Monitoring System, which is certified by the Department for opacity, SO and NOx. In addition the company is required to conduct annual stack testing for arsenic, cadmium, hexavalent chromium, lead, mercury, nickel, zinc, total VOCs, particulates, CO, HCl, HCN and chlorine due to the kiln being fired by TDF and/or PDF.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

07-03034D: Fry Metals, Inc. d/b/a Cookson Electronics (4100 6th Avenue, Altoona, PA 16602) for installation of a hydrogen fluoride control system in City of Altoona, **Blair County**. The control system includes installation of a dry chemical scrubber system, raising the elevation of two existing exhaust stacks and installation of a new exhaust stack. No increase in emissions are expected. The plan approval and subsequent Synthetic Minor operating permit amendment will include emission restrictions, work practice standards, and testing, monitoring, recordkeeping and reporting requirements to ensure facility complies with the applicable air quality regulations.

21-05026B: Carlisle SynTec, Inc. (1295 Ritner Highway, Carlisle, PA 17013) for installation of an adhesive application line at the company's sheet roofing plant in Carlisle Borough, **Cumberland County**. The proposed line will increase the facility's potential VOC emissions by 6.5 tons per year and xylene emissions by 4.9 tons per year. These emissions previously occurred during manual application of the adhesive. The plan approval will include monitoring, work practice standards, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

22-05051A: The Hershey Company (19 East Chocolate Avenue, Hershey, PA 17033) for installation of a new particulate control device at their chocolate candy-manufacturing facility in Derry Township, **Dauphin County**. This construction will result in less than a ton of PM10 emission per year. The plan approval will include monitoring, recordkeeping, work practices and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

67-05016E: R. H. Sheppard Co., Inc. (101 Philadelphia Street, Hanover, PA 17331) for construction of a blast cabinet controlled by an existing fabric collector at their iron foundry in Hanover Borough, **York County**. The source has the potential to emit 20 tons PM10 per year. The plan approval and subsequent State-only operating permit administrative amendment will include emission restrictions, work practice standards, and testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

59-304-008G: ACP Manufacturing Co., LLC (P. O. Box 68, Blossburg, PA 16912) for modification of a cast iron parts surface coating dip tank in the company's iron foundry facility in Lawrence Township, **Tioga County**.

The respective dip tank is used to coat cast iron parts to provide corrosion resistance. The respective modification is an increase in the allowable VOC emission limitation for the dip tank from the current limit of .9 ton of VOC in any 12-consecutive month period to 3.72 tons of VOCs in any 12-consecutive month period. The increase in the allowable VOC emissions for the facility as a whole however will be only 1.82 tons in any 12-consecutive month period, rather than 2.82 tons, due to the fact that ACP Manufacturing Co., LLC was previously allowed to emit up to 1.0 ton of VOCs from cleanup activities associated with the operation of the dip tank but will no longer need to perform these activities with VOC-containing materials.

The facility will remain a minor (non-Title V) facility following the proposed modification.

The Department of Environmental Protection's (Department) review of the information submitted by ACP Manufacturing Co., LLC indicates that the dip tank will comply with all applicable regulatory requirements pertaining to air contamination sources and the emission of air contaminants following modification, including the VOC emission requirements of 25 Pa. Code § 129.52 and the best available technology requirement of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department of Environmental Protection proposes to issue plan approval for the modification of the dip tank.

The following is a summary of the conditions the Department proposes to place in the plan approval to be issued to ensure compliance with all applicable requirements:

1. The VOC emissions from the dip tank shall not exceed 3.72 tons in any 12-consecutive month period.
2. The only materials which shall be placed in the dip tank, other than water and the parts to be coated, are coating which contains no more than .12 pound of VOCs per gallon of coating (as received from the vendor) and flow control additive which contains no more than 8.3 pounds of VOCs per gallon of additive (as received from the vendor). Additionally, neither the coating nor the flow control additive shall contain any volatile HAPs.
3. Over any 12-consecutive month period, no more than 1 gallon of flow control additive shall be added to the dip tank for every 31.6 gallons of coating added. Additionally, no more than 19,118 gallons of coating and 605.62 gallons of flow control additive shall be added to the dip tank in any 12-consecutive month period.
4. The only material to be used for cleanup activities associated with the dip tank shall be water. VOC-containing materials and/or volatile HAP-containing materials shall not be used for this purpose.
5. The dip tank shall comply with the applicable VOC content limit specified in Table 1, Category 10, 25 Pa. Code § 129.52(f) on a 30 day rolling average basis as required by 25 Pa. Code § 129.52(b)(1)(ii).
6. Comprehensive accurate records shall be maintained of the identity and amount of each material (coating, flow control additive, and the like) added to the dip tank on each separate day. Records shall be retained for at least 5 years and shall be made available to the Department upon request.

49-00020C: Truck Accessories Group, Inc. d/b/a Leer East (3560 Housels Run Road, Milton, PA 17847) for transfer of 41.7 tons of VOC emission reduction credits from PNC Bank, National Association, to Truck Accessories Group, Inc. for use in the company's Milton Borough, **Northumberland County**, facility.

Truck Accessories Group's Milton Borough, Northumberland County, facility is a major (Title V) facility for VOCs. As such, it is subject to the New Source Review requirements of 25 Pa. Code §§ 127.201—127.217, including the emission offset requirements contained therein. Truck Accessories Group, Inc. intends to use the 41.7 tons of VOC emission reduction credits to satisfy these requirements.

The 41.7 tons of VOC emission reduction credits being transferred were generated in McKeesport, Allegheny County, by Metallized Paper Corporation of America and the current recipient/holder of the respective credits is PNC Bank, National Association, assignee (by private lien foreclosure).

Under 25 Pa. Code § 127.208(2), the Department of Environmental Protection (Department) intends to issue plan approval approving the transfer of the respective 41.7 tons of VOC emission reduction credits from PNC Bank, National Association, to Truck Accessories Group, Inc. and the subsequent use of the respective credits by Truck Accessories Group, Inc. The proposed plan approval does not grant approval to construct, modify or reactivate any air contamination source or install an air cleaning device on any air contamination source.

The following is a summary of the conditions the Department proposes to place in the plan approval to be issued:

1. This plan approval authorizes the transfer of 41.7 tons of VOC emission reduction credits from PNC Bank, National Association, to Truck Accessories Group, Inc. as well as the subsequent use of the respective emission reduction credits by Truck Accessories Group, Inc. to satisfy the emission offset requirements contained in 25 Pa. Code §§ 127.201—127.217.

2. The emission reduction credits shall not be used to comply with any air contaminant emission limitation specified in, or established under the Clean Air Act, the Air Pollution Control Act or the Rules and Regulations of the Department.

3. This plan approval does not authorize the construction, modification or reactivation of any air contamination source or the installation of an air cleaning device on any air contamination source.

A copy of the plan approval application is available for public inspection during normal business hours at the address listed. Persons interested in inspecting the application must schedule an appointment in advance.

Persons wishing to protest the issuance of plan approval or provide the Department with additional information which he/she believes should be considered in the Department's review of the respective plan approval application may do so by submitting the protest or information in writing to the Department at the address listed.

Protests or comments must be received by the Department within 30 days of the last date of publication of this notice to be considered. Each protest or comment should include the name, address and telephone number of the person submitting the protest or comment and a concise

statement explaining the relevancy of the protest or comment being presented to the Department.

A public hearing may be held if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons protesting the issuance of plan approval, submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a newspaper of general circulation in the Milton Borough area or by letter or telephone if the Department feels that such notification is sufficient.

Written comments, protests or requests for a public hearing should be directed to David W. Aldenderfer, Environmental Program Manager, Air Quality Program, Department of Environmental Protection, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

For additional information regarding the respective plan approval application, contact Richard L. Maxwell, Jr., Chief, New Source Review Section, Air Quality Program, Department of Environmental Protection, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448, (570) 327-3640.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

42-197E: M and M Royalty (5377 Lauby Road NW, Suite 202, North Canton, OH 44720) for construction of a new inlet compressor (500 HP Caterpillar Model 398NA) in Lafayette Township, **McKean County** for the Irishtown natural gas processing facility.

In accordance with 25 Pa. Code §§ 127.44(d) and 127.424(d), the Department of Environmental Protection (Department) intends to issue a plan approval to construct a new inlet compressor (500 HP Caterpillar Model 398NA) in Lafayette Township, McKean County. The plan approval will include emission restrictions for the new engine. The facility-wide nox emission increases will be approximately 4.8 tpy. CO emissions from the facility will increase by approximately 4.8 tpy. VOC emissions will increase by approximately 4.8 tpy. The permittee shall be required to monitor the temperature across the catalyst, the hours of operation, daily fuel consumption, and the throughput for the plant. The plan approval will also include additional monitoring, reporting and recordkeeping conditions and other requirements to ensure the source is operated in compliance with the Department's regulations contained in 25 Pa. Code Chapters 121—143 and the requirements of the Federal Clean Air Act. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into a State-only operating permit through an administrative amendment at a later date. Issuance of the plan approval is recommended with the appropriate conditions in the plan approval.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Braun, Chief, (215) 685-9476.

AMS 06014: Sun Chemical (3301 Hunting Park Ave., Philadelphia, PA 19132) for installation of one Kady mill, 16 mixers, one postmixer and eight table top mixers in the City of Philadelphia, **Philadelphia County**.

AMS 05166: Temple University—Health Science Campus (3401 North Broad Street, Philadelphia, PA 19140) for installation of emergency generators and fire pumps. There will be a potential emission increase of 7.96 tons for NOx for the facility. The plan approval will contain operating and recordkeeping requirements to ensure operation within all applicable requirements.

PUBLIC HEARINGS

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

PA 48-328-008: Bethlehem Renewable Energy, LLC (1300 North 17th Street, Suite 1600, Arlington, VA 22209) for construction and operation of a single Solar Taurus 60 combustion turbine generator unit, to produce electricity from burning landfill gas as a fuel in Lower Saucon Township, **Northampton County**.

In accordance with 25 Pa. Code § 127.44 and 40 CFR 52.21, the Department of Environmental Protection (Department) is soliciting comments on the proposed Air Quality Plan Approval for Bethlehem Renewable Energy LLC (the Permittee), 1300 North 17th Street, Suite 1600, Arlington, VA 22209, for the proposed landfill gas fired turbine project to be located in Lower Saucon Township, Northampton County as described in the Permittee's October 11, 2005, Plan Approval Application and subsequent supplemental submissions.

The application for plan approval is for construction and operation of a single Solar Taurus 60 combustion turbine generator unit, to produce electricity from burning landfill gas as a fuel. The primary objective of this facility is to recover useful energy from the landfill gas, which is currently being combusted in an enclosed ground flare. Once the turbine is brought online, the turbine will replace the existing flare as the primary source for combusting the landfill gas.

The proposed project is subject to the various State and Federal New Source Performance Standard requirements.

A review of the information submitted by Bethlehem Renewable Energy LLC indicates that the proposed project will meet all applicable state and Federal NSPS air quality requirements. Based upon these findings, Department of Environmental Protection plans to approve the application and issue a permit for the facility.

The following table summarizes the potential emissions from maximum operation of the turbine according to the application submitted and the Department's own analysis:

<i>Pollutant</i>	<i>Tons Per Year</i>
NOx	50.41
VOCs	10.43
SO ₂	4.54
CO	73.07
PM=PM10=PM2.5	6.16
HCL	1.34

The emissions of these pollutants are within all applicable emissions limitations and will not cause an exceedance of the National Ambient Air Quality Standards.

To assure compliance with the applicable standards, Department will place the conditions in the plan approval.

Persons wishing to provide the Department with additional information, which they believe should be considered prior to the issuance of the Plan Approval, may submit the information to the address shown. The Department will consider any written comments received within 30 days of the publication of this notice. Each written comment must contain the following: name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval No. 48-328-008, and a concise statement regarding the

relevancy of the information or any objections to the issuance of the Plan Approval.

A public hearing will be held for the purpose of receiving comments on the proposed air quality plan approval. The hearing will be held at 7 p.m. on June 22, 2006, at Lower Saucon Township Council Meeting Room located at 3700 Old Philadelphia Pike, Bethlehem, PA 18015. Persons interested in commenting are invited to appear at the public hearing.

Copies of the application, the Department's technical review and other supporting documents are available for public inspection between the hours of 8 a.m. and 4 p.m. at the Department's Wilkes-Barre Regional Office, 2 Public Square, Wilkes-Barre, PA 18711-0790. Appointments for scheduling a review may be made by calling (570) 826-2511.

The general procedures for the hearing are as follows:

To develop an agenda for the hearing, the Department requests that individuals wishing to testify at the hearing submit a written notice of their intent. The notice should be sent to Thomas A. DiLazaro, Hearing Examiner, Department of Environmental Protection, Air Quality Program, Wilkes-Barre Regional Office, 2 Public Square, Wilkes-Barre, PA 18711-0790. The Department will accept notices up to the day of the public hearing.

This written notice should include the person's name, address, telephone number and a brief description as to the nature of the testimony. Individuals who submit a notice of intent to testify will be given priority on the agenda. If time permits, the Department will allow individuals who have not submitted a notice of intent to testify to present their comments.

Each individual will have up to 10 minutes to present testimony. The Department requests that individuals present written copies of their testimony in addition to their oral presentations.

To insure that all speakers have a fair and equal opportunity to present their testimony, relinquishing of time will be prohibited. Further details relating to the procedures to be followed at the hearing will be outlined at the beginning of the hearing.

Persons unable to attend the hearing can submit written testimony to the Department through June 30, 2006.

The Department will address comments from the public before a final action is taken on the proposal. A summary report addressing the concerns raised by the public will be released should the Department decide to issue the Plan Approval. Send written comments to Thomas A. DiLazaro, Regional Air Quality Program Manager, Wilkes-Barre Regional Office, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations should contact the Department at the address shown above, or the Pennsylvania AT&T relay service at (800) 654-5984 (TDD) to discuss how the Department may address their needs.

For additional information, contact Thomas A. DiLazaro at (570)-826-2511 or write to the Department at the Wilkes-Barre address given previously.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

15-00045: Sealed Air Corp. (22 Meredith Court, Modena, PA 19358) for renewal of the Title V Operating Permit in Modena Borough, **Chester County**. The initial permit was issued on June 1, 2001. The facility is primarily used for recycling corrugated scrap paper to rolls of crepe paper. A 46 million Btu/hr boiler provides the steam that is necessary for the process. As a result of potential emissions of NO_x, the facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments, and is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The proposed Title V Operating Renewal does not adopt any new regulations and does not reflect any change in air emissions from the facility. The facility is not subject to Compliance Assurance Monitoring under 40 CFR Part 64. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting.

46-00081: Markel Corp. (435 School Lane, Plymouth Meeting, PA 19462) for renewal of the Title V Operating Permit in Plymouth Township, **Montgomery County**. The initial permit was issued on 10-25-2001. The facility is a primary producer of fluoropolymer tubing and coated wire, plastic tubing, coated fiberglass sleeving and specialty tubing products that emits VOC. The major emissions are VOCs and the facility is subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The proposed Title V Operating Renewal does not reflect any change in air emissions from the facility. The facility is subject to Compliance Assurance Monitoring under 40 CFR Part 64.

23-00039: DELCORA, Delaware County Regional Water Quality Control Authority (100 East Fifth Street, Chester, PA 19016) for the renewal of a Title V facility in Chester Township, **Chester County**. The facility's sources include two Sewage Sludge Incinerator, Wastewater Treatment Process, four 250,000 gallon sludge holding tanks and misc. VOC sources. The permittee does have the potential to emit more than 24.9 ton/year for VOC and NO_x and is therefore characterized as a Title V, Major Facility. This facility is not subjected to CAM, under 40 CFR Subpart 64. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

15-00010: ISG Plate, LLC (139 Modena Road, Coatesville, PA 19341) for a renewal of the Title V Operating Permit in Coatesville, **Chester County**. The initial permit was issued on 9-14-2001. The facility is a primary producer of carbon and steel alloy. As a result of potential emissions of VOCs the facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments, and is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The proposed Title V Operating Renewal does not reflect any change in air emissions from the facility. The facility is subject to Compliance Assurance Monitoring under 40 CFR Part 64. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428, Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

15-00052: Allan A. Myers, LP d/b/a Independence Construction Materials Asphalt Plant (Route 82 South, Coatesville, PA 19320) for operation of their batch asphalt plant in East Fallowfield Township, **Chester County**. The permit is for a non-Title V (State-only) facility. The Coatesville Asphalt Plant is a 4-ton batch plant consisting of a hot oil heater, cyclone, baghouse and stack. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

46-00112: Palmer International, Inc. (2036 Lucon Road, Skippack, PA 19474) for a non-Title V, State-only, Synthetic Minor Operating Permit in Skippack Township, **Montgomery County**. Palmer International, Inc. owns and operates a facility that manufactures resins and friction particles for use in brake pads for trucks and airplanes from cashew nutshell liquid. Most processes at this facility exhaust to a thermal oxidizer, which controls emissions of VOCs. The facility has the potential to emit close to 25 tons of VOC, 19.59 tons PM per year, 22.14 tons NO_x per year, 44.5 tons CO per year, 39.48 tons SO_x per year and 8.83 tons HAPs per year. The conditions from plan approvals PA-46-0112, PA-46-0112A and PA-46-0112B have also been incorporated into this State-only operating permit. Monitoring, recordkeeping and reporting requirements have been added to the permit to address the applicable limitations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

38-05025: Beck Aluminum Alloy, Ltd. (24 Keystone Drive, Lebanon, PA 17042) for operation of their secondary aluminum production facility in South Lebanon Township, **Lebanon County**. This facility has a potential to emit 42 tons per year of NO_x, 60 tons per year of SO_x and 6 tons per year of a PM. Actual emissions are expected to be 15 tons per year of NO_x, 21 tons per year of SO_x and 2 tons per year of a PM. The operating permit shall contain testing, monitoring, recordkeeping and reporting requirements, emission restrictions and work practice standards designed to keep the facility operating within all applicable air quality requirements.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

16-00094: IA Construction Co.—Paint Township (R. R. 1, Route 66, Shippenville, PA 16254) for issuance of a Natural Minor Operating Permit to operate the Asphalt Paving Mixtures and Blocks Plant in Paint Township, **Clarion County**.

25-00967: Spectrum Control Inc.—Fairview Township (8061 Avonia Road, Fairview, PA 16415) for issuance of a Natural Minor Operating Permit to operate the Electronic Connectors Plant in Fairview Township, **Erie County**.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the district mining office indicated before an application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

30841317 and NPDES Permit No. PA0213527, Consol Pennsylvania Coal Company (1525 Pleasant Grove Road, P. O. Box J, Claysville, PA 15323), to revise the permit for the Enlow Fork Mine in Morris, South Franklin, East Finley and West Finley Townships, **Washington County** to add acreage for the north longwall expansion. Templeton Fork, Tenmile Creek, Buffalo Creek Sawhill Run, Crafts Creek and their UNTs may be affected by this mining. Underground acres proposed

7,050, SCP acres proposed 7,050. No additional discharges. Application received July 1, 2005.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

Permit No. 11960101 and NPDES No. PA0213276. Cloe Mining Company, Inc., P. O. Box I, Grampian, PA 16838, permit renewal for reclamation only of a bituminous surface auger mine in Reade Township, **Cambria County**, affecting 107.9 acres. Receiving streams: UNTs to/and Muddy Run, classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received May 3, 2006.

11960105 and NPDES No. PA0234141. E. P. Bender Coal Company, Inc., P. O. Box 594, Carrolltown, PA 15722, permit renewal for the continued operation and restoration of a bituminous surface-auger mine in Reade and Beccaria Townships, **Cambria and Clearfield Counties**, affecting 474.0 acres. Receiving streams: Turner Run and Clear Creek, Clearfield Creek classified for the following uses: CWF and WWF. There are no

potable water supply intakes within 10 miles downstream. Application received April 27, 2006.

32900108 and NPDES No. PA0599034. Thomas J. Smith, Inc., 2340 Smith Road, Shelocta, PA 15774, permit renewal for the continued operation and restoration of a bituminous surface-auger mine in South Mahoning Township, **Indiana County**, affecting 74.4 acres. Receiving streams: Ross Run, UNT to Little Mahoning Creek classified for the following uses: HQ; HQ. There are no potable water supply intakes within 10 miles downstream. Application received May 3, 2006.

Knox District Mining Office: White Memorial Building, P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

16920107 and NPDES Permit No. PA0211435. RFI Energy, Inc. (555 Philadelphia Street, Indiana, PA 15701). Revision to an existing bituminous surface strip,

tipple refuse disposal and beneficial use of coal ash operation in Perry and Licking Townships, **Clarion County** affecting 274 acres. Receiving streams: two UNTs to Cherry Run to Licking Creek, and two UNTs to Clarion River, classified for the following use: CWF. The first downstream potable water supply intake from the point of discharge is West Freedom Borough. Revision to include a postmining land use change from forestland and pasture land or land occasionally cut for hay to unmanaged natural habitat on tracts of land owned by C & K Coal Company. Application received: May 1, 2006.

Noncoal Applications Received

Effluent Limits

The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity ¹			
pH ¹		greater than 6.0; less than 9.0	

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

10960302. Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201). Renewal of NPDES Permit No. PA0227200, Marion Township, **Butler County**. Receiving streams: UNT to North Branch Slippery Rock Creek and three UNT to Black Creek, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. NPDES Renewal application received: May 1, 2006.

10960304 and NPDES Permit No. PA0227218. Quality Aggregates, Inc. (200 Neville Road, Neville Island, PA 15225). Revision to an existing limestone operation in Washington Township, **Butler County** affecting 186.0 acres. Receiving streams: UNTs to South Branch Slippery Rock Creek, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Revision to add blasting to the permit. Application received: May 2, 2006.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as

relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the FWPCA (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

E15-755. James Rowan, P. O. Box 124, Chester Springs, PA 19425, East Pikeland Township, ACOE Philadelphia District.

To perform the following activities across the Pickering Creek (HQ-TSF) associated with a proposed driveway access:

1. To construct and maintain a single span steel I-beam bridge impacting 0.01 acre of wetlands (PEM). The proposed bridge will have a clear span of 57.0 feet and an underclearance of approximately 12.0 feet.

2. To construct and maintain approximately 42 linear feet of a 36-inch CMP culvert.

3. To construct and maintain an on-stream detention basin by excavating within the bed and banks of a 50-foot section of the stream channel.

4. To place and maintain temporary sand bag cofferdam to facilitate construction activities.

The site is located approximately 2,000 feet west of the intersection of Pickering Road and Church Road (Malvern, PA USGS Quadrangle N: 19.4 inches; W: 11.9 inches).

E15-756. Phillips Road Associates, 202 Phillips Road, Exton, PA 19341, Uwchlan Township, **Chester County**, ACOE Philadelphia District.

To modify the 100-year floodway and floodplain of the West Branch of the Brandywine Creek (TSF) associated with the expansion and upgrade the existing Coatesville Wastewater Treatment Facility. The facility is located along the West Branch of the Brandywine Creek in South Coatesville Borough, Chester County. (Coatesville, PA Quadrangle N: 17.8 inches; W: 10.2 inches)

E46-991. Worcester Township, 1721 Valley Forge Road, Worcester Township, **Montgomery County**, ACOE Philadelphia District.

To construct and maintain a new pedestrian bridge across Zacharias Creek (TSF). The proposed bridge is 60-foot long by 6-foot wide is part of an overall trail system through open space located with in the 100-year floodplain.

The site is located about 1,000 feet southeast of intersection of Skippack Pike and Green Hill Road (Lansdale-PA USGS Quadrangle N: 14.5 inches W: 15.7 inches) in Worcester Township, Montgomery County.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E38-149: South Londonderry Township, 20 W. Market Street, P. O. Box 3, Campbelltown, PA 17010-0003 in South Londonderry and South Annville Townships, **Lebanon County**, ACOE Baltimore.

To replace the existing 22.0-foot long, 8.0-foot by 4.0-foot box culvert with a 38.0-foot long, 12.0-foot by 5.0-foot box culvert depressed 6 inches into the streambed of Killinger Creek (TSF), located at a site in South Annville and South Londonderry Township, Lebanon County (Palmyra, PA Quadrangle Latitude: 40° 17' 23", Longitude: 76° 33' 41.5", N: 8.60 inches, W: 7.15 inches).

E44-129: Department of Transportation, Engineering District 2-0, 1924 Daisy Street Extension, Clearfield, PA 16839 in Union Township, **Mifflin County**, ACOE Baltimore District.

To construct and maintain a second reinforced concrete box culvert having a span of 23.33 feet and a rise of 7.77 feet in Little Kishacoquillas Creek located on SR 0655, Section A01, Segment 0150, Offset 0297 (Belleville, PA Quadrangle N: 14.1 inches; W: 19.1 inches; Latitude: 40° 36' 17"; Longitude: 77° 43' 38") in Union Township, Mifflin County. The reinforced concrete box culvert will be placed adjacent to the existing reinforced box culvert, permitted by DEP File No. E44-090, for the purpose of improving transportation safety and roadway standards.

E28-331: Department of Transportation, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103-1699 in Warren Township, **Franklin County**, ACOE Baltimore District

To: (1) remove an existing, single span steel truss bridge having a total span of 70 feet, a width of 13 feet and minimum underclearance of 8 feet; and (2) construct and maintain a two span prestressed concrete box beam bridge having a total clear span of 89.5 feet, a width of 31.3 feet, and a minimum underclearance of 8.5 feet carrying SR 3026, Section 001, Segment 0030 over Little Cove Creek (CWF) at a point approximately 0.35 mile south of the intersection of SR 456 and SR 3026 (Cherry Run, PA Quadrangle N: 19.77 inches; W: 5.15 inches, Latitude 39° 44' 02"; Longitude 78° 02' 12") in Warren Township, Franklin County.

E67-799: Springettsbury Township, 1501 Mount Zion Road, York, PA 17402 in Springettsbury Township, **York County**, ACOE Baltimore District

To construct and maintain 2,184 linear feet of 8-inch sanitary sewer line in and along a UNT to Mill Creek (WWF) and associated wetlands (York, Pa Quadrangle N: 22.3 inches; W: 7.0 inches, Latitude: 39° 59' 52"; Longitude: 76° 40' 30") in Springettsbury Township, York County. The project consists of five stream crossings and two wetland crossings having a temporary impact of 0.12 acre of palustrine forested and palustrine emergent wetlands and a permanent impact of 0.001 acre of palustrine forested and palustrine emergent wetlands. The amount of wetland impact is considered a de minimus impact of 0.001 acre and wetland mitigation is not required.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E08-439. Walter Ellinger, R. R. 5, Box 5187A, Towanda, PA 18848. Water Obstruction and Encroachment Joint Permit Application, Lanning Creek Stabilization Project near SR 1033 and Crowley Hill Road, in Sheshequin Township, **Bradford County**, ACOE Baltimore District (Towanda, PA Quadrangle N: 14.15 inches; W: 5.91 inches).

To construct and maintain at Site No. 1 a single rock weir, at Site No. 2 construct and maintain eight rock weirs, ten rock barbs and 400 linear feet of rip-rap protection, for grade control or stabilization of Laning Creek: a WWF. The channel relocation and stream restoration project shall be limited to a maximum length of 2,000 feet in Laning Creek. The rock barb structures shall be constructed of a minimum of R-6 rock. The restoration project will impact 200 linear feet of Laning Creek that is located along the eastern and western right-of-way of T-720 Crowley Hill Road. This permit also authorizes the construction, operation, maintenance and removal of temporary access roads, channel diversions, cofferdams and stockpiles in and along Laning Creek. All temporary facilities used for project construction shall be

removed from floodplain areas; upon project completion, all areas of disturbance shall be restored and stabilized within 20 days. This permit does not authorize any temporary or permanent impact to the wetlands adjacent to project area.

E18-406. Dominion Transmission, Inc., 445 West Main Street, Clarksburg, WV 26301. Cove Point DTI Pipelines, in Beech Creek Township, Noyes Township and Leidy Township, **Clinton County**, ACOE Baltimore District (from Snow Shoe NE, PA Quadrangle N: 7.88 inches; W: 10.13 inches to Renovo West, PA Quadrangle N: 21.36 inches; W: 14.03 inches).

To construct, operate and maintain a 24-inch gas transmission pipeline with the following encroachments: 1) Temporary wetland impacts totaling 2.23 acres with 0.40 acre of palustrine emergent wetlands (PEM), and 0.15 acre of palustrine forested open water wetlands (PFO) for construction of the pipeline and 1.68 acres of (PEM) for construction of temporary access roads. Impacts to EV wetlands associated with this project total 0.55 acre. The applicant proposes to replace the functions and values of palustrine forested open water wetlands (0.15 acre) that will be permanently converted to palustrine emergent wetlands because of the right of way maintenance requirements; and 2) Temporary stream impacts from the construction of pipeline crossings will total 2,865 linear feet and construction of temporary access roads will impact 13,171 linear feet of a variety of streams classified as CWF, HQ or TSF watersheds. There are a total of 49 individual stream crossings, 40 wetland crossings, 2 ponds and 5 spring/seeps.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E16-129, Department of Transportation, District 10-0, P. O. 429, 2550 Oakland Ave. Indiana, PA. Dale Stom Advanced Wetland Compensation Site, in Clarion Township, **Clarion County**, ACOE Pittsburgh District (Strattanville, PA Quadrangle N: 8.5 inches; W: 7.25 inches).

The Department proposes to place fill within 0.06 acre of PEM wetland habitat to construct and maintain a berm for the creation of approximately 1.8 acres of PEM/PSS wetland habitat to be used as an advanced wetland compensation site.

Department of Environmental Protection, Bureau of Waterways Engineering, Water Management Program Manager, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8554, Harrisburg, PA 17105-8554.

E1714-001, Department of General Services, Bureau of Engineering and Architecture, 18th and Herr Streets, Harrisburg, PA 17125, Borough of Osceola Mills Flood Protection Project, Borough of Osceola Mills, **Clearfield County**, USACOE Baltimore District.

This permit is requested for a flood protection project in and along approximately 2,040 linear feet (approximately 1.8 acres) of a UNT (intermittent flow through 1,795 feet of buried culvert and 245 feet of open channel) to Moshannon Creek. See the USGS "Houtzdale" Quadrangle, North 18.8 inches, West 2.3 inches. The following activities are associated with the construction of this project:

- Remove approximately 1,960 feet of existing undersized and dilapidated culvert (locally known as 'the canal') from a point 40 feet upstream of 2nd Avenue to a point 120 feet downstream of Logan Street.

- At the upstream end of the project (between the SR 53 culvert outlet and 2nd Avenue), construct 80 feet of 7-foot-wide by 5-foot-high cast-in-place concrete rectangular channel.

- Through the middle of the project (between 2nd Avenue and Logan Street), install 1,795 feet of 6-foot-wide by 4 1/2-foot-high precast concrete box culvert.

- At the downstream end of the project (between Logan Street and Moshannon Creek), construct 140 feet of 6-foot-wide by 2-foot-high cast-in-place concrete rectangular channel with stone riprap slope protection extending from the tops of the walls up to the surrounding ground surface, followed by 25 feet of 6-foot-base-width trapezoidal stone riprap channel to Moshannon Creek.

- Other work includes connecting existing street drains to the new culvert, adjusting existing sanitary sewer lines that conflict with project construction, restoring road pavements that have been removed or damaged during construction, and grading and seeding all areas that have been disturbed during construction.

Anticipated construction time is 10 months.

E3514-001, Department of General Services, Bureau of Engineering and Architecture, 18th and Herr Streets, Harrisburg, PA 17125, Meadow Brook Flood Control Project, City of Scranton, **Lackawanna County**, USACOE Baltimore District.

This notice is a request to reissue a permit for a flood protection project in and along approximately 3,524 linear feet (approximately 4.5 acres) of Meadow Brook. Permit No. E35-356, which was previously issued for this work, inadvertently expired December 31, 2005. The project begins 180 feet upstream of Green Ridge Street (USGS "Scranton" Quadrangle, North 9.5 inches, West 3.2 inches) and extends to Meadow Brook's confluence with the Lackawanna River (USGS "Scranton" Quadrangle, North 9.0 inches, West 4.6 inches).

In November 2005, under a Federal contract, the United States Army Corps of Engineers, Baltimore District, began construction of an earthen levee flood protection project along the east bank of the Lackawanna River. That work is scheduled to be complete in March 2007. Since the levee system will cross the Meadow Brook outfall, the pipe sections at the outfall of the state's Meadow Brook project must be installed before the Corps can extend their levee across and beyond Meadow Brook. Therefore, it is imperative that the Meadow Brook project begins as soon as possible. Delays in starting construction of the Meadow Brook project will almost certainly result in delays and cost increases in the Corps project.

The following activities are associated with the Meadow Brook project:

- Remove existing culverts and stream enclosures along a 3,524-foot reach of Meadow Brook.

- Construct and maintain a 16-foot long concrete transition culvert between the upstream end existing culvert and a new 10-foot wide by 7-foot high concrete box culvert.

- Construct and maintain 1,806 linear feet of 10-foot-wide by 7-foot high concrete box culvert.

- Construct and maintain 231 linear feet of 10-foot wide by 7-foot high concrete open channel.

- Construct and maintain a 14-foot long concrete transition structure between the 10-foot wide by 7-foot high concrete open channel and a new 10.5-foot diameter concrete pipe culvert.

- Install and maintain 360 linear feet of 10.5-foot diameter concrete pipe culvert.
- Construct and maintain a 22-foot long concrete transition culvert between the 10.5-foot diameter concrete pipe culvert and a new 12-foot wide by 8.5-foot high concrete box culvert.
- Construct and maintain 188 linear feet of 12-foot wide by 8.5-foot high concrete box culvert.
- Construct and maintain a 22-foot long concrete transition culvert between the 12-foot wide by 8.5-foot high concrete box culvert and a new 12-foot diameter concrete pipe culvert.
- Install and maintain 814 linear feet of 12-foot diameter concrete pipe culvert. At pipe outlet, construct and maintain concrete end walls and a 53-foot long grouted R-7 riprap apron.
- Construct and maintain approximately 11 stormwater outfall penetrations varying in size from 18-inch diameter

to 48-inch diameter at various locations along the flood control project.

Anticipated construction time is 18 months.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

EA28-03. Bear Valley Franklin County PA Joint Water Authority, 218 Schoolhouse Road, P. O. Box 308, St. Thomas, PA 17252-0308 in St. Thomas Township, **Franklin County**, ACOE Baltimore District.

To construct and maintain an 18-inch ductile iron outfall pipe, with an endwall and 12.5 feet of riprap apron extending out to 9 feet from the water line, the outfall discharges to Broad Run (HQ-CWF). The project is located off Bear Valley Road at the Water Treatment Plant (St. Thomas, PA Quadrangle N: 10.5 inches; W: 0.5 inch; Latitude: 39° 55' 55"; Longitude: 77° 52' 17") in St. Thomas Township, Franklin County.

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0062031 (Minor Sewage)	Twin Cedars, Inc. 364 Little Walker Road Shohola, PA 18358	Pike County Shohola Township	UNT to Little Walker Lake (1D)	Y
PA0035025 (Minor Sewage)	Western Wayne School District P. O. Box 500 South Canaan, PA 18459	Wayne County South Canaan Township	UNT to Middle Creek (1B)	Y
PA0061549 (Minor Sewage)	Cherry Hill Mobile Home Court, Inc. 6 Cherry Hill Road Honesdale, PA 18431	Wayne County Cherry Ridge Township	Middle Creek (1B)	Y

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N ?</i>
PA0112933	Penns Creek Municipal Authority P. O. Box 148 Penns Creek, PA 17862	Snyder County Center Township	Penns-Middle Creeks (6A)	Y
PA0111431 IW	H H Knoebel & Sons, Inc. R. R. 1, P. O. Box 317 Elysburg, PA 17824-0317	Columbia County Cleveland Township	South Branch Roaring Creek and Musger Run 5E	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0218901 Sewage	Totteridge Limited Partnership R. R. 4, Box 121 Greensburg, PA 15601	Westmoreland County Salem Township	Crabtree Creek	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0221970	Greenville Water Authority 44 Clinton Street Greenville, PA 16125	Borough of Greenville Mercer County	Shenango River 20-A	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

NPDES Permit No. PA-0060348, Sewage, **Department of Transportation, Bureau of Design**, P. O. Box 3060, Harrisburg, PA 17105-3060. This proposed facility is located in Palmyra Township, **Pike County**.

Description of Proposed Action: Issuance of NPDES Permit; renewal with new phosphorus limit.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0084883, Sewage, **Broad Top City Borough**, P. O. Box 220, Broad Top City, PA 16621. This proposed facility is located in Broad Top Borough, **Huntingdon County**.

Description of Proposed Action/Activity: Authorization to discharge to Shoup Run in Watershed 11-D.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0223034, Industrial Waste, **Duferco Farrell Corp.**, 15 Roemer Boulevard, Farrell, PA 16121-2299. This proposed facility is located in City of Farrell, **Mercer County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to the Shenango River in watershed 20-A.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 4806401, Sewerage, **Palmer Township Municipal Sewer Authority**, P. O. Box 3039, Palmer, PA 18043-3039. This proposed facility is located in Palmer Township, **Northampton County**.

Description of Proposed Action/Activity: Issuance of Water Quality Management Permit.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. WQG01670601, Sewerage, **Greg Gearhart**, 84 Warrington Road, Dillsburg, PA 17019. This proposed facility is located in Carroll Township, **York County**.

Description of Proposed Action/Activity: Approval for the construction/operation of a single family treatment plant.

WQM Permit No. 2806402, Sewerage, **Teresa Young**, 15083 Lurgan Road, Orrstown, PA 17244. This proposed facility is located in Lurgan Township, **Franklin County**.

Description of Proposed Action/Activity: Approval for the construction/operation of sewerage facilities consisting of a septic tank and subsurface sand filter small flow facility based on the Small Flow Treatment Facilities Manual.

WQM Permit No. 6706405, Sewerage, **Dillsburg Area Authority**, 98 West Church Street, Dillsburg, PA 17019. This proposed facility is located in Carroll Township, **York County**.

Description of Proposed Action/Activity: Approval for the construction/operation of sewerage facilities consisting of a gravity sewer, interceptor and force main associated with the Ore Bank Pump Station.

WQM Permit No. 0177201 06-1, Industrial Waste, **Knouse Foods Cooperative, Inc.** (Peach Glen Plant), 800 Peach Glen Road, Peach Glen, PA 17375. This facility is located in Huntington and Tyrone Townships, **Adams County**.

Description of Action/Activity: Amendment to existing WQM Permit to address modifications to the facility's food processing waste storage, treatment and land application program.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. 1806402, Sewerage 4952, **Beech Creek Borough Authority**, P. O. Box 216, 51 Locust Street, Beech Creek, PA 16822. This proposed facility is located in Beech Creek Borough, **Clinton County**.

Description of Proposed Action/Activity: The applicant is approved to construct and operate a tablet-fed dechlorination facility at their existing wastewater treatment plant to meet the total residual chlorine requirements of their existing NPDES permit.

WQM Permit No. 4905406, Sewerage, **Milton Regional Wastewater Authority**, P. O. Box 433, 4484 State Route 405, Milton, PA 17847. This proposed facility is located in Milton Borough, **Northumberland County**.

Description of Proposed Action/Activity: An permit has been issued for sewerage facilities for Rolling Ridge Subdivision. The facilities include 4,100 lineal feet of 8-inch and 6-inch gravity sewer, a duplex pump station, and 1,100 lineal feet of force main to connect to the existing Milton Regional Sewer Authority collection system.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 2606401, Sewerage, **Yogi Bear Jellystone Park**. This proposed facility is located in Springfield Township, **Fayette County**.

Description of Proposed Action/Activity: Permit issuance for the construction and operation of a sewage treatment plant with subsurface disposal by means of drip irrigation.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011506010	Immaculata University Immaculata University Stadium P. O. Box 503 1145 King Road Immaculata, PA 19345	Chester	East Whiteland Township	Ridley Creek (TSF, HQ) Valley Creek (EV)

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Single Residence Sewage Treatment Plants

PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

General Permit Type—PAG-2

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Downingtown Borough Chester County	PAG2001505107	Progressive Housing Ventures, Inc. 1 Great Valley Parkway Suite 210 Malvern, PA 19355	East Branch Brandywine Creek (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
West Bradford Township Chester County	PAG2001505089	Charles Wanta 105 Shoen Road Exton, PA 19341	UNT West Branch Brandywine Creek (WWF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Kennett Township Chester County	PAG2001505084	Scott Megill 276A Dilworthtown Road West Chester, PA 19382	West Branch Red Clay Creek (TSF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Bethel Township Delaware County	PAG2002306001	Garnet Mine, LLC 220 Continental Drive Newark, DE 19713	Green Creek (CWF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Pottsville Schuylkill County	PAG2005406007	Sonric Associates 340 South Liberty St. Orwigsburg, PA 17961	West Branch of Schuylkill River 1,000 feet CWF	Schuylkill County Conservation District (570) 622-3742
Orwigsburg Borough Schuylkill County	PAG2005406006	Borough of Orwigsburg 209 North Warren St. Orwigsburg, PA 17961	Manannon Creek CWF	Schuylkill County Conservation District (570) 622-3742
City of Scranton Lackawanna County	PAG2003506007	Martin Langan 800 Linden St. Scranton, PA 18510	Roaring Brook CWF	Lackawanna County Conservation District (570) 281-9495
Scott Township Lackawanna County	PAG2003506010	Craig Godfrey Process Technologies, Inc. 160 Commerce Blvd. Dupont, PA 18640	South Branch Tunkhannock Creek CWF	Lackawanna County Conservation District (570) 281-9495
Wyoming Borough Luzerne County	PAG2004006005	Wyoming Area School Dist. 20 Memorial St. Exeter, PA 18643	Susquehanna River WWF	Luzerne County Conservation District (570) 674-7991
Moosic Borough Lackawanna County	PAG2003505022	Frank Hubbard Hub Management 4210 Birney Ave. Moosic, PA 18507	Lackawanna River CWF	Lackawanna County Conservation District (570) 281-9495
South Manheim Township Schuylkill County	PAG2005405023	Jason Belovich 600 D Noble St. Kutztown, PA 19530	Tributary to Plum Creek CWF	Schuylkill County Conservation District (570) 622-3742

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Butler Township Luzerne County	PAG2004006001	Andrew I. Kane Springhouse Development, Inc. 740 Lewis Lane Ambler, PA 19002	Tributary to Black Creek CWF and Tributary to Little Nescopeck Creek CWF	Luzerne County Conservation District (570) 674-7991
Lower Paxton Township Dauphin County	PAG2002205068	DJH Victoria Abbey Assoc. 2151 Linglestown Rd. Suite 300 Harrisburg, PA 17110	Paxton Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Rd. Dauphin, PA 17018 (717) 921-8100
Susquehanna Township Dauphin County	PAG2002206011	Rite Aid Pharmacy c/o UD Properties 750 East Park Dr. Harrisburg, PA 17111	Paxton Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Rd. Dauphin, PA 17018 (717) 921-8100
Lower Paxton Township Dauphin County	PAG2002206021	Hartman Motorcars Co. 6060 Allentown Blvd. Harrisburg, PA 17112	Paxton Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Rd. Dauphin, PA 17018 (717) 921-8100
Lower Paxton Township Dauphin County	PAG2002206008	Janet Smith Subdivision 6651 Parkway East Harrisburg, PA 17112	Paxton Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Rd. Dauphin, PA 17018 (717) 921-8100
Washington Township Dauphin County	PAG2002206009	Mid Penn Bank 349 Union St. Millersburg, PA 17061	Wiconisco Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Rd. Dauphin, PA 17018 (717) 921-8100
Exeter Township Berks County	PAG2000606035	Carlton Chilcoat Boscov's Department Store, Inc. 4500 Perkiomen Ave. Reading, PA 19606	Schuylkill River WWF	Berks County Conservation District 1238 County Welfare Road P. O. Box 520 Leesport, PA 19533-0520 (610) 372-4657, Ext. 201
Maxatawny Township Berks County	PAG2000606013	Jimmy Laub Zion Union Church Church Rd. and Rt. 222 P. O. Box 100 Maxatawny, PA 19530	Sacony Creek CWF	Berks County Conservation District 1238 County Welfare Road P. O. Box 520 Leesport, PA 19533-0520 (610) 372-4657, Ext. 201
Unit Storage Site Union Township Lebanon County	PAG20038003	Kenneth E. Boltz Department of Military and Veterans Affairs Building 047B Fort Indiantown Gap Annville, PA 17003-5002	Aires Run WWF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908, Ext. 4
Mission Support Training Facility Union Township Lebanon County	PAG2003806009	Kenneth E. Boltz Department of Military and Veterans Affairs Building 047B Fort Indiantown Gap Annville, PA 17003-5002	Aires Run WWF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908, Ext. 4
East Hanover Township Lebanon County	PAG2003806005	William J. Dommel 83 Sherks Church Road Annville, PA 17003	Raccoon Creek WWF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908, Ext. 4

NOTICES

2445

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
South Lebanon Township Lebanon County	PAG2003806008	Ray J. Griggs 759 Woodcrest Avenue Lititz, PA 17543	Quittapahilla Creek TSF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908, Ext. 4
Jackson Township Lebanon County	PAG2003806001	Patrick Kreiser Kreiser Construction 2 Goodyear Lane Newmanstown, PA 17073-8916	Tulpehocken Creek TSF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908, Ext. 4
North Londonderry Township Lebanon County	PAG2003806007	Dan M. Mazur 432 Mill Stone Road Chesapeake, VA 23322	Swatara Creek WWF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908, Ext. 4
Ayr Township Fulton County	PAG2002906003	John R. Glazier 19737 Great Cove Road McConnellsburg, PA 17233	Big Cove Creek (CWF)	Seleen Shimer Fulton County Conservation District 216 N. 2nd St., Suite 15 McConnellsburg, PA 17233 (717) 485-3547
Belfast Township Fulton County	PAG2002906002	Belfast Township 121 Homestead Lane Needmore, PA 17238	Tonoloway Creek (WWF) Barnetts Run (TSF) and Palmer Run (WWF)	Seleen Shimer Fulton County Conservation District 216 N. 2nd St., Suite 15 McConnellsburg, PA 17233 (717) 485-3547, Ext. 121
South Waverly Borough Bradford County	PAG2000806003	Brett Millett Millett Realty 1010 Old Lackawanna Trail Clarks Summit, PA 18411	Dry Brook WWF	Bradford County Conservation District Stoll Natural Resource Center R. R. 5, Box 5030C Towanda, PA 18848 (570) 265-5539, Ext. 205
Coal Township Northumberland County	PAG2004906007	Site 15 Passive Treatment System SR 901—Near Ranshaw Shamokin, PA 17863	Shamokin Creek CWF	Northumberland County Conservation District R. R. 3, Box 238C Sunbury, PA 17801 (570) 286-7114, Ext. 4
Armstrong County Rayburn Township	PAG2000306003	Armstrong County Department of Planning and Development 402 Market Street Kittanning, PA 16201	Cowanshannock Creek (TSF)	Armstrong County Conservation District (724) 548-3425
Cambria County Ebensburg Borough	PAG2001106003	Walt Whitmyre Crossroads Meadville 2000 West Henderson Road, Suite 350 Columbus, OH 43220-2497	UNT Howells Run (CWF)	Cambria County Conservation District (814) 472-2120
Cambria County Chest Township	PAG2001106004	Cambria County Conservation and Recreation Authority 401 Candlelight Drive Ebensburg, PA 15931	Little Kilbuck Run (CWF) Rock Run (CWF)	Cambria County Conservation District (814) 472-2120
Fayette County Menallen Township	PAG2002606009	Edward Misinay 7082 National Pike Uniontown, PA 15401	UNT to Saltlick Run (WWF)	Fayette County Conservation District (724) 438-4497

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Fayette County City of Uniontown	PAG2002606010	Uniontown Area School District 23 East Church Street Uniontown, PA 15401	Redstone Creek (WWF)	Fayette County Conservation District (724) 438-4497
Fayette County Springhill Township	PAG2002606012	Rich Farms, Inc. P. O. Box 208 Smithfield, PA 15478	UNT to Georges Creek (WWF)	Fayette County Conservation District (724) 438-4497
Indiana County Conemaugh Township	PAG2003206001	Arthur Grguric Blacklegs Creek Watershed Association P. O. Box 59 Clarksburg, PA 15725	Big Run Creek (CWF)	Indiana County Conservation District (724) 463-8547
Somerset County Somerset Township	PAG2005605012	SSB Realty Partners, LLC 2279 W. Bakersville-Edie Rd. Somerset, PA 15501	UNT to East Branch of Coxes Creek (WWF)	Somerset County Conservation District (814) 445-4652
Washington County North Strabane Township	PAR10W205	Meadowlake Associates 2100 Corporate Drive Wexford, PA 15090	Chartiers Creek (WWF)	Washington County Conservation District (724) 228-6774
Washington County Marianna Borough	PAG2006306017	West Bethlehem Township P. O. Box 309 Marianna, PA 15345 and United Mine Workers of America 85 West Maiden Street Washington, PA 15301	Tenmile Creek (WWF)	Washington County Conservation District (724) 228-6774
Butler County Middlesex Township	PAG2001006005	Larry and Laurel Colonello 131 Meredith Drive Mars, PA 16046	UNT to Glade Run WWF	Butler Conservation District (724) 284-5270
Butler County Slippery Rock Township	PAG2001006006	Weathervane Hill Phase 3 Gary McKnight, G. L. McKnight, Inc. Reese Road Slippery Rock, PA 16057	UNT Slippery Rock Creek CWF	Butler Conservation District (724) 284-5270
Butler County Lancaster and Connoquenessing Townships	PAG2001006011	Brennan Builders, Inc. 120 Brennan Lane Evans City, PA 16033	UNTs Yellow Creek and Crab Run CWF	Butler Conservation District (724) 284-5270
Mercer County City of Hermitage	PAG2004306003	The Home Depot USA, Inc. 3096 Hamilton Blvd. South Plainfield, NJ 07080	Pine Hollow Run WWF	Mercer Conservation District (727) 662-2242
Mercer County City of Hermitage	PAG2004306004	Sharon Regional Health System 740 E. State St. Sharon, PA 16146	Baker Run WWF	Mercer Conservation District (727) 662-2242

General Permit Type—PAG-3

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Upper Merion Township Montgomery County	PAR130008	Philadelphia Newspapers, Inc. 800 River Rd. Conshohocken, PA 19428	Matsunk Creek/Frog Run 3F Watershed	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5970

NOTICES

2447

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Bristol Borough Bucks County	PAR150005	Degussa Construction Chemicals Operation Inc. 6450 Bristol Pk. Bristol, PA 19007	Delaware River 2E Watershed	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5970
Falls Township Bucks County	PAR210034	Feher John Inc d/b/a JFI Redi Mix 18 W. Steel Rd. Morrisville, PA 19067	UNT to Biles Creek 2E Watershed	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5970
Lower Gwynedd Township Montgomery County	PAR230049	Johnson & Johnson Pharm Research & Development, LLC Welsh and McKean Rd. Spring House, PA 19477	Willow Run 3F Watershed	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5970
City of Philadelphia Philadelphia County	PAR900017	Clean Earth of Philadelphia, Inc. 3201 S. 61st St. Philadelphia, PA 19153	Schuylkill River 3F Watershed	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5970
Blythe Township Schuylkill County	PAR502209	Blythe Township (BRADS) P. O. 91 Cumbola, PA 17931	Little Wolf Creek CWF	DEP—NERO Water Mgmt. Program 2 Public Square Wilkes-Barre, PA 18711-2511 (570) 826-2511
Cumberland County Hampden Township	PAR603564	James Kreitzer Cumberland Auto Salvage, Inc. 2385 Wertz Lane Enola, PA 17025	UNT to Simmons Creek WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
York County Hellam Township	PAR113527	Flinchbaugh Engineering, Inc. 4387 Run Way York, PA 17406	UNT to Kreutz Creek WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Dauphin County Londonderry Borough	PAR803645	DHL Express USA, Inc. 1200 South Pine Island Road Plantation, FL 33324	Swatara Creek WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
York County Fairview Township	PAR113537	Flight Systems, Inc. 505 Fishing Creek Road Lewisberry, PA 17339	UNT to Fishing Creek TSF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lancaster County Mount Joy Township	PAR803687	Laidlaw Transit, Inc. 150 Grossman Drive, Suite 206 Braintree, MA 02184-4952	UNT to Conoy Creek TSF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Dauphin County Middletown Borough	PAR803688	Laidlaw Transit, Inc. 150 Grossman Drive, Suite 206 Braintree, MA 02184-4952	Swatara Creek WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lancaster County West Hempfield Township	PAR803689	Laidlaw Transit, Inc. 150 Grossman Drive, Suite 206 Braintree, MA 02184-4952	Chickies Creek WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
York County Shrewsbury Township	PAR803690	Laidlaw Transit, Inc. 150 Grossman Drive, Suite 206 Braintree, MA 02184-4952	UNT to South Foust WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

*Facility Location:
Municipality &
County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Dauphin County Susquehanna Township	PAR803691	Laidlaw Transit, Inc. 150 Grossman Drive, Suite 206 Braintree, MA 02184-4952	UNT to Lehigh Canal CWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Derry Township Montour County	PAR704802	PPL Montour, LLC 2 North Ninth Street Allentown, PA 18101-1179	Chillisquaque Creek and Mud Creek WWF	Water Management Program Manager 208 West Third Street Williamsport, PA 17701 (570) 327-3664
<i>General Permit Type—PAG-4</i>				
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
York County Carroll Township	PAG043841	Greg Gearhart 84 Warrington Road Dillsburg, PA 17019	Stony Run WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Berks County Union Township	PAG043552	Donald Wasson 381 Carey Road Douglassville, PA 19518	UNT to Schuylkill River WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Perry County Penn Township	PAG043565	Barry Weaver 279 Cove Road Duncannon, PA 17020-9521	UNT to Cove Creek CWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Cumberland County North Middleton Township	PAG043842	Matt Madden 20 South Hanover Street Carlisle, PA 17013	Conodoguinet Creek WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Loyalsock Township Lycoming County	PAG045209	Loyalsock Township Board of Supervisors 2501 East Third Street Williamsport, PA 17701-4096	UNT to Miller's Run (WWF)	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3664
Allegheny County Indiana Township	PAG046123	Douglas Henry Mellinger 839 Dorseyville Road Pittsburgh, PA 15238-1103	Tributary to Little Pine Creek	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Somerset County Jenner Township	PAG046228	Sam A. Mostoller 138 Esposita Road Stoystown, PA 15563	Two Mile Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Allegheny County North Fayette Township	PAG046226	Arthur Loriso 515 Seabright Road McDonald, PA 15057	Half Crown Run to North Bridge Robinson Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

NOTICES

2449

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Allegheny County Pine Township	PAG046238	Lloyd W. Mason 3299 Jackson Road Gibsonia, PA 15044	UNT to Irwin Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Westmoreland County Scottdale Borough	PAG046117	Samuel C. Davis Route 819, Box 137A R. D. #2 Scottdale, PA 15683	Jacobs Creek	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Allegheny County West Deer Township	PAG046240	Kathleen M. Kenney 1245 Logan Road Gibsonia, PA 15044	UNT to Dawson Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Washington County West Bethlehem Township	PAG046230	Michael A. Riedl 421 Highland Ridge Road Marianna, PA 15345	UNT to Little Tenmile Creek	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Somerset County Upper Turkeyfoot Township	PAG046232	Gabrielle V. Michalek 529 Pacific Avenue Pittsburgh, PA 15221	UNT to the Casselman River	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Cambria County Clearfield Township	PAG046108	David E. Weber 536 Schoolhouse Drive Ashville, PA 16613-7609	Swartz Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Forward Township Butler County	PAG049236	Dan and Pauline Severino 130 Ash Stop Road Evans City, PA 16033	UNT to Connoquenessing Creek 20-C	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Washington Township Eric County	PAG049241	Christopher J. Kovski 5540 Zessinger Road McKean, PA 16426	UNT to Cussewago Creek 16-D	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Washington Township Erie County	PAG049242	Richard J. Verga 9974 Meadville Road Cranesville, PA 16410	UNT to Cussewago Creek 16-D	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Washington Township Erie County	PAG049238	Hamid Torab 7300 Crane Road Edinboro, PA 16412	UNT to Cussewago Creek 16-D	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-5

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Monongahela Township Greene County	PAG056214	Jacobs Petroleum Products, Inc. 424 South Washington Road Waynesburg, PA 15370	UNT to Whiteley Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000

General Permit Type—PAG-7

<i>Facility Location & County/Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Baltimore, MD	PAG079907	Synagro—WWT, Inc.	Synagro-Baltimore, LLC 8201 Eastern Boulevard Baltimore, MD 21224	BWSFR (717) 787-8184

General Permit Type—PAG-8

<i>Facility Location & County/Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Canton Borough Bradford County	PAG084822	Canton Borough Authority 100 Park Place Canton, PA 17724	Canton Borough Authority 100 Montague Street Canton, PA 17724	Northcentral Regional Office (570) 327-3636

General Permit Type—PAG-8 (SSN)

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
York County Springettsbury Township	PAG083505	Springettsbury Township 3501 N Sherman Street York, PA 17402	Springettsbury Township Tree Farm	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
York County Newberry Township	PAG083505	Springettsbury Township 3501 N. Sherman Street York, PA 17402	Charles Bonner Farm	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
Lancaster County East Drumore Township	PAG080004	Philadelphia Water Department Biosolids Recycling Center 1101 Market Street Philadelphia, PA 19153	David Byers Farm	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
Lancaster County Drumore Township	PAG080004	Philadelphia Water Department Biosolids Recycling Center 1101 Market Street Philadelphia, PA 19153	Samuel Ankrum Farm	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707

General Permit Type—PAG-10

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Springville and Lathrop Townships Susquehanna County	PAG102210	Tennessee Gas Pipeline Company (Northeast Connexion—NY/NJ Project) 1001 Louisiana St. Room S1156A Houston, TX 77002	Hop Bottom Creek CWF	DEP—NERO Water Management 2 Public Square Wilkes-Barre, PA 18711 (570) 826-2511

PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 2406006, Public Water Supply.

Applicant	Glen Summit Springs Water Company, Inc. Wright Township Luzerne County
Responsible Official	Kevin Duffy Glen Summit Springs Water Co., Inc. P. O. Box 129 1551 Crestwood Drive Mountaintop, PA 18707
Type of Facility	BVRB
Consulting Engineer	N/A
Permit to Construct Issued	April 24, 2006
Description of Action	Operations Permit 2406006 reissued with a Special Condition to prohibit the bottling of water from Spring No. 2; however, other potable water usage is permissible.

Permit No. 3390024, Public Water Supply.

Applicant	City of Allentown City of Allentown and Upper Macungie Township Lehigh County
Responsible Official	Joseph McMahon, Mgr. of Ops. 435 Hamilton Street Allentown, PA 18102-4912 (610) 437-7641
Type of Facility	Community Water System
Permit Issuance Date	May 9, 2006
Description of Action	PWS operations permit issued for incorporation of new disinfection facilities as approved under the minor amendment of March 16, 2004.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 1404501—Operation Public Water Supply.

Applicant	Centre Hall Borough Water System
Township or Borough	Potter Township
County	Centre
Responsible Official	Lynn Dutrow Centre Hall Borough Water System 253 West Fourth Street P. O. Box 54 Centre Hall, PA 16828
Type of Facility	Public Water Supply—Operation
Consulting Engineer	Robert Decker, P. E. Nittany Engineering and Associates, LLC P. O. Box 700 Millheim, PA 16854-0700
Permit Issued Date	5/8/06
Description of Action	Operation of Well No. 11 and the Chlorination Building

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 1106501MA, Minor Amendment. Public Water Supply.

Applicant	Carrolltown Borough Municipal Authority P. O. Box 307 140 East Carroll Street Carrolltown, PA 15722
Borough or Township	Carrolltown Borough
County	Cambria
Type of Facility	Water treatment plant
Consulting Engineer	Keller Engineers, Inc. 420 Allegheny Street P. O. Box 61 Hollidaysburg, PA 16648
Permit to Construct Issued	May 3, 2006

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 2505505, Public Water Supply
 Applicant **Youngstown YMCA Camp Fitch**
 Borough or Township Springfield Township
 County **Erie**
 Type of Facility Public Water Supply
 Permit to Construct 05/04/2006
 Issued

Permit No. 6830-MA4, Minor Amendment, Public Water Supply
 Applicant **Brookville Municipal Authority**
 Borough or Township Pinecreek Township
 County **Jefferson**
 Type of Facility Public Water Supply
 Permit to Construct 05/03/2006
 Issued

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20a)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Westfall Township	P. O. Box 247 Matamoras, PA 18336	Pike

Plan Description: Under an Order of the Federal District Court of the Middle District of Pennsylvania, the Special Study addresses the projected future sewage facility needs of the Katz properties within the established service area of the Westfall Township Municipal Authority's wastewater treatment facility and reflects a redistribution of the future sewage needs within the service area. The Special Study calls for construction of a sewage collection line to Service Area A of the existing service area from an existing manhole at the intersection of Mountain Avenue and Mountain Avenue East, along Mountain Avenue to the property line of the Westfall Commercial Property and to the entrance of Rosetown at Rosetown Trail. The service line will allow sewer service to be provided to the Katz properties and to other properties in the vicinity. The Special Study also provides for increasing the treatment facility capacity to 0.820 million gallons per day, consistent with the Township's Act 537 Plan approved by the Department on May 17, 2001, and NPDES Permit No. PA0061611. When land development activities actually commence on the Katz properties, the developer, in cooperation with the Township, will prepare and submit the appropriate sewage planning modules to revise the Township's Official Plan for the specific sewage needs of the Katz properties. The approved project will require a Water Quality Management Permit for the construction and operation of the proposed sewage facilities.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Derry Township	P. O. Box 445 15 W. Mill St. Yeagertown, PA 17099	Mifflin

Plan Description: Approval of a revision to the Official Sewage Plan of Derry Township, Mifflin County. The proposed Blossom Hill subdivision consists of 455 residential lots and units with a sewage flow of 73,710 gpd tributary to the Derry Township Municipal Authority collection system with treatment at the Lewistown Wastewater Treatment Plant. The Department's review of the sewage facilities update revision has not identified any significant impacts resulting from this proposal.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Derry Township	235 Hockersville Road Hershey, PA 17033	Dauphin

Plan Description: Approval of a revision to the Official Sewage Plan of Derry Township, Dauphin County. The proposed Spring Board Academy for the Milton Hershey School consists of new classrooms and student housing with a sewage flow of 22,300 gpd served by a new private pump station and forcemain tributary to the Derry Township Municipal Authority collection and treatment system. The Department's review of the sewage facilities update revision has not identified any significant impacts resulting from this proposal.

HAZARDOUS SITES CLEAN-UP UNDER THE ACT OF OCTOBER 18, 1988

Proposed Consent Order and Agreement

Quality Service Cleaners Site, Oxford Borough, Chester County

Under section 1113 of the Hazardous Sites Cleanup Act (HSCA) (35 P. S. § 6020.1113), the Department of Environmental Protection (Department) has entered into a Consent Order and Agreement (CO&A) with Martha Skelton (Skelton) concerning the cleanup of the Quality Service Cleaners Site (Site) located at 642 Lincoln Avenue, Oxford, PA.

In the past, hazardous substances were released at the Site and these substances contaminated the environment. The Department has characterized soil and groundwater contamination at the Site and anticipates that further response action will be necessary to mitigate the threat to human health and the environment posed by the hazardous substances on Site. The Department has conducted a phased Site Investigation, which included the removal of contaminated soil, and is currently conducting a Feasibility Study to determine what, if any, response actions are needed to address remaining hazardous substances at the Site in both soil and groundwater. Skelton has owned the property since 1973. From 1973 to 2005 the Site was operated as a dry cleaning establishment. Skelton is a potentially "responsible person" as defined in section 103 of HSCA (35 P. S. § 6020.103). Under the terms of the CO&A, in the event that Skelton sells the Site or any portion thereof, all net proceeds will be paid to the Hazardous Sites Cleanup Fund. In the event of Skelton's death, any portion of the Site remaining in Skelton's

possession will be sold. Net proceeds from this sale will be paid to the Hazardous Sites Cleanup Fund. All payments made to the Hazardous Sites Cleanup Fund as a result of this agreement shall be treated as a credit toward any ultimate allocation to Skelton of overall response costs associated with the site.

The specific terms of this settlement are set forth in the CO&A between the Department and Skelton. The Department will receive and consider comments relating to the CO&A for 60 days from the date of this public notice. The Department has the right to withdraw its consent to the CO&A if the comments concerning the CO&A disclose facts or considerations which indicate that the CO&A is inappropriate, improper or not in the public interest. After the public comment period, the Department's settlement with Skelton shall be effective upon the date that the Department notifies Skelton, in writing, that this CO&A is final and effective in its present form and that the Department has filed a response to significant written comments to the CO&A or that no such comments were received.

Copies of the CO&A are available for inspection at the Department's Southeast Regional Office. Comments may be submitted, in writing, to Dustin A. Armstrong, Department of Environmental Protection, Hazardous Sites Cleanup, 2 East Main Street, Norristown, PA 19401. Further information may be obtained by contacting Dustin A. Armstrong at (484) 250-5723. TDD users may contact the Department through the Pennsylvania Relay Services at 800-645-5984.

Settlement under the Hazardous Sites Cleanup Act and Comprehensive Environmental Response, Compensation and Liability Act

Puritan Cleaners Site, City of Altoona, Blair County

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA) (35 P.S. §§ 6020.101—6020.1305) and the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) (42 U.S.C.A. §§ 9601—9675), has entered into a proposed settlement with Charles and Sandra Kaminsky, individually, Kamin DC, Inc. d/b/a Puritan Cleaners and CSK Enterprises, Inc. d/b/a Puritan Cleaners (collectively Settlor).

The proposed settlement resolves claims of the Department with the Settlor under HSCA, CERCLA and other applicable law for response costs that have been expended and will be incurred by the Department at the Puritan Cleaners Site located in the City of Altoona, Blair County, PA.

The proposed settlement obligates the Settlor to remit \$65,000 to the Department. The Department believes that the proposed settlement is fair, reasonable, practicable, in the public interest and in furtherance of the statutory goals of HSCA and CERCLA.

For a period of 60 days beginning with the May 20, 2006, publication date of this notice, the public is invited to review the Consent Order and Agreement (CO&A), Monday through Friday, from 8 a.m. to 4 p.m., at the Department's Southcentral Region Office, 909 Elmerton Avenue, Harrisburg, PA 17110 by contacting Asuquo Effiong, (717) 705-4853.

After review, the public may submit written comments on the CO&A before July 19, 2006, by mailing them to Asuquo Effiong at the Department's Harrisburg Office at the address previously noted. A person adversely affected by the settlement may also file an appeal from the CO&A to the Environmental Hearing Board.

Questions concerning this notice should be directed to Asuquo Effiong at the telephone number and address previously noted.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Grief, Inc, Upper Chichester Township, **Delaware County**. Richard Sichler, Spotts, Stevens and McCoy, Inc. 1047 N. Park Rd., Reading, PA 19610 on behalf of Thomas Coon, Grief, Inc., 425 Winter Rd., Delaware, OH 43015 has submitted a Final Report concerning remedia-

tion of site groundwater contaminated with diesel fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

NGK Metals Corporation, Muhlenberg Township, **Berks County**. MECX LLC, 4901 Mill Road, Coopersburg, PA 18036 on behalf of NGK Metals Corporation, 917 US Highway 11 South, Sweetwater, TN 37874 and Entact Environmental Services, 102 Chesley Drive, Media, PA 91063, submitted a Final Report concerning remediation of site-soils contaminated with beryllium and iron. The report is intended to document remediation of the site to the residential Statewide Health Standard.

Swartz Estate, Camp Hill Borough, **Cumberland County**. CQS, Inc., 1061 North Mountain Road, Harrisburg, 17110, on behalf of Robert Pozner, Executor, Swartz Estate, 454 Stevens Avenue, Ridgeway, NJ, 17450, submitted a Final Report concerning remediation of site soils contaminated with No. 2 heating oil. The report is intended to document remediation of the site to the Statewide Health Standard under the Low Risk option.

Sheetz Store 348, West Manchester Township, **York County**. Mountain Research, LLC, 825 25th Street, Altoona, 16601, on behalf of Sheetz, Inc., 5700 Sixth Avenue, Altoona, 16602, submitted a Final Report concerning remediation of site soils contaminated with gasoline. The report is intended to document remediation of the site to the Statewide Health Standard. The report was submitted within 90 days of the release.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Dominion Transmission Greenlick Compressor Station. Stewardson Township, **Potter County**. URS Corporation, Foster Plaza 4, 501 Holiday Dr., Suite 300, Pittsburgh, PA 15220 on behalf of Dominion Transmission, 445 West Main St., Clarksburg, WV 26301 has submitted a Remedial Investigation Report concerning remediation of soil and groundwater contaminated with BTEX constituents and PCBs. The report is intended to document remediation of the site to meet the Site-Specific Standard.

FCI USA Inc., Clearfield Borough, **Clearfield County**. HRP Associates, Inc., 4811 Jonestown Road, Suite 235, Harrisburg, PA 17109 on behalf of FCI USA, Inc., 825 Old Trail Road, Etters, PA 17319-9392 has submitted a Final Report concerning remediation of site soil contaminated with chlorinated VOCs. The report is intended to document remediation of the site to meet the Site-Specific Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania*

Bulletin a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Valley Forge Military Academy & College, Radnor Township, **Delaware County**. Thomas Petrecz, Penn E & R, 2755 Bergery Rd., Hatfield, PA 19440 on behalf of Christine Audain, Valley Forge Military Academy & College, 1001 Eagle Rd., Wayne, PA 19087 has submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on April 19, 2006.

7401 State Rd., City of Philadelphia, **Philadelphia County**. Michael Christie, Penn E & R, Inc., 2755 Bergery Hatfield, PA 19440 on behalf of Daniel Franklin and Bernard Featherman, 9695 San Vittore St., Lake Worth, FL 33467 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with chlorinated solvents, PAH, PCBs and inorganics. The

Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on April 20, 2006.

CVS Store Doylestown, Doylestown Borough, **Bucks County**. Justin Lauterbach, RT Env. Svc. Inc., 510 Heron Dr., Bridgeport, NJ 08014 on behalf of Brenda Jordon, Doylestown CVS, Inc., One CVS Dr., Woonsocket, RI 02895 has submitted a Final Report concerning the remediation of site soil contaminated with lead, arsenic and benzo(a)pyrene. The Final report demonstrated attainment of the Site-Specific Standard and was approved by the Department on April 17, 2006.

Former Worthington Steel Facility, East Whiteland Township, **Chester County**. Jeffery Walsh, Penn E & R, Inc., 2755 Bergey Rd., Hatfield, PA 19440 on behalf of Guy Wolfington, Malvern Hill Assoc., LP, 700 S. Henderson Rd., Suite, 225 King of Prussia, PA 19406 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with inorganics, chlorinated organics. The Final Report demonstrated attainment of the Site-Specific Standard and Statewide Health Standard, and Background Standard was approved by the Department on April 18, 2006.

Cognics Corporation Ambler Ball Field Area, Lower Gwynedd Township, **Montgomery County**. Jay Ash, AMO Environmental Decisions, 4327 Point Pleasant Pike, P. O. Box 410, Danboro, PA 18916 has submitted a Final Report concerning the remediation of site soil contaminated with pesticides, PCBs, herbicides and dioxin. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on May 3, 2006.

Grief, Inc., Upper Chichester Township, **Delaware County**. Richard Sichler, Spotts, Stevens and McCoy, Inc. 1047 N. Park Rd., Reading, PA 19610 on behalf of Thomas Coon, Grief, Inc., 425 Winter Rd., Delaware OH, 43015 has submitted a Final Report concerning the remediation of site groundwater contaminated with diesel fuel oil. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on May 9, 2006.

Route 322 and Skelp Level Rd., East Bradford Township, **Chester County**. Jim Arthur, Env. Standards, 1140 Valley Forge Rd., Valley Forge, PA 19482 on behalf of Mark Halligan, Halligan Oil Co., 610 Park Way, Broomall, PA 19008 has submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on February 28, 2006.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Dominion Transmission Greenlick Compressor Station. Stewardson Township, **Potter County**. URS Corporation, Foster Plaza 4, 501 Holiday Dr., Suite 300, Pittsburgh, PA 15220 on behalf of Dominion Transmission, 445 West Main St., Clarksburg, WV 26301 has submitted a Remedial Investigation Report concerning remediation of soil and groundwater contaminated with BTEX constituents and PCBs. The Remedial Investigation Report was approved by the Department on 3/30/2005.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Hazardous Waste Transporter License Issued

Thomas E Decker d/b/a D & R Transportation; P. O. Box 231, Bellwood, PA 16617; License No. PA-AH 0727. Effective 4/11/06.

Hazardous Waste Transporter License Renewed

Gemchem, Inc.; P. O. Box 384, Lititz, PA 17543; License No. PA-AH 0259; Effective 3/30/06.

Waste Management New England Environmental, Inc.; P. O. Box 144, Portland, CT 06480; License No. PA-AH 0664; Effective 4/4/06.

Univar USA, Inc.; 6100 Carillon Point, Kirkland, WA 98033; License No. PA-AH 0334; Effective 4/12/06.

Teris L.L.C.; 309 American Circle; El Dorado, AR 71730; License NO. PA-AH 0690; Effective 4/13/06.

Op-Tech Environmental Services, Inc.; 6392 Deere Rd., Syracuse, NY 13206; License No. PA-AH 0599; Effective 4/13/06.

Earth Technology II, LLC; 250 Sackett Point Rd, North Haven, CT 06473; License No. PA-AH 0691; Effective 4/18/06.

Safety-Kleen Canada, Inc.; 300 Woolwich Rd, Breslau, ON N0B 1M0; License No. PA-AH 0517; Effective 4/21/06.

Ken's Marine Service, Inc.; P. O. Box 4001, Bayonne, NJ 07002; License No. PA-AH S154; Effective 4/27/06.

G. Tresch Transportation, Inc.; 630 S. Evergreen Ave, Woodbury, NJ 08097; License No. PA-AH 0380; Effective 4/27/06.

NuWay Industrial Services, Inc.; 1741 Calks Ferry Rd, Lexington, SC 29073; License No. PA-AH 0666; Effective 5/3/06.

Hazardous Waste Transporter License Expired

Gensimore Trucking, Inc.; P. O. BOX 5210, Pleasant Gap, PA 16823; License No. PA-AH 0048; Expired 4/30/06.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

Actions on applications for Infectious and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the act of July 13, 1988 (P. L. 525, No. 93) (35 P. S. §§ 6019.1—6019.6) and regulations to transport infectious and chemotherapeutic waste.

Central Office: Bureau of Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Infectious and Chemotherapeutic Waste Transporter License Renewed

Environmental Waste Minimization, Inc.; 14 Brick Kiln Ct.; Northampton, PA 18067; License No. PA-HC 0219; Effective 4/26/06.

Healthcare Waste Solutions of PA, LLC; 380 Locust St., McKeesport, PA 15132; License No. PA-HC 0217; Effective 5/3/06.

MUNICIPAL WASTE GENERAL PERMITS

Permits Issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and municipal waste regulations for a general permit to operate municipal waste processing facilities and the beneficial use of municipal waste.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGM028. Granger Electric of Morgantown, LLC, 16980 Wood Road, Lansing, MI 48906-10443.

General Permit No. WMGM028 is for the processing and beneficial use of landfill gas (LFG), generated at the Conestoga Landfill located in **Berks County**, as an alternate fuel for the power generators installed at this landfill. The electricity produced will be transmitted to the local electric utility grid for consumers use. The issuance of this General Permit was initially dated April 5, 2006. This notice is to correct that the General Permit was actually issued by Central Office on May 9, 2006.

Persons interested in reviewing the General Permit may contact Ronald C. Hassinger, Chief, General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984.

RESIDUAL WASTE GENERAL PERMITS

Permit Issued Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and residual waste regulations for a general permit to operate residual waste processing facilities and the beneficial use of residual waste other than coal ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGR099. Lehigh County Pretreatment Facility, 7676 Industrial Boulevard, Allentown, PA 18106.

General Permit No. WMGR099 is for the processing and beneficial use of treated domestic sewage and industrial wastewater solids, generated at the Lehigh County Pretreatment Facility, located in Upper Macungie Township, **Lehigh County**, for agricultural utilization and mine reclamation, as a soil conditioner and a fertilizer. This residual waste general permit was issued by the Central Office on May 3, 2006.

Persons interested in reviewing the general permit may contact Ronald C. Hassinger, Chief, General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Land Recycling and Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 300995. Crompton Petrolia, 100 Sonneborn Lane, Petrolia, PA 16050, Fairview Township, **Butler County**. Permit reissuance application for the transfer of the Crompton/Witco Petrolia facility, which is a captive residual waste landfill. The permit is being reissued to Sonneborn, Inc. The permit was issued by the Northwest Regional Office on May 8, 2006.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

GP4-06-03136: Summit Steel and Manufacturing, Inc. (1107 Bern Road, Wyomissing, PA 19610) on May 3, 2006, for Burn Off Ovens under GP4 in Muhlenberg Township, **Berks County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

GP5-65-00976: Dominion Exploration and Production, Inc. (1415 Louisiana, Suite 2700, Houston, TX 77002) on May 1, 2006, to install and operate a Caterpillar G3408C LE 425-bhp compressor engine and a Glycol Dehydrator at Troy Compressor Station at Latrobe Boro, **Westmoreland County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

09-0187: Fairless Iron and Metal (300 South Steel Road, Morrisville, PA 19067) on May 4, 2006, to operate metal shredding equipment in Falls Township, **Bucks County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

11-00518A: Johnstown Regional Energy, LLC (80 Clinton Street, Johnstown, PA 15901) on May 4, 2006, to install a Thermal Oxidizer at Laurel Highlands Landfill, Inc. at Jackson Township, **Cambria County**. The gas processing facility is leased from Laurel Highland Land-

fill and owned and operated by Johnstown Regional Energy, LLC of Johnstown, PA.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; George Monasky, New Source Review Chief, (814) 332-6940.

61-204C: Franklin Bronze and Alloy Co., Inc. (655 Grant Street, Franklin, PA 16323) on April 24, 2006, for postconstruction of three dust collectors to control fumes and dust from induction furnaces, cut-off saws and grinding operations in the City of Franklin, **Venango County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

09-0087D: Air Products and Chemicals, Inc. (351 Philadelphia Avenue, Morrisville, PA 19067) on May 2, 2006, to operate a chlorine distillation process in Falls Township, **Bucks County**.

09-0053: Greif Industrial Packaging and Services, LLC (366 Greif Parkway, Delaware, OH 43015) on May 5, 2006, to operate a lining surface coating booth in Warminster Township, **Bucks County**.

23-0056: Honeywell International, Inc. (6100 Philadelphia Pike, Claymont, DE 19703-2716) on May 6, 2006, to operate a fluosulfonic acid manufacturing in Marcus Hook Borough, **Delaware County**.

09-0112B: Superior Woodcraft, Inc. (160 North Hamilton Street, Doylestown, PA 18901) on May 3, 2006, to re-evaluate BAT for the VOC content of the coatings used in the manufacture of wood cabinets in Doylestown Borough, **Bucks County**. The facility has proposed placing a limit of 23 tons per 12-month rolling period on emissions of VOCs and the facility has proposed a limit in the number of hours that the spray booths will be in operation per 12-month rolling period. Some conditions previously placed under the source category are now placed under the site level conditions, and the facility is now required to calculate and record the emissions for the entire facility on a monthly and a 12-month rolling basis. There is no increase in emissions from this facility as a result of this amendment.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

60-318-011A: Pik-Rite, Inc. (60 Pik-Rite Lane, Lewisburg, PA 17837) to operate a fabricated steel parts surface coating operation on a temporary basis until August 30, 2006, in Buffalo Township, **Union County**. The plan approval has been extended.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; George Monasky, New Source Review Chief, (814) 332-6940.

10-235A: Sunshine Greenhouses (915 Ekastown Road, Saxonburg, PA 16056) on May 31, 2006, for a coal fired boiler in Clinton Township, **Butler County**.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

09-00003: Superpac, Inc. (P. O. Box 189, Southampton, PA 18966) on May 3, 2006, to operate the renewal of a facility Title V Operating Permit in Upper Southampton Township, **Bucks County**.

46-00051: Schlosser Steel, Inc. (P. O. Box 116, 2641 Township Line Road, Hatfield, PA 19440) on May 5, 2006, to operate the renewal of a facility Title V Operating Permit in Hatfield Township, **Montgomery County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

36-03141: Kellogg USA, Inc. (2050 State Road, Caller Box 3006, Lancaster, PA 17604) on May 3, 2006, to operate a breakfast cereal manufacturing facility in East Hempfield Township, **Lancaster County**. This operating permit was administratively amended by changing the boiler capacities from 55.8 mmBtu/hr to 66 mmBtu/hr. This is Revision No. 2.

36-05093: Martin Limestone, Inc. (P. O. Box 550, Blue Ball, PA 17506-0550) on May 5, 2006, to operate their company's Denver asphalt plant in East Cocalico Township, **Lancaster County**. This is a renewal of the state-only operating permit.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

OP-63-00872: RTS Packaging, LLC (P. O. Box 116, Charleroi, PA 15022) on May 5, 2006, to operate a paperboard partition plant in Charleroi, **Washington County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

61-00004: Electralloy—AGO Carlson Co., Inc. (175 Main Street, Oil City, PA 16301) on May 2, 2006, to issue a Title V Amendment Operating Permit to operate the blast furnace furnaces and steel mill facility in Oil City, **Venango County**. As a result of potential emissions of NOx and VOC, the facility is not a major source. The issued amended Title V Operating Permit does not reflect any changes in air emission from the facility. The facility is subject to Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The facility is not subject to Compliance Assurance Monitoring under 40 CFR Part 64.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

04-00709: Colona Transfer, LP (P. O. Box 296, Currie Road, Portersville, PA 16051) on April 28, 2006, to change ownership from Empire Terminal, Inc. to Colona Transfer in Monaca, **Beaver County**.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

09-00159: Colorcon—No-Tox Products Division (171 New Britain Boulevard, Chalfont, PA 18914) on May 2, 2006, a facility in New Britain Township, **Bucks County**. The facility's major emission points include a variety of process equipment related to the production of coatings and inks for food, medical and pharmaceutical packing which emits major levels of VOCs.

The facility has applied to have the following emissions, which will be the result of the increased throughputs due to an increase in production:

VOC—less than 4.0 tons during the term of the permit (CY2010);

These emissions increases qualify as de minimis increases under 25 Pa. Code § 127.449.

The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility within all applicable air quality requirements.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

Permit No. 56900105 and NPDES Permit No. 0598852. Cooney Brothers Coal Company, P. O. Box 246, Cresson, PA 16630, permit revision—land use change on Wilmore Coal Company property from forest to wildlife habitat in Paint Township, **Somerset County**, affecting 165 acres. Receiving streams: UNTs to/and Shade Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received on March 6, 2006. Permit issued: May 3, 2006.

Permit No. 56880103 and NPDES Permit No. 0598143. Future Industries, Inc., P. O. Box 157, Meyersdale, PA 15552-0157, permit revision—land use change on Robert, Richard and Edmond Sanner property from wildlife habitat to Industrial/commercial in Summit Township, **Somerset County**, affecting 10 acres. Receiving streams: UNTs to/and Casselman River, UNTs to/and Lick Run, UNTs to Bigby Creek and UNTs to Cranberry Run classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received on March 9, 2006. Permit issued: May 3, 2006.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

03050104 and NPDES Permit No. PA0250813. D. J. & W. Mining, Inc. (Box 425, Indiana, PA 15701). Permit issued for commencement, operation and reclamation of a bituminous surface/auger mine located in Kiskiminetas Township, **Armstrong County**, affecting 168.6 acres. Receiving streams: UNTs to Crooked Creek to the Allegheny River. Application received: October 26, 2005. Permit issued: May 3, 2006.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

10040104 and NPDES Permit No. PA0242594. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001) Commencement, operation and restoration of a bituminous strip operation in Concord Township, **Butler County** affecting 160.0 acres. Receiving streams: UNTs to South Branch Slippery Rock Creek. Application received: October 22, 2004. Permit Issued: May 1, 2006.

1475-10040104-E-1. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001) Application for a stream encroachment to conduct mining within 100 feet of UNTs Nos. 1 and 3 to South Branch Slippery Rock Creek. Receiving streams: UNTs to South Branch Slippery Rock Creek. Application received: October 22, 2004. Permit Issued: May 1, 2006.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

14000101 and NPDES No. PA0242829. River Hill Coal Company, Inc. (Memorial Street, P. O. Box 141, Kylertown, PA 16847), permit renewal for reclamation only of a bituminous surface mine in Snow Shoe Township, **Centre County**, affecting 53.9 acres. Discharge to (Receiving Waters): Not applicable for treatment facilities and sediment ponds. The permittee will use nondischarge alternatives. Application received: April 25, 2006.

14820103 and NPDES No. PA0611719. AMFIRE Mining Company, LLC (One Energy Place, Latrobe, PA 15650), transfer of an existing bituminous surface mine from Junior Coal Contracting, Inc. (2330 Six Mile Road, Philipsburg, PA 16866), located in Rush Township, **Centre County**, affecting 379.7 acres. Receiving streams: UNT to Trout Run and UNT to Moshannon Creek to Moshannon Creek, to West Branch Susquehanna River, to Susquehanna River. Application received: April 26, 2006.

17030118 and NPDES Permit No. PA0243647. River Hill Coal Company (Memorial Street, P. O. Box 141, Kylertown, PA 16847). Permit revision to an existing bituminous surface mine permit to add augering of Middle Kittanning coal seam. The permit is located in Bigler Township, **Clearfield County**, and affects 75.4 acres. Receiving stream: UNT to Clearfield Creek. Application received: April 13, 2006. Permit issued: May 5, 2006.

Noncoal Permits Actions

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

58050849. Lynn D. Joines (R. R. 1, Box 113A, Susquehanna, PA 18847), commencement, operation and restoration of a quarry operation in Jackson Township, **Susquehanna County**, affecting 5.0 acres. Receiving stream: none. Application received October 4, 2005. Permit issued May 2, 2006.

58050860. Richard Marcho (R. R. 1, Box 121, Susquehanna, PA 18847), commencement, operation and restoration of a quarry operation in Gibson Township, **Susquehanna County**, affecting 5.0 acres. Receiving stream: none. Application received December 12, 2005. Permit issued May 2, 2006.

52980301C. ER Linde Construction Corp. (R. R. 6 Box 6825, Honesdale, PA 18431), a depth correction for an existing quarry operation in Lackawaxen Township, **Pike County** affecting 11.87 acres. Receiving stream: UNT to Little Blooming Grove Creek. Application received March 17, 2003. Correction issued May 2, 2006.

52980301C3 and NPDES Permit No. PA0223905. ER Linde Construction Corp. (R. R. 6 Box 6825, Honesdale, PA 18431), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Lackawaxen Township, **Pike County**. Receiving stream: UNT to Little Blooming Grove Creek. Application received June 8, 2004. Renewal issued May 2, 2006.

09890303C and NPDES Permit No. PA0594661. Naceville Materials (P. O. Box 161, Warminster, PA 18974), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Plumstead Township, **Bucks County**. Receiving stream: intermittent tributary to North Branch of Neshaminy Creek. Application received October 20, 2005. Renewal issued May 2, 2006.

54980301T. HMMK, LLC (P. O. Box 79, Skippack, PA 19474), transfer of an existing quarry operation in Foster Township, **Schuylkill County** affecting 455.4 acres. Receiving stream: none. Application received October 31, 2005. Transfer issued May 2, 2006.

64940302C8 and NPDES Permit No. PA0223387. Bedrock Quarries, Inc. (P. O. Box 1497, Skippack, PA 19474), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Damascus Township, **Wayne County**. Receiving stream: UNT of North Branch Calkins Creek. Application received January 9, 2006. Renewal issued May 2, 2006.

45900301C5 and NPDES Permit No. PA0595241. Haines & Kibblehouse, Inc. (P. O. Box 196, Skippack, PA 19474), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Ross Township, **Monroe County**. Receiving stream: Buckwha Creek. Application received January 23, 2006. Renewal issued May 2, 2006.

58050831. Donald R. Taylor (R. R. 3, Box 3646, Nicholson, PA 18446), commencement, operation and restoration of a quarry operation in Lathrop and Springville Townships, **Susquehanna County** affecting 5 acres. Receiving stream: none. Application received June 21, 2005. Permit issued May 3, 2006.

58050851. Robert R. Reddon (R. R. 2, Box 2637 R, Susquehanna, PA 18847), commencement, operation and restoration of a quarry operation in Jackson Township,

Susquehanna County affecting 5 acres. Receiving stream: none. Application received October 11, 2005. Permit issued May 3, 2006.

40052804. Jan E. Rinehimr (861 Saint Johns Road, Wapwallopen, PA 18660-1638), commencement, operation and restoration of a quarry operation in Hollenback Township, **Luzerne County** affecting 5 acres. Receiving stream: none. Application received November 28, 2005. Permit issued May 3, 2006.

58060810. Meshoppen Stone Inc. (P. O. Box 127, Meshoppen, PA 18630), commencement, operation and restoration of a quarry operation in Auburn Township, **Susquehanna County** affecting 5 acres. Receiving stream: none. Application received February 13, 2006. Permit issued May 4, 2006.

49060801. Leslie Hauck Construction (9520 Susquehanna Trail Road, Muncy, PA 17618), commencement, operation and restoration of a quarry operation in Lewis Township, **Northumberland County** affecting 5 acres. Receiving stream: none. Application received February 17, 2006. Permit issued May 4, 2006.

45062801. Bruce George Paving & Excavating, Inc. (R. R. 2, Box 331, Kunkletown, PA 18058), commencement, operation and restoration of a quarry operation in Eldred Township, **Monroe County** affecting 5 acres. Receiving stream: none. Application received March 23, 2006. Permit issued May 4, 2006.

6477SM5C2 and NPDES Permit No. PA0009059. ISP Minerals, Inc. (P. O. Box O, Blue Ridge Summit, PA 17214), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Hamiltonban and Washington Townships, **Adams and Franklin Counties**. Receiving stream: Miney Branch to Tom's Creek. Application received March 17, 2006. Renewal issued May 4, 2006.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (73 P.S. §§ 151–161) and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Greensburg District Mining Office: Armbrust Professional Center; 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

04064001. Ashley Ridge, Inc. (3465 Brodhead Road, Monaca, PA 15061). Blasting activity permit for the Ashley Ridge housing development, located in Brighton Township, **Beaver County**, with an expected duration of 180 days. Permit issued: May 1, 2006.

65064003. Gregori Construction (736 Ekaspown Town Road, Sarver, PA 16055). Blasting activity permit for SR31 3 mile Hill, located in Mt. Pleasant Township, **Westmoreland County** and Bullskin Township, **Fayette County** with an expected duration of 1 year. Permit issued: May 1, 2006.

65064002. Demtech, Inc. (65 Bald Mountain Road, Dubois, WY 82513). Blasting activity permit issued for construction blasting on the Turnpike, Bridge B-469, located in Madison/Hempfield Township, **Westmoreland County**, with an expected duration of 30 days. Permit issued April 17, 2006.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

25064002. Appalachian Geophysical Services, LLC (P. O. Box 426, Killbuck, OH 44637-0426). Blasting activity permit for seismograph study and gas and oil reserves in Conneaut and Beaver Townships, **Erie and Crawford Counties**. This blasting activity permit will expire on October 1, 2006. Application received: May 1, 2006. Application Issued: May 4, 2006.

20064003. Appalachian Geophysical Services, LLC (P. O. Box 426, Killbuck, OH 44637-0426). Blasting activity permit for seismograph study and gas and oil reserves in Beaver Township, **Crawford County**. This blasting activity permit will expire on October 31, 2006. Application received: May 1, 2006. Application Issued: May 4, 2006.

20064004. Appalachian Geophysical Services, LLC (P. O. Box 426, Killbuck, OH 44637-0426). Blasting activity permit for seismograph study and gas and oil reserves in Spring Township, **Crawford County**. This blasting activity permit will expire on July 1, 2006. Application received: May 1, 2006. Application Issued: May 4, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

48064111. Schlouch, Inc. (P. O. Box 69, Blandon, PA 19510), construction blasting for Saddle Creek Development in Upper Mt. Bethel Township, **Northampton County** with an expiration date of February 1, 2007. Permit issued April 28, 2006.

48064112. Austin Powder Company (25800 Science Park Drive, Cleveland, OH 44122), construction blasting for Horwith Sanitary Sewer in Northampton Borough, **Northampton County** with an expiration date of April 28, 2007. Permit issued April 28, 2006.

54064103. Hayduk Enterprises (P. O. Box 554, Dalton, PA 18414), construction blasting for Greene Energy Wind Farm in Mahanoy and Union Townships, **Schuylkill County** with an expiration date of May 31, 2007. Permit issued May 2, 2006.

67064019. Explosives Experts, Inc. (P. O. Box 879, Sparks, MD 21152), construction blasting at Jackson Heights Development in Jackson Township, **York County** with an expiration date of November 30, 2006. Permit issued May 2, 2006.

09064115. Austin Powder Company (25800 Science Park Drive, Cleveland, OH 44122), construction blasting for Richland Market Place in Richland Township, **Bucks County** with an expiration date of May 2, 2007. Permit issued May 3, 2006.

40064111. Holbert Explosives, Inc. (237 Mast Hope Plank Road, Lackawaxen, PA 18435), construction blasting for Goodleigh Manor in Dallas Township, **Luzerne County** with an expiration date of April 20, 2007. Permit issued May 3, 2006.

67064116. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting for a home on Bremer Road in Conewago Township, **York County** with an expiration date of December 30, 2006. Permit issued May 3, 2006.

21064132. Newville Construction Services, Inc. (408 Mohawk Road, Newville, PA 17241), construction blasting for commercial development on Asper Road in Lower Mifflin Township, **Cumberland County** with an expiration date of April 25, 2007. Permit issued May 4, 2006.

21064133. M & J Explosives, Inc. (P. O. Box 608, Carlisle, PA 17013), construction blasting for Clarion Development in Dickinson Township, **Cumberland County** with an expiration date of April 30, 2007. Permit issued May 4, 2006

21064134. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting for Higgins Warehouse in Carlisle Borough and South Middleton Township, **Cumberland County** with an expiration date of May 30, 2007. Permit issued May 4, 2006.

21064135. J. Roy's, Inc. (Box 125, Bowmansville, PA 17507), construction blasting for CC Estates in Silver Spring Township, **Cumberland County** with an expiration date of May 15, 2007. Permit issued May 4, 2006.

28064140. David H. Martin Excavating, Inc. (4961 Cumberland Highway, Chambersburg, PA 17201), construction blasting for Grandpoint Crossing in Greene Township, **Franklin County** with an expiration date of May 1, 2007. Permit issued May 4, 2006

28064141. David H. Martin Excavating, Inc. (4961 Cumberland Highway, Chambersburg, PA 17201), construction blasting for home on Hearthside Drive in Guilford Township, **Franklin County** with an expiration date of May 1, 2007. Permit issued May 4, 2006.

28064142. David H. Martin Excavating, Inc. (4961 Cumberland Highway, Chambersburg, PA 17201), construction blasting for City Center in Chambersburg Borough, **Franklin County** with an expiration date of May 1, 2007. Permit issued May 4, 2006.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

E15-728. Department of Transportation, 7000 Geerdes Boulevard, King of Prussia, PA 19406-1525, Honey Brook Township, Chester County, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities associated with the replacement of the existing single span timber beam bridge carrying Supplee Road over the West Branch of the Brandywine Creek (HA, TSF, MF) with a reinforced concrete box culvert. The proposed culvert measures 20 feet long with an under clearance of 3 feet 9 inches. The work will involve the following activities:

1. To construct and maintain a temporary ford crossing to accommodate free passage of cattle downstream of the existing bridge.
2. To place fill within approximately 0.01 acre of palustrine wetlands to accommodate roadway widening.
3. To construct and maintain a temporary diversion dike and ditch to facilitate bridge construction activities.
4. To perform minor grading and filling activities within the floodway associated with roadway approach widening.

The project will temporarily affect 0.010 acre, and permanently affect 0.003 acre of wetlands while temporarily impacting approximately 95 linear feet of stream and permanently impacting approximately 50 linear feet of stream. The site is located approximately 2,243 feet southwest of the intersection of Pleasant View and Supplee Roads in Honey Brook Township, Chester County, (Honey Brook, PA, Quadrangle N: 16.91 inches; W: 2.97 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E15-728. Jeffrey M. Gray, 5518 McLean Station Road, Green Lane, PA 18054, Marlborough Township, Chester County, ACOE Philadelphia District.

To construct and maintain a 12-foot wide, 24-foot span by 3.5 feet high open bottom Box Bridge and appurtenances, as a driveway access from McLean Station Road across an UNT of Macoby Run (TSF) to and existing single family dwelling.

The project includes temporary cofferdams and conduits to facilitate bridge construction, will impact approximately 50 linear feet of stream and is located approximately 345 feet southwest of the intersections of McLean Station Road and Geryville Pike in Marlborough Township, Montgomery County (Perkiomenville, PA, Quadrangle N: 20.98 inches; W: 11.72 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. 1341(a)).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E54-325. Schuylkill County, 401 North Second Street, Pottsville, PA 17901. South Manheim Township, Schuylkill County, Army Corps of Engineers Philadelphia District.

To remove the existing structure and to construct and maintain a concrete adjacent box beam bridge having a single span of 50 feet by 20 feet wide and a minimum underclearance of approximately 5.28 feet across Bear Creek (CWF, Perennial). The project also includes a de minimis area of PFO wetland impact equal to 0.01 acre and a 150-foot long channel change in a tributary to Bear Creek (CFW, intermittent) to accommodate improvements to the vertical roadway geometry. The bridge is known as County Bridge No. 112 and is located along Township Road T676 (Woodland Drive), just south of SR 0895 (Auburn, PA Quadrangle N: 21.4 inches; W: 16.1 inches). (Subbasin 03A)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: (717) 705-4707.

E67-786: Greensprings Partners, LP, 150 Farm Lane, York, PA 17402 in Conewago Township, York County, ACOE Baltimore District.

To construct and maintain a 0.05-foot depressed 48-inch by 116-foot long reinforced concrete pipe culvert, install a 12-inch water line and fill 0.38 acre of palustrine emergent wetlands all associated with an UNT to the Little Conewago Creek (TSF) (Dover, PA Quadrangle Latitude: 40° 04' 10"; Longitude: 76° 46' 20", N: 12.6 inches; W: 3.1 inches) in Conewago Township, York County. The project will temporarily impact 0.19 acre of palustrine emergent wetlands and permanently impact 0.38 acre of palustrine emergent wetlands. The permittee is required to provide a minimum of 0.38 acre of replacement wetlands onsite.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E63-580. Thomas Hauch, 2008 Whitfield Lane, Finleyville, PA 15332. To construct a bridge in East Finley Township, Washington County, Pittsburgh ACOE District. (Windridge, PA Quadrangle N: 22.0 inches; W: 5.5 inches and Latitude: 39° 59' 46"—Longitude: 80° 24' 51"). To construct and maintain a bridge having a span of 27.0 feet with a minimum underclearance of 2.5 feet across the channel of Enlow Fork (TSF) for the purpose of providing access to applicant's property. The project is located on the south side of SR 0231, approximately 310.0 feet southwest from the intersection of SR 0231 and T-454 and will impact 15.0 linear feet of stream channel.

E65-887. JRC Development, LLC, 120 Skyview Drive, Jeanette, PA 15644. To construct a sewer line in North Huntingdon Township, **Westmoreland County**, Pittsburgh ACOE District. (McKeesport, PA Quadrangle N: 9.2 inches; W: 0.2 inch and Latitude: 40° 17' 43"—Longitude: 79° 45' 05"). To construct and maintain an 8-inch diameter aerial sanitary sewer line over a UNT to Possum Hollow (WWF) for a proposed residential subdivision (Cherry Hill Estates) located at the intersection of Guffy and Pine Wood Roads.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E37-165, LCK Enterprises, 310 Central Building, 101 S. Mercer St., New Castle, PA 16101. Camelot Woods II Residential Development, in Neshannock Township, **Lawrence County**, ACOE Pittsburgh District (New Castle North, PA Quadrangle N: 9.0 inches; W: 16.2 inches).

To fill a total of 0.34 acre of wetlands for roadway and lot development within the Camelot Woods II residential development between Whitney Drive and Michael Drive north of Scott Drive west of SR 18. Project includes creation of 0.68 acre of replacement wetland on site.

E42-318, Minard Run Oil Company, P. O. Box 18, Bradford, PA 16701. Music Mountain Wetland Roadway Crossing, in Lafayette Township, **McKean County**, ACOE Pittsburgh District (Lewis Run, PA Quadrangle N: 41° 50' 39"; W: 78° 42' 06").

To fill 0.17 acre of PEM wetlands as part of the rehabilitation/maintenance of the existing access roadway and is located approximately 6,000 feet north and 2,300 feet west of the Kennedy Springs Picnic Area along SR 0219. The permittee will be required to replace 0.20 acre of replacement wetlands.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

EA05-006: Broad Top Township, 187 Municipal Road, Defiance, PA 16633 in Broad Top Township, **Bedford County**, ACOE Baltimore District.

To construct and maintain a passive AMD treatment system on approximately 0.30 acre of the right floodway and floodplain of Longs Run (WWF) consisting of a 34-foot long by 10-foot wide temporary bridge across the channel of Longs Run, 120 linear feet of riprap lined conveyance channel, a 0.07-acre aerobic treatment wetland, and a 50-foot long by 13-foot wide riprap lined spillway discharging to Longs Run for the purpose of increasing alkalinity and reducing metals in Longs Run at a site (Hopewell, PA Quadrangle N: 1.4 inches, W: 17.5 inches; Latitude: 40° 07' 57", Longitude: 78° 14' 58") approximately 1400 feet northeast of the intersection of SR 0915 and Longs Run Road (T-134) in Broad Top Township, Bedford County.

SPECIAL NOTICES

Categorical Exclusions

Northeast Region: Water Management Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Project Information:

<i>Project Applicant</i>	<i>Project Applicant's Address</i>	<i>Project Location (Municipality)</i>	<i>Project Location (County)</i>
Borough of Lansford	P. O. Box 126 Lansford, PA 18232-0126	Borough of Lansford	Carbon

Description: The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is intended to be the funding source for this project. The Borough of Lansford proposes to separate existing combined wastewater collection system lines located on Tunnel Street and Walnut Street into their sanitary and stormwater components through the construction of a separate stormwater collection system. A low-flow channel will also be constructed in the Patterson Street culvert to accommodate sanitary flows in the former combined sewer. The project will also decrease the number of CSO activations at CSO-1 and CSO-4. The Department's review of the project and the information received has not identified any significant, adverse environmental impact resulting from this proposal. The Department hereby categorically excludes this project from the State Environmental Review Process.

Project Information:

<i>Project Applicant</i>	<i>Project Applicant's Address</i>	<i>Project Location (Municipality)</i>	<i>Project Location (County)</i>
Conyngham Borough Authority	P. O. Box 469 Conyngham, PA 18219	Borough of Conyngham	Luzerne

Description: The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is intended to be the funding source for this project. The Conyngham Borough Authority proposes to upgrade its existing WWTF, permitted at 0.350 mgd, to meet biological nutrient reduction requirements for the Chesapeake Bay Watershed. The existing contact stabilization treatment process will be converted to a tertiary treatment process to meet the more stringent total nitrogen and total phosphorus effluent discharge limits. The Department's review of the project and the information received has not identified any significant, adverse environmental impact resulting from this proposal. The Department hereby categorically excludes this project from the State Environmental Review Process.

Project Information:

<i>Project Applicant</i>	<i>Project Applicant's Address</i>	<i>Project Location (Municipality)</i>	<i>Project Location (County)</i>
Greater Hazleton Joint Sewer Authority	P. O. Box 651 Hazleton, PA 18201	Borough of West Hazleton	Luzerne

Description: The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is intended to be the funding source for this project. The Greater Hazleton Joint Sewer Authority proposes to provide primary treatment and disinfection of combined wastewater to be discharged from the Sixth and Ridge Street CSO. A dynamic separator with swirl cleanse will be constructed at the CSO structure. The Department's review of the project and the information received has not identified any significant, adverse environmental impact resulting from this proposal. The Department hereby categorically excludes this project from the State Environmental Review Process.

Project Information:

<i>Project Applicant</i>	<i>Project Applicant's Address</i>	<i>Project Location (Municipality)</i>	<i>Project Location (County)</i>
Mountaintop Area Joint Sanitary Authority	290 Morio Drive Mountain Top, PA 18703	Dorrance Township	Luzerne

Description: The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is intended to be the funding source for this project. The Mountaintop Area Joint Sanitary Authority proposes to upgrade its 4.16 mgd WWTF to comply with the biological nutrient reduction requirements imposed on the Authority as a result of the implementation of the Chesapeake Bay Tributary Strategy. The facility's existing treatment process will be converted to a tertiary treatment process to meet the more stringent total nitrogen and total phosphorus effluent discharge limits. The Department's review of the project and the information received has not identified any significant, adverse environmental impact resulting from this proposal. The Department hereby categorically excludes this project from the State Environmental Review Process.

Project Information:

<i>Project Applicant</i>	<i>Project Applicant's Address</i>	<i>Project Location (Municipality)</i>	<i>Project Location (County)</i>
Wyoming Valley Sanitary Authority	P. O. Box 33A Wilkes-Barre, PA 18703	City of Wilkes-Barre	Luzerne

Description: The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is intended to be the funding source for this project. The Wyoming Valley Sanitary Authority proposes to separate 15,000 linear feet of existing combined wastewater collection system lines located on Ross Street in the City of Wilkes-Barre into their sanitary and stormwater components through the construction of a separate sanitary line to be located at the invert and inside of the existing 7-foot diameter combined sewer line. The existing combined sewer line will remain as a stormwater conveyance line for the project area's stormwater runoff. The Ross Street CSO will be eliminated as part of the proposed project. The Department's review of the project and the information received has not identified any significant, adverse environmental impact resulting from this proposal. The Department hereby categorically excludes this project from the State Environmental Review Process.

[Pa.B. Doc. No. 06-874. Filed for public inspection May 19, 2006, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) website at www.depweb.state.pa.us (DEP Keyword: Technical Guidance). The "Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

The Department will continue to revise its nonregulatory documents, as necessary, throughout 2006.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Draft Technical Guidance—Substantive Revision

DEP ID: 383-0810-106. Title: Summary of Key Requirements for Surface Water Filtration. Description: This guidance applies to public water systems using surface water sources or groundwater sources under the direct influence of surface water. The guidance directs and supports the implementation of the requirements for surface water filtration under the drinking water management program. Substantive revisions were made to the guidance to incorporate new provisions of the final Long Term 1 Enhanced Surface Water Treatment Rule

(see 34 Pa.B. 3130 (June 19, 2004)). The changes are predominantly contained in the sections titled "Filtration Design Requirements," "Filtration Operation and Performance Requirements," "Reporting Requirements" and "Individual Filter Monitoring." In these sections, the statements pertaining to turbidity levels, turbidity equipment and monitoring and turbidity reporting underwent significant changes. The guidance is issued under the authority of Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) and 25 Pa. Code Chapter 109 (relating to safe drinking water).

Written Comments: The Department is seeking comments on the substantive revisions to draft technical guidance #383-0810-106. Interested persons may submit written comments on this draft technical guidance document by June 19, 2006. Comments submitted by facsimile will not be accepted. The Department will accept comments submitted by e-mail. A return name and address must be included in each e-mail transmission. Written comments should be submitted to Phil Consonery, Department of Environmental Protection, Bureau of Water Standards and Facility Regulation, Rachel Carson State Office Building, 11th Floor, P. O. Box 8467, Harrisburg, PA 17105-8467, pconsonery@state.pa.us. Contact: Questions regarding the draft technical guidance document should be directed to Phil Consonery, (717) 787-6744, pconsonery@state.pa.us. Effective Date: Upon publication of notice as final in the *Pennsylvania Bulletin*.

Draft Technical Guidance

DEP ID: 291-3350-001. Title: Monitoring and Reporting Methodology for Individuals Occupationally Exposed to Medical X-rays While Wearing Protective Apparel. Description: This guidance document applies to the reporting of occupational exposure resulting from diagnostic X-ray procedures and presents alternate ways to determine doses to individuals who receive exposure from medical X-ray radiation, while wearing protective apparel (that is, a protective apron or protective apron and thyroid shield). The implementation of this guidance, once final, will eliminate the need for registrants or licensees to individually obtain variances in order to modify the manner in which personnel exposures are recorded under certain conditions. The guidance is issued under the authority of the Radiation Protection Act (35 P.S. §§ 7110.101—7110.703) and the radiological health regulations at 25 Pa. Code Part II, Article V (relating to radiological health).

Written Comments: The Department is seeking comments on the substantive revisions to draft technical guidance #291-3350-001. Interested persons may submit written comments on this draft technical guidance document by June 19, 2006. Comments submitted by facsimile will not be accepted. The Department will accept comments submitted by e-mail. A return name and address must be included in each e-mail transmission. Written comments should be submitted to L. Ray Urciuolo, Chief, Division of Radiation Control, Department of Environmental Protection, Bureau of Radiation Protection, Rachel Carson State Office Building, P. O. Box 8469, Harrisburg, PA 17105-8469, lurciuolo@state.pa.us. Contact: Questions regarding the draft technical guidance document should be directed to L. Ray Urciuolo, (717) 783-9730, lurciuolo@state.pa.us. Effective Date: Upon publication of notice as final in the *Pennsylvania Bulletin*.

DEP ID: 391-3200-015. Title: Standardized Biological Field Collection and Laboratory Methods. Description: This guidance provides the established procedures to

collect and process aquatic biological field data for lake and stream surveys. The guidance was developed to establish and standardize the Department's procedures for aquatic biological data collection methods. Written Comments: The Department is seeking comments on draft technical guidance #391-3200-015. Interested persons may submit written comments on this draft technical guidance document by June 19, 2006. Comments submitted by facsimile will not be accepted. The Department will accept comments submitted by e-mail. A return name and address must be included in each e-mail transmission.

Written comments should be submitted to Tony Shaw, Department of Environmental Protection, Bureau of Water Standards and Facility Regulation, Rachel Carson State Office Building, 11th Floor, P. O. Box 8467, Harrisburg, PA 17105-8467, tshaw@state.pa.us. Contact: Questions regarding the draft technical guidance document should be directed to Tony Shaw, (717) 783-3862, tshaw@state.pa.us. Effective Date: Upon publication of notice as final in the *Pennsylvania Bulletin*.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-875. Filed for public inspection May 19, 2006, 9:00 a.m.]

Pennsylvania Sewage Advisory Committee Meeting Cancellation

The Pennsylvania Sewage Advisory Committee meeting scheduled for June 14, 2006, has been cancelled. The next meeting is scheduled on August 16, 2006, at 10:30 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105.

Questions concerning the cancellation of the June 14, 2006, meeting or the August 16, 2006, meeting should be directed to Jay Africa, Bureau of Water Supply and Facilities Regulation, (717) 787-8184, jafrika@state.pa.us. The agenda and meeting materials for the August 16, 2006, meeting will be available through the Public Participation Center on the Department of Environmental Protection's (Department) website at www.depweb.state.pa.us (DEP Keywords: Participation, Participate).

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact the Department at (717) 772-5668 or through the AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-876. Filed for public inspection May 19, 2006, 9:00 a.m.]

Pennsylvania Sewage Advisory Committee Regulations Subcommittee Meeting Cancellation

The Pennsylvania Sewage Advisory Committee Regulations Subcommittee meeting scheduled for June 13, 2006, has been cancelled. Future meetings shall occur and will be announced in the *Pennsylvania Bulletin*.

Questions concerning the cancellation of the June 13, 2006, meeting should be directed to Jay Africa, Bureau of Water Supply and Facilities Regulation, (717) 787-8184, jafrica@state.pa.us.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact the Department of Environmental Protection (Department) at (717) 772-5668 or through the AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-877. Filed for public inspection May 19, 2006, 9:00 a.m.]

Storage Tank Advisory Committee Meeting Cancellation

The Storage Tank Advisory Committee meeting scheduled for June 6, 2006, has been cancelled. The next meeting is scheduled for September 19, 2006, at 10 a.m. in the 14th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105.

Questions concerning the cancellation of the June 6, 2006, meeting or the September 19, 2006, meeting should be directed to Charles Swokel, Bureau of Waste Management, (717) 772-5806, cswokel@state.pa.us. The agenda and meeting materials for the September 19, 2006, meeting will be available through the Public Participation Center on the Department of Environmental Protection's (Department) website at www.depweb.state.pa.us (DEP Keywords: Participation, Participate).

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact the Department at (717) 772-5668 or through the AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-878. Filed for public inspection May 19, 2006, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of The Bloomsburg Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that The Bloomsburg Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards) which requires compliance with minimum standards contained in *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standards contained in this publication: 7.7.B1 (relating to minimum clearance).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and

Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-879. Filed for public inspection May 19, 2006, 9:00 a.m.]

Application of Carlisle Endoscopy Center, Ltd. for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Carlisle Endoscopy Center, Ltd. has requested an exception to the requirements of 28 Pa. Code § 555.31 (relating to principle).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-880. Filed for public inspection May 19, 2006, 9:00 a.m.]

Application of Endoscopy Center of Central Pennsylvania, LLC for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Endoscopy Center of Central Pennsylvania, LLC has requested an exception to the requirements of 28 Pa. Code § 555.31 (relating to principle).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and

Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-881. Filed for public inspection May 19, 2006, 9:00 a.m.]

Application of Hershey Outpatient Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Hershey Outpatient Surgery Center has requested an exception to the requirements of 28 Pa. Code § 551.21 (relating to criteria for ambulatory surgery).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-882. Filed for public inspection May 19, 2006, 9:00 a.m.]

Application of Kindred Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Kindred Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards) which requires compliance with minimum standards contained in *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standards contained in this publication: 7.2.A4 and 7.2.A5 (relating to handwashing; and toilet).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-883. Filed for public inspection May 19, 2006, 9:00 a.m.]

Application of Kindred Hospital Pittsburgh for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Kindred Hospital Pittsburgh has requested an exception to the requirements of 28 Pa. Code §§ 101.31(1), 103.1, 107.1, 107.11, 107.51, 107.54, 146.1 and 146.2.

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-884. Filed for public inspection May 19, 2006, 9:00 a.m.]

Application of Plastic Surgical Associates of Johnstown, Inc. for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Plastic Surgical Associates of Johnstown, Inc. has requested an exception to the requirements of 28 Pa. Code § 555.31 (relating to principle).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-885. Filed for public inspection May 19, 2006, 9:00 a.m.]

Application of Pottstown Surgical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Pottstown Surgical Center has requested an exception to the requirements of 28 Pa. Code § 555.31 (relating to principle)

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-886. Filed for public inspection May 19, 2006, 9:00 a.m.]

Application of The Reading Hospital Surgi Center at Spring Ridge for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that The Reading Hospital Surgi Center at Spring Ridge has requested an exception to the requirements of 28 Pa. Code § 551.21 (relating to criteria for ambulatory surgery).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-887. Filed for public inspection May 19, 2006, 9:00 a.m.]

Application of St. Joseph Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that St. Joseph Medical Center has requested an exception to the requirements of 28 Pa. Code §§ 101.191 and 551.3 (relating to multiple-clinical facilities; and definitions).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-888. Filed for public inspection May 19, 2006, 9:00 a.m.]

Application of St. Mary Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that St. Mary Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards) which requires compliance with minimum standards contained in *Guidelines for Design and Construction of Hospital and Healthcare*

Facilities. The facility specifically requests exemption from the following standards contained in this publication: 9.1.C (relating to facility access).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-889. Filed for public inspection May 19, 2006, 9:00 a.m.]

Application of Southwest Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Southwest Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 51.23 (relating to positron emission tomography).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-890. Filed for public inspection May 19, 2006, 9:00 a.m.]

Application of Tri-County Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Tri-County Surgery Center has requested an exception to the requirements of 28 Pa. Code § 551.3 (relating to definitions).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-891. Filed for public inspection May 19, 2006, 9:00 a.m.]

Application of Warminster Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Warminster Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards) which requires compliance with minimum standards contained in *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standards contained in this publication: 7.2.A1 (relating to maximum room capacity).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980

or for speech and/or hearing impaired persons, V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-892. Filed for public inspection May 19, 2006, 9:00 a.m.]

Application of York Endoscopy Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that York Endoscopy Center has requested an exception to the requirements of 28 Pa. Code § 555.31 (relating to principle).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-893. Filed for public inspection May 19, 2006, 9:00 a.m.]

Draft Title V Block Grant Program; 2005 Report and 2007 Application; Public Comment Period

During the months of May and June 2006, from the date of this publication, the Bureau of Family Health is accepting public comment about the Commonwealth's Draft Title V Block Grant Report and 2007 Application. A draft of this document is electronically accessible through a link on the Department of Health's website at www.health.state.pa.us. Comments will be accepted up to June 30, 2006, and should be sent to the Title V Block Grant Coordinator Wayne S. Fleming.

Persons with a disability who require an alternative format of this notice or of the Block Grant document (for example, large print, audiotape, Braille) should contact Wayne S. Fleming at Title V Block Grant Coordinator, Bureau of Family Health, 7th and Forster Streets, 7th Floor, East Wing, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-7192, wfleming@state.pa.us or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-894. Filed for public inspection May 19, 2006, 9:00 a.m.]

Emergency Medical Services Operating Fund Funding Priorities

Under 28 Pa. Code §§ 1001.22 and 1001.23 (relating to criteria for funding; and allocation of funds), the Department of Health (Department) hereby gives notice of priorities for the distribution by the regional emergency medical services (EMS) councils of funding from the Emergency Medical Services Operating Fund (EMSOF) for the fiscal year beginning July 1, 2006, and ending June 30, 2007.

EMSOF moneys are to be used to provide funding to maintain, improve and develop the quality of the EMS system within this Commonwealth. The Department finds that EMSOF is not sufficient to fully fund the EMS system. Therefore, it gives notice, under 28 Pa. Code § 1001.22(d), that recipients of EMSOF funding from regional EMS councils may be required to contribute funds toward all purchases, acquisitions and projects for which the Department permits the use of EMSOF moneys.

Each regional EMS council shall prioritize the distribution of its EMSOF allocation based upon the Statewide EMS Development Plan and its regional EMS development plan, subject to the funding priorities set forth in this notice. By September 30, 2006, the regional EMS councils shall notify the providers and other appropriate entities of the established funding priorities, the application process, acquisition documentation requirements and processing deadlines. Each regional EMS council must complete all documents required for the distribution of EMSOF funding by June 30, 2007.

The Department may increase the amount of the initial payment or reimbursement from EMSOF based upon the EMS development plans (State and regional) or documented financial hardship of a provider of EMS. A provider of EMS that seeks additional funds due to financial hardship shall be required to submit a financial disclosure statement and other documentation deemed necessary by the Department.

A provider of EMS applying for EMSOF funding must be in full compliance, with all regulations, policies and priorities of the State and regional EMS systems.

Funds for purchases, acquisitions and projects for the fiscal year beginning July 1, 2006, and ending June 30, 2007, must be expended by the regional EMS council by June 30, 2007, unless a written request for an extension of time, not to exceed 90 calendar days, is submitted by the regional EMS council and approved by the Department prior to June 30, 2007.

Funding Priorities

These priorities are not ranked. The priorities must be considered before there is any regional distribution of EMSOF moneys for initiatives that are not listed. All funding must be distributed consistent with the regional and Statewide EMS development plans. Consequently, if the priorities in this notice have been funded and additional funding is available, the request to use EMSOF money towards nonpriority items must still be supported by the Statewide and regional EMS development plans.

- Development or improvement of an organizational risk management program (safety measures, hazard recognition/mitigation and the necessary organizational structure and support processes) proposed by an ambulance service. Proposals for funding must be comprehensive and include safe vehicle operations. Approval by the Department is required prior to funding.

- Recruitment and retention programs, including scholarships/tuition reimbursement for emergency medical technician (EMT) and paramedic training in areas with high prehospital personnel vacancy rates as determined by the regional EMS council and approved by the Department.

- Automatic external defibrillators (AED) and upgrade to current standards for Department recognized quick response services (QRSs) and basic life support (BLS) ambulance services.

- Equipment required to meet BLS and advanced life support (ALS) ambulance service licensure.

- Capnography equipment (especially wave-form end-tidal CO₂ monitors).

- An ambulance for ambulance services that is older than 10 years or has more than 200,000 miles on it. Limit to one per fiscal year.

- Software/computer equipment to enable services to collect and transmit EMS patient care reports electronically.

- Communication equipment and capabilities for EMS response in areas with poor to no communication capability between ambulances and medical command facilities or between ambulances and receiving facilities.

- Quality assurance/improvement program.

- EMS personnel protective respiratory equipment approved by the Department to protect the EMS practitioner from communicable diseases transmitted from person to person through airborne mechanisms.

When two or more ambulance companies have consolidated, for the first 5 years after the ambulance companies completed consolidation, the entity may be deemed eligible to receive a grant not to exceed the amount of the combined total for which the individual companies would have been eligible had they not consolidated.

Emergency Preparedness and Response Funding Requests

Emergency preparedness and response funding requests must be based on local and response roles of services, regional needs, and needs identified by threat vulnerability analysis. Purchases must be coordinated with county emergency, fire service, HAZMAT and hospital organizations in the applicant's service area to assure interoperability and to prevent duplication. Funding requests related to response to terrorism and emer-

gency preparedness must have a clear connection to the regional EMS catastrophic plan and the regional EMS development plan. Priority will be given to fund the ambulance services in each region that have committed to participating in the EMS surge capability project and respond to requests for EMS, both interstate and intrastate, as identified in the State and regional catastrophic casualty care plans.

Provider Equipment

Purchases by providers of EMS are not limited to equipment. If an EMS provider requests EMSOF moneys to purchase equipment, the Eligible Provider Equipment List identifies equipment for which EMSOF funds will be made available to purchase. This chart identifies the types of providers of EMS eligible for equipment purchases supported by EMSOF funding and the maximum allowable cost upon which the EMSOF contribution will be calculated.

EMSOF funds will fund 60% of the maximum allowable cost of an equipment item for rural providers and will fund 50% of the maximum allowable cost of an equipment item for nonrural providers. An eligible provider is responsible for the balance of the purchase price. The provider may purchase an item for an amount that exceeds the maximum allowable cost, but the provider will be responsible for any amount exceeding that figure. The last two columns of the chart identify the percentage of EMSOF contribution towards the purchase price, up to the maximum allowable cost of the item, based upon whether the provider operates in a rural or nonrural area.

Funding of a QRS or a BLS ambulance service to upgrade its AED to meet American Heart Association standards may be granted at 100% of the cost of the upgrade up to a maximum allowable cost of \$400 per AED.

Funding of an ALS ambulance service for a paramedic student to take the State written examination for paramedic certification may be granted at 100% of the cost of the examination up to a maximum allowable cost of \$300 per student, but only for the student's first and second attempts to pass the examination.

Questions regarding the Eligible Provider Equipment List or other matters addressed in this notice should be directed to Joseph W. Schmider, Director, Bureau of Emergency Medical Services, Department of Health, 1032 Health and Welfare Building, Seventh and Forster Streets, Harrisburg, PA 17120, (717) 787-8740. Speech or hearing impaired persons may use VTT: (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984. Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Joseph W. Schmider at the address or telephone numbers previously noted.

Eligible Provider Equipment List

Equipment Description	Life Expectancy	Eligible Purchase For:				Allowable Costs ¹	Non Rural (50%)	Rural
		ALS	ALS/SQ	BLS	QRS			
EKG Monitor/Defibrillator with Pacer	5 years	Y	Y	N	N	12,000	6,000	7,200
12 Lead EKG ²	5 years	Y	Y	N	N	20,000	10,000	12,000

NOTICES

2471

<i>Equipment Description</i>	<i>Life Expectancy</i>	<i>Eligible Purchase For:</i>				<i>Allowable Costs¹</i>	<i>Non Rural (50%)</i>	<i>Rural</i>
		<i>ALS</i>	<i>ALS/SQ</i>	<i>BLS</i>	<i>QRS</i>			
Automated External Defibrillator (AED)	5 years	N	N	Y ³	Y ³	3,500	1,750	2,100
Oxygen Equipment (any combination) Cylinder Demand Valve w/Hose and Mask Regulator (combination or constant flow) Case	5 years	Y	Y	Y	Y	500	250	300
Capnography Equipment	3 years	Y	Y	N	N	3,000	1,500	1,800
CPAP Ventilation Portable Equipment	5 years	Y	Y	N	N	900	450	540
Pulse Oximeter	5 years	Y	Y	Y	N	700	350	420
Nitrous Oxide Delivery System	5 years	Y	Y	N	N	2,000	1,000	1,200
Intravenous Infusion Pumps	5 years	Y	Y	N	N	2,000	1,000	1,000
Adult /Pediatric Intubation Kits	5 years	Y ⁸	Y ⁸	N	N	600	300	360
Transtacheal Jet Insufflators (TTJ)	5 years	Y	Y	N	N	200	100	120
Splinting/Immobilization Devices (any combination) Backboard Cervical Immobilization Device Splints (rigid, traction, and the like)	3 years	Y	Y	Y	Y	500	250	300
Stairchair	5 years	Y	N	Y	N	2,650	1,325	1,590
Stretcher—Primary	5 years	Y	N	Y	N	11,500	5,750	6,900
Stretcher/Chair Combination	5 years	Y	N	Y	N	700	350	420
Suction (portable, battery operated)	3 years	Y	Y	Y	Y	900	450	540
Ventilator, Automatic (per Department of Health guidelines)	5 years	Y ⁴	Y ⁴	Y ⁵	Y ⁵	3,000	1,500	1,800
Ambulance		Y	N	Y	N		15,000	20,000
Squad/Response Vehicle		N	Y	N	Y		7,500	9,000
Data Collection Software ⁶		Y	Y	Y	Y	1,700	1,700	1,700
Data Collection Hardware ⁷	3 years	Y	Y	Y	Y	1,500	750	900
Radio, Mobile (two per vehicle)	5 years	Y ⁹	Y ⁹	Y ⁹	Y ⁹	3,000	1,500	1,800
Radio, Portable (one per vehicle)	5 years	Y ⁹	Y ⁹	Y ⁹	Y ⁹	3,000	1,500	1,800
Triage Vest Set	5 years	Y	Y	Y	Y	150	75	90
Triage System	5 years	Y	Y	Y	Y	500	250	300
Alerting Equipment (5 per service @ \$400 each)	5 years	Y ⁹	Y ⁹	Y ⁹	Y ⁹	2,000	1,000	1,200
Vehicle Safety Monitoring Systems	5 years	Y	Y	Y	Y	3,500	1,750	2,100
Personal Protective Equipment/Turnout Gear: Helmet, Coat, Pants, Boots (one set)	5 years	Y	Y	Y	Y	1,200	600	720
Protective Ballistic Vest (over garment style)	5 years	Y	Y	Y	Y	1,000	500	600
Traffic Safety Equipment	5 years	Y	Y	Y	Y	2,500	1,250	1,500

Equipment Description	Life Expectancy	Eligible Purchase For:				Allowable Costs ¹	Non Rural (50%)	Rural
		ALS	ALS/SQ	BLS	QRS			
Large Patient Moving/Carrying Device	10 years	Y	Y	Y	Y	3,000	1,500	1,800
Self Contained Breathing Apparatus (2 per licensed vehicle)	10 years	Y	Y	Y	Y	3,000	1,500	1,800
EMT-P Testing (Written)		Y	Y	N	N	300	300	300

¹ All figures are dollar amounts for each item of equipment.

² Amount includes \$1,000 for communications package. Receiving facility must have appropriate communications capabilities.

³ Must be an approved AED service or part of regional planning, and AED medical director required.

⁴ Completion of approved training program required.

⁵ Completion of approved training program required and BLS service medical director approval required.

⁶ Must be a Department-approved software program, version and vendor.

⁷ Data collection hardware may include computer, modem, printer, backup device and battery system.

⁸ Must be durable equipment, not disposable equipment.

⁹ Must be compatible with regional and State EMS communications plan.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-895. Filed for public inspection May 19, 2006, 9:00 a.m.]

Infant Hearing Screening Advisory Committee Meeting

The Infant Hearing Screening Advisory Committee, established under the Infant Hearing Education, Assessment, Reporting and Referral Act (11 P. S. §§ 876-1—876-9), will hold a public meeting on Wednesday, June 28, 2006, from 9:30 a.m. to 3:30 p.m. in Hearing Room 5, Atrium Floor, Commonwealth Keystone Building, Commonwealth Avenue and Forster Streets, Harrisburg, PA.

For additional information, contact Arthur A. Florio, Public Health Program Administrator, Newborn Hearing Screening Program, Division of Newborn Disease Prevention and Identification at (717) 783-8143.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact the Newborn Hearing Screening Program at (717) 783-8143 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-896. Filed for public inspection May 19, 2006, 9:00 a.m.]

Pennsylvania Cancer Control, Prevention and Research Advisory Board Meeting

The Pennsylvania Cancer Control, Prevention and Research Advisory Board, established under section 3 of the Pennsylvania Cancer Control, Prevention and Research Act (35 P. S. § 5633), will hold a meeting on Wednesday,

June 28, 2006, from 7:45 a.m. to 12 p.m. at the Dixon University Center, 2986 North Second Street, Harrisburg, PA 17110.

For additional information, or persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact Kathleen A. Zitka, Chief, Department of Health, Cancer Prevention and Control Section, Room 1011, Health and Welfare Building, Harrisburg, PA, (717) 787-5251 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

This meeting is subject to cancellation without notice.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-897. Filed for public inspection May 19, 2006, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania \$100 Million High Roller Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

- Name:* The name of the game is Pennsylvania \$100 Million High Roller.
- Price:* The price of a Pennsylvania \$100 Million High Roller instant lottery game ticket is \$20.

3. Play Symbols:

(a) Each Pennsylvania \$100 Million High Roller instant lottery game ticket will contain four games: "SLOTS," "7-11," "HIGH CARD" and "ROULETTE." Each game has a different game play method and is played separately.

(b) The play area for "SLOTS" will contain "SPIN 1," "SPIN 2" and "SPIN 3." Each "SPIN" is played separately. The play symbols and their captions located in the play area for "SLOTS" are: Cherry symbol (CHY), Bell symbol (BELL), Melon symbol (MEL), Banana symbol (BAN), Star symbol (STA), Lemon symbol (LEM), Horse Shoe symbol (SHO), Bar symbol (BAR), 7 symbol (SVN), Crown symbol (CRN) and Diamond symbol (DMND).

(c) The play area for "7-11" will contain "ROLL 1" and "ROLL 2." Each "ROLL" is played separately. The play symbols and their captions located in the play area for each "ROLL" are: 1 symbol (ONE), 2 symbol (TWO), 3 symbol (THREE), 4 symbol (FOUR), 5 symbol (FIVE) and 6 symbol (SIX).

(d) The play area for "HIGH CARD" will contain a "YOUR CARD" area and a "DEALER'S CARD" area in "GAME 1," "GAME 2" and "GAME 3." Each "GAME" is played separately. The play symbols and their captions located in the "YOUR CARD" areas are: 3 (THR), 4 (FOR), 5 (FIV), 6 (SIX), 7 (SVN), 8 (EGT), 9 (NIN), 10 (TEN), Jack (JCK), Queen (QUN), King (KNG) and Ace (ACE) playing card symbols. The play symbols and their captions located in the "DEALER'S CARD" areas are: 2 (TWO), 3 (THR), 4 (FOR), 5 (FIV), 6 (SIX), 7 (SVN), 8 (EGT), 9 (NIN), 10 (TEN), Jack (JCK), Queen (QUN) and King (KNG) playing card symbols. Ace is high.

(e) The play area for "ROULETTE" will contain three "WHEEL NUMBER" areas and three "YOUR NUMBERS" areas. The play symbols and their captions located in the "WHEEL NUMBER" areas and the "YOUR NUMBERS" areas are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRNTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWININ), 30 (THIRTY), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV) and 36 (THYSIX).

4. *Prize Symbols:* The prize symbols and their captions located in the "PRIZE" areas for "7-11" and "HIGH CARD" and in the "YOUR NUMBERS" prize areas for "ROULETTE" are: \$10⁰⁰ (TEN DOL), \$20\$ (TWENTY), \$25\$ (TWY FIV), \$40\$ (FORTY), \$50\$ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$10,000 (TEN THO), \$50,000 (FTY THO) and \$1MILL (1 MILLION).

5. *Prizes:* The prizes that can be won in "SLOTS" are: \$20, \$25, \$40, \$50, \$100, \$200, \$500, \$1,000, \$10,000, \$50,000 and \$1,000,000. The prizes that can be won in "7-11," "HIGH CARD" and "ROULETTE" are: \$10, \$20, \$25, \$40, \$50, \$100, \$200, \$500, \$1,000, \$10,000, \$50,000 and \$1,000,000. The \$1,000,000 top prize is paid as a lump-sum, cash payment. A player can win up to 20 times on a ticket.

6. *Approximate Number of Tickets Printed for the Game:* Approximately 7,200,000 tickets will be printed for the Pennsylvania \$100 Million High Roller instant lottery game.

7. Determination of Prize Winners:

(a) Determination of prize winners for "SLOTS" are:

(1) Holders of tickets with three 7 (SVN) play symbols in the same "SPIN," on a single ticket, shall be entitled to a prize of \$1,000,000.

(2) Holders of tickets with three Bar (BAR) play symbols in the same "SPIN," on a single ticket, shall be entitled to a prize of \$50,000.

(3) Holders of tickets with three Crown (CRN) play symbols in the same "SPIN," on a single ticket, shall be entitled to a prize of \$10,000.

(4) Holders of tickets with three Horse Shoe (SHO) play symbols in the same "SPIN," on a single ticket, shall be entitled to a prize of \$1,000.

(5) Holders of tickets with three Diamond (DMND) play symbols in the same "SPIN," on a single ticket, shall be entitled to a prize of \$500.

(6) Holders of tickets with three Lemon (LEM) play symbols in the same "SPIN," on a single ticket, shall be entitled to a prize of \$200.

(7) Holders of tickets with three Star (STA) play symbols in the same "SPIN," on a single ticket, shall be entitled to a prize of \$100.

(8) Holders of tickets with three Banana (BAN) play symbols in the same "SPIN," on a single ticket, shall be entitled to a prize of \$50.

(9) Holders of tickets with three Melon (MEL) play symbols in the same "SPIN," on a single ticket, shall be entitled to a prize of \$40.

(10) Holders of tickets with three Bell (BELL) play symbols in the same "SPIN," on a single ticket, shall be entitled to a prize of \$25.

(11) Holders of tickets with three Cherry (CHY) play symbols in the same "SPIN," on a single ticket, shall be entitled to a prize of \$20.

(b) Determination of prize winners for "7-11" are:

(1) Holders of tickets where the sum of the play symbols totals 7 or 11 in the same "ROLL," and a prize symbol of \$1MILL (1 MILLION) appears in the "PRIZE" area to the right side of that "ROLL," on a single ticket, shall be entitled to a prize of \$1,000,000.

(2) Holders of tickets where the sum of the play symbols totals 7 or 11 in the same "ROLL," and a prize symbol of \$50,000 (FTY THO) appears in the "PRIZE" area to the right side of that "ROLL," on a single ticket, shall be entitled to a prize of \$50,000.

(3) Holders of tickets where the sum of the play symbols totals 7 or 11 in the same "ROLL," and a prize symbol of \$10,000 (TEN THO) appears in the "PRIZE" area to the right side of that "ROLL," on a single ticket, shall be entitled to a prize of \$10,000.

(4) Holders of tickets where the sum of the play symbols totals 7 or 11 in the same "ROLL," and a prize symbol of \$1,000 (ONE THO) appears in the "PRIZE" area to the right side of that "ROLL," on a single ticket, shall be entitled to a prize of \$1,000.

(5) Holders of tickets where the sum of the play symbols totals 7 or 11 in the same "ROLL," and a prize symbol of \$500 (FIV HUN) appears in the "PRIZE" area to the right side of that "ROLL," on a single ticket, shall be entitled to a prize of \$500.

(6) Holders of tickets where the sum of the play symbols totals 7 or 11 in the same "ROLL," and a prize symbol of \$200 (TWO HUN) appears in the "PRIZE" area to the right side of that "ROLL," on a single ticket, shall be entitled to a prize of \$200.

(7) Holders of tickets where the sum of the play symbols totals 7 or 11 in the same "ROLL," and a prize symbol of \$100 (ONE HUN) appears in the "PRIZE" area to the right side of that "ROLL," on a single ticket, shall be entitled to a prize of \$100.

(8) Holders of tickets where the sum of the play symbols totals 7 or 11 in the same "ROLL," and a prize symbol of \$50\$ (FIFTY) appears in the "PRIZE" area to the right side of that "ROLL," on a single ticket, shall be entitled to a prize of \$50.

(9) Holders of tickets where the sum of the play symbols totals 7 or 11 in the same "ROLL," and a prize symbol of \$40\$ (FORTY) appears in the "PRIZE" area to the right side of that "ROLL," on a single ticket, shall be entitled to a prize of \$40.

(10) Holders of tickets where the sum of the play symbols totals 7 or 11 in the same "ROLL," and a prize symbol of \$25\$ (TWY FIV) appears in the "PRIZE" area to the right side of that "ROLL," on a single ticket, shall be entitled to a prize of \$25.

(11) Holders of tickets where the sum of the play symbols totals 7 or 11 in the same "ROLL," and a prize symbol of \$20\$ (TWENTY) appears in the "PRIZE" area to the right side of that "ROLL," on a single ticket, shall be entitled to a prize of \$20.

(12) Holders of tickets where the sum of the play symbols totals 7 or 11 in the same "ROLL," and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "PRIZE" area to the right side of that "ROLL," on a single ticket, shall be entitled to a prize of \$10.

(c) Determination of prize winners for "HIGH CARD" are:

(1) Holders of tickets where the value of the "YOUR CARD" play symbol is greater than the value of the "DEALER'S CARD" play symbol in the same "GAME," and a prize symbol of \$1MILL (1 MILLION) appears in the "PRIZE" area to the right side of that "GAME," on a single ticket, shall be entitled to a prize of \$1,000,000.

(2) Holders of tickets where the value of the "YOUR CARD" play symbol is greater than the value of the "DEALER'S CARD" play symbol in the same "GAME," and a prize symbol of \$50,000 (FTY THO) appears in the "PRIZE" area to the right side of that "GAME," on a single ticket, shall be entitled to a prize of \$50,000.

(3) Holders of tickets where the value of the "YOUR CARD" play symbol is greater than the value of the "DEALER'S CARD" play symbol in the same "GAME," and a prize symbol of \$10,000 (TEN THO) appears in the "PRIZE" area to the right side of that "GAME," on a single ticket, shall be entitled to a prize of \$10,000.

(4) Holders of tickets where the value of the "YOUR CARD" play symbol is greater than the value of the "DEALER'S CARD" play symbol in the same "GAME," and a prize symbol of \$1,000 (ONE THO) appears in the "PRIZE" area to the right side of that "GAME," on a single ticket, shall be entitled to a prize of \$1,000.

(5) Holders of tickets where the value of the "YOUR CARD" play symbol is greater than the value of the "DEALER'S CARD" play symbol in the same "GAME," and a prize symbol of \$500 (FIV HUN) appears in the "PRIZE" area to the right side of that "GAME," on a single ticket, shall be entitled to a prize of \$500.

(6) Holders of tickets where the value of the "YOUR CARD" play symbol is greater than the value of the "DEALER'S CARD" play symbol in the same "GAME," and a prize symbol of \$200 (TWO HUN) appears in the "PRIZE" area to the right side of that "GAME," on a single ticket, shall be entitled to a prize of \$200.

(7) Holders of tickets where the value of the "YOUR CARD" play symbol is greater than the value of the "DEALER'S CARD" play symbol in the same "GAME," and a prize symbol of \$100 (ONE HUN) appears in the "PRIZE" area to the right side of that "GAME," on a single ticket, shall be entitled to a prize of \$100.

(8) Holders of tickets where the value of the "YOUR CARD" play symbol is greater than the value of the "DEALER'S CARD" play symbol in the same "GAME," and a prize symbol of \$50\$ (FIFTY) appears in the "PRIZE" area to the right side of that "GAME," on a single ticket, shall be entitled to a prize of \$50.

(9) Holders of tickets where the value of the "YOUR CARD" play symbol is greater than the value of the "DEALER'S CARD" play symbol in the same "GAME," and a prize symbol of \$40\$ (FORTY) appears in the "PRIZE" area to the right side of that "GAME," on a single ticket, shall be entitled to a prize of \$40.

(10) Holders of tickets where the value of the "YOUR CARD" play symbol is greater than the value of the "DEALER'S CARD" play symbol in the same "GAME," and a prize symbol of \$25\$ (TWY FIV) appears in the "PRIZE" area to the right side of that "GAME," on a single ticket, shall be entitled to a prize of \$25.

(11) Holders of tickets where the value of the "YOUR CARD" play symbol is greater than the value of the "DEALER'S CARD" play symbol in the same "GAME," and a prize symbol of \$20\$ (TWENTY) appears in the "PRIZE" area to the right side of that "GAME," on a single ticket, shall be entitled to a prize of \$20.

(12) Holders of tickets where the value of the "YOUR CARD" play symbol is greater than the value of the "DEALER'S CARD" play symbol in the same "GAME," and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "PRIZE" area to the right side of that "GAME," on a single ticket, shall be entitled to a prize of \$10.

(d) Determination of prize winners for "ROULETTE" are:

(1) Holders of tickets where any of "YOUR NUMBERS" play symbols matches the "WHEEL NUMBER" play symbol in the center of the same wheel, and a prize symbol of \$1MILL (1 MILLION) appears under the matching play symbol, on a single ticket, shall be entitled to a prize of \$1,000,000.

(2) Holders of tickets where any of "YOUR NUMBERS" play symbols matches the "WHEEL NUMBER" play symbol in the center of the same wheel, and a prize symbol of \$50,000 (FTY THO) appears under the matching play symbol, on a single ticket, shall be entitled to a prize of \$50,000.

(3) Holders of tickets where any of "YOUR NUMBERS" play symbols matches the "WHEEL NUMBER" play symbol in the center of the same wheel, and a prize symbol of \$10,000 (TEN THO) appears under the matching play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(4) Holders of tickets where any of "YOUR NUMBERS" play symbols matches the "WHEEL NUMBER" play symbol in the center of the same wheel, and a prize symbol of \$1,000 (ONE THO) appears under the matching play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(5) Holders of tickets where any of "YOUR NUMBERS" play symbols matches the "WHEEL NUMBER" play symbol in the center of the same wheel, and a prize symbol of \$500 (FIV HUN) appears under the matching play symbol, on a single ticket, shall be entitled to a prize of \$500.

(6) Holders of tickets where any of "YOUR NUMBERS" play symbols matches the "WHEEL NUMBER" play symbol in the center of the same wheel, and a prize symbol of \$200 (TWO HUN) appears under the matching play symbol, on a single ticket, shall be entitled to a prize of \$200.

(7) Holders of tickets where any of "YOUR NUMBERS" play symbols matches the "WHEEL NUMBER" play symbol in the center of the same wheel, and a prize symbol of \$100 (ONE HUN) appears under the matching play symbol, on a single ticket, shall be entitled to a prize of \$100.

(8) Holders of tickets where any of "YOUR NUMBERS" play symbols matches the "WHEEL NUMBER" play symbol in the center of the same wheel, and a prize symbol of \$50\$ (FIFTY) appears under the matching play symbol, on a single ticket, shall be entitled to a prize of \$50.

(9) Holders of tickets where any of "YOUR NUMBERS" play symbols matches the "WHEEL NUMBER" play symbol in the center of the same wheel, and a prize symbol of \$40\$ (FORTY) appears under the matching play symbol, on a single ticket, shall be entitled to a prize of \$40.

(10) Holders of tickets where any of "YOUR NUMBERS" play symbols matches the "WHEEL NUMBER" play symbol in the center of the same wheel, and a prize symbol of \$25\$ (TWY FIV) appears under the matching play symbol, on a single ticket, shall be entitled to a prize of \$25.

(11) Holders of tickets where any of "YOUR NUMBERS" play symbols matches the "WHEEL NUMBER" play symbol in the center of the same wheel, and a prize symbol of \$20\$ (TWENTY) appears under the matching play symbol, on a single ticket, shall be entitled to a prize of \$20.

(12) Holders of tickets where any of "YOUR NUMBERS" play symbols matches the "WHEEL NUMBER" play symbol in the center of the same wheel, and a prize symbol of \$10^{.00} (TEN DOL) appears under the matching play symbol, on a single ticket, shall be entitled to a prize of \$10.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Win With Prize(s) of:</i>	<i>Win:</i>	<i>Approximate Odds of 1 In:</i>	<i>Approximate No. of Winners Per 7,200,000 Tickets</i>
\$10 × 2	\$20	20	360,000
\$20	\$20	15	480,000
\$25	\$25	15	480,000
\$10 × 4	\$40	42.86	168,000
\$20 × 2	\$40	50	144,000
\$40	\$40	42.86	168,000
\$10 × 5	\$50	100	72,000
\$25 × 2	\$50	100	72,000
\$50	\$50	75	96,000
\$10 × 10	\$100	300	24,000
\$20 × 5	\$100	300	24,000
\$25 × 4	\$100	300	24,000
\$50 × 2	\$100	300	24,000
\$100	\$100	300	24,000
\$20 × 10	\$200	600	12,000
\$25 × 8	\$200	1,200	6,000
\$40 × 5	\$200	1,200	6,000
\$50 × 4	\$200	1,200	6,000
\$100 × 2	\$200	1,200	6,000
\$200	\$200	1,200	6,000
\$25 × 20	\$500	2,400	3,000
\$50 × 10	\$500	2,400	3,000
\$100 × 5	\$500	2,400	3,000
\$500	\$500	2,400	3,000
\$50 × 20	\$1,000	6,000	1,200
\$100 × 10	\$1,000	6,000	1,200
\$200 × 5	\$1,000	6,000	1,200
\$500 × 2	\$1,000	6,000	1,200

<i>Win With Prize(s) of:</i>	<i>Win:</i>	<i>Approximate Odds of 1 In:</i>	<i>Approximate No. of Winners Per 7,200,000 Tickets</i>
\$1,000	\$1,000	6,000	1,200
\$500 × 20	\$10,000	180,000	40
\$10,000	\$10,000	180,000	40
\$50,000	\$50,000	360,000	20
\$1,000,000	\$1,000,000	720,000	10

SLOTS: Match 3 like symbols in any one spin, win prize shown in the slots legend.

7-11: When any of your rolls total 7 or 11 in the same roll, win prize shown to the right of that roll.

HIGH CARD: When your card beats the dealer's card within the same game, win prize shown for that game. Ace is high.

ROULETTE: When any of your numbers match the wheel number in the center of the same wheel, win prize shown under the matching number.

Each game is played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania \$100 Million High Roller instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania \$100 Million High Roller, prize money from winning Pennsylvania \$100 Million High Roller instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania \$100 Million High Roller instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law, 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania \$100 Million High Roller or through normal communications methods.

GREGORY C. FAJT,
Secretary

[Pa.B. Doc. No. 06-898. Filed for public inspection May 19, 2006, 9:00 a.m.]

Pennsylvania Silver 7's Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Silver 7's.

2. *Price:* The price of a Pennsylvania Silver 7's instant lottery game ticket is \$2.

3. *Play Symbols:* Each Pennsylvania Silver 7's instant lottery game ticket will contain one play area featuring a "SILVER NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions located in the "SILVER NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN) and 20 (TWENT). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT) and a Silver Bar symbol (SLVBAR).

4. *Prize Symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$5⁰⁰ (FIV DOL), \$7⁰⁰ (SVN DOL), \$10⁰⁰ (TEN DOL), \$20\$ (TWENTY), \$50\$ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN) and \$27,000 (TWYSVNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$1, \$2, \$5, \$7, \$10, \$20, \$50, \$100, \$500 and \$27,000. A player can win up to 10 times on a ticket.

6. *Approximate Number of Tickets Printed for the Game:* Approximately 9,600,000 tickets will be printed for the Pennsylvania Silver 7's instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "SILVER NUMBERS" play symbols and a prize symbol of \$27,000 (TWYSVNTHO) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$27,000.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "SILVER NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Silver Bar symbol (SLVBAR), and a prize symbol of \$500 (FIV HUN) appears under the Silver Bar symbol (SLVBAR) on a single ticket, shall be entitled to a prize of \$500.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "SILVER NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Silver Bar symbol (SLVBAR), and a prize symbol of \$100 (ONE HUN) appears under the Silver Bar symbol (SLVBAR) on a single ticket, shall be entitled to a prize of \$100.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "SILVER NUMBERS" play symbols and a prize symbol of \$50\$ (FIFTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Silver Bar symbol (SLVBAR), and a prize symbol of \$50\$ (FIFTY) appears under the Silver Bar symbol (SLVBAR) on a single ticket, shall be entitled to a prize of \$50.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "SILVER NUMBERS" play symbols and a prize symbol of \$20\$ (TWENTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Silver Bar symbol (SLVBAR), and a prize symbol of \$20\$ (TWENTY) appears under the Silver Bar symbol (SLVBAR) on a single ticket, shall be entitled to a prize of \$20.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "SILVER NUMBERS" play symbols and a prize symbol of \$10^{.00} (TEN DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Silver Bar symbol (SLVBAR), and a prize symbol of \$10^{.00} (TEN DOL) appears under the Silver Bar symbol (SLVBAR) on a single ticket, shall be entitled to a prize of \$10.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "SILVER NUMBERS" play symbols and a prize symbol of \$7^{.00} (SVN DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$7.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 7 symbol (SEVEN), and a prize symbol of \$7^{.00} (SVN DOL) appears under the 7 symbol (SEVEN) on a single ticket, shall be entitled to a prize of \$7.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "SILVER NUMBERS" play symbols and a prize symbol of \$5^{.00} (FIV DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Silver Bar symbol (SLVBAR), and a prize symbol of \$5^{.00} (FIV DOL) appears under the Silver Bar symbol (SLVBAR) on a single ticket, shall be entitled to a prize of \$5.

(p) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "SILVER NUMBERS" play symbols and a prize symbol of \$2^{.00} (TWO DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$2.

(q) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Silver Bar symbol (SLVBAR), and a prize symbol of \$2^{.00} (TWO DOL) appears under the Silver Bar symbol (SLVBAR) on a single ticket, shall be entitled to a prize of \$2.

(r) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "SILVER NUMBERS" play symbols and a prize symbol of \$1^{.00} (ONE DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any of Your Numbers Match Either Silver Number, Win With Prize(s) of:</i>	<i>Win:</i>	<i>Approximate Odds of 1 In:</i>	<i>Approximate No. of Winners Per 9,600,000 Tickets</i>
\$1 × 2	\$2	30	320,000
\$2 w/SILVER BAR	\$2	30	320,000
\$2	\$2	30	320,000
\$1 × 5	\$5	42.86	224,000
\$5 w/SILVER BAR	\$5	42.86	224,000
\$5	\$5	50	192,000
\$1 × 7	\$7	150	64,000
\$7	\$7	150	64,000
\$7 w/7 symbol	\$7	37.50	256,000
\$2 × 5	\$10	375	25,600
\$5 × 2	\$10	375	25,600
\$1 × 3 + \$7 w/7 symbol	\$10	375	25,600
\$10 w/SILVER BAR	\$10	375	25,600
\$10	\$10	375	25,600
\$2 × 10	\$20	750	12,800
\$10 × 2	\$20	750	12,800
\$2 × 3 + \$7 w/7 symbol × 2	\$20	750	12,800

When Any of Your Numbers
Match Either Silver Number;
Win With Prize(s) of:

	Win:	Approximate Odds of 1 In:	Approximate No. of Winners Per 9,600,000 Tickets
\$20 w/SILVER BAR	\$20	750	12,800
\$20	\$20	750	12,800
\$5 × 10	\$50	2,400	4,000
\$10 × 5	\$50	2,400	4,000
\$7 w/7 symbol × 7 + \$1	\$50	2,400	4,000
\$50 w/SILVER BAR	\$50	2,400	4,000
\$50	\$50	2,400	4,000
\$10 × 10	\$100	9,231	1,040
\$20 × 5	\$100	9,231	1,040
\$100 w/SILVER BAR	\$100	10,000	960
\$100	\$100	9,231	1,040
\$100 × 5	\$500	60,000	160
\$500 w/SILVER BAR	\$500	60,000	160
\$500	\$500	60,000	160
\$27,000	\$27,000	960,000	10

SILVER BAR (SLVBAR) = Win prize shown under it automatically.
7 SYMBOL = Win \$7 instantly.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards*: The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Silver 7's instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money*: For a period of 1 year from the announced close of Pennsylvania Silver 7's, prize money from winning Pennsylvania Silver 7's instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Silver 7's instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law*: In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law, 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game*: The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Silver 7's or through normal communications methods.

GREGORY C. FAJT,
Secretary

[Pa.B. Doc. No. 06-899. Filed for public inspection May 19, 2006, 9:00 a.m.]

HISTORICAL AND MUSEUM COMMISSION

National Register Nominations to be Reviewed by
the Historic Preservation Board

The Historic Preservation Board (Board) will hold a meeting on June 13, 2006, at 9:45 a.m. at the Millersburg

Borough Municipal Office Building, 101 West Street, Millersburg, PA. Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to participate should contact Helena Johnson at (717) 783-2698 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Board can accommodate their needs. Persons with questions or comments should contact the Bureau for Historic Preservation at (717) 783-8946.

Great Valley and Piedmont Region

1. *Presser Home for Retired Music Teachers*, 101-121 West Johnson Street, Philadelphia, #054390

2. *American Railway Express Company Garage*, 3002-3028 Cecil B. Moore Avenue, Philadelphia, #140675

3. *Nugent Home for Baptists*, 221 West Johnson Street, Philadelphia, #054140

4. *Millersburg Ferry*, Susquehanna River between Millersburg Borough, Dauphin County and New Buffalo Township, Perry County, #086655

Allegheny Plateau

5. *John Armor Bingham House*, 124 South Diamond Street, Mercer, Mercer County, #007484

Anthracite Region and Poconos

No nominations

Ridge and Valley

No nominations

Southwestern Pennsylvania

No nominations

BARBARA FRANCO,
Executive Director

[Pa.B. Doc. No. 06-900. Filed for public inspection May 19, 2006, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10:30 a.m., Thursday, May 4, 2006, and announced the following:

Regulations Approved:

Department of Revenue #15-435: Terminal-Based Lottery Games (adds 61 Pa. Code Chapter 875)

Department of Revenue #15-426: Sales and Use Tax; Prebuilt Housing (amends 61 Pa. Code §§ 31.30, 31.33, 46.8 and 60.18)

Approval Order

Public Meeting held
May 4, 2006

Commissioners Voting: Alvin C. Bush, Chairperson; Arthur Coccodrilli; John F. Mizner, Esq.

Department of Revenue—Terminal-Based Lottery Games; Regulation No. 15-435

On April 5, 2006, the Independent Regulatory Review Commission (Commission) received this regulation from the Department of Revenue (Department). This rulemaking adds 61 Pa. Code Chapter 875. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This regulation establishes procedures and standards for initiating “terminal-based lottery games” via notices in the *Pennsylvania Bulletin*. This new chapter gives the Department greater agility to respond to market trends in lottery ticket sales.

We have determined this regulation is consistent with the statutory authority of the Department (72 P. S. § 3761-303) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting held
May 4, 2006

Commissioners Voting: Alvin C. Bush, Chairperson; Arthur Coccodrilli; John F. Mizner, Esq.

Department of Revenue—Sales and Use Tax; Prebuilt Housing; Regulation No. 15-426

On November 4, 2004, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Revenue. This rulemaking amends 61 Pa. Code §§ 31.30, 31.33, 46.8 and 60.18. The proposed regulation was published in the November 20, 2004 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on March 10, 2006. On April 7, 2006, the Department of Revenue simultaneously withdrew and resubmitted the final-form regulation to make a minor amendment.

This rulemaking implements Act 23 of 2000 which imposed sales and use tax on new prebuilt housing.

We have determined this regulation is consistent with the statutory authority of the Department of Revenue (72 P. S. § 7270(a)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

ALVIN C. BUSH,
Chairperson

[Pa.B. Doc. No. 06-901. Filed for public inspection May 19, 2006, 9:00 a.m.]

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
57-244	Pennsylvania Public Utility Commission Alternative Energy Portfolio Standards 36 Pa.B. 571 (February 4, 2006)	4/5/06	5/5/06

**Pennsylvania Public Utility Commission Regulation
#57-244 (IRRC #2519)**

Alternative Energy Portfolio Standards

May 5, 2006

We submit for your consideration the following comments on the proposed rulemaking published in the February 4, 2006 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P. S. § 745.5a(a)) directs the Pennsylvania Public Utility Commission (PUC) to respond to all comments received from us or any other source.

1. General—Economic impact; Feasibility; Need; Reasonableness.

Meter aggregation

Meter aggregation is addressed in Sections 75.12 and 75.14(e) and in both sections is limited to “a particular rate class on contiguous and adjacent properties.” Commentators stated that this language has negative impacts on alternative energy projects located on farms. These commentators include the Department of Agriculture, the Department of Environmental Protection, agricultural associations and individual farmers. The PUC should explain why the limits for meter aggregation in regard to rate class and property location are necessary and appropriate.

One meter versus two meters

In the Preamble, the PUC specifically requests comments regarding the metering approaches in the regulation. The regulation allows for several metering arrangements. Subsection 75.14(a) allows single bi-directional meters and also allows two meters if the customer-generator agrees. Subsection 75.14(b) allows the Electric Distribution Company (EDC) to install new meters if existing metering is not sufficient.

We note that commentators provided examples where one metering arrangement was better in a particular situation than another. It would appear that some degree of flexibility is needed to address individual circumstances of alternative energy generators. The PUC should consider all of the possible metering alternatives in relation to the comments and explain why the metering approach selected is the best alternative.

2. Section 75.12. Definitions.—Consistency with statute; Duplication; Need; Clarity.

Avoided cost of wholesale power

This definition implies an average avoided cost over the one year reporting period. Since fuel costs vary, why is an average over the whole year the most appropriate as opposed to the actual avoided cost of the billing period?

Annualized period

This definition states “The term has the same meaning as ‘reporting period’ as that term is defined in section 2 of the act.” Since the term “reporting period” is defined in 73 P. S. § 1648.2 and Section 75.1 of this regulation, it is confusing to create another term that means the same thing. This definition should be deleted and the term “reporting period” should be used consistently throughout the regulation.

Net metering

The statutory definition of “net metering” at 73 P. S. § 1648.2 addresses measurement of electricity and states:

The means of measuring the difference between the electricity supplied by an electric utility and the electricity generated by a customer-generator when the renewable energy generating system is intended primarily to offset part or all of the customer-generator’s requirements for electricity.

The regulatory definition varies from the statutory definition and includes substantive provisions regarding credits and costs. Since substantive provisions within a definition cannot be enforced, we recommend using the statutory definition and moving the cost mechanisms to the body of the regulation.

3. Section 75.13. General provisions.—Consistency with statute; Reasonableness; Economic impact.

Subsection (a) First come, first served basis

Under 73 P. S. §§ 1648.3(b) and (c), the EDC and Electric Generation Suppliers (EGS) are directed to meet certain minimum percentages of Tier 1 and Tier 2 alternative energy sources within certain time periods. However, this subsection states the EDC and EGS must offer net metering on a “first come, first served basis.” If the EDC and EGS are directed in regulation to accept customer-generators on a “first come, first served basis,” the EDC and EGS may not have the flexibility to meet the percentages required by the statute. The PUC should amend this subsection to allow the EDC and EGS the flexibility to meet their statutory obligations. Alternatively, the PUC should explain how the EDC and EGS could meet their statutory obligations for both Tier 1 and Tier 2 alternative energy sources if they must accept customer-generators on a “first come, first served basis.”

Subsection (c) Kilowatt-hour for kilowatt-hour basis

This subsection requires the customer-generator to be credited on a kilowatt-hour for kilowatt-hour basis. This will reduce the customer-generator’s bill for both generation costs and distribution costs. Commentators questioned whether it is fair to reduce the customer-generator’s bill for distribution costs and whether other customers are then subsidizing the customer-generator. The PUC should explain how this method is equitable.

Subsections (c), (d) and (e) Timing of compensation

These subsections establish payment for excess kilowatt-hours generated by a customer-generator at the end of the reporting period. Commentators from the electric utilities have suggested that they should be allowed to reconcile with the customer-generator monthly rather than extending these credits to the end of the reporting period. It would appear that all parties would benefit from a more immediate reconciliation. Why did the PUC choose to extend reconciliation to the end of the reporting period?

4. Section 75.14. Meters and metering.—Reasonableness.

Subsection (d) Customer-generator rejects ownership of alternative energy credits

This subsection establishes provisions for when a customer-generator expressly rejects ownership of alternative energy credits. The regulation should require the EDC to fully inform the customer-generator of the potential value and options available concerning these credits before a customer-generator rejects ownership.

5. Section 75.15. Treatment of stranded costs.— Consistency with statute; Reasonableness; Economic impact.

Under 66 Pa.C.S.A. § 2808(a) a competitive transition charge is required if on-site generation “significantly reduces the customer’s purchases of electricity.” Also, the competitive transition charge is defined at 66 Pa.C.S.A. § 2803 as being “designed to recover an electric utility’s transition or stranded costs as determined by the commission.”

This section of the regulation interprets a significant reduction as “10% or more reduction in the customer’s purchase of electricity.” How did the PUC determine that the threshold of “10% or more” is appropriate and will not compromise the utility’s recovery of costs?

6. Miscellaneous Clarity.

- The definition of “Act” in Section 75.1, as printed in the *Pennsylvania Bulletin* version, contains a cross reference that should be corrected to 73 P.S. §§ 1648.1—1648.8.

- In Section 75.12, the term “equipment package” is defined but is not used in the regulation. Therefore, this definition should be deleted.

- In Section 75.12, Paragraph (ii) of the “net metering” definition uses the confusing phrase “supplier/provider.” It is not clear whether this refers to an EGS, EDC or both.

- Some of the definitions in Section 75.1 have “the same meaning as defined in section 2 of the act” and include a cross reference to 73 P.S. § 1648.2. However, other definitions do not include the cross reference. For consistency, the reference to 73 P.S. § 1648.2 should be added where appropriate.

ALVIN C. BUSH,
Chairperson

[Pa.B. Doc. No. 06-902. Filed for public inspection May 19, 2006, 9:00 a.m.]

INSURANCE DEPARTMENT

Altoona Center for Nursing Care; Prehearing

Appeal of Altoona Center for Nursing Care under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P.S. §§ 1303.101—1303.910); Doc. No. MM06-04-042

On or before May 19, 2006, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE’s March 22, 2006, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for June 9, 2006. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before June 5, 2006. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before May 26, 2006, with the

Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any, shall be filed on or before June 2, 2006.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-903. Filed for public inspection May 19, 2006, 9:00 a.m.]

Application and Request for a Certificate of Authority

The Orchards at Marsh Run has applied for a continuing care provider Certificate of Authority to operate a facility located in Carlisle, PA. The filing was received on May 2, 2006, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225). Persons wishing to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Written statements must include name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail to inform the Department of the exact basis of the statement. Written statements should be directed to Stephanie Ohnmacht, Insurance Company Licensing Specialist, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, sohnmacht@state.pa.us.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-904. Filed for public inspection May 19, 2006, 9:00 a.m.]

Application and Request for a Certificate of Authority

William Penn Health Care Associates has applied for a continuing care provider Certificate of Authority to operate a facility located in Jeannette, PA. The filing was received on May 1, 2006, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225). Persons wishing to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Written statements must include name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail to inform the Department of the exact basis of the statement. Written statements should be directed to Stephanie Ohnmacht, Insurance Company Licensing Specialist, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, sohnmacht@state.pa.us.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-905. Filed for public inspection May 19, 2006, 9:00 a.m.]

The Birth Center; Prehearing

**Appeal of The Birth Center under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910);
Doc. No. MM06-04-031**

On or before May 19, 2006, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's March 28, 2006, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for June 9, 2006. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before June 5, 2006. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before May 26, 2006, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any, shall be filed on or before June 2, 2006.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-906. Filed for public inspection May 19, 2006, 9:00 a.m.]

List of Approved Guide Source Method Vendors; Notice No. 2006-02

Under the authority of the Motor Vehicle Physical Damage Appraisers Act (63 P. S. §§ 851—863), the Insurance Commissioner hereby lists guide source providers approved to calculate the replacement value of total loss or unrecovered vehicles under the Motor Vehicle Physical Damage Appraisers regulation, 31 Pa. Code § 62.3(e)(1)(i) (relating to applicable standards for appraisal).

A listing of approved guide source method providers will be published annually in the *Pennsylvania Bulletin*. In the interim, an updated listing may be obtained by contacting the Insurance Department, Bureau of Consumer Services, 1209 Strawberry Square, Harrisburg, PA 17120. Requests for this information may also be submitted to ra-in-consumer@state.pa.us or telephone toll free (877) 881-6388 or faxed to (717) 787-8585.

Approved Guide Source Vendors

Automobile Red Book,
formerly Automobile Blue Book
Primedia Price Digests
P. O. Box 12901
Overland Park, KS 66282-2901
(800) 654-6776
www.pricedigests.com

NADA Official Used Car Guide
8400 Westpark Drive
McLean, VA 22102
(800) 544-6232
www.nada.com/b2b

Autobid, Inc.
722 Illinois Street
Joplin, MO 64801
(800) 875-2217
www.autobid.com

CCC Information Services, Inc.
444 Merchandise Mart
Chicago, IL 60654-1005
(800) 621-8070
www.cccis.com

Audatex
formerly ADP Claims Solution Group, Inc.
6111 Bollinger Canyon Road
Suite 200
San Ramon, CA 94583
(925) 866-1100
www.audatex.com

This document supersedes the notice published at 33 Pa.B. 4867 (September 27, 2003) and shall remain in effect until a subsequent notice is published in the *Pennsylvania Bulletin*.

(*Editor's Note:* For a final rulemaking affecting this notice, see 29 Pa.B. 5511 (October 23, 1999).)

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-907. Filed for public inspection May 19, 2006, 9:00 a.m.]

Timothy E. Perschke, DPM; Prehearing

**Appeal of Timothy E. Perschke, DPM under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910);
Doc. No. MM06-04-043**

On or before May 19, 2006, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's March 29, 2006, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for June 8, 2006. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before June 5, 2006. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before May 26, 2006, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any, shall be filed on or before June 2, 2006.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-908. Filed for public inspection May 19, 2006, 9:00 a.m.]

Procedures Applicable to Right-To-Know Request; Notice No. 2006-03

This written policy identifies the procedures for requesting records from the Insurance Department (Department) under the act of June 21, 1957 (P. L. 390) (65 P. S. §§ 66.1—66.9), known as the Right-to-Know Law (RTKL). This policy supplements Management Directive 205.36 and supersedes Department Notice 2003-01 (published at 33 Pa.B. 94, January 4, 2003).

Requests

1. A request to the Department made under the RTKL must be in writing and must:

- a. Identify the requester by name;
- b. Aver whether the requester is a resident this Commonwealth;
- c. Identify a return mailing address;
- d. Expressly state that the request is being made under the RTKL); and
- e. Bear the requester's signature.

2. RTKL requests must be sent or delivered by mail, hand-delivery or facsimile transmission. Other than facsimile transmission, no electronic transmission is acceptable. The Department will not accept verbal requests.

3. RTKL requests must be sent or delivered to Peter J. Salvatore, Right to Know Law Official, Right to Know Law Office, Insurance Department, 1326 Strawberry Square, Harrisburg, PA 17120, Fax (717) 772-1969.

4. If a RTKL request is sent to a Department office other than the RTKL Office, that office may return the request to the requester and inform the requester that the request must be sent to the RTKL Office.

5. The regular business hours of the RTKL Office are 8 a.m. to 4:30 p.m., Monday through Friday. Any RTKL request received by the RTKL Office after the close of regular business hours shall be deemed to have been received by that office on the following business day. For example, a facsimile transmission received at 10 p.m. on a Friday is deemed to be received on the following Monday (unless that Monday is a nonbusiness day, such as a holiday).

6. A requester who is a resident of this Commonwealth is entitled access to public records under the RTKL. In determining whether a requester is a resident of this Commonwealth, the RTKL Official may require the requester to provide proof of residency, such as a photographic identification. For example, a driver's license containing a picture of the requester and showing a Pennsylvania address is photographic identification.

7. A RTKL request may be denied if it does not identify the records requested with sufficient specificity. In conducting an initial review of a RTKL request, the RTKL Official may contact (or attempt to contact) the requester to obtain clarification or additional information to aid the RTKL Official in responding to the request. The request should contain a telephone number, fax number or e-mail address where the RTKL Official may reach the requester.

8. The RTKL Official shall make a final or interim response to a RTKL request within 10 business days after receiving the request. A business day does not include a Saturday or Sunday; a day when the offices of the Department are closed for all or part of a day due to a State holiday; partial and full day closings of State offices under management directives; a day when the offices of the Department are closed due to a natural disaster; or a day when Department offices are closed at the request or direction of a local, State, or Federal law enforcement agency or official. For purposes of determining the end of the 10-business-day period, the day a RTKL request is received (or deemed received) is not counted.

9. A response that denies a request (either in whole or in part) will list all of the specific reasons relied on by the RTKL Official for denying the request and will include one or more citations of supporting authority. If a reason for denial is a determination that an identified document is not a public record, the specific reason for that determination will be included.

10. In the event that the RTKL Official's final response is a denial or a partial denial, the response to the requester will contain: 1) the typed or printed name, title, business address, business telephone number and signature of the public official or employee on whose authority the denial is issued; 2) a notice informing the requester of his or her right to file exceptions with the Department; 3) a statement of the procedure that the requester shall follow to file exceptions contesting the denial; 4) the name and mailing address of the Department's RTKL Exceptions Office and Officer; and 5) the words "Mailing Date" followed by date on which the denial or partial denial is mailed.

11. If the RTKL Official does not respond to the request within 10 business days after a RTKL request is docketed as having been received, a RTKL request shall be deemed to have been denied and the requester may file an exception.

Exceptions

12. Exceptions to a written denial must be filed within 15 business days of the mailing date of the written denial.

13. Exceptions to a deemed denial must be filed within 15 calendar days of the date the request is deemed denied.

14. Exceptions to a denial or partial denial of a request must be set forth in writing and must be correctly addressed and submitted to the Department's RTKL Exceptions Official. Exceptions submitted to any other official, office or address are defective and do not stop the running of the 15-day exceptions period. Exceptions must be sent or delivered to James Johnson, Right to Know Law Exceptions Official, Administrative Hearings Office, Insurance Department, Capital Associates Building, 901 North Seventh Street, Harrisburg, PA 17102, fax (717) 787-8781; a copy of the appeal with the Department's Office of Chief Counsel at Office of Chief Counsel, Insurance Department, 1341 Strawberry Square, Harrisburg, PA 17120.

15. Exceptions are considered filed as of the mailing date to the Administrative Hearings Office.

16. When exceptions are submitted by posting them through the United States mail, their mailing date is the date of the postmark on the envelope. If the postmark is illegible, the mailing date is deemed to be the calendar day that immediately preceded the date on which the exceptions are received, unless that immediately preceding date is a Sunday or a Federal holiday.

17. If exceptions are filed in person, by facsimile transmission, by courier service, by overnight mail or parcel delivery service, or in any way other than by sending them through the United States mail, their mailing date is deemed to be the date the exceptions are received by the Administrative Hearings Office, except that exceptions received by the Administrative Hearings Office after the close of the usual business hours of that office are deemed to be received on the next business day. The regular business hours of the Administrative Hearings Office are 8 a.m. to 4:30 p.m., Monday through Friday.

18. Exceptions to a denial or a partial denial of a request may not be submitted through the use of e-mail.

19. Exceptions that are untimely will be dismissed for that reason.

20. Exceptions must state the reason upon which the requester asserts that the record to which the requester has been denied access is a public record. Reasons not set forth during the 15-day period in which exceptions must be filed are deemed to be waived and will be disregarded by the Administrative Hearings Office.

21. Exceptions must address the reasons stated by the RTKL Official in denying the request. Exceptions that fail to comply with this requirement will be dismissed for that reason.

22. If the request is denied due to a deemed denial, the requester is not required to set forth any grounds for contesting the denial. The RTKL Exceptions Official shall consider the cases for both the requester and RTKL Official. The RTKL Official may raise available defenses to the request.

23. Unless the requester agrees otherwise, when a requester files exceptions to a denial, the Administrative Hearings Office will issue a final determination within 30 calendar days of the mailing date of the exceptions. If the requester requests a hearing, the Administrative Hearings Office may condition the grant of that request upon the requester's written consent or agreement to an extension of the time for a decision on the exception.

24. Exceptions are resolved by a final determination, which is a final order of the Administrative Hearings Office. A final determination shall be set forth in writing. If the Administrative Hearings Office determines that the RTKL Official correctly denied the request for access, the Administrative Hearings Office will issue a written explanation to the requester of the reason for the denial by the last day a decision on the exception is due.

25. Either the requester or the RTKL Official may request a hearing on the exceptions. The decision to hold a hearing rests in the discretion of the RTKL Exceptions Official and is not appealable.

Access

26. Providing a requester with physical access to a document in an office of the Department is a "response" for the purposes of the RTKL. Only the RTKL Official has the authority to permit this access. Hours of access are 8 a.m. to 3:30 p.m., Tuesday, Wednesday or Thursday.

27. A public record will be provided to the requester in the medium requested if the record exists in that medium. Otherwise, the public record will be provided in the medium in which it exists. Where the record is only available in electronic form, the Department will print it out on paper if the requester so requests.

28. The Department may make its public records available through its website. However, if access to public records is available only through electronic means, the Department will provide access to the records at an office of the Department.

29. Subject to the concurrence and approval of the Department, a requester may bring his or her own photocopying equipment, computers and other equipment into the Department's offices for the purposes of making copies of public records.

Fees

30. Photocopies—one "photocopy" is either a single-sided copy or one side of a double-sided copy.

1 side of a standard 8.5" × 11" page is \$0.15 if using the agency's copiers.

1 side of any irregular sized page will be determined on an as-needed basis, with the fee to be not less than \$0.15 and not more than \$0.50.

31. Other Materials

PC Diskettes—\$1 per disk

Microfilm/microfiche—\$30 per page

32. Postage

Material fitting into standard letter envelope is mailed at no charge.

Material fitting into a nonstandard envelope is mailed at actual cost.

33. If redaction is required before the public records can be accessed or copied for the benefit of the requester, the Department will charge the requester \$10 per hour with a minimum charge of \$10.

34. The cost to certify the copies for the purpose of legally verifying the public record shall be \$1 per side of a standard 8.5" × 11" page.

35. The Department may require prepayment if the anticipated cost to fulfill the request exceeds \$100. Unless prepayment is made by certified check, access will be denied until a regular check clears. If the fee is for copying only, the Department shall allow access to the records but shall refuse to make copies until the fee is paid. If the fee includes redaction costs, the Department shall deny access to the requester until the redaction fee is paid. If the requester pays any fee by check, the payee shall be "Pennsylvania Insurance Department."

36. Appropriate sales tax will apply to all transactions.

This policy can also be obtained on the Department's website at www.insurance.state.pa.us or by contacting the Department's Communications Office at (717) 787-3289. Questions regarding this policy may be directed to the same office.

For additional information or if persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact the Bureau of Administration at (717) 787-6469 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-909. Filed for public inspection May 19, 2006, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of Bulletin). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Governor's Office

Management Directive No. 570.11—Changes to Retirement and Personnel/Payroll System and Collection of Arrears Balances, Amended March 23, 2006.

Management Directive No. 590.8—Classification Grievance Processing, Amended March 30, 2006.

MARY JANE PHELPS,
Director
Pennsylvania Bulletin

[Pa.B. Doc. No. 06-910. Filed for public inspection May 19, 2006, 9:00 a.m.]

PATIENT SAFETY AUTHORITY

Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. § 1303.303), enacted on March 20, 2002, will hold a meeting of the Authority's 11 member board on Tuesday, June 13, 2006, at 10:30 a.m. in the Wildwood Conference Center, Harrisburg Area Community College, One HACC Drive, Harrisburg, PA.

Individuals having questions regarding this meeting, which is open to the public, should contact the Authority at (717) 346-0469.

ALAN B. K. RABINOWITZ,
Administrator

[Pa.B. Doc. No. 06-911. Filed for public inspection May 19, 2006, 9:00 a.m.]

PENNSYLVANIA ENERGY DEVELOPMENT AUTHORITY

Draft Pennsylvania Energy Development Plan

The Pennsylvania Energy Development Authority (Authority) makes available for public review and comment the Draft Pennsylvania Energy Development Plan (Draft Plan). The Authority's Board of Directors considered and approved the Draft Plan at their meeting held April 25, 2006. The Authority finances clean, alternative energy projects in this Commonwealth. The Draft Plan sets forth the Authority's policy goals, general operating principles and investment priorities.

Interested parties are encouraged to obtain and review a copy of the Draft Plan by contacting Steve Wilson at (717) 783-8411. TDD users may telephone the Authority through the AT&T Relay Service at (800) 654-5984. Internet users can access a copy of the Draft Plan at www.depweb.state.pa.us (DEP Keyword: PEDA).

The Authority invites written comments on the Draft Plan. Written comments must be submitted to the Authority by July 19, 2006, and should be directed to Jeanne J. Dworetzky, Executive Director, PEDA, Department of Environmental Protection, 15th Floor, Rachel Carson State Office Building, P. O. Box 8772, Harrisburg, PA 17105-8772. Facsimiles will not be accepted.

Following the public comment period, the Authority will review all submitted comments and finalize the Draft Plan. An availability notice of the Final Plan will be published in the *Pennsylvania Bulletin*.

KATHLEEN A. MCGINTY,
Chairperson

[Pa.B. Doc. No. 06-912. Filed for public inspection May 19, 2006, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made

with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by June 12, 2006. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin* operating as *common carriers* for transportation of *persons* as described under each application.

A-00122685. Eastern Area Prehospital Service (P. O. Box 172, Turtle Creek, Allegheny County, PA 15145)—persons in paratransit service, from points in the Counties of Allegheny, Westmoreland, Mercer and Butler, to points in Pennsylvania and return.

A-00122638. Jacqueline M. Blanchette (644 Center Road, Quarryville, Lancaster County, PA 17566)—persons, in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the County of Lancaster, to points in Pennsylvania, and return.

A-00122640. Charlie's Yellow Cab, Inc. (1397 East Evergreen Drive, No. 3, Palatine, IL 60074)—persons, upon call or demand, in the Counties of Carbon and Schuylkill.

Applications of the following for approval of the *beginning* of the exercise of the right and privilege of operating motor vehicles as *common carriers* for the transportation of *persons* by *transfer of rights* as described under each application.

A-00122687. Gemstar Limousine, LLC (108 Shadyhill Road, Pittsburgh, Allegheny County, PA 15205), a limited liability corporation of the Commonwealth—persons, in limousine service, between points in Pennsylvania, including between points in Allegheny County; which is to be a transfer of all the right authorized under the certificate issued at A-00117375 to Snow White Dove Limousine, Inc., subject to the same limitations and conditions. *Attorney:* David M. O'Boyle, 1450 Two Chatham Center, Pittsburgh, PA 15219.

A-00122687, Folder 2. Gemstar Limousine, LLC (108 Shadyhill Road, Pittsburgh, Allegheny County, PA 15205), a limited liability corporation of the Commonwealth—persons, in group and party service, in vehicles seating 11 to 15 passengers, including the driver, between points in the Counties of Allegheny, Armstrong, Indiana and Westmoreland, to points in Pennsylvania, and return; which is to be a transfer of all the right authorized under the certificate issued at A-00117375, Folder 2, to Snow White Dove Limousine, Inc., subject to the same limitations and conditions. *Attorney:* David M. O'Boyle, 1450 Two Chatham Center, Pittsburgh, PA 15219.

Application of the following for approval of the *additional right* and privilege of operating motor vehicles as *common carriers* for transportation of *persons* as described under the application.

A-00121978, Folder 2. James Michael Nugent, J & D Transportation (Lehman Township Road, P. O. Box 751, Bushkill, Pike County, PA 18324)—persons, in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in the Counties of Pike and Monroe to points in Pennsylvania, and return.

Applications of the following for the approval of the right and privilege to *discontinue/abandon* operating as *common carriers* by motor vehicle and for cancellation of the certificate of public convenience as described under each application.

A-00122137 Dale A. Reisinger (581 State Street, Meadville, Crawford County, PA 16335-2272)—discontinuance of service—persons, in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the County of Crawford, to points in Pennsylvania, and return.

A-00120994 Front Porch Enterprises, LLC t/d/b/a Magical Limousine (127 Williams Road, Butler, Butler County, PA 16001), a limited liability company of Pennsylvania—certificate of public convenience to abandon/discontinue the rights to transport, as a common carrier by motor vehicle, persons in group and party service, using vehicles with a seating capacity of 11 to 15 passengers, including the driver, between points in the County of Butler, and from points in said county, to points in Pennsylvania and return.

A-00100292 Christian J. Kurtz (1 North Aspen Place, Lewisburg, Union County, PA 17837)—discontinuance of service—persons, in special operations, between points in the Counties of Union, Snyder, Juniata and Centre, and from points in said counties to points in Pennsylvania, and the return of persons to the place of origin, in vehicles having a seating capacity not to exceed 15.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-913. Filed for public inspection May 19, 2006, 9:00 a.m.]

Telecommunications

A-311156F7001. Verizon North, Inc. and Remi Retail Communications, LLC. Joint petition of Verizon North, Inc. and Remi Retail Communications, LLC for approval of adoption of an interconnect agreement under section 252(i) of the Telecommunications Act of 1996.

Verizon North, Inc. and Remi Retail Communications, LLC, by its counsel, filed on May 1, 2006, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of adoption of an interconnect agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon North, Inc. and Remi Retail Communications, LLC joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-914. Filed for public inspection May 19, 2006, 9:00 a.m.]

Telecommunications

A-311156F7000. Verizon Pennsylvania, Inc. and Remi Retail Communications, LLC. Joint petition of Verizon Pennsylvania, Inc. and Remi Retail Communications, LLC for approval of adoption of an interconnection agreement under section 252(i) of the Telecommunications Act of 1996.

Verizon Pennsylvania, Inc. and Remi Retail Communications, LLC, by its counsel, filed on May 1, 2006, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of adoption of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania, Inc. and Remi Retail Communications, LLC joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-915. Filed for public inspection May 19, 2006, 9:00 a.m.]

Telecommunications

A-310258F7002. The United Telephone Company of Pennsylvania d/b/a Sprint and TCG Delaware Valley, Inc. Joint petition of The United Telephone Company of Pennsylvania d/b/a Sprint and TCG Delaware Valley, Inc. for approval of a master interconnection, collocation and resale agreement under section 252(e) of the Telecommunications Act of 1996.

The United Telephone Company of Pennsylvania d/b/a Sprint and TCG Delaware Valley, Inc., by its counsel, filed on April 28, 2006, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a master interconnection, collocation and resale agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the The United Telephone Company of Pennsylvania d/b/a Sprint and TCG Delaware Valley, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-916. Filed for public inspection May 19, 2006, 9:00 a.m.]