

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 9, 2002 (P. L. 1572, No. 207), known as the Credit Union Code, has taken the following action on applications received for the week ending January 10, 2006.

BANKING INSTITUTIONS

No activity.

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

Change in Principal Place of Business

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
1-6-06	American Pride Credit Union Altoona Blair County	Change in place of business filed with Department of State to provide for address change from 1301 8th Avenue, Altoona to 1431 Valley View Boulevard, Altoona.	Approved and Effective

CONVERSIONS

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
1-5-06	American Pride Credit Union Altoona Blair County	Altoona	Filed

Application represents conversion from occupational-based credit union to a community charter with a proposed field of membership consisting of those persons who live, work, worship, attend school, perform volunteer service or participate in associations, and businesses and other legal entities, including wholly owned subsidiaries of businesses, located Blair County or Bedford County; members of their immediate families.

A. WILLIAM SCHENCK, III,
Secretary

[Pa.B. Doc. No. 06-92. Filed for public inspection January 20, 2006, 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of February 2006

The Department of Banking (Department), under the authority contained in section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), hereby determines that the maximum lawful rate of interest for residential mortgages for the month of February 2006 is 7 1/4%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. No. 96-221). Further preemption was instituted with the signing of Pub. L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which

the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the United States Treasury. The latest yield rate on long-term government securities is 4.60 to which was added 2.50 percentage points for a total of 7.10 that by law is rounded off to the nearest quarter at 7 1/4%.

A. WILLIAM SCHENCK, III,
Secretary

[Pa.B. Doc. No. 06-93. Filed for public inspection January 20, 2006, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Pennsylvania Heritage Areas Program (Formerly Pennsylvania Heritage Parks Program) Grant Ap- plication Announcement

The Department of Conservation and Natural Resources (Department) announces that applications are now being accepted for grants to be funded from the 2006-2007 Fiscal Year (FY) Pennsylvania Heritage Areas Program (Program). Funding is subject to an appropriation being made available to the Department for the Program in the upcoming 2006-2007 FY budget. The deadline for submission of applications is Friday, May 19, 2006. Applications must be received no later than 5 p.m. in the Harrisburg Central Office of the Department's Bureau of Recreation and Conservation. Applications received after this deadline will not be considered for funding. Faxed submissions are not acceptable.

It is the intent of the Program to create a system of State designated Heritage Areas that preserve and interpret the significant contributions that various regions of this Commonwealth have made to the rich heritage of Pennsylvania and the United States. The historic, cultural, natural, scenic and recreational resources within a Heritage Area are inventoried, preserved, enhanced and promoted as a strategy to enhance regional economic development through the attraction of tourists, creation of new jobs, stimulation of small business growth, and the promotion of public and private investment opportunities. There are currently 12 designated State Heritage Areas including the Allegheny Ridge Heritage Area, the Delaware and Lehigh National Heritage Corridor, the Endless Mountains Heritage Region, the Lackawanna Heritage Valley Authority, the Lancaster-York Heritage Region, the Lincoln Highway Heritage Corridor, the Lumber Heritage Region, the National Road Heritage Corridor, the Oil Heritage Region, Pennsylvania Route 6 Heritage Corridor, the Rivers of Steel Heritage Area and the Schuylkill River Heritage Corridor. More information about the designated areas can be found at www.dcnr.state.pa.us.

Designated State Heritage Areas are eligible to apply for grants to undertake heritage area management activities, special purpose studies and implementation projects. Other regions wishing to participate in the Program may apply for feasibility study grants if they meet the following criteria and are prequalified by the Department:

- Must have a strong industrial and other area-wide theme which significantly relates to this Commonwealth's rich heritage and serves core areas not currently covered by existing Heritage Areas.
- Must be multicounty in size.
- Must have natural, cultural, historic, recreational and scenic resources of State or National significance.
- Have a broad-based public and private partnership and regional coalition supporting the project.
- Must demonstrate a local commitment and leadership capacity to undertake the initiative.

Program Manual/Application Forms

The Program manual provides more specific information on funding levels, program requirements and the application process for this round of funding. The Program manual and application forms are available from the Department. Since each project type has a specific set of application forms and instructions, persons should specify the type of project when requesting application forms. The Program manual, application forms and additional information about the program can be obtained from C. Alan Chace, Chief, Greenways and Conservation Partnerships Division, Bureau of Recreation and Conservation, Pennsylvania Heritage Areas Program, Department of Conservation and Natural Resources, 6th Floor, Rachel Carson State Office Building, P. O. Box 8475, Harrisburg, PA 17105-8475, (717) 783-5877.

Persons with a disability who wish to submit an application for Program funding and require assistance with the application should contact Darrel J. Siesholtz at (717) 783-2661 to discuss how the Department may best accommodate their needs. TTY or TDD users should call (800) 654-5984.

MICHAEL F. DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 06-94. Filed for public inspection January 20, 2006, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N?</i>
PA0053546	Frank Dzedzy 412 Lincoln Road Phoenixville PA 19460	Chester County East Pikeland Township	UNT to Pickering Creek	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N?</i>
PAR100492-R	Martin Murray P. O. Box 332 Lemoyne, PA 17055	Lancaster County West Donegal Township	Conewago Creek TSF/TSF	Y
PA0042528 (Sew)	Lester B. Searer Margaretta Mobile Home Park 4754 East Prospect Road York, PA 17406-8653	York County Lower Windsor Township	Cabin Creek 7-I	Y
PA0088722 (IW)	John F. Martin & Sons, Inc. 55 Lower Hillside Road Stevens, PA 17578	Lancaster County West Cocalico	Indian Run 7-J	Y
PA0032557 (Sew)	Logan Township 800 39th Street Altoona, PA 16602-1799	Blair County Antis and Logan Townships	Little Juniata River 11-A	Y

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0033669 Sewage	Martin Oley Valley View Park R. R. 4 P. O. Box 297C Dallas, PA 18612	Luzerne County Dallas Township	UNT to Abraham's Creek (5B)	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0093131	Oakview Golf Club 160 Ralston Road P. O. Box 173 Slippery Rock, PA 16057	Slippery Rock Township Butler County	UNT to Slippery Rock Creek 20-C	Y
PA0210617	Evergreen Mobile Home Park 1674 University Parkway No. 79 Sarasota, FL 34243	Mahoning Township Lawrence County	UNT to Shenango River 20-A	Y
PA0223107	Big Run Area Municipal Authority R. D. 2, Box 126A Punxsutawney, PA 15767	Henderson Township Jefferson County	Mahoning Creek 17-D	Y
PA003291'3	Scenic Mobile Home Park 524 West Locust Street Woodstock, VA 22664-1330	Pymatuning Township Mercer County	Brush Run 20-A	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401

PA0244066, Sewage, SIC 22-221, **Bedminster Municipal Authority**, 432 Elephant Road, Perkasie, PA 18944. This proposed facility is located in Bedminster Township, **Bucks County**.

Description of Proposed Activity: Discharge of 8,440 gpd of treated sewage from the treatment plant serving Ferlauto Tract Subdivision into Deep Run Creek. The receiving stream, Deep Run Creek, is in the State Water Plan watershed 2D—Three Mile Run and is classified for WWF. The nearest downstream public water supply intake for NWRA PECO Limerick Station is located on Delaware River and is 12.20 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 8,440 gpd.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			10		20
Total Suspended Solids			10		20
Ammonia (as N)					
(5-1 to 10-31)			1.5		3.0
(11-1 to 4-30)			3.0		6.0
Total Phosphorus			0.5		1.0
Total Nitrogen			10		20
Dissolved Oxygen			6.0 (Minimum)		
Fecal Coliform			50#/100 ml		
pH			6 to 9 Standard Units		
Total Residual Chlorine			0.01		0.025

The EPA waiver is in effect.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PA 0248061.2, Sewage, **Jefferson Codorus Joint Sewer Authority**, 48 Baltimore Street, P. O. Box 146, Codorus, PA 17311. This facility is located in Codorus Township, **York County**.

Description of activity: The application is for issuance of an NPDES permit for a new discharge of treated sewage.

The receiving stream, a UNT of Codorus Creek, is in Watershed 7-H, and classified for TSE, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Wrightsville Water Company is located on the Susquehanna River, approximately 48 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.272 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	1.64		3.28
(11-1 to 4-30)	4.92		9.84
Total Phosphorus	2.0		4.0
Dissolved Oxygen		Minimum of 5.0 at all times	
pH		From 6.0 to 9.0 inclusive	
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,300/100 ml as a geometric average	

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; (412) 442-4000.

PA0253081, Sewage, **Universal Electric Corporation**, 3089 Washington Pike, Bridgeville, PA 15017. This application is for issuance of an NPDES permit to discharge treated sewage from Universal Electric STP in Cecil Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as a UNT of Chartiers Creek, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the West View Borough Municipal Water Authority.

Outfall 001: new discharge, design flow of 0.006 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	3.0			6.0
(11-1 to 4-30)	9.0			18.0
Fecal Coliform				
(5-1 to 9-30)		200/100 ml as a geometric mean		
(10-1 to 4-30)		2,000/100 ml as a geometric mean		
Dissolved Oxygen		not less than 3.0 mg/l		
pH		not less than 6.0 nor greater than 9.0		

The EPA waiver is in effect.

PA0253146, Sewage, **Windber Country Club**, 1392 Forest Hills Drive, Salix, PA 15952. This application is for issuance of an NPDES permit to discharge treated sewage from Windber Country Club STP in Adams Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Little Paint Creek, which are classified as a CWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Blairsville Municipal Authority on the Conemaugh River.

Outfall 001: new discharge, design flow of 0.003 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	18.0			36.0
Fecal Coliform				
(5-1 to 9-30)		200/100 ml as a geometric mean		
(10-1 to 4-30)		2,000/100 ml as a geometric mean		
pH		not less than 6.0 nor greater than 9.0		

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0239674, Sewage. **Cooper Lake Farms, Inc.**, 205 Currie Road, Slippery Rock, PA 16057. This proposed facility is located in Worth Township, **Butler County**.

Description of Proposed Activity: A new discharge of treated sewage.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, the existing/proposed downstream potable water supply, considered during the evaluation is the Camp Allegheny intake on Slippery Rock Creek located in Wayne Township, Lawrence County approximately 11 miles below point of discharge.

The receiving stream, the Muddy Creek, is in watershed 20-C and classified for WWF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0275 mgd.

Parameter	Concentration (mg/l)		
	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
Flow (mgd)	XX		
CBOD ₅	25		50
Total Suspended Solids	30		60
NH ₃ -N (5-1 to 10-31)	12		24
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)		200/100ml as a geometric average 2,000/100ml as a geometric average	
Total Residual Chlorine	1.4		3.3
pH		6.0 to 9.0 standard units at all times	

XX—Monitor and report on monthly DMRs.

The EPA waiver is in effect.

PA0239666, Sewage. **Tracey Inc.—Cromwell Estates Mobile Home Park**, P. O. Box 55, Valencia, PA 16059. This proposed facility is located in Clinton Township, **Butler County**.

Description of Proposed Activity: Renewal of an existing discharge of treated sewage.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, the existing/proposed downstream potable water supply, considered during the evaluation is the New Kensington Municipal Water Company located on the Allegheny River approximately 12 miles below point of discharge.

The receiving stream, the UNT to Bull Creek, is in watershed 18-A and classified for: TSF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0168 mgd.

Parameters	Loadings		Concentrations		
	Average Monthly (lb/day)	Average Weekly (lb/day)	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
Flow	XX				
CBOD ₅			25		50
Total Suspended Solids			30		60
NH ₃ -N (5-1 to 10-31) (11-1 to 4-30)			4 12		8 24
Dissolved Oxygen			minimum of 4 mg/l at all times		
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)			200/100ml as a geometric average 2000/100ml as a geometric average		
Total Residual Chlorine			0.35		0.83
pH			6.0 to 9.0 standard units at all times		

XX—Monitor and report on monthly DMRs.

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications Under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. 1505427, Sewerage, **Hopewell Ridge Homeowners Associates**, 481 Limestone Road, Oxford, PA 19363. This proposed facility is located in East Nottingham Township, **Chester County**.

Description of Action/Activity: Construction and operation of a single family residential wastewater treatment facility for 20 lots.

WQM Permit No. 1505429, Sewerage, **West Bradford Township**, 1385 Campus Drive, Downingtown, PA 19335. This proposed facility is located in West Bradford Township, **Chester County**. Description of Action/Activity: Construction and operation of a pump station for a 45 lot subdivision.

WQM Permit No. 4606401, Sewerage, **Hanover North Associates, LP**, 350 Sentry Parkway, Building 630, Suite 300, Blue Bell, PA 19422. This proposed facility is located in Upper Hanover Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a pump station.

Northeast Region: Water Management Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 6405402, **Noel L. Corpuel d/b/a Camp Wayne for Girls**, 56 Nice People Place, Preston Park, PA 18455. This proposed facility is located in Preston Township, **Wayne County**, PA.

Description of Proposed Action/Activity: This project involves the construction of a .024 mgd sewage treatment facility and spray irrigation system to serve the Camp Wayne for Girls.

WQM Permit No. 6405403, **Camp Ramah in the Poconos, Inc., The Pavilion**, Suite 743, 261 Old York Road, Jenkintown, PA 19046. This proposed facility is located in Buckingham Township, **Wayne County**, PA.

Description of Proposed Action/Activity: This project involves modifications to the existing plant to improve overall performance. There is no proposed increase in capacity for this action.

Southcentral Region: Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 6705414, Sewerage, **Red Lion Municipal Authority**, P. O. Box 190, Red Lion, PA 17356-0190. This proposed facility is located in Windsor Township, **York County**.

Description of Proposed Action/Activity: Authorization to replace an existing underground pump station with a base mounted station and enclosure.

WQM Permit No. 2906401, Sewerage, **Hustontown Joint Sewage Authority**, P. O. Box 606, Hustontown, PA 17229. This proposed facility is located in Dublin and Taylor Townships, **Fulton County**.

Description of Proposed Action/Activity: Modifications of the existing Hustontown Wastewater Treatment Plant to include a new 28,000 gpd sequencing batch reactor, chlorine disinfection system and direct stream discharge. This existing Bioclere units and drainfield will be abandoned.

Southwest Region: Water Management Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 0469402-A3, Sewerage, **Borough of Ambridge Municipal Authority**, 600 Eleventh Street, Ambridge, PA 15003. This proposed facility is located in Ambridge Borough, **Beaver County**.

Description of Proposed Action/Activity: Application for wastewater treatment plant improvements, phase II.

The Pennsylvania Infrastructure Investment Authority, which administers Pennsylvania's State Revolving Fund, has been identified as a possible funding source. The Department of Environmental Protection's review of the sewage facilities plan revision has not identified any significant environmental impacts resulting from this proposal.

WQM Permit No. 0205415, Sewerage, **Coraopolis Water and Sewer Authority**, 1012 Fifth Avenue, Coraopolis, PA 15108. This proposed facility is located in Coraopolis Borough, **Allegheny County**.

Description of Proposed Action/Activity: Application for the construction and operation of replacement sewers.

The Pennsylvania Infrastructure Investment Authority, which administers Pennsylvania's State Revolving Fund, has been identified as a possible funding source. The Department of Environmental Protection's review of the sewage facilities plan revision has not identified any significant environmental impacts resulting from this proposal.

WQG Permit No. WQG026102, Sewerage, **Carney Road, LLC**, 210 Culbertson Avenue, Greensburg, PA 15601. This proposed facility is located in Unity Township, **Westmoreland County**.

Description of Proposed Action/Activity: Application for the construction and operation of a temporary sewage pump station to serve a 71-lot residential subdivision.

Northwest Region: Water Management Program Manager; 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2092404, Sewerage, **Perseus House, Inc.**, 1511 Peach Street, Erie PA 16501. This proposed facility is located in Bloomfield Township, **Crawford County**.

Description of Proposed Action/Activity: This project is to install an extended aeration package plant to the existing sewage treatment facility.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

V. Applications for NPDES Waiver Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI020004001(1) (Modification to an existing permit)	Columbia Gas Transmission Corp. 1700 MacCorkle Ave, S.E. Charleston, WV 25314-1518	Northampton	Lower Mt. Bethel, Washington and Upper Mt. Bethel Townships	Tributary to Little Martins Creek CWF and Tributary to East Fork Martins Creek CWF

Monroe County Conservation District: 8050 Running Valley Rd., Stroudsburg, PA 18360, (570) 629-3060.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI024505030	Wood Haven Development Co. 1744 West Main St. Stroudsburg, PA 18360	Monroe	Stroud Township	Big Meadow Run HQ-CWF

Wayne County Conservation District: 648 Park St., Honesdale, PA 18431, (570) 253-0930.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI026405009	County of Wayne Attn: Anthony Herzog 925 Court St. Honesdale, PA 18431	Wayne	Texas Townsip	UNT to Lackawaxen River HQ-CWF, MF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person

shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Smith Prop., East Coventry Township, **Chester County**. Scott R. Salvatore, Clemmys Env. Svcs, LLC, 112 Commons Ct., Chadds Ford, PA 19317 on behalf of Andrew Wright, Dtr. of Planning and Site Dev., Equitable Owners, The Nolen Group, 5051 1/2 Germantown Pike, Lafayette Hill, PA 19444 has submitted a Notice of Intent to Remediate. Soil at the site was impacted with No. 2 fuel oil. The intended future use of this site is as a residential property.

Sun Malvern Tanker Spill Site, East Whiteland Township, **Chester County**. Jennifer L. O'Reilly, P. G., Groundwater & Env. Svc, Inc., 410 Eagleview Blvd., Suite 110, Exton, PA 19341 on behalf of Tony Bamonte, Liberty Prop. Trust, LP, 500 Chesterfield Pkwy, Malvern, PA 19355 has submitted a Notice of Intent to Remediate. Soil at the site was impacted with BTEX, unleaded gasoline and MTBE. The intended future use of the property is expected to remain nonresidential. A summary of the Notice of Intent to Remediate was reported to have been published in the *Daily Local News* on October 17, 2005.

Belmont Ridge/PA Youth Dev. Ctr., Bensalem Township, **Bucks County**. Geoffrey S. Kristof, Leggette, Brashears & Graham, Inc., 426 Brandywine Pkwy., West Chester, PA 19380 on behalf of Lawrence Dugan, Orleans Homebuilders, 3333 Street Rd., One Greenwood Sq., Suite 101, Bensalem, PA 19020. Soil and groundwater at the site were impacted with No. 2 fuel oil. A summary of the Notice of Intent to Remediate was reported to have been published in the *Bucks County Courier Times, Inc.* on December 2, 2005.

3300 Frankford Ave., City of Philadelphia, **Philadelphia County**. Don Coleman, P. G., Penn Env. & Remediation, Inc., 2755 Bergey Rd., Hatfield, PA 19440 on behalf of Paul Bagga, Sant Prop., 380 Red Lion Rd., Huntingdon Valley, PA 19006 has submitted a Notice of Intent to Remediate. Soil at the site was impacted with lead, other organics and other inorganics. The proposed future use of the property will be nonresidential. A summary of the Notice of Intent to Remediate was reported to have been published in the *Philadelphia Daily News* on December 7, 2005.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Former Carlisle Mailroom, Borough of Carlisle, **Cumberland County**. Secor International, Inc., 102 Pickering Way, Suite 200, Exton, PA 19341, on behalf of Atlantic Richfield Company, 102 Pickering Way, Suite 200, Exton, PA 19341 and Judith Valentine and John Osborn, Jr., 5249 Strathmore Drive, Mechanicsburg, PA 17050, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with gasoline releases from pre-Act 32 underground storage tanks. The site is zoned for commercial use.

HAZARDOUS WASTE TREATMENT, STORAGE & DISPOSAL FACILITIES

Applications Received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

PAD980550594. Sun Ref & Mkt Co, 100 Green St, Marcus Hook, PA 19061-0426, Marcus Hook Borough, **Delaware County**. Class 3 mod submitted to add waste

codes and revise operational procedures at the refinery's captive container storage area. Application received on December 23, 2005.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

66-302-008: Deer Park Lumber, Inc. (1301 SR 6E, Tunkhannock, PA 18657) for construction of a wood fired boiler and associated air cleaning devices at the intersection of Routes 6 and 92, Tunkhannock Township, **Wyoming County**.

39-303-016: Reading Materials, Inc. (P. O. Box 1467, 2052 Lucon Road, Skippack, PA 19474) for construction of a hot mix asphalt plant and associated air cleaning device at Lehigh Materials on North Dauphin Street, Hanover Township, **Lehigh County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

28-03043A: CAM Superline, Inc. (4763 Zane A. Miller Drive, Waynesboro, PA 17268) for construction of a spray paint booth with a dry panel filter for control of particulate matter emissions at their utility trailer manufacturing facility in Washington Township, **Franklin County**.

67-05004J: P. H. Glatfelter Co. (228 South Main Street, Spring Grove, PA 17362-0500) on December 29, 2005, to replace the No. 7 Paper Machine Press Section in Spring Grove Borough, **York County**.

67-05004K: P. H. Glatfelter Co. (228 South Main Street, Spring Grove, PA 17362-0500) on December 30, 2005, for use of a calcium chloride based antifreeze to the delivered coal in Spring Grove Borough, **York County**.

67-05004L: P. H. Glatfelter Co. (228 South Main Street, Spring Grove, PA 17362-0500) on December 30, 2005, for implementation of autocauticizing in Spring Grove Borough, **York County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

32-00059B: Reliant Energy Northeast Management Co. (121 Champion Way, Suite 200, Canonsburg, PA 15317) for construction of temporary coal processing plant at Conemaugh Power Station in West Wheatfield Township, **Indiana County**.

04-00699F: NGC, Inc. d/b/a/ National Gypsum Co. (2001 Rexford Road, Charlotte, North Carolina 28211-3479) for installation of a new Cage Mill and an associated baghouse at Shippingport Plant in **Beaver County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

25-069K: Engelhard Corporation (1729 East Ave, Erie PA 16503) for installation of a Palladium Acetate process at their Erie facility in the City of Erie, **Erie County**.

42-028A: Saint-Gobain (1 Railroad Ave., Port Allegany, PA 16743) for increase of the maximum pull rate and allowable emission limits for Furnace No. 3 at the container glass manufacturing facility in Port Allegany Borough, **McKean County**. This is a Title V facility, Permit No. 42-00028.

25-025I: General Electric Transportation Systems—Erie Plant (2901 East Lake Road, Room 9-201, Erie, PA 16531) for modification of the VOC emission limitation from plan approval 25-318-102 for the Vacuum Pressure Impregnation unit in Lawrence Park Township, **Erie County**. This is a Title V facility.

62-162B: Elkhorn Field Services (Zimmerman Hill Road, Warren, PA 16365) for construction of a new refrigeration compressor and a larger glycol dehydration

system at the Keystone Gas Processing Plant in Pleasant Township, **Warren County**. The facility currently has a State-only Operating Permit.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.

09-0175: Hanson Aggregates-BMC, Inc. (852 Swamp Road, Penns Park, PA 18943) for installation of new pit conveyors and tertiary aggregate crushing plant at the Penns Park Stone Quarry in Wrightstown Township, **Bucks County**. This installation of the sources may result in the emissions of 32.2 tons per year of total PM, 12.3 tons per year of PM10 emissions and 8.8 tons per year of PM-2.5 emissions. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

36-03137A: Martin Limestone, Inc. (404 Martindale Road, Ephrata, PA 17522) for addition of a new primary crushing plant circuit at the Burkholder plant in Earl Township, **Lancaster County**. This is a non-Title V (State-only) facility. Standard recordkeeping and operating restrictions will be included to keep the facility operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637

18-00004A: Armstrong World Industries, Inc. (325 Eagle Valley Road, Beech Creek, PA 16822) for printing of nonflooring materials in the existing 9-station rotogravure printing press in Beech Creek Township, **Clinton County**. The air contaminant emissions from the printing press will be controlled by an existing regenerative thermal oxidizer.

The proposed modification will utilize inks and cleaning solvents for the printing of nonflooring materials that contain VOCs and HAPs. The proposed modification will also limit the facility as a whole to emit less than 7 tons of individual HAP and 10 tons of combined HAPs in any 12-consecutive month period. The VOC emissions from the proposed modification will be included within the facility's existing emission limitation of 250 tons of VOC in any 12-consecutive month period. The facility is also required to keep records on a monthly basis and submit semi-annual reports to verify compliance with the facility-wide VOC and HAPs emission limitations.

The Department of Environmental Protection's (Department) review of the information provided by Armstrong World Industries, Inc. indicates that the proposed modification will comply with all air quality requirements, including the best available technology requirement of 25 Pa. Code §§ 127.1 and 127.12 pertaining to air contamination sources and the emission of air contaminants. The proposed modification will also comply with the applicable requirements of 40 CFR Part 60, Subpart FFF (Standards of Performance for Flexible Vinyl and Urethane Coating

and Printing), 60.580—60.585. Based on these findings, the Department intends to approve the application and issue plan approval for the proposed modification, including printing of non-flooring materials in the existing 9-station rotogravure printing press. Additionally, if the Department determines that the facility is operating in compliance with the plan approval conditions, the conditions established in the plan approval will be incorporated into the State-only operating permit No. 18-00004 by means of an administrative amendment under 25 Pa. Code § 127.450.

The following is a summary of the conditions that the Department proposes to place in the plan approval to ensure compliance with all applicable regulatory requirements.

1. Under the Best Available Technology (BAT) provisions in 25 Pa. Code §§ 127.1 and 127.12, the emission of any individual HAP from all sources at the facility shall not exceed 7.0 tons in any 12-consecutive month period. The allowable individual HAPs are toluene and other alkyl aromatics (family), methylene diphenyl diisocyanate and other diisocyanates (family), methyl isobutyl ketone, xylenes, hexane, alcohols (family) and glycol ethers. Additionally, all sources at the facility shall emit no greater than 0.5 ton of any individual HAP that is not listed previously as an allowable individual HAP. The emission of total combined HAPs from all sources at the facility shall not exceed 10.0 tons in any 12-consecutive month period. The permittee shall not emit polychlorobiphenols, mercury, lead, polycyclic organic matter, dioxins or furans from any source at the facility.

2. Under the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the permittee shall not process more than 70 million square feet of nonflooring substrate through Source ID P101 in any 12-consecutive month period.

3. Under the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the emission of VOCs from all sources at the facility shall not equal or exceed 250 tons in any 12-consecutive month period.

4. The permittee shall keep up-to-date records of Certified Product Data Sheets (CPDSs) that identify the VOC content and HAP content of each VOC and/or HAP containing material used at the facility.

5. The permittee shall keep records of the amount of nonflooring substrate processed through Source ID P101 each month.

6. The permittee shall keep records of the identity, type, and amount of each VOC and/or HAP containing material used each month in association with the printing of nonflooring materials in Source ID P101.

7. Under the BAT provisions in 25 Pa. Code Sections 127.1 and 127.12, Source ID P101 shall not be operated without the simultaneous operation of regenerative thermal oxidizer (ID C01). The emission of VOCs and HAPs from Source ID P101 shall be controlled by ID C01.

8. Under the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the VOC and HAP emissions from the printing of nonflooring materials in Source ID P101 shall be captured with an efficiency of 100% and exhausted to ID C01. Compliance with the requirement specified in this streamlined permit condition assures compliance with the provisions in 25 Pa. Code § 129.67 and 40 CFR 60.582(a)(2).

9. Under the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, ID C01 shall destroy the VOC and HAP emissions ducted to it from all sources at the facility

associated with the production area (solvent process area) at a destruction efficiency of no less than 95% (by weight). Compliance with the requirement specified in this streamlined permit condition assures compliance with the provisions in 25 Pa. Code § 129.67 and 40 CFR Part 60.582(a)(2).

10. Under the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, within 120 days of the issuance of this plan approval, the permittee shall perform stack testing upon the inlet and outlet of ID C01 while ID C01 is being used to control emissions from the printing of nonflooring substrates in Source ID P101 to determine the VOC/HAP destruction efficiency of ID C01 to verify compliance with the destruction efficiency limitation. The testing shall be performed while Source ID P101 is operating at a representative rate of production, using test methods and procedures approved by the Department. During the stack testing, the temperature set-point of the combustion chamber of ID C01 shall be 1,450°F and the actual instantaneous temperature of the combustion chamber of ID C01 shall not go below 1,400°F. Compliance with the requirement for the timing of the source testing specified in this streamlined permit condition assures compliance with the provisions in 40 CFR 60.8(a) and 583(d).

11. Under the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the permittee shall operate ID C01 at a temperature of at least 1,400°F.

12. Under the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, ID C01 shall be equipped with two thermocouples to monitor and record the temperature of the combustion chamber of ID C01 on a continuous basis. Compliance with the temperature monitoring and recording requirement specified in this streamlined permit condition assures compliance with the provision in 40 CFR 60.584(b).

13. Under the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the permittee shall determine the VOC destruction efficiency of ID C01 on a quarterly basis using a total hydrocarbon analyzer. The VOC destruction efficiency shall be determined by measuring the VOC concentration at the inlet and outlet of the incinerator. A zero and span calibration shall be performed on the total hydrocarbon analyzer immediately prior to the testing of the inlet of ID C01, immediately prior to the testing of the outlet of ID C01, and immediately after the testing of the outlet of ID C01.

14. The permittee shall keep records of the supporting calculations for VOC and HAP emissions from all sources at the facility on a monthly basis and shall verify compliance with the VOC and HAP emission limitations in any 12-consecutive month period.

15. The permittee shall keep records of the dates and results of the VOC concentration stack tests, including total hydrocarbon analyzer tests with calibration data, and shall verify compliance with the VOC destruction efficiency requirement specified for ID C01.

16. The permittee shall keep records of the temperature of ID C01 on a monthly basis and shall verify compliance with the operating temperature requirement of 1,400°F specified for ID C01.

17. The permittee shall keep records of the dates and results of the temperature device accuracy tests on a monthly basis and shall verify compliance with the temperature device accuracy requirement specified for ID C01.

18. The permittee shall submit reports to the Department on a semi-annual basis that include the supporting

calculations used to verify compliance with the VOC destruction efficiency requirement specified for ID C01.

19. The permittee shall submit reports to the Department on a semi-annual basis that include the supporting calculations used to verify compliance with the VOC and HAP emission limitations for all sources at the facility in any 12-consecutive month period.

20. The permittee shall test the thermocouples associated with ID C01 on a monthly basis and maintain an accuracy of plus or minus 2°F. The permittee shall utilize approved QA/QC practices that are adequate to ensure continuing validity of data and proper performance of the thermocouples. Compliance with the requirement specified in this streamlined permit condition assures compliance with the provision in 40 CFR 60.584(b)(1).

21. Under the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the permittee shall ensure that ID C01 has reached its minimum operating temperature before placing any affected source on line.

22. Under the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the permittee shall have an alarm system that alerts when the temperature of ID C01 falls below 1,423°F. This alarm system shall automatically shutdown all processes exhausted to ID C01 after no more than a 10-minute delay.

23. The permittee shall record all instances that the temperature of ID C01 falls below 1,423°F while the emissions from any source at the facility are being controlled by ID C01. Compliance with the requirement specified in this streamlined permit condition assures compliance with the provision in 40 CFR 60.584(b)(2).

24. The permittee shall submit reports to the Department on a semi-annual basis that include the records of all instances that the temperature of ID C01 falls below 1,423°F while the emissions from any source at the facility are being controlled by ID C01. Compliance with the requirement specified in this streamlined permit condition assures compliance with the provision in 40 CFR 60.585(b)(3).

25. Source ID P101 is subject to 25 Pa. Code § 129.67. The permittee shall comply with all the applicable requirements specified in 25 Pa. Code § 129.67.

26. Nonflooring substrates printed from Source ID P101 are subject to 40 CFR Part 60, Subpart FFF. The permittee shall comply with all the applicable requirements specified in 40 CFR 60.580—60.585.

27. The Request for Determination of Requirement of Plan Approval/Operating Permit (RFD) forms approved for printing on polyvinyl alcohol (PVOH) film on March 4, 2005, and for printing on polyester ("Mylar") film on April 5, 2005, including all conditions of approval, are superseded by this plan approval.

28. All conditions contained in TVOP 18-00004 remain in effect unless superseded or amended by conditions contained in this plan approval. If there is a conflict between a condition contained in this plan approval and a condition contained in TVOP 18-00004, the permittee shall comply with the condition contained in this plan approval.

A copy of the plan approval application and the Department's review is available for public review between 8 a.m. and 4 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at (570) 327-

3693. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Chief, Facilities Permitting Section, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-0512.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Braun, Chief, (215) 685-9476.

AMS 05080: La Salle University (1900 West Olney Avenue, Philadelphia, PA 19141) for installing small storage tanks, emergency generators, and combustion units in the City of Philadelphia, **Philadelphia County**. There will be a potential emission increase of less than 25 tons for NOx and of less than 100 tons for SOx for the facility. The plan approval will contain operating and recordkeeping requirements to ensure operation within all applicable requirements.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

04-00059: Koppel Steel Corp. (P. O. Box 750, Beaver Falls, PA 15010) for operation of Blast Furnaces and Steel Mills at their Koppel Steel Koppel Plant in Koppel Borough, PA in **Beaver County**. This is a Title V Renewal.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

06-03017: The Bachman Co. (51 Spring Valley Road, Reading, PA 19605) for operation of their pretzel manufacturing plant in Muhlenberg Township, **Berks County**. This is a non-Title V (State-only) facility. The operating permit will contain appropriate conditions designed to keep the facility operating below Title V thresholds for criteria pollutants and within all other applicable air quality requirements.

07-05034: Department of Military and Veterans Affairs—Hollidaysburg Veterans Home (P. O. Box 319, Hollidaysburg, PA 16648-0319) for operation of the long-term nursing care facility in Allegheny Township, **Blair County**. The facility is a major source that primarily emits nitrogen oxides (NOx) through the operation of one natural gas and two natural gas/No. 2 oil fired boilers along with five No. 2 fuel oil operated electric generator sets. This State-only (Synthetic Minor) Operating Permit will limit actual emissions for criteria pollutants below Title V thresholds by limiting the annual operating time of the emergency generators. The operating permit will contain appropriate conditions designed to keep the facility operating within all other applicable air quality requirements. This is a renewal of the State-only (Synthetic Minor) Operating Permit issued in 2001.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

57-00002: Haines and Kibblehouse, Inc.—Dushore Construction Materials Division (P. O. Box 196, Skip-pack, PA 19474) for operation of a stone crushing facility on Route 220 in Cherry Township, **Sullivan County**.

The respective plant incorporates various pieces of stone crushing, screening, conveying, and the like equipment as well as an 890 horsepower diesel engine, a 270 horsepower diesel engine and several minor air contamination sources such as a diesel fuel storage tank. The fugitive PM emissions, including PM10 from the stone crushing, screening, conveying, and the like equipment are controlled by a water spray dust suppression system. The fugitive PM and PM10 emissions resulting from the use of site roadways are controlled by a water truck. The facility is not expected to emit more than 14.02 tons of PM, 6.56 tons of PM10, 10.46 tons of NOx, 2.8 tons of CO, 2.76 tons of SOx and 1.31 tons of total hydrocarbons per year.

The facility is not a major (Title V) facility for any air contaminant.

The Department of Environmental Protection (Department) proposes to incorporate into the operating permit to be issued conditions requiring compliance with all applicable regulatory requirements pertaining to air contamination sources and the emission of air contaminants as well as conditions previously established in Plan Approval 57-310-001, issued on August 29, 2005.

These previously-established conditions include:

1. Conditions limiting the operation of the stone crushing, screening, conveying, and the like equipment and the two associated diesel engines to no more than 2,000 hours in any 12-consecutive month period.
2. A condition requiring the stone crushing, screening, conveying, and the like equipment to be equipped with a water spray dust suppression system which shall incorporate at least six spray bars with at least three spray nozzles each.
3. A condition requiring the water spray dust suppression system to incorporate strainers to prevent nozzle pluggage.
4. A condition requiring a water truck equipped with a spray bar to be kept on site at all times and used, as needed, for the control of fugitive particulate matter from plant roadways and stockpile areas.
5. Conditions prohibiting the operation of the stone crushing, screening, conveying, etc. equipment if either the water spray dust suppression system or the water truck is incapable of operation.
6. A condition requiring the plant to incorporate the hydrants or hose connections as are needed to permit the use of hoses to control fugitive particulate matter from material stockpiles.
7. Conditions limiting the sulfur content of the diesel fuel used in the diesel engines to .3% by weight.
8. A condition limiting the NOx, CO and total hydrocarbon emissions from the 890 horsepower diesel engine to 2.77, .23 and .32 grams per horsepower-hour, respectively.
9. A condition limiting the NOx, CO and total hydrocarbon emissions from the 270 horsepower diesel engine to 8.44, 3.03 and 1.14 grams per horsepower-hour, respectively.
10. A condition requiring the injection timing of the 270 horsepower diesel engine to be retarded at least 4° relative to standard timing.

11. A condition requiring the maintenance of records of the number of hours the stone crushing plant operates each month as well as the number of hours each of the two diesel engines operates each month.

The Department additionally proposes to incorporate into the operating permit to be issued a new condition requiring the maintenance of records of the identity and amount of aerosol degreasers used at the facility each month.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Eric Gustafson Facilities Permitting Chief, (814) 332-6940.

37-00300: North American Forgemasters Co. (710 Moravia Street, New Castle PA 16101-3948) a Natural Minor operating permit for manufacture of hot-formed forged products in city of New Castle, **Lawrence County**.

25-00931: Deptment of Corrections—Albion SCI (10745 Route 18, Albion, PA 16475) for the reissuance of State-only Operating Permit No. 25-00931 issued to the Albion State Correctional Institute located in Albion Borough, **Erie County**. The air contamination sources located at the facility include various boilers, electric generators and painting booths.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the district mining office indicated before an application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on dis-

charge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application number; and a statement of sufficient detail to inform the

Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas, active areas disturbed by coal refuse disposal activities and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

30841302 and NPDES Permit No. PA0213918, Consolidation Coal Company (1800 Washington Road, Pittsburgh, PA 15241), to revise the permit for the Humphrey Mine No. 7 in Perry Township, **Greene County** to change the land use for 14.4 acres at the Mt. Morris portal site from unmanaged natural habitat to industrial/commercial. No additional discharges. Application received October 4, 2005.

56773707 and NPDES Permit No. PA0215775, PBS Coals, Inc. (1576 Stoystown Road, P. O. Box 260, Friedens, PA 15541), to renew the permit for the Cambria Fuel Refuse Disposal Area in Stoneycreek Township, **Somerset County** and related NPDES permit for reclamation. No additional discharges. Application received October 24, 2005.

Knox District Mining Office: White Memorial Building, P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

33920107 and NPDES Permit PA0211303, Rice Coal Company (711 Edward Street, Philipsburg, PA 16866). Renewal of an existing bituminous surface strip operation in Knox Township, **Jefferson County** affecting 46.3 acres. Receiving streams: UNT to Five Mile Run, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application for reclamation only. Application received: December 30, 2005.

10040103 and NPDES Permit No. PA0242535, Anandale Quarries, Inc. (219 Goff Station Road, Boyers, PA 16020). Revision to an existing bituminous surface

strip, beneficial use of coal ash, and auger mining operation in Venango Township, **Butler County** affecting 23.3 acres. Receiving streams: Seaton Creek to Slippery Rock Creek, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Revision to add auger mining. Application received: January 5, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

54900101C34, Blackwood, Inc. (P. O. Box 639, Wind Gap, PA 18091), correction to an existing anthracite surface mine and refuse disposal operation for sewage sludge disposal in Branch, Reilly and Tremont Townships, **Schuylkill County** affecting 1847.6 acres. Receiving streams: Panther and Swatara Creeks, application received December 19, 2005.

54693047R4, Pagnotti Enterprises, Inc. (46 Public Square, Suite 600, Wilkes-Barre, PA 18701), renewal of an existing anthracite surface mine operation in Mahanoy Township, **Schuylkill County** affecting 698.0 acres. Receiving stream: none. Application received December 22, 2005.

40663013R4, Jeddo-Highland Coal Co. (46 Public Square, Suite 600, Wilkes-Barre, PA 18701), renewal of an existing anthracite surface mine operation in Hazle Township, **Luzerne County** affecting 304.0 acres. Receiving stream: none. Application received December 27, 2005.

40663023R4, Pagnotti Enterprises, Inc. (46 Public Square, Suite 600, Wilkes-Barre, PA 18701), renewal of an existing anthracite surface mine operation in Hazle Township, **Luzerne County** affecting 640.0 acres. Receiving stream: none. Application received December 27, 2005.

40663027R4, Jeddo-Highland Coal Co. (46 Public Square, Suite 600, Wilkes-Barre, PA 18701), renewal of an existing anthracite surface mine operation in Hazle Township, **Luzerne County** affecting 154.9 acres. Receiving stream: none. Application received December 27, 2005.

40663031R4. Jeddo-Highland Coal Co. (46 Public Square, Suite 600, Wilkes-Barre, PA 18701), renewal of an existing anthracite surface mine operation in Hazle Township, **Luzerne County** affecting 536.0 acres. Receiving stream: none. Application received December 27, 2005.

Coal Applications Returned

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601.

63020201 and NPDES Permit No. PA0250139. John Kosky Contracting, Inc. (P. O. Box 136, Cuddy, PA 15031). Application for a coal refuse reprocessing surface

mine was returned due to failure of obtaining bond, located in West Pike Run, **Washington County**, affecting 22 acres. Receiving stream: Little Pike Run. Application received: April 23, 2002. Application returned: December 30, 2005.

Noncoal Applications Received

Effluent Limits

The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity ¹			
pH ¹		greater than 6.0; less than 9.0	

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Knox District Mining Office: White Memorial Building, P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

37950304. Glacial Sand & Gravel Co. (P. O. Box 1022, Kittanning, PA 16201). Renewal of NPDES Permit No. PA0227145, Plain Grove, Scott, and Worth Townships, **Lawrence and Butler Counties**. Receiving streams: Slippery Rock Creek, UNT to Jamison Run and Jamison Run, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. NPDES Renewal application received: January 5, 2006.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the FWPCA (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E58-268. Tennessee Gas Pipeline Company, 1001 Louisiana Street, Houston, TX 77002, in Springville Township, Lathrop Township and Lenox Township, **Susquehanna County**, United States Army Corps of Engineers, Baltimore District.

To construct and maintain approximately 13 utility line crossings of streams and wetlands, including tributaries to Horton Creek (CWF), Horton Creek (CWF), and Hop Bottom Creek (CWF), for the purpose of installing a 4-mile, 30-inch gas pipeline known as the "Northeast ConneXion Project—NY/NJ—Susquehanna County Loop." The project will permanently impact 0.01 acre of wetlands and will temporarily impact 1.60 acres of wetlands, including temporary road crossings. The project extends eastward from a point beginning approximately 532 feet west of T-392 (Russer Road) in the northeastern corner of

Springville Township, and will run parallel to the existing line 300. (Hop Bottom, PA Quadrangle N: 15.9 inches; W: 14.3 inches).

EA13-002NE. Nesquehoning Water Authority, Attention: Stephen Yurchak, Chairperson, 114 West Catawissa Street, Nesquehoning, PA 18240, in Nesquehoning Borough, **Carbon County**, United States Army Corps of Engineers, Philadelphia District.

To remove an abandoned water obstruction consisting of three 15-inch CMP culverts located in First Hollow Run (EV) and restore the channel to its natural condition. The project will be constructed under Waiver 11, Section 105.12a(11) and is located approximately 3,000 feet upstream of the confluence of First Hollow Run and Nesquehoning Creek (Nesquehoning, PA Quadrangle N: 21.5 inches; W: 10.5 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E21-380: Department of Environmental Protection, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103 in Upper Allen Township, **Cumberland County**, ACOE Baltimore District.

To construct and maintain a concrete bridge with a clear span of 80.5 feet with a minimum underclearance of 2.0 feet across a UNT to Yellow Breaches Creek (HQ-CWF-WT) (Trout Run) and associated improvements on Cockleys Drive to provide additional access to area residents located about 600 feet downstream of the US 15 culvert (Mechanicsburg, PA Quadrangle N: 5.65 inches; W: 0.7 inch) in Upper Allen Township, Cumberland County. The project will also impact a 0.12 acre of wetland. The applicant will provide a wetland replacement of 0.23 acre at site.

E44-126: Brown Township Municipal Authority, 7748 State Road 655, Reedsville, PA 17084-9148 in Brown Township, **Mifflin County**, ACOE Baltimore District.

To place and maintain approximately 1,607 cubic yards of fill volume represented by the new structures within the floodplain of Kishacoquillas Creek (TSF) and Honey Creek (HQ-CWF) for the purpose of constructing additions to an existing wastewater treatment plant, located in Reedsville (Burnham, PA Quadrangle N: 6.66; W: 13.48; Latitude: 40° 39' 42"; Longitude: 77° 35' 50") in Brown Township, Huntingdon County.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E32-474. Dannic Energy Corporation, 164 Mill Run Drive, Indiana, PA 15701. To maintain a ford crossing in Canoe Township, **Indiana County**, Pittsburgh ACOE District. (Punxsutawney, PA Quadrangle N: 1.4 inches; W: 13.5 inches and Latitude: 40° 52' 58"—Longitude: 78° 58' 21"). The applicant proposes to operate and maintain a rock lined ford crossing in a UNT to Canoe Creek (CWF) located approximately 55 feet southeast of T-800.

E65-887. JRC Development, LLC, 120 Skyview Drive, Jeannette, PA 15644. To construct an aerial sewer line in North Huntingdon Township, **Westmoreland County**, Pittsburgh ACOE District. (McKeesport, PA Quadrangle N: 7.8 inches; W: 0.2 inches and Latitude: 40° 17' 42"—Longitude: 79° 45' 01"). The applicant proposes to construct and maintain an 8-inch diameter aerial sanitary sewer line over a UNT to Possum Hollow (WWF) for a proposed residential subdivision (Cherry Hills Estates) located at the intersection of Guffy and Pinewood Roads.

E65-888. Derry Township Supervisors, 650 Derry Road, Derry, PA 15627. To construct a bridge in Derry Township, **Westmoreland County**, Pittsburgh ACOE District. (Blairsville, PA Quadrangle N: 4.6 inches; W: 5.9 inches and Latitude: 40° 24' 02.08"—Longitude: 79° 17' 30.76"). The applicant proposes to replace a single lane bridge for TR 937 (Willow Road) over Stony Creek (CWF) which is in a deteriorating condition with new two lane bridge. The total temporary impact to Stony Run will be approximately 100 feet.

E65-889. Derry Township Supervisors, 650 Derry Road, Derry, PA 15627. To replace a bridge in Derry Township, **Westmoreland County**, Pittsburgh ACOE District. (Blairsville, PA Quadrangle N: 7.1 inches; W: 5.3 inches and Latitude: 40° 24' 49.81"—Longitude: 79° 17' 13.96"). The applicant proposes to replace and maintain bridge carrying T-941 (Pipers Road) over Stony Run. New bridge will be two lanes with improved sight distance and will allow emergency vehicles to use this road. Total temporary impact to Stony Run will be approximately 100 feet.

ACTIONS

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE
ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY
MANAGEMENT (WQM) PERMITS**

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0061034A1	Abington Township Municipal Authority Lake Henry Drive P. O. Box 8 Waverly, PA 18471	Abington Township Lackawanna County	UNT to Ackerly Creek CWF Lackawanna Basin (5A)	N

In accordance with the Chesapeake Bay Strategy, nutrient monitoring requirements were added to Outfall 001 of this permit.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0008231A1	Gold Mills, Inc. 1 Penn Dye Street Pine Grove, PA 17963	Schuylkill County Pine Grove Borough	Swatara Creek 7D	N

In accordance with the Chesapeake Bay Strategy, nutrient monitoring requirements were added to Outfall 001 of this Permit.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0061590A1	Little Washington Wastewater Company 762 West Lancaster Avenue Bryn Mawr, PA 19010	North Union Township Schuylkill County	5E	Yes

In accordance with the Chesapeake Bay Strategy, nutrient monitoring requirements were added to Outfall 001 of this Permit.

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. 1599421, Amendment, Sewerage, Owen J. Roberts School District, 901 Ridge Road, Pottstown, PA 19465-9314. This proposed facility is located in East Nantmeal Township and South Coventry Township, **Chester County**.

Description of Action/Activity: Modifications to existing treatment plant.

WQM Permit No. WQG02230513, Sewerage, **Bethel Township Delaware County Sewer Authority**, 1842 Bethel Road, Boothwyn, PA 19061. This proposed facility is located in Bethel Township, **Delaware County**.

Description of Action/Activity: Construction and operation of sewer extension and pump station.

WQM Permit No. WQG02150511, Sewerage, **Upper Uwchlan Township**, 140 Pottstown Pike, Chester Springs, PA 19425. This proposed facility is located in Upper Uwchlan Township, **Chester County**.

Description of Action/Activity: Construction and operation of a sewer extension.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 5405404, Sewerage, **Shenandoah Municipal Sewer Authority**, 15 West Washington Street, Shenandoah, PA 17976. This proposed facility is located in West Mahanoy Township, **Schuylkill County**.

Description of Proposed Action/Activity: Issuance of Water Quality Management Permit.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. WQG018435, Sewerage, **James R. and Laurel L. Koehler**, 17946 State Highway 198, Saegertown, PA 16433. This proposed facility is located in Hayfield Township, **Crawford County**.

Description of Proposed Action/Activity: A single residence sewage treatment plant.

WQM Permit No. WQG018425, Sewerage, **David W. and Marcia J. Johnson**, 143 Swede Hill Road, Russell, PA 16345. This proposed facility is located in Pine Grove Township, **Warren County**.

Description of Proposed Action/Activity: A single residence sewage treatment plant.

WQM Permit No. WQG018433, Sewerage, **Norman Beals**, 452 Camp Wilber Road, Franklin, PA 16323. This proposed facility is located in Cranberry Township, **Venango County**.

Description of Proposed Action/Activity: A single residence sewage treatment plant.

WQM Permit No. 2005403, Sewerage, **Bloomfield Township Sewage Authority**, 22978 Shreve Ridge Road, Union City, PA 16438. This proposed facility is located in Bloomfield Township, **Crawford County**.

Description of Proposed Action/Activity: This project is for the installation, operation and maintenance of gravity sewer, force main, low pressure sewer and package grinder sewage pump station, upgrade of an existing sewage pump station (PS No. 1A) and abandonment of an existing pump station (PS No. 1).

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10U126R	Liberty Property Limited Partnership 1510 Valley Center Parkway Suite 240 Bethlehem, PA 18017	Northampton	Hanover Township	Catasauqua Creek CWF and Monocacy Creek HQ-CWF
PAI024805008	Kranson & Youwakim Properties, Inc. 244 Fullerton Avenue Whitehall, PA 18052-6811	Northampton	Moore Township	Monocacy Creek HQ-CWF
PAI024805014	Signature Homes by J. T. Maloney 610 Farm Lane Doylestown, PA 18034	Northampton	Tatamy Borough	Tributary to Bushkill Creek HQ-CWF
PAI024505012	Sringeri Vidya Bharati Foundation, Inc. 5 Yates Drive East Brunswick, NJ 08816	Monroe	Jackson Township	Appenzell Creek HQ-CWF
PAI023905019	MAB One Associates, LLC 1436 East Elizabeth Avenue Linden, NJ 07036	Lehigh	Lower Macungie Township	Little Lehigh Creek HQ-CWF
PAI023905011	Maria Rodale and Lou Cinquino 209 Main St. Emmaus, PA 18049	Lehigh	Salisbury and Upper Saucon Townships	Trout Creek HQ-CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI030605003	Borough of Wyomissing 22 Reading Boulevard Wyomissing, PA 19610	Berks	Wyomissing Borough	Wyomissing Creek HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Single Residence Sewage Treatment Plants
PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

General Permit Type—PAG-2

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Smithfield Township Monroe County	PAG2004505006	Mosier Development, LLC P. O. Box 67 Shawnee on Delaware, PA 18356	Brodhead Creek TSF-MF	Monroe Co. Cons. Dist. (570) 629-3060
City of Bethlehem Northampton County	PAG2004805045	Wm. Kunsman & Sons 717 Yeates St. Bethlehem, PA 18017	Lehigh River WWF	Northampton Co. Cons. Dist. (610) 746-1971
Blakely Borough Lackawanna County	PAG2003505021	Rev. Ernest Drost 545 Keystone Ave. Peckville, PA 18452	UNT to Wildcat Creek CWF	Lackawanna Co. Cons. Dist. (570) 281-9495
Windsor Township York County	PAG2006705093	Red Lion School District 696 Delta Road Red Lion, PA 17356	Pine Creek CWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Penn Township York County	PAG2006705035	Chris Trone Baxter Investment Group Inc. 1108 Baltimore Street Hanover, PA 17331	Oil Creek WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Hopewell Township York County	PAR10Y480R	Gary Stewart, Jr. Stonebridge Business Park Stewart Assoc. 950 Smile Way York, PA 17404	Deer Creek CWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Jackson Township York County	PAG2006705060	Spring Grove School District 100 E. College Ave. Spring Grove, PA 17362	Bunch Creek WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Manchester Township York County	PAG2006705069	Richard Farr Rabbittransit 1230 Roosevelt Ave. York, PA 17404	UNT to Codorus Creek WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Conewago Township York County	PAG2006705055	Spring Valley Mulch Brian Klinger 2770 Mill Creek Road Dover, PA 17315	Little Conewago Creek TSF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Dover Township York County	PAG206705098	J. A. Firestone Cons. Inc. Jeff. A. Firestone 2045 Carlisle Rd. Dover, PA 17315	UNT Litt Conewago Creek TSF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Fairview Township York County	PAG2006705088	Hemlock Ridge Gerry Golden Bry Dan Inc. P. O. Box 337 Grantham, PA 17027	UNT Fishing Creek TSF, CWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Springfield Township York County	PAG2006705108	T. L. Jackson Const. Inc. Terry Jackson 6343 Lake Rd. York, PA 17403	UNT South Branch Codorus Creek WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Carroll Township Perry County	PAG035005013	Grace Evangelical Christian Church 2 Landisburg Rd. Shermansdale, PA 17090	Shermans Creek	Evan Ticehurst Perry County Conservation District 31 West Main Street P. O. Box 36 New Bloomfield, PA 17068 (717) 582-5119
Hampden Township Cumberland County	PAG2002105055	Hunters Gate Classic Communities Jim Halbert 2151 Linglestown Road Suite 300 Harrisburg, PA 17110	Sears Run Conodoguinet WWF	Cumberland County Conservation District 43 Brookwood Avenue Carlisle, PA 17013 (717) 240-7812
Middlesex Township Cumberland County	PAG2002105056	Well No. 1 Middlesex Township Municipal Authority 350 Middlesex Road Suite 2 Carlisle, PA 17013	Letort Spring Run CWF	Cumberland County Conservation District 43 Brookwood Avenue Carlisle, PA 17013 (717) 240-7812

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Alsace Township Berks County	PAG2000605048	Jane Bender Alsace Township 65 Woodside Avenue Temple, PA 19560	Little Manatawny Creek CWF	Berks County Conservation District 1238 County Welfare Road P. O. Box 520 Leesport, PA 19533-0520 (610) 372-4657, Ext. 201
Marion Township Berks County	PAG2000605113	Mervin Brubaker Marion Township Fire Company 85 Main Street Womelsdorf, PA 19567	Tulpehocken Creek WWF	Berks County Conservation District 1238 County Welfare Road P. O. Box 520 Leesport, PA 19533-0520 (610) 372-4657, Ext. 201
City of Reading Berks County	PAG2000605108	Richard Mable The Reading Hospital and Medical Center P. O. Box 16052 Reading, PA 19612-6052	Wyomissing Creek CWF	Berks County Conservation District 1238 County Welfare Road P. O. Box 520 Leesport, PA 19533-0520 (610) 372-4657, Ext. 201
Shillington Borough Berks County	PAG2000605115	Mark Nayton Governor Mifflin Joint School Authority 101 S. Waverly Street Shillington, PA 19607	Angelica Creek CWF	Berks County Conservation District 1238 County Welfare Road P. O. Box 520 Leesport, PA 19533-0520 (610) 372-4657, Ext. 201
Antrim Township Franklin County	PAG2002805079	Ron Gene Properties Dianne Drive Ron Kline 9332 Willowdale Road Greencastle, PA 17225	UNT to Marsh Creek WWF	Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5
Hamilton Township Franklin County	PAG2002804010	Mark Bard Bard/Bard Venture, Inc. 650 S. Coldbrook Ave Chambersburg, PA 17201	UNT to Back Creek WWF	Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5
Heidelberg Township Lebanon County	PAG2003805032	Scott Good 276 Canaan Grove Road Newmanstown, PA 17073	Middle Creek WWF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042, Ext. 4
Swatara Township Dauphin County	PAG2002205066	Hess Trucking Co. 5737 Grayson Rd. Harrisburg, PA 17111	Spring Creek CWF	Dauphin County Conservation District 1451 Peters Mountain Rd. Dauphin, PA 17018 (717) 921-8100
East Hanover Township Dauphin County	PAG2002205026	Keystone Custom Homes 214A Willow Lakes Dr. Willow Street, PA 17584	Bow Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Rd. Dauphin, PA 17018 (717) 921-8100
Centre County College Township	PAG2001405016	Edward Maxwell Maxwell Trucking, Inc. 455 Struble Road State College, PA 16801	UNT Spring Creek CWF	Centre County Conservation District 414 Holmes Ave. Suite 4 Bellefonte, PA 16823 (814) 355-6817

*Facility Location:
Municipality &
County*

Clinton County
Bald Eagle
Township

Permit No.
PAR101921R(1)

*Applicant Name &
Address*
Croda, Inc.
8 Croda Way
Mill Hall, PA 17751

*Receiving
Water/Use*
Bald Eagle Creek
WWF

*Contact Office &
Phone No.*
Clinton County
Conservation District
45 Cooperation Lane
Mill Hall, PA 17751
(570) 726-3798

Fayette County
Luzerne and
Redstone Townships

PAG2002605024

Frank J. Kempf
Turnpike Commission
P. O. Box 67676
Harrisburg, PA 17106

Dunlap Creek
(WWF)

Fayette County CD
(724) 438-4497

General Permit Type—PAG-3

*Facility Location:
Municipality &
County*

Brooklyn Township
Susquehanna
County

Permit No.
PAR322207

*Applicant Name &
Address*
Stankiewicz Stone, Inc.
R. R. 2, Box 147
Kingsley, PA 18826

*Receiving
Water/Use*
Hop Bottom Creek
CWF

*Contact Office &
Phone No.*
DEP—NERO
Water Mgmt. Program
2 Public Square
Wilkes-Barre, PA
18711-2511
(570) 826-2511

Wright Township
Luzerne County

PAR202246

Smiths Aerospace
Components
701 Crestwood Drive
Mountaintop, PA
18707-0068

Bow Creek
CWF

DEP—NERO
Water Mgmt. Program
2 Public Square
Wilkes-Barre, PA
18711-2511
(570) 826-2511

North Manheim
Township
Schuylkill County

PAR602235

Weiner Iron & Metal
Corp.
P. O. Box 359
1056 Route 61 South
Pottsville, PA 17901

Schuylkill River
CWF

DEP—NERO
Water Mgmt. Program
2 Public Square
Wilkes-Barre, PA
18711-2511
(570) 826-2511

New Sewickley
Township
Beaver County

PAR606169

Novak Auto Parts, Inc.
1640 Rt. 68
New Brighton, PA 15066

Unnamed feeder to
Brush Creek

Southwest Regional Office
Water Management
Program Manager
400 Waterfront Drive
Pittsburgh, PA
15222-4745
(412) 442-4000

Lower Tyrone
Township
Fayette County

PAR606165

Sechrist Auto Wreckers
885 Banning Road
Dawson, PA 15428

UNT to Youghiogheny
River

Southwest Regional Office
Water Management
Program Manager
400 Waterfront Drive
Pittsburgh, PA
15222-4745
(412) 442-4000

Tarentum Borough
Allegheny County

PAR216138

Worldwide Refractories,
Inc.
P. O. Box 28
Tarentum, PA 15084

Allegheny River

Southwest Regional Office
Water Management
Program Manager
400 Waterfront Drive
Pittsburgh, PA
15222-4745
(412) 442-4000

Penn Hills
Township
Allegheny County

PAR806149

United States Postal
Service
11650 Penn Hills Drive
Pittsburgh, PA
15235-9721

Duff's Run

Southwest Regional Office
Water Management
Program Manager
400 Waterfront Drive
Pittsburgh, PA
15222-4745
(412) 442-4000

*Facility Location:
Municipality &
County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Canton Township Washington County	PAR236130	Washington Penn Plastic Company, Inc.—V Bat Division 450 Racetrack Road Washington, PA 15301	UNT to Chartiers Creek	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Oil Creek Township Crawford County	PAR228323	Weyerhaeuser Choicewood Titusville Yard 11117 Skyline Drive Titusville, PA 16354	UNT to Oil Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Warren Warren County	PAR208348	CB&I Water Fabrication Facility 1420 Lexington Avenue Warren, PA 16365	Allegheny River	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-4**Facility Location &
Municipality*

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Adams County Liberty Township	PAG043645	Jonathon Howe 2775 Tract Road Fairfield, PA 17320	UNT to Flat Run 13-D	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Sugar Grove Township Mercer County	PAG048706	Dean C. Gosnell 53 Werner Drive Greenville, PA 16125	UNT to Little Shenango River	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Hayfield Township Crawford County	PAG049224	James R. and Laurel L. Koehler 17946 State Highway 198 Saegertown, PA 16433	UNT to Kerns Run	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Pine Grove Township Warren County	PAG049214	David W. and Marcia J. Johnson 143 Swede Hill Road Russell, PA 16345	UNT to Johnny Run	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Cranberry Township Venango County	PAG049222	Norman Beals 452 Camp Wilber Rd Franklin, PA 16323	Allegheny River	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-9**Facility Location &
County/Municipality*

<i>Facility Location & County/Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Ayr Township Fulton County	PAG093547	Chestnuts Septic Service 327 Chestnut Farm Lane McConnellsburg, PA 17233	Chestnuts Septic Service Ayr Township Fulton County	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
Antrim Township Franklin County	PAG093534	Antrim Septic Service 3119 Barr Road Greencastle, PA 17225	Antrim Septic Service Antrim Township Franklin County	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707

PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 5504501—Operation Public Water Supply.

Applicant	Penn Township Municipal Authority
Township or Borough	Penn Township
County	Snyder
Responsible Official	Neal R. Smith, Authority Chairperson Penn Township Municipal Authority 12 Clifford Road Selinsgrove, PA 17870
Type of Facility	Public Water Supply—Operation
Consulting Engineer	James C. Elliott, P. E. Gannett Fleming, Inc. P. O. Box 67100 Harrisburg, PA 17106-7100
Permit Issued Date	1/3/2006
Description of Action	Operation of the Selinsgrove pump station interconnection.

Permit No. 5302502—Operation Public Water Supply.

Applicant	Coudersport Borough Authority
Township or Borough	Coudersport Borough
County	Potter
Responsible Official	William Krog, Chairperson Coudersport Borough Authority 201 South West Street Coudersport, PA 16915
Type of Facility	Public Water Supply—Operation
Consulting Engineer	Uni-Tec Consulting Engineers, Inc. 2007 Cato Avenue State College, PA 16801
Permit Issued Date	1/5/2006
Description of Action	Operation of North Well No. 1, North Treatment Plant, South Finished Water Storage Tank, rehabilitation of the North and East Finished Water Storage Tanks.

Permit No. M.A.—Construction Public Water Supply.

Applicant	Pennsylvania American Water Company
Township or Borough	Milton Borough
County	Northumberland
Responsible Official	Paul A. Zielinski, Director Environmental Mgmt. & Compliance Pennsylvania American Water Company 800 West Hersheypark Drive Hershey, PA 17033
Type of Facility	Public Water Supply—Construction
Consulting Engineer	Scott Thomas, P. E. Pennsylvania American Water Company 800 West Hersheypark Drive Hershey, PA 17033
Permit Issued Date	1/5/2006
Description of Action	Rehabilitation of Purification Unit No. 1 at the Milton Water Filter Plant.

Permit No. M.A.—Construction and Operation

Public Water Supply.	
Applicant	Tylersville Mutual Water Association
Township or Borough	Logan Township
County	Clinton
Responsible Official	Richard T. Miller Tylersville Mutual Water Association Box 44 Tylersville, PA 17773
Type of Facility	Public Water Supply—Construction and Operation

Consulting Engineer Dennis Lingenfelter, P. E.
 Uni-Tec Consulting Engineers,
 Inc.
 2007 Cato Avenue
 State College, PA 16801

Permit Issued Date 1/5/2006

Description of Action Construction and operation of
 the existing master meter,
 hypochlorinator and infiltration
 gallery.

*Northwest Region: Water Supply Management Program
 Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

Operations Permit issued to **Pennsylvania-
 American Water Co.**, 800 West Hersheypark Drive,
 P. O. Box 888, Hershey, PA 17033, PWS ID 6370011,
 North Swickley Township, **Beaver County**, on January
 5, 2006, for the operation of the Wiley Hill Booster Pump
 Station, as approved under Construction Permit No.
 3705501.

SEWAGE FACILITIES ACT PLAN APPROVAL

**Plan Approvals Granted under the Pennsylvania
 Sewage Facilities Act (35 P. S. §§ 750.1—750.20a)**

*Northeast Region: Water Management Program Man-
 ager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Great Bend Township	P. O. Box 781 Great Bend, PA 18821	Susquehanna
Great Bend Borough	P. O. Box 175 Great Bend, PA 18822	Susquehanna
Hallstead Borough	P. O. Box 366 Hallstead, PA 18822	Susquehanna

Plan Description: The approved Hallstead-Great Bend
 Joint Sewer Authority's (HGBJSA) Act 537 Sewage Fac-
 ilities Plan Update/Phase II Special Study for Hallstead
 Borough, Great Bend Borough and Great Bend Township,
 Susquehanna County, provides for: rehabilitation, up-
 grade and expansion of the HGBJSA's Wastewater Treat-
 ment Facility; rehabilitation and upgrade of Pumping
 Stations Nos. 1 and 2; rehabilitation of existing grinder
 pump systems, where necessary; and construction of the
 Harmony Village and Route 11 West Sewer Extensions.
 The Department's review has not identified any signifi-
 cant environmental impacts resulting from this proposal.
 Any required NPDES Permits or WQM Permits must be
 obtained in the name of the municipality or authority as
 appropriate.

*Northwest Region: Water Management Program Man-
 ager, 230 Chestnut Street, Meadville, PA 16335-3481.*

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Albion Borough	26 Smock Avenue Albion, PA 16401	Erie

Plan Description: The approved plan provides forre-
 raising the existing Albion Wastewater Treatment Plant's
 organic capacity and constructing additional treatment
 facilities to address current and future organic loadings.

The Department's review of the sewage facilities update
 revision has not identified any significant environmental

impacts resulting from this proposal. Any required
 NPDES Permits or WQM Permits must be obtained in
 the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Oil City	21 Seneca Street Oil City, PA 16301	Venango

Plan Description: The approved plan provides for a 20
 year program to achieve compliance with combined sewer
 overflow (CSO) policies through implementation of a long
 term CSO control plan. Phase 1 includes modifications to
 the Oil City STP to remove flow constrictions. Phase 2
 includes modifications to 16 CSOs to maximize convey-
 ance capacity. Phase 3 includes monitoring of the results
 of Phases 1 and 2 to be completed in 2014. The LTCP
 provides for subsequent construction activities if neces-
 sary to achieve compliance. Any required NPDES Permits
 or WQM Permits must be obtained in the name of the
 municipality or authority as appropriate.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

**Plan Disapprovals Granted under the the Pennsyl-
 vania Sewage Facilities Act (35 P. S. §§ 750.1—
 750.20a)**

*Southcentral Region: Water Management Program Man-
 ager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

Plan Location: 1884 Noss Road, North Codorus Town-
 ship, York County

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
North Codorus Township	c/o Joy Ann Strausbaugh 1986 Stoverstown Rd. Spring Grove, PA 17362	York

Plan Description: The development proposes a 1 lot
 single family residential subdivision utilizing onsite sew-
 age disposal and the project code number is A3-67946-
 289-2. The name of the development is Terry Stump. The
 plan was disapproved because the hydrogeologic study
 contained in the planning information received by the
 Department and required by Chapter 71 Section 71.62(c),
 contained information that the groundwater will be pol-
 luted on a portion of the property and the onsite sewage
 systems proposed for this subdivision will pollute the
 waters of the Commonwealth in violation of the The
 Clean Streams Law (35 P. S. §§ 691.1—691.1001).

**LAND RECYCLING AND
 ENVIRONMENTAL REMEDIATION**

UNDER ACT 2, 1995

PREAMBLE 2

**The following plans and reports were submitted
 under the Land Recycling and Environmental
 Remediation Standards Act (35 P. S. §§ 6026.101—
 6026.908).**

Provisions of Chapter 3 of the Land Recycling and
 Environmental Remediation Standards Act (act) require
 the Department of Environmental Protection (Depart-
 ment) to publish in the *Pennsylvania Bulletin* a notice of
 submission of plans and reports. A final report is submit-
 ted to document cleanup of a release of a regulated
 substance at a site to one of the act's remediation

standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Skelp Level Rd., East Bradford Township, **Chester County**. Clarie E. Macker, Spring Mill Corporate Ctr., 1100 E. Hector St., Suite 6057, Conshohocken, PA 19428 on behalf of Sonoco Prod. Co., 1 N. 2nd St., Hartsville, SC 29550 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with arsenic. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Baldwin School, Lower Merion Township, **Montgomery County**. Samuel J. Kucia, ECI, Inc., 500 E. Washington St., Suite 375, Norristown, PA 19401 on behalf of John Berg, The Baldwin School, 701 Montgomery Ave., Bryn Mawr, PA 19010 has submitted a Final Report concerning remediation of site soil contaminated with No. 4 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Lauer Prop., City of Philadelphia, **Philadelphia County**. Joseph Diamadi, Marshall Geoscience, Inc., 170 East First Ave., Collegeville, PA 19426 on behalf of Lionel Lauer, Wide World Travel, 7300 Bustleton Ave., Philadelphia, PA 19152 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with leaded gasoline. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Tacony Warehouse Site, City of Philadelphia, **Philadelphia County**. William Schmidt, Pennoni Assoc., Inc., One Drexel Plaza, 3001 Market St., Philadelphia, PA 19104 on behalf of Scott Blow, Kaplan @ Tacony, LP, 701 Margaret Ct., South Plainfield, NJ 07080 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with chlorinated solvents,

PCB, No. 2 fuel oil, pesticides and inorganics. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Frankford Arsenal, City of Philadelphia, **Philadelphia County**. Eric Schleicher, P. G., Langan & Env. Svc., Inc., 30 S. 17th St., Suite 1500, Philadelphia, PA 19103 on behalf of Mark Hankin, Arsenal Assoc., LLP, 5301 Tacony St., Bldg. 1, Philadelphia, PA 19137 has submitted a Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with PCB. The report is intended to document remediation of the site to meet the Site-Specific Standard.

ThyssenKrupp Budd Co. Die Storage Yard, City of Philadelphia, **Philadelphia County**. Richard C. Johnson, RT Env. Svc., Inc., 215 W. Church Rd., King of Prussia, 19406 on behalf of Joe DePascale, Hunting Fox Assoc., LP, c/o PREI, 1001 E. Hector St., Suite 100, Conshohocken, PA 19428 has submitted a Risk Investigation and Cleanup Plan Reports concerning remediation of site soil and groundwater contaminated with VOC, PCB, PAH and inorganic. The report is intended to document remediation of the site to meet the Site-Specific Standard and Statewide Health Standard.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

4 Park Avenue Spill Site, Londonderry Township, **Dauphin County**. Alliance Environmental Services, Inc., 1820 Linglestown Road, Harrisburg, PA 17110, on behalf of Leonard Dobson, Sr., and Pine Manor Mobile Home Park, 3857 East Harrisburg Pike, Middletown, PA 17057, submitted a final report concerning remediation of surface water and site soils contaminated with home heating oil. The report was submitted within 90 days if the release and is intended to document remediation of the site to the Statewide Health Standard.

Property at 152 Huntzinger Road, South Heidelberg Township, **Berks County**. Liberty Environmental, Inc., 10 North Fifth Street, Suite 800, Reading, PA 19601, on behalf of Fannie Mae, International Plaza, 15221 Dallas Parkway, Suite 1000, Dallas, TX 75254, submitted a final report concerning remediation of site soils contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to the Statewide Health Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

L. B. Smith, Bellefonte, Spring Township, **Centre County**. Advantage Engineering, 20 South 36th Street, Camp Hill, PA 17011 has submitted a Final Report concerning remediation of groundwater contaminated with No. 2 Fuel Oil. This report is intended to document remediation of the site to meet the Statewide Health Standard requirements.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

International Paper Erie Mill, Main Site Area, City of Erie, **Erie County**. William Staph, Atlantic Environmental Group, Inc., 20990 Neiltown Rd., Pleasantville, PA 16341 on behalf of Patrick Arneault, property owner, Presque Isle Downs, Inc., Rt. 2, P. O. Box 358, Chester, WV 26034 has submitted a Cleanup Plan concerning the remediation of site soil and groundwater contaminated with VOCs, semi-VOCs, diesel fuel, No. 2 fuel oil, inorganics, leaded and unleaded gasoline, PAHs and PCBs. The report is intended to document remediation of the site to meet the Statewide Health Standards.

Halstead Metal Products, Zelienople, **Butler County**. Michael A. Wilson, Shaw Environmental, 1950 S. Florence, Wichita, KS 67209-2833 on behalf of Mueller Industries, Inc., has submitted a Site Specific Cleanup Plan concerning the remediation of site groundwater contaminated with solvents. The Cleanup Plan was approved by the Department on December 28, 2005.

Trinity Ind., City of Butler, **Butler County**. Daniel F. Szwed, Civil & Env. Consultants Inc., 333 Baldwin Rd., Pittsburgh PA 15205 on behalf of Fletcher W. Helmer, CEC, CRS, Trinity Inc., 2525 Stemmons Freeway, Dallas, TX 75207 has submitted a Remedial Investigation Report concerning the remediation of site soil and groundwater contaminated with Lead. The Remedial Investigation Report was approved by the Department on December 30, 2005.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Seton Corp. Ctr. Bldg. B, Lower Providence Township, **Montgomery County**. Michael Kozar, P. G., O'Brien & Gere Eng., Inc., 512 Township Line Rd., Two Valley Sq., Suite 210, Blue Bell, PA 19422 on behalf of Carl Zipfel, Co., 1000 Madison Ave., Norristown, PA 19403 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with chlorinated solvents. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 27, 2005.

Wissinoming Ind. Park, City of Philadelphia, **Philadelphia County**. Cliff Harper, Harper Env. Assoc., 771 Hideaway, Ln., Harleysville, PA 19438 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with PHC. The Final report did not demonstrate attainment of the Statewide Health Standard and was disapproved by the Department on December 16, 2005.

Sheller Oil Co., Inc., Newlin Township, **Chester County**. Joseph Diamadi, Jr., P. G., Marshall Geoscience, Inc., 170 East First Ave., Collegeville, PA 19426 on behalf of Steve Gaul, Sheller Oil Co., Inc., 389 Brandywine Dr., Newlin, PA has submitted a Final Report concerning the remediation of site soil contaminated with lead. The Final report was submitted within 90-days of the release-demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 14, 2005.

Stoltzfus Airfield, Coatesville Township, **Chester County**. Mark Hawkins, Walter B. Satterwaite Assoc., Inc., 720 Old Fern Hill Rd., West Chester, Pa 19380 on behalf of G. Green, Caldera Prop-Valley II c/o Archer & Greiner has submitted a Low Risk Property Final Report concerning the remediation of site soil contaminated with pesticides and arsenic. The Low Risk Property Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 19, 2005.

Manganaro Site, Thornbury Township, **Chester County**. Thomas Marks, Marks Env., 140 Bollinger Rd., Elverson, PA 19520 has submitted a Low Risk Property Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Low Risk Property Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 21, 2005.

HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate a hazardous waste treatment, storage or disposal facility.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

PAD002292068. Rohm & Haas Chemicals LLC, 200 Route 413, Bristol, PA 19007, Bristol Township, **Bucks County**. Corporate reorganization resulting in the operator changing from Rohm & Haas Company to Rohm & Haas Chemicals LLC. Permit modified by the Southeast Regional Office effective January 1, 2006.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 100549. Waste Mgmt. Disposal Services of Pa., Inc., 1425 Sell Road, Pottstown, PA 19464, Douglass and West Pottsgrove Townships, Berks and Montgomery Counties. Permit modified to provide for additional leachate storage capacity to be constructed in increments dependent upon an assessment of cap remediation work. The permit was issued by the Southeast Regional Office on December 23, 2005.

Permit No. 300886. Domino Salvage Inc., 227 Isabella Street, Plymouth Meeting, PA 19642, Plymouth Township, **Montgomery County**. Final closure certification approved for the Veterans Quarry Fly Ash Disposal Site and the permit concurrently revoked. Partial bond release will be processed upon this action becoming final. The final certification was approved and the permit was revoked by the Southeast Regional Office on January 9, 2006.

Permit renewal application denied under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate solid waste processing or disposal area or site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 301311. Eagle Environmental II, LP, 11 New Street, Englewood Cliffs, NJ 07632; for the Royal Oak RW Landfill located in Chest Township, **Clearfield County**. The permit renewal application for the Royal Oak RW Landfill was denied by the Williamsport Regional Office on January 3, 2006.

Persons interested in reviewing the permit may contact David Garg, P. E., Facilities Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3653. TDD users may contact the Department of Environmental Protection through the Pennsylvania Relay Service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

23-312-215GP: Baker Petrolite Corp. (P. O. Box 5050, Sugar Land, TX 77487) on January 9, 2006, to operate storage tanks Nos. 1, 2, 8, and 11 in Eddystone Borough, **Delaware County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

48-310-058GP3: Haines and Kibblehouse, Inc. (P. O. Box 196, 2052 Lucon Road, Skippack, PA 19474) on January 4, 2006, to construct and operate a portable stone crushing plant and associated air cleaning device in Lower Mount Bethel Township, **Northampton County**.

48-310-059GP3: Chrin Brothers, Inc. (400 Greenwood Avenue, Easton, PA 18045) on January 4, 2006, to construct and operate a portable stone crushing plant at the facility at 8th and Main Streets, Tatamy Borough, **Northampton County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

GP3-21-03069: H and K Group (P. O. Box 1467, Skippack, PA 19474) on January 5, 2005, for Portable Nonmetallic Mineral Processing Plant under GP3 in Carlisle Borough, **Cumberland County**.

GP10-36-05118A: R. R. Donnelley and Sons, Co. (391 Steel Way, Lancaster, PA 17601) on January 4, 2005, for Non-Heatset Web Offset Lithographic Printing Press under GP10 in City of Lancaster, **Lancaster County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

GP5-65-00953A: The Peoples Natural Gas Co. (625 Liberty Avenue, Dominion Tower, Pittsburgh, PA 15222) on December 30, 2005, to install and operate one 945 bhp Caterpillar natural gas-fired compressor engine, model No. 3512 TA130LE, at their Armbrust Compressor Station in Hempfield Township, **Westmoreland County**.

GP5-65-00961: Dominion Exploration and Production, Inc. (1415 Louisiana, Suite 2700, Houston, TX 77002) on January 6, 2006, to install and operate one 276 bhp Caterpillar natural gas-fired compressor engine, model No. G 3406TA HCR controlled by a Miratech catalytic converter, model no. MBA-14-06-C1, per permit (GP-5), at the Hickman Booster in Salina, **Westmoreland County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; George Monasky, New Source Review Chief, (814) 332-6940.

GP-62-017: United Refining Co. (Bradley and Dobson Streets, Warren, PA 16365) on December 21, 2005, to install a 20,000-gallon storage tank in Warren, **Warren County**.

GP-62-166: PA General Energy—Zimmerman Hill (Zimmerman Hill Road, Warren, PA 16365) on December 31, 2005, to install compressor engines in Pleasant Township, **Warren County**.

GP-27-031: PA General Energy—Guiton Run (Forest Route 127, Marienville, PA 16239) on December 31, 2005, to install compressor engines in Jenks Township, **Forest County**.

GP-27-022: PA General Energy—WT 5107 (Forest Route 127, Marienville, PA 16239) on December 31, 2005, to install compressor engines in Jenks Township, **Forest County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

13-302-024: Altadis USA, Inc. (100 Tresckow Road, McAdoo, PA 18237) on December 19, 2005, to construct a boiler to be fueled with No. 6 fuel oil in Banks Township, **Carbon County**.

13-318-007: Kovatch Enterprises, Inc. (1 Industrial Complex, Nesquehoning, PA 18240) on December 22, 2005, to construct two paint spray booths and associated air cleaning devices in Plant No. 4 in Nesquehoning Borough, **Carbon County**.

13-318-008: Kovatch Enterprises, Inc. (1 Industrial Complex, Nesquehoning, PA 18240) on December 22, 2005, to construct two paint spray booths and associated air cleaning devices in Plant No. 21 in Nesquehoning Borough, **Carbon County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

01-05023B: Carmeuse Lime, Inc. (Highway 31 S, P. O. Box 37, Saginaw, AL 35137) on January 3, 2006, to install a railcar unloading pit and associated dust collection equipment in Oxford Township, **Adams County**.

36-05027G: R. R. Donnelley and Sons Co. (216 Greenfield Road, Lancaster, PA 17601-5885) on January 3, 2006, to install a new heatset web offset printing press at their Lancaster West facility in City of Lancaster, **Lancaster County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

04-00709B: Colona Transfer, LP (731-733 Washington Road, Suite 302, Pittsburgh, PA 15228) on December 19, 2005, for rail car unloading and barge loading operations at the Colona Dock No. 2 in Monaca Borough, **Beaver County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; George Monasky, New Source Review Chief, (814) 332-6940.

10-281H: II-VI, Inc. (375 Saxonburg Blvd., Saxonburg, PA 16056) on December 27, 2005, to construct a new methylene chloride degreaser at their V Products Building in Saxonburg, **Butler County**. This is a State-only V facility.

24-017A: Morgan Advanced Materials and Technology (441 Hall Avenue, St. Marys, PA 15857) on January 6, 2006, to construct an electric continuous heat treat oven with afterburner/flare used to carbonize coal tar pitch bonded materials and some resin containing materials to manufacture carbon and graphite parts used in mechanical devices in St. Marys City, **Elk County**. This is a State-only V facility.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

46-0033B: Waste Management Disposal Services of PA, Inc. (1425 Sell Road, Pottstown, PA 19464) on January 3, 2006, to operate a landfill gas collection system in West Pottsgrove Township, **Montgomery County**.

15-0010: ISG Plate, LLC (139 Modena Road, Coatesville, PA 19320) on January 6, 2006, to operate a C-12 in City of Coatesville, **Chester County**.

46-313-057E: Republic Environmental System of PA, Inc. (2869 Sandstone Drive, Hatfield, PA 19440) on January 6, 2006, to operate a hazardous waste TSD in Hatfield Township, **Montgomery County**.

46-0146A: Republic Environmental System of PA, Inc. (2869 Sandstone Drive, Hatfield, PA 19440) on January 6, 2006, to operate a waste storage tank in Hatfield Township, **Montgomery County**.

46-0232: Cemco Lift, Inc. (2801 Township Line Road, Hatfield, PA 19440) on January 6, 2006, to operate a spray paint booth in Hatfield Township, **Montgomery County**.

46-0112: Palmer International, Inc. (P. O. Box 315, Skippack, PA 19474) on January 9, 2006, to operate a thermal oxidizer in Skippack Township, **Montgomery County**.

46-0112B: Palmer International, Inc. (P. O. Box 315, Skippack, PA 19474) on January 9, 2006, to operate a thermal oxidizer in Skippack Township, **Montgomery County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

40-305-025: Stockton Anthracite, LP (P. O. Box 546, Hazleton, PA 18201) on December 22, 2005, to construct a coal refuse crushing plant and associated air cleaning device in Hazle Township, **Luzerne County**. The Plan Approval has been extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

55-399-006: Apex Homes, Inc. (247 US Highway 522 North, Middleburg, PA 17842) on January 3, 2006, to operate a modular home manufacturing operation on a temporary basis until May 3, 2006, in Middlecreek Township, **Snyder County**. The plan approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

30-00148A: Dana Mining Company of PA, Inc. (P. O. Box 1170, Morgantown, WV 26507) on January 6, 2006, to complete construction of the coal screening plant in Dunkard Township, **Greene County**. This plan approval was extended.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; George Monasky, New Source Review Chief, (814) 332-6940.

42-177A: Bradford Forest Inc. (444 High Street, P. O. Box 369, Bradford, PA 16701) on December 31, 2005, to install a wood fired boiler with multi cyclone control at the Bradford facility in the Township of Bradford, **McKean County**.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

09-00022: Cleveland Steel Container Corp. (350 Mill Street, Quakertown, PA 18951) on January 9, 2006, to renew the operation of the facility Title V Operating Permit in Quakertown Borough, **Bucks County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

06-05049: Fleetwood Industries, Inc. (225 Peach Street, Leesport, PA 19533-8644) on January 5, 2006, to operate a wooden furniture manufacturing facility including a surface coating operation controlled by dry filters and high solid coatings in St. Lawrence Borough, **Berks County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

46-00069: Highway Materials, Inc. (1750 Walton Road, Blue Bell, PA 19422) on January 4, 2006, to operate a crushing plant of a Synthetic Minor Operating Permit in Whitmarsh Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

36-05104: Ephrata Manufacturing Co. (104 West Pine Street, Ephrata, PA 17522-2062) on January 4, 2006, to operate a gray iron manufacturing facility in the Borough of Ephrata, **Lancaster County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

41-00067: Glenn O. Hawbaker, Inc. (711 East College Avenue, Bellefonte, PA 16823) on December 20, 2005, to operate an asphalt plant (Montoursville Plant No. 15) in Loyalsock Township, **Lycoming County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

37-00290: Ferrotech Corp.—New Castle City (526 Jefferson Street, New Castle, PA 16101) on December 22, 2005, a State Only Amendment Operating Permit to operate the miscellaneous metal work plant in New Castle City, **Lawrence County**.

20-00292: Saegertown Manufacturing Corp. (1 Crawford Street, Saegertown, PA 16433) on December 28, 2005, a Natural Minor operating permit for the metal cold forming plant in Saegertown, **Crawford County**.

27-00015: Tennessee Gas Pipeline Co.—Station 307 (State Highway 66, Marienville, PA 16239) on January 4, 2006, to reissue their Title V Operating Permit in the Howe Township, **Forest County**. The facility transports natural gas through a system of compressors and pipelines. The facility's significant sources are one boiler, four 2,000 hp compressors, one 3,500 hp compressor, one 4,000 hp compressor, one 307 hp electric generator, one 408 hp electric power generator, miscellaneous natural gas usage and fugitive emissions from natural gas leaks and vents. This facility is major for Title V because the potential to emit NOx is more than 100 tons per year. This facility is not subject to the Compliance Assurance Monitoring rule contained in 40 C.F.R. Part 64.

33-00107: Beverage Air, a Division of Carrier Commercial Refrigeration (119 Progress Street, Brookville, PA 15825) on January 6, 2006, a Natural Minor Permit to operate a solvent wipe cleaning operation of metal parts at their refrigeration and heating equipment manufacturer in Brookville Borough, **Jefferson County**.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

15-00035: General Electric Co. (251 South Bailey Road, Downingtown, PA 19335-2003) on January 4, 2006, to amend the operation of a manufacturing plant in Caln Township, Chester County. The permit is for a Title V facility. The facility manufactures specialty plastic pellets as raw material for the injection molding plastics industry. The facility's emission points include thermo-compounding manufacturing lines, parts cleaning ovens, space heaters, degreasing operations, and assorted laboratory and quality control equipment. The facility has the potential to emit major levels of VOCs. Administrative Amendment of Title V Operating Permit issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.450. The amendment clarifies the stack-testing requirement in Section D—Source Level Requirements—for Source IDs 121 (Pyrolysis Cleaning Furnace SCRT-16XL) and 123 (Pyrolysis Cleaning Furnace IGG 52). The permit will include monitoring, recordkeeping and reporting requirements designed to keep the plant operating within all applicable air quality requirements

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

47-00010: Hines Nurseries, Inc. d/b/a Hines Horticulture (233 PPL Road, Danville, PA 17821) on December 22, 2005, via the administrative amendment requirements of 25 Pa. Code § 127.450, to incorporate conditions contained in General Plan Approval and/or General Operating Permit for Small Gas and No. 2 Oil Fired Combustion Units (BAQ-GPA/GP-1) for a 10.758 million Btu per hour natural gas/No. 2 oil-fired boiler and to correct the erroneously stated rated heat input of another boiler in Anthony and Derry Townships, **Montour County**.

Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

14-00032: Glenn O. Hawbaker, Inc. (711 East College Avenue, Bellefonte, PA 16823) on December 21, 2005, to terminate an operating permit for the operation of a stone crushing and screening plant (Pleasant Gap Wash Plant No. 11) in Spring Township, **Centre County** due to discontinuation of facility operation.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

32980106 and NPDES No. PA0234770. M & S Mining, Inc., P. O. Box 343, Punxsutawney, PA 15767-0343, permit renewal for the continued operation and restoration of a bituminous surface mine in East Mahoning Township, **Indiana County**, affecting 81.4 acres. Receiving streams: Pickering Run and Dixon Run classified for the following uses: HQ-CWF. There are no potable water supply intakes within 10 miles downstream. Application received September 30, 2005. Permit issued: January 3, 2006.

32030106 and NPDES No. PA8249475. Thomas J. Smith, Inc., 2340 Smith Road, Shelocta, PA 15774, transfer of an existing bituminous surface-auger mine from Simpson Coal Company, R. R. 1, Box 244, New Alexandria, PA 15670 located in Young Township, **Indiana County**, affecting 9.3 acres. Receiving streams: UNT Blacklegs Creek to Blacklegs Creek to Kiskiminetas River to Allegheny River classified for the following uses: CWF; WWF. There are no potable water supply intakes within 10 miles downstream. Application received October 13, 2005. Permit issued January 3, 2006.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

16040101. Ben Hal Mining Company (389 Irishtown Road, Grove City, PA 16127) revision to an existing bituminous strip operation to change the post-mining

land use from forestland to unmanaged natural habitat in Limestone Township, **Clarion County**. Receiving stream: Piney Creek. Application received: November 4, 2005. Permit Issued: December 30, 2005.

43793003 and NPDES Permit No. PA0099783. Rusnak Coal Company (P. O. Box 44, Grove City, PA 16127) Renewal of an existing bituminous strip and auger operation in Wolf Creek Township, **Mercer County** affecting 125.0 acres. This renewal is issued for reclamation only. Receiving stream: UNT to Black Run. Application received: November 4, 2005. Permit Issued: December 30, 2005.

Moshannon District Mining Office: 186 Enterprise Drive, Phillipsburg, PA 16866, (714) 342-8200.

17970109 and NPDES No. PA0220647. M. B. Energy, Inc. (P. O. Box 1319, Indiana, PA 15701-1319). Permit renewal issued for continued operation and reclamation of a bituminous surface mining and auger site located in Chest Township, **Clearfield County**, affecting 258.0 acres. Receiving streams: UNTs of Chest Creek to Chest Creek to the West Branch of the Susquehanna River. Application received: April 1, 2005. Renewal permit issued: December 8, 2005.

17030115 and NPDES No. PA0243612. Hilltop Coal Company (12 Dutchtown Road, Houtzdale, PA 16651), revision of an existing bituminous surface mine to add an additional 2.8 acres, extend existing roadway variance, add blasting activity to the permit, and revise erosion and sedimentation control plan to include addition of sedimentation pond and collection ditches to handle runoff from additional area, in Bigler Township, **Clearfield County**, affecting 199.0 acres. Receiving streams: Japling Run and UNTs and UNT to Muddy Run. Application received: December 16, 2005.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

54020101C4. Summit Anthracite, Inc. (196 Vista Road, Klingerstown, PA 17941), correction to an existing anthracite surface mine operation to include coal ash placement in Porter Township, **Schuylkill County** affecting 300.0 acres. Receiving stream: East Branch Rausch Creek. Application received September 6, 2005. Correction issued January 5, 2006.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (73 P. S. §§ 151—161) and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Moshannon District Mining Office: 186 Enterprise Drive, Phillipsburg, PA 16866, (814) 342-8200.

14054028. Glenn O. Hawbaker (P. O. Box 135, State College, PA 16804), construction blasting for Amberleigh sub-division residential housing development located in Spring Township, **Centre County** with an expiration date of December 25, 2006. Permit issued December 30, 2005.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

35054126. Austin Powder Co. (25800 Science Park Drive, Cleveland, OH 44122), construction blasting for Fabcor Commons in Moosic Borough, **Lackawanna**

County with an expiration date of December 22, 2006. Permit issued December 30, 2005.

21054183. Douglas Explosives, Inc. (P. O. Box 77, Philipsburg, PA 16866), construction blasting for Evergreen Development in Silver Spring Township, **Cumberland County** with an expiration date of December 20, 2006. Permit issued January 4, 2006.

21054184. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting for Sterling Glen in Silver Spring Township, **Cumberland County** with an expiration date of January 30, 2007. Permit issued January 4, 2006.

22064101. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033), construction blasting for Southpoint Meadows in Derry Township, **Dauphin County** with an expiration date of January 30, 2007. Permit issued January 4, 2006.

28054170. Geological Technologies, Inc. (P. O. Box 70, Falling Waters, WV 25419), construction blasting for Baltusrol Drive in Greene Township, **Franklin County** with an expiration date of June 1, 2006. Permit issued January 4, 2006.

45054132. Hayduk Enterprises (P. O. Box 554, Dalton, PA 18414), construction blasting for sewer line on Barlesta Road in Hazle Township, **Luzerne County** with an expiration date of June 30, 2006. Permit issued January 4, 2006.

45054160. Explosive Services, Inc. (7 Pine Street, Bethany, PA 18431), construction blasting for Paragon Homes in Mt. Pocono Borough, **Monroe County** with an expiration date of December 31, 2006. Permit issued January 4, 2006.

36064101. Warren's Excavating & Drilling, Inc. (P. O. Box 189, Bowmansville, PA 17507), construction blasting for Penn Township Waste Water Treatment Plant in Penn Township, **Lancaster County** with an expiration date of January 31, 2007. Permit issued January 5, 2006.

38064101. Keystone Blasting Service (381 Reifsnyder Road, Lititz, PA 17543), construction blasting for Cornwall Hills Development in Cornwall Borough, **Lebanon County** with an expiration date of December 30, 2006. Permit issued January 5, 2006.

40054131. Hayduk Enterprises (P. O. Box 554, Dalton, PA 18414), construction blasting for Fairmount Township Quarry in Fairmount Township, **Luzerne County** with an expiration date of January 31, 2007. Permit issued January 5, 2006.

40054132. Austin Powder Co. (25800 Science Park Drive, Cleveland, OH 44122), construction blasting at the Humboldt Industrial Park in the City of Hazleton, **Luzerne County** with an expiration date of January 1, 2007. Permit issued January 5, 2006.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the

applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E0-601: Commerce Bank/Harrisburg, N. A., 100 Senate Avenue, Camp Hill, PA 17011 in Spring Township, **Berks County**, ACOE Philadelphia District.

To install and maintain a 60-inch by 84-inch concrete box culvert structure to enclose 180 feet of an existing storm water swale, tributary to Wyomissing Creek (CWF), for the purpose of constructing a bank and parking lot on a 1.81-acre vacant lot at the intersection of SR 724 and Bradley Avenue (Sinking Spring, PA Quadrangle, N: 12.3 inches; W: 0.5 inch; Latitude: 40° 19' 04"N, Longitude: 76° 00' 11"W) in Spring Township, Berks County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

E19-249. Columbia County, Columbia County Commissioners, P. O. Box 380, Bloomsburg, PA 17815. Bridge Rehabilitation, in Greenwood Township, **Columbia County**, ACOE Baltimore District (Bloomsburg, PA Quadrangle N: 22.1 inches; W: 7.79 inches).

To rehabilitate and maintain the existing single span timber queen post truss covered bridge which has a clear

span of 38.7 feet, a curb-to-curb width of 13.25 feet and is on a 90° skew to the roadway baseline.

Rehabilitation will include construction of new reinforced concrete abutments and wingwalls that replicate the appearance of the original units. Deteriorated timber members will be replaced. R-6 rock will be placed around the substructure units for scour protection. Sediment deposits are to be removed from a 2,000 square foot area immediately upstream of the bridge for a distance of about 60 feet. A two phase temporary dike system will be constructed of shoring and precast barrier, polyethylene liner and sandbags to divert upstream water around construction activities.

The project is located on T-572 about 0.25 mile off Utt Road.

The project will not impact wetlands while impacting about 190 feet of waterway. Mud Run is a TSF.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1479. Maronda Homes, Inc., 202 Park West Drive, Pittsburgh, PA 15275. To construct arch culverts in Harrison Township, **Allegheny County**, Pittsburgh ACOE District. (Freeport, PA Quadrangle N: 2.07 inches; W: 10.68 inches and Latitude: 40° 38' 11"—Longitude: 79° 42' 07"). To construct and maintain: 1) an arch culvert having a span of 14.0 feet with an underclearance of 7.0 feet in a UNT to the Allegheny River (WWF) located under Crown Pointe Circle; 2) an arch culvert having a span of 5.0 feet with an underclearance of 2.58 feet in a UNT to the Allegheny River (WWF) located under Cherry Bark; 3) a 36-inch diameter culvert in a UNT to the Allegheny River (WWF) and associated wetlands located under Allegheny Drive; 4) several utility line crossings and outfall structures; and 5) to place and maintain fill in watercourses and a de minimis area of wetland for the purpose of constructing the Oakridge Estates Residential Development. The project is located approximately 1,200 feet northeast from the intersection of Eisenhower Drive and Buchanan Street and will impact 1,053.0 linear feet of stream channel and a de minimis area (0.04 acre) of wetlands.

E02-1510. WPXI Television, 11 Television Hill, Pittsburgh, PA 15214-1400. To place fill in wetlands in the City of Pittsburgh, **Allegheny County**, Pittsburgh ACOE District. (Pittsburgh West, PA Quadrangle N: 21.8 inches; W: 1.4 inches and Latitude: 40° 29' 42"—Longitude: 80° 00' 36"). To place fill in approximately 0.55 acre of PEM wetlands for the purpose of constructing a new WPXI office complex. The project is located just west from the intersection of Evergreen Road and Ivory Avenue and will impact 0.55 acre of PEM wetlands. The applicant proposes to mitigate 0.74 acre of wetlands to compensate for the wetland impacts.

E04-309. John P. Keppel, 3074 Legionville Road, Baden, PA 15005. To construct a bridge in Harmony Township, **Beaver County**, Pittsburgh ACOE District. (Ambridge, PA Quadrangle N: 22.3 inches; W: 12.7 inches and Latitude: 40° 37' 21"—Longitude: 80° 12' 55"). To construct and maintain a bridge having a span of 38.0 feet with an underclearance of 8.0 feet across the channel of South Branch Legionville Run (WWF) for the purpose of providing access to applicant's property. The project is located approximately 800 feet southeast from the intersection of Legionville Road and North Legionville Road on the south side of Legionville Road and will impact 17.0 linear feet of stream channel.

E32-473. Indiana County Conservation District, USDA Service Center, 1432 Route 286 Highway East, Indiana, PA 15701-1467. To construct an outfall structure in Canoe Township, **Indiana County**, Pittsburgh ACOE District. (Rochester Mills, PA Quadrangle N: 16.3 inches; W: 6.3 inches and Latitude: 40° 50' 25"—Longitude: 78° 55' 15"). To construct and maintain an outfall structure in the left bank of North Branch of Little Mahoning Creek (HQ-CWF) for the purpose of construction of a passive abandoned mine drainage treatment system.

E65-882. Department of Transportation, P. O. Box 459, Uniontown, PA 15401. To maintain a culvert in Allegheny Township, **Westmoreland County**, Pittsburgh ACOE District. (Project begins at Vandergrift, PA Quadrangle N: 17.8 inches; W: 15.3 inches and Latitude: 40° 36' 29"—Longitude: 79° 36' 16"). To operate and maintain an 8-foot diameter culvert located in a tributary to Pine Run (WWF); to invert pave the bottom of the existing culvert; to replace and maintain 10 feet of the upstream end of the culvert; to construct and maintain a 14 LF extension on the upstream end; to construct and maintain a 50-foot long relocated channel on the upstream end of the culvert extension; to construct and maintain a 10-foot long extension to a 2-foot diameter culvert located in a tributary to Pine Run with a drainage area under 100 acres on the downstream end; to construct and maintain a 20-foot long riprap energy dissipater to the extended culvert; to construct and maintain a 5-foot long extension on the upstream end of an 18-inch diameter culvert located in a tributary to Pine Run with a drainage area under 100 acres; to construct and maintain a 10-foot long riprap channel upstream of the culvert extension; to construct and maintain an 8-foot long extension on the upstream end to an 18-inch diameter culvert located in a tributary to Pine Run with a drainage area under 100 acres; to construct and maintain a 12-foot extension on the downstream end of the existing culvert; to relocate and maintain 70 feet of a UNT to Pine Creek; to relocate and maintain 10 feet of a UNT to Pine Creek; and to place and maintain fill in 0.03 acre of wetlands (PEM). The work is for the widening of SR 4048 starting at its intersection with SR 356 to the south and SR 56 to the north.

E65-884. Department of Transportation, P. O. Box 459, Uniontown, PA 15401. To construct a bridge in New Stanton Borough, **Westmoreland County**, Pittsburgh ACOE District.

1. Construct and maintain a two-span bridge; each span is approximately 175 feet long across a UNT to Sewickley Creek (WWF) (Mount Pleasant, PA Quadrangle N: 18.3 inches; W: 15.5 inches and Latitude: 40° 13' 30"—Longitude: 79° 35' 36"). One of the spans will cross over the UNT with an approximate clearance of 45 feet and the other span will cross over the adjacent Turnpike. Approximately 28 feet of riprap scour protection will be placed at existing contour along the east bank and approximately 30 feet beyond the west bank for the western abutment. A temporary stream crossing in accordance with GP-8 will be constructed at this site to facilitate construction.

2. Construct and maintain a relocation of an existing culvert and stream section by relocating and extending a 131 LF, 5-foot diameter culvert to a total of 164 LF; fill and maintain 174 feet of stream; construct and maintain 132 feet of stream; and fill and maintain 0.02 acre of de minimis PEM wetland in an adjacent UNT to Sewickley Creek (WWF) and drainage area of 59.5 acres (Mount Pleasant, PA Quadrangle N: 18.6 inches; W: 15.2 inches and Latitude: 40° 13' 40"—Longitude: 79° 35' 31").

This project is associated with the widening and relocation of SR 3111 between the Byers Avenue and Broadview Road intersections

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

EA38-003: Cornwall Borough, P. O. Box 667, Cornwall, PA 17076 in Cornwall Borough, **Lebanon County**, ACOE Baltimore District.

To construct and maintain a streambank stabilization project within a 545 linear foot section of Snitz Creek

(TSF) located between Route 419 and Burd Coleman Road at Howard E. Bashore Park (Lebanon, PA Quadrangle N: 4.0 inches; W: 5.2 inches) in Cornwall Borough, Lebanon County. The project consists of the construction of:

- 1) Toe benches on both sides of Snitz Creek approximately 115 feet downstream of Burd Coleman Road.
- 2) One rock vane and one toe bench approximately 250 feet downstream of Burd Coleman Road.
- 3) One toe bench approximately 370 feet downstream of Burd Coleman Road.
- 4) One toe bench approximately 480 feet downstream of Burd Coleman Road.

STORAGE TANKS SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101—6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Land Recycling and Waste Management, Director, P. O. Box 8763, Harrisburg, PA 17105-8763.

<i>SSIP Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
06-63-003	American Iron Oxide Co. 661 Andersen Drive Foster Plaza No. 7 Pittsburgh, PA 15220 Attn: Franz Mullings	Washington	Allenport Borough	Two ASTs storing regulated substances	73,000 gallons total

SPECIAL NOTICES

Planning Grant Awards Under Section 901 of the Municipal Waste Planning Recycling and Waste Reduction Act of 1988, ACT 101

The Department of Environmental Protection (Department) announces the following grants to counties under the Pennsylvania Municipal Waste Planning, Recycling and Waste Reduction Act of 1988, Act 101, P. L. 556, section 901 and section 208 of the Waste Tire Recycling Act/Small Business and Household Pollution Prevention Act (Act 190 of 1996).

Planning grants are awarded to counties for 80% of approved costs for preparing municipal waste management plans as required by Act 101, for carrying out related studies, surveys, investigations, inquiries, research and analysis, including those related to siting, environmental mediation, education programs on pollution prevention and household hazardous waste and providing technical assistance to small businesses for pollution prevention. Grants may be awarded for feasibility studies and project development for municipal waste processing or disposal facilities, except for facilities for the combustion of municipal waste that are not proposed to be operated for the recovery of energy. Grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101 and the availability of moneys in the Recycling Fund.

Inquiries regarding the grant offerings should be directed to Sally Lohman, Chief, Waste Planning Section, Department of Environmental Protection, Bureau of Land Recycling and Waste Management, Division of Waste Minimization and Planning, P. O. Box 8472, Harrisburg, PA 17105-8472.

Act 101, Section 901 Planning Grant

<i>Region</i>	<i>County</i>	<i>Applicant</i>	<i>Project Description</i>	<i>Grant Award</i>
Southwest	Greene	Greene County	Plan Revision	\$65,372
Northwest	Mercer	Mercer County Solid Waste Authority	Recycling Sustainability Study	\$13,261

Categorical Exclusion

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Berwick Borough	344 Market St. Berwick, PA 18603	Columbia

Description: The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is intended to be the funding source for this project. The Berwick Area Joint Sewer Authority proposes to convert the existing oxidation ditches to a Simultaneous Nitrification/Denitrification in Series Operation. The Department of Environmental Protection's (Department) review of the project and the information received has not identified any significant,

adverse environmental impacts resulting from this proposal. The Department has categorically excluded this project from the State Environmental Review Process.

[Pa.B. Doc. No. 06-95. Filed for public inspection January 20, 2006, 9:00 a.m.]

State Water Plan; Statewide Water Resources Committee; Critical Water Planning Area Subcommittee Meeting

The Critical Water Planning Area Subcommittee of the Act 220 State Water Plan Statewide Committee has scheduled a meeting to discuss the development of guidelines for writing Critical Area Resource Plans. The meeting will be held on January 31, 2006, at 10 a.m. in the 12th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105.

Questions concerning this meeting should be directed to Susan Weaver, Division of Water Use Planning, P. O. Box 8555, Harrisburg, PA 17105-8555, (717) 783-8055, suweaver@state.pa.us.

Persons with a disability who require accommodations to attend the meeting should contact the Department of Environmental Protection (Department) at (717) 705-2425 or through the Pennsylvania AT&T Relay Services at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-96. Filed for public inspection January 20, 2006, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Children's Hospital of Pittsburgh for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Children's Hospital of Pittsburgh has requested an exception to the requirements of 28 Pa. Code §§ 553.1, 553.3, 553.4, 553.31, 555.3 and 555.4, Chapter 557 and Chapter 563.

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number or for speech and/or

hearing impaired persons, V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-97. Filed for public inspection January 20, 2006, 9:00 a.m.]

Application of Coordinated Health Orthopedic Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Coordinated Health Orthopedic Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards) which requires compliance with minimum standards contained in *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standards: 7.7.A1 and 7.7.B1 and B2 (relating to general operating room; pre-op bays; and PACU patient bays).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-98. Filed for public inspection January 20, 2006, 9:00 a.m.]

Application of Delaware County Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Delaware County Memorial Hospital has requested an exception to the requirements of 28 Pa. Code § 107.2 (relating to medical staff membership).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-99. Filed for public inspection January 20, 2006, 9:00 a.m.]

Application of Edgewood Surgical Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Edgewood Surgical Hospital has requested an exception to the requirements of 28 Pa. Code § 107.2 (relating to medical staff membership).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-100. Filed for public inspection January 20, 2006, 9:00 a.m.]

Application of Elmwood Endoscopy Center, PC for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Elmwood Endoscopy Center, PC has requested an exception to the requirements of 28 Pa. Code § 555.31 (relating to principle).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-101. Filed for public inspection January 20, 2006, 9:00 a.m.]

Application of Fulton County Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Fulton County Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards) which requires compliance with minimum standards contained in *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standards: 7.3.A.14, 7.3.A15(a)—(h) and 7.3.A16(g) (relating to ICU, PACU and central services).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-102. Filed for public inspection January 20, 2006, 9:00 a.m.]

Application of Hamot Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Hamot Surgery Center has requested an exception to the requirements of 28 Pa. Code § 551.21 (relating to criteria for ambulatory surgery).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-103. Filed for public inspection January 20, 2006, 9:00 a.m.]

Application of Lancaster Gastroenterology Procedure Center, LLC for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Lancaster Gastroenterology Procedure Center, LLC has requested an exception to the requirements of 28 Pa. Code § 555.31 (relating to principle).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-104. Filed for public inspection January 20, 2006, 9:00 a.m.]

Application of Ophthalmology Laser & Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Ophthalmology Laser & Surgery Center has

requested an exception to the requirements of 28 Pa. Code § 555.31 (relating to principle).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-105. Filed for public inspection January 20, 2006, 9:00 a.m.]

Application of Reading Endoscopy Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Reading Endoscopy Center has requested an exception to the requirements of 28 Pa. Code § 555.31 (relating to principle).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-106. Filed for public inspection January 20, 2006, 9:00 a.m.]

Application of Sharon Regional Health System for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Sharon Regional Health System has requested an exception to the requirements of 28 Pa. Code § 127.32 (relating to written orders).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of

Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number or for speech and/or hearing impaired persons, V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-107. Filed for public inspection January 20, 2006, 9:00 a.m.]

Application of Susquehanna Valley Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Susquehanna Valley Surgery Center has requested an exception to the requirements of 28 Pa. Code § 551.21(d)(2) (relating to criteria for ambulatory surgery).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-108. Filed for public inspection January 20, 2006, 9:00 a.m.]

Application of West Shore Endoscopy Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that West Shore Endoscopy Center has requested an exception to the requirements of 28 Pa. Code § 555.31 (relating to principle).

The request is on file with the Department. Persons may receive a copy of a request for exception by request-

ing a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-109. Filed for public inspection January 20, 2006, 9:00 a.m.]

Laboratories Approved to Determine Analyses of Blood and/or Serum for Controlled Substances

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (35 P.S. §§ 2151—2165) and/or the Federal Clinical Laboratory Improvement Act of 1967 (42 U.S.C.A. § 263a) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood and/or serum for the determination of controlled substances. This approval is based on demonstrated proficiency in tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in blood and/or serum.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory analyses on blood and/or serum. Laboratories approved to perform screening analyses are designated on the approval list by an "S" followed by the letters "B" for blood and/or "Se" for serum. Laboratories approved to screen both blood and serum would therefore have "SBSe" listed after their laboratory name. Laboratories approved to offer confirmatory analyses will be designated on the approval list by a "C" followed by the letters "B" for blood and/or "Se" for serum. Laboratories approved to perform confirmatory analyses on both serum and blood would therefore have "CBSe" listed after the name of their laboratory.

Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic blood and/or serum analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the medicolegal purposes. They should also determine that the director of the facility is

agreeable to performing analyses for forensic purposes. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The name of a laboratory is sometimes changed but the location, personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name of the facility changed, the Clinical Laboratory Permit numbers of the facilities are included in the lists of approved laboratories above the name of the laboratory at the time the list was prepared.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to M. Jeffery Shoemaker, Ph.D., Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

000671
ALLEG CNTY CORONERS DIV OF LABS—SBSe, CBSe
542 FORBES AVENUE
ROOM 10 COUNTY OFFICE BUILDING
PITTSBURGH, PA 15219
412-350-6873

000452
ANALYTIC BIO-CHEMISTRIES INC—SBSe, CBSe
1680-D LORETTA AVENUE
FEASTERVILLE, PA 19053
215-322-9210

000266
DEPT OF PATHOLOGY & LAB MED-HUP—SSe, CSe
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
215-662-6882

000977
DRUGSCAN INC—SBSe, CBSe
1119 MEARNES RD, PO BOX 2969
WARMINSTER, PA 18974
215-674-9310

000654
GUTHRIE CLINIC PATH LAB—SSe
GUTHRIE SQUARE
SAYRE, PA 18840
570-888-5858

024655
HEALTH NETWORK LABORATORIES—SBSe, CBSe
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
610-402-8150

020512
LABCORP OCCUPATIONAL TESTING SER—SBSe, CBSe
1904 ALEXANDER DRIVE
PO BOX 12652
RESRCH TRINGL PARK, NC 27709
919-572-7465

009003
MAYO CLINIC DEPT LAB MED & PATH—SBSe, CBSe
200 FIRST STREET SW HILTON 530
ROCHESTER, MN 55905
507-284-3018

005574
MEDTOX LABORATORIES INC—SBSe, CBSe
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
651-636-7466

000504
NATIONAL MED SERVICES INC LAB—SBSe, CBSe
3701 WELSH ROAD
WILLOW GROVE, PA 19090
215-657-4900

000520
PITTSBURGH CRIMINALISTICS LABORATORY—SBSe, CBSe
1320 FIFTH AVENUE
PITTSBURGH, PA 15219
412-391-6118

001136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SBSe, CBSe
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
703-802-6900

000482
QUEST DIAGNOSTICS OF PA INC—SBSe, CBSe
875 GREENTREE RD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
412-920-7600

025461
QUEST DIAGNOSTICS VENTURE LLC—SBSe, CBSe
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
412-920-7631

000151
ST JOSEPH QUALITY MEDICAL LAB—SBSe, CBSe
215 NORTH 12TH STREET BOX 316
READING, PA 19603
610-378-2200

007731
WESTERN RESERVE CARE SYSTEM—SSe, CSe
500 GYPSY LANE
YOUNGSTOWN, OH 44501
330-884-3767

000018
WVHCS HOSP DBA PENNANT LABORATORY—SSe
575 NORTH RIVER STREET
WILKES BARRE, PA 18764
570-829-8111

000141
 YORK HOSPITAL—SSe
 1001 SOUTH GEORGE STREET
 YORK, PA 17405
 717-851-2345

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-110. Filed for public inspection January 20, 2006, 9:00 a.m.]

Laboratories Approved to Determine Blood Alcohol Content

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood and/or serum and plasma. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories.

Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the analysis of serum proficiency testing specimens are approved to analyze both serum and plasma. These laboratories are also approved and designated under the provisions of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood and/or serum and plasma. Laboratories located outside the Commonwealth may not provide blood and/or serum and plasma alcohol testing services in this Commonwealth unless they are specifically licensed by the Department under the Clinical Laboratory Act.

Persons seeking forensic blood and/or serum and plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes and that the director of the facility is agreeable to performing determinations for this purpose. The list of approved laboratories will be revised approximately semi-annually and published in the *Pennsylvania Bulletin*.

The name of a laboratory is sometimes changed but the location, personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name of the facility changed, the Clinical Laboratory Permit numbers of the facilities are included in the lists of approved laboratories above the name of the laboratory at the time the list was prepared.

The Department's blood alcohol and serum/plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services (HHS) in accordance with the requirements contained in the Clinical Laboratory Improvement Amendments of 1988 (42 CFR §§ 493.901 and 493.937) which are administered by the Centers for Medicare and Medicaid Services (CMS). Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols S and B indicate the following:

S=approved for serum and plasma analyses

B=approved for blood analyses

SB=approved for serum, plasma and blood analyses

000212
 ABINGTON MEMORIAL HOSPITAL—S
 1200 OLD YORK ROAD
 ABINGTON, PA 19001
 215-576-2350

027180
 ADVANCED TOXICOLOGY NETWORK—B
 3560 AIR CENTER COVE SUITE 101
 MEMPHIS, TN 38118
 901-794-5770

000233
 ALBERT EINSTEIN MEDICAL CENTER—S
 5501 OLD YORK ROAD
 PHILADELPHIA, PA 19141
 215-456-6100

000040
 ALIQUIPPA COMMUNITY HOSPITAL LABORATORY—S
 2500 HOSPITAL DRIVE
 PATHOLOGY DEPT
 ALIQUIPPA, PA 15001
 724-857-1240

000671
 ALLEG CNTY CORONERS DIV OF LABS—SB
 542 FORBES AVENUE
 ROOM 10 COUNTY OFFICE BUILDING
 PITTSBURGH, PA 15219
 412-350-6873

000094
 ALLEGHENY GEN HOSP SUBURBAN CAMPUS LAB—S
 100 SOUTH JACKSON AVENUE
 BELLEVUE, PA 15202
 412-734-6020

028233
 ALLEGHENY GENERAL HOSP DEPT OF LAB MED—B
 320 E NORTH AVENUE
 PITTSBURGH, PA 15212
 412-359-6886

- 000077
ALLEGHENY GENERAL HOSPITAL—B
1307 FEDERAL STREET
PITTSBURGH, PA 15212
412-359-3521
- 000100
ALLEGHENY VALLEY HOSPITAL LAB—S
1300 CARLISLE ST
NATRONA HEIGHTS, PA 15065
724-224-5100
- 000120
ALTOONA REGIONAL HEALTH SYSM-BON SECOURS
CAMPUS—SB
2500 SEVENTH AVENUE
ALTOONA, PA 16602-2099
814-949-4495
- 000119
ALTOONA REGIONAL HEALTH SYSTEM LAB—SB
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
814-946-2340
- 000452
ANALYTIC BIO-CHEMISTRIES INC—SB
1680-D LORETTA AVENUE
FEASTERVILLE, PA 19053
215-322-9210
- 000041
ARMSTRONG COUNTY MEMORIAL HOSP—S
1 NOLTE DRIVE
KITTINGING, PA 16201
724-543-8122
- 000047
ASSOCIATED CLINICAL LABORATORIES—SB
1526 PEACH STREET
ERIE, PA 16501
814-461-2400
- 000320
BARNES KASSON HOSPITAL LAB—S
400 TURNPIKE STREET
SUSQUEHANNA, PA 18847
570-853-3135
- 000033
BRADFORD REGIONAL MEDICAL CENTER—SB
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
814-362-8247
- 000296
BRANDYWINE HOSPITAL—S
201 REECEVILLE ROAD ATTN: LABORATORY
COATESVILLE, PA 19320
610-383-8000
- 000102
BROWNSVILLE GENERAL HOSPITAL—S
125 SIMPSON RD
BROWNSVILLE, PA 15417
724-785-7200
- 000301
BUTLER MEMORIAL HOSPITAL—S
911 EAST BRADY STREET
BUTLER, PA 16001
724-284-4510
- 000107
CANONSBURG GENERAL HOSPITAL—SB
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
724-745-3916
- 000131
CARLISLE REGIONAL MEDICAL CENTER—S
246 PARKER ST
CARLISLE, PA 17013
717-249-1212
- 000215
CENTRAL MONTGOMERY MEDICAL CENTER—S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
215-368-2100
- 000132
CHAMBERSBURG HOSPITAL DEPT OF PATHOL-
OGY—S
112 NORTH SEVENTH STREET
CHAMBERSBURG, PA 17201
717-267-7153
- 000310
CHARLES COLE MEMORIAL HOSPITAL—S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
814-274-9300
- 000198
CHESTER COUNTY HOSPITAL—S
701 E MARSHALL ST
WEST CHESTER, PA 19380
610-431-5182
- 000227
CHESTNUT HILL HOSPITAL—S
8835 GERMANTOWN AVENUE
DEPT OF PATHOLOGY
PHILADELPHIA, PA 19118
215-248-8630
- 000228
CHILDRENS HOSP OF PHILADELPHIA—S
ONE CHILDREN'S CENTER 34TH & CIVIC
PHILADELPHIA, PA 19104
215-590-1000
- 000329
CLARION HOSPITAL—SB
1 HOSPITAL DRIVE
CLARION, PA 16214
814-226-9500
- 000026
CLEARFIELD HOSPITAL LABORATORY—S
809 TURNPIKE AVE PO BOX 992
CLEARFIELD, PA 16830
814-768-2280
- 000034
COMMUNITY HOSPITAL—B
NORTH FRALEY STREET
KANE, PA 16735
814-837-4575
- 000005
COMMUNITY MEDICAL CENTER—S
1800 MULBERRY STREET
SCRANTON, PA 18510
570-969-8000

000125
CONEMAUGH VALLEY MEMORIAL HOSP—SB
1086 FRANKLIN STREET
JOHNSTOWN, PA 15905-4398
814-534-9000

000326
CORRY MEMORIAL HOSPITAL—S
612 WEST SMITH STREET
CORRY, PA 16407
814-664-4641

000201
CROZER CHESTER MED CENTER—S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
610-447-2000

000209
CROZER-CHESTER MED CTR-SPRINGFLD—S
190 WEST SPROUL ROAD
SPRINGFIELD, PA 19064
610-447-2000

000204
DELAWARE COUNTY MEMORIAL HOSP—S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
610-284-8100

000266
DEPT OF PATHOLOGY & LAB MED-HUP—SB
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
215-662-6882

000194
DOYLESTOWN HOSPITAL—S
595 WEST STATE STREET
DOYLESTOWN, PA 18901
215-345-2250

000977
DRUGSCAN INC—SB
1119 MEARNS RD, PO BOX 2969
WARMINSTER, PA 18974
215-674-9310

000027
DUBOIS REG MED CTR—WEST UNIT—S
100 HOSPITAL AVE
DUBOIS, PA 15801
814-371-2200

000175
EASTON HOSPITAL—B
250 SOUTH 21ST ST
EASTON, PA 18042-3892
610-250-4140

000332
ELLWOOD CITY HOSPITAL—S
724 PERSHING ST
ELLWOOD CITY, PA 16117
724-752-0081

000164
EPHRATA COMMUNITY HOSPITAL—S
169 MARTIN AVE PO BOX 1002
EPHRATA, PA 17522
717-733-0311

000032
ERHC ST MARYS LABORATORY—B
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
814-788-8525

000181
EVANGELICAL COMMUNITY HOSPITAL—S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
570-522-2510

000192
FRANKFORD HOSP BUCKS CO CAMPUS—S
380 NORTH OXFORD VALLEY ROAD
LANGHORNE, PA 19047-8304
215-934-5227

000341
FRANKFORD HOSP TC LAB—S
RED LION & KNIGHTS ROADS
ATTN P FARANO MD
PHILADELPHIA, PA 19114
215-612-4000

000236
FRANKFORD HOSPITAL FRANK DIV—S
FRANKFORD AVE & WAKELING ST
PHILADELPHIA, PA 19124
215-831-2068

000115
FRICK HOSPITAL—S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
724-547-1500

000330
FULTON COUNTY MEDICAL CENTER—S
216 SOUTH FIRST STREET
MCCONNELLSBURG, PA 17233
717-485-3155

000173
GEISINGER MEDICAL CENTER—SB
N ACADEMY RD
DANVILLE, PA 17822
570-271-6338

000017
GEISINGER SOUTH WILKES-BARRE HOSPITAL—S
25 CHURCH STREET
PO BOX 658
WILKES BARRE, PA 18765
570-826-3100

000019
GEISINGER WYOMING VALLEY MED CTR—S
1000 E MOUNTAIN DRIVE
WILKES BARRE, PA 18711
570-826-7830

000237
GERMANTOWN COMM HLTH WILLOW TERR—S
ONE PENN BOULEVARD
PHILADELPHIA, PA 19144
215-951-8800

000122
GETTYSBURG HOSPITAL—SB
147 GETTYS STREET
GETTYSBURG, PA 17325
717-334-2121

- 000152
GNADEN HUETTEN MEMORIAL HOSP—S
211 NORTH 12TH STREET
LEHIGHTON, PA 18235
610-377-7083
- 000299
GOOD SAMARITAN HOSPITAL—B
4TH & WALNUT STS PO BOX 1281
LEBANON, PA 17042-1218
717-270-7500
- 000182
GOOD SAMARITAN REGIONAL MED CTR—S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
570-621-4032
- 000238
GRADUATE HOSPITAL—S
1800 LOMBARD STREET
PHILADELPHIA, PA 19146
215-893-7496
- 000196
GRAND VIEW HOSPITAL—S
700 LAWN AVE
SELLERSVILLE, PA 18960
215-453-4528
- 000061
GROVE CITY MEDICAL CENTER—SB
631 NORTH BROAD STREET EXT
GROVE CITY, PA 16127
724-450-7125
- 000654
GUTHRIE CLINIC PATH LAB—S
GUTHRIE SQUARE
SAYRE, PA 18840
570-888-5858
- 000239
HAHNEMANN UNIVERSITY HOSPITAL—S
BROAD & VINE STS MS 113
PHILADELPHIA, PA 19102
215-762-1783
- 000046
HAMOT MEDICAL CENTER—S
201 STATE STREET
ERIE, PA 16550
814-877-3131
- 000139
HANOVER HOSPITAL, INC.—SB
300 HIGHLAND AVE
HANOVER, PA 17331
717-637-3711
- 000155
HARRISBURG HOSPITAL LABORATORY—SB
SOUTH FRONT STREET
HARRISBURG, PA 17101
570-782-2832
- 000010
HAZLETON GENERAL HOSPITAL—S
700 EAST BROAD
HAZLETON, PA 18201
570-501-4152
- 000169
HEALTH NETWORK LABORATORIES—S
1627 WEST CHEW STREET
ALLENTOWN, PA 18102
610-402-2236
- 000549
HEALTH NETWORK LABORATORIES—S
1200 SOUTH CEDAR CREST BLVD
ALLENTOWN, PA 18103
610-402-8150
- 000600
HEALTH NETWORK LABORATORIES—S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
484-884-2259
- 024655
HEALTH NETWORK LABORATORIES—SB
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
610-402-8150
- 000166
HEART OF LANCASTER REGIONAL MEDICAL
CENTER—S
1500 HIGHLANDS DRIVE
LITITZ, PA 17543
717-625-5605
- 000103
HIGHLANDS HOSPITAL—S
401 EAST MURPHY AVENUE
CONNELLSVILLE, PA 15425
724-628-1500
- 000130
HOLY SPIRIT HOSPITAL—S
503 N 21ST STREET
CAMP HILL, PA 17011-2288
717-763-2206
- 000052
INDIANA REGIONAL MEDICAL CENTER—S
HOSPITAL ROAD PO BOX 788
INDIANA, PA 15701-0788
724-357-7167
- 000135
J C BLAIR MEMORIAL HOSPITAL—S
1225 WARM SPRINGS AVENUE
HUNTINGDON, PA 16652
814-643-8645
- 000054
JAMESON MEMORIAL HOSPITAL—S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
724-656-4080
- 000240
JEANES HOSPITAL—S
7600 CENTRAL AVE
PHILADELPHIA, PA 19111
215-728-2347
- 000038
JEFFERSON REGIONAL MED CTR—S
565 COAL VALLEY ROAD
BIBRO BLDG 4TH FLOOR
PITTSBURGH, PA 15236
412-469-5723

000200
JENNERSVILLE REGIONAL HOSPITAL—S
1015 WEST BALTIMORE PIKE
WEST GROVE, PA 19390
610-869-1080

000053
JRHS BROOKVILLE—S
100 HOSPITAL RD
BROOKVILLE, PA 15825
814-849-2312

000532
KENSINGTON HOSPITAL—S
136 WEST DIAMOND STREET
PHILADELPHIA, PA 19122
215-426-8100

005618
LAB CORP OF AMERICA HOLDINGS—SB
6370 WILCOX ROAD
DUBLIN, OH 43016-1296
800-282-7300

001088
LABCORP OF AMERICA HOLDINGS—SB
69 FIRST AVE PO BOX 500
RARITAN, NJ 08869
908-526-2400

022715
LABONE INC—SB
10101 RENNEN BOULEVARD
LENEXA, KS 66219-9752
913-888-1770

000165
LANCASTER GENERAL HOSPITAL—S
555 N DUKE STREET
PO BOX 3555
LANCASTER, PA 17604
717-299-5511

000167
LANCASTER REGIONAL MED CENTER—S
250 COLLEGE AVENUE
PO BOX 3434
LANCASTER, PA 17604
717-291-8022

000114
LATROBE AREA HOSPITAL—S
121 W SECOND AVENUE
LATROBE, PA 15650
724-537-1550

000138
LEWISTOWN HOSPITAL—B
400 HIGHLAND AVENUE
LEWISTOWN, PA 17044
717-248-5411

000030
LOCK HAVEN HOSPITAL—B
24 CREE DRIVE
LOCK HAVEN, PA 17745
570-893-5000

000242
MAIN LINE CLIN LABS LANKENAU CP—S
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
610-645-2615

000199
MAIN LINE CLIN LABS PAOLI MEM CP—S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
610-648-1000

000213
MAIN LINE HOSPITAL BRYN MAWR—S
130 BRYN MAWR AVENUE
BRYN MAWR, PA 19010
610-526-3554

000004
MARIAN COMMUNITY HOSPITAL—S
100 LINCOLN AVENUE
CARBONDALE, PA 18407
717-281-1042

009003
MAYO CLINIC DEPT LAB MED & PATH—SB
200 FIRST STREET SW HILTON 530
ROCHESTER, MN 55905
507-284-3018

000049
MEADVILLE MED CTR-LIBERTY ST—S
751 LIBERTY STREET
MEADVILLE, PA 16335
814-336-3121

005574
MEDTOX LABORATORIES INC—SB
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
651-636-7466

000140
MEMORIAL HOSPITAL CLINICAL LAB—SB
325 S BELMONT ST PO BOX 15118
YORK, PA 17403
717-843-8623

000023
MEMORIAL HOSPITAL LAB—SB
1 HOSPITAL DRIVE
TOWANDA, PA 18848
570-265-2191

000126
MEMORIAL MEDICAL CENTER LAB—SB
320 MAIN STREET
JOHNSTOWN, PA 15901
814-533-0130

000203
MERCY FITZGERALD HOSPITAL—S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
610-237-4262

000247
MERCY HEALTH LAB/MHOP—S
54TH & CEDAR AVENUE
PHILADELPHIA, PA 19143
215-748-9181

000219
MERCY HEALTH LAB/MSH—S
2701 DEKALB PIKE
NORRISTOWN, PA 19401
610-278-2090

- 000336
MERCY HOSPITAL—S
746 JEFFERSON AVE
SCRANTON, PA 18510
570-348-7100
- 000082
MERCY HOSPITAL OF PITTSBURGH—S
PRIDE & LOCUST STREETS
PITTSBURGH, PA 15219
412-232-7831
- 000113
MERCY JEANNETTE HOSPITAL—S
600 JEFFERSON AVENUE
JEANNETTE, PA 15644
724-527-9330
- 028436
METHODIST HOSP DIV TJUH INC ER LAB—S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
215-952-9055
- 000245
METHODIST HOSP DIVISION/TJUH INC—S
1900 S. BROAD STREET
PHILADELPHIA, PA 19145
215-952-9059
- 000231
MEYERSDALE COMMUNITY HOSPITAL—S
200 HOSPITAL DR
MEYERSDALE, PA 15552
814-634-5911
- 000269
MIDVALLEY HOSPITAL—S
1400 MAIN STREET
PECKVILLE, PA 18452
570-383-5520
- 000128
MINERS MEDICAL CENTER—S
290 HAIDA AVENUE
PO BOX 689
HASTINGS, PA 16646
814-948-7171
- 000108
MONONGAHELA VALLEY HOSPITAL INC—S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
724-258-1021
- 000323
MONSOUR MEDICAL CENTER—S
70 LINCOLN WAY E
JEANNETTE, PA 15644
724-527-1511
- 000217
MONTGOMERY HOSPITAL LAB—S
POWELL & FORNANCE STS
NORRISTOWN, PA 19401
610-270-2173
- 000007
MOSES TAYLOR HOSPITAL—S
700 QUINCY AVENUE
SCRANTON, PA 18510
570-340-2100
- 000214
MOSS REHAB EINSTEIN AT ELKINS PARK—S
60 EAST TOWNSHIP LINE ROAD
ELKINS PARK, PA 19027
215-663-6102
- 000025
MOUNT NITTANY MEDICAL CENTER—B
1800 PARK AVENUE
STATE COLLEGE, PA 16803
814-234-6117
- 000035
MUNCY VALLEY HOSPITAL—S
215 EAST WATER ST
MUNCY, PA 17756
570-546-8282
- 000304
NASON HOSPITAL—B
NASON DRIVE
ROARING SPRING, PA 16673
814-224-6215
- 000504
NATIONAL MED SERVICES INC LAB—SB
3701 WELSH ROAD
WILLOW GROVE, PA 19090
215-657-4900
- 000248
NAZARETH HOSPITAL—S
2601 HOLME AVE
PHILADELPHIA, PA 19152
215-335-6245
- 029067
NORTHWEST TOXICOLOGY, A LABONE COM-
PANY—SB
2282 SOUTH PRESIDENTS DRIVE
SUITE C
WEST VALLEY CITY, UT 84120
801-293-2300
- 000099
OHIO VALLEY GENERAL HOSPITAL—S
25 HECKEL RD
MCKEES ROCKS, PA 15136
412-777-6161
- 000807
OMEGA MEDICAL LABS/QUEST DIAGNOSTICS—SB
2001 STATE HILL ROAD SUITE 100
WYOMISSING, PA 19610
610-378-1900
- 000334
PALMERTON HOSPITAL—SB
135 LAFAYETTE AVE
PALMERTON, PA 18071
610-826-3141
- 000258
PENN PRESBYTERIAN MEDICAL CENTER—S
51 NORTH 39TH ST 5TH FLR RM 530
DEPARTMENT OF PATHOLOGY & LAB
PHILADELPHIA, PA 19104-2640
215-662-3435
- 000316
PENN STATE MILTON S HERSHEY MED CTR—S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
717-531-8353

022533
PENNSYLVANIA DEPT OF HEALTH—SB
110 PICKERING WAY
LIONVILLE, PA 19353
610-280-3464

000251
PENNSYLVANIA HOSP OF THE UNIV OF PA HLTH—S
800 SPRUCE STREETS
PHILADELPHIA, PA 19107
215-829-3541

022306
PHILIPSBURG AREA HOSPITAL—SB
210 LOCH LOMOND ROAD
PHILIPSBURG, PA 16866
814-343-8720

000197
PHOENIXVILLE HOSPITAL LABORATORY—S
140 NUTT RD DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
610-983-1612

000157
PINNACLEHLTH/COMM GEN OSTEO HOSP—S
4300 LONDONDERRY RD PO BOX 3000
HARRISBURG, PA 17109
717-657-7214

000520
PITTSBURGH CRIMINALISTICS LABORATORY—SB
1320 FIFTH AVENUE
PITTSBURGH, PA 15219
412-391-6118

000022
POCONO MEDICAL CENTER LAB—SB
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
570-476-3544

000221
POTTSTOWN HOSPITAL COMPANY, LLC—S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
610-327-7000

000183
POTTSVILLE HOSP AND WARNE CLINIC—SB
420 SOUTH JACKSON STREET
POTTSVILLE, PA 17901
570-621-5262

000300
PUNXSUTAWNEY AREA HOSPITAL—S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
814-938-4500

000315
QUEST DIAGNOSTICS CLINICAL LABS INC—SB
900 BUSINESS CENTER DRIVE
HORSHAM, PA 19044
215-957-9300

027461
QUEST DIAGNOSTICS INC—SB
400 EGYPT ROAD
NORRISTOWN, PA 19403
610-631-4219

001136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
703-802-6900

000482
QUEST DIAGNOSTICS OF PA INC—SB
875 GREENTREE RD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
412-920-7600

025461
QUEST DIAGNOSTICS VENTURE LLC—SB
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
412-920-7631

000150
READING HOSPITAL & MED CTR—S
6TH AND SPRUCE STREETS
WEST READING, PA 19611
610-988-8080

000206
RIDDLE MEMORIAL HOSPITAL—S
BALTIMORE PIKE HIGHWAY 1
MEDIA, PA 19063
610-566-9400

000243
ROXBOROUGH MEMORIAL HOSPITAL—S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
215-487-4394

000171
SACRED HEART HOSPITAL—S
4TH & CHEW STS
ALLENTOWN, PA 18102
610-776-4727

000087
SAINT CLAIR MEMORIAL HOSPITAL—S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
412-561-4900

000174
SAINT LUKES HOSPITAL—S
801 OSTRUM ST
BETHLEHEM, PA 18015
610-954-4558

000328
SAINT MARY MEDICAL CENTER—S
LANGHORNE - NEWTOWN RD
LANGHORNE, PA 19047
215-710-2162

000048
SAINT VINCENT HEALTH CENTER—S
232 WEST 25TH STREET
ERIE, PA 16544
814-452-5383

000101
SEWICKLEY VALLEY HOSPITAL LAB—S
BLACKBURN RD & FITCH DRIVE
SEWICKLEY, PA 15143
412-741-6600

000064
SHARON REGIONAL HEALTH SYSTEM—SB
740 EAST STATE STREET
SHARON, PA 16146
724-983-3911

000039
SOLDIERS & SAILORS MEM HOSP—S
CENTRAL AVE
WELLSBORO, PA 16901
570-723-0133

000297
SOMERSET HOSPITAL CENTER FOR HEALTH—B
225 S CENTER AVE
SOMERSET, PA 15501
814-443-5000

000105
SOUTHWEST REGIONAL MEDICAL CENTER—S
350 BONAR AVENUE
WAYNESBURG, PA 15370
724-627-2608

022376
SPECIALTY LABORATORIES INC—S
27027 TOURNEY ROAD
VALENCIA, CA 91355
310-828-6543

000260
ST CHRISTOPHERS HOSP FOR CHILDREN—S
3601 A STREET
PHILADELPHIA, PA 19134
215-427-5337

000151
ST JOSEPH QUALITY MEDICAL LAB—SB
215 NORTH 12TH STREET BOX 316
READING, PA 19603
610-378-2200

000261
ST JOSEPH'S HOSPITAL-DIV NPHS—S
16TH ST & GIRARD AVE
PHILADELPHIA, PA 19130
215-787-9000

000318
ST LUKES HOSP ALLENTOWN CAMPUS—S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
610-770-8300

000180
ST LUKES MINERS MEMORIAL HOSPITAL—S
360 WEST RUDDLE STREET
PO BOX 67
COALDALE, PA 18218
570-645-2131

000195
ST LUKES QUAKERTOWN HOSPITAL—S
11TH ST & PARK AVE PO BOX 9003
QUAKERTOWN, PA 18951
215-538-4681

000207
TAYLOR HOSPITAL DIV OF CCMC—S
175 E CHESTER PIKE
RIDLEY PARK, PA 19078
610-595-6450

000249
TEMPLE EAST INC NE—S
2301 EAST ALLEGHENY AVENUE
PHILADELPHIA, PA 19134
215-291-3671

000193
TEMPLE LOWER BUCKS HOSPITAL LAB—S
501 BATH ROAD
BRISTOL, PA 19007
215-785-9300

000235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
215-707-0977

000265
TEMPLE UNIVERSITY HOSPITAL—S
3401 N BROAD ST
PHILADELPHIA, PA 19140
215-707-4353

000205
THE MEDICAL CENTER BEAVER PA—SB
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009-9700
724-728-7000

000104
THE UNIONTOWN HOSPITAL LABORATORY—S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
724-430-5143

000085
THE WESTERN PA HOSP-FORBES REGIONAL
CAMPUS—SB
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
412-858-2560

000241
THOMAS JEFFERSON UNIVERSITY HOSP—S
125 SOUTH 11TH ST 204 PAVILION
PHILADELPHIA, PA 19107
215-955-6374

000051
TITUSVILLE AREA HOSPITAL—S
406 WEST OAK STREET
TITUSVILLE, PA 16354
814-827-1851

000313
TYLER MEMORIAL HOSPITAL—S
880 SR 6 W
TUNKHANNOCK, PA 18657-6149
570-836-4705

000124
TYRONE HOSPITAL—SB
CLAY AVENUE EXTENSION
TYRONE, PA 16686
814-684-0484

000121
UPMC BEDFORD MEMORIAL—SB
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
814-623-3506

000096
UPMC BRADDOCK—S
400 HOLLAND AVENUE
BRADDOCK, PA 15104
412-636-5291

000059
UPMC HORIZON GREENVILLE—SB
110 NORTH MAIN STREET
GREENVILLE, PA 16125
724-588-2100

000057
UPMC HORIZON SHENANGO—SB
2200 MEMORIAL DRIVE
FARRELL, PA 16121
724-981-3500

000098
UPMC MCKEESPORT LABORATORY—S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
412-664-2233

000084
UPMC PASSAVANT—S
9100 BABCOCK BLVD
PITTSBURGH, PA 15237
412-367-6700

005784
UPMC PASSAVANT LABORATORY CRANBERRY—S
ONE ST FRANCIS WAY
CRANBERRY TOWNSHIP, PA 16066
724-772-5370

000083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—S
ROOM 5929 MAIN TOWER CHP
200 LOTHROP STREET
PITTSBURGH, PA 15213-2582
412-648-6000

000091
UPMC SAINT MARGARET HOSPITAL—S
815 FREEPORT ROAD
PITTSBURGH, PA 15215
412-784-4000

000092
UPMC SHADYSIDE—S
5230 CENTRE AVENUE
GROUND FLOOR WEST WING
PITTSBURGH, PA 15232
412-623-5950

000093
UPMC SOUTH SIDE—S
2000 MARY STREET
PITTSBURGH, PA 15203
412-488-5731

000622
WARMINSTER HOSPITAL—S
225 NEWTOWN ROAD
WARMINSTER, PA 18974
215-441-6700

000066
WARREN GENERAL HOSPITAL—SB
2 CRESCENT PARK
WARREN, PA 16365
814-723-3300

000111
WASHINGTON HOSPITAL—S
155 WILSON AVE
WASHINGTON, PA 15301
724-223-3136

000298
WAYNE MEMORIAL HOSPITAL—S
601 PARK STREET
HONESDALE, PA 18431
570-253-1300

000133
WAYNESBORO HOSPITAL—S
501 E MAIN STREET
WAYNESBORO, PA 17268
717-765-3403

000095
WESTERN PENNSYLVANIA HOSPITAL—S
4800 FRIENDSHIP AVE
PITTSBURGH, PA 15224
412-578-5779

007731
WESTERN RESERVE CARE SYSTEM—S
500 GYPSY LANE
YOUNGSTOWN, OH 44501
330-884-3767

000112
WESTMORELAND REGIONAL HOSPITAL—S
532 W PITTSBURGH ST
GREENSBURG, PA 15601
724-832-4365

000037
WILLIAMSPORT HOSP & MED CENTER—SB
777 RURAL AVENUE
WILLIAMSPORT, PA 17701-3198
570-321-2300

000106
WINDBER HOSPITAL—B
600 SOMERSET AVE
WINDBER, PA 15963
814-467-6611

000018
WVHCS HOSP DBA PENNANT LABORATORY—SB
575 NORTH RIVER STREET
WILKES BARRE, PA 18764
570-829-8111

025064
WVU HOSPITAL CLINICAL LABS—S
1 MEDICAL CENTER DR PO BOX 8009
MORGANTOWN, WV 26506-8009
304-598-4241

000141
YORK HOSPITAL—SB
1001 SOUTH GEORGE STREET
YORK, PA 17405
717-851-2345

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-111. Filed for public inspection January 20, 2006, 9:00 a.m.]

Laboratories Approved to Determine Urine Controlled Substance Content

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (35 P.S. § 2151—2165) and/or the Federal Clinical Laboratory Improvement Act of 1967 (42 U.S.C.A. § 263a) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of urine for the determination of controlled substances or their biotransformation products. This approval is based on demonstrated proficiency in tests conducted by the Bureau of Laboratories of the Department. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in urine.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory urine drug analyses. Laboratories approved to perform screening tests only are designated on the approval list by an "S" after the laboratory's name. Laboratories approved to perform confirmatory testing only are designated by a "C" following the laboratory's name. Those approved to perform both screening and confirmatory analyses are designated by the letters "SC." Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic urine drug analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the purpose. They should also determine that the director of the facility is agreeable to performing analyses for that purpose. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. The name of a laboratory is sometimes changed but the location, personnel, and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name of the facility changed, the Clinical Laboratory Permit numbers of the facilities are included in the lists of approved laboratories above the name of the laboratory at the time the list was prepared.

Questions regarding this list should be directed to M. Jeffery Shoemaker, Ph.D., Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT: (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

000212
ABINGTON MEMORIAL HOSPITAL—S
1200 OLD YORK ROAD
ABINGTON, PA 19001
215-576-2350

027908
ACM MEDICAL LABORATORY—SC
160 ELMGROVE PARK
ROCHESTER, NY 14624
716-429-2264

023114
ACT LAB SERVICES INC—SC
345 DRESHER ROAD
HORSHAM, PA 19044
215-674-0420

027180
ADVANCED TOXICOLOGY NETWORK—SC
3560 AIR CENTER COVE SUITE 101
MEMPHIS, TN 38118
901-794-5770

000233
ALBERT EINSTEIN MEDICAL CENTER—S
5501 OLD YORK ROAD
PHILADELPHIA, PA 19141
215-456-6100

000040
ALIQUIPPA COMMUNITY HOSPITAL LABORATORY—S
2500 HOSPITAL DRIVE
PATHOLOGY DEPT
ALIQUIPPA, PA 15001
724-857-1240

000116
ALLE KISKI MED CNTR NEW KENSINGTON—S
651 FOURTH AVENUE
NEW KENSINGTON, PA 15068
724-337-5031

000671
ALLEG CNTY CORONERS DIV OF LABS—S
542 FORBES AVENUE
ROOM 10 COUNTY OFFICE BUILDING
PITTSBURGH, PA 15219
412-350-6873

000094
ALLEGHENY GEN HOSP SUBURBAN CAMPUS LAB—S
100 SOUTH JACKSON AVENUE
BELLEVUE, PA 15202
412-734-6020

028233
ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S
320 E NORTH AVENUE
PITTSBURGH, PA 15212
412-359-6886

000077
ALLEGHENY GENERAL HOSPITAL—S
1307 FEDERAL STREET
PITTSBURGH, PA 15212
412-359-3521

000100
ALLEGHENY VALLEY HOSPITAL LAB—S
1300 CARLISLE ST
NATRONA HEIGHTS, PA 15065
724-224-5100

000119
ALTOONA REGIONAL HEALTH SYSTEM LAB—S
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
814-946-2340

026620
AMMON ANALYTICAL LABORATORY—SC
1622 SOUTH WOOD AVENUE
LINDEN, NJ 07036
908-862-4404

000452
ANALYTIC BIO-CHEMISTRIES INC—SC
1680-D LORETTA AVENUE
FEASTERVILLE, PA 19053
215-322-9210

000047
ASSOCIATED CLINICAL LABORATORIES—SC
1526 PEACH STREET
ERIE, PA 16501
814-461-2400

000320
BARNES KASSON HOSPITAL LAB—S
400 TURNPIKE STREET
SUSQUEHANNA, PA 18847
570-853-3135

021553
BENDINER & SCHLESINGER INC—SC
140 58TH STREET SUITE 8D
BROOKLYN, NY 11220
212-254-2300

027615
BIOLOGICAL SPECIALTY CORPORATION—S
2165 NORTH LINE STREET
COLMAR, PA 18915
215-997-8771

027616
BIOLOGICAL SPECIALTY CORPORATION—S
1236 NEW RODGERS RD #851
BRISTOL, PA 19007
215-245-9855

027617
BIOLOGICAL SPECIALTY CORPORATION—S
22 SOUTH 4TH STREET
READING, PA 19602
610-375-9862

022757
BIOREFERENCE LABORATORIES INC—SC
481B EDWARD H ROSS DRIVE
ELMWOOD PARK, NJ 07407
201-791-3600

000033
BRADFORD REGIONAL MEDICAL CENTER—S
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
814-362-8247

000296
BRANDYWINE HOSPITAL—S
201 REECEVILLE ROAD ATTN: LABORATORY
COATESVILLE, PA 19320
610-383-8000

000472
BROOKSIDE CLINICAL LAB INC—S
4000 EDMONT AVENUE
BROOKHAVEN, PA 19015
610-872-6466

000102
BROWNSVILLE GENERAL HOSPITAL—S
125 SIMPSON RD
BROWNSVILLE, PA 15417
724-785-7200

000301
BUTLER MEMORIAL HOSPITAL—S
911 EAST BRADY STREET
BUTLER, PA 16001
724-284-4510

029116
CALLOWAY DRUG TESTING LABORATORIES INC—S
27 WATER STREET
SUITE 210
WAKEFIELD, MA 01880
781-224-9899

000107
CANONSBURG GENERAL HOSPITAL—S
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
724-745-3916

000131
CARLISLE REGIONAL MEDICAL CENTER—S
246 PARKER ST
CARLISLE, PA 17013
717-249-1212

000751
CEDAR CREST EMERGICENTER—S
1101 SOUTH CEDAR CREST BOULEVARD
ALLENTOWN, PA 18103
610-433-4260

000215
CENTRAL MONTGOMERY MEDICAL CENTER—S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
215-368-2100

000132
CHAMBERSBURG HOSPITAL DEPT OF PATHOL-
OGY—S
112 NORTH SEVENTH STREET
CHAMBERSBURG, PA 17201
717-267-7153

000310
CHARLES COLE MEMORIAL HOSPITAL—S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
814-274-9300

000198
CHESTER COUNTY HOSPITAL—S
701 E MARSHALL ST
WEST CHESTER, PA 19380
610-431-5182

000227
CHESTNUT HILL HOSPITAL—S
8835 GERMANTOWN AVENUE
DEPT OF PATHOLOGY
PHILADELPHIA, PA 19118
215-248-8630

000228
CHILDRENS HOSP OF PHILADELPHIA—S
ONE CHILDREN'S CENTER 34TH & CIVIC
PHILADELPHIA, PA 19104
215-590-1000

000329
CLARION HOSPITAL—S
1 HOSPITAL DRIVE
CLARION, PA 16214
814-226-9500

024916
CLINICAL SCIENCE LABORATORY INC—SC
51 FRANCIS AVENUE
MANSFIELD, MA 02048
508-339-6106

000005
COMMUNITY MEDICAL CENTER—S
1800 MULBERRY STREET
SCRANTON, PA 18510
570-969-8000

000125
CONEMAUGH VALLEY MEMORIAL HOSP—S
1086 FRANKLIN STREET
JOHNSTOWN, PA 15905-4398
814-534-9000

025256
CORPORATE HEALTH SERVICES—S
295 NORTH KERRWOOD DRIVE
HERMITAGE, PA 16148
724-346-6425

000326
CORY MEMORIAL HOSPITAL—S
612 WEST SMITH STREET
CORY, PA 16407
814-664-4641

000201
CROZER CHESTER MED CENTER—S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
610-447-2000

000363
DE JOHN MED LABORATORY INC—S
1570 GARRETT ROAD
UPPER DARBY, PA 19082
610-626-2112

000204
DELAWARE COUNTY MEMORIAL HOSP—S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
610-284-8100

000266
DEPT OF PATHOLOGY & LAB MED-HUP—SC
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
215-662-6882

028893
DOMINION DIAGNOSTICS LLC—SC
211 CIRCUIT DRIVE
NORTH KINGSTOWN, RI 02852
401-667-0800

000194
DOYLESTOWN HOSPITAL—S
595 WEST STATE STREET
DOYLESTOWN, PA 18901
215-345-2250

000977
DRUGSCAN INC—SC
1119 MEARNS RD, PO BOX 2969
WARMINSTER, PA 18974
215-674-9310

000175
EASTON HOSPITAL—S
250 SOUTH 21ST ST
EASTON, PA 18042-3892
610-250-4140

000164
EPHRATA COMMUNITY HOSPITAL—S
169 MARTIN AVE PO BOX 1002
EPHRATA, PA 17522
717-733-0311

000031
ERHC RIDGWAY LABORATORY—S
94 HOSPITAL STREET
RIDGWAY, PA 15853
814-788-8525

000032
ERHC ST MARYS LABORATORY—S
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
814-788-8525

000181
EVANGELICAL COMMUNITY HOSPITAL—S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
570-522-2510

021431
FITNESS FOR DUTY CENTER—S
PPL SUSQUEHANNA LLC
769 SALEM BLVD
BERWICK, PA 18603
570-542-3336

000192
FRANKFORD HOSP BUCKS CO CAMPUS—S
380 NORTH OXFORD VALLEY ROAD
LANGHORNE, PA 19047-8304
215-934-5227

000341
FRANKFORD HOSP TC LAB—S
RED LION & KNIGHTS ROADS
ATTN P FARANO MD
PHILADELPHIA, PA 19114
215-612-4000

000236
FRANKFORD HOSPITAL FRANK DIV—S
FRANKFORD AVE & WAKELING ST
PHILADELPHIA, PA 19124
215-831-2068

000115
FRICK HOSPITAL—S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
724-547-1500

020644
FRIENDS HOSPITAL—S
4641 ROOSEVELT BOULEVARD
PHILADELPHIA, PA 19124-2399
215-831-4600

009163
FRIENDS MEDICAL LAB INC—SC
5820 SOUTHWESTERN BLVD
BALTIMORE, MD 21227
412-247-4417

000173
GEISINGER MEDICAL CENTER—SC
N ACADEMY RD
DANVILLE, PA 17822
570-271-6338

000017
 GEISINGER SOUTH WILKES-BARRE HOSPITAL—S
 25 CHURCH STREET
 PO BOX 658
 WILKES-BARRE, PA 18765
 570-826-3100

000019
 GEISINGER WYOMING VALLEY MED CTR—S
 1000 E MOUNTAIN DRIVE
 WILKES-BARRE, PA 18711
 570-826-7830

000237
 GERMANTOWN COMM HLTH WILLOW TERR—S
 ONE PENN BOULEVARD
 PHILADELPHIA, PA 19144
 215-951-8800

026799
 GHHA OCCUPATIONAL HEALTH CENTER LAB—S
 1000 ALLIANCE DRIVE
 HAZLETON, PA 18202
 570-459-1028

000152
 GNADEN HUETTEN MEMORIAL HOSP—S
 211 NORTH 12TH STREET
 LEHIGHTON, PA 18235
 610-377-7083

000299
 GOOD SAMARITAN HOSPITAL—S
 4TH & WALNUT STS PO BOX 1281
 LEBANON, PA 17042-1218
 717-270-7500

000182
 GOOD SAMARITAN REGIONAL MED CTR—S
 700 EAST NORWEGIAN STREET
 POTTSVILLE, PA 17901
 570-621-4032

000238
 GRADUATE HOSPITAL—S
 1800 LOMBARD STREET
 PHILADELPHIA, PA 19146
 215-893-7496

025957
 GRAHAM-MASSEY ANALYTICAL LABS—SC
 60 TODD ROAD
 SHELTON, CT 06484
 203-926-1100

000061
 GROVE CITY MEDICAL CENTER—S
 631 NORTH BROAD STREET EXT
 GROVE CITY, PA 16127
 724-450-7125

000654
 GUTHRIE CLINIC PATH LAB—S
 GUTHRIE SQUARE
 SAYRE, PA 18840
 570-888-5858

000239
 HAHNEMANN UNIVERSITY HOSPITAL—S
 BROAD & VINE STS MS 113
 PHILADELPHIA, PA 19102
 215-762-1783

000139
 HANOVER HOSPITAL, INC.—S
 300 HIGHLAND AVE
 HANOVER, PA 17331
 717-637-3711

000155
 HARRISBURG HOSPITAL LABORATORY—S
 MEDICAL SCIENCES BUILDING
 100 2ND STREET
 HARRISBURG, PA 17105
 570-782-2832

000010
 HAZLETON GENERAL HOSPITAL—S
 700 EAST BROAD
 HAZLETON, PA 18201
 570-501-4152

000169
 HEALTH NETWORK LABORATORIES—S
 1627 WEST CHEW STREET
 ALLENTOWN, PA 18102
 610-402-2236

000549
 HEALTH NETWORK LABORATORIES—S
 1200 SOUTH CEDAR CREST BLVD
 ALLENTOWN, PA 18103
 610-402-8150

000600
 HEALTH NETWORK LABORATORIES—S
 2545 SCHOENERSVILLE ROAD
 BETHLEHEM, PA 18017-7384
 484-884-2259

024655
 HEALTH NETWORK LABORATORIES—SC
 2024 LEHIGH STREET
 ALLENTOWN, PA 18103-4798
 610-402-8150

000166
 HEART OF LANCASTER REGIONAL MEDICAL
 CENTER—S
 1500 HIGHLANDS DRIVE
 LITITZ, PA 17543
 717-625-5605

000216
 HOLY REDEEMER HOSPITAL—S
 1648 HUNTINGDON PIKE
 MEADOWBROOK, PA 19046
 215-947-3000

000130
 HOLY SPIRIT HOSPITAL—SC
 503 N 21ST STREET
 CAMP HILL, PA 17011-2288
 717-763-2206

000052
 INDIANA REGIONAL MEDICAL CENTER—S
 HOSPITAL ROAD PO BOX 788
 INDIANA, PA 15701-0788
 724-357-7167

022201
 INTERNATIONAL MEDICAL SYSTEMS—S
 1430 DEKALB STREET
 MONT CO DEPT OF HEALTH LABS
 NORRISTOWN, PA 19404
 610-292-0613

000135
J C BLAIR MEMORIAL HOSPITAL—S
1225 WARM SPRINGS AVENUE
HUNTINGDON, PA 16652
814-643-8645

000054
JAMESON MEMORIAL HOSPITAL—S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
724-656-4080

000240
JEANES HOSPITAL—S
7600 CENTRAL AVE
PHILADELPHIA, PA 19111
215-728-2347

000038
JEFFERSON REGIONAL MED CTR—S
565 COAL VALLEY ROAD
BIBRO BLDG 4TH FLOOR
PITTSBURGH, PA 15236
412-469-5723

000200
JENNERVILLE REGIONAL HOSPITAL—S
1015 WEST BALTIMORE PIKE
WEST GROVE, PA 19390
610-869-1080

000312
JERSEY SHORE HOSPITAL—S
1020 THOMPSON STREET
JERSEY SHORE, PA 17740
570-398-0100

000532
KENSINGTON HOSPITAL—S
136 WEST DIAMOND STREET
PHILADELPHIA, PA 19122
215-426-8100

026008
KROLL LABORATORY SPECIALISTS—SC
1111 NEWTON STREET
GRETNA, LA 70053
504-361-8989

021306
LAB CORP OCCUPATIONAL TEST SRVCS—SC
1120 STATELINE ROAD WEST
SOUTHAVEN, MS 38671
886-827-8042

020512
LABCORP OCCUPATIONAL TESTING SER—SC
1904 ALEXANDER DRIVE
PO BOX 12652
RESRCH TRNGL PARK, NC 27709
919-572-7465

001088
LABCORP OF AMERICA HOLDINGS—SC
69 FIRST AVE PO BOX 500
RARITAN, NJ 08869
908-526-2400

022715
LABONE INC—SC
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
913-888-1770

000165
LANCASTER GENERAL HOSPITAL—S
555 N DUKE STREET
PO BOX 3555
LANCASTER, PA 17604
717-299-5511

000167
LANCASTER REGIONAL MED CENTER—S
250 COLLEGE AVENUE
PO BOX 3434
LANCASTER, PA 17604
717-291-8022

000114
LATROBE AREA HOSPITAL—S
121 W SECOND AVENUE
LATROBE, PA 15650
724-537-1550

000138
LEWISTOWN HOSPITAL—S
400 HIGHLAND AVENUE
LEWISTOWN, PA 17044
717-248-5411

000030
LOCK HAVEN HOSPITAL—S
24 CREE DRIVE
LOCK HAVEN, PA 17745
570-893-5000

000639
MAGEE-WOMENS HOSPITAL OF UPMC HEALTH
SYSTEM—S
300 HALKET STREET
PITTSBURGH, PA 15213
412-647-4651

000242
MAIN LINE CLIN LABS LANKENAU CP—S
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
610-645-2615

000199
MAIN LINE CLIN LABS PAOLI MEM CP—S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
610-648-1000

000213
MAIN LINE HOSPITAL BRYN MAWR—S
130 BRYN MAWR AVENUE
BRYN MAWR, PA 19010
610-526-3554

000004
MARIAN COMMUNITY HOSPITAL—S
100 LINCOLN AVENUE
CARBONDALE, PA 18407
717-281-1042

027684
MARWORTH—S
BOX 36 LILLY LAKE ROAD
WAVERLY, PA 18471
570-563-1112

009003
MAYO CLINIC DEPT LAB MED & PATH—SC
200 FIRST STREET SW HILTON 530
ROCHESTER, MN 55905
507-284-3018

000049
MEADVILLE MED CTR—LIBERTY ST—S
751 LIBERTY STREET
MEADVILLE, PA 16335
814-336-3121

005574
MEDTOX LABORATORIES INC—SC
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
651-636-7466

000023
MEMORIAL HOSPITAL LAB—S
1 HOSPITAL DRIVE
TOWANDA, PA 18848
570-265-2191

000203
MERCY FITZGERALD HOSPITAL—S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
610-237-4262

000247
MERCY HEALTH LAB/MHOP—S
54TH & CEDAR AVENUE
PHILADELPHIA, PA 19143
215-748-9181

000219
MERCY HEALTH LAB/MSH—S
2701 DEKALB PIKE
NORRISTOWN, PA 19401
610-278-2090

000336
MERCY HOSPITAL—S
746 JEFFERSON AVE
SCRANTON, PA 18510
570-348-7100

000082
MERCY HOSPITAL OF PITTSBURGH—S
PRIDE & LOCUST STREETS
PITTSBURGH, PA 15219
412-232-7831

000113
MERCY JEANNETTE HOSPITAL—S
600 JEFFERSON AVENUE
JEANNETTE, PA 15644
724-527-9330

028436
METHODIST HOSP DIV TJUH INC ER LAB—S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
215-952-9055

000245
METHODIST HOSP DIVISION/TJUH INC—S
1900 S BROAD STREET
PHILADELPHIA, PA 19145
215-952-9059

000128
MINERS MEDICAL CENTER—S
290 HAIDA AVENUE
PO BOX 689
HASTINGS, PA 16646
814-948-7171

028907
MIRMONT TREATMENT CENTER—S
100 YEARSLEY MILL ROAD
LIMA, PA 19063
610-744-1400

000108
MONONGAHELA VALLEY HOSPITAL INC—S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
724-258-1021

000217
MONTGOMERY HOSPITAL LAB—S
POWELL & FORNANCE STS
NORRISTOWN, PA 19401
610-270-2173

000214
MOSS REHAB EINSTEIN AT ELKINS PARK—S
60 EAST TOWNSHIP LINE ROAD
ELKINS PARK, PA 19027
215-663-6102

000025
MOUNT NITTANY MEDICAL CENTER—S
1800 PARK AVENUE
STATE COLLEGE, PA 16803
814-234-6117

000035
MUNCY VALLEY HOSPITAL—S
215 EAST WATER ST
MUNCY, PA 17756
570-546-8282

000304
NASON HOSPITAL—S
NASON DRIVE
ROARING SPRING, PA 16673
814-224-6215

000504
NATIONAL MED SERVICES INC LAB—SC
3701 WELSH ROAD
WILLOW GROVE, PA 19090
215-657-4900

000248
NAZARETH HOSPITAL—S
2601 HOLME AVE
PHILADELPHIA, PA 19152
215-335-6245

027246
NORCHEM DRUG TESTING LABORATORY—SC
1760 EAST ROUTE 66, SUITE 1
FLAGSTAFF, AZ 86004
928-526-1011

029067
NORTHWEST TOXICOLOGY, A LABONE COMPANY—S
2282 SOUTH PRESIDENTS DRIVE
SUITE C
WEST VALLEY CITY, UT 84120
801-293-2300

000099
OHIO VALLEY GENERAL HOSPITAL—S
25 HECKEL RD
MCKEES ROCKS, PA 15136
412-777-6161

000807
OMEGA MEDICAL LABS/QUEST DIAGNOSTICS—SC
2001 STATE HILL ROAD SUITE 100
WYOMISSING, PA 19610
610-378-1900

000250
PARKWAY CLINICAL LABORATORIES—S
3494 D PROGRESS DRIVE
BENSALEM, PA 19020
215-245-5112

000258
PENN PRESBYTERIAN MEDICAL CENTER—S
51 NORTH 39TH ST 5TH FLR RM 530
DEPARTMENT OF PATHOLOGY & LAB
PHILADELPHIA, PA 19104-2640
215-662-3435

000316
PENN STATE MILTON S HERSHEY MED CTR—S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
717-531-8353

022533
PENNSYLVANIA DEPT OF HEALTH—SC
110 PICKERING WAY
LIONVILLE, PA 19353
610-280-3464

000251
PENNSYLVANIA HOSP OF THE UNIV OF PA HLTH—S
800 SPRUCE STREETS
PHILADELPHIA, PA 19107
215-829-3541

000197
PHOENIXVILLE HOSPITAL LABORATORY—S
140 NUTT ROAD
DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
610-983-1612

000157
PINNACLEHLTH/COMM GEN OSTEO HOSP—S
4300 LONDONDERRY RD PO BOX 3000
HARRISBURG, PA 17109
717-657-7214

000520
PITTSBURGH CRIMINALISTICS LABORATORY—SC
1320 FIFTH AVENUE
PITTSBURGH, PA 15219
412-391-6118

000022
POCONO MEDICAL CENTER LAB—S
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
570-476-3544

000221
POTTSTOWN HOSPITAL COMPANY, LLC—S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
610-327-7000

000183
POTTSVILLE HOSP AND WARNE CLINIC—S
420 SOUTH JACKSON STREET
POTTSVILLE, PA 17901
570-621-5262

000516
PRINCETON BIOMEDICAL LABS INC—S
2921 NEW RODGERS ROAD
BRISTOL, PA 19007
215-785-5200

021648
PSYCHEMEDICS CORPORATION—SC
5832 UPLANDER WAY
CULVER CITY, CA 90230
800-522-7424

000300
PUNXSUTAWNEY AREA HOSPITAL—S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
814-938-4500

028675
QUEST DIAGNOSTICS—SC
506 E STATE PKWY
SCHAUMBURG, IL 60173
847-885-2010

009620
QUEST DIAGNOSTICS CLIN LABS INC—SC
7600 TYRONE AVENUE
VAN NUYS, CA 91405
818-376-6195

000315
QUEST DIAGNOSTICS CLINICAL LABS INC—S
900 BUSINESS CENTER DRIVE
HORSHAM, PA 19044
215-957-9300

027461
QUEST DIAGNOSTICS INC—SC
400 EGYPT ROAD
NORRISTOWN, PA 19403
610-631-4219

001136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SC
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
703-802-6900

000482
QUEST DIAGNOSTICS OF PA INC—SC
875 GREENTREE RD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
412-920-7600

025461
QUEST DIAGNOSTICS VENTURE LLC—SC
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
412-920-7631

024249
QUINTILES LABORATORIES LTD—SC
5500 HIGHLANDS PARKWAY SUITE 600
SMYRNA, GA 30082
770-434-8492

000150
READING HOSPITAL & MED CTR—S
6TH AND SPRUCE STREETS
WEST READING, PA 19611
610-988-8080

025348
REDWOOD TOXICOLOGY LABORATORY—SC
3650 WESTWIND BOULEVARD
SANTA ROSA, CA 95403
707-577-7958

000206
RIDDLE MEMORIAL HOSPITAL—S
BALTIMORE PIKE HIGHWAY 1
MEDIA, PA 19063
610-566-9400

000243
ROXBOROUGH MEMORIAL HOSPITAL—S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
215-487-4394

029214
S.E.D MEDICAL LABORATORIES—SC
55601 OFFICE BLVD NE
ALBUQUERQUE, NM 87109
505-727-6209

000171
SACRED HEART HOSPITAL—S
4TH & CHEW STS
ALLENTOWN, PA 18102
610-776-4727

000087
SAINT CLAIR MEMORIAL HOSPITAL—S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
412-561-4900

000174
SAINT LUKES HOSPITAL—S
801 OSTRUM ST
BETHLEHEM, PA 18015
610-954-4558

000328
SAINT MARY MEDICAL CENTER—S
LANGHORNE-NEWTOWN RD
LANGHORNE, PA 19047
215-710-2162

024496
SCIENTIFIC TESTING LABS INC—SC
450 SOUTHLAKE BOULEVARD
RICHMOND, VA 23236
804-378-9130

028471
SECON A DIVISION OF CIVIGENICS—S
260 LA RUE FRANCE
LAFAYETTE, LA 70508
337-291-9501

029038
SECON OF NEW ENGLAND—SC
415 MAIN STREET
4TH FLOOR
WORCESTER, MA 01608
508-831-0703

000101
SEWICKLEY VALLEY HOSPITAL LAB—S
BLACKBURN RD & FITCH DRIVE
SEWICKLEY, PA 15143
412-741-6600

000064
SHARON REGIONAL HEALTH SYSTEM—S
740 EAST STATE STREET
SHARON, PA 16146
724-983-3911

027649
SMA MEDICAL LABORATORIES—S
940 PENNSYLVANIA BOULEVARD UNIT E
UPPER HOLLAND, PA 19053
215-322-6590

000039
SOLDIERS & SAILORS MEM HOSP—S
CENTRAL AVE
WELLSBORO, PA 16901
570-723-0133

000297
SOMERSET HOSPITAL CENTER FOR HEALTH—S
225 S CENTER AVE
SOMERSET, PA 15501
814-443-5000

022376
SPECIALTY LABORATORIES INC—S
27027 TOURNEY ROAD
VALENCIA, CA 91355
310-828-6543

000260
ST CHRISTOPHERS HOSP FOR CHILDREN—S
3601 A STREET
PHILADELPHIA, PA 19134
215-427-5337

000151
ST JOSEPH QUALITY MEDICAL LAB—SC
215 NORTH 12TH STREET BOX 316
READING, PA 19603
610-378-2200

000261
ST JOSEPH'S HOSPITAL-DIV NPHS—S
16TH ST & GIRARD AVE
PHILADELPHIA, PA 19130
215-787-9000

000318
ST LUKES HOSP ALLENTOWN CAMPUS—S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
610-770-8300

000180
ST LUKES MINERS MEMORIAL HOSPITAL—S
360 WEST RUDDLE STREET
PO BOX 67
COALDALE, PA 18218
570-645-2131

029015
STERLING REFERENCE LABORATORIES—SC
624 MARTIN LUTHER KING JR WAY
TACOMA, WA 98405
253-552-1551

000187
SUNBURY COMMUNITY HOSP & OUTPATIENT
CTR—S
350 N 11TH ST
SUNBURY, PA 17801
570-286-3333

000207
TAYLOR HOSPITAL DIV OF CCMC—S
175 E CHESTER PIKE
RIDLEY PARK, PA 19078
610-595-6450

024997
TECHNOW INC—S
31 INDUSTRIAL HIGHWAY
ESSINGTON, PA 19029
610-362-0610

- 000249
TEMPLE EAST INC NE—S
2301 EAST ALLEGHENY AVENUE
PHILADELPHIA, PA 19134
215-291-3671
- 000193
TEMPLE LOWER BUCKS HOSPITAL LAB—S
501 BATH ROAD
BRISTOL, PA 19007
215-785-9300
- 000235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
215-707-0977
- 000265
TEMPLE UNIVERSITY HOSPITAL—S
3401 N BROAD ST
PHILADELPHIA, PA 19140
215-707-4353
- 000205
THE MEDICAL CENTER BEAVER PA—S
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009-9700
724-728-7000
- 000104
THE UNIONTOWN HOSPITAL LABORATORY—S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
724-430-5143
- 000085
THE WESTERN PA HOSP-FORBES REGIONAL
CAMPUS—S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
412-858-2560
- 000241
THOMAS JEFFERSON UNIVERSITY HOSP—S
125 SOUTH 11TH ST 204 PAVILION
PHILADELPHIA, PA 19107
215-955-6374
- 000051
TITUSVILLE AREA HOSPITAL—S
406 WEST OAK STREET
TITUSVILLE, PA 16354
814-827-1851
- 000121
UPMC BEDFORD MEMORIAL—S
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
814-623-3506
- 000096
UPMC BRADDOCK—S
400 HOLLAND AVENUE
BRADDOCK, PA 15104
412-636-5291
- 000059
UPMC HORIZON GREENVILLE—S
110 NORTH MAIN STREET
GREENVILLE, PA 16125
724-588-2100
- 000057
UPMC HORIZON SHENANGO—S
2200 MEMORIAL DRIVE
FARRELL, PA 16121
724-981-3500
- 000098
UPMC MCKEESPORT LABORATORY—S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
412-664-2233
- 000058
UPMC NORTHWEST—S
100 FAIRFIELD DRIVE
SENECA, PA 16346
814-676-7120
- 005784
UPMC PASSAVANT LABORATORY CRANBERRY—S
ONE ST FRANCIS WAY
CRANBERRY TOWNSHIP, PA 16066
724-772-5370
- 000083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—SC
ROOM 5929 MAIN TOWER CHP
200 LOTHROP STREET
PITTSBURGH, PA 15213-2582
412-648-6000
- 000091
UPMC SAINT MARGARET HOSPITAL—S
815 FREEPORT ROAD
PITTSBURGH, PA 15215
412-784-4000
- 000092
UPMC SHADYSIDE—S
5230 CENTRE AVENUE
GROUND FLOOR WEST WING
PITTSBURGH, PA 15232
412-623-5950
- 000093
UPMC SOUTH SIDE—S
2000 MARY STREET
PITTSBURGH, PA 15203
412-488-5731
- 027225
US DRUG TESTING LABORATORIES INC—SC
1700 SOUTH MOUNT PROSPECT ROAD
DES PLAINES, IL 60018
847-375-0770
- 000335
VALLEY FORGE MED CTR & HOSP—S
1033 W GERMANTOWN PIKE
NORRISTOWN, PA 19403
610-539-8500
- 000622
WARMINSTER HOSPITAL—S
225 NEWTOWN ROAD
WARMINSTER, PA 18974
215-441-6700
- 000066
WARREN GENERAL HOSPITAL—S
2 CRESCENT PARK
WARREN, PA 16365
814-723-3300

000133
WAYNESBORO HOSPITAL—S
501 E MAIN STREET
WAYNESBORO, PA 17268
717-765-3403

000095
WESTERN PENNSYLVANIA HOSPITAL—S
4800 FRIENDSHIP AVE
PITTSBURGH, PA 15224
412-578-5779

007731
WESTERN RESERVE CARE SYSTEM—SC
500 GYPSY LANE
YOUNGSTOWN, OH 44501
330-884-3767

000112
WESTMORELAND REGIONAL HOSPITAL—S
532 W PITTSBURGH ST
GREENSBURG, PA 15601
724-832-4365

000037
WILLIAMSPORT HOSP & MED CENTER—S
777 RURAL AVENUE
WILLIAMSPORT, PA 17701-3198
570-321-2300

000018
WVHCS HOSP DBA PENNANT LABORATORY—SC
575 NORTH RIVER STREET
WILKES BARRE, PA 18764
570-829-8111

000141
YORK HOSPITAL—S
1001 SOUTH GEORGE STREET
YORK, PA 17405
717-851-2345

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-112. Filed for public inspection January 20, 2006, 9:00 a.m.]

Laboratories Approved to Perform Blood Lead and/or Erythrocyte Protoporphyrin Determinations

The following laboratories are licensed in accordance with the Clinical Laboratory Act (35 P. S. §§ 2151—2165) and/or the Federal Clinical Laboratory Improvement Act of 1967 (42 U.S.C.A. § 263a), and are currently approved under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood for lead or erythrocyte protoporphyrin content. This approval is based on demonstrated proficiency in periodic evaluations conducted by the Bureau of Laboratories of the Department of Health (Department).

Lead poisoning is a reportable noncommunicable disease. Approved laboratories which offer blood lead testing services are required to inform the Department of actual or possible incidents of this condition in accordance with 28 Pa. Code § 27.34 (relating to reporting cases of lead poisoning). These regulations specify the following requirements for reporting by clinical laboratories.

(1) A clinical laboratory shall report all blood lead test results on both venous and capillary specimens for per-

sons under 16 years of age to the Department's Childhood Lead Poisoning Prevention Program, Division of Maternal and Child Health, Bureau of Family Health.

(2) A clinical laboratory shall report an elevated blood lead level in a person 16 years of age or older to the Department's Division of Environmental Health Epidemiology, Bureau of Epidemiology or to other locations as designated by the Department. An elevated blood lead level is defined by the National Institute for Occupational Safety and Health (NIOSH). As of January 26, 2002, NIOSH defines an elevated blood lead level as a venous blood lead level of 25 micrograms per deciliter or higher. The Department will publish in the *Pennsylvania Bulletin* any NIOSH update of the definition within 30 days of NIOSH's notification to the Department.

(3) A clinical laboratory which conducts blood lead tests on 100 or more specimens per month shall submit results electronically in a format specified by the Department.

(4) A clinical laboratory which conducts blood lead tests on less than 100 blood lead specimens per month shall submit results either electronically or by hard copy in the format specified by the Department.

(5) A laboratory which performs blood lead tests on blood specimens collected in this Commonwealth shall be licensed as a clinical laboratory and shall be specifically approved by the Department to conduct those tests.

(6) Blood lead analyses requested for occupational health purposes on blood specimens collected in this Commonwealth shall be performed only by laboratories which are licensed and approved as specified in paragraph (5), and which are also approved by the Occupational Safety and Health Administration of the United States Department of Labor under 29 CFR 1910.1025(j)(2)(iii) (relating to lead).

(7) A clinical laboratory shall complete a blood lead test within 5 work days of the receipt of the blood specimen and shall submit the case report to the Department by the close of business of the next work day after the day on which the test was performed. The clinical laboratory shall submit a report of lead poisoning using either the hard-copy form or electronic transmission format specified by the Department.

(8) When a clinical laboratory receives a blood specimen without all of the information required for reporting purposes, the clinical laboratory shall test the specimen and shall submit the incomplete report to the Department.

Erythrocyte protoporphyrin determinations may be performed as an adjunct determination to substantiate blood lead levels of 25 micrograms per deciliter or higher. Since erythrocyte protoporphyrin concentrations may not increase as a result of low-level exposures to lead, direct blood lead analysis is the only reliable method for identifying individuals with blood lead concentrations below 25 micrograms per deciliter.

Persons seeking blood lead or erythrocyte protoporphyrin analyses should determine that the laboratory employs techniques and procedures acceptable for the purpose for which the analyses are sought. Laboratories offering blood lead analysis only are designated with the letter "L" following the name of the laboratory. Those offering erythrocyte protoporphyrin analysis only are designated with the letter "P." Laboratories offering both services are designated with the letters "LP."

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsyl-*

vania Bulletin. The name of a laboratory is sometimes changed but the location, personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name of the facility changed, the Clinical Laboratory Permit numbers of the facilities are included in the lists of approved laboratories above the name of the laboratory at the time the list was prepared.

The Department's blood lead proficiency testing program is approved by the United States Department of Health and Human Services (HHS) in accordance with the requirements contained in the Clinical Laboratory Improvement Amendments of 1988 (42 CFR 493.901 and 493.937) which are administered by the Centers for Medicare and Medicaid Services (CMS). Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number. Persons who are speech or hearing impaired may call by using V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

022912
ACL LABORATORIES—LP
8901 WEST LINCOLN AVE
WEST ALLIS, WI 53227
414-328-7945

000016
ANGELINE KIRBY MEM HEALTH CENTER—L
71 NORTH FRANKLIN STREET
WILKES BARRE, PA 18701
570-823-5450

020506
CENTRAL PA ALLIANCE LABORATORY—LP
1803 MT ROSE AVENUE
SUITE C3-C4
YORK, PA 17403
717-851-1426

000228
CHILDRENS HOSP OF PHILADELPHIA—L
ONE CHILDREN'S CENTER 34TH & CIVIC
PHILADELPHIA, PA 19104
215-590-1000

027845
CLINICAL REFERENCE LABORATORY—LP
8433 QUIVIRA ROAD
LENEXA, KS 66215
913-492-3652

000561
EAST PENN MFG CO INC—LP
DEKA RD KELLER TECH CENTER
PO BOX 147
LYONS STATION, PA 19536
610-682-6361

000332
ELLWOOD CITY HOSPITAL—LP
724 PERSHING ST
ELLWOOD CITY, PA 16117
724-752-0081

000173
GEISINGER MEDICAL CENTER—L
N ACADEMY RD
DANVILLE, PA 17822
570-271-6338

025914
GENOVA DIAGNOSTICS—L
63 ZILLICOA STREET
ASHEVILLE, NC 28801
828-253-0621

020802
HAGERSTOWN MEDICAL LABORATORY—L
11110 MEDICAL CAMPUS RD STE 230
HAGERSTOWN, MD 21742
301-790-8670

024655
HEALTH NETWORK LABORATORIES—LP
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
610-402-8150

005618
LAB CORP OF AMERICA HOLDINGS—LP
6370 WILCOX ROAD
DUBLIN, OH 43016-1296
800-282-7300

021885
LAB CORP OF AMERICA HOLDINGS—LP
1447 YORK COURT
BURLINGTON, NC 27215
800-334-5161

001088
LABCORP OF AMERICA HOLDINGS—LP
69 FIRST AVE PO BOX 500
RARITAN, NJ 08869
908-526-2400

022715
LABONE INC—LP
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
913-888-1770

009523
LABORATORY CORP OF AMERICA—L
13900 PARK CENTER ROAD
HERNDON, VA 20171
703-742-3100

000242
MAIN LINE CLIN LABS LANKENAU CP—L
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
610-645-2615

009003
MAYO CLINIC DEPT LAB MED & PATH—LP
200 FIRST STREET SW HILTON 530
ROCHESTER, MN 55905
507-284-3018

029251
MAYO MEDICAL LABORATORIES NEW ENG-
LAND—LP
265 BALLARDVALE STREET
WILMINGTON, MA 01887
978-658-3600

026302
 MEDICAL ASSOCIATES PC—P
 935 HIGHLAND BLVD SUITE 4400
 BOZEMAN, MT 59715
 406-587-5123

005574
 MEDTOX LABORATORIES INC—LP
 402 WEST COUNTY ROAD D
 ST PAUL, MN 55112
 651-636-7466

000203
 MERCY FITZGERALD HOSPITAL—L
 1500 LANSDOWNE AVENUE
 DARBY, PA 19023
 610-237-4262

000504
 NATIONAL MED SERVICES INC LAB—LP
 3701 WELSH ROAD
 WILLOW GROVE, PA 19090
 215-657-4900

000807
 OMEGA MEDICAL LABS/QUEST DIAGNOSTICS—L
 2001 STATE HILL ROAD SUITE 100
 WYOMISSING, PA 19610
 610-378-1900

023801
 PACIFIC TOXICOLOGY LABORATORIES—LP
 9348 DE SOTO AVENUE
 CHATSWORTH, CA 91311
 818-598-3110

022533
 PENNSYLVANIA DEPT OF HEALTH—LP
 110 PICKERING WAY
 LIONVILLE, PA 19353
 610-280-3464

000022
 POCONO MEDICAL CENTER LAB—L
 206 EAST BROWN STREET
 EAST STROUDSBURG, PA 18301
 570-476-3544

000324
 PRIMARY CARE HLTH SERV INC LAB—L
 7227 HAMILTON AVE
 PITTSBURGH, PA 15208
 412-244-4728

000255
 PUBLIC HEALTH LAB CITY OF PHILA—L
 500 SOUTH BROAD STREET
 ROOM 359
 PHILADELPHIA, PA 19146
 215-685-6815

000315
 QUEST DIAGNOSTICS CLINICAL LABS INC—LP
 900 BUSINESS CENTER DRIVE
 HORSHAM, PA 19044
 215-957-9300

022174
 QUEST DIAGNOSTICS INCORPORATED—LP
 33608 ORTEGA HIGHWAY
 SAN JUAN CAPISTRANO, CA 92690-6130
 949-728-4000

001136
 QUEST DIAGNOSTICS NICHOLS INSTITUTE—LP
 14225 NEWBROOK DRIVE
 PO BOX 10841
 CHANTILLY, VA 20153-0841
 703-802-6900

000482
 QUEST DIAGNOSTICS OF PA INC—LP
 875 GREENTREE RD 4 PARKWAY CENTER
 PITTSBURGH, PA 15220-3610
 412-920-7600

025461
 QUEST DIAGNOSTICS VENTURE LLC—LP
 875 GREENTREE ROAD
 4 PARKWAY CENTER
 PITTSBURGH, PA 15220-3610
 412-920-7631

000150
 READING HOSPITAL & MED CTR—L
 6TH AND SPRUCE STREETS
 WEST READING, PA 19611
 610-988-8080

022376
 SPECIALTY LABORATORIES INC—L
 27027 TOURNEY ROAD
 VALENCIA, CA 91355
 310-828-6543

000151
 ST JOSEPH QUALITY MEDICAL LAB—L
 215 NORTH 12TH STREET BOX 316
 READING, PA 19603
 610-378-2200

000104
 THE UNIONTOWN HOSPITAL LABORATORY—L
 500 WEST BERKELEY STREET
 UNIONTOWN, PA 15401
 724-430-5143

000083
 UPMC PRESBYTERIAN SHADYSIDE CP PUH—L
 ROOM 5929 MAIN TOWER CHP
 200 LOTHROP STREET
 PITTSBURGH, PA 15213-2582
 412-648-6000

CALVIN B. JOHNSON, M.D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-113. Filed for public inspection January 20, 2006, 9:00 a.m.]

Prehospital Practitioner Scope of Practice

Under 28 Pa. Code §§ 1003.21(c)(13), 1003.22(e)(3), 1003.23(f), 1003.24(e) and 1003.25b(c), the Department of Health (Department) is publishing the scope of practice for ambulance attendants, first responders, emergency medical technicians (EMT), EMT-paramedics and prehospital registered nurses (PHRN) under the Emergency Medical Services Act (35 P. S. §§ 6921—6938).

Skills identified may be performed by a prehospital practitioner at the practitioner's level of certification/recognition only if the practitioner has successfully completed training (cognitive, affective and psychomotor) on the specified skill, which includes training to perform the skill on adults, children and infants, as appropriate.

A PHRN with medical command authorization may perform, in addition to those services within an EMT-paramedic's scope of practice, other services authorized by The Professional Nursing Law (63 P. S. §§ 211—225.5), when authorized by a medical command physician through either online medical command or standing medical treatment protocols. To administer drugs in addition to those permitted by applicable medical treatment protocols, a PHRN must also have received approval to do so by the advanced life support (ALS) service medical director of the ALS ambulance service under which the PHRN is functioning.

This list supersedes the list of skills in the scope of practice of prehospital personnel published at 35 Pa.B. 4374 (August 6, 2005). Two changes are made. Use of an inspiratory impedance threshold device is added to the EMT-paramedic's scope of practice under "airway/ventilation/ oxygenation." This device may be used if authorized by the ALS service medical director and after personnel are appropriately educated in the use of the device. Also added to the EMT-paramedic's scope of practice is intranasal medication administration. This route of administration for appropriate medications included on the approved drug list is added to the EMT-paramedic's scope of practice under "medication administration routes."

Persons with a disability who require an alternate format of this notice (for example, large print, audiotape, Braille) should contact Andrew Gilger at the Department of Health, Emergency Medical Services Office, Room 1032, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-8740. Speech or hearing impaired per-

sons may call by using V/TT: (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., MPH,
Secretary

Yes—The skill is in the scope of practice for the level of certification.

No—The skill is not in the scope of practice for the level of certification.

AA—Ambulance Attendant

FR—First Responder

EMT—Emergency Medical Technician

EMT-P—Emergency Medical Technician Paramedic

1. May assist higher level practitioner only when in the physical presence and under the direct supervision of the ALS practitioner.

2. Additional training and approval by service medical director required.

3. The skill may be performed by BLS personnel in accordance with Statewide BLS protocols or medical command order.

4. The skill is not approved for the level of certification regardless if taught in a course approved for that level of certification.

5. The acronym is explained following the table.

6. Skill may only be used when functioning with a licensed ambulance service or QRS that complies with Department requirement for performing this skill.

7. May only be done as a physician extender under the Medical Practice Act.

<i>Topic</i>	<i>Skill</i>	<i>AA</i>	<i>FR</i>	<i>EMT</i>	<i>EMT-P</i>
Airway/ventilation/oxygenation	Airway—esophageal tracheal—dual lumen CombiTube®	No	No	No	Yes
Airway/ventilation/oxygenation	Airway—oral and nasal	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Airway—pharyngeal tracheal lumen (PTL)	No	No	No	No ⁴
Airway/ventilation/oxygenation	Bag-valve—ETT/CombiTube® ventilation	No	Yes ¹	Yes ¹	Yes
Airway/ventilation/oxygenation	Bag-valve-mask—with in-line small-volume nebulizer	No	Yes ¹	Yes ¹	Yes
Airway/ventilation/oxygenation	Bag-valve-mask (BVM) ventilation	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Chest decompression—needle	No	No	No	Yes
Airway/ventilation/oxygenation	CPAP/BiPAP ⁵ —demonstrate application of	No	No	No	Yes
Airway/ventilation/oxygenation	Cricoid pressure (Sellick maneuver)	No	Yes	Yes	Yes
Airway/ventilation/oxygenation	Cricothyrotomy—needle	No	No	No	Yes
Airway/ventilation/oxygenation	Cricothyrotomy—open/surgical	No	No	No	Yes
Airway/ventilation/oxygenation	Cricothyrotomy—overwire (Seldinger) technique	No	No	No	Yes
Airway/ventilation/oxygenation	End tidal CO ₂ monitoring/capnography	No	Yes ¹	Yes ¹	Yes
Airway/ventilation/oxygenation	Esophageal obturator airway (EOA)/ esophageal gastric tube airway (EGTA)	No	No	No	No ⁴
Airway/ventilation/oxygenation	Extubation	No	No	No	Yes
Airway/ventilation/oxygenation	Flow restricted oxygen powered ventilation device (demand valve)	No	Yes	Yes	Yes
Airway/ventilation/oxygenation	Gastric decompression—OG ⁵ & NG ⁵ tube (suction)	No	No	No	Yes

<i>Topic</i>	<i>Skill</i>	<i>AA</i>	<i>FR</i>	<i>EMT</i>	<i>EMT-P</i>
Airway/ventilation/oxygenation	Gastric tube insertion—nasal and oral	No	No	No	Yes
Airway/ventilation/oxygenation	Head-tilt/chin-lift	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Inspiratory Impedance Threshold Device (ITD)	No	No	No	Yes ²
Airway/ventilation/oxygenation	Intubation—digital and lighted stylet	No	No	No	Yes
Airway/ventilation/oxygenation	Intubation—endotracheal tube	No	No	No	Yes
Airway/ventilation/oxygenation	Intubation—medication paralytics assisted (RSI ⁵)	No	No	No	No ⁴
Airway/ventilation/oxygenation	Intubation—nasotracheal and orotracheal	No	No	No ⁴	Yes
Airway/ventilation/oxygenation	Intubation—retrograde	No	No	No	No ⁴
Airway/ventilation/oxygenation	Intubation—transillumination/lighted stylet	No	No	No	Yes
Airway/ventilation/oxygenation	Jaw thrust and modified jaw thrust (trauma)	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Laryngeal mask airway (LMA)	No	No	No	No ⁴
Airway/ventilation/oxygenation	Mouth-to-mouth, nose, stoma, barrier and pocket mask	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Obstruction—direct laryngoscopy (remove with forceps)	No	No	No	Yes
Airway/ventilation/oxygenation	Obstruction—manual (Heimlich, finger sweep, chest thrusts) upper airway	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Oxygen therapy—blow-by delivery	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Oxygen therapy—humidifiers	No	Yes	Yes	Yes
Airway/ventilation/oxygenation	Oxygen therapy—nasal cannula	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Oxygen therapy—nonrebreather mask	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Oxygen therapy—partial rebreather	No	Yes ²	Yes ²	Yes
Airway/ventilation/oxygenation	Oxygen therapy—regulators	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Oxygen therapy—simple face mask	Yes ²	Yes ²	Yes ²	Yes
Airway/ventilation/oxygenation	Oxygen therapy—regulators	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Oxygen therapy—Venturi mask	No	No	No	Yes
Airway/ventilation/oxygenation	Peak expiratory flow assessment	No	No	No	Yes
Airway/ventilation/oxygenation	Pulse oximetry	Yes ¹	Yes ²	Yes ²	Yes
Airway/ventilation/oxygenation	Suctioning—meconium aspiration	No	No	No	Yes
Airway/ventilation/oxygenation	Suctioning—stoma	No	No	Yes	Yes
Airway/ventilation/oxygenation	Suctioning—tracheobronchial	No	No	No	Yes
Airway/ventilation/oxygenation	Suctioning—upper airway (nasal)	No	Yes	Yes	Yes
Airway/ventilation/oxygenation	Suctioning—upper airway (oral)	Yes	Yes	Yes	Yes
Airway/ventilation/oxygenation	Transtracheal jet ventilation	No	No	No	Yes
Airway/ventilation/oxygenation	Ventilators—automated transport (ATV)	Yes ¹	Yes ²	Yes ²	Yes
Assessment of	Glasgow Coma Scale (GCS)	Yes	Yes	Yes	Yes
Assessment of	Level of consciousness (LOC)	Yes	Yes	Yes	Yes
Assessment of	Patient assessment skills identified in the NSC ⁵	Yes	Yes	Yes	Yes
Assessment of	Vital sign—body temperature	Yes	Yes	Yes	Yes
Assessment of	Vital sign—pulse	Yes	Yes	Yes	Yes
Assessment of	Vital sign—pupils	Yes	Yes	Yes	Yes
Assessment of	Vital sign—respirations	Yes	Yes	Yes	Yes
Assessment of	Vital sign—skin color/temperature and condition (CTC)	Yes	Yes	Yes	Yes
Cardiovascular/circulation	Blood pressure—auscultation	Yes	Yes	Yes	Yes

<i>Topic</i>	<i>Skill</i>	<i>AA</i>	<i>FR</i>	<i>EMT</i>	<i>EMT-P</i>
Cardiovascular/circulation	Blood pressure—electronic non-invasive	Yes	Yes	Yes	Yes
Cardiovascular/circulation	Blood pressure—palpation	Yes	Yes	Yes	Yes
Cardiovascular/circulation	Cardiac monitoring—apply electrodes	No	Yes ¹	Yes ¹	Yes
Cardiovascular/circulation	Cardiac monitoring—multilead	No	No	No	Yes
Cardiovascular/circulation	Cardiac monitoring—single lead (interpretive)	No	No	No	Yes
Cardiovascular/circulation	Cardiopulmonary resuscitation (CPR) adult, infant, child, one and two person	Yes	Yes	Yes	Yes
Cardiovascular/circulation	Cardioversion—synchronized	No	No	No	Yes
Cardiovascular/circulation	Carotid massage (vagal maneuvers)	No	No	No	Yes
Cardiovascular/circulation	Defibrillation—Counter shock—manual	No	No	No	Yes
Cardiovascular/circulation	Defibrillation—automated external defibrillator (AED)	Yes ²	Yes ²	Yes ²	Yes
Cardiovascular/circulation	Hemodynamic monitoring/assist (Swan Ganz, arterial, central venous lines)	No	No	No	No ⁴
Cardiovascular/circulation	Intra-aortic balloon pump monitoring/assist	No	No	No	No ⁴
Cardiovascular/circulation	Mechanical CPR device	No	No	No	Yes
Cardiovascular/circulation	Military/Pneumatic Anti-Shock Trousers/Garment PASG/MAST ⁵)	No	No	Yes	Yes
Cardiovascular/circulation	Thrombolytic therapy—initiation	No	No	No	No ⁴
Cardiovascular/circulation	Thrombolytic therapy—monitoring	No	No	No	No ⁴
Cardiovascular/circulation	Transcutaneous pacing	No	No	No	Yes
Cardiovascular/circulation	Use a (cardiac) magnet to alter the mode of an AICD ⁵ or pacemaker	No	No	No	Yes
Communications	Verbal patient report to receiving personnel	Yes	Yes	Yes	Yes
Communications	Communications with PSAPs ⁵ , hospitals, medical command facilities	Yes	Yes	Yes	Yes
Documentation	Out-of-Hospital Do Not Resuscitate (DNR) orders (Act 59)	Yes	Yes	Yes	Yes
Documentation	Patient Care Report completion	No	Yes	Yes	Yes
Hazardous materials	Contaminated equipment disposal (sharps and PPE ⁵)	Yes	Yes	Yes	Yes
Hazardous materials	Decontamination	Yes	Yes	Yes	Yes
Hazardous materials	Disinfection	Yes	Yes	Yes	Yes
Hazardous materials	PPE ⁵ (personal protection equipment) use	Yes	Yes	Yes	Yes
Hazardous materials	PASG/MAST ⁵ —pelvic stabilization	No	No	Yes	Yes
Immobilization	Spinal immobilization—helmet stabilization or removal	No	No	Yes	Yes
Immobilization	Spinal immobilization—long board w/pt supine and standing	Yes	Yes	Yes	Yes
Immobilization	Spinal immobilization—manual stabilization and cervical collar	Yes	Yes	Yes	Yes
Immobilization	Spinal immobilization—rapid extrication	No	No	Yes	Yes
Immobilization	Spinal immobilization—seated patient (KED [®]) ⁵ , and the like)	No	No	Yes	Yes
Immobilization	Splinting—manual, ridged, soft, vacuum	Yes	Yes	Yes	Yes
Immobilization	Splinting—traction	Yes ²	Yes	Yes	Yes
IV Initiation/maintenance/fluids	Central venous cannulation (femoral vein only)	No	No	No	Yes

<i>Topic</i>	<i>Skill</i>	<i>AA</i>	<i>FR</i>	<i>EMT</i>	<i>EMT-P</i>
IV Initiation/maintenance/fluids	Central venous line—access of existing catheters	No	No	No	Yes
IV Initiation/maintenance/fluids	Clean technique	No	No	No	Yes
IV Initiation/maintenance/fluids	External jugular vein cannulation	No	No	No	Yes
IV Initiation/maintenance/fluids	Heparin/saline lock insertions as no-flow IV	No	No	No	Yes
IV Initiation/maintenance/fluids	Indwelling intravenous catheters as described 28 Pa. Code § 1003.23(e)(2)	No	No	Yes	Yes
IV Initiation/maintenance/fluids	Intraosseous—needle placement and infusion—anterior tibia or distal femur	No	No	No	Yes
IV Initiation/maintenance/fluids	Peripheral venous—initiation (cannulation)	No	No	No	Yes
IV Initiation/maintenance/fluids	Sub-cutaneous indwelling catheters—access of existing catheters	No	No	No	Yes
IV Initiation/maintenance/fluids	Vascular access devices in home healthcare—access of existing catheters	No	No	No	Yes
IV Initiation/maintenance/fluids	Venous (blood sampling)—obtaining	No	No	No	Yes
IV Initiation/maintenance/fluids	Venous central line (blood sampling)—obtaining	No	No	No	No ⁴
IV Initiation/maintenance/fluids	Arterial line—capped—transport	No	No	Yes	Yes
IV Initiation/maintenance/fluids	Arterial line—monitoring/assist	No	No	No	No ⁴
IV Initiation/maintenance/fluids	Blood/Blood—by-products	No	No	No	No ⁴
Lifting and moving	Patient lifting, moving and transfers per NSC ⁵	Yes	Yes	Yes	Yes
Lifting and moving	Patient restraints on transport devices	Yes	Yes	Yes	Yes
Medication administration routes	Endotracheal tube (ET)	No	No	No	Yes
Medication administration routes	Inhalation (aerosolized/nebulized)	No	No	No	Yes
Medication administration routes	Intramuscular (IM)	No	No	No	Yes
Medication administration routes	Intranasal	No	No	No	Yes
Medication administration routes	Intraosseous—anterior tibia or distal femur	No	No	No	Yes
Medication administration routes	Intravenous (IV)—bolus	No	No	No	Yes
Medication administration routes	Intravenous (IV) infusion, including by intravenous pump	No	No	No	Yes
Medication administration routes	Nasogastric	No	No	No	Yes
Medication administration routes	Oral	No	No	No	Yes
Medication administration routes	Rectal	No	No	No	Yes
Medication administration routes	Sub-cutaneous	No	No	No	Yes
Medication administration routes	Sub-lingual	No	No	No	Yes
Medication administration routes	Topical	No	No	No	Yes
Medication administration routes	Auto-injectors	No	No	Yes ³	Yes
Medications	Activated charcoal	No	No	Yes ³	Yes
Medications	As published in the <i>Pennsylvania Bulletin</i> by PA DOH	No	No	No	Yes
Medications	Immunizations	No	No	No	Yes ⁷
Medications	Oral glucose	No	No	Yes ³	Yes
Medications	Over-the-counter medications (OTC)	No	No	No	No ⁴
Medications	Oxygen	Yes	Yes	Yes	Yes
Medications—Patient Assisted	Auto-injected epinephrine—primary use—not patient's own prescription	No	No	Yes ^{2, 3, 6}	Yes
Medications—Patient Assisted	Auto-injected epinephrine	No	No	Yes ³	Yes

<i>Topic</i>	<i>Skill</i>	<i>AA</i>	<i>FR</i>	<i>EMT</i>	<i>EMT-P</i>
Medications—Patient Assisted	Metered dose inhaler (MDI)—bronchodilator	No	No	Yes ³	Yes
Medications—Patient Assisted	Nitroglycerin	No	No	Yes ³	Yes
Patient assessment/management	Behavioral—Restrain violent patient	No	No	Yes	Yes
Patient assessment/management	Blood glucose assessment	No	No	No	Yes
Patient assessment/management	Burns—chemical, electrical, inhalation, radiation, thermal	Yes	Yes	Yes	Yes
Patient assessment/management	Childbirth—umbilical cord cutting	No	Yes	Yes	Yes
Patient assessment/management	Childbirth (abnormal/complications)	No	No	Yes	Yes
Patient assessment/management	Childbirth (normal)—cephalic delivery	Yes	Yes	Yes	Yes
Patient assessment/management	Dislocation reduction (shoulder)	No	No	No	No ⁴
Patient assessment/management	Eye irrigation/care	Yes	Yes	Yes	Yes
Patient assessment/management	Hemorrhage control—diffuse, direct, pressure point, tourniquet, bandaging	Yes	Yes	Yes	Yes
Patient assessment/management	Intracranial monitoring/assist	No	No	No	No ⁴
Patient assessment/management	As outlined in DOH approved regional and Statewide TX ⁵ and transport protocols	Yes	Yes	Yes	Yes
Patient assessment/management	Multiple Casualty Incident (MCI)/Incident Command System (ICS)	No	Yes	Yes	Yes
Patient assessment/management	Triage (prioritizing patients)—use of tags	Yes	Yes	Yes	Yes
Patient assessment/management	Urinary catheterization	No	No	No	Yes
Rescue	Vehicle access & extrication	Yes	Yes	Yes	Yes

◀ **Acronym**

AICD
 CPAP/BiPAP
 KED
 NSC
 OG and NG
 PASG/MAST
 PPE
 PSAP
 RSI
 TX

Explanation

Automatic Implantable Cardioverter Defibrillators
 Continuous positive airway pressure/biphasic positive airway pressure
 Kendrick Extrication Device
 United Department of Transportation National Standard Curriculum
 Oral gastric and nasal gastric tube
 Pneumatic antishock garment/military antishock trousers
 Personal protective equipment
 Public safety answering point
 Rapid sequence induction
 Treatment

[Pa.B. Doc. No. 06-114. Filed for public inspection January 20, 2006, 9:00 a.m.]

Requests for Exception; Long-Term Care Nursing Facilities

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 201.3 (relating to definitions):

The Ball Pavilion
 5416 East Lake Road
 Erie, PA 16511

Ridgeview Elder Care Rehabilitation Center
 30 4th Avenue
 Curwensville, PA 16833
 FAC ID 015002

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Bradford Ecumenical Home, Inc.
 100 St. Francis Drive
 Bradford, PA 16701

Guardian Elder Care
 147 Old Newport Street
 Nanticoke, PA 18634

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-115. Filed for public inspection January 20, 2006, 9:00 a.m.]

Requests for Exception; Long-Term Care Nursing Facilities

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Friendship Ridge
246 Friendship Circle
Beaver, PA 15009

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.67(k) (relating to electric requirements for existing and new construction):

Garden Spot Village
433 South Kinzer Avenue
New Holland, PA 17557-9360
FAC ID# 143502

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on this exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who require an alternative format of this document or who wish to comment in an alternative format (for example, large print, audiotope, Braille) should contact the Division of Nursing Care Facilities at the address or phone numbers listed previously or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-116. Filed for public inspection January 20, 2006, 9:00 a.m.]

DEPARTMENT OF MILITARY AND VETERANS AFFAIRS

Per Diem Rates at Pennsylvania State Veterans' Homes

The Department of Military and Veterans Affairs has established the following per diem rates for the costs of care for residents at Pennsylvania State Veterans' Homes. These per diem rates are effective January 1, 2006, until further notice.

Hollidaysburg Veterans' Home

Nursing Care	\$238.36
Personal Care	\$141.42

Pennsylvania Soldiers' and Sailors' Home

Nursing Care	\$248.71
Personal Care	\$127.38

Southeastern Veterans's Center

Nursing Care	\$232.78
Personal Care	\$164.72

Gino J. Merli Veterans's Center

Nursing Care	\$238.42
Personal Care	\$116.27

Southwestern Veterans' Center

Nursing Care	\$219.45
Personal Care	\$156.81

Delaware Valley Veterans' Home

Nursing Care	\$260.24
Personal Care	\$126.39

MAJOR GENERAL JESSICA L. WRIGHT

Adjutant General

[Pa.B. Doc. No. 06-117. Filed for public inspection January 20, 2006, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Deluxe 7-11-21 Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Deluxe 7-11-21.

2. *Price:* The price of a Pennsylvania Deluxe 7-11-21 instant lottery game ticket is \$2.

3. *Play Symbols:* Each Pennsylvania Deluxe 7-11-21 instant lottery game ticket will contain one play area consisting of Game 1, Game 2, Game 3, Game 4, Game 5 and Game 6. Each "GAME" is played separately. The play symbols and their captions, located in the play area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLVE), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 18 (EGHTN), 19 (NINTN), 20 (TWNTY), 21 (TWONE) and DELUXE (DELUX6).

4. *Prize Symbols:* The prize symbols and their captions, located in the play area are: \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$3⁰⁰ (THR DOL), \$6⁰⁰ (SIX DOL), \$7⁰⁰ (SVN DOL) \$11\$ (ELEVN), \$12\$ (TWELV), \$21\$ (TWY ONE), \$42\$ (FRY TWO), \$70\$ (SEVENTY), \$210 (TWOHUNTEN), \$2,100 (TWYONEHUN) and \$21,000 (TWYONETHO).

5. *Prizes:* The prizes that can be won in this game are: \$1, \$2, \$3, \$6, \$7, \$11, \$12, \$21, \$42, \$70, \$210, \$2,100 and \$21,000. The player can win up to 6 times on the ticket.

6. *Approximate Number of Tickets Printed for the Game:* Approximately 10,800,000 tickets will be printed for the Pennsylvania Deluxe 7-11-21 instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the play symbols in a "GAME" is a 7 (SEVEN), 11 (ELEVN) or 21 (TWONE), and a prize symbol of \$21,000 (TWYONETHO) appears in the "prize" area for that "GAME," on a single ticket, shall be entitled to a prize of \$21,000.

(b) Holders of tickets upon which any one of the play symbols in a "GAME" is a 7 (SEVEN), 11 (ELEVN) or 21 (TWONE), and a prize symbol of \$2,100 (TWYONEHUN) appears in the "prize" area for that "GAME," on a single ticket, shall be entitled to a prize of \$2,100.

(c) Holders of tickets upon which any one of the play symbols in a "GAME" is a 7 (SEVEN), 11 (ELEVN) or 21 (TWONE), and a prize symbol of \$210 (TWOHUNTEN) appears in the "prize" area for that "GAME," on a single ticket, shall be entitled to a prize of \$210.

(d) Holders of tickets upon which any one of the play symbols is a DELUXE (DELUX6) symbol, and a prize symbol of \$42\$ (FRY TWO) appears in four of the "prize" areas, and a prize symbol of \$21\$ (TWY ONE) appears in two of the "prize" areas, on a single ticket, shall be entitled to a prize of \$210.

(e) Holders of tickets upon which any one of the play symbols in a "GAME" is a 7 (SEVEN), 11 (ELEVN) or 21 (TWONE), and a prize symbol of \$70\$ (SEVENTY) appears in the "prize" area for that "GAME," on a single ticket, shall be entitled to a prize of \$70.

(f) Holders of tickets upon which any one of the play symbols is a DELUXE (DELUX6) symbol, and a prize symbol of \$11\$ (ELEVN) appears in two of the "prize" areas, and a prize symbol of \$12\$ (TWELV) appears in four of the "prize" areas, on a single ticket, shall be entitled to a prize of \$70.

(g) Holders of tickets upon which any one of the play symbols in a "GAME" is a 7 (SEVEN), 11 (ELEVN) or 21 (TWONE), and a prize symbol of \$42\$ (FRY TWO) appears in the "prize" area for that "GAME," on a single ticket, shall be entitled to a prize of \$42.

(h) Holders of tickets upon which any one of the play symbols is a DELUXE (DELUX6) symbol, and a prize symbol of \$7⁰⁰ (SVN DOL) appears in each of the six "prize" areas on a single ticket, shall be entitled to a prize of \$42.

(i) Holders of tickets upon which any one of the play symbols in a "GAME" is a 7 (SEVEN), 11 (ELEVN) or 21 (TWONE), and a prize symbol of \$21\$ (TWY ONE) appears in the "prize" area for that "GAME," on a single ticket, shall be entitled to a prize of \$21.

(j) Holders of tickets upon which any one of the play symbols is a DELUXE (DELUX6) symbol, and a prize symbol of \$3⁰⁰ (THR DOL) appears in five of the "prize" areas, and a prize symbol of \$6⁰⁰ (SIX DOL) appears in the remaining "prize" area, on a single ticket, shall be entitled to a prize of \$21.

(k) Holders of tickets upon which any one of the play symbols in a "GAME" is a 7 (SEVEN), 11 (ELEVN) or 21 (TWONE), and a prize symbol of \$12\$ (TWELV) appears in the "prize" area for that "GAME," on a single ticket, shall be entitled to a prize of \$12.

(l) Holders of tickets upon which any one of the play symbols is a DELUXE (DELUX6) symbol, and a prize symbol of \$2⁰⁰ (TWO DOL) appears in each of the six "prize" areas on a single ticket, shall be entitled to a prize of \$12.

(m) Holders of tickets upon which any one of the play symbols in a "GAME" is a 7 (SEVEN), 11 (ELEVN) or 21 (TWONE), and a prize symbol of \$11\$ (ELEVN) appears in the "prize" area for that "GAME," on a single ticket, shall be entitled to a prize of \$11.

(n) Holders of tickets upon which any one of the play symbols is a DELUXE (DELUX6) symbol, and a prize symbol of \$1⁰⁰ (ONE DOL) appears in five of the "prize" areas, and a prize symbol of \$6⁰⁰ (SIX DOL) appears in the remaining "prize" area, on a single ticket, shall be entitled to a prize of \$11.

(o) Holders of tickets upon which any one of the play symbols in a "GAME" is a 7 (SEVEN), 11 (ELEVN) or 21 (TWONE), and a prize symbol of \$7⁰⁰ (SVN DOL) appears in the "prize" area for that "GAME," on a single ticket, shall be entitled to a prize of \$7.

(p) Holders of tickets upon which any one of the play symbols is a DELUXE (DELUX6) symbol, and a prize symbol of \$1⁰⁰ (ONE DOL) appears in five of the "prize" areas, and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the remaining "prize" area, on a single ticket, shall be entitled to a prize of \$7.

(q) Holders of tickets upon which any one of the play symbols in a "GAME" is a 7 (SEVEN), 11 (ELEVN) or 21 (TWONE), and a prize symbol of \$6⁰⁰ (SIX DOL) appears in the "prize" area for that "GAME," on a single ticket, shall be entitled to a prize of \$6.

(r) Holders of tickets upon which any one of the play symbols in a "GAME" is a 7 (SEVEN), 11 (ELEVN) or 21 (TWONE), and a prize symbol of \$3⁰⁰ (THR DOL) appears in the "prize" area for that "GAME," on a single ticket, shall be entitled to a prize of \$3.

(s) Holders of tickets upon which any one of the play symbols in a "GAME" is a 7 (SEVEN), 11 (ELEVN) or 21 (TWONE), and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the "prize" area for that "GAME," on a single ticket, shall be entitled to a prize of \$2.

(t) Holders of tickets upon which any one of the play symbols in a "GAME" is a 7 (SEVEN), 11 (ELEVN) or 21 (TWONE), and a prize symbol of \$1⁰⁰ (ONE DOL) appears in the "prize" area for that "GAME," on a single ticket, shall be entitled to a prize of \$1.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

Find a 7, 11, or 21 Symbol in Any Game, Win Prize Shown for That Game: Win With Prizes of:

	Win:	Approximate Odds of 1 In:	Approximate No. of Winners Per 10,800,000 Tickets
\$1 × 2	\$2	18.75	576,000
\$2	\$2	20	540,000
\$1 × 3	\$3	30	360,000
\$3	\$3	37.50	288,000
\$1 × 6	\$6	150	72,000
\$2 × 3	\$6	150	72,000
\$6	\$6	150	72,000
(\$1 × 5) + \$2	\$7	150	72,000
DELUXE w/(\$1 × 5) + \$2	\$7	150	72,000
\$7	\$7	150	72,000
DELUXE w/(\$1 × 5) + \$6	\$11	300	36,000
(\$3 × 3) + \$2	\$11	300	36,000
\$2 + \$3 + \$6	\$11	300	36,000
\$11	\$11	300	36,000
\$2 × 6	\$12	750	14,400
DELUXE w/\$2 × 6	\$12	500	21,600
\$3 × 4	\$12	1,500	7,200
\$6 × 2	\$12	1,500	7,200
\$12	\$12	500	21,600
(\$3 × 5) + \$6	\$21	750	14,400
DELUXE w/(\$3 × 5) + \$6	\$21	750	14,400
\$7 × 3	\$21	750	14,400
\$21	\$21	375	28,800
\$7 × 6	\$42	1,200	9,000
DELUXE w/\$7 × 6	\$42	1,200	9,000
\$21 × 2	\$42	1,200	9,000
\$42	\$42	1,200	9,000
(\$11 × 2) + (\$12 × 4)	\$70	4,800	2,250
DELUXE w/(\$11 × 2) + (\$12 × 4)	\$70	4,800	2,250
(\$7 × 4) + (\$21 × 2)	\$70	4,800	2,250
(\$21 × 3) + \$7	\$70	4,800	2,250
\$70	\$70	4,800	2,250
\$70 × 3	\$210	30,000	360
(\$42 × 4) + (\$21 × 2)	\$210	30,000	360
DELUXE w/(\$42 × 4) + (\$21 × 2)	\$210	30,000	360
\$210	\$210	30,000	360
\$2,100	\$2,100	360,000	30
\$21,000	\$21,000	1,080,000	10

DELUXE = Win all 6 prize shown automatically.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Deluxe 7-11-21 instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Deluxe 7-11-21, prize money from winning Pennsylvania Deluxe 7-11-21 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Deluxe 7-11-21 instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law, 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Deluxe 7-11-21 or through normal communications methods.

GREGORY C. FAJT,
Secretary

[Pa.B. Doc. No. 06-118. Filed for public inspection January 20, 2006, 9:00 a.m.]

Pennsylvania In The Clover Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania In The Clover.

2. *Price:* The price of a Pennsylvania In The Clover instant lottery game ticket is \$1.

3. *Play Symbols:* Each Pennsylvania In The Clover instant lottery game ticket will contain one play area featuring a "LUCKY NUMBER" area and a "YOUR CLOVER NUMBERS" area. The play symbols and their captions located in the "LUCKY NUMBER" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE) and 10 (TEN). The play symbols and their captions located in the "YOUR CLOVER NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN) and a Lucky Coin symbol (LUCKYCOIN).

4. *Prize Symbols:* The prize symbols and their captions located in the "YOUR CLOVER NUMBERS" area are: FREE (TICKET), \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20\$ (TWENTY), \$50\$ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN) and \$1,700 (SVNTNHUN).

5. *Prizes:* The prizes that can be won in this game are: Free Ticket, \$1, \$2, \$5, \$10, \$20, \$50, \$100, \$500 and \$1,700. A player can win up to five times on a ticket.

6. *Approximate Number of Tickets Printed for the Game:* Approximately 14,400,000 tickets will be printed for the Pennsylvania In The Clover instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "YOUR CLOVER NUMBERS" play symbols matches the "LUCKY NUMBER" play symbol and a prize symbol of \$1,700 (SVNTNHUN) appears under the matching "YOUR CLOVER NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,700.

(b) Holders of tickets upon which any one of the "YOUR CLOVER NUMBERS" play symbols matches the "LUCKY NUMBER" play symbol and a prize symbol of \$500 (FIV HUN) appears under the matching "YOUR CLOVER NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(c) Holders of tickets upon which any one of the "YOUR CLOVER NUMBERS" play symbols is a Lucky Coin symbol (LUCKYCOIN), and a prize symbol of \$500 (FIV HUN) appears under the Lucky Coin symbol (LUCKYCOIN) on a single ticket, shall be entitled to a prize of \$500.

(d) Holders of tickets upon which any one of the "YOUR CLOVER NUMBERS" play symbols matches the "LUCKY NUMBER" play symbol and a prize symbol of \$100 (ONE HUN) appears under the matching "YOUR CLOVER NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(e) Holders of tickets upon which any one of the "YOUR CLOVER NUMBERS" play symbols is a Lucky Coin symbol (LUCKYCOIN), and a prize symbol of \$100

(ONE HUN) appears under the Lucky Coin symbol (LUCKYCOIN) on a single ticket, shall be entitled to a prize of \$100.

(f) Holders of tickets upon which any one of the "YOUR CLOVER NUMBERS" play symbols matches the "LUCKY NUMBER" play symbol and a prize symbol of \$50\$ (FIFTY) appears under the matching "YOUR CLOVER NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(g) Holders of tickets upon which any one of the "YOUR CLOVER NUMBERS" play symbols is a Lucky Coin symbol (LUCKYCOIN), and a prize symbol of \$50\$ (FIFTY) appears under the Lucky Coin symbol (LUCKYCOIN) on a single ticket, shall be entitled to a prize of \$50.

(h) Holders of tickets upon which any one of the "YOUR CLOVER NUMBERS" play symbols matches the "LUCKY NUMBER" play symbol and a prize symbol of \$20\$ (TWENTY) appears under the matching "YOUR CLOVER NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(i) Holders of tickets upon which any one of the "YOUR CLOVER NUMBERS" play symbols is a Lucky Coin symbol (LUCKYCOIN), and a prize symbol of \$20\$ (TWENTY) appears under the Lucky Coin symbol (LUCKYCOIN) on a single ticket, shall be entitled to a prize of \$20.

(j) Holders of tickets upon which any one of the "YOUR CLOVER NUMBERS" play symbols matches the "LUCKY NUMBER" play symbol and a prize symbol of \$10⁰⁰ (TEN DOL) appears under the matching "YOUR CLOVER NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(k) Holders of tickets upon which any one of the "YOUR CLOVER NUMBERS" play symbols is a Lucky Coin symbol (LUCKYCOIN), and a prize symbol of \$10⁰⁰ (TEN DOL) appears under the Lucky Coin symbol (LUCKYCOIN) on a single ticket, shall be entitled to a prize of \$10.

(l) Holders of tickets upon which any one of the "YOUR CLOVER NUMBERS" play symbols matches the "LUCKY NUMBER" play symbol and a prize symbol of \$5⁰⁰ (FIV DOL) appears under the matching "YOUR CLOVER NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(m) Holders of tickets upon which any one of the "YOUR CLOVER NUMBERS" play symbols is a Lucky Coin symbol (LUCKYCOIN), and a prize symbol of \$5⁰⁰ (FIV DOL) appears under the Lucky Coin symbol (LUCKYCOIN) on a single ticket, shall be entitled to a prize of \$5.

(n) Holders of tickets upon which any one of the "YOUR CLOVER NUMBERS" play symbols matches the "LUCKY NUMBER" play symbol and a prize symbol of \$2⁰⁰ (TWO DOL) appears under the matching "YOUR CLOVER NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$2.

(o) Holders of tickets upon which any one of the "YOUR CLOVER NUMBERS" play symbols is a Lucky Coin symbol (LUCKYCOIN), and a prize symbol of \$2⁰⁰ (TWO DOL) appears under the Lucky Coin symbol (LUCKYCOIN) on a single ticket, shall be entitled to a prize of \$2.

(p) Holders of tickets upon which any one of the "YOUR CLOVER NUMBERS" play symbols matches the

“LUCKY NUMBER” play symbol and a prize symbol of \$1^{.00} (ONE DOL) appears under the matching “YOUR CLOVER NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1.

(q) Holders of tickets upon which any one of the “YOUR CLOVER NUMBERS” play symbols is a Lucky Coin symbol (LUCKYCOIN), and a prize symbol of \$1^{.00} (ONE DOL) appears under the Lucky Coin symbol (LUCKYCOIN) on a single ticket, shall be entitled to a prize of \$1.

(r) Holders of tickets upon which any one of the “YOUR

CLOVER NUMBERS” play symbols matches the “LUCKY NUMBER” play symbol and a prize symbol of FREE (TICKET) appears under the matching “YOUR CLOVER NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of one Pennsylvania In The Clover instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

When Any of Your Clover Numbers Match The Lucky Number, Win With Prize(s) of:

<i>Prize(s) of:</i>	<i>Win:</i>	<i>Approximate Odds 1 In:</i>	<i>Approximate No. of Winners Per 14,400,000 Tickets</i>
FREE	TICKET	30	480,000
\$1 w/LUCKY COIN	\$1	30	480,000
\$1	\$1	30	480,000
\$2 w/LUCKY COIN	\$2	50	288,000
\$1 × 2	\$2	50	288,000
\$2	\$2	50	288,000
\$5 w/LUCKY COIN	\$5	100	144,000
\$1 × 5	\$5	100	144,000
\$5	\$5	150	96,000
\$10 w/LUCKY COIN	\$10	300	48,000
\$2 × 5	\$10	300	48,000
\$5 × 2	\$10	300	48,000
\$10	\$10	300	48,000
\$20 w/LUCKY COIN	\$20	1,500	9,600
\$5 × 4	\$20	1,500	9,600
\$10 × 2	\$20	1,000	14,400
\$20	\$20	1,000	14,400
\$50 w/LUCKY COIN	\$50	6,000	2,400
\$10 × 5	\$50	6,000	2,400
(\$20 × 2) + \$10	\$50	6,000	2,400
\$50	\$50	6,000	2,400
\$100 w/LUCKY COIN	\$100	120,000	120
\$20 × 5	\$100	80,000	180
\$50 × 2	\$100	120,000	120
\$100	\$100	80,000	180
\$500 w/LUCKY COIN	\$500	720,000	20
\$100 × 5	\$500	720,000	20
\$500	\$500	720,000	20
\$1,700	\$1,700	1,440,000	10

LUCKY COIN = Win prize shown under it automatically.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania In The Clover instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania In The Clover, prize money from winning Pennsylvania In The Clover instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania In The Clover instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law, 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania In The Clover or through normal communications methods.

GREGORY C. FAJT,
Secretary

[Pa.B. Doc. No. 06-119. Filed for public inspection January 20, 2006, 9:00 a.m.]

Pennsylvania Shamrock Gold Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Shamrock Gold.

2. *Price:* The price of a Pennsylvania Shamrock Gold instant lottery game ticket is \$5.

3. *Play Symbols:* Each Pennsylvania Shamrock Gold instant lottery game ticket will contain one play area with "SHAMROCK SYMBOLS" and "GOLD SYMBOLS" areas. The play symbols and their captions located in the "SHAMROCK SYMBOLS" area are: Chest symbol (CHEST), Coins symbol (COINS), Wallet symbol (WALLET), Moneybag symbol (MNYBAG), Money symbol (MONEY), Castle symbol (CASTLE), Diamond symbol (DMND), Gold Bar symbol (GOLD), Pipe (PIPE), Cabbage symbol (CABBAGE), Mushroom symbol (SHROM), Piggy Bank symbol (PIGBNK), Leprechaun symbol (LEPCH), Shamrock symbol (SHROCK), Pot of Gold symbol (PTGOLD) and a Leprechaun Hat symbol (LEPHAT). The play symbols and their captions located in the "GOLD SYMBOLS" area are: Chest symbol (CHEST), Coins symbol (COINS), Wallet symbol (WALLET), Moneybag symbol (MNYBAG), Money symbol (MONEY), Castle symbol (CASTLE), Diamond symbol (DMND), Gold Bar symbol (GOLD), Pipe (PIPE), Cabbage symbol (CABBAGE), Mushroom symbol (SHROM), Piggy Bank symbol (PIGBNK), Leprechaun symbol (LEPCH), Shamrock symbol (SHROCK), Pot of Gold symbol (PTGOLD), Leprechaun Hat symbol (LEPHAT) and a Rainbow symbol (RNBO).

4. *Prize Symbols:* The prize symbols and their captions located in the "GOLD SYMBOLS" area are: \$5⁰⁰ (FIV DOL), \$7⁰⁰ (SVN DOL), \$10⁰⁰ (TEN DOL), \$17\$ (SVNTN), \$50\$ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN), \$1,700 (SVNTNHUN) and \$50,000 (FTY THO).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$7, \$10, \$17, \$50, \$100, \$500, \$1,700 and \$50,000. A player can win up to 10 times on a ticket.

6. *Approximate Number of Tickets Printed for the Game:* Approximately 3,240,000 tickets will be printed for the Pennsylvania Shamrock Gold instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "GOLD SYMBOLS" play symbols matches any of the "SHAMROCK SYMBOLS" play symbol and a prize symbol of \$50,000 (FTY THO) appears under the matching "GOLD SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$50,000.

(b) Holders of tickets upon which any one of the "GOLD SYMBOLS" play symbols matches any of the "SHAMROCK SYMBOLS" play symbol and a prize symbol of \$1,700 (SVNTNHUN) appears under the matching "GOLD SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$1,700.

(c) Holders of tickets upon which any one of the "GOLD SYMBOLS" is a Rainbow (RNBO) symbol, and a prize symbol of \$1,700 (SVNTNHUN) appears under the Rainbow (RNBO) symbol, on a single ticket, shall be entitled to a prize of \$1,700.

(d) Holders of tickets upon which any one of the "GOLD SYMBOLS" play symbols matches any of the "SHAMROCK SYMBOLS" play symbol and a prize symbol of \$500 (FIV HUN) appears under the matching "GOLD SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets upon which any one of the "GOLD SYMBOLS" is a Rainbow (RNBO) symbol, and a prize symbol of \$500 (FIV HUN) appears under the Rainbow (RNBO) symbol, on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets upon which any one of the "GOLD SYMBOLS" play symbols matches any of the "SHAMROCK SYMBOLS" play symbol and a prize symbol of \$100 (ONE HUN) appears under the matching "GOLD SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(g) Holders of tickets upon which any one of the "GOLD SYMBOLS" is a Rainbow (RNBO) symbol, and a prize symbol of \$100 (ONE HUN) appears under the Rainbow (RNBO) symbol, on a single ticket, shall be entitled to a prize of \$100.

(h) Holders of tickets upon which any one of the "GOLD SYMBOLS" play symbols matches any of the "SHAMROCK SYMBOLS" play symbol and a prize symbol of \$50\$ (FIFTY) appears under the matching "GOLD SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(i) Holders of tickets upon which any one of the "GOLD SYMBOLS" is a Rainbow (RNBO) symbol, and a prize symbol of \$50\$ (FIFTY) appears under the Rainbow (RNBO) symbol, on a single ticket, shall be entitled to a prize of \$50.

(j) Holders of tickets upon which any one of the "GOLD SYMBOLS" play symbols matches any of the "SHAMROCK SYMBOLS" play symbol and a prize symbol of \$17\$ (SVNTN) appears under the matching "GOLD SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$17.

(k) Holders of tickets upon which any one of the "GOLD SYMBOLS" is a Rainbow (RNBO) symbol, and a prize symbol of \$17\$ (SVNTN) appears under the Rainbow (RNBO) symbol, on a single ticket, shall be entitled to a prize of \$17.

(l) Holders of tickets upon which any one of the "GOLD SYMBOLS" play symbols matches any of the "SHAMROCK SYMBOLS" play symbol and a prize symbol of \$10⁰⁰ (TEN DOL) appears under the matching "GOLD SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(m) Holders of tickets upon which any one of the "GOLD SYMBOLS" is a Rainbow (RNBO) symbol, and a prize symbol of \$10⁰⁰ (TEN DOL) appears under the Rainbow (RNBO) symbol, on a single ticket, shall be entitled to a prize of \$10.

(n) Holders of tickets upon which any one of the "GOLD SYMBOLS" play symbols matches any of the "SHAMROCK SYMBOLS" play symbol and a prize symbol of \$7⁰⁰ (SVN DOL) appears under the matching "GOLD SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$7.

(o) Holders of tickets upon which any one of the "GOLD SYMBOLS" is a Rainbow (RNBO) symbol, and a prize symbol of \$7⁰⁰ (SVN DOL) appears under the Rainbow (RNBO) symbol, on a single ticket, shall be entitled to a prize of \$7.

(p) Holders of tickets upon which any one of the "GOLD SYMBOLS" play symbols matches any of the "SHAMROCK SYMBOLS" play symbol and a prize symbol of \$5⁰⁰ (FIV DOL) appears under the matching "GOLD SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(q) Holders of tickets upon which any one of the "GOLD SYMBOLS" is a Rainbow (RNBOW) symbol, and

a prize symbol of \$5⁰⁰ (FIV DOL) appears under the Rainbow (RNBOW) symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

*When Any of The Gold Symbols
Match Any of The Shamrock
Symbols, Win With Prize(s) of:*

	<i>Win:</i>	<i>Approximate Odds of 1 In:</i>	<i>Approximate No. of Winners Per 3,240,000 Tickets</i>
\$5 w/RAINBOW	\$5	20	162,000
\$5	\$5	20	162,000
\$7 w/RAINBOW	\$7	30	108,000
\$7	\$7	30	108,000
\$5 × 2	\$10	100	32,400
\$10 w/RAINBOW	\$10	60	54,000
\$10	\$10	60	54,000
\$10 + \$7	\$17	60	54,000
\$17 w/RAINBOW	\$17	60	54,000
\$17	\$17	60	54,000
\$5 × 10	\$50	300	10,800
\$10 × 5	\$50	300	10,800
\$10 × 3 + \$5 × 4	\$50	300	10,800
\$50 w/RAINBOW	\$50	300	10,800
\$50	\$50	300	10,800
\$10 × 10	\$100	3,000	1,080
\$5 × 3 + \$17 × 5	\$100	3,000	1,080
\$50 × 2	\$100	3,000	1,080
\$100 w/RAINBOW	\$100	3,000	1,080
\$100	\$100	3,000	1,080
\$50 × 10	\$500	24,000	135
\$100 × 5	\$500	24,000	135
\$500 w/RAINBOW	\$500	24,000	135
\$500	\$500	24,000	135
\$1,700 w/RAINBOW	\$1,700	324,000	10
\$1,700	\$1,700	324,000	10
\$50,000	\$50,000	324,000	10

RAINBOW = Win prize shown under it automatically.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Shamrock Gold instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Shamrock Gold, prize money from winning Pennsylvania Shamrock Gold instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Shamrock Gold instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law, 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Shamrock Gold or through normal communications methods.

GREGORY C. FAJT,
Secretary

[Pa.B. Doc. No. 06-120. Filed for public inspection January 20, 2006, 9:00 a.m.]

Pennsylvania 3-D tic-tac-toe Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania 3-D tic-tac-toe.

2. *Price:* The price of a Pennsylvania 3-D tic-tac-toe instant lottery game ticket is \$3.

3. *Play Symbols:* Each Pennsylvania 3-D tic-tac-toe instant lottery game ticket will contain one play area consisting of three separate games designated as “Game 1,” “Game 2” and “Game 3.” Each “Game” is played separately. The play symbols located in the three games are: Money Bag symbol (MNYBG), Pot of Gold symbol (PTGLD), Rabbit’s Foot symbol (RBTFT), Horse Shoe symbol (SHOE), Star symbol (STAR), Diamond symbol (DIMND), Clover symbol (CLOVER), Rainbow symbol (RNBOW) and Wishbone symbol (WSHBN).

4. *Prizes:* The prizes that can be won in this game are \$3, \$6, \$9, \$15, \$30, \$90, \$300, \$3,000 and \$30,000. The player can win up to four times on each ticket.

5. *Approximate Number of Tickets Printed for the Game:* Approximately 6,000,000 tickets will be printed for the Pennsylvania 3-D tic-tac-toe instant lottery game.

6. *Determination of Prize Winners:*

(a) Holders of tickets in which three like play symbols appear in either a complete row in “Game 1” or in a complete column in “Game 3” and having a corresponding prize marker with a prize amount of \$30,000 appearing in that prize marker, on a single ticket, shall be entitled to a prize of \$30,000.

(b) Holders of tickets in which three like play symbols appear in either a complete column in “Game 1” or in a complete row in “Game 3” and having a corresponding prize marker with a prize amount of \$3,000 appearing in that prize marker, on a single ticket, shall be entitled to a prize of \$3,000.

(c) Holders of tickets in which three like play symbols appear in either a complete row in “Game 2” or in a complete column in “Game 3” and having a corresponding prize marker with a prize amount of \$300 appearing in that prize marker, on a single ticket, shall be entitled to a prize of \$300.

(d) Holders of tickets in which three like play symbols appear in either a complete column in “Game 2” or in a complete row in “Game 3” and having a corresponding prize marker with a prize amount of \$90 appearing in that prize marker, on a single ticket, shall be entitled to a prize of \$90.

(e) Holders of tickets in which three like play symbols appear in either a complete row in “Game 1” or “Game 2” and having a corresponding prize marker with a prize amount of \$30 appearing in that prize marker, on a single ticket, shall be entitled to a prize of \$30.

(f) Holders of tickets in which three like play symbols appear in either a complete column in “Game 1” or “Game 3” and having a corresponding prize marker with a prize amount of \$15 appearing in that prize marker, on a single ticket, shall be entitled to a prize of \$15.

(g) Holders of tickets in which three like play symbols appear in either a complete column in “Game 2” or in a complete row in “Game 3” and having a corresponding prize marker with a prize amount of \$9 appearing in that prize marker, on a single ticket, shall be entitled to a prize of \$9.

(h) Holders of tickets in which three like play symbols appear in either a complete row in “Game 1” or “Game 2” and having a corresponding prize marker with a prize amount of \$6 appearing in that prize marker, on a single ticket, shall be entitled to a prize of \$6.

(i) Holders of tickets in which three like play symbols appear in either a complete column in “Game 1” or “Game 2” and having a corresponding prize marker with a prize amount of \$3 appearing in that prize marker, on a single ticket, shall be entitled to a prize of \$3.

7. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Get Three Like Symbols in Any Row, or Column, Win With Prizes of:</i>				<i>Approximate Odds of 1 In:</i>	<i>Approximate No. of Winners Per 6,000,000 Tickets</i>
<i>Game 1</i>	<i>Game 2</i>	<i>Game 3</i>	<i>Win:</i>		
\$3			\$3	20	300,000
	\$3		\$3	20	300,000
\$6			\$6	66.67	90,000
	\$6		\$6	66.67	90,000
\$3	\$3		\$6	33.33	180,000
	\$9		\$9	66.67	90,000
		\$9	\$9	66.67	90,000
\$3	\$6		\$9	100	60,000
\$15			\$15	200	30,000
		\$15	\$15	200	30,000
\$3	\$3	\$9	\$15	100	60,000
\$30			\$30	500	12,000
	\$30		\$30	500	12,000
\$6	\$9	\$15	\$30	500	12,000
\$15	\$6 + \$9		\$30	250	24,000
	\$90		\$90	1,200	5,000
		\$90	\$90	1,200	5,000
\$15 + \$30	\$30	\$15	\$90	1,200	5,000

<i>Get Three Like Symbols in Any Row, or Column, Win With Prizes of:</i>				<i>Approximate Odds of 1 In:</i>	<i>Approximate No. of Winners Per 6,000,000 Tickets</i>
<i>Game 1</i>	<i>Game 2</i>	<i>Game 3</i>	<i>Win:</i>		
	\$300		\$300	20,000	300
		\$300	\$300	20,000	300
\$3,000			\$3,000	240,000	25
		\$3,000	\$3,000	240,000	25
\$30,000			\$30,000	1,200,000	5
		\$30,000	\$30,000	1,200,000	5

Prizes, including top prizes, are subject to availability at the time of purchase.

8. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania 3-D tic-tac-toe instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

9. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania 3-D tic-tac-toe, prize money from winning Pennsylvania 3-D tic-tac-toe instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania 3-D tic-tac-toe instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law, 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

11. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania 3-D tic-tac-toe or through normal communications methods.

GREGORY C. FAJT,
Secretary

[Pa.B. Doc. No. 06-121. Filed for public inspection January 20, 2006, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Transportation Funding and Reform Commission Public Meeting

The Transportation Funding and Reform Commission will meet on Thursday, January 26, 2006, at 9 a.m. at The Regional Enterprise Tower, 425 Sixth Avenue, Pittsburgh, PA, with Chairperson Allen D. Biehler presiding.

The meeting is open to the public.

The meeting location is accessible to persons with disabilities. Persons with special needs or requiring special aides should contact Jeanie Schneider, Department of Transportation, Bureau of Public Transportation, (717)

787-3921 prior to the meeting in order that disability needs may be accommodated.

ALLEN D. BIEHLER, P. E.,
Secretary

[Pa.B. Doc. No. 06-122. Filed for public inspection January 20, 2006, 9:00 a.m.]

FISH AND BOAT COMMISSION

Valley Creek and Its Tributaries; Chester and Montgomery Counties

The Fish and Boat Commission (Commission) previously designated Valley Creek at Valley Forge and its tributaries, including Little Valley Creek, in Chester and Montgomery Counties as a catch and release all-tackle area regulated and managed under 58 Pa. Code § 65.15 (relating to catch and release all-tackle areas), effective January 1, 2006. See 35 Pa.B. 6469 (November 26, 2005). As such, the Commission has removed any restrictions under 58 Pa. Code § 65.23 (relating to special restrictions on polluted zones), effective January 1, 2006.

DOUGLAS J. AUSTEN, Ph.D.,
Executive Director

[Pa.B. Doc. No. 06-123. Filed for public inspection January 20, 2006, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10:30 a.m., Thursday, January 5, 2006, and announced the following:

Regulations Approved

State Board of Vehicle Manufacturers, Dealers and Salespersons #16A-608: Protest Proceedings (amends 49 Pa. Code Chapter 19)

State Board of Medicine #16A-4917: Licensure of Medical Doctors (amends 49 Pa. Code §§ 17.1, 17.2, 17.5 and 17.9)

Environmental Quality Board #7-393: Hazardous Waste Management System; Proposed Exclusion for Identification and Listing Hazardous Waste (amends 25 Pa. Code § 261a.32)

Approval Order

Public Meeting held
January 5, 2006

Commissioners Voting: John R. McGinley, Jr., Esq., Chairperson; Alvin C. Bush, Vice Chairperson; Arthur Cocodrilli; John F. Mizner, Esq., by phone; Murray Ufberg, Esq.

*State Board of Vehicle Manufacturers, Dealers and Salespersons—Protest Proceedings;
Regulation No. 16A-608*

On March 29, 2005, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Vehicle Manufacturers, Dealers and Salespersons (Board). This rulemaking amends 49 Pa. Code Chapter 19. The proposed regulation was published in the April 23, 2005 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on November 28, 2005.

This regulation sets forth the procedural requirements for litigants to follow in vehicle protest matters before the Board. The procedural requirements supplement 1 Pa. Code Part II relating to General Rules of Administrative Practice and Procedure.

We have determined this regulation is consistent with the statutory authority of the Board (63 P. S. §§ 818.4(a)(9), 818.7, 818.8, 818.13 and 818.27) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting held
January 5, 2006

Commissioners Voting: John R. McGinley Jr., Esq., Chairperson; Alvin C. Bush, Vice Chairperson; Arthur Cocodrilli; John F. Mizner, Esq., by phone; Murray Ufberg, Esq.

*State Board of Medicine—Licensure of Medical Doctors;
Regulation No. 16A-4917*

On August 23, 2004, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Medicine. This rulemaking amends 49 Pa. Code §§ 17.1, 17.2, 17.5 and 17.9. The proposed regulation was published in the September 4, 2004 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on November 28, 2005.

This regulation amends the licensure requirements for foreign medical school graduates and licensure by endorsement.

We have determined this regulation is consistent with the statutory authority of the State Board of Medicine (63 P. S. § 422.8) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting held
January 5, 2006

Commissioners Voting: John R. McGinley Jr., Esq., Chairperson; Alvin C. Bush, Vice Chairperson; Arthur Cocodrilli; John F. Mizner, Esq., by phone; Murray Ufberg, Esq.

*Environmental Quality Board—Hazardous Waste Management System; Proposed Exclusion for Identification and Listing Hazardous Waste;
Regulation No. 7-393*

On November 22, 2004, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board. This rulemaking amends 25 Pa. Code § 261a.32. The proposed regulation was published in the December 4, 2004 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on November 23, 2005.

This regulation will conditionally exclude Electric Arc Furnace Dust (EAFD) waste from the list of hazardous wastes in 40 CFR Part 261 for MAX Environmental Technologies, Inc. located in Yukon, Pennsylvania.

We have determined this regulation is consistent with the statutory authority of the Environmental Quality Board (35 P. S. § 6018.105) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 06-124. Filed for public inspection January 20, 2006, 9:00 a.m.]

Notice of Filing of Final Rulemaking

The Independent Regulatory Review Commission (Commission) received the following regulation on the date indicated. To obtain the date and time of the meeting at which the Commission will consider this regulation, contact the Commission at (717) 783-5417 or visit its website at www.irrc.state.pa.us. To obtain a copy of the regulation, contact the promulgating agency.

Final-Omit

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>
14-503	Department of Public Welfare Low Income Home Energy Assistance Program	1/10/06

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 06-125. Filed for public inspection January 20, 2006, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of Bulletin). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Governor's Office

Management Directive No. 205.23—Submission of Commonwealth Publications to the State Library for Distribution to Other Designated Libraries, Amended December 5, 2005.

Management Directive No. 310.27—Month-end Closing Processes, Dated December 14, 2005.

Management Directive No. 720.5—Energy Conservation and Electrical Devices in Commonwealth-Owned or Leased Buildings, Amended November 22, 2005.

Administrative Circular No. 05-22—Office Relocations within the Department of General Services, Dated November 1, 2005.

Administrative Circular No. 05-23—Live Christmas Trees and Decorations, Dated November 21, 2005.

Administrative Circular No. 05-24—Winterization of State Vehicles and Commonwealth Garage Parking and Hours of Operation, Dated November 21, 2005.

MARY JANE PHELPS,
Director
Pennsylvania Bulletin

[Pa.B. Doc. No. 06-126. Filed for public inspection January 20, 2006, 9:00 a.m.]

MILK MARKETING BOARD

Hearing and Presubmission Schedule for All Milk Marketing Areas; Natural Gas Costs, Sweetener Costs and Heating Oil Costs

Under the Milk Marketing Law (31 P. S. §§ 700j-101—700j-1302), the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Areas Nos. 1—6 on March 1, 2006, at 10:30 a.m. in Room 202, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning: (1) the effect of natural gas costs on the minimum wholesale and retail prices of milk; (2) the effect of sweetener costs on the minimum wholesale and retail prices of milk; and (3) the effect of heating oil costs on the minimum wholesale and retail prices of milk.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 4 p.m. on February 7, 2006, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 4 p.m. on February 7, 2006, notification of their desire to be included as a party.

The parties shall observe the following requirements for advance filing of witness information and exhibits. The Board may exclude witnesses or exhibits of a party that fails to comply with these requirements. In addition, the parties shall have available in the hearing room at least 20 copies of each document for the use of nonparties attending the hearing.

1. By 4 p.m. on February 9, 2006, each party shall file with the Board six copies and serve on all other parties one copy of:

a. A list of witnesses who will testify for the party, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 4 p.m. on February 23, 2006, each party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

Parties who wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board or who wish the Board to take official notice of facts shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whenever these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties; in addition, at least 20 copies shall be available for distribution to nonparties attending the hearing.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing and received in the Board office by 4 p.m. on February 17, 2006.

The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons who require this information in an alternate format should call (717) 787-4194 or (800) 654-5984 (Pennsylvania Relay Service for TDD users).

KEITH BIERLY,
Secretary

[Pa.B. Doc. No. 06-127. Filed for public inspection January 20, 2006, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by February 13, 2006. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-00122331. Asad Raza (562 Lancaster Avenue, Frazer, Chester County, PA 19355)—persons, in airport transfer service, in the Borough of Malvern and Townships of East Whiteland and Tredyffrin in Chester County, and the Borough of Collegeville and Townships of Upper Merion, Upper Providence and Lower Providence in Montgomery County to the Philadelphia International Airport.

A-00122352. Steven S. Shearer (1342 Fieldstead Lane, Lancaster, Lancaster County, PA 17603)—persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the County of Lancaster, to points in Pennsylvania, and return.

Application of the following for approval of the *additional right and privilege of operating motor vehicles as common carriers for transportation of persons by transfer of rights as described under the application.*

A-00113582, Folder 4. Concord Limousine, Inc. t/a Concord Coach Taxi (2752 Mt. Carmel Avenue, Glenside, Montgomery County, PA 19038), a corporation of the Commonwealth, additional right—persons in airport transfer service: (1) from the Lehigh Valley International Airport in the Township of Hanover, Lehigh County, to points in Pennsylvania east of US 15, and vice versa, right 1 subject to the following condition: that no person shall be transported from points in the said territory to the Lehigh Valley International Airport who are farther than 35 air miles from the said airport; and (2) persons, who are passengers from diverted flights or who are

stranded passengers, from the Lehigh Valley International Airport, in the Township of Hanover, Lehigh County, to any other airport located in Pennsylvania; which is to be a transfer of the rights authorized under the certificate issued at A-00116101, F.4 to Airport Taxi Limousine and Courier Service of Lehigh Valley, Inc., subject to the same limitations and conditions. *Attorney:* David Woloshin, 1800 John F. Kennedy Boulevard, 11th Floor, Philadelphia, PA 19103.

Applications of the following for approval of the *additional right and privilege of operating motor vehicles as common carriers for transportation of persons as described under each application.*

A-00121501, Folder 2. Dan Reitz, Inc. t/a Silver Bullet Cab (358 South 14th Street, Reynoldsville, Jefferson County, PA 15851), a corporation of the Commonwealth—persons, in paratransit service, from points in the City of Dubois, Clearfield County, and points located within an airline distance of 10 statute miles of the limits of said city, to points in Pennsylvania, and return. *Attorney:* Dwight L. Koerber, Jr., 110 North Second Street, P. O. Box 1320, Clearfield, PA 16830.

A-00120055, F. 4. Choice Cab Company (1311 Robinwood Drive, Clarion, Clarion County, PA 16214)—a corporation of the Commonwealth—persons in airport transfer service, from points within an airline distance of 25 statute miles of the limits of the Dubois-Jefferson County Airport, located in Jefferson County, to the Dubois-Jefferson County Airport, Jefferson County. *Attorney:* Ray F. Middleman, Esquire, Northridge Office Plaza, 117 VIP Drive, Suite 310, Wexford, PA 15090.

Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.*

A-00122346. Raymond P. Sutherland (4160 West Market Street, York, York County, PA 17404)—household goods in use, from points in the County of York to points in Pennsylvania, and vice versa.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-128. Filed for public inspection January 20, 2006, 9:00 a.m.]

Telecommunications

A-319033F7002. The United Telephone Company of Pennsylvania d/b/a Sprint and Metropolitan Telecommunications Corporation of Pennsylvania, Inc. d/b/a MetTel. Joint petition of The United Telephone Company of Pennsylvania d/b/a Sprint and Metropolitan Telecommunications Corporation of Pennsylvania, Inc. d/b/a MetTel for approval of a master interconnection and resale agreement under section 252(e) of the Telecommunications Act of 1996.

The United Telephone Company of Pennsylvania d/b/a Sprint and Metropolitan Telecommunications Corporation of Pennsylvania, Inc. d/b/a MetTel, by its counsel, filed on January 4, 2006, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a master interconnection and resale agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania

Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the The United Telephone Company of Pennsylvania d/b/a Sprint and Metropolitan Telecommunications Corporation of Pennsylvania, Inc. d/b/a MetTel joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-129. Filed for public inspection January 20, 2006, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearing Scheduled

An error occurred in the document that appeared at 35 Pa.B. 6206 (November 5, 2005). The date of a claimant's hearing was incorrect. The correct version of the notice is as follows:

A hearing has been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of claimant's request concerning the indicated account.

The hearing will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

January 18, 2006 Charles S. Morgante 1 p.m.
(Final Average Salary)

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Marilyn Fuller-Smith, Assistant to the Executive Director, (717) 720-4921 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JEFFREY B. CLAY,
Executive Director

[Pa.B. Doc. No. 06-130. Filed for public inspection January 20, 2006, 9:00 a.m.]

STATE EMPLOYEES' RETIREMENT BOARD

Hearing Scheduled

A hearing has been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of claimant's request concerning the indicated account.

The hearing will be held before a hearing examiner at the State Employees' Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

February 6, 2006 Susan Shinkman 1 p.m.
(Purchase of Service)

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 4 Pa. Code § 250.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

ERIC HENRY,
Secretary

[Pa.B. Doc. No. 06-131. Filed for public inspection January 20, 2006, 9:00 a.m.]