

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 9, 2002 (P. L. 1572, No. 207), known as the Credit Union Code, has taken the following action on applications received for the week ending September 19, 2006.

BANKING INSTITUTIONS

Interim Charter Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
9-18-06	Unity Bank of Pennsylvania Forks Township Northampton County	Forks Township	Effective
Interim bank is being chartered solely to facilitate the ability of Unity Bank, Clinton, NJ, a New Jersey-chartered bank, to establish a branch office in Pennsylvania. The Interim will be immediately merged with and into Unity Bank, a wholly owned subsidiary of Unity Bancorp, Inc., Clinton, NJ.			

Holding Company Acquisition

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
9-1-06	Juniata Valley Financial Corporation, Mifflintown, to acquire up to 39.2% of the outstanding common stock of The First National Bank of Liverpool, Liverpool, under the provisions of section 112 of the Banking Code of 1965	Mifflintown	Effective
9-18-06	Unity Bancorp, Inc., Clinton, New Jersey, to acquire 100% of Unity Bank Pennsylvania, Forks Township, PA, which will be merged with and into Unity Bank, Clinton, NJ, the wholly owned subsidiary of Unity Bancorp, Inc.	Clinton, NJ	Effective

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
9-12-06	CommunityBanks, Millersburg, and Sentry Trust Company, Chambersburg Surviving Institution— CommunityBanks, Millersburg <i>Branch Acquired by means of Merger:</i> 785 Fifth Avenue Chambersburg Franklin County	Millersburg	Approved and Effective 9-15-06

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
9-12-06	Keystone Nazareth Bank & Trust Company Bethlehem Northampton County	Giant Food Store 1241 Blakeslee Boulevard Lehighton Carbon County	Filed
9-12-06	Integrity Bank Camp Hill Cumberland County	301 Colonial Road Harrisburg Lower Paxton Township Dauphin County	Opened
9-14-06	Abington Savings Bank Jenkintown Montgomery County	Lansdale Pavillion 407 South Broad Street Lansdale Montgomery County	Approved

NOTICES

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
9-14-06	Bank of Hanover and Trust Company Hanover York County	1120 Fairfield Road Gettysburg Adams County	Approved
9-14-06	Lafayette Ambassador Bank Easton Northampton County	North Third Street Coopersburg Lehigh County	Approved
9-18-06	Prudential Savings Bank Philadelphia Philadelphia County	23 North 3rd Street Philadelphia Philadelphia County	Filed

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
9-13-06	Minersville Safe Deposit Bank & Trust Company Minersville Schuylkill County	Discontinuance of Three Branch Offices Located at: Fourth and Sunbury Streets Minersville Schuylkill County 100 West Main Street Girardville Schuylkill County 339 Main Street Lavelle Schuylkill County	Approved
9-14-06	Omega Bank State College Centre County	1100 Spring Garden Drive Middletown Dauphin County	Filed
9-14-06	Omega Bank State College Centre County	51 South Street Steelton Dauphin County	Filed
9-14-06	Omega Bank State College Centre County	1110 East Simpson Street Mechanicsburg Cumberland County	Filed

Articles of Amendment

<i>Date</i>	<i>Name of Bank</i>	<i>Purpose</i>	<i>Action</i>
9-14-06	Sentry Trust Company Chambersburg Franklin County	Amendment to Article Third of the Articles of Incorporation in its entirety to read as follows: "The purpose for which the institution is incorporated is to convert to a bank and trust company and immediately thereafter merge with and into CommunityBanks, a bank and trust company organized and existing under the laws of the Commonwealth of Pennsylvania."	Approved and Effective

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS**Charter Conversions**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
9-6-06	Lehigh Valley Educators Credit Union Allentown Lehigh County	Allentown	Withdrawn

Notice represented a request for conversion from an occupational-based credit union to a community-based charter to serve "all people who live, work, worship, attend school in, and businesses and other legal entities in Lehigh and Northampton County, in the Commonwealth of Pennsylvania."

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
9-18-06	American Pride Credit Union Altoona Blair County	Altoona	Effective

Represents conversion from an occupational-based credit union to a community-based charter; the conversion will be completed by filing Articles of Amendment with the Department of State.

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
9-13-06	Freedom Credit Union, Philadelphia, and SE Family Federal Credit Union, Philadelphia Surviving Institution— Freedom Credit Union, Philadelphia	Philadelphia	Approved
9-14-06	Butler Armco Employees Credit Union, Butler, and Butler County Postal Employees Federal Credit Union, Butler Surviving Institution— Butler Armco Employees Credit Union, Butler	Butler	Filed

Articles of Amendment

<i>Date</i>	<i>Name of Credit Union</i>	<i>Purpose</i>	<i>Action</i>
9-18-06	American Pride Credit Union Altoona Blair County	Amendment to Article XIII of the Articles of Incorporation provides for a change in the field of membership of said credit union to read as follows: "The field of membership of this credit union will include persons who live, work, worship, attend school, perform voluntary service, or participate in associations, and businesses and other legal entities, including wholly-owned subsidiaries of businesses, located in Blair County Pennsylvania or Bedford County Pennsylvania; Members of their immediate families."	Effective

The Department's website at www.banking.state.pa.us includes public notices for more recently filed applications.

VICTORIA A. REIDER,
Acting Secretary

[Pa.B. Doc. No. 06-1910. Filed for public inspection September 29, 2006, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Summary Notice

The Department of Community and Economic Development (Department) proposes to adopt the Commonwealth's Action Plan (Plan) for Federal Fiscal Year (FFY) 2007 (Plan) and the Program Year that starts on January 1, 2007. The 2007 Action Plan is an update of the Commonwealth's Consolidated Plan for FFY 2004-2008. The Action Plan discussed herein is the third annual update of the Consolidated Plan for FFY 2004-2008 submitted by the Commonwealth.

The 2007 Plan updates documents previously submitted to the United States Department of Housing and Urban Development (HUD). These documents include the nonhousing community development plan and any

changes that the Department may have implemented concerning the four programs administered by the Commonwealth. The programs administered by the Department are the Community Development Block Grant, the Home Investment Partnerships (HOME), and the Emergency Shelter Grant programs. The Department of Health administers the Housing Opportunities for Persons with AIDS program.

This summary is designed to provide an opportunity for citizens, local governmental officials and interested organizations of this Commonwealth to comment about the Plan. Written comments should be submitted to Karen Overly Smith, Center for Community Development, Department of Community and Economic Development, 400 North Street, 4th Floor, Commonwealth Keystone Building, Harrisburg, PA 17120-0225. Written comments must be received by October 28, 2006, to be included as testimony in the Plan.

Public Hearings

Two public meetings will be scheduled. The first public meeting will be conducted electronically by means of the

Internet. The format will be more accessible in that persons who wish to make a comment or discuss policy may participate on November 3, 2006, directly from their personal computer or from any computer location that has Internet access, such as their public library. Access to the public hearing by means of the Internet will occur between 10 a.m. and 12 p.m.

Any individual or organization may give testimony or comments by means of the Internet. Comments will be accepted about topics related to community development, housing, the content of the Commonwealth's draft Plan for FFY 2007 and the process by which the public input is gathered. The Commonwealth encourages public participation in this process.

Persons who want to participate must register in advance online by means of the Internet. Contact Karen Overly Smith at (717) 214-5340 to receive registration instructions for the Internet meeting at least 24 hours prior to the meeting date. Internet public hearing access will be open from 10 a.m. to 12:00 on November 3, 2006. During the hearing, if support is required, call (717) 214-5340.

An additional in-person public hearing has been scheduled from 10 a.m. to 12:00 p.m. on November 6, 2006, in the Pennsylvania Public Utility Commission Hearing Room 2, Commonwealth Keystone Building, Plaza Level, 400 North Street, Harrisburg, PA 17120-0225.

Note: The public hearing may be shortened if there is minimal response.

Persons who want to speak must call to schedule a time to give oral testimony at the hearing. The hearing will be shortened if there is no one to testify or if there is minimal response. Contact Karen Overly Smith at (717) 214-5340 to schedule your oral testimony after October 26, 2006, and no later than November 3, 2006.

Individuals who have a disability and wish to attend the public meeting should contact Karen Overly Smith, 4th Floor, Commonwealth Keystone Building, 400 North Street, Harrisburg, PA 17120-0225 or (717) 214-5340 to discuss how the Department can accommodate their needs. Text telephone calls can be placed through the Pennsylvania Relay System at (800) 654-5984. Calls will be relayed to the Department's number listed previously.

Purpose

The Commonwealth's 2007 Plan is the third update to the 5-year Consolidated Plan for FFY 2004-2008. This Plan will describe how the programs will be administered in 2007. HUD must approve this Plan for the Common-

wealth and organizations within the State to receive funding under most HUD housing and community development programs. Applicants for funding from Federal housing programs must obtain certification that their proposed use of HUD assistance will be consistent with the applicable Plan for the area. The Consolidated Plan creates a unified strategy for housing and community development programs, as well as the necessary linkages for building successful neighborhoods and communities.

The Plan will have a major impact on the type, location and number of affordable housing units generated and preserved in this Commonwealth, as well as the infrastructure and public facilities, services and other economic and community development initiatives that communities in this Commonwealth will undertake.

Content

The Consolidated Plan for FFY 2004-2008 will be updated by means of this document. The most significant change is the implementation of HUD's new performance measures system. Updates also include a proposal to use HOME funds in a pilot effort for tenant-based rental assistance with preference given to persons with disabilities. This pilot is another step in the Department's partnership with the Housing Finance Agency to administer HOME funds.

Public Review

The Consolidated Plan is available on the Internet or in hardcopy for public comment October 7, 2007, through November 7, 2006, at the following locations:

1. County Offices, Department of Community and Economic Development Regional Offices and the Commonwealth's 27 District Libraries: call (717) 214-5340 for the locations.
2. Audio cassette copies of the Consolidated Plan can be obtained by contacting the Tri-County Branch of the Pennsylvania Association of the Blind: Patricia Summers, Coordinator, Harrisburg Area Radio Reading Services, 1800 North Second Street, Harrisburg, PA 17102, (717) 238-2531.
3. The Draft Plan 2007 can be viewed on the Internet at www.newPA.com. The final plan will be made available again at these same locations following HUD approval.

DENNIS YABLONKSY,
Secretary

[Pa.B. Doc. No. 06-1911. Filed for public inspection September 29, 2006, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in

accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N ?</i>
PA0083194 (Sewage/Transfer)	Blue Mountain Service Plaza—HMSHost Turnpike/Travel Plazas P. O. Box 8 Middletown, PA 17057	Cumberland County Hopewell Township	Newburg Run 7B	Y

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N ?</i>
PA0041327	Pennsylvania College of Technology Schneebeli Earth Science Center 203 Allenwood Camp Lane Montgomery, PA 17752	Lycoming County Clinton Township	UNT to Black Hole Creek SWP 10C	Y
PA0033162	Martha's Furnace MHP, LLC Eagle Valley Road Julian, PA 16844	Centre County Huston Township	UNT to Bald Eagle Creek 9C	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0035114	Torpedo Specialty Wire R. D. 2 Route 27 Pittsfield, PA 16340	Pittsfield Township Warren County	Gar Run 16-B	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PA 0248614, Concentrated Animal Feeding Operation (CAFO), Mr. and Mrs. Joseph Conners, 2819 Powells Valley Road, Halifax, PA 17032-9627.

Mr. and Mrs. Joseph Conners has submitted an NPDES permit application for the Joseph Conners Farm located in Wayne and Jefferson Townships, **Dauphin County**. The CAFO is situated near UNTs of Powell Creek and North Fork Powell Creek (Watershed 6-C), which are classified as a TSF and CWF, respectively. The CAFO has a target animal population of approximately 734 animal equivalent units consisting of 4,000 finishing swine, 75,000 broilers, 8 horses and 4 steers. A release or discharge to waters of this Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

The permit application and draft permit are on file at the Southcentral Regional Office of the Department. Persons may make an appointment to review the files by calling the file review coordinator at (717) 705-4732.

Persons wishing to comment on the proposed permit are invited to submit written comments to the above address within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the basis of the comment and the relevant facts upon which it is based.

Following the 30-day comment period, the Watershed Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Application No. PA 0248339, Sewage, **Snow Time, Inc. d/b/a Whitetail Mountain Operating Corp.**, 13805 Blairs Valley Road, Mercersburg, PA 17236. This facility is located in Montgomery Township, **Franklin County**.

Description of activity: The application is for issuance of an NPDES permit for new discharge of treated sewage.

The receiving stream, UNT Licking Creek is in Watershed 13-C and classified for TSF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Hagerstown, Maryland is located on the Potomac River. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.100 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
Total Suspended Solids	30		60
NH ₃ -N	3.5		7
Total Phosphorus	Monitor and Report		
Total Residual Chlorine	0.4		1.34
Dissolved Oxygen	Minimum of 5.0 at all times		
pH	From 6.0 to 9.0 inclusive		
Fecal Coliform			
(5-1 to 9-30)	200/100 ml as a geometric average		
(3-15 to 4-30)			
(10-1 to 11-30)	4,000/100 ml as a geometric average		

In addition to the effluent limits, the permit contains the following major special conditions: Discharge is authorized during the nonsnowmaking season from March 15 through November 30.

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0008869, Industrial Waste and Stormwater, P. H. Glatfelter Company, 228 South Main Street, Spring Grove, PA 17362-0500. The facilities are located in Spring Grove Borough and Jackson Township, **York County**.

Description of activity: The application is for renewal of an NPDES permit for existing discharges of stormwater and treated industrial waste.

The receiving stream, Codorus Creek is in Watersheds 7-H and is classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Wrightsville Water Supply Co. is located on the Susquehanna River, approximately 32 miles downstream.

The proposed final effluent limits for Outfall 001 (industrial waste, stormwater and POTW sewage effluent) for a design flow of 13.7 mgd are:

<i>Parameter</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
pH (Standard Unit)		From 6.0 to 9.0 inclusive	
Dissolved Oxygen		Minimum of 5.0 mg/l at all times	
Total Suspended Solids	18	36	45
BOD ₅			
(5-1 to 10-31)	14	25	25
(11-1 to 4-30)	17	34	38
NH ₃ -N			
(5-1 to 10-31)	1.5	3.0	3.8
(11-1 to 4-30)	2.0	4.0	5.0
Color			
(Upstream)	Monitor and Report	Monitor and Report	XXX
(Influent)	Monitor and Report	Monitor and Report	XXX
(Effluent)			
(5-1 to 10-31)	140	280	350
(11-1 to 4-31)	123	246	307
Color (Downstream)	Monitor and Report	Monitor and Report	XXX
Absorbable Organic Halides (AOX)	Monitor and Report	Monitor and Report	XXX
Temperature			
(Effluent)	XXX	Monitor and Report	110° F
(Upstream)	Monitor and Report	Monitor and Report	XXX
(Downstream)	*	*	XXX
Hourly Instream Temperature Change	XXX	Monitor and Report	2.0° F
Total Phosphorus	XXX	2.0	2.5
Fecal Coliform	XXX	Monitor and Report	XXX
Total Kjeldahl Nitrogen	Monitor and Report	XXX	XXX
NO ₂ -N + NO ₃ -N	Monitor and Report	XXX	XXX
Total Nitrogen	Monitor and Report	XXX	XXX
Chloroform	0.02	0.04	0.05
COD			
(Influent)	Monitor and Report	Monitor and Report	XXX
(Effluent)	Monitor and Report	Monitor and Report	XXX
Total Aluminum	XXX	Monitor and Report	XXX
2,3,7,8-TCDD	XXX	0.035 pg/l	XXX
2,3,7,8-TCDF	XXX	Monitor and Report	XXX

* The proposed final instream temperature limits at the downstream point of compliance are as follows:

January—50° F (average monthly) and 62° F (maximum daily); February—52° F (average monthly) and 59° F (maximum daily); March—55° F (average monthly) and 68° F (maximum daily); April—63° F (average monthly) and 75° F (maximum daily); May—72° F (average monthly) and 79° F (maximum daily); June—82° F (average monthly and maximum daily); July—87° F (average monthly and maximum daily); August—87° F (average monthly and maximum daily); September—81° F (average monthly and maximum daily); October—69° F (average monthly) and 76° F (maximum daily); November—61° F (average monthly) and 70° F (maximum daily); and December—53° F (average monthly) and 66° F (maximum daily).

The proposed effluent limits for Outfall 002 (noncontact cooling water) for a design flow of 15.1 mgd are:

<i>Parameter</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
pH (Standard Units)		from 6.0 to 9.0 inclusive	
Total Suspended Solids	XXX	Monitor and Report	XXX
BOD ₅	XXX	Monitor and Report	XXX
Temperature			
(Effluent)	Monitor and Report	Monitor and Report	110°F
(Upstream)	Monitor and Report	Monitor and Report	XXX

<i>Parameter</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Stream Flow at Gage (5-1 to 10-31)	21.3 cfs minimum 7-day average	XXX	XXX
(11-1 to 4-30)	15.8 cfs minimum 7-day average	XXX	XXX

The proposed effluent limits for Internal Monitoring Points MP-101 and MP-102 (bleach plant effluents from Softwood and Hardwood lines, respectively) are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Kappa Number	*	Monitor and Report	XXX
Color	Monitor and Report	Monitor and Report	XXX
Chloroform	Monitor and Report	Monitor and Report	XXX
2,3,7,8-TCDD	XXX	< 10 pg/l	XXX
2,3,7,8-TCDF	XXX	31.9 pg/l	XXX
Trichlorosyringol	XXX	<0.0025	XXX
3,4,5-Trichlorocatechol	XXX	<0.005	XXX
3,4,6-Trichlorocatechol	XXX	<0.005	XXX
Tetrachlorocatechol	XXX	<0.005	XXX
3,4,5-Trichloroguaiacol	XXX	<0.0025	XXX
3,4,6-Trichloroguaiacol	XXX	<0.0025	XXX
4,5,6-Trichloroguaiacol	XXX	<0.0025	XXX
Tetrachloroguaiacol	XXX	<0.005	XXX
2,4,5-Trichlorophenol	XXX	<0.0025	XXX
2,4,6-Trichlorophenol	XXX	<0.0025	XXX
2,3,4,6-Tetrachlorophenol	XXX	<0.0025	XXX
Pentachlorophenol	XXX	<0.005	XXX

* The proposed Kappa Number limitations for MP-101 and MP-102 are 20 and 13, respectively, as annual averages.

The draft permit also contains the following special conditions:

- Monitoring requirements for stormwater outfalls.
- Continuous instream monitoring for color and temperature.
- Biological monitoring studies.
- Instream monitoring program for parameters other than color and temperature.
- Sediment monitoring upstream and downstream of Outfall 001.
- Best management practices required by Federal regulations and others for groundwater monitoring, closure planning for former waste impoundments and pump station, collection system and ash storage area maintenance.

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is not in effect.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PA0028982, CAFO (SIC 0259), **James Kurtz**, 1070 Grande Valley Road, Mifflinburg, PA 17844. This existing facility is located in West Buffalo Township, **Union County**.

Description of Proposed Activity: Applicant operates existing duck farm, where ducks reside for 6 to 7 weeks. Manure is removed by a scraping system and stored in a new, certified HDPE lined manure storage structure. 106.8 animal equivalent units are onsite (annualized). Onsite animals include 50 replacement heifers and approximately 18,800 ducks.

The receiving stream, UNT to Buffalo Creek, is in the State Water Plan Watershed 10C and is classified for CWF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO individual permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA0000370, Industrial Waste, SIC, 4941, **Latrobe Municipal Authority**, P. O. Box 88, Latrobe, PA 15650. This application is for renewal of an NPDES permit to discharge treated process water from the Kingston Filtration Plant in Derry Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, Loyalhanna Creek, classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is Saltsburg Municipal Water Works, located at Saltsburg, PA, over 29 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.382 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Total Suspended Solids			30		60
Iron (Total)			2.0		4.0
Aluminum			0.5		1.0
Manganese			1.0		2.0
Total Residual Chlorine			0.5		1.0
pH	not less than 6.0 nor greater than 9.0				

Other Conditions: Residual waste, no floating solids, chemical additives, submission of data, sampling requirement for basin drainage.

The EPA waiver is in effect.

PA0215856, Industrial Waste, SIC, 4941, **Blairsville Municipal Authority**, 203 East Market Street, Blairsville, PA 15717. This application is for renewal of an NPDES permit to discharge untreated groundwater from Well No. 2, T-889 in Derry Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, Trout Run, classified as an exceptional value fishery with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is Blairsville Reservoir, located at Derry Township, 0.14 mile below the discharge point.

Outfall 001: existing discharge, design flow of 0.121 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
Iron	Monitor and Report				
Manganese	Monitor and Report				
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

PA0047228, Sewage, **Borough of Pennsbury Village**, 1043 Pennsbury Boulevard, Pittsburgh, PA 15205. This application is for renewal of an NPDES permit to discharge treated sewage from Pennsbury Village STP in Pennsbury Village Borough, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as UNT of Campbells Run, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is West View Municipal Authority.

Outfall 001: existing discharge, design flow of 0.17 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	37.5		50
Suspended Solids	30	45		60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.0			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0096334, Sewage, **Clelian Heights School for Exceptional Children**, 135 Clelian Heights Lane, Greensburg, PA 15601. This application is for renewal of an NPDES permit to discharge treated sewage from Clelian Heights School STP in Hempfield Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as UNT of Beaver Run, which are classified as a HQ-CWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is Westmoreland Municipal Authority.

Outfall 001: existing discharge, design flow of 0.009 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	4.2			8.4
(11-1 to 4-30)	10.0			20.0
Phosphorus	2			4
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 7.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0221961, Sewage. **Timberlee Valley Sanitary Company, Inc., Timberlee Farms STP**, 120 Brennan Lane, Evans City, PA 16033. This proposed facility is located in Connoquenessing Township, **Crawford County**.

Description of Proposed Activity: New/Expansion of an existing discharge of treated sewage.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, the existing/proposed downstream potable water supply, considered during the evaluation is the Harmony Borough Water Authority is located on the Little Connoquenessing Creek and is approximately 6 miles below point of discharge.

The receiving stream Crab Run, is Watershed 20-C and classified for CWF, aquatic life, water supply and recreation.

Interim Limits

The proposed effluent limits for Outfall 001 are based on a design flow of 0.03 mgd.

Parameters	Loadings			Concentrations	
	Average Monthly (lb/day)	Average Weekly (lb/day)	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
Flow (mgd)	XX				
CBOD ₅			25		50
Total Suspended Solids			30		60
NH ₃ -N					
(5-1 to 10/31)			13		26
Fecal Coliform *					
(5-1 to 9-30)		200/100ml as a geometric average			
(10-1 to 4-30)		2,000/100ml as a geometric average			
Phosphorus as "P"			2		4
pH		6.0 to 9.0 standard units at all times			

Final Limits

The proposed effluent limits for Outfall 001 are based on a design flow of 0.121 mgd.

Parameters	Loadings			Concentrations	
	Average Monthly (lb/day)	Average Weekly (lb/day)	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
Flow (mgd)	XX				
CBOD ₅	25.2		25		50
Total Suspended Solids	30.3		30		60
NH ₃ -N					
(5-1 to 10-31)	5		5		10
(11-1 to 4-30)	15.1		15		30
Fecal Coliform *					
(5-1 to 9-30)		200/100ml as a geometric average			
(10-1 to 4-30)		2,000/100ml as a geometric average			
Phosphorus as "P"	2		2		4
UV Light Intensity			XX		
pH		6.0 to 9.0 standard units at all times			

XX—Monitor and report on monthly DMRs.

*—Average monthly limits expressed as a geometric mean.

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications Under the Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. 1506416, Sewerage, **Pennsylvania American Water**, 800 Hersheypark Drive, Hershey, PA 17033. This proposed facility is located in South Coatesville Borough, **Chester County**.

Description of Action/Activity: Construction of interceptor to replace an existing interceptor that is currently undersized.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. WQ02010602, Sewerage, **Lake Meade Municipal Authority**, 59 Curtis Drive, East Berlin, PA 17316. This proposed facility is located in Reading Township, **Adams County**.

Description of Proposed Action/Activity: Application for construction/operation of the Lake Meade Pumping Station.

WQM Permit No. WQG02280603, Sewerage, **Antrim Township Municipal Authority**, 10655 Antrim Church Road, P. O. Box 130, Greencastle, PA 17225. This proposed facility is located in Antrim Township, **Franklin County**.

Description of Proposed Action/Activity: Application for construction/operation of the Rochester Place Lift Station.

WQM Permit No. 0706403, Sewerage, **Department of Conservation and Natural Resources, Canoe Creek State Park**, R. R. 2, Box 560, Hollidaysburg, PA 16648-9752. This proposed facility is located in Frankstown Township, **Blair County**.

Description of Proposed Action/Activity: Application for construction/operation of additional sand filters.

WQM Permit No. WQG02060602, Sewerage, **Oley Township Municipal Authority**, 1 Rose Virginia Avenue, Oley, PA 19547-0019. This proposed facility is located in Oley Township, **Berks County**.

Description of Proposed Action/Activity: Application for the construction/operation of the Meadow View Farms II Pump Station.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 4395409, Sewerage, Amendment No. 2, **Department of Corrections**, P. O. Box 598, Camp Hill, PA 17001-0598. This proposed facility is located in Findley Township, **Mercer County**.

Description of Proposed Action/Activity: This project is to install an Auger Monster style rotating screw and screen system at the headworks of the sewage treatment plant at the Mercer County State Correction Facility.

WQM Permit No. 1006406, Sewerage, **Breakneck Creek Regional Authority**, P. O. Box 1180, Mars, PA 16046-1180. This proposed facility is located in Adams Township, **Butler County**.

Description of Proposed Action/Activity: This project is for the Callery Road Sewer Line Extension.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

V. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011506069	Boxwood Five Partners, LP 418 Boxwood Road Rosemont, PA 19010-1222	Chester	East Pikeland Township	Pickering Creek HQ-TSF
PAI011506070	Karl C. and Crepta R. Snyder 821 Mount Pleasant Road Pottstown, PA 19465	Chester	Warwick Township	French Creek EV
PAI011506071	Emerson D. and Dennis Bealer 1220 East Cedarville Road Pottstown, PA 19465	Chester	East Coventry Township	Pigeon Creek HQ-TSF

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Monroe County Conservation District: 8050 Running Valley Road, Stroudsburg, PA 18360, (570) 629-3060.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10S084R(1)	Wisteria Commons Sr. Housing, LP by Monarch at Wisteria, LLC 720 Limekiln Road New Cumberland, PA 17070 and Oaks Sr. Community, LP/Shepherds in Monroe County, Inc. P. O. Box 302 Cresco, PA 18326	Monroe	Barrett Township	Craberry Creek HQ-CWF

Lehigh County Conservation District: Lehigh Ag. Ctr., Suite 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023906026	HomePro Enterprises, Inc. 112 Elm Road Allentown, PA 18104	Lehigh	Upper Macungie Township	Little Cedar Creek HQ-CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI033806001	Jackson Township Authority 60 North Ramona Drive Myerstown, PA 17067	Lebanon	Jackson Township	UNT to Tulpehocken Creek TSF

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041406004	Dominion Transmission, Inc. Paul Ruppert 445 West Main Street Clarksburg, WV 26301	Centre	Boggs, Curtin, Harris, Potter, Spring and Snow Shoe Townships	Various EV/CWF/HQ

Clinton County Conservation District: 45 Cooperation Lane, Mill Hall, PA 17751, (570) 726-3798.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041806005	Pilot Corporation 5508 Lonas Road P. O. Box 10146 Knoxville, TN 37939-0146	Clinton	Porter Township	Fishing Creek HQ

Potter County Conservation District: 107 Market Street, Coudersport, PA 16915, (814) 274-8411, Ext. 4.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI045306007	Sylvan Glen, Inc. P. O. Box 61 Gaines, PA 16921	Potter County	Keating Township	Portage Branch—Sinnemehon CWF West Branch, Freman Run HQ-CWF
PAI045306008	Tennessee Gas Pipeline Company 1001 Louisiana Street, Ste-1156A Houston, TX 77002	Potter County	Hebron Township	South Branch Oswayo Creek EV

*Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.
Fayette County Conservation District, 10 Nickman Plaza, Lemont Furnace, PA 15456, (724) 438-4497.*

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI052606005	Hidden Lakes Property Owners Association 1530 Tyrone Road Morgantown, WV 26508	Fayette	Wharton Township	Deadmans Run HQ-CWF

Washington County Conservation District, 602 Courthouse Square, Washington, PA 15301 (724) 228-6774.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI056306003	Hawthorne Partners, Inc. 102 West Pike Street Suite 200 Houston, PA 15342	Washington	South Strabane Township	Little Chartiers Creek HQ-WWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

CAFO Notices of Intent Received

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PAG124819, CAFO (SIC 0212 and 0213), **Willard Hackman**, 1035 Deans Hill Road, Wellsboro, PA 16901. This existing facility is located in Delmar Township, **Tioga County**.

Description of Size and Scope of Proposed Operation/Activity: The applicant proposes the issuance of a CAFO General Permit for his beef and swine farm, a newly regulated facility according to the revised CAFO regulations. The facility is comprised of finishing barns with no external manure storage. Total underbarn manure storage is 1,650,173 gallons. Animals onsite include 4,400 finishing hogs and 30 cow calf pairs, for a total of 595 animal equivalent units.

The receiving stream, Wilson Creek is in Watershed 9A (Pine Creek) and is classified for CWF.

The proposed effluent limits for the operation/activity include: Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and the Clean Stream Law constitutes compliance with the State narrative water quality standards.

**PUBLIC WATER SUPPLY (PWS)
PERMIT**

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No 4606507, Public Water Supply

Applicant	Aqua Pennsylvania, Inc.
Township	Lower Merion
County	Montgomery
Responsible Official	Joseph A. Ritter
Type of Facility	PWS

Consulting Engineer N/A
 Application Received Date September 8, 2006
 Description of Action Installation of a Solar Bee mixing system and related control equipment for applying disinfection in an existing storage tank.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 3606509, Public Water Supply.

Applicant **Bailey Family Partnership**
 Municipality Mount Joy Borough
 County **Lancaster**
 Responsible Official Charles G. Bailey Jr.
 Owner Operator
 1501 Mill Road
 Elizabethtown, PA 17022

Type of Facility Public Water Supply
 Consulting Engineer Eugene R. Oldham, P. E.
 DC Gohn Associates, Inc.
 32 Mount Joy Street
 Mount Joy, PA 17552

Application Received: 6/20/2006
 Description of Action Installation of a chlorination system at Well No. 6 to serve a section of the existing Lake View MHP.

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Application No. 2006501, Public Water Supply

Applicant **Hydetown Court Mobile Home Park**
 Township or Borough Hydetown Borough
Crawford County
 Responsible Official Thomas E. Kalkhof, President
 Housing & Investment
 Properties, Inc.
 Consulting Engineer Donald P. Trant, P. E.
 Trant Corporation
 11279 Perry Hwy.
 Suite 110
 Wexford PA 15090

Application Received Date 09/12/2006
 Description of Action Permitting of previously unpermitted water system with service to the Hydetown Court Mobile Home Park.

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Application No. Minor Amendment, Public Water Supply.

Applicant **Mountain Lake Water Co., LLC**
 Palmyra Township
Pike County
 Responsible Official Bonnie Cabel-Rotella
 Mountain Lake Water Co., LLC
 P. O. Box 551
 Tafton, PA 18464
 Type of Facility PWS
 Consulting Engineer N/A
 Application Received Date August 24, 2006
 Description of Action Transfer of PWS Permit 5294501 issued October 14, 1997 from Blue Horseshoe Investment Co., Inc. to Mountain Lake Water Co., LLC

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 5606502MA, Minor Amendment.

Applicant **Seven Springs Municipal Authority**
 290 Lagoon Lane
 Champion, PA 15622
 Township or Borough Saltlick Township
 Responsible Official Sarah Eutsey, Manager
 Seven Springs Municipal Authority
 290 Lagoon Lane
 Champion, PA 15622
 Type of Facility Water storage tank
 Consulting Engineer Widmer Engineering
 225 West Crawford Avenue
 Connellsville, PA 15425
 Application Received Date June 1, 2006
 Description of Action Replacement of the existing 300,000 gallon Lake Tahoe water storage tank with new post tensioned 500,000 gallon water storage tank.

WATER ALLOCATIONS

Applications received under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of this Commonwealth

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WA 10-1006A, Water Allocation. **Municipal Authority of Adams Township**, 690 Valencia Road, P. O. Box 807, Mars, PA 16046, Adams Township, **Butler County**. Modification to existing Water Allocation Permit extending the service area to include Callery Borough and portions of Forward Township. As proposed, the modification will not increase the allocation amount as authorized under a valid agreement with the Borough of West View.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Regional Field Office: Ronald S. Brezinski, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Victoria Square V, Palmer Township, **Northampton County**. Tony Dellaria, MEA, Inc., 1365 Ackermanville Road, Bangor, PA 18013 has submitted a Notice of Intent to Remediate (on behalf of his client, Nicholas Pugliese, Victoria Place, Inc., 1072 Grand Street, Phillipsburg, NJ 08865) concerning disposal of material contaminated with inorganics and benzo(a)pyrene on the referenced property. The applicant proposes to remediate the site to meet the Site-Specific Soil Standard by limited source removal and pathway elimination. Future use of the property will be residential. A summary of the Notice of Intent to Remediate was published in the *Pocono Record* on August 5, 2006.

Former Techneglas Facility, Jenkins Township, **Luzerne County**. Mike Antonetti, P. G., Malcolm Pirnie Inc., 1603 Carmody Court, Suite 403, Sewickley, PA 15143 has submitted a Notice of Intent to Remediate (on behalf of his client, Marvin Katz, TGPIT, Inc., 4300 Walnut St., Westerville, OH 43081) concerning residual concentrations of inorganics in soils used in former site operations and petroleum hydrocarbons as the result of historic releases. The applicant proposes to remediate the site to meet the Site-Specific Soil and Groundwater Standard. Future use of the property will be industrial and/or for warehousing purposes. A summary of the Notice of Intent to Remediate is expected to be published in a local newspaper serving the local area sometime in the near future.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Rite Aid Store 3608, Harrisburg City, **Dauphin County**. BL Companies, 213 Market Street, 6th Floor, Harrisburg, PA 17101, on behalf of Rite Aid Corporation, 30 Hunter Lane, Camp Hill, PA 17011, submitted a Notice of Intent to Remediate site soils and groundwater contaminated by petroleum compounds leaked during removal of USTs. The property was formerly two gas stations and is currently occupied by a Rite Aid Pharmacy and will remain the same in the future. The applicant seeks to remediate to both the Statewide Health and Site-Specific Standards.

Lydia Fisher Property, Earl Township, **Lancaster County**. GCI Environmental Services, 1250 East King Street, Lancaster, PA 17602, on behalf of Lydia Fisher, 3007 Newport Road, Ronks, PA 17572-9725, submitted a Notice of Intent to Remediate site soils and groundwater contaminated by gasoline leaked during removal of a UST. The property was a former garage that has been demolished and the future use of the property is residential. The applicant seeks to remediate to the Site-Specific Standard.

GF Capital—901 North 7th Street, Harrisburg City, **Dauphin County**. RT Environmental Services, Inc., Pureland Complex, Suite 306, 510 Heron Drive, Bridgeport, NJ 08014, on behalf of GF Capital Real Estate Fund, LP, 375 Park Avenue, 17th Floor, New York, NY 10152-1799, submitted a Notice of Intent to Remediate site soils and groundwater contaminated by kerosene leaked during removal of an AST. The property is commercial and will remain commercial in the future. The applicant seeks to remediate to the Residential Statewide Health Standard.

Shultz Enterprises Property Lot 3 (former), Hanover Borough, **York County**. Taylor GeoServices, Inc.,

938 Lincoln Avenue, Suite 203, Springfield, PA 19064, on behalf of Walt Green LLC, 4440 Hay Drive, Manchester, MD 21102-1148, submitted a Notice of Intent to Remediate site soils and groundwater contaminated by petroleum hydrocarbons associated with gasoline, waste oil and hydraulic oil. The property was a former car dealership and is currently a commercial car wash and will remain a car wash in the future. The applicant seeks to remediate to the Statewide Health Standard.

Estate of Arthur F. Walters, Russ's Auto Repair Shop, Manheim Township, Lancaster County. ARM Group, Inc., 1129 West Governor Road, P. O. Box 797, Hershey, PA 17033-0797, on behalf of Chester and Miller, LLP Legal Council, 150 North Queen Street, Suite 600, Lancaster, PA 17603-1805, submitted a Notice of Intent to Remediate site soils and groundwater contaminated by gasoline constituents that were released from two USTs removed in 1999. The property was used for commercial activities and the future use is for commercial activities. The applicant seeks to remediate to the Statewide Health Standard.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Ave Maria—St. Marys, Benzinger Township, Elk County. KLH Engineers Inc., 5173 Campbells Run Road, Pittsburgh, PA 15205, on behalf of the City of St. Marys, 808 South Michael Road, Saint Marys, PA 15857 has submitted a Notice of Intent to Remediate. The proposed remediation of soil is to remove cadmium and reach levels that comply with the Site-Specific Standards. The current use of the property is residential and will continue to be used as residential.

North Michael Street—St. Marys, St. Marys, Elk County, KLH Engineers Inc., 5173 Campbells Run Road, Pittsburgh, PA 15205, on behalf of the City of St. Marys, 808 South Michael Road, St. Marys, PA 15857 has submitted a Notice of Intent to Remediate. The proposed remediation of soil is to remove cadmium and reach levels that comply with the Site-Specific Standards. The current use of the property is residential and will continue to be used as residential.

Windfall Road—St. Marys, Benzinger Township, Elk County, KLH Engineers Inc., 5173 Campbells Run Road, Pittsburgh, PA 15205, on behalf of the City of St. Marys, 808 South Michael Road, St. Marys, PA 15857 has submitted a Notice of Intent to Remediate. The proposed remediation of soil is to remove cadmium and reach levels that comply with the Site-Specific Standards. The current use of the property is residential and will continue to be used as residential.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

25-053B: Urick Foundry Co. (1501 Cherry Street, Erie, PA 16502) for replacement of the existing cupola and control devices with the installation of two new coreless electric induction furnaces and baghouse system in City of Erie, **Erie County**. This is a State-only facility.

33-160B: Reynoldsville Casket Co., Inc. (P. O. Box 68 560 Myrtle Street Reynoldsville, PA 15851-0068) for modification to plan approval PA 33-0160A to change the primer booth from water based solvent to a volatile based primer with the emissions from process being controlled by the existing thermal oxidizer by at the casket manufacturing and finishing operation in Reynoldsville, **Jefferson County**. The facility currently has a State-only Operating Permit.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

26-00562A: Coastal Lumber Company (3302 Lobban Place, Charlottesville, VA 22903) to construct a 14.4

million Btu heat input per hour wood fueled boiler at the Hopwood Sawmill in South Union Township, **Fayette County**.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Braun, Chief, (215) 685-9476.

AMS 05044: Mutual Pharmaceutical Co., Inc. (1100 Orthodox Street, Philadelphia, PA 19124) for installation of four dust collectors, two tray drying ovens and four natural gas boilers and water heaters under 10 million Btu/hr. There will be a potential emission increase of 2.02 tons for NO_x and 0.04 ton for PM for the facility. The plan approval will contain operating and recordkeeping requirements to ensure operation within all applicable requirements.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.

15-0104C: Tasty Baking Oxford, Inc. (700 Lincoln Street, Oxford, PA 19363) for the proposed addition of two baking ovens and production lines to an existing facility and the proposed conversion of production line No. 4 to only nonyeast leavening products. The emission limit for the production lines of 48.8 tons of VOCs per 12-month rolling sum remains the same through this action, but the application of the limit only includes Production Line No. 1, Production Line No. 3 and the two proposed baking ovens. The facility is in Oxford Borough, **Chester County**.

46-0241A: Gibraltar Rock, Inc. (355 Newbold Road, Fairless Hills, PA 19030-4314) for issuance of a Plan Approval to construct a nonmetallic mineral processing plant and install two wet suppression systems. The rock crushing plant will be located off Route 73 (Big Road) between Route 663 and Church Road, New Hanover Township, **Montgomery County**. The crushing plant will consist of the following air contamination sources: primary crushing system, secondary crushing system, tertiary crushing system, paved and unpaved roads, and stockpiles. The rock crushing plant shall be limited to processing a maximum of 500,000 tons of rocks per year (on a 12-month rolling sum basis). The facility is a minor source for PM, PM₁₀ and PM_{2.5}. The crushers, screens and conveyors are subject to 40 CFR Part 60 Subpart OOO of the Standards of Performance for New Stationary Sources.

The permittee will incorporate the following control measures and work practice standards as BAT:

- (a) Secondary and tertiary crushers shall be enclosed on all four sides.
- (b) All screens shall be enclosed on all sides.
- (c) The primary crusher shall be enclosed on three sides.
- (d) All conveyors shall be fully covered (with access doors for maintenance).
- (e) All paved roads shall be vac swept (vacuumed and swept to remove silt from the surface of the road) and wetted on daily basis when the plant is operating.

(f) Unpaved roads shall be limited to the quarry area and the overburden transport roads.

(g) Unpaved roads shall be wetted on daily basis when the plant is operating.

(h) A wheel washing station shall be installed at the transition point from the unpaved area to the paved road. All wheels of vehicles entering the paved roads from an unpaved area shall be washed irrespective of weather condition.

(i) Both sides of the paved roads shall have vegetative cover to reduce wind erosion of soil cover and to minimize silt loading of the roads. The Department of Environmental Protection may request additional vegetative cover if silt re-entrainment is determined to cause fugitive emissions. Vegetative cover shall be provided/planted before the crushing plant starts operation irrespective of weather condition.

(j) All loaded trucks leaving the facility shall be tarped.

(k) Nozzles of the wet suppression systems shall be located at all fugitive emission points (crushers and belt conveyor transfer points).

(l) All fugitive emissions from the belt conveyor transfer points shall be limited to 10% opacity and all fugitive emissions from the crushers without a capture system shall be limited to 15% opacity.

The permittee will comply with the monitoring, recordkeeping, reporting and work practice standards to keep the facility operating within all applicable air quality requirements.

15-0124: MacKissic, Inc. (P. O. Box 111, Parker Ford, PA 19457), for installation of the paint surface coating spray booth (spray booth) with dry particulate filtering system and the infrared drying oven (oven) at the MacKissic lawn and garden equipment manufacturing new facility at 1189 Old Schuylkill Road, East Coventry Township, **Chester County**. The installation of the spray booth and oven may result in the emissions of: 5.89 tons per year of VOCs; 2.36 tons per year of HAPs; and 0.6 ton per year of PM. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

39-309-066: Lafarge North America (5160 Main Street, Whitehall, PA 18052) for replacement/installation of nine air cleaning devices (fabric collectors) for the existing clinker reclaim belt conveyor system and for construction of a pebble lime silo and associated air cleaning device (fabric collector). The particulate emissions from each fabric collector will not exceed the Best Available Technology standard of 0.015 grain/dscf. The installation of all ten fabric collectors will result in a total maximum particulate emission rate of 10.4 tons per year. The Plan Approval and Operating Permit will contain emission restrictions, work practice standards and monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements. The facility currently has a Title V Operating Permit No. 39-00011. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V Operating Permit through an administrative amendment at a later date.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

22-05034F: Pennsy Supply, Inc. (1001 Paxton Street, P. O. Box 3331, Harrisburg, PA 17104-3331 for construction of a second mill at the pulverized mineral processing operation, Hummelstown Quarry, in South Hanover Township, **Dauphin County**. This plan approval will include appropriate restrictions and requirements designed to keep the source operating within all applicable air quality requirements. Estimated atmospheric emissions for the project for PM₁₀, SO_x, CO, NO_x, VOCs, HAPs and metal/metal compounds are projected to be 20.4, 1.20, 52.00, 10.40, 12.80, 0.08 and 0.01 tpy, respectively. The project is subject to 40 CFR Part 60—Standards of Performance for New Stationary Sources.

36-05115A: MGS, Inc. (178 Muddy Creek Church Road, Denver, PA 17517) for construction of a new in-line surface coating and curing system in East Cocalico Township, **Lancaster County**. The new surface coating operations will increase the facility's annual emissions of VOCs by about 4.1 tpy. The plan approval and State-only operating permit will include emission restrictions, monitoring, recordkeeping, reporting and work practice requirements designed to keep the source operating within all applicable air quality requirements.

67-05004M: P. H. Glatfelter Co. (228 South Main Street, Spring Grove, PA 17362-0500) for production of new products on the facility's paper machines in Spring Grove Borough, **York County**. The Plan Approval will limit the increase of VOC to 25 tons. The Plan Approval will include monitoring, recordkeeping, reporting and work practice standards designed to keep the facility operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

08-00003: CraftMaster Manufacturing, Inc. (P. O. Box 311, Towanda, PA 18848) for modification of boiler No. 3 and associated dry fuel handling equipment at their Towanda plant in Wysox Township, **Bradford County**.

Under 25 Pa. Code § 127.44, the Department of Environmental Protection (Department) provides notice that CraftMaster Manufacturing, Inc. (P. O. Box 311, Towanda, PA 18848) has submitted to the Department a plan approval application for the following modifications of boiler no. 3 and associated dry fuel handling equipment at the Towanda plant located in Wysox Township, Bradford County: increase the annual average steam rate from 125,000 lbs/hr to 150,000 lbs/hr with a corresponding increase in the annual average heat input from 190.4 mmBtu/hr to 233.4 mmBtu/hr, increase the 24-hour average heat input rate from 242.4 mmBtu/hr to 273.2 mmBtu/hr, and increase the throughput to dry fuel handling equipment from 136,700 dry tons per year to 201,702 dry tons per year. The respective facility is a major facility for which a Title V operating permit (08-00003) has been issued. The Department intends to issue a plan approval to authorize the applicant to perform the modifications.

The proposed modifications have the potential to emit the following type and amount of air contaminants: CO—344.7 tons in any 12-consecutive month period, VOC—35.3 tons in any 12-consecutive month period, NO—201.7 tons in any 12-consecutive month period, PM—44 tons in any 12-consecutive month period, PM₁₀—24.5 tons in any 12-consecutive month period, SO_x—56.9 tons in any 12-consecutive month period, hydrogen chloride—35.8 tons in any 12-consecutive month period, mercury—6.8 lbs in any 12-consecutive month period and

approximately 9.6 tons per year of ammonia. In addition, the proposed throughput increase to dry fuel handling equipment would result in a PM emission increase of 2.7 tons per year and 2.5 tons per year of PM₁₀.

The Department's review of the information contained in the application indicates that the proposed boiler modifications will comply with all applicable requirements pertaining to air contamination sources and the emission of air contaminants including the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the requirements of 40 CFR Part 60, Subpart Db—Standards of Performance for Industrial-Commercial-Institutional Steam Generating Units and 25 Pa. Code §§ 123.11, 123.13 and 123.41. Based on this finding, the Department intends to issue a plan approval for the proposed modifications. Additionally, if the Department determines that the sources and the air cleaning devices are operating in compliance with the plan approval conditions, the conditions established in the plan approval will be incorporated into the operating permit by means of an administrative amendment under 25 Pa. Code § 127.450.

The Department proposes to place in the plan approval the following conditions to ensure compliance with all applicable regulatory requirements:

1. The conditions contained in Title V operating permit 08-00003 remain in effect unless superseded or amended by conditions contained herein. If there is a conflict between a condition or requirement contained in this plan approval and a condition or requirement contained in Title V operating permit 08-00003, the permittee shall comply with the condition or requirement contained in this plan approval rather than the conflicting condition or requirement contained in Title V Operating Permit 08-00003.

2. This condition supersedes condition no. 010 of Source ID 033 of Title V operating permit 08-00003 under the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the air contaminant emissions from the boiler shall be controlled by the following:

(a) Four circular type Babcock and Wilcox Co. low NO_x suspension wood dust/natural gas burners.

(b) A Research Cottrell (under license from Fuel Tech NV) selective noncatalytic reduction (SNCR) NO_xOUT control system containing four nozzles by Fuel Tech NV in "zone 3" at the orientations specified in the application materials (except as authorized in this plan approval).

(c) a Zurn Air Systems Division model no. MTSA-96-11.5CYT-XD-N/R-TA multiclone. The multiclone shall handle no more than 153,600 acfm of exhaust.

(d) A SES/Walther model no. 1P2CH1C11D3F/12*31.5*31.5(3@10.5) dry single stage electrostatic precipitator (ESP) following the multiclone. The ESP shall handle no more than 160,400 acfm of exhaust (combined exhaust from boiler Nos. 2 and 3).

3. This condition supersedes condition No. 001 of Source ID 033 of Title V operating permit 08-00003. Under the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the following air contaminant emissions from boiler No. 3 shall not exceed the following:

a. NO_x—133 ppmdv at 7% oxygen (30-day rolling average).

b. SO₂—0.0557 lb/mmBtu.

c. CO—430 ppmdv at 7% oxygen (30-day rolling average).

d. VOCs—0.0345 lb/mmBtu.

- e. PM—0.043 lb/mmBtu.
 - f. PM—0.024 lbs/mmBtu.
 - g. Opacity equal to or greater than 15% for a period or periods aggregating more than 3 minutes in any 1 hour or equal to or greater than 50% at any time.
 - h. Ammonia (NH₃)—15.2 ppmdv
 - i. Hydrogen chloride—0.035 lb/mmBtu (based on fuel analysis) and 35.8 tons in any 12-consecutive month period.
 - j. Mercury—3.34e-06 lbs/mmBtu (based on fuel analysis) and 6.8 lbs in any 12-consecutive month period.
- Boiler No. 3 need not comply with the PM and opacity emission limitations listed previously during any occasion when boiler Nos. 2 or 3 and the associated electrostatic precipitator are being purged. However, during those times the PM and opacity limitations of 25 Pa. Code §§ 123.11 and 123.41 must be met.
- 4. Under 40 CFR 60.43b(f), the opacity of the boiler No. 3 exhaust shall not be greater than 20% (6-minute average), except for one 6-minute period per hour of not more than 27%.
 - 5. Under the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the PM concentration of the exhaust of the dry wood silo baghouse (Control Device ID N62 of Source ID 155P of Title V operating permit 08-00003) associated with the dry wood silo (Source ID 155P of Title V operating permit 08-00003) shall not exceed 0.010 grain per dry standard cubic foot.
 - 6. Under the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the PM concentration of the exhausts of the coated fuel silo fabric collector (Control Device ID BVB01 of Source ID 194P of Title V operating permit 08-00003) and the dry fuel metering bin fabric collector (Control Device ID BVB02 of Source ID 195P of Title V operating permit 08-00003) associated with the coated fuel silo (Source ID 194P of Title V operating permit 08-00003) and the dry fuel metering bin (Source ID 195P of Title V operating permit 08-00003) shall not exceed 0.020 grain per dry standard cubic foot.
 - 7. This condition supersedes condition No. 006 of Section C of Title V operating permit 08-00003. Under the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the combined total emissions from boiler Nos. 1—3, the line I first stage dryers (combustion only) and the line I second stage dryers (combustion only) shall not exceed the following emission rates:
 - a. CO—344.7 tons in any 12-consecutive month period.
 - b. VOCs—35.3 tons in any 12-consecutive month period.
 - c. NO_x—201.7 tons in any 12-consecutive month period or 172 tons in any 12-consecutive month period based on the results of the NO_x set point plan referenced in this plan approval; the final limit will be incorporated into the operating permit.
 - d. PM—44 tons in any 12-consecutive month period.
 - e. PM₁₀—24.5 tons in any 12-consecutive month period.
 - f. SO_x—56.9 tons in any 12-consecutive month period.
 - 8. Under 25 Pa. Code Chapter 145, Subchapter A, the heat input from natural gas and propane shall not exceed 50% of the annual heat input to boiler No. 3.

9. Under the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, supplemental outside (such as, not generated onsite) wood burned in boiler no. 3 shall not contain chlorinated materials or sulfur containing materials. The burning of coated wood shall be limited to that generated by the permittee. No pressure treated wood fuel shall be burned in boiler No. 3.

10. Under the source monitoring provisions in 25 Pa. Code §§ 139.101 and 139.103, the permittee shall obtain Phase I approval (for both the 15% BAT limit and the 20% NSPS/MACT limit) from the Department's Continuous Compliance Section for the continuous emission monitoring system (CEMS) for opacity from boiler No. 3 within 180 days of issuance of this plan approval.

11. Under the source monitoring provisions in 25 Pa. Code §§ 139.101 and 139.103, the required relative accuracy testing shall be completed on the opacity CEMS and the opacity CEMS shall be fully certified in accordance with the Department's "Continuous Source Monitoring Manual" within 270 days of Phase I approval.

12. The permittee shall install and maintain instrumentation to continuously and accurately measure the pressure drop across each of the three fabric collectors of the dry fuel handling equipment (dry wood silo baghouse, coated fuel silo fabric collector and the dry fuel metering bin fabric collector) to assure proper operation of each fabric collector and to determine the need for filter replacement. The pressure drops shall be recorded at least once each week along with any corrective actions taken if any pressure drop is outside the fabric collector's design pressure drop range. The records shall be maintained for a minimum of 5 years and shall be made available to the Department upon request.

13. The permittee shall manage and monitor the secondary voltages and rapping frequencies of the ESP (SES/Walther model no. 1P2CH1C11D3F/12*31.5*31.5 (3@10.5)) with the Eurocard Management System by Forry, Inc. The ESP shall be operated in "Best Opacity Control" mode as specified by Forry, Inc. in the application materials submitted to the Department. The permittee shall keep accurate records of the rapping frequencies and the secondary voltages of each T-R set to assure that the ESP is operated and maintained in accordance with good air pollution control practices. The records shall be maintained for a minimum of 5 years and shall be made available to the Department upon request.

14. The permittee shall install and maintain instrumentation to continuously and accurately measure the pressure drop across the boiler No. 3 multiclone (Zurn Air Systems Division model no. M TSA-96-11.5CYT-XD-N/R-TA) to assure that the multiclone is operated and maintained in accordance with good air pollution control practices. The pressure drop shall be recorded at least once each day along with any corrective actions taken if the pressure drop is outside the multiclone's design pressure drop range. The records shall be maintained for a minimum of 5 years and shall be made available to the Department upon request.

15. The permittee shall replace two existing thermocouples (TE-067 and TE-068) in boiler No. 3 with two new type S thermocouples (National Basic Sensor model no. UV-S-I-86-8-43"-M-F-Z-NST). The two thermocouple readings shall be averaged-average furnace temperature (AFT). The thermocouple readings shall be continuously recorded. The records shall be maintained for a minimum of 5 years and shall be made available to the Department upon request. In addition, the thermocouples shall be calibrated annually.

16. The permittee shall maintain instrumentation to continuously and accurately measure the flow rate of NO_xOUT-HP(r) reagent to boiler No. 3. The permittee shall keep records of the NO_xOUT-HP(r) injection rate (in gallons per hour) at least once every 15 minutes. The records shall be maintained for a minimum of five years and shall be made available to the Department upon request.

17. Within 180 days of issuance of this plan approval, the permittee shall perform stack testing to determine compliance with the PM emission limitation of 0.010 gr/dscf from the dry wood silo baghouse (Control Device ID N62 of Source ID 155P of Title V operating permit 08-00003) associated with the dry wood silo (Source ID 155P of Title V operating permit 08-00003) and 0.020 gr/dscf from the coated fuel silo fabric collector (Control Device ID BVB01 of Source ID 194P of Title V operating permit 08-00003) and the dry fuel metering bin fabric collector (Control Device ID BVB02 of Source ID 195P of Title V operating permit 08-00003) associated with the coated fuel silo (Source ID 194P of Title V operating permit 08-00003) and the dry fuel metering bin (Source ID 195P of Title V operating permit 08-00003). Stack testing shall be performed in accordance with the applicable provisions of 25 Pa. Code Chapter 139 (relating to sampling and testing) using test methods and procedures approved by the Department. Testing shall be performed when boiler No. 3 and the associated fuel handling sources are operating at maximum capacity (approximately 273.2 mmBtu/hr).

18. Within 180 days of issuance of this plan approval, the permittee shall perform stack testing on boiler No. 3 to determine compliance with the PM, PM₁₀, VOC and SO₂ emission limitations. Stack testing shall be performed in accordance with the applicable provisions of 25 Pa. Code Chapter 139 (relating to sampling and testing) using test methods and procedures approved by the Department. Testing shall be performed when boiler no. 3 is operating at maximum capacity (approximately 273.2 mmBtu/hr).

19. Within 9 weeks of the issuance of this plan approval, the permittee shall complete Part I of the NO_x set-point plan dated August 25, 2006. If the calculated removal efficiency between the uncontrolled NO_x concentration and a set point of 100 ppm_{dv} at 7% oxygen is less than 70%, the permittee shall complete Part II of the NO_x set-point plan within 13 weeks of completing Part I. If the target NO_x stack test at > 90% of MCR shows ammonia emissions less than or equal to 15.2 ppm_{dv}, then the set-point shall be 100 ppm_{dv} at 7% oxygen and the annual NO_x emission limit 172 tons in any 12 consecutive month period. If the results show that it would take greater than 70% NO_x removal to achieve a NO_x set point of 100 ppm_{dv} at 7% oxygen, the permittee may request, in writing, that the NO_x set-point remain at 115 ppm_{dv} at 7% oxygen with a corresponding annual NO_x limit of 201.7 tons in any 12 consecutive month period. However, the permittee shall still perform ammonia stack testing within 180 days of the issuance of this plan approval to determine compliance with the 15.2-ppm_{dv} ammonia limit at maximum boiler capacity (approximately 273.2 mmBtu/hr). The permittee shall report the results of Part I to the Department within 10 days of completion. The Department will respond in writing to a request that the NO_x set-point remain at 115 ppm_{dv} if valid test results show that it would require a removal efficiency greater than 70% to achieve the lower set-point.

During uncontrolled NO_x testing, fuel shall not be used that contains higher nitrogen containing compound con-

tent than what is normally burned. Records shall be kept that verify the consistency of the nitrogen containing compound content of the fuels burned before and during testing along with a signed statement by the responsible official that the fuels burned during testing did not contain higher than typical nitrogen containing compounds.

During ammonia stack testing, normal urea flow rates shall be injected based on the steam flow and NO_x set-point control logic documentation submitted for this plan approval. Records shall be kept showing the urea flow rates and verifying that the rates are typical.

The permittee shall make whatever urea injection nozzle changes (replacement or relocation) needed to meet the NO_x set point and the ammonia limit, and upon completion of nozzle changes shall document such changes to the Department along with any changes in urea usage rates. If it is necessary for urea flow rates to increase beyond that injected during the required testing, the permittee shall propose a timeline for additional ammonia stack testing. In addition, the existing approved NO_x CEMS shall continue to operate and accurately measure and record NO_x emissions, except for the 3-hour uncontrolled NO_x testing period if the uncontrolled NO_x concentration is beyond the existing CEMS capability.

20. At least 60 days prior to all stack testing required in this plan approval (except uncontrolled NO_x testing), the permittee shall submit two copies of a test protocol to the Department's Northcentral Region for review and approval. This protocol shall describe the test methods and procedures to be used in the performance of testing, and shall include dimensioned sketches of the exhaust systems showing the locations of all proposed sampling ports. The protocol shall also identify all process parameters, which will be monitored and recorded during testing to verify the throughput rate (for wood fuel handling equipment) and boiler heat input and steam flow during testing, and to verify that all associated air cleaning devices are operating normally during testing.

At least 14 days prior to stack testing, the permittee shall notify the Department (Northcentral Regional Office and Central Office, Source Testing Section) of the actual dates and times that testing will occur so that Department personnel can arrange to be present during testing. The Department is under no obligation to accept the results of the testing without having been given proper notification.

Within 60 days following the completion of the stack testing, the permittee shall submit two copies of a test report to the Department's Northcentral Region for review and approval. The test report shall contain the results of the testing, a description of the test methods and procedures actually used, copies of all raw test data with sample calculations and copies of all process data recorded during testing and operating load calculations (material throughput and boiler heat input and steam flow). Since the testing is required for the purpose of demonstrating compliance with emission limitations identified in this plan approval, the results of the testing shall be expressed in units identical to the units of the limitations identified in this plan approval.

21. The permittee shall keep records of the amount of CO, NO_x, SO₂, VOCs, PM and PM₁₀ emitted each month from boiler Nos. 1-3, the line I first stage dryers (combustion only) and the line I second stage dryers (combustion only) and the amount of HCl and mercury emitted each month (based on fuel analysis) from boiler

No. 3 and shall verify compliance with the annual emission limitations required in this plan approval. The records shall be maintained for a minimum of 5 years and shall be made available to the Department upon request.

22. The permittee shall keep records of the type and amount (including heat input) of wood fuel burned in boiler No. 3 each month and shall accurately demonstrate, by monthly sampling and analysis, that all wood fuel types and mixtures of wood fuels burned would result in less than 0.035 lb/mmBtu of HCl emissions and less than 3.34e-06 lbs/mmBtu of mercury emissions. The records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

23. Under 40 CFR 52.21(r)(6)(iii) and (v), the permittee shall keep records of the annual emissions, in tons per year on a calendar year basis, of PM and PM10 from the dry wood silo, the coated fuel silo, the dry fuel metering bin, the coated fuel silo emergency discharge and the dry wood silo emergency discharge. The records of PM and PM10 emissions shall be kept for 10 years. The permittee shall submit a report to the Department if the emissions, in tons per year, from the above sources cause the boiler modification project to exceed the baseline actual emissions (as documented in the application materials) by a significant amount for the regulated NSR pollutants (PM and/or PM10), and if such emissions differ from the pre-modification projection as documented in the application materials. The report shall be submitted to the Department within 60 days after the end of such year. In addition, all records kept shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

24. The permittee shall submit quarterly reports of the monthly amount of CO, NO_x, SO₂, VOCs, PM and PM10 emitted from boiler Nos. 1—3, the line I first stage dryers (combustion only) and the line I second stage dryers (combustion only) and the monthly amount of HCl and mercury emitted (based on fuel analysis) from boiler No. 3 along with the supporting calculations. The quarterly reports shall verify compliance with the annual emission limitations required in this plan approval. The quarterly reports shall be submitted to the Department within 30 days of the end of each calendar quarter.

25. Under the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the SNCR reagent injected into the boiler shall be NO_xOUT-HP®.

26. Under the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the SNCR system shall be interlocked with the AFT such that NO_xOUT-HP® is not injected if the AFT is less than 1,175° F.

27. Under the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the NO_xOUT-HP® injection rate shall be controlled based on boiler steam load and a NO_x emission set-point of 115 ppm_{dv} at 7% oxygen or 100 ppm_{dv} at 7% oxygen (based on the results of the NO_x set point plan referenced in this plan approval; the final limit will be incorporated into the operating permit) as specified in the application materials submitted to the Department. The injection rate of NO_xOUT-HP® shall not exceed 30 gallons per hour, except as needed during Part II of the NO_x set-point plan to achieve a NO_x set-point of 100 ppm_{dv} at 7% oxygen. If the stack test results show ammonia slip less than 15.2 ppm_{dv}, at a urea injection rate greater than 30 gallons per hour, the permittee may inject at the higher urea rate (the higher injection rate will be incorporated into the operating permit).

28. Under the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the coated fuel silo emergency discharge shall

be equipped with a blanking plate that prevents any discharge of dry fiber from the silo during normal operation. In addition, the fiber in the silo shall be wetted down prior to activating the emergency discharge.

29. Under the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the dry wood silo emergency discharge (Source ID 155P of Title V operating permit 08-00003) shall be equipped with a flexible discharge to direct wood fiber to the ground.

Copies of the application and the Department's review of the application are available for public review between 8 a.m. and 4 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at (570) 327-3693.

Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Chief, Facilities Permitting Section, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-0512.

41-327-003A: PMF Industries, Inc. (2601 Reach Road, Williamsport, PA 17701) for the modification of a batch vapor degreaser in the City of Williamsport, **Lycoming County**.

The batch vapor degreaser uses trichloroethylene, which has been designated as both a VOC and a HAP by the United States Environmental Protection Agency, to clean metal parts. It is equipped with a refrigerated freeboard chiller to help reduce trichloroethylene emissions. The proposed modification is an increase in the allowable trichloroethylene emissions from the batch vapor degreaser from the current limit of 9.99 tons per year to 13.0 tons per year.

The facility in which the batch vapor degreaser is located is not currently a major (Title V) facility for any air contaminant but will become one for hazardous air pollutants after the proposed modification has occurred. The Department of Environmental Protection (Department) review of the information provided by PMF Industries, Inc. indicates that the modified batch vapor degreaser should comply with all applicable regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the BAT requirement of 25 Pa. Code §§ 127.1 and 127.12 and the requirements of Subpart T of the National Emission Standards for Hazardous Air Pollutants, 40 CFR 63.460—63.470 (Halogenated Solvent Cleaning). Based on this finding, the Department of Environmental Protection proposes to issue plan approval for the proposed modification.

The following is a summary of the conditions the Department proposes to place in the plan approval to be issued to ensure compliance with all applicable regulatory requirements:

1. Conditions contained in Operating Permit 41-327-003 remain in effect unless superseded or amended by a condition contained herein.

2. The amount of trichloroethylene used in the batch vapor degreaser shall not exceed 13.0 tons in any 12-consecutive month period. In determining compliance with this limit, any trichloroethylene shipped off-site in liquid form need not be counted as usage provided it is 100% trichloroethylene. Mixtures of trichloroethylene, sludge, and the like, may not be excluded or subtracted

unless the trichloroethylene content for each drum or other container of the mixture has been determined through appropriate analysis and then only the trichloroethylene portion may be excluded.

3. The permittee shall maintain accurate and comprehensive records of the amount of trichloroethylene added to the batch vapor degreaser each month as well as the amount of 100% trichloroethylene shipped offsite each month. If the permittee excludes or subtracts from the monthly trichloroethylene usage total, any trichloroethylene that is contained in a mixture of trichloroethylene and sludge or trichloroethylene and any other material which is shipped offsite, records must also be maintained of the amount of trichloroethylene in each such shipment, the date of shipment, the trichloroethylene content of each drum or container shipped and a description of the analytical method used to determine the trichloroethylene content. Records maintained under this condition shall be retained onsite for at least 5 years and shall be made available to the Department upon request.

4. Within 120 days of being notified by the Department to submit a Title V operating permit application for the facility in which the batch vapor degreaser is located, the permittee shall submit a complete and comprehensive application to the Department.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

24-123E: Onyx Greentree Landfill, LLC (635 Toby Road, Kersey, PA 15846) for installation of an additional enclosed ground flare (6,000 cfm) similar in design to the existing flares in Fox Township, **Elk County**. This installation will not result in NSR or PSD applicability. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval at Title V facilities in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date. The source shall comply with the following conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology for the source:

- The source shall comply with 25 Pa Code §§ 123.1, 123.21, 123.31, and 123.41 for fugitive matter, sulfur compound, odor and visible emissions.

- The flare shall be designed for and operated with no visible emissions except for periods not to exceed a total of 5 minutes during any 2-consecutive hours and the emissions during these periods shall not exceed 10% opacity. The opacity of the emissions shall not be equal to or greater than 60% at any time.

- The flare shall be designed and operated to either reduce nonmethane organic compounds (NMOC) by 98 weight percent or reduce the outlet NMOC concentration to less than 20 ppmv, dry basis as hexane @3% oxygen. This minimum DRE and outlet concentration is also required by 40 CFR 60.752(b)(2)(iii)(B) of the Federal New Source Performance Standards.

- PM emissions from the flare shall not exceed 0.02 grain/dscf.

- The flare shall be stack tested for NO_x, CO and NMOC.

- The flare shall maintain a minimum operating temperature of 1,500° F for at least 0.3 second. The minimum operating temperature of the flare shall be 1,500° F or the operating temperature maintained during the performance test in which compliance with the 98% destruction efficiency or 20 ppmv requirement was demonstrated. The operating temperature of the flare shall be continuously measured and recorded.

- The flare shall be designed and operated in accordance with 40 CFR 60.18.

- The flare must be an enclosed ground type, which is shrouded with no visible flame shooting from the flare.

- The flare shall be equipped with a continuous pilot ignition source using an auxiliary fuel.

- The flare shall be operated with a flame present at all times. The flare shall be equipped with an automatic shut-off mechanism designed to immediately stop the flow of gases when a flameout occurs. During restart or start-up, there shall be sufficient flow of auxiliary fuel to the burners so that unburnt landfill gases are not emitted to the atmosphere. The owner or operator shall keep on file records of all periods of operation in which the flame or flare pilot flame is absent. The records shall be made readily available upon Department request.

- The permittee shall perform quarterly monitoring to determine there are no landfill gas leaks which result in concentrations of 500 ppmv or more measured as propane (or 1,375 ppmv or more measure as methane) at a distance of 0.5 inch from any exposed equipment. The landfill equipment subject to this requirement shall include the exposed portions of the gas wells, piping or any other connections or fittings along the landfill gas transfer paths of a landfill gas collection and disposal system. A log shall be kept at the facility indicating any leak that exceeds the above concentration and the corrective action taken for a period of 5 years and made readily available to Department personnel upon request.

- A detailed record describing the time, location, type and amount of roadway surface treatment shall be maintained at the landfill site for at least 5 years.

- Petroleum contaminated soils may be used as daily landfill cover provided the VOC emissions from the contaminated soils does not exceed 2.7 tpy based on a consecutive 12-month period. The facility shall keep records of the petroleum-contaminated soil received at the landfill.

- The collection system shall be designed to minimize offsite migration of the subsurface gas. The gas collection system shall be designed: 1) to collect gas from the maximum possible area of the landfill; and 2) to accommodate the maximum gas generation rate for the landfill. Should the landfill gas flow rate from the disposal area exceed the maximum design capacity of the control devices, the company shall submit a plan approval application for the installation of an additional control device deemed acceptable by the Department.

- The landfill gas shall be controlled and monitored in accordance with 25 Pa Code § 273.292.

- 25 Pa Code § 273.217 requires landfill operators to implement fugitive air contaminant control measures and otherwise prevent and control air pollution in accordance with the Air Pollution Control Act (35 P. S. §§ 4001—4014), 25 Pa. Code Part I, Subpart C, Article III (relating to air resources) and 25 Pa Code § 273.218 (relating to nuisance minimization and control).

- **Fugitive Emission Control Criteria:** This criterion specifies the reasonable actions that are necessary for the prevention of fugitive dust emissions from the operation of landfills in accordance with these requirements.

- The facility shall comply with New Source Performance Standards (NSPS) 40 CFR Part 60 Subpart WWW and shall comply with all applicable requirements of this subpart. This includes, but is not limited to, the following:

- In accordance with 40 CFR 60.756(b)(2), the facility shall either:

- Install, calibrate and maintain a gas flow rate measuring device that shall record the flow to the control device at least every 15 minutes; or

- Secure the bypass line valve in the closed position with a car-seal or a lock-and-key type of configuration. A visual inspection of the seal or closure mechanism shall be performed at least once every month to ensure that the valve is maintained in the closed position and that the gas flow is not diverted through the bypass line.

- In accordance with 40 CFR 60.755(b), each well shall be installed no later than 60-days after the date on which the initial solid waste has been in place for a period of: 5 years or more if active; or 2 years or more if closed or at final grade.

- In accordance with 40 CFR 60.753(c) and 60.756(a), each interior wellhead in the collection system shall be operated with a landfill gas temperature less than 55° C and with either a nitrogen level less than 20% or an oxygen level less than 5%. The above parameters shall be monitored monthly and records shall be kept on file for a period of 5 years and made readily available to Department personnel upon request. Should the temperature or nitrogen and/or oxygen level be exceeded during the monitoring of these wellheads, the permittee shall take the necessary steps, in accordance with 40 CFR 60.755(a)(5), to bring the affected wellheads into compliance. The monitoring procedures shall comply with the provisions of 40 CFR 60.756(a).

- In accordance with 40 CFR 60.753(d), 60.755(c) and 60.756(f), the collection system shall be operated so that the methane concentration is less than 500 parts per million above background at the surface of the landfill. The owner or operator shall monitor surface concentrations of methane along the entire perimeter of the collection area and along a serpentine pattern spaced 30 meters apart (or a site-specific established spacing) for each collection area on a quarterly basis. Methane concentration shall be less than 500 parts per million above background at the surface of the landfill using an organic vapor analyzer, flame ionization detector or other portable monitor meeting Section 3, 40 CFR Part 60, Appendix A, Method 21. Records shall be kept on file for a period of five years and made readily available to Department personnel upon request.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

37-00023: Orion Power Midwest, LP (2189 Route 168 South, West Pittsburg, PA 16160) for re-issuance of the Title V Operating Permit for their facility in Taylor Township, **Lawrence County**. The facility generates and

distributes electricity. The facility's major emission sources include Babcock & Wilcox boilers (3), electromotive diesel engines A & B, fly ash disposal, plant roadways and fly ash storage silos. The facility is a major facility due to its potential to emit of PM10, NOx, SOx and CO. Therefore, the facility is subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The facility is also subject to the Compliance Assurance Monitoring Rule (CAM) found in 40 CFR Part 64. Appropriate permit conditions to address the applicable CAM requirements have been included in the permit.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 400—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428, Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

46-00220: Micro-Coax, Inc. (206 Jones Boulevard, Pottstown, PA 19464) for operation of coaxial cable and electrometallurgical equipment at their manufacturing facility in Limerick Township, **Montgomery County**. The permit is for a non-Title V (State-only) facility. The facility's potential to emit criteria pollutants is less than major thresholds; therefore the facility is a Natural Minor. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05088: EJB Paving and Materials Co. (1119 Snyder Road, West Lawn, PA 19609) for operation of a bituminous asphalt concrete plant in Ontelaunee Township, **Berks County**. The facility is subject to 40 CFR Part 60, Subpart I, Standard of Performance for New Stationary Sources. This action is a renewal of the State-only Operating Permit issued in 2001 and amended in 2003.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

11-00434: Laurel Sand and Stone, Inc. (P. O. Box 556, 210 East Main Street, Ligonier, PA 15658) for operation of a sandstone crushing and screening plant at their Chickaree facility in Jefferson Township, **Cambria County**. This is a State-only Operating Permit.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104 Contact: Edward Brawn, Chief, (215) 685-9476.

S04-018: National Publishing Co. (11311 Roosevelt Blvd, Philadelphia, PA 19154) for operation of a printing facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include includes 14 0.5 mmBtu/hr natural gas fired space heaters, 3 lithographic presses and less 8 mmBtu/hr natural gas fired dryers, and a 1.75 mmBtu/hr natural gas fired thermal oxidizer.

The operating permit will be issued under the 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the operating permit must submit the protest or comments within 30 days from the date of this notice. Protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least 30 days before the hearing.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department

at the district mining office indicated before an application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0;	less than 9.0
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

32010106 and NPDES No. PA0248983. Walter L. Houser Coal Company, Inc. (13448 SR 422, Suite 1, Kittanning, PA 16201). Permit renewal for reclamation only of a bituminous surface-auger mine in Washington

Township, **Indiana County**, affecting 63.2 acres. Receiving streams: UNTs of South Branch Plum Creek and South Branch Plum Creek to Plum Creek to Crooked Creek to the Allegheny River classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received: September 11, 2006.

11850103 and NPDES No. PA0597112. L & J Energy Company, Inc. (P. O. Box J, Grampian, PA 16838). Permit renewal for reclamation only of a bituminous surface-auger mine in Susquehanna Township, **Cambria County**, affecting 98.0 acres. Receiving stream: West Branch of Susquehanna classified for the following use: WWF. There are no potable water supply intakes within 10 miles downstream. Application received: September 8, 2006.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

10060105 and NPDES Permit No. PA0258202. State Industries, Inc. (P. O. Box 1022, Kittanning, PA 16201). Commencement, operation and restoration of a bituminous surface strip operation in Washington Township, **Butler County** affecting 173.8 acres. Receiving streams: UNT to South Branch Slippery Rock Creek, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application includes a land use change from noncommercial forestland to unmanaged natural habitat. Application received: August 29, 2006.

1249-10060105-E-1. State Industries, Inc. (P. O. Box 1022, Kittanning, PA 16201). Stream encroachment to encroach within the 100 foot barrier to UNT 1. The variance is also requested for the stream reconstruction, stream crossing and support activities in Washington Township, **Butler County**. Receiving streams: UNT to South Branch Slippery Rock Creek, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: August 29, 2006.

33910107 and NPDES Permit No. PA0208469. Original Fuels, Inc. (P. O. Box 343, Punxsutawney, PA 15767). Renewal of an existing bituminous surface strip and auger operation in Beaver Township, **Jefferson County** affecting 91.5 acres. Receiving streams: UNT of Red Run to Red Run; UNT to Tarkiln Run, classified for the following use: CWF. The first downstream potable water supply intake from the point of discharge is

Hawthorn Municipal Authority. Application for reclamation only. Application received: September 8, 2006.

10920112 and NPDES Permit No. PA0211401. State Industries, Inc. (P. O. Box 1022, Kittanning, PA 16201). Renewal of an existing bituminous surface strip, auger and coal ash placement operation in Concord Township, **Butler County** affecting 230.1 acres. Receiving streams: four UNTs of Bear Creek and Bear Creek, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application for reclamation only. Application received: September 8, 2006.

Coal Applications Returned

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

32040201 and NPDES Permit No. PA0249645. Robindale Energy Services, Inc. (224 Grange Hollow Road, P. O. Box 228, Armagh, PA 15920). Commencement, operation and restoration of a bituminous surface mine in Center and Blacklick Townships, **Indiana County**, affecting 79.1 acres. Receiving streams: UNT to Two Lick Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received: September 30, 2004. Permit withdrawn: September 12, 2006.

Noncoal Applications Received

Effluent Limits

The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity ¹			
pH ¹		<i>greater than 6.0; less than 9.0</i>	

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

10060306 and NPDES Permit No. PA0258211. Quality Aggregates, Inc. (200 Neville Road, Neville Island, PA 15225). Commencement, operation, and restoration of a limestone operation in Marion Township, **Butler County** affecting 54.5 acres. Receiving streams: five UNTs to Black's Creek and Black's Creek, one UNT to North Branch Slippery Rock Creek, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: September 8, 2006

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

15060301 and NPDES Permit No. PA0224561. Limestone Properties, LLC (1020 Broad Run Road, Landenberg, PA 19350). Commencement, operation and

restoration of a quarry operation in Avondale Borough, **Chester County** affecting 26.56 acres, receiving stream: East Branch White Clay Creek, classified for the following use: CWF. Application received: September 5, 2006.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to

which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1–693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

E15-758. Users Inc., 250 Drummers Lane, Valley Forge, PA 19482, Tredyffrin Township, **Chester County**, ACOE Philadelphia District.

To remove an existing foot bridge and to construct and maintain a twin 12-foot by 8-foot reinforced concrete box culvert in and along a tributary to Trout Creek (WWF, MF), to facilitate the construction of an access road from Drummers Lane to a parking lot and office building area. This site is located at a point approximately 2,800 feet upstream of the Turnpike (Valley Forge, PA Quadrangle N: 15.3 Inches, West: 5.4 inches).

E15-759. Jeffrey Berlin, 318 Mulberry Street, Kennett Square, PA 19348, Kennett Township, **Chester County**, ACOE Philadelphia District.

To perform the following activities across the unnamed tributary to Red Clay Creek (CWF) associated with the proposed driveway access:

1. To construct and maintain a 20-foot concrete box culvert with associate riprap and utilities impacting 0.041 acre of wetlands. The proposed culvert will have a clear span of 11.0 feet and an underclearance of 3.0 feet.
2. To place and maintain a temporary sand bag cofferdam.

The site is located approximately 800 feet southeast of the intersection of Greenwood Road and Banewood

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E07-405: Altoona Blair County Development Corporation, Devorris Center, 39900 Industrial Park, Altoona, PA 16602

To fill in a 0.655 acre of a wetland to construct the proposed Walter Business Park and related improvements located in Sproul Village about 1800 feet southwest of the US 220 and T-312 intersection (Roaring Spring, PA

Quadrangle N: 5.42 inches; W: 12.2 inches; Latitude: 40° 16' 47"; Longitude: 78° 27' 45") in Greenfield Township, **Blair County**. The applicant will provide 1.31 acres of replacement wetland located 4,000 feet northeast of site.

E05-342: Woodbury Township, 4100 Woodbury Pike, Woodbury, PA 16695 in Woodbury Township, **Bedford County**, ACOE Baltimore District.

To construct and maintain additional two units of 7-foot diameter by 100-foot long pipe culvert in Hickory Bottom Creek on Smith Road (T-678) to improve the discharge capacity located at a point 1.4 miles south of Woodbury Borough (Hopewell, PA Quadrangle N: 14.18 inches; W: 15.95 inches; Latitude: 40° 12' 11"; Longitude: 78° 21' 51") in Woodbury Township, Bedford County.

E44-130: John J. Peachey, 209 Sawmill Road, Reedsville, PA 17084 in Armagh Township, **Mifflin County**, ACOE Baltimore District.

To construct and maintain a 13.3-foot wide single span bridge having a normal span of 50.0-feet, an underclearance of 4.8-feet, and a hydraulic opening of 234-square feet across Laurel Creek (HQ-CWF); and to install and maintain 175-feet of 6-foot high rock gabion baskets along the bank of Laurel Creek (HQ-CWF). The project is located off of Old 322 West towards Mt. Pleasant, on Little Valley Road at the end of the roadway (Burnham, PA Quadrangle N: 18.88 inches; W: 16.19 inches; Latitude: 40° 43' 40"; Longitude: 77° 36' 42") in Armagh Township, Mifflin County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E12-162. Daniel R. Brehm, 518 Meadow Road, Emporium, PA 15834. Brehm dwelling addition in Portage Branch-Sinnemahoning Creek floodway, in Shippen Township, **Cameron County**, Baltimore ACOE District, (Emporium, PA Quadrangle N: 3.3 inches; W: 12.25 inches).

To modify and maintain an existing single-family dwelling and lot in the 100-year floodway of Portage Branch-Sinnemahoning Creek. The single-family dwelling shall be modified by constructing two 12-foot by 39-foot attached porches, a 12-foot by 15-foot attached carport, and the placement of an unattached 12-foot by 30-foot prefabricated outbuilding, all in the 100-year floodway. The Brehm project is located at the western right-of-way of SR 0155, approximately 3,660 feet north of SR 0120 and SR 0155 intersection.

E41-569. James and Michelle Buehler, 20 Boston Cove Road, P. O. Box 359, Picture Rocks, PA 17762. Pond construction in Picture Rocks Borough, **Lycoming County**, Baltimore USACE District (Picture Rocks, PA Quadrangle N: 6.25 inches, W: 10.0 inches).

The applicant proposes to construct and maintain a private 0.15-acre farm pond for recreational and fire protection purposes. The proposed activity will permanently impact 0.05 acre of mixed Palustrine Emergent (PEM) and Palustrine Scrub-shrub (PSS) wetlands. The impact does not exceed the Department of Environmental Protection's de minimis wetland impact threshold, and therefore no wetland replacement will be required.

The project site is located in the Muncy Creek watershed, State Water Plan Subbasin 10 D, approximately 0.9 mile ENE of the SR 220 and SR 864 intersection in Picture Rocks.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1539. Allegheny County Airport Authority, P. O. Box 12370, Pittsburgh, PA 15231. To place fill in wetlands and three stream channels in Findlay Township, **Allegheny County**, Pittsburgh ACOE District. (Clinton, PA Quadrangle N: 16.4 inches; W: 0.9 inches and Latitude: 40° 27' 52"—Longitude: 80° 15' 20").

The applicant proposes to place and maintain fill in 7 wetlands for a total wetland impact of 0.3 acre, to place and maintain fill in 6 open bodies of water for a total impact of 0.28 acre and to place and maintain fill in three stream channels: 112 feet in a UNT to North Fork Montour Run (WWF), 160 feet in a UNT to West Fork Enlow Run (WWF) and 2,024 feet to another UNT to the North Fork Montour Run (WWF) for a total stream impact of 2,296 feet. The impacts are for a proposed Flex Warehouse Facility (site number 10.8/10.14) to be located on the northeast side of Route 30 approximately 1 mile northwest of its intersection with SR 3070. To compensate for the wetland impacts the applicant proposed to construct 1.81 replacement wetlands.

E02-1541. The Borough of Etna, 437 Butler Street, Pittsburgh, PA 15223. To place stream bank stabilization in Etna Borough, **Allegheny County**, Pittsburgh ACOE District. (Pittsburgh East, PA Quadrangle N: 21.5 inches; W: 9.35 inches and Latitude: 40° 39' 37"—Longitude: 79° 56' 32"). The applicant proposes to place and maintain approximately 180 feet of stream bank stabilization, including approximately 77 feet of sheet piling, 154 feet of rock lining and a 29 foot by 20 foot grout stabilized rock buttress. The project is located north of Poplar Street near its intersection with Hofner Street in Etna Borough. The project impacts approximately 180' of stream channel.

E02-1545. South Fayette Conservation Group, 515 Millers Run Road, Morgan, PA 15064. To restore Fishing Run in South Fayette Township, **Allegheny County**, Pittsburgh ACOE District. (Canonsburg, PA Quadrangle N: 19.5"; W: 8.7" and Latitude: 40° 21' 27" Longitude: 80° 11' 15"). The applicant proposes to restore 1,315.0 linear feet of Fishing Run (WWF) consisting of regrading the area to approximate original contours, reconstruction of approximately 1,000 linear feet of stream channel and removal of abandoned structures for the purpose of restoring the Chartiers Creek watershed. The project located approximately 6,000.0 feet upstream from the confluence of Fishing Run and Millers Run.

E02-1547. Department of Transportation, 45 Thoms Run Road, Bridgeville, PA 15071. To construct a bridge in North Fayette Township, **Allegheny County**, Pittsburgh ACOE District. (Oakdale, PA Quadrangle N: 7.9 inches; W: 10.7 inches and Latitude: 40° 25' 07"—Longitude: 80° 12' 04"). The applicant proposes to construct and maintain a 48 foot wide, 66 foot long single span bridge with an underclearance of 6.67 feet to replace the existing SR 978, 25 foot wide, 45 foot long, single span bridge with an underclearance of 6.12 feet over the North Branch Robinson Run (WWF) with a drainage area of 10.7 square miles; construct and maintain associated rip rap scour protection; and to construct and maintain an adjoining stormwater outfall. The replacement bridge will be constructed upstream and adjacent to the existing bridge. The project is located approximately 3 miles northwest of the center of the Borough of Oakdale.

E03-441. Department of Transportation, 2550 Oakland Avenue, P. O. Box 429, Indiana, PA 15701. To construct a replacement pipe in South Pine Township, **Armstrong County**, Pittsburgh ACOE District. (Templeton, PA Quadrangle N: 9.5 inches; W: 12.0 inches

and Latitude: 40° 55' 18"—Longitude: 79° 27' 40"). The applicant proposes to construct and maintain a 250 LF replacement and relocation of the lower section of an existing 580 LF, 72 inch diameter RCP on Whiskey Run (CWF) with a drainage area of 1.5 square miles located at the northern edge of the Village of Templeton. In addition, three 18" to 24" diameter stormwater outfalls with drainage areas less than 100 acres discharging to the Allegheny River will be constructed and maintained. This project is associated with the three quarter mile long realignment and improvement project of SR 1003 between the confluence of the Allegheny River and Mahoning Creek to the north, and the confluence of the Allegheny River and Whiskey Run to the south.

E26-339. Turnpike Commission, P. O. Box 67676, Harrisburg, PA 17106. To construct Section 51G of the Mon Fayette Expressway in Luzerne Township, **Fayette County**, Pittsburgh ACOE District. The applicant proposes to construct Section 51G, a 2 mile long section of the Monfayette Expressway, SR 43, located south of Brownsburg and between Dunlap Creek to the east and the Monongahela River to the west. The applicant proposes to construct and maintain the following:

1. A 9-span bridge on SR 0043 across Rush Run and having spans 260 feet, 260 feet, 273 feet, 441.5 feet, 518 feet, 423 feet, 260 feet, 317.5 feet, and 260 feet SR 0043, Station 784+00 (Latitude: 40° 0' 6.07"; Longitude: 79° 55' 47.09"; and Carmichaels, PA Quadrangle N: 0.30 inch; W: 7.65 inches). This structure includes a temporary stream relocation and temporary stream crossing of said stream. This stream includes 578 feet of permanent stream relocation of said stream. This same structure spans the Monongahela River (permitted in Section 51H).

2. A 300-foot long, 30-inch RC pipe stream enclosure in UNT to Rush Run (WWF) located at SR 0043 Station 784+00, (Latitude: 40° 0' 3.18"; Longitude: 79° 55' 44.13"; and California, PA Quadrangle N: 0.40 inch; W: 7.55 inches). This structure includes a temporary stream crossing and relocation of 50 feet of the stream.

3. A 150-foot long, 30-inch RC pipe stream enclosure in UNT to Rush Run (WWF) located at SR 0043 Station 783+00, (Latitude: 40° 0' 6.98"; Longitude: 79° 55' 43.1"; and California, PA Quadrangle N: 0.35 inch; W: 7.50 inches). This structure includes a temporary stream crossing.

4. A 850-foot long placement of fill in a UNT to Rush Run (WWF) located at SR 0043, Station 777+00, (Latitude: 40° 0' 6.98"; Longitude: 79° 55' 37.22"; and California, PA Quadrangle N: 0.15 inch; W: 7.30 inches).

5. A 144-foot long placement of fill in a UNT to Rush Run (WWF) located at SR 0043, Station 777+00, (Latitude: 40° 0' 3.28"; Longitude: 79° 55' 37.39"; and California, PA Quadrangle N: 0.15 inch; W: 7.25 inches).

6. A 143-foot long placement of fill in a UNT to Cox Run (WWF) located at SR 0043, Station 756+00, (Latitude: 39° 59' 51.36"; Longitude: 79° 55' 15.54"; and Carmichaels, PA Quadrangle N: 22.30 inches; W: 6.45 inches).

7. A 175-foot long, 84-inch RC pipe stream enclosure in UNT to Cox Run (WWF) located at Telegraph Road North Station 130+00, (Latitude: 39° 59' 52.00"; Longitude: 79° 54' 55.38"; and Carmichaels, PA Quadrangle N: 22.25 inches; W: 5.65 inches). This structure includes a 37-foot long stream channel relocation of the stream.

8. A 612-foot long, 42-inch RC pipe stream enclosure in a UNT to Cox Run (WWF) located at SR 0043, Station

725+00, (Latitude: 39° 59' 35.28"; Longitude: 79° 54' 41.55"; and Carmichaels, PA Quadrangle N: 21.40 inches; W: 5.10 inches). This structure includes a temporary stream crossing of the stream.

9. A 4-span bridge on SR 0043 Northbound across Cox Run and having spans of 145 feet, 185 feet, 185 feet, and 145 feet SR 0043, Station 716+50 (Latitude: 39° 59' 33.02"; Longitude: 79° 54' 31.72"; and Carmichaels, PA Quadrangle N: 21.25 inches; W: 4.70 inches). This structure includes a temporary stream crossing of the stream.

10. A 4-span bridge on SR 0043 Southbound across Cox Run and having spans of 140 feet, 180 feet, 180 feet and 140 feet SR 0043, Station 716+50 (Latitude: 39° 59' 33.02"; Longitude: 79° 54' 31.72"; and Carmichaels, PA Quadrangle N: 21.25 inches; W: 4.70 inches). This structure includes a temporary stream crossing of the stream.

11. A 720-foot long, 36-inch RC stream enclosure in a UNT to Cox Run (WWF) located at Bull Run Road, Station 135+00, (Latitude: 39° 59' 32.65"; Longitude: 79° 54' 29.19"; and Carmichaels, PA Quadrangle N: 21.20 inches; W: 4.60 inches).

12. A 2-span bridge on Bull Run Road Connector across Cox Run and having spans of 130 feet and 130 feet Bull Run Road Connector, Station 83+00 (Latitude: 39° 59' 24.59"; Longitude: 79° 54' 32.93"; and Carmichaels, PA Quadrangle N: 20.85 inches; W: 4.80 inches). This structure includes a temporary stream crossing of said stream.

13. The project will impact 1.422 acres of wetlands. The drainage areas for items 2, 3, 8 and 11 are less than 100 acres.

E65-902. Municipal Sanitary Authority New Kensington, 120 Logans Ferry Road, New Kensington, PA 15068. To construct and maintain additions to the

wastewater treatment plant in City of New Kensington, **Westmoreland County**, Pittsburgh ACOE District. (New Kensington West, PA Quadrangle N: 9.53"; W: 1.39' and Latitude: 40° 33' 09"; Longitude: 70° 45' 36"). The applicant proposes to construct and maintain additions and modifications to the Headworks and Blower Building Project at the Wastewater Treatment Plant in the 100-year floodplain of Little Pucketa and Pucketa Creeks (TSF).

E65-903. Robert and Justine Houck, 486 Thatcher Road, New Florence, PA 15944. To construct a bridge in Fairfield Township, **Westmoreland County**, Pittsburgh ACOE District. (Wilpen, PA Quadrangle N: 14.3 inches; W: 1.2 inches and Latitude: 40° 19' 43"—Longitude: 79° 08' 01"). The applicant proposes to construct and maintain a single span steel and wood bridge having a span of 48 feet and a minimum underclearance of 6 feet across Hendricks creek (TSF) to access the property located approximately 2,000 feet downstream of SR 711.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E43-338. City of Sharon, 155 West Connelly Blvd., Sharon, PA 16146. Wastewater Treatment Plant Improvements in the City of Sharon, **Mercer County**, ACOE Pittsburgh District. (Sharon West, PA Quadrangle N: 41° 13' 29"; W: 80° 30' 45").

To: 1) install and maintain a 175-foot long, 18-inch siphon barrel that will cross under the Shenango River (WWF); and 2) install and maintain a new 6-foot wide rectangular channel for the new wastewater outfall, with riprap outlet to the Shenango River. These activities are part of the improvements to the City of Sharon's Wastewater Treatment Plant.

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0082945 (Sewage)	Timothy Beard Hamilton Township 272 Mummert's Church Road Abbottstown, PA 17301	Adams County Hamilton Township	Conewago Creek 7F	Y
PA0086894 (Sewage)	Raymond L. Hoffman 842 Dicks Dam Road New Oxford, PA 17358	York County Washington Township	UNT Red Run 7F	Y
PA0038733 (Sewage)	Joseph Payne East Providence Township Municipal Authority P. O. Box 83 Breezewood, PA 15533	Bedford County East Providence Township	UNT Tub Mill Run 11-D	Y
PA0027596 (Industrial Waste)	New Enterprise Stone & Lime Company, Inc. (Roaring Spring Quarry) P. O. Box 77 New Enterprise, PA 16664-0077	Blair County Taylor Township	Halter Creek 11-A	Y
PA0083747 (Sewage)	Weaver, Inc. 1231 Mount Wilson Road Lebanon, PA 17042-4785	Lebanon County South Annville Township	Gingrich Run 7-D	Y
PAR105140R	Barry Deaven PCEDC 25 West Main St. New Bloomfield, PA 17068	Penn Township Perry County	CWF—Little Juniata Creek to WWF—Shermans Creek	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0001996 Industrial Waste	Lehigh Specialty Melting, Inc. 107 Gertrude Street Latrobe, PA 15650	Westmoreland County Latrobe Borough	Loyalhanna Creek	N
PA0027464 Sewage	Pleasant Hills Authority 410 East Brucecon Road Pittsburgh, PA 15236	Allegheny County South Park Township	Lick Run	N
PA0095401 Sewage	Saint Victor's Roman Catholic Church Box 149 Bairford, PA 15006	Allegheny County West Deer Township	UNT of Dawson Run	Y
PA0218928 Sewage	Cadogan Township Sewage Treatment Plant 260 Spruce Avenue Cadogan, PA 16212-0309	Armstrong County Cadogan Township	Glade Run	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0080055, Sewage, **Conewago Industrial Park Sewer and Water Company**, P. O. Box 332, Lemoyne, PA 17043-0332. This proposed facility is located in West Donegal Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization to discharge to the Conewago Creek in Watershed 7-G.

NPDES Permit No. PA0020893, Amendment No. 1, Sewage, **Manheim Borough Authority**, 15 East High Street, Manheim, PA 17545. This proposed facility is located in Manheim Borough, **Lancaster County**.

Description of Proposed Action/Activity: Authorization to discharge to Chickies Creek in Watershed 7-G.

NPDES Permit No. PA0087009, Industrial Waste, **Hanover Cold Storage, Inc.**, 1301 Carlisle Street, P. O. Box 152, Hanover, PA 17331. This proposed facility is located in Penn Township, **York County**.

Description of Proposed Action/Activity: Authorization to discharge to a UNT of South Branch Conewago Creek in Watershed 7-F.

NPDES Permit No. PA0007765, Industrial Waste, **Harley-Davidson Motor Company**, 1425 Eden Road, York, PA 17402. This proposed facility is located in Springettsbury Township, **York County**.

Description of Proposed Action/Activity: Authorization to discharge to UNTs of Codorus Creek and Mill Creek in Watershed 7-H.

NPDES Permit No. PA0110744, Industrial Waste, **Evitts Creek Water Company**, 1032 Lake Gordon Road, Bedford, PA 15522. This proposed facility is located in Cumberland Valley Township, **Bedford County**.

Description of Proposed Action/Activity: Authorization to discharge to an UNT to Evitts Creek in Watershed 13-A.

NPDES Permit No. PA0080764, Industrial Waste, **Red Lion Municipal Authority**, P. O. Box 190, Red Lion, PA 17356-0190. This proposed facility is located in Windsor Township, **York County**.

Description of Proposed Action/Activity: Authorization to discharge to Cabin Creek in Watershed 7-I.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0027367, Sewage, **Greenville Sanitary Authority**, 125 Main Street, P. O. Box 604, Greenville, PA 16125. This proposed facility is located in Greenville Borough, **Mercer County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to the Shenango River in Watershed 20-A.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. 1503202, Amendment, Industrial, **Glenville Farms**, 2391 Glenville Road, Cochranville, PA 19330. This proposed facility is located in West Fallowfield Township, **Chester County**.

Description of Action/Activity: Modifications to construction and operation of manure treatment and storage facilities at the Glenville Farms.

WQM Permit No. 1504201, Sewerage, **Rick's Mushroom Service**, P. O. Box 797, Avondale, PA 19311. This proposed facility is located in New Garden Township, **Chester County**.

Description of Action/Activity: Construction and operation of a Spent Mushroom Service transfer station equipped with a leachate treatment, storage and disposal system, disposal fields of 567,778 gal/acre or 2,044,000 gal/site/year.

WQM Permit No. 1506412, Sewerage, **East Coventry Township**, 855 Ellis Woods Road, Pottstown, PA 19465. This proposed facility is located in East Coventry Township, **Chester County**.

Description of Action/activity: Construction and operation of a sanitary sewer system.

WQM Permit No. WQG010012, Sewerage, **Timothy D. and Deborah Connor**, 22 Wayland Road, Berwyn, PA 19312. This proposed facility is located in Easttown Township, **Chester County**.

Description of Action/Activity: Construction and operation of a small flow treatment facility.

WQM Permit No. 1506405, Sewerage, **Caln Township**, 253 Municipal Drive, Thorndale, PA 19372-0149. This proposed facility is located in Caln Township, **Chester County**.

Description of Action/Activity: Construction and operation of 8-inch PVC sewer main.

WQM Permit No. 1505419, Sewerage, **Pocopson Township**, P. O. Box 1, Pocopson, PA 19366. This proposed facility is located in Pocopson Township, **Chester County**.

Description of Action/Activity: Construction and operation of a 45,100 gpd treatment lagoon with a storage lagoon and 9.55 acres sprayfield.

WQM Permit No. 1506414, Sewerage, **Pennsylvania American Water Company**, 4 Wellington Boulevard, Wyomissing, PA 19610. This proposed facility is located in Coatesville City, **Chester County**.

Description of Action/Activity: Replacement of sewer main and manholes with 8-inch PVC sewer main Harmony St. and upsizing to a 15-inch PVC main 1st Ave.

WQM Permit No. 1506406, Sewerage, **Downingtown Area Regional Authority**, 6 West Lancaster Avenue, Downingtown, PA 19335. This proposed facility is located in East Caln Township, **Chester County**.

Description of Action/Activity : Construction and operation of a gravity thickener and sludge holding tank.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. WQG02280605, Sewerage, **Antrim Township Municipal Authority**, 10655 Antrim Church Road, P. O. Box 130, Greencastle, PA 17225. This proposed facility is located in Antrim Township, **Franklin County**.

Description of Proposed Action/Activity: Authorization to construct/operate Lift Station No. 27 to serve 167 new single family dwellings located on the south side of the intersection of Williamsport Pike and Coseytown Road.

WQM Permit No. WQG02280604, Sewerage, **Antrim Township Municipal Authority**, 10655 Antrim Church Road, P. O. Box 130, Greencastle, PA 17225. This proposed facility is located in Antrim Township, **Franklin County**.

Description of Proposed Action/Activity: Authorization to construct/operate Lift Station No. 25 for the Melrose Meadows.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 3274405-A2, Sewerage, **Clymer Borough Municipal Authority**, 470 Adams Street, Clymer, PA 15278-1156. This proposed facility is located in Clymer Borough, **Indiana County**.

Description of Proposed Action/Activity: Permit issuance for the addition of two sludge drying beds to two existing beds to reduce the frequency and costs of sludge hauling at permittee's STP.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. WGQ018492, Sewerage, **Brian and Susan Welch**, 1296 Indian Creek Road, Eldred, PA 16731. This proposed facility is located in Eldred Township, **McKean County**.

Description of Proposed Action/Activity: A single residence sewage treatment plant.

WQM Permit No. 2506408 Sewerage, **Pleasant Ridge Manor—West**, 8300 West Ridge Road, Girard, PA 16417. This proposed facility is located in Fairview Township, **Erie County**.

Description of Proposed Action/Activity: This project is for the installation of dechlorination process to an already existing wastewater treatment facility.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI010906003	Bensalem Redevelopment, LP 2310 Terwood Drive Huntingdon Valley, PA 19006	Bucks	Bensalem Township	Delaware River (WWF-MF)
PAI011506048	Virginia F. Betz 18 Normandy Circle Glenmoore, PA 19343	Chester	East Nantmeal Township	UNT Black Horse Creek (HQ-TSF)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI026404007(1)	Honesdale Borough 958 Main St. Honesdale, PA 18431	Wayne	Honesdale Borough	Lackawaxen River HQ-TSF, MF
PAI024505019	Alfred Natale 19 Whispering Hills Ct. Effort, PA 18330	Monroe	Tunkhannock Township	Tunkhannock Creek HQ-CWF
PAI023906002	Kraft Foods Global, Inc. 7352 Industrial Blvd. Allentown, PA 18106	Lehigh	Upper Macungie Township	Iron Run Creek HQ-CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI030606005	East Penn Manufacturing Company Deka Road Lyon Station, PA 19536	Berks	Maxatawny and Richmond Townships	Moselem Creek/Maiden Creek (HQ-CWF)

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823 (814) 355-6817.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAR10F139-R	S & A Custom Built Homes Foxpointe, Phase VIII Keith Sunderman 2121 Old Gatesburg Road Suite 200 State College, PA 16801	Centre	Ferguson Township	UNT to Big Hollow HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Single Residence Sewage Treatment Plants
PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

General Permit Type—PAG-2

Facility Location & Municipality	Permit No.	Applicant Name & Address	Receiving Water/Use	Contact Office & Phone No.
Milford Township Bucks County	PAG2000906116	PJM Interconnection, LLC 955 Jefferson Avenue Valley Forge Corporate Center Norrstown, PA 19401	UNT Macoby Creek (TSF)	Southeast Regional Office 2 East Main Street Norrstown, PA 19401 (484) 250-5900
West Whiteland Township Chester County	PAG2001506016	Toll Brothers, Inc. 250 Gibraltar Road Horsham, PA 19044	UNT Valley Creek (CWF)	Southeast Regional Office 2 East Main Street Norrstown, PA 19401 (484) 250-5900
West Whiteland Township East Caln Township Chester County	PAG2001506038	Whitford Country Club 600 Whitford Hills Road Exton, PA 19341	Colebrook Run (CWF, MF)	Southeast Regional Office 2 East Main Street Norrstown, PA 19401 (484) 250-5900

NOTICES

6033

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Chadds Ford Township Delaware County	PAG2002306035	Henderson Chadds Ford Assoc. 112 Chesley Drive Suite 200 Media, PA 19063	Harvey Run (WWF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Ridley Township Delaware County	PAG2002305044	Chick-Fil-A 5200 Buffington Avenue Atlanta, GA 30349	Darby/Crum Creeks (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
West Conshohocken Borough Montgomery County	PAG2004606130	Quaker Homes, Inc. 2001 Swinging Bridge Road Green Lane, PA 18054	Schuylkill River (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015106044	Temple University 3525 Germantown Avenue Philadelphia, PA 19140	Delaware River (CWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Hazle Township Luzerne County	PAG2024004001	Eagle Rock Resort, Co. (Phase5—The Woodlands) 1031 Valley of Lakes Hazleton, PA 18201	Black Creek CWF	Northeast Regional Office 2 Public Square Wilkes-Barre, PA 18711-0790 (570) 826-2511
Wright Township Luzerne County	PAG2004005013(1)	Mericle 15 Elmwood, LLC Robert Mericle 100 Baltimore Drive Wilkes-Barre, PA 18702	Wapwallopen Creek Watershed CWF	Luzerne Co. Cons. Dist. (570) 674-7991
Bethlehem Township Northampton County	PAG2004806021	Bethlehem Township 4225 Easton Ave. Bethlehem, PA 18020	Nancy Run (Source to SR 3007 Bridge) CWF, MF	Northampton Co. Cons. Dist. (610) 746-1971
Stroudsburg Borough Monroe County	PAG2004506003	McDonalds Corp. 3025 Chemical Rd. Suite 100 Plymouth Meeting, PA 19462	Brodhead Creek TSF	Monroe Co. Cons. Dist. (570) 629-3060
Caernarvon Township Berks County	PAG2000606071	William Cummings Titanium Metals Corporation (TIMET) 900 Hemlock Road Morgantown, PA 19543	UNT to Conestoga River WWF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-0520 (610) 372-4657, Ext. 201
Colebrookdale Township Berks County	PAG2000606072	Frank Benedict Grace Independent Baptist Church 1204 Montgomery Avenue New Berlinville, PA 19545	Swamp Creek TSF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-0520 (610) 372-4657, Ext. 201
Amity Township Berks County	PAG2006050301	Bryan Hunsberger Telvil Corporation 528 Main Street Harleysville, PA 19438	UNT to Schuylkill WWF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-0520 (610) 372-4657, Ext. 201

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Penn Township Perry County	PAR-105140R	Barry Deaven PCEDC 25 West Main St. New Bloomfield, PA 17068	CWF-Little Juniata Creek to WWF-Shermans Creek	Evan Ticehurst Perry County Conservation District 31 West Main Street P. O. Box 36 New Bloomfield, PA, 17068 (717) 582-5119
Lower Paxton Township Dauphin County	PAG2002206028	Commerce Investors GP 681 Knight Road Harrisburg, PA 17111	Paxton Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018
Lower Swatara Township Dauphin County	PAR10I276R	Old Reliance Partnership 627 S 26th St. Harrisburg, PA 17111	Swatara Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018
Lower Paxton Township Dauphin County	PAG2002206040	Paul Navarro 1840 O'Hara Lane Middletown, PA 17057	Beaver Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018
Susquehanna Township Dauphin County	PAG2002206014	Leonard Sempeir AAA of Central PA 2301 Paxton Church Road Harrisburg, PA 17103	Paxton Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018
Derry Township Dauphin County	PAG2002206045	Legacy Landing P. O. Box 314 Hershey, PA 17033	Swatara Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018
Susquehanna Township Dauphin County	PAG2002206026	Joel McNaughton The McNaughton Co. 4400 Deer Path Road Harrisburg, PA 17110	Paxton Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018
Swatara Township Dauphin County	PAG2002206023	InnKeepers USA, LP 340 Royal Poinciana Place, Suite 306 Palm Beach, FL 33480	Swatara Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018
Lower Paxton Township Dauphin County	PAG2002206041	Real Estate Investors 100 Highland Ave. Suite 306 Lititz, PA 17543	Paxton Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018
Lower Swatara Township Dauphin County	PAG2002206043	Platinum Plus Partners, III P. O. Box 634 Harrisburg, PA 17108	Swatara Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018
Monroe Township Cumberland County Carroll Township York County	PAG2002106019	Department of Transportation SR 2011 Section 005, Bridge Replacement 2140 Herr Street Harrisburg, PA 17103-1699	Yellow Breeches Creek CWF	Cumberland County Conservation District 43 Brookwood Ave. Carlisle PA 17013 (717) 240-7812

NOTICES

6035

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Lower Allen Township Cumberland County	PAG2002106026	Lower Allen Township Lower Allen Township Emergency and Municipal Services Complex 1993 Hummel Avenue Camp Hill, PA 17011-5983	UNT Cedar Run CWF	Cumberland County Conservation District 43 Brookwood Ave. Carlisle PA 17013 (717) 240-7812
Bradford County Asylum Township	PAG2000806006	Brian D. Crocket KCJ Properties, Inc. R. R. 1, Box 22 Wyalusing, PA 18853	Susquehanna River WWF	Bradford County Conservation District Stoll Natural Resource Center R. R. 5, Box 5030C Towanda, PA 18848 (570) 265-5539, Ext. 6
Clearfield County City of DuBois	PAG20017050071	Stoltz Realty Partnership 86 Beaver Drive DuBois, PA 15801	Sandy Lick Creek CWF	Clearfield County Conservation District 650 Leonard Street Clearfield, PA 16830 (814) 765-2629
Columbia County Berwick Borough	PAG2001906011	Berwick Public Library Richard Miller 205 Chestnut Street Berwick, PA 18603	Susquehanna River WWF	Columbia County Conservation District 702 Sawmill Road, Suite 204 Bloomsburg, PA 17815 (570) 784-1310, Ext. 102
Lycoming County Muncy Creek Township	PAG2004105018	Long Ridge Realty Service Todd Arthur 25 North Main Street Muncy, PA 17756	Muncy Creek TSF Little Muncy Creek CWF	Lycoming County Conservation District 542 County Farm Road Suite 202 Montoursville, PA 17754 (570) 433-3003
Lycoming County Muncy Creek Township	PAG2004106012	Department of Transportation Engineering Dist. 3-0 P. O. Box 218 Montoursville, PA 17754	Muncy Creek TSF	Lycoming County Conservation District 542 County Farm Road Suite 202 Montoursville, PA 17754 (570) 433-3003
Indiana County White Township	PAG2003206007	Rod Grettler Grettler Properties P. O. Box 1022 Indiana, PA 15701	UNT to Ramsey Run (CWF)	Indiana County CD (724) 463-8547
Washington County Robinson Township	PAG2006306021	Champion Processing, Inc. P. O. Box 127 Burgettstown, PA 15021	Little Raccoon Creek (WWF)	Washington County CD (724) 228-6774
Westmoreland County City of New Kensington	PAG2006506029	S & A Homes 2121 Old Gatesburg Road State College, PA 16803	Allegheny River (WWF)	Westmoreland County CD (724) 837-5271
Westmoreland County Scottsdale Borough	PAG2006506033	Southmoreland School District 609 Parker Avenue Scottsdale, PA 15683	Jacobs Creek (WWF)	Westmoreland County CD (724) 837-5271
Westmoreland County Unity Township	PAG2006506040	Donald Tarosky Colony of Unity, LP 8954 Hill Drive North Huntingdon, PA 15642	Tributary to Nine Mile Run (WWF)	Westmoreland County CD (724) 837-5271

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Butler County Allegheny Township	PAG2091006009	Bureau of Abandoned Mine Reclamation Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119	North Branch Bear Creek CWF	Department of Environmental Protection Cambria Office 286 Industrial Park Road Ebensburg, PA 15931-4119 (814) 472-1800

General Permit Type—PAG-3

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Emporium Borough Cameron County	PAR114804	GE Transportation Systems 55 Pine Street Emporium, PA 15834	Driftwood Branch Sinnemahoning Creek TSF	Northcentral Regional Office Water Management Program 208 West Third Street, Suite 101 Williamsport, PA 17701 (570) 327-3664
City of Beaver Falls Beaver County	PAR216175	McDaniel Advanced Ceramic, LLC 510 Ninth Avenue Beaver Falls, PA 15010	Walnut Bottom Run	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
City of Beaver Falls Beaver County	PAR216152	Vesuvius USA Corporation 726 6th Street Beaver Falls, PA 15010-4724	Walnut Bottom Run	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Summit Township Butler County	PAR158303	Hunter's Truck Sales & Service, Inc. 101 East Main Street Eau Claire, PA 16030	Connoquenessing Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-4

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Huntingdon County Shirley Township	PAG043537	Department of Conservation and Natural Resources Forestry Andrew Glodek R. R. 1, Box 486 Blain, PA 17066	Juniata River WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
York County Hellam Township	PAG043570	John Stailey Susquehanna Resources P. O. Box 3711 York, PA 17402	Susquehanna River WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
West Mead Township, Crawford County	PAG048410	Tricha A. Gregor 14140 Dickson Road Meadville, PA 16335-8062	UNT to Woodcock Creek 16A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Beaver Township, Crawford County	PAG048737	Denise L. Seman 21255 Maples Road Conneautville, PA 16406	Paden Creek, 20-A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Eldred Township, McKean County	PAG049284	Brian and Susan Welch 4 Justamere Lane Poughkeepsie, NY 12601-5211	Indian Creek, 16-C	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-9

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Otter Creek Township, Mercer County	PAG098308	Scott Peterman 26 Everbreeze Drive Hadley, PA 16130	Peterman Farm—Free West Field	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 0906506 , Public Water Supply.	
Applicant	Bucks County Water and Sewer Authority 1275 Almshouse Road Warrington, PA 18976
Township	Solebury
County	Bucks
Type of Facility	PWS
Consulting Engineer	Carroll Engineering Corporation 949 Easton Road Warrington, PA 18976
Permit to Construct Issued	September 18, 2006

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Operations Permit issued to **United Water Pennsylvania**, 7220015, Hummelstown Borough, **Dauphin County** on 9/15/2006 for the operation of facilities approved under Construction Permit No. 2205504.

Operations Permit issued to **United Water Pennsylvania**, 7220015, Hummelstown Borough, **Dauphin County** on 9/15/2006 for the operation of facilities approved under Construction Permit No. 2206502.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 1406502-IT—Construction Public Water Supply.

Applicant **Miles Township Municipal Authority East**

Township or Borough Miles Township

County **Centre**

Responsible Official Philip Meyer, Chairperson
Miles Township Municipal Authority East
P. O. Box 157
Rebersburg, PA 16872

Type of Facility Public Water Supply—Construction

Consulting Engineer Jason Wert, P. E.
Herbert, Rowland & Grubic, Inc.
474 Windmere Drive
State College, PA 16801

Permit Issued Date September 15, 2006

Description of Action Construction of a US Filter/Memcor, Model 6M10C, continuous microfiltration plant, an OXI-5X mixed-oxidant generation system and a 200,000 gallon finished water storage tank.

Permit No. 4104501—Operation Public Water Supply.

Applicant **Williamsport Municipal Water Authority**

Township or Borough City of Williamsport

County **Lycoming**

Responsible Official Uwe E. Weindel
Executive Director
Williamsport Municipal Water Authority
253 West Fourth Street
Williamsport, PA 17701

Type of Facility Public Water Supply—Operation

Consulting Engineer N/A

Permit Issued Date September 18, 2006

Description of Action Operation of the Lycoming well field and Third Street pump station.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 0206505MA, Public Water Supply.

Applicant **Municipal Authority of the Borough of Oakmont**
P. O. Box 73
721 Allegheny Avenue
Oakmont, PA 15139

Borough or Township City of Penn Hills and West Deer Township

County **Allegheny**

Type of Facility Water storage tanks

Consulting Engineer NIRA Consulting Engineers Inc.
950 Fifth Avenue
Coraopolis PA 15108

Permit to Construct September 18, 2006
Issued

Operations Permit issued to **Center Township Water Authority**, 224 Center Grange Road, Aliquippa, PA 15001, (PWS ID 5040007) Center Township, **Beaver County** on September 18, 2006 for the operation of facilities approved under Construction Permit No. 0406503MA.

Operations Permit issued to **Torrance State Hospital**, P. O. Box 111, Torrance, PA 15779, (PWS ID 5650036) Derry Township, **Westmoreland County** on September 18, 2006 for the operation of facilities approved under Construction Permit No. 6503501.

Operations Permit issued to **Torrance State Hospital**, P. O. Box 111, Torrance, PA 15779, (PWS ID 5650036) Derry Township, **Westmoreland County** on September 18, 2006 for the operation of facilities approved under Construction Permit No. 6505501.

SEWAGE FACILITIES ACT PLAN APPROVAL**Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20a)**

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Allegheny Township	3131 Old 6th Avenue N Duncansville, PA 16635	Blair

Plan Description: The approved plan provides for the construction of a 470,600 square foot commercial warehouse/distribution center as an expansion of the current Warnaco distribution facility located east and adjacent to the site. Wastewater generated from this facility will be conveyed to existing sanitary sewer mains owned by the Duncansville Borough Municipal Authority and ultimately treated at the Duncansville Borough Municipal Authority sewage treatment plant. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Bonneauville Borough	46 East Hanover Street Gettysburg, PA 17325	Adams

Plan Description: The approved plan provides for an upgrade and expansion of the existing 0.331 mgd wastewater treatment plant to 0.55 mgd and modifications to the WWTP under the Chesapeake Bay Point Source Nutrient reduction Strategy. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Bloomfield Township	422 Twin Ridge Road New Enterprise, PA 16064	Bedford

Plan Description: The approved plan provides for the construction of a community onlot sewage disposal system to serve the village of Bakers Summit, the implementation of an onlot sewage disposal system (OLDS) management program in the remainder of the township, and the scheduled repair of confirmed and suspected malfunctions identified in the Plan. The Plan also requires the completion of a preliminary hydrogeologic study for subdivision and new land development plans proposing OLDS. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Saxton Borough	707 Ninth Street Saxton, PA 16678	Bedford

Plan Description: The approved plan provides for the upgrade and expansion of the Saxton Borough Municipal Authority's wastewater treatment facility (WWTF) to a capacity of 0.6 mgd. The Plan also provides for the addition of new conveyance lines to the WWTF, deletion of the Shoup Street Pump Station and construction of a new main pump station that will convey all flow to the WWTF. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Waterford Borough	South Park Row Waterford, PA 16441	Erie

Plan Description: The approved plan provides for the construction of a new Final Clarifier at the Municipal Authority WWTP.

Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20a)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Plan Location: 218 Mill Street, Fawn Grove Borough, York County

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Fawn Grove Borough	Fawn Grove Borough Council c/o Monica L. Reinsfelder P. O. Box 131 Fawn Grove, PA 17321	York

Plan Description: The development proposed a two lot single-family residential subdivision using onlot sewage disposal and private wells. The project name is Edward W. Absher and its code number is A3-67920-012-2. The plan was disapproved because it failed to adequately mitigate contamination from the proposed onlot systems to the groundwater.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Regional Field Office, Ronald S. Brezinski, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Brookshire Development, Upper Milford and Hereford Townships, **Lehigh and Berks County**. Ed Prout, American Resource Consultants, Inc., P. O. Box 579, Quakertown, PA 18951 submitted a Final Report (on behalf of his client, Michael Weaver, Judd Builders and Developers, 1750 Walton Road, Blue Bell, PA 19422-0465) concerning the remediation of soils found to have elevated arsenic concentrations as the result of pesticide application to former orchards. The report was submitted to document attainment of a combined residential Statewide Health Soil Standard and Site-Specific Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at

the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Regional Field Office, Ronald S. Brezinski, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

Hosko Residence, Price Township, **Monroe County**. Keith Lupfer, P. G., Project Manager, ARM Group, Inc. 1129 W. Governor Road, P. O. Box 797, Hershey, PA 17033 submitted a Final Report (on behalf of his client, Robert Hosko, 711 Flagler Street, Stroudsburg, PA 18360) concerning the remediation of soils impacted by a home heating oil release. The Final Report was submitted within 90 days of the release and demonstrated attainment of a residential Statewide Health Standard and was approved on September 8, 2006. Future use of the property will remain as residential.

Former Penn Fuel Gas Manufactured Gas Plant—Ashland Site, Ashland Borough, **Schuylkill County**. John Mahfood, Corporate Environmental Solutions, 260 Millers Run Road, Bridgeville, PA 15017 submitted a Final Report (on behalf of his client, PPL Gas Utilities, Inc, Two North Ninth St., Allentown, PA 18101) concerning the remediation of soils and groundwater found or suspected to have been contaminated with inorganics, polycyclic aromatic hydrocarbons and other organic compounds related to historic manufactured gas plant operations. The report demonstrated attainment of both the Statewide Health and the Site-Specific Standards, and was approved on August 3, 2006.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Atlantic Star Trucking Fuel Spill, Wysox Township, **Bradford County**. Teeter Environmental Services Inc., R. R. 1, Box 124B, Sayre, PA 18840 on behalf of Atlantic Star Trucking, 436 Doremus Ave., Newark, NJ 07105 has submitted a Final Report within 90 days of the release concerning the remediation of site soil contaminated with diesel fuel. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on September 13, 2006.

Oaks Club Facility (Former), Loyalsock Township, **Lycoming County**. Converse Consultants, 2738 West College Ave., State College, PA 16801 on behalf of Roger D. Jarrett, 5680 State Route 405, Muncy, PA 17756 has submitted a Final Report concerning remediation of site groundwater contaminated with BTEX. The Final Report demonstrated attainment of the Background Standard and was approved by the Department of Environmental Protection on September 12, 2006.

Tim Gundlach Property, Franklin Township, **Columbia County**. Alliance Environmental Services, Inc., 1820 Linglestown Road, Harrisburg, PA 17110 on behalf of Tim Gundlach, 107 Orchard Road, Catawissa, PA 17820 has submitted a Final Report concerning remediation of site soil contaminated with benzene and naphthalene. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on September 12, 2006.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit Approved Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and residual waste regulations for a General Permit to operate residual waste processing facilities and/or the beneficial use of residual waste other than coal ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit No. WMGR094D001. Keystone Cement Company, Route 329, P. O. Box A, Bath PA, 18014. For the beneficial use of cement kiln dust as a subgrade stabilizer in road construction, and use as a fill material for road and embankment construction. The Department of Environmental Protection (Department) approved the determination of applicability on August 21, 2006.

Persons interested in reviewing the general permit may contact the General Permits/Beneficial Use Section, Division of Municipal and Residual Waste, Rachel Carson State Office Building, P. O. Box 8472, Harrisburg, PA 17101-8472, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Closure Plan approved and a Consent Order and Agreement executed under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to operate solid waste processing or disposal area or site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit ID No. PAD059087072. MAX Environmental Technologies, 200 Max Drive, Bulger, PA 15019. Reclosure of residual waste Impoundments 1 and 1A by using residual waste as construction fill and capping these impoundments at MAX's facility in Smith Township, **Washington County.** Closure plan approved and Consent Order and Agreement executed by the Regional Office on September 11, 2006.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

GP3-67-03137: County Line Quarry, Inc. (P. O. Box 99, Wrightsville, PA 17368) on September 13, 2006, for Portable Nonmetallic Mineral Processing Plants under GP3 in Wrightsville Borough, **York County.**

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

GP5-30-00163A: CNX Gas Co. LLC (4000 Brownsville Road, South Park, PA 15129) on September 13, 2006, to install and operate a T & D Dehydrator, model TEG250 (.25 mmBtu/hr) and an Amine Plant boiler (8.25 mmBtu/hr) at their Green Hill Processing Plant at Center Township, **Greene County.**

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; George Monasky, New Source Review Chief, (814) 332-6940.

GP-42-202: Belden and Blake—BWA Station (1950 Washington Street, State Route 394, Bradford, PA 16701) on September 30, 2006, for a natural gas fired compressor engine in Foster Township, **McKean County.**

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

09-0019B: Miller and Son Paving, Inc. (887 Mill Creek Rd., Rushland, PA 18956) on September 14, 2006, to operate a replacement baghouse in Wrightstown Township, **Bucks County.**

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

28-05020C: T. B. Woods, Inc. (440 North 5th Avenue, Chambersburg, PA 17201-1778) on September 15, 2006, to construct a shake-out system and a no-bake sand reclamation system to be controlled by dedicated existing fabric collectors at their iron foundry in Chambersburg Borough, **Franklin County.**

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

14-303-008: EBY Paving and Construction, Inc. (1001 East College Avenue, Bellefonte, PA 16823) on August 18, 2006, to construct and operate an oil-fired rotary drum mixer burner at their facility in Spring Township, **Centre County.**

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

04-00725A: Pennsylvania Biodiesel, Inc. (759 Northgate Circle, New Castle, PA 16105) on September 13, 2006, to install and operate a bio-diesel production facility in Potter Township, **Beaver County.** The facility will consist of loading and unloading stations for truck, rail and eventually barge; various storage tanks; a process building with reactors, centrifuges, and process tanks; a boiler house with No. 2 oil-fired boilers; a cooling tower; and a truck scale.

30-00099F: Allegheny Energy Supply Co., LLC (800 Cabin Hill Drive, Greensburg, PA 15601) on September 14, 2006, to install a flue gas desulfurization on each of the three existing 5,766 mmBtu/hr Babcock and Wilcox boilers exhausting through three separate flues within a single stack at the Hatfield's Ferry Power Station in Monongahela Township, **Greene County.**

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; George Monasky, New Source Review Chief, (814) 332-6940.

37-325A: Allegheny Mineral Corp.—Rose Point Plant (Mt. Hope Furnace Road, Porterville, PA 16051) on September 12, 2006, to construct a new Limestone processing facility (1,000,000 tons per year) in conjunction with three proposed new limestone mining operations in Slippery Rock Township, **Lawrence County**. The facility will crush, screen, wash and stockpile and ship limestone. The facility will be subject to 40 CFR 60 Subpart OOO for Nonmetallic Mineral Processing Plants. This is a State-only V facility.

24-016D: Keystone Powdered Metal Co. (251 State Street, Saint Marys, PA 15857) on September 13, 2006, for a plan approval to modify the solvent metal cleaning operation by changing from the use of Trichlorethylene to n-Propyl Bromide in the City of Saint Marys, **Elk County**.

43-270A: CCL Container (One Llodio Drive, Hermitage, PA 16148-9015) on September 15, 2006, for minor modification of plan approval 43-270A in Hermitage City, **Mercer County**. This is a Title V facility.

25-069L: Engelhard Corp. (1729 East Avenue, Erie PA 16503) on September 14, 2006, to install a Nickel Plating process at their Erie facility in the City of Erie, **Erie County**.

43-344A: Hillcrest Memorial Park (230 East State Street, Sharon, PA 16148) on September 14, 2006, to construct an animal crematory in the City of Hermitage, **Mercer County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

23-0056: Honeywell International, Inc. (6100 Philadelphia Pike, Claymont, DE 19703-2716) on September 14, 2006, to operate a fluosulfonic acid manufacturing in Marcus Hook Borough, **Delaware County**.

09-0122: Arkema Inc. (2000 Market Street, Philadelphia, PA 19103) on September 18, 2006, to operate a thermal oxidizer in Bristol Township, **Bucks County**.

46-0054A: Abington Memorial Hospital (1200 Old York Road, Abington, PA 19001) on August 23, 2006, to operate two emergency generators in Abington Township, **Montgomery County**.

46-0243: Upper Montgomery Joint Authority (P. O. Box 6, Pennsburg, PA 18073) on September 18, 2006, to operate a thermal fluid dryer in Upper Hanover Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

21-05042B: Pennsy Supply, Inc. (1001 Paxton Street, P. O. Box 3331, Harrisburg, PA 17104-3331) on September 14, 2006, to modify an existing hot mix asphalt plant at Silver Spring Quarry in Silver Spring Township, **Cumberland County**. This plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

12-399-013A: GKN Sinter Metals, Inc. (P. O. Box 493, Emporium PA 15834) on September 1, 2006, to authorize the use of a different quench solution in the induction hardener and the use of two 0.15 mmBtu/hr natural gas burners in the draw furnace, and to extend the authorization to operate the induction hardener and draw furnace and air cleaning device (two-stage electrostatic precipitator) identified in the respective plan approval on a temporary basis until January 8, 2007, at the Barton Street Plant in Emporium Borough, **Cameron County**.

18-0009C: Clinton County Solid Waste Authority (P. O. Box 209, McElhattan, PA 17748) on September 8, 2006, to install a new landfill gas flare at a municipal waste landfill, and to operate the respective municipal waste landfill, which has been modified, on a temporary basis, until January 6, 2007, in Wayne Township, **Clinton County**. The plan approval has been extended.

19-320-005A: Press Enterprise, Inc. (3185 Lackawanna Avenue, Bloomsburg, PA 17815) on September 8, 2006, for the performance of VOC stack testing on a heatset web offset printing press and associated air cleaning device (a regenerative thermal oxidizer) in Scott Township, **Columbia County**. The deadline has been extended.

41-00005C: Lycoming Engines (652 Oliver Street, Williamsport PA 17701) on August 28, 2006, to construct and operate a perchloroethylene degreaser until December 31, 2006 in Williamsport, **Lycoming County**. The plan approval has been extended.

59-304-008G: ACP Manufacturing Co., LLC (P. O. Box 68, Blossburg, PA 16912) on September 14, 2006, to allow the use of biocides in a metal parts surface coating dip tank in Lawrence Township, **Tioga County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

30-00148A: Dana Mining Co. of PA, Inc. (P. O. Box 1170, Morgantown, WV 26507) on 13 September 2006, to complete construction of their coal screening plant in Dunkard Township, **Greene County**. This plan approval was extended.

04-00724A: Duke Energy Field Services, LP (370 17th Street, Suite 2500, Denver, CO 80202) on 13 September 2006, to complete installation of a propane storage and delivery terminal at their Midland Plant in Industry Borough, **Beaver County**. This plan approval was extended.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; George Monasky, New Source Review Chief, (814) 332-6940.

61-185C: Heath Oil Co. (State Route 8, Barkeyville, PA 16038) on July 31, 2006, for the post construction approval of the bulk storage terminal, tank wagon loading rack, and vapor balancing and burn off system in Barkeyville Borough, **Venango County**. This is a State-only facility.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

06-05044: Department of Public Welfare—Wernersville State Hospital (P. O. Box 300,

Wernersville, PA 19565-0300) on September 13, 2006, to operate a hospital in South Heidelberg Township, **Berks County**. This operating permit was administratively amended to incorporate General Permit GP1-06-05044.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

23-00101: Esschem, Inc. Div. Justi Group, Inc. (4000 Columbia Avenue, P. O. Box 1139, Linwood, PA 19061) on September 14, 2006, to operate the facility acrylic polymers and monomers for medical devices and the cosmetic industry of a State-only Operating Permit in Lower Chichester Township, **Delaware County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05067: County of Berks (P. O. Box 520, Leesport, PA 19533-0520) on September 14, 2006, to operate five boilers at the county complex in Bern Township, **Berks County**. This is a renewal of State-only operating permit.

36-03050: Dorma Door Controls, Inc. (Dorma Drive, Reamstown, PA 17567) on September 12, 2006, to operate their door controls operation at their site in East Cocalico Township, **Lancaster County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

56-00264: Svonavec, Inc. (150 West Union Street, Suite 201, Somerset, PA, 15501) on August 24, 2006, to operate a sandstone processing plant including three crushers, two screens, numerous conveyors, transfer points and storage piles and two diesel generator engines at their plant in Milford Township, **Somerset County**.

65-00661: Derry Construction Co., Inc. (527 Route 217, Latrobe, PA. 15650) on September 7, 2006, to operate a batch process hot mix asphalt concrete plant at the Salem Delmont Plant in Salem Township, **Westmoreland County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

25-00088: Industrial Papers, Inc. (140 East 16th Street, Box 6307, Erie, PA 16512) on September 15, 2006, to operate an industrial paper plant in Erie, **Erie County**.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104; Edward Braun, Chief, (215) 685-9476.

S06-004: Jeanes Hospital (7600 Central Avenue, Philadelphia, PA 19111) on September 13, 2006, to operate a hospital facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission source includes three 304 HP boilers and six emergency generators (one) 750 kW generators, one 400 kW generator, four generators less than 130 kW).

S06-006: Philadelphia Tramrail Co. (2207 East Ontario Street, Philadelphia, PA 19134) on September 13, 2006, to manufacture overhead cranes and hydraulic balers and compactors in the City of Philadelphia, **Phila-**

delphia County. The facility's air emission sources include includes three 1.75 mmBtu/hr No. 2 oil-fired space heaters and three painting stations with filters.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

03871303 and NPDES Permit No. PA0213667. TJS Mining, Inc. (2340 Smith Road, Shelocta, PA 15774). To revise the permit for the Darmac No. 2 Deep Mine in Armstrong Township, **Indiana County** and Washington Township, **Armstrong County** to add underground and subsidence control plan permit acres for room and pillar mining. Underground Acres Proposed 69.2, SCP Acres Proposed 69.2. No additional discharges. Application received: April 6, 2006. Permit issued: September 11, 2006.

30831303 and NPDES Permit No. PA0013511. Cumberland Coal Resources, LP (158 Portal Road, P. O. Box 1020, Waynesburg, PA 15370). To revise the permit for the Cumberland Mine in Whiteley Township, **Greene County** to change the postmining land use to recreation and unmanaged natural habitat. Surface Acres Proposed 4.0. No additional discharges. Application received: September 15, 2004. Permit issued: September 11, 2006.

30841316 and NPDES Permit No. PA 0213535. Consol Pennsylvania Coal Company (P. O. Box j, 1525 Pleasant Grove Road, Claysville, PA 15323). To revise the permit for the Bailey Mine and Prep Plant in Richhill Township, **Greene County** to change 122.48 underground permit acres from development mining to longwall mining and perform stream remediation activity to South Fork of Dunkard Fork that may be impacted by the longwall mining activity. No additional discharges. Application received: December 22, 2005. Permit issued: September 14, 2006.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

11960106 and NPDES No. PA0234176. M. B. Energy, Inc. (175 McKnight Road, Blairsville, PA 15717-7960). Permit renewal for reclamation only of a bituminous surface mine in Jackson Township, **Cambria County**, affecting 311.0 acres. Receiving streams: UNTs to Laurel Run, Laurel Run classified for the following use: CWF. There are no potable water supply intakes within 10

miles downstream. Application received: August 15, 2006. Permit issued: September 12, 2006.

56950111 and NPDES No. PA0213225. Sherpa Mining Contractors, Inc. (337 Benny Road, Hooversville, PA 15936). Revision of an existing bituminous surface and auger mine to add 108.5 acres to the permit area. Total SMP acres goes to 458.4. Also, to change the postmining land use from woodland to wildlife habitat in Shade Township, **Somerset County**. Receiving streams: UNTs to Shade Creek and Shade Creek classified for the following use: CWF. The first downstream potable water supply intake from the point of discharge is Cambria Somerset Authority Stonycreek SWI. Application received: June 13, 2006. Permit issued: September 13, 2006.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

03050102 and NPDES Permit No. PA0250732. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Permit issued for commencement, operation and reclamation of a bituminous surface mine located in Rayburn Township, **Armstrong County**, affecting 84.0 acres. Receiving streams: UNTs to Cowanshannock Creek to Allegheny River. Application received: June 3, 2005. Permit issued: September 12, 2006

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

14940101 and NPDES No. PA0219932. Junior Coal Contracting, Inc. (2330 Six Mile Road, Philipsburg, PA 16866). Permit renewal for the continued operation and restoration of a bituminous surface mine in Rush Township, **Centre County**, affecting 522.0 acres. Receiving streams: UNT to Moshannon Creek to the West Branch of the Susquehanna River. There are no potable water supply intakes within 10 miles downstream. Application received: June 16, 2006. Permit issued: August 22, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

40663029T & R4. Northampton Fuel Supply Co., Inc. (1 Horwith Drive, Northampton, PA 18067). Transfer and renewal of an existing anthracite surface mine and coal refuse reprocessing operation in Foster Township and Jeddo Borough, **Luzerne County** affecting 521.0 acres. Receiving stream: none. Applications received: January 26, 2006. Transfer and Renewal issued: September 8, 2006.

Noncoal Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

Permit No. 3369BSM32 and NPDES Permit No. PA0605824. General Refractories Company (225 City Avenue, Suite 14, Bala Cynwyd, PA 19004). Renewal of NPDES Permit, Addison Township, **Somerset County**. Receiving stream: UNT to Casselman River classified for the following use: WWF. There are no potable water supply intakes within 10 miles downstream. Application received: July 19, 2006. Permit issued: September 13, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

66040801. Kevin Spencer (R. R. 2, Box 2370, Nicholson, PA 18446). Commencement, operation and restoration of a quarry operation in Nicholson Township,

Wyoming County affecting 5.0 acres; receiving stream: none. Application received: January 13, 2004. Permit issued: September 11, 2006.

64052803. Kevin Schrader (P. O. Box 262, Lake Como, PA 18437). Commencement, operation and restoration of a quarry operation in Preston Township, **Wayne County** affecting 5.0 acres; receiving stream: none. Application received: April 6, 2005. Permit issued: September 11, 2006.

58060824. Victor V. Caines (P. O. Box 244, Meshoppen, PA 18630). Commencement, operation and restoration of a quarry operation in Auburn Township, **Susquehanna County** affecting 3.0 acres; receiving stream: none. Application received: April 4, 2006. Permit issued: September 11, 2006.

8275SM3C5 and NPDES Permit No. PA0117986. Martin Limestone, Inc. (P. O. Box 550, Blue Ball, PA 17506). Renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Caernarvon and East Earl Townships, **Lancaster County**; receiving stream: UNT of Conestoga River. Application received: June 28, 2006. Renewal issued: September 13, 2006.

4873SM10A2C8 and NPDES Permit No. PA0595284. Codorus Stone & Supply Co., Inc. (135 Mundis Race Road, York, PA 17402). Renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Manchester Township, **York County**; receiving stream: UNT to Codorus Creek. Application received: July 17, 2006. Renewal issued: September 13, 2006.

21900301C3 and NPDES Permit No. PA0595055. EE Kough Sons (P. O. Box 134, Newville, PA 17241). Renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in North Newton Township, **Cumberland County**; receiving stream: UNT to Conodroguinet Creek. Application received: July 18, 2006. Renewal issued: September 13, 2006.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (73 P.S. §§ 151–161) and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

59064001. Geophysical Applications (113 East Chemung Place, Elmira, NY 14904). Blasting for Texas Creek Seismic Survey located in Tioga, **Bradford and Lycoming Counties**. Permit issued: September 7, 2006. Permit expires: November 7, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

15064003. Explo-Craft, Inc. (P. O. Box 1332, West Chester, PA 19380). Construction blasting at the Crane Site For Blasting Rock From Foundation Area in East Nantmeal Township, **Chester County** with an expiration date of December 30, 2006. Permit issued September 11, 2006.

36064011. ABEL Construction Co., Inc. (P. O. Box 476, Mountville, PA 17554), construction blasting at Crossgates VII Development in Manor Township,

Lancaster County with an expiration date of August 31, 2007. Permit issued: September 11, 2006.

21064176. David H. Martin Excavating, Inc. (4961 Cumberland Highway, Chambersburg, PA 17201). Construction blasting for North Middle Spring Estates March 6, 2008. Permit issued: September 11, 2006.

28064167. David H. Martin Excavating, Inc. (4961 Cumberland Highway, Chambersburg, PA 17201). Construction blasting for Greene Valley Estates in Greene Township, **Franklin County** with an expiration date of March 6, 2008. Permit issued: September 11, 2006.

28064168. David H. Martin Excavating, Inc. (4961 Cumberland Highway, Chambersburg, PA 17201). Construction blasting for Rhine Manor in Greene Township, **Franklin County** with an expiration date of March 8, 2008. Permit issued: September 11, 2006.

36064189. Gerlach's Drilling & Blasting (172 Bender Mill Road, Lancaster, PA 17603). Construction blasting for Brownstone Commons in West Earl Township, **Lancaster County** with an expiration date of September 15, 2007. Permit issued: September 11, 2006.

36064190. Gerlach's Drilling & Blasting (172 Bender Mill Road, Lancaster, PA 17603). Construction blasting for Lausch Lane II in Manheim Township, **Lancaster County** with an expiration date of September 15, 2007. Permit issued: September 11, 2006.

13064103. DC Guelich Explosives, Inc. (R. R. 3 Box 125A, Clearfield, PA 16830). Construction blasting for Split Rock Development in Kidder Township, **Carbon County** with an expiration date of September 6, 2007. Permit issued: September 13, 2006.

21064177. Douglas Explosives, Inc. (P. O. Box 77, Philipsburg, PA 16866). Construction blasting for McCoy Interstate Park West in Dickinson and South Middleton Townships, **Berks County** with an expiration date of September 5, 2007. Permit issued: September 13, 2006.

22064126. John W. Gleim, Jr., Inc. (625 Hamilton Street, Carlisle, PA 17013). Construction blasting for Brookview Development in West Hanover Township, **Dauphin County** with an expiration date of December 15, 2006. Permit issued: September 13, 2006.

28064169. David H. Martin Excavating, Inc. (4961 Cumberland Highway, Chambersburg, PA 17201). Construction blasting for Highlands of Greene Village West in Greene Township, **Franklin County** with an expiration date March 6, 2008. Permit issued: September 13, 2006.

36064191. Keystone Blasting Service (381 Reifsnnyder Road, Lititz, PA 17543). Construction blasting for a single dwelling in Elizabeth Township, **Lancaster County** with an expiration date of November 30, 2006. Permit issued: September 13, 2006.

46064131. Eastern Blasting Co., Inc. (1292 Street Road, New Hope, PA 18938). Construction blasting for Humboldt North in Hazle Township, **Luzerne County** with an expiration date of September 7, 2007. Permit issued: September 13, 2006.

40064132. Eastern Blasting Co., Inc. (1292 Street Road, New Hope, PA 18938). Construction blasting for Humboldt North road work in Hazle Township, **Luzerne County** with an expiration date of September 7, 2007. Permit issued: September 13, 2006.

52064131. Hayduk Enterprises, Inc. (257 Riverside Drive, Factoryville, PA 18419). Construction blasting for Pocono Mountain Lake Forest in Delaware Township,

Pike County with an expiration date of September 30, 2007. Permit issued: September 13, 2006.

21064178. Newville Construction Services, Inc. (408 Mohawk Road, Newville, PA 17241). Construction blasting for a single dwelling in West Pennsboro Township, **Cumberland County** with an expiration date of December 31, 2006. Permit issued: September 14, 2006.

39064111. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033). Construction blasting for Weber & Dale Tract Subdivision in Upper Saucon Township, **Lehigh County** with an expiration date of September 30, 2007. Permit issued: September 14, 2006.

46064132. American Rock Mechanics, Inc. (7531 Chestnut Street, Zionsville, PA 18092). Construction blasting for Westport Farms in Hatfield Township, **Montgomery County** with an expiration date of December 29, 2007. Permit issued: September 14, 2006.

21064179. Newville Construction Services, Inc. (408 Mohawk Road, Newville, PA 17241). Construction blasting for a home in West Pennsboro Township, **Cumberland County** with an expiration date of December 31, 2006. Permit issued: September 15, 2006.

21064180. Newville Construction Services, Inc. (408 Mohawk Road, Newville, PA 17241). Construction blasting for utilities on Meadowbrook Road in North Middleton Township, **Cumberland County** with an expiration date of December 31, 2006. Permit issued: September 15, 2006.

28064170. M & J Explosives, Inc. (P. O. Box 608, Carlisle, PA 17013). Construction blasting for Kingswood Development in Guilford Township, **Franklin County** with an expiration date of September 30, 2007. Permit issued: September 15, 2006.

39064112. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033). Construction blasting for Park Ridge in South Whitehall Township, **Lehigh County** with an expiration date of September 30, 2007. Permit issued: September 15, 2006.

39064113. American Rock Mechanics, Inc. (7531 Chestnut Street, Zionsville, PA 18092). Construction blasting for Beck Warehouse in Hanover Township, **Lehigh County** with an expiration date of December 29, 2006. Permit issued: September 15, 2006.

39064114. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033). Construction blasting for Lehigh Industrial Park in Hanover Township, **Lehigh County** with an expiration date of September 30, 2007. Permit issued: September 15, 2006.

39064115. Geological Technologies, Inc. (P. O. Box 70, Falling Waters, WV 25419). Construction blasting for Whispering Farms Subdivision in Upper Macungie Township, **Lehigh County** with an expiration date of September 12, 2007. Permit issued: September 15, 2006.

48064124. Austin Powder Company (25800 Science Park Drive, Cleveland, OH 44122). Construction blasting for Quarry Hill Estates in Northampton Borough and Allen Township, **Northampton County** with an expiration date of September 8, 2007. Permit issued: September 15, 2006.

48064125. Hall Explosives, Inc. (2981 Elizabethtown Road, Hershey, PA 17033). Construction blasting for Bethlehem Crossing III in Bethlehem and Lower Nazareth Townships, **Northampton County** with an expiration date of September 30, 2007. Permit issued: September 15, 2006.

64064113. Explosive Services, Inc. (7 Pine Street, Bethany, PA 18431). Construction blasting for a storage building in Clinton Township, **Wayne County** with an expiration dated of September 10, 2006. Permit issued: September 15, 2006.

64064114. Explosive Services, Inc. (7 Pine Street, Bethany, PA 18431). Construction blasting for Kernwood Development in Oregon Township, **Wayne County** with an expiration date of September 14, 2006. Permit issued: September 15, 2006.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

E15-727. Department of Transportation, 7000 Geerdes Boulevard, King of Prussia, PA 19406, Wallace Township, Chester County, ACOE Philadelphia District.

To remove the existing timber beam bridge and to construct and maintain, in its place, a reinforced concrete box culvert across the North Branch of Indian Run (HQ-CWF). The proposed culvert will have a clear span of 18.0 feet and a minimum underclearance of approximately 4.0 feet. The proposed culvert will be depressed an additional 1 foot below the streambed to provide for fish passage. This work also includes placement and maintenance of associated riprap protection at the existing outfall pipe, and temporary sand bag cofferdam. The site is located just southwest of the intersection of Springton Road (SR 4021) and Indiantown Road (SR 4023) (Wagontown, PA, USGS Quadrangle N: 14.0 inches; W: 4.4 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northeast Regional Office, Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

E39-458. SK Development Company, Inc., 3312 Seventh Street, Whitehall, PA 18052. North Whitehall Township, Lehigh County, Army Corps of Engineers Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the Spring Knoll Residential Subdivision: 1) a channel change consisting of rerouting a tributary of Fells Creek (CWF) having a drainage area of approximately 50 acres around an existing pond and the relocation consists of 75 feet of open channel and 490 feet of 30-inch diameter RCP stream enclosure; 2) a road crossing consisting of a 99-foot long, 42-inch diameter RCP with riprap apron, across a tributary to Fells Creek having a drainage area of approximately 34 acres; 3) an 8-inch diameter DIP waterline crossing of a tributary to Fells Creek; 4) a 15-inch diameter RCP stormwater crossing of a tributary to Fells Creek; and 5) an 18-inch diameter RCP outfall structure with a riprap apron in the floodway of a tributary to Fells Creek. The project is located on the northwest side of Oakland Road approximately 0.25 mile north of its intersection with Clearview Road (Cementon, PA Quadrangle N: 13.4 inches; W: 8.1 inches). (Subbasin: 2C)

E40-656. Thomas A. and Phyllis K. Regula, R. D. 1, Box 449, 508 Clinton Street, Dalton, PA 18414-0449. Harveys Lake Borough, Luzerne County, Army Corps of Engineers Baltimore District.

To remove the existing structure and to construct and maintain a dock/boathouse, having an areal coverage of approximately 2,888 square feet, in Harveys Lake (HQ-CWF). The structure will extend approximately 50 feet from the shoreline, and will have an overall width of approximately 64 feet. The permittee is required to provide mitigation by creating aquatic beds in the available area around the structure. The project is located at Pole No. 255 along SR 0415 (Lakeside Drive) (Harveys Lake, PA Quadrangle N: 19.6 inches; W: 5.4 inches). (Subbasin: 5B)

E48-361. Nic Zawarski and Sons Developers, Inc., 1441 Linden Street, Bethlehem, PA 18018. Forks Township, Northampton County, Army Corps of Engineers Philadelphia District.

To construct and maintain a road crossing consisting of twin 8-foot by 8-foot reinforced concrete box culverts having a 6-inch culvert depression in a tributary to Bushkill Creek (HQ-CWF) for the purpose of providing access to a new section of Knollwood Estates planned residential development. The project is located on the north side of Zucksville Road, approximately 1,500 feet east of Bushkill Drive (Easton, PA-NJ Quadrangle N: 17.0 inches; W: 16.1 inches). (Subbasin: 1F)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E28-333: Borough of Chambersburg, 100 South Second Street, Chambersburg, PA 17201 in Chambersburg Borough, **Franklin County**, ACOE Baltimore District

To construct and maintain a 8.0-foot wide, 100-foot span pedestrian bridge with an underclearance of 18-feet across Conococheague Creek (WWF); relocate and maintain a 10.0-foot wide 35-foot pedestrian bridge with an underclearance of 5 feet across Falling Spring Branch of Conococheague Creek (TSF); remove 50 feet of existing gabion wall and repair approximately 350 lineal feet of existing concrete retaining wall along the left downstream bank of Falling Spring Branch of Conococheague Creek (TSF), all for the purpose of enhancing the Village of Falling Spring (Chambersburg, PA Quadrangle N: 11.5 inches; W: 5.0 inches; Latitude: 39° 56' 18"; Longitude: 77° 39' 47") in Chambersburg Borough, Franklin County.

E21-386: Richard Evans, 93 Millers Gap Road, Enola, PA 17025 in Silver Spring Township, **Cumberland County**, ACOE Baltimore District.

To construct and maintain a 8.0-foot wide, 100-foot span pedestrian bridge with an underclearance of 18-feet across Conococheague Creek (WWF); relocate and maintain a 10.0-foot wide 35-foot pedestrian bridge with an underclearance of 5 feet across Falling Spring Branch of Conococheague Creek (TSF); remove 50 feet of existing gabion wall and repair approximately 350 lineal feet of existing concrete retaining wall along the left downstream bank of Falling Spring Branch of Conococheague Creek (TSF) all for the purpose of enhancing the Village of Falling Spring (Chambersburg, PA Quadrangle N: 11.5 inches; W: 5.0 inches; Latitude: 39° 56' 18"; Longitude: 77° 39' 47") in Chambersburg Borough, Franklin County.

E22-506: Gaeton S. Mulea, 452 West Main Street, Elizabethville, PA 17023 in Elizabethville Borough, **Dauphin County**, ACOE Baltimore District.

To install and maintain a 100-foot long by 1.5-foot high segmented block retaining wall and place approximately 630 cubic yards of fill material along an unnamed tributary to Wiconisco Creek (WWF), just upstream of the Route 209 bridge (Elizabethville, PA Quadrangle N: 3.4 inches; W: 12.0 inches, Latitude: 32° 67' 98"; Longitude: 56° 57' 13") in Elizabethville Borough, Dauphin County. This is an after-the-fact permit, as the wall is already installed and permission was given to bring in the remaining fill material and to landscape over the affected area.

E36-796: Solanco School District, 121 South Hess Street, Quarryville, PA 17566 in Quarryville Borough, **Lancaster County**, ACOE Baltimore District.

To remove a 36-inch reinforced twin concrete pipe culvert, then to construct and maintain: 1) a 305-foot by 54-inch reinforced concrete pipe enclosure with a type EW-1 endwall energy dissipator and riprap rock apron; 2) two 15-inch reinforced concrete stormwater outfall pipes

through the type EW-1 endwall; 3) an extension of two 18-inch reinforced concrete outfall pipes near South Hess Street; and 4) a type D-W headwall on the existing 48-inch corrugated metal pipe culvert under Park Avenue all in the South Fork of Big Beaver Creek (TSF) between South Hess Street and Park Avenue (Quarryville, PA Quadrangle N: 3.5 inches; W: 4.8 inches, Latitude: 39° 53' 39", Longitude: 76° 09' 33") in Quarryville Borough, Lancaster County. The applicant agrees to establish and maintain a 30-foot wide riparian buffer zone on approximately 520 linear feet of the South Fork of Big Beaver Creek (TSF) between Park Avenue and Second Street.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E14-487. Robert McGrail-Peasley, 2045 Runville Road, Bellefonte, PA 16823. McGrail-Peasley Property, in Boggs Township, **Centre County**, ACOE Baltimore District (Bellefonte, PA Quadrangle N: 21.07 inches; W: 13.35 inches).

To construct and maintain: 1) 340-foot long by 2-foot wide by 2-foot high earthen berm on the top of the right bank of an UNT to Wild Cat Run for the purpose of protecting an earthen road from flood waters; 2) a wooden pedestrian bridge with a 19-foot clear span and 4-foot underclearance across Wild Cat Run located behind Robert McGrail-Peasley's home; and 3) a 20-foot long by 10-foot wide I-beam and wood plank decked bridge with a 7-foot clear span and a 3.5-foot underclearance to make a new road crossing near the upstream limit of the earthen berm, located 3,100 feet upstream of the intersection of Gum Stump Road and Runville Road (SR 144). This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E19-253. Angela K. Weatherill, 13 Evans Lane, Orangeville, PA 17859, 13 Creekside Castle, in Orange Township, **Columbia County**, ACOE Baltimore District (Bloomsburg, PA Quadrangle N: 16.15 inches; W: 4.41 inches).

To: 1) jack an existing 28-foot long by 25-foot wide wooden one-story home 8 feet above the natural ground, and to construct, operate and maintain; 2) fifteen 16-inch by 16-inch concrete block core-filled columns to elevate the house with the two porches 8 feet above the ground and a set of wooden steps from each porch to the ground; 3) a 40-foot long by 3-foot 4-inch metal I-beam and wood deck catwalk extending from the porch by the driveway to the paved bridge ramp; 4) an at-grade 55-foot long by 25-foot wide concrete pad between the 15 piers and an at-grade 5-foot wide by 114-foot sidewalk-like scour protection along the land side of the 2-foot high existing flood wall that runs along the top of the right stream bank border of the property; 5) back-fill the eroded gullies in the yard with the material excavated from the pier foundation holes and the concrete slab areas; and 6) place 50 cubic yards of clean topsoil as needed in the yard to promote grass growth or gravel in the driveway after the flood washed away much of the yard and driveway surfaces, all of which is in the right 100-year floodway of Fishing Creek located 20 feet downstream of the abandoned right bridge approach that is located immediately below the new SR 487 bridge by the Creekside Restaurant.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E63-585. Turnpike Commission, P. O. Box 67676, Harrisburg, PA 17106. To stabilize Mingo Creek in Carroll and Union Townships, **Washington County**, Pittsburgh ACOE District. (Monongahela, PA Quadrangle N: 14.9 inches; W: 15.5 inches and Latitude: 40° 12' 29"—Longitude: 79° 59' 05"). To construct and maintain 400 LF of stream stabilization and restoration in Mingo Creek (HQ-TSF). This project protects a bank supporting the Mon-Fayette Expressway from threatened erosion and starts 40 ft. downstream of SR 1087 (Ginger Hill Road).

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

EA05-007: Broad Top Township, 187 Municipal Road, Defiance, PA 16633 in Broad Top Township, **Bedford County**, ACOE Baltimore District.

To construct and maintain a passive AMD treatment system consisting of two limestone settling ponds and one conventional settling pond with associated conveyances on approximately 0.86 acre of the right floodway and floodplain of Sixmile Run (WWF), and to construct and maintain a 10.0-foot wide single span temporary bridge having a normal span of 34.0 feet and an underclearance of approximately 2.5 feet across Sixmile Run (WWF). The project will impact 212 linear feet of an unnamed tributary to Sixmile Run (WWF) at a site approximately 625 west of the intersection of SR 1023 and SR 1036 (Saxton, PA Quadrangle N: 7.4 inches, W: 9.9 inches; Latitude: 40° 09' 57", Longitude: 78° 11' 41") in Broad Top Township, Bedford County

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

EA51-022CO. Fairmont Park Commission, City of Philadelphia, 4231 North Concourse Drive, Memorial Hall West Park, Philadelphia, PA 19131-3719. City of Philadelphia, **Philadelphia County**, ACOE Philadelphia District.

To breach and remove the Rhawn Street Dam across Pennypack Creek (TSF, MF) for the purpose of restoring

the stream to a free flowing condition. The activity will improve migratory fish habitat by removing an impediment to upstream and downstream migratory routes. The dam is located approximately 500 feet south (500 feet upstream) of the Rhawn Street Bridge across Pennypack Creek in the City of Philadelphia, Philadelphia County. (Frankford, PA Quadrangle N: 40.5; W: -75.03.

SPECIAL NOTICES

Planning Grant Awards Under Section 901 of the Municipal Waste Planning Recycling and Waste Reduction Act of 1988, Act 101

The Department of Environmental Protection (Department) announces the following grants to counties under the Pennsylvania Municipal Waste Planning, Recycling and Waste Reduction Act of 1988, Act 101, P. L. 556, section 901 and section 208 of the Waste Tire Recycling Act/Small Business and Household Pollution Prevention Act (Act 190 of 1996).

Planning grants are awarded to counties for 80% of approved costs for preparing municipal waste management plans as required by Act 101, for carrying out related studies, surveys, investigations, inquiries, research and analysis, including those related to siting, environmental mediation, education programs on pollution prevention and household hazardous waste and providing technical assistance to small businesses for pollution prevention. Grants may be awarded for feasibility studies and project development for municipal waste processing or disposal facilities, except for facilities for the combustion of municipal waste that are not proposed to be operated for the recovery of energy. All grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101 and the availability of moneys in the Recycling Fund.

Inquiries regarding the grant offerings should be directed to Sally Lohman, Chief, Waste Planning Section, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, P. O. Box 8472, Harrisburg, PA 17105-8472.

Act 101, Section 901 Planning Grants

Region	County	Applicant	Project Description	Grant Award
Northwest	Crawford	Crawford County	Recycling Study	\$34,620
Southcentral	Berks	Berks County	Plan Revision	\$100,000
Southwest	Allegheny	Allegheny County	Plan Revision	\$44,400

Request for Comment and Notice of Public Meeting for the Proposed Total Maximum Daily Load (TMDL) for the Watershed of Glades Creek in Somerset County.

Southwest Regional Office, Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

The Department of Environmental Protection (Department) will accept comments on the proposed TMDL developed for the watershed of Glades Creek in Somerset County. The TMDL was established in accordance with the requirements of section 303(d) of the Clean Water Act. Pennsylvania's 1996 303(d) list indicates which stream segments in the watershed are impaired. The listings of these segments were due to impairments caused by sedimentation.

There currently are no State or Federal in-stream numerical water quality criteria for sediment. Therefore,

the Department utilized a reference watershed approach to implement the applicable narrative criteria. The proposed TMDL sets allowable loadings of sediment in the watershed of Glades Creek. Sediment loadings were allocated among all land use categories present in the watershed. Data used in establishing this TMDL were generated using a water quality analysis model (AVGWLF) designed by the Pennsylvania State University.

The data and all supporting documentation used to develop the proposed TMDL are available from the Department. The proposed TMDL and information on the TMDL program can be viewed on the Department's website at www.dep.state.pa.us (DEP Keyword: TMDL). To request a copy of this TMDL, contact, Joe Boylan at 400 Waterfront Drive; Pittsburgh, PA 15222, joboylan@state.pa.us.

The Department will consider all comments in developing the final TMDL, which will be submitted to the Environmental Protection Agency for approval. Written comments will be accepted at the previously noted address and must be received by November 13, 2006. A public meeting to discuss the technical merits of the TMDL will be held on October 26, 2006, at 6:30 p.m. at the Somerset REC Building, 223 Industrial Park Road, Somerset, PA 15501.

Request for Comment and Notice of Public Meeting for the Proposed Total Maximum Daily Load (TMDL) for the Foundry Run Watershed in Jefferson County

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

The Department of Environmental Protection (Department) is holding a public meeting to discuss and accept comments on a proposed TMDL for the Foundry Run Watershed in Jefferson County. The meeting will be held on October 4, 2006, at 3 p.m. at the Jefferson County Conservation District Office in Brookville, PA. The proposed TMDL was established in accordance with the requirements of section 303(d) of the Clean Water Act. One stream segment in the Foundry Run Watershed has been identified as impaired on the 1996, 1999, 2000, 2002 and 2004 Pennsylvania 303(d) lists due to depressed pH and/or high concentrations of metals. The listed segment and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
47438	Foundry Run	1.2

The proposed plan provides calculations of stream's total capacity to accept metals (aluminum, iron, manganese and acidity), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5	Total Recoverable
Manganese	1.00	Total Recoverable
pH	6.0–9.0	NA

The primary pollutant source for the watershed is abandoned mine workings. The effects of this are still present. All of the allocations made in the TMDL are load allocations, which are made to nonpoint sources of pollution.

The TMDL was developed using Monte Carlo Simulation to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. Monte Carlo Simulation allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL.

The TMDL sets allowable loading rates for metals and acidity at specified points in the watershed. The basis of information used in the establishment of this TMDL is field data collected over the past 3 years.

The data and all supporting information used to develop the proposed TMDL are available from the Department. To request a copy of the proposed TMDL and an information sheet, contact Ely Heferle, Water Pollution Biologist, Knox District Mining Office, White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814)

797-1191, eheferle@state.pa.us. Directions to the Jefferson County Conservation District Office can also be obtained by contacting this address.

The proposed TMDL for the Foundry Run Watershed can be accessed through the Department's website at www.dep.state.pa.us (DEP Keyword: TMDL).

Written comments will be accepted at the previously noted address and must be postmarked by November 29, 2006. Persons who plan to make a presentation at the public meeting should notify the Department by 4 p.m. Monday, October 2, 2006. The Department will consider all comments in developing the final TMDL, which will be submitted to the Environmental Protection Agency for approval.

Request for Comment and Notice of Public Meeting for the Proposed Total Maximum Daily Load (TMDL) for the Pine Run Watershed in Jefferson and Armstrong Counties

The Department of Environmental Protection (Department) is holding a public meeting to discuss and accept comments on a proposed TMDL for the Pine Run Watershed in Jefferson and Armstrong Counties. The meeting will be held on October 4, 2006, at 3 p.m. at the Jefferson County Conservation District Office in Brookville, PA. The proposed TMDL was established in accordance with the requirements of section 303(d) of the Clean Water Act. Five stream segments in the Pine Run Watershed have been identified as impaired on the 1996, 1998, 2000, 2002 and 2004 Pennsylvania 303(d) lists due to depressed pH and/or high concentrations of metals. The listed segments and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
47327	Pine Run	5.5
47327	Pine Run	2.4
47327	Pine Run	1.7
47352	Nye Branch	3.8
47438	Caylor Run	0.9

The proposed plan provides calculations of stream's total capacity to accept metals (aluminum, iron, manganese, and acidity), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5	Total Recoverable
Manganese	1.00	Total Recoverable
pH	6.0–9.0	NA

The primary pollutant source for the watershed is abandoned mine workings. This watershed was heavily mined for coal in the late 19th and to the mid 20th centuries. The effects of this are still present. All of the allocations made in the TMDL are load allocations, which are made to nonpoint sources of pollution.

The TMDL was developed using Monte Carlo Simulation to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. Monte Carlo Simulation allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL.

The TMDL sets allowable loading rates for metals and acidity at specified points in the watershed. The basis of information used in the establishment of this TMDL is field data collected over the past 3 years.

The data and all supporting information used to develop the proposed TMDL are available from the Department. To request a copy of the proposed TMDL and an information sheet, contact Ely Heferle, Water Pollution Biologist, Knox District Mining Office, White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191 ehferlestate.pa.us. Directions to the Jefferson County Conservation District meeting place can also be obtained by contacting this address.

The proposed TMDL for the Pine Run Watershed can be accessed through the Department's website at www.dep.state.pa.us (DEP Keyword: TMDL).

Written comments will be accepted at the previously noted address and must be postmarked by November 29, 2006. Persons who plan to make a presentation at the public meeting should notify the Department by 4 p.m. Monday, October 2, 2006. The Department will consider all comments in developing the final TMDL, which will be submitted to the Environmental Protection Agency for approval.

Request for Comment and Notice of Public Meeting for the Proposed Total Maximum Daily Load (TMDL) for the North Branch Bear Creek Watershed in Butler County

The Department of Environmental Protection (Department) is holding a public meeting to discuss and accept comments on a proposed TMDL for the North Branch Bear Creek Watershed in Butler County. The meeting will be held on October 11, 2006, beginning at 2 p.m. at the USDA Service Center building in Butler, PA. The proposed TMDL was established in accordance with the requirements of section 303(d) of the Clean Water Act. Thirteen stream segments in the North Branch Bear Creek Watershed have been identified as impaired on the 1996, 1998, 2000, 2002 and 2004 Pennsylvania 303(d) lists due to depressed pH and/or high concentrations of metals. The listed segments and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
49118	North Branch Bear Creek	8.0
49124	North Branch Bear Creek, UNT	2.6
49125	North Branch Bear Creek, UNT	2.4
49127	North Branch Bear Creek, UNT	1.0
49128	North Branch Bear Creek, UNT	0.7
49129	North Branch Bear Creek, UNT	0.5
49130	North Branch Bear Creek, UNT	0.4
49132	North Branch Bear Creek, UNT	1.8
49133	North Branch Bear Creek, UNT	1.1
49134	North Branch Bear Creek, UNT	0.5
49135	North Branch Bear Creek, UNT	0.5
49136	North Branch Bear Creek, UNT	0.4
64604	North Branch Bear Creek, UNT	0.7

The proposed plan provides calculations of stream's total capacity to accept metals (aluminum, iron, manganese and acidity), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5	Total Recoverable
Manganese	1.00	Total Recoverable
pH	6.0—9.0	NA

The primary pollutant source for the watershed is abandoned mine workings. This watershed was heavily mined for coal in the late 19th and to the mid 20th centuries. The effects of this are still present. All of the allocations made in the TMDL are load allocations, which are made to nonpoint sources of pollution.

The TMDL was developed using Monte Carlo Simulation to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. Monte Carlo Simulation allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL.

The TMDL sets allowable loading rates for metals and acidity at specified points in the watershed. The basis of information used in the establishment of this TMDL is field data collected over the past 5 years.

The data and all supporting information used to develop the proposed TMDL are available from the Department. To request a copy of the proposed TMDL and an information sheet, contact Ely Heferle, Water Pollution Biologist, Knox District Mining Office, White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191, ehferlestate.pa.us. Directions to the USDA Service Center meeting place can also be obtained by contacting this address.

The proposed TMDL for the North Branch Bear Creek Watershed can be accessed through the Department's website at www.dep.state.pa.us (DEP Keyword: TMDL).

Written comments will be accepted at the previously noted address and must be postmarked by November 29, 2006. Persons who plan to make a presentation at the public meeting should notify the Department by 4 p.m. Tuesday, October 10, 2006. The Department will consider all comments in developing the final TMDL, which will be submitted to the Environmental Protection Agency for approval.

Request for Comment and Notice of Public Meeting for the Proposed Total Maximum Daily Load (TMDL) for the Little Scrubgrass Creek Watershed in Butler and Venango Counties

The Department of Environmental Protection (Department) is holding a public meeting to discuss and accept comments on a proposed TMDL for the Little Scrubgrass Creek Watershed in Butler and Venango Counties. The meeting will be held on October 11, 2006, beginning at 2 p.m. at the USDA Service Center building in Butler, PA. The proposed TMDL was established in accordance with the requirements of section 303(d) of the Clean Water Act. Seven stream segments in the Little Scrubgrass Creek Watershed have been identified as impaired on the 1996, 1998, 2000, 2002 and 2004 Pennsylvania 303(d) lists due to depressed pH and/or high concentrations of metals. The listed segments and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
51196	Little Scrubgrass Creek	7.9
51217	Little Scrubgrass Creek, UNT	2.23
51218	Little Scrubgrass Creek, UNT	0.84
51219	Little Scrubgrass Creek, UNT	1.98
51220	Little Scrubgrass Creek, UNT	0.65
51221	Little Scrubgrass Creek, UNT	0.14
51222	Little Scrubgrass Creek, UNT	0.96

The proposed plan provides calculations of stream's total capacity to accept metals (aluminum, iron, manganese, and acidity), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5	Total Recoverable
Manganese	1.00	Total Recoverable
pH	6.0—9.0	NA

The primary pollutant source for the watershed is abandoned mine workings. This watershed was heavily mined for coal in the late 19th and to the mid 20th centuries. The effects of this are still present. All of the allocations made in the TMDL are load allocations, which are made to nonpoint sources of pollution.

The TMDL was developed using Monte Carlo Simulation to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. Monte Carlo Simulation allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL.

The TMDL sets allowable loading rates for metals and acidity at specified points in the watershed. The basis of information used in the establishment of this TMDL is field data collected over the past 20 years.

The data and all supporting information used to develop the proposed TMDL are available from the Department. To request a copy of the proposed TMDL and an information sheet, contact Ely Heferle, Water Pollution Biologist, Knox District Mining Office, White Memorial Building, P. O. Box 669, Knox, PA 16232-0669, (814) 797-1191, eheferle@state.pa.us. Directions to the USDA Service Center meeting place can also be obtained by contacting this address.

The proposed TMDL for the Little Scrubgrass Creek Watershed can be accessed through the Department's website at www.dep.state.pa.us (DEP Keyword: TMDL).

Written comments will be accepted at the previously noted address and must be postmarked by November 29, 2006. Persons who plan to make a presentation at the public meeting should notify the Department by 4 p.m. Tuesday, October 10, 2006. The Department will consider all comments in developing the final TMDL, which will be submitted to the Environmental Protection Agency for approval.

[Pa.B. Doc. No. 06-1912. Filed for public inspection September 29, 2006, 9:00 a.m.]

Air Quality Technical Advisory Committee Ad-Hoc Subcommittee on Monitoring Technical Workgroup Meeting

The Air Quality Technical Advisory Committee Ad-Hoc Subcommittee on Monitoring Technical Workgroup will hold a meeting from 9:30 a.m. to 2 p.m. on October 3, 2006, in the 12th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

There will be an introduction and review of the implementation plan for Revision 8 of the Continuous Source Monitoring Manual (manual) along with the training and outreach, which will be necessary for both the manual and CEM Data Processing System (CEMDPS). CIBER Incorporated will be discussing current progress regarding the new CEMDPS with the Monitoring Technical Workgroup.

Questions concerning this meeting should be directed to Charles J. Zadakis at (717) 772-3944 or czadakis@state.pa.us. The agenda and meeting materials will be available through the Public Participation Center on the Department of Environmental Protection's (Department) website at www.dep.state.pa.us.

Persons with a disability who require accommodations to attend this meeting should contact the Department at (717) 783-7816 or through the Pennsylvania AT&T Relay Services at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-1913. Filed for public inspection September 29, 2006, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) website at www.depweb.state.pa.us (DEP Keyword: Technical Guidance). The "Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

The Department will continue to revise its nonregulatory documents, as necessary, throughout 2006.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Final Technical Guidance

DEP ID: 392-2130-014. Title: Guidelines for Identification of Critical Water Planning Areas. Description: The Water Resources Planning Act (Act 220 of 2002), 27 Pa.C.S. Chapter 31, requires that the State Water Plan be updated and, as part of the update, identify areas in this Commonwealth where there is not enough water under either current or future conditions. These areas, where demands exceed the safe yield of available water resources, are called Critical Water Planning Areas (CWPAs). Act 220 of 2002 directs the Department to develop guidance for identifying these areas. This guidance document was written to assist the Department, the committees established under the act and the public by outlining the criteria and process to be used for the identification of CWPAs. The Department and the committees spent approximately 1 year developing this policy and addressing public comments in the fall of 2005. The policy provides criteria and a process for identifying CWPAs that will help the decision making process on CWPAs and their ultimate inclusion into the State Water Plan. Specifically, Chapter 1 of the guidance contains the statutory authority; Chapter 2 outlines the criteria to be used; and Chapter 3 presents the process that will be followed to identify CWPAs. The criteria are solely for planning purposes and are not intended to reflect existing or future regulatory requirements. A notice requesting public comment on the draft version of this document was published at 35 Pa.B. 4791 (August 20, 2005). A 30-day public comment period was provided that concluded on September 19, 2005. Comments were received on the draft guidance, which are addressed in a Comment and Response document that is available on the Department's website at www.depweb.state.pa.us (DEP Keyword: Technical Guidance). Contact: Susan Weaver, Department of Environmental Protection, Bureau of Watershed Management, Division of Water Use Planning, 400 Market Street, P. O. Box 8555, Harrisburg, PA 17105-8555, (717) 783-8055; suweaver@state.pa.us. Effective Date: September 30, 2006.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-1914. Filed for public inspection September 29, 2006, 9:00 a.m.]

Sewage Advisory Committee Meeting Cancellation

The Sewage Advisory Committee meeting scheduled for October 11, 2006, has been cancelled. The next meeting is scheduled to occur on March 21, 2007, at 10:30 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning the cancellation of the October 11, 2006, meeting or the March 21, 2007, meeting should be directed to Jay Africa, Bureau of Water Standards and Facilities Regulation, (717) 787-8184, jafrika@state.pa.us. The agenda and meeting materials for the March 21,

2007, meeting will be available through the Public Participation Center on the Department of Environmental Protection's (Department) website at www.depweb.state.pa.us (DEP Keywords: Participation, Participate).

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact the Department at (717) 772-5668 or through the AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-1915. Filed for public inspection September 29, 2006, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Real Estate for Sale Adams County

The Department of General Services (Department) will accept bids for the purchase of 24.00 acres +/- of improved land located in Cumberland Township, Adams County. Bids are due November 17, 2006. Interested parties wishing to receive a copy of Solicitation No. 94012 should view the Department's website at ww-dgs.state.pa.us or call Lisa Kettering at (717) 787-1321.

JAMES P. CREEDON,
Secretary

[Pa.B. Doc. No. 06-1916. Filed for public inspection September 29, 2006, 9:00 a.m.]

Real Estate for Sale Allegheny County

The Department of General Services (Department) will accept bids for the purchase of 0.16 acre of land and residence located at 3561 Shadeland Avenue, City of Pittsburgh, 27th Ward, Allegheny County. Bids are due October 6, 2006. Interested parties wishing to receive a copy of Solicitation No. 94017 should view the Department's website at www.dgs.state.pa.us or call Lisa Kettering at (717) 787-1321.

JAMES P. CREEDON,
Secretary

[Pa.B. Doc. No. 06-1917. Filed for public inspection September 29, 2006, 9:00 a.m.]

Real Estate for Sale Lancaster County

The Department of General Services (Department) will accept bids for the purchase of 0.3 acre of land and building formerly known as the Columbia National Guard Motor Vehicle Building located at 439 Manor Street, Borough of Columbia, Lancaster County. Bids are due November 20, 2006. Interested parties wishing to receive a

copy of Solicitation No. 93985 should view the Department's website at www.dgs.state.pa.us or call Lisa Kettering at (717) 787-1321.

JAMES P. CREEDON,
Secretary

[Pa.B. Doc. No. 06-1918. Filed for public inspection September 29, 2006, 9:00 a.m.]

Real Estate for Sale Montgomery County

The Department of General Services, through its broker, will accept separate bids for the purchase of each of the following three properties: 0.249 acre +/- of land and residence located at 1724 Sterigere Street, Norristown, Montgomery County, Solicitation No. 94022; 0.507 acre +/- of land and residence located at 1750 Sterigere Street, Norristown, Montgomery County, Solicitation No. 94023; and 0.507 acre +/- of land and residence located at 1758 Sterigere Street, Norristown, Montgomery County, Solicitation No. 94024. Bids are due by 12 p.m. on October 19, 2006. Interested parties wishing to receive a copy of Solicitation No. 94022, 94023 or 94024 should call Coldwell Banker Welker Real Estate at (215) 235-7800.

JAMES P. CREEDON,
Secretary

[Pa.B. Doc. No. 06-1919. Filed for public inspection September 29, 2006, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of AFP Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that AFP Surgery Center has requested an exception to the requirements of 28 Pa. Code §§ 551.3, 553.31(a) and 555.31(a) (relating to definitions; administrative responsibilities; and principle).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director,

Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-1920. Filed for public inspection September 29, 2006, 9:00 a.m.]

Application of The Children's Hospital of Philadelphia, Ambulatory Surgical Facilities in Exton and Chalfont for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that The Children's Hospital of Philadelphia, Ambulatory Surgical Facilities in Exton and Chalfont has requested an exception to the requirements of 28 Pa. Code §§ 553.31(a) and 559.2 (relating to administrative responsibilities; and director of nursing).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-1921. Filed for public inspection September 29, 2006, 9:00 a.m.]

Application of Delaware Valley Laser Surgery Institute for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Delaware Valley Laser Surgery Institute has requested an exception to the requirements of 28 Pa. Code § 555.31(a) (relating to principle).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-1922. Filed for public inspection September 29, 2006, 9:00 a.m.]

Application of Geisinger Medical Center— Woodbine for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Geisinger Medical Center—Woodbine has requested an exception to the requirements of 28 Pa. Code § 127.31(b) (relating to policies and procedures).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-1923. Filed for public inspection September 29, 2006, 9:00 a.m.]

Application of the Hospital of the University of Pennsylvania—Reproductive Surgical Facility for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that the Hospital of the University of Pennsylvania—Reproductive Surgical Facility has requested an exception to the requirements of 28 Pa. Code § 555.31(a) (relating to principle).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-1924. Filed for public inspection September 29, 2006, 9:00 a.m.]

Application of Jersey Shore Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Jersey Shore Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards) which requires compliance with minimum standards contained in *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standards contained in this publication: 7.2.B3, 7.2.B9, 7.2.B10, 7.2.B11, 7.2.B17, 7.3.A15g, 7.3.A16b, 7.3.A16f, 7.7.C14, 7.9.D16a, 7.9.D23, 7.10.G18 and 7.10.G19.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-1925. Filed for public inspection September 29, 2006, 9:00 a.m.]

Application of Lancaster Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Lancaster Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 51.6 (relating to identification of personnel).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-1926. Filed for public inspection September 29, 2006, 9:00 a.m.]

Application of Nason Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Nason Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards) which requires compliance with minimum standards contained in *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standards contained in this publication: 7.4.A6 (relating to airborne infection isolation room).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-1927. Filed for public inspection September 29, 2006, 9:00 a.m.]

Application of Pennsylvania Eye Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Pennsylvania Eye Surgery Center has requested an exception to the requirements of 28 Pa. Code § 569.2 (relating to fire safety standards).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-1928. Filed for public inspection September 29, 2006, 9:00 a.m.]

Application of Reading Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Reading Surgery Center has requested an exception to the requirements of 28 Pa. Code § 551.21(d)(2) (relating to criteria for ambulatory surgery).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-1929. Filed for public inspection September 29, 2006, 9:00 a.m.]

Application of Select Specialty Hospital—Danville for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Select Specialty Hospital—Danville has requested an exception to the requirements of 28 Pa. Code § 107.62 (relating to oral orders).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-1930. Filed for public inspection September 29, 2006, 9:00 a.m.]

Application of Select Specialty Hospital—Pittsburgh for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Select Specialty Hospital—Pittsburgh has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards) which requires compliance with minimum standards contained in *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standards contained in this publication: 7.2.B10 (relating to examination/treatment rooms).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-1931. Filed for public inspection September 29, 2006, 9:00 a.m.]

Application of UPMC Passavant/UPMC Passavant Cranberry for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC Passavant/UPMC Passavant Cranberry has requested an exception to the requirements of 28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-1932. Filed for public inspection September 29, 2006, 9:00 a.m.]

Application of UPMC St. Margaret Harmar Outpatient Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC St. Margaret Harmar Outpatient Center has requested an exception to the requirements of 28 Pa. Code § 553.31(a) and Chapter 557 (relating to administrative responsibilities; and quality assurance and improvement).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-1933. Filed for public inspection September 29, 2006, 9:00 a.m.]

Application of Western Pennsylvania Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Western Pennsylvania Hospital has requested an exception to the requirements of 28 Pa. Code § 107.64 (relating to administration of drugs).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980

or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-1934. Filed for public inspection September 29, 2006, 9:00 a.m.]

Application of Wyomissing Hills Podiatric Surgical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Wyomissing Hills Podiatric Surgical Center has requested an exception to the requirements of 28 Pa. Code § 555.32(b) (relating to administration of anesthesia).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-1935. Filed for public inspection September 29, 2006, 9:00 a.m.]

Requests for Exception; Long-Term Care Nursing Facilities

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.9(a) (relating to corridors).

Garden Spot Village
433 S. Kinzer Avenue
New Holland, PA 17557-9360
FAC ID 14350200

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.67(j) and (k) (relating to electric requirements for existing and new construction).

The Health Center at the Hill at Whitemarsh
6660 Thomas Road
Lafayette Hill, PA 19444
FAC ID 17900201

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-1936. Filed for public inspection September 29, 2006, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Pennsylvania Conservation Corps Grants for Projects

Grants for projects related to conservation, recreation, historical preservation, graffiti removal and the repair of institutional vandalism will be available under the Pennsylvania Conservation Corps (PCC) program.

Agencies eligible to apply for PCC projects are:

- The Departments of Labor and Industry, Conservation and Natural Resources, Public Welfare, Corrections, Military and Veterans Affairs, Aging, Education and Community and Economic Development.
- The Pennsylvania Game, Fish and Boat and Historical and Museum Commissions.
- The Pennsylvania Emergency Management Agency.
- Political subdivisions.
- Nonprofit agencies in cities of the first class (for projects involving the removal of graffiti and the repair of institutional vandalism only).

The PCC program is designed to provide work experience and educational opportunities to unemployed young adults as they undertake needed projects on this Commonwealth's public lands. Funds available through the PCC program may be used to purchase approved construction materials and contracted services (political subdivisions must provide a 25% cash match). The wages of corpsmembers and crewleaders are paid directly by the Department of Labor and Industry.

Applications for PCC projects will be accepted from political subdivisions and eligible non-profits through Friday, January 5, 2007. State agency applications will be accepted through Monday, February 5, 2007.

For more information or to obtain a grant application packet, contact the Pennsylvania Conservation Corps, 1304 Labor and Industry Building, Seventh and Forster Streets, Harrisburg, PA 17121, (717) 783-6385. E-mail inquiries should be directed to pcc@state.pa.us. Grant application materials are also available for download from the PA PowerPort: www.state.pa.us (PA Keyword "PCC").

STEPHEN M. SCHMERIN,
Secretary

[Pa.B. Doc. No. 06-1937. Filed for public inspection September 29, 2006, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania \$500,000 Wish List Instant Lottery Game

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$500,000 Wish List.

2. *Price:* The price of a Pennsylvania \$500,000 Wish List instant lottery game ticket is \$10.

3. *Play Symbols:* Each Pennsylvania \$500,000 Wish List instant lottery game ticket will contain one play area. The play symbols and their captions located in the play area are: Stocking symbol (STKNG), Snowman symbol (SNMAN), Mitten symbol (MITTEN), Wreath symbol (WREATH), Ear Muff symbol (EARMF), Hat symbol (HAT), Tree symbol (TREE), Drum symbol (DRUM), Candle symbol (CANDLE), Ornament symbol (ORMNT), Horn symbol (HORN), Gingerbread Man symbol (GBMAN), Candy Cane symbol (CANE), Holly symbol (HOLLY), Bell symbol (BELL), Reindeer symbol (RNDEER), Cash symbol (CASH), Toysack symbol (TOYS), 5X symbol (5TIMES) and a Sleigh symbol (SLEIGH).

4. *Prize Symbols:* The prize symbols and their captions, located in the 15 "prize" areas are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$15\$ (FIFTN), \$20\$ (TWENTY), \$25\$ (TWY FIV), \$50\$ (FIFTY), \$100 (ONE HUN), \$250 (TWOHUNFTY), \$500 (FIV HUN), \$1,000 (ONE THO), \$2,500 (TWYFIVHUN) and \$500,000 (FIVHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$15, \$20, \$25, \$50, \$100, \$250, \$500, \$1,000, \$2,500 and \$500,000. The player can win up to 15 times on the ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 5,400,000 tickets will be printed for the Pennsylvania \$500,000 Wish List instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets with a Toysack (TOYS) play symbol, and a prize symbol of \$500,000 (FIVHUNTHO) appearing in the "prize" area to the right of that Toysack (TOYS) play symbol, on a single ticket, shall be entitled to a prize of \$500,000.

(b) Holders of tickets with a Toysack (TOYS) play symbol, and a prize symbol of \$2,500 (TWYFIVHUN) appearing in the "prize" area to the right of that Toysack (TOYS) play symbol, on a single ticket, shall be entitled to a prize of \$2,500.

(c) Holders of tickets with a 5X (5TIMES) play symbol, and a prize symbol of \$500 (FIV HUN) appearing in the "prize" area to the right of that 5X (5TIMES) play symbol, on a single ticket, shall be entitled to a prize of \$2,500.

(d) Holders of tickets with a Toysack (TOYS) play symbol, and a prize symbol of \$1,000 (ONE THO) appearing in the "prize" area to the right of that Toysack (TOYS) play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets with a Toysack (TOYS) play symbol, and a prize symbol of \$500 (FIV HUN) appearing in the "prize" area to the right of that Toysack (TOYS) play symbol, on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets with a Sleigh (SLEIGH) play symbol, and a prize symbol of \$25\$ (TWY FIV) appears in ten of the "prize" areas, and a prize symbol of \$50\$ (FIFTY) appears in five of the "prize" areas on a single ticket, shall be entitled to a prize of \$500.

(g) Holders of tickets with a 5X (5TIMES) play symbol, and a prize symbol of \$100 (ONE HUN) appearing in the "prize" area to the right of that 5X (5TIMES) play symbol, on a single ticket, shall be entitled to a prize of \$500.

(h) Holders of tickets with a Toysack (TOYS) play symbol, and a prize symbol of \$250 (TWOHUNFTY) appearing in the "prize" area to the right of that Toysack (TOYS) play symbol, on a single ticket, shall be entitled to a prize of \$250.

(i) Holders of tickets with a Sleigh (SLEIGH) play symbol, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in five of the "prize" areas, and a prize symbol of \$20\$ (TWENTY) appears in ten of the "prize" areas on a single ticket, shall be entitled to a prize of \$250.

(j) Holders of tickets with a 5X (5TIMES) play symbol, and a prize symbol of \$50\$ (FIFTY) appearing in the "prize" area to the right of that 5X (5TIMES) play symbol, on a single ticket, shall be entitled to a prize of \$250.

(k) Holders of tickets with a Toysack (TOYS) play symbol, and a prize symbol of \$100 (ONE HUN) appear-

ing in the "prize" area to the right of that Toysack (TOYS) play symbol, on a single ticket, shall be entitled to a prize of \$100.

(l) Holders of tickets with a Sleigh (SLEIGH) play symbol, and a prize symbol of \$5⁰⁰ (FIV DOL) appears in ten of the "prize" areas, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in five of the "prize" areas on a single ticket, shall be entitled to a prize of \$100.

(m) Holders of tickets with a 5X (5TIMES) play symbol, and a prize symbol of \$15\$ (FIFTN) appearing in the "prize" area to the right of that 5X (5TIMES) play symbol, on a single ticket, shall be entitled to a prize of \$75.

(n) Holders of tickets with a Toysack (TOYS) play symbol, and a prize symbol of \$50\$ (FIFTY) appearing in the "prize" area to the right of that Toysack (TOYS) play symbol, on a single ticket, shall be entitled to a prize of \$50.

(o) Holders of tickets with a 5X (5TIMES) play symbol, and a prize symbol of \$10⁰⁰ (TEN DOL) appearing in the "prize" area to the right of that 5X (5TIMES) play symbol, on a single ticket, shall be entitled to a prize of \$50.

(p) Holders of tickets with a Toysack (TOYS) play symbol, and a prize symbol of \$25\$ (TWY FIV) appearing in the "prize" area to the right of that Toysack (TOYS) play symbol, on a single ticket, shall be entitled to a prize of \$25.

(q) Holders of tickets with a Toysack (TOYS) play symbol, and a prize symbol of \$15\$ (FIFTN) appearing in the "prize" area to the right of that Toysack (TOYS) play symbol, on a single ticket, shall be entitled to a prize of \$15.

(r) Holders of tickets with a Toysack (TOYS) play symbol, and a prize symbol of \$10⁰⁰ (TEN DOL) appearing in the "prize" area to the right of that Toysack (TOYS) play symbol, on a single ticket, shall be entitled to a prize of \$10.

(s) Holders of tickets with a Toysack (TOYS) play symbol, and a prize symbol of \$5⁰⁰ (FIV DOL) appearing in the "prize" area to the right of that Toysack (TOYS) play symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Find A Toysack (TOYS) Symbol, Win With Prize(s) Of:</i>	<i>Win:</i>	<i>Approximate Odds of 1 In:</i>	<i>Approximate No. Of Winners Per 5,400,000 Tickets</i>
\$5 × 2	\$10	20	270,000
\$10	\$10	20	270,000
\$5 × 3	\$15	30	180,000
\$15	\$15	30	180,000
\$5 × 5	\$25	150	36,000
\$5 × 3 + \$10	\$25	150	36,000
\$15 + \$10	\$25	150	36,000
\$25	\$25	75	72,000
\$5 × 10	\$50	300	18,000
\$10 × 5	\$50	600	9,000
\$25 × 2	\$50	600	9,000
\$10 w/5X	\$50	200	27,000
\$50	\$50	200	27,000
\$10 × 10	\$100	600	9,000
\$50 × 2	\$100	600	9,000
\$15 w/5X + \$25	\$100	600	9,000

*Find A Toysack (TOYS) Symbol,
Win With Prize(s) Of:*

	<i>Win:</i>	<i>Approximate Odds of 1 In:</i>	<i>Approximate No. Of Winners Per 5,400,000 Tickets</i>
SLEIGH w/\$5 × 10 + \$10 × 5	\$100	171.43	31,500
\$100	\$100	600	9,000
\$25 × 10	\$250	1,200	4,500
\$50 w/5X	\$250	1,200	4,500
SLEIGH w/\$10 × 5 + \$20 × 10	\$250	1,200	4,500
\$250	\$250	1,200	4,500
\$50 × 10	\$500	8,000	675
\$100 × 5	\$500	8,000	675
\$100 w/5X	\$500	8,000	675
\$500	\$500	8,000	675
SLEIGH w/\$25 × 10 + \$50 × 5	\$500	6,000	900
\$100 × 10	\$1,000	60,000	90
\$100 w/5X + \$500	\$1,000	60,000	90
\$500 × 2	\$1,000	60,000	90
\$1,000	\$1,000	60,000	90
\$250 × 10	\$2,500	120,000	45
\$500 × 5	\$2,500	120,000	45
\$500 w/5X	\$2,500	120,000	45
\$2,500	\$2,500	120,000	45
\$500,000	\$500,000	540,000	10

5X (5TIMES) = Win 5 times the prize shown to the right.
SLEIGH (SLEIGH) = Win all 15 prizes shown.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania \$500,000 Wish List instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania \$500,000 Wish List, prize money from winning Pennsylvania \$500,000 Wish List instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania \$500,000 Wish List instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania \$500,000 Wish List or through normal communications methods.

GREGORY C. FAJT,
Secretary

[Pa.B. Doc. No. 06-1938. Filed for public inspection September 29, 2006, 9:00 a.m.]

Pennsylvania Frosty's Fortune Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Frosty's Fortune.

2. *Price:* The price of a Pennsylvania Frosty's Fortune instant lottery game ticket is \$5.

3. *Play Symbols:* Each Pennsylvania Frosty's Fortune instant lottery game ticket will contain one play area featuring a "FROSTY'S NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions located in the "FROSTY'S NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR) and 24 (TWYFOR). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), Snowman symbol (SNMAN) and a Mitten symbol (MITTEN).

4. *Prize Symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$2.⁰⁰ (TWO DOL), \$5.⁰⁰ (FIV DOL), \$10.⁰⁰ (TEN DOL), \$15\$ (FIFTN), \$20\$ (TWENTY), \$50\$ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and \$100,000 (ONEHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$2, \$5, \$10, \$15, \$20, \$50, \$100, \$500, \$1,000, \$5,000 and \$100,000. A player can win up to 10 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 9,600,000 tickets will be printed for the Pennsylvania Frosty's Fortune instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "FROSTY'S NUMBERS" play symbols and a prize symbol of \$100,000 (ONEHUNTHO) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "FROSTY'S NUMBERS" play symbols and a prize symbol of \$5,000 (FIV THO) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "FROSTY'S NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "FROSTY'S NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Snowman symbol (SNMAN), and a prize symbol of \$500 (FIV HUN) appears under the Snowman symbol (SNMAN) on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "FROSTY'S NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Snowman symbol (SNMAN), and a prize symbol of \$100 (ONE HUN) appears under the Snowman symbol (SNMAN) on a single ticket, shall be entitled to a prize of \$100.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Mitten symbol (MITTEN), and a prize symbol of \$50 (FIFTY) appears under the Mitten symbol (MITTEN) on a single ticket, shall be entitled to a prize of \$100.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "FROSTY'S NUMBERS" play symbols and a prize symbol of \$50 (FIFTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Snowman symbol (SNMAN), and a prize symbol of \$50 (FIFTY) appears under the Snowman symbol (SNMAN) on a single ticket, shall be entitled to a prize of \$50.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the

"FROSTY'S NUMBERS" play symbols and a prize symbol of \$20 (TWENTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Snowman symbol (SNMAN), and a prize symbol of \$20 (TWENTY) appears under the Snowman symbol (SNMAN) on a single ticket, shall be entitled to a prize of \$20.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Mitten symbol (MITTEN), and a prize symbol of \$10⁰⁰ (TEN DOL) appears under the Mitten symbol (MITTEN) on a single ticket, shall be entitled to a prize of \$20.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "FROSTY'S NUMBERS" play symbols and a prize symbol of \$15 (FIFTN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$15.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Snowman symbol (SNMAN), and a prize symbol of \$15 (FIFTN) appears under the Snowman symbol (SNMAN) on a single ticket, shall be entitled to a prize of \$15.

(p) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "FROSTY'S NUMBERS" play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(q) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Snowman symbol (SNMAN), and a prize symbol of \$10⁰⁰ (TEN DOL) appears under the Snowman symbol (SNMAN) on a single ticket, shall be entitled to a prize of \$10.

(r) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Mitten symbol (MITTEN), and a prize symbol of \$5⁰⁰ (FIV DOL) appears under the Mitten symbol (MITTEN) on a single ticket, shall be entitled to a prize of \$10.

(s) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "FROSTY'S NUMBERS" play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(t) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Snowman symbol (SNMAN), and a prize symbol of \$5⁰⁰ (FIV DOL) appears under the Snowman symbol (SNMAN) on a single ticket, shall be entitled to a prize of \$5.

(u) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches any of the "FROSTY'S NUMBERS" play symbols and a prize symbol of \$2⁰⁰ (TWO DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$2.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of Your Numbers Match Any Of Frosty's Numbers, Win With Prize(s) Of:</i>	<i>Win:</i>	<i>Approximate Odds of 1 In:</i>	<i>Approximate No. Of Winners Per 9,600,000 Tickets</i>
\$5	\$5	19.35	496,000
\$5 w/SNOWMAN	\$5	19.35	496,000
\$2 × 5	\$10	120	80,000
\$5 × 2	\$10	120	80,000
\$10	\$10	60	160,000
\$10 w/SNOWMAN	\$10	120	80,000
\$5 w/MITTEN	\$10	60	160,000
\$5 × 3	\$15	150	64,000
\$10 + \$5	\$15	150	64,000
\$15	\$15	150	64,000
\$15 w/SNOWMAN	\$15	150	64,000
\$5 × 4	\$20	300	32,000
\$10 × 2	\$20	300	32,000
\$20	\$20	300	32,000
\$20 w/SNOWMAN	\$20	300	32,000
\$10 w/MITTEN	\$20	300	32,000
\$5 × 10	\$50	200	48,000
\$10 × 5	\$50	300	32,000
\$50	\$50	300	32,000
\$50 w/SNOWMAN	\$50	200	48,000
\$10 × 10	\$100	1,200	8,000
\$20 × 5	\$100	1,200	8,000
\$100	\$100	1,200	8,000
\$100 w/SNOWMAN	\$100	1,200	8,000
\$50 w/MITTEN	\$100	1,200	8,000
\$50 × 10	\$500	8,000	1,200
\$100 × 5	\$500	8,000	1,200
\$500	\$500	8,000	1,200
\$500 w/SNOWMAN	\$500	8,000	1,200
\$100 × 10	\$1,000	120,000	80
\$1,000	\$1,000	120,000	80
\$5,000	\$5,000	120,000	80
\$100,000	\$100,000	960,000	10

SNOWMAN (SNMAN)= Win prize shown under it automatically.
MITTEN (MITTEN) = Win double the prize under it automatically.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Frosty's Fortune instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Frosty's Fortune, prize money from winning Pennsylvania Frosty's Fortune instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Frosty's Fortune instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Frosty's Fortune or through normal communications methods.

GREGORY C. FAJT,
Secretary

[Pa.B. Doc. No. 06-1939. Filed for public inspection September 29, 2006, 9:00 a.m.]

Pennsylvania Millionaire Raffle III Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 874.4 (relating to notice of raffle lottery game rules), the Secretary of Revenue hereby provides public notice of the rules for the following raffle lottery game:

1. *Name:* The name of the raffle game is Pennsylvania Millionaire Raffle III.

2. *Price:* The price of a Pennsylvania Millionaire Raffle III lottery game ticket is \$20.

3. *Ticket Sales And Drawing Date:* Pennsylvania Millionaire Raffle III lottery game tickets sales will commence on or after November 21, 2006, and will continue until all 625,000 tickets have been sold, or 5 p.m. on December 30, 2006, whichever occurs earlier.

4. *Ticket Characteristics:* Each Pennsylvania Millionaire Raffle III lottery game ticket will contain one unique eight-digit number between 00000001 and 00625000, for a total of 625,000 tickets.

5. *Prizes:* The prizes that can be won in this game are \$1,000, \$100,000 and \$1,000,000. A player may only win one time on each ticket or chance.

6. *Maximum Number of Tickets Printed and Sold for the Game:* There will be no more than 625,000 tickets printed and sold for the Pennsylvania Millionaire Raffle III lottery game. The chances will be sequentially issued on a Statewide basis from the range of individual unique numbers representing the chances available for the game.

7. *Conduct of Drawing:* The results of the Pennsylvania Millionaire Raffle III will be televised on December 30, 2006, at or about 7 p.m. The drawing will be conducted with the aid of an electronic device. Seven-hundred sixty

(760) unique eight-digit numbers will be drawn, between 00000001 and 00625000. The first five unique eight-digit numbers drawn will be the first-prize-tier winning numbers. The sixth through tenth unique eight-digit numbers drawn will be the second-prize-tier winning numbers. The eleventh through 760th unique eight-digit numbers drawn will be the third-prize-tier winning numbers.

8. *Determination of Prize Winners:*

(a) Holders of tickets upon which the unique eight-digit number matches exactly one of the first-prize-tier numbers selected by the Lottery shall be entitled to a prize of \$1,000,000.

(b) Holders of tickets upon which the unique eight-digit number matches exactly one of the second-prize-tier numbers selected by the Lottery shall be entitled to a prize of \$100,000.

(c) Holders of tickets upon which the unique eight-digit number matches exactly one of the third-prize-tier numbers selected by the Lottery shall be entitled to a prize of \$1,000.

9. *Number and Description of Prizes and Approximate Odds:* The Pennsylvania Millionaire Raffle III prizes and determination winners are as follows:

Ticket Matching Exactly the Unique Eight-digit Number Drawn In:

First-Prize-Tier
Second-Prize-Tier
Third-Prize-Tier

<i>Win Prize Of:</i>	<i>Maximum Odds Of Winning 1 in</i>	<i>Number Of Winners</i>
\$1,000,000	125,000	5
\$100,000	125,000	5
\$1,000	833	750

All Pennsylvania Millionaire Raffle III lottery game prize payments, including first-prize-tier prizes, will be made as one-time lump-sum cash payments.

10. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Millionaire Raffle III lottery game tickets. The conduct of the Program will be governed by 61 Pa. Code § 811.41 (relating to promotional prizes).

11. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Millionaire Raffle III, prize money from winning Pennsylvania Millionaire Raffle III lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the anniversary date of the raffle drawing in which the ticket or chance was entered, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), the regulations contained in 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

GREGORY C. FAJT,
Secretary

[Pa.B. Doc. No. 06-1940. Filed for public inspection September 29, 2006, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department), under section 2003(e)(7) of The Administrative Code of 1929 (71 P. S. § 513(e)(7)), intends to sell certain land owned by the Department.

The following property is available for sale by the Department.

SR 4034-A51G, Parcel No. 14, Tax IDs 15-020-038.0-200.00 and 15-020-038.0-201.00, Erie County. This parcel contains approximately 46,872 s.f. or 1.0760 acres of land situated at 859 East Eighth Street, Erie PA 16503. The property will be sold in "as is condition." The estimated fair market value of the parcel is \$50,000. It has been determined that the land is no longer needed for present or future transportation purposes.

Interested public entities are invited to express their interest in purchasing the site within 30 calendar days from the date of publication of this notice to William G. Petit, District Engineer, Department of Transportation, Engineering District 1-0, 255 Elm Street, P. O. Box 398, Oil City, PA 16301.

ALLEN D. BIEHLER, P. E.,
Secretary

[Pa.B. Doc. No. 06-1941. Filed for public inspection September 29, 2006, 9:00 a.m.]

ENVIRONMENTAL QUALITY BOARD

Acceptance of Rulemaking Petition for Study

On September 19, 2006, the Environmental Quality Board (Board) accepted a rulemaking petition for study under 25 Pa.Code Chapter 23 (relating to Environmental Quality Board policy for processing petitions—statement of policy). The petition submitted by the Ken Sink Chapter of Trout Unlimited, requests the Board redesignate Bear Run in Banks Township, Indiana County, from Cold Water Fishes to High-Quality—Cold Water Fishes.

Under 25 Pa. Code § 93.4d(a) (relating to processing petitions, evaluations and assessments to change a designated use), the Department is required to publish a notice

of intent to assess candidate waters before performing survey work. The Department's assessment notice for Bear Run will appear in a future issue of the *Pennsylvania Bulletin*.

The petition submitted by the Ken Sink Chapter of Trout Unlimited is available to the public by contacting the Environmental Quality Board, P. O. Box 8477, Harrisburg, PA 17105-8477, (717) 787-4526 and is also accessible on the Department of Environmental Protection's website at www.depweb.state.pa.us (DEP Keywords: EQB (2006 Meeting Agendas/Handouts/Minutes; September 19, 2006, meeting)).

KATHLEEN A. MCGINTY,
Chairperson

[Pa.B. Doc. No. 06-1942. Filed for public inspection September 29, 2006, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
12-71	Department of Labor and Industry Registration of Sign Language Interpreters and Translitterators 36 Pa.B. 3822 (July 2, 2006)	8/21/06	9/20/06

Department of Labor and Industry Regulation #12-71 (IRRC #2556)

Registration of Sign Language Interpreters and Translitterators September 20, 2006

We submit for your consideration the following comments on the proposed rulemaking published in the July 22, 2006 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P. S. § 745.5a(a)) directs the Department of Labor and Industry (Department) to respond to all comments received from us or any other source.

1. Section 501.1. Definitions.—Clarity.

NAD

Commentators have noted that the address listed for the National Association of the Deaf (NAD) in this definition is incorrect. There is no need to include specific addresses in the definition of NAD and also RID (Registry of Interpreters of the Deaf). An alternative is for the Department to distribute this information upon request or to include current links on its website. If an address is retained, the Department should ensure that the correct address is included in the final-form regulation.

NAD National Interpreter Certification Test and RID Generalist examination

The Department has indicated that the NAD and RID formed the National Counsel of Interpreters to develop one testing instrument to replace the other tests under both the NAD and RID. This testing instrument is the NAD-RID NIC. We recommend that the Department amend the definitions of "NAD National Interpreter Certification Test" and "RID Generalist examination" to reflect the fact that those former examinations are no longer given, but certifications obtained from passing those examinations are still valid.

2. Section 501.3. Examination.—Clarity.

Subsection (a) lists three examinations that are approved to test knowledge and proficiency under section 5(a)(1)(iii) of the Act (63 P. S. § 1725(a)(1)(iii)). The three examinations are the NAD National Interpreter Certification, the RID Generalist Examination and the NAD-RID NIC. As discussed above, the NAD-RID NIC has replaced the other two examinations. Therefore, we recommend that the reference to the NAD National Interpreter Certification and the RID Generalist Examination be deleted. Section 501.4(a)(1) should also be amended to reflect the fact that the only examination that an applicant can take to become registered is the NAD-RID NIC. References to the two examinations that have been replaced could remain.

Subsection (b) requires an applicant to obtain applications directly from and pay the required examination fee directly to the examination provider. If one exists, the Department's website should provide a link to the examination provider's website.

3. Section 501.4. Registration.—Clarity.

Subsection (b)

This subsection states the following: "The Office will issue a paper or electronic registration to a registrant if the registrant complies with subsection (c) and meets the requirements of section 5(a) of the Act (35 P. S. § 1725.5(a))." We have four concerns. First, the correct citation is 63 P. S. § 1725.5(a). Second, once the Office for the Deaf and Hard of Hearing (Office) receives an application, how long does it have to make a decision? The final-form regulation should identify the time frame within which the Department will issue a paper or electronic registration. Third, Subsection (c) relates to reasons the Office may deny an application for registration. It does not list what an applicant must do to achieve compliance. Therefore, the reference to Subsection (c) should be deleted. Fourth, Section 5(a) of the Act contains two subsections. Subsection (a)(1) is repeated as Subsection (a)(1) of this section of the rulemaking. However, Section 5(a)(2) of the Act is not included in the regulation. The Department should delete the reference to Section 5(a) of the Act and include all provisions of that section in the regulation.

Subsection (c)

This subsection lists three reasons why the Office may deny an application for registration. One of the reasons listed under Subsection (c)(3) is if the applicant committed a violation enumerated in section 8(a) of the act (63 P. S. 1525.8(a)(8)). We have two concerns. First, the correct citation is 63 P. S. § 1725.8(a). Second, since a reference to section 8(a) of the Act is also found in § 501.8 of the regulation, we recommend listing the violations in a separate section of the final-form regulation. This would allow the regulated community to know what constitutes a violation without having to reference the Act.

4. Section 501.5. Exemptions.—Consistency with Statute; Implementation procedures; Clarity.

The Act lists eight exemptions. This rulemaking only lists five of the eight exemptions. We recommend that all eight exemptions be included in the section.

Subsection (a)

This subsection provides an exemption for individuals engaged in interpreting or transliterating services in a religious setting. Subsection (a)(2) uses phrase "religious-study purposes" instead of "educational purposes," which is found in the corresponding section of the Act. The Preamble to the final-form regulation should explain why the phrase "religious-study purposes" is used instead of "educational purposes."

Subsection (b)

Under (b)(3), how soon before an interpreting service is provided by an out-of state-resident must the Office be notified of that service? Will a form be provided by Office to allow interpreters to file for the exemption? The regulation should be amended to clarify the requirements in these areas.

Subsection (d)

This subsection provides an exemption for interpreting or transliterating services provided in "school related

activities." Act 92 of 2006 amended Section 4(b)(7) of the Act, which pertains to exemptions for "school related activities" and also deleted the definition of "EIPA." This subsection should be amended to reflect the requirements of Act 92 of 2006.

Subsection (e)

This subsection pertains to exemptions in a physician's office. Under Subsection (e)(3), how long must the physician's office keep a copy of the patient's signed statement? The final-form regulation should provide time period for how long the statement must be kept.

5. Section 501.7. Hearings/appeals.—Implementation procedures; Clarity.

Subsection (a) references sections 8 and 9 of the Act. To improve clarity, the subject matter of section 8 (registration violations) and section 9 (suspension, denial, nonrenewal or revocation of State registration) should also be referenced.

Under Subsection (e), the presiding officer is required to prepare and issue a proposed report and order. How long does the presiding officer have to issue the proposed report and order? This should be included in the final-form regulation.

Under Subsection (f)(1), a party desiring to appeal to the Secretary shall file exceptions to the proposed report and order within 20 days of service. 1 Pa. Code § 35.211 allows 30 days. This discrepancy should be corrected in the final-form regulation.

6. Section 501.8. Request for reconsideration or registration denial.—Implementation procedures; Clarity.

Under Subsections (a) and (b), the Office can deny an application for registration and an applicant can file a request for reconsideration. We have three questions. First, if the Office rejects an applicant for registration under Subsection (a), how will the applicant be notified of the denial? Second, will the notice specify why the applicant was rejected? Third, if an application for registration is denied, how long will an applicant have to file a request for reconsideration? The final-form regulation should address these areas.

Subsection (f) references sections 10 and 11 of the Act. To improve clarity, the subject matter of section 10 (appeals) and section 11 (effect of an order) should also be referenced.

7. Section 501.10. Reactivation of registration.—Clarity.

This section states that an individual may reactivate a suspended registration under section 9(c) of the Act (63 P. S. § 1725.9(c)). Section 9(c)(1) of the Act pertains to reactivation of suspended registrations. Section 9(c)(2) of the Act pertains to reactivation of revoked registrations. We have two concerns. First, the reference included in this section of the regulation should be section 9(c)(1) of the Act to reflect the fact that this section pertains to suspended registrations. Second, why are the procedures for reactivation of a revoked registration not included in the regulation? We recommend that those procedures also be included in the regulation.

8. Section 501.11. Change of address/name/information.—Consistency with Statute; Need; Clarity.

This section states the following: "A registrant shall notify the Office of any change of name, mailing address or other personal or professional information within 15 days of making the change." Section (6) of the Act

provides that the office be notified of a change in name or mailing address within ten days of the change. The Department has explained that "other personal or professional information" includes updated information included in the initial registration application and information pertaining to disciplinary or administrative action taken in other states. The details of this other information should be included in the final-form regulation.

In addition, the time frame for reporting changes should be amended to reflect the ten-day requirement of the Act.

9. Miscellaneous Clarity

Index

- The numbering for the Index is incorrect. All sections should be changed from "50" to "501."
- As currently numbered, §§ 50.3, 50.4 and 50.6 lack periods after the names of the sections.
- As currently numbered, the title of § 50.8 should be amended to add the word "denial" after the word "registration." This would make it consistent with the title as it appears in the main body of the regulation.

Section 7 of the Act

- This Section pertains to the disclosure of confidential communications by sign language interpreters. The regulation does not include a similar provision or a reference to this section of the Act. To assist members of the regulated community that may use the regulation as a sole reference for complying with the Act, we recommend that a provision on or reference to confidential communications be included in the final-form regulation.

References to the Act and Purdon's citations

- Many sections of this regulation reference both a particular section of the Act and the corresponding *Purdon's* citation. For example, § 501.3(a) references "section 5(a)(1)(iii) of the act (63 P. S. § 1725.5(a)(1)(iii))." Other sections of this regulation only reference a particular section of the Act. For consistency, the Department should add the appropriate *Purdon's* citations to the following sections of the final-form regulation:

- § 501.5(b)
- § 501.5(c)
- § 501.5(d)
- § 501.5(e)
- § 501.8(c)(3)
- § 501.8(e)

Other

- Paragraph (1) of § 501.10 states the following: "The suspension term certain has fully elapsed." The word "certain" should be deleted.

ALVIN C. BUSH,
Chairperson

[Pa.B. Doc. No. 06-1943. Filed for public inspection September 29, 2006, 9:00 a.m.]

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market St., 14th Floor, Harrisburg at 10:30 a.m. Note that the time and date of the meeting is tentative and interested parties are encouraged to contact the Commission at (717) 783-5417 or visit its website at www.irrc.state.pa.us to confirm that information. To obtain a copy of a regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy.

Final-Form

Reg. No.	Agency/Title	Received	Public Meeting
16A-5317	State Board of Osteopathic Medicine Respiratory Therapists	9/15/06	10/19/06
16A-4513	State Board of Cosmetology Removal of Term "Manager"	9/15/06	10/19/06
16A-4916	State Board of Medicine Physician Assistants	9/15/06	10/19/06
16A-6910	State Board of Social Workers, Marriage and Family Therapists and Profession Counselors Child Abuse Reporting Requirements	9/15/06	10/19/06

ALVIN C. BUSH,
Chairperson

[Pa.B. Doc. No. 06-1944. Filed for public inspection September 29, 2006, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval to Redomesticate

Peninsular Life Insurance Company, a Florida stock life insurance company, has submitted a Plan of Redomestication whereby it proposes to redomesticate from the State of Florida to this Commonwealth. The filing was made under the requirements set forth under the 15 Pa.C.S. §§ 4161 and 4162 (relating to domestication; and effect of domestication) and section 357 of the Insurance Company Law of 1921 (40 P. S. § 477e). Persons wishing to comment on the redomestication are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Cressinda Bybee, Company

Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, cbybee@state.pa.us.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-1945. Filed for public inspection September 29, 2006, 9:00 a.m.]

Inter-County Health Plan, Inc.; Application for Approval of Revised Rates for its 65-Select (Health) Plans; Rate Filing

Inter-County Health Plan, Inc. has filed Filing No. MG Health 0906 for approval increased rates for its community-rated 65-Select program. The revised rates are to be effective on January 1, 2007, and reflect an average increase of 6.0% over the currently approved rates. The monthly premiums for subscribers enrolling at first eligibility are as follows:

	Current Rate	Proposed Rate	Adjustment Percentage
Plan A	\$70.10	\$74.15	5.8%
Plan B	\$72.95	\$77.15	5.8%
Plan C	\$81.70	\$86.70	6.1%
Plan D	\$75.75	\$80.15	5.8%
Plan E	\$72.95	\$77.15	5.8%
Plan H	\$89.55	\$94.75	5.8%

These rate adjustments will affect approximately 2,900 subscribers in this Commonwealth and will generate approximately \$180,000 in additional premium annually.

Unless formal administrative action is taken prior to December 13, 2006, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) website at www.ins.state.pa.us. Under the Quick Links section, click on the link "Rate Filings Published in the PA Bulletin."

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's regional office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Michael Gurgiolo, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, mgurgiolo@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-1946. Filed for public inspection September 29, 2006, 9:00 a.m.]

Inter-County Hospitalization Plan, Inc.; Application for Approval of Revised Rates for its 65-Select (Hospital) Plans; Rate Filing

Inter-County Hospitalization Plan, Inc. has filed Filing No. MG Hospital 0906 for approval increased rates for its community-rated 65-Select program. The revised rates are to be effective on January 1, 2007, and reflect an

average increase of 9.4% over the currently approved rates. The monthly premiums for subscribers enrolling at first eligibility are as follows:

	Current Rate	Proposed Rate	Adjustment Percentage
Plan A	\$51.40	\$55.30	7.6%
Plan B	\$77.75	\$84.75	9.0%
Plan C	\$87.45	\$95.80	9.5%
Plan D	\$87.80	\$96.25	9.6%
Plan E	\$92.70	\$102.80	10.9%
Plan H (with Rx)	\$179.10	\$191.55	7.0%
Plan H (w/o Rx)	\$84.75	\$94.20	11.1%

These rate adjustments will affect approximately 2,900 subscribers in this Commonwealth and will generate approximately \$305,000 in additional premium annually.

Unless formal administrative action is taken prior to December 13, 2006, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) website at www.ins.state.pa.us. Under the Quick Links section, click on the link "Rate Filings Published in the PA Bulletin."

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's regional office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Michael Gurgiolo, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, mgurgiolo@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-1947. Filed for public inspection September 29, 2006, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Pamphlet Laws Printing, Binding, Distribution and Storage

Sealed proposals will be received by the Legislative Reference Bureau (Bureau), 641 Main Capitol Building, Harrisburg, PA 17120-0033 until 10 a.m., Wednesday, November 8, 2006, and then publicly opened and read for a contract for printing, binding, distribution and storage of the Pamphlet Laws for the contract period beginning January 1, 2007, and ending December 31, 2008, with provision for optional renewal for one additional 2-year period.

Facilities for offset printing and pamphlet binding are required. The Pamphlet Law contract requires case binding by Smyth sewing. At the discretion of the Bureau, subcontracting by bidders will be considered.

Bids must be accompanied by a certified or bank cashier's check in the sum of \$1,000. The Bureau reserves the right to reject any or all parts of bids and to waive

technical defects in bids. Blanks and information may be obtained upon application to Marilyn Puskarich, (717) 787-6060 at the previously listed address.

ROBERT W. ZECH, Jr.,
Director

[Pa.B. Doc. No. 06-1948. Filed for public inspection September 29, 2006, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board leases will expire:

Allegheny County, Wine & Spirits Shoppe #0202, 90 Allegheny River Bldg., Verona, PA 15147.

Lease Expiration Date: August 31, 2007

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 2,500 to 3,000 net useable square feet of new or existing retail commercial space in a shopping center environment in Verona serving Verona and surrounding area.

Proposals due: October 20, 2006, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Bruce VanDyke, (412) 565-5130

Clarion County, Wine & Spirits Shoppe #1602, 452 Broad Street, New Bethlehem, PA 16242.

Lease Expiration Date: August 31, 2007

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 1,200 net useable square feet of new or existing retail commercial space with frontage on SR 28 in New Bethlehem. The site should have convenient customer parking and access for tractor-trailer deliveries.

Proposals due: October 20, 2006, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Bruce VanDyke, (412) 565-5130

Crawford County, Wine & Spirits Shoppe #2001, 900 Water Street, Meadville, PA 16335.

Lease Expiration Date: August 31, 2007

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 4,000 to 4,500 net useable square feet of new or existing retail commercial space in a shopping center environment serving downtown Meadville. The site should have free parking.

Proposals due: October 20, 2006, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: George Danis, (412) 565-5130

Huntingdon County, Wine & Spirits Shoppe #3102, 25 West Water Street, Mt. Union, PA 17066.

Lease Expiration Date: July 31, 2007

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 1,500 net useable square feet of new or existing retail commercial space serving Mount Union and surrounding area. The site must have free off-street customer parking and access for tractor-trailer deliveries.

Proposals due: October 20, 2006, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: Bruce VanDyke, (412) 565-5130

Lawrence County, Wine & Spirits Shoppe #3701, 2656 Ellwood Road, New Castle, PA 16101.

Lease Expiration Date: July 31, 2007

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 2,500 net useable square feet of new or existing retail commercial space in a shopping center environment in New Castle.

Proposals due: October 20, 2006, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: George Danis, (412) 565-5130

Mercer County, Wine & Spirits Shoppe #4302, 837 Sharon/New Castle Rd., Farrell, PA 16121.

Lease Expiration Date: August 31, 2007

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 2,500 net useable square feet of new or existing retail commercial space in a shopping center environment in Farrell.

Proposals due: October 20, 2006, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, State Office Building, Room 408, 300 Liberty Avenue, Pittsburgh, PA 15222
Contact: George Danis, (412) 565-5130

JONATHAN H. NEWMAN,
Chairperson

[Pa.B. Doc. No. 06-1949. Filed for public inspection September 29, 2006, 9:00 a.m.]

PATIENT SAFETY AUTHORITY

Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. § 1303.303), enacted on March 20, 2002, will hold a meeting of the Authority's 11 member Board of Directors on Tuesday, October 10, 2006, at 10:30 a.m. in the Wildwood Conference Center, Harrisburg Area Community College, One HACC Drive, Harrisburg, PA.

Individuals having questions regarding this meeting, which is open to the public, should contact the Authority at (717) 346-0469.

ALAN B. K. RABINOWITZ,
Administrator

[Pa.B. Doc. No. 06-1950. Filed for public inspection September 29, 2006, 9:00 a.m.]

PENNSYLVANIA GAMING CONTROL BOARD

Deemed Complete Date

Under 4 Pa.C.S. § 1301 (relating to authorized slot machine licenses) and 58 Pa. Code § 441.2 (relating to initial slot machine application deadlines), the Pennsylvania Gaming Control Board (Board) has the authority to set a time by which all applications are to be filed and deemed complete by the Board. The Board has adopted the following deemed complete date for all applications for permanent Category 1 licenses, Category 2 licenses and Category 3 licenses.

The deemed complete date for all applications for permanent Category 1 licenses, Category 2 licenses and Category 3 licenses shall be November 14, 2006.

THOMAS A. DECKER,
Chairperson

[Pa.B. Doc. No. 06-1951. Filed for public inspection September 29, 2006, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project #06-052.S, Hydrographic Surveying at Various PRPA Piers until 2 p.m. on Thursday, October 19, 2006. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 N. Delaware Ave., 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available October 3, 2006. Additional information and project listings may be found at www.philaport.com. The cost of the bid document is \$35 (includes 7% PA Sales Tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractors must comply with all applicable equal opportunity laws and regulations.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 06-1952. Filed for public inspection September 29, 2006, 9:00 a.m.]

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project #06-132.1, Design of LMSR Berth/Pier Upgrade at Tioga Marine Terminal (TMT) until 2 p.m. on Thursday, October 26, 2006. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 N. Delaware Ave., 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available October 4, 2006. Additional information and project listings may be found at www.philaport.com. The cost of the bid document is \$35 (includes 7% PA Sales Tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractors must comply with all applicable equal opportunity laws and regulations. Bidders must provide to the Procurement Department, in writing, the names of individuals that will be attending prebid meetings. This information is needed 24 hours prior to the meeting. Fax to (215) 426-6800, Attn: Procurement Department.

A mandatory prebid job site meeting will be held on October 12, 2006, at 10 a.m. at Tioga Marine Terminal (inside gate entrance), Delaware Ave. and Tioga St., Philadelphia, PA.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 06-1953. Filed for public inspection September 29, 2006, 9:00 a.m.]

STATE BOARD OF COSMETOLOGY

Bureau of Professional and Occupational Affairs v. Patricia A. Rocco t/d/b/a Rocco's Club Hair; Doc. No. 1321-45-06

On June 16, 2006, Patricia A. Rocco t/d/b/a Rocco's Club Hair, of Hermitage, Mercer County, was suspended for violating a lawful disciplinary order of the State Board of Cosmetology (Board) by failing to pay a \$500 civil penalty that was assessed for operating a cosmetology shop without a license.

Individuals may obtain a copy of the adjudication by writing to C. William Fritz, II, Board Counsel, State Board of Cosmetology, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of the petition for review. The Board contact for receiving service of appeals is the previously named Board counsel.

SUSAN E. RINEER,
Chairperson

[Pa.B. Doc. No. 06-1954. Filed for public inspection September 29, 2006, 9:00 a.m.]

**Bureau of Professional and Occupational Affairs v.
Lisa Carol Toy; Doc. No. 1327-45-06**

On August 10, 2006, Lisa Carol Toy, license no. CL016894L, of Templeton, Armstrong County, was suspended based on findings she failed to pay a \$500 civil penalty imposed by the State Board of Cosmetology (Board).

Individuals may obtain a copy of the adjudication by writing to C. William Fritz, II, Board Counsel, State Board of Cosmetology, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of the petition for review. The Board contact for receiving service of appeals is the previously named Board counsel.

SUSAN E. RINEER,
Chairperson

[Pa.B. Doc. No. 06-1955. Filed for public inspection September 29, 2006, 9:00 a.m.]
