

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 9, 2002 (P. L. 1572, No. 207), known as the Credit Union Code, has taken the following action on applications received for the week ending January 17, 2006.

BANKING INSTITUTIONS

Conversions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-11-06	The First National Bank in Fleetwood Fleetwood Berks County <i>To:</i> Fleetwood Bank Fleetwood Berks County	Fleetwood	Filed
	Application represents a conversion from a National banking association to a State-chartered commercial bank.		

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-12-06	Standard Bank, PaSB, Monroeville, and Hoblitzell National Bank of Hyndman, Hyndman Surviving Institution— Standard Bank, PaSB, Monroeville <i>Branches Acquired by Means of Merger:</i> 3945 Center Street Hyndman Bedford County 187 Hyndman Road Hyndman Bedford County 200 North Mechanic Street Cumberland Allegheny County, MD 1275 National Highway LaVale Allegheny County, MD	Monroeville	Effective

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-11-06	Northwest Savings Bank Warren Warren County	2600 Old Washington Road Upper St. Clair Township Allegheny County	Filed
1-13-06	Farmers and Merchants Trust Company of Chambersburg Chambersburg Franklin County	518 North Antrim Way Greencastle Franklin County	Filed

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
12-30-05	Northwest Savings Bank Warren Warren County	1073 Park Avenue Meadville Crawford County (Drive-Up Facility)	Effective

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

A. WILLIAM SCHENCK, III,
Secretary

[Pa.B. Doc. No. 06-145. Filed for public inspection January 27, 2006, 9:00 a.m.]

DEPARTMENT OF EDUCATION**Individuals with Disabilities Education Act—Part B; Application for Federal Grant**

To receive a grant under the Individuals with Disabilities Education Act, the Department of Education (Department) is submitting plan assurances to the United States Department of Education (USDE). The Department is not proposing changes to policies and procedures under the Individuals with Disabilities Education Act—Part B (IDEA-B). The Department intends to assure that by June 30, 2007, policies and procedures will be adopted that are consistent with the Individuals with Disabilities Education Improvement Act of 2004 (Pub. L. No. 108-446) (IDEA-2004). Moreover, the Department assures that throughout the period of the grant (July 1, 2006, to June 30, 2007), the Commonwealth will operate consistent with all requirements of IDEA-2004 and applicable regulations.

The IDEA-B funds, received under current 34 CFR 300.110 (relating to condition of assistance), will be used to render services and programs to children with disabilities who are eligible for services under IDEA-B as well as training and technical assistance given to professional staff who render services to children with disabilities.

Copies of the proposed plan assurances are available by calling Nancy Zeigler at (717) 783-6134 or the TDD at (717) 787-7367. Alternative formats of the documents (for example, Braille, large print or cassette tape) are available upon request. Moreover, public comment is welcomed in alternative formats such as Braille, taped comments and telephone comments for the disabled. Individuals who are disabled and wish to submit comments by telephone should call Nancy Zeigler, (717) 783-6134.

Written comments will be received until March 31, 2006. The written comments should be directed to Terry Dawson, Department of Education, Bureau of Special Education, 333 Market Street, 7th Floor, Harrisburg, PA 17126-0333.

Following receipt of all comments, the Department will consider all public comments and make any necessary modifications before final submission of the plan assurances by April 21, 2006, to the Secretary of the USDE.

GERALD L. ZAHORCHAK, D.Ed.,
Acting Secretary

[Pa.B. Doc. No. 06-146. Filed for public inspection January 27, 2006, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION**Applications, Actions and Special Notices****APPLICATIONS**

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION
SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM)
PERMITS**

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0062375 Sewage	Stone Hedge Sewer Co., Inc. 4 Hollowcrest Corners Tunkhannock, PA 18657	Wyoming Tunkhannock Township	UNT to Osterhout Creek (4G)	Y

*In compliance with the Chesapeake Bay nutrient reduction strategy, the monitoring of total nitrogen and total phosphorus has been added to this renewal.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N ?</i>
PA0087378 (IW)	Letterkenny Army Depot 1 Overcash Avenue Chambersburg, PA 17201	Franklin County Greene Township	Rowe Run/7-B	Y
PA0086444 (Sew)	Blue Ridge Sportsmen Association, Inc. 3009 Waynesboro Pike Fairfield, PA 17320-9721	Adams County Liberty Township	Miney Branch/13-D	Y
PA0087131 (Sew)	Northern Lancaster County Authority 983 Beam Road Denver, PA 17517-8946	Lancaster County Brecknock Township	Little Muddy Creek/7-J	Y
PAR10C283R1	Forino Co., LP 555 Mountain Road Sinking Spring, PA 19608	Berks County Jefferson Township	Tulpehocken Creek	Y
PAR10C337R	Forino Co., LP 555 Mountain Road Sinking Spring, PA 19608	Berks County Bern Township	Seifert Run	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N ?</i>
PAR10C350R	Golden Hills Development Corporation 108 South Hill Street Sinking Spring, PA 19608	Berks County Spring Township	Irish Creek	Y
PAR10C342R	Michael D. Rhodes 813 S. Reading Avenue Boyertown, PA 19512	Berks County Washington Township	Swamp Creek	Y
PAR10C4123	Department of Transportation Engineering District 5-0 1713 Lehigh Street Allentown, PA 18103-4727	Berks County Hamburg Borough	Schuylkill River	Y

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0228320 SP	Davidson Township Municipal Authority Box 7112 Muncy Valley, PA 17758	Sullivan County Davidson Township	Muncy Creek 4C	Y
PA0032514 (Sewage)	Department of Conservation and Natural Resources Denton Hill State Park 5661 US 6 West Coudersport, PA 16915	Ulysses Township Potter County	Elm Hollow Run HQ-CWF	Y
PA0113182 SN	Albert A. Drobka P. O. Box 256 State College, PA 16804-0256	Centre County Harris Township	UNT To Spring Creek 9C	Y
PA0114740 IW	Aqua Pennsylvania Inc 204 East Sunbury Street Shamokin, PA 17872-4859	Northumberland County Coal Township	South Branch Roaring Creek 5E	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

PA0013463, Industrial and Sewage, SIC 3312, **U. S. Steel Corporation**, One Ben Fairless Drive, Fairless Hills, PA 19030. This proposed facility is located in Falls Township, **Bucks County**.

Description of Proposed Activity: This application is for renewal of an NPDES permit to discharge treated process wastewater, noncontact cooling water and boiler blowdown from Fairless Energy and PECO power plant, stormwater and treated sewage through various outfalls to Delaware Estuary Zone 2 in Falls Township, Bucks County.

The receiving stream, Delaware River Zone 2, is in the State Water Plan watershed 2E and is classified for WWF and MF. The nearest downstream public water supply intake for the City of Philadelphia's Baxter Water Treatment Plant is located on the Delaware River approximately 10 miles below the point of discharge.

The proposed effluent limits for Outfall 002, NCCW and SWRO are as follows:

<i>Parameters</i>	<i>Concentrations (mg/l)</i>	
	<i>Average Annual (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Temperature		110°F
Oil and Grease	15 Average Month	30
pH	within limits of 6.0 to 9.0 standard units at all times	
CBOD ₅ *	Monitor and Report	Monitor and Report
COD*	Monitor and Report	Monitor and Report
Oil and Grease	Monitor and Report	Monitor and Report
Total Suspended Solids*	Monitor and Report	Monitor and Report
Total Lead*	Monitor and Report	Monitor and Report
Total Chromium*	Monitor and Report	Monitor and Report
Total Copper*	Monitor and Report	Monitor and Report
Total Cadmium*	Monitor and Report	Monitor and Report
Iron (Dissolved)*	Monitor and Report	Monitor and Report

*These parameters shall be monitored during storm event while no NCCW discharges.

The proposed effluent limits for Outfall 003, consist of treated process wastewater, cooling wastewater and treated sewage are as follows:

Tidal conditions at Outfall 003 make monitoring impossible. Therefore, contributions to Outfall 003 are monitored at monitoring points as follows:

<i>Monitoring Point</i>	<i>Description of Wastewater</i>
MP 103	Treated Process Wastewater from Terminal Treatment Plant
MP 203	Treated Sewage Wastewater
MP 303	SWRO
MP 404	Treated Process Wastewater from Finishing Mill Treatment Plant

The proposed effluent limits for Monitoring Point MP 103, treated process wastewater from Terminal Treatment Plant based on an average flow of 3.75 mgd are as follows:

<i>Parameters</i>	<i>Mass (lbs/day)</i>		<i>Concentrations (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
BOD ₅			Monitor and Report	Monitor and Report	
BOD ₅ (% Removal)		Minimum of 88.5%	Report	Report	
Total Suspended Solids	463	1,063	Monitor and Report	Monitor and Report	37.5
Total Dissolved Solids			1,000	2,000	2,500
Oil and Grease	240	440	Monitor and Report	Monitor and Report	19.2
CBOD ₂₀	2,500				
BOD ₅ (% Removal)	88.5				
Phenols, Total			Monitor and Report	Monitor and Report	
pH	within limits of 6.0 to 9.0 standard units at all times				
Color (Pt-Co)					Monitor and Report
Total Residual Chlorine*			0.32		0.5
Temperature (°F)					110°
Chromium, Total	4.79	6.22	Monitor and Report	Monitor and Report	0.37
Zinc, Total	21.83	24.77	Monitor and Report	Monitor and Report	1.75

*This limit is applicable only when chlorine is used in the process for algae control.

The proposed effluent limits for monitoring point MP 203 (treated sewage), based on an average flow of 0.163 mgd are as follows:

<i>Parameters</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
BOD ₅	25	50
BOD ₅ (% Removal)	Minimum of 88.5% per DRBC Requirements	
Suspended Solids	30	60
CBOD ₂₀ (lbs/day)	67	
BOD ₅ (% Removal)	88.5	
Total Residual Chlorine	0.5	1.2
Fecal Coliform	200 colonies/100 ml as a Geometric Average	
pH	within limits of 6.0 to 9.0 standards units at all times	
Phosphorus as P		Monitor and Report (Daily Max.)
Copper, Total		Monitor and Report (Daily Max.)
Lead, Total		Monitor and Report (Daily Max.)
Zinc, Total		Monitor and Report (Daily Max.)

The proposed effluent limits for monitoring point MP 303 during storm events are as follows:

<i>Parameters</i>	<i>Average Annual (mg/l)</i>	<i>Maximum Daily (mg/l)</i>
CBOD ₅	Monitor and Report	Monitor and Report
Oil and Grease	Monitor and Report	Monitor and Report
pH	Monitor and Report	Monitor and Report
Fecal Coliform	Monitor and Report	Monitor and Report
Iron (Dissolved)*	Monitor and Report	Monitor and Report

The proposed effluent limits for monitoring point MP 403, treated process wastewater from Finishing Mill Treatment Plant, based on an average flow of 0.856 mgd are as follows:

<i>Parameters</i>	<i>Mass (lbs/day)</i>		<i>Concentrations (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum (mg/l)</i>
Lead, Total	1.49	4.49	Monitor and Report	Monitor and Report	0.52
Zinc, Total	1.47	4.41	Monitor and Report	Monitor and Report	0.52
Chromium, Total	Monitor and Report	Monitor and Report	0.1	0.3	0.3
Nickel, Total	Monitor and Report	Monitor and Report	0.2	0.45	0.5
Naphthalene		0.071	Monitor and Report	Monitor and Report	0.012
Chromium, Hex	0.095	0.284	Monitor and Report	Monitor and Report	0.035
Copper, Total	Monitor and Report	Monitor and Report	0.1	0.3	0.3
Tetra Chloroethylene		0.107		Monitor and Report	0.018

The proposed effluent limits for Outfalls 005, 007 and 009 (stormwater) are as follows:

<i>Parameters</i>	<i>Average Annual (mg/l)</i>	<i>Maximum Daily (mg/l)</i>
CBOD ₅	Monitor and Report	Monitor and Report
Total Suspended Solids	Monitor and Report	Monitor and Report
Oil and Grease	Monitor and Report	Monitor and Report
pH	Monitor and Report	Monitor and Report
Iron (Dissolved) (005, 009 only)	Monitor and Report	Monitor and Report
Total Zinc (007 only)	Monitor and Report	Monitor and Report

The proposed effluent limits for Outfalls 010 and 011 (Intake Screen backwash water) are as follows:

The materials (solids and other debris) physically or mechanically removed by USS in backwash operation shall not be returned to surface waters. The disposal of this material shall prevent any discharge of removed substances to the surface waters.

In addition to the effluent limits, the permit contains the following major special conditions:

1. The EPA waiver is not in effect.
2. CBOD₂₀ allowances.
3. 88.5% of BOD₅ per DRBC requirements.
4. Thermal requirements.
5. Approved chemical additives.
6. Special Test Methods for certain pollutants.
7. PCBs Monitoring and PMPs requirements.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

PA0053147, Sewage, **Upper Saucon Sewage Treatment Authority**, 5500 Camp Meeting Road, Center Valley, PA 18034. This proposed facility is located in Upper Saucon Township, **Lehigh County**.

Description of Proposed Activity: Amendment of an existing NPDES permit. Chlorination facility replaced with UV disinfection. Thus, TRC limit removed from permit.

The receiving stream, Saucon Creek, is in the State Water Plan watershed 2C and is classified for CWF. The nearest downstream public water supply intake for Keystone Water Company is located on the Delaware River and is over 50 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 2.5 mgd.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5-1 to 10-31)	10.0	15.0	20.0
(11-1 to 4-30)	20.0	30.0	40.0
Total Suspended Solids	30.0	45.0	60.0

NOTICES

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
NH ₃ -N (5-1 to 10-31)	3.0	4.5	6.0
(11-1 to 4-30)	9.0	13.5	18.0
Dissolved Oxygen	A minimum of 5.0 mg/l at all times.		
Fecal Coliform	200/100 ml as a geometric mean		
pH	6.0 to 9.0 standard units at all times.		
Phosphorus as "P"	Quarterly Monitoring		

In addition to the effluent limits, the permit contains the following major special condition: whole effluent toxicity testing.

NPDES Permit No. PA-0023736, Sewage, **Tri-Boro Municipal Authority**, 282 Erie Boulevard, Susquehanna, PA 18847-1641. This proposed facility is located in Susquehanna Depot, **Susquehanna County**.

Description of Proposed Action/Activity: Renewal of NPDES Permit.

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25.0	40.0	50.0
Total Suspended Solids	30.0	45.0	60.0
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean		
(10-1 to 4-30)	2,000/100 ml as a geometric mean		
pH			
Total Residual Chlorine	1.0		2.0

The receiving stream, North Branch Susquehanna River, is in the State Watershed Plan 04E and is classified for WWF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 based on a design flow of 0.5 mgd:

The following effluent limit for Outfall 001 in accordance with the Chesapeake Bay Strategy and on projected 2010 flows of 0.45 mgd:

Ammonia-N	Monitor and Report	
Kjeldahl-N	Monitor and Report	
Nitrite-N	Monitor and Report	
Nitrite-N	Monitor and Report	
Total Nitrogen	Monitor and Report	PID + 36 Months
Total Phosphorus	Monitor and Report	PID + 36 Months
Total Nitrogen	10,959 lbs/year	PID + 36 Months through Expiration
Total Phosphorus	1,370 lbs/year	PID + 36 Months through Expiration

The permittee must submit a schedule of compliance with the Chesapeake Bay Strategy requirements within 180 days after permit issuance. They may be met in part of full by obtaining offsets or credits approved by the Department of Environmental Protection.

PAS212217. Stormwater/Industrial Waste, **Catskill Stone Limited, Inc.**, R. R. 1, Box 2114B, Equinunk, PA 18417. This proposed facility is located in Manchester Township, **Wayne County**.

Description of Proposed Activity: Issuance of new Industrial Stormwater Permit. The receiving stream, South Branch Creek, is in the State Water Plan watershed 1A and is classified for HQ-CWF. The nearest downstream public water supply intake for East Stroudsburg Intake is located on the Delaware River.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>
CBOD ₅				Report
Chemical Oxygen Demand				Report
Oil and Grease				Report
pH				Report
Total Suspended Solids (TSS)				Report
Total Kjeldahl Nitrogen (TKN)				Report
Total Phosphorus				Report
Iron (dissolved)				Report

In addition to the effluent limits, the permit contains the following major special condition: requirements applicable to stormwater outfalls along with identified best management practices.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PA 0248037, Sewage, **Bethel Township Municipal Authority**, P. O. Box 24, Bethel, PA 19507. This facility is located in Bethel Township, **Berks County**.

Description of activity: The application is for issuance of an NPDES permit for a new discharge of treated sewage.

The receiving stream, Little Swatara Creek, is in Watershed 7-D and classified for CWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Pennsylvania American Water Company is located on the Swatara Creek, approximately 40 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.205 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	16	24	32
Total Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	5		10
(11-1 to 4-30)	15		30
NO ₂ -N + NO ₃ -N		Monitor and Report	
Total Kjeldahl Nitrogen		Monitor and Report	
Total Phosphorus		Monitor and Report	
Total Residual Chlorine	0.5		1.6
Dissolved Oxygen		minimum of 5.0 at all times	
pH		from 6.0 to 9.0 inclusive	
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		13,000/100 ml as a geometric average	

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0014648, Industrial Waste, SIC Code 4941, **United Water Pennsylvania (Hummelstown Water Treatment Plant)**, 4211 East Park Drive, Harrisburg, PA 17111. This facility is located in Hummelstown Borough, **Dauphin County**.

Description of activity: The application is for renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Swatara Creek, is in Watershed 7-D and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake is Middletown Borough Water System located on the Swatara Creek, approximately 8 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 based on a design flow of 0.250 mgd are:

<i>Parameter</i>	<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
pH		from 6.0 to 9.0 inclusive	
Total Suspended Solids	30	60	75
Total Iron	2.0	4.0	5.0
Total Manganese	1.0	2.0	2.5
Total Aluminum	4.0	8.0	10
Total Residual Chlorine	0.5	1.0	1.6

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0247961, Contact Cooling Waters, SIC Code 3084, **HPE Extrusion Solutions**, 20 North Front Street, Bally, PA 19503. This facility is located in Bally Borough, **Berks County**.

Description of activity: The application is for issuance of an NPDES permit for new discharge of contact cooling water.

The receiving stream, UNT to West Branch of Perkiomen Creek is in Watershed 3-E and classified for CWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake is Philadelphia Suburban located on the Greenlane Reservoir, approximately 10 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 based on a design flow of 0.00015 mgd are:

<i>Parameter</i>	<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Oil and Grease	15	29	30
CBOD ₅ (5-1 to 10-31)	13	26	32
(11-1 to 4-30)	26	52	
Temperature		110°F	
Total Suspended Solids	10	19	25
Total Phosphorus	0.5		1.25
pH		6.0 to 9.0 (standard units)	
Ammonia Nitrogen	20	40	50

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PAS10F076-2R, Construction Stormwater Discharge, **Department of Transportation**, P. O. Box 342, Clearfield, PA 16830. The facilities are located in Huston and Patton Townships, **Centre County**.

Description of Proposed Activity: Proposed amendment of existing permit for discharges of stormwater detention basins, associated with the I-99 construction project, used for treatment of water affected by contact with pyritic materials. The amendment is to add effluent limits for hexavalent chromium at outfalls 002 (West and East) and outfall 007.

Be advised that this notice was incorrectly published as a final action on December 3, 2005. It is republished here as an application notice.

The receiving streams are as follows:

<i>Stream Name</i>	<i>State Water Plan Watershed</i>	<i>Classification</i>
Bald Eagle Creek	9C	TSF
Buffalo Run	9C	HQ-CWF
Waddle Creek	9C	HQ-CWF

The nearest existing downstream public water supply intake for PA American Water Company, located on West Branch Susquehanna River at Milton, PA is 132 river miles below the points of discharge.

On March 17, 2005, the Department approved a Social or Economic Justification (SEJ) under 25 Pa. Code § 93.4c(b)(1)(iii), for interim discharges at technology based treatment levels, from Outfalls 003 through 008 to Buffalo Run and Outfall 009 to Waddle Creek. The SEJ approval is valid only for an interim period ending December 31, 2007, at which time the discharge of pollutants from these Outfalls must either meet nondegrading effluent quality or be abated by the removal of polluting pyritic materials from the discharge source areas.

The proposed interim effluent limits, effective until December 31, 2007, for all Outfalls 001—009, which will discharge to Bald Eagle Creek, Buffalo Run and Waddle Creek are as follows:

<i>Parameter</i>	<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
arsenic		Monitor and Report	
copper		Monitor and Report	
lead		Monitor and Report	
aluminum			
dissolved		Monitor and Report	
total	1.0	1.5	2.0
Iron			
dissolved		Monitor and Report	
total	3.0	6.0	7.0
Manganese			
dissolved		Monitor and Report	
total	2.0	4.0	5.0
nickel		Monitor and Report	
Zinc			
dissolved		Monitor and Report	
total	0.5	0.75	1.0
cadmium		Monitor and Report	
chromium		Monitor and Report	
chromium, hexavalent (002 West and 002 East only)	0.180	0.270	0.360

<i>Parameter</i>	<i>Average Monthly</i>	<i>Concentration (mg/l)</i>	
		<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
(007 only) alkalinity	0.038	0.057	0.076
sulfates		greater than acidity	
total suspended solids	35	70	90
pH		6.0 to 9.0 (standard units)	

The proposed effluent limits, effective from January 1, 2008, for Outfalls 001 and 002, which will discharge to Bald Eagle Creek, are as follows:

<i>Parameter</i>	<i>Average Monthly</i>	<i>Concentration (mg/l)</i>	
		<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
arsenic		Monitor and Report	
copper		Monitor and Report	
lead		Monitor and Report	
Aluminum			
dissolved		Monitor and Report	
total	1.0	1.5	2.0
Iron			
dissolved		Monitor and Report	
total	3.0	6.0	7.0
Manganese			
dissolved		Monitor and Report	
total	2.0	4.0	5.0
nickel		Monitor and Report	
zinc			
dissolved		Monitor and Report	
total	0.5	0.75	1.0
cadmium		Monitor and Report	
chromium		Monitor and Report	
alkalinity		greater than acidity	
sulfates		Monitor and Report	
total suspended solids	35	70	90
pH		6.0 to 9.0 (standard units)	

The proposed effluent limits, effective from January 1, 2008, for Outfalls 003—008, which will discharge to Buffalo Run, are as follows:

<i>Parameter</i>	<i>Average Monthly</i>	<i>Concentration (mg/l)</i>	
		<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
arsenic		nondetect	
copper		nondetect	
lead		nondetect	
aluminum			
dissolved	0.032	0.048	0.064
total	0.061	0.092	0.122
Iron			
dissolved	0.024	0.036	0.048
total	0.078	0.117	0.156
manganese			
dissolved	0.002	0.003	0.004
total	0.006	0.009	0.012
nickel		nondetect	
zinc			
dissolved	0.006	0.009	0.012
total	0.006	0.009	0.012
cadmium		nondetect	
chromium		nondetect	
alkalinity		greater than acidity	
sulfates	14	21	28
total suspended solids	8	12	16
pH		6.5 to 9.0 (standard units)	

The proposed effluent limits, effective from January 1, 2008, for Outfall 009, which will discharge to Waddle Creek, are as follows:

<i>Parameter</i>	<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
arsenic		nondetect	
copper		nondetect	
lead		nondetect	
aluminum			
dissolved	0.032	0.048	0.064
total	0.061	0.092	0.122
Iron			
dissolved	0.024	0.036	0.048
total	0.078	0.117	0.156
Manganese			
dissolved	0.002	0.003	0.004
total	0.006	0.009	0.012
nickel		nondetect	
zinc			
dissolved	0.006	0.009	0.012
total	0.006	0.009	0.012
cadmium		nondetect	
chromium		nondetect	
alkalinity		greater than acidity	
sulfates	21	31.5	42
total suspended solids	28	42	56
pH		6.5 to 9.0 (standard units)	

In addition to the effluent limits, the permit contains the following major special conditions:

1. Sampling requirements.
2. Requirements for retention of records.
3. Recording requirements.
4. Testing requirements.
5. Quality assurance/quality control requirements.
6. Submission of discharge monitoring reports.
7. Requirements for management of precipitated solids.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA0096571, Sewage, **Bethlehem Center School District**, 194 Crawford Avenue, Fredericktown, PA 15333. This application is for renewal of an NPDES permit to discharge treated sewage from Bethlehem Center School District Sr. High, Jr. High and Elem. Schools STP in Deemston Borough, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Black Dog Hollow, which are classified as a TSF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Mariana Municipal Water Works.

Outfall 001: existing discharge, design flow of 0.025 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	15			30
Suspended Solids	25			50
Ammonia Nitrogen				
(5-1 to 10-31)	3.0			6.0
(11-1 to 4-30)	5.0			10.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.05			0.11
Dissolved Oxygen	not less than 6.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0098337, Sewage, **Connellsville Area School District**, 125 North Seventh Street, Connellsville, PA 15425. This application is for renewal of an NPDES permit to discharge treated sewage from Springfield Township Elementary School STP in Springfield Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as swale to a tributary of Indian Creek, which are classified as a CWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the North Fayette County Municipal Authority on the Youghiogheny River.

Outfall 001: existing discharge, design flow of 0.003 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	10.5			21.0
(11-1 to 4-30)	25.0			50.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Dissolved Oxygen	not less than 5 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications Under the Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. WQG02010501, Sewerage, **Cumberland Township Authority**, 1370 Fairfield Road, Gettysburg, PA 17325. This proposed facility is located in Cumberland Township, **Adams County**.

Description of Proposed Action/Activity: Replacement of the Route 34 Pump Station.

WQM Permit No. 6705415, Sewerage, **Penn Township**, 20 Wayne Avenue, Hanover, PA 17331. This proposed facility is located in Penn Township, **York County**.

Description of Proposed Action/Activity: Construction/Operation of the Whispering Run, High Pointe-North, Maitland Investment, Martins Ridge gravity sanitary sewer main extension to serve residential developments.

WQM Permit No. 0705401, Sewerage, **Northern Blair County Regional Sewer Authority**, R. R. 4, Box 236-A, Tyrone, PA 16686. This proposed facility is located in Antis Township, **Blair County**.

Description of Proposed Action/Activity: Application for construction / operation of a sewer system, sewer extensions and pump stations.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. 4900401-A1, Sewerage 4952, **The Municipal Authority of the City of Sunbury**, 462 South Fourth Street, Sunbury, PA 17801. This proposed facility is located in the City of Sunbury, **Northumberland County**.

Description of Proposed Action/Activity: Increase the wastewater pumping capacity at two Front Street Pumping Stations, replacement of 7,900 lineal feet of force main and gravity sewer, installation of two 25 mgd effluent pumps at the Sunbury WWTF and construction of a new effluent outfall line to Shamokin Creek.

WQM Permit No. 4905405 Sewerage 4952, **Borough of Riverside**, P. O. Box 307, Riverside, PA 17868. This proposed facility is located in Riverside Borough, **Northumberland County**. The Borough has applied for a Water Quality Management permit to construct a wastewater pumping station and sanitary sewer force main extension to serve 45 lots in the proposed River Hill Phase Two development. The collected sewage from this extension will be conveyed to the existing Danville Borough Wastewater Treatment Plant.

WQM Permit No. 5305401, Sewerage SIC 4952, **Galeton Borough Authority**, 4 Sherman Street, Galeton, PA 16922. This proposed facility will be located in Galeton Borough, **Potter County**.

Description of Proposed Action/Activity: The Authority proposes the replacement of the existing combined sewer system with separate sanitary and storm sewers in the North Sewershed of the Authority's collection system. The project will include a new sanitary interceptor, a new storm interceptor, the elimination of an existing inverted siphon, the installation of a new pump station and the replacement of a CSO manhole.

WQM Permit No. 1704410, Sewerage 4952, **Clearfield Borough**, 6 South Front Street, Clearfield, PA 16830. This proposed facility is located in Clearfield Borough, **Clearfield County**.

Description of Proposed Action/Activity: Phase 2—Replacement of approximately 42,400 lineal feet of sanitary sewers, manholes and appurtenances throughout Wards 2 and 4 of Clearfield Borough.

WQM Permit No. 1905402, Sewerage 4952, **Berwick Area Joint Sewer Authority**, 1108 Freas Avenue, Berwick, PA 18603. This proposed facility is located in Berwick Borough, **Columbia County**.

Description of Proposed Action/Activity: The applicant proposes to construct and operate biological nutrient removal and cannibal sludge process.

WQM Permit No. 1804402, Sewerage 4952, **Department of Conservation and Natural Resources, Bureau of Facility Design and Construction**, R. R. 4 Box 212, Emporium, PA 15834. This proposed facility is located in Leidy Township, **Clinton County**.

Description of Proposed Action/Activity: The applicant proposes the construction and operation of a 2,200 gallon per day sewage treatment plant to serve campsites at Kettle Creek State Park. The proposed treatment plant will consist of an equalization tank, a package activated sludge treatment plant, Ultraviolet Disinfection, sludge holding and a stream discharge to Kettle Creek downstream of the Alvin Bush Dam.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQG Permit No. WQG016119, Sewerage, **Peter M. Nangeroni**, 405 Huffman Road, Waynesburg, PA 15370. This proposed facility is located in Franklin Township, **Greene County**.

Description of Proposed Action/Activity: Application for construction and operation of a sewage treatment plant to serve a proposed single-residence dwelling.

WQM Permit No. 0270413-A4, Sewerage, **Moon Township Municipal Authority**, 1700 Beaver Grade Road, Moon Township, PA 15108. This proposed facility is located in Moon Township, **Allegheny County**.

Description of Proposed Action/Activity: Application for the construction of emergency repairs to the Montour Run Sewage Treatment Plant outfall sewer.

WQM Permit No. 0405405, Sewerage, **Borough of Eastvale**, 510 Second Avenue, Beaver Falls, PA 15010. This proposed facility is located in Eastvale Borough, **Beaver County**.

Description of Proposed Action/Activity: Application for the replacement and operation of existing pump station and force main.

WQM Permit No. 1197403-A2, Sewerage, **Forest Hills Municipal Authority**, P. O. Box 111, South Fork, PA 15956. This proposed facility is located in Conemaugh Township, **Cambria County**.

Description of Proposed Action/Activity: Application for the construction and operation of sewage treatment plant expansion.

WQM Permit No. 6505412, Sewerage, **Hempfield Township Municipal Authority**, R. D. 6, Box 501, Greensburg, PA 15601. This proposed facility is located in Hempfield Township, **Westmoreland County**.

Description of Proposed Action/Activity: Application for the construction and operation of a sanitary sewer extension and two pump stations.

The Pennsylvania Infrastructure Investment Authority, which administers Pennsylvania's State Revolving Fund, has been identified as a possible funding source. The Department of Environmental Protection's review of the sewage facilities plan revision has not identified any significant environmental impacts resulting from this proposal.

WQM Permit No. 2605403, Sewerage, **Belle Vernon Borough**, 10 Main Street, Belle Vernon, PA 15012. This proposed facility is located in Belle Vernon Borough, **Fayette County**.

Description of Proposed Action/Activity: Application for the construction and operation of the installation of sanitary sewer line and storm sewers.

The Pennsylvania Infrastructure Investment Authority, which administers Pennsylvania's State Revolving Fund, has been identified as a possible funding source. The Department of Environmental Protection's review of the sewage facilities plan revision has not identified any significant environmental impacts resulting from this proposal.

WQM Permit No. 5606401, Sewerage, **Conemaugh Township**, 1120 Tire Hill Road, Johnstown, PA 15905. This proposed facility is located in Conemaugh Township, **Somerset County**.

Description of Proposed Action/Activity: Application for the construction and operation of sanitary sewers.

The Pennsylvania Infrastructure Investment Authority, which administers Pennsylvania's State Revolving Fund, has been identified as a possible funding source. The Department of Environmental Protection's review of the sewage facilities plan revision has not identified any significant environmental impacts resulting from this proposal.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

V. Applications for NPDES Waiver Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAS10G267R	The Hankin Group 707 Eagleview Boulevard Exton, PA 19341	Chester	Upper Uwchlan Township	Brandywine Creek (HQ-TSF-MF)
PAI011505083	Downingtown Area School District Wallace Elementary School 122 Wallace Avenue Downingtown, PA 19335	Chester	Wallace Township	East Branch Brandywine Creek (HQ-TSF-MF) Indian Run (HQ-CWF)
PAI011506001	Upper Uwchlan Township East-West Link Road 140 Pottstown Pike Chester Springs, PA 19425	Chester	Upper Uwchlan Township	March Creek (HQ-TSF)
PAI012305006	Edgmtown Township Edgmtown Township Firehouse 1000 Gradyville Road P. O. Box 267 Gradyville, PA 19039	Delaware	Edgmtown Township	Ridley Creek (HQ-TSF)
PAI011505085	Klaus Besier Beiser Development 36 St. Andrews Lane Glenmoore, PA 19343	Chester	West Vincent Township	Black Horse Creek (HQ-TSF)
PAI011506002	Wilson Run Associates, LP c/o Brandolini Companies 1301 Lancaster Avenue Berwyn, PA 19312	Chester	East Nottingham Township	Big Elk Creek (HQ-TSF)
PAI011506003	Britton and Janice Murdoch 1349 Wooded Way Bryn Mawr, PA 19010	Chester	Willistown Township	Crum Creek (HQ-CWF)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI033105004	Rusty Gates 305 Penn Street Huntingdon, PA 16652	Huntingdon	Todd Township	Tatman Run HQ-CWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

**PUBLIC WATER SUPPLY (PWS)
PERMIT**

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration

of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 0906501, Public Water Supply
 Applicant **Hilltown Township Water and Sewer Authority**
 Township Hilltown
 County **Bucks**
 Responsible Official James Groff
 Type of Facility PWS
 Consulting Engineer Castle Valley Consultants, Inc.
 Application Received Date January 10, 2006
 Description of Action Installation of an arsenic removal system for Well No. 2.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 3605512, Public Water Supply.
 Applicant **Village Greens Golf. Inc.**
 Municipality Strasburg Township
 County **Lancaster**
 Responsible Official Cindy A. Fairchild, Secretary
 1444 Village Road
 Rt. 741 West
 Strasburg, PA 17579-9625
 Type of Facility Public Water Supply
 Consulting Engineer Robert E. Murphy, P. E.
 Murphy Engineers & Consultants Inc.
 36 S. Prince Street
 Millersville, PA 17551-1900
 Application Received Date 10/4/2005
 Description of Action Installation of nitrate removal and softening treatment at the facility. The equipment will be located at the snack bar and the Gold Course restrooms.

Permit No. 6705509, Public Water Supply.
 Applicant **Craley Associates Mobile Home Park**
 Municipality Lower Windsor Township
 County **York**
 Responsible Official William M. Hess, Agent for Owner
 1255 South Market Street
 Suite 101
 Elizabethtown, PA 17022
 Type of Facility Public Water Supply
 Consulting Engineer Jerry T. Stahlman, P. E.
 Stahlman & Stahlman, Inc.
 139 E. Market Street
 York, PA 17401

Application Received Date 12/19/2005
 Description of Action The addition of nitrate treatment and water softening for the water supply at the Craley Mobile Home Park.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 3805508, Public Water Supply.
 Applicant **Horning's Market**
 Municipality Jackson Township
 County **Lebanon**
 Responsible Official Joseph H. Horning, Owner
 901 S. College Street
 Myerstown, PA 17067
 Type of Facility Public Water Supply
 Consulting Engineer Charles A. Kehew, II, P. E.
 James R. Holley & Assoc., Inc.
 18 South George St.
 York, PA 17401

Application Received Date 12/16/2005
 Description of Action Construction of a new noncommunity system with UV, softening and nitrate treatment utilizing an existing well.

Permit No. 0105511, Public Water Supply.
 Applicant **York Springs Municipal Authority**
 Municipality Huntington Township
 County **Adams**
 Responsible Official Roy M. Williams, Jr.,
 Chairperson
 P. O. Box 222
 York Springs, PA 17372
 Type of Facility Public Water Supply
 Consulting Engineer Janet R McNally, P. E.
 William F. Hill & Assoc., Inc.
 207 Baltimore St.
 Gettysburg, PA 17325

Application Received Date 12/19/2005
 Description of Action Installation of pH adjustment for corrosion control treatment.

Permit No. 3805509, Public Water Supply.
 Applicant **Mount Gretna Authority**
 Municipality West Cornwall Township
 County **Lebanon**
 Responsible Official William B. Care, Director of Public Works
 P. O. Box 391
 Mt. Gretna, PA 17064
 Type of Facility Public Water Supply
 Consulting Engineer David J. Gettle
 Kohl Bros., Inc.
 P. O. Box 350
 Myerstown, PA 17067

Application Received Date 12/14/2005
 Description of Action Installation of an interconnection with the Mt. Gretna Camp Meeting Association.

Application No. 3105502, Minor Amendment, Public Water Supply.

Applicant **R.P.R. Recreation Limited Partnership**
 Municipality Lincoln Township
 County **Huntingdon**
 Responsible Official P. Jules Patt, General Partner
 100 Chipmunk Crossing
 Entriiken, PA 16638

Type of Facility Public Water Supply
 Consulting Engineer Daniel J. Carbaugh, P. E.
 Keller Engineers, Inc.
 420 Allegheny Street
 Hollidaysburg, PA 16648

Application Received Date 12/7/2005
 Description of Action Addition of potassium permanganate.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 3288506A1, Public Water Supply.

Applicant **Green Township Municipal Authority**
 P. O. Box 129
 77 Musser Street
 Commodore, PA 15729

Township or Borough Green Township
 Responsible Official David Pitt, Chairperson
 Green Township Municipal Authority
 P. O. Box 129,
 77 Musser Street
 Commodore, PA 15729

Type of Facility Commodore water treatment plant
 Consulting Engineer Keller Engineers Inc.
 420 Allegheny Street
 P. O. Box 61
 Hollidaysburg PA 16648

Application Received Date November 18, 2005
 Description of Action Additional chemical treatment and replacement of gas chlorine with sodium hypochlorite

Permit No. 6305502MA, Public Water Supply.

Applicant **Pennsylvania-American Water Company**
 800 Hersheypark Drive
 Hershey, PA 17033
 Township or Borough Chartiers Township

Responsible Official Scott Thomas, Operations Engineer
 Pennsylvania-American Water Company
 800 Hersheypark Drive
 Hershey, PA 17033
 Type of Facility Kish Avenue water storage tank

Consulting Engineer
 Application Received Date December 21, 2005
 Description of Action Blasting and painting of the interior and exterior of the 4.7 million gallon ground tank.

MINOR AMENDMENT

Applications Received under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Application No. 0905511, Minor Amendment.

Applicant **Doylestown Hospital t/a Pine Run Community**
 Township Doylestown
 Responsible Official Michael Sullivan
 777 Ferry Road
 Doylestown, PA 18901

Type of Facility PWS
 Consulting Engineer Ebert Engineering, Inc.
 P. O. Box 540
 4092 Skippack Pike
 Skippack, PA 19474

Application Received Date December 30, 2005
 Description of Action Change the disinfection system from gas chlorine to sodium hypochlorite system.

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Application No. Minor Amendment.

Applicant **City of Easton**
 Township or Borough Williams Township
Northampton County
 Responsible Official David G. Hopkins
Director of Public Works
 City of Easton
 1 South Third Street
 Easton, PA 18042

Type of Facility PWS
 Consulting Engineer James C. Elliott, P. E.
 Vice President and Section Head
 Gannett Fleming, Inc.
 P. O. Box 67100
 Harrisburg, PA 17106

Application Received Date November 14, 2005

Description of Action The applicant proposes the construction of two new 1 million gallon water storage tanks known as the Morgan Hill Water Storage Tanks to replace the existing two 1 million gallon storage tanks at the site.

Application No. Minor Amendment.

Applicant Pennsylvania American Water Company
Township or Borough Coolbaugh Township
Monroe County
Responsible Official John Yamona
 Pennsylvania American Water Company
 100 North Pennsylvania Avenue
 Wilkes-Barre, PA 18701
Type of Facility PWS
Consulting Engineer William J. Malos, P. E.
 Pennsylvania American Water Company
 100 North Pennsylvania Avenue
 Wilkes-Barre, PA 18701
Application Received Date January 9, 2006

Description of Action The minor permit amendment application requests the conversion of existing gas chlorination systems used for disinfection of existing groundwater supplies to a liquid sodium hypochlorite feed system for similar purposes at PCP Wells 2C, 3J and 4K.

WATER ALLOCATIONS

Applications received under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WA30-1000, Water Allocations. **Dunkard Valley Joint Municipal Authority**, P. O. Box 193, Greensboro, PA 15338, **Greene County**. The applicant is requesting the right to withdraw 250,000 gallons per day, average day, from the Monongahela River.

BIOSOLIDS INDIVIDUAL PERMITS (PABIG AND PABIS)

The following parties have applied for either an Individual Site Permit (PABIS) or an Individual Generator Permit (PABIG) for beneficial use of sewage sludge (biosolids) by land application. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (Department) proposes to issue a permit to land apply biosolids subject to certain requirements set forth in the permit.

Persons wishing to comment on the proposed permit are invited to submit a statement to the responsible Department Regional Office noted above the application within 30 days from the date of this public notice.

Comments received within this 30-day period will be considered in the formulation of the final determination regarding this application. Responses should include the name, address, and telephone number of the writer and a concise statement of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Water Management Regional Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, comments received and other information are on file and may be inspected and arrangements made for copying at the responsible Department Regional Office indicated before the application.

Persons with a disability that require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the Secretary to the Board at (717) 787-3483. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PABIS 4821. Circle H Ranch, Pike Township, **Potter County**. Leslie's Septic Service, David Hinman, R. D. 1, Yahn Road, Galeton, PA 16922 has applied to beneficially use their biosolids on the Circle H Ranch in Pike Township, **Potter County**.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person

shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Slutzsky Prop., Northampton Township, **Bucks County**. Edward E. Prout, Jr., American Resource Consultants, Inc., 1000 W. Broad St., Quakertown, PA 18951 on behalf of Harvey Slutzsky, 40 Tulip Rd., Holland, PA 18966 has submitted a Notice of Intent to Remediate. Soil at the site was impacted with No. 2 fuel oil. The intended use of the property will remain residential.

Secane Dry Cleaners, Upper Darby Township, **Delaware County**. David Farrington, P. G., Walter B. Satterthwaite Assoc., Inc., 720 Old Fern Hill Rd., West Chester, PA 19380 on behalf of Avi Nechemia, Golden Gate Electronics, 1417 Callowhill St., Philadelphia, PA 19123 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site were impacted with chlorinated solvents and MTBE.

Lustrik Corp., City of Philadelphia, **Philadelphia County**. Richard Johnson, RT Environmental Svc., Inc., 215 W. Church Rd., King of Prussia, PA 19406 on behalf of Tom Vezzosi, T & R Realty, Inc., 7701 Beech Lane, Wyndmoor, PA 19038 has submitted a Notice of Intent to Remediate. Soil and groundwater were impacted with No. 4 fuel oil, MTBE and chlorinated solvents. The future owner will continue to use the site as a metal finishing and anodizing facility.

Frankford Candy & Candy Co., City of Philadelphia, **Philadelphia County**. Michael Christie, Penn E & R, Inc., 2755 Bergery Rd., Hatfield, PA 19440 on behalf of Norman Milan, Stormin Warehousing, LP, 3248 Stonegate Dr., Huntingdon Valley, PA 19006 has submitted a Notice of Intent to Remediate. Soil at the site was impacted with Nos. 4 and 6 fuel oils. The proposed future use of the property will be nonresidential for warehousing. A sum-

mary of the Notice of Intent to Remediate was reported to have been published in the *Philadelphia Daily News* on December 27, 2005.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Metal Powder Product Washington St. Div., St. Marys Borough, **Elk County**. Peter Robelen, GeoServices Ltd., 1525 Cedar Cliff Drive, Camp Hill, PA 17011 on behalf of Russ Hannibal, Property Owner, Metal Powder Products, 879 Washington St., St. Marys, PA 15857 has submitted a Notice of Intent to Remediate. Property is currently used as a sintered metals manufacturing facility. Property has three sites being addressed by Act 2 process. Compounds of concern are chlorinated solvents, TCE and TCA, vinyl chloride, DCE and DCA. Intended future use of property is as a manufacturing/industrial facility. Soil and groundwater have been affected.

Keystone Powdered Metal Co., St. Marys, **Elk County**. Mary King, Civil & Env. Consultants, 333 Baldwin Road, Pittsburgh, PA 15205 on behalf of Robert Bauer, Keystone Powdered Metal Co., 251 State St., St. Marys, PA 15857 has submitted a Notice of Intent to Remediate. Property has been under industrial use since the 1930s. Groundwater impacted with VOCs, carbon tetrachloride, 1,1-dichloroethane, 1,1-dichloroethene, cis- and trans-1,2-dichloroethene, tetrachloroethene, 1,1,1-trichloroethane, 1,1,2-trichloroethane, trichloroethene, vinyl chloride and nickel. Future intended use of property is industrial.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for

the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121–143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531

40-303-024: Barletta Materials and Construction, Inc. (P. O. Box 550, Tamaqua, PA 18252) for modification of a batch asphalt plant to utilize alternate fuels (waste derived liquid fuel/WDLF) in Nescopeck Township, **Luzerne County**.

54-303-018: Lehigh Asphalt Paving and Construction Co. (P. O. Box 549, Tamaqua, PA 18252) for modification of a batch asphalt plant to utilize alternate fuels (waste derived liquid fuel/WDLF) in West Penn Township, **Schuylkill County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

04-00699F: NGC Industries, Inc. d/b/a National Gypsum Co. (2001 Rexford Road, Charlotte, NC 28211) for installation of Cage Mill at Shippingport Plant in Shippingport Borough, **Beaver County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

42-178B: Glenn O. Hawbaker, Inc. (Turtlepoint Sid-ing, Turtlepoint, PA 16750) for modification of a plan approval to burn alternative fuels including Nos. 2, 5 and 6, reprocessed/recycled oil or biodiesel fuel at Glenn O. Hawbaker, Inc., Plant No. 7—Turtlepoint Asphalt in Annin Township, **McKean County**.

16-010B: Owens Illinois—Clarion Plant (151 Grand Avenue, Clarion, PA 16214-1708) for modification of the Hot End Surface Treatment system in Clarion Borough, **Clarion County**. This is a Title V facility.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.

46-0237A: Numonics Corp. (101 Commerce Drive, Montgomeryville, PA 18936) for modification of an existing spray booth in Montgomery Township, **Montgomery County**. This facility is a State-only facility. The facility wide VOC emission limit will be limited to less than 32 tons per year HAP methylene chloride, emissions are limited to 9.92 tons per year. The Plan Approval and Operating Permit will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

64-303-010: Leeward Asphalt, LLC (9 Collan Park, Honesdale, PA 18431) for modification of a batch asphalt plant with baghouse to utilize Waste Derived Liquid Fuels (WDLF) in Palmyra Township, **Wayne County**. This facility is a non-Title V facility. The facility will be subject to NSPS Subpart I. Particulate emission shall not exceed 0.02 grain/dscf. The company will operate the facility and maintain the system in accordance with the good engineering practices to assure proper operation of the system.

54-305-022: Wheelabrator Culm Services, Inc. (475 Morea Road, Frackville, PA 17931) for construction of an Anthracite coal culm processing plant in Mahanoy Township, **Schuylkill County**. This facility is a non-Title V facility. The company will operate the facility and maintain the system in accordance with the good engineering practices to assure proper operation of the system.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

06-03054A: Martin Stone Quarries Inc. (P. O. Box 297, Bechtelsville, PA 19505) for construction of a cone crusher, two screens, and various conveyors at the Bechtelsville Quarry in Colebrookdale Township, **Berks County**. The modifications are expected to increase the facility's potential-to-emit PM to about 22 tpy. The modifications will be subject to 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants. The plan approval will include emission restrictions, monitoring, recordkeeping and reporting requirements to assure compliance with all applicable air quality regulations.

67-03133: Separation Technologies, LLC (101 Hampton Avenue, Needham, MA 02494) for construction of a fly ash processing facility at the Brunner Island Steam Electric Station in East Manchester Township, **York County**. The facility's annual emission of PM is expected to be 7 tpy. The plan approval will include emission restrictions, monitoring, recordkeeping and reporting requirements to assure compliance with all applicable air quality regulations.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

17-00055B: River Hill Power Company, LLC (94 Spruce Street, Indiana, PA 15701-8424) for revisions to the PM—PM10, lead and beryllium emission limitations established in Plan Approval No. 17-00055A for construction of circulating fluidized bed (CFB) boiler with the 290 megawatt waste coal fired electric generating facility in

Karthus Township, **Clearfield County**. The Department of Environmental Protection (Department) issued Plan Approval No. 17-00055A for construction of the facility on July 21, 2005, expiring on July 21, 2007. This application is subject to the Prevention of Significant Deterioration (PSD) of Air Quality regulations of 40 CFR 52.21 and the Best Available Technology (BAT) requirements of 25 Pa. Code §§ 127.1 and 127.12.

The facility's PM and PM10 emissions are subject to the PSD requirements. The Department has determined that the proposed level of PM and PM10 emission control satisfies BAT and the Best Available Control Technology (BACT) requirements. The facility is also subject to the Standards of Performance for New Stationary Sources for Subpart Da: New Electric Utility Steam Generating Units, 40 CFR 60.40a—49a and satisfies all applicable requirements of this subpart. The CFB boiler will emit up to 125.7 tons of filterable PM10, 628.7 tons of total PM10, including both filterable and condensable PM10, 714 pounds of lead and 216 pounds of beryllium in any 12-consecutive month period.

In accordance with the PSD provisions of 40 CFR 52.21 and 25 Pa. Code § 127.83, River Hill has provided an air quality Class II modeling analysis that demonstrates that the proposed power facility will not cause or significantly contribute to air pollution in violation of the PSD increment standards or the National Ambient Air Quality Standards. In addition, the PSD regulations require an analysis of the impact of the facility's projected PM emissions on visibility, and soils and vegetation, and the air quality impact due to growth associated with the power facility. River Hill has demonstrated that there will be no adverse impact on local visibility and soils and vegetation in the site area and no appreciable air quality impact due to growth associated with the power facility. In accordance with the PSD regulations, River Hill has also provided an air quality Class I modeling analysis and has demonstrated to the satisfaction of the Federal Land Managers that the power facility's projected emissions will not adversely impact air quality related values, including visibility, within Federal Class I areas. Furthermore, modeled ambient concentrations of SO₂, NO_x and PM10 in the Dolly Sods, Otter Creek and Shenandoah National Park Class I areas are below the respective significant impact levels (SIL) for Class I PSD increments.

The air quality modeling analysis estimates that the operation of the River Hill power facility will result in Class II area increment consumption for PM10 of 20.8 µg/m³ of the allowable 30 µg/m³ 24-hour PM10 increment standard and 10.2 µg/m³ of the allowable 17 µg/m³ annual PM10 increment standard. The air quality modeling analysis estimates that the operation of the River Hill power facility will result in maximum Class I area impacts that will not exceed the Class I SIL for PM10. The maximum PM10 Class I impact is 0.174 µg/m³ of the applicable 0.3 µg/m³ 24-hour PM10 SIL and 0.00392 µg/m³ of the applicable 0.2 µg/m³ annual PM10 SIL.

The Department's review of the information contained in the application indicates that the proposed revisions will comply with all State and Federal requirements as specified pertaining to air contamination sources and the emission of air contaminants. Based on this finding, the Department intends to approve the application and issue plan approval for the proposed revisions. The Department proposes the following plan approval conditions to ensure compliance with all applicable regulatory requirements.

1. Under BACT of the PSD provisions in 40 CFR 52.21 and of 25 Pa. Code § 127.83, as well as the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the emission of filterable PM10 from the exhaust of the fabric collector associated with the CFB boiler shall not exceed 0.010 pound per million Btu of heat input, 28.7 pounds per hour and 125.7 tons in any 12-consecutive month period. In addition, the permittee shall not emit any total PM from the exhaust of the fabric collector associated with the CFB boiler with an aerodynamic diameter greater than 10 microns.

2. Under BACT of the PSD provisions in 40 CFR 52.21 and 25 Pa. Code § 127.83, as well as the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the emission of PM10, from the exhaust of the fabric collector associated with the CFB boiler shall not exceed 0.050 pound per million Btu of heat input, 143.6 pounds per hour and 628.7 tons in any 12-consecutive month period. The total PM10 emission limitation shall include filterable and condensable PM.

3. Under BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the emission of lead from the exhaust of the fabric collector associated with the CFB boiler shall not exceed 28.4 pounds per trillion Btu of heat input, 0.0815 pound per hour and 714 pounds in any 12-consecutive month period.

4. Under BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the emission of beryllium from the exhaust of the fabric collector associated with the CFB boiler shall not exceed 8.58 pounds per trillion Btu of heat input, 0.0246 pound per hour and 216 pounds in any 12-consecutive month period.

5. Under 25 Pa. Code § 127.12b, the Department will evaluate the actual emission rates and may revise (decrease or increase) the allowable emission rates based upon demonstrated performance (CEM data, stack test results and/or subsequently promulgated applicable requirements) during the first 5 years of operation. Any revision of the allowable emission rates shall be accomplished by minor modification provided that the revised allowable emission rates do not exceed levels at which the lowest achievable emission rate (LAER), BACT and BAT were evaluated do not exceed the level at which facility impacts were modeled and is not a result of a physical change at the facility.

6. Within 120 days of achieving maximum production, but no later than 180 days after initial startup, the permittee shall perform testing on the exhaust of the fabric collector associated with the CFB boiler to verify the total PM10 (filterable and condensable), the filterable PM10, total PM, beryllium and lead emission rates. Testing shall be performed while Source ID 031 is operating at its maximum rate of production, using test methods and procedures approved by the Department. For PM emission testing, the permittee shall perform EPA Method 5 (40 CFR Part 60, Appendix A-3), EPA Method 201 or 201A (40 CFR Part 51, Appendix M), and EPA Method 202 (40 CFR Part 51, Appendix M) testing, or other testing methods as approved by the Department. These tests shall be repeated on a yearly basis. The permittee may request a change in the frequency of the testing once enough data has been established to verify compliance.

7. Under the PSD provisions in 40 CFR 52.21 and 25 Pa. Code § 127.83, as well as the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the permittee shall install, certify, maintain and operate a CEMs for filterable PM10

emissions on the exhaust of the fabric collector associated with the CFB boiler in accordance with all applicable requirements specified in 25 Pa. Code Chapter 139 and the Department's Continuous Source Monitoring Manual. The CEMS specified previously shall be installed prior to startup of the CFB boiler and the fabric collector. No CEMS may however be operated unless Phase I approval has first been obtained from the Department.

8. The PM10 CEMS shall be capable of monitoring the filterable PM10 emission concentrations expressed in ppmv, emission rates expressed in pounds per hour and pounds per million Btu and total emissions in any 12-consecutive month period, expressed in tons per year, from the exhaust of the fabric collector associated with the CFB boiler.

9. Under the PSD provisions in 40 CFR 52.21 and 25 Pa. Code § 127.83, as well as the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the permittee shall submit a Phase I application to the Department for PM10 CEMS, capable of monitoring filterable PM10, which shall be constructed at least 6 months prior to the anticipated startup date of the CFB boiler and the fabric collector.

10. Under the PSD provisions in 40 CFR 52.21 and 25 Pa. Code § 127.83, as well as the BAT provisions in 25 Pa. Code §§ 127.1 and 127.12, the CFB boiler shall not be operated for any reason unless the associated PM10 CEMS, capable of monitoring filterable PM10, has received Phase I approval from the Department and has subsequently been installed and made operational in accordance with the conditions of this plan approval.

11. The data collected from the PM10 CEMS shall not be used to demonstrate compliance with any emission limitation specified in this plan approval for up to 24 months from the initial start of operation of the CFB boiler. During the 24-month period, the Department will evaluate the PM10 CEMS data and, if the Department determines that the data is representative of actual PM10 emissions from the CFB boiler, the Department will require the permittee to submit a Phase II plan in accordance with the Department's Continuous Source Monitoring Manual for Department approval.

12. Upon request by the Department, the permittee shall perform relative accuracy testing on the PM10 CEMS. All performance specification testing shall be conducted in accordance with Performance Specification 11 of Appendix B of 40 CFR Part 60 and any appropriate performance specification test procedures contained in the latest revision of the Department's Continuous Source Monitoring Manual.

13. Within 30 months from the initial start of operation of the CFB boiler, the PM10 CEMS shall be fully certified in accordance with the Department's Continuous Source Monitoring Manual. The data from the certified PM10 CEMS shall be used to demonstrate compliance with the filterable PM10 emission limitation for the CFB boiler.

14. After 24 months from the initial start of operation of the CFB boiler, if the Department determines that the data from the PM10 CEMS is not representative of actual PM10 emissions from the CFB boiler, the Permittee may discontinue the operation of the PM10 CEMS upon the notification of the Department.

15. The permittee shall keep comprehensive and accurate records of: the supporting calculations for filterable PM10 emissions from the fabric collector associated with the CFB boiler to verify compliance with the filterable PM10 emissions limitations of pound per million Btu of heat input, pounds per hour and tons in any 12-

consecutive month period; the supporting calculations for total PM10 emissions from the fabric collector associated with the CFB boiler to verify compliance with the total PM10 emissions limitations of pound per million Btu of heat input, pounds per hour and tons in any 12-consecutive month period; the supporting calculations for lead emissions from the fabric collector associated with the CFB boiler to verify compliance with the lead emissions limitations of pounds per trillion Btu of heat input, pounds per hour and pounds in any 12-consecutive month period; and the supporting calculations for beryllium emissions from the fabric collector associated with the CFB boiler to verify compliance with the beryllium emissions limitations of pounds per trillion Btu of heat input, pounds per hour and pounds in any 12-consecutive month period.

16. The permittee shall keep records associated with the continuous emission monitoring system for filterable PM10 emissions from the exhaust of the fabric collector associated with the CFB boiler in accordance with all applicable requirements specified in 25 Pa. Code Chapter 139 and the Department's Continuous Source Monitoring Manual.

17. The permittee shall submit reports to the Department on a semiannual basis that include the supporting calculations used to verify compliance with the filterable PM10, total PM10, lead and beryllium emissions limitations in any 12-consecutive month period.

18. The permittee shall submit all reports to the Department associated with the continuous emission monitoring system for filterable PM10 emissions from the exhaust of the fabric collector associated with the CFB boiler in accordance with all applicable requirements specified in 25 Pa. Code Chapter 139 and the Department's Continuous Source Monitoring Manual.

19. The CFB boiler is subject to the New Source Performance Standards, 40 CFR Part 60, Subpart Da and shall comply with all applicable requirements as specified in 40 CFR 60.40a-60.49a.

20. All conditions contained in Plan Approval 17-00055A remain in effect unless superseded or amended by conditions contained in this plan approval. If there is a conflict between a condition contained in this plan approval and a condition contained in Plan Approval 17-00055A, the permittee shall comply with the condition contained in this plan approval.

Copies of the application, Department's review, Federal Land Managers' review and the modeling analysis used in the evaluation of the application are available for public review between 8 a.m. and 4 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at (570) 327-3693.

Interested persons may submit written comments, suggestions or objections concerning the proposed plan approval to the regional office within 30 days of publication of this notice. Written comments submitted to the Department during the 30-day public comment period should include the name, address and telephone number of the commentator, identification of proposed Plan Approval 17-00055B and a concise statement regarding the relevancy of the information or objections to the issuance of the plan approval.

A public hearing may be held if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments

or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines that notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Chief, Facilities Permitting Section, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-0512.

Persons with a disability who wish to comment and require an auxiliary aid, service, or other accommodations to do so should contact the Department or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

10-333A: Penn United Technology, Inc. (799 North Pike Road, Cabot, PA 16023) for installation of batch vapor solvent degreasing equipment at their facility in Jefferson Township, **Butler County**. In accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b), the Department of Environmental Protection intends to issue a plan approval to install batch vapor solvent degreasing equipment at their facility in Jefferson Township, Butler County. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the State-only operating permit through an administrative amendment at a later date.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

35-00004: Cascades Tissue GRP PA, Inc.—Ransom Plant (Vogelbacher Industrial Park, 901 Sathers Drive, Pittston Township, PA 18640) for a paper mill in Ransom Township, **Lackawanna County**. The facility's major source of emissions is the operation of the paper mill, which emits VOCs.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428, Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

46-00232: Cemco Lift, Inc. (2801 Township Line Road, Hatfield, PA 19440) for a Non-Title V Facility, State-only, Synthetic Minor Permit in Hatfield Township, **Montgomery County**. Cemco Lift, Inc. is a manufacturer of elevators and elevator parts. The main sources of emissions are two paint booths, manual brush painting, a Safety Kleen parts washer and 50 space heaters. The Department has determined that emissions from the Safety Kleen parts washer and the 50 space heaters are de minimis. The Residential Wood Paint Booth will be permitted for 0.87 ton per year of VOCs. The Commercial Paint Booth will be permitted for 5.37 tons per year of VOCs, and Manual Brush Painting will be permitted for 4.73 tons per year of VOCs. Emissions of HAPs and PM

from the aforementioned sources have been deemed de minimis. The permit will contain monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

39-00044: Houghton International, Inc. (6681 Snowdrift Road, Allentown, PA 18106) for operation of a Facility State-only Natural Minor Operating Permit for two boilers in Upper Macungie Township, **Lehigh County**.

45-00015: Selig Construction Co., Inc. (P. O. Box 185, Pocono Lake, PA 18347) for operation of a Facility State-only Natural Minor Operating Permit for mining and quarry operations in Tobyhanna Township, **Monroe County**.

48-00040: 220 Ingraham Operating Corp. (236 Greenpoint Avenue, Suite 200, Brooklyn, NY 11222) for operation of a Facility State-only Natural Minor Operating Permit for a boiler in City of Bethlehem, **Northampton County**.

48-00042: Molded Acoustical Products, Inc. (3 Danfourth Drive, Easton, PA 18054) for operation of a Facility State-only Natural Minor Operating Permit for molded fiberglass operations in Palmer Township, **Northampton County**.

40-00048: Reading Materials, Inc. (P. O. Box 196, 2052 Lucon Road, Skippack, PA 19474) for operation of a Facility State-only Synthetic Minor Operating Permit for an asphalt plant in Foster Township, **Luzerne County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

01-03020: HADCO—Division of Genlyte Group, LLC (100 Craftway, Littlestown, PA 17340) a renewal of their State-only Operating Permit for operation of the Littlestown Plant in Littlestown Borough, **Adams County**. The State-only operating permit will include monitoring, recordkeeping, reporting requirements, emission restrictions and work practice standards designed to keep the facility operating within all applicable air quality requirements.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

65-00881: Innovative Carbide, Inc. (11040 Parker Drive, WCIDC4, Irwin, PA 15642) for metal powder mixing and drying at their North Huntingdon Township Plant in North Huntingdon, **Westmoreland County**. This is a State-only Operating Permit Renewal.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Eric Gustafson Facilities Permitting Chief, (814) 332-6940.

25-00931: Department of Corrections—Albion SCI (10745 Route 18, Albion, PA 16475) for reissuance of State-only Operating Permit No. 25-00931 issued to the Albion State Correctional Institute in Albion Borough, **Erie County**. The air contamination sources at the facility include various boilers, electric generators and painting booths.

61-00032: Hickman Lumber Co. (Route 208, Emlenton, PA 16373-9305) for a Natural Minor Operating Permit to operate a hardwood sawmill and kiln operation in Scrubgrass Township, **Venango County**.

43-00335: McGonigle Funeral Home (1090 East State Street, Sharon, PA 16146) for operation of a crematorium in the city of Sharon, **Mercer County**.

62-00153: Whirley Industries, Inc.—Harmar Street Facility (6 Harmar Street, Warren, PA 16365-4923) to operate a printing and silk screening operation at 6 Harmar Street, Warren City, **Warren County**.

43-00336: PA Rail Car Co. (33 Carbaugh Street, West Middlesex, PA 16159) Natural Minor operating permit for the refurbishing of damaged railcar doors in the Township of West Middlesex, **Mercer County**.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any

person or any officer or head of any Federal, State or local government agency or authority to the Department at the district mining office indicated before an application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas, active areas disturbed by coal refuse disposal activities and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

30733707 and NPDES Permit No. PA0215830, Consolidation Coal Company (1800 Washington Road,

Pittsburgh, PA 15241), to renew the permit for the Robena Refuse Disposal Area in Monongahela Township, **Greene County** and related NPDES permit. No additional discharges. Application received September 15, 2005.

65841328 and NPDES Permit No. PA0033677, Rosebud Mining Company (301 Market Street, Kittanning, PA 16201-9642), to revise the permit for the Mine 78 (known as Windber Mine No. 78) in Paint Township, **Somerset County** to change the operation name and add surface and subsidence control plan area acres to reopen the mine. Surface Acres Proposed 25.0, SCP acres pro-

posed 2,570.0. Receiving streams: Paint Creek, classified for the following use: CWF and a UNT to Paint Creek, classified for the following use: CWF. Application received December 14, 2005.

Cambria District Mining Office: 286 Industrial Road, Ebensburg, PA 15931, (824) 472-1900.

56950105 and NPDES Permit No. PA0213136. Mar-quis Mining Corporation, 3889 Menoher Boulevard, Johnstown, PA 15905, permit renewal for reclamation only of a bituminous surface mine in Stonycreek Township, **Somerset County**, affecting 245.0 acres. Receiving streams: UNTs to Wells Creek and UNTs to Stonycreek classified for the following use: CWF. The first downstream potable water supply intake from the point of discharge is Hooversville Municipal Authority. Application received January 4, 2006.

56950105 and NPDES Permit No. PA0213136. Mar-quis Mining Corporation, 3889 Menoher Boulevard, Johnstown, PA 15905, transfer of an existing bituminous surface mine from Pennsylvania Coal Company, Inc., 6675 Baltimore Pike, Littlestown, PA 17349 located in Stonycreek Township, **Somerset County**, affecting 245.0 acres. Receiving streams: UNTs to Wells Creek, UNTs to Stonycreek classified for the following use: CWF. The first downstream potable water supply intake from the point of discharge is Hooversville Municipal Authority. Application received January 4, 2006.

32010111 and NPDES Permit No. PA0249050. Alverda Enterprises, Inc., P. O. Box 87, Alverda, PA 15710, revision of an existing bituminous surface mine to add 9.2 acres of which 1.2 acres are projected for coal removal in Pine Township, **Indiana County**, affecting 34.8 acres. Receiving streams: UNT to Yellow Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received January 5, 2006.

56030107 and NPDES Permit No. PA0249521. Future Industries, Inc., P. O. Box 157, Meyersdale, PA 15552, revision of an existing bituminous surface mine to add a stream variance including a stream crossing and a SMP boundary revision of 2.8 acres in Brothersvalley Township, **Somerset County**, affecting 182.1 acres. Receiving streams: UNTs to Buffalo Creek and Buffalo Creek; UNTs to Millers Run and Millers Run classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received January 4, 2006.

11060101 and NPDES Permit No. PA0249882. CMT Energy, Inc., P. O. Box 223, Brisbin, PA 16620-0223, commencement, operation and restoration of a bituminous surface mine in Chest Township, **Cambria County**, affecting 33.1 acres. Receiving streams: UNTs to Chest

Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received January 4, 2006.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

03940110 and NPDES Permit No. PA0201138. Canterbury Coal Company (R. D. 1, Box 119, Avonmore, PA 15618). Renewal application for reclamation only to a bituminous surface mine, located in Kiskiminetas Township, **Armstrong County**, affecting 88.4 acres. Receiving streams: UNTs to Roaring Run and Roaring Run, classified for the following use: CWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received: January 4, 2006.

03060101 and NPDES Permit No. PA0250848. State Industries, Inc. (P. O. Box 1022, Kittanning, PA 16201). Application for commencement, operation and reclamation of a bituminous surface mine, located in South Buffalo Township, **Armstrong County**, affecting 175.9 acres. Receiving streams: Nicholson Run and UNTs to Allegheny River, classified for the following use: WWF. The first potable water supply intake within 10 miles downstream from the point of discharge: Municipal Authority of Buffalo Township. Application received: January 3, 2006.

Knox District Mining Office: White Memorial Building, P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

10060101 and NPDES Permit No. PA0258091. Ben Hal Mining Company (389 Irishtown Road, Grove City, PA 16127). Commencement, operation, and restoration of a bituminous surface strip operation in Clay Township, **Butler County** affecting 89.9 acres. Receiving streams: UNT to Muddy Creek, classified for the following use: HQ-CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: January 6, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

54950201R2. Gilberton Coal Company (10 Gilberton Road, Gilberton, PA 17934), renewal of an existing anthracite coal refuse reprocessing operation in Butler Township, **Schuylkill County** affecting 15.0 acres, receiving stream: none. Application received December 29, 2005.

Noncoal Applications Received

Effluent Limits

The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity ¹ pH ¹		greater than 6.0; less than 9.0	

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Cambria District Mining Office: 286 Industrial Park road, Ebensburg, PA 15931, (814) 472-1900.

Permit No. 31950301 and NPDES Permit No. PA0213268. Glass Bagging Enterprises, Inc., P. O. Box 120, Duncansville, PA 16635, renewal of NPDES Permit, Hopewell Township, **Huntingdon County**. Receiving streams: UNT to Shy Beaver Creek classified for the following use: WWF. The first downstream potable water supply intake from the point of discharge is Lake Raystown Resort. NPDES renewal application received November 17, 2005. Permit issued January 10, 2006.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the FWPCA (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

E46-987. Lower Salford Township, 379 Main Street, Harleysville, PA 19438, Lower Salford Township, **Montgomery County**, ACOE Philadelphia District.

To construct and maintain an 80-foot long by 8-foot wide by 4.31-foot high pedestrian bridge across the bank of the West Branch of Skippack Creek (TSF) as a part of a community bike and walking trail.

The bridge is located on the Seneko/Marczuk property near the intersection of Upper Mainland and Quarry Roads (Collegetown, PA, USGS Quadrangle, N: 20.5 inches; W: 1.0 inch).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E36-804: Harry H. Bean, III, 404 Rome Road, Lititz, PA 17543-1316 in Lititz Borough and Warwick Township, **Lancaster County**.

To maintain a 170-foot long and 38-inch high timber crib wall made of railroad ties at the left bank of Hubers Run (WWF) to restore the stream bank erosion located about 800 feet from its confluence with Santo Domingo Creek (Lititz, PA Quadrangle N: 6.41 inches; W: 6.25 inches) (Lat: 40° 09' 37"; Long: 76° 17' 41') in Lititz Borough, Lancaster County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E12-160. Cameron County Conservation District, 20 East Fifth Street, Emporium, PA 15834. Clear Creek Stabilization Project in Shippen Township, **Cameron County**, ACOE Baltimore District (Rich Valley, PA Quadrangle N: 2.13 inches; W: 11.25 inches).

To realign the channel of Clear Creek (HQ-CWF) and to construct, operate and maintain a minimum of five rock cross-vanes and two rock straight vanes for the stabilization of 875 feet of eroded stream bank. Rock vane construction shall be conducted in minimum stream flow conditions needed to establish stream centerline, as well as conducted from the stream bank to the fullest extent possible. Since Clear Creek is a WTF, no construction or future repair work shall be done in or along the stream channel between October 1 and December 31 without the prior written approval of the Fish and Boat Commission. The project will not impact wetlands while temporarily impacting 875 feet of stream channel that is located along the southern right-of-way of Clear Creek Road at the intersection of Jenks Run and Clear Creek Roads.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1523. Minnock Construction Company, 7202 Old McKnight Road, Pittsburgh, PA 15237. To place fill in wetlands in Hampton Township, **Allegheny County**, Pittsburgh ACOE District. (Glenshaw, PA Quadrangle N: 20.66 inches; W: 8.00 inches and Latitude: 40° 36' 49.61"—Longitude: 79° 55' 57.58"). The applicant proposes to develop 26 townhouse units and associated roadway on the remaining 6.6 acres on the Raintree Manor Phase 2 site. Grading operations for Phase 2 were concurrent with development of Phase 1 about 1980. About 3 acres of the 6.6 acre site will be disturbed. Approximately 0.20 acre of wetland will be impacted.

Prior land usage was farmland. Total impacted length of stream bank will be 470 feet of a UNT to Crouse Run (TSF).

E11-316. Northern Cambria School District, 601 Joseph Street, Northern Cambria, PA 15714. To place fill in wetlands in the Borough of Northern Cambria, **Cambria County**, Pittsburgh ACOE District. (Barnesboro, PA Quadrangle N: 5.6 inches; W: 5.5 inches and Latitude: 40° 39' 21.3"—Longitude: 78° 47' 20.7"). The applicant proposes to place and maintain fill in 0.22 acre of wetlands in the watershed of a UNT to West Branch Susquehanna River (CWF) for the purpose of constructing addition to the school building.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

D10-120EA. Butler County Parks and Recreation, P. O. Box 1208, Butler, PA 16003. Butler Township, **Butler County**, ACOE Pittsburgh District Office.

Project proposes to breach and remove Alameda Park Dam across Sullivan Run (WWF) for the purpose of

eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will restore approximately 100 feet of stream channel. The dam is located approximately 3,200 feet north of the intersection of SR 356 and SR 68 (Mount Chestnut, PA Quadrangle N: 0.50 inch; W: 7.0 inches).

DAM SAFETY

Central Office: Bureau of Waterways Engineering, 400 Market Street, Floor 3, P. O. Box 8554, Harrisburg, PA 17105-8554.

D02-118. Town of McCandless, 9955 Grubbs Road, Wexford, PA 15090. To construct, operate and maintain a stormwater detention dam, the Duncan Avenue Extension West Dam, across a tributary to Little Pine Creek (Emsworth, PA Quadrangle North: 12.4 inches; East: 13.5 inches) in the Town of McCandless, **Allegheny County**. The applicant is requesting the reissuance of this permit. The permit was originally issued on June 5, 1997, and the permit "completion date" was previously extended to December 31, 2003. Construction was delayed due to legal issues that have now been resolved.

ACTIONS

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE
ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY
MANAGEMENT (WQM) PERMITS**

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0026492A1	Scranton City Sewer Authority 307 North Washington Avenue Scranton, PA 18503	Lackawanna County City of Scranton	Lackawanna River (5A)	N
PA0060046A1	Can-Do, Inc. 1 South Church Street Hazleton, PA 18201	Luzerne County Hazle Township	Tomahicken Creek (5D)	N
PA0027090A1	Lackawanna River Basin Sewer Authority P. O. Box 9068 Dickson City, PA 18515	Lackawanna County Throop Borough	Lackawanna River (5A)	N
PA0027065A1	Lackawanna River Basin Sewer Authority P. O. Box 9068 Dickson City, PA 18515	Lackawanna County Archbald Borough	Lackawanna River (5A)	N
PA0027081A1	Lackawanna River Basin Sewer Authority P. O. Box 9068 Dickson City, PA 18515	Wayne County Clinton Township	Lackawanna River (5A)	N

*In accordance with the Chesapeake Bay Strategy, nutrient monitoring requirements were added to these permits.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0063428	Blue Mountain Ski Area P. O. Box 201 Palmerton, PA 18071	Carbon County Lower Towamensing Township	Buckwha Creek (2B)	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0090344 Sewage	Ohio Township Sanitary Authority 1719 Roosevelt Road Pittsburgh, PA 15237	Allegheny County Ohio Township	Drainage Swale to Toms Run	Y
PA0098914 Sewage	New Sewickley Township 233 Miller Road Rochester, PA 15074	Beaver County New Sewickley Township	Swale Tributary to Brush Creek	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No. PA0055751, Industrial Waste, **Delbar Products, Inc.**, 7th and Spruce Streets, Perkasie, PA 18944. This proposed facility is located in Perkasie Borough, **Bucks County**.

Description of Proposed Action/Activity: Approval to discharge stormwater runoff and treated groundwater into a UNT to East Branch Perkiomen Creek in Watershed 3E.

NPDES Permit No. PA0057924, Sewage, **Claude DeBotton d/b/a/ Joyfor Joint Venture**, 1604 Walnut Street, Philadelphia PA 19103. This proposed facility is located in Newtown Township, **Delaware County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge treated sewage through wetlands to Reese's Run to Crum Creek in Watershed 3G.

NPDES Permit No. PA0029530, Sewage, **Palisades School District STP**, 39 Thomas Free Drive, Kintnersville, PA 18930. This proposed facility is located in Nockamixon Township, **Bucks County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge treated sewage into a UNT to Gallows Run in Watershed 2D.

NPDES Permit No. PA0244040, Sewage, **Shelly Square, LP**, 528 Main Street, Harleysville, PA 19428. This proposed facility is located in Upper Salford Township, **Montgomery County**.

Description of Proposed Action/Activity: Approval for a new permit to discharge treated wastewater into the East Branch Perkiomen Creek in Watershed 3E.

NPDES Permit No. PA0244031, Sewage, **Chadds Ford Township**, 10 Station Way Road, P. O. Box 181, Chadds Ford, PA 19317. This proposed facility is located in Chadds Ford Township, **Delaware County**.

Description of Proposed Action/Activity: Approval for a new permit to discharge treated sewage from Turner's Mill STP into Harvey Run a tributary to Brandywine Creek in Watershed 3H.

NPDES Permit No. PA0057673, Sewage, **Candlewyck Estates Homeowners Association**, 602 East Broad Street, Souderton, PA 18964. This proposed facility is located in Marlborough Township, **Montgomery County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge treated sewage into a UNT to Perkiomen Creek in Watershed 3E.

NPDES Permit No. PA0050733, Sewage, **Lincoln University of the Commonwealth Systems of Higher Education**, P. O. Box 179, 1570 Baltimore Pike, Lincoln University, PA 19352. This proposed facility is located in Lower Oxford Township, **Chester County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge treated sewage into McDonald Run in Watershed 7K.

NPDES Permit No. PA0031666, Sewage, **Concord Country Club**, P. O. Box 68, Concordville, PA 19331. This proposed facility is located in Concord Township, **Delaware County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge treated sewage from the facility into a UNT to West Branch Chester Creek Watershed 3G.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

NPDES Permit No. PA-0063304, Industrial Waste, **Blythe Township Municipal Authority**, 375 Valley Street, New Philadelphia, PA 17959. This proposed facility is located in Cass Township, **Schuylkill County**.

Description of Proposed Action/Activity: Renewal of NPDES Permit.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0028983, Sewage, **McVeytown Borough Authority**, P. O. Box 321, McVeytown, PA 17051. This proposed facility is located in McVeytown Borough, **Mifflin County**.

Description of Proposed Action/Activity: Authorization to discharge to the Juniata River in Watershed 12-A.

NPDES Permit No. PA0082368, Sewage, **Abbottstown-Paradise Joint Sewer Authority**, P. O. Box 505, Abbottstown, PA 17301. This proposed facility is located in Hamilton Township, **Adams County**.

Description of Proposed Action/Activity: Authorization to discharge to Beaver Creek in Watershed 7-F.

NPDES Permit No. PA0247847, Sewage, **Rodger Petrone**, 4076 Market Street, Camp Hill, PA 17011. This proposed facility is located in Carroll Township, **York County**.

Description of Proposed Action/Activity: Authorization to discharge to the Yellow Breeches Creek in Watershed 7-E.

NPDES Permit No. PA0088439, Sewage, **Lee Mummau, School House Village MHP**, 14192 Day Avenue, Mt. Airy, MD 21771. This proposed facility is located in Licking Creek Township, **Fulton County**.

Description of Proposed Action/Activity: Authorization to discharge to the Sindeldecker Branch in Watershed 13-B.

NPDES Permit No. PA0083143, Industrial Waste, **Saxton Borough Municipal Authority, Saxton Water Treatment Facility**, 707 Ninth Street, Saxton, PA 166678-1213. This proposed facility is located in Liberty Township, **Bedford County**.

Description of Proposed Action/Activity: Authorization to discharge to the Raystown Branch Juniata River in Watershed 11-D.

NPDES Permit No. PA0086967, Industrial Waste, **Myerstown Water Authority**, 601 Stracks Dam Road, Myerstown, PA 17067. This proposed facility is located in Jackson Township, **Lebanon County**.

Description of Proposed Action/Activity: Authorization to discharge to a UNT of Tulpehocken Creek in Watershed 3-C.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 0605401, Sewerage, **Richmond Township**, P. O. Box 474, Fleetwood, PA 19522. This proposed facility is located in Richmond Township, **Berks County**.

Description of Proposed Action/Activity: Approval for the construction / operation of Sewers and Appurtenances and two Pump Stations.

WQM Permit No. 6705406, Sewerage, **Rodger C. Petrone**, 4076 Market Street, Camp Hill, PA 17011. This proposed facility is located in Carroll Township, **York County**.

Description of Proposed Action/Activity: Approval for the construction / operation of sewerage facilities consisting of a residential small flow treatment facility using a septic tank, Ecoflo peat filter and chlorine disinfection.

WQM Permit No. 2201402 Amendment No. 06-1, Sewerage, **Nathan W. Buse**, 1055 Manada Gap Road, Grantville, PA 17028-9051. This proposed facility is located in East Hanover Township, **Dauphin County**.

Description of Proposed Action/Activity: Amendment approval for the transfer of sewerage facilities consisting of a single family residence sewage treatment facility.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQG Permit No. WQG016118, Sewerage, **Scott Marker**, 840 Pioneer Road, Rockwood, PA 15557. This proposed facility is located in Milford Township, **Somerset County**.

Description of Proposed Action/Activity: Construction and operation of a single-residence sewage treatment plant.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI010904016	Glazier Group, LP William R. Glazier Subdivision 5901 Atkinson Road New Hope, PA 18938-5301	Bucks	Durham Township	UNT Cooks Creek and Delaware River (EV, WWF, MF)
PAS10G558	Tevl Corporation Walnut Spring Farm 528 Main Street, Suite 101 Harylesville, PA 19438	Chester	East Coventry Township	UNT Schuylkill River (HQ-TSF)
PAI011503005A1	Great Valley High School High School Fill Operation 47 Church Road Malvern, PA 19355	Chester	East Whiteland Township	Valley Creek (EV)
PAI011505045	Walter R. Reid Reid Farm Pond 480 West Christine Road Nottingham, PA 19362	Chester	West Nottingham Township	Black Run (EV)
PAI011505055	First Germantown Corporation Charlestown Woods Subdivision 138 Montrose Avenue, Suite 59 Bryn Mawr, PA 19010	Chester	Charlestown Township	UNT Pickering Creek (HQ-TSF)
PAI011505059	CMR Development Corpotion CMR Residential Development 3125 Horseshoe Pike Honey Brook, PA 19344	Chester	Caln Township	West Branch Brandywine Creek (HQ)
PAI011505068	M & N Contractors, Inc. 2050 Chataqua Trail Residence 409 Ferry Road, Suite B Doylestown, PA 18901	Chester	Tredyffrin Township	UNT Pickering Creek (HQ-TSF)
PAI011505076	Gregory Wier Wier Residence 1115 Yorkshire Way West Chester, PA 19382	Chester	West Vincent Township	Tributary Beaver Creek (HQ-TSF-MF)
PAI011505077	Downingtown Area School Dist Shamona Creek Elementary School 126 Wallace Avenue Downingtown, PA 19335	Chester	Uwchlan Township	Shamona and Brandywine Creek (HQ-TSF-MF)
PAI011505079	Commerce Bank, NA Proposed Commerce Bank 11000 Atrium Way Mount Laurel, NJ 08054	Chester	Willistown Township	Crum Creek (HQ)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024804037	Signature Homes 610 Farm Lane Doylestown, PA 18901	Northampton	Forks Township	Bushkill Creek HQ-CWF
PAI024805018	Glen Hale 3511 Glover Rd. Easton, PA 18040	Northampton	Forks Township	Bushkill Creek HQ-CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI030605003	Borough of Wyomissing 22 Reading Boulevard Wyomissing, PA 19610	Berks	Wyomissing Borough	Wyomissing Creek HQ-CWF

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI044905002	John Forgarty John Fogarty Custom Built Homes, Inc 4550 Westbranch Hwy. Lewisburg, PA 17837	Northumberland	Ralpho Township	UNT S. Br. Roaring Creek HQ-CWF
PAI041405007	Dr. T. C. Hsu Polymics 2215 High Tech Road State College, PA 16801	Centre	Benner Township	Buffalo Run HQ-CWF

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Washington County Conservation District, 602 Courthouse Square, Washington, PA 15236, (724) 228-6774.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI056304005 Phase II	McDowell Estates, LP 300 Weyman Plaza, Suite 210 Pittsburgh, PA 15236	Washington	North Strabane Township	Little Chartiers Creek (HQ-WWF)

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI062405001	MiCale Construction Service, Inc.	Elk	Fox Township	UNT Byrnes Run EV
PAI063305002	Jefferson County	Jefferson	Pinecreek Township	UNT North Fork HQ-CWV and UNT Mill Creek CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Single Residence Sewage Treatment Plants
PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application

PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

General Permit Type—PAG-2

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
West Rockhill Township Bucks County	PAG2000905108	Grand View Hospital 700 Lawn Avenue Sellersville, PA 18960	UNT East Branch Perkiomen Creek (TSF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Newtown Township Bucks County	PAG2000905099	LaSalle University Silver Lane Executive Campus 1900 West Olney Avenue Philadelphia, PA 19141-1108	Core Creek (CWF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Richland Township Bucks County	PAG2000905130	Richland Township Kelly Tract Park 1328 California Road Suite A Quakertown, PA 18951	Tohickon Creek (TSF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Buckingham Township Bucks County	PAG2000905106	Stephen Mazda 907 Masters Manor Road Doylestown, PA 18901	Mill Creek (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
West Nottingham Township Chester County	PAG2001505053	David Berdonlay Berdonlay Family Subdivision 125 White Horse Road Cochranville, PA 19330	Hog Run (TSF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Kennett Township Chester County	PAG2001505091	Dewson Construction Company Buckler Property Project 7 South Lincoln Street Wilmington, DE 19805	UNT East Branch Red Clay Creek (TSF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
London Grove Township Chester County	PAG2001505050	Yinpu Zhang 722 Ashville Road Oxford, PA 19363	UNT East Branch White Clay Creek (CWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
East Pikeland Township Chester County	PAG2001505037	William Lublin Lublin Walsh Subdivision 1708 Welsh Road Philadelphia, PA 19115	UNT French Creek (TSF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
New Garden Township Chester County	PAG2001505074	Jim Fulehum Lot 1, Carlin Subdivision 316 Main Street Stanton, DE 19804	White Clay Creek (CWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Darby Township Delaware County	PAG2002305043	Drexelbrook Associates 4812 Drexelbrook Drive Drexel Hill, PA 19206	Darby Creek (TSF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Middletown Township Delaware County	PAG2002305042	Sposata Rayer Builders, Inc. 114 Black Bass Road Media, PA 19063	Chester Creek (TSF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Tinicum Township Delaware County	PAG2002305065	United Parcel Services 2 International Plaza, Suite 210 Philadelphia, PA 19113	Delaware River (WWF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Hatfield Township Montgomery County	PAG2004605158	The Clemens Family Corporation Hatfield Business Center 2700 Funks Rd., P. O. Box 902 Hatfield, PA 19440	UNT Skippack Creek (TSF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Lower Salford Township Montgomery County	PAG2004605197	Harleysville Bank 438 Main Street Harleysville, PA 19438	Perkiomen Creek (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
New Hanover Township Montgomery County	PAG2004605165	New Hanover Township Auth. 2943 North Charlotte Street Gilbertsville, PA 19525	Swamp and Minister Creeks (TSF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Plymouth Township Montgomery County	PAR10T673R	Metroplex East Associates, LP 350 Sentry Parkway, Suite 630 Blue Bell, PA 19422	Plymouth Creek (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Pennsburg Borough Montgomery County	PAG2004605163	Perkiomen School District 200 Seminary Avenue P. O. Box 130 Pennsburg, PA 18073	UNT Perkiomen Creek (TSF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Lower Moreland Township Montgomery County	PAG2004605166	Kathleen Mitchell 3440 Pine Road Huntington Valley, PA 19006	Huntington Valley Creek (TSF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Plymouth Township Montgomery County	PAG2004605199	Chemalloy Company, Inc. 1301 Conshohocken Road Conshohocken, PA 19428	Schuylkill River (CWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Lower Providence Township Montgomery County	PAG2004605160	Mikelen, LLC 2965 West Germantown Pike Fairview Village, PA 19409	UNT Perkiomen Creek (TSF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Royersford Borough Montgomery County	PAG2004605173	Dan Neely 401 North Third Avenue Royersford, PA 19468	Schuylkill River (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015105045	School District of Philadelphia Guion S. Bluford Elem. School 440 North Broad Street Philadelphia, PA 19130	Schuylkill River (WWF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015105022	Home Technology Creekview Condominiums 9547 Bustleton Avenue Philadelphia, PA 19115	Philadelphia Water Department Wastewater Treatment Plant	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
City of Philadelphia Philadelphia County	PAG2015105036	Philadelphia Water Department Wissahickon Branch Sewer Armark Tower, 5th Floor Philadelphia, PA 19107-2994	UNT Wissahickon Creek (TSF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015105040	Thomas Jefferson University Thomas Jefferson University Academic Building 1001 Locust Street Philadelphia, PA 19107	Delaware River (CWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015105042	Northern Liberties Development, LP Schmidts Urban Renewal Area 969 North 2nd Street Philadelphia, PA 19123	Delaware River (CWF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015105025	Michaels Development Company Sharswood II Development 1 East Stowe Road P. O. Box 992 Marlton, NJ 08053	Wastewater Treatment Plant-Combined Sewers	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015105025	DTG Operations, Inc. Thrifty Car Rental 5330 East 31st Street Tulsa, OK 74135	Mingo Creek/Delaware River (WWF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015105047	Cynergy Group, LLC Ashton Estates 3259 Longshore Avenue Philadelphia, PA 19149-2025	Wooden Bridge Run (TSF-MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Hazle Township Luzerne County	PAG2024004001	Eagle Rock Resort Co. Phase 3—The Vistas 1031 Valley of Lakes Hazleton, PA 18201	Black Creek CWF	Northeast Regional Office 2 Public Square Wilkes-Barre, PA 18711-0790 (570) 826-2511
Hazle Township Luzerne County	PAG2004004026	Hazle Township Supervisors P. O. Box 506 Harleigh, PA 18201	Black Creek CWF	Luzerne Co. Cons. Dist. (570) 674-7991
Dallas Borough Luzerne County	PAG2004005044	Mark PA Route 415 Associates, LP 580 Third St. Kingston, PA 18704	Toby Creek CWF	Luzerne Co. Cons. Dist. (570) 674-7991
Williams Township Northampton County	PAG2004806002	G & J Properties P. O. Box 1558 Doylestown, PA 18901	Delaware River WWF	Northampton Co. Cons. Dist. (610) 746-1971
Allen Township and Northampton Borough Northampton County	PAG2004805040	Edward J. Deichmeister 503 Howertown Rd. Northampton, PA 18067	Dry Run CWF	Northampton Co. Cons. Dist. (610) 746-1971

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Sinking Spring Borough Berks County	PAG2000605099	Jeff Kauertz AutoZone, Inc. 123 S. Front St. 3rd Floor Memphis, TN 38103	Cacoosing Creek WWF	Berks County Conservation District 1238 County Welfare Road P. O. Box 520 Leesport, PA 19533-0520 (610) 372-4657, Ext. 201
South Heidelberg Township Berks County	PAG2000605112	Shelly Lee Hillside Christian Church P. O. Box 2105 Sinking Spring, PA 19608	Cacoosing Creek WWF	Berks County Conservation District 1238 County Welfare Road P. O. Box 520 Leesport, PA 19533-0520 (610) 372-4657, Ext. 201
Wyomissing Borough Berks County	PAG2000605111	Jim Cornett Cornett Management 6035-B Carlisle Pike Mechanicsburg, PA 17055	Tulpehocken Creek WWF	Berks County Conservation District 1238 County Welfare Road P. O. Box 520 Leesport, PA 19533-0520 (610) 372-4657, Ext. 201
Robeson Township Cumru Township Berks County	PAG2000605114	John Herman Orchard Road Properties, LP 3701 Perkiomen Avenue Reading, PA 19606	Schuylkill River WWF	Berks County Conservation District 1238 County Welfare Road P. O. Box 520 Leesport, PA 19533-0520 (610) 372-4657, Ext. 201
Penn Township Berks County	PAG2000605088	Gregory Romano PPR Development 140 Whitenack Road Basking Ridge, NJ 07920	Plum Creek WWF	Berks County Conservation District 1238 County Welfare Road P. O. Box 520 Leesport, PA 19533-0520 (610) 372-4657, Ext. 201
Wyomissing Borough Berks County	PAG2000605105	James Oeste Berkshire Mall, LLC P. O. Box 7189 4737 Concord Pike Wilmington, DE 19803	Schuylkill River CWF	Berks County Conservation District 1238 County Welfare Road P. O. Box 520 Leesport, PA 19533-0520 (610) 372-4657, Ext. 201
Antrim Township Franklin County	PAG2002805091	Eugene Albert Ron Gene Properties 10715 Downsville Pike Suite 102 Hagerstown MD 21740	Conococheague Cr. WWF	Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5
Upper Frankford Cumberland County	PAG2002105059	Minnich Subdivision Bryant Minnich 95 Fox Lane Newville, PA 17241	Conodoguinet Creek WWF	Cumberland County Conservation District 43 Brookwood Avenue Carlisle, PA 17013 (717) 240-7812
Hampden Township Cumberland County	PAG2002105058	Lynndale Court Patton Properties Reed Patton 207 Lynndale Court Mechanicsburg, PA 17050	Trindle Spring Run CWF	Cumberland County Conservation District 43 Brookwood Avenue Carlisle, PA 17013 (717) 240-7812
Southampton Township Cumberland County	PAG2002105036	Country Manor Mahlon Zimmerman 490 Millway Road Ephrata, PA 17522	Burd Run CWF	Cumberland County Conservation District 43 Brookwood Avenue Carlisle, PA 17013 (717) 240-7812

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Upper Allen, Cumberland County	PAG2002105051	Fulton Bank Dave Cowan One Penn Square Lancaster, PA 17602	Cedar Run CWF	Cumberland County Conservation District 43 Brookwood Avenue Carlisle, PA 17013 (717) 240-7812
Broad Top Township Bedford County	PAG2000506001	Broad Top Township P. O. Box 57 Defiance, PA 16633	Longs Run WWF	Broad Top Township-Ernest Fuller (814) 928-5253
Clearfield County Lawrence Township	PAG2001705020	Joseph Waroquier, Sr. P. O. Box 128 Clearfield, PA 16830	UNT W. Br. Susquehanna River CWF	Clearfield County Conservation District 650 Leonard St. Clearfield, PA 16830 (814) 765-2629
Snyder County Middlecreek Township	PAG2005506001	Lester Shrauder Shrauder Builders R. R. 3, Box 127 Middleburg, PA 17842	UNT Middle Creek CWF	Snyder County Conservation District 403 W. Market St. Middleburg, PA 17842 (570) 837-0007, Ext. 112
Snyder County Shamokin Dam Borough	PAG2005506002	Don Haubert Haubert Homes 13 Central Ave. Camp Hill, PA 17011	UNT Susquehanna River WWF	Snyder County Conservation District 403 W. Market St. Middleburg, PA 17842 (570) 837-0007, Ext. 112
Cambria County Cresson Borough/Township	PAG2001105024	Department of Transportation District 9-0 1620 North Juniata Street Hollidaysburg, PA 16648	Little Conemaugh River (CWF) Blair Gap Run (CWF)	Cambria County CD (814) 472-2120
Fayette County Luzerne and Redstone Townships	PAG2002605024	Frank J. Kempf Turnpike Commission P. O. Box 67676 Harrisburg, PA 17106	Dunlap Creek (WWF)	Fayette County CD (724) 438-4497
Butler County Valencia Borough and Adams Township	PAG2001005025	Douglas Day St. Barnabas Health System 5850 Meridian Road Gibsonia, PA 15044 and Co-Applicant Bob Geyer Geyer Construction 149 Ridge Road Valencia, PA 16059	UNT to Breakneck Creek WWF	Butler Conservation District (724) 284-5270
Nesquehoning Borough Carbon County	PAG2111305001	Department of Environmental Protection Bureau of Abandoned Mine Reclamation 2 Public Square Fifth Floor Wilkes-Barre, PA 18711-0790	Nesquehoning Creek (CWF)	Department of Environmental Protection Bureau of Abandoned Mine Reclamation 2 Public Square Fifth Floor Wilkes-Barre, PA 18711-0790 (570) 826-2371

General Permit Type—PAG-3

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Lancaster County Columbia Borough	PAR203527	Colonial Metals Company P. O. Box 311 217 Linden Street Columbia, PA 17512-0311	Susquehanna River WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

General Permit Type—PAG-4

*Facility Location:
Municipality &
County*

Permit No.

*Applicant Name &
Address*

*Receiving
Water/Use*

*Contact Office &
Phone No.*

Concord Township
Delaware County PAG040039

Keith Cox
30 Ponds View
Glen Mills, PA 19342

UNT to Green Creek

Southeast Regional Office
2 East Main Street
Norristown, PA 19401

Bucks County
Solebury Township PAG040041

Lawrence and Andrea
Rossi
2472 River Road
New Hope, PA 18938

Rabbit Run
Watershed
2D

Southeast Regional Office
2 East Main Street
Norristown, PA 19401

General Permit Type—PAG-8

*Facility Location &
County/Municipality Permit No.*

*Applicant Name &
Address*

*Site Name &
Location*

*Contact Office &
Phone No.*

Monroe Township
Cumberland County PAG083510

Lower Allen Township
Authority
120 Limekiln Road
New Cumberland, PA
17070-2428

Berkheimer Farm
Monroe Township
Cumberland County

DEP—SCRO
909 Elmerton Avenue
Harrisburg, PA
17110-8200
(717) 705-4707

General Permit Type—PAG-12

*Facility Location &
Municipality*

Permit No.

*Applicant Name &
Address*

*Receiving
Water/Use*

*Contact Office &
Phone No.*

Tioga County
Delmar Township PAG124802

George S. and Deborah
A. Myers, Jr.
R. R. 6, Box 332
Wellsboro, PA 16901

UNT E. Br. Stony Fork
Creek
CWF

Department of
Environmental Protection
Watershed Management
208 W. 3rd St., Suite 101
Williamsport, PA 17701
(570) 327-3574

**PUBLIC WATER SUPPLY (PWS)
PERMITS**

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once.

Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 0905509, Public Water Supply.

Applicant	Perkasie Borough Authority 306 North Fifth Street, Floor 1 Perkasie, PA 18944
Borough	Perkasie
County	Bucks
Type of Facility	PWS
Consulting Engineer	Anderson Engineering Associates, Inc. 306 N Fifth Street Perkasie, PA 18944
Permit to Construct Issued	January 12, 2006

Operations Permit issued to **Pottstown Borough Authority**, 100 East High Street, Pottstown, PA 19464, (PWS ID 460037) Lower Pottsgrove Township, **Bucks County** on January 4, 2006, for the operation of facilities approved under Construction Permit No. 4604506.

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Operations Permit issued to: **Pennsylvania American Water Co.**, 800 West Hersheypark Drive, Hershey, PA 17033 (PWS ID 2359006) Fell Township, **Lackawanna County** on December 19, 2005, for the operation of facilities approved under Minor Amendment issued January 24, 2005.

Operations Permit issued to: **Nestle Waters North America, Inc.**, 405 Nestle Way, Breinigsville, PA 18031 (PWS ID 3396420) Upper Macungie Township, **Lehigh County** on December 22, 2005, for the operation of facilities approved under Construction Permit No. N/A.

Operations Permit issued to: **Brodhead Creek Regional Authority**, 410 Stokes Avenue, East Stroudsburg, PA 18301 (PWS ID 2450034) Stroud, Pocono and Paradise Townships, **Monroe County** on January 6, 2006, for the operation of facilities approved under Minor Amendment issued on April 22, 2002; Construction Permit No. 4502501 issued on May 8, 2003, and Construction Permit No. 4504504 issued on January 28, 2005.

Permit No. 4805503. Public Water Supply.

Applicant	Bethlehem Authority 10 East Church Street Bethlehem, PA 18018-6028
Borough or Township	Lehigh Township
County	Northampton
Type of Facility	PWS
Consulting Engineer	John M. McCarthy, P. E. Malcolm Pirnie, Inc. 1700 Market Street, Suite 2740 Philadelphia, PA 19103-3924
Permit to Construct Issued	December 28, 2005

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 2105509 MA, Minor Amendment, Public Water Supply.

Applicant	North Middleton Authority
Municipality	North Middleton Township
County	Cumberland
Type of Facility	Improvements to increase chlorine contact time.
Consulting Engineer	Peter Lusardi, P. E. CET Engineering Services 1240 N. Mountain Rd. Harrisburg, PA 17112
Permit to Construct Issued:	1/6/2006

Operations Permit issued to **Pine Run Mobile Home Park**, 7010052, Hamilton Township, **Adams County** on December 23, 2005, for the operation of facilities approved under Construction Permit No. 0102501.

Operations Permit issued to **Loyalton Water Association**, 7220019, Washington Township, **Dauphin County** on December 23, 2005, for the operation of facilities approved under Construction Permit No. 2203501.

Operations Permit issued to **New Oxford Manor MHP**, 7010023, Mt. Pleasant Township, **Adams County** on January 5, 2006, for the operation of facilities approved under Construction Permit No. 0106501 E.

Permit No. 2205506 MA, Minor Amendment, Public Water Supply.

Applicant	Pennsylvania-American Water Company
Municipality	Derry Township
County	Dauphin
Type of Facility	Repainting of the North Reservoir storage tank.
Consulting Engineer	Scott M. Thomas, P. E. Pennsylvania-American Water Company 800 West Hersheypark Drive Hershey, PA 17033
Permit to Construct Issued:	12/21/2005

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 0205506MA Minor Amendment. Public Water Supply.

Applicant	Pennsylvania-American Water Company 800 Hersheypark Drive Hershey, PA 17033
Borough or Township	Elizabeth Township
County	Allegheny
Type of Facility	Route 48 water storage tank
Permit to Construct Issued	December 23, 2005

Permit No. 0205503, Public Water Supply.

Applicant	Fawn-Frazer Joint Water Authority 326 Donnellville Road Natrona Heights, PA 15065
Borough or Township	Fawn and Frazer Townships
County	Allegheny
Type of Facility	Water system improvements
Consulting Engineer	Bankson Engineers, Inc. 267 Blue Run Road P. O. Box 200 Indianola, PA 15051
Permit to Construct Issued	December 20, 2005

Permit No. 0205505MA Minor Amendment. Public Water Supply.

Applicant	Pennsylvania-American Water Company 800 Hersheypark Drive Hershey, PA 17033
Borough or Township	Municipality of Bethel Park
County	Allegheny
Type of Facility	Castle Shannon water storage tank

Permit to Construct Issued December 23, 2005

Permit No. 3205501MA Minor Amendment. Public Water Supply.

Applicant **Pennsylvania-American Water Company**
800 Hersheypark Drive
Hershey, PA 17033

Borough or Township White Township
County **Indiana**

Type of Facility Indiana Aldrich Unit No. 1

Permit to Construct Issued January 5, 2006

Permit No. 5688509-A2, Public Water Supply.

Applicant **Meyersdale Municipal Authority**
236 Center Street
Meyersdale, PA 15552

Borough or Township Summit Township
County **Somerset**

Type of Facility WTP

Consulting Engineer The EADS Group, Inc.
450 Aberdeen Drive
P. O. Box 837
Somerset, PA 15501

Permit to Construct Issued January 4, 2006

Operations Permit issued to **Highland Sewer & Water Authority**, 120 Tank Drive, Johnstown, PA 15904, (PWS ID 4110017) Summerhill Township, **Cambria County** on December 22, 2005, for the operation of facilities approved under Construction Permit No. 1185501-A5.

Operations Permit issued to **National Pike Water Authority**, 4888 National Pike, Markleysburg, PA 15459, (PWS ID 5260048) Henry Clay Township, **Fayette County** on December 22, 2005, for the operation of facilities approved under Construction Permit No. 2603501-A1.

Operations Permit issued to **Pennsylvania-American Water Company**, 800 Hersheypark Drive, Hershey, PA 17033, (PWS ID 5020039) Hanover Township, **Washington County** on January 11, 2006, for the operation of facilities approved under Construction Permit No. 6305501.

Operations Permit issued to **Masontown Borough**, 2 Court Avenue, Masontown, PA 15461, (PWS ID 5260013) Masontown Borough, **Fayette County** on January 4, 2006, for the operation of facilities approved under Construction Permit No. 2605506MA.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20a)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

Borough or Township	Borough or Township Address	County
Chambersburg Borough	100 S. Second St. Chambersburg, PA 17201	Franklin County

Plan Description: The approved plan entitled Progress Road Pump Station provides for a pump station and sewer extension to serve 32 existing dwellings on Mill Road and Molly Pitcher Highway. The Water Quality Management Part II Permit will be issued in the name of the Borough of Chambersburg, who will own, operate and maintain the facilities. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101-6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Frankford Candy & Candy Co., City of Philadelphia, **Philadelphia County**. Michael Christie, Penn E & R, Inc., 2755 Bergery Rd., Hatfield, PA 19440 on behalf of Norman Milan, Stormin Warehousing, LP, 3248 Stonegate Dr., Huntingdon Valley, PA 19006 has submitted a Final Report concerning remediation of site soil contaminated with Nos. 4 and 6 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

601-701 Washington St. Prop., Whitmarsh Township, **Montgomery County**. Michael Gonshor, P. G., Roux Assoc., Inc., 1222 Forest Pkwy., Suite 190, West Deptford, NJ 08066 on behalf of Scott Backer, 601 Washington St. Assoc., LP, 700 S. Henderson Rd., Suite 225, King of Prussia, PA 19406 has submitted a Remedial Investigation, Risk Assessment and Cleanup Plan Reports concerning remediation of site soil and groundwater contaminated with inorganics. The report is intended to document remediation of the site to meet the Statewide Health Standard and Site-Specific Standard.

Powelton Heights Site, City of Philadelphia, **Philadelphia County**. Tom Wilkes, Malcolm Pirnie, Inc., 1700 Market St., Suite 2740, Philadelphia, PA 19103 on behalf of David Hahn, 1260 Housing Dev. Corp., 2042-48 Arch St., 2nd Floor, Philadelphia, PA 19103 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Natl Linens Svc., City of Philadelphia, **Philadelphia County**. Paul Martino, Pennoni Assoc., Inc., 3001 Market St., Philadelphia, PA 19104 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with PAH and chlorinated solvents. The report is intended to document remediation of the site to meet the Site-Specific Standard.

960 Baltimore Ave., Upper Darby Township, **Delaware County**. Samuel Kucia, Environmental Consulting, Inc., 500 E. Washington St., Suite 375, Norristown, PA 19401 on behalf of Sal Tarta, T & T Financial, Inc., 3400 Bartram Rd., Willow Grove, PA 19090 has submitted a Remedial Investigation, Risk Assessment and Cleanup Plan Reports concerning remediation of site soil and groundwater contaminated with leaded and unleaded gasoline. The report is intended to document remediation of the site to meet the Site-Specific Standard and Statewide Health Standard.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Metal Powder Product Washington St. Div., St. Marys Borough, **Elk County**. Peter Robelen, GeoServices Ltd., 1525 Cedar Cliff Drive, Camp Hill PA 17011 on behalf of Russ Hannibal, Property Owner, Metal Powder Products, 879 Washington St., St. Marys, PA 15857 has submitted an RIR/Cleanup Plan concerning remediation of site soil and groundwater contaminated with chlorinated solvents, TCE and TCA, vinyl chloride, DCE and DCA. The Reports are intended to document remediation of the site to meet the Site Specific Standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Seton Corp. Ctr. Bldg. B, Lower Providence Township, **Montgomery County**. Michael Kozar, P. G., O'Brien & Gere Eng., Inc., 512 Township Line Rd., Two

Valley Sq., Suite 210, Blue Bell, PA 19422 on behalf of Carl Zipfel, Co., 1000 Madison Ave., Norristown, PA 19403 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with chlorinated solvents. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 27, 2005.

Wissinoming Ind. Park, City of Philadelphia, **Philadelphia County**. Cliff Harper, Harper Env. Assoc., 771 Hideaway, Ln., Harleysville, PA 19438 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with PHC. The Final Report did not demonstrate attainment of the Statewide Health Standard and was disapproved by the Department on December 16, 2005.

Sheller Oil Co., Inc., Newlin Township, **Chester County**. Joseph Diamadi, Jr., PG, Marshall Geoscience, Inc., 170 East First Ave., Colleagueville, PA 19426 on behalf of Steve Gaul, Sheller Oil Co., Inc., 389 Brandywine Dr., Newlin, PA has submitted a Final Report concerning the remediation of site soil contaminated with lead. The Final Report was submitted within 90-days of the release-demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 14, 2005.

Stoltzfus Airfield, Coatesville Township, **Chester County**. Mark Hawkins, Walter B. Satterwaite Assoc., Inc., 720 Old Fern Hill Rd., West Chester, PA 19380 on behalf of G. Green, Caldera Prop-Valley II, c/o Archer & Greiner has submitted a Low Risk Property Final Report concerning the remediation of site soil contaminated with pesticides and arsenic. The Low Risk Property Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 19, 2005.

Manganaro Site, Thornbury Township, **Chester County**. Thomas Marks, Marks Env., 140 Bollinger Rd., Elverson, PA 19520 has submitted a Low Risk Property Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Low Risk Property Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on December 21, 2005.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

International Paper Erie Mill, Main Site Area, City of Erie, **Erie County**. William Staph, Atlantic Environmental Group, Inc., 20990 Neiltown Rd., Pleasantville, PA 16341 on behalf of Patrick Arneault, Property Owner, Presque Isle Downs, Inc., Rt. 2, P. O. Box 358, Chester WV 26034 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with VOCs, semi-VOCs, diesel fuel, No. 2 fuel oil, inorganics, leaded and unleaded gasoline, PAHs and PCBs. The Final Report demonstrated attainment of the Statewide Health Standards and was approved by the Department on January 9, 2006.

DETERMINATION FOR APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Permits issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and municipal waste regulations for a General Permit to operate municipal waste processing facilities and the beneficial use of municipal waste.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGM015D002. Clinton County Solid Waste Authority, 264 Landfill Lane, McElhattan, PA 177486-0209.

General Permit No. WMGM015D002 is for processing and beneficial use of wood and timber waste (for example, tree stumps, limbs, clean wood, untreated and unpainted wood and pallets) to create mulch for commercial purposes and the leaf and yard waste compost operation to compliment the mulch production generated at the Wayne Township Landfill, located in **Clinton County**. The general permit was issued by Central Office on January 11, 2006.

General Permit Application No. WMGM019D001. Horgan Recycling, Inc., 2188 Detwiler Road, Harleysville, PA 19486.

General Permit No. WMGM019D001 is for the processing of concrete and asphalt waste, leaf and yard waste, wood waste and soil for beneficial use as: (1) construction material; and (2) topsoil and mulch for commercial purposes generated at West Point Pike facility, located in **Montgomery County**. The general permit was issued by Central Office on January 17, 2006.

Persons interested in reviewing a general permit should contact Ronald C. Hassinger, Chief, General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Land Recycling and Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

AQ-SE-0019: Reading Materials, Inc. (5031 Point Pleasant Pike, Doylestown, PA 18901) on January 9, 2006, to operate a portable crusher processing plant in Plumstead Township, **Bucks County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

54-310-035GP3: Haines and Kibblehouse, Inc. (P. O. Box 196, 2052 Lucon Road, Skippack, PA 19474) on January 10, 2006, to construct and operate a portable stone crushing plant and associated air cleaning device in the Humboldt Industrial Park, East Union Township, **Schuylkill County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

15-0098B: Cephalon, Inc. (383 Phoenixville Pike, Malvern, PA 19355) on January 10, 2006, to operate a 100-gallon reactor in Charlestown Township, **Chester County**.

46-0251: Anders Detweiler Funeral Home (130 East Broad Street, Souderton, PA 18964) on January 13, 2006, to operate a power-pak II cremator in Souderton Borough, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

06-03117D: Custom Processing Services, Inc. (2 Birchmont Drive, Reading, PA 19606-3266) on January 6, 2006, to construct a material grinding mill controlled by a fabric collector and to install a fabric collector to control various fugitive emission points in Exeter Township, **Berks County**.

06-05037F: McConway and Torley Corp. (109 48th Street, Pittsburgh, PA 15201-2755) on January 13, 2006, to add to the sand reclaim system and modify the finishing department ductwork and control device at the Kutztown Foundry in Kutztown Borough, **Berks County**.

06-05149: Fleetwood Industries, Inc. (225 Peach Street, Leesport, PA 19533-8644) on January 9, 2006, to construct a wooden furniture manufacturing facility with surface coating controlled by dry filters and low VOC coatings in Ontelaunee Township, **Berks County**.

34-05003B: Tedd Wood, Inc. (P. O. Box 187, Johnstown Road, Thompsontown, PA 17094) on January 11, 2006, to construct two new coating booths and relocate various existing coating booths in Delaware Township, **Juniata County**.

36-03080A: Rohrer's Quarry, Inc. (P. O. Box 365, 70 Lititz Road, Lititz, PA 17543) on January 12, 2006, to replace two 6-foot by 16-foot Hewitt Robins triple-deck screens with two 6-foot by 20-foot Metso Minerals triple-deck screens in Warwick Township, **Lancaster County**.

44-05014C: Glenn O. Hawbaker, Inc. (711 E. College Avenue, Pleasant Gap, PA 16823-6854) on January 13, 2006, to modify the asphalt and crushing plants at the Hostetler site in Armagh Township, **Mifflin County**.

67-03083A: Utz Quality Foods, Inc. (900 High Street, Hanover, PA 17331-1639) on January 11, 2006, to install two fabric collectors to control particulate matter emissions from the existing corn extruder lines and seasoning application process at their snack food manufacturing facility in Hanover Borough, **York County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; George Monasky, New Source Review Chief, (814) 332-6940.

37-304C: Heraeus Electro-Nite (3 Fountain Avenue, Ellwood City, PA 16117) on January 6, 2006, to modify Plan Approval 37-304B conditions in Ellwood City Borough, **Lawrence County**. This is a State-only V facility.

25-987D: Hanes Erie, Inc. (7601 Klier Drive Fairview, PA 16415) on January 5, 2006, to construct a new spray coating line for cosmetic containers in Fairview Township, **Erie County**. The facility is currently permitted under a Natural Minor Operating Permit.

25-0066E: Accuride Erie, LP (1015 East 12th Street, Suite 200, Erie, PA 16503) on January 10, 2006, to

construct a new Heat Treat Line at the Aluminum truck wheel forging plant in Erie, **Erie County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

46-0161B: Reading Materials, Inc. (2052 Lucon Road, P. O. Box 1467, Skippack, PA 19474) on January 13, 2006, to operate a hot asphalt plant in Lower Pottsgrove Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

36-03147A: A and M Composting, Inc. (2022 Mountain Road, Manheim, PA 17545) on January 7, 2006, to increase the capacity of their sludge composting facility in Penn Township, **Lancaster County**. This plan approval was extended.

67-05004H: P. H. Glatfelter Co. (228 South Main Street, Spring Grove, PA 17362-0500) on November 28, 2005, to install a selective noncatalytic control system on Power Boiler No. 5 in Spring Grove Borough, **York County**. This plan approval was extended.

67-05014A: The York Group, Inc. (2880 Blackbridge Road, York, PA 17402) on January 10, 2006, to install a regenerative thermal oxidizer to replace the catalytic oxidizer that is part of the system that controls VOC emissions from five spray paint booths at their wood casket manufacturing facility in Manchester Township, **York County**. This plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

41-00018A: Springs Window Fashions, LLC (8601 Route 405, Montgomery, PA 17752) on January 11, 2006, to transfer a plan approval to modify two coil coating lines by increasing the line speed from Springs Window Fashions, LP to Springs Window Fashions, LLC in Clinton Township, **Lycoming County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

04-00721A: Beaver Valley Asphalt Corp. (6010 Woodlawn Road, Aliquippa, Pa 15001) on January 03, 2006, to complete stack testing approval process for their Asphalt Plant in Aliquippa Township, **Beaver County**. This plan approval was extended.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

46-00141: TSG, Inc. (1400 Welsh Road, North Wales, PA 19454) on January 13, 2006, to operate two boilers, spray line, can line and processor to the facility Natural Minor Operating Permit in North Wales Borough, **Montgomery County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes Barre, PA 18711-0790; Michael Safko, Facilities Permitting Chief, (570) 826-2531.

13-00008: Kovatch Mobile Systems (One Industrial Complex, Nesquehoning, PA 18240) on December 30, 2005, to renew their Title V Operating Permit for a manufacturing facility in Nesquehoning Borough, **Carbon County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

09-00099: Donald R. Kreider, V.M.D. (1501 Second Street Pike, Southampton, PA 18966) on January 13, 2006, to operate a facility Natural Minor Operating Permit in Upper Southampton Township, **Bucks County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

25-00124: Mayer Brothers Construction Co. (1225 West 18th Street, Erie, PA 16502) on January 6, 2006, for a Synthetic Minor Permit to operate a hot mix asphalt plant in City of Erie, **Erie County**. The significant sources are hot mix batch plant; fugitives from transfer points (3), Asphalt Tanks (2). The facility has taken a restriction on production not exceeding 495,000 tons per year to qualify as a Synthetic Minor facility.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104; Edward Braun, Chief, (215) 685-9476.

S05-010: Convent of the Sisters of Saint Joseph (9601 Germantown Avenue, Philadelphia, PA 19118) on January 12, 2006, to operate a nonprofit educational institution in the City of Philadelphia, **Philadelphia County**. This facility's air emission sources include four emergency generators, two natural gas fired boilers each rated at less than 1.0 mmBtu/hr, three No. 2 oil or natural gas fired boilers with low NOx burners; two units are rated at 600 hp and one unit is rated at 300 hp.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

09-00110: Riverside Construction Materials, Inc. (355 Newbold Road, Fairless Hills, PA 19030) on January 13, 2006, to amend the facility Natural Minor Operating Permit in Bristol Township, **Bucks County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

67-05001: LWB Refractories Company (320 Baker Road, P. O. Box 1189, York, PA 17405) on January 10, 2006, to administratively amend the operating permit to correct errors in Section F, Group 005, Restriction No. 001 for their dolomitic lime production facility in West Manchester Township, **York County**. This is revision No. 1.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

37-00185: Universal Refractories, Inc. (915 Clyde Street, Wampum, PA 16157) on January 12, 2006, to administratively amend the previous Natural Minor Operating Permit (issued on March 28, 2002) for their magnesium oxide processing line and refractory manufacturing plant in Wampum Borough, **Lawrence County**. This administrative amendment incorporates the conditions authorized by Plan Approval No. 37-185C.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Coal Permits Actions

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

03870701 and NPDES Permit No. PA0214558, T.J.S. Mining, Inc. (R. D. 1, Box 260D, Shelocta, PA 15774), to renew the permit for the Coal Refuse Disposal No. 2 in Plumcreek Township, **Armstrong County** and related NPDES Permit. No additional discharges. Permit issued January 13, 2006.

Knox District Mining Office: White Memorial Building, P. O. Box 669, Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

33950109 and NPDES Permit No. PA0227161. Original Fuels, Inc. (P. O. Box 343, Punxsutawney, PA 15767) Renewal of the bituminous strip and auger operation in Beaver Township, **Jefferson County** affecting 110.5 acres. This renewal is issued for reclamation only. Receiving streams: UNT to Tarkiln Run and Red Run. Application received: November 18, 2005. Permit Issued: January 9, 2006.

16050109 and NPDES Permit No. PA0257066. RFI Energy, Inc. (555 Philadelphia Street, Indiana, PA 15701) Commencement, operation and restoration of a bituminous strip operation in Perry Township, **Clarion County** affecting 85.0 acres. Receiving streams: Two UNTs to the Clarion River. Application received: August 4, 2005. Permit Issued: January 10, 2006.

5974-16050109-E-1. RFI Energy, Inc. (555 Philadelphia Street, Indiana, PA 15701) Application for a stream encroachment to upgrade and maintain a haul road crossing over UNT No. 1 to the Clarion River and to mine through and reconstruct large sections of both UNTs to the Clarion River in Perry Township, **Clarion County**. Receiving streams: Two UNTs to the Clarion River. Application received: August 4, 2005. Permit Issued: January 10, 2006.

Noncoal Permits Actions

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

60910302C4. Iddings Quarry, Inc. (900 Chestnut Street, Mifflinburg, PA 17844), boundary correction for an existing quarry operation in Limestone Township, **Union County** affecting 33.8 acres. Receiving stream: none. Application received June 13, 2005. Correction issued January 11, 2006.

09840301C8 and NPDES Permit No. PA0614301. Waste Management Disposal Services of PA, Inc. (1121 Bordentown Road, Morrisville, PA 19067), renewal of NPDES Permit for discharge of mine drainage from a quarry operation in Falls Township, **Bucks County**. Receiving stream: UNT to Delaware River. Application received November 9, 2005. Renewal issued January 12, 2006.

7674SM1C9. Pennsy Supply, Inc. (P. O. Box 3331, Harrisburg, PA 17105), correction to an existing quarry to update NPDES discharge for treated mine drainage and a boundary correction in South Lebanon and Jackson Townships, **Lebanon County** affecting 461.1 acres. Receiving stream: Tulpehocken Creek. Application received May 26, 2004. Permit issued January 13, 2006

54950302C10 and NPDES Permit No. PA0223603. Pennsy Supply, Inc. (P. O. Box 3331, Harrisburg, PA 17105), renewal of NPDES Permit for discharge of mine drainage from a quarry operation in Wayne Township, **Schuylkill County**. Receiving stream: Bear Creek. Application received October 6, 2005. Permit issued January 13, 2006.

7775SM11A2C4 and NPDES Permit No. PA0595101. Glen-Gery Corp. (P. O. Box 7001, Wyomissing, PA 19610), renewal of NPDES Permit for discharge of mine drainage from a quarry operation in Lower Heidelberg Township, **Berks County**. Receiving stream: UNT to Cacoosing Creek. Application received October 11, 2005. Permit issued January 13, 2006.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (73 P.S. §§ 151–161) and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Moshannon District Mining Office: 186 Enterprise Drive, Phillipsburg, PA 16866, (814) 342-8200.

14054028. Glenn O. Hawbaker (P. O. Box 135, State College, PA 16804), construction blasting for Amberleigh subdivision residential housing development located in Spring Township, **Centre County** with an expiration date of December 25, 2006. Permit issued December 30, 2005.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

67054153. M & J Explosives, Inc. (P. O. Box 608, Carlisle, PA 17013), construction blasting for Kingswood Estates in Springettsbury Township, **York County** with an expiration date of December 31, 2006. Permit issued January 6, 2006.

67054154. Newville Construction Services, Inc. (408 Mohawk Road, Newville, PA 17241), construction blasting for Yorktowne Dental in Springettsbury Township, **York County** with an expiration date of December 31, 2006. Permit issued January 6, 2006.

23054109. American Rock Mechanics, Inc. (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for The Esplanade in Nether Providence Township, **Delaware County** with an expiration date of September 1, 2006. Permit issued January 9, 2006.

45064101. Austin Powder Co. (25800 Science Park Drive, Cleveland, OH 44122), construction blasting for Weiler Brush Company in Barrett Township, **Monroe County** with an expiration date of January 5, 2007. Permit issued January 9, 2006.

36054102. Gerlach's Drilling & Blasting (172 Bender Mill Road, Lancaster, PA 17603), construction blasting for Golden Triangle Apartments in Manheim Township, **Lancaster County** with an expiration date of December 31, 2006. Permit issued January 9, 2006.

36054103. Gerlach's Drilling & Blasting (172 Bender Mill Road, Lancaster, PA 17603), construction blasting for Woodcrest Villa in East Hempfield Township, **Lancaster County** with an expiration date of December 31, 2006. Permit issued January 9, 2006.

35064101. Hayduk Enterprises (P. O. Box 554, Dalton, PA 18414), construction blasting for Laurel Ridge Estates in Jefferson Township, **Lackawanna County** with an expiration date of January 31, 2007. Permit issued January 10, 2006.

45064102. Explosive Services, Inc. (7 Pine Street, Bethany, PA 18431), construction blasting for Quail Ridge Estates in Hamilton Township, **Monroe County** with an expiration date of January 31, 2007. Permit issued January 10, 2006.

45064103. Explosive Services, Inc. (7 Pine Street, Bethany, PA 18431), construction blasting for Arbor Woods Development in Stroud Township, **Monroe County** with an expiration date of January 31, 2007. Permit issued January 10, 2006.

45064104. Explosive Services, Inc. (7 Pine Street, Bethany, PA 18431), construction blasting for Nottingham Manor Estates in Pocono Township, **Monroe County** with an expiration date of January 31, 2007. Permit issued January 10, 2006.

52064101. Explosive Services, Inc. (7 Pine Street, Bethany, PA 18431), construction blasting for Pocono Mt. Lake Estates in Delaware, Dingman and Lehman Townships, **Pike County** with an expiration date of January 31, 2007. Permit issued January 10, 2006.

36064104. Warren's Excavating & Drilling, Inc. (P. O. Box 189, Bowmansville, PA 17507), construction blasting for a single dwelling in West Lampeter Township, **Lancaster County** with an expiration date of June 1, 2006. Permit issued January 11, 2006.

36064105. Warren's Excavating & Drilling, Inc. (P. O. Box 189, Bowmansville, PA 17507), construction blasting for Arbor Rose Development in Mt. Joy Borough, **Lancaster County** with an expiration date of January 30, 2007. Permit issued January 12, 2006.

36064106. Warren's Excavating & Drilling, Inc. (P. O. Box 189, Bowmansville, PA 17507), construction blasting for Willow Bends Farms in West Lampeter Township, **Lancaster County** with an expiration date of January 31, 2007. Permit issued January 12, 2006.

40064101. Austin Powder Co. (25800 Science Park Drive, Cleveland, OH 44122), construction blasting for the Humboldt Industrial Park in the City of Hazleton, **Luzerne County** with an expiration date of January 7, 2007. Permit issued January 12, 2006.

45064105. West End Drilling & Blasting, Inc. (4196 Deer Lane, Saylorsburg, PA 18353), construction blasting for a single dwelling on Oak Lane in Chestnuthill Township, **Monroe County** with an expiration date of December 23, 2006. Permit issued January 12, 2006.

45064106. Austin Powder Co. (25800 Science Park Drive, Cleveland, OH 44122), construction blasting for Weiler Brush Company in Barrett Township, **Monroe County** with an expiration date of January 11, 2007. Permit issued January 12, 2006.

46064101. Austin Powder Co. (25800 Science Park Drive, Cleveland, OH 44122), construction blasting for Coddington View in Upper Pottsgrove Township, **Montgomery County** with an expiration date of July 4, 2007. Permit issued January 12, 2006.

46064102. Brubacher Excavating, Inc. (P. O. Box 528, Bowmansville, PA 17507), construction blasting for Kingston Hill II in New Hanover Township, **Montgomery County** with an expiration date of December 31, 2007. Permit issued January 12, 2006.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board

within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

E23-035. ConocoPhillips Company, Trainer Refinery, 4101 Post Road, Trainer, PA 19061, Marcus Hook, **Delaware County**, ACOE Philadelphia District.

To modify, operate and maintain the following structures associated with the existing ConocoPhillips Trainer Refinery:

1. To remove the existing Docks 1 and 2 and appurtenances.
2. To construct and maintain the proposed Dock 1 and appurtenances.
3. To maintain the proposed mooring area associated with Dock 1.
4. To maintain the existing bulkheads, intake structure, and associated fill that supports the refinery facilities.
5. To maintain the existing barge dock, appurtenances, and associated mooring area.

These facilities are located on both sides of Marcus Hook Creek and along approximately 1,400 linear feet of the Delaware Estuary (WWF-MF) in (Marcus Hook, PA, Quadrangle N: 11.4 inches; W: 4.6 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. 1341(a)).

E15-710. Bryan Hunsberger, Telvil Corporation, 528 Main Street, Suite 101, Harleysville, PA 19438, East Coventry Township, **Chester County**, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities associated with the proposed Walnut Springs Farms Project, a 23-lot single-family home residential subdivision:

1. To construct and maintain Road Crossing A, consisting of two open-bottom arch culverts and measuring 42 and 44 feet long, within a UNT of Pigeon Creek. Work includes roadway approach fill within the assumed 100-year floodway, 0.09 acre of fill within wetlands (PEM) and approximately 160 linear feet of temporary stream impacts during construction. Utilities will be installed within the road fill on top of the culvert for road crossing A, associated with Linwood Circle.

2. To construct and maintain Road Crossing B consisting of a 70-foot long open-bottom arch culvert within a UNT of Pigeon Creek. Work includes roadway approach fill within the assumed 100-year floodway, 0.06 acre of fill within wetlands (PEM) and approximately 150 linear feet of temporary stream impacts during construction. Utilities will be installed in the road fill on top of the culvert for road crossing B, associated with Linwood Circle.

3. To construct and maintain an outfall channel servicing Sediment/Stormwater Retention Basin No. 1 and impacting approximately 5 linear feet of stream.

4. To construct and maintain an outfall channel servicing Sediment/Stormwater Retention Basin No. 2 and impacting approximately 24 linear feet of stream.

The permittee had agreed to provide two replacement wetland areas totaling 0.44 acre. The project proposes impacts to 339 linear feet of watercourse to a UNT of Pigeon Creek (HQ-TSF) and 0.15 acre of adjacent wetland and is located approximately 380 feet from the intersection of Ebelhare and Ellis Woods Roads (Phoenixville, PA, Quadrangle N: 12.11 inches; W: 15.81 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E23-455. Haverford Township, 2325 Darby Road, Havertown, PA 19083, Haverford Township, **Delaware County**, ACOE Philadelphia District.

To construct and maintain a footbridge, approximately 70 feet long and 6 feet wide with a 2-foot underclearance over Cobbs Creek (WWF). The encroachment will involve minor floodway excavation and soil stabilization and the construction of a temporary ford crossing to facilitate the bridge construction work.

The project will permanently impact approximately 15 linear feet of watercourse and 0.5 acre of floodway. The project is located on the northeast side of the intersection of Wynnefield Drive and Eagle Road (SR 1005) (Lansdowne, PA, Quadrangle N: 21.49 inches; W: 6.89 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E46-977. Providence Ridge Associates, LP, 1030 W. Germantown Pike, P. O. Box 287, East Norriton, PA 19403, Upper Providence Township, **Montgomery County**, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities associated with the proposed Court at Upper Providence Retail Center:

1. To place fill within a 1,743 linear-foot segment of intermittent headwater in the Mingo Creek (WWF) Watershed, associated with the construction of a parking lot.

2. To place fill within 0.08 acre of adjacent wetland (PEM) associated with the construction of a parking lot.

3. To modify and maintain an existing 30-inch by 48-inch RCP culvert pipe which conveys Mingo Creek under Township Line Road. The pipe will be extended 25 feet upstream to the edge of the right-of-way and connected by means of a junction box to a stormwater collection system outfall serving the proposed commercial center.

As compensatory mitigation for adverse affects to regulated waters of the Commonwealth, the permittee has agreed to restore 0.50 acre of offsite wetlands and to provide aquatic habitat enhancements at the Schuylkill Canal in Upper Providence Township, Montgomery County. Additionally, 0.08 acre of wetlands/bioswale will be constructed onsite and within a stormwater collection system as a water quality best management practice associated with the sites related NPDES permit, and the applicant has provided a monetary contribution to the PF&BC for dam removal and restoration projects within the Perkiomen Creek near Schwenksville. The site is located on southeast corner of the intersection of Ridge Pike and Township Line Road (Collegeville, PA, USGS Quadrangle N: 15.7 inches; W: 0.4 inch).

The issuance of this permit also constitutes approval of a Water Quality Certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E36-792. Mennonite Home, 1520 Harrisburg Pike, Lancaster, PA 17601-2697 in East Hempfield Township, **Lancaster County**, ACOE Baltimore District

To construct and maintain seven outfall pipes (five 15-inch, one 18-inch and one 24-inch) and place fill material in the floodway of the Little Conestoga Creek (WWF) for a roadway which will provide access to the proposed and existing retirement home community located just north of the Harrisburg Pike SR 4020 (Lancaster, PA Quadrangle N: 12.3 inches; W: 13.5 inches; Latitude: 40° 4.0' 4.0"; Longitude: 76° 20' 47") in East Hempfield Township, Lancaster County. The issuance of this permit also constitutes approval of a Water Quality Certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E14-483. J. Stephen Dershimer and Sherry E. Dershimer, 8021 South Eagle Valley Rd., Port Matilda, PA 16870. Retaining Wall, in Port Matilda Borough, **Centre County**, ACOE Baltimore District (Port Matilda, PA Quadrangle N: 11.82 inches; W: 5.01 inches).

To construct and maintain: 1) 60 linear feet of 12-inch thick concrete floodway wall with the wall projecting above the existing ground level a maximum of 2.5 feet to act as a floodwall and part of a 1,000 cubic foot stormwater retention area in the left 100-year floodway; 2) a 6-inch diameter plastic pipe protruding through the concrete wall to discharge stormwater at a controlled rate into an existing R-4 riprapped stream channel locally known as Bob Cat Run that flows into Bald Eagle Creek located 1.5 miles north of Port Matilda on the right side of SR 220 as part of a proposed expansion of an existing storage facility. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1372. Anthony Merante, P. O. Box 97935, Pittsburgh, PA 15227. To maintain a culvert in West Mifflin Borough, **Allegheny County**, Pittsburgh ACOE District. (Glassport, PA Quadrangle N: 21.5 inches; W: 9.8 inches and Latitude: 40° 22' 9.5"—Longitude: 79° 56' 15.7"). To operate and maintain a 48-inch diameter culvert approximately 325 feet long with a 55-foot long riprap channel energy dissipater on the downstream end, located in a UNT to Streets Run (WWF). The site is located on the south side of Streets Run Road, approximately 440 feet east from its intersection with Lutz Hollow Road.

E02-1503. Department of Transportation, Engineering District 11-0, 45 Thoms Run Road, Bridgeville, PA 15017. To construct an extension on a culvert in Robinson and Collier Township, **Allegheny County**, Pittsburgh ACOE District. (Pittsburgh West, PA Quadrangle N: 8.6 inches; W: 14.7 inches and Latitude: 40° 25' 23"—Longitude: 80° 06' 17"). To construct and maintain an approximate 188-foot extension on the downstream end of an existing 16-foot span by 10.5 high arch culvert with a 16-foot span by 8.5 foot high open bottom box culvert and to construct and maintain 25-foot long riprap energy dissipater on the downstream end of the proposed extension located on a UNT to Campbells Run WWF); to construct and maintain a 72-inch diameter culvert approximately 18 feet long and to riprap approximately 32 feet of a UNT to Campbells Run—the culvert will connect to the new 16-foot by 8.5-foot extension; to construct and maintain an approximate 175-foot long stream relocation on a UNT of Campbells Run; to construct and maintain approximately 157 feet of concrete grouted lining in a UNT of Chartiers Creek (WWF) through an existing 72-inch arch culvert and to construct and maintain a 20-foot long concrete apron along with an additional 17 feet of R-5 riprap on the downstream end of the existing structure; to construct and maintain a bridge having 5 spans (105.5 feet, 134.0 feet; 134.0 feet, 134 feet and 132.5 feet) for a total span of 640.0 feet with a minimum underclearance of approximately 100 feet over the stream channel across Campbells Run; to construct various stormwater outfalls to Campbells Run and tributaries to Campbells Run; and to place and maintain fill in 0.64 acre of wetlands (PEM/FO). The project is for the construction of missing ramps, located at the interchanges of SR 60 and I-79, and I-279 (Section A23, SR 0079, Section A67 and SR 0022, Section A22). To compensate for the wetland and stream impacts the applicant shall construct 1.1-acre PEM/SS/FO wetland located within the project to replace a minimum of 0.64 acre and provide 500 feet of stream bank stabilization and/or riparian plants along the left bank of a UNT to Chartiers Creek.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E24-241, Department of Transportation, District 2-0, 1924-30 Daisy Street. Clearfield, PA. SR 0219, Sec-

tions C10 and D10, in Johnsonburg, **Elk County**, ACOE Pittsburgh District (Ridgeway, PA Quadrangle N: 41° 29' 07"; W: 78° 40' 47").

To construct and maintain: (1) a 7-span continuous curved plate girder bridge having clear spans of 110 feet, 145 feet, 145 feet, 145 feet, 145 feet, 145 feet, 110 feet and an underclearance of 38 feet on a 22° skew across West Branch of Clarion River (CWF); (2) a 6-span continuous prestressed concrete I-beam bridge having clear spans of 118.76 feet, 106.09 feet, 108.99 feet, 130.62 feet, 129.48 feet, and 99.40 feet and a minimum underclearance of 33.77 feet on 0°, 9°, 18°, 20°, 14°, 30° and 90° skews across Clarion River (CWF); (3) a 9-span continuous composite prestressed concrete I-beam and steel curved plate girder bridge having a clear spans of 110 feet, 110 feet, 110 feet, 110 feet, 110 feet, 190 feet, 280 feet and 190 feet and an underclearance of 31.97 feet across Johnson Run (CWF); (4) placement of 5,267 cubic yards of fill material within the Clarion River Floodplain and 9,365 cubic yards of fill material within the floodplain of the West Branch of the Clarion River while permanently impacting 1.01 acres of PEM wetlands; and (5) 0.01 acre of stream impacts all as part of the construction of the Johnsonburg Bypass SR 0219 project sections C10 and D10.

The permittee is required to provide 1.09 acres of replacement wetlands.

E25-602, Millcreek Township, 3608 West 26th Street, Erie, PA 16506. Heidler Road Drainage Improvement Project, in Millcreek Township, **Erie County**, ACOE Pittsburgh District (Swanville, PA Quadrangle N: 8.0 inches; W: 6.9 inches).

This referenced permit, which expired on December 31, 2005, has been extended to February 28, 2006 in order to address public comments received by the Department. This Bulletin also provides official notice of the receipt of Millcreek Township's August 12, 2005, request to extend the permit and provides for a 30-day public comment period. Readers should refer to the Water Obstructions and Encroachments Application section of this Bulletin.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

EA33-003. J. R. Resources, LP, P. O. Box 188, Ringgold, PA 15770. Ringgold Township, **Jefferson County**, ACOE Pittsburgh District.

Project proposes to construct, operate and maintain a nonjurisdictional dam across a tributary to Eagle Run (CWF) for recreational purposes. The proposed dam will directly and indirectly impact approximately 500 linear feet of stream channel and approximately 0.18 acre of riparian wetlands. The applicant proposes to construct 0.40 acre of replacement wetland at the project site. The dam is located approximately 50 feet north of the intersection of Ringgold Timblin Road (SR 3003) and St. James Road (T311) (Dayton, PA Quadrangle, N: 20.4", W: 7.6").

STORAGE TANKS SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101—6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Land Recycling and Waste Management, Director, P. O. Box 8763, Harrisburg, PA 17105-8763.

<i>SSIP Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
0602026	Pittsburgh Terminals Corp. P. O. Box 2621 Harrisburg, PA 17105-2621 Attn: Stephen Carten	Allegheny	Moon Township	Three ASTs storing gasoline/distillate	10,617,885 gallons total

SPECIAL NOTICES

Request for Proposals for Municipal Solid Waste Capacity

In accordance with Act 101 and 25 Pa. Code Chapter 272, the County of Wyoming is seeking waste disposal capacity for municipal waste (MSW) for a minimum of 5 years, with an option to extend said capacity for an additional 5 years, for a total of 10 years. Wyoming County is hereby soliciting responses to qualify facilities to provide processing/disposal capacity for county-generated MSW to begin on or after April 1, 2006.

Copies of Wyoming County's Facility Qualification Request (FQR) may be obtained from the Wyoming County Commissioners Office, Wyoming County Courthouse, One Courthouse Square, Tunkhannock, PA 18657, (570) 836-0729. Responses must be made on the Submittal Form and in accordance with the Instructions to Respondents provided in the FQR. The respondent must submit the original and three copies to the address listed previously, Attention William Gaylord, by 3 p.m. on February 10, 2006. Qualified facilities will be notified once all applications have been reviewed by the Wyoming County Solid Waste Advisory Committee.

Wyoming County reserves the right to reject any or all responses and to waive any informalities in the solicitation process.

NPDES Permit Application No. PAI025205006; Public Hearing

The Department of Environmental Protection (Department) will hold a public hearing to accept comment on Individual National Pollutant Discharge Elimination System (NPDES) Permit Application No. PAI025205006 for the discharge of stormwater from construction activities at the proposed Forest Glen Estates in Delaware Township, Pike County.

The public hearing will be conducted on March 14, 2006, at 7 p.m. in the Delaware Township Municipal Building, 116 Wilson Hill Road, Dingmans Ferry, PA 18328 by the Department of Environmental Protection, Watershed Management Program, Permitting and Technical Services Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511. The hearing is in response to an application submitted by Forest Glen Estates, LLC, 155 3rd Street, Brooklyn, NY 11231-4822. The NPDES permit application proposes the discharge of stormwater from construction activities to Dingmans Creek (HQ-CWF) and Adams Creek (EV).

The Department requests that individuals wishing to testify at the hearing submit a written notice of intent to Forest Glen Estates NPDES Public Hearing, Department of Environmental Protection, Watershed Management Program, 2 Public Square, Wilkes-Barre, PA 18711. The Department will accept notices up to the day of the hearing. The Department requests that individuals limit their testimony to 10 minutes so that all individuals have the opportunity to testify. The Department can only review comments made with regard to the NPDES Permit Application No. PAI025205006. Written copies of oral testimony are requested. Relinquishing time to others will not be allowed. All individuals attending the hearing will have the opportunity to testify, if they so desire; however, individuals who preregister to testify will be given priority on the agenda.

Persons with a disability who wish to testify and require an auxiliary aid, service or other accommodation should contact Christine Domashinski at (570) 826-2511 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department can meet their needs.

The NPDES permit application is available for review at the Pike County Conservation District Office located on Route 402, 1/4 mile north of I-84 at exit 30, Blooming Grove, (570) 226-8220.

For further information, contact Mark Carmon of the Department's Northeast Regional Office at (570) 826-2511.

[Pa.B. Doc. No. 06-147. Filed for public inspection January 27, 2006, 9:00 a.m.]

Availability of Technical Guidance

[Correction]

An error occurred in the document that appeared at 35 Pa.B. 6835, 6836 (December 17, 2005). The contact person's e-mail address was listed incorrectly. The correct version of the notice is as follows, with ellipses referring to the existing text of the notice.

Technical guidance documents are on the Department of Environmental Protection's (Department) website: www.dep.state.pa.us (DEP Keyword: Participate). The "Current Inventory" heading is the Governor's list of nonregulatory guidance documents. The "Final Documents" heading is the link to a menu of the various Department bureaus and from there to each bureau's final technical guidance documents. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

* * * * *

Draft Technical Guidance

DEP ID: 362-0300-009. Title: Reuse of Treated Wastewater Guidance Manual. Description: This manual provides guidance to domestic sewage treatment plant operators and other parties who are interested in implementing a beneficial wastewater reuse project. It contains information on the design, operation and maintenance requirements for wastewater systems discharging treated water for beneficial reuse. The manual is intended to ensure that wastewater is managed in an environmentally sound manner in accordance with Department regulations and that wastewater discharges are free from substances that pose a serious threat to the public health, safety and welfare. The manual is issued under the authority of Act 537 of 1966, the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20a), The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and 25 Pa. Code Chapter 91 (relating to general provisions). Written Comments: The Department is seeking comments on draft technical guidance #362-0300-009. Interested persons may submit written comments on this draft technical guidance document by January 17, 2006. Comments submitted by facsimile will not be accepted. The Department will accept comments submitted by e-mail. A return name and address must be included in each e-mail transmission. Written comments should be submitted to John Wetherell, Department of Environmental Protection, Bureau of Water Standards and Facility Regulation, Rachel Carson State Office Building, 11th Floor, Harrisburg, PA 17105-8774, jwetherell@state.pa.us. Effective Date: Upon publication of notice as final in the *Pennsylvania Bulletin*. Contact: Questions regarding the draft technical guidance document should be directed to John Wetherell, (717) 705-0486, jwetherell@state.pa.us.

[Pa.B. Doc. No. 05-2325 Filed for public inspection December 16, 2005, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) website at www.depweb.state.pa.us (DEP Keyword: Technical Guidance). The "Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

The Department will continue to revise its nonregulatory documents, as necessary, throughout 2006.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Draft Technical Guidance

DEP ID: 363-4000-002. Title: Standards and Guidelines for Identifying, Tracking and Resolving Violations for: Erosion and Sediment Control Program, National Pollutant Discharge Elimination System (NPDES) Stormwater Construction Program, Dam Safety Program, Waterways Management Program, and Wetlands Protection Program. Description: This proposed guidance document summarizes the compliance and enforcement methods employed by the Department and delegated Conservation Districts for the Erosion and Sediment Control Program, NPDES Stormwater Construction Program, Dam Safety Program, Waterways Management Program and Wetlands Protection Program. The document was developed in conformance with the Department's policy on "Standards and Guidelines for Identifying, Tracking and Resolving Violations" and is issued under the authority of the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); 25 Pa. Code Chapters 92, 102 and 105 (relating to National Pollutant Discharge Elimination System permitting, monitoring and compliance; erosion and sediment control; and dam safety and waterway management). Written Comments: The Department is seeking comments on draft technical guidance #363-4000-002. Interested persons should submit written comments on this draft technical guidance document by February 27, 2006. Comments submitted by facsimile will not be accepted. The Department will accept comments submitted by e-mail. A return name and address must be included in each e-mail transmission. Written comments should be submitted to Kenneth Murin, Department of Environmental Protection, Bureau of Watershed Management, Division of Waterways, Wetlands and Stormwater Management, P. O. Box 8775, Rachel Carson State Office Building, 400 Market Street, 10th Floor, Harrisburg, PA 17105-8775, kmurin@state.pa.us. Effective Date: Upon publication of notice as final in the *Pennsylvania Bulletin*. Contact: Questions regarding the draft technical guidance document should be directed to Kenneth Murin, (717) 787-6827, kmurin@state.pa.us.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-148. Filed for public inspection January 27, 2006, 9:00 a.m.]

Proposed General Plan Approval and General Operating Permit for Human or Animal Crematories (BAQ-GPA/GP-14)

The Department of Environmental Protection (Department) proposes to issue the following general plan approval and/or general operating permit (General Permit) which contains predetermined Best Available Technology (BAT) and other regulatory requirements:

BAQ-GPA/GP-14 (Human or Animal Crematories)

This proposed General Permit, authorized under section 6.1(f) of the Air Pollution Control Act (35 P. S. § 4006.1(f)) and 25 Pa. Code § 127.611 (relating to general plan approvals and general operating permits), will apply to the construction, operation and modification of both new and existing human or animal crematories.

The proposed General Permit contains conditions that prescribe applicability, compliance, notification, monitoring, recordkeeping and reporting, emissions, work practice, prohibited use, operator training and administrative requirements.

Prior to constructing and/or operating under this General Permit, the permittee must notify the Department using the General Permit application form provided by the Department and receive prior written approval from the Department before initiating construction and/or commencing operation of a crematory. The permittee shall also provide with the application a letter from the local municipality and a letter from the county in which the units are located, or are proposed to be located, signed by public officials on their respective letterheads stating that "the installation and/or operation of this crematory is not inconsistent with applicable comprehensive plans and zoning ordinances" or "all required zoning approvals or variances have been secured for the installation and/or operation of this crematory." Existing permitted crematories may either continue to operate under an existing operating permit or owners may elect to apply for authorization to use this General Permit. The application for authorization to use this General Permit must be submitted on a form provided by the Department. The owner or operator of any facility operating under this General Permit shall comply with the terms and conditions of this General Permit.

BAQ-GPA/GP-14: Human or Animal Crematories

As proposed, GP-14 is designed to serve as either plan approval and/or operating permit for human or animal crematories.

This proposed General Permit may not be used where the installation of a crematory, individually or in conjunction with other source installations or modifications, would be subject to the requirements of 25 Pa. Code Chapter 127, Subchapter D (relating to prevention of significant deterioration of air quality) or 25 Pa. Code Chapter 127, Subchapter E (relating to new source review).

This proposed General Permit establishes emission limits for particulate matter, sulfur oxides, visible and odor emissions and work practice standards for human or animal crematories depending on whether their constructions commenced before or after April 17, 1989.

These requirements shall be verified through stack tests or recent test data on similar sources and monitoring records of operation of these crematories. The Department also reserves the right to require an additional verification of emission rates, which may include source testing in accordance with applicable provisions of 25 Pa. Code Chapter 139 (relating to sampling and testing).

The owner or operator of the crematory shall maintain accurate records of hours of operation, number of cremations performed, fuel used, temperature maintained in cremation chambers and emissions test results. These results shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

The proposed General Permit establishes the following uses and restrictions for crematories:

a. Human or animal remains may be cremated, but not both, in the same unit.

b. The crematory may only be used to cremate human or animal remains and the container used to transport the remains.

c. The crematory may not be used to dispose of any animals resulting from commercial or medical experimentation.

d. The crematory may not be used to dispose of any other type of waste.

e. The crematory may not be used to cremate human or animal bodies whose weight exceeds 500 pounds including the weight of the container.

Bodies to be cremated must have all electronic and potentially hazardous remedial devices removed prior to cremation and properly disposed. Documentation certifying compliance with this requirement shall be maintained for each cremation.

GP-14 proposes to establish comprehensive operator training requirements for crematories authorized to use this General Permit. The manufacturer's representative or another qualified training source shall provide adequate instruction to operators of each new crematory and to new operators of existing crematories including hands-on control of the unit to consist of at least two cycles of operation.

Authorizations granted to use this General Permit will be for a term of 5 years. At least 30 days prior to the expiration date of the authorization to use this General Permit, the permittee must submit an application to renew the authorization if the facility intends to continue to operate under this General Permit.

The Department proposes to establish application and permit renewal fees for GP-14 as follows: \$500

A plan approval application and fee is required each time the permittee installs or modifies a crematory. The installation or modification of a crematory must be conducted according to the terms and conditions of this proposed General Permit.

Interested parties are encouraged to obtain and review a complete copy of this proposed General Permit by contacting Jeanette Van Skike, Division of Permits, Bureau of Air Quality, 12th Floor, Rachel Carson State Office Building, P. O. Box 8468, Harrisburg, PA 17105-8468, (717) 787-4325. TDD users may telephone the Department through the AT&T Relay Service, (800) 654-5984. Internet users can access a copy of the General Permit at www.depweb.state.pa.us (DEP Keyword: Air Quality Home).

The Department invites written comments on the proposed General Permit. Notice and opportunity for comment will also be provided to the United States Environmental Protection Agency and the States of Delaware, Maryland, New Jersey, New York, Ohio, West Virginia and the Commonwealth of Virginia. Interested persons may submit written comments, suggestions or objections to John Slade, Chief, Division of Permits, Bureau of Air Quality, 12th Floor, Rachel Carson State Office Building, P. O. Box 8468, Harrisburg, PA 17105-8468, (717) 787-4325. The Department will also consider written requests that a public hearing be held concerning this proposed General Permit. Written public comments must be sub-

mitted to the Department by March 14, 2006. Comments received by facsimile will not be accepted.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-149. Filed for public inspection January 27, 2006, 9:00 a.m.]

State Water Plan; Delaware and Lower Susquehanna Water Resources Regional Committees Meeting Schedule for February 2006

The following is a list of February 2006 meetings of the Delaware and Lower Susquehanna Water Resources Regional Committees associated with the Department of Environmental Protection (Department).

These schedules and an agenda for each meeting, including meeting materials, will be available through the Public Participation Center on the Department's website at www.depweb.state.pa.us (DEP Keywords: Public Participation, Participate).

The regional committees listed as follows were created under 27 Pa.C.S. Chapter 31 (relating to water resources planning) to help guide the development of a new State Water Plan (plan) for the Commonwealth. The regional committees' purpose is to develop the regional component of the overall plan and to provide recommendations to the Statewide Water Resources Committee, which is charged under 27 Pa.C.S. Chapter 31 to develop the plan.

The February 2006 meeting dates of the Delaware and Lower Susquehanna Water Resources Regional Committees are as follows:

Lower Susquehanna Water Resources Regional Committee

The February meeting of the Lower Susquehanna Water Resources Regional Committee will be held at 9:30 a.m. at the following location:

February 6, 2006 PA DEP Southcentral Regional Office
909 Elmerton Ave.
Harrisburg, PA 17110

Delaware Water Resources Regional Committee

The February meeting of the Delaware Water Resources Regional committee will be held at 9:30 a.m. at the following location:

February 9, 2006 Delaware Valley Regional Planning
Commission
The ACP Building
190 North Independence Mall West
Philadelphia, PA 19106

Questions concerning these meetings should be directed to Leslie Sarvis, Water Planning Office, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 772-5634, lsarvis@state.pa.us.

Persons with a disability who require accommodations to attend any of the meetings listed previously should contact the Department at (717) 705-2425 or through the

Pennsylvania AT&T Relay Services at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-150. Filed for public inspection January 27, 2006, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Susquehanna Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Susquehanna Surgery Center has requested an exception to the requirements of 28 Pa. Code § 551.21(d)(2) (relating to criteria for ambulatory surgery).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number or for speech and/or hearing impaired persons, V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-151. Filed for public inspection January 27, 2006, 9:00 a.m.]

Organ Donation Advisory Committee Meeting

The Organ Donation Advisory Committee, established under 20 Pa.C.S. § 8622 (relating to The Governor Robert P. Casey Memorial Organ and Tissue Donation Awareness Trust Fund), will hold a public meeting on March 8, 2006, from 10 a.m. to 2 p.m. at the Gift of Life Donor Program, 401 North 3rd Street, Philadelphia, PA 19123.

For additional information contact Jayme L. Trogus, Public Health Educator, Health Education and Information Program, Bureau of Chronic Diseases and Injury Prevention, Room 1000, Health & Welfare Building, Harrisburg, PA, (717) 787-6214.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Jayme L. Trogus at (717) 787-6214 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

This meeting is subject to cancellation without notice.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-152. Filed for public inspection January 27, 2006, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Current Prevailing Wage Act Debarments

The following contractors have been determined to have intentionally violated the Pennsylvania Prevailing Wage Act (act) (43 P. S. §§ 165-11—165-17). This notice is published for the information and convenience of public bodies subject to the act. Under section 11(e) of the act (43 P. S. § 165-11(e)), these persons and firms, or any firms, corporations or partnerships in which these persons and firms have an interest, shall be awarded no contract for 3 years after the date listed.

<i>Contractor</i>	<i>Address</i>	<i>Date of Debarment</i>
American Pipe and Sprinkler, Inc. -and-	37 Eldred Street Williamsport, PA 17701-3459	6/21/2005
Roan J. Confer, Sr., individually	460 West Market Street, Suite 409 Williamsport, PA 17701	
Clark Construction Company, Inc. -and- John M. Clark, individually	828 Hamilton Corners Road Titusville, PA 16354-8009	5/18/2005
Michael J. Gedman, individually -and- A to Z Concrete	2000 Cressman Drive Aliquippa, PA 15001	5/10/2005
Rogers Electric Inc. and Bradley J. Rogers, individually and Deborah J. Rogers, individually Fed. ER Tax I.D. No. 23-2225268	HCR 71 Box 40 Orbisonia, PA 17243	10/03/2005
RL Insulation Company, Inc. -and-	R. D. 1, Box 202 Hopewell, PA 16650	11/3/2005
Ronald Lundquist, individually -and- Robin Lundquist, individually	1246 Jacks Corner Road Hopewell, PA 16650	
John Allegretto General Construction Company, Inc. -and- John Allegretto, individually	1083 North James Street Hazleton, PA 18202	11/7/2005
Rolling Scrap Tires, Inc. -and- Joseph Anthony Bova, individually -and- Sherri Renee Bova, individually	176 Wilson Street Struthers, OH 44471	12/8/2005
Kurtiak Enterprises -and- John R. Kurtiak, individually	17599 Route 322 Strattanville, PA 16258	12/15/2005
Lawrence Roofing Company, Inc. -and- Lawrence August, individually	P. O. Box 123 19212 Route 119 Punxsutawney, PA 15767-0123	12/21/2005

STEPHEN M. SCHMERIN,
Secretary

[Pa.B. Doc. No. 06-153. Filed for public inspection January 27, 2006, 9:00 a.m.]

Maximum Pennsylvania Workers' Compensation Payable

Based upon the Statewide Average Weekly Wage, as determined by the Department of Labor and Industry for the fiscal year ending June 30, 2005, the maximum compensation payable under sections 105.1 and 105.2 of the Workers' Compensation Act (77 P. S. §§ 25.1 and 25.2) shall be \$745 per week for injuries occurring on and after January 1, 2006. For purposes of calculating the update to payments for medical treatment rendered on and after January 1, 2006, the percentage increase in the Statewide Average Weekly Wage is 4.05%

STEPHEN M. SCHMERIN,
Secretary

[Pa.B. Doc. No. 06-154. Filed for public inspection January 27, 2006, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Expansion of the Long-Term Care Capitated Assistance Program; Request for Information

The Long-Term Care Capitated Assistance Program (LTCCAP) is the Commonwealth's replication of the Program of All-inclusive Care for the Elderly (PACE) Model. Under this request for information, the Department of Public Welfare (Department) is asking organizations interested in participating as an LTCCAP provider to contact the Department. Providers will be responsible to provide a specific package of services to individuals enrolled in LTCCAP, who are eligible for Medical Assistance (MA) and have been determined to require nursing facility services. To be considered for an LTCCAP site,

organizations must be enrolled in the MA Program, meet the requirements included in the PACE Protocol and LTCCAP Provider Agreement and have a completed feasibility study through an approved PACE Technical Assistance Center. The feasibility study must evaluate and address at least the following:

- Market analysis to determine potential demand for PACE services in the proposed service area.
- Organization's commitment to principles consistent with PACE model; depth of leadership and experience required to develop PACE; evidence of primary, acute and/or long-term care services; and experience in serving eligible dual populations.
- Financial capacity of organization to fund program development, assume financial risk and fund risk reserve.
- Project design.
- Projected 5-year startup budget.

The Department will consider, among other things, the following factors when determining site selection for LTCCAP:

- MA service need.
- MA service availability (such as availability of nursing facility services and home and community based services).
- Project location (such as suburban versus urban locations and existing project sites).
- Uniqueness of project design (such as closing existing nursing facility beds and collaboration efforts with affordable housing providers, hospitals, nursing facilities and referral sources).
- Time line for program development.
- Demonstration of plan to achieve solvency and fund risk reserve.

Questions regarding the PACE Protocol or the feasibility study through a PACE Technical Assistance Center should be directed to Cindy M. Proper at (717) 772-2525.

Organizations that meet the criteria listed in this notice that are interested in being considered to provide services under LTCCAP should submit a letter of interest, along with a copy of their completed feasibility study no later than 90 days from the date of this notice, to LTCCAP, Division of LTC Client Services, Department of Public Welfare, 6th Floor, Bertolino Building, P. O. Box 2675, Harrisburg, PA 17105.

Current LTCCAP providers interested in expanding beyond their designated zip code area are also invited to respond to this request. Responses should be directed to the address previously given and include a letter of interest, along with a market analysis of the area of interest.

ESTELLE B. RICHMAN
Secretary,

Fiscal Note: 14-NOT-463. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 06-155. Filed for public inspection January 27, 2006, 9:00 a.m.]

Medical Assistance Program Fee Schedule Procedure Code Changes for Certified Registered Nurse Practitioner, Physician, Podiatrist and Hospice Services

The Department of Public Welfare (Department) announces several changes to the Medical Assistance (MA) Program Fee Schedule for services provided by certified registered nurse practitioners, physicians, podiatrists and hospices, effective for dates of service on or after February 1, 2006.

Fee Schedule Revisions

Local procedure codes W0165, W0171 and W0608 are being end-dated and will not be replaced with National procedure codes because there have been no claims submitted using these procedure codes since January 1, 2003.

The SU modifier associated with National procedure code 11720 is being end-dated because there have been no claims submitted using this procedure code and modifier combination since January 1, 2002.

Local procedure code X1070 is being removed from the MA Program Fee Schedule and will not be replaced with a National procedure code. The regulation at 55 Pa. Code § 1150.51(h)(5) (relating to general payment policies) precludes a separate payment for the removal of sutures. The fee for surgical services includes the removal of sutures. See 55 Pa. Code § 1150.54(a)(4)(iii) and (b)(1)(ii) (relating to surgical services).

The following local and National procedure codes are being end-dated for podiatrists as the regulation at 55 Pa. Code § 1143.58(a)(11) (relating to noncompensable services and items) precludes payment for physical therapy services provided by podiatrists under the MA Program. Some podiatrists have inappropriately been submitting claims using these procedure codes.

Procedure Code

97001
97002
97010
97012
97014
97016
97018
97020
97022
97024
97026
97028
97032
97033
97034
97035
97036
97112
97116
97124
97140
W9715

The following local procedure codes are being end-dated and replaced with existing National procedure codes already on the MA Program Fee Schedule and the corresponding fees already on the MA Program Fee Schedule.

Procedure Code

W0160
W0607

X1101
X1102
X1166
X1167
X1172
X1177
X1720
X5741
X9630

The following local procedure codes are being end-dated and replaced with new National procedure codes that the Department is adding to the MA Program Fee Schedule.

<i>Local Procedure Code</i>	<i>National Procedure Code</i>	<i>Pricing Modifier</i>	<i>Informational Modifier</i>	<i>MA Fee</i>
W0602	T2042			Provider Specific Rate
W0603	T2043			Provider Specific Rate
W0604	T2044			Provider Specific Rate
W0605	T2045			Provider Specific Rate
W0606	T2046			Provider Specific Rate
X1720	17004			\$132.38

Some of the National procedure code fees may be higher and some may be lower than the fees corresponding with the local procedure codes.

Medical Assistance Bulletins will be issued to certified registered nurse practitioners, physicians, podiatrists and hospices setting forth the local procedure codes that are being end-dated and the National procedure codes that are replacing them.

Services rendered on or after February 1, 2006, must be billed using the National procedure code and modifier, if appropriate.

Fiscal Impact

The conversion from local to National procedure codes is anticipated to be budget neutral and therefore these changes will have no fiscal impact.

Public Comment

Interested persons are invited to submit written comments regarding this notice the Department of Public Welfare, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revisions of the MA Program Fee Schedule.

Persons with a disability who require auxiliary aid or service may submit comments using the AT&T Relay

Services at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ESTELLE B. RICHMAN,
Secretary

Fiscal Note: 14-NOT-462. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 06-156. Filed for public inspection January 27, 2006, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b).

The Commission has issued comments on the following proposed regulations. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
6-297	State Board of Education Higher Education General Provisions 35 Pa.B. 6242 (November 12, 2005)	12/12/05	1/11/06

**State Board of Education Regulation #6-297
(IRRC #2506)**

Higher Education General Provisions

January 11, 2006

We submit for your consideration the following comments on the proposed rulemaking published in the November 12, 2005 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P. S. § 745.5a(a)) directs the State Board of Education (Board) to respond to all comments received from us or any other source.

1. Section 31.1. Purpose and scope.—Need; Clarity.

In Subsection (e), the proposed regulation contains new language labeled as a new Paragraph (1). There are two concerns.

First, there is no need to enumerate a paragraph as “(1)” if there is no paragraph labeled as “(2).”

Second, in Subparagraph (iii), what mandates or requisites are included in the phrase “all other requirements to operate in this Commonwealth as defined in this subpart”? This provision should reference the specific operational requirements that these institutions are expected to meet.

2. Section 31.2. Definitions.—Consistency with the statute; Clarity.

CEC—Community Education Council

The definition of this term in the proposed regulation is very similar to the statutory definition of the term at 24 P. S. § 19-1901-d(1). However, the regulatory definition is longer than the statutory definition and includes substantive provisions from other sections of the statute. Substantive provisions in a definition are not enforceable. Therefore, the Board should move substantive provisions to a section establishing the parameters of and requirements for CECs. The definition of this term in Section 31.2 should either reference the statutory definition or repeat it verbatim in the regulation.

3. Section 31.21. Curricula.—Reasonableness; Implementation procedure; Clarity.

Subsection (b) Degree requirements

This subsection includes degree requirements for different programs in semester or quarter credit hours. We have two concerns.

First, we question the meaning of the term “general education” as it applies to “specialized associate degree” in Paragraph (2). The Pennsylvania Association of Private School Administrators indicates that “general education” for “ASB—Associate in Specialized Business” or “AST—Associate in Specialized Technology” degrees should specifically apply to and support the specialized program of the school. People enroll in specialized programs to focus on the tools and skills they need for a specific occupation. Usually, they are not expecting nor do they want to pay for a general education which features the possible breadth of a “liberal arts” experience. There is also a concern with how Department of Education staff will interpret the term “general education.” The term “general

education” is used for associate degrees in Paragraph (1), specialized degrees in Paragraph (2), and baccalaureate degrees in Paragraph (3). In addition, the proposed regulation replaces the term “the arts and sciences” with the term “general education” in Paragraph (3). The impact of this change on the meaning of the term “general education” is unclear. The Board should clarify the meaning and its interpretation of the term for each degree or consider the use of different terms.

Second, the structure of this section in the proposed regulation is confusing. It places two new paragraphs labeled as (i) and (ii) in front of existing paragraphs labeled as (1)—(6). The intent in using both Roman and Arabic numbers for these paragraphs is unclear. The new Paragraphs (i) and (ii) define “semester credit hour” and “quarter credit hour” respectively. As recommended in Chapter 7 of the *Pennsylvania Code & Bulletin Style Manual*, Paragraphs (i) and (ii) should be placed as subparagraphs of a paragraph labeled with an Arabic number. The two new subparagraphs could be placed in a new Paragraph (1), which defines terms as used in Subsection (b). The existing Paragraphs (1)—(6) could be renumbered as (2)—(7).

Subsection (d) Distance education programs

The last sentence of Subsection (d) reads:

These [distance education] programs must comply with the regulations and policies that apply to resident-based programs.

This provision should reference the specific “regulations and policies” that will apply to both distance education and resident-based programs.

4. Section 31.33. Student records and services.—Clarity.

In Subsection (a), the proposed regulation adds new language which includes these two sentences:

Institutions shall adopt a plan for the collection, maintenance and dissemination of student academic, counseling, health and other records. Copies of the plan shall be maintained by the institution and updated as required by changes in *State or Federal law or local policy*. [Emphasis added.]

What types of laws or policies are included in the phrase “changes in State or Federal law or local policy” and how would they impact the required plans at these institutions? This section should include specific references to the laws or local policies that could require updates in the plans of the institutions.

New language added in Subsection (b)(7) reads:

Compliance with State and Federal laws and regulations regarding reasonable accommodation for students with special needs.

This provision should reference the specific laws and regulations that are pertinent to students with special needs at the covered institutions.

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 06-157. Filed for public inspection January 27, 2006, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Merger

An application has been received requesting approval of the merger of Transnation Title Insurance Company of New York, a nonadmitted title insurance company organized under the laws of New York, with Commonwealth Land Title Insurance Company, a title insurance company organized under the laws of the Commonwealth. The survivor of the merger would be Commonwealth Land Title Insurance Company. The initial filing was received on January 3, 2006, and was made under 15 Pa.C.S. §§ 1921—1932 (relating to merger, consolidation, share exchanges and sale of assets), the GAA Amendments Act of 1990 (15 P.S. §§ 21101—21208) and the Insurance Holding Companies Act (40 P.S. §§ 991.1401—991.1413). Persons wishing to comment on the grounds of public or private interest in this merger are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of publication of this notice in the *Pennsylvania Bulletin*. Written statements must include the name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Stephanie Ohnmacht, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, sohnmacht@state.pa.us.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-158. Filed for public inspection January 27, 2006, 9:00 a.m.]

Qualified Annuity Contractors for Awarded Periodic Medical Professional Liability Payments

Under section 509(b)(6) of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P.S. § 1303.509 (b)(6)), the Insurance Commissioner hereby lists insurers designated by the Insurance Department as qualified to participate in the funding of periodic payment judgments:

<i>NAIC #</i>	<i>Insurer Qualified to Issue Annuity Contracts Under the MCARE Act</i>
60607	American International Life Assurance Company of New York
62898	Aviva Life Insurance Company
93432	C. M. Life Insurance Company
29980	First Colony Life Insurance Company
70025	Genworth Life Insurance Company
88072	Hartford Life Insurance Company
65935	Massachusetts Mutual Life Insurance Company
65978	Metropolitan Life Insurance Company
70416	MML Bay State Life Insurance Company
66281	Monumental Life Insurance Company
66915	New York Life Insurance Company
61271	Principal Life Insurance Company
68241	The Prudential Insurance Company of America
87726	The Travelers Insurance Company

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-159. Filed for public inspection January 27, 2006, 9:00 a.m.]

PATIENT SAFETY AUTHORITY

Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P.S. § 1303.303), enacted on March 20, 2002, will hold a meeting of the Authority's 11 member Board of Directors on Monday, February 6, 2006, at 10:30 a.m. in the Wildwood Conference Center, Harrisburg Area Community College, One HACC Drive, Harrisburg, PA.

Individuals having questions regarding this meeting, which is open to the public, should contact the Authority at (717) 346-0469.

ALAN B. K. RABINOWITZ,
Administrator

[Pa.B. Doc. No. 06-160. Filed for public inspection January 27, 2006, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

January 2006 Review of Fuel Cost Recovery Surcharge; S. P. 28208

Public Meeting held
January 12, 2006

Commissioners Present: Wendell F. Holland, Chairperson; James H. Cawley, Vice Chairperson; Bill Shane; Kim Pizzingrilli; Terrance J. Fitzpatrick

Order

By the Commission:

The Pennsylvania Public Utility Commission (Commission) by its Fuel Cost Recovery Surcharge Order at Special Permission Number 28208, adopted June 10, 2004, authorized call or demand, paratransit and airport transfer carriers under the jurisdiction of this Commission to adjust rates and fares to offset unanticipated fuel expenditures. At its Public Meeting of June 2, 2005 the Commission approved an extension of the temporary fuel surcharge until June 12, 2006. The Commission also required the Bureau of Transportation and Safety to investigate the merits of the fuel surcharge on a quarterly basis.

As a result of the volatile nature of gasoline prices in the aftermath of Hurricane Katrina, the amounts for the fuel surcharge were adjusted accordingly at Public Meeting on September 9, 2005. Recognizing that the price of fuel is likely to fluctuate in the future months, the Commission also ordered that the temporary fuel surcharge was to be evaluated on a monthly basis until further notice to ensure that the surcharge is appropriately adjusted to the price of fuel. Though prices continue to fluctuate, the market no longer experiences the dramatic changes which necessitated monthly evaluations; therefore, evaluations will be performed on a quarterly basis. The last adjustment was made by the Commission at Public Meeting on December 1, 2005.

The most recent data for the week ending January 9, 2006 indicates that the price of gasoline is \$2.46 per gallon, which is an increase of \$.23 or 10% from the average price for November 28, 2005. The effect of this increase results in an average cost of fuel per trip of \$1.11 for call or demand operations. The average cost of fuel per trip for paratransit and airport transfer operations is \$2.57. Considering this increase, the surcharge shall be adjusted to \$.50 per trip for each paying passenger for call or demand service and \$1.15 per trip for each paying passenger for airport transfer and paratransit services, effective January 16, 2006.

The changes which have occurred in the Fuel Cost Recovery Surcharge at S. P. 28208 are summarized in the following table.

*Historical Charges for Fuel Cost Recovery
Surcharge at S. P. 28208*

<i>Effective Date</i>	<i>Call or Demand</i>	<i>Airport Transfer/Paratransit</i>
June 14, 2004	\$.30	\$.70
September 2, 2005	\$.70	\$1.55
September 12, 2005	\$.90	\$2.00
October 3, 2005	\$.70	\$1.55
October 31, 2005	\$.55	\$1.25
December 5, 2005	\$.40	\$.95
January 16, 2006	\$.50	\$1.15

Based upon the evidence available, we are of the opinion that the passenger motor carrier industry continues to have a need for the fuel surcharge. However, due to the increase in prices we believe it is necessary to make adjustments to the fuel cost recovery surcharge; *Therefore,*

It Is Ordered That:

1. The Fuel Cost Recovery Surcharge established at Special Permission No. 28208 be continued.

2. Call or demand carriers rendering transportation service under the jurisdiction of the PA Public Utility Commission shall increase the surcharge to \$.50 per trip for each paying passenger.

3. Paratransit carriers and airport transfer carriers rendering transportation service under the jurisdiction of the PA Public Utility Commission shall increase the surcharge to \$1.15 per trip for each paying passenger.

4. The increases be approved to become effective January 16, 2006.

5. The Fuel Cost Recovery Surcharge will be reviewed on a quarterly basis with the next review taking place at the Public Meeting of April 6, 2006.

6. Call or demand motor carriers shall notify the public by placing a notice in all vehicles, which shall read: "The PA Public Utility Commission has authorized a fuel surcharge under Special Permission No. 28208. The surcharge has been increased to \$.50 per trip for each paying passenger and is effective on January 16, 2006. The fuel surcharge shall terminate on June 12, 2006."

7. Paratransit and airport transfer motor carriers shall notify the public by placing a notice in all vehicles, which shall read: "The PA Public Utility Commission has authorized a fuel surcharge under Special Permission No.

28208. The surcharge has been increased to \$1.15 per trip for each paying passenger and is effective on January 16, 2006. The fuel surcharge shall terminate on June 12, 2006."

8. The Secretary of this Commission shall duly certify this order and deposit same with the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-161. Filed for public inspection January 27, 2006, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by February 21, 2006. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Application of the following for approval of the right to *begin* to operate motor vehicles as *common carriers* for the transportation of *household goods* by *transfer* as described under the application.

A-00122357. Dafix Enterprises, Inc. (1013 Piney Ridge Drive, South Park, Allegheny County, PA 15129), a corporation of the Commonwealth—for the right to transport, as a common carrier, by motor vehicle, household goods in use: (1) from points in the North Side section of the City of Pittsburgh, the Boroughs of Avalon, Bellevue, Ben Avon, Ben Avon Heights, Emsworth and Westview, and Ross Township, Allegheny County, to other points in Pennsylvania within 25 miles by the usually traveled highways of the City-County Building in the City of Pittsburgh; (2) between points in the City of Pittsburgh, Allegheny County; (3) from points in the City of Pittsburgh, Allegheny County, to points in the County of Allegheny within 20 miles by the usually traveled highways of the limits of the City of Pittsburgh, and vice versa; and (4) between points in the Borough of Bellevue, Allegheny County, and within 30 miles by the usually traveled highways of the limits of said borough, excluding the County of Washington, and excluding the right to transport household goods in use for distances in excess of 40 miles; which is to be a transfer of all the rights authorized under the certificate issued at A-00108586 to Gary Martin Geiger t/a Deily Moving & Storage Company, subject to the same limitations and conditions. *Attorney:* Louis W. Emmi, Esquire, 201 Lebanon Shops, 300 Mt. Lebanon Boulevard, Pittsburgh, PA 15234.

Application of the following for approval of the additional right and privilege of operating motor vehicles as common carriers for transportation of household goods in use by transfer as described under the application.

A-00121721, Folder 2. Keystone Relocation, LLC (2929 Stewart Drive, Suite 103, State College, Centre County, PA 16801), a limited liability company of the Commonwealth, additional right—household goods in use, from points in Centre County to points in Pennsylvania, and vice versa; which is to be a transfer of the rights authorized under the certificate issued at A-00089650, F. 2, Am-E to Williamsport Moving Company, Inc. t/a Keystone Relocation, subject to the same limitations and conditions. *Attorney:* James P. Melia, 17 North Second Street, Harrisburg, PA 17101-1507.

Application of the following for amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for the transportation of household goods by transfer as described under the application.

A-00108084, F. 1, Am-A. Joseph Sparacino Movers, Inc. (6 South Keyser Avenue, Taylor, Lackawanna County, PA 18517), a corporation of the Commonwealth—for the amendment to its common carrier certificate, which grants the right, inter alia, to transport, by motor vehicle, households goods in use, from points in the City of Scranton, Lackawanna County, to other points in Pennsylvania and vice versa; which is to be a transfer of the rights authorized under the certificate issued at A-00104113 to Sparacino Brothers, Inc., subject to the same limitations and conditions. *Attorney:* William A. Gray, Esquire, 2310 Grant Building, Pittsburgh, PA 15219.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-162. Filed for public inspection January 27, 2006, 9:00 a.m.]

Tentative Order

Public Meeting held
January 12, 2006

Commissioners Present: Wendell F. Holland, Chairperson; James H. Cawley, Vice Chairperson; Bill Shane; Kim Pizzigrilli; Terrance J. Fitzpatrick

Dancris Telecom, LLC (2005.0313); A-311226

Tentative Order

By the Commission:

Dancris Telecom, LLC ("Dancris") has failed to pay its \$37 general assessment for 2005-2006 pursuant to section 510(c) of the Public Utility Code. 66 Pa.C.S. § 510(c). Dancris is a telecommunications interexchange reseller certificated at A-311226, whose certificate of public convenience was issued on January 23, 2003. On or about August 17, 2005, Commission staff sent an invoice to Dancris notifying it that its 2005-2006 annual assessment was due. The Commission has not received payment for this invoice. Commission staff attempted to reach Dancris and was advised by its former consultant that she understands Dancris is out of business in Pennsylvania. She had no other information about Dancris, and we have no other contact information for the company.

The Commission puts the industry on notice that we will not hesitate to invoke our authority under the Public Utility Code to ensure timely compliance with our regulations and orders including the ordering of such other remedy as the Commission may deem appropriate. 66 Pa.C.S. §§ 504, 505, 506, and 3301. Based on the above and because of Dancris's failure to pay its general assessment for 2005-2006, we believe it is appropriate to revoke Dancris's certificate of public convenience without the necessity of a formal complaint, and we tentatively conclude that revocation of Dancris's certificate of public convenience pursuant to 66 Pa.C.S. § 1102(a)(2) is in the public interest. Furthermore, the Commission may take other appropriate action, including the imposition of penalties under section 3301, in lieu of cancellation, if Dancris seeks relief from this Tentative Order; *Therefore,*

It Is Ordered That:

1. Revocation of Dancris Telecom, LLC's certificate of public convenience is hereby tentatively approved as being in the public interest.

2. The Secretary serve a copy of this Tentative Order upon the Office of Consumer Advocate, the Office of Small Business Advocate, and the Office of Trial Staff, and also cause a copy of this Tentative Order to be published in the *Pennsylvania Bulletin* with a 30-day comment period.

3. Absent the filing of adverse public comment within 30 days after publication in the *Pennsylvania Bulletin*, this Tentative Order shall become final without further action by the Commission.

4. Upon this order becoming final, and without further action by the Commission, the certificate of public convenience held by Dancris Telecom, LLC at A-311226 shall be canceled, and Dancris Telecom, LLC's name stricken from all active utility lists maintained by the Commission's Bureau of Fixed Utility Services and the Assessment Section of the Bureau of Administrative Services.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-163. Filed for public inspection January 27, 2006, 9:00 a.m.]

Tentative Order

Public Meeting held
December 15, 2005

Commissioners Present: Wendell F. Holland, Chairperson; James H. Cawley, Vice Chairperson; Bill Shane; Kim Pizzigrilli; Terrance J. Fitzpatrick

Radiant Telecom Inc. (2005.0313); A-311129

Tentative Order

By the Commission:

Radiant Telecom Inc. ("Radiant") has failed to pay its \$24 general assessment for 2005-2006 pursuant to section 510(c) of the Public Utility Code. 66 Pa.C.S. § 510(c). Radiant is a telecommunications interexchange reseller certificated at A-311129, whose certificate of public convenience was issued on September 26, 2001. On or about

August 17, 2005, Commission staff sent an invoice to Radiant notifying it that its 2005-2006 annual assessment was due. The Commission has not received payment for this invoice. Commission staff attempted to reach Radiant and found a website for Radiant with a telephone listing. However, when staff called this telephone number, staff was advised by an attorney at this phone number that the attorney's current employer, another telephone company, spun off Radiant three years ago, and that he understands Radiant has since gone out of business. He had no other information about Radiant.

The Commission puts the industry on notice that we will not hesitate to invoke our authority under the Public Utility Code to ensure timely compliance with our regulations and orders including the ordering of such other remedy as the Commission may deem appropriate. 66 Pa.C.S. §§ 504, 505, 506, and 3301. Based on the above and because of Radiant's failure to pay its general assessment for 2005-2006, we believe it is appropriate to revoke Radiant's certificate of public convenience without the necessity of a formal complaint, and we tentatively conclude that revocation of Radiant's certificate of public convenience pursuant to 66 Pa.C.S. § 1102(a)(2) is in the public interest. Furthermore, the Commission may take other appropriate action, including the imposition of penalties under section 3301, in lieu of cancellation, if Radiant seeks relief from this Tentative Order; *Therefore,*

It Is Ordered That:

1. Revocation of Radiant Telecom Inc.'s certificate of public convenience is hereby tentatively approved as being in the public interest.

2. The Secretary serve a copy of this Tentative Order upon the Office of Consumer Advocate, the Office of Small Business Advocate, and the Office of Trial Staff, and also cause a copy of this Tentative Order to be published in the *Pennsylvania Bulletin* with a 30-day comment period.

3. Absent the filing of adverse public comment within 30 days after publication in the *Pennsylvania Bulletin*, this Tentative Order shall become final without further action by the Commission.

4. Upon this order becoming final, and without further action by the Commission, the certificate of public convenience held by Radiant Telecom Inc. at A-311129 shall be canceled, and Radiant Telecom Inc.'s name stricken from all active utility lists maintained by the Commission's Bureau of Fixed Utility Services and the Assessment Section of the Bureau of Administrative Services.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-164. Filed for public inspection January 27, 2006, 9:00 a.m.]

Tentative Order

Public Meeting held
December 1, 2005

Commissioners Present: Wendell F. Holland, Chairperson; James H. Cawley, Vice Chairperson; Bill Shane; Kim Pizzingrilli; Terrance J. Fitzpatrick

Transcommunications, Inc.; A-310428

Tentative Order

By the Commission:

Transcommunications, Inc. (Transcommunications) has failed to pay its \$141 general assessment for 2005-2006 pursuant to section 510(c) of the Public Utility Code. 66 Pa.C.S. § 510(c). Transcommunications is a telecommunications interexchange reseller certificated at A-310428, whose certificate of public convenience was issued on December 12, 1996. On or about August 17, 2005, Commission staff sent an invoice to Transcommunications notifying it that its 2005-2006 annual assessment was due. The Commission has not received payment for this invoice. Commission staff attempted to reach Transcommunications by telephone and was advised by a former employee that Transcommunications is no longer in business and that it filed a Chapter 7 bankruptcy petition in July 2005 to liquidate the company.

The Commission puts the industry on notice that we will not hesitate to invoke our authority under the Public Utility Code to ensure timely compliance with our regulations and orders including the ordering of such other remedy as the Commission may deem appropriate. 66 Pa.C.S. §§ 504, 505, 506, and 3301. Based on the above and because of Transcommunications' failure to pay its general assessment for 2005-2006, we believe it is appropriate to revoke Transcommunications' certificate of public convenience without the necessity of a formal complaint, and we tentatively conclude that revocation of Transcommunications' certificate of public convenience pursuant to 66 Pa.C.S. § 1102(a)(2) is in the public interest. Furthermore, the Commission may take other appropriate action, including the imposition of penalties under section 3301, in lieu of cancellation, if Transcommunications seeks relief from this Tentative Order; *Therefore,*

It Is Ordered That:

1. Revocation of Transcommunications, Inc.'s certificate of public convenience is hereby tentatively approved as being in the public interest.

2. The Secretary serve a copy of this Tentative Order upon the Office of Consumer Advocate, the Office of Small Business Advocate, and the Office of Trial Staff, and also cause a copy of this Tentative Order to be published in the *Pennsylvania Bulletin* with a 30-day comment period.

3. Absent the filing of adverse public comment within 30 days after publication in the *Pennsylvania Bulletin*, this Tentative Order shall become final without further action by the Commission.

4. Upon this order becoming final, and without further action by the Commission, the certificate of public convenience held by Transcommunications, Inc. at A-310428 shall be canceled, and Transcommunications, Inc.'s name stricken from all active utility lists maintained by the Commission's Bureau of Fixed Utility Services and the Assessment Section of the Bureau of Administrative Services.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-165. Filed for public inspection January 27, 2006, 9:00 a.m.]

Water Service

A-220010. City of Lebanon. Application of the City of Lebanon for approval of the right to begin to offer, render, furnish or supply water service to the public in the Boroughs of Cleona and Jonestown and the Townships of Annville, North Cornwall, South Lebanon, North Lebanon, West Lebanon, Swatara and Union, all in Lebanon County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before February 13, 2006. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: City of Lebanon

Through and By Counsel: Kenneth Zielonis, Esquire, Stevens and Lee, 17 North 2nd Street, 16th Floor, Harrisburg, PA 17101

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-166. Filed for public inspection January 27, 2006, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project #05-124.5, Asbestos Removal for Heat Humidification, Pier 40 South until 2 p.m. on Thursday, March 2, 2006. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 N. Delaware Ave., 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available February 6, 2006. Additional information and project listings may be found at www.philaport.com. The cost of the bid document is \$35 (includes 7% Pennsylvania Sales Tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractors must comply with all applicable equal opportunity laws and regulations. Bidders must provide to the Procurement Department in writing the names of individuals that will be attending prebid meetings. This information is needed 24 hours prior to the meeting. Fax to (215) 426-6800, Attn: Procurement Department.

A mandatory prebid job site meeting will be held on February 16, 2006, at 10 a.m. at Columbus Blvd. and Christian St., Philadelphia, PA.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 06-167. Filed for public inspection January 27, 2006, 9:00 a.m.]

STATE BOARD OF NURSING

Petition for Reinstatement of the License to Practice Professional Nursing of Paul V. Wons; Doc. No. 0996-51-05

On December 6, 2005, the State Board of Nursing (Board) dismissed the petition for reinstatement of Paul V. Wons, License No. RN-512467-L, of Philadelphia, Philadelphia County due to his failure to appear at his hearing.

Individuals may obtain a copy of the adjudication by writing to Thomas A. Blackburn, Board Counsel, State Board of Nursing, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represent the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of the petition for review. The Board contact for receiving service of appeals is the previously named Board counsel.

JOANNE SORENSEN, RN, MS,
Chairperson

[Pa.B. Doc. No. 06-168. Filed for public inspection January 27, 2006, 9:00 a.m.]

Petition for Reinstatement of the Practical Nursing License of Janson Williams, L.P.N.; Doc. No. 1068-51-05

On December 6, 2005, Janson Williams, L.P.N., of Erie, Erie County had his petition for reinstatement of License No. PN-250461-L dismissed by the State Board of Nursing based on his failure to present required evidence to support his petition for reinstatement.

Individuals may obtain a copy of the adjudication by writing to Thomas A. Blackburn, Board Counsel, State Board of Nursing, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represent the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of the petition for review. The Board contact for receiving service of appeals is the previously named Board counsel.

JOANNE SORENSEN, RN, MS,
Chairperson

[Pa.B. Doc. No. 06-169. Filed for public inspection January 27, 2006, 9:00 a.m.]