

NOTICES

DEPARTMENT OF AGRICULTURE

Referendum on Continuation of the Pennsylvania Wine Marketing and Research Program

1. This letter is written under the legal requirements of the Agriculture Commodities Marketing Act (ACMA) as enacted by the General Assembly of Pennsylvania. All marketing programs established under ACMA must be reviewed once every 5 years by referendum to determine if the producers affected by the program desire to have the program continue. It is time for a referendum to be held for the Pennsylvania Wine Marketing and Research Program.

2. *Referendum Period:* The referendum period shall be from November 18, 2006, until 4 p.m. on December 2, 2006. Completed ballots shall be returned in the enclosed postage-paid envelope to the Department of Agriculture, Bureau of Market Development, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110-9408 or hand delivered to the Office of the Secretary of Agriculture, Department of Agriculture, c/o Commodity Promotion Division, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110. Hand delivered ballots must be received by 4 p.m. on December 2, 2006. Ballots that are mailed must be postmarked no later than December 2, 2006 and received no later than December 9, 2006.

3. *Notice of Referendum:* This referendum order and an official ballot shall be mailed no later than November 13, 2006, to all affected producers whose names appear on the list of Pennsylvania wine producers maintained in the Office of the Secretary of Agriculture. Additional copies of the same materials shall be made available at the Office of the Secretary of Agriculture.

4. *Eligible Voters:* The rules governing the eligibility of a producer for voting are as follows: Names of affected, eligible producers shall be taken from the commodity wine list of producers/sellers maintained in the office of the Secretary of Agriculture. These names are supplied to the Secretary from the Liquor Control Board. Voting producers must have a Limited Winery License.

5. *Counting of Ballots:* The ballots will be canvassed and counted by a Teller Committee appointed by the Secretary of Agriculture. The counting of the ballots will begin at 10 a.m. Wednesday, December 13, 2006, in the State Agriculture Building, 2301 North Cameron Street, Harrisburg, PA. The Secretary will announce the results of the referendum within 30 days following the completion of the referendum period. The results will be published in the *Pennsylvania Bulletin* and disseminated to the news media.

6. *Reporting Irregularities:* Any irregularities or disputes concerning the referendum procedures must be reported in written form to the Secretary of Agriculture not later than 7 calendar days from the end of the referendum period.

7. *Publication:* This referendum order shall be published in the *Pennsylvania Bulletin* and the *Harrisburg Patriot*.

8. *Effective Date:* If the majority of voting wine producers/sellers approves continuation of the Pennsylvania Wine Marketing and Research Program, the program shall be continued, effective immediately.

DENNIS C WOLFF,
Secretary

[Pa.B. Doc. No. 06-2153. Filed for public inspection November 3, 2006, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code and the act of December 9, 2002 (P. L. 1572, No. 207), known as the Credit Union Code, has taken the following action on applications received for the week ending October 24, 2006.

BANKING INSTITUTIONS

Branch Applications

Date	Name of Bank	Location	Action
10-16-06	MoreBank Philadelphia Philadelphia County	7042-7062 Terminal Square Upper Darby Delaware County	Opened

Branch Relocations

Date	Name of Bank	Location	Action
10-16-06	Lafayette Ambassador Bank Easton Northampton County	To: 1945 Sullivan Trail Easton Forks Township Northampton County	Effective

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
		<i>From:</i> 1700 Sullivan Trail Easton Forks Township Northampton County	
10-16-06	Northwest Savings Bank Warren Warren County	<i>To:</i> 80 W. Columbus Ave. Corry Erie County	Effective
		<i>From:</i> 150 N. Center Street Corry Erie County	

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

VICTORIA A. REIDER,
Acting Secretary

The Department's internet site at www.banking.state.pa.us includes public notices for more recently filed applications.

[Pa.B. Doc. No. 06-2154. Filed for public inspection November 3, 2006, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Conservation and Natural Resources Advisory Council Meeting

The Conservation and Natural Resources Advisory Council to the Department of Conservation and Natural Resources will hold a meeting on Wednesday, November 15, 2006, at 10 a.m. in Room 105, Lobby Level, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this meeting or agenda items can be directed to Kurt Leitholf at (717) 705-0031.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Joan Dupes directly at (717) 705-0031 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

MICHAEL F. DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 06-2155. Filed for public inspection November 3, 2006, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0061506 (Sewage)	Preston Country Market P. O. Box 2 Preston Park, PA 18455	Preston Township Wayne County	UNT to Shehawken Creek 01A	Y
PA0062472 (Minor Sewage)	Chestnut Ridge Mobile Home Park 175 Church Drive Palmerton, PA 18071	Carbon County Lower Towamensing Township	Aquashicola Creek 2B	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N ?</i>
PA0081299 (Sew)	Model Enterprises, Inc. 630 Delp Road Lancaster, PA 17601-3035	Lancaster County Rapho Township	Chickies Creek 7-G	Y

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0209457 IW	CraftMaster Manufacturing, Inc. P. O. Box 311 Towanda, PA 18848	Bradford County Wysox Township	Stormwater Channel To Lanning Creek 4D	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0228427 CAFO	Pine Hill Farm R. R. 3, Box 39 Columbia Crossroads PA 16914	Bradford County Wells Township	Mill Creek 04A	N

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0103594	Windsor Mobile Home Park 12740 Wetsell Ridge Road Edinboro, PA 16412-1854	Washington Township Erie County	UNT Tributary to Little Conneautee Creek 16-A	Y
PA0023931	Cambridge Area Joint Authority 161 Carringer Street Cambridge Springs, PA 16403	Cambridge Springs Borough Crawford County	French Creek 16-A	Y
PA0091189	Slippery Rock Campground Association 1150 West Park Road Slippery Rock, PA 16057	Worth Township Butler County	Slippery Rock Creek 20-C	Y
PA0102628	Henderson Township Municipal Authority 121 Fourth Street Stump Creek, PA 15863	Henderson Township Jefferson County	Mahoning Creek 17-D	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No. PA0034487, Industrial Waste, **Meenan Oil Company, Inc.**, 113 Main Street, Tullytown, PA 19007. This proposed facility is located in Tullytown Borough, **Bucks County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge treated stormwater from the facility into the Delaware River and a UNT to Delaware River in Watershed 2E.

NPDES Permit No. PA0056944, Industrial Waste, **Sunoco Pipeline, LP**, 4041 Market Street, Aston, PA 19014. This proposed facility is located in Upper Chichester Township, **Delaware County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge stormwater from Twin Oaks Petroleum Pump Station into a UNT to Marcus Hook Creek in Watershed 3G-Ridley.

NPDES Permit No. PA0033880, Sewage, **Boyertown Area School District**, 911 Montgomery Avenue, Boyertown, PA 19512. This proposed facility is located in New Hanover Township, **Montgomery County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge treated sewage from The New Hanover-Upper Frederick Elementary School into a UNT to Swamp Creek in Watershed 3E-Perkiomen.

PA0056545, Industrial Waste, SIC 2673 and 2759, **Huhtamaki Flexibles, Inc.**, 2400 Continental Boulevard, Malvern, PA 19355-2326. This existing facility is located in Tredyffrin Township, **Chester County**.

Description of Proposed Activity: Renewal of NPDES permit to discharge stormwater from asphalt loading area, roofs and parking lots to Little Valley Creek. This is an existing discharge.

The receiving stream Little Valley Creek is in the State Water Plan Watershed 3F and is classified for: exceptional value, aquatic life, water supply and recreation. The nearest downstream public water supply intake for PA American—Norristown is located on the Schuylkill River and is approximately 9 miles below the point of discharge.

The proposed effluent limits for Outfalls 001—003 are the same and are based on a design flow of an average storm event.

<i>Parameters</i>	<i>Concentration (mg/l)</i>		
	<i>Average Annual</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum mg/l</i>
CBOD ₅		Monitor and Report	
COD		Monitor and Report	
Oil and Grease		Monitor and Report	
pH		Monitor and Report	
Total Suspended Solids		Monitor and Report	
Total Kjeldahl Nitrogen		Monitor and Report	
Total Phosphorus		Monitor and Report	
Total Iron		Monitor and Report	

In addition to the effluent limits, the permit contains the following major special conditions:

1. Change in Ownership.
2. Stormwater Requirements.

The EPA waiver is in effect.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

PA#0065137, Industrial, **Blythe Township**, P. O. Box 91, Cumbola, PA 17931. This proposed facility is located in Blythe Township, **Schuylkill County**.

Description of Proposed Activity: Discharge of industrial waste consisting of leachate and sewage from a construction and demolition waste landfill.

The receiving stream, Silver Creek, is in the State Water Plan Watershed No. 3A and is classified for CWF. The nearest downstream public water supply intake for Pottstown is located on the Schuylkill River and is greater than 50 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.015 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)	
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily
BOD			37	140
TSS			27	88
Ammonia as N			4.9	10
a-Terpineol			0.016	0.033
Benzoic Acid			0.071	0.12
p-Cresol			0.014	0.025
Phenol			0.015	0.026
Zinc			0.11	0.20
pH		6.0 to 9.0 standard units at all times		
Fecal				
(5-1 to 9-30)		200/100 ml as geometric mean		
(10-1 to 4-30)		2,000/100 ml as a geometric mean		
Total Residual Chlorine			1.2	2.8
Acetone			Monitor and Report	
Methylone Chloride			Monitor and Report	
2-Bucanone			Monitor and Report	
Carbon Disulfide MEK			Monitor and Report	
1,1 Dichloroethane			Monitor and Report	
4 Methyl 1-2 Pentanon (MIBK)			Monitor and Report	
Toluene			Monitor and Report	
Xylene Total			Monitor and Report	
Oil and Grease			Monitor and Report	
Phenolics			Monitor and Report	
TDS			Monitor and Report	
Arsenic			Monitor and Report	
Barium			Monitor and Report	
Chromium			Monitor and Report	
Iron Total			Monitor and Report	
Nickel Total			Monitor and Report	
Manganese			Monitor and Report	
Sulfate			Monitor and Report	
Aluminum			Monitor and Report	

In addition to the effluent limits, the permit contains the following major special conditions: Monitoring of untreated leachate Quantity and Quality.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PA 0085430, Sewage, **Robin Hill Camping Resort**, 149 Robin Hill Road, Lenhartsville, PA 19534. This facility is located in Greenwich Township, **Berks County**.

Description of activity: The application is for renewal of an NPDES permit for existing discharge of treated sewage.

The receiving stream UNT to Maiden Creek is in Watershed 3-B, and classified for TSF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for City of Reading is located on the Maiden Creek, approximately 15 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.01 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
Total Suspended Solids	30		60
NH ₃ -N			
(5-1 to 10-31)	2.8		5.6
(11-1 to 4-30)	8.4		17.0
Total Residual Chlorine	0.5		1.6
Total Phosphorus	1.0		2.0
Dissolved Oxygen		minimum of 5.0 at all times	
pH		from 6.0 to 9.0 inclusive	
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		10,000/100 ml as a geometric average	

In addition to the effluent limits, the permit contains the following: A waste load allocation of 30 pounds total phosphorus/year and 914 pounds total suspended solids/year.

Persons may make an appointment to review the Department of Environmental Protection files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is not in effect.

Application No. PA 0259802, Concentrated Animal Feeding Operation (CAFO), **Wen-Crest Farms, LLC**, 549 Shaeffer Road, Lebanon, PA 17042.

Wen-Crest Farms, LLC has submitted an Individual NPDES permit application for Wen-Crest Farms located in South Lebanon Township, Lebanon County. The CAFO is situated near UNTs of Hammer Creek (Watershed 7-J) and Quittapahilla Creek (Watershed 7-D), which are classified as HQ-CWF and TSF, respectively. The CAFO has a target animal population of approximately 1,376 animal equivalent units consisting of 220,640 starter and finishing turkeys and 200 steers. The existing operation includes five turkey barns and two heifer barns on two farm sites. The heifers will be changed over to steers. The application includes a proposal to construct two additional turkey barns on a third farm site. There are no liquid or semi-solid manure storage facilities on the farm, and all manure is stacked for eventual land application or is reused for bedding. A release or discharge to waters of this Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

The permit application and draft permit are on file at the Southcentral Regional Office of the Department. You may make an appointment to review the files by calling the file review coordinator at (717) 705-4732.

Persons wishing to comment on the proposed permit are invited to submit written comments to the above address within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the basis of the comment and the relevant facts upon which it is based.

Following the 30-day comment period, the Watershed Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA236103, Industrial Waste, SIC 2816, **Ferro Color & Glass Performance Materials**, P. O. Box 519, West Wylie Avenue, Washington, PA 15301. This application is for renewal of an NPDES permit to discharge untreated stormwater from the Ferro Color & Glass Performance Materials in Canton Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, Chartiers Creek, classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is West View Water, located at West View on the Ohio River, over 17 miles below the discharge point.

Outfalls 001 and 002: existing stormwater discharge.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Oil and Grease			Monitor and Report		
Antimony			Monitor and Report		
Cadmium			Monitor and Report		
Chromium, Hexavalent			Monitor and Report		
Copper			Monitor and Report		
Lead			Monitor and Report		
Nickel			Monitor and Report		
Selenium			Monitor and Report		
Zinc			Monitor and Report		
Aluminum			Monitor and Report		
Fluoride			Monitor and Report		
Iron, Total			Monitor and Report		
Total Suspended Solids			Monitor and Report		
pH			Monitor and Report		

Other Conditions: Solids disposal, floating solids, stormwater conditions.

The EPA waiver is in effect.

PA0006327, Industrial Waste, SIC 3312, **Allegheny Ludlum Corporation**, 100 River Road, Brackenridge, PA 15014. This application is for renewal of an NPDES permit to discharge treated process and untreated cooling water and stormwater from the West Leechburg Facility in West Leechburg, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters Kiskiminetas River and Elder Run classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride and phenolics, the existing/proposed downstream potable water supply considered during the evaluation is Buffalo Township Municipal Authority on the Allegheny River, approximately 4 miles downstream.

Outfall 002: existing discharge (0.93 mgd) to Kiskiminetas River.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow			Monitor and Report		
Temperature (F)				110	
BOD			Monitor and Report		
COD			Monitor and Report		
Total Suspended Solids			Monitor and Report		
TKN			Monitor and Report		
Nitrate/Nitrite			Monitor and Report		
Phosphorus			Monitor and Report		
Chromium, Total			Monitor and Report		
Chromium, Hexavalent			Monitor and Report		
Nickel			Monitor and Report		
Aluminum			Monitor and Report		
Iron, Total			Monitor and Report		
Iron, Dissolved			Monitor and Report		
Fluoride			Monitor and Report		
Manganese			Monitor and Report		
pH			not less than 6.0 nor greater than 9.0		

Outfall 005: existing discharge (1.7 mgd) to Kiskiminetas River.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow			Monitor and Report		
Temperature (F)				110	
BOD			Monitor and Report		
COD			Monitor and Report		
Total Suspended Solids			Monitor and Report		
TKN			Monitor and Report		
Nitrate/Nitrite			Monitor and Report		
Phosphorus			Monitor and Report		

NOTICES

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Chromium, Total			Monitor and Report		
Chromium, Hexavalent			Monitor and Report		
Nickel			Monitor and Report		
Aluminum			Monitor and Report		
Iron, Total			Monitor and Report		
Iron, Dissolved			Monitor and Report		
Fluoride			Monitor and Report		
Manganese			Monitor and Report		
pH	not less than 6.0 nor greater than 9.0				

Outfall 006: existing discharge (1.41 mgd) to Kiskiminetas River.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow			Monitor and Report		
Temperature (F)				110	
BOD			Monitor and Report		
COD			Monitor and Report		
Total Suspended Solids			Monitor and Report		
TKN			Monitor and Report		
Nitrate/Nitrite			Monitor and Report		
Phosphorus			Monitor and Report		
Chromium, Total			Monitor and Report		
Chromium, Hexavalent			Monitor and Report		
Nickel			Monitor and Report		
Aluminum			Monitor and Report		
Iron, Total			Monitor and Report		
Iron, Dissolved			Monitor and Report		
Fluoride			Monitor and Report		
Manganese			Monitor and Report		
pH	not less than 6.0 nor greater than 9.0				

Outfall 007: existing discharge (0.50 mgd) to Kiskiminetas River.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow			Monitor and Report		
Temperature (F)				110	
BOD			Monitor and Report		
COD			Monitor and Report		
Total Suspended Solids			Monitor and Report		
TKN			Monitor and Report		
Nitrate/Nitrite			Monitor and Report		
Phosphorus			Monitor and Report		
Chromium, Total			Monitor and Report		
Chromium, Hexavalent			Monitor and Report		
Nickel			Monitor and Report		
Aluminum			Monitor and Report		
Iron, Total			Monitor and Report		
Iron, Dissolved			Monitor and Report		
Fluoride			Monitor and Report		
Manganese			Monitor and Report		
pH	not less than 6.0 nor greater than 9.0				

Internal Monitoring Point 108: existing discharge (1.93 mgd) to Outfall 008.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow			Monitor and Report		
Temperature (F)				110	

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Suspended Solids	157.2	365.6	30	70	87.5
Oil and Grease	49.7	148.4	10	30	30
Chromium	4.3	10.8	0.4	1.0	1.25
Nickel	3.1	9.7	0.3	0.9	1.13
Tetrachloroethylene	0.013			0.15	
Napthalene		0.009			0.1
Total Residual Chlorine			0.5		1.0
pH			not less than 6.0 nor greater than 9.0		

Outfall 008: existing discharge to Kiskiminetas River.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow			Monitor and Report		
BOD			Monitor and Report		
COD			Monitor and Report		
Total Suspended Solids			Monitor and Report		
TKN			Monitor and Report		
Nitrate/Nitrite			Monitor and Report		
Phosphorus			Monitor and Report		
Chromium, Total			Monitor and Report		
Chromium, Hexavalent			Monitor and Report		
Nickel			Monitor and Report		
Aluminum			Monitor and Report		
Iron, Total			Monitor and Report		
Iron, Dissolved			Monitor and Report		
Fluoride			Monitor and Report		
Manganese			Monitor and Report		
pH			Monitor and Report		

This outfall shall consist of sources previously monitored at Internal Monitoring Point 108 and stormwater runoff.

Outfall 009: existing discharge (0.01 mgd) to Kiskiminetas River.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow			Monitor and Report		
Temperature (F)			110		
BOD			Monitor and Report		
COD			Monitor and Report		
Total Suspended Solids			Monitor and Report		
TKN			Monitor and Report		
Nitrate/Nitrite			Monitor and Report		
Phosphorus			Monitor and Report		
Chromium, Total			Monitor and Report		
Chromium, Hexavalent			Monitor and Report		
Nickel			Monitor and Report		
Aluminum			Monitor and Report		
Iron, Total			Monitor and Report		
Iron, Dissolved			Monitor and Report		
Fluoride			Monitor and Report		
Manganese			Monitor and Report		
pH			not less than 6.0 nor greater than 9.0		

Outfall 010: existing discharge (1.19 mgd) to Kiskiminetas River.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow			Monitor and Report		
Temperature (F)			110		
BOD			Monitor and Report		

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
COD			Monitor and Report		
Total Suspended Solids			Monitor and Report		
TKN			Monitor and Report		
Nitrate/Nitrite			Monitor and Report		
Phosphorus			Monitor and Report		
Chromium, Total			Monitor and Report		
Chromium, Hexavalent			Monitor and Report		
Nickel			Monitor and Report		
Aluminum			Monitor and Report		
Iron, Total			Monitor and Report		
Iron, Dissolved			Monitor and Report		
Fluoride			Monitor and Report		
Manganese			Monitor and Report		
pH			not less than 6.0 nor greater than 9.0		

Outfall 011: existing discharge (0.17 mgd) to Kiskiminetas River.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow			Monitor and Report		
Temperature (F)			110		
BOD			Monitor and Report		
COD			Monitor and Report		
Total Suspended Solids			Monitor and Report		
TKN			Monitor and Report		
Nitrate/Nitrite			Monitor and Report		
Phosphorus			Monitor and Report		
Chromium, Total			Monitor and Report		
Chromium, Hexavalent			Monitor and Report		
Nickel			Monitor and Report		
Aluminum			Monitor and Report		
Iron, Total			Monitor and Report		
Iron, Dissolved			Monitor and Report		
Fluoride			Monitor and Report		
Manganese			Monitor and Report		
pH			not less than 6.0 nor greater than 9.0		

Internal Monitoring Point 112: existing discharge (1.21 mgd) to Outfall 012.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow			Monitor and Report		
Suspended Solids	168.5	392.9	30	70	87.5
Oil and Grease	44.1	132.4	10	30	30
Lead	0.84	2.5	0.15	0.45	0.56
Zinc	1.1	3.4	0.1	0.3	0.37
Total Residual Chlorine					
Copper			Monitor and Report		
pH			not less than 6.0 nor greater than 9.0		

Outfall 012: existing discharge (1.21 mgd from Internal Monitoring Point 112 and 2.84 mgd NCCW) to Kiskiminetas River.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow			Monitor and Report		
Temperature (F)			110		
BOD			Monitor and Report		
COD			Monitor and Report		
Total Suspended Solids			Monitor and Report		

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
TKN			Monitor and Report		
Nitrate/Nitrite			Monitor and Report		
Phosphorus			Monitor and Report		
Chromium, Total			Monitor and Report		
Chromium, Hexavalent			Monitor and Report		
Nickel			Monitor and Report		
Aluminum			Monitor and Report		
Iron, Total			Monitor and Report		
Iron, Dissolved			Monitor and Report		
Fluoride			Monitor and Report		
Manganese			Monitor and Report		
pH			not less than 6.0 nor greater than 9.0		

This outfall shall consist of sources previously monitored at Internal Monitoring Point 112, noncontact cooling water and stormwater runoff.

Outfall 014: existing discharge (0.01 mgd) to Kiskiminetas River.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow			Monitor and Report		
Temperature (F)				110	
BOD			Monitor and Report		
COD			Monitor and Report		
Total Suspended Solids			Monitor and Report		
TKN			Monitor and Report		
Nitrate/Nitrite			Monitor and Report		
Phosphorus			Monitor and Report		
Chromium, Total			Monitor and Report		
Chromium, Hexavalent			Monitor and Report		
Nickel			Monitor and Report		
Aluminum			Monitor and Report		
Iron, Total			Monitor and Report		
Iron, Dissolved			Monitor and Report		
Fluoride			Monitor and Report		
Manganese			Monitor and Report		
pH			not less than 6.0 nor greater than 9.0		

Outfall 017: existing discharge to Kiskiminetas River.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow			Monitor and Report		
Oil and Grease			Monitor and Report		
BOD			Monitor and Report		
COD			Monitor and Report		
Total Suspended Solids			Monitor and Report		
TKN			Monitor and Report		
Nitrate/Nitrite			Monitor and Report		
Phosphorus			Monitor and Report		
Chromium, Total			Monitor and Report		
Chromium, Hexavalent			Monitor and Report		
Nickel			Monitor and Report		
Aluminum			Monitor and Report		
Iron, Total			Monitor and Report		
Iron, Dissolved			Monitor and Report		
Fluoride			Monitor and Report		
Manganese			Monitor and Report		
pH			not less than 6.0 nor greater than 9.0		

Outfall 902: existing discharge to Kiskiminetas Run

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
pH	This discharge shall consist solely of water supply emergency relief valve water. not less than 6.0 nor greater than 9.0 standard units.				

Outfall 906

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
pH	This discharge shall consist solely of water from the French drain for water valve pit. not less than 6.0 nor greater than 9.0 standard units				

Outfall 936

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
pH	This discharge shall consist solely of raw water pressure relief overflow. not less than 6.0 nor greater than 9.0 standard units				

Outfall 946: existing discharge to Kiskiminetas River.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
pH	This discharge shall consist solely of river water intake overflow. Debris collected on the intake shall not be returned to the waterway. not less than 6.0 nor greater than 9.0				

Outfall 967: existing discharge to Kiskiminetas River.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
pH	This discharge shall consist solely of river water intake overflow. Debris collected on the intake shall not be returned to the waterway. not less than 6.0 nor greater than 9.0				

Outfalls 016, 900, 904, 906, 909, 912—916, 921, 922, 926—928, 930—932, 935, 937, 938, 940, 942, 943, 944, 947—966 and 969: existing discharges to Kiskiminetas River and Elder Run

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow					Monitor and Report
BOD					Monitor and Report
COD					Monitor and Report
Total Suspended Solids					Monitor and Report
TKN					Monitor and Report
Nitrate/Nitrite					Monitor and Report
Phosphorus					Monitor and Report
Chromium, Total					Monitor and Report
Chromium, Hexavalent					Monitor and Report
Nickel					Monitor and Report
Aluminum					Monitor and Report
Iron, Total					Monitor and Report
Iron, Dissolved					Monitor and Report
Fluoride					Monitor and Report
Manganese					Monitor and Report
pH					Monitor and Report

These outfalls shall consist solely of storm water runoff.

The EPA waiver is not in effect.

PA0217522, Sewage, **Municipal Authority of the Borough of Smithton**, P. O. Box 342, 615 Center Street, Smithton PA 15479-0342. This application is for renewal of an NPDES permit to discharge treated sewage from Smithton Borough Sewage Treatment Plant in Smithton Borough, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as UNT of the Youghiogheny River, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Westmoreland County Municipal Authority-McKeesport.

Outfall 001: existing discharge, design flow of 0.066 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	3.5			7.0
(11-1 to 4-30)	10.5			21.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.6			1.3
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0239887, Sewage, **Marcell Ervig**, 328 Freeport Road, Butler, PA 16001. This proposed facility is located in Summit Township, **Butler County**.

Description of Proposed Activity: discharge of nonmunicipal sewage.

The receiving water is the UNT to Coal Run. The receiving stream is in State Water Plan 20-C and is classified for the following uses: WWF, aquatic life, water supply and recreation. The nearest downstream potable water supply, Beaver Falls Municipality Authority, is located on the Beaver River and is approximately 54.79 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 mgd.

Parameter	Concentrations		
	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
Flow	XX		
CBOD ₅	10		20
Total Suspended Solids	10		20
Fecal Coliform			
(5-1 to 9-30)	200/100 ml as a geometric average		
(10-1 to 4-30)	2,000/100 ml as a geometric average		
Ultra-violet Light Disinfection			
Total Residual Chlorine	XX		
pH	6.0 to 9.0 standard units at all times		

XX—Monitor and report.

The EPA waiver is in effect.

PA0102601, Sewage, **Wick Auto Sales**, 423 Dogwood Drive, Butler, PA 16001. This proposed facility is located in Franklin Township, **Butler County**.

Description of Proposed Activity: issuance of a new permit for an existing discharge of treated sewage.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, the existing/proposed downstream potable water supply, considered during the evaluation is the Harmony Water Company located on the Little Connoquenessing Creek and is approximately 12 miles below point of discharge.

The receiving stream, the UNT to Mulligan Run, is in Watershed 20-C and classified for CWF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.028 mgd.

Parameter	Concentrations		
	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
Flow (mgd)	XX		
CBOD ₅	25		50
Total Suspended Solids	30		60
NH ₃ -N			
(5-1 to 10-31)	2		4
(11-1 to 4-30)	6		12
Phosphorus as "P"	2		4
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,000/100 ml as a geometric average	
Total Residual Chlorine	0.1		0.2
Dissolved Oxygen		minimum of 6 mg/l at all times	
pH		6.0 to 9.0 standard units at all times	

XX—Monitor and report on monthly DMRs.

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications Under the Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. 0906409, Sewerage, **Waste Management Disposal Service of PA., Inc.**, 1121 Bordentown Road, Morrisville, PA 19067. This proposed facility is located in Falls Township, **Bucks County**.

Description of Action/Activity: Construction and operation of a effluent pump station, force main and force main appurtenances.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 3806406, Sewerage, **Borough of Myerstown**, 101 East Washington Avenue, Myerstown, PA 17067-1142. This proposed facility is located in Jackson Township, **Lebanon County**.

Description of Proposed Action/Activity: Application for upgrade/expansion of the ELCO Wastewater Treatment Facility.

WQM Permit No. WQG01050601, Sewerage, **Richard L. Riley**, 167 Village Road, Osterburg, PA 16667-8441. This proposed facility is located in West Providence Township, **Bedford County**.

Description of Proposed Action/Activity: Application for construction/operation of a small flow treatment facility to serve their single family residence at 14336 Lincoln Highway.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. 4985408, Sewerage 4952, **Upper Augusta Township**, R. R. 2 Sunbury, PA 17801. This proposed facility is located in Upper Augusta Township, **Northumberland County**.

Description of Proposed Action/Activity: The applicant is proposing to replace the existing Sewage Treatment Plant's ultraviolet disinfection system and contact tank with a tablet chlorinator and chlorine contact tank. The limits of the NPDES permit will not change.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 368S042-A2, Industrial Waste, **Creekside Mushrooms, LTD.**, One Moonlight Drive, Worthington, PA 16262. This proposed facility is located in West Franklin Township, **Armstrong County**.

Description of Proposed Action/Activity: Application for permit amendment.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 1006404, Sewerage, **Marcell Ervig**, 328 Freeport Road, Butler, PA 16001. This proposed facility is located in Summit Township, **Butler County**.

Description of Proposed Action/Activity: A Single Residence Sewage Treatment Plant.

WQM Permit No. 4306402, Sewerage, **City of Sharon**, 155 West Connelly Boulevard, Sharon, PA 16146. This proposed facility is located in City of Sharon, **Mercer County**.

Description of Proposed Action/Activity: This project is for the Connelly Boulevard siphon improvements and the wastewater treatment plant expansion and improvements.

WQM Permit No. 4306403, Sewerage, **Skyline Developments, Inc.**, P. O. Box 806, Indianola, PA 15051. This proposed facility is located in West Salem Township, **Mercer County**.

Description of Proposed Action/Activity: This project is for modifications and improvements to an existing treatment lagoon system serving the Summit Estates Mobile Home Park including the installation of aeration and disinfection systems.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

V. Applications for NPDES Waiver Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011506080	John St. John 1140 State Road Lincoln University, PA 19352	Chester	Upper Oxford Township	East Branch Big Elk Creek (HQ-TSF-MF)
PAI011506081	Robert Bruce Homes 1223 West Chester Pike West Chester, PA 19382	Chester	East Brandywine Township	UNT East Branch Brandywine Creek (HQ-TSF-MF)
PAI011506082	Whitehorse Village, LLC 740 Springdale Avenue Exton, PA 19341	Chester	East Whiteland Township	West Branch Valley Creek (CWF) Valley Creek (EV)

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Northampton County Conservation District: Greystone Bldg., Gracedale Complex, Nazareth, PA 18064-9211, (610) 746-1971.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10U157R	CTHL-1, Inc. 824 Eighth Ave. Bethlehem, PA 18018	Northampton	Palmer Township and Tatamy Borough	Bushkill Creek HQ-CWF

Northampton County Conservation District: Greystone Bldg., Gracedale Complex, Nazareth, PA 18064-9211, (610) 746-1971.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024806025	POSH Properties 2216 Willow Park Road Bethlehem, PA 18017	Northampton	Wind Gap Borough	Little Bushkill Creek HQ-CWF, MF
PAI024806026	Ronald R. Perin 818 Grand Central Road Pen Argyl, PA 18072	Northampton	Plainfield Township	Little Bushkill Creek HQ-CWF, MF
PAI024806027	Northampton Area School District 2014 Laubach Ave. Northampton, PA 18067	Northampton	Bath Boro.	Monocacy Creek HQ-CWF

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041406018	David Loesch-Loesch Construction Elksview Townhomes 2101 Circleville Road State College, PA 16803	Centre	Harris Township	Spring Creek HQ-CWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 2806508, Public Water Supply

Applicant	Antrim Township Municipal Authority
Municipality	Antrim Township
County	Franklin
Responsible Official	Charles Goetz Jr., Director of Utilities 10655 Antrim Church Road P. O. Box 130 Greencastle, PA 17225
Type of Facility	Public Water Supply
Consulting Engineer	David A. Brinjac, P. E. Brinjac, Kambic & Assoc., Inc. 114 N. 2nd St. Harrisburg, PA 17101
Application Received:	9/13/2006

Description of Action	Application is for upgrades to the existing filtration facility and increase the plant capacity from 128 gpm to 390 gpm. Project will include new chlorine contact tank, control building expansion and relater appurtenances.
-----------------------	--

Permit No. 2806509, Public Water Supply

Applicant	Bear Valley Franklin County Pennsylvania Joint Authority
Municipality	Hamilton Township, St. Thomas
County	Franklin
Responsible Official	Robert E. John, Manager 218 Schoolhouse Road P. O. Box 308 St. Thomas, PA 17252-0308
Type of Facility	Public Water Supply
Consulting Engineer	David R. Knapton, P. E. Gannett Fleming, Inc. 601 Holiday Drive Pittsburgh, PA 15220
Application Received:	9/20/2006
Description of Action	Application is for the construction of a membrane filtration facility to replace the existing filtration equipment at the Broad Run Treatment plant.

Permit No. 3406501, Public Water Supply

Applicant	McAlisterville Area Joint Authority
Municipality	Fayette Township
County	Juniata
Responsible Official	William Houdeshel, Chairperson P. O. Box 61 McAlisterville, PA 17049
Type of Facility	Public Water Supply
Consulting Engineer	Clayton E. Bubeck, P. E. Rettew Associates Inc 3020 Columbia Avenue Lancaster, PA 17603
Application Received:	9/26/2006
Description of Action	Application is for the construction of a membrane filtration facility to treat the sources of supply that have been declared "groundwater under the direct influence of surface water." Treatment will also include corrosion control.

Permit No. 0606513, Public Water Supply

Applicant	Birdsboro Municipal Authority
Municipality	Birdsboro Borough
County	Berks
Responsible Official	Dean A. Miller, Chairperson 202 E. Main Street Birdsboro, PA 19508
Type of Facility	Public Water Supply

Consulting Engineer Russell M. Smith, P. E.
Spotts Stevens and McCoy, Inc
345 North Wyomissing
Boulevard
Reading, PA 19610-0307

Application Received: 10/2/2006

Description of Action Addition of sodium permanganate for iron and manganese removal. This will formalize facilities permitted under Public Water Supply Permit No. 0606512E.

Application No. 3606511, Minor Amendment, Public Water Supply

Applicant **Elizabethtown Area School District**

Municipality Mount Joy Borough

County **Lancaster**

Responsible Official Ronald M. Nobile
Physical Plant Director
600 East High Street
Elizabethtown, PA 17022

Type of Facility Public Water Supply

Consulting Engineer Clayton E. Bubeck, P. E.
Rettew Associates Inc
3020 Columbia Avenue
Lancaster, PA 17603

Application Received: 8/23/2006

Description of Action Application is for the installation of a softening system (cation exchange) and nitrate system (anion exchange) to treat the source water for elevated levels of nitrate.

Application No. 3606613 MA, Minor Amendment, Public Water Supply

Applicant **Latte Luv Espresso**

Municipality Paradise Township

County **Lancaster**

Responsible Official Daniel Hostetler, Owner
3314 Lincoln Hwy, East
Paradise, PA 17562

Type of Facility Public Water Supply

Consulting Engineer Christian H. McKee Jr., P. E.
C.H. McKee & Associates
210 Main Street
Landisville, PA 17538

Application Received: 10/10/2006

Description of Action Application is for nitrate removal via nanofiltration (reverse osmosis) to treat the source water at the facility.

Application No. 0506502, Minor Amendment, Public Water Supply

Applicant **Jill Dhara, Inc.**

Municipality East Providence Township

County **Bedford**

Responsible Official

Kal Patel, G.M.
16407 Lincoln Highway
P. O. Box 261
Breezewood, PA 15533-0261

Type of Facility

Public Water Supply

Consulting Engineer

Daniel J. Carbaugh, P. E.
Keller Engineers, Inc.
420 Allegheny Street
P. O. Box 261
Hollidaysburg, PA 16648

Application Received:

4/12/2006

Description of Action

Installation of a nitrate treatment system to address elevated nitrate levels at the Best Western Motel and Hardees.

Application No. 2806506 MA, Minor Amendment, Public Water Supply.

Applicant

Krishna Ventures, LLC

Municipality

Antrim Township

County

Franklin

Responsible Official

Parish Kothari, Managing Member
102 West Central Avenue
Maywood, PA 07607

Type of Facility

Public Water Supply

Consulting Engineer

Janet R. McNally, P. E.
William F. Hill & Assoc., Inc.
207 Baltimore St.
Gettysburg, PA 17325

Application Received:

8/11/2006

Description of Action

Application is for the installation of a NSF 53 filtration facility to treat the sources of supply that have been declared "groundwater under the direct influence of surface water." Treatment will also include disinfection by means of chlorination.

Application No. 3606514, Minor Amendment, Public Water Supply

Applicant

Amerada Hess Corporation-Store No. 38446

Municipality

Providence Township

County

Lancaster

Responsible Official

James J. Howard, Manager
Retail Maintenance Programs
1 Hess Plaza
Woodbridge, NJ 07095

Type of Facility

Public Water Supply

Consulting Engineer

G. Matthew Brown, P. E.
ARRO Consulting, Inc.
270 Granite Run Drive
Lancaster, PA 17601

Application Received:

10/12/2006

Description of Action

Application is for the installation of nitrate removal by means anion exchange treatment.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Sewage Pump Station 1 (PS-1), Mount Joy Borough, Lancaster County. ARRO Consulting, Inc., 270 Granite Run Drive, Lancaster, PA 17601, on behalf of Mount Joy Borough Authority, 21 East Main Street, Mount Joy, PA 17552-1415, submitted a Notice of Intent to Remediate site soils contaminated with leaded gasoline, diesel and fuel oil. The property was formerly used for petroleum storage and is now being used as a sewage pump station. The applicant is seeking to remediate to the Statewide Health Standard.

Fort Indiantown Gap National Guard Training Center, Union Township, Lebanon County. Weston Solutions, Inc., 1400 Weston Way, Building 4-2, West Chester, PA 19380, on behalf of Pennsylvania Army National Guard, Department of Military and Veteran Affairs—Environmental Division, Building 0-11, Fort Indiantown Gap National Guard Training Center, Annville, PA 17003, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with pesticides. The site was used to store and mix pesticides prior to building demolition; future use of the site is for a parking lot. The applicant seeks to remediate to the Statewide Health Standard.

Eli Fisher Garage, West Cocalico Township, Lancaster County. Alternative Environmental Solutions, 930 Pointview Avenue, Suite B, Ephrata, PA 17522, on behalf of Fishers Garage, 5 Creamery Road, Reinholds, PA 17569-9624, submitted a Notice of Intent to Remediate groundwater contaminated with heating oil. The property is commercial and the future use is commercial. The applicant seeks to remediate to the Statewide Health Standard.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Cory Trust Auto Image Plus Facility, City of Pittsburgh, Allegheny County. Frank W. Benacuista, P. G., KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110 on behalf of. Suzanne Staub, Mellon Bank NA—Trustee, 3 Mellon Center, Room 1315, Pittsburgh, PA 15259 has submitted a Notice of Intent to Remediate. Soil and groundwater sampling indicated impacts from VOCs typically associated with gasoline and petroleum products associated with the operation of the former gasoline station located on the property. The intended future use of the property is to remain as a residential, mixed-use facility.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application received, under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003, the Municipal Waste Planning, Recycling and Waste Reduction Act 53 P. S. §§ 4000.101—4000.1904 and regulations to operate Solid Waste Processing or Disposal Area or Site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Permit ID No.101686. Marine Rigging Ltd., Inc./ Marine Salvage Ltd., Inc., 408 Hoffman Road, Pittsburgh, PA 15212-1121. Reserve Park Transfer Station,

408 Hoffman Road, Pittsburgh, PA 15212-1121. Application to permit a municipal waste transfer station in Reserve Township, **Allegheny County**, was received in the Regional Office on October 17, 2006.

Permit ID No. PAD980552848. Newell Rubbermaid, Inc., 2707 Butterfield Road, Oak Brook, IL, 60523-1267. Palmieri Site, 141 Wagner Road, Monaca, PA 15061-2457. Application for a remedial action plan permit for a captive hazardous waste facility in Center Township, **Beaver County** was received in the Regional Office on September 18, 2006.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

28-05004B: Grove US, LLC (1565 Buchanan Trail East, Shady Grove, PA 17256) for installation of two paint spray booths and a drying oven to replace an existing spray booth at the Shady Grove plant in Antrim Township, **Franklin County**.

44-05001B: Standard Steel, LLC (500 North Walnut Street, Burnham, PA 17009) for construction of a continuous wheel heat treating line with two furnaces at Burnham Borough, **Mifflin County**. The new line will replace the current wheel heat treat operation.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

17-313-001: Sunnyside Ethanol, LLC (5000 McKnight Road, Suite 405, Pittsburgh, PA 15237) for construction of an ethanol plant and associated carbon dioxide recovery plant and waste coal-fired circulating fluidized bed boiler in Curwensville Borough, **Clearfield County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Contact: William Charlton, New Source Review Chief, (412) 442-4174.

26-00563A: ST Paper, LLC (1555 Glory Road, Green Bay, WI) for proposed wastepaper pulping and tissue manufacturing facility in Uniontown, **Fayette County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.

46-0256: Horgan Recycling, Inc. (2188 Detwiler Road, Harleysville, PA 19348) for installation of a concrete and asphalt crusher in Upper Gwynedd Township, **Montgomery County**. This facility is a State-only facility. The facility wide PM emission limit will 2.7 tons per year. The Plan Approval and Operating Permit will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

09-0176A: Metal Improvement Co., LLC (3434 State Road, Bensalem, PA 19020) for installation of a Chromium anodizing process, Sulphuric anodizing process, Phosphoric anodizing process and four aerospace coating booths at their facility in Bensalem Township, **Bucks County**. This facility is a non-Title V facility. The Chromium anodizing process will be regulated by applying maximum achievable control technology. The Plan Approval will also contain monitoring, recordkeeping, and work practice standard conditions designed to keep the

facility operating within the allowable emission limits and all applicable air quality requirements.

09-0120A: Degussa Construction Chemicals Operations, Inc. (Route 13 and Beaver Dam Road, Bristol, PA 19007) for modifications to two existing baghouses at their facility in Bristol Township, **Bucks County**. Degussa Construction Chemicals Operations, Inc. (Degussa) modified the baghouses, which each control PM emissions from five mixers, to exhaust to the outdoor atmosphere without Department of Environmental Protection approval. The potential emissions of PM into the outdoor atmosphere figure to be approximately 24 lbs/yr. The facility is a non-Title V facility. Degussa is required to perform stack testing for the baghouses to assure the control of emissions consistent with the best available technology. Degussa is also required to operate the baghouses at all times when any of the associated mixers is/are operating. The permit will include monitoring, recordkeeping, reporting and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

09-0120: Degussa Construction Chemicals Operations, Inc. (Route 13 and Beaver Dam Road, Bristol, PA 19007) for modifications to two existing baghouses at the facility in Bristol Township, **Bucks County**. Degussa Construction Chemicals Operations, Inc. (Degussa) modified the baghouses, which each control PM emissions from five mixers, to exhaust to the outdoor atmosphere without Department approval. The potential emissions of PM into the outdoor atmosphere figure to be approximately 24 lbs/yr. The facility is a non-Title V facility.

Degussa is required to perform stack testing for the baghouses to assure the control of emissions consistent with the best available technology. Degussa is also required to operate the baghouses at all times when any of the associated mixers is/are operating. The permit will include monitoring, recordkeeping, reporting and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05069K: East Penn Manufacturing Co., Inc. (P. O. Box 147, Lyon Station, PA 19536) for construction of a lead/acid storage battery manufacturing plant including six lead oxide mills in Richmond Township, **Berks County**. The emissions will be controlled by a series of fabric collectors with HEPA filters, mist eliminators and other miscellaneous control devices. All of the source except the formation operation are subject to 40 CFR Part 60, Subpart KK, Standards of Performance for New Stationary Sources. The approval will limit the emissions to: 11.54 tons per year of particulate/PM-10, 1.26 tons per year of lead, 12.6 tons per year of sulfuric acid and 6.25 tons of VOCs. The approval will include the facility wide limit on fuel consumption. The plan approval will include monitoring, work practices, recordkeeping, reporting and other requirements designed to keep the source operating within all applicable air quality requirements. The facility is presently coved by the Title V Operating Permit Application No. 06-05069. The plan approval will be incorporated into the permit either at the time of issuance or later by Administrative Amendment in accordance with 25 Pa. Code § 127.450.

34-03007A: Dominion Transmission, Inc.—Perulack Compressor Station (1201 Pitt Street, Pittsburgh, PA 15221) for construction of natural gas fired

4735 bhp engine driven natural gas compressors and 814 bhp auxiliary generator in Lack/Tuscarora Township, **Juniata County**. The primary emissions from the sources are NOx with potential to emit 66 tons of NOx per year. The sources are controlled with low NOx combustion system. The compressor engine will be controlled by catalytic converter. The expected VOC emission will be 20 tons including 14 tons of HAPs.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

19-00023A: Impress USA, Inc. (6670 Low Street, Bloomsburg, PA 17815) for modification of two can side stripe coating operations in South Centre Township, **Columbia County**. The respective facility is not a major (Title V) facility for any air contaminant.

The proposed modification to the first side stripe coating operation (Fael Line No. 1) is the removal of a catalytic fume incinerator previously used to control the VOC emissions from the line due to the fact that lower VOC-content coatings will now be used on the line. Due to an increased usage of coating, however, the VOC emissions from this line, including the VOC emissions resulting from the use of cleanup solvents and lubricants on the line, will increase from a maximum of approximately 2.37 tons per year to a maximum of 3.42 tons per year (of which up to .64 ton per year are expected to also be volatile HAPs).

The proposed modifications to the second side stripe coating operation (Soudronic Line No. 2) are an increase in the amount of VOCs emitted from the line so that the emissions will exceed the 2.5 ton per year limitation which previously existed for the line and the use of VOC-containing solvent to perform cleanup activities on the line instead of water. The maximum VOCs emissions from the respective line, including the VOC emissions resulting from the use of cleanup solvents and lubricants on the line, are now expected to be 2.90 tons per year (of which up to .54 ton per year are expected to also be volatile HAPs).

Impress USA, Inc. also proposed the construction of nine videojet ink marking systems which the Department has determined are exempt from plan approval provided the VOC emissions from each of three groups of ink marking systems (systems 1—5, systems 6—8 and system 9) are less than 2.7 tons per year and the total combined volatile HAP emissions from each of the three groups are no greater than 1.0 ton per year.

The Department of Environmental Protection's (Department) review of the information provided by Impress USA, Inc. indicates that the two modified side stripe coating operations should comply with all applicable regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best BAT requirement of 25 Pa. Code §§ 127.1 and 127.12 and the requirements of 25 Pa. Code § 129.52. Based on this finding, the Department proposes to issue plan approval for the proposed modifications.

The following is a summary of the conditions the Department proposes to place in the plan approval to be issued to ensure compliance with all applicable regulatory requirements:

1. Conditions contained in State-only Operating Permit 19-00023 remain in effect unless amended or superseded by a condition contained herein. If there is a conflict between a condition contained in State-only Operating Permit 19-00023 and a condition contained herein, the

permittee shall comply with the condition contained herein rather with the conflicting condition contained in State-only Operating Permit 19-00023.

2. The VOC/volatile HAP emissions from Fael Line No.1 do not need to be controlled by a catalytic fume incinerator.

3. The VOC and volatile HAP emissions from Fael Line No. 1, including the VOC and volatile HAP emissions resulting from the use of cleanup solvents and lubricants on the respective line, shall not exceed 3.42 and .64 ton, respectively, in any 12-consecutive month period.

4. The VOC and volatile HAP emissions from Soudronic Line No. 2, including the VOC and volatile HAP emissions resulting from the use of cleanup solvents and lubricants on the respective line, shall not exceed 2.90 and .54 tons, respectively, in any 12-consecutive month period.

5. The VOC and volatile HAP contents of the coating used on the Fael Line No. 1 and Soudronic Line No. 2 shall not exceed 1.30 and .25 pound per gallon of coating, respectively.

6. No more than a combined total of 40 gallons of cleanup solvent shall be used on Fael Line No. 1 and Soudronic Line No. 2 in any 12-consecutive month period, of which no more than 20 gallons shall contain any volatile HAPs.

7. No more than 200 gallons of lubricant shall be used on Fael Line No. 1 and Sudronic Line No. 2 in any 12-consecutive month period and no lubricant used shall contain any volatile HAPs.

8. The permittee shall maintain records of the identity, amount, VOC content, volatile HAP content, acetone content and solids content of each coating used on Fael Line No. 1 as well as the identity, amount, VOC content, volatile HAP content and acetone content of each cleanup solvent and each lubricant used on Fael Line No. 1.

9. The permittee shall maintain records of the identity, amount, VOC content, volatile HAP content, acetone content and solids content of each coating used on Soudronic Line No. 2, as well as the identity, amount, VOC content, volatile HAP content and acetone content of each cleanup solvent and each lubricant used on Soudronic Line No. 2.

10. The VOC emissions from videojet ink marking systems one—five shall not equal or exceed 2.7 tons in any 12-consecutive month period and the combined volatile HAP emissions shall not exceed 1.0 ton in any 12-consecutive month period.

11. The combined VOC emissions from videojet ink marking systems six—eight shall not equal or exceed 2.7 tons in any 12-consecutive month period and the combined volatile HAP emissions shall not exceed 1.0 ton in any 12-consecutive month period.

12. The VOC emissions from videojet ink marking system 9 shall not equal or exceed 2.7 tons in any 12-consecutive month period and the combined volatile HAP emissions shall not exceed 1.0 ton in any 12-consecutive month period.

13. The permittee shall maintain records of the identity, amount, VOC content, volatile HAP content and acetone content of each ink, make-up fluid, etc. used in each of the three groups of videojet ink marking systems identified herein (systems one—five, systems six—eight and system nine).

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

23-00040: Laurel Pipe Line Co., LP (3398 Garnet Mine Road, Boothwyn, PA 19061-0917) for renewal of the Title V Operating Permit in Bethel Township, **Delaware County**. The initial permit was issued on 12-19-2001. The facility is a refined petroleum breakout station consisting of in-coming and out-going pipeline systems and aboveground breakout tanks. As a result of potential emissions of VOCs, the facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments, and is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The proposed Title V Operating Renewal does not reflect any change in air emissions from the facility. The facility is not subject to Compliance Assurance Monitoring under 40 CFR Part 64. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

37-00243: INMETCO (245 Portersville, Ellwood City, PA 16117) for modification of a Title V Operating Permit in Ellwood City Borough, **Lawrence County**. This modification is to incorporate synthetic minor emission limits for three date eligible sources, so that the facility will fall under the Best Available Retrofit Technology applicability threshold. The combined NOx and PM10 emissions from Source ID: 101-Materials Handling, Source ID: 102-Rotary Hearth Furnace, and Source ID: 103-Submerged Electric Arc Furnace, have been limited to no more than 250 tons per year for each pollutant.

10-00023: Mercer Lime and Stone Co.—Branchton Plant (560 Branchton Road, Slippery Rock, PA 16057) for modification to incorporate synthetic minor emission limits for one date eligible source, so that the facility will fall under the Best Available Retrofit Technology applicability threshold located in the Slippery Rock Township, **Butler County**. The NOx and SOx emissions from Source ID: 111-Rotary Kiln have been limited to no more than 249 tons per year for each pollutant.

42-00004: American Refining Group, Inc. (77 North Kendall Avenue, Bradford, PA 16701) for modification of a Title V Operating Permit to incorporate synthetic minor emission limits for three date eligible sources, so that the facility will fall under the Best Available Retrofit Technology applicability threshold in the City of Bradford, **McKean County**. The combined NOx, PM10, SOx, and VOC emissions from Source ID: 033-Boiler No. 3, Source ID: 034-Boiler No. 4, and Source ID: C301-Refinery Gas Flare, have been limited to no more than 250 tons per year for each pollutant.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428, Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

46-00139: Spray Products Corporation, (1323 Conshohocken Road, Norristown, PA 19404) for a Non-Title V Facility, State-only, Natural Minor Permit in Plymouth Township, **Montgomery County**. The sources of emissions are two Propellant Gasser/Production Filler Lines. The facility has a potential to emit less than 25 tons per year of VOCs. Monitoring, recordkeeping and reporting requirements have been added to the permit to address applicable limitations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702,

01-05016: ISP Minerals, Inc. (P. O. Box O, Blue Ridge Summit, PA 17214-0914) at their Charmian facility in Hamiltonban Township, **Adams County**. This facility is subject to 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants and 40 CFR Part 60, Subpart UUU—Standards of Performance for Calciners and Dryers in Mineral Industries. The facility will restrict their operation to limit the emission of particulate matter and NO_x to less than 100 tons per year. The Synthetic Minor operating permit shall contain additional testing, monitoring, recordkeeping and reporting requirements, emission restrictions and work practice standards designed to keep the facility operating within all applicable air quality requirements.

36-03040: Wenger's Feed Mill, Inc. (101 West Harrisburg Avenue, Rheems, PA 17570) for operation of their feed mill in Mount Joy Township, **Lancaster County**. Actual emissions are expected to be one ton per year of CO, one ton per year of NO_x and two tons per year of PM. The State-only permit will include monitoring, work practices, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

36-05119: Signature Custom Cabinetry, Inc. (434 Springville Road, Ephrata, PA 17522) for a wood working operations at Ephrata Township, **Lancaster County**. The facilities primary sources are kitchen cabinet parts coating booths. The facility's primary emissions are VOCs. The facility VOC emissions shall be kept at less than 50 tpy. Synthetic Minor Operating Permit renewal shall contain monitoring, recordkeeping and reporting designed to keep the facility operating within all applicable air quality requirements.

38-03017: Keystone Spikes Corp.—Lebanon Plant (255 North Lincoln Avenue, Lebanon, PA 17046-3949) a renewal of their State-only Operating Permit for operation of the Lebanon Plant in the City of Lebanon, **Lebanon County**. The State-only operating permit will include monitoring, recordkeeping, reporting requirements, emission restrictions and work practice standards designed to keep the facility operating within all applicable air quality requirements.

38-05020: G and H Fortyniners, Inc.—d/b/a Keystone Protein Co. (P. O. Box 37, Fredericksburg, PA 17026) for synthetic minor operating permit renewal at Bethel Township, **Lebanon County**. The facility's sources include rendering operations and boilers, and the primary emissions are NO_x and SO_x. The SO_x and NO_x emissions shall be kept at less than 100 tpy each. Synthetic Minor Operating Permit renewal shall contain monitoring, recordkeeping and reporting designed to keep the facility operating within all applicable air quality requirements.

67-05110: New York Wire Co. (P. O. Box 1749, York, PA 17405) for operation of their weaving facility in York

City, **York County**. The facility will be limited to less than 50 tons of VOC per year. The State-only operating permit will include emission restrictions, work practice standards and testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

65-00858: American Video Glass Co., LLC (777 Technology Drive, Mount Pleasant, PA 15666) for operation of two boilers and heaters at their Facility in East Huntingdon Township, **Westmoreland County**. This is a State-only Operating Permit.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Eric Gustafson, New Source Review Chief, (814) 332-6940.

37-00011: Dairy Farmers of America, Inc. (Route 208 and Route 18, New Wilmington, PA 16142-9518) for re-issuance of a Natural Minor Operating Permit to operate a manufacturing facility that produces cheese, in Wilmington Township, **Lawrence County**. The facility's primary emission sources include three natural gas fired boilers, a dryer, two reactors, three emergency generators, a parts washer and miscellaneous natural gas combustion (space heating/make up air).

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the district mining office indicated before an application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES

permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person

submitting comments or objections; the application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

30841316 and NPDES Permit No. PA0213535. Consol Pennsylvania Coal Company (P. O. Box J, 1525 Pleasant Grove Road, Claysville, PA 15323). To revise the permit for the Bailey Mine and Prep Plant in Richhill Township, **Greene County** to install 6 South No. 1 Airshaft, facilities, boreholes, and NPDES discharge point. Surface Acres Proposed 8.85. Receiving stream: Kent Run, classified for the following use: TSF. Application received: September 8, 2006.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

11060103 and NPDES No. PA0262242. Hoffman Mining, Inc. (P. O. Box 130, 118 Runway Road, Friedens, PA 15541). Commencement, operation and restoration of a bituminous surface-auger mine and a stream variance within 100 feet of UNTs to Paint Creek, along with a stream encroachment consisting of haul road and erosion and sedimentation control construction in Adams Township, **Cambria County**, affecting 182.1 acres. Receiving streams: Paint Creek and UNTs to Paint Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received: October 10, 2006.

32010110. Alverda Enterprises, Inc. (P. O. Box 87, Alverda, PA 15710). Permit renewal for the continued operation and restoration of a bituminous surface mine in Pine Township, **Indiana County**, affecting 78.1 acres. Receiving stream: N/A. The permittee will use non-

discharge alternatives for treated water classified for the following use: N/A. There are no potable water supply intakes within 10 miles downstream. Application received: October 12, 2006.

32010111 and NPDES No. PA0249050. Alverda Enterprises, Inc. (P. O. Box 87, Alverda, PA 15710). Permit renewal for the continued operation and restoration of a bituminous surface mine in Pine Township, **Indiana County**, affecting 34.8 acres. Receiving streams: UNT to Yellow Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received: October 12, 2006.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500

26060106 and NPDES Permit No. PA0250988. Charles L. Swenglish & Sons Coal Co., Inc. (83 Swenglish Lane, Smithfield, PA 15478). Application for commencement, operation and reclamation of a bituminous surface mine, located in Georges and Springhill Townships, **Fayette County**, affecting 540 acres. Receiving streams: UNTs to Rubies Run and Mountain Creek, classified for the following use: CWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: October 13, 2006.

02050101 and NPDES Permit No. PA0250791. NBL Mining Co., LLC (P. O. Box 369, Atlasburg, PA 15004). Transfer application from Robert B. Goodall for continued mining and reclamation of an existing bituminous surface mine located in North Fayette Township, **Allegheny County**, affecting 75.5 acres. Receiving streams: North Branch Robinson's Run and UNTs to North Branch Robinson's Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Transfer application received: October 13, 2006.

2743202 and NPDES Permit No. PA0069736. Fayette Coal & Coke, Inc., (2611 Memorial Blvd., Connelville, PA 15425). Transfer application from Fayette Coal & Coke, LLC for continued mining and reclamation of a coal refuse reprocessing surface mine, located in Dunbar and North Union Townships, **Fayette County**, affecting 113 acres. Receiving stream: Rankin Run to Redstone Creek, classified for the following use: WWF. The potable water supply intake within 10 miles downstream from the point of discharge: North Fayette Municipal Authority. Transfer application received: October 5, 2006.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

33010104 and NPDES Permit No. PA0241997. Reichard Contracting, Inc. (212 Olean Trail, New Bethlehem, PA 16242). Renewal of an existing bituminous surface strip operation in Clover Township, **Jefferson County** affecting 29.5 acres. Receiving streams: three UNTs to Runaway Run and Runaway Run, classified for the following: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application for reclamation only. Application received: October 18, 2006.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

17060110 and NPDES No. PA0256421. Bell Resources, Inc. (1034 Hoyt Road, Curwensville, PA 16833). Commencement, operation and restoration of a bituminous surface mine in Bloom and Penn Townships, **Clearfield County**, affecting 361.9 acres. Receiving streams: UNT to Bell Run; Bell Run, classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received: September 27, 2006.

17850145 and NPDES No. PA0596710. SRP Coal Co., Inc. (5510 State Park Road, Penfield, PA 15849). Permit renewal for the continued operation and restoration of a bituminous surface mine in Lawrence Township, **Clearfield County**, affecting 42.1 acres. Receiving streams: unnamed tributary to Montgomery Creek, classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received: September 29, 2006.

17060111 and NPDES No. PA0256439. Hilltop Coal Company (12 Dutchtown Road, Houtzdale, PA 16651). Commencement, operation and restoration of a bituminous surface mine in Bigler and Gulich Townships, **Clearfield County**, affecting 361.0 acres. Receiving streams: UNT Little Muddy Run and Muddy Run, classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received: October 4, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

40-305-002GP12. Stockton Anthracite, LP (P. O. Box 546, Hazleton, PA 18201). Application to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 on an anthracite coal preparation plant operation in Hazle Township, **Luzerne County**. Application received: August 14, 2006.

40-305-003GP12. Mammoth Anthracite, LLC (P. O. Box Q, Milnesville, PA 18239). Application to operate a coal preparation plant whose pollution control equipment

is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 on existing anthracite Surface Mining Permit No. 40930102 in Hazle Township, **Luzerne County**. Application received: October 10, 2006.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the FWPCA (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

E15-761. Louis F. Smith, Township Manager, East Goshen Township, 1580 Paoli Pike, West Chester, PA 19380, East Goshen Township, **Chester County**, ACOE Philadelphia District.

1. To construct and maintain a new pedestrian bridge across a tributary to Ridley Creek (HQ-TSF) and adjacent wetlands. The proposed crossing is 352-foot long by 8-foot wide. Crossing has clear span of 95 feet over channel and floodway. This crossing is associated with an existing trail system for recreation, located above 100-year flood plain.

2. To maintain four pedestrian crossings associated with same existing trail systems, which were constructed without Department approval.

The total wetland impact associated with the five crossings is 0.07 acre (PEM).

The site is located about 2,500 feet southeast of intersection of Paoli Pike and Line Road (Malvern-PA USGS Quadrangle N: 1.4 inches W: 5.1 inches).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E48-367. Green and White Youth Association, 435 West Main Street, Pen Argyl, PA 18072, in Pen Argyl Borough, **Northampton County**, United States Army Corps of Engineers, Philadelphia District.

To place fill in approximately 0.04 acre of PFO wetlands and to construct and maintain two stream enclosures in tributaries to Waltz Creek as follows: a 60-inch diameter R.C.P. having a length of approximately 200 feet and a 48-inch diameter R.C.P. having a length of approximately 360 feet. This work is for the proposed construction of the Green and White Youth Association athletic fields located on the south side of SR 1024 (West Main Street) (Wind Gap, PA Quadrangle N: 19.6 inches; W: 1.7 inches).

E64-261. Bruce Hartshorn, 1319 Bucheimer Road, Frederick, MD 21701, in South Canaan Township, **Wayne County**, United States Army Corps of Engineers, Philadelphia District.

To construct and maintain a 500 foot long by 19 foot wide driveway crossing through a 0.21 acre of PSO wetland adjacent to a tributary of Middle Creek (HQ-CWS, MS). The project is located on the south side of Old Gravity Road approximately 2.5 miles northeast of Tisdell Road. (Lakeville, PA Quadrangle N: 21.5 inches; W: 13.9 inches).

E35-398. Keystone College, One College Green, La Plume, PA 18440, in LaPlume, **Lackawanna County**, United States Army Corps of Engineers, Baltimore District.

To fill a 0.10 acre man made pond for the purpose of constructing site improvements at Keystone College. Keystone College is located on the south side of College Avenue approximately 1 mile east of its intersection with Route 6. (Factoryville, PA Quadrangle N: 10.5 inches; W: 3.4 inches).

E64-262. Richard and Rita Mahler, 596 Annadale Road, Staten Island, NY 10312, in Salem Township, **Wayne County**, United States Army Corps of Engineers, Philadelphia District.

To excavate 0.27 acre of PEM wetlands within the Wallenpaupack Creek watershed (HQ-CWS) for the purpose of constructing a pond having a surface area of approximately 4.2 acres, a volume of approximately 38 acre-feet and a depth of 10 feet. (Lakeville, PA Quadrangle N: 3.5 inches; W: 13.8 inches).

E40-533A. Wilkes-Barre/Scranton International Airport, 100 Terminal Road, Avoca, Pa 18641, in Moosic Borough, **Lackawanna County**, United States Army Corps of Engineers, Baltimore District.

To place fill in approximately 0.069 acre of PEM wetlands for the proposed 225-foot extension of Runway 22 which is necessary to comply with FAA safety regulations. The project is located at the northern end of the

airport southeast of the intersection of SR 0081 and S.R. 0502 (Avoca, PA Quadrangle N: 16.0 inches; W: 13.7 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E36-818. Ben Stoltzfus, 2603 Lincoln Highway, East Lampeter, PA 17572 in East Lampeter Township, **Lancaster County**, ACOE Baltimore District.

To install and maintain a 24.0-foot long by 16.0-foot wide by 4.0-foot high concrete box culvert into a UNT of Mill Creek (WWF) and 825.0 square feet of emergent wetlands, and to construct and maintain an access driveway through 340.0 square feet of emergent wetlands. The project is located off of Route 30 East, past Route 896 on the left hand side, (Leola, PA Quadrangle N: 4 inches; W: 7.5 inches; Latitude: 40° 1' 27.6"; Longitude: 76° 10' 28.7") in East Lampeter Township, Lancaster County. The amount of wetland impact is considered a de minimus impact of 0.027 acre and wetland mitigation is not required.

E50-236. Little Buffalo State Park, 1579 State Park Road, Newport, PA 17074, in Juniata Township, **Perry County**, ACOE Baltimore District.

To install and maintain a dry hydrant in Holman Lake for the purpose of fire protection. The project is located along Little Buffalo Road (Newport, PA Quadrangle; North: 14.6 inches, West: 8.2 inches; Latitude: 40° 27' 18", Longitude: 77° 10' 29") in Juniata Township, Perry County.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1549. Monterey Place, LLC, 285 East Waterfront Drive, Suite 160, Homestead, PA 15120. To construct a culvert and impact wetlands in Upper St. Clair Township, **Allegheny County**, Pittsburgh ACOE District. (Bridgeville, PA Quadrangle N: 10.95 inches; W: 10.88 inches and Latitude: 40° 18' 37"—Longitude: 80° 4' 41"). The applicant proposes to remove the existing 60-inch diameter, 90 ft. long culvert, to construct and maintain a conspan culvert having a span of 14 feet with an underclearance of 5 feet, 157 feet in length in the channel of a UNT to Brush Run (WWF) and to place and maintain fill in 0.21 acre of wetlands (PEM/PSS), associated with said crossing, to provide access to the proposed Monterey Plan of Lots located approximately 240 feet southeast from the intersection of Monterey Drive and Cortland Drive. The applicant also proposes to construct and maintain several utility lines and an outfall structure in said wetlands.

E02-1550. David W. Eichenlaub, P. O. Box 806, Indianola, PA 15051. To place fill in wetlands to expand storage area in Indiana Township, **Allegheny County**, Pittsburgh ACOE District. (Glenshaw, PA Quadrangle N: 16.5 inches; W: 0.5 inch and Latitude: 40° 35' 25"—Longitude: 79° 52' 39"). The applicant proposes to place fill in 0.095 acre of wetlands and along the right bank of Deer Creek (CWF) and the left bank of Cedar Creek (CWF) for the purpose of utilizing applicants property for storage space. The project is located just northeast from the intersection of Shafer Road and SR 910 and will impact 0.095 acre of wetlands.

E0476706 A1. Beaver County Corporation for Economic Development, 250 Insurance Street, Suite 300, Beaver, PA 15009. To construct and maintain a boat dock

in the Borough of Bridgewater, **Beaver County**, Pittsburgh ACOE District. (Beaver, PA Quadrangle N: 12.86 inches; W: 6.16 inches and Latitude: 40° 42' 30"—Longitude: 80° 17' 30"). The applicant proposes to amend permit number E0476706 to include the construction and maintenance of a boat docking facility in the channel and along the right bank of the Ohio River (WWF) located approximately 2,500 feet downstream from the Monaca-Rochester Bridge.

E04-315. Beaver County Corporation for Economic Development, 250 Insurance Street, Suite 300, Beaver, PA 15009. To construct stream bank protection in the Borough of Bridgewater, **Beaver County**, Pittsburgh ACOE District. (Beaver, PA Quadrangle N: 15.0 inches; W: 6.75 inches and Latitude: 40° 42' 27"—Longitude: 80° 17' 55"). The applicant proposes to construct and maintain a stream bank protection project along the right bank of the Beaver River (WWF) for a distance of 1,200.0 linear feet for the purpose of constructing a sidewalk along Riverside Drive. The project is located on the east side of Riverside Drive near the confluence of the Beaver River and Hamilton Run and will impact 1,200.0 linear feet of stream channel.

E65-904. Municipal Authority of Westmoreland County, P. O. Box 730, 6064 Route 30, Greensburg, PA 15601. To construct a water transmission main in Hempfield Township, **Westmoreland County**, Pittsburgh ACOE District. (Greensburg, PA Quadrangle N: 4.75 inches; W: 7.9 inches and Latitude: 40° 16' 34"—Longitude: 79° 33' 22"). The applicant proposes to construct and maintain: 1) a 48-inch diameter ductile iron water transmission main across and under the channel bed of Jack's Run (WWF), across two UNTs of Jack's Run and under the invert of an existing 36-inch pipe culvert in a UNT to Jack's Run; 2) Place approximately 1,800 linear feet of rock riprap along the bank of a UNT to Jack's Run and along T-507; 3) Place approximately 15 linear feet of gabion basket at the discharge point of the transmission line for flushing. The project is located along Western Avenue and Garden Street.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E25-709. Bureau of Engineering and Development, Fish and Boat Commission, 450 Robinson Lane, Bellefonte, PA 16823-9620. Corry Sate Fish hatchery Waterline, in Wayne Township and Concord Township, **Erie County**, ACOE Pittsburgh District (Corry, PA Quadrangle N: 8.8 inches; W: 10.6 inches).

The applicant proposes to install approximately 6,900 feet of 0.75-foot diameter and 1.0-foot diameter waterline to provide well water as a clean source of process water for fish rearing at the Corry Fish Culture Station involving the following stream and wetland crossings in Wayne

and Concord Township, Erie County (Corry, PA Quadrangle N: 8.75 inches; W: 10.6 inches): 1) South Branch French Creek (N 41° 55' 12.5", W 79° 40' 34"); 2) tributary South Branch French Creek (N 41° 55' 19", W 79° 40' 35"); 3) tributary South Branch French Creek (N 41° 55' 34", W 79° 40' 22"); 4) wetland crossing 1 (PSS) having a length of 25 feet; 5) wetland crossing 2 (PSS) having a length of 1,100 feet; 6) wetland crossing 3 (PSS/PFO) having a length of 2,307 feet; and 7) wetland crossing 4 (PSS/PEM) having a length of 302 feet. Project includes installation of several control pits along the waterline for venting. South Branch French Creek is a perennial stream classified as a CWF. The project proposes to temporarily impact approximately 3,734 linear feet and 1.28 acres of wetland and approximately 50 feet of stream width and 45 feet of stream length.

E25-710. Girard Township Supervisors, 10140 Ridge Road, Girard, PA 16417. T-544 Elk Park Road over Elk Creek, in Girard Township, **Erie County**, ACOE Pittsburgh District (Fairview, PA Quadrangle N: 1.1 inches; W: 14.1 inches).

The applicant proposes to remove the existing structure and to construct and maintain a single span precast, prestressed concrete I girder bridge having a clear span of 123.5 feet and an underclearance of 16.09 feet on a 90° skew across Elk Creek on T-544 (Elk Park Road) approximately 1.32 miles SW of the intersection of SR 5 and SR 18. Elk Creek is a perennial stream classified as a migratory fishery and WWF. The project proposes to impact approximately 120 feet of stream.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

D28-124EA. Beacon of Greene, LLC, 24 Buckingham Way, Freehold, NJ 07728. Guilford Township, **Franklin County**, ACOE Baltimore District.

Project proposes to breach and remove Beacon of Greene Dam across a tributary to Conococheague Creek (CWF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will restore approximately 225 linear feet of stream channel. The dam is located approximately 4,000 feet south west of the intersection of US 30 and SR 997. The project will also involve the replacement of the dam outlet pipe with a 36-inch polyethylene pipe, and the installation of a public water and sewer line for the proposed Beacon of Greene subdivision. The additional work is eligible for authorization under GP-11 and GP-5. The culvert replacement will temporarily impact 0.00048 acre of wetlands. (Scotland, PA Quadrangle N: 3.8 inches; W: 3.6 inches).

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0062235	JAIMAI, Inc. d/b/a Drums Sewage Treatment Plant 1064 SR 93 Drums, PA 18222	Sugarloaf Township Luzerne County	UNT to Nescopeck Creek 5D	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0034304 (Industrial Waste)	Cambridge Lee Industries P. O. Box 14026 Reading, PA 19612-4026	Berks County Ontelaunee Township	Schuylkill River 3-C	Y
PA0084112 (Sewage)	South Eastern School District— Kennard Dale High School 377 Main Street Fawn Grove, PA 17321	York County Fawn Township	UNT Falling Branch Creek 7-I	Y
PA0081183 (Sewage)	Margaret Carbaugh The Happy Hollow Restaurant 6089 Raystown Road Hopewell, PA 16650	Bedford County Liberty Township	UNT Sugar Camp Run 11-D	Y
PA0086819 (Sewage)	Donald Collier 1534 Millers Corner Road Clearville, PA 15535	Bedford County Southampton Township	Wilson Run 11-A	Y

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N ?</i>
PA0113093 (Sewage)	Christ Wesleyan Church 363 Stamm Road Milton, PA 17847	Turbot Township Northumberland County	UNT to Limestone Run WWF	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0024252 Industrial Waste	Sunoco Partners Marketing and Terminals, LP 1735 Market Street Philadelphia, PA 19103-1699	Westmoreland County Salem Township	Thorn Run (Outfall 001) and UNT to Beaver Run (Outfall 002)	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0222038	Robert B. Pangallo SFTF 3111 Trails End Lane Sigel, PA 15860	Barnett Township Jefferson County	UNT to Cathers Run 17-B	Y
PA0238538	Patricia and Robert Tuznik SFTF 9028 South Creek Road Girard, PA 16417	Girard Township Erie County	UNT to Elk Creek 15-EC	Y
PA0005053	Reliant Energy, Inc.— Warren Generating Station 121 Champion Way Canonsburg, PA 15317-5817	Conewango Township Warren County	UNT to Allegheny River	Y
PA0104191	National Fuel Gas supply Corporation—Heath Compressor Station P. O. Box 2081 Erie, PA 16512-2081	Heath Township Jefferson County	UNT to Callen Run 17-B	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0085448. Sewage, **East Earl Sewer Authority**, Aaron Newswanger, P. O. Box 339, Blue Ball, PA 17506. This proposed facility is located in East Earl Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization to discharge to UNT Conestoga River in Watershed 7-J.

NPDES Permit No. PA0054852 Amendment No. 2, Industrial Waste, **WBLF Acquisition Company**, 256 Eagle View Road, PMB 231, Exton, PA 19341. This proposed facility is located in Cumru Township, **Berks County**.

Description of Proposed Action/Activity: Authorization to discharge to the Schuylkill River in Watershed 3-C.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No. PA0253341, Sewage, **Jonathan and Holly Hayman**, 1224 Dividing Ridge Road, Fairhope, PA 15538. This proposed facility is located in Brothersvalley Township, **Somerset County**.

Description of Proposed Action/Activity: Permit issuance for the construction and operation of a single residence small flow sewage treatment plant.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0239879, Sewage, **Michael Wahlenmayer**, 112 Linden Street, Beaver Falls, PA 15010. This proposed facility is located in McKean Township, **Erie County**.

Description of Proposed Action/Activity: This is a Single Residence Sewage Treatment Plant discharging to a UNT tributary to Thomas Run in Watershed 15.

NPDES Permit No. PA0026697, Sewage, **Butler Area Sewer Authority**, 100 Litman Road, Butler, PA 16001-3256. This proposed facility is located in Butler Township, **Butler County**.

Description of Proposed Action/Activity: This facility is authorized to discharge to Connoquenessing Creek and Butchers Run in Watershed 20-C.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. 1506414, Sewerage, **Pennsylvania American Water Company**, 4 Wellington Boulevard, Wyomissing, PA 19610. This proposed facility is located in City of Coatesville, **Chester County**.

Description of Action/Activity: Replacement of sewer main and manholes with 8" PVC sewer main Harmony Street and upsizing to a 15" PVC main 1st Ave.

WQM Permit No. 1596411, Sewerage, **North Coventry Municipal Authority**, 1485 East Schuylkill Road, P. O. Box 833, Pottstown, PA 19464. This proposed facility is located in North Coventry Township, **Chester County**.

Description of Action/Activity: Upgrading the plant's capacity from 1.50 mgd to 2.01 mgd.

WQM Permit No. WQG02090625, Sewerage, **Bedminster Municipal Authority**, 432 Elephant Road, Perkasio, PA 18944. This proposed facility is located in Bedminster Township, **Bucks County**.

Description of Action/Activity: Construction and operation of a sewer extension.

WQM Permit No. WQG02460624, Sewerage, **East Norriton Township**, 2501 Stanbridge Street, East Norriton, PA 19401-1616. This proposed facility is located in East Norriton Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a pump station and sewer extension.

WQM Permit No. WQG02230623, Sewerage, **Chadds Ford Township**, P. O. Box 181, Chadds Ford, PA 19317. This proposed facility is located in Chadds Ford Township, **Delaware County**.

Description of Action/Activity: Construction and operation of a low pressure individual pump station and sewer extension.

WQM Permit No. WQG02230626, Sewerage, **Concord Township Sewer Authority**, 664 Concord Road, Glen Mills, PA 19342. This proposed facility is located in Concord Township, **Delaware County**.

Description of Action/Activity: Construction and operation of a low pressure individual pump stations and sewer extension.

WQM Permit No. 0906406, Sewerage, **Milford-Trumbauersville Area Sewer Authority**, 1825 Rosenberger Road, Spinnerstown, PA 18968. This proposed facility is located in Milford Township, **Bucks County**.

Description of Action/Activity: Construction and operation of a new influent pump station including screening system, emergency generator and standby pump.

WQM Permit No. 1501401, Amendment No. 3, Sewerage, **Penn Township**, 260 Lewis Road, P. O. Box 39, West Grove, PA 19390-0039. This proposed facility is located in Penn Township, **Chester County**.

Description of Action/Activity: To increase in the hydraulic and organic capacity and also increasing the flow from 0.25 mgd to 0.35 mgd.

WQM Permit No. 4603418, Amendment No. 1, Sewerage, **Whitemarsh Township**, 616 Germantown Pike, Lafayette Hill, PA 19444-1821. This proposed facility is located in Whitemarsh Township, **Montgomery County**.

Description of Action/Activity: Additions and modifications to the existing treatment plant.

WQM Permit No. 4605202, Industrial, **Cabot Corporation—Boyertown Plant**, County Line Road, Boyertown, PA 19512-2181. This proposed facility is located in Douglass Township, **Montgomery County**.

Description of Action/Activity: Construction and modifications and operation of a industrial wastewater treatment facility.

WQM Permit No. 0906405, Sewerage, **Bucks County Water and Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976. This proposed facility is located in Richland Township, **Bucks County**.

Description of Action/Activity: Replacing pumps, piping and valves to increase the capacity of the pump station.

WQM Permit No. 1506409, Sewerage, **Little Washington Wastewater Company**, 762 Lancaster Avenue, Bryn Mawr, PA 19010-3402. This proposed facility is located in Thornbury Township **Chester County**.

Description of Action/Activity: Construction and operation of a sewage treatment plant with drip irrigation disposal for 22 single family dwelling.

WQM Permit No. WQG02150613, Sewerage, **Northwestern Chester County Municipal Authority**, P. O. Box 308, Honeybrook, PA 19344-0308. This proposed facility is located in Honeybrook Township, **Chester County**.

Description of Action/Activity: Construction and operation of a pump station.

WQM Permit No. 1506411, Sewerage, **Birmingham Township**, 1040 West Street Road, West Chester, PA 19382. This proposed facility is located in Birmingham Township, **Bucks County**.

Description of Action/Activity: Construction and operation of a sewage treatment plant.

WQM Permit No. WQG02090628, Sewerage, **Hilltown Township Water and Sewer Authority**, 316 Highland Park Drive, Sellersville, PA 18960. This proposed facility is located in Hilltown Township, **Bucks County**.

Description of Action/Activity: Construction and operation of a low pressure individual pump station and sewer extension.

WQM Permit No. 1506408, Sewerage, **New Garden Township Sewer Authority**, 299 Starr Road, Landenberg, PA 19350. This proposed facility is located in New Garden Township, **Chester County**.

Description of Action/Activity: Installation of a new influent screen.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 0692205 Amendment No.T-2, Industrial Waste, **WBLF Acquisition Company, LLC**, 256 Eagle View Boulevard, Exton, PA 19341. This proposed facility is located in Cumru Township, **Berks County**.

Description of Proposed Action/Activity: Approval for the transfer of industrial facilities consisting of a pump station, industrial wastewater treatment facilities and outfall and headwall.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 6306405, Sewerage, **Washington-East Washington Joint Authority**, P. O. Box 510, 60 East Beau Street, Washington, PA 15301. This proposed facility is located in South Strabane Township, **Washington County**.

Description of Proposed Action/Activity: Permit issuance for the construction and operation of approximately 5,700 feet of 8-inch gravity sewer to serve The Foundry at South Strabane development.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2506409, Sewerage, **Michael Wahlenmayer**, 112 Linden Street, Beaver Falls, PA 15010. This proposed facility is located in McKean Township, **Erie County**.

Description of Proposed Action/Activity: A Single Residence Sewage Treatment Plant.

WQM Permit No. WQG018504, Sewerage, **Bernard W. and Linda L. Frohne**, 5630 Gibson Hill Road, Edinboro, PA 16412. This proposed facility is located in Washington Township, **Erie County**.

Description of Proposed Action/Activity: A Single Residence Sewage Treatment Plant.

WQM Permit No. WQG018502, Sewerage, **Donald Tresler**, 9033 Route 89, North East, PA 16428. This proposed facility is located in North East Township, **Erie County**.

Description of Proposed Action/Activity: A Single Residence Sewage Treatment Plant.

WQM Permit No. WQG018494, Sewerage, **Stephen M. Bailey and Kimberly S. Eastman**, 13210 Sportsman Road, Conneaut Lake, PA 16316. This proposed facility is located in Vernon Township, **Crawford County**.

Description of Proposed Action/Activity: A Single Residence Sewage Treatment Plant.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10D130-1	Buttercreek Builders, Inc. 2397 Camp Rockhill Road Quakertown, PA 18901	Bucks	West Rockhill Township	Butter Creek HQ-CWF
PAI011505074	Genterra Corporation 65 Dowlin Forge Road Exton, PA 19341	Chester	Honey Brook Township	UNT West Branch Brandywine Creek HQ-TSF-MF
PAI011506041	Gary Gorton 443 North Rose Lane Haverford, PA 19041	Chester	Willistown Township	Crum Creek HQ-TSF
PAI011506050	Frazer Mennonite Church 57 Maple Linden lane Frazer, PA 19355	Chester	East Whiteland Township	Valley Creek EV
PAI014604002	MacIntosh Builders 602 East Broad Street Souderton, PA 18964	Montgomery	Marlborough Township	Unami Creek HQ

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024806008	Charles Chrin 400 South Greenwood Ave. Easton, PA 18045	Northampton	Bushkill Township	Bushkill Creek HQ-CWF

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI021305011	Department of Transportation Engineering District 5-0 1713 Lehigh St. Allentown, PA 18103	Carbon	Nesquehoning Borough	Nesquehoning Creek HQ-CWF
PAI025204002	Federal Highway Administration 21400 Ridge Top Circle Sterling, VA 20166	Pike	Dingman, Delaware and Lehman Townships	Toms Creek EV Conashaug HQ-CWF Ramonds Kill HQ-CWF
PAI023905037	Walt Dealtrey 2255 Avenue A Bethlehem, PA 18018	Lehigh	City of Bethlehem	Monocacy Creek HQ-CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI033605015	Stephen J. Barr Brenda Fisher 5825 Burkey Road P. O. Box 7 Gap PA 17527	Lancaster	Salisbury Township	UNT to Pequea Creek WWF UNT to Pequea Creek HQ-CWF
PAI033606005	Ivan Martin 1357 Kramer Mill Road Denver, PA 17517	Lancaster	East Earl Township and Terre Hill Borough	Black Creek HQ-WWF
PAI033106001	Huntingdon County Business & Industry, Inc. 419 14th St. Huntingdon, PA 16652	Huntingdon	Shirley Township	UNT Juniata River HQ-CWF
PAI0333105001	Bruce E. Cox 1618 Ridge Road warriors Mark, PA 16877	Huntingdon	Warriors Mark Township	Spruce Creek HQ-CWF
PAI032106003	William H. Hooke, Jr. Kurt E. Suter 320 South Hanover Street Carlisle, PA 17013-4431	Cumberland	Carlisle Borough	Letort Spring Run EV
PAI033105004	Rusty Gates 305 Penn Street Huntingdon, PA 16652	Huntingdon	Todd Township	Tatman Run HQ-CWF

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Potter County Conservation District: 107 Market Street, Coudersport, PA 16915 (814) 274-8411, Ext. 4.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI045305003	Department of Transportation Engineering District 2-0 P. O. Box 342 1924-30 Daisy Street Clearfield, PA 16830	Potter	Oswayo Township	Brizzee Hollow Run HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Single Residence Sewage Treatment Plants

PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

General Permit Type—PAG-2

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Bensalem Township Bucks County	PAG2000903046-1	Bensalem Racing Association 3001 Street Road Bensalem, PA 19020-8512	Neshaminy Creek (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Penn del Borough Bucks County	PAG2000906054	Rich McManus P. O. Box 199 Langhorne, PA 19047	Neshaminy Creek (WWF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Bristol Borough Bucks County	PAG2000906011	Bristol Borough School District 420 Buckley Street Bristol, PA 19007-3706	Delaware River (WWF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Bensalem Township Bucks County	PAG2000906134	Gold for Three Daughters 800 Haunted Lane Bensalem, PA 19020-5905	Neshaminy Creek (MF, TSF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Bristol Borough Bucks County	PAG2000906041	Keystone Heritage Group 400 Farm Lane Doylestown, PA 18901	Delaware River (WWF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
East Fallowfield Township Chester County	PAG2001506029	ONB, Inc. 1195 McDermott Drive West Chester, PA 19380	Dennis Run (WWF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
London Grove Township Chester County	PAG2001506058	Dale Simpkins 322 Sonnydale Road Avondale, PA 19311	East Branch White Clay Creek (CWFO)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Chester Township Chester County	PAG2002306045	Danbro, LP 3700 South 26th Street Philadelphia, PA 19144	Chester Creek (WWF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Whitpain Township Montgomery County	PAG2004606091	BAT-PA Associates, LLC 40 Skippack Pike Blue Bell, PA 19422	Prophecy Creek (TSF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Gwynedd Township Montgomery County	PAG2004606142	Deab Foods 750 Union Avenue Union, NJ 07093	UNT Towamencin Creek (TSF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900

NOTICES

6703

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Upper Dublin Township Montgomery County	PAG2004606093	Prudential Insurance Co of America 213 Washington Street 1st Floor Newark, NJ 07102	UNT Pine Creek (TSF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Dublin Township Montgomery County	PAG2004606055	BT Limekiln, LP 2600 Philmont Avenue Suite 212 Huntingdon Valley, PA 19006	Pine Creek (TSF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Hanover Township Montgomery County	PAG2004605143	Hills at Perkiomen, LP 345 Main Street Harleysville, PA 19438	Pine Creek (TSF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Lower Pottsgrove Township Montgomery County	PAG2004606080	Lower Pottsgrove Township 2199 Buchert Road Pottstown, PA 19464	Sanatoga Creek (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
New Hanover Township Montgomery County	PAG2004606016	Heritage Building Group 2500 York Road Jamison, PA 18929	Swamp Creek (TSF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Lansdale Borough Montgomery County	PAG2004606057	Freedom Properties, LP 725 Conshohocken State Road Bala Cynwyd, PA 19004	Neshaminy Creek (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Hanover Township Montgomery County	PAG2004606152	Robert Pepe P. O. Box 218 3770 Lanfield Road Pennsburg, PA 18073	Macoby Creek (TSF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Whitemarsh Township Montgomery County	PAG2004606094	Whitemarsh Township 616 Germantown Pike Lafayette Hill, PA 19443	Spring Mill Creek (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Hatfield Township Montgomery County	PAG2004606120	North Penn Community Health Foundation P. O. Box 1094 Lansdale, PA 19446	West Branch Neshaminy Creek (TSF, MF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Limerick Township Montgomery County	PAG2004606119	William Coulston 3252 Schaffer Road Pottstown, PA 19464	Hartenstine Creek (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015106033	Inglis Apartments at Elmwood, LP 2600 Belmont Avenue Philadelphia, PA 19181	Delaware River (CWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015106033-1	Agusta Aerospace Corporation 3076 Red Lion Road Philadelphia, PA 19114	Poquessing Creek (WWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Hellertown Borough Northampton County	PAG2004806038	Service Electric Co. Attn: James Kramer 201 W. Centre St. Mahanoy City, PA 17948-2505	Saucon Creek CWF	Northampton Co. Cons. Dist. (610) 746-1971
Butler Township Luzerne County	PAG2004006018	Mark Luchi (Phase II) 122 Klinger Rd. Drums, PA 18222	Nescopeck Creek CWF	Luzerne Co. Cons. Dist. (570) 674-7991

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
South Manheim Township Schuylkill County	PAG2005406015	Edward Davis, Sr. P. E. Forino Company, LP 555 Mountain Home Rd. Sinking Spring, PA 19608	Plum Creek 1700 Ft. CWF	Schuylkill Co. Cons. Dist. (570) 622-3742
West Brunswick Township Schuylkill County	PAG2005403003-1	Gabriel Nassar 471 Lake Front Drive Orwigsburg, PA 17961 and Dave Miller & Sons, Inc. P. O. Box 336 Orwigsburg, PA 17961	Pine Creek CWF	Schuylkill Co. Cons. Dist. (570) 622-3742
Schuylkill Township Schuylkill County	PAG2005406022	Bill Reichert Schuylkill Headwaters P. O. Box 1385 Pottsville, PA 17901	Schuylkill River 2400 Ft. CWF	Schuylkill Co. Cons. Dist. (570) 622-3742
Elizabethville Borough and Washington Township Dauphin County	PAG2002206042	Douglas Murphy Department of Transportation, District 8-0 2140 Herr St. Harrisburg, PA 17103	Wiconisco Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018
Lower Paxton Township Dauphin County	PAG2002206017	S & A Custom Homes 2121 Old Gatesburg Road Suite 200 State College, PA 16803	Beaver Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018
West Hanover Township Dauphin County	PAG2002206048	West Hanover Township Authority 7901 Jonestown Rd. Harrisburg, PA 17112	Manada Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018
Elizabethville Borough Dauphin County	PAG2002206059	Elizabethville Borough P. O. Box 578 Elizabethville, PA 17023	Wiconisco Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018
Bradford County North Towanda Township	PAG2000806007	Mark Paradise SADG-2, Inc. 100 Colliery Road Dickson City, PA 18519	Sugar Creek WWF	Bradford County Conservation District Stoll Natural Resource Center, R. R. 5, Box 5030C Towanda, PA 18848 (570) 265-5539, Ext. 6
Columbia County Bloomsburg	PAG2001906013	Bloomsburg University Colin Reitmeyer 400 East Second Street Bloomsburg, PA 17815	Nealy Run CWF	Columbia County Conservation District 702 Sawmill Road, Suite 204, Bloomsburg, PA 17815, (570) 784-1310, Ext. 102
Lycoming County Picture Rocks Borough	PAG2004106017	Department of Transportation P. O. Box 218 Montoursville, PA 17754	Muncy Creek CWF	Lycoming County Conservation District 542 County Farm Road Suite 202, Montoursville, PA 17754, (570) 433-3003
Butler County Harmony Borough and Jackson Township	PAG2001005038	TCDR Associates, LP 215 Executive Drive Suite 300 Cranberry Township, PA 16066	Connoquenessing Creek CWF	Butler Conservation District (724) 284-5270

NOTICES

6705

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Crawford County Meadville City	PAG2002006005	Cherry Ridge Manor Subdivision Brian Creighton, HCG Development, LLC 3285 S Main Street P. O. Box 267 Sandy Lake, PA 16145	UNT Mill Run WWF	Crawford Conservation District (814) 763-5269
Erie County Millcreek Township	PAG2002504027(1)	Greater Erie Industrial Dev. Corp. 5240 Knowledge Parkway Erie, PA 16510	Mill Creek WWF; MF	Erie Conservation District (814) 825-6403

General Permit Type—PAG-3

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
York County North Codorus Township	PAR123541	Moyer Packing Company P. O. Box 64395 Souderton, PA 18964-0395	UNT South Branch Codorus Creek WWF 7-H	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Lancaster County East Hempfield Township	PAR803526	Lancaster Truck Bodies 310 Richardson Drive P. O. Box 4626 Lancaster, PA 17603	UNT West Branch Little Conestoga River TSF 7-F	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Girard Township Clearfield County	PAR224820	Kovalick Lumber Company 24338 Shawville Frenchville Highway Frenchville, PA 16836	UNT to West Branch Susquehanna River	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3664
Troy Township Bradford County	PAR224823 (Stormwater)	Oak Hill Veneer, Inc. P. O. Box 304 Troy, PA 16947	North Branch Sugar Creek WWF	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3664
Middlecreek Township Snyder County	PAR224828	Bingaman & Son Lumber, Inc. P. O. Box 247 1195 Creek Mountain Road Kreamer, PA 17833	Middle Creek TSF	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3664
Clinton Township Lycoming County	PAR124811	Wenger's Feed Mill, Inc. 101 West Harrisburg Ave. Rheems, PA 17570	Turkey Run WWF	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3664

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Greene Township Beaver County	PAR606172	Zelenak's Auto Salvage 601 Leeper Road Georgetown, PA 15043	Tributary of Mill Creek	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Cranberry Township Butler County	PAR128310	Rolling Frito-Lay Sales, LP 800 Hickory Drive Aberdeen, MD 21001	UNT to Brush Creek	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
City of New Castle Lawrence County	PAR128309	Rolling Frito-Lay Sales, LP 7781 Service Center Drive West Chester, OH 45069	UNT tributary to the Shenango River	DEP NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-4

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Bedford County West Providence Township	PAG043852	Richard L. Riley 167 Village Road Osterburg, PA 16667-8441	Raystown Branch/Juniata River WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Washington Township Erie County	PAG049295	Bernard W. and Linda L. Frohne 5630 Gibson Hill Road Edinboro, PA 16412	UNT to Conneauttee Creek 16-A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Springfield Township Erie County	PAG048388	Christine C. Divens 5004 Hamilton Drive Aliquippa, PA 15001	Unnamed stream to Lake Erie 15	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
North East Township Erie County	PAG049293	Donald Tresler 9033 Route 89 North East, PA 16428	UNT to Sixteen Mile Creek 15-SM	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Vernon Township Crawford County	PAG049286	Stephen M. Bailey and Kimberly S. Eastman P. O. Box 24 Conneaut Lake, PA 16316	UNT to Conneaut Outlet 16-D	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-5

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Summit Township Erie County	PAG058372	United Refining Company of Pennsylvania—Kwik Fill M-149 P. O. Box 688 Warren, PA 16365	Walnut Creek 15-A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-8

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Throop Borough Lackawanna County	PAG082212	Lackawanna River Basin Sewer Authority Throop STP P. O. Box 9068 Dickson City, PA 18519	Throop STP R. R. 145 Boulevard Ave. Throop, PA 18512	NERO 2 Public Square Wilkes-Barre, PA 18711-0790 (570) 826-2511

General Permit Type—PAG-8 (SSN)

Facility Location & County/Municipality

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>	
Jackson Township Cambria County	PAG083511 and PAG083512	Altoona City Authority 3172 Route 724 Duncansville, PA 16635	Laurel Highlands Landfill	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000
Burrell Township Armstrong County	PAG086101 and PAG086106	Allegheny County Sanitary Authority 3300 Preble Avenue Pittsburgh, PA	Dilick Farm	Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh PA 15222-4745 (412) 442-4000

**PUBLIC WATER SUPPLY (PWS)
PERMITS**

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Permit No. 0906508 , Public Water Supply.	
Applicant	Palisades School District 39 Thomas Free Drive Kintnersville, PA 18930
Township	Nockamixon
County	Bucks
Type of Facility	PWS
Consulting Engineer	Mercuri and Associates, Inc. 627 Hampton Avenue Southampton, PA 18966
Permit to Construct Issued	October 20, 2006

Permit No. 0906509 , Public Water Supply.	
Applicant	Palisades School District 39 Thomas Free Drive Kintnersville, PA 18930
Township	Nockamixon
County	Bucks
Type of Facility	PWS
Consulting Engineer	Mercuri and Associates, Inc. 627 Hampton Avenue Southampton, PA 18966
Permit to Construct Issued	October 20, 2006

Permit No. 0906510, Public Water Supply.
 Applicant **Palisades School District**
 39 Thomas Free Drive
 Kintnersville, PA 18930
 Township Nockamixon
 County **Bucks**
 Type of Facility PWS
 Consulting Engineer Mercuri and Associates, Inc
 627 Hampton Avenue
 Southampton, PA 18966
 Permit to Construct Issued October 20, 2006

Operations Permit issued to: **Audubon Water Company**, 2650 Eisenhower Drive, Norristown, PA 19403, (PWS ID 1460055) Lower Providence Township, **Montgomery County** issued October 19, 2006 for the operation of facilities approved under construction permit No. 4606502.

Operations Permit issued to: **Pottstown Borough Authority**, 100 East High Street, Pottstown, PA 19464, (PWS ID 1460037) Upper Pottsgrove Township, **Montgomery County** issued October 23, 2006 for the operation of facilities approved under construction permit No. 4605505.

Permit No. 0906511, Minor Amendment. Public Water Supply.

Applicant **Newtown Artesian Water Company**
 201 N. Lincoln Avenue
 Newtown, PA 18940
 Township Newtown
 County **Bucks**
 Type of Facility PWS
 Consulting Engineer Gannett Fleming, Inc.
 P. O. Box 80794
 Valley Forge, PA 19484
 Permit to Construct Issued October 19, 2006

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 4506502, Public Water Supply.
 Applicant **Mount Airy No. 1, LLC**
 Paradise Township
Monroe County
 Responsible Official Robert McNichols
 Mount Airy No. 1, LLC
 299 Main Street
 Olyphant, PA 18447-2319
 Type of Facility PWS
 Consulting Engineer James P. Palumbo, P. E.
 Quad Three Group Inc.
 37 North Washington Street
 Wilkes-Barre, PA 18711-0790
 Permit Issue Date 9/27/2006

Description of Action Construction of a replacement PWS system to provide potable water and fire protection needs of the proposed Mount Airy Lodge Resort and Casino and other future property. System to consist of two wells, treatment facilities, finished water storage and distribution.

Permit No. 4806501, Public Water Supply.
 Applicant **Nestle Waters North America, Inc.**
(Frontier Spring 2: Greenwartz B2)
 405 Nestle Way
 Breinigsville, PA 18031
 Washington Township
Northampton County
 Type of Facility Source addition to a bottling plant
 Consulting Engineer Edward E. Davis, P. E.
 Forino Company LP
 555 Mountain Home Road
 Sinking Spring, PA
 Permit to Construct Issued 9/27/06

Permit No. 5206503, Public Water Supply.
 Applicant **Aqua Pennsylvania Inc. (Woodledge Water System)**
 Palmyra Professional Center
 HCR 6, Box 6040
 Hawley, PA 18428
 Lackawaxen Township
Pike County
 Type of Facility Public Water System
 Consulting Engineer Entech Engineering, Inc.
 4 South Fourth Street
 P. O. Box 32
 Reading, PA
 Permit to Construct Issued 10/10/06

Permit Minor Amendment, Public Water Supply.
 Applicant **Pennsylvania American Water Company**
 Hamilton Township
Northampton County
 Responsible Official John Yamona
 Pennsylvania American Water Company
 100 North Pennsylvania Avenue
 Wilkes-Barre, PA 18701
 Type of Facility Public Water System
 Consulting Engineer Mark Cross, P. E.
 Pennsylvania American Water Company
 100 North Pennsylvania Avenue
 Wilkes-Barre, PA 18701
 Permit Issue Date Oct. 13, 2006

Description of Action	Change from caustic soda to soda ash for pH adjustment and replacing existing corrosion inhibitor feed pump with a model capable of flow pacing at PAWC's Stony Garden WTP.	County	Bedford
		Type of Facility	Project involves the installtion of a 541,000-gallon storage tank and 22,000-feet of Ductile iron pipe to serve the Bedford Springs area.
	<i>Southcentral Region: Water Supply Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110.</i>	Consulting Engineer	Timothy A. Cooper, P. E. Stiffler McGraw & Associates Inc 19 N. Juniata Street Hollidaysburg, PA 16648
Permit No. 3605510, Minor Amendment, Public Water Supply.		Permit to Construct Issued:	6/28/2006
Applicant	Manheim Borough Authority	Permit No. 3606504 MA, Minor Amendment, Public Water Supply.	
Municipality	Penn Township	Applicant	Millersville University
County	Lancaster	Municipality	Manor Township
Type of Facility	This permit is for the construction of the Sun Hill 0.5 MG elevated spheroid type storage tank. The tank is being built to service expansion within the Township.	County	Lancaster
Consulting Engineer	Harry E. Bingaman, P. E. Glace Assoc., Inc. 3705 Trindle Rd. Camp Hill, PA 17011	Type of Facility	Project involves painting the interior of the existing 1.1 million gallon storage tank.
Permit to Construct Issued:	1/23/2006	Consulting Engineer	Vaughan Leer, P. E. Herbert Rowland Grubic 1846 Charter Lane Lancaster, PA 17605
Permit No. 3605511 MA, Minor Amendment, Public Water Supply.		Permit to Construct Issued:	5/26/2006
Applicant	Blue Ball Water Authority	Permit No. 0706501 MA, Minor Amendment, Public Water Supply.	
Municipality	East Earl Township	Applicant	Altoona City Authority
County	Lancaster	Municipality	Antis Township
Type of Facility	Project involves the construction of a a 0.300 MG elevated multicolumn type storage tank.	County	Blair
Consulting Engineer	Harry E. Bingaman, P. E. Glace Assoc., Inc. 3705 Trindle Rd. Camp Hill, PA 17011	Type of Facility	Project involves painting the interior of the Tipton Tank.
Permit to Construct Issued:	1/25/2006	Consulting Engineer	Michael V. Sinisi, P. E. Altoona City Authority 20 Greenwood Road Altoona, PA 16602
Permit No. 3806505 MA, Minor Amendment, Public Water Supply.		Permit to Construct Issued:	7/5/2006
Applicant	West Lebanon Township	Operations Permit issued to: Newport Water Authority , 7500022, Howe Township, Perry County on 10/17/2006 for the operation of facilities approved under Construction Permit No. 5005504.	
Municipality	West Lebanon Township	Operations Permit issued to: Possum Valley Municipal Authority , 7010034, Menallen Township, Adams County on 10/6/2006 for the operation of facilities approved under Construction Permit No. 0106514 MA.	
County	Lebanon	Operations Permit issued to: Bendersville Borough , 7010002, Bendersville Borough, Adams County on 10/6/2006 for the operation of facilities approved under Construction Permit No. 0106515 MA.	
Type of Facility	Application of a sealer/liner to the new storage tank floor.	<i>Northcentral Region: Water Supply Management Program Manager; 208 West Third Street, Williamsport, PA 17701.</i>	
Consulting Engineer	Angelo A. Tesoriero, P. E. GeoSource Engineers 7 Winter Drive Dillsburg, PA 17019-9550	Permit No. 264W13-T1—Operation Public Water Supply.	
Permit to Construct Issued:	10/19/2006	Applicant	Gregg Township Water Authority
Permit No. 0506501 MA, Minor Amendment, Public Water Supply.		Township or Borough	Gregg Township
Applicant	Bedford Township Municipal Authority		
Municipality	Bedford Borough		

County **Centre**
 Responsible Official Thomas J. Stitzer
 Gregg Township Water Authority
 P. O. Box 165
 Spring Mills, PA 16875
 Type of Facility Public Water Supply—operation
 Consulting Engineer N/A
 Permit Issued Date October 19, 2006
 Description of Action Transfer of the existing water system from Spring Mills Water Association to Gregg Township Water Authority. The existing system includes Fireman's Spring, a 200,000 gallon finished water storage tank, softeners, disinfection facilities and the distribution system. It is noted that the existing finished water storage tank, softeners and disinfection facilities will be abandoned upon completion of construction of the new treatment plant and storage tank.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 2605504, Public Water Supply.

Applicant **Ohiopyle Borough**
 P. O. Box 83
 Ohiopyle, PA 15470
 Borough or Township Ohiopyle Borough
 County **Fayette**
 Type of Facility Innovative Technology Permit for a pressurized membrane filtration system
 Consulting Engineer Widmer Engineering
 225 West Crawford Avenue
 Connellsville, PA 15425
 Permit to Construct Issued October 19, 2006

Operations Permit issued to: Municipal Authority of the Borough of Berlin, 700 North Street, Berlin, PA 15530, (PWS ID 4560029) Brothersvalley Township, Somerset County on October 19, 2006 for the operation of facilities approved under Construction Permit No. 5604501.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.5)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Silver Spring Township	6475 Carlisle Pike Mechanicsburg, PA 17055	Cumberland

Plan Description: Approval of a revision to the Official Sewage Plan of Silver Spring Township, Cumberland County. The proposed Country Club Estates subdivision consists of a 122 lot residential subdivision. The proposed collection system includes a new sewage pump station and force main to be dedicated to the Silver Spring Township Authority, with sewage treatment at the Silver Spring Township Sewage Treatment Plant. The Department's review of the sewage facilities update revision has not identified any significant impacts resulting from this proposal.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Silver Spring Township	6475 Carlisle Pike Mechanicsburg, PA 17055	Cumberland

Plan Description: The approved plan provides for the upgrade and expansion of the Silver Spring Township Authority wastewater treatment facility to a capacity of 1.2 mgd by 2015 and acknowledges the nutrient discharge restrictions imposed by Pennsylvania's Chesapeake Bay Tributary Strategy. The Plan also provides for the following:

- Sanitary sewer extensions to serve the Village of Wertzville, Cumberland Estates/Shale Ridge, sample Bridge Estates, White Birch Farms and Willow Terrace areas.
- Construction of interceptors leading to the elimination of the Stone Creek and Lilac Pump Stations and the diversion of sewage flow from the Mechanicsburg wastewater treatment facility to the Silver Spring Township Authority system.
- Upgrade of the "Leiby's Pump Station" force main from six to ten inches
- Upgrade of the Lamb's Gap and Sporting Hill Pump Stations
- Adoption and implementation of an on-lot sewage disposal system management program

The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Mechanicsburg Borough	36 West Allen Street	Cumberland

Plan Description: The approved plan provides for an expansion of the sewer service area, extending municipal sewer service to 23 existing homes currently using on-lot disposal, and one vacant lot, along Maplewood Avenue, Elmwood Avenue and Shepherdstown Road. Three connections will be by gravity. Twenty existing homes plus the vacant lot are to be served by individual grinder pumps. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Robeson Township	2689 Main St. Birdsboro, PA 19508	Berks County

Plan Description: The approved plan provides for the proposed 187 lot residential subdivision known as the Robeson Woods Subdivision (DEP code number A3-06954-196-3) located on Weaver Rd. in Robeson Township, Berks County. Each of the lots will be served a new proposed pump station and forcemain, which will be tributary to the New Morgan Borough Utilities Authority sewage treatment plant. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL**Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.5)**

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Upper Frankford Township	660 Mohawk Rd. Newville, PA 17241	Cumberland

Plan Description: Disapproval of a revision to the Official Sewage Plan of Upper Frankford Township, Cumberland County. The proposed Michael Worthy subdivision consists of an 8 lot residential subdivision to be served by individual onlot sewage disposal systems, two lot add-ons, and the residual with existing dwelling. The plan was disapproved because marginal soil conditions were documented to exist on Lots 2, 3, 8 and 9. Complete replacement area testing, consisting of at least one soil evaluation probe and complete percolation test, was not conducted to address the long-term sewage disposal needs on these lots.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Paradise Township	82 Beaver Creek Road, Abbottstown, PA 17301	York County

Plan Description: Cherry Lane Meadows, B3-67949-173-2: The plan consists of a 23 lot single-family residential subdivision on 104 acres with total proposed sewage flows of 9,200 gpd to be treated by individual on-lot disposal systems with individual water supplies. The proposed development is located on the north side of Admire Road, the east and west sides of Cherry Lane, and the south side of Shady Dell Road in Dover and Paradise Townships, York County. The plan was disapproved because the water samples that the March 2003 Hydrogeologic Study is based on are approaching year olds (January 21, 2003). Nitrate-nitrogen concentrations in the groundwater tend to increase with time and can

very from year to year depending on nutrient activities at the site. The groundwater needs to be resampled and the calculations that determine lot sizes are to be based on these new sample results, and not historical groundwater values.

**HAZARDOUS SITES CLEAN-UP
UNDER THE ACT OF
OCTOBER 18, 1988****Notice of Settlement Under HSCA and Cercla CVS
Inc., Haverford Township, Delaware County.**

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA) (35 P. S. §§ 6020.101—6020.1305) and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), (42 U.S.C.A. §§ 9601—9675), has entered into a Prospective Purchaser Agreement (Agreement) with Havertown CVS, Inc., One CVS Drive, Woonsocket, RI, regarding the Havertown PCP Site.

The Havertown PCP Site is a National Priority List Site under CERCLA, which is located along Eagle Road in Havertown, PA, approximately 1 mile north of Route 3 (West Chester Pike). The Site consists of soils and groundwater contamination associated with the former operation of a wood processing facility. Significant groundwater contamination at the Site has migrated under Eagle Road and beneath the former location of the Philadelphia Gum Corporation (Philadelphia Gum Property) where it enters a storm sewer draining into Naylor's Run, a water of the Commonwealth. In addition to other remedial action, the USEPA, in conjunction with the Department, has implemented a groundwater treatment system for contaminated groundwater at the Site.

Havertown CVS, Inc. intends to acquire a ground lease for a portion of the Philadelphia Gum Property and intends to construct and operate a CVS business on property at 891 Eagle Road, Havertown, PA. Other than potential liability associated with its entry into the ground lease, Havertown CVS, Inc. has asserted, and the Department has no information to indicate otherwise, that it neither caused, contributed to, nor is otherwise liable for any contamination at the Havertown PCP Site. Under the terms of the Agreement with the Department, Havertown CVS, Inc. agrees: (1) to contribute towards the Department's response costs for the Havertown PCP Site; (2) not to exacerbate any existing contamination at the Site; and (3) to provide access and right of entry to the Department for future performance of any potential response actions related to the Havertown PCP Site in exchange for a covenant not to sue and contribution protection from the Commonwealth.

This notice is provided under section 1113 of HSCA (35 P. S. § 6020.1113). The Agreement may be examined from 8 a.m. to 4 p.m. at the Department's Offices at 2 East Main Street, Norristown, PA 19401 by contacting either George Horvat at (484) 250-5717 or Anderson Lee Hartzell at (484) 250-5866. A public comment period on the Agreement will extend for a period of 60 days from the date of publication of this Notice. Interested persons may submit written comments regarding the PPA to the Department by submitting them to George Horvat at the above address.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

New Hope Motel, Soleburg Township, **Bucks County**. Toby Kessler, Gilmore and Assoc., Inc. 350 E. Butler Avenue, New Britain, PA 18901 on behalf of Goetz and Nora Drescher, 10 Rd. Fox Dr., New Hope, PA 18938 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standards.

Umbria Street Property, City of Philadelphia, **Philadelphia County**. Bill Schmidt, Pennoni Assoc, Inc., 300 Market St., Philadelphia, PA 19102 has submitted a Remedial Investigation Report/Final Report concerning remediation of site soil and groundwater contaminated with inorganics, PAH's PCE, chlorinate solvents and

metals. The report is intended to document remediation of the site to meet the Site Specific Standards.

Absco Parcel A, City of Philadelphia, **Philadelphia County**. Angelo Waters, Urban Engineers, Inc. 530 Walnut St., 14th Floor, Philadelphia, PA 19106 on behalf of Andy Karff, Absco, Inc., 1310-28 N. Second St., Philadelphia, PA 19122 has submitted Remedial Investigation Report and Cleanup Plan concerning remediation of site soil contaminated with metals, PCB and lead. The report is intended to document remediation of the site to meet the Site Specific Standards.

Thyssenkrupp Budd Phoenix Bldg, Fac., City of Philadelphia, **Philadelphia County**. Thomas Nowlan, O'Brein & Gere Engineers, Inc., 512 Township Line Road, Two Valley Square, Suite 210 Blue Bell, PA 19422 behalf of Charles Payne, ThyssenKrupp-Budd Co., 3155 W. Big Beaver Road, Troy, MI 48084 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with diesel fuel, inorganics, leaded gasoline, lead, other organics, PAHs and unleaded gasoline. The report is intended to document remediation of the site to meet the site Specific Standards.

231 Linwood Ave, Lower Merion Township, **Montgomery County**. Sam Kucia, Env., Consulting, Inc., 500 E. Washington St., Norristown, PA 19401 has submitted a Final Report concerning remediation of site soil contaminated with unleaded gasoline, diesel fuel no. fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standards.

Absco Parcel B, City of Philadelphia, **Philadelphia County**. Angelo Waters, Urban Engineers, Inc. 530 Walnut St., 14th fl., Philadelphia, PA 19106 on behalf of Andy Karff, Absco, Inc., 1310-28 N. Second St., Philadelphia, PA 19122 submitted a Remedial Investigation Report and Cleanup Plan concerning remediation of site soil contaminated with metals and PCB's. The report is intended to document remediation of the site to meet the Site Specific Standards.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Creekside Apartments, Lancaster City, **Lancaster County**. GCI Environmental Services, 1250 East King Street, Lancaster, PA 17602, on behalf of Creekside Apartments, P. O. Box 343, Mountville, PA 17554, submitted a Final Report concerning remediation of site soils and groundwater contaminated with No. 2 fuel oil. The property is residential. The report is intended to document remediation of the site to the residential Statewide Health Standard.

Thomson Industries Site, City of Lancaster, **Lancaster County**. Blasland, Bouck & Lee, Inc., 500 North Gulph Road, Suite 401, King of Prussia, PA 19406, on behalf of Thomson Industries, 1500 Mittel Boulevard, Wood Dale, IL 60191 and ACE Rents, 720 North Prince Street, Lancaster, PA 17603, submitted a combined Remedial Investigation and Final Report concerning remediation of site soils and groundwater contaminated with VOCs and lead. The report is intended to document remediation of the site to the Site-Specific Standard. The future use of the property is industrial.

Buckeye Pipeline-Tuckerton Station, Muhlenberg Township, **Berks County**. Groundwater & Environmental Services, Inc., 410 Eagleview Boulevard, Suite 110, Exton, PA 19341, on behalf of Buckeye Pipeline Co, LP, 5002 Buckeye Road, Emmaus, PA 18049, submitted a Remedial Investigation and Final Report concerning remediation of groundwater contaminated with benzene

and MTE. The report is intended to document remediation of the site to the Site-Specific Standard. The property is used as an active control pumping station and will be used as such in the future. A release of liability for soils was obtained in November 2005.

CNH America, LLC, Union Township, **Mifflin County**. RMT, Inc., 2025 East Beltline Avenue, Suite 402, Grand Rapids, MI 49546, on behalf of CNH America, LLC, 700 State Street, Racine, WI 53404, submitted a Remedial Investigation Report concerning remediation of site soils and groundwater contaminated with TCE. The report is intended to document remediation of the site to the Site-Specific Standard. The property has been used for industrial purposes for over 100 years, and future use will be as an industrial site.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Technical Coatings Company—Block 632-G, Lot 364, Borough of Oakmont, **Allegheny County**. Andrew Bonas, ENVIRON International Corporation, 214 Carnegie Center, Princeton, NJ 08540 (on behalf of Rayna Laiosa, Benjamin Moore & Co., 51 Chestnut Ridge Road, Montvale, NJ 07645) has submitted a Final Report concerning remediation of site soil contaminated with lead above the residential direct contact MSCs along with the residential and nonresidential soil to groundwater Statewide Health Standards. Remnant 55-gallon drums and paint cans were found discarded within the site. Soil and debris removal in concert with follow up sampling will show that the site will meet nonresidential Statewide Health Standards. Subsurface groundwater sampling events showed one exceedance of the Department of Environmental Protection used aquifer groundwater residential and nonresidential Statewide Health Standards. Groundwater is not used for any purpose. The site intended purpose is to remain nonresidential.

Edgewater Steel Ltd Property (Former), Borough of Oakmont, **Allegheny County**. Frank W. Benacquista, P. G., KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110 (on behalf of Regional Industrial Development Corporation, 425 Sixth Avenue, Suite 500, Pittsburgh, PA 15219) has submitted a Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with lead, heavy metals, solvents and SVOCs. The report is intended to document remediation of the site to meet the Site-Specific Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental

media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Ronald S. Brezinski, Regional Environmental Cleanup Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790.

Slate Bowl, Washington Township, **Lehigh County**. Chris Kotch, P. G., Barry Isett & Associates, Inc., 85 South Route 100 and Kessler Lane, P. O. Box 147, Trexlertown, PA 18087 has submitted a Final Report (on behalf of his client, Harleysville National Bank and Trust, c/o Ed Cressman, P. O. Box 195, Harleysville, PA 19438) concerning the remediation of soil and groundwater found or suspected to be contaminated with constituents related to heating oil petroleum products as a result of an accidental release. The report was submitted to demonstrate attainment of the Statewide Health Standard and was approved on October 17, 2006.

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Hi-Line Storage, Systems Facility, East Rockhill Township, **Bucks County**. Douglas B. Scott, Watler B. Satterthwaite Assoc., Inc., 720 Old Fern Hill Road, West Chester, PA 19380 on behalf of Timothy Hughes, Rock Hill Assoc., LP and Rock GP, LLC has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with chlorinated solvents and lead. The Final Report demonstrated attainment of the

Statewide Health Standards and was approved by the Department on October 13, 2006.

Proposed Rite Store No. 2604, City of Philadelphia, **Philadelphia County**. Kenneth M. Yoder, P. G., BL Co., 830 Sir Thomas Court, Harrisburg, PA 17109 on behalf of Robert Lerner, Rite Aid Corp., 30 Hunter Ln., Camp Hill, PA 17001 has submitted a Remedial Investigation Report and Final Report concerning the remediation of site groundwater contaminated with chlorinated solvents. The Remedial Investigation Report and Final report demonstrated attainment of the Site Specific Standards and was approved by the Department on October 17, 2006.

Kinelski Residence, Towamencin Township, **Montgomery County**. Richard Trimpi, Trimpi Assoc., Inc., 1635 Old Plains Rd., Pennsburg, PA 18073 on behalf of Charles Kinelski, 2075 Creek Way, Lansdale, PA 19446 has submitted a 90 days Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The 90 day Final Report demonstrated attainment of the Statewide Health Standards and was approved by the Department on October 10, 2006.

Green Street Mews, Downingtown Borough, **Chester County**. Douglas Schott, P. G., Walter B. Satterthwaite Assoc., Inc., 720 Old Fern Hill Rd., West Chester, PA 19380 on behalf of Charles Stauffer, Alimar Builders, 931 Grandview Dr., Exton, PA 19340 has submitted a Remedial Investigation Report and Cleanup Plan Report concerning the remediation of site soil contaminated with lead and other organics. The Remedial Investigation Report and Cleanup Plan Report demonstrated attainment of the Site-Specific Standards and was approved by the Department on October 17, 2006.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Weis Markets Property, Mifflinburg Borough, **Union County**. Mountain Research, LLC, 825 25th St., Altoona, PA 16601 on behalf of Weis Markets, 1000 South 2nd St., Sunbury, PA 17801 has submitted a Final Report concerning remediation of site soil contaminated with Lead, Benzene, Toluene, Ethylbenzene, Xylenes, Phenanthrene and Naphthalene. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on October 18, 2006.

R W Reichart Trucking Service Diesel Fuel Spill, Worth Township, **Centre County**. Taylor GeoServices, Inc, 938 Lincoln Ave., Suite 203, Springfield, PA 19064, on behalf of Richard W. Reichart Trucking Service, 7616 State St., Quincy, IL 62305, submitted a Final Report within 90 days of release concerning remediation of site soil contaminated with diesel fuel. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on October 18, 2006.

Clark's Moving and Storage SR 3032 Accident, Troy Township, **Bradford County**. Custard Insurance Adjusters Inc., 4895 Avalon Ridge Parkway, Norcross, GA 33071 on behalf of Clark's Moving and Storage and Vanliner Insurance Co., 4560 Northgate Ct., Sarasota, FL, 34334 has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on October 10, 2006.

Weis Markets Inc., Milton Warehouse, Milton Borough and West Chillisquaque Township, **Northumberland County**. Whittemore and Haigh Engineering, Inc., 200 Bethlehem Drive, Suite 201, Morgantown, PA 19543

on behalf of Weis Market, Inc., 100 South Second St., Sunbury, PA 17801 has submitted a Remedial Investigation Report/Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Site-Specific Standard and was approved by the Department on October 10, 2006

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Hydril Company, Rochester Township **Beaver County**. Steve Gerritsen, SE Technologies, Inc., 98 Vanadium Road, Building D, Second Floor, Bridgeville, PA 15017 on behalf of Andrew Ricks, Hydril Company, 3300 N. Sam Houston Parkway, Houston, TX 77032 has submitted a Final Report concerning the remediation of site soil contaminated with lead, zinc and chromium. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department on October 19, 2006.

HAZARDOUS WASTE TRANSPORTER LICENSE

Hazardous Waste Transporter License, actions taken under the Solid Waste Management (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Hazardous Waste Transporter License Renewed

Eldredge, Inc., 898 Fern Hill Road, West Chester, PA 19380. License No. PA-AH0056. Effective September 19, 2006.

Wills Trucking, Inc., 3185 Columbia Road, Richfield, OH 44286. License No. PA AH0295. Effective September 26, 2006.

Envirite of Pennsylvania, Inc., 730 Vogelsong Road, York, PA 17404. License No. PA AH0549. Effective September 29, 2006.

Transwaste, Inc., 3 Barker Drive, Wallingford, CT 06492. License No. PA AH0674. Effective October 2, 2006.

DTC Environmental Services, Inc., 2567 Congo Arroyo Road, Newell, WV 26050. License No. PA AH0612. Effective October 11, 2006.

Ferrick Construction Company, Inc., 811 Ivy Hill Road, Philadelphia, PA 19150. License No. PA AH0473. Effective October 11, 2006.

R.L. Carter Trucking, Inc., 8451 S. State Road 39, Clayton, IN 46118. License No. PA AH0662. Effective October 11, 2006.

Technic, Inc., 1 Spectacle Street, Cranston, RI 02910. License No. PA AH S134. Effective October 11, 2006.

Autumn Industries, Inc., 518 Perkins-Jones Road, Warren, OH 44483. License No. PA AH0267. Effective October 12, 2006.

Stat., Inc., DBA Sparks Transportation, P. O. Box 1443, Lenoir, NC 28645. License No. PA AH0532. Effective October 13, 2006.

Heritage-Crystal Clean, LLC, 2175 Point Blvd, Suite 375, Elgin, IL 60123. License No. PA AH0672. Effective October 13, 2006.

Transport Rollex LTEE, 910 Boul Lionel-Boulet, Varennes, PQ J3X 1 P7, Canada. License No. PA AH0544. Effective October 17, 2006.

Perma-Fix of Maryland, Inc., DBA A&A Environmental, 1500 Carbon Avenue, Baltimore, MD 21226. License NO. PA AH0715. Effective October 17, 2006.

Hazardous Waste Transporter License Voluntarily Terminated

Environmental Equipment & Services, Inc., 601 West State Street, Media, PA 19063. License No.PA-AH0472. Effective September 19, 2006.

Hazardous Waste Transporter License Expired

Berner Trucking, Inc., P. O. Box 660, Dover, OH 44622. License No.PA-AH0382. Effective September 30, 2006.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit Approved Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGR079D001. Glenn O. Hawbaker, Inc., 711 E. College, Ave., State College, PA 16823.

The general permit WMGR079D001 is for the processing and beneficial use of waste asphalt shingles as aggregate in the production of asphalt paving material and as a sub-base for road and driveway construction, processed at Plants Nos. 1 and 2, Pleasant Gap facility, located in Spring Township, **Centre County**. Central Office approved the determination of applicability on October 16, 2006.

Persons interested in reviewing the general permit may contact Ronald C. Hassinger, Chief, General Permits and Beneficial Use Section, Division of Municipal and Residual waste, Bureau of Land Recycling and Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit Revoked Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 603343. SYNAGRO, f/k/a Wheelabrator Clean Water Systems, Inc. 7014 East Baltimore Street, Baltimore, MD 21224, **Chester and Montgomery Counties**, Various Municipalities. All remaining individual solid waste permits for the land application of sewage sludge issued under the 603343 permit series

have been revoked. Upon this action becoming final, the bond associated with the 603343 permit will be released. The permit was revoked by the Southeast Regional Office on October 19, 2006.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.

15-310-048GP: Allan A. Myers, Inc., d/b/a Independence Construction Material (638 Lancaster Avenue, Malvern, PA 19355) on August 29, 2006, to operate a portable non-metallic processor in Charlestown Township, **Chester County**.

46-301-270GP: Schumacher and Benner Funeral Home and Cremation Services (359 King Street, Pottstown, PA 19464) on October 19, 2006, to operate a human cremator in Pottstown Borough, **Montgomery County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

48-310-063GP3: Brandenburg Industrial Services (1905 East Fourth Street, Bethlehem, PA 18015) on October 18, 2006, to construct and operate a portable stone crushing plant and associated air cleaning device at their facility at 2217 Spillman Drive, Bethlehem, **Northampton County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

36-03116A: Wilbur Chocolate Co., Inc. (200 Chocolate Avenue, Mount Joy, PA 17552-2000) on October 17, 2006, to install a new roasting system at their chocolate manufacturing facility in Mount Joy Borough, **Lancaster County**.

36-05142A: Masterfoods USA—Division of Mars, Inc. (295 Brown Street, Elizabethtown, PA 17022-2127) on October 23, 2006, to install a new roasting system at their candy manufacturing facility in Elizabethtown Borough, **Lancaster County**.

67-03071A: PA State Pet Memorial At Golden Lake (210 Andersontown Road, Mechanicsburg, PA 17055-6023) on October 16, 2006, to construct an animal crematory controlled by an afterburner at their pet care facility in Monaghan Township, **York County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

33-002C: Owens Brockway Glass Container Inc.—Plant No. 19 (3831 Route 219 Brockport, PA 15823) on

October 5, 2006, to modify the HEST system by in Snyder Township, **Jefferson County**. The facility is a Title V Facility.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.

15-0078D: Centocor, Inc. (200 Great Valley Parkway, Malvern, PA 19355) on October 6, 2006, to operate an electric generator in East Whiteland Township, **Chester County**.

23-0014F: Kimberly-Clark Corp. (Front Street and Avenue of the States, Chester, PA 19103) on October 6, 2006, to operate a ventilation system in City of Chester, **Delaware County**.

46-0025C: Lonza, Inc. (900 River Road, Conshohocken, PA 19428) on October 6, 2006, to operate a waste incinerator in Upper Merion Township, **Montgomery County**.

09-0186: Kinder Morgan Bulk Terminals, Inc. (1 Sinter Lane, Fairless Hills, PA 19030) on September 29, 2006, to operate a bulk product handling in Falls Township, **Bucks County**.

15-0027I: Johnson Matthey, Inc. (456 Devon Park Drive, Wayne, PA 19087) on September 25, 2006, to operate a new diesel catalyst production line No. 1 in Tredyffrin Township, **Chester County**.

15-0085B: Lincoln University (P. O. Box 179, Lincoln University, PA 19352) on September 14, 2006, to operate replaced boilers Nos. 1—3 in Lower Oxford Township, **Chester County**.

46-0005V: Merck and Company, Inc. (Sumneytown Pike, P. O. Box WP20, West Point, PA 19486) on October 2, 2006, to operate a biological manufacturing Building in Upper Gwynedd Township, **Montgomery County**.

46-0027A: Johnson and Johnson Pharmaceutical Research and Development, LLC (Welsh and McKean Roads, Spring House, PA 19477) on October 2, 2006, to operate a selective catalytic reduction (SCR) in Lower Gwynedd Township, **Montgomery County**.

46-0167: Parkhouse (1600 Black Rock Road, Upper Providence, PA 19468) on October 17, 2006, to operate two boilers/No. 2 fuel oil in Upper Providence Township, **Montgomery County**.

46-329-014: Department of Corrections (500 E. 4th St, Chester, PA 19013-4551) on October 17, 2006, to operate a standby diesel generator in Skippack Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

36-03160A: G/S/M Industrial, Inc. (3249 Hempland Road, Lancaster, PA 17601) on October 22, 2006, to construct a new coating booth in East Hempfield, **Lancaster County**. This plan approval was extended.

67-05007B: Adhesives Research, Inc. (P. O. Box 100, Glen Rock, PA 17327) on September 3, 2006, to install two new coating sources to be controlled together with an existing source by a new regenerative thermal oxidizer at

their coating facility in Springfield Township, **York County**. This plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

17-305-051: Parkwood Resources, Inc. (511 Railroad Avenue, Homer City, PA 15748) on October 17, 2006, to operate a coal stockpiling and truck loading operation on a temporary basis until February 14, 2007, at the Cherry Tree Mine in Burnside Township, **Clearfield County**. The plan approval has been extended.

Plan Approvals Denied, Terminated, Modified, Suspended or Revoked under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and the provisions of 25 Pa. Code §§ 127.13b and 127.13c.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

42-028A: Saint Gobain Container, Inc. (1 Railroad Avenue, Port Allegany, PA 16743) on December 20, 2005, to deny to increase the production of glass from the No. 3 glass furnace, increase the emissions from the No. 3 glass furnace and to permanently shutdown the No. 2 glass furnace in **McKean County**.

Under 25 Pa. Code §§ 127.13b and 127.51, the Department of Environmental Protection (Department) hereby denies Plan Approval application submitted by Saint Gobain Container, Inc., 1 Railroad Avenue, Port Allegany, PA 16743. On December 20, 2005, the Department received a plan approval application from Saint Gobain to increase the production of glass from the No. 3 glass furnace, increase the emissions from the No. 3 glass furnace and to permanently shutdown the No. 2 glass furnace. The Department is denying the plan approval application because Saint Gobain has not supplied the requested information nor demonstrated how the proposed operating parameters as well as the monitoring and recordkeeping will ensure compliance with the proposed emission rates as required by 25 Pa. Code § 127.12(a)(2)—(4) and (a)(10).

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

06-03090: Western Berks Community Landfill and Recycling Center, LLC (256 Eagle View Boulevard, Exton, PA 19341) on October 19, 2006, to operate a municipal solid waste landfill controlled by an enclosed ground flare in Cumru Township, **Berks County**. This operating permit was administratively amended due to a change of ownership. This is revision No. 1.

06-03128: Royal Green, LLC (P. O. Box 9, Huller Lane, Temple, PA 19560) on October 19, 2006, to operate a ferrous metal shredding operation in Ontelaunee Township, **Berks County**. This operating permit was administratively amended due to a change of ownership. This is revision No. 1.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

11-00433: GapVax, Inc. (575 Central Avenue, Johnstown, PA 15902) on October 18, 2006, to manufacture industrial vacuum, hydro-excavation and combination jet-vac trucks for various end uses including municipal sewer cleaning and environmental clean-up at their Johnstown Plant in Johnstown City, **Cambria County**. This is a State-only Operating Permit.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

42-00192: IA Construction Corp.—McKean Plant (7024 Highway 59, Lewis Run, PA 16738) on October 13, 2006, to Administratively Amend the Synthetic Minor Operating Permit, to incorporate the conditions of plan approval No. 42192D in Lafayette Township, **McKean County**.

10-00130: IA Construction Corp.—Zelienople Plant (158 Lindsay Road, Zelienople, PA 16063) on October 13, 2006, to Administratively Amend the Synthetic Minor Operating Permit, to incorporate the conditions of plan approval No. 10230C in Jackson Township, **Butler County**.

25-00944: PHB, Inc. (7900 West Ridge Road, Fairview, PA 16415-1807) on October 13, 2006, to reissue a Natural Minor Operating Permit to operate their zinc and aluminum die casting facility in Fairview Township, **Erie County**. The facility's primary emission sources include a zinc casting operation, an aluminum casting operation, four zinc melt furnaces, three aluminum melt furnaces, a shot blasting process, parts washers and miscellaneous natural gas combustion. The requirements of Plan Approval 25-944A have been incorporated into the reissued permit.

37-00306: Ennstone, Inc., d/b/a Three Rivers Aggregate—Taylor Run Plant (4557 Harlansburg Road, Slippery Rock, PA 16057) on October 18, 2006, for a Natural Minor operating permit to operate a sand and gravel plant in Scott Township, **Lawrence County**.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Braun, Chief, (215) 685-9476.

S06-008: Philadelphia Baking Co. (2550 Grant Avenue Philadelphia, PA 19114) on October 23, 2006, to operate a baking facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include one 5.46 mmBtu/hr oven line with catalytic oxidizer, one 8.3 mmBtu/hr Boiler, one 5.0 mmBtu/hr boiler, and two 3 mmBtu/hr air and heating units

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

18-00024: Excel Homes, LLC/Avis America (P. O. Box 420, Avis, PA 17721) on October 13, 2006, by means of the minor operating permit modification requirements of 25 Pa. Code § 127.462, to authorize the use of an outside-exhausting cartridge collector to control the particulate matter emissions from various pieces of wood-working equipment instead of the inside-exhausting collector previously used at a modular home manufacturing facility in Pine Creek Township, **Clinton County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

65-00851: Newcomer Products, Inc. (5369 Route 982, P. O. Box 272, Latrobe, PA 15650-0272) on October 18, 2006, State-only Operating Permit, OP-65-00851 has been administratively amended to incorporate the requirements of Plan Approval PA-65-00851A. PA-65-00851A was issued on February 2, 2006, to increase the facility wide VOC emission limit from 20 tons per year to 30 tons per year at their facility in Derry Township, **Westmoreland County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

Permit No. 4173SM6 and NPDES Permit No. PA0249980. Shade Mining Company (P. O. Box 130, Friedens, PA 15541). Renewal of NPDES Permit, Paint Township, **Somerset County**, Receiving streams: UNT to Shade Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received: August 31, 2006. Permit Issued: October 16, 2006.

56960107. PBS Coals, Inc. (P. O. Box 260, Friedens, PA 15541). Permit renewal for reclamation only of a bituminous surface-auger mine in Jenner Township, **Somerset County**, affecting 129.9 acres. Receiving streams: UNTs to/and Quemahoning Creek classified for the following use: CWF. The first downstream potable water supply intake from the point of discharge is Cambria Somerset Authority Quemahoning SWI. Application received: August 11, 2006. Permit issued: October 18, 2006.

Greensburg District Mining Office: Armbrust Professional Center; 8205 Route 819, Greensburg, PA 15601, (724) 925-5500

02860201 and NPDES Permit No. PA0588407. Minerals Technology, Inc., (100 High Tower Blvd., Suite 301, Pittsburgh, PA 15205). NPDES renewal for continued mining and reclamation of a coal refuse surface mine, located in Harmar Township, **Allegheny County**, affecting 156.6 acres. Receiving stream: Guys Run. Renewal application received: June 5, 2006. Renewal permit issued: October 17, 2006.

65000102 and NPDES Permit No. PA0202797. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). NPDES renewal for continued mining and reclamation of a coal surface mine, located in Derry Township, **Westmoreland County**, affecting 80.6 acres. Receiving streams: UNTs to McGee Run to McGee Run to Conemaugh River. Renewal application received: June 23, 2005. Renewal permit issued: October 18, 2006.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

37010102 and NPDES Permit No. PA0241911. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Renewal of an existing bituminous strip and auger operation in Wayne Township, **Lawrence County** affecting 114.8 acres. Receiving streams: UNT to Beaver River. Application received: August 31, 2006. Permit Issued: October 17, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

54850108R4. Jett Contracting Company (P. O. Box 243, Brockton, PA 17925). Renewal of an existing anthracite surface mine operation in Blythe Township, **Schuylkill County** affecting 56.9 acres, receiving stream: none. Application received: August 7, 2006. Renewal issued: October 17, 2006.

54890105R3 and NPDES Permit No. PA0595314. Porter Associates, Inc. (P. O. Box 478, Wilkes-Barre, PA 18703). Renewal of an existing anthracite surface mine and coal refuse disposal operation in Porter Township, **Schuylkill County** affecting 118.74 acres, receiving stream: East Branch Rausch Creek. Application received: November 16, 2004. Renewal issued: October 18, 2006.

Noncoal Permits Actions

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

37000302. I. A. Construction Corporation (158 Lindsay Road, Zelenople, PA 16063). Renewal of NPDES Permit No. PA0241831 in Wayne Township, **Lawrence County**. Receiving streams: UNT to Duck Run and Duck Run, UNT to Connoquenessing Creek. Application received: August 21, 2006. Permit Issued: October 16, 2006.

2079301. William J. and Sue A. Thompson (16521 Phelps Road, Linesville, PA 16424). Revision to an existing sand and gravel operation to change the postmining land use from approximate original contour to unmanaged water impoundment in Conneaut Township, **Crawford County**. Receiving streams: Black Jack Swamp. Application received: August 16, 2006. Permit Issued: October 16, 2006.

33060803. David J. Weaver (4149 Route 36, Punxsutawney, PA 15767). Commencement, operation and restoration of a small noncoal shale operation in Young Township, **Jefferson County** affecting 5.0 acres. Receiving streams: Sawmill Run. Application received: September 12, 2006. Permit Issued: October 16, 2006.

33060802. David J. Weaver (4149 Route 36, Punxsutawney, PA 15767). Commencement, operation and restoration of a small noncoal topsoil operation in Big Run Borough, **Jefferson County** affecting 2.0 acres. Receiving streams: Big Run. Application received: September 12, 2006. Permit Issued: October 16, 2006.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

08062807. KBK Corporation (RT 6 West, Box 741, Wyalusing, PA 18853). Transfer of an existing small

industrial minerals (Bluestone) operation located in Wilmot Township, **Bradford County** affecting 1.0 acres. Receiving streams: UNT to Sugar Run. Transfer application received: September 1, 2006. Transfer permit issued: October 10, 2006.

08062806. KBK Corporation (RT 6 West, Box 741, Wyalusing, PA 18853). Transfer of an existing small industrial minerals (Bluestone) operation located in Wilmot Township, **Bradford County** affecting 3.0 acres. Receiving streams: Wyalusing Creek to North Branch of the Susquehanna River. Transfer application received: August 10, 2006. Transfer permit issued: October 10, 2006.

08992801. Johnson Quarries, Inc. (P. O. Box 136, Leraysville, PA 18829). Transfer of an existing small industrial minerals (Bluestone) operation located in Wilmot Township, **Bradford County** affecting 4.0 acres. Receiving streams: UNT to Sugar Run Creek. Transfer application received: June 23, 2006. Transfer permit issued: September 21, 2006.

08062801. Johnson Quarries, Inc. (P. O. Box 136, Leraysville, PA 18829). Transfer of an existing small industrial minerals (Bluestone) operation located in Tuscarora Township, **Bradford County** affecting 3.0 acres. Receiving Streams: UNT to Mill Creek. Transfer application received: April 6, 2006. Transfer permit issued: September 21, 2006.

08962804. Johnson Quarries, Inc. (P. O. Box 136, Leraysville, PA 18829). Transfer of an existing small industrial minerals (Bluestone) operation located in Wilmot Township, **Bradford County** affecting 5.0 acres. Receiving stream: Susquehanna River. Transfer application received: June 23, 2006. Transfer permit issued: September 21, 2006.

08940806. Johnson Quarries, Inc. (P. O. Box 136, Leraysville, PA 18829). Transfer of an existing small industrial minerals (Flagstone/Bluestone) operation located in Stevens Township, **Bradford County** affecting 2.0 acres. Receiving streams: UNT to Wyalusing Creek. Transfer Application received: June 20, 2006. Transfer application issued: September 21, 2006.

08010803. Johnson Quarries, Inc. (P. O. Box 136, Leraysville, PA 18829). Transfer of an existing small industrial minerals (Flagstone) operation located in Wilmot Township, **Bradford County** affecting 5.0 acres. Receiving streams: Sugar Run Creek to the Susquehanna River. Transfer application received: June 20, 2006. Transfer permit issued: September 21, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

6075SM3C6 and NPDES Permit No. PA0069744. Eastern Industries, Inc. (4401 Camp Meeting Road, Suite 200, Center Valley, PA 18034). Renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Union Township, **Union County**, receiving stream: Winfield Creek. Application received: August 21, 2006. Renewal issued: October 16, 2006.

60840401AC10 and NPDES Permit No. PA0614181. Eastern Industries, Inc. (4401 Camp Meeting Road, Suite 200, Center Valley, PA 18034). Renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Buffalo Township, **Union County**, receiving stream: Buffalo Creek. Application received: August 21, 2006. Renewal issued: October 16, 2006.

64060804. Jack Downton (6 Downton Drive, Starucca, PA 18462). Commencement, operation and restora-

tion of a quarry operation in Starrucca Borough, **Wayne County** affecting 5.0 acres, receiving stream: none. Application received: April 19, 2006. Permit issued: October 16, 2006.

58060852. Michael A. Adams (P. O. Box 141, Lake Winola, PA 18675). Commencement, operation and restoration of a quarry operation in Dimock Township, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received: July 3, 2006. Permit issued: October 16, 2006.

58060858. Mark Marshall (R. R. 1, Box 36-C, New Milford, PA 18834). Commencement, operation and restoration of a quarry operation in New Milford Township, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received: July 20, 2006. Permit issued: October 16, 2006.

01740401C4 and NPDES Permit No. PA0613045. Valley Quarries, Inc. (P. O. Box J, Chambersburg, PA 17201). Renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Hamiltonban Township, **Adams County**, receiving stream: Muddy Run to Middle Creek. Application received: August 31, 2006. Renewal issued: October 23, 2006.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (73 P.S. §§ 151–161) and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

27064007. Highland Forest Resources, Inc. (Box 40, HC 3, Marienville, PA 16239). Blasting activity for gas and oil exploration in Barnett Township, **Forest County**. This blasting activity permit will expire on April 19, 2007. Application received: October 16, 2006. Application issued: October 19, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

15064004. Explo-Craft, Inc. (P. O. Box 1332, West Chester, PA 19380). Construction blasting at St. Peter's Village in Warwick Township, **Chester County** with an expiration date of September 30, 2007. Permit issued: October 16, 2006.

23064005. Explo-Craft, Inc. (P. O. Box 1332, West Chester, PA 19380). Construction blasting at Episcopal Academy in Newtown Township, **Delaware County** with an expiration date of October 31, 2007. Permit issued: October 16, 2006.

360641103. Newville Construction Services, Inc. (408 Mohawk Road, Newville, PA 17241). Construction blasting for Akron Berks PPL Poles in Earl, West Earl and Ephrata Townships, **Lancaster County** with an expiration date of October 11, 2006. Permit issued: October 16, 2006.

360641104. Keystone Blasting Service (381 Reifsnyder Road, Lititz, PA 17543). Construction blasting for a single dwelling in Manheim Township, **Lancaster County** with an expiration date of December 30, 2006. Permit issued: October 16, 2006.

36064012. Abel Construction Company, Inc. (P. O. Box 476, Mountville, PA 17554). Construction blasting at Manor Oaks Lot 146 in Manor Township, **Lancaster County** with an expiration date of September 29, 2007. Permit issued: October 17, 2006.

09064130. Allan A. Myers, Inc. d/b/a Independence Construction Materials (P. O. Box 98, Worcester, PA 19490). Construction blasting for New Britain Corporate Lot 4 in New Britain Township, **Bucks County** with an expiration date of October 1, 2007. Permit issued: October 17, 2006.

09064131. Hayduk Enterprises, Inc. (257 Riverside Drive, Factoryville, PA 18419). Construction blasting for Pennland Farm Sewage Treatment Plant in Bedminster Township, **Bucks County** with an expiration date of October 15, 2007. Permit issued: October 17, 2006.

360641105. Warren's Excavating & Drilling, Inc. (P. O. Box 189, Bowmansville, PA 17507). Construction blasting for Keystone Opportunity Zone in Lancaster City, **Lancaster County** with an expiration date of October 16, 2007. Permit issued: October 17, 2006.

360641106. Warren's Excavating & Drilling, Inc. (P. O. Box 189, Bowmansville, PA 17507). Construction blasting for Cedar Chase Development in West Hempfield Township and Mountville Borough in **Lancaster County** with an expiration date of October 16, 2007. Permit issued: October 17, 2006.

38064131. Warren's Excavating & Drilling, Inc. (P. O. Box 189, Bowmansville, PA 17507). Construction blasting for Greystone Development in Jackson Township, **Lebanon County** with an expiration date of October 16, 2007. Permit issued: October 17, 2006.

48064126. DC Guelich Explosives, Inc. (R. R. 3 Box 125A, Clearfield, PA 16830). Construction blasting for Eagle Point Estates in Moore and Bushkill Townships, **Northampton County** with an expiration date of October 15, 2007. Permit issued: October 17, 2006.

67064139. Warren's Excavating & Drilling, Inc. (P. O. Box 189, Bowmansville, PA 17507). Construction blasting for Buttermilk Falls subdivision in Fairview Township, **York County** with an expiration date of October 16, 2007. Permit issued: October 17, 2006.

67064136. J. Roy's, Inc. (Box 125, Bowmansville, PA 17507). Construction blasting for KBS Trucking in Jackson Township, **York County** with an expiration date of October 5, 2007. Permit issued: October 18, 2006.

67064137. J. Roy's, Inc. (Box 125, Bowmansville, PA 17507). Construction blasting for York Hospital in York City, **York County** with an expiration date of October 5, 2007. Permit issued: October 19, 2006.

67064138. J. Roy's, Inc. (Box 125, Bowmansville, PA 17507). Construction blasting for Donwood Drive Subdivision in Dover Township, **York County** with an expiration date of October 11, 2007. Permit issued: October 19, 2006.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the con-

struction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E14-491. Glen K. Billett, 1177 Martins Lane, Julian, PA 16844. Family Campsite, in Boggs Township, **Centre County**, ACOE Baltimore District (Bellefonte, PA Quadrangle N: 18.81 inches; W: 14.98 inches).

To construct, operate and maintain: 1) a 100 foot long by 60 foot wide by 4 foot deep rock/shale camper pad at the toe of the hill at the extreme far right side of the Wallace Run 100-year floodway at the bottom of a new 220 foot driveway cut into the side of the hill for a single-family campsite; 2) a 20-foot clear span bridge across Wallace Run; 3) a 40 foot by 40 foot house on stilts above the 100-year floodway high-water mark. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E41-568. David Sweeley, 1171 Pleasant Hill Road, Williamsport, PA 17701. Small Projects Water Obstruction and Encroachment Joint Permit, in Loyalsock Township, **Lycoming County**, ACOE Susquehanna River Basin District (Cogan Station, PA Quadrangle N: 3.37 inches; W: 7.0 inches).

To maintain an existing 34-foot by 45-foot residential structure (elevated 1.5 feet above the 100-year flood elevation) in the floodway of the Lycoming Creek, all of which is located 0.15 mile east of the intersection of SR 0015 along Heshbon Road in Loyalsock Township, Lycoming County. This project does not propose to impact any wetlands. This permit was issued under Section 105.13(e) "Small Projects."

E53-411. Department of Transportation, Engineering District 2-0, 1924-30 Daisy Street, Clearfield, PA 16830. SR 0244 Bridge Replacement and SR 4025 Wetland Crossing in Oswayo Township, **Potter County**, ACOE Pittsburgh District (Oswayo, PA Quadrangle N: 9.0 inches; W: 0.9 inch).

To remove existing structures and construct, operate and maintain a single span prestressed spread box beam bridge to carry SR 0244 over Brizzee Hollow Run; and to construct, operate and maintain SR 4025 crossing a wetland associated to Brizzee Hollow Run. The single span bridge shall be constructed with a minimum clear span of 32 feet, underclearance of 6 feet, and roadway width of 28 feet. The road crossing the wetland shall be constructed with corrugated plastic culvert pipe that shall have a minimum diameter of 3 feet and a length of 80 feet. Since Brizzee Hollow Run is a wild trout stream, no construction or future repair work shall be done in or along the stream channel between October 1 and December 31 without the prior written approval of the Fish and Boat Commission. Construction of the in-stream bridge and wetland crossing appurtenances shall be conducted during stream low flow and dry work conditions by dams and pumping or diverting stream flow around work areas located north and south right-of-way of SR 0244 at the intersection of SR 4025 and SR 0244. This permit also authorizes construction, operation, maintenance and removal of temporary cofferdams, stream diversions and roadway crossings. All temporary structures shall be constructed of clean rock, which is free of fines. Upon project completion, all temporary structures shall be removed, with the disturbed areas restored to original contours and elevations.

E53-414. Department of Transportation, Engineering District 2-0, 1924-30 Daisy Street, Clearfield, PA 16830. Fish and Boat Commission Oswayo Fish Hatchery Waterline Project Crossing Brizzee Hollow Run and Associated Wetlands in Oswayo Township, **Potter County**, ACOE Pittsburgh District (Oswayo, PA Quadrangle N: 9.0 inches; W: 0.9 inch).

To modify and abandon two existing 16-inch diameter asbestos-cement pipe (ACP) lines and construct, operate and maintain two ACP lines crossing Brizzee Hollow Run, and its associated wetlands, to supply the Fish and Boat Commission's Oswayo Fish Hatchery with fish rearing water. ACP Line No. 1 and ACP Line No 2 shall be constructed with maximum diameter of 16-inches, and both ACP lines shall be constructed in dry work conditions by boring, dams and pumping or fluming stream flows around the work area. Since Brizzee Hollow Run is a wild trout stream, no construction or future repair work shall be done in or along the stream channel between October 1 and December 31 without the prior written approval of the Fish and Boat Commission. The ACP line-crossing project is located along the north and south right-of-way of SR 0244 at the intersection of SR 4025 and SR 0244. All wetland impacts authorized by this permit are temporary, as such this permit does not grant the permittee, their agent or their contractor authorization to alter wetland hydrology that may result in

permanent wetland impacts. With the exception the excavations specifically required for installation of ACP lines Nos. 1 and 2, no additional excavation is authorized in Wetland W01, Wetland W05 or Wetland W07.

E57-110. Ted Lentz, R. R. 1, Box 1012 L, Hillsgrove, PA 18619. Small Projects Water Obstruction and Encroachment Joint Permit, in Hillsgrove Township, **Sullivan County**, ACOE Susquehanna River Basin District (Hillsgrove, PA Quadrangle N: 18.6 inches; W: 9.2 inches).

To construct 1,100 cubic yards of fill (area 60' by 60' by 8' deep), south of the existing residential structure in the floodway of Elk Creek, all of which is located along SR 4001, 1.5 miles north of the intersection with SR 0087 in Hillsgrove Township, Sullivan County. This project does not propose to impact any wetlands. This permit was issued under Section 105.13(e) "Small Projects."

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1315. Millvale Borough Marina (Amendment), 501 Lincoln Avenue, Millvale, PA 15209. To construct a pedestrian bridge in Millvale Borough, **Allegheny County**, Pittsburgh ACOE District. (Pittsburgh East, PA Quadrangle N: 17.02 inches; W: 13.89 inches and Latitude: 40° 28' 07.39"—Longitude: 79° 58' 29.54"). To construct and maintain a pedestrian bridge across the Allegheny River (WWF) back channel between the Borough of Millvale and Washington's Landing in the City of Pittsburgh. This bridge will be part of the riverfront trail system. The bridge span will be approximately 220 feet. Approximately 30 feet of stream bank will be impacted.

E02-1523. Minnock Construction Company, 7202 Old McKnight Road, Pittsburgh, PA 15237. To fill in wetlands for a lot development in Hampton Township, **Allegheny County**, Pittsburgh ACOE District. (Glenshaw, PA Quadrangle N: 20.66 inches; W: 8.00 inches and Latitude: 40° 36' 49.61"—Longitude: 79° 55' 57.58"). To place and maintain fill in approximately 0.20 acres of wetland (PEM/PSS) and 470-ft. of UNT No. 2 to Crouse Run (TSF), to build Raintree Drive and for some lot development, within the Raintree Manor, Phase 2 development. The project is located between Bardoner Road and Camberly Drive. To compensate for the aforementioned environmental impacts, the permittee will construct 0.28 acre of replacement wetlands, and relocate and restore a portion of UNT No. 1 to Crouse Run (TSF) that is currently enclosed in a 42-inch RCP culvert. The relocated channel will be constructed as 360 ft. of open watercourse and 64 feet. Within a 42-inch H.D.P. E. pipe. The latter will connect with the existing culvert underneath Camberly Drive, to create an approximate 144-ft. stream enclosure. Construction of the relocated channel will impact another 0.01 acre of existing wetland.

E11-320. Cambria Somerset Authority, 344 Walnut Street, Johnstown, PA 15901. To construct a boat launch ramp in East Taylor Township, **Cambria County**, Pittsburgh ACOE District. (Vintondale, PA Quadrangle N: 1.5 inches; W: 0.7 inch and Latitude: 40° 30' 00"—Longitude: 78° 52' 47"). To construct and maintain a 68.8 foot by 25 foot concrete boat launch ramp, a 25 foot by 95 foot parking/approach area above the ramp, and a 115' long parking lot with widths varying from 15' to 45'. Both lots will have crushed stone surfaces. The facility will be located on the eastern bank of Hinckston Reservoir on Hinckston Run (WWF) west of Hinckston Run Road.

E63-588. Canonsburg Borough, 68 East Pike Street, Canonsburg, PA 15317. To place bank stabilization in

Canonsburg Borough, **Washington County**, Pittsburgh ACOE District. (Canonsburg, PA Quadrangle N: 1.41 inches; W: 10.39 inches and Latitude: 40° 15' 28"—Longitude: 80° 11' 58"). To place and maintain approximately 500 feet of bank stabilization along the right bank of Chartiers Creek (WWF) and to construct approximately 660 feet of gravel access road in the right bank flood plain of Chartiers Creek. The project is located approximately 600 feet east of the intersection of West Pike and Strabane Avenue.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E37-171. Lawrence County Economic Development Corporation, 100 East Reynolds Street, New Castle, PA 16101. Millennium Technology Park, Phase I, in Neshannock Township, **Lawrence County**, ACOE Pittsburgh District (Edinburg, PA Quadrangle N: 41°, 02', 10"; W: 80°, 23', 45").

To conduct the following activities associated with construction of Millennium Technology Park, Phase I, a "ready-to-build" industrial park to attract future industrial/manufacturing users and tenants located south of Kings Chapel Road between SR 60 and the Shenango River on the former Lawrence County Sportsmen's Club property:

1. Fill a total of 0.51 acre of 5 wetland areas.
2. Fill a 7.5-acre lake under a plan for remediation of lead contamination caused by the former shooting range activities
3. Impact approximately 871 feet of a tributary to Shenango River having a contributory drainage area of less than 100 acres. The tributary flows into the 7.5-acre lake.
4. To remove and restore approximately 700 feet of the existing Kings Chapel Road from the 100-year floodway of the Shenango River as part of the re-alignment of Kings Chapel Road. The project proposes the creation of 1.08 acres of replacement wetland onsite.

E62-408. KCS Energy, Inc., P. O. Box 187, Warren, PA 16365. Warren County SGL 29, in Watson Township, **Warren County**, ACOE Pittsburgh District (Warren, PA Quadrangle N: 0.1 inch; W: 14.0 inches).

The applicant proposes to install 14,930 feet of 4-inch diameter plastic natural gas pipeline to transport natural gas from well locations to a collection and transport facility in State Game Lands No. 29 in Watson Township, Warren County approximately 2.7 miles SE of the intersection of SR 3005 and Lenhart Road involving the crossing of Wildcat Run (Warren, PA Quadrangle N: 0.1 inch; W: 14.0 inches), Slater Run (Warren, PA Quadrangle N: 2.4 inches; W: 14.3 inches) and PEM wetlands on the north and south of the Wildcat Run crossing for a length of approximately 158 feet and 135 feet respectively. The project includes installation of a 2-inch diameter oil line, 2-inch electrical conduit line, and a 1.5-inch diameter natural gas line at the Wildcat Run crossing and installation of a 1.25-foot diameter plastic corrugated pipe culvert for a road crossing on a tributary to Wildcat Run with a drainage area of less than 100 acres. Wildcat Run and Slater Run are perennial streams classified as Exceptional Value. The wetlands adjacent to Wildcat Run are classified as Exceptional Value. The project proposes to directly impact approximately 40 linear feet of stream and to temporarily impact 0.05 acre of PEM wetlands.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

D46-023EA. Central Perkiomen Valley Park, P. O. Box 311, Norristown, PA 19404, Lower Frederick and Upper Salford Townships, **Montgomery County**, ACOE Philadelphia District.

Project proposes to breach and remove Kratz Dam across Perkiomen Creek (WWF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will also allow for unobstructed migration of migratory and resident fishes. The project will restore approximately 1,100 feet of stream channel. The dam is located approximately 1,500 feet north of the intersection of SR 29 and Schwenksville Road (SR 4018) (Perkiomenville, PA Quadrangle N: 2.65 inches; W: 12.4 inches).

EA04-001CO. Mark A. McCormick, 940 Fairlane Blvd., New Galilee, PA 16141, Big Beaver Borough, **Beaver County**, ACOE Pittsburgh District.

Project proposes to construct, operate and maintain a non-jurisdictional dam across a tributary to Clarks Run (HQ-CWF) for the purpose of wildlife enhancement and recreation. The project will impact approximately 175 feet of stream channel and approximately 0.01 acre of wetlands. The dam is located approximately 275 feet west of the intersection of Shenango Road (SR 4017) and Friendship Road (SR 4006) (Beaver Falls, PA Quadrangle, N: 10.95", W: 17.1").

D46-343EA. Central Perkiomen Valley Park, P. O. Box 311, Norristown, PA 19404, Perkiomen Township and Borough of Schwenksville, **Montgomery County**, ACOE Philadelphia District.

Project proposes to breach and remove Schwenksville Dam across Perkiomen Creek (WWF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will also allow for unobstructed migration of migratory and resident fishes. The project will restore approximately 750 feet of stream channel. The dam is located approximately 800 feet north of the intersection of SR 29 and Haldeman Road (SR 1022) (Perkiomenville, PA Quadrangle N: 0.60 inch; W: 12.05 inches).

D46-056EA. Central Perkiomen Valley Park, P. O. Box 311, Norristown, PA 19404, Perkiomen and Skippack Townships, **Montgomery County**, ACOE Philadelphia District.

Project proposes to breach and remove Rosman Dam across Perkiomen Creek (WWF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will also allow for unobstructed migration of migratory and resident fishes. The project will restore approximately 2,500 feet of stream channel. The dam is located approximately 800 feet northeast of the intersection of SR 29 and Plank Road (SR 4044) (Collegeville, PA Quadrangle N: 21.2 inches; W: 11.0 inches).

SPECIAL NOTICES**Certified Emission Reduction Credits in the Commonwealth's ERC Registry**

Emission reduction credits (ERCs) are surplus, permanent, quantified and Federally enforceable emission reductions used to offset emission increases of oxides of nitrogen (NOx), volatile organic compounds (VOCs) and the following criteria pollutants: carbon monoxide (CO), lead (Pb), oxides of sulfur (SOx), particulate matter (PM), PM-10 and PM-10 precursors.

The Department of Environmental Protection (Department) maintains an ERC registry in accordance with the requirements of 25 Pa. Code § 127.209. The ERC registry system provides for the tracking of the creation, transfer and use of ERCs. Prior to registration of the credits, ERC Registry Applications are reviewed and approved by the Department to confirm that the ERCs meet the requirements of 25 Pa. Code §§ 127.206—208. Registration of the credits in the ERC registry system constitutes certification that the ERCs satisfy applicable requirements and that the credits are available for use. The following registered, and certified ERCs in the ERC Registry are currently available for use as follows:

- (1) To satisfy new source review (NSR) emission offset ratio requirements;
- (2) To "net-out" of NSR at ERC-generating facilities;
- (3) To sell or trade the ERCs for use as emission offsets at new or modified facilities.

The certified ERCs shown below, expressed in tons per year (tpy), satisfy the applicable ERC requirements contained in 25 Pa. Code §§ 127.206—127.208. ERCs created from the curtailment or shutdown of a source or facility expires for use as offsets 10 years after the emission reduction occurs. ERCs generated by the over control of emissions by an existing facility do not expire for use as offsets. However, credits in the registry that are not used in a plan approval will be discounted if new air quality requirements are adopted by the Department or United States Environmental Protection Agency.

For additional information concerning this listing of certified ERCs, contact the Bureau of Air Quality, Division of Permits, Department of Environmental Protection, 12th Floor, Rachel Carson State Office Building, P. O. Box 8468, Harrisburg, PA 17105-8468, (717) 787-4325. This Pennsylvania ERC registry report, ERC Registry application and instructions are located at www.depweb.state.pa.us, select Air Topics, Air Quality Home, Permits, Emission Reduction Credits.

NOTICES

6723

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
R. R. Donnelley & Sons Co. County: Lancaster Contact Person: Frederick Shaak, Jr.	VOCs	16.00		Internal Use
Kurz Hastings Inc. County: Philadelphia Contact Person: George Gornick (215) 632-2300	VOCs	137.45		Trading
Kurz Hastings Inc. County: Philadelphia Contact Person: George Gornick (215) 632-2300	NOx VOCs	8.01 64.55	Varies from 03/28/2013 to 01/9/2014	Trading
PPG Industries, Inc. Source Location: Springdale Complex County: Allegheny Contact Person: Lori Burgess (412) 274-3884	VOCs	171.82		Trading
Recipient/Holder of ERC: Coastal Aluminum Rolling Mills Inc. ERC Generating Facility: Fasson Div. of Avery Dennison Corp. ERC-generating facility location: Quakertown, Bucks Contact Person: Jesse Hackenberg (570) 323-4430	VOCs	3.62		Internal Use/ Trading
Congoleum Corporation Source Location: Marcus Hook County: Delaware Contact Person: Theresa C. Garrod (609) 584-3000	NOx	5.20		Trading
International Steel Group, Inc. Bethlehem Structural Products Corp. Source Location: Bethlehem County: Northampton Contact Person: Keith Nagel (330) 659-9165	VOCs	473.80	Varies from 03/28/2008 to 06/19/2008	Trading
Recipient/Holder of ERC: Lehigh Valley Industrial Park, Inc. ERC Generating Facility: International Steel Group, Inc. Source Location: Bethlehem County: Northampton Contact Person: Justin Ryan (610) 866-4600	NOx	1054.00	Varies from 03/28/2008 to 06/19/2008	Trading
Morgan Adhesives Company (MACTac) Source Location: Scranton County: Lackawanna Contact Person: Tim Owens (330) 688-1111	VOCs	75.00	06/30/2008	Trading
National Fuel Gas Supply Corporation Sources: Generators Nos. 1 and 2, Dehydrator 1 Source Location: Ellisburg Station County: Potter Contact Person: Gary A. Young (814) 871-8657	NOx VOCs	16.14 1.80	02/1/2009	Internal Use
General Electric Company Source Location: Lawrence Park County: Erie Contact Person: Scott Gowdy (814) 875-2427	VOCs	1.80	12/31/2006	Internal Use/ Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
TYK America, Inc. Source Location: Irvona Facility County: Clearfield Contact Person: David B. Orr (412) 384-4259	NOx VOCs	0.30 0.02	11/6/2008	Trading
Smithkline Beechman Pharmaceuticals Sources: Two boilers and oxidizer Source Location: Spring Garden Street Facility County: Philadelphia Contact Person: Eileen Ackler (610) 239-5239	NOx VOCs	5.72 0.10	12/31/2008	Trading
Recipient/Holder of ERC: PG&E Energy Trading-Power, L.P. ERC Generating Facility: Global Packaging, Inc. ERC-generating facility location: Oaks Plant, Montgomery County Contact Person: Sarah M. Barpoulis (301) 280-6607	VOCs	43.50		Trading
The Procter & Gamble Paper Products Company Source Location: Mehoopany Plant County: Wyoming Contact Person: John Romero (570) 833-3285	NOx VOCs PM	136.00 237.67 99.62	05/3/2009	Internal Use/Trading
Caparo Steel Company Source: EAF Furnace No. 2 and Ladle Preheater No. 2 Source Location: Farrell Plant County: Mercer County Contact Person: Richard A. Herman (724) 983-6464	NOx VOCs	36.73 12.07	08/18/2007	Trading
LTV Steel Company, Inc. Source Location: Pittsburgh Coke Plant County: Allegheny Contact Person: William L. West (216) 642-7178	NOx VOCs PM-10 SOx CO	1663.00 373.00 406.00 1238.00 671.00	02/28/2008	Trading
Newcomer Products Inc. Source Location: Latrobe County: Westmoreland Contact Person: Edward M. Nemeth (724) 694-8100	VOCs	16.00	07/14/2010	Trading
Scranton-Altoona Terminals Corporation Source Location: Monroe Township County: Cumberland County Contact Person: Thomas M. Carper (717) 939-0466	VOCs	4.84	09/30/2010	Trading
Pennzoil Wax Partner Company Source Location: Rouseville County: Venango Contact Person: David W. Dunn (713) 546-6941	NOx VOCs CO	15.47 0.68 14.86	02/26/2010	Trading
Pennzoil Wax Partner Company Source Location: Rouseville County: Venango Contact Person: David W. Dunn (713) 546-6941	NOx VOCs CO	2.82 44.34 0.57	04/1/2010	Trading
INDSPEC Chemical Corp. Source: Boiler No. 8 Source Location: Petrolia County: Butler Contact Person: Terry Melis (412) 756-2376	NOx SOx	158.68 1217.95		Trading

NOTICES

6725

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
Sun Company, Inc. Source: Wastewater Conveyance System Source Location: Marcus Hook Borough County: Delaware Contact Person: Steve Martini (610) 859-1000	VOCs	426.59		Trading/ Internal Use
Columbia Gas Transmission Corporation Source Location: Kent Station County: Indiana Contact Person: Gregory Lago (304) 357-2079	NOx VOCs	44.36 2.66	05/31/2011	Trading
Columbia Gas Transmission Corporation Source Location: Homer Station County: Indiana Contact Person: Gregory Lago (304) 357-2079	NOx VOCs	45.89 3.79	05/31/2011	Trading
ISG Steelton, Inc. Source: Rail Heat Treating and Quenching Source Location: Steelton Plant County: Dauphin Contact Person: James R. Hernjak (717) 986-2042	NOx VOCs	7.00 43.00	11/9/2009	Trading
General Electric Transportation System Source: Boiler No. 2 Source Location: E. Lake Road County: Erie Contact Person: Mark D. Restifo (814) 875-5406	NOx VOCs PM SOx CO	280.90 1.70 29.50 2006.70 111.90	12/31/2010	Trading
3M Minnesota Mining & Manufacturing Source Location: Bristol Plant County: Bucks Contact Person: Jeff Muffat (651)-778-4450	VOCs VOCs	502.00 279.00	11/30/2011 12/17/2011	Trading
Kosmos Cement Company, Cemex Inc. Source Location: Neville Road, Pittsburgh County: Allegheny Contact Person: Amarjit Gill (713) 653-8554	NOx VOCs PM10 SOx CO	910.00 26.00 61.00 442.00 44.00	04/24/2011	Trading
Edgewater Steel Ltd. Source Location: College Avenue, Oakmont County: Allegheny Contact Person: Peter M. Guzanick (412) 517-7217	NOx VOCs PM10 SOx CO	17.05 1.87 5.44 32.29 17.93	08/6/2008	Trading
JG Furniture Group, Inc. Source Location: Quakertown, Bucks County: Bucks Contact Person: Donald Boisselle (336) 410-7263	VOCs	24.40	09/1/2007	Trading
Recipient/Holder of ERC: Maple North America Development Company, LLC ERC Generating Facility: Laclede Steel Corporation Source Location: Fairless County: Bucks Contact Person: John Cooper (703) 734-0844	NOx VOCs	104.00 45.00	11/29/2011	Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
Recipient/Holder of ERC: Natsource Emissions Brokers ERC Generating Facility: Laclede Steel Corporation Source Location: Fairless County: Bucks Contact Person: David Oppenheimer (212) 232-5305	NOx VOCs	0.27 1.50	11/29/2011	Trading
Trinity Industries, Inc. Source Location: Greenville County: Mercer County Contact Person: Dennis Lencioni (214) 589-8141	VOCs	61.65	10/31/2010	Trading
Rohm and Haas Company Source Location: Bristol Township County: Bucks Contact Person: Lloyd Davis (215) 785-8871	VOCs VOCs	1.15 0.32	10/30/2010 01/30/2011	Trading
Recipient/Holder of ERC: Waste Management Disposal Services of Pennsylvania ERC Generating Facility: The Worthington Steel Company Source Location: Malvern, East Whiteland County: Chester Contact Person: Eli Brill (215) 269-2111	VOCs	43.00	01/31/2012	Traded
Recipient/Holder of ERC: Waste Management of Pennsylvania, Inc. ERC Generating Facility: The Worthington Steel Company Source Location: Malvern, East Whiteland County: Chester Contact Person: Eli Brill (215) 269-2111	VOCs	70.00	01/31/2012	Traded
PPL Inc. Source Location: Holtwood Station County: Lancaster Contact Person: Linda A. Boyer (610) 774-5410	NOx VOCs PM10 SOx	3521.09 9.70 105.50 13241.30	04/29/2009	Trading
North American Refractories Company Source Location: Womelsdorf County: Lebanon Contact Person: Rhonda Vete (412) 469-6122	NOx NOx VOCs PM10 SOx CO	5.11 62.57 0.25 15.60 24.85 19.45	12/15/2010 09/30/2008 09/30/2008	Trading
The Quaker Oats Company Source Location: Shiremanstown Plant County: Cumberland Contact Person: Richard C. Pitzer (717) 731-3334	NOx VOCs PM	4.00 1.68 60.49	Varies from 04/3/2010 to 07/15/2011	Trading
Glasgow, Inc. Source Location: Plymouth Meeting County: Montgomery Contact Person: Brian Chabak (215) 884-8800	NOx VOCs NOx VOCs	2.72 0.21 6.54 0.52	12/31/2010 12/31/2010 06/01/2010 06/01/2010	Trading
Scranton-Altoona Terminals Corporation Source Location: East Freedom Terminal County: Cumberland County Contact Person: Thomas M. Carper (717) 939-0466	VOCs	9.19	04/1/2009	Trading

NOTICES

6727

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
SLI Lighting Inc. Source Location: Ellwood City County: Lawrence Contact Person: Tim Haubach (724) 752-6493	VOCs	5.70	06/3/2010	Trading
Harvard Industries, Inc. Plant name: Pottstown Precision Casting Inc. Source Location: West Pottsgrove Township County: Montgomery Contact Person: Allan B. Currie, Jr. (517) 740-2991 or (517) 592-3706	NOx VOCs	28.25 8.70	11/12/2011	Trading
Recipient/Holder of ERC: Morgan Stanley Capital Group Inc. ERC Generating Facility: Occidental Chemical Corp. ERC Generating Source Location: Pottsgrove Township County: Montgomery Contact Person: Trevor Woods (212) 761-8895	NOx	71.40	02/28/2007	Trading
Recipient/Holder of ERC: Kvaerner Philadelphia Shipyard, Inc. ERC Generating Facility: Occidental Chemical Corp. ERC Generating Source Location: Pottsgrove Township County: Montgomery County Contact Person: Michael Masington (215) 875-2649	NOx	50.00	02/28/2007	Trading
Alcoa, Inc. Source Location: Lebanon Township County: Lebanon Contact Person: Kevin S. Barnett (412) 553-2094	VOCs	468.43	Varies from 09/29/2010 to 05/1/2012	Trading
American Color Graphics, Inc. Formerly Flexi-Tech Graphics, Inc. Source Location: Barnhart Drive, Hanover County: York Contact Person: Glenn Shaffer (717) 792-8104	VOCs	9.60	01/15/2012	Trading
Allegro Microsystems, Inc. Source Location: Upper Moreland Township County: Montgomery Contact Person: Wendy Cooper (610) 286-7434	VOCs	42.61	03/29/2012	Trading
Williams Generation Company Source Location: Hazleton Co-Gen Facility County: Luzerne Contact Person: Terrie Blackburn (918) 573-9766	NOx PM10 SOx CO	794.60 50.40 308.40 89.50	01/31/2007	Trading
Calumet Lubricants Company Source Location: Rouseville Plant County: Venango Contact Person: Daniel R. Chapman (814) 678-4602	NOx VOCs SOx	89.80 2.38 87.70	05/21/2012	Trading
Avery Dennison Corporation Source Location: Dungan Road County: Philadelphia Contact Person: Frank J. Brandauer (626) 398-2773	VOCs	3.13	06/30/2012	

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
Henry Miller Spring & Manufacturing Company Source Location: Sharpsburg County: Allegheny Contact Person: David J. Jablonowski (412) 782-7300	NOx VOCs	10.96 36.47	01/22/2010	Trading
Penco Products, Inc. Source Location: Lower Providence Township County: Montgomery Contact Person: Allan J. Goss (610) 666-0500	NOx VOCs	3.11 29.48	10/1/2011	Trading
Norfolk Southern Railway Co. Source Location: Hollidaysburg Car Shop County: Blair Contact Person: Carl Russo (814) 949-1479	NOx VOCs	4.35 69.80	07/19/2012	Trading
World Kitchen Inc. Source Location: Charleroi Plant County: Washington Contact Person: James Rowlett (724) 489-2288	NOx	251.43		Trading
PPG Industries, Inc. Source Location: Greenwood Township County: Crawford Contact Person: David J. Neal (412) 492-5507	NOx	1118.50		Trading
Sentry Paint Technologies, Inc. Source Location: Mill Street, Darby County: Delaware Contact Person: Benjamin Breskman (610) 522-1900	VOCs	3.56	04/30/2013	Trading
R. H. Sheppard Company, Inc. Source Location: Core making operation in Hanover County: York Contact Person: Julie L. Smith (717) 637-3751	VOCs	14.43	04/15/2013	Trading
International Paper Source: Bleach Plant, Erie Mill County: Erie Contact Person: Gary Morrow (814) 870-6782	VOCs	72.06		Trading
International Paper Source Location: Erie Mill County: Erie Contact Person: Gary Morrow (814) 870-6782	NOx VOCs	1235.00 943.00	09/30/2012	Trading
Corning Incorporated Source Location: College Township County: Centre Contact Person: Douglas A. Wolf (607) 974-4267	NOx	1400.01	06/23/2013	Trading
Sea Gull Lighting Products, Inc Source Location: 25th and Wharton St. County: Philadelphia Contact Person: Mark Gardiner (215) 468-7255	VOCs	12.50	03/1/2013	Trading

NOTICES

6729

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
Allegro Microsystems, Inc. Source Location: Upper Moreland Township County: Montgomery Contact Person: Wendy Cooper (610) 286-7434	NOx CO	2.90 1.30	10/20/2013	Trading
Recipient/Holder of ERC: First Quality Tissue, LLC ERC Generating Facility: PPL Holtwood, LLC ERC Generation Source Location: Martic Township County: Lancaster Contact Person: Mark Zeffiro (814) 231-5267	NOx	74.98	04/29/2009	Internal Use
Recipient/Holder of ERC: First Quality Tissue, LLC ERC Generating Facility: Alcoa Inc. ERC Generation Source Location: South Lebanon County: Lebanon Contact Person: Mark Zeffiro (814) 231-5267	VOCs	43.72	04/05/2012	Internal Use
Lancaster Malleable Castings Company Source Location: Manheim Township County: Lancaster Contact Person: Jeffrey L. Ressler (717) 295-8200	VOCs CO	11.71 1.30	03/31/2013	Internal Use/Trading
International Paper Source: Lock Haven Mill Source Location: Castanea Township County: Clinton Contact Person: Thomas M. Sauer (570) 740-1211	NOx VOC SOx	1287.00 27.90 6606.00	03/22/2012	Offsets/Trading
CMS Gilbreth Packaging Systems Source: Label and Packaging Network County: Bucks Contact Person: Patricia M Henry Unrath (610) 789-2277	VOC	17.40	05/31/2008	Trading
Brodart Company Source Location: Montgomery Facility County: Lycoming Contact Person: Robyn J. Dincher (570) 326-2461, Ext. 6408	VOCs	24.91	04/18/2013	Trading
Pennsylvania House White Deer Furniture Plant Source: Conveyor and Monorail lines Source Location: White Deer Plant County: Union Contact Person: Robert J. Varney (570) 523-2356	VOCs	82.90	03/15/2012	Trading
Exelon Power Source: Delaware Generating Station Source Location: Philadelphia County: Philadelphia Contact person: Kimberly Scarborough (610) 765-5883	NOx	286.5	12/16/2014	Trading
Worthington Steel Company Source Location: East Whiteland Township County: Chester Contact Person: Matt Johnson (614) 438-7960	NOx	10.00	04/01/2013	Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
Buckeye Pipe Line Company, LP Source Location: Reed Township County: Dauphin Contact Person: Jason Mengel (484) 232-4491	VOCs	12.00	02/28/2012	Trading
Bollman Hat Company Source Location: Willow St., Adamstown County: Lancaster Contact Person: David L. Wails (717) 484-4361	VOCs	14.34	10/03/2013	Trading
Property Investing Center (Goodville Industrial Center) Source Location: East Earl Township County: Lancaster Contact Person: Richard Stauffer (717) 738-3488	VOCs	84.09	09/13/2013	Trading
Armstrong World Industries, Inc (Lancaster Flooring) Source Location: 1067 Dillerville Road County: Lancaster Contact Person: Gene Hartzell (717) 396-3668	VOC NOx	31.79 1.9	09/01/2013 to 08/20/2014 08/20/2014	Internal Use/Trading
RUTGERS Organics Corporation Source Location: 201 Struble Road, State College County: Centre Contact Person: Mary Jo Smith (814) 231-9277	NOx NOx VOC	5.27 3.35 2.17	08/15/2013 04/16/2014 03/26/2014	Internal Use/Trading
AK Steel Corporation Source Location: Butler County: Butler Contact Person: Robert J. Hocks (724) 284-2685	NOx NOx NOx	28.55 24.82 139.45	11/06/2011 01/30/2012	Trading /Internal Use
Cabinet Industries, Inc. Source Location: Danville Borough County: Montour Contact Person: Laura Lee Spatzer (570) 275-1400, Ext 1400	VOC	7.29	09/01/2015	Trading
Honeywell-International Source Location: Emlenton Plant County: Venango Contact Person: Shane Dunn (814) 887-4081	VOC	49.82	04/30/2010	Trading
Naval Surface Warfare Center, Carderock Division Source Location: Philadelphia Naval Shipyard County: Philadelphia Contact Person: Michael Santella (215) 897-1315; DSN 443	NOx	116.50 157.50	09/30/2007 09/30/2008	Internal use
Eljer Plumbingware, Inc Source: Ford City Plant Source Location: Ford City County: Armstrong Contact Person: Bill Harasty (724) 763-6233	NOx VOC NOx VOC NOx VOC	85.68 3.22 73.06 2.64 55.48 1.40	3/15/2014 6/8/2014 10/4/2014	Trading
Reliant Energy Mid-Atlantic Power Holdings, LLC Source Location: Pennsylvania Avenue, Warren County: Warren Contact Person: Keith A. Schmidt (814) 533-8193	NOx VOCs SOx PM CO	695.76 2.99 2925.36 64.60 20.85	9/28/2012	Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
Arbill Safety Products Source Location: 2207 West Glenwood Avenue County: Philadelphia Contact Person: Barry Bickman (800) 523-5367	VOCs NOx SOx	20.32 0.38 0.21	01/01/2016	Trading
Dominion Transmission Inc Source Location: Big Run Compressor Station County: Jefferson Contact Person: David Testa (412) 690-1815	NOx	10.00	10/13/2013	Trading
Carmeuse Lime, Inc Source Location: Hanover Lime Plant County: Adams Contact Person: Kenneth Kauffman (717) 630-8266	NOx VOC SOx PM10 PM2.5	46.61 1.96 10.26 14.64 7.18	01/03/2016	Trading

Bureau of Air Quality

Summary of ERC Transaction

The following ERC transactions are approved by the Bureau of Air Quality, Department of Environmental Protection. The ERC transaction requirements are specified in 25 Pa. Code § 127.208.

ERC Holder/Generating Facility Information

ERC Generating Facility Name: Alcoa, Inc.
Location of Source: Lebanon Township, Lebanon County, PA
Certified ERCs (tpy): 570.43 tpy of VOCs and 48.86 tpy of NOx
Amount of ERCs traded to Purchaser/Recipient: 48.86 tpy of NOx; 63 tpy & 39 tpy of VOC
Date of ERCs Transfer: 01/25/2006; 02/10/2006; 10/19/2006
ERCs available for future use: 468.43 tpy of VOCs

Purchaser/Recipient of ERCs

Purchaser/Recipient of ERCs: Alcoa Extrusions, Inc.
Location of Source: Cressona, Schuylkill County, PA
Permit Number: NA
NOx credits used: 0
NOx credits available for future use: 48.86 tpy

Purchaser/Recipient of ERCs

Purchaser/Recipient of ERCs: RR Donnelley and Sons Company
Location of Source: Lancaster, Lancaster County, PA
Permit Number: 36-05027G
VOC credits used: 0
VOC credits available for future use: 63 tpy

Purchaser/Recipient of ERCs

Purchaser/Recipient of ERCs: Truck Accessories Group, Inc., d/b/a Leer East
Location of Source: Milton, Northumberland County, PA
Plan Approval: 49-00020B
VOC credits used: 0
VOC credits available for future use: 39 tpy

Notice of Joint Public Hearing for Solid Waste Management Permit Application No. 101679 and Water Quality NPDES Permit Application No. PA0065137

The Commonwealth, Department of Environmental Protection (Department) will hold a joint public hearing to accept comments on Solid Waste Management Permit Application No. 101679 and Water Quality NPDES Permit Application No. PA0065137.

The Waste Management Permit Application is for the construction and operation of the proposed construction and demolition waste landfill site called Blythe Recycling and Demolition Site (BRADS) in Blythe Township, Schuylkill County, and involves the review of the environmental assessment (harms/benefits balancing analysis).

The NPDES Permit Application is for the discharge to Silver Creek of 15,000 gallons per day of treated industrial waste described as leachate and 300 gallons per day of treated sanitary waste from the BRADS site. The hearing is in response to the applications submitted to the Department by the Blythe Township Board of Supervisors. Both applications are currently under review. A draft permit has been developed for the NPDES application.

The joint public hearing will be conducted on Tuesday December 5, 2006, at 7 p.m. in the auditorium of the D.H. H. Lengel Middle School, 1541 West Laurel Boulevard, Pottsville, PA.

The Department requests that individuals wishing to testify at the hearing submit a written notice of intent to

Mark Carmon, Community Relations Coordinator, Attn: BRADS Landfill Public Hearing, Department of Environmental Protection, 2 Public Square, Wilkes-Barre, PA 18711-0790. The Department will accept notices up to the day of the hearing.

The written notice should include the person's name, address, telephone number and a brief statement as to the nature (oral or written) of his or her presentation. The Department requests that individuals limit their testimony to 10 minutes so that all individuals have the opportunity to testify. Written copies of oral testimony are requested. Relinquishing of time to others will not be allowed. Individuals attending the hearing will have the opportunity to testify if they so desire; however, individuals who pre-register to testify will be given priority on the agenda. Persons unable to attend the hearing may submit written statement/comments to the Department on or before December 20, 2006.

Persons with a disability who wish to testify and require an auxiliary aid, service or other accommodation should contact Christine Domashinski, (570) 826-2511 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department can meet their needs.

Both permit applications and the NPDES draft permit are available for review at the Department's Northeast Regional Office in Wilkes-Barre. Contact the Records Management Section at (570) 826-2511 to schedule an appointment to review the application.

For further information, contact Mark Carmon, Northeast Regional Office, (570) 826-2511.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

Request for Comment and Notice of Public Meeting for the Proposed Total Maximum Daily Load (TMDL) for the Babcock Creek and Paint Creek Watersheds in Somerset and Cambria Counties.

The Department of Environmental Protection (Department) will hold a public meeting to discuss and accept comments on a proposed TMDL for the Babcock Creek and Paint Creek watersheds in Somerset and Cambria Counties. The meeting will be held on November 8, 2006, beginning at 10 a.m. at the Cambria District Mining Office, 286 Industrial Park Road, in Cambria Township, Cambria County, PA. Individuals who wish to make a presentation should contact Miles Baird, Cambria District Mining Office at (814) 472-1900 no later than 4 p.m. on November 7. The Department will consider all comments in developing the final TMDL for the Babcock Creek and Paint Creek watersheds, which will be submitted to the Environmental Protection Agency for approval.

The proposed TMDL for the Babcock Creek and Paint Creek Watersheds was established in accordance with the requirements of section 303(d) of the Clean Water Act. Several stream segments in the Babcock Creek and Paint Creek Watersheds have been identified as impaired on the 1996, 1998, 2002, and 2004 Pennsylvania 303(d) list due to depressed pH and/or high concentrations of metals. The listed segments and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
45223	Paint Creek	0.7
45259	UNT Paint Creek	0.5
45260	Babcock Creek	3.5
45223	Paint Creek	1.57
45259	UNT Paint Creek	0.46
45260	Babcock	3.5
45260	Babcock Creek,	1.0
	Paint Creek	
45223	Paint Creek	1.6
45223	Paint Creek	4.1
45223	Paint Creek	3.0
45223	Paint Creek	4.7
45223	Paint Creek	4.7
45223	Paint Creek	0.4
45223	Paint Creek	3.0
45223	Paint Creek	4.1
45259	UNT Paint Creek	0.5
45262	UNT Paint Creek	1.1
45263	UNT Paint Creek	0.5

The proposed plan provides calculations of the stream's total capacity to accept metals (aluminum, iron, manganese and acidity), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5	30 day average;
		Total Recoverable
Manganese	1.00	Total Recoverable
pH	6.0—9.0	NA

The primary pollutant source for the watershed is abandoned mine workings. This watershed was mined for coal in the 1900s. The effects of this mining are still present.

The proposed TMDL was developed using Monte Carlo Simulation to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. Monte Carlo Simulation allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria was exceeded, the Department used the average flow to express the loading values in the proposed TMDL. The proposed TMDL for the Babcock Creek and Paint Creek watersheds sets allowable loading rates for metals and acidity at specified points in the watershed. Field data collected during 2002—2005 was used to develop the TMDL. The data and all supporting information used to develop the proposed TMDL are available from the Department.

The Department will accept written comments on the proposed TMDL for the Babcock Creek and Paint Creek watersheds. Written comments must be postmarked by December 8, 2006 and sent to Miles Baird, Department of Environmental Protection, Cambria District Mining Office, 286 Industrial Park Road, Ebensburg, PA 15931, by fax to (814) 472-1898 or mbaird@state.pa.us.

To request a copy of the proposed TMDL and an information sheet, or to obtain directions to the meeting location, contact Miles Baird at (814) 472-1900, mbaird@state.pa.us.

The proposed TMDL for the Babcock Creek and Paint Creek watersheds can be accessed through the Department's website at www.dep.state.pa.us. (DEP Keyword: TMDL). Persons with a disability who require accommodations to attend this meeting should contact the Department at (814) 472-1900 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Request for Comment and Notice of Public Meeting for the Proposed Total Maximum Daily Load (TMDL) for the Sulphur Creek and Otto Run Watersheds in Cambria County

The Department of Environmental Protection (Department) will hold a public meeting to discuss and accept comments on a proposed TMDL for the Sulphur Creek and Otto Run watersheds in Cambria County. The meeting will be held on November 8, 2006, beginning at 10 a.m. at the Cambria District Mining Office, in Cambria Township, Cambria County, PA. Individuals who wish to make a presentation should contact John Conrad, Cambria District Mining Office at (814) 472-1900 no later than 4 p.m. on November 7, 2006. The Department will consider all comments in developing the final TMDL for the Sulphur Creek and Otto Run watersheds, which will be submitted to the Environmental Protection Agency for approval.

The proposed TMDL for the Sulphur Creek and Otto Creek Watersheds was established in accordance with the requirements of section 303(d) of the Clean Water Act. Several stream segments in the Sulphur Creek and Otto Run Watersheds have been identified as impaired on the 1996, 1998, 2002 and 2004 Pennsylvania 303(d) list due to depressed pH and/or high concentrations of metals. The listed segments and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
45901	Otto Run	1.5
45902	Sulphur Creek	1.0
45901	Otto Run	1.5
45902	Sulphur Creek	2.06
45901	Otto Run	1.6
45902	Sulphur Creek	7.3
45901	Otto Run	1.6
45902	Sulphur Creek	4.0
45902	Sulphur Creek	0.6
45903	UNT 45903	0.9
45904	Sulphur Creek	0.5
45905	UNT 45905	0.5
45906	Sulphur Creek	0.8
	UNT 45906	
	Sulphur Creek	

The proposed plan provides calculations of the stream's total capacity to accept metals (aluminum, iron, manganese and acidity), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5	30 day average;
		Total Recoverable
Manganese	1.00	Total Recoverable
pH	6.0—9.0	NA

The primary pollutant source for the watershed is abandoned mine workings. This watershed was mined for coal in the 1900s. The effects of this mining are still present.

The proposed TMDL was developed using Monte Carlo Simulation to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99 percent of the time. Monte Carlo Simulation allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria was exceeded, the Department used the average flow to express the loading values in the proposed TMDL. The proposed TMDL for the Sulphur Creek and Otto Run watersheds sets allowable loading rates for metals and acidity at specified points in the watershed. Field data collected during 2001—2003 was used to develop the TMDL. The data and all supporting information used to develop the proposed TMDL are available from the Department.

The Department will accept written comments on the proposed TMDL for the Sulphur Creek and Otto Run watersheds. Written comments must be postmarked by December 8, 2006 and sent to John Conrad, Department of Environmental Protection, Cambria District Mining Office, 286 Industrial Park Road, Ebensburg, PA 15931 by fax to (814) 472-1898 or jconrad@state.pa.us.

To request a copy of the proposed TMDL and an information sheet, or to obtain directions to the meeting location, contact John Conrad at (814) 472-1900, jconrad@state.pa.us.

The proposed TMDL for the Sulphur Creek and Otto Run watersheds can be accessed through the Department's website at www.dep.state.pa.us. (DEP Keyword: TMDL). Persons with a disability who require accommodations to attend this meeting should contact the Department at (814) 472-1900 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Request for Comment and Notice of Public Meeting for the Proposed Total Maximum Daily Load (TMDL) for the Boone Run Watershed in Somerset County

The Department of Environmental Protection (Department) will hold a public meeting to discuss and accept comments on a proposed TMDL for the Boone Run watershed in Somerset County. The meeting will be held on November 21, 2006 beginning at 10 a.m. at the Cambria District Mining Office, in Cambria Township, Cambria County, PA. Individuals who wish to make a presentation should contact Miles Baird, Cambria District Mining Office at (814) 472-1900 no later than 4 p.m. on Friday, November 17. The Department will consider all comments in developing the final TMDL for the Boone Run watershed, which will be submitted to the Environmental Protection Agency for approval.

The proposed TMDL for the Boone Run Watershed was established in accordance with the requirements of section 303(d) of the Clean Water Act. Several stream segments in the Boone Run Watershed have been identified as impaired on the 1996, 1998, 2002 and 2004 Pennsylvania 303(d) list due to depressed pH, high concentrations of metals, and/or other inorganics. The listed segments and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
45742	Boone Run	0.5
45742	Boone Run	0.6
45742	Boone Run	1.45
45742	Boone Run	12.3
45742	Boone Run	0.3
45742	Boone Run	5.4
	Rhoads Creek	
45742	Boone Run	1.0
45742	Boone Run	2.0
45742	Boone Run	1.4
45744	UNT 45744	2.3
	Boone Run	
45745	UNT 45745	0.2
	Boone Run	
45746	UNT 45746	0.2
	Boone Run	
45747	UNT 45747	0.2
	Boone Run	
45748	UNT 45748	0.3
	Boone Run	
45749	UNT 45749	2.5
	Boone Run	

The proposed plan provides calculations of the stream's total capacity to accept metals (aluminum, iron, manganese and acidity), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5	30 day average; Total Recoverable
Manganese	1.00	Total Recoverable
pH	6.0—9.0	NA

The primary pollutant source for the watershed is abandoned mine workings. This watershed was mined for coal in the 1900s. The effects of this mining are still present.

The proposed TMDL was developed using Monte Carlo Simulation to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99 percent of the time. Monte Carlo Simulation allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria was exceeded, the Department used the average flow to express the loading values in the proposed TMDL. The proposed TMDL for the Boone Run watershed sets allowable loading rates for metals and acidity at specified points in the watershed. Field data collected during 2004 was used to develop the TMDL. The data and all supporting information used to develop the proposed TMDL are available from the Department.

The Department will accept written comments on the proposed TMDL for the Boone Run watershed. Written comments must be postmarked by December 21, 2006 and sent to Miles Baird, Department of Environmental Protection, Cambria District Mining Office, 286 Industrial Park Road, Ebensburg, PA 15931, by fax to (814) 472-1898 or mbaird@state.pa.us.

To request a copy of the proposed TMDL and an information sheet, or to obtain directions to the meeting location, contact Miles Baird at (814) 472-1900, mbaird@state.pa.us.

The proposed TMDL for the Boone Run watershed can be accessed through the Department's website at ww.dep.state.pa.us. (DEP Keyword: TMDL). Persons with a disability who require accommodations to attend this meeting should contact the Department at (814) 472-1900 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Request for Comment and Notice of Public Meeting for the Proposed Total Maximum Daily Load (TMDL) for the Brewer Run Watershed in Indiana County

The Department of Environmental Protection (Department) will hold a public meeting to discuss and accept comments on a proposed TMDL for the Brewer Run watershed in Indiana County. The meeting will be held on November 21, 2006 beginning at 1:00 p.m. at the Cambria District Mining Office, in Cambria Township, Cambria County, PA. Individuals who wish to make a presentation should contact Mike Timcik, Cambria District Mining Office at (814) 472-1900 no later than 4 p.m. on Friday, November 17. The Department will consider all comments in developing the final TMDL for the Brewer Run watershed, which will be submitted to the Environmental Protection Agency for approval.

The proposed TMDL for the Brewer Run Watershed was established in accordance with the requirements of section 303(d) of the Clean Water Act. Stream segments in the Brewer Run Watershed have been identified as impaired on the 1996, 1998 and 2002 and 2004 Pennsylvania 303(d) list due to high concentrations of metals. The listed segments and miles degraded is shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
47591	Brewer Run	1.7
47591	Brewer Run	1.75
47591	Brewer Run	1.8
47591	Brewer Run	1.8

The proposed plan provides calculations of the stream's total capacity to accept metals (aluminum, iron, manganese and acidity), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5	30 day average; Total Recoverable
Manganese	1.00	Total Recoverable
pH	6.0—9.0	NA

The primary pollutant source for the watershed is abandoned mine workings. This watershed was mined for coal in the 1900s. The effects of this mining are still present.

The proposed TMDL was developed using Monte Carlo Simulation to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99 percent of the time. Monte Carlo Simulation allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria was exceeded, the Department used the average flow to express the loading values in the proposed TMDL. The proposed TMDL for the Brewer Run watershed sets allowable loading rates for metals and acidity at specified points in the watershed. Field data

collected during 2001—2003 was used to develop the TMDL. The data and all supporting information used to develop the proposed TMDL are available from the Department.

The Department will accept written comments on the proposed TMDL for the Brewer Run watershed. Written comments must be postmarked by December 21, 2006 and sent to Mike Timcik, Department of Environmental Protection, Cambria District Mining Office, 286 Industrial Park Road, Ebensburg, PA 15931, by fax to (814) 472-1898 or mtimcik@state.pa.us.

To request a copy of the proposed TMDL and an information sheet, or to obtain directions to the meeting location, contact Mike Timcik at (814) 472-1900, mtimcik@state.pa.us.

The proposed TMDL for the Brewer Run watershed can be accessed through the Department's website at ww.dep.state.pa.us. (DEP Keyword: TMDL). Persons with a disability who require accommodations to attend this meeting should contact the Department at (814) 472-1900 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Request for Comment and Notice of Public Meeting for the Proposed Total Maximum Daily Load (TMDL) for the Lamberts Run Watershed in Somerset County

The Department of Environmental Protection (Department) will hold a public meeting to discuss and accept comments on a proposed TMDL for the Lamberts Run watershed in Somerset County. The meeting will be held on November 21, 2006 beginning at 10 a.m. at the Cambria District Mining Office, in Cambria Township, Cambria County, PA. Individuals who wish to make a presentation should contact Tom Pongrac, Cambria District Mining Office at (814) 472-1900 no later than 4 p.m. on Friday November 17. The Department will consider all comments in developing the final TMDL for the Lamberts Run watershed, which will be submitted to the Environmental Protection Agency for approval.

The proposed TMDL for the Lamberts Run Watershed was established in accordance with the requirements of section 303(d) of the Clean Water Act. Several stream segments in the Lamberts Run Watershed has been identified as impaired on the 1996, 1998 and 2002, and 2004 Pennsylvania 303(d) list due to depressed pH and/or high concentrations of metals. The listed segments and miles degraded are shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
45710	Lamberts Run	3.1
45710	Lamberts Run	3.08
45710	Lamberts Run	5
45710	Lamberts Run	3.1
45711	UNT 45711	0.3
	Lamberts Run	
45712	UNT 45712	0.8
	Lamberts Run	
45713	UNT 45713	0.3
	Lamberts Run	
45714	UNT 45714	0.3
	Lamberts Run	
45715	UNT 45715	0.2
	Lamberts Run	

The proposed plan provides calculations of the stream's total capacity to accept metals (aluminum, iron, manganese and acidity), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5	30 day average; Total Recoverable
Manganese	1.00	Total Recoverable
pH	6.0—9.0	NA

The primary pollutant source for the watershed is abandoned mine workings. This watershed was mined for coal in the 1900s. The effects of this mining are still present.

The proposed TMDL was developed using Monte Carlo Simulation to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. Monte Carlo Simulation allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria was exceeded, the Department used the average flow to express the loading values in the proposed TMDL. The proposed TMDL for the Lamberts Run watershed sets allowable loading rates for metals and acidity at specified points in the watershed. Field data collected during 2004 was used to develop the TMDL. The data and all supporting information used to develop the proposed TMDL are available from the Department.

The Department will accept written comments on the proposed TMDL for the Lamberts Run watershed. Written comments must be postmarked by December 21, 2006, and sent to Tom Pongrac, Department of Environmental Protection, Cambria District Mining Office, 286 Industrial Park Road, Ebensburg, PA 15931, by fax to (814) 472-1898 or tpongprac@state.pa.us.

To request a copy of the proposed TMDL and an information sheet, or to obtain directions to the meeting location, contact Tom Pongrac at (814) 472-1900, tpongprac@state.pa.us.

The proposed TMDL for the Lamberts Run watershed can be accessed through the Department's website at www.dep.state.pa.us. (DEP Keyword: TMDL). Persons with a disability who require accommodations to attend this meeting should contact the Department at (814) 472-1900 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Request for Comment and Notice of Public Meeting for the Proposed Total Maximum Daily Load (TMDL) for the Richards Run Watershed in Indiana County

The Department of Environmental Protection (Department) will hold a public meeting to discuss and accept comments on a proposed TMDL for the Richards Run watershed in Indiana County. The meeting will be held on November 21, 2006, beginning at 1 p.m. at the Cambria District Mining Office, in Cambria Township, Cambria County, PA. Individuals who wish to make a presentation should contact Mike Timcik, Cambria District Mining Office at (814) 472-1900 no later than 4 p.m. on Friday, November 17. The Department will consider all comments in developing the final TMDL for the Richards Run

watershed, which will be submitted to the Environmental Protection Agency for approval.

The proposed TMDL for the Richards Run Watershed was established in accordance with the requirements of section 303(d) of the Clean Water Act. Segments in the Richards Run Watershed have been identified as impaired on the 1996, 1998 and 2004 Pennsylvania 303(d) list due to depressed pH and/or high concentrations of metals. The listed segment and miles degraded is shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
44924	Richards Run	0.5
44924	Richards Run	0.5
44924	Richards Run	1.8

The proposed plan provides calculations of the stream's total capacity to accept metals (aluminum, iron, manganese and acidity), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5	30 day average; Total Recoverable
Manganese	1.00	Total Recoverable
pH	6.0—9.0	NA

The primary pollutant source for the watershed is abandoned mine workings. This watershed was mined for coal in the 1900s. The effects of this mining are still present.

The proposed TMDL was developed using Monte Carlo Simulation to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. Monte Carlo Simulation allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria was exceeded, the Department used the average flow to express the loading values in the proposed TMDL. The proposed TMDL for the Richards Run watershed sets allowable loading rates for metals and acidity at specified points in the watershed. Field data collected during 2003 and 2004 was used to develop the TMDL. The data and all supporting information used to develop the proposed TMDL are available from the Department.

The Department will accept written comments on the proposed TMDL for the Richards Run watershed. Written comments must be postmarked by December 21, 2006, and sent to Mike Timcik, Department of Environmental Protection, Cambria District Mining Office, 286 Industrial Park Road, Ebensburg, PA 15931, by fax to (814) 472-1898 or mtimcik@state.pa.us.

To request a copy of the proposed TMDL and an information sheet, or to obtain directions to the meeting location, contact Mike Timcik at (814) 472-1900, mtimcik@state.pa.us.

The proposed TMDL for the Richards Run watershed can be accessed through the Department's website at www.dep.state.pa.us. (DEP Keyword: TMDL). Persons with a disability who require accommodations to attend this meeting should contact the Department at (814) 472-1900 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Request for Comment and Notice of Public Meeting for the Proposed Total Maximum Daily Load (TMDL) for the Shafer Run Watershed in Somerset County

The Department of Environmental Protection (Department) will hold a public meeting to discuss and accept comments on a proposed TMDL for the Shafer Run watershed in Somerset County. The meeting will be held on November 21, 2006, beginning at 10 a.m. at the Cambria District Mining Office, in Cambria Township, Cambria County, PA. Individuals who wish to make a presentation should contact Tom Pongrac, Cambria District Mining Office at (814) 472-1900 no later than 4 p.m. on Friday, November 17th. The Department will consider all comments in developing the final TMDL for the Shafer Run watershed, which will be submitted to the Environmental Protection Agency for approval.

The proposed TMDL for the Shafer Run Watershed was established in accordance with the requirements of section 303(d) of the Clean Water Act. Three stream segments in the Shafer Run Watershed have been identified as impaired on the 1996, 1998 and 2002 Pennsylvania 303(d) list due to depressed pH and/or high concentrations of metals. The listed segment and miles degraded is shown in the following table:

<i>Stream Code</i>	<i>Stream Name</i>	<i>Miles Degraded</i>
39055	Shafer Run	2.0
39055	Shafer Run	1.06
39055	Shafer Run	1.1

The proposed plan provides calculations of the stream's total capacity to accept metals (aluminum, iron, manganese and acidity), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

<i>Parameter</i>	<i>Criterion value (mg/l)</i>	<i>Total Recoverable/Dissolved</i>
Aluminum	0.75	Total Recoverable
Iron	1.5	30 day average; Total Recoverable
Manganese	1.00	Total Recoverable
pH	6.0—9.0	NA

The primary pollutant source for the watershed is abandoned mine workings. This watershed was mined for coal in the 1900s. The effects of this mining are still present.

The proposed TMDL was developed using Monte Carlo Simulation to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. Monte Carlo Simulation allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria was exceeded, the Department used the average flow to express the loading values in the proposed TMDL. The proposed TMDL for the Shafer Run watershed sets allowable loading rates for metals and acidity at specified points in the watershed. Field data collected during 2001—2003 was used to develop the TMDL. The data and all supporting information used to develop the proposed TMDL are available from the Department.

The Department will accept written comments on the proposed TMDL for the Shafer Run watershed. Written comments must be postmarked by December 21, 2006 and sent to Tom Pongrac, Department of Environmental Protection, Cambria District Mining Office, 286 Industrial

Park Road, Ebensburg, PA 15931, by fax to (814) 472-1898 or tpongrac@state.pa.us.

To request a copy of the proposed TMDL and an information sheet, or to obtain directions to the meeting location, contact Tom Pongrac, (814) 472-1900, tpongrac@state.pa.us.

The proposed TMDL for the Shafer Run watershed can be accessed through the Department's website at www.dep.state.pa.us. (DEP Keyword: TMDL). Persons with a disability who require accommodations to attend this meeting should contact the Department at (814) 472-1900 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

[Pa.B. Doc. No. 06-2156. Filed for public inspection November 3, 2006, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) website at www.depweb.state.pa.us (DEP Keywords: "Technical Guidance"). The "Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

The Department will continue to revise its nonregulatory documents, as necessary, throughout 2006.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Final Technical Guidance:

DEP ID: 392-0830-001. Title: Locational Data Policy for Water Allocation Program and the Water Use Data System. Description: This guidance implements the Department's Locational Data Policy (Document ID No. 013-0830-003) by establishing a consistent method for locating and documenting latitude and longitude coordinates and elevation data for water resources facilities. The intent of the policy is to ensure the uniformity, reliability and compatibility of the Department's locational data, which should meet the goal of a 10 meter/32.8 feet or better level of accuracy. Notice of availability of the draft document for public comment was published at 36 Pa.B. 4560 (August 12, 2006). The Department did not receive any comments on the draft

document during the public comment period, which concluded on September 11, 2006. No changes were made to the guidance from its draft version. Contact: Questions regarding this technical guidance document may be directed to Thomas L. Denslinger, Department of Environmental Protection, Bureau of Watershed Management, Division of Water Use Planning, Rachel Carson State Office Building, 10th Floor, P. O. Box 8555, Harrisburg, PA 17105-8555, (717) 772-5679 or tdenslinge@state.pa.us. Effective Date: November 4, 2006

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-2157. Filed for public inspection November 3, 2006, 9:00 a.m.]

Certification Program Advisory Committee; Special Meeting Notice

The Certification Program Advisory Committee will hold a special meeting on Friday, November 17, 2006, from 10 a.m. to approximately 3 p.m. The meeting will be held in the 10th floor conference room of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The purpose of the meeting is to discuss the implementation of a data collection study to determine education needs necessary to create a Wastewater Operator Certification subclass for nutrient removal. An overview of revisions to 25 Pa. Code Chapter 109 (relating to safe drinking water) as they relate to the Drinking Water Operator Certification Program, will also be provided.

The agenda and meeting materials will be available through the Public Participation Center on the Department of Environmental Protection's (Department) website at www.depweb.state.pa.us (DEP Keywords: "Public Participation/Participate"). Questions concerning the agenda or meeting materials may be directed to Cheri Sansoni at (717) 772-5158 or csansoni@state.pa.us.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Cheri Sansoni at (717) 772-5158 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users), to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-2158. Filed for public inspection November 3, 2006, 9:00 a.m.]

Cleanup Standards Scientific Advisory Board Meeting

The November 14, 2006, meeting of the Cleanup Standards Scientific Advisory Board has been rescheduled to Monday, December 4, 2006, at 9:30 a.m. in Room 105 of the Rachel Carson State Office, 400 Market Street, Harrisburg, PA 17105.

Questions concerning this meeting should be directed to Marilyn Wooding at (717) 783-7509 or mwooding@state.pa.us. The agenda and meeting materials for the December 4, 2006, meeting will be available on the Department of Environmental Protection's (Department) website at www.depweb.state.pa.us (DEP Keywords: Public Participation, Participate).

Persons with a disability who require accommodations to attend the meeting should contact the Department at (717) 783-7509 or through the Pennsylvania AT&T Relay Services at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-2159. Filed for public inspection November 3, 2006, 9:00 a.m.]

Initiatives to Improve NPDES Post-Construction Stormwater Management Permitting; Public Comment Notice

In 2000, amendments were implemented to the Federal Clean Water Act that have, as a result, cumulatively increased the demand for stormwater permits issued by the Department of Environmental Protection (Department) over the last 6 years. These amendments, which include new permitting requirements for sites less than 5 acres but greater than 1 acre, have in 6 years nearly doubled the workload of Departmental staff responsible for processing NPDES Post-Construction Stormwater Permits. In addition to these challenges, the complexity of the applications submitted to the Department have also intensified due to the implementation of Federal post-construction stormwater requirements. These complicated and complex permit applications have unwittingly resulted in a more lengthy Department review of the permit application. To address these issues, including improving the quality of permit applications and reducing the Department's review time of NPDES Post-Construction Stormwater Management permit applications, the Department is considering four initiatives for which it is requesting public comment. These initiatives, summarized as follows, include:

Initiative 1: Encourage the Use of a Simultaneous Review Process for Erosion and Sediment Control and Post-construction Stormwater Plan Review

The Department will encourage the use of a simultaneous review process for Erosion and Sediment Control and Post Construction Stormwater Management (PCSM) Plan review. This initiative consists of a modified permit application process for the NPDES Permit for Stormwater Discharges Associated with Construction Activities, which includes review of an Erosion and Sediment Control Plan as well as the PCSM Plan. This voluntary pilot permit process begins with the owner/applicant and their "design team" meeting with the Department, county conservation district staff and municipal officials to jointly review and discuss the conceptual, or preliminary design plans. Following any edits to the plans the same group meets to discuss the application, design plans, stages of the project, and the project specifications. No final permit decisions are made in the group setting. Following the conclusion of the simultaneous review, the Department will make a permit decision based on evaluation of the application and considering comments during the public comment period within 32-calendar days.

Consultants will be required to develop and submit quality permit applications that are complete and consistent with applicable Department, county and municipal post-construction stormwater management requirements to qualify for expedited permit review.

Initiative 2: Expedited Permit Review where applicants have Municipal or County Conservation District Approval of the PCSM Plan and that the Plan has been sealed by a Professional Engineer (PE) who has attended Best Management Practices (BMP) Manual training and has demonstrated knowledge and experience in preparing PCSM Plans

The Department will provide expedited permit reviews where applicants have municipal or county conservation district approval of the PCSM Plan and that the Plan has been sealed by a PE who has attended BMP Manual training and has demonstrated knowledge of the program through the submission of a complete and quality application. When a land developer submits an administratively complete and acceptable application that includes PCSM Plans that have been approved by the municipality and the plans are sealed by a PE who has attended BMP Manual training, the Department will do a final review and make a permit decision considering comments received during the public comment period within 32-calendar days.

This same process would also be available to developers where a county conservation district has approved the plans. The Department will work with the county conservation districts to encourage them to contract for engineering services. To date only three county conservation districts have engineers on staff. Fees for this service would come from the applicants.

In the event neither a municipality or county conservation district is equipped to approve a plan but the plans are sealed by a PE who has attended BMP Manual training, the Department will conduct a review of the PCSM Plan concurrent with the county conservation district's review of the Erosion and Sediment Control Plan. The Department will make a permit decision within 66-calendar days of receipt of an administratively complete application.

Initiative 3: Development of New General Permits (GPs) and Clarification of Existing General Permits

The Department currently provides an NPDES General Permit (PAG-2) that can be used for most construction activities that require authorization under either Phase I or II. Some activities that are not eligible for coverage under the general permit include: (1) activities in special protection watersheds; (2) activities prohibited from coverage under 25 Pa Code Chapter 92 (relating to national pollutant discharge elimination system permitting, monitoring and compliance); and (3) activities otherwise listed in the PAG-2 General Permit as ineligible.

In addition to the availability of PAG-2, the Department will develop additional NPDES GPs for use in nonspecial protection water or clarify existing NPDES GPs. The Department is interested in comments regarding the types of GPs that may be necessary and useful.

Initiative 4: Third-Party Service Providers—Development of a Solicitation for Engineering Services (SFES)

The Department is required under the applicable statutes, regulations, case law and the program delegation from the Environmental Protection Agency to undertake a substantive review of applications submitted and to make an independent judgment as to the adequacy of those applications under the law. Retention of this review and ultimate decision-making authority is also critical to the Department's ability to respond to legal challenges to its decisions.

Under this initiative, the Department will solicit proposals from consultants, including conservation districts, to assist applicants in preparing NPDES Stormwater permit applications or facilitating the application development process. From this solicitation, the Department will authorize third-party service providers that demonstrate experience and ability to perform these services. These services will be available to applicants either directly or through conservation districts. Applications that reflect the full benefits of these services will qualify for expedited NPDES permit reviews by the Department.

Third-party service providers must meet minimum qualifications. Payments for services will be made by applications seeking the third-party services directly to the conservation district or third-party service provider. Payments will be based on an hourly fee schedule submitted with the service provider proposal and approved by the Department. Conservation districts may charge a plan review surcharge fee, above their normal plan review fee, to applicants who choose to use either of the third-party service provider services to offset the costs of the services and ensure an expedited review process.

The Department will accept comments to improve NPDES Post-Construction Stormwater Management Permitting, including suggestions in addition to the initiatives summarized in this notice, until December 4, 2006. Written comments should be sent to Ken Murin, Chief, Division of Waterways, Wetlands and Stormwater Management, P. O. Box 8775, Harrisburg, PA 17105-8775; ep-stormwaterinitiative@state.pa.us. Comments received will be used by the Department to finalize implementation strategies to improve NPDES Post-Construction Stormwater Management Permitting. A notice concerning the finalization of these strategies, including a schedule for implementation, will be published in a future edition of the *Pennsylvania Bulletin*.

A White Paper, describing in detail the initiatives summarized in this notice, is available for public review. Copies of the White Paper may be obtained by contacting Claudia Merwin, Bureau of Watershed Management, at (717) 787-6827, cmerwin@state.pa.us. Persons with a disability may obtain this document by contacting the AT&T Relay Service at (800) 654-5984 (TDD Users) or (800) 654-5988 (voice users). The White Paper is also available on the Department's website at www.depweb.state.pa.us (DEP Keywords: Stormwater).

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-2160. Filed for public inspection November 3, 2006, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Issuance of RFP for Publication of the *Pennsylvania Code*, *Pennsylvania Code Reporter* and *Pennsylvania Bulletin*

The Department of General Services has issued a Request For Proposal (RFP) for the publication of the *Pennsylvania Code*, the *Pennsylvania Code Reporter* and

the *Pennsylvania Bulletin*. The RFP is available on the Department's website at www.dgs.state.pa.us.

JAMES P. CREEDON,
Secretary

[Pa.B. Doc. No. 06-2161. Filed for public inspection November 3, 2006, 9:00 a.m.]

Real Estate for Sale Allegheny County

The Department of General Services (Department) will accept bids for the purchase of 0.16 acre of land and residence located at 3561 Shadeland Avenue, Pittsburgh, Allegheny County. Bids are due November 13, 2006. Interested parties wishing to receive a copy of Solicitation No. 94033 should view the Department's website at www.dgs.state.pa.us or call Lisa Kettering at (717) 787-1321.

JAMES P. CREEDON,
Secretary

[Pa.B. Doc. No. 06-2162. Filed for public inspection November 3, 2006, 9:00 a.m.]

Real Estate for Sale Union County

The Department of General Services (Department) will accept bids for the purchase of 1.8 acres of land and residence located at 18250 Old Turnpike Road, State Route 45, Hartley Township, Union County. Bids are due January 18, 2007. Interested parties wishing to receive a copy of Solicitation No. 94036 should view the Department's website at www.dgs.state.pa.us or call Victor Piro at (717) 787-5546.

JAMES P. CREEDON,
Secretary

[Pa.B. Doc. No. 06-2163. Filed for public inspection November 3, 2006, 9:00 a.m.]

DEPARTMENT OF HEALTH

Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee; Public Meeting

The Statewide HIV Community Prevention Planning Committee, established by the Department of Health (Department) under sections 301(a) and 317(b) of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247(b)), will hold a public meeting on Wednesday, November 15, 2006, from 9 a.m. to 4 p.m. at the Harrisburg Holiday Inn West, 5401 Carlisle Pike, Mechanicsburg, PA 17050.

For additional information, contact Kenneth McGarvey, Department of Health, Bureau of Communicable Diseases, Room 1010 Health and Welfare Building, Harrisburg, PA 17120, (717) 783-0572.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should also contact Kenneth

McGarvey at the previous number or at V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

The Department reserves the right to cancel this meeting without prior notice.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-2164. Filed for public inspection November 3, 2006, 9:00 a.m.]

Infant Hearing Screening Advisory Committee Meeting

The Infant Hearing Screening Advisory Committee, established under the Infant Hearing Education, Assessment, Reporting and Referral Act (11 P. S. §§ 876-1—876-9), will hold a public meeting on Friday, December 8, 2006, from 9:30 a.m. to 2:30 p.m. in the 125N, Training Room A, Commonwealth Keystone Building, Commonwealth Avenue and Forster Streets, Harrisburg, PA.

For additional information, contact Arthur A. Florio, Public Health Program Administrator, Newborn Hearing Screening Program, Division of Newborn Disease Prevention and Identification at (717) 783-8143.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact the Newborn Hearing Screening Program at (717) 783-8143 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-2165. Filed for public inspection November 3, 2006, 9:00 a.m.]

Integrated Human Immunodeficiency Virus (HIV) Integrated Council; Public Meeting

The Statewide Integrated HIV Planning Council, established by the Department of Health under sections 301(a) and 317(b) of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247(b)), will hold a public meeting on Tuesday, November 14, 2006, from 10:30 a.m. to 3 p.m. at the Harrisburg Holiday Inn West, 5401 Carlisle Pike, Mechanicsburg, PA 17050.

For additional information, contact Joseph Pease, Department of Health, Bureau of Communicable Diseases, Room 1010 Health and Welfare Building, Harrisburg, PA 17120 (717) 783-0572.

Persons with a disability who desire to attend the meeting and require an auxiliary aid service or other accommodation to do so should also contact Joseph Pease at the previous number or at V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

The Department reserves the right to cancel this meeting without prior notice.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-2166. Filed for public inspection November 3, 2006, 9:00 a.m.]

Requests for Exception; Long-Term Care Nursing Facilities

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.17 (relating to location).

Sunbury Community Hospital Skilled Nursing Facility
350 North Eleventh Street
P. O. Box 737
Sunbury, PA 17801-0737
FAC ID 450302

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of the building).

Green Acres
595 Biglerville Road
Gettysburg, PA 17325
FAC ID 071702

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.24(a) (relating to dining room).

Stapeley In Germantown
6300 Greene Street
Philadelphia, PA 19144

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.28(b) (relating to nurses' station).

Jameson Memorial Hospital Transitional Care Unit
1211 Wilmington Avenue
New Castle, PA 16105

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 211.12(b) (relating to nursing services).

Skilled Nursing Unit, Armstrong County Memorial Hospital
One Nolte Drive
Kittanning, PA 16201

Mercy Jeannette Hospital Skilled Nursing Center
600 Jefferson Avenue
Jeannette, PA 15644
FAC ID 100302

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@state.pa.us

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aide, service or other accommodation to do so should contact V/TT: (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-2167. Filed for public inspection November 3, 2006, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Finding Mercer County

Under section 2002(b) of The Administrative Code of 1929 (71 P. S. § 512(b)), the Deputy Secretary for Highway Administration as delegated by the Secretary of Transportation makes the following written finding:

The Federal Highway Administration and the Department of Transportation are planning to replace the State Street Bridge, which carries SR 0718 over the Shenango River in the City of Sharon, Mercer County.

The bridge is a contributing element to the Downtown Sharon Historic District, which is eligible for listing on the National Register of Historic Places. Therefore, the bridge qualifies as a Section 4(f)/Section 2002 resource.

Based upon studies, there is no feasible and prudent alternative to the proposed action. Mitigation measures will be taken to minimize harm as stipulated in the CEE, the Nationwide/Programmatic Section 4(f)/Section 2002 Evaluation (Net Benefit) checklist and the associated Memorandum of Agreement.

The environmental, economic, social and other effects of the proposed project as enumerated in section 2002 of The Administrative Code of 1929 have been considered. It has been concluded that there is no feasible and prudent alternative to the project as designed, and all reasonable steps have been taken to minimize the effects.

RICHARD H. HOGG, P. E.,
*Deputy Secretary for
Highway Administration*

[Pa.B. Doc. No. 06-2168. Filed for public inspection November 3, 2006, 9:00 a.m.]

2007 Disadvantaged Business Enterprise Methodology and Goal for Federal Highway Administration Funded Contracts

Under the authority contained in the Transportation Act for the 21st Century, act of June 9, 1998, Pub. L. No 105-178, 112 Stat. 113 (23 U.S.C.A. § 101), and in keeping with the requirements of 49 CFR Part 26 (relating to participation by disadvantaged business enterprises in Department of Transportation financial assistance programs), the Department of Transportation (Department) provided public notice at 36 Pa.B. 4801 (July 29, 2006) of its proposed 2007 overall goal for

participation by Disadvantaged Business Enterprises (DBEs) in its Federally assisted contracts.

In accordance with the public participation requirement of 49 CFR 26.45 (relating to how do recipients set overall goals), the Department completed the 45 day comment period regarding its methodology and goal. Based on public comment and the use of the most current data available, the Department made minor changes to the methodology and goal calculations. The methodology reflects an overall goal of 9.49% (5.37% race conscious and 4.12% race neutral) for DBE participation in Department contracts with Federal highway funds. The methodology and goal may be viewed online at pasdc.hbg.psu.edu/pasdc/dot/ or by contacting the Bureau of Equal Opportunity, Commonwealth Keystone Building, 5th Floor, 400 North Street, Harrisburg, PA 17120, (717) 787-5891 or (800) 468-4201.

ALLEN D. BIEHLER, P. E.
Secretary

[Pa.B. Doc. No. 06-2169. Filed for public inspection November 3, 2006, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Brady Township v. DEP; EHB Doc. No. 2006-220-MG

Brady Township has appealed the issuance by the Department of Environmental Protection of an NPDES permit to Brady Township for a facility in Brady Township, Lycoming County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457 and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

MICHAEL L. KRANCER,
Chairperson

[Pa.B. Doc. No. 06-2170. Filed for public inspection November 3, 2006, 9:00 a.m.]

West Penn Power Company v. DEP; EHB Doc. No. 2006-227-L

West Penn Power Company has appealed the issuance by the Department of Environmental Protection of NPDES permit to same for a facility in Frazer Township, Allegheny County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Environmental Hearing Board (Board) through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention. Copies of the Board's rules of practice and procedure are available upon request from the Board.

MICHAEL L. KRANCER,
Chairperson

[Pa.B. Doc. No. 06-2171. Filed for public inspection November 3, 2006, 9:00 a.m.]

ENVIRONMENTAL QUALITY BOARD

Environmental Quality Board Meeting Cancellation

The November 21, 2006, meeting of the Environmental Quality Board (Board) is cancelled. The next meeting of the Board is scheduled for Tuesday, December 19, 2006, at 9 a.m. in Room 105 of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. An agenda and meeting materials for the December 19, 2006, meeting will be available on the Department of Environmental Protection's website at www.depweb.state.pa.us (DEP Keywords: EQB).

Questions concerning the Board's next scheduled meeting may be directed to Natasha Harley at (717) 783-8727, nharley@state.pa.us.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-2172. Filed for public inspection November 3, 2006, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meeting Scheduled

The Health Care Cost Containment Council has scheduled the following meetings: Wednesday, November 8, 2006, Data Systems Committee meeting—10 a.m., Education Committee meeting—1 p.m.; Thursday, November 9, 2006, Council meeting—10 a.m. The meetings will be held in the conference room at the Council Office, 225 Market Street, Suite 400, Harrisburg, PA 17101. The public is invited to attend. Persons who need accommodation due to a disability and want to attend the meetings should contact Cherie Elias, Health Care Cost Containment

Council, 225 Market Street, Harrisburg, PA 17101 or call (717) 232-6787 at least 24 hours in advance so that arrangements can be made.

MARC P. VOLAVKA,
Executive Director

[Pa.B. Doc. No. 06-2173. Filed for public inspection November 3, 2006, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10:30 a.m., Thursday, October 19, 2006, and announced the following:

Regulation Deemed Approved under section 5(g) of the Regulatory Review Act—Effective October 18, 2006

State Board of Cosmetology #16A-4513: Removal of the Term "Manager (amends 49 Pa. Code Chapter 7)

Action Taken—Regulations Approved

Liquor Control Board #54-61: Revisions to Codify Practices and Procedures Resulting from Legislative Amendments (amends 40 Pa. Code Chapters 5, 11, 13 and 17)

Department of Public Welfare #14-488: Medical Assistance Provider Appeal Procedure (adds 55 Pa. Code Chapter 41)

State Board of Social Workers, Marriage and Family Therapists and Professional Counselors #16A-6910: Child Abuse Reporting Requirements (amends 49 Pa. Code § 47.52 and adds §§ 48.51—48.57 and 49.51—49.57)

State Board of Osteopathic Medicine #16A-5317: Respiratory Therapists (amends 49 Pa. Code Chapter 25)

State Board of Medicine #16A-4916: Physician Assistants (amends 49 Pa. Code Chapters 16 and 18)

Approval Order

Public Meeting held
October 19, 2006

Commissioners Voting: Alvin C. Bush, Chairperson; David M. Barasch, Esq.; Arthur Coccodrilli; David J. DeVries, Esq.

Liquor Control Board—Revisions to Codify Practices and Procedures Resulting from Legislative Amendments; Regulation No. 54-61

On March 17, 2005, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania Liquor Control Board (Board). This rulemaking amends 40 Pa. Code Chapters 5, 11, 13 and 17. The proposed regulation was published in the April 9, 2005 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on September 8, 2006.

This regulation contains a varied group of amendments including supervision of minors in licensed premises that primarily serve food; prohibition of minors from purchasing or redeeming the Board's gift cards; requirements for Board participation in wine events; practices regarding point-of-sale incentive programs for malt or brewed beverage

ages; and the procedure for intervention by interested parties where a municipality has requested leave to enforce its own noise ordinance in lieu of the Board's regulations on amplified music.

We have determined this regulation is consistent with the statutory authority of the Board (47 P. S. § 2-207(i)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission

This regulation is approved.

Approval Order

Public Meeting held
October 19, 2006

Commissioners Voting: Alvin C. Bush, Chairperson; David M. Barasch, Esq.; Arthur Coccodrilli; David J. DeVries, Esq.

Department of Public Welfare—Medical Assistance Provider Appeal Procedure; Regulation No. 14-488

On August 4, 2004, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Public Welfare (Department). This rulemaking adds 55 Pa. Code Chapter 41. The proposed regulation was published in the August 14, 2004 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on September 13, 2006.

This regulation implements Act 142 of 2002 by creating a new chapter that establishes the procedures, rules and standards for the Medical Assistance provider appeal process.

We have determined this regulation is consistent with the statutory authority of the Department (67 Pa.C.S.A. § 1106) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission

This regulation is approved.

Approval Order

Public Meeting held
October 19, 2006

Commissioners Voting: Alvin C. Bush, Chairperson; David M. Barasch, Esq.; Arthur Coccodrilli; David J. DeVries, Esq.

State Board of Social Workers, Marriage and Family Therapists and Professional Counselors—Child Abuse Reporting Requirements; Regulation No. 16A-6910

On September 26, 2005, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Social Workers, Marriage and Family Therapists and Professional Counselors (Board). This rulemaking amends 49 Pa. Code § 47.52 and adds §§ 48.51—48.57 and 49.51—49.57. The proposed regulation was published in the October 8, 2005 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on September 15, 2006.

This regulation establishes child abuse reporting requirements for marriage and family therapists and professional counselors.

We have determined this regulation is consistent with the statutory authority of the Board (23 Pa.C.S.A. § 6383(b)(2) and 63 P. S. § 1906(2)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission

This regulation is approved.

Approval Order

Public Meeting held
October 19, 2006

Commissioners Voting: Alvin C. Bush, Chairperson; David M. Barasch, Esq.; Arthur Coccodrilli; David J. DeVries, Esq.

State Board of Osteopathic Medicine—Respiratory Therapists Regulation No. 16A-5317

On September 26, 2005, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Osteopathic Medicine (Board). This rulemaking amends 49 Pa. Code Chapter 25. The proposed regulation was published in the October 8, 2005 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on September 15, 2006.

This final-form regulation implements the provisions of Act 56 of 2004, which requires the Board to institute continuing education requirements for certified respiratory therapists.

We have determined this regulation is consistent with the statutory authority of the Board (63 P. S. § 271.10b(f)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission

This regulation is approved.

Approval Order

Public Meeting held
October 19, 2006

Commissioners Voting: Alvin C. Bush, Chairperson; David M. Barasch, Esq.; Arthur Coccodrilli; David J. DeVries, Esq.

State Board of Medicine—Physician Assistants Regulation No. 16A-4916

On October 26, 2005, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Medicine (Board). This rulemaking amends 49 Pa. Code Chapters 16 and 18. The proposed regulation was published in the November 5, 2005 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on September 15, 2006.

This regulation reduces restrictions in existing regulations governing the relationship between physician assistants and supervising physicians.

We have determined this regulation is consistent with the statutory authority of the Board (63 P. S. § 422.13) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission

This regulation is approved.

ALVIN C. BUSH,
Chairperson

[Pa.B. Doc. No. 06-2174. Filed for public inspection November 3, 2006, 9:00 a.m.]

Notice of Comment Issued

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg No.</i>	<i>Agency/Title</i>	<i>Close of the Comment Period</i>	<i>IRRC Comments Issued</i>
31-6	State Employees' Retirement Board Appeal Board 36 Pa.B. 4732 (August 26, 2006)	9/25/06	10/25/06

**State Employees' Retirement Board Regulation
#31-6
(IRRC #2558)**

**Appeal Period
October 25, 2006**

We submit for your consideration the following comments on the proposed rulemaking published in the August 26, 2006 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P. S. § 745.5a(a)) directs the State Employees' Retirement Board (SERB) to respond to all comments received from us or any other source.

1. Section 250.2. Appeal Period from decisions of administrative staff.—Clarity. This section states: "Decisions of administrative staff under authority delegated by the [State Employees' Retirement] Board may be appealed to the Board by filing a formal appeal within 30 days after service of notice of the administrative decision . . ." The General Rules of Administrative Practice and Procedure provides for only a 10-day appeal period (1 Pa. Code § 35.20). In order to reduce the likelihood of confusion and also to provide consistency with the format

in Subchapter B, the SERB should include a paragraph (b) which clarifies that this section supersedes 1 Pa. Code § 35.20.

ALVIN C. BUSH,
Chairperson

[Pa.B. Doc. No. 06-2175. Filed for public inspection November 3, 2006, 9:00 a.m.]

Notice of Filing of Final Rulemaking

[Correction]

The Independent Regulatory Review Commission (Commission) received the following regulation. It is scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market St., 14th Floor, in Harrisburg at 10:30 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, IRRC will provide a copy. This schedule is tentative. Contact the Commission at (717) 783-5417 or check the Commission's website at www.irrc.state.pa.us for updates.

CORRECTED DATES

Final-Omit

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
15-440	Department of Revenue Organ and Bone Marrow Donor Tax Credit	10/18/06	11/16/06

ALVIN C. BUSH,
Chairperson

[Pa.B. Doc. No. 06-2176. Filed for public inspection November 3, 2006, 9:00 a.m.]

Notice of Filing of Final Rulemaking

The Independent Regulatory Review Commission (Commission) received the following regulation. It is scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market St., 14th Floor, in Harrisburg at 10:30 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, IRRC will provide a copy. This schedule is tentative. Contact the Commission at (717) 783-5417 or check the Commission's website at www.irrc.state.pa.us for updates.

Final-Omit

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
12-75	Department of Labor and Industry Training and Certification Requirements for Code Administrators Administration; Elevators and Other Lifting Devices	10/20/06	11/30/06

ALVIN C. BUSH,
Chairperson

[Pa.B. Doc. No. 06-2177. Filed for public inspection November 3, 2006, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws; Daily Underwriters of America, Inc.; Doc. No. SC06-10-021

Notice is given of the Order to Show Cause issued on October 23, 2006, by the Deputy Insurance Commissioner in the previously referenced matter. Violation of the following is alleged: 40 P.S. §§ 991.1401, 991.1404, 991.1406, 991.1407 and 991.1410 and 31 Pa. Code Chapter 25 (relating to rules and procedural requirements for insurance holding company systems).

Respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), 1 Pa. Code Part I (relating to the General Rules of Administrative Practice and Procedure), 31 Pa. Code Chapter 56 (relating to special rules of administrative practice and procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102.

Persons with a disability who wish to attend the previously referenced administrative hearing, and require an auxiliary aid, service or other accommodation to participate in the hearing, please contact Kathy Culbertson, Agency ADA Coordinator at (717) 787-4298.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-2178. Filed for public inspection November 3, 2006, 9:00 a.m.]

Application for Voluntary Surrender of Certificate of Authority

Ion Health, Inc., a domestic health maintenance organization, has submitted an application for approval to surrender its Insurance Department Certificate of Authority. Persons wishing to comment on the grounds of public or private interest concerning the surrender are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the writer, identification of the application to which the comment is addressed and a concise statement with sufficient detail to inform the Department of the exact basis of the comment and the relevant facts upon which it is based. Written statements should be directed to Robert Brackbill, Chief, Company Licensing Division, Room 1311 Strawberry Square, Harrisburg, PA 17120, by fax to (717) 787-8557, rbrackbill@state.pa.us.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-2179. Filed for public inspection November 3, 2006, 9:00 a.m.]

Geisinger Health Plan; Large Group Base Rate Filing

On October 19, 2006, the Insurance Department received from Geisinger Health Plan a filing requesting to increase the large group (groups with 100 or more employees) rates by 6.7%. With this filing, Geisinger is introducing separate large and small group rating pools.

The proposed effective date is April 1, 2007. The filing will impact approximately 78,441 members and generate additional revenue of \$14,724,853 annually.

Unless formal administrative action is taken prior to January 17, 2006, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's website at www.ins.state.pa.us. Under the Quick Links section, click on the link "Rate Filings Published in the PA Bulletin."

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Insurance Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to Cherri Sanders-Jones, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, csandersjo@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-2180. Filed for public inspection November 3, 2006, 9:00 a.m.]

Geisinger Health Plan; Small Group Base Rate Filing

On October 19, 2006, the Insurance Department received from Geisinger Health Plan a filing requesting to increase the small group (groups with less than 100 employees) rates by 6%.

The proposed effective date is April 1, 2007. The filing will impact approximately 40,626 members and generate additional revenue of \$6,861,584 annually.

Unless formal administrative action is taken prior to January 17, 2006, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's website at www.ins.state.pa.us. Under the Quick Links section, click on the link "Rate Filings Published in the PA Bulletin."

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Insurance Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to Cherri Sanders-Jones, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square,

Harrisburg, PA 17120, csandersjo@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

M. DIANE KOKEN,
Insurance Commissioner

[Pa.B. Doc. No. 06-2181. Filed for public inspection November 3, 2006, 9:00 a.m.]

Medical Care Availability and Reduction of Error Fund; Notice of and Amount of Assessment Action; Notice No. 2006-10

[Correction]

The Insurance Department (Department), Medical Care Availability and Reduction of Error Fund, by Peter J. Adams, Deputy Insurance Commissioner, under section 712 of the Medical Care Availability and Reduction of Error (MCARE) Act (act) (40 P.S. § 1303.712), has determined that the annual assessment to be levied for calendar year 2007 shall be 23% applied to the prevailing primary premium for each participating health care provider.

The act defines "prevailing primary premium" as the schedule of occurrence rates approved by the Insurance Commissioner for the Joint Underwriting Association (JUA). For purposes of the 2007 annual assessment, the rates shall be those currently approved for use by the JUA.

Participating health care providers having approved self-insurance plans shall be assessed an amount equal to the assessment imposed on a participating health care provider of like class, size, risk and kind as determined by the Department.

This action is subject to 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure).

PETER J. ADAMS,
Deputy Insurance Commissioner

[Pa.B. Doc. No. 06-06-2134. Filed for public inspection October 27, 2006, 9:00 a.m.]

FISH AND BOAT COMMISSION

Walnut Creek Marina, Erie County

Notice is hereby given that under § 53.12a(1) (relating to access areas and marinas), the Fish and Boat Commission has increased the fee for seasonal slips at the Walnut Creek Marina, Erie County, from \$575 to \$725, effective January 1, 2007.

DOUGLAS J. AUSTEN, Ph.D.,
Executive Director

[Pa.B. Doc. No. 06-2182. Filed for public inspection November 3, 2006, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by November 27, 2006. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under the application.

A-00123222. KC Limousines, LLC (960 Broad Street, Washington, Washington County, PA 15301) a limited liability company of this Commonwealth—persons in limousine service, between points in Pennsylvania, including service between points in Allegheny County, which is to be a transfer of all the rights authorized under the certificate issued at A-00110720, F.2 to Jack M. Pavella, t/a Jack Pavella's Lamplighter Limousine Service, subject to the same limitations and conditions.

Complaint

Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. BSPTWMHM, Inc.; Doc. No. A-00116039C0601

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That BSPTWMHM, Inc., respondent, maintains a principal place of business at 207 West Sheldon Street, Philadelphia, PA 19120.
2. That respondent was issued a Certificate of Public Convenience by this Commission on September 21, 1999, at Application Docket No. A-00116039.
3. That respondent has failed to maintain evidence of bodily injury and property damage liability insurance on file with this Commission.

4. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission issue a Secretarial Letter which (1) cancels the Certificate of Public Convenience held by respondent at Docket No. A-00116039, for failure to maintain evidence of current insurance on file with the Commission, (2) orders such other remedy as the Commission may deem to be appropriate, which may include a fine and the suspension of a vehicle registration and (3) imposes an additional fine on the respondent.

Respectfully submitted,

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services & Enforcement Division
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Wendy J. Keezel, Chief of Enforcement for the Motor Carrier Services and Enforcement Division of the Bureau of Transportation and Safety, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____
Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services and Enforcement Division
Bureau of Transportation and Safety

NOTICE

A. You must file an answer within twenty days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this complaint and notice, 52 Pa. Code § 1.56(a). The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your answer must be verified and the original and three copies sent to:

James J. McNulty, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this complaint within twenty days of the date of service, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty. Pursuant to 66 Pa.C.S. § 3301(a), the penalty could include a fine of up to \$1,000 for each violation, the revocation of your Certificate of Public Convenience, Contract Carrier Permit, or Brokerage license, or any other remedy as may be appropriate. Each day you continue to violate any regulation, direction, requirement, determination or order of the Commission is a separate and distinct offense, subject to additional penalties.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations within twenty days of the date of service of this Complaint. The proof of insurance must be filed with the Secretary of the Commission at the address set forth in Paragraph A. Upon receipt of the evidence of insurance from your insurer, the complaint proceeding shall be closed. Acord certificates of insurance are unacceptable as evidence of insurance.

D. If you file an answer which either admits or fails to deny the allegations of the complaint, the Bureau of Transportation and Safety will request that the Commission enter an order imposing a penalty (see Paragraph B). Should the Commission cancel your Certificate of Public Convenience, it may also impose an additional fine of up to \$1,000.

E. If you file an answer which contests the complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional penalty set forth in Paragraph B.

F. Alternative formats of this material are available, for persons with disabilities, by contacting the Insurance/Filing Unit at (717) 783-5933.

Complaint

Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. Brian Kerrigan & Joseph McGoff, t/a Northeastern Pennsylvania Courier; Doc. No. A-00117304C0601

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Brian Kerrigan & Joseph McGoff, t/a Northeastern Pennsylvania Courier Services, respondent, maintains a principal place of business at 526 Emmett Street, Scranton, Lackawanna County, PA 18505.

2. That respondent was issued a Certificate of Public Convenience by this Commission on January 17, 2001, at Application Docket No. A-00117304, F.2.

3. That respondent has failed to maintain evidence of cargo liability insurance and bodily injury and property damage liability insurance on file with this Commission.

4. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission issue a Secretarial Letter which (1) cancels the Certificate of Public

Convenience held by respondent at Docket No. A-00117304, for failure to maintain evidence of current insurance on file with the Commission, (2) orders such other remedy as the Commission may deem to be appropriate, which may include a fine and the suspension of a vehicle registration and (3) imposes an additional fine on the respondent.

Respectfully submitted,

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services & Enforcement Division
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Wendy J. Keezel, Chief of Enforcement for the Motor Carrier Services and Enforcement Division of the Bureau of Transportation and Safety, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services and Enforcement Division
Bureau of Transportation and Safety

NOTICE

B. You must file an answer within twenty days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this complaint and notice, 52 Pa. Code § 1.56(a). The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your answer must be verified and the original and three copies sent to:

James J. McNulty, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

C. If you fail to answer this complaint within twenty days of the date of service, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty. Pursuant to 66 Pa.C.S. § 3301(a), the penalty could include a fine of up to \$1,000 for each violation, the revocation of your Certificate of Public Convenience, Contract Carrier Permit, or Brokerage license, or any other remedy as may be appropriate. Each day you continue to violate any regulation, direction, requirement, determination or order of the Commission is a separate and distinct offense, subject to additional penalties.

G. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations within twenty days of the date of service of this Complaint. The proof of insurance must be filed with the Secretary of the Commission at the address set forth in Paragraph A. Upon receipt of the evidence of insurance from your insurer, the complaint proceeding shall be closed. Acord certificates of insurance are unacceptable as evidence of insurance.

H. If you file an answer which either admits or fails to deny the allegations of the complaint, the Bureau of Transportation and Safety will request that the Commission enter an order imposing a penalty (see Paragraph B). Should the Commission cancel your Certificate of Public Convenience, it may also impose an additional fine of up to \$1,000.

I. If you file an answer which contests the complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional penalty set forth in Paragraph B.

J. Alternative formats of this material are available, for persons with disabilities, by contacting the Insurance/Filing Unit at (717) 783-5933.

Complaint

Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. Explorer Cartage, Inc.;
Doc. No. A-00119200C0601

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Explorer Cartage, Inc., respondent, maintains a principal place of business at 2 Woodland Road, 2nd Floor, Wyomissing, Berks County, PA 19610-1934.
2. That respondent was issued a Certificate of Public Convenience by this Commission on November 5, 2002, at Application Docket No. A-00119200.
3. That respondent has failed to maintain evidence of bodily injury and property damage liability insurance on file with this Commission.
4. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission issue a Secretarial Letter which (1) cancels the Certificate of Public Convenience held by respondent at Docket No. A-00119200, for failure to maintain evidence of current insurance on file with the Commission, (2) orders such other remedy as the Commission may deem to be appropriate, which may include a fine and the suspension of a vehicle registration and (3) imposes an additional fine on the respondent.

Respectfully submitted,

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services & Enforcement Division
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Wendy J. Keezel, Chief of Enforcement for the Motor Carrier Services and Enforcement Division of the Bureau of Transportation and Safety, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services and Enforcement Division
Bureau of Transportation and Safety

NOTICE

C. You must file an answer within twenty days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this complaint and notice, 52 Pa. Code § 1.56(a). The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your answer must be verified and the original and three copies sent to:

James J. McNulty, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

D. If you fail to answer this complaint within twenty days of the date of service, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty. Pursuant to 66 Pa.C.S. § 3301(a), the penalty could include a fine of up to \$1,000 for each violation, the revocation of your Certificate of Public Convenience, Contract Carrier Permit, or Brokerage license, or any other remedy as may be appropriate. Each day you continue to violate any regulation, direction, requirement, determination or order of the Commission is a separate and distinct offense, subject to additional penalties.

K. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations within twenty days of the date of service of this Complaint. The proof of insurance must be filed with the Secretary of the Commission at the address set forth in Paragraph A. Upon receipt of the evidence of insurance from your insurer, the complaint proceeding shall be closed. Acord Certificates Of Insurance Are Unacceptable As Evidence Of Insurance.

L. If you file an answer which either admits or fails to deny the allegations of the complaint, the Bureau of Transportation and Safety will request that the Commission enter an order imposing a penalty (see Paragraph B). Should the Commission cancel your Certificate of Public Convenience, it may also impose an additional fine of up to \$1,000.

M. If you file an answer which contests the complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional penalty set forth in Paragraph B.

N. Alternative formats of this material are available, for persons with disabilities, by contacting the Insurance/Filing Unit at (717) 783-5933.

Complaint

Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. Donald E. Bailey, 957 Twin Leaf Ct., Bethel Park, PA 15102; Doc. No. C-20066925

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Donald E. Bailey, respondent, maintains his principal place of business at 957 Twin Leaf Court, Bethel Park, Pennsylvania 15102.

2. That on the dates of the violations alleged in this complaint, respondent did not hold a certificate of public convenience issued by this Commission.

3. That respondent transported NEP Supershooters, LP (NEP) passengers, as evidenced by NEP's billing statements from Mr. Bailey. Specifically, Mr. Bailey provided transportation from August 1, 2005 to November 30, 2005, between points in Pennsylvania for compensation ranging from \$62.50 to \$225 per trip. The billing statement indicated that Mr. Bailey had 364 trips on 115 different days over a four month period, for a total of \$23,275.50.

4. That respondent held out to provide transportation from January 1, 2006 through February 27, 2006, on ninety-three (93) occasions, by taking advanced reservations for limousine service.

5. That on January 24, 2006, respondent held out to provide transportation by facsimile, to be PUC licensed using Marco Tralongo, t/a Quality Limousine Service, Docket Number at A-00120953, without permission.

6. That respondent, in performing the acts described in Paragraphs 3, 4 and 5 of this complaint, violated the Public Utility Code, 66 Pa.C.S. § 1101, in that respondent held out, and transported, persons for compensation between points in the Commonwealth of Pennsylvania while not then holding a certificate of public convenience issued by this Commission. The penalty is \$10,000.00. Further violations may result in possible criminal prosecution with penalties up to \$10,000.00 and one year in prison.

Wherefore, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission fine Donald E. Bailey, the sum of ten thousand dollars (\$10,000.00) for the illegal activity described in this complaint and order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services & Enforcement Division
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Wendy J. Keezel, Chief of Enforcement for the Motor Carrier Services and Enforcement Division of the Bureau of Transportation and Safety, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services and Enforcement Division
Bureau of Transportation and Safety

NOTICE

A. You must file an answer within twenty (20) days of the date of service of this complaint. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this complaint and notice, 52 Pa. Code § 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this complaint. Your answer must be verified and the original and three (3) copies sent to:

James J. McNulty, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Transportation and Safety will request that the Commission issue an Order imposing a penalty.

C. You may elect not to contest this complaint by paying the fine proposed in this complaint by certified check or money order. Payment must be made to the Commonwealth of Pennsylvania and should be forwarded to: James J. McNulty, Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of your payment, the complaint proceeding shall be closed. In such case, to prevent the suspension of your vehicle registration(s), you must file an application with the Bureau of Transportation and Safety, P. O. Box 3265, Harrisburg, PA 17105-3265. If no application is received within the twenty (20) day time period, the Bureau of Transportation will proceed with the request for suspension of your vehicle registration(s). Your response should be directed to the Compliance Office, Bureau of Transportation and Safety, P. O. Box 3265, Harrisburg, Pennsylvania 17105-3265.

D. If you file an answer which admits or fails to deny the allegations of the complaint, the Bureau of Transportation and Safety will request that the Commission issue an order imposing a penalty.

E. If you file an answer which contests the complaint, the matter will be assigned to an administrative law judge for hearing and decision. The judge is not bound by the optional fine above.

F. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at (717) 787-1227.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-2183. Filed for public inspection November 3, 2006, 9:00 a.m.]

Telecommunications

A-311317F7000. Verizon Pennsylvania, Inc. and NEON Connect, Inc. Joint petition of Verizon Pennsylvania, Inc. and NEON Connect, Inc. for approval of an interconnection agreement under section 252(e) of The Telecommunications Act of 1996.

Verizon Pennsylvania, Inc. and NEON Connect, Inc., by its counsel, filed on October 17, 2006, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania, Inc. and NEON Connect, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-2184. Filed for public inspection November 3, 2006, 9:00 a.m.]

Telecommunications

A-310325F7000. Verizon Pennsylvania, Inc. and Windstream Communications, Inc. Joint petition of Verizon Pennsylvania, Inc. and Windstream Communications, Inc. for approval of adoption of an interconnection agreement under section 252(i) of the Telecommunications Act of 1996.

Verizon Pennsylvania, Inc. and Windstream Communications, Inc., by its counsel, filed on October 18, 2006, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of adoption of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania, Inc. and Windstream Communications, Inc. joint petition are on file with the Commission and are available for public inspection.

Contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-2185. Filed for public inspection November 3, 2006, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project #06-164.1, Fast Acting Doors at Tioga Marine Terminal until 2 p.m. on Wednesday, November 22, 2006. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 N. Delaware Ave., 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available October 31, 2006. Additional information and project listings may be found at www.philaport.com. The cost of the bid document is \$35 (includes 7% PA Sales Tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractor must comply with all applicable equal opportunity laws and regulations. Bidders must provide to the Procurement Department in writing, the names of individuals that will be attending prebid meetings. This information is needed 24 hours prior to the meeting. Fax to (215) 426-6800, Attn: Procurement Department.

A mandatory prebid job site meeting will be held November 9, 2006, 11 a.m. at Delaware Ave. and Tioga Street (inside gate entrance), Philadelphia, PA 19134.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 06-2186. Filed for public inspection November 3, 2006, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Erik James Blair, R.N.; Doc. No. 1083-51-06

On July 6, 2006, the State Board of Nursing (Board) automatically suspended the license to practice professional nursing of Erik James Blair, license no. RN552812, of Monongahela, Washington County, based on findings he pleaded guilty to one count of possession of a controlled substance, a misdemeanor, in violation of the Controlled Substance Drug, Device and Cosmetic Act (Drug Act).

Erik James Blair was automatically suspended based on findings he pleaded guilty to one count of possession of a controlled substance, a misdemeanor, in violation of the Drug Act.

Individuals may obtain a copy of the order by writing to Carole L. Clarke, Board Counsel, State Board of Nursing, P. O. Box 2649, Harrisburg, PA 17105-2649.

This final order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of the petition for review. The Board contact for receiving service of appeals is the previously named Board counsel.

JOANNE L. SORENSEN, R.N., MS,
Chairperson

[Pa.B. Doc. No. 06-2187. Filed for public inspection November 3, 2006, 9:00 a.m.]

Bureau of Professional and Occupational Affairs v. Letty A. Love a/k/a Letty A. Burkett, R.N.; Doc. No. 1138-51-06

On September 28, 2006, Letty A. Love a/k/a Letty A. Burkett, license no. RN-542205-L, of Corsica, Jefferson County, was suspended for no less than 3 years, retroactive to July 14, 2006, based on findings that she is unable to practice nursing with reasonable skill and safety to patients by reason of addiction to alcohol or other drugs which tend to impair judgment or coordination.

Individuals may obtain a copy of the adjudication by writing to Carmen L. Rivera, Board Counsel, State Board of Nursing, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final State Board of Nursing (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court, must serve the Board with a copy of the petition for review. The Board contact for receiving service of appeals is the previously named Board counsel.

JOANNE L. SORENSEN, R. N., MS,
Chairperson

[Pa.B. Doc. No. 06-2188. Filed for public inspection November 3, 2006, 9:00 a.m.]