

NOTICES

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 9, 2002 (P. L. 1572, No. 207), known as the Credit Union Code, has taken the following action on applications received for the week ending February 14, 2006.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
1-26-06	National Penn Bancshares, Inc., Boyertown, acquired 100% of the voting shares of Nittany Financial Corp., State College, and thereby acquire indirectly, Nittany Bank, State College	Boyertown	Effective
2-6-06	Orrstown Financial Services, Inc., Shippensburg, to acquire 100% of the voting shares of The First National Bank of Newport, Newport	Shippensburg	Filed
2-10-06	Tower Bancorp, Inc., Greencastle, to acquire 100% of the voting shares of FNB Financial Corporation, McConnellsburg, and thereby acquire indirectly, The First National Bank of McConnellsburg	Greencastle	Filed

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
2-8-06	Woodlands Bank Williamsport Lycoming County	1980 West Fourth Street Williamsport Lycoming County	Approved
2-8-06	Northwest Savings Bank Warren Warren County	1055 Union Road West Seneca Buffalo Erie County, NY	Approved
2-8-06	Farmers and Merchants Trust Company of Chambersburg Chambersburg Franklin County	518 North Antrim Way Greencastle Franklin County	Approved

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-31-06	Keystone Nazareth Bank & Trust Bethlehem Northampton County	500 Route 940 Mt. Pocono Monroe County	Effective

SAVINGS INSTITUTIONS

No activity.

NOTICES

CREDIT UNIONS

Conversions

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
Revision 1-23-06	White Rose Credit Union York York County	York	Filed
2-10-06	Franklin-Oil Region Credit Union Franklin Venango County	Franklin	Effective

Application represents conversion from occupational-based credit union to a community charter with a proposed field of membership consisting of "all people who live, work, worship, attend school in, and businesses and other legal entities in York and Adams County, in the Commonwealth of Pennsylvania."

Represents conversion from an occupational-based credit union to a community charter; said conversion will be completed by filing Articles of Amendment with the Department of State (see following).

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
2-2-06	Freedom Credit Union, Philadelphia, and The Church of the Redeemer Federal Credit Union, Philadelphia Surviving Institution— Freedom Credit Union, Philadelphia	Philadelphia	Filed

Articles of Amendment

<i>Date</i>	<i>Name of Credit Union</i>	<i>Purpose</i>	<i>Action</i>
2-10-06	Franklin-Oil Region Credit Union Franklin Venango County	Amendment to Article 8 of the Articles of Incorporation provides for a change in the field of membership of said credit union to include, "All people who live, work, worship, volunteer, attend school in and business and other legal entities in Venango County, in the Commonwealth of Pennsylvania."	Effective

The Department's website at www.banking.state.pa.us includes public notices for more recently filed applications.

A. WILLIAM SCHENCK, III,
Secretary

[Pa.B. Doc. No. 06-331. Filed for public inspection February 24, 2006, 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of March 2006

The Department of Banking (Department), under the authority contained in section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), hereby determines that the maximum lawful rate of interest for residential mortgages for the month of March 2006 is 7%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. No. 96-221). Further preemption was instituted with the signing of Pub. L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which

the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the United States Treasury. The latest yield rate on long-term government securities is 4.54 to which was added 2.50 percentage points for a total of 7.04 that by law is rounded off to the nearest quarter at 7%.

A. WILLIAM SCHENCK, III,
Secretary

[Pa.B. Doc. No. 06-332. Filed for public inspection February 24, 2006, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Retention of Engineering/Construction Management Firm; Project Reference No. FDC-500-761

The Department of Conservation and Natural Resources (Department) will retain an engineering firm or construction management firm for a contract to perform construction inspection services on various projects located in State Forests and State Parks throughout this Commonwealth. The contract will include inspection of construction activities for rehabilitation and replacement of bridges, roads and drainage, dams, swimming pools, sewage and water treatment systems, marinas and buildings including associated heating, plumbing and electrical work. The contract will be for a period of 1 year with a renewal option of up to 4 additional years. It is anticipated that up to eight construction inspectors may be needed to perform the required work and services at any given time. The work will be assigned by the Department on an as needed basis.

General Requirements and Information

Firms interested in performing the required services for this project are invited to submit Letters of Interest to Eugene J. Comoss, P. E., Director, Bureau of Facility Design and Construction, Department of Conservation and Natural Resources, P. O. Box 8451, Harrisburg, PA 17105-8451. Proposals can be delivered to the office which is located on the 8th Floor, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Questions concerning the services described in this notice may be directed to Al Thomas, Chief, Division of Field Engineering at (717) 772-0650.

Each Letter of Interest must include the firm's Federal identification number and the project reference number. The proposal shall also include a description of the firm's recent construction inspection experience. The description shall include the client's contact persons and phone numbers and the actual construction cost of the work which the firm inspected. Excessive information will not be evaluated and may be cause for rejection.

A standard Department of General Services (DGS) Form 150-ASP must accompany the Letter of Interest and shall indicate the individual in charge. The Form 150-ASP is available by downloading from the DGS home page on the Internet at www.dgs.state.pa. Form 150-ASP may also be obtained in hard copy. Written requests for hard copy should be addressed to the Selections Committee, Department of General Services, Room 206, 18th and Herr Streets, Harrisburg, PA 17125. In addition, the Form 150-ASP can be obtained by e-mail at pbianchi@state.pa.us. Additional information pertinent to the firm's qualifications to do the work of this contract may be included. Direct costs other than payroll, such as travel and subsistence, shall be based on the current State rates. The Department shall reimburse miscellaneous expenses such as copies, prints, sepias, postage and film at cost upon approval.

Special Provisions Concerning Disadvantaged Businesses and Enterprise Zone Businesses for Requests for Proposals

Disadvantaged Business Information

The Commonwealth encourages participation by Small Disadvantaged Businesses as prime contractors, joint ventures, and subcontractors/suppliers and by Socially Disadvantaged Businesses as prime contractors.

Small Disadvantaged Businesses are small businesses that are owned or controlled by a majority of persons, not limited to members of minority groups, who have been deprived of the opportunity to develop and maintain a competitive position in the economy because of social disadvantages. The term includes: 1) Department of General Services, Bureau of Minority and Women Business Opportunities (BMWBO)-certified Minority Business Enterprises (MBEs) and Women Business Enterprises (WBEs) that qualify as small businesses; and 2) United States Small Business Administration (SBA)-certified Small Disadvantaged Businesses (SDBs) or 8(a) small disadvantaged business concerns.

Small businesses are businesses in the United States that are independently owned, are not dominant in their field of operation, employ no more than 100 persons and earn less than \$20 million in gross annual revenues (\$25 million in gross annual revenues for those businesses in the information technology sales or service business).

Socially disadvantaged businesses are businesses in the United States that BMWBO determines are owned or controlled by a majority of persons, not limited to members or minority groups, who are subject to racial or ethnic prejudice or cultural bias, but which do not qualify as small businesses. In order for a business to qualify as "socially disadvantaged," the offeror must include in its proposal clear and convincing evidence to establish that the business has personally suffered racial or ethnic prejudice or cultural bias stemming from the business person's color, ethnic origin or gender.

Questions regarding this Program can be directed to Department of General Services, Bureau of Minority and Women Business Opportunities, Room 611, North Office Building, Harrisburg, PA 17125, (717) 787-6708, fax (717) 772-0021, gs-bmwbo@state.pa.us.

Program information and a database of BMWBO-certified minority-owned businesses and women-owned businesses can be accessed at www.dgs.state.pa.us. Keyword: BMWBO. The Federal vendor database can be accessed at www.ccr.gov by clicking on Dynamic Small Business Search (certified companies are so indicated).

Information Concerning Small Businesses in Enterprise Zones

The Commonwealth encourages participation by small businesses whose primary headquarters facility is physically located in areas designated by the Commonwealth as Designated Enterprise Zones, as prime contractors, joint ventures and subcontractors/suppliers.

Small businesses are businesses in the United States that are independently owned, are not dominant in their field of operation, employ no more than 100 persons and earn less than \$20 million in gross annual revenues (\$25 million in gross annual revenues for those businesses in the information technology sales or service business).

There is no database or directory of small business located in Designated Enterprise Zones. Information on the location of Designated Enterprise Zones can be obtained by contacting Aldona M. Kartorie, Center for Community Building, Department of Community and Economic Development, 4th Floor, Keystone Building, 400 North Street, Harrisburg, PA 17120-0225, (717) 720-7409, fax (717) 787-4088, akartorie@state.pa.us.

Disadvantaged Businesses Information

To receive credit for being a Small Disadvantaged Business or a Socially Disadvantaged Business entering into a joint venture agreement with a Small Disadvantaged Business or subcontracting with a Small Disadvantaged Business (including purchasing supplies and/or services through a purchase agreement), a company must include proof of Disadvantaged Business qualification in the Disadvantaged Business submittal of the proposal:

a) Small Disadvantaged Businesses qualifying as a result of MBE/WBE certification from BMWBO must provide a photocopy of their BMWBO certificate.

b) Disadvantaged Businesses qualifying as a result of certification from the United States Small Business Administration as an 8(a) or Small Disadvantaged Business must submit proof of Small Business Administration Certification. The owners of such businesses must also submit proof of United States citizenship.

c) Companies claiming Small Disadvantaged Business status, whether as a result of BMWBO certification or Small Business Administration certification as an 8(a) or Small Disadvantaged Business must attest to the fact that the business has 100 or fewer employees.

d) Companies claiming Small Disadvantaged Business status, whether as a result of BMWBO certification or Small Business Administration certification as an 8(a) or Small Disadvantaged Business must submit proof that their gross annual revenues are less than \$20 million (\$25 million for those businesses in the information technology sales or service business). This can be accomplished by including a recent tax or audited financial statement.

Companies claiming status as a Socially Disadvantaged Business must include in the Disadvantaged Business submittal of the proposal clear and convincing evidence to establish that the business has personally suffered racial or ethnic prejudice or cultural bias stemming from the business person's color, ethnic origin or gender. The submitted evidence of prejudice or bias must:

a) Be rooted in treatment which the business person has experienced in American society, not in other countries.

b) Show prejudice or bias that is chronic and substantial, not fleeting or insignificant.

c) Indicate that the businessperson's experience with the racial or ethnic prejudice or cultural bias has negatively impacted on his or her entry into and/or advancement in the business world.

BMWBO shall determine whether the contractor has established that a business is socially disadvantaged by clear and convincing evidence.

In addition to these verifications, this portion of the proposal should include the following information:

- The name and telephone number of the project (contact) person for the Small Disadvantaged Businesses.

- The company name, address, telephone number of the prime contact person for each specific Small Disadvantaged Business or Socially Disadvantaged Business included in the proposal. The contractor must specify the Small Disadvantaged Businesses to which it is making commitments. The contractor will not receive credit by stating it will find a Small Disadvantaged Business after the contract is awarded or by listing several companies and stating it will select one later.

- The specific work, goods or services the Small Disadvantaged Businesses will perform or provide.

- The location where the Small Disadvantaged Businesses will perform these services.

- The timeframe for the Small Disadvantaged Businesses to provide or deliver the goods or services.

- The amount of capital, if any, the Small Disadvantaged Businesses will be expected to provide.

- The form and amount of compensation each Small Disadvantaged Business will receive. In the Disadvantaged Business submittal of the proposal, provide the estimated dollar value of the contract to each Small Disadvantaged Business.

- The percent of the total value of services or products purchased/subcontracted under the proposal that will be provided by the Small Disadvantaged Businesses.

- In the case of a joint venture agreement, a copy of the agreement, signed by all parties, must be included in the Disadvantaged Business portion of the proposal. If subcontracting, a signed subcontract or letter of intent must be included in the Disadvantaged Business portion of the proposal.

- Include in the Disadvantaged Business Submittal any and all information concerning the contractor's proposed utilization of small businesses located in Designated Enterprise Zones as required by the Enterprise Zone Small Business Utilization Response.

The Disadvantaged Business submittal of the proposal must be clearly identified as Disadvantaged Business information and sealed in an envelope separately from the remainder of the proposal. Only one copy of the Disadvantaged Business section is needed.

The dollar value of the commitment to each Small Disadvantaged Business must be sealed in the same envelope with the Disadvantaged Business submittal of the proposal. The selected contractor's Disadvantaged Business commitment amount, name of the Disadvantaged Business and services to be provided including timeframe for performing services will be included as a contractual obligation when the contract is executed.

Offerors may submit, within the same proposal envelope, alternate proposals for differing utilization of Small Disadvantaged Businesses or Socially Disadvantaged Businesses. For example, a proposal may be submitted by prime contractor with a Small Disadvantaged Business as a subcontractor while an alternate proposal may be submitted by the Small Disadvantaged Business as the prime contractor. If an alternate proposal is offered, it must include separately sealed Technical, Price and Disadvantaged Business submittals for the alternate. The alternate proposal will be scored separately. Only the higher-scored proposal (prime proposal or alternate proposal) will be eligible for participation for Best and Final Offers.

Enterprise Zone Small Business Utilization Response

To receive credit for being an enterprise zone small business or entering into a joint venture agreement with an enterprise zone small business or subcontracting with an enterprise zone small business, a company must include the following information in the Disadvantaged Business submittal of the proposal:

- Proof of the location of the business' headquarters (such as a lease or deed or Department of State corporate registration).
- Confirmation of the enterprise zone in which it is located (obtained from the local enterprise zone office).
- Proof of United States citizenship of the owners of the business.
- Certification that the business employs 100 or fewer employees.
- Proof that the business's gross annual revenues are less than \$20 million (\$25 million for those businesses in the information technology sales or service business). This can be accomplished by including a recent tax or audited financial statement.

In addition to these verifications, this portion of the Submittal should include the following information:

- The company name, address, name and telephone number of the primary contact person for each Enterprise Zone Small Business included in the proposal. The contractor must specify the Enterprise Zone Small Business to which it is making commitments. The contractor will not receive credit by stating that it will find an Enterprise Zone Small Business after the contract is awarded or by listing several companies and stating it will select one later.
- The specific work, goods or services the Enterprise Zone Small Business will perform or provide.
- The location where the Enterprise Zone Small Business will perform these services.
- The timeframe for the Enterprise Zone Small Business to provide or deliver the goods or services.
- The amount of capital, if any, the Enterprise Zone Small Business will be expected to provide.
- The form and amount of compensation each Enterprise Zone Small Business will receive. In the Disadvantaged Business portion of the proposal, provide the estimated dollar value of the contract to each Enterprise Zone Small Business.
- The percent of the total value of services or products purchased/subcontracted under the proposal that will be provided by the Enterprise Zone Small Business.
- In the case of a joint venture agreement, a copy of the agreement, signed by all parties, must be included in the Disadvantaged Business Submittal of the proposal. If subcontracting, a signed subcontract or letter of intent must be included in the Disadvantaged Business Submittal of the proposal.

The dollar value of the commitment to each Enterprise Zone Small Business must be sealed in the same envelope with the Disadvantaged Business Submittal of the proposal. The selected contractor's Enterprise Zone Small Business commitment amount, name of Enterprise Zone small business and services to be provided including timeframe for performing services will be included as a contractual obligation when the contract is executed.

Disadvantaged Business Participation

The following options will be considered as part of the final criteria for selection:

Priority Rank 1. Proposals submitted by Small Disadvantaged Businesses.

Priority Rank 2. Proposals submitted from a joint venture with a Small Disadvantaged Business as a joint venture partner.

Priority Rank 3. Proposals submitted with subcontracting commitments to Small Disadvantaged Businesses.

Priority Rank 4. Proposals submitted by Socially Disadvantaged Businesses.

Each proposal will be rated for its approach to enhancing the utilization of Small Disadvantaged Businesses and/or Socially Disadvantaged Businesses. Each approach will be evaluated with Priority Rank 1 receiving the highest score and the succeeding options receiving scores in accordance with the previously listed priority ranking.

To the extent that a proposal is submitted by a Small Disadvantaged Business or a Socially Disadvantaged Business, the Small Disadvantaged Business or Socially Disadvantaged Business cannot enter into subcontract arrangements for more than 40% of the total estimated dollar amount of the contract. If a Small Disadvantaged Business or a Socially Disadvantaged Business subcontracts more than 40% of the total estimated dollar amount of the contract to other contractors, the Disadvantaged Business Participation scoring shall be proportionally lower for that proposal.

Enterprise Zone Small Business Participation

The following options will be considered as part of the final criteria for selection:

Priority Rank 1. Proposals submitted by an Enterprise Zone Small Business will receive the highest score.

Priority Rank 2. Proposals submitted by a joint venture with an Enterprise Zone Small Business as a joint venture partner will receive the next highest score for this criterion.

Priority Rank 3. Proposals submitted with a subcontracting commitment to an Enterprise Zone Small Business will receive the lowest score for this criterion.

Priority Rank 4. Proposals with no Enterprise Zone Small Business Utilization shall receive no points under this criterion.

To the extent that a proposal is submitted as a prime contractor by an Enterprise Zone Small Business, the Enterprise Zone Small Business cannot enter into contract or subcontract arrangements for more than 40% of the total estimated dollar amount of the contract.

Contract Requirements—Disadvantaged Business Participation and Enterprise Zone Small Business Participation

Contracts containing Disadvantaged Business participation must also include a provision requiring the contractor to meet and maintain those commitments made to Disadvantaged Businesses and/or Enterprise Zone Small Businesses at the time of proposal submittal or contract negotiation, unless a change in the commitment is approved by the BMWBO. Contracts containing Disadvantaged Business participation and/or Enterprise Zone Small Business participation must include a provision requiring Small Disadvantaged Business subcontractors, Enterprise Zone Small Business subcontractors and Small

Disadvantaged Businesses or Enterprise Zone Small Businesses in a joint venture to perform at least 50% of the subcontract or Small Disadvantaged Business/Enterprise Zone Small Business portion of the joint venture.

Commitments to Disadvantaged Businesses and/or Enterprise Zone Small Businesses made at the time of proposal submittal or contract negotiation must be maintained throughout the term of the contract. Any proposed change must be submitted to BMWBO which will make a recommendation as to a course of action to the contracting officer.

If a contract is assigned to another contractor, the new contractor must maintain the Disadvantaged Businesses participation and/or Enterprise Zone Small Business participation of the original contract.

The contractor shall complete the Prime Contractor's Quarterly Utilization Report (or similar type document containing the same information) and submit it to the contracting officer of the agency that awarded the contract and BMWBO within 10 workdays at the end of each quarter the contract is in force. If there was no activity, the form must also be completed, stating "No activity in this quarter." This information will be used to determine the actual dollar amount paid to Small Disadvantaged Business and/or Enterprise Zone Small Business subcontractors and suppliers and Small Disadvantaged Businesses and/or Enterprise Zone Small Businesses involved in Joint Ventures. Also, it is a record of fulfillment of the commitment the firm made and for which it received Disadvantaged Business and Enterprise Zone Small Business points.

Note: Equal employment opportunity and contract compliance statements referring to company equal employment opportunity policies or past contract compliance practices do not constitute proof of disadvantaged business status or entitle a proposer to receive credit for disadvantaged business utilization.

Additional Information and Requirements

The firm selected will be required to attend a preconstruction conference and regular job conferences with the Department and the construction contractor for each project. Under the direction of the Department, the selected firm will be required to keep records; document the construction work and provide site inspection to assure conformity with contract specifications; prepare current and final estimates for payment to the construction contractor; assist the Department in obtaining compliance with the labor standards, safety and accident prevention and equal opportunity provisions of the contract; and perform other duties as required. For bridge construction projects, the selected firm will be required to assemble pertinent construction data into a manual and submit two copies to the Department after the completion of construction.

The inspection staff must comply with at least with one of the following requirements.

1. Be certified by the National Institute for Certification in Engineering Technologies in the field of Transpor-

tation Engineering Technology, subfield of Highway Construction, at Level 2 or higher.

2. Be registered as a Professional Engineer by the Commonwealth with 1 year of construction experience acceptable to the Department.

3. Be certified as an Engineer-in-Training by the Commonwealth with 2 years of construction experience acceptable to the Department.

4. Hold a Bachelor of Science in Civil Engineering with 2 years of construction experience acceptable to the Department or a Bachelor of Science in Civil Engineering Technology with 2 years of construction experience acceptable to the Department.

5. Hold an Associate Degree in Civil Engineering Technology with 3 years of construction experience acceptable to the Department.

The contract shall be based on the hours of service and qualifying expenses not exceeding the contract amount. Inspector's work will be reviewed by the engineering staff of the Bureau of Facility Design and Construction and, when acceptable, approved by the same staff.

Maximum weights for each factor have been established by the Department. The factors shown below are for the guidance of the readers only and are not to be assigned quantitative weight. The following factors will be considered during the evaluation of the firm's Proposal:

1. Qualifications and experience of the firm's personnel
2. Particular capability to perform the required inspection
3. Understanding the Department's requirements, policies and specifications.
4. Necessary staff to perform the required work.
5. Disadvantaged Business participation.
6. Equitable distribution of contracts.

Each proposer shall relate their proposal to these criteria.

Six copies of both the proposal and the required forms and a single sealed copy of the DBE information must be received no later than 4 p.m. on April 13, 2006. The assignment of services will be made to one or more of the firms responding to this notice. However, the Department reserves the right to reject all proposals submitted, cancel the solicitation requested under this notice and/or readvertise solicitation for this service.

The Department will not offer a debriefing session to the unsuccessful firms. The Department disclaims any liability whatsoever to its review of the proposals submitted and in formulating a recommendation for selections. Recommendations made by the Department shall be final.

MICHAEL F. DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 06-333. Filed for public inspection February 24, 2006, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0061549 (Minor Sewage)	Cherry Hill Mobile Home Court, Inc. 6 Cherry Hill Road Honesdale, PA 18431	Wayne County Cherry Ridge Township	Middle Creek (1B)	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0064068	Branch Cass Regional Sewer Authority P. O. Box 308 Llewellyn, PA 17944	Schuylkill County Branch Township	West Branch Schuylkill River 03A	Y
PA0033430	Roamingwood Sewer and Water Association P. O. Box 6 Lake Ariel, PA 18436-0006	Salem Township, Wayne County	Ariel Creek 1C	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

PA-0064041, Industrial, SIC Code 3462, **Lehigh Heavy Forge Corporation**, 1275 Daly Avenue, Bethlehem, PA 18015-2042. This proposed facility is located in Bethlehem City, **Northampton County**. Description of Proposed Activity: Issuance of NPDES permit.

The receiving stream, Lehigh River, is in the State Water Plan Watershed 02C and is classified for WWF, aquatic life, water supply and recreation.

Outfall 001 consists of noncontact cooling water and stormwater.

Internal Monitoring Point 101 consists of process cooling waters. The proposed effluent limits for MP101 based on a design flow of 2.16 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>
Cadmium, Total			0.26	0.69
Chromium, Total			1.71	2.77
Copper, Total			2.07	3.38
Lead, Total			0.43	0.69
Nickel, Total			2.38	3.98
Silver, Total			0.24	0.43
Zinc, Total			1.48	2.61
Cyanide, Total			0.65	1.20
TTO			0.0	2.13
Oil and Grease			26.0	52.0
TSS			31.0	60.0
pH			6.0 to 9.0 standard units	

Outfall 002 consists of noncontact cooling water and site stormwater.

Outfall 003 consists process cooling water. The proposed effluent limits for Outfall 003 based on a design flow of 0.42 mgd are:

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>
Cadmium, Total			0.26	0.69
Chromium, Total			1.71	2.77
Copper, Total			2.07	3.38
Lead, Total			0.43	0.69
Nickel, Total			2.38	3.98
Silver, Total			0.24	0.43
Zinc, Total			1.48	2.61
Cyanide, Total			0.65	1.20
TTO			0.0	2.13
Oil and Grease			26.0	52.0
TSS			31.0	60.0
pH			6.0 to 9.0 standard units	

Internal Outfalls 403, 503 and 603 consist of site stormwater. Outfall 004 consists of noncontact cooling water.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PAS203502, Industrial Waste, SIC Code 3325, **Bonney Forge Corporation**, P. O. Box 330, Mount Union, PA 17066. This facility is located in Shirley Township, **Huntingdon County**.

Description of activity: The application is for issuance of an NPDES permit for existing discharge of stormwater.

The receiving stream a UNT Juniata River is in Watershed 12-C and classified for HQ-CWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake is Newport located on the Juniata River. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfalls 001—003:

<i>Parameter</i>	<i>Concentration (mg/l) Maximum</i>
CBOD ₅	Monitor and Report
COD	Monitor and Report
Oil and Grease	Monitor and Report
Lead (Total)	Monitor and Report
Total Suspended Solids	Monitor and Report
Chromium (Total)	Monitor and Report
Copper (Total)	Monitor and Report
Cadmium (Total)	Monitor and Report
Arsenic (Total)	Monitor and Report
Iron (Total)	Monitor and Report

In addition to the effluent limits, the permit contains the following major special conditions: Development and Implementation of a PPC Plan.

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PAS203503, Industrial Waste, SIC Code 3498, **Walter Industries, Inc. (Beck Manufacturing)**, 3300 First Avenue North, Birmingham, AL 35222. This facility is located in Greencastle Borough, **Franklin County**.

Description of activity: The application is for issuance of an NPDES permit for an existing discharge of stormwater.

The receiving stream, UNT Muddy Run, is in Watershed 13-C and classified for HQ-CWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake is City of Hagerstown located on the Potomac River. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfalls 001—003:

<i>Parameter</i>	<i>Concentration (mg/l) Maximum</i>
CBOD ₅	Monitor and Report
COD	Monitor and Report
Oil and Grease	Monitor and Report
Total Suspended Solids	Monitor and Report
Iron (Dissolved)	Monitor and Report

In addition to the effluent limits, the permit contains the following major special conditions: The facility may conduct an annual inspection in lieu of sampling.

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0247878, Sewage, **David L. Fite—Commerce Commons**, 420 Buck Road, P. O. Box 673, Quarryville, PA 17566. This facility is located in East Drumore Township, **Lancaster County**.

Description of activity: The application is for issuance of an NPDES permit for a new discharge of treated sewage.

The receiving stream South Fork Big Beaver Creek is in Watershed 7-K and classified for TSF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Holtwood Dam Power Company is located on the Susquehanna River approximately 26 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.0186 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
Oil and Grease	15	30

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
NH ₃ -N (5-1 to 10-31) (11-1 to 4-30)	4.0 12	8.0 24
Total Nitrogen TKN		Monitor Monitor
NO ₃ + NO ₂ as N	2.0	4.0
Total Phosphorus	0.5	1.6
Total Residual Chlorine	minimum of 5.0 at all times from 6.0 to 9.0 inclusive	
Dissolved Oxygen		
pH		
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric average 2,000/100 ml as a geometric average	

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0025381, Amendment No. 1, Sewage, Saxton Borough Municipal Authority, P. O. Box 173, Saxton, PA 16678. This facility is located in Liberty Township, **Bedford County**.

Description of activity: The application is for an amendment of an NPDES permit for existing discharge of treated sewage.

The receiving stream Raystown Branch Juniata River is in Watershed 11-D and classified for TSE, water supply, recreation and fish consumption. The nearest downstream public water supply intake for 7 Points Marina is located on the Raystown Branch Juniata River (Raystown Lake), approximately 25 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.400 mgd are:

<i>Parameter</i>	<i>Mass (lbs)</i>				<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Total Monthly</i>	<i>Total Annual</i>	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Instantaneous Maximum</i>
CBOD ₅	100	150			25	40	50
Total Suspended Solids	83	133			30	45	60
Dissolved Oxygen	minimum of 5.0 at all times from 6.0 to 9.0 inclusive						
pH							
Total Residual Chlorine					1.0		2.0
Color					1,000		2,000
Chromium VI					0.139		0.347
Oil and Grease					Report		
NO ₂ NO ₃ -N	Report		Report		Report		
Total Kjeldahl Nitrogen	Report		Report		Report		
Total Nitrogen	Report		Report	Report	Report		
Total Phosphorus	6.7		Report	Report	2.0		4.0
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric average 100,000/100 ml as a geometric average						

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA0000434, Industrial Waste, SIC, 4941, Manor Township Joint Municipal Authority, 2310 Pleasant View Drive, Ford City, PA 16226-1535. This application is for renewal of an NPDES permit to discharge treated process water from the Water Treatment Plant operations in Manor Township, **Armstrong County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as the Allegheny River, classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is the Buffalo Township Municipal Authority, located at Freeport, 13.25 miles below the discharge point.

Outfall 001: Existing discharge, design flow of 0.031 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids			30		60
Total Iron			2		4
Aluminum (T)			4		8
Manganese (T)			1		2
Total Residual Chlorine			0.5		1
pH			not less than 6.0 nor greater than 9.0		

Other Conditions: DMR submittal address, residual waste management condition, chlorine minimization and chemical additives.

The EPA waiver is in effect.

PA0097306, Industrial Waste, SIC, 4941, **Municipal Authority of the Township of Robinson**, P. O. Box 15539, Pittsburgh, PA 15244-0539. This application is for renewal of an NPDES permit to discharge treated filter backwash and clarifier sludge supernatant (emergency only discharge) from the MATR Water Treatment Plant located in Robinson Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as the Ohio River, classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is the Midland Borough Municipal Authority, located at Midland Borough, 27 miles below the discharge point.

Outfall 001: Existing discharge, design flow of 0.276 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids			30		60
Total Iron			2		4
Aluminum (T)			4		8
Manganese (T)			1		2
Total Residual Chlorine			0.5		1
pH			not less than 6.0 nor greater than 9.0		

Other Conditions: DMR submittal address, residual waste management condition, chlorine minimization and chemical additives.

The EPA waiver is in effect.

PA0218511, Industrial Waste, SIC, 4941, **Municipal Water Authority of Aliquippa**, 160 Hopewell Avenue, Aliquippa, PA 15001. This application is for renewal of an NPDES permit to discharge treated backwash from rinsing filters, and softening units and influent settling tank at the Aliquippa Water Treatment Plant located in the City of Aliquippa, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Logstown Run, classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is the Midland Borough Municipal Authority, located at Midland Borough, 17.5 miles below the discharge point.

Outfall 00: Existing discharge, design flow of 0.131 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids			30		60
Total Iron			2		4
Aluminum (T)			4		8
Manganese (T)			1		2
Total Residual Chlorine			0.5		1
pH			not less than 6.0 nor greater than 9.0		

Other Conditions: DMR submittal address, residual waste management condition, chlorine minimization and chemical additives.

The EPA waiver is in effect.

PA0095851, Sewage, **Penacquire, LLC**, P. O. Box 84, Friedens, PA 15541. This application is for renewal of an NPDES permit to discharge treated sewage from Roof Garden Acres MHP STP in Somerset Township, **Somerset County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as UNT East Branch Coxes Creek, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Ohiopyle Municipal Water Authority.

Outfall 001: existing discharge, design flow of 0.013 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	15.0			30.0
(11-1 to 4-30)	25.0			50.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0218715, Sewage, **Gardco, LLC**, R. D. 3, Box 382, Route 66, Ford City, PA 16226. This application is for renewal of an NPDES permit to discharge treated sewage from Garda's Restaurant Sewage Treatment Plant in Manor Township, **Armstrong County**.

The following effluent limitations are proposed for discharge to the receiving water, known as Crooked Creek, which is classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Buffalo Township Municipal Authority-Freeport.

Outfall 001: Existing discharge, design flow of 0.0021 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Fecal Coliform				
(5-1 to 4-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.4			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications Under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 4506401, Coolbaugh Township, 5550 Memorial Boulevard, Tobyhanna, PA 18466. This proposed facility is located in Coolbaugh Township, **Monroe County**.

Description of Proposed Action/Activity: This project involves retrofitting the existing wastewater treatment plant with a Membrane Biological Reactor.

WQM Permit No. 4006401, Conyngham Borough Authority, 90 Butler Avenue, Conyngham, PA 18219. This proposed facility is located in Conyngham Borough, **Luzerne County**.

Description of Proposed Action/Activity: This project involves retrofitting the existing wastewater treatment plant with a Membrane Biological Reactor.

WQM Permit No. 4006403, Mountaintop Area Joint Sanitary Authority, 290 Morio Drive, Mountaintop, PA 18707. This proposed facility is located in Dorrance Township, **Luzerne County**.

Description of Proposed Action/Activity: This project involves an upgrade for Biological Nutrient Removal for the existing wastewater treatment plant.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 0106201, CAFO, JoBo Holstein Farms, 200 Tall Oaks Road, Gettysburg, PA 17325. This proposed facility is located in Mt. Pleasant Township, **Adams County**.

Description of Proposed Action/Activity: Construction/Operation of a Dairy Barn Expansion including the construction of a new 310 foot by 310 foot by 14 foot HDPE lined manure storage lagoon.

WQM Permit No. 3606201, CAFO, Rohrer Farms, LLC, 762 West Lexington Road, Lititz, PA 17543. This proposed facility is located in Penn and Warwick Townships, **Lancaster County**.

Description of Proposed Action/Activity: Construction/Operation of a new leak detection system for three swine barns with flush-recharge channels constructed under them. One of the barns was constructed by Farmer Boy Ag Systems; it is Barn C (75 feet by 390 feet). The other two barns were constructed by Northeast Agrisystems; they are Barn A (114 feet by 340 feet) and Barn B (79 feet by 323 feet). Three swine barns will have leak detection systems installed in them to ensure that these facilities are liquid tight.

Southwest Region: Water Management Program Manager; 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 0406401, Sewerage, Borough of Ambridge Municipal Authority, 600 Eleventh Street, Ambridge, PA 15003. This proposed facility is located in Ambridge Borough, **Beaver County**.

Description of Proposed Action/Activity: Application for construction and operation of pump station improvement and sewer replacement.

The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, has been identified as a possible funding source. The Department of Environmental Protection's review of the sewage facilities plan revision has not identified any significant environmental impacts resulting from this proposal.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

Southcentral Region: Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>	<i>DEP Protocol (Y/N)</i>
PAI133517	Borough of Carlisle 53 West South Street Carlisle, PA 17013	Cumberland	Carlisle Borough	Letort Spring Run HQ CWF	Y

V. Applications for NPDES Waiver Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager; 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10D1301	Buttercreek Builders, Inc. Butter Creek Estates Amendment 2406 Camp Rockhill Road Trumbauersville, PA 18940	Bucks	West Rockhill Township	Butter Creek Unami Creek (HQ-TSF)
PAI010905032	Columbia Gas Transmission Corporation Milford Compressor Station 218 Firetower Road Milford, PA 18901	Bucks	Milford Township	Unami Creek (HQ-TSF)
PAI011506011	Telesis Homes, Inc. 1030 Continental Drive King of Prussia, PA 19406	Chester	Willistown Township	Ridley Creek (HQ-TSF)

Northeast Region: Watershed Management Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790.

Northampton County Conservation District: Greystone Bldg., Gracedale Complex, Nazareth, PA 18064-9211, (610) 746-1971.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024806003	Moravian Academy 7 West Market St. Bethlehem, PA 18018	Northampton	Bethlehem Township	Bushkill Creek HQ-CWF
PAI024806004	Nordel, LP 623 Selvaggio Drive Nazareth, PA 18064	Northampton	Bushkill Township	Bushkill Creek HQ-CWF

Lehigh County Conservation District: Lehigh Ag. Center, Suite 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023906001	Randy Simmering Majestic Realty 20100 E. 32nd Parkway Suite 150 Aurora, CO 80010	Lehigh	Upper Macungie Township	Little Lehigh Creek HQ-CWF

Monroe County Conservation District: 8050 Running Valley Road, Stroudsburg, PA 18360, (570) 629-3060.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10S019R(1)	Big Ridge Developers, LLP 130 Buck Rd. Suite 201 Holland, PA 18337	Monroe	Middle Smithfield Township	Wetlands and tributaries to Tom X Run, Longshore Creek, Bushkill Creek and Pond Creek HQ-CWF

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Centre Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041406003	Keith Sunderman S & A Custom Built Homes 2121 Old Gatesburg Rd. Suite 200 State College, PA 16803	Centre	Walker Township	Little Fishing Creek HQ-CWF

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Somerset County Conservation District: 6024 Glades Pike, Suite 103, Somerset, PA 15501, (814) 445-4652.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI055605002	Conemaugh Township Supervisors 1120 Tire Hill Road Johnstown, PA 15905	Somerset	Conemaugh Township	Bens Creek, North Fork of Bens Creek, UNT to North Fork of Bens Creek, Mill Creek, Dalton Run and Stonycreek River (CWF-HQ-CWF)

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact

basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

Permit No. 3506501, Public Water Supply
 Applicant **Upper Saucon Township Lehigh County**
 Responsible Official Thomas F. Beil, Manager
 Upper Saucon Township
 5500 Camp Meeting Road
 Center Valley, PA
 Type of Facility Public Water System
 Consulting Engineer Keystone Consulting Engineers
 433 East Broad St.
 Bethlehem, PA
 Application Received Date January 26, 2006
 Description of Action Upgrades to the Colonial Crest water system to include an additional well source, pump station, and treatment for general corrosion control and disinfection.

Permit No. 6606501, Public Water Supply
 Applicant **Tunkhannock Borough Municipal Authority Wyoming County**
 Responsible Official Roger Hadsall, Authority Manager
 Tunkhannock Borough Authority
 203 West Tioga St.
 Tunkhannock, PA 18657
 Type of Facility Public Water Supply
 Consulting Engineer Edmund G. Slocum, P. E.
 Milnes Engineering, Inc.
 12 Frear Hill Road
 Tunkhannock, PA 18657
 Application Received Date January 12, 2006
 Description of Action The applicant has proposed the development of a new source of supply (Well No. 3R), the abandonment of Well No. 3 and modification to the well house as a result of the addition of the new well.

MINOR AMENDMENT

Applications Received Under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790

Application No. Minor Amendment.

Applicant **Aqua Pennsylvania, Inc.**
 Township/County **Lackawaxen Township Pike County**
 Responsible Official Keith E. Gabage
 Aqua Pennsylvania, Inc.
 762 West Lancaster Avenue
 Bryn Mawr, PA 19010
 Type of Facility Public Water Supply
 Consulting Engineer N/A
 Application Received Date January 30, 2006
 Description of Action The applicant requests the transfer of Public Water Supply Permit Nos. 5281503-T1 and 5286502 from CS Water and Sewer Associates (c/o Apple Tree Management Group, Inc.) to Aqua Pennsylvania, Inc.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area,

the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Nell's Shurfine Market, Dover Township, York County. Liberty Environmental, Inc., 10 N. Fifth Street, Suite 800, Reading, PA 19601, on behalf of associated Wholesales, Inc., 336 East Penn Avenue, Robesonia, PA 19551-0067, submitted a Notice of Intent to Remediate site soils contaminated with leaded gasoline. The applicant will demonstrate attainment of the Statewide Health Standard and the site will continue to operate as a retail supermarket.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Centre Chem Fire Site, Bellefonte Borough, Centre County. Mountain Research, 825 25th St., Altoona, PA 16601 on behalf of Centre Chemical, 238 South Potter St., Bellefonte, PA 16823 has submitted a Notice of Intent to Remediate soil contaminated with TCE. The applicant proposes to remediate the site to meet the Statewide Health Standard. The site is zoned for light industrial.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121-143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001-4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

45-310-039: Haines and Kibblehouse, Inc. (Locust Ridge Quarry P. O. Box 196, 2052 Lucon Road, Skippack, PA 19474) for construction of a particle separator and associated air cleaning device at the facility in Tobyhanna Township, **Monroe County**.

54-399-039: Alcoa Extrusions Incorporated—Cressona Operation (53 Pottsville Street, Cressona, PA 17929) for transfer of emission reduction credits of NOx to the facility located in Cressona Borough, **Schuylkill County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

22-05034E: Pennsy Supply, Inc. (P. O. Box 3331, Harrisburg, PA 17105) for modification to the pulverizing operation to use on-specification waste derived liquid fuel as a back-up fuel, Hummelstown Pulverizing Plant, South Hanover Township, **Dauphin County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637

41-318-045C: High Steel Structures, Inc. (1853 William Penn Way, Lancaster, PA 17605) for modification of a structural steel surface coating operation by revising the applicable coating VOC content limitations in the City of Williamsport, **Lycoming County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

30-00072E: Consol Pennsylvania Coal Co. (1800 Washington Road, Pittsburgh, PA 15241) for installation of Crabapple Overland Conveyor Belt at Bailey Prep Plant in Richhill Township, **Greene County**.

63-00028F: Ferro Color and Glass Performance Materials (251 West Wylie Avenue, P. O. Box 519, Washington, PA 15301) for installation of two air mills equipped with product collectors to increase frit manufacturing efficiency Drakenfield Products Facility in Canton Township, **Washington County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.

09-0187: Fairless Iron and Metal (300 South Steel Road, Morrisville, PA 19067) for installation of a hammermill used to shred automobiles and other metals into small recyclable pieces in Falls Township, **Bucks County**. The plan approval is for a non-Title V facility. Potential emissions of PM are projected to be less than 9.0 tons/yr from the stockpiles. PM emissions from other sources will be controlled using water sprays and an air classifier with an air interlock. The plan approval will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

39-309-064: Larfarge North America, Inc. (5160 Main Street, Whitehall, PA 18052) for construction of a mixing fan in the Kiln No. 2 system to increase combustion efficiency at the facility in Whitehall, **Lehigh County**.

45-320-005: United Huxley Envelope (P. O. Box 37, Mount Pocono, PA 18344) for construction of an envelope manufacturing process in Coolbaugh Township, **Monroe County**.

40-303-025: Barletta Materials and Construction, Inc. (P. O. Box 550, Tamaqua, PA 18252) for reactivation of a batch asphalt plant utilizing recycled asphalt pavement at their Harwood facility in Hazle Township, **Luzerne County**. This facility is not a Title V facility. The company has elected to take a voluntary production restriction of 495,000 tons of asphalt per year. Annual emissions resulting from the reactivation of the plant include 10.4 tons of particulate, 17.2 tons of SO_x, 99.0 tons of CO, 29.7 tons of NO_x and 2.0 tons of VOCs. The asphalt plant is subject to Subpart I of the Federal Standards of Performance for New Stationary Sources for Hot Mix Asphalt Facilities, 40 CFR 60.90—60.93. The plan approval will include all appropriate testing, monitoring, recordkeeping and reporting requirements designed to keep the batch asphalt plant operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

34-05001C: Armstrong Cabinet Products (R. R. 2, Box 171C, Thompsettown, PA 17094) for modification of an overhead line, construction of a new spray booth and transfer and use of 63.31 tons of VOC emission reduction credits (ERCs) in Delaware Township, **Juniata County**. These modifications are expected to increase the facility's emissions of VOCs by about 37 tons per year. The facility is subject to 40 CFR Part 63, Subpart JJ—National Emission Standards for Hazardous Air Pollutants for Wood Furniture Manufacturing Operations. The plan approval will include emission restrictions, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

36-03021A: J. Walter Miller Co. (411 East Chestnut Street, Lancaster, PA 17602) to vent the Disamatic Molding Line dust collector into the outdoor atmosphere at the facility in the City of Lancaster, **Lancaster County**. This is a non-Title V (State-only) facility. Standard recordkeeping and operating restrictions will be included to keep the facility operating within all applicable air quality requirements.

67-05106A: Donsco, Inc. (P. O. Box 2001, Wrightsville, PA 17368) for replacement of an existing baghouse emissions control system. Emissions from the facility will not be measurably affected by the replacement. Emissions of all pollutants will continue to be capped below the Title V permit thresholds. The plan approval and permit will include emission restrictions, monitoring, recordkeeping and reporting requirements to ensure compliance with the applicable air quality regulations.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

43-270D: CCL Container (One Llodio Drive, Hermitage, PA 16148-9015), for the construction of a new aluminum container manufacturing line (No. 109) rated at 180 cans per minute with an inside liner baghouse which will be controlled by an existing 45,000 thermal oxidizer in Hermitage City, **Mercer County**. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval at Title V facilities in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date. The source shall comply with the following conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology for the source:

- The PM emissions shall not exceed 0.02 gr/dscf.
- The SO_x emissions shall not exceed 500 ppmv with compliance being shown through an initial stack test.
- The VOC destruction/removal efficiency shall be greater than 95% by weight.
- Maintain and operate the control device at all times the source is in operation and in accordance with the manufacturer's specifications.
- As part of the CAM plan, monitor and record continuously the chamber temperature of the RTO and operate within the established indicator range of greater than 1,500°F.
- As part of the CAM plan, monitor and record continuously the airflow to the RTO and operate within the established indicator range of greater than 30,000 cfm (read as greater than 38 Hz).

- Monitor and record daily, the pressure drop across the baghouse, the inlet pressure to the RTO and inlet duct pressure/vacuum.
- Test the permanent total enclosure for capture efficiency at operating permit renewal.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

09-00003: Superpac, Inc. (1220 Industrial Boulevard, Southampton, PA 18966) for a renewal of the Title V Operating Permit in Upper Southampton Township, **Bucks County**. The initial permit was issued on March 6, 2001, and was amended on August 21, 2002. The facility is a manufacturing-commercial printing processor, which operates flexographic printing presses, numerous space heaters and various miscellaneous sources associated with printing and manufacturing. No changes have taken place at this facility that were not previously permitted. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting. The sources at this facility are not subject to Compliance Assurance Monitoring under 40 CFR Part 64.

09-00012: Meadwestvaco Consumer Packaging Group LLC d/b/a Klearfold (364 Valley Road, Warrington, PA 18976) for the renewal of a Title V facility in Warrington Township, **Bucks County**. The facility's sources are five printing presses. The permittee does have the potential to emit more than 24.9 tons/year for VOC and is therefore characterized as a Title V, Major Facility. The total VOC emissions from all of the air contamination sources at this facility shall not exceed a plantwide applicability limit of 68.6 tons per year in any consecutive 12-month period. This facility is not subjected to CAM. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

35-00056: P. A. Hutchison Co. (400 Penn Avenue, Mayfield, PA 18433) for a State-only Operating Permit for a commercial printing facility in Mayfield Borough, **Lackawanna County**. The sources at the facility include six printing machines. The sources do not have the potential to emit pollutants above Title V thresholds. The proposed State-only Operating Permit contains applicable requirements for emissions limitations, monitoring, recordkeeping, reporting and work practice standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

01-05017: Quebecor World Fairfield, Inc. (100 North Miller Street, Fairfield, PA 17320) for operation of their trade book publishing facility in Fairfield Borough, **Adams County**. The facility has the potential to emit 50

tons VOC per year. The State-only operating permit will include emission restrictions, work practice standards, and testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements. This is a renewal of the State-only operating permit.

36-03160: Compass Quarries, Inc. d/b/a Independence Construction Materials (P. O. Box 130, 47 McIlvaine Road, Paradise, PA 17562-0130) for operation of their stone crushing and limestone pulverizing plants in Paradise Township, **Lancaster County**. The State-only Operating Permit will include monitoring, recordkeeping, reporting requirements, emission restrictions and work practice standards designed to keep the facility operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

17-00017: Rescar, Inc. (407 West Brentwood, Channelview, TX 77530) for the operation of a railcar cleaning, repair and painting facility in the City of Dubois, **Clearfield County**.

The facility incorporates a railcar surface coating (painting) operation, a railcar cleaning and residual materials flaring operation, a chlorine tank car cleaning operation, a railcar abrasive blasting operation, associated cleanup activities, an 8,369,000 Btu per hour natural gas-fired boiler and 96 natural gas-fired space heaters of various sizes. The VOC and HAP emissions from the facility will be limited to less than 50 tons of VOCs, less than 10 tons of any single HAP and less than 25 tons of all HAPs combined, per year, and the emission of PM including PM₁₀, NO_x, CO and SO_x is not expected to exceed 40.65, 17.20, 14.45 and .10 ton per year, respectively.

The facility is not a major (Title V) facility for any air contaminant.

The Department of Environmental Protection (Department) proposes to incorporate into the operating permit to be issued conditions previously requiring compliance with all applicable regulatory requirements pertaining to air contamination sources and the emission of air contaminants as well as conditions previously established in Operating Permit OP-17-0002, issued on April 25, 1996, Operating Permit 17-399-007, issued on February 14, 1994, and Operating Permit 17-399-008, issued on February 14, 1994.

These previously-established conditions include:

1. A condition requiring any pentadiene, butadiene, isoprene, butene, octene, petroleum naphtha, butane, propane and other liquefied petroleum gas (as identified in the respective plan approval application) vented from tank cars to be directed to the flare and a condition prohibiting any materials other than these from being flared.
2. A condition requiring the flare to be equipped with a flame-out detection device interlocked to terminate the waste gas flow to the flare if no flame is detected.
3. A condition requiring the flare pilot burner to be ignited prior to the venting of any waste gas to the flare and to remain lit at all time the flare is in use.
4. A condition requiring the blower supplying the annulus air for the flare to be operated at all times the flare is in use.

5. A condition restricting all onsite abrasive blasting to the blast stations controlled by the abrasive blasting fabric collector and a condition prohibiting the respective blast stations from being exhausted to the outside atmosphere other than through the fabric collector.

6. A condition prohibiting abrasive blasting from occurring at any time the bags in the abrasive blasting fabric collector are being shaken.

7. A condition requiring spare fabric collector bags to be kept onsite.

8. A condition requiring the air contaminant emissions from chlorine tank cars to be controlled by filling the cars with an alkaline solution and by venting the vapors displaced from the cars to a packed bed scrubber utilizing an alkaline scrubbing solution having a pH of not less than 10.

9. A condition requiring the maintenance of onsite pH monitoring equipment and the use of this equipment to regularly monitor the pH of the alkaline solution in the packed bed scrubber and the alkaline solution used to fill tank cars.

10. Conditions requiring the maintenance of records of the identity, composition and amounts of the coatings and coating additives used, the identity, composition and amounts of the cleaning solvents used, the identity of each tank car subject to steam/water cleaning and its contents, the identity of each tank car vented to the flare and its contents and the amount of natural gas burned.

The Department additionally proposes to incorporate into the operating permit to be issued a number of new conditions including:

1. A condition limiting the total combined VOC emissions from the entire facility to less than 50 tons in any 12-consecutive month period (replaces a prior condition prohibiting the total combined VOC emissions from exceeding 50 tons in any 12-consecutive month period).

2. Conditions limiting the total combined emission of any single HAP from the entire facility to less than 10 tons in any 12-consecutive month period and the total combined emission of all HAPs to less than 25 tons in any 12-consecutive month period.

3. A condition requiring the maintenance of the records as are necessary to verify compliance with the VOC and HAP facility-wide emission limitations.

4. A condition requiring the maintenance of records of the mix ratio and component identities for each batch of coating mixed onsite from multiple components and each batch of coating to which an additive is added onsite.

5. Conditions requiring the maintenance of records of the amount of material vented from each tank car subjected to steam/water cleaning and each tank car vented to the flare as well as the VOC and HAP contents of each material.

6. A condition requiring the semi-annual submittal of all required records to the Department.

49-00041: Eastern Industries, Inc. (P. O. Box 177, Winfield, PA 17889) for the operation of a stone crushing and screening and asphalt pavement production facility (Shamokin Plant) in Coal Township, **Northumberland County**.

The facility incorporates a 150 ton per hour batch mix asphalt plant and associated aggregate, liquid asphalt and fuel oil handling and/or storage equipment as well as a stone crushing and screening plant and a solvent parts cleaner. The PM emissions including PM10 from the asphalt plant are controlled by a knockout box and a fabric collector operating in series. The PM/PM10 emissions from the stone crushing and screening plant are controlled by a water spray dust suppression system. The CO and SOx emissions from the facility will be limited to less than 100 tons per year of each and the emission of PM, PM10, NOx, VOCs and HAPs are not expected to exceed 76.05, 52.26, 27.83, 11.83 and 1.73 tons per year, respectively.

The facility is not a major (Title V) facility for any air contaminant.

The Department of Environmental Protection proposes to incorporate into the operating permit to be issued conditions requiring compliance with all applicable regulatory requirements pertaining to air contamination sources and the emission of air contaminants as well as conditions previously established in Operating Permit 49-303-001, issued on September 29, 1993, and Operating Permit 49-310-0004A, issued on September 23, 1993.

These previously established conditions include:

1. A condition limiting the fuel fired in the asphalt plant to gas (natural or liquefied petroleum), virgin No. 2 fuel oil and recycled/reprocessed oil.

2. A condition limiting the sulfur content of all oil fired in the asphalt plant to 1.0%, by weight.

3. A condition limiting the content of certain contaminants in the recycled/reprocessed oil fired in the asphalt plant to:

- Arsenic—five parts per million (by weight)
- Cadmium—two parts per million (by weight)
- Chromium—10 parts per million (by weight)
- Total halogens—1,000 parts per million (by weight)

4. A condition requiring the permittee to take a representative sample of each shipment of recycled/reprocessed oil received and save it for at least 2 years for possible analysis.

5. A condition requiring spare fabric collector bags to be kept onsite.

6. A condition prohibiting the manufacture of asbestos-containing asphalt paving material.

The Department additionally proposes to incorporate into the operating permit to be issued a number of new conditions including:

1. A condition limiting the content of certain contaminants in the recycled/reprocessed oil used in the asphalt plant to more stringent limitations than previously required by Operating Permit 49-303-001:

- Lead—100 parts per million (by weight)
- Polychlorinated biphenyls (PCBs)—none detectable (detection limit no greater than two parts per million)

2. A condition prohibiting the recycled/reprocessed oil used in the asphalt plant from having a flash point less than 100° F.

3. A condition limiting the asphalt plant's production to no more than 450,000 tons of product during any 12-consecutive month period.
4. A condition requiring the performance of PM stack testing on the asphalt plant with 2.5 years of operating permit issuance.
5. A condition prohibiting the facility from accepting any shipment of recycled/reprocessed oil which contains contaminant contents in excess of those specified in the permit or for which contaminant contents are unknown.
6. A condition specifying the specific analytical procedures to be employed in determining the contaminant contents in recycled/reprocessed oil.
7. Conditions requiring the permittee to test each shipment of recycled/reprocessed oil received for total halogen content and to perform a complete analysis for all regulated contaminants on at least one out of every 15 shipments of the oil.
8. A condition specifying the conditions which must be met to take a "representative sample" of recycled/reprocessed oil.
9. A condition requiring the maintenance, and periodic submission, of records of the results of all recycled/reprocessed oil analyses performed, the total quantity of asphalt concrete produced each month, the quantity of each type of fuel used each month and the delivery date, quantity, supplier identification and contaminant contents for each shipment of recycled/reprocessed oil received.
10. A condition prohibiting the permittee from putting any waste oil or other waste materials into any storage tank used for the storage of fuel.
11. A condition requiring the maintenance of records of the vapor pressure of the contents of the liquid asphalt storage tank.

**COAL AND NONCOAL MINING
ACTIVITY APPLICATIONS**

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the district mining office indicated before an application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0;	less than 9.0
Alkalinity greater than acidity*			

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas, active areas disturbed by coal refuse disposal activities and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

30001301 and NPDES Permit No. PANA, Dana Mining Company of PA, Inc., (P. O. Box 1170, Morgantown, WV 26507), to revise the permit for the Crawdad Portal B Mine in Dunkard and Perry Townships, **Greene County** to add underground permit and subsidence control plan area acres. Underground acres proposed 742.0, SCP acres proposed 742.0. No additional discharges. Application received January 6, 2006.

30031301 and NPDES Permit No. PA0235610, Dana Mining Company of PA, Inc., (P. O. Box 1170, Morgantown, WV 26507), to revise the permit for the 4 West Mine in Dunkard and Perry Townships, **Greene County** to add underground permit and subsidence control area acres. Underground acres proposed 150.0, SCP acres proposed 150.0. No additional discharges. Application received January 13, 2006.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

32990101 and NPDES No. PA0235016. Walter L. Houser Coal Company, Inc., 13448 SR 422, Suite 1, Kittanning, PA 16201, permit renewal for the continued operation and restoration of a bituminous surface mine in Washington Township, **Indiana County**, affecting 33.5 acres. Receiving streams: Sugarcamp Run to the South Branch Plum Creek classified for the following uses: CWF. There are no potable water supply intakes within 10 miles downstream. Application received February 1, 2006.

Permit No. 56960110 and NPDES Permit No. 0234281. PBS Coals Inc., P. O. Box 260, Friedens, PA 15541, permit revision—land use change on John and Gwen Hartman property from pastureland and/or cropland to forestland (24.4 acres) and forestland to cropland (14.1 acres) in Brothersvalley Township, **Somerset County**, affecting 38.5 acres. Receiving streams: UNTs to/and Blue Lick Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received on February 2, 2006.

Permit No. 56823123 and NPDES Permit No. 0608548. Croner Inc., P. O. Box 260, Friedens, PA 15541, permit revision—land use change on Leon W. and Dorothy Jane Paul property from forestland to cropland in Brothersvalley Township, **Somerset County**, affecting 9.8 acres. Receiving streams: UNTs to Buffalo Creek and

UNTs to Swamp Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received on February 2, 2006.

32040103 and NPDES No. PA0249572. Amerikohl Mining, Inc., 202 Sunset Drive, Butler, PA 16001, revision of an existing bituminous surface mine to add 13.5 acres to the permit area, 5.0 acres of coal removal and 3.2 acres of refuse removal in Young Township, **Indiana County**, affecting 158.5 acres. Receiving streams: UNTs to Neal Run classified for the following use: TSF. There are no potable water supply intakes within 10 miles downstream. The application includes a stream encroachment to conduct mining activities within the barrier area of UNT No. 3 to Neal Run. Application received February 7, 2006.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

43060101 and NPDES Permit No. PA0258113. Ben Hal Mining Company (389 Irishtown Road, Grove City, PA 16127). Commencement, operation and restoration of a bituminous surface strip operation in Jackson Township, **Mercer County** affecting 73.0 acres. Receiving streams: UNTs to Yellow Creek, classified for the following use: TSF. There are no potable surface water supply intakes within 10 miles downstream. Application to include a postmining land use change on a portion of the site from forestland to unmanaged natural habitat. Application received: February 1, 2006.

16060102 and NPDES Permit No. PA0258121. Milestone Crushed, Inc. (521 South Street, Clarion, PA 16214). Commencement, operation and restoration of a bituminous surface strip in Licking and Beaver Townships, **Clarion County** affecting 29.8 acres. Receiving streams: UNTs to the Clarion River, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: February 2, 2006.

10803018 and NPDES Permit No. PA0126268. Western Hickory Coal Co., Inc. (R. R. 2, Box 2139, Wampum, PA 16157). Renewal of an existing bituminous surface strip, auger and coal ash placement operation in Venango Township, **Butler County** affecting 509.9 acres. Receiving streams: three UNTs of Seaton Creek and two UNTs to Little Scrubgrass Creek and Little Scrubgrass Creek. CWF. There are no potable surface water supply intakes within 10 miles downstream. Application for reclamation only. Application received: February 8, 2006.

Noncoal Applications Received

Effluent Limits

The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity ¹ pH ¹		greater than 6.0; less than 9.0	

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

Permit No. 07960301 and NPDES Permit No. PA0213306, Grannas Brothers Stone & Asphalt Company, Inc., P. O. Box 488, Hollidaysburg, PA 16648, renewal of NPDES Permit, Catharine Township, **Blair County**. Receiving streams: UNT to Frankstown Branch Juniata River and Frankstown Branch Juniata River classified for the following uses: WWF and TSF. There are no potable water supply intakes within 10 miles downstream. Application received February 1, 2006.

Permit No. 4273SM4A and NPDES Permit No. PA0599239, New Enterprise Stone & Lime Company, Inc., P. O. Box 77, Church Street, New Enterprise, PA 16664, renewal of NPDES Permit, Greenfield Township, **Blair County**. Receiving streams: Beaverdam Creek to Frankstown Branch Juniata River classified for the following uses: CWF and TSF. There are no potable water supply intakes within 10 miles downstream. NPDES renewal application received February 2, 2006.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the FWPCA (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E35-395. Department of Transportation, Engineering District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512, in Newton Township, **Lackawanna County**, United States Army Corps of Engineers, Baltimore District.

To remove the existing structure; to construct and maintain a road crossing of Falls Creek (CWF) consisting of a 15-foot by 6-foot concrete box culvert with fish baffles, depressed 1-foot below stream bed elevation; and to construct and maintain a temporary road crossing of Falls Creek (CWF) consisting of twin 42-inch diameter HDPE pipes. The project is located on SR 0307 (Winola Road) immediately west of its intersection with Gravel Pond Road (Ransom, PA Quadrangle N: 20.0 inches; W: 0.1 inch).

E45-485. S.I.D.E. Corporation, P. O. Box 1050, Blakeslee, PA 18610, in Tobyhanna Township, **Monroe County**, United States Army Corps of Engineers, Philadelphia District.

To place fill in approximately 1.3 acres of PFO wetlands and to construct and maintain two road crossings in Goose Run (HQ-CWF) and adjacent wetlands for the purpose of providing access to commercial building lots within New Ventures Park. The project is located approximately 0.5 mile northeast of the intersection of SR 0115 and SR 0080 (Blakeslee, PA Quadrangle N: 14.5 inches; W: 9.8 inches).

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E03-438. James H. Myers, III, General Manager, Allegheny Power, 800 Cabin Hill Drive, Greensburg, PA 15601. To place fill in wetlands in South Buffalo Township, **Armstrong County**, Pittsburgh ACOE District. (Freeport, PA Quadrangle N: 22.5 inches; W: 2.5 inches and Latitude: 40° 44' 45"—Longitude: 79° 38' 30"). The applicant proposes to place and maintain fill in 0.14 acre of PFO wetlands in the watershed of a UNT to Pine Run (HQ-TSF) for the purpose of construction of an electric power substation located approximately 600 feet north of Sipes Road.

E65-890. Norwin School District, Administration Building, 281 McMahon Drive, North Huntingdon, PA 15642-2403. To construct a stream enclosure in North Huntingdon Township, **Westmoreland County**, Pittsburgh ACOE District. (Irwin, PA Quadrangle N: 13.0 inches; W: 13.3 inches and Latitude: 40° 19' 1 9.4"—Longitude: 79° 43' 17.3"). The applicant proposes to construct and maintain 750 linear feet of 48-inch diameter stream enclosure in a UNT to Tinkers Run (TSF) and to place fill in 0.01 acre of de minimis wetlands for the purpose of construction of the Hahn Town Elementary School for the Norwin School District.

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE
ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY
MANAGEMENT (WQM) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0060640 Sewage	Pennsylvania-American Water Company 100 North Pennsylvania Avenue Wilkes-Barre, PA 18701	Pike County Lehman Township	Saw Creek (1D)	Y
PA0008346 IW	Pennsylvania-American Water Company 100 N. Pennsylvania Avenue Wilkes-Barre, PA 18701	Susquehanna County Harmony Township	East Branch Canawacta Creek (4E)	Y
PA0060950	Lackawanna Trail School District P. O. Box 85 Factoryville, PA 18419	Wyoming County Clinton Township	UNT to South Branch Tunkhannock Creek (4F)	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0061077	Lake Winola Municipal Authority P. O. Box 59 Lake Winola, PA 18625	Wyoming County Tunkhannock Township	Osterhout Creek (Mill Run) 4G	Y
PA0061361	Smithfield Sewer Authority R. R. 5, Box 5229 East Stroudsburg, PA 18301	Smithfield Township Monroe County	Little Sambo Creek CWF, MF 1F	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PAR10C317R1	Forino Co., LP 555 Mountain Home Road Sinking Spring, PA 19608	Berks County Amity Township	UNT Schuylkill River WWF	Y
PAR10C358R	Forino Co., LP 555 Mountain Home Road Sinking Spring, PA 19608	Berks County Amity Township	Manatawny Creek CWF	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0042561 Sewage	Upper Stoneycreek Joint Municipal Authority P. O. Box 24 Hooversville, PA 15936	Somerset County Quemahoning Township	Stoneycreek	Y
PA0094994 Sewage	Kennywood Park Corporation 4800 Kennywood Boulevard West Mifflin, PA 15122-2399	Westmoreland County Ligonier Township	Loyalhanna Creek	Y
PA0203874 Sewage	Cowansville Area Health Center	Armstrong County East Franklin Township	UNT of Glade Run	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

NPDES Permit No. PA-0065030, Sewage, **Meshoppen Borough**, P. O. Box 237, Meshoppen, PA 18630. This proposed facility is located in Meshoppen Borough, **Wayne County**.

Description of Proposed Action/Activity: Issuance of NPDES Permit. In accordance with recent Chesapeake Bay Strategy, nutrient monitoring requirements were included in this permit.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0082732 Amendment No. 1, Sewage, **East St. Clair Township Municipal Authority, Stone Creek Wastewater Treatment Plant**, P. O. Box 55, Fishertown, PA 15539-0055. This proposed facility is located in East St. Clair Township, **Bedford County**.

Description of Proposed Action/Activity: Authorization to discharge to the Dunning Creek in Watershed 11-C.

NPDES Permit No. PA0082694 Amendment No. 1, Sewage, **East St. Clair Township Municipal Authority, Fishertown Wastewater Treatment Plant**, P. O. Box 55, Fishertown, PA 15539-0055. This proposed facility is located in East St. Clair Township, **Bedford County**.

Description of Proposed Action/Activity: Authorization to discharge to the Dunning Creek in Watershed 11-C.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 5405405, Sewerage, **Tremont Municipal Authority**, 423 West Main Street, Tremont, PA 17981. This proposed facility is located in Tremont Township, **Schuylkill County**.

Description of Proposed Action/Activity: Issuance of Water Quality Management Permit for the expansion and operation of upgrades at the Tremont Wastewater Treatment Plant and capacity to the Maple Street Pump Station.

IV. NPDES Stormwater Discharges from MS4 Permit Actions**V. NPDES Waiver Stormwater Discharges from MS4 Actions****VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions**

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011505057	Coventry Self Storage Coventry Self Storage Expansion 583 Old Schuylkill Road Pottstown, PA 19465	Chester	East Coventry Township	UNT Schuylkill River (HQ-TSF)
PAI011505085	Klaus Besier Besier Development 36 St. Andrews Lane Glenmoore, PA 19343	Chester	West Vincent Township	Black Horse Creek (HQ-TSF)
PAI011505089	Michael Sleiman Sleiman 2 Lot Subdivision 9 Vernon Lane Malvern, PA 19355	Chester	East Nottingham Township	Little Elk Creek (HQ-TSF-MF)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024805001	Rota Corporation 101 Broad St. Phillipsburg, NJ 08865	Northampton	Lower Nazareth Township	East Branch Monocacy Creek HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges from Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated with Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater from Industrial Activities
PAG-4	General Permit for Discharges from Single Residence Sewage Treatment Plants
PAG-5	General Permit for Discharges from Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	CAFOs
PAG-13	Stormwater Discharges from MS4

General Permit Type—PAG-2

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
City of Philadelphia Philadelphia County	PAG2015105046	Westrum ByBerry, LP Byberry State Hospital Demolition 370 Commerce Drive Fort Washington, PA 19034	Poquessing Creek (CWF)	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015105052	Woodland 58, LLC Save-A-Lot Supermarket Development P. O. Box 986 Bala Cynwyd, PA 19004	Philadelphia Water Department Combined Municipal Sewers	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015105053	Woodland 58, LLC Strauss & Family Dollar Development P. O. Box 986 Bala Cynwyd, PA 19004	Philadelphia Water Department Combined Municipal Sewers	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Washington Township Bangor Borough Northampton County	PAG2004805041	TDJ Enterprises, Inc. P. O. Box 20127 Lehigh Valley, PA 18002	Martins Creek TSF, MF	Northampton Co. Cons. Dist. (610) 746-1971
Taylor Borough Lackawanna County	PAG2003505018	George Zamas 300 Market St. Johnstown, PA 15901	Lackawanna River CWF	Lackawanna Co. Cons. Dist. (570) 281-9495
Thompson Township Fulton County	PAG2002906001	O. K. Property Holdings, LLC c/o Thomas King 421 Lincoln Way East McConnellsburg, PA 17233	Tonoloway Creek (WWF) Licking Creek (CWF) Plum Run (CWF)	Fulton County Conservation District 216 N. Second street McConnellsburg, PA 17233 (717) 485-3547, Ext. 121
Maidencreek Township Berks County	PAR10C309R2	Christopher Bradley Bradley Management Group, Inc. 35 Pinehurst Court Phoenixville, PA 19460	Willow Creek CWF	Berks County Conservation District 1238 County Welfare Road, P. O. Box 520 Leesport, PA 19533-0520 (610) 372-4657, Ext. 201
Exeter Township Berks County	PAG2000606008	Troy Bingaman Exeter Township 4975 Demoss Road Reading, PA 19606	Antietam Creek CWF	Berks County Conservation District 1238 County Welfare Road, P. O. Box 520 Leesport, PA 19533-0520 (610) 372-4657, Ext. 201
East Pennsboro Township Cumberland County	PAG2002105064	Hoss's Craig Campbell 170 Patchway Road Duncansville, PA 16635-3865	UNT to Conodoguinet Creek WWF	Cumberland County Conservation District 43 Brookwood Ave Carlisle PA 17013 (717) 240-7812
Camp Hill Borough Cumberland County	PAG2002105060	Dr. Stanley S. Conners 676 St. John's Drive Camp Hill, PA 17011	UNT to Conodoguinet Creek WWF	Cumberland County Conservation District 43 Brookwood Ave Carlisle PA 17013 (717) 240-7812

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Cambria County Richland Township	PAG2001105020	Highland Realty Enterprises 915 Menoher Blvd. Suite A Johnstown, PA 15905	UNT Little Paint Creek (CWF)	Cambria County CD (814) 472-2120
Cambria County Richland Township	PAG2001105022	Giant Eagle, Inc. 261 Kappa Drive Pittsburgh, PA 15238	UNT Stonycreek River (CWF)	Cambria County CD (814) 472-2120

*General Permit Type—PAG-3**Facility Location:
Municipality & County*

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAR202218	Tyler Pipe Company Division of McWane, Inc. 101 North Church Street Macungie, PA 118062	Swabia Creek CWF	DEP—NERO Water Mgmt. Program 2 Public Square Wilkes-Barre, PA 18711-2511 (570) 826-2511
PAR606115	Stoystown Auto Wreckers 5079 Lincoln Highway Stoystown, PA 15563	Unnamed feeder to Stoneycreek	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

*General Permit Type—PAG-5**Facility Location:
Municipality & County*

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG050071	Exxon Mobil Refining & Supply 7715 Crittenden Street Suite 309 Philadelphia, PA 19118-4421	East Branch Brandywine Creek WWF, MF Brandywine Creek Watershed	Southeast Regional Office 2 East Main Street Norristown, PA 19401

PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of

itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 4005505, Public Water Supply.

Applicant	Aqua Pennsylvania, Inc. 762 West Lancaster Ave. Bryn Mawr, PA
Municipality	Harvey's Lake Borough
County	Luzerne

Responsible Official Karl Kyriss, President
Aqua Pennsylvania, Inc.

Type of Facility Public Water System:
Rhodes Terrace

Consulting Engineer CET Engineering Services
1240 Mountain Rd.
Harrisburg, PA

Permit to Construct Issued January 19, 2006

Description of Action The issuance of construction permit No. 4005505 for improvements to the Harvey's Lake/Rhodes Terrace water system.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0605504, Public Water Supply.

Applicant **Muhlenberg Township Authority**

Municipality Muhlenberg Township

County **Berks**

Type of Facility Extension of distribution system and associated booster pump station to serve proposed Saylor Farm Estates subdivision.

Consulting Engineer Douglas McGill, P. E.
CJZ Technical Group
2 Rick Road
Reading, PA 19607

Permit to Construct Issued: 2/3/2006

Permit No. 0505504 MA, Minor Amendment, Public Water Supply.

Applicant **Bedford Township Municipal Authority**

Municipality Bedford Township

County **Bedford**

Type of Facility Project consist of a meter to be placed in a precast concrete meter pit to allow Bedford Township Municipal Authority and Bedford Borough Water Authority to provide water to each other and account for the amount transferred.

Consulting Engineer Timothy A. Cooper, P. E.
Stiffler McGraw & Associates, Inc.
19 N. Juniata Street
Hollidaysburg, PA 16648

Permit to Construct Issued: 2/8/2006

WATER ALLOCATIONS

Actions taken on applications received under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of this Commonwealth

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WA 67-708A, Water Allocations. West Manheim Township Water Authority, York County. The applicant is requesting the right to purchase up to 1.25 mgd, based on a 30-day average, from the Borough of Hanover Municipal Water Works. Consulting Engineer: John F. Leen, IV, P. E., C S Davidson, Inc. Permit Denied: 1/25/2006.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under the Pennsylvania Sewage Facilities Act (35 P. S. §§ 750.1—750.20a)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
East Hanover Township	8848 Jonestown Road Grantville, PA 17028	Dauphin

Plan Description: Approval of a revision to the Official Sewage Plan of East Hanover Township, Dauphin County. The proposed Gingrich/Jones development consists of two individual Small Flow Treatment Facilities serving two existing residential lots each having a 500 gpd treated discharge to a UNT of Swatara Creek. The Department's review of the sewage facilities update revision has not identified any significant impacts resulting from this proposal.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Castanea Township	347 Nittany Road Castanea, PA 17726	Clinton

Plan Description: The approved plan provides for upgrading the existing pump station and replacing the force main, and the replacement/rehabilitation of approximately 2,275 lineal feet of sewer line on Fleming Street, Logan Avenue and Sherwood Street. The Department's review of the sewage facilities update revision has not identified any significant negative environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Columbus Township	P. O. Box 291 Columbus, PA 16405	Warren

Plan Description: The approved plan provides for the construction of a 4,600 LF sanitary sewer extension and one pump station along Route 426 to serve 22 residential and 7 commercial connections with treatment of wastewater at the Corry WWTP.

The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Disapprovals granted under the Pennsylvania Sewage Facilities Act

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Paradise Township	82 Beaver Creek Road Abbottstown, PA 17301	York

Plan Description: A3-67949-173-2. **Cherry Lane Meadows/Harry Fox.** The plan revision is for a 23 lot single-family residential subdivision on 104 acres with total proposed sewage flows of 9,200 gpd to be treated by individual onlot disposal systems. The plan was disapproved because the planning submission failed to completely document whether the short and long term sewage needs of the subdivision have been met, the hydrogeologic study included failed to determine the nitrate-nitrogen impact of the proposed onlot disposal systems on the groundwater and the applicant failed to pay the required review fee.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Gasoline Spill at Junction of Routes 222 and 30, Manheim Township, **Lancaster County.** ARM Group, Inc., 1129 West Governor Road, Hershey, PA 17033, on behalf of Grandview Chase Condominium Association, 1935 Fruitville Pike, No. 230, Lancaster, PA 17601, PA Department of Transportation, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103 and E. C. Barnes Inc., 8632 Lincoln Way West, Saint Thomas, PA 17252, submitted a combined remedial investigation and Final Report concerning remediation of site soils and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to the Site-Specific Standard.

Former Service America, Manchester Township, **York County.** Core Compliance Group Inc., 131 Glenbrook Drive, Cranberry Township, PA 16066, on behalf of The Compass Group, 2400 Yorkmont Road, Charlotte, NC 28217, submitted a Final Report concerning remediation of site soils and groundwater contaminated with BTEX, MTBE, methylene chloride and lead. The report is intended to document remediation of the site to the Statewide Health Standard.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

39-323-004GP4: Albarell Electric, Inc. (P. O. Box 799, Bethlehem, PA 18018) on January 30, 2006, to construct and operate a burn-off oven and associated air cleaning device at the facility located at 1000C West Lehigh Street, Bethlehem, **Lehigh County.**

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

GP3-67-03124A: Kinsley Construction, Inc. (P. O. Box 2886, York, PA 17405-2886) on February 9, 2006, for Portable Nonmetallic Mineral Processing Plants under GP3 in East Manchester Township, **York County.**

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

GP5-26-00483B: Great Lakes Energy Partners, LLC (P. O. Box 235, 150 North Avenue, Yatesboro, PA 16263) on February 9, 2006, to operate a compressor engine at Rumbaugh Compressor Station in **Fayette County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

09-0188: Gamesa Wind PA, LLC (400 Maintenance Dr., Fairless Hills, PA 19030) on February 7, 2006, to operate a new wind generator in Falls Township, **Bucks County**.

15-0027I: Johnson Matthey, Inc. (456 Devon Park Dr, Wayne, PA 19087) on February 9, 2006, to operate a new diesel catalyts production line in Tredyffrin Township, **Chester County**.

46-0011D: ISG Plate, LLC (900 Conshohocken Road, Conshohocken, PA 19428) on February 8, 2006, to operate a filter dust collector in Plymouth Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

36-05017D: Conestoga Wood Specialties Corp. (245 Reading Road, East Earl, PA 17519-0158) on February 7, 2006, to construct a new laboratory coating spray booth and modify operations in existing Spray Room No. 1 to improve efficiency and increase production in East Earl Township, **Lancaster County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

18-00005C: Dominion Transmission, Inc. (445 West Main Street, Clarksburg, WV 26301) on January 18, 2006, to modify a fugitive VOC emission limitation at a natural gas compressor station (Finnefrock Compressor Station) by increasing the respective limitation from 4.4 tons in any 12-consecutive month period to 15.41 tons in any 12-consecutive month period in Leidy Township, **Clinton County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; William Charlton, New Source Review Chief, (412) 442-4174.

03-00196A: National Fuel Gas Supply (1100 State Street, Erie, PA 16512) on February 6, 2006 to operate a natural gas compressor engine at the Kaylor Station in Sugar creek Township, **Armstrong County**.

65-00726A: Gutchess Hardwoods, Inc. (Route 981 South, P. O. Box 618, Latrobe, PA 15650) on February 10, 2006, to construct a wood fired boiler rated at 28.6 mmBtu/hr at Gutchess Hardwoods in Latrobe, **Westmoreland County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; George Monasky, New Source Review Chief, (814) 332-6940.

33-055B: Glen-Gery Corp. (Route 28, Summerville, PA 15864) on February 3, 2006, to modify conditions in existing Plan Approval 33-055A which involved the installation of a new tunnel kiln system at the Hanley facility on Route 28 in Summerville Borough, **Jefferson County**. This is a Title V facility, Permit No. 33-00055.

42-095B: Georgia-Pacific Corp. (One Owens Way, Bradford, PA 16701) on February 3, 2006, to modify existing boilers to permit the burning of No. 6 fuel oil in addition to natural gas in Bradford City, **McKean County**. This modification will trigger NSPS Subpart Dc. This is a State-only facility.

43-196B: General Electric Transportation—Grove City (1503 West Main Street Extension, Grove City, PA 16127) on February 2, 2006, to modify plan approval 43-302-015 for the continuous use of the 800 hp boiler (formerly the emergency boiler) rather than only being able to operate when the 400 hp boiler is out of service in Grove City Borough, **Mercer County**. This is a Title V facility.

43-305B: Champion Carrier Corp. (2755 Kirila Road Hermitage PA 16148) on February 3, 2006, to modify a spray booth from a water booth to a dry filter booth by for the Truck Body Manufacturer in Hermitage, **Mercer County**. The facility is currently permitted under a Natural Minor Operating Permit.

25-952F: Bush Industries, Inc. (2455 Robinson Road West, Erie PA 16509) on February 8, 2006, to install various particle board machinery at the Erie facility in the Township of Summit, **Erie County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401; Thomas McGinley, New Source Review Chief, (484) 250-5920.

09-0009E: Webcraft, LLC (4371 County Line Road, Chalfont, PA 18914) on February 7, 2006, to operate a press No. 18 in New Britain Township, **Bucks County**.

09-0024C: Waste Management Disposal Services of PA Inc. (1121 Bordentown Road, Morrisville, PA 19067) on February 7, 2006, to operate a landfill in Tullytown Borough, **Bucks County**.

09-0087B: Air Products and Chemicals, Inc. (351 Philadelphia Avenue, Morrisville, PA 19067) on February 7, 2006, to operate a SiF4 process scrubber in Falls Township, **Bucks County**.

09-0087C: Air Products and Chemicals, Inc. (351 Philadelphia Avenue, Morrisville, PA 19067) on February 7, 2006, to operate an ammonia process in Falls Township, **Bucks County**.

09-0105B: Naceville Materials (P. O. Box 196, 2052 Lucon Road, Skippack, PA 19474) on February 7, 2006, to operate a 20,000 gallon storage tank in Springfiled Township, **Bucks County**.

09-0117A: Heucotech, Ltd. (99 Newbold Road, Fairless Hills, PA 19030) on February 7, 2006, to operate a plant expansion in Falls Township, **Bucks County**.

15-0094: Metallurgical Products Company (P. O. Box 598, West Chester, PA 19381-0598) on February 7, 2006, to operate a bag filter dust collector in West Goshen Township, **Chester County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

18-315-002A: First Quality Products, Inc. (P. O. Box 270, McElhattan, PA 17748) on February 3, 2006, to construct one absorbent products manufacturing line, and to operate three additional such lines on a temporary basis, until June 3, 2006, in Wayne Township, **Clinton County**. The plan approval has been extended.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; George Monasky, New Source Review Chief, (814) 332-6940.

24-083D: Carbone of America—Graphite Materials Division (1032 Trout Run Road, St. Marys, PA 15857) on February 28, 2006, to construct a CBH Kiln in Benzinger Township, **Elk County**.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

36-05018: Lasco Bathware, Inc. (8101 East Kaiser Boulevard, Suite 130, Anaheim, CA 92808) on February 8, 2006, to operate a bathware manufacturing facility in West Donegal Township, **Lancaster County**. This Title V Operating Permit was administratively amended for the installation of a new replacement thermal oxidizer and the addition of a concentrator. This is revision No. 1.

44-05002: CNH America, LLC (P. O. Box 868, Belleville, PA 17004-0868) on February 7, 2006, to operate a farm equipment manufacturing facility in Union Township, **Mifflin County**. This Title V Operating Permit was administratively amended to incorporate a new facility VOC emission cap. This is revision No. 2.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

10-00027: Penreco (138 Petrolia Street, Karns City, PA 16041) on February 8, 2006 for the issuance of the Title V Amendment Operating Permit to operate a petroleum product facility located in Karns City Borough, **Butler County**. As a result of potential emissions of NOx and VOC, the facility is not a major source, but subject to Reasonable Available Control Technology due to some sources in the facility. The issued amended Title V Operating Permit does not reflect any changes in air emission from the facility. The facility is subject to Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The facility is not subject to Compliance Assurance Monitoring under 40 CFR Part 64.

25-00006: Russell Standards Corporation/Le Boeuf Township (Wheelerstown Road, 8624 Route 97, Union City, PA 16438), on February 9, 2006, for the issuance of the State Only Amendment Operating Permit to operate the Hot Mix Asphalt plant located in Le Boeuf Township, **Erie County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110; Ronald Davis, New Source Review Chief, (717) 705-4702.

21-05036: Hempt Bros., Inc. (205 Creek Road, Camp Hill, PA 17011-7418) on February 8, 2006, to operate its Camp Hill Asphalt Plant in Lower Allen Township, **Cumberland County**. This State-only operating permit was administratively amended to incorporate Plan Approval 21-05036A. This is revision No. 1.

22-05044: Pennsy Supply, Inc. (1001 Paxton Street, Harrisburg, PA 17105) on February 8, 2006, to operate a stone crushing plant and a concrete plant at the Hummelstown Quarry in South Hanover Township, **Dauphin County**. This is a renewal of the State-only operating permit.

36-03052: Boose Aluminum Foundry Co., Inc. (P. O. Box 261, Reamstown, PA 17567-0261) on February 8, 2006, to operation their aluminum foundry in East Cocalico Township, **Lancaster County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

41-00068: Keystone Leather Distributors, LLC (2100 Reach Road, Williamsport, PA 17701) on January 3, 2006, to operate a leather shoe sole waterproofing facility in the City of Williamsport, **Lycoming County**.

41-00044: Smurfit Stone Container Enterprises, Inc. (2940 Reach Road, Williamsport, PA 17701) on January 9, 2006, to operate a corrugated paper box manufacturing facility in the City of Williamsport, **Lycoming County**.

55-00022: Schreck's Painting (P. O. Box 6, Mt. Pleasant Mills, PA 17853) on January 17, 2006, to operate a modular/mobile home wooden parts surface coating facility in Perry Township, **Snyder County**.

08-00014: Eastern Industries, Inc. (4401 Camp Meeting Road, Centre Valley, PA 18034) on January 24, 2006, to operate an asphalt pavement production facility in Wysox Township, **Bradford County**.

08-00026: Eastern Industries, Inc. (4401 Camp Meeting Road, Centre Valley, PA 18034) on January 24, 2006, to operate a sand and gravel processing facility in Sheshequin Township, **Bradford County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; Mark Wayner, Facilities Permitting Chief, (412) 442-4174.

11-00277: Northern Cambria School District (601 Joseph Street, Barnesboro, PA 15714) for operation of 1 CNB Tri-Fuel boiler model No. T-185LS-CA/02, rated at 7.7 mmBtu/hr, equipped with a Breslove Separator model No. H-1-LM at the Elementary and Middle Schools in Barnesboro Township in **Cambria County**.

11-00415: Greystone Materials, Inc. (272 Interpower Drive, P. O. Box 950, Colver, PA 15927) on February 7, 2006, in Cambria and Barr Townships, **Cambria County**. The facility's major sources of emissions include a propane-fired dryer, two crushing mills, a screen, various conveyors, transfer points, hoppers, bucket elevators and material storage piles, truck loading and haul roads.

26-00547: Mypodiamond, Inc. (1101 Mountain View Drive, Smithfield, PA 15478-1641) on February 8, 2006, to produce industrial diamonds at the Smithfield Plant in Georges Township, **Fayette County**.

GP5-26-00483B: Great Lakes Energy Partners, LLC (P. O. Box 235, 150 North Avenue, Yatesboro, PA 16263 on February 9, 2006, to operate a compressor engine at Rumbaugh Compressor Station in **Fayette County**.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104; Edward Braun, Chief, (215) 685-9476.

V04-009: University of Pennsylvania (3451 Walnut Street, Philadelphia, PA 19104) on February 13, 2006, to operate a university in the City of Philadelphia, **Philadelphia County**. The facility's air emissions' sources nine <10 mmBtu/hr heaters and furnaces, 65 emergency generators and one peak shaving generator.

V05-003: Pacific Atlantic Terminals, LLC (67th Street and the Schuylkill River, Philadelphia, PA 19153) on February 13, 2006 to operate a bulk liquids storage and distribution facility in the City of Philadelphia, **Philadelphia County**. The facility's air emissions' sources include a 30 mmBtu/hr thermal fluid heater, a 20 mmBtu/hr thermal fluid heater, a vapor incinerator, 22 petroleum products storage tanks, truck loading, non-gasoline marine loading, barge cleaning and washwater treatment. The facility's air emission control devices include a vapor incinerator and vapor recovery unit.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790; Mark Wejkszner, New Source Review Chief, (570) 826-2531.

40-00019: Cascades Tissue Group PA, Inc. (901 Sathers Drive, Vogelbacher Industrial Park, Pittston, PA 18640) on January 19, 2006, to revise the facility permit to include a plant-wide applicability limit (PAL) at the facility located in Pittston Township, **Luzerne County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701; David Aldenderfer, Program Manager, (570) 327-3637.

49-00009: Masonite Corporation (980 Point Township Drive, Northumberland, PA 17857) on January 30, 2006, by means of administrative amendment, to transfer the operating permit for the operation of a door finishing facility from Mohawk Flush Doors, Inc. to Masonite Corporation in Point Township, **Northumberland County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481; Eric Gustafson, Facilities Permitting Chief, (814) 332-6940.

61-00147: Department of Public Welfare—Polk Center (Route 62, Polk, PA 16342-0094) located in Polk Borough, **Venango County**. A minor modification to the Title V Operating Permit for this facility was issued on February 8, 2006, to incorporate more stringent permit requirements into the Title V permit. These limitations and additional reporting and recordkeeping requirements reduce the potential hydrogen chloride emissions at the facility to less than 10 tons per year. As a result of this restriction the facility is no longer a major source of HAPs.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

Permit No. 32950109 and NPDES No. 0213250. Britt Energies, Inc., 2450 Philadelphia Street, Indiana, PA 15701, permit renewal for reclamation only of a bituminous surface auger mine in White Township, **Indiana County**, affecting 83.3 acres. Receiving streams: UNTs to/and Yellow Creek, classified for the following use: TSF. There are no potable water supply intakes within 10 miles downstream. Application received December 23, 2005. Permit issued: February 8, 2006.

Greensburg District Mining Office: Armbust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500.

03030104 and NPDES Permit No. PA0250392. Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201). Permit issued for commencement, operation, and reclamation of a bituminous surface/auger/noncoal mining site located in Manor Township, **Armstrong County**, affecting 100.3 acres. Receiving streams: Rupp Run and a UNT to Garretts Run. Application received: May 15, 2003. Permit issued: January 26, 2006.

03900112 and NPDES Permit No. PA0003191. Canterbury Coal Company (25 Old Farm Road, Pittsburgh, PA 15239). Permit renewal issued for continued reclamation only of a bituminous surface/auger mining site located in Kiskiminetas Township, **Armstrong County**, affecting 81.2 acres. Receiving stream: UNT to Long Run. Application received: November 9, 2005. Reclamation only renewal issued: February 7, 2006.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

33010101 and NPDES Permit No. PA0241865. Sky Haven Coal, Inc. (5510 State Park Road, Penfield, PA 15849) Renewal of an existing bituminous strip operation in Winslow and Sandy Townships, **Jefferson and Clearfield Counties** affecting 65.5 acres. This renewal is issued for reclamation only. Receiving stream: UNT to Sandy Lick Creek. Application received: December 16, 2006. Permit Issued: February 8, 2006.

33930101 and NPDES Permit No. PA0211486. P. and N. Coal Co., Inc. (P. O. Box 332, Punxsutawney, PA 15767) Renewal of an existing bituminous strip and auger operation in Gaskill and Henderson Townships, **Jefferson County** affecting 151.1 acres. This renewal is issued for reclamation only. Receiving streams: UNTs to East Branch Mahoning Creek and UNT to Laurel Run. Application received: December 21, 2005. Permit Issued: February 8, 2006.

33950107 and NPDES Permit No. PA0227102. Cookport Coal Co., Inc. (425 Market Street, Kittanning, PA 16201) Renewal of an existing bituminous strip, shale and clay removal operation in Warsaw Township, **Jefferson County** affecting 39.5 acres. Receiving streams: Two UNTs to Mill Creek. Application received: December 9, 2005. Permit Issued: February 8, 2006.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

17010102 and NPDES No. PA0219967. Compass Coal Co. (P. O. Box 169, Punxsutawney, PA 15767), permit renewal for the continued operation and restoration of a bituminous surface mine with refuse removal and beneficial use of coal ash, in Chest Township, **Clearfield County**, affecting 72.5 acres. Receiving streams: North Camp Run to Chest Creek classified for the following use: CWF. Application received January 13, 2006.

17840132 and NPDES No. PA0610381. M. B. Energy, Inc. (175 McKnight Road, Blairsville, PA 15717), permit renewal for the continued operation and restoration of a bituminous surface-auger mine in Bell Township, **Clearfield County**, affecting 122.4 acres. Receiving streams: UNT to Whiskey Run (CWF) to Lost Run (HQ-CWF). The first downstream potable water supply intake from the point of discharge is Punxsutawney intake to Lost Run. Application received: January 20, 2006.

14820103 and NPDES No. PA0611719. Junior Coal Contracting, Inc. (2330 Six Mile Road, Philipsburg, PA 16866), permit renewal for the continued operation and restoration of a bituminous surface-auger mine in Rush Township, **Centre County**, affecting 199.4 acres. Receiving streams: UNT to Trout Run and UNT to Moshannon Creek for the following use: CWF. Application received: January 20, 2006.

Noncoal Permits Actions

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

3778SM10. Gierlach Crushing & Contracting (189 Gierlach Drive, Franklin, PA 16323) Transfer of an existing sand and gravel operation from Franklin Gravel Company in the City of Franklin, **Venango County** affecting 9.7 acres. Receiving streams: Patchel Run. Application received: November 23, 2005. Permit Issued: February 6, 2006.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

6276SM2A1C9 and NPDES Permit No. PA0594512. Martin Limestone, Inc. (P. O. Box 550, Blue Ball, PA 17506), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in East Earl Township, **Lancaster County**. Receiving stream: Conestoga Creek. Application received December 12, 2005. Renewal issued February 7, 2006.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (73 P. S. §§ 151—161) and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

15064105. Horst Drilling & Blasting, Inc. (141 Ranck's Church Road, New Holland, PA 17557), construction blasting for Hill Farm House Development in Caln and Valley Townships, **Chester County** with an expiration date of February 1, 2007. Permit issued February 6, 2006.

46064106. Horst Drilling & Blasting, Inc. (141 Ranck's Church Road, New Holland, PA 17557), construction blasting for Arcola Road in Upper Providence Township, **Montgomery County** with an expiration date of February 1, 2007. Permit issued February 6, 2006.

09064103. Silver Valley Drilling & Blasting, Inc. (R. R. 4 Box 4196, Saylorsburg, PA 18353), construction blasting for Estates at Hilltown in Hilltown Township, **Bucks County** with an expiration date of February 1, 2007. Permit issued February 7, 2006.

09064104. American Rock Mechanics, Inc. (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Parkside Estates in Milford Township, **Bucks County** with an expiration date of December 29, 2006. Permit issued February 7, 2006.

22064106. John W. Gleim, Jr., Inc. (625 Hamilton Street, Carlisle, PA 17013), construction blasting for Harmon Stove in Halifax Township, **Dauphin County** with an expiration date of October 15, 2006. Permit issued February 7, 2006.

36064112. Keystone Blasting Service (381 Reifsnnyder Road, Lititz, PA 17543), construction blasting for Phillips Graphic in Rapho Township, **Lancaster County** with an expiration date of June 30, 2006. Permit issued February 7, 2006.

45064107. Explosive Services, Inc. (7 Pine Street, Bethany, PA 18431), construction blasting for Grandview Terrace in East Stroudsburg Borough, **Monroe County** with an expiration date of February 28, 2007. Permit issued February 7, 2006.

45064108. Explosive Services, Inc. (7 Pine Street, Bethany, PA 18431), construction blasting for Wyndham Hills in Paradise Township, **Monroe County** with an expiration date of February 28, 2007. Permit issued February 7, 2006.

45064109. Silver Valley Drilling & Blasting, Inc. (R. R. 4 Box 4196, Saylorsburg, PA 18353), construction blasting for Arbor Way Foundation in Stroud Township, **Monroe County** with an expiration date of February 5, 2007. Permit issued February 7, 2006.

45064110. Ed Wean Drilling & Blasting, Inc. (112 Ravine Road, Stewartsville, NJ 08886), construction blasting for the County Club of the Poconos in Middle

Smithfield Township, **Monroe County** with an expiration date of February 6, 2007. Permit issued February 7, 2006.

52064102. Holbert Explosives, Inc. (237 Mast Hope Plank Road, Lackawaxen, PA 18435), construction blasting for Ken Greening Excavating in Milford Township, **Pike County** with an expiration date of February 1, 2007. Permit issued February 7, 2006.

15064106. American Rock Mechanics, Inc. (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Kimberton Meadows in East Pikeland Township, **Chester County** with an expiration date of August 31, 2006. Permit issued February 8, 2006.

45064111. Ed Wean Drilling & Blasting, Inc. (112 Ravine Road, Stewartsville, NJ 08886), construction blasting for the County of the Poconos in Middle Smithfield Township, **Monroe County** with an expiration date of February 8, 2007. Permit issued February 8, 2006.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E35-391. Kincel Ventures, LP, R. R. 2, Box 2058, Moscow, PA 18444-9637. Newton Township, **Lackawanna County**, Army Corps of Engineers Baltimore District.

To construct and maintain a single-span, steel I-beam bridge, having a span of 25 feet and an underclearance of 6 feet across a tributary to Gardner Creek for the purpose of providing access to a single residential dwelling. This permit is a reissuance of Permit No. E35-313 which expired on December 31, 2002. The project is located on the south side of T-383, approximately 0.2 mile east of the intersection of T-382 and T-383. (Ransom, PA Quadrangle N: 14.6 inches; W: 1.9 inches).

E40-631. Marina Commons at Harveys Lake, LLC, R. R. 3, Box 3016, Harveys Lake, PA 18618. Harveys Lake Borough, **Luzerne County**, Army Corps of Engineers Baltimore District.

To: (1) remove sediment within 0.29 acre of PEM wetlands and 1.09 acres of open water to achieve a water depth of 8 feet in Harveys Lake (HQ-CWF) for the purpose of facilitating operation of an existing marina; and (2) construct and maintain a pile-supported dock complex having an overall length along the shoreline of approximately 370 feet with slips extending 20 feet from the walkway portion of the dock. The permittee is required to provide for 0.29 acre of replacement wetlands by participating in the Pennsylvania Wetland Replacement Project. The project is located adjacent to the Marina Pointe development, within the southern inlet region of Harveys Lake (Harveys Lake, PA Quadrangle N: 18.3 inches; W: 4.3 inches). (Subbasin: 5B)

E64-240. Department of Transportation, Engineering District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512. Dreher Township, **Wayne County**, Army Corps of Engineers Philadelphia District.

To remove the existing structure and to construct and maintain a road crossing of Mill Creek (HQ-CWF) consisting of a precast or cast-in-place open-bottomed concrete arch culvert having a span of 24.0 feet and an underclearance of approximately 19.7 feet. The project includes riprap bank stabilization along both banks, extending approximately 25 feet upstream and 35 feet downstream of the proposed structure. The project will impact approximately 150 LF of the stream channel. The structure, known as Haag's Mill Bridge, is located along SR 0191, Section 670, Segment 0070, Offset 1,583, approximately 1,000 feet upstream of the confluence of Mill Creek and Wallenpaupack Creek (Newfoundland, PA Quadrangle N: 7.0 inches; W: 11.1 inches). (Subbasin: 01C)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E01-255: Randy Reiner, 5330 West Quail Avenue, Las Vegas, NV 89118 in Mount Joy Township, **Adams County**, ACOE Baltimore District.

To construct and maintain a 53-inch by 194-inch by 24-foot corrugated galvanized steel open bottom arch culvert in a UNT to Rock Creek (WWF) at a point just east of the intersection of Taneytown Road and Schwartz Road (Taneytown, PA Quadrangle N: 22.5 inches; W: 13.0 inches; Latitude 39° 44' 54"; Longitude 77° 13' 02") in Mount Joy Township, Adams County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E55-205. Middleburg Municipal Water Authority, 13 North Main Street, Middleburg, PA 17842. Water Intake Structure Replacement, in Franklin Township, **Snyder County**, ACOE Baltimore District (Middleburg, PA Quadrangle N: 3.7 inches; W: 7.4 inches).

To remove the existing water intake structures and to construct, operate and maintain cast-in-place reinforced concrete intake structures in Erb Run, West Branch of Bowersox Run and the East Branch of Bowersox Run. Each of the intake structures will have a 20-foot rock apron constructed out of R-6 sized rock. The permit also authorizes the temporary installation and maintenance of a 30-inch culvert pipe in the East Branch of Bowersox Run that will be removed upon completion of the project. Once the culvert is removed a permanent ford crossing is authorized for construction, operation and maintenance. The ford crossing shall be constructed in such a way that the crossing does not raise the bed elevation directly upstream and downstream of the crossing. A temporary diversion dike system constructed of sand bag dike wrapped by a 6 mil. polyethylene liner is also authorized in each of the watersheds during construction. Once construction is complete these systems shall be removed and the areas restored to their preexisting conditions. This project is located on Coon Hunter Road just outside of Paxtonville. This permit also includes 401 Water Quality Certification.

ENVIRONMENTAL ASSESSMENTS

Cambria District: Environmental Program Manager, 286 Industrial Park Rd., Ebensburg, PA 15931-4119.

EA1009-004. Department of Environmental Protection, Bureau of Abandoned Mine Reclamation, Cambria Office, 286 Industrial Park Rd., Ebensburg, PA 15931. Abandoned Mine Land Reclamation Project, in Slippery Rock Township, **Butler County**, Pittsburgh ACOE District.

The applicant proposes to backfill an abandoned surface mine, which includes a dangerous highwall totaling 4,200 linear feet. The project will include the backfilling of a 0.5-acre open water body and a 0.036-acre wetland. The project will directly impact 0.5 acre of shallow (approx. 8 inches deep) open water and 0.036 acre of de minimis wetland. (Slippery Rock Quadrangle N: 9.75 inches, W: 7.3 inches).

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

D06-509EA. Ontelaunee Orchards, Inc., P. O. Box 13613, Reading, PA 19612. Ontelaunee Township, **Berks County**, ACOE Philadelphia District.

Project proposes to breach and remove Ontelaunee Orchards Dam, which is located across a tributary to the Schuylkill River (WWF) for the purpose of restoring approximately 500 linear feet of stream channel to a free flowing condition, and eliminating a threat to public safety. The dam is located approximately 200 feet east of

the intersection of Gernant's Church Road (T713) and Loose Lane (T716) (Temple, PA Quadrangle N: 14.95 inches; W: 12.6 inches).

D60-060EA. Bureau of Waterways Engineering, P. O. Box 8460, Harrisburg, PA 17105-8460. Lewis Township, **Union County**, ACOE Baltimore District.

Project proposes to breach and remove Milmont Dam located across Penns Creek (WWF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will restore approximately 700 linear feet of stream channel. The dam is located approximately 1,700 feet southeast of the intersection of Creek Road (SR 3004) and SR 3003 (Hartleton, PA Quadrangle N: 0.70 inch; W: 1.4 inches).

D09-090EA. Susan Ward, 140 West 30th Street, New York, NY 1001. Tincum Township, **Bucks County**, ACOE Philadelphia District.

Project proposes to breach and remove an unnamed dam located across a tributary to the Delaware River (TSF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will restore approximately 110 linear feet of stream channel. The dam is located along Smithtown Road (SR 1013) approximately 1,300 feet northeast of the intersection of Smithtown Road (SR 1013) and Cafferty Hill Road (Lumberville, PA Quadrangle N: 15.55 inches; W: 10.75 inches).

SPECIAL NOTICES

Certified Emission Reduction Credits in the Commonwealth's ERC Registry

Emission reduction credits (ERCs) are surplus, permanent, quantified and Federally enforceable emission reductions used to offset emission increases of oxides of nitrogen (NOx), volatile organic compounds (VOCs) and the following criteria pollutants: carbon monoxide (CO), lead (Pb), oxides of sulfur (SOx), particulate matter (PM), PM-10 and PM-10 precursors.

The Department of Environmental Protection (Department) maintains an ERC registry in accordance with the requirements of 25 Pa. Code § 127.209. The ERC registry system provides for the tracking of the creation, transfer and use of ERCs. Prior to registration of the credits, ERC Registry Applications are reviewed and approved by the Department to confirm that the ERCs meet the requirements of 25 Pa. Code §§ 127.206—127.208. Registration of the credits in the ERC registry system constitutes certification that the ERCs satisfy applicable requirements and that the credits are available for use. The following registered and certified ERCs in the ERC Registry are currently available for use as follows:

- (1) To satisfy new source review (NSR) emission offset ratio requirements.
- (2) To "net-out" of NSR at ERC-generating facilities.
- (3) To sell or trade the ERCs for use as emission offsets at new or modified facilities.

The certified ERCs shown as follows, expressed in tons per year (tpy), satisfy the applicable ERC requirements

contained in 25 Pa. Code §§ 127.206—127.208. ERCs created from the curtailment or shutdown of a source or facility expires for use as offsets 10 years after the emission reduction occurs. ERCs generated by the over control of emissions by an existing facility do not expire for use as offsets. However, credits in the registry that are not used in a plan approval will be discounted if new air quality requirements are adopted by the Department or the United States Environmental Protection Agency.

For additional information concerning this listing of certified ERCs, contact the Bureau of Air Quality, Division of Permits, Department of Environmental Protection, 12th Floor, Rachel Carson State Office Building, P. O. Box 8468, Harrisburg, PA 17105-8468, (717) 787-4325. This ERC Registry Report, ERC Registry application and instructions are located at www.depweb.state.pa.us, select Air Topics, Air Quality Home, Permits, Emission Reduction Credits.

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
R. R. Donnelley & Sons Co. County: Lancaster Contact Person: Frederick Shaak, Jr.	VOCs	16.00		Internal Use
Kurz Hastings Inc. County: Philadelphia Contact Person: George Gornick (215) 632-2300	VOCs	137.45		Trading
Kurz Hastings Inc. County: Philadelphia Contact Person: George Gornick (215) 632-2300	NOx VOCs	8.01 64.55	Varies from 3/28/2013 to 1/9/2014	Trading
ConAgra Grocery Products Company Source Location: Milton Borough County: Northumberland Contact Person: Karl Henschel (570) 742-6644	NOx VOCs PM-10 SOx	24.45 12.88 36.79 228.29	4/1/2006	Trading
Metallized Paper Corporation of America Recipient/Holder: PNC Bank, National Association, assignee (by private lien foreclosure) from Metallized Paper Corp. Source Location: McKeesport County: Allegheny Contact Person: Martin Mueller (412) 762-5263	VOCs	41.70	6/30/2006	Trading
PPG Industries, Inc. Source Location: Springdale Complex County: Allegheny Contact Person: Lori Burgess (412) 274-3884	VOCs	171.82		Trading
York International Corporation Sources: Trichloroethylene Vapor Degreaser (151) Source Location: Spring Garden Township County: York Contact Person: Garen Macdonald (717) 771-7346	VOCs	12.20	6/1/2006	Trading
Recipient/Holder of ERC: Coastal Aluminum Rolling Mills Inc. ERC Generating Facility: Fasson Div. of Avery Dennison Corp. ERC-generating facility location: Quakertown, Bucks Contact Person: Jesse Hackenberg (570) 323-4430	VOCs	3.62		Internal Use/ Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
Recipient/Holder of ERC: PG&E Energy Trading-Power, LP ERC Generating Facility: Fasson Div. of Avery Dennison Corp. ERC-generating facility location: Quakertown, Bucks Contact Person: Mark Sheppard (301) 280-6607	VOCs	39.84	8/1/2006	Trading
Magee Rieter Automotive Systems Source Location: Bloomsburg County: Columbia Contact Person: Tim Bergerstock (717) 784-4100	NOx VOCs	0.39 0.02	4/17/2006	Internal Use
Congoleum Corporation Source Location: Marcus Hook County: Delaware Contact Person: Theresa C. Garrod (609) 584-3000	NOx	5.20		Trading
International Steel Group, Inc. Bethlehem Structural Products Corp. Source Location: Bethlehem County: Northampton Contact Person: Keith Nagel (330) 659-9165	VOCs	473.80	Varies from 3/28/2008 to 6/19/2008	Trading
Recipient/Holder of ERC: Lehigh Valley Industrial Park, Inc. ERC Generating Facility: International Steel Group, Inc. Source Location: Bethlehem County: Northampton Contact Person: Justin Ryan (610) 866-4600	NOx	1054.00	Varies from 3/28/2008 to 6/19/2008	Trading
Morgan Adhesives Company (MACTac) Source Location: Scranton County: Lackawanna Contact Person: Tim Owens (330) 688-1111	VOCs	75.00	6/30/2008	Trading
National Fuel Gas Supply Corporation Sources: Generators Nos. 1 and 2, Dehydrator 1 Source Location: Ellisburg Station County: Potter Contact Person: Gary A. Young (814) 871-8657	NOx VOCs	16.14 1.80	2/1/2009	Internal Use
General Electric Company Source Location: Lawrence Park County: Erie Contact Person: Scott Gowdy (814) 875-2427	VOCs	1.80	12/31/2006	Internal Use/ Trading
TYK America, Inc. Source Location: Irvona Facility County: Clearfield Contact Person: David B. Orr (412) 384-4259	NOx VOCs	0.30 0.02	11/6/2008	Trading
Smithkline Beechman Pharmaceuticals Sources: Two boilers and oxidizer Source Location: Spring Garden Street Facility County: Philadelphia Contact Person: Eileen Ackler (610) 239-5239	NOx VOCs	5.72 0.10	12/31/2008	Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
Recipient/Holder of ERC: PG&E Energy Trading-Power, LP ERC Generating Facility: Global Packaging, Inc. ERC-generating facility location: Oaks Plant, Montgomery County Contact Person: Sarah M. Barpoulis (301) 280-6607	VOCs	7.70	9/1/2006	Trading
Recipient/Holder of ERC: PG&E Energy Trading-Power, LP ERC Generating Facility: Global Packaging, Inc. ERC-generating facility location: Oaks Plant, Montgomery County Contact Person: Sarah M. Barpoulis (301) 280-6607	VOCs	43.50		Trading
The Procter & Gamble Paper Products Company Source Location: Mehoopany Plant County: Wyoming Contact Person: John Romero (570) 833-3285	NOx VOCs PM	136.00 237.67 99.62	5/3/2009	Internal Use/Trading
Caparo Steel Company Source: EAF Furnace No. 2 and Ladle Preheater No. 2 Source Location: Farrell Plant County: Mercer County Contact Person: Richard A. Herman (724) 983-6464	NOx VOCs	36.73 12.07	8/18/2007	Trading
LTV Steel Company, Inc. Source Location: Pittsburgh Coke Plant County: Allegheny Contact Person: William L. West (216) 642-7178	NOx VOCs PM-10 SOx CO	1663.00 373.00 406.00 1238.00 671.00	2/28/2008	Trading
Newcomer Products, Inc. Source Location: Latrobe County: Westmoreland Contact Person: Edward M. Nemeth (724) 694-8100	VOCs	26.00	7/14/2010	Trading
Scranton-Altoona Terminals Corporation Source Location: Monroe Township County: Cumberland County Contact Person: Thomas M. Carper (717) 939-0466	VOCs	4.84	9/30/2010	Trading
Pennzoil Wax Partner Company Source Location: Rouseville County: Venango Contact Person: David W. Dunn (713) 546-6941	NOx VOCs	15.47 0.68	2/26/2010	Trading
Pennzoil Wax Partner Company Source Location: Rouseville County: Venango Contact Person: David W. Dunn (713) 546-6941	NOx VOCs	2.82 44.34	4/1/2010	Trading
INDSPEC Chemical Corp. Source: Boiler No. 8 Source Location: Petrolia County: Butler Contact Person: Terry Melis (412) 756-2376	NOx	158.68		Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
Sun Company, Inc. Source: Wastewater Conveyance System Source Location: Marcus Hook Borough County: Delaware Contact Person: Steve Martini (610) 859-1000	VOCs	426.59		Trading/ Internal Use
Columbia Gas Transmission Corporation Source Location: Kent Station County: Indiana Contact Person: Gregory Lago (304) 357-2079	NOx VOCs	44.36 2.66	5/31/2011	Trading
Columbia Gas Transmission Corporation Source Location: Homer Station County: Indiana Contact Person: Gregory Lago (304) 357-2079	NOx VOCs	45.89 3.79	5/31/2011	Trading
ISG Steelton, Inc. Source: Rail Heat Treating and Quenching Source Location: Steelton Plant County: Dauphin Contact Person: James R. Hernjak (717) 986-2042	NOx VOCs	7.00 43.00	11/9/2009	Trading
General Electric Transportation System Source: Boiler No. 2 Source Location: E. Lake Road County: Erie Contact Person: Mark D. Restifo (814) 875-5406	NOx VOCs PM SOx CO	280.90 1.70 29.50 2006.70 111.90	12/31/2010	Trading
3M Minnesota Mining & Manufacturing Source Location: Bristol Plant County: Bucks Contact Person: Jeff Muffat (651)-778-4450	VOCs VOCs	546.00 279.00	11/30/2011 12/17/2011	Trading
Kosmos Cement Company, Cemex, Inc. Source Location: Neville Road, Pittsburgh County: Allegheny Contact Person: Amarjit Gill (713) 653-8554	NOx VOCs PM10 SOx CO	910.00 26.00 61.00 442.00 44.00	4/24/2011	Trading
Edgewater Steel, Ltd. Source Location: College Avenue, Oakmont County: Allegheny Contact Person: Peter M. Guzanick (412) 517-7217	NOx VOCs PM10 SOx CO	17.05 1.87 5.44 32.29 17.93	8/6/2008	Trading
JG Furniture Group, Inc. Source Location: Quakertown, Bucks County: Bucks Contact Person: Donald Boisselle (336) 410-7263	VOCs	24.40	9/1/2007	Trading
Recipient/Holder of ERC: Inter-Gen North America Development Company, LLC ERC Generating Facility: Laclede Steel Corporation Source Location: Fairless County: Bucks Contact Person: Gary Stephenson (781) 993-3098	NOx VOCs	104.00 45.00	11/29/2011	Trading
Recipient/Holder of ERC: Natsource Emissions Brokers ERC Generating Facility: Laclede Steel Corporation Source Location: Fairless County: Bucks Contact Person: David Oppenheimer (212) 232-5305	NOx VOCs	0.27 1.50	11/29/2011	Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
Trinity Industries, Inc. Source Location: Greenville County: Mercer County Contact Person: Dennis Lencioni (214) 589-8141	VOCs	61.65	10/31/2010	Trading
Rohm and Haas Company Source Location: Bristol Township County: Bristol Contact Person: Lloyd Davis (215) 785-8871	VOCs VOCs	1.15 0.32	10/30/2010 1/30/2011	Trading
Recipient/Holder of ERC: Waste Management Disposal Services of Pennsylvania ERC Generating Facility: The Worthington Steel Company Source Location: Malvern, East Whiteland County: Chester Contact Person: Eli Brill (215) 269-2111	VOCs	43.00	1/31/2012	Traded
Recipient/Holder of ERC: Waste Management of Pennsylvania, Inc. ERC Generating Facility: The Worthington Steel Company Source Location: Malvern, East Whiteland County: Chester Contact Person: Eli Brill (215) 269-2111	VOCs	70.00	1/31/2012	Traded
PPL Inc. Source Location: Holtwood Station County: Lancaster Contact Person: Linda A. Boyer (610)-774-5410	NOx VOCs PM10 SOx	3521.09 9.70 105.50 13341.30	4/29/2009	Trading
North American Refractories Company Source Location: Womelsdorf County: Lebanon Contact Person: Rhonda Vete (412) 469-6122	NOx VOCs PM10 SOx CO	5.11 62.57 0.25 15.60 24.85 19.45	12/15/2010 9/30/2008 9/30/2008	Trading
The Quaker Oats Company Source Location: Shiremanstown Plant County: Cumberland Contact Person: Richard C. Pitzer (717) 731-3334	NOx VOCs PM	4.00 1.68 60.49	Varies from 4/3/2010 to 7/15/2011	Trading
Glasgow, Inc. Source Location: Plymouth Meeting County: Montgomery Contact Person: Brian Chabak (215) 884-8800	NOx VOCs NOx VOCs	2.72 0.21 6.54 0.52	12/31/2010 12/31/2010 6/1/2010 6/1/2010	Trading
Scranton-Altoona Terminals Corporation Source Location: East Freedom Terminal County: Cumberland County Contact Person: Thomas M. Carper (717) 939-0466	VOCs	9.19	4/1/2009	Trading
SLI Lighting Inc. Source Location: Ellwood City County: Lawrence Contact Person: Tim Haubach (724) 752-6493	VOCs	5.70	6/3/2010	Trading

NOTICES

1001

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
National Fuel Gas Supply Corp. Source Location: Van Compressor St., Cranberry Town County: Venango Contact Person: Gary A. Young (814) 871-8657	NOx VOCs	80.90 0.65	7/19/2006	Trading
Harvard Industries, Inc. Plant name: Pottstown Precision Casting, Inc. Source Location: West Pottsgrove Township County: Montgomery Contact Person: Allan B. Currie, Jr. (517) 740-2991 or (517) 592-3706	NOx VOCs	28.25 8.70	11/12/2011	Trading
Recipient/Holder of ERC: Morgan Stanley Capital Group, Inc. ERC Generating Facility: Occidental Chemical Corp. ERC Generating Source Location: Pottsgrove Township County: Montgomery Contact Person: Trevor Woods (212) 761-8895	NOx	71.40	2/28/2007	Trading
Recipient/Holder of ERC: Kvaerner Philadelphia Shipyard, Inc. ERC Generating Facility: Occidental Chemical Corp. ERC Generating Source Location: Pottsgrove Township County: Montgomery County Contact Person: Michael Masington (215) 875-2649	NOx	50.00	2/28/2007	Trading
Horsehead Resource Co., Inc. Source Location: East Plant (Waelz) County: Carbon Contact Person: John M. Cigan (610) 826-8719	NOx VOCs PM10 SOx	30.80 53.80 4.90 47.20	5/31/2006	Trading
Alcoa, Inc. Source Location: Lebanon Township County: Lebanon Contact Person: Kevin S. Barnett (412) 553-2094	VOCs	580.43	Varies from 9/29/2010 to 5/1/2012	Trading
American Color Graphics, Inc. Formerly Flexi-Tech Graphics, Inc. Source Location: Barnhart Drive, Hanover County: York Contact Person: Glenn Shaffer (717) 792-8104	VOCs	9.60	1/15/2012	Trading
Allegro Microsystems, Inc. Source Location: Upper Moreland Township County: Montgomery Contact Person: Wendy Cooper (610) 286-7434	VOCs	42.61	3/29/2012	Trading
Williams Generation Company Source Location: Hazleton Co-Gen Facility County: Luzerne Contact Person: Terrie Blackburn (918) 573-9766	NOx PM10 SOx CO	794.60 50.40 308.40 89.50	1/31/2007	Trading
Calumet Lubricants Company Source Location: Rouseville Plant County: Venango Contact Person: Daniel R. Chapman (814) 678-4602	NOx VOCs SOx	89.80 2.38 87.70	5/21/2012	Trading
Avery Dennison Corporation Source Location: Dungan Road County: Philadelphia Contact Person: Frank J. Brandauer (626) 398-2773	VOCs	3.13	6/30/2012	

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
Henry Miller Spring & Manufacturing Company Source Location: Sharpsburg County: Allegheny Contact Person: David J. Jablonowski (412) 782-7300	NOx VOCs	10.96 36.47	1/22/2010	Trading
Penco Products, Inc. Source Location: Lower Providence Township County: Montgomery Contact Person: Allan J. Goss (610) 666-0500	NOx VOCs	3.11 29.48	10/1/2011	Trading
Norfolk Southern Railway Co. Source Location: Hollidaysburg Car Shop County: Blair Contact Person: Carl Russo (814) 949-1479	NOx VOCs	4.35 69.80	7/19/2012	Trading
World Kitchen, Inc. Source Location: Charleroi Plant County: Washington Contact Person: James Rowlett (724) 489-2288	NOx	251.43		Trading
PPG Industries, Inc. Source Location: Greenwood Township County: Crawford Contact Person: David J. Neal (412) 492-5507	NOx	1118.50		Trading
Sentry Paint Technologies, Inc. Source Location: Mill Street, Darby County: Delaware Contact Person: Benjamin Breskman (610) 522-1900	VOCs	3.56	4/30/2013	Trading
R. H. Sheppard Company, Inc. Source Location: Core making operation in Hanover County: York Contact Person: Julie L. Smith (717) 637-3751	VOCs	14.43	4/15/2013	Trading
International Paper Source: Bleach Plant, Erie Mill County: Erie Contact Person: Gary Morrow (814) 870-6782	VOCs	72.06		Trading
International Paper Source Location: Erie Mill County: Erie Contact Person: Gary Morrow (814) 870-6782	NOx VOCs	1235.00 943.00	9/30/2012	Trading
Corning Incorporated Source Location: College Township County: Centre Contact Person: Douglas A. Wolf (607) 974-4267	NOx	1400.01	6/23/2013	Trading
Sea Gull Lighting Products, Inc Source Location: 25th and Wharton Sts. County: Philadelphia Contact Person: Mark Gardiner (215) 468-7255	VOCs	12.50	3/1/2013	Trading
Allegro Microsystems, Inc. Source Location: Upper Moreland Township County: Montgomery Contact Person: Wendy Cooper (610) 286-7434	NOx CO	2.90 1.30	10/20/2013	Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
Recipient/Holder of ERC: First Quality Tissue, LLC ERC Generating Facility: PPL Holtwood, LLC ERC Generation Source Location: Martic Township County: Lancaster Contact Person: Mark Zeffiro (814) 231-5267	NOx	74.98	4/29/2009	Internal Use
Recipient/Holder of ERC: First Quality Tissue, LLC ERC Generating Facility: Alcoa Inc. ERC Generation Source Location: South Lebanon County: Lebanon Contact Person: Mark Zeffiro (814) 231-5267	VOCs	43.72	4/5/2012	Internal Use
Lancaster Malleable Castings Company Source Location: Manheim Township County: Lancaster Contact Person: Jeffrey L. Ressler (717) 295-8200	VOCs CO	11.71 1.30	3/31/2013	Internal use/Trading
International Paper Source: Lock Haven Mill Source Location: Castanea Township County: Clinton Contact Person: Thomas M. Sauer (570) 740-1211	NOx VOC SOx	1287.00 27.90 6606.00	3/22/2012	Offsets/ Trading
CMS Gilbreth Packaging Systems Source: Label and Packaging Network County: Bucks Contact Person: Patricia M. Henry Unrath (610) 789-2277	VOC	17.40	5/31/2008	Trading
Brodart Company Source Location: Montgomery Facility County: Lycoming Contact Person: Robyn J. Dincher (570) 326-2461 ext 6408	VOCs	24.91	4/18/2013	Trading
Pennsylvania House White Deer Furniture Plant Source: Conveyor and Monorail lines Source Location: White Deer Plant County: Union Contact Person: Robert J. Varney (570) 523-2356	VOCs	82.90	3/15/2012	Trading
Exelon Power Source: Delaware Generating Station Source Location: Philadelphia County: Philadelphia Contact person: Kimberly Scarborough (610) 765-5883	NOx	286.5	12/16/2014	Trading
Worthington Steel Company Source Location: East Whiteland Township County: Chester Contact Person: Matt Johnson (614) 438-7960	NOx	10.00	4/1/2013	Trading
Buckeye Pipe Line Company, LP Source Location: Reed Township County: Dauphin Contact Person: Jason Mengel (484) 232-4491	VOCs	12.00	2/28/2012	Trading

<i>Facility information</i>	<i>Criteria Pollutant or Precursor</i>	<i>Certified ERCs Available (tpy)</i>	<i>Expiration date</i>	<i>Intended use of ERCs</i>
Bollman Hat Company Source Location: Willow St., Adamstown County: Lancaster Contact Person: David L. Wails (717) 484-4361	VOCs	14.34	10/3/2013	Trading
Property Investing Center (Goodville Industrial Center) Source Location: East Earl Township County: Lancaster Contact Person: Richard Stauffer (717) 738-3488	VOCs	84.09	9/13/2013	Trading
Armstrong World Industries, Inc. (Lancaster Flooring) Source Location: 1067 Dillerville Road County: Lancaster Contact Person: Gene Hartzell (717) 396-3668	VOC NOx	31.79 1.9	9/1/2013 to 8/20/2014 8/20/2014	Internal use/ Trading
RUTGERS Organics Corporation Source Location: 201 Struble Road, State College County: Centre Contact Person: Mary Jo Smith (814) 231-9277	NOx NOx VOC	5.27 3.35 2.17	8/15/2013 4/16/2014 3/26/2014	Internal use/ Trading
AK Steel Corporation Source Location: Butler County: Butler Contact Person: Robert J. Hocks (724) 284-2685	NOx NOx NOx	28.55 24.82 139.45	11/6/2011 1/30/2012	Trading/ Internal use
Cabinet Industries, Inc. Source Location: Danville Borough County: Montour Contact Person: Daniel A. Day (717) 275-1400	VOC	7.29	9/1/2015	Trading
Honeywell-International Source Location: Emlenton Plant County: Venango Contact Person: Shane Dunn (814) 887-4081	VOC	49.82	4/30/2010	Trading

Summary of ERC Transaction

The following ERC transactions are approved by the Bureau of Air Quality, Department of Environmental Protection, Commonwealth of Pennsylvania. The ERC transaction requirements are specified in 25 Pa. Code § 127.208.

ERC Generating Facility Information

ERC Generating Facility Name: Alcoa, Inc.
Location of Source: Lebanon Township, Lebanon County, PA
Certified ERCs (tpy): 746.43 tpy of VOCs and 48.86 tpy of NOx
Amount of ERCs traded to Purchaser/Recipient: 86 tpy of VOCs
Date of ERCs Transfer: 4/27/2005
ERCs available for future use: 660.43 tpy of VOCs and 48.86 tpy of NOx

Purchaser/Recipient of ERCs

Purchaser/Recipient of ERCs: R. R. Donnelley and Sons Company
Location of Source: Lancaster, Lancaster County, PA
Permit Number: 36-05026B
VOC credits used: 0
VOC credits available for future use: 86 tpy

ERC Generating Facility Information

ERC Generating Facility Name: 3M Company
Location of Source: Bristol Township, Bucks County, PA
Certified ERCs (tpy): 607 of VOC
Amount of ERCs traded: 61 tpy of VOC
Date of ERCs transfer: 7/20/2005
ERCs available for future use: 546 tpy

Purchaser/Recipient of ERCs

Recipient of ERCs: Sunoco Inc
 Mailing Address: Ten Penn Center, 1801 Market St, Philadelphia, PA 19103
 Amount of ERCs received: 61 tpy of VOC
 Intended Use: Offsets
 VOC credits available for future use: 61 tpy

ERC Generating Facility Information

ERC Generating Facility Name: Armstrong World Industries, Inc.
 Location of Source: Lancaster, Lancaster County, Pennsylvania
 Certified ERCs (tpy): 95.1 of VOC and 1.9 NOx
 Amount of ERCs traded: 63.31 tpy of VOC
 Date of ERCs transfer: 1/17/2006
 ERCs available for future use: 31.79 tpy

Purchaser/Recipient of ERCs

Recipient of ERCs: Armstrong Cabinet Products
 Mailing Address: R. R. 2, Box 17 C, Thompsettown, PA 17094
 Amount of ERCs received: 63.31 tpy of VOC
 Intended Use: Offsets
 VOC credits available for future use: 63.31 tpy

ERC Holder/Generating Facility Information

ERC Generating Facility Name: Alcoa, Inc.
 Location of Source: Lebanon Township, Lebanon County, PA
 Certified ERCs (tpy): 660.43 tpy of VOCs and 48.86 tpy of NOx
 Amount of ERCs traded to Purchaser/Recipient: 80 tpy of VOCs
 Date of ERCs Transfer: 1/7/2005
 ERCs available for future use: 580.43 tpy of VOCs and 48.86 tpy of NOx

Purchaser/Recipient of ERCs

Purchaser/Recipient of ERCs: Conestoga Wood Specialists Corporation
 Location of Source: Lancaster, Lancaster County, PA
 Permit Number: 36-05017D
 VOC credits used: 0
 VOC credits available for future use: 80 tpy

ERC Holder/Generating Facility Information

ERC Generating Facility Name: Alcoa, Inc.
 Location of Source: Lebanon Township, Lebanon County, PA
 Certified ERCs (tpy): 580.43 tpy of VOCs and 48.86 tpy of NOx
 Amount of ERCs traded to Purchaser/Recipient: 48.86 tpy of NOx
 Date of ERCs Transfer: 1/25/2006
 ERCs available for future use: 580.43 tpy of VOCs

Purchaser/Recipient of ERCs

Purchaser/Recipient of ERCs: Alcoa Extrusions, Inc.
 Location of Source: Cressona, Schuylkill County, PA
 Permit Number: NA
 NOx credits used: 0
 NOx credits available for future use: 48.86 tpy

Drinking Water State Revolving Fund**Special Notice under the Federal Safe Drinking Water Act**

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Project Location:

<i>Applicant</i>	<i>Applicant Address</i>	<i>County</i>
Wellsboro Municipal Authority	28 Crafton Street Wellsboro, PA 16901	Tioga

Project Description: The Pennsylvania Infrastructure Investment Authority, which administers the Commonwealth's State Revolving Fund, is intended to be the funding source for this project. The Wellsboro Municipal Authority proposes extension of water lines and water storage tank at existing surface water intake. The Department of Environmental Protection's review of the project and the information received in the Environmental Report for the project has not identified any significant, adverse environmental impact resulting from this proposal. The Department hereby approves the Environmental Assessment.

[Pa.B. Doc. No. 06-334. Filed for public inspection February 24, 2006. 9:00 a.m.]

Air Quality Technical Advisory Committee Ad-Hoc Subcommittee on Monitoring Technical Workgroup Meeting

The Air Quality Technical Advisory Committee, Ad-Hoc Subcommittee on Monitoring Technical Workgroup (subcommittee) will meet at 9:30 a.m. on February 27, 2006, in the Twelfth Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105. The Department of Environmental Protection's (Department) response to comments received during the public comment period for Revision 8 of the Continuous Source Monitoring Manual (DEP ID #274-0300-001) and the Applicability Determination for Continuous Source Monitoring Manual Revision No. 8 (DEP ID #274-0300-005) will be discussed. The Department would like to obtain the subcommittee's concurrence for each of these technical guidance documents for presentation to the full Air Quality Technical Advisory Committee.

Questions concerning the subcommittee meeting should be directed to Greg Parrish at (717) 783-9479 or gparrish@state.pa.us. An agenda and meeting materials for the subcommittee meeting will be available through the Public Participation Center on the Department's website at www.depweb.state.pa.us (DEP Keywords: Public Participation, Participate).

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Greg Parrish at the telephone number or e-mail address provided previously or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-335. Filed for public inspection February 24, 2006, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) website at www.depweb.state.pa.us (DEP Keyword: Technical Guidance). The "Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

The Department will continue to revise its nonregulatory documents, as necessary, throughout 2006.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Draft Technical Guidance

DEP ID: 363-4000-003. Title: Standards and Guidelines for Identifying, Tracking, and Resolving Violations of the Stormwater Management Act. Description: This document provides guidance concerning the implementation and execution of compliance and enforcement activities employed by the Department for the Act 167, Stormwater Management Program. The document was developed in conformance with the Department's policy on "Standards and Guidelines For Identifying, Tracking, and Resolving Violations" and is issued under the authority of the Stormwater Management Act (32 P. S. §§ 680.1—680.17). Written Comments: The Department is seeking comments on draft technical guidance #363-4000-003. Interested persons may submit written comments on this draft technical guidance document by March 27, 2006. Comments submitted by facsimile will not be accepted. The Department will accept comments submitted by e-mail. A return name and address must be included in each e-mail transmission. Written comments should be submitted to Barry Newman, Department of Environmental Protection, Bureau of Watershed Management, Division of Waterways, Wetlands and Stormwater Management, 400 Market Street, Rachel Carson State Office Building, 10th Floor, Harrisburg, PA 17105, banewman@state.pa.us. Effective Date: Upon publication of notice as final in the *Pennsylvania Bulletin*. Contact: Questions regarding the draft technical guidance document should be directed to Barry Newman, (717) 787-6827, banewman@state.pa.us.

DEP ID: 363-4000-004 Title: Standards and Guidelines for Identifying, Tracking, and Resolving Violations for Operators of Municipal Separate Storm Sewer Systems (MS4s). Description: This document provides guidance concerning the implementation and execution of compliance and enforcement activities employed by the Department for the Small Municipal Separate Storm Sewer System (MS4) Program. The document was developed in conformance with the Department's policy on "Standards and Guidelines For Identifying, Tracking, and Resolving Violations" and is issued under the authority of the Clean Water Act (33 U.S.C.A. §§ 1251—1376), the Federal stormwater management regulations in 40 CFR 122.26—123.35, The Clean Streams Law (35 P. S. §§ 691.1—691.1001), section 1917-A of The Administrative Code of 1929 (71 P. S. § 510-17), 25 Pa. Code Chapter 92 (relating to National Pollutant Discharge Elimination System permitting, monitoring and compliance) and other applicable rules and regulations promulgated thereunder. Written Comments: The Department is seeking comments on draft technical guidance #363-4000-004. Interested persons may submit written comments on this draft technical guidance document by March 27, 2006. Comments submitted by facsimile will not be accepted. The Department will accept comments submitted by e-mail. A return name and address must be included in each e-mail transmission. Written comments should be submitted to Barry Newman, Department of Environmental Protection, Bureau of Watershed Management, Division of Waterways, Wetlands and Stormwater Management, 400 Market Street, Rachel Carson State Office Building, 10th Floor, Harrisburg, PA 17105, banewman@state.pa.us. Effective Date: Upon publication of notice as final in the *Pennsylvania Bulletin*. Contact: Questions regarding the

draft technical guidance document should be directed to Barry Newman, (717) 787-6827, banewman@state.pa.us.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 06-336. Filed for public inspection February 24, 2006, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Southwest Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Southwest Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 107.2 (relating to medical staff membership).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons, V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-337. Filed for public inspection February 24, 2006, 9:00 a.m.]

Health Policy Board Meeting

The Health Policy Board is scheduled to hold a meeting on Wednesday, March 15, 2006, at 10 a.m. in Room 812, Health and Welfare Building, Seventh and Forster Streets, Harrisburg, PA 17120.

For additional information or persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact Cynthia Trafton, Bureau of Health Planning, (717) 772-5298, ctrafton@state.pa.us or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

This meeting is subject to cancellation without notice.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-338. Filed for public inspection February 24, 2006, 9:00 a.m.]

Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee; Public Meetings

The Statewide HIV Community Prevention Planning Committee, established by the Department of Health (Department) under sections 301(a) and 317(b) of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247(b)), will hold public meetings on Wednesday, March 15, 2006, from 9 a.m. to 4 p.m. and Thursday, March 16, 2006, from 9 a.m. to 2:30 p.m. at the Harrisburg Holiday Inn West, 5401 Carlisle Pike, Mechanicsburg, PA 17050.

For additional information, contact Kenneth McGarvey, Department of Health, Bureau of Communicable Diseases, Room 1010, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-0572.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Kenneth McGarvey at (717) 783-0572 or V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

The Department reserves the right to cancel this meeting without prior notice.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-339. Filed for public inspection February 24, 2006, 9:00 a.m.]

Integrated Human Immunodeficiency Virus (HIV) Planning Council; Public Meeting

The Statewide Integrated HIV Planning Council, established by the Department of Health (Department) under sections 301(a) and 317(b) of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247(b)), will hold a public meeting on Tuesday, March 14, 2006, from 10:30 a.m. to 3 p.m. at the Harrisburg Holiday Inn West, 5401 Carlisle Pike, Mechanicsburg, PA 17050.

For additional information, contact Joseph Pease, Department of Health, Bureau of Communicable Diseases, Room 1010, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-0572.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Joseph Pease at (717) 783-0572 or V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

The Department reserves the right to cancel this meeting without prior notice.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-340. Filed for public inspection February 24, 2006, 9:00 a.m.]

Pennsylvania Cancer Control, Prevention and Research Advisory Board Meeting

The Pennsylvania Cancer Control, Prevention and Research Advisory Board, established under section 3 of the Pennsylvania Cancer Control, Prevention, and Research

Act (35 P. S. § 5633), will hold a meeting on Wednesday, March 29, 2006, from 7:45 a.m. to 12 p.m. at the Dixon University Center, 2986 North Second Street, Harrisburg, PA 17110.

For additional information or persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact Kathleen A. Zitka, Chief, Department of Health, Cancer Prevention and Control Section, Room 1011, Health and Welfare Building, Harrisburg, PA, (717) 787-5251 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

This meeting is subject to cancellation without notice.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-341. Filed for public inspection February 24, 2006, 9:00 a.m.]

Requests for Exception; Long-Term Care Nursing Facilities

The following long-term care nursing facility is seeking an exception to 28 Pa. Code §§ 205.6(a) and 205.36(g) (relating to function of building; and bathing facilities):

Meadows at Shannondell
6000 Shannondell Drive
Audubon, PA 19403
FAC ID 17580201

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.28 (relating to nurses' station):

Westmoreland Skilled Care Center
532 West Pittsburgh Street
Greensburg, PA 15601
FAC ID 750302

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-342. Filed for public inspection February 24, 2006, 9:00 a.m.]

Required Equipment and Supplies for Quick Response Services

Under 28 Pa. Code § 1015.1(a)(1) (relating to quick response service), the following equipment and supplies shall be maintained and readily available in working order for use by a quick response service (QRS) recognized by the Department of Health under 28 Pa. Code § 1015.1 and by an applicant for QRS recognition.

A. Vehicle Requirements

Although a QRS is not required to have a vehicle to respond to emergencies, if it does, the vehicle being used on the highways of this Commonwealth must conform to all applicable requirements of 75 Pa.C.S. (relating to the Vehicle Code). If the QRS will not be using a vehicle, it must provide information on how it will transport its personnel and its equipment and supplies to the scene of an emergency.

B. Required Equipment and Supplies

The following equipment and supplies must be carried and readily available and in working order for use by a QRS.

1. Rechargeable portable electric suction unit with wide-bore tubing with a lumen of at least 7 mm. The suction unit must be able to achieve a vacuum of 300 mm/Hg or 11.8" of water in 4 seconds. A manual suction unit may be used in place of the electric unit, provided the QRS submits justification for its use and guarantees it can provide the required suction.

2. Suction catheters, pharyngeal:

- a. Rigid (1)
- b. Flexible, sizes
 - 6 and 8 (1 each)
 - 10 or 12 (2)
 - 14 or 16 (2)

3. Airways:

- a. Oropharyngeal (6 different sizes including at least one pediatric)
- b. Nasopharyngeal (5 different sizes)

4. Sphygmomanometer:

Small, medium and large (1 each). Interchangeable cuffs are permitted.

5. Stethoscope (1)

6. Penlight (1)

7. Portable oxygen unit (1):

- a. Cylinder with a capacity of at least 300-liters/D size/500 psi
- b. Yoke
- c. Nonsparking wrench/tank opening device
- d. Gauge/flow meter not gravity dependent and capable of delivering 0—25 liters per minute
- e. Full spare cylinder with a 300-liter capacity

8. Oxygen delivery devices:

- a. Nasal cannula, adult and pediatric (1 each)
- b. High concentration masks capable of providing 80% or greater concentration pediatric, infant and adult—(1 each)

- c. Pocket mask with one-way valve and oxygen port (1)
- d. Bag-valve mask devices, hand operated, adult (1), infant and pediatric (450—700cc) (1), capable of 100% oxygen delivery
- 9. Dressings:
 - a. Multi trauma (10" × 30") (4)
 - b. Occlusive (3" × 4") (4)
 - c. Sterile gauze pads (3" × 3") (25)
 - d. Soft self-adhering (6 rolls)
- 10. Adhesive tape: 4 rolls, one of which must be hypoallergenic
- 11. Immobilization devices:
 - Rigid/Semi rigid neck immobilizer: S, M, L and pediatric (1 each)
- 12. Sterile burn sheet (4' × 4') (2)
- 13. Cold packs, chemical (4)
- 14. Sterile water/normal saline (2 liters)
- 15. Triangular bandages (8)
- 16. Sterile OB kit (1)—The kit must be sealed as a sterile unit, with contents listed on kit.
- 17. Separate bulb syringe (1)
- 18. Activated charcoal—50 grams
- 19. Bandage shears (1)
- 20. Triage tags (25)
- 21. Blankets (2)—cloth
- 22. Instant glucose (45 grams)
- 23. Emergency jump kit (1), capable of holding all supplies
- 24. Splinting devices:
 - Padded board splints, sizes 15", 3' and 4.5' (2 each)
- 25. Hard hat (1 per crew member)
- 26. Gloves, leather (1 pair per crew member)
- 27. Emergency Response Guidebook published by the United States Department of Transportation, current edition
- 28. Radio communications equipment:
 - Equipment, per regional requirements and capable of communicating with a public safety answering point (PSAP) and ambulance services within the response areas of the QRS. A cellular phone may only be used as a backup means of communication.
- 29. Although not required for recognition, if the QRS has been approved to use an Automated External Defibrillator (AED), each AED must be FDA-approved and include 2 sets of disposable, nonpolarized, self-adhesive gelled electrode pads and spare batteries.
- 30. Although not required for recognition, if the QRS has been approved to use epinephrine auto injectors, the QRS must carry two 0.3 mg/0.3 ml of 1:1,000 solutions for adult use and two 0.15 mg/0.3 ml of 1:2,000 solutions for pediatric use.
- 31. Personal infection control kit, consisting of:
 - a. Eye protection
 - b. Face mask
 - c. Gown

- d. Surgical cap
- e. Foot coverings
- f. Double barrier gloves
- g. Biological waste container or 3 disposable red bags
- h. Infection control plan.

(There must be one set per crew member)

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Robert H. Gaumer, Department of Health, Emergency Medical Services Office, Room 1032, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-8740. Persons with speech or hearing impairment may telephone V/TT (717) 783-6154 or use the Pennsylvania AT&T Relay service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-343. Filed for public inspection February 24, 2006, 9:00 a.m.]

Required Ground and Air Ambulance Equipment and Supplies

Under 28 Pa. Code §§ 1005.10(c) and 1007.7(c) (relating to licensure and general operating standards; and licensure and general operating requirements), the following equipment and supplies shall be carried and readily available in working order for use on basic and advanced life support (ALS) ambulances, which also includes air (rotorcraft) ambulances.

A. Ground Ambulance Requirements

Ground Ambulances: Basic Life Support/ALS Mobile Care Unit /ALS Squad Unit

The ambulance must:

1. Meet the requirements of current Federal Specifications KKK 1822 in effect at the time of its manufacture regarding design type, floor plan, general configuration and exterior markings. (Does not apply to an ALS squad unit.)
2. Meet the Pennsylvania Vehicle Code requirements, especially 67 Pa. Code Chapter 173 (relating to flashing or revolving lights, including intersection lights), which includes:
 - a. Red flashing or revolving exterior emergency lighting visible 360° around the vehicle.
 - b. No more than one flashing or revolving white or clear light or a light bar assembly that may contain no more than two flashing or revolving white or clear lights.
 - c. No more than two amber lights other than the turn signal indicators.
3. The following emblems and markings must be affixed to the vehicle exterior:
 - a. The word "AMBULANCE" shall be mirror imaged in letters not less than 4" high, centered above the grill. The placement of the word "AMBULANCE" shall be on the curved surface of the hood or can be placed on a flat plastic type bug screen.
 - b. The word "AMBULANCE" shall be in letters of not less than 6" on each side and rear of the vehicle.

c. "Star of Life" shall be in the following sizes and numbers:

- Two 3" sizes located on each side of the word "AMBULANCE" on the hood of the vehicle or on a plastic bug screen.
- Two 16" sizes on the right and left side panels.
- Two 12" sizes on the rear of the vehicle.
- One 32" size on the vehicle rooftop.

Note: An ALS squad unit is required to have only 3" size "Stars of Life" and no other markings or emblems, but it must have the required number, that is 6. These are 2 on the front, 1 on each side and 2 on the rear.

4. The name of the ambulance service or its registered fictitious name in letters at least 3" in size on both the right and left exterior sides of the vehicle. Service name must be the dominant lettering.

5. Be equipped with an electronically operated audible warning device with a 110-watt speaker.

6. Overhead interior lighting that illuminates the entire top surface of the patient litter, stairwell lighting and courtesy lights that must illuminate the ambulance's controls (Does not apply to an ALS squad unit.)

7. A dual battery system. (Does not apply to an ALS squad unit.)

8. One fully charged fire extinguisher rated at least 2 A: 10 B: C easily accessible by personnel and mounted securely in an exterior compartment or mounted and easily accessible in the cab of the vehicle. The fire extinguisher must be intact with safety seal and have been inspected within the previous 12 calendar months and have the appropriate and completed inspection tag attached.

9. A power supply to generate sufficient current to operate all accessories without excessive demand on the generating system. All exterior and interior lighting and onboard equipment shall be able to run at least 5 minutes without placing a demand on the engine.

10. A floor that is flat, reasonably unencumbered, free of equipment in the walkthrough areas, nonskid and well maintained. (Does not apply to an ALS squad unit.)

11. A minimum interior dimension of 60" from floor to ceiling. (Does not apply to an ALS squad unit.)

12. An installed patient partition to separate the patient area from the driver area. (Does not apply to an ALS squad unit.)

13. Storage cabinets with sliding doors or with latches or have a cargo-type netting or other means to ensure against opening during vehicle movement. (Does not apply to an ALS squad unit.) Bulky items such as portable radios and AEDs, oxygen equipment and jump bags must be secured at all times during patient transport to prevent them from falling on patients or crew or becoming projectiles if the vehicle is involved in an accident. Equipment on an ALS squad unit must be in cabinets or otherwise secured at all times.

14. Two IV hangers mounted flush with the ceiling. (Does not apply to an ALS squad unit.)

15. A litter for transporting a patient and at least three patient restraint straps in good operating condition which are secured to the litter. (Does not apply to an ALS squad unit.)

16. Doors that function properly with door seals that are in good condition; that is, not cracked, broken or missing pieces.

17. A "No Smoking" sign in both the driver and the patient compartment. On an ALS squad unit only one sign in the driver's compartment is required.

18. Operational heating, cooling and ventilation equipment.

19. A current vehicle inspection validation issued by the state where the vehicle is registered.

20. Operational radio equipment for communication with a public safety answering point (PSAP) (where 911 calls are answered) and hospitals in the ambulance service's emergency service areas. A cellular phone may be used as a backup means of communication and not as the primary means of communication.

21. An installed, onboard oxygen system with the following (Does not apply to an ALS squad unit.):

a. At least 122 cubic feet supply of oxygen in a cylinder that is secured to provide maximum safety for patients and personnel. The securing brackets must be mounted to the vehicle frame. Services may use a liquid oxygen system that provides the same volume.

b. The cylinder must have more than 500 psi (500 liters of oxygen) of pressure at all times and be secured with at least 3 metal or nylon brackets while in the compartment.

c. The unit must be equipped with a reducing valve (from 2,000 psi to 50 psi line pressure).

d. The unit must be equipped with one flow meter with a range of 0-25 lpm delivery.

e. The unit must be equipped with a nonbreakable humidifier.

22. An installed, onboard suctioning system with the following components and/or capabilities (Does not apply to an ALS squad unit.):

a. It is fitted with large bore, nonkinking tubing.

b. It has power enough to provide within 4 seconds a vacuum of over 300 mm/Hg or 11.8 inches of water when the tube is clamped.

c. It is controllable for use on children and intubated patients. The vacuum gauge, when attached to the tubing, must be adjustable to the amount of vacuum to ensure that the unit can maintain vacuum levels without requiring continuous increase in control.

d. It is equipped with a lateral opening between the suction tube and the suction source.

e. The tubing must be able to reach airways of patients regardless of the patient's position in the ambulance and must be able to reach the head and foot of the litter.

23. Proof of current motor vehicle insurance.

B. Air (Rotorcraft) Ambulance Requirements

The following will apply to all air ambulances. The air ambulance must have:

1. The name of the air ambulance service or its registered fictitious name prominently displayed on the exterior of the aircraft.
2. Exterior lighting that illuminates the tail rotor and pilot controllable search/spot/landing lights.
3. An "Air Worthiness Certificate" from the Federal Aviation Administration (FAA).
4. A patient litter capable of carrying one adult in the supine position and capable of being secured according to FAA requirements.
5. An FAA Form 337 with items Nos. 1 (which identifies the aircraft), 2 (which identifies the aircraft owner) and 7 (which shows that the aircraft is approved to "Return to Service") completed and signed by the appropriate FAA official.
6. Climate controls for maintaining an ambient cabin temperature of between 65—85° during flight.
7. Sufficient interior lighting to allow for close observation of patients.
8. A pilot partition to prevent patient interference with flight controls.
9. A barrier or an FAA approved mechanism for securing a patient's chest, pelvis, legs, wrist and ankles.
10. A 110-volt electrical outlet for each patient transported.

11. Two-way radio communications for the pilot to be able to communicate with hospitals, PSAPs and ground ambulances in areas to which the air ambulance routinely provides service.

12. At least three headsets to allow for voice communication among the crew when the aircraft is operating and noise levels prevent normal conversation.

13. One fully charged fire extinguisher rated at least 5 B: C, securely mounted where it can be reached by the pilot or crewmembers. The fire extinguisher must be intact with safety seal and have been inspected within the previous 12 calendar months and have the appropriate inspection tag attached.

14. Installed, onboard suctioning equipment that meets the same requirements as a transporting ground ambulance. (See requirements under Ground Ambulances.)

15. An on-board oxygen system with the following:

- a. Cylinder(s) with a capacity of 1,200 liters.
- b. The cylinder(s) must have at least 1,650 psi at the time of inspection.
- c. If a liquid oxygen system is used, manufacturer documentation must be provided that the system has at least a 1,200-liter capacity.
- d. A flow meter with a range of 0-25 lpm delivery.

C. Required Equipment and Supplies

Approved equipment and supplies shall be carried and readily available in working order for use on both ground and air ambulances. The following equipment and supplies must be carried on each ground and air ambulance, as indicated:

<i>EQUIPMENT/SUPPLIES</i>	<i>AMBULANCE TYPE</i>			
	<i>BLS</i>	<i>ALS MOBILE CARE</i>	<i>ALS SQUAD</i>	<i>AIR</i>
1. Rechargeable Portable Electric Suction Unit with wide-bore tubing. Must achieve 300 mm/Hg or 11.8" in 4 sec.	X	X	X	X
2. Suction catheters, pharyngeal: Rigid (2) Flexible: 6 and 8 (1 ea) 10 or 12 (2) 14 or 16 (2) Total of 6 (Must be sterile) Size is FR for each	X	X	X	X
3. Airways: Nasopharyngeal (5 different sizes) Oropharyngeal (6 different sizes)	X	X	X	X
4. Sphygmomanometer: Child, Adult and Thigh (large) (1 each) Interchangeable gauges are permitted	X	X	X	X
5. Stethoscope (1)	X	X	X	X
6. Stethoscope Doppler (1)				X
7. Penlight (1)	X	X	X	X

<i>EQUIPMENT/SUPPLIES</i>	<i>AMBULANCE TYPE</i>			
	<i>BLS</i>	<i>ALS MOBILE CARE</i>	<i>ALS SQUAD</i>	<i>AIR</i>
8. Portable Oxygen Unit (1): Cylinder capacity of at least 300 liters/D Size/500 psi Yoke Cylinder with a minimum total pressure of 500 psi Nonsparking wrench/tank opening device Gauge/flow meter not gravity dependent and can deliver 0-25 liters per minute Full spare cylinder with a 300 liter capacity Cylinders must be secured in the vehicle.	X	X	X	X
9. Oxygen Delivery Devices: Nasal Cannulae—adult/pediatric 1 each High concentration mask capable of providing 80% or greater concentration—adult, pediatric, infant 1 each. Pocket mask with one way valve and oxygen port (1) Humidifier bottle	X	X	X	X
10. Adhesive Tape (4 rolls assorted) 1 roll must be hypoallergenic.	X	X	X	X
11. Dressings: Multi Trauma (10" × 30") (4) Occlusive (3" × 4") (4) Sterile Gauze Pads (3" × 3") (25) Soft self-adhering (6 rolls)	X	X	X	X
12. Bandage Shears (1)	X	X	X	X
13. Immobilization Devices: Lateral cervical spine device (1) Long spine board (1) Short spine board (1) Rigid/Semi rigid neck immobilizer S, M, L, pediatric (1 each)—Multi-size are permitted and will suffice for the S, M, L (3)	X	X	X	X (Short board not required)
14. Bag-Valve-Mask Devices: Hand operated adult (1) Hand operated pediatric (450-700cc) (1) Must be capable of high concentration oxygen delivery Adult and pediatric masks	X	X	X	X
15. Pediatric Equipment Sizing Tape/Chart	X	X	X	X

<i>EQUIPMENT/SUPPLIES</i>	<i>AMBULANCE TYPE</i>			
	<i>BLS</i>	<i>ALS MOBILE CARE</i>	<i>ALS SQUAD</i>	<i>AIR</i>
16. Straps—9' (5) (may substitute spider straps or speed clips for 3 straps)	X	X	X	X
17. Folding Litter/Collapsible Device (1)	X	X		
18. Splinting Devices: Lower extremity mechanical traction splint adult and pediatric (1 each or combination) Padded board splints: 4.5', 3', 15" (2 each)	X	X		
19. Sterile Water/Normal Saline (2 liters)	X	X	X	X
20. Sterile Burn Sheet (4' × 4') (2)	X	X	X	
21. Cold Packs, Chemical (4)	X	X	X	X
22. Heat Packs, Chemical (4)	X	X	X	X
23. Triangular Bandages (8)	X	X	X	
24. Sterile OB Kits (2)	X	X	X	X (Only 1 required)
25. Separate Bulb Syringe (1) Sterile	X	X	X	X
26. Sterile Thermal Blanket (Silver Swaddler) (1), or 1 roll of sterile aluminum foil for use on infants/newborns.	X	X	X	X
27. Blankets (2)—cloth	X	X	X	X
28. Sheets (4)	X	X		X
29. Pillowcases (2)	X	X		
30. Pillow (1)	X	X		
31. Towels (4)	X	X		
32. Disposable Tissues (1 box)	X	X		
33. Emesis Container (1)	X	X		
34. Urinal (1)	X	X		
35. Bed Pan (1)	X	X		
36. Disposable Paper Drinking Cups (3 oz) (4)	X	X		
37. State Approved Triage Tags (25)	X	X	X	
38. Hand-lights (6 volts) (2)	X	X	X	X
39. Hazard Warning Device (3)	X	X	X	
40. Emergency Jump Kit (1)	X	X	X	X
41. Survival Bag (1)				X
42. Emergency Response Guidebook (1) (current edition)	X	X	X	
43. Thermometer—electronic, digital, non-tympanic	X	X	X	X
44. Sharps Receptacle—Secured	X	X	X	X
45. Instant Glucose (40% dextrose-d-glucose gel) 45 grams	X	X	X	
46. Activated Charcoal—50 grams	X	X	X	

<i>EQUIPMENT/SUPPLIES</i>	<i>AMBULANCE TYPE</i>			
	<i>BLS</i>	<i>ALS MOBILE CARE</i>	<i>ALS SQUAD</i>	<i>AIR</i>
47. Access Equipment: Large Screwdriver, Phillips and slotted (1 each) Pliers (1 each) (slip joint, lineman's needle nose, arc joint and locking) Hand-held sledgehammer (3 lbs) (1) Impact metal cutting tool (1) Short pry-bar (1)—12" Cold Chisel (7" × 3/4") (1) Hacksaw w/2 extra blades (1) Adjustable wrench—10" (1) Center Punch (1) Gloves (leather) (2 pairs) Hard-Hat/Goggles (2)	X	X	X	
48. Flight Helmet (1 per crewmember)				X
49. Personal Protection Equipment: Eye protection, clear, disposable (1 per crew member) Face Mask, disposable (1 per crew member) Gown/coat (1 per crew member) Surgical caps/foot coverings disposable (1 set per crewmember) Double barrier gloves (1 set per crew member) Container (1 per vehicle) or disposable red bags (3 per vehicle)	X	X	X	X
50. Sponges, Alcohol, Prep (10)		X	X	X
51. Endotracheal Tubes Sizes/Quantities: 2.5 mm or 3.0 mm (2 uncuffed) 3.5 mm or 4.0 mm (2 uncuffed) 4.5 mm or 5.0 mm (2) 5.5 mm or 6.0 mm (2) 6.5 mm or 7.0 mm (2) 7.5 mm or 8.0mm (2) 8.5 mm or 9.0 mm (2) Must be sterile and individually wrapped		X	X	X
52. Endotracheal Tube Placement Validation Device (1) to verify correct placement—per regional protocol		X	X	X
53. Laryngoscope handle with batteries and spare batteries and bulbs and the following blades: Straight Curved #1 (S) #3 #2 (M) #4 #3 (L) (1 each of the blades)		X	X	X

<i>EQUIPMENT/SUPPLIES</i>	<i>AMBULANCE TYPE</i>			
	<i>BLS</i>	<i>ALS MOBILE CARE</i>	<i>ALS SQUAD</i>	<i>AIR</i>
54. Meconium Aspirator (1)		X	X	X
55. Lubrication (2 cc or larger tubes) sterile (2) water soluble	X	X	X	X
56. Forceps, Magill (adult/ pediatric 1 each)		X	X	X
57. IV Fluid Therapy Supplies: Catheters (over the needle-IV): 14, 16, 18, 20, 22 (4 each) and 24 gauge (2), total of 22 individually wrapped and sterile. Micro drops (50-60 drops/ml) (2) Macro drops (10-20 drops/ml) (2) IV Fluids—total 2,250 milliliters: such as 5% dextrose, 0.9% Sodium Chloride, Lactated Ringers (per regional protocols) Tourniquets for IV use (2) Intraosseus needles 14-18 gauge (2)		X	X	X
58. Medication and Supplies: Emergency Drugs—(per regional protocols and within State rules and regulations and within expiration date) Hypodermic needles: 16-18 gauge (4) 20-22 gauge (4) 23-25 gauge (4) Total of 12 and each must be individually wrapped and sterile. Syringes—per regional protocol		X	X	X
59. Defibrillator/Monitor: (FDA approved) (battery powered, monophasic or biphasic, energy dose range capable of treating adult and pediatric patients, paper readout), ECG cables with 3 lead capability and pediatric and adult paddles with pacing capabilities or separate stand-alone pacer		X	X	X
60. Defibrillator/Monitor Supplies: Paddle pads (4) or electric gel (2 tubes), electrodes, ECG, adult and pediatric sizes (6 each)		X	X	X
61. Automated External Defibrillator (for authorized BLS services)	X			
62. Stylette, Malleable—pediatric (2)/adult (1) Must be sterile.		X	X	X
63. Cricothyrotomy set (surgical or needle) Must be sterile.				X
64. Phlebotomy Equipment (per regional protocols.		X	X	

EQUIPMENT/SUPPLIES	AMBULANCE TYPE			
	BLS	ALS MOBILE CARE	ALS SQUAD	AIR
65. Flutter valve (1) Must be sterile.				X
66. Epinephrine Auto-Injector (for authorized BLS services) 0.3mg/0.3ml of 1:1000 solution for adult use (2) 0.15mg/0.3ml of 1:2000 solution for pediatric use (2) (Not required for licensure)	X			
67. Pulse Oximetry (for services with a medical director) (Not required for licensure)	X	X	X	X

All equipment that may be used in direct contact with patients must be clean and easily cleaned of blood and body fluids and no drugs and/or medications may be carried beyond an expiration date assigned to it.

Persons with a disability who require an alternate format of this notice (for example, large print, audiotape, Braille) should contact Robert H. Gaumer, Department of Health, Emergency Medical Services Office, Room 1032, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-8740. Persons with a speech or hearing impairment may telephone V/TT (717) 783-6154 or use the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-344. Filed for public inspection February 24, 2006, 9:00 a.m.]

Traumatic Brain Injury Advisory Board Meeting

The Traumatic Brain Injury Advisory Board, established under the Federal Traumatic Brain Injury Act of 1996 (42 U.S.C.A. § 300d-52), will hold a public meeting on Thursday, March 16, 2006, from 10 a.m. to 3 p.m. in the Richards Recital Hall, Dixon University Center, 2986 North Second Street, Harrisburg, PA.

For additional information or persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact Carolyn S. Cass, Director, Division of Child and Adult Health Services, (717) 772-2762 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

This meeting is subject to cancellation without notice.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 06-345. Filed for public inspection February 24, 2006, 9:00 a.m.]

**DEPARTMENT OF
PUBLIC WELFARE**

Medical Assistance Program Fee Schedule Procedure Code Changes

The Department of Public Welfare (Department) announces several changes to the Medical Assistance (MA) Program Fee Schedule, effective for dates of services on or after March 1, 2006.

Fee Schedule Revisions

Local procedure code W9562 is being end-dated and not replaced with a National procedure code because there have been no claims submitted using this procedure code since January 1, 2004.

Local procedure code W9400 is being end-dated and not replaced with a National procedure code because there have been no claims submitted using this procedure code since January 1, 2004. In addition, the regulation at 55 Pa. Code § 1221.51(1) (relating to general payment policy) provides that the fee for a clinic visit includes the administration of drugs and biologicals.

The 80 modifier associated with National procedure codes 57460 and 57461 is being end-dated because the prevailing standard of care is that these procedures do not require the services of an assistant surgeon.

The following local procedure codes are being end-dated for Independent Medical-Surgical Clinics and replaced with existing National procedure codes already on the MA Program Fee Schedule and the fees corresponding with the National procedure codes. Some of the fees for the existing National procedure codes may be higher and some may be lower than the fees corresponding with the local procedure codes.

Procedure Code

- W0644
- W0660
- W0661
- W0662
- W9067
- W9416
- W9564
- W9630
- W9633

W9635
 W9640
 W9715
 W9871
 X1101
 X1102
 X1166
 X1167
 X1172
 X1177
 X1720
 X5741
 X5746
 Y7030
 Y7100
 Y7101
 Y7200
 Y7202
 Y7211
 Y7308
 Y7310
 Y7311
 Y7312
 Y7324
 Y7360

<i>National Procedure Code</i>	<i>Pricing Modifier</i>	<i>Informational Modifier</i>	<i>MA Fee</i>	<i>Local Procedure Code</i>
76001	26		\$11.00	Y7600
76001	TC		\$16.50	Y7600

A Medical Assistance Bulletin will be issued to independent medical-surgical clinics setting forth the National procedure codes and corresponding fees that are replacing the end-dated local procedure codes.

Services rendered on or after March 1, 2006, must be billed using the National procedure code and modifier, if appropriate.

Fiscal Impact

The conversion from local to National procedure codes is anticipated to be budget neutral and therefore these changes will have no fiscal impact.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Public Welfare, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revisions of the MA Program Fee Schedule.

Persons with a disability who require auxiliary aid or service may submit comments using the AT&T Relay Services at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ESTELLE B. RICHMAN,
Secretary

Fiscal Note: 14-NOT-466. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 06-346. Filed for public inspection February 24, 2006, 9:00 a.m.]

The Department is adding the following National procedure codes to the MA Program Fee Schedule. These National procedure codes are replacing the specific end-dated local procedure codes set forth as follows:

<i>National Procedure Code</i>	<i>Pricing Modifier</i>	<i>Informational Modifier</i>	<i>MA Fee</i>	<i>Local Procedure Code</i>
P9021			\$30.00	W6013
P9019			\$30.00	W6014
76001			\$27.50	Y7600

2005 Group Two Exception Requests; Medical Assistance Long-Term Care Participation Review

The purpose of this notice, published under 55 Pa. Code § 1187.21a(e)(4) (relating to nursing facility exception requests—statement of policy), is to announce the 2005 Group Two Exception Requests received by the Department of Public Welfare covering the submission period of July 1, 2005, through December 31, 2005.

Expansion Requests

<i>Number</i>	<i>Name</i>	<i>Address</i>	<i>County</i>	<i>Beds</i>
JD05001	The Village at Luther Square	149 West 22nd Street Erie, PA 16502-2899	Erie	4

A copy of the previously listed exception request is available for review during the 30-day comment period. The public may review the request during regular business hours. To schedule an appointment to review a request, call (717) 705-3705.

Public Comment

Interested persons are invited to submit written comments regarding this notice to Gail Weidman, Chief, Program Analysis and Review Section, P. O. Box 2675, Harrisburg, PA 17105. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ESTELLE B. RICHMAN,
Secretary

Fiscal Note: 14-NOT-465. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 06-347. Filed for public inspection February 24, 2006, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Mystery Multiplier Bingo Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Mystery Multiplier Bingo.

2. *Price:* The price of a Pennsylvania Mystery Multiplier Bingo instant lottery game ticket is \$3.

3. *Play Symbols:*

(a) Each Pennsylvania Mystery Multiplier Bingo instant lottery game ticket will contain six play areas designated as "Card 1," "Card 2," "Card 3," "Card 4," "Card 5" and "Card 6." The 85 play symbols located in the six play areas are: The numbers 01 through 75, "FREE" symbol, Star symbol, Rabbit's Foot symbol, Horse Shoe symbol, Chest symbol, Pot of Gold symbol, Clover symbol, Leprechaun symbol, Cabbage symbol and a Rainbow symbol. The "FREE" symbol is a free space. The Star symbol, Rabbit's Foot symbol, Horse Shoe symbol, Chest symbol, Pot of Gold symbol, Clover symbol, Leprechaun symbol, Cabbage symbol and Rainbow symbol are free spaces when they appear in a winning pattern.

(b) Each ticket will also contain a "Caller's Card" area. The "Caller's Card" area will consist of 30 play symbols. The play symbols that may be located in the "Caller's Card" are: The letter B with a number 01 through 15; the letter I with a number 16 through 30; the letter N with a number 31 through 45; the letter G with a number 46 through 60; and the letter O with a number 61 through 75.

(c) Each ticket will also contain a Mystery Multiplier Bonus area.

(1) The play symbol that may appear in the "MYSTERY SYMBOL" portion of the Mystery Multiplier Bonus area will be one of the following: a Star symbol (STAR), Rabbit's Foot (RBFT), Horse Shoe symbol (SHOE), Chest symbol (CHEST), Pot of Gold symbol (PTGLD), Clover symbol (CLVR), Leprechaun symbol (LEPRC), Cabbage symbol (CABGE) or a Rainbow symbol (RNBOW).

(2) The play symbol that may appear in the "MULTIPLIER SYMBOL" portion of the Mystery Multiplier Bonus area will be one of the following: a 2X symbol (2 TIMES), 3X symbol (3 TIMES), 4X symbol (4 TIMES) or a 5X symbol (5 TIMES).

4. *Prizes:* The prizes that can be won in this game are \$3, \$5, \$6, \$9, \$10, \$12, \$15, \$20, \$25, \$30, \$50, \$100, \$500, \$1,000, \$3,000, \$30,000 and \$60,000.

5. *Approximate Number of Tickets Printed for the Game:* Approximately 6,000,000 tickets will be printed for the Pennsylvania Mystery Multiplier Bingo instant lottery game.

6. *Determination of Prize Winners:*

(a) Holders of tickets matching the "Caller's Card" play symbols in an "X" pattern, extending through the "FREE" space and through to each of the four corner spaces, on "Card 6," shall be entitled to a prize of \$60,000.

(b) Holders of tickets matching the "Caller's Card" play symbols in an "X" pattern, extending through the "FREE" space and through to each of the four corner spaces, on "Card 5," shall be entitled to a prize of \$30,000.

(c) Holders of tickets matching the "Caller's Card" play symbols in an "X" pattern and also having the "MYSTERY SYMBOL" as part of that same pattern, extending through the "FREE" space and through to each of the four corner spaces, on "Card 3," and having the 3X symbol (3 TIMES) appearing in the "MULTIPLIER SYMBOL" portion of the Mystery Multiplier Bonus area, on a single ticket, shall be entitled to a prize of \$3,000.

(d) Holders of tickets matching the "Caller's Card" play symbols in an "X" pattern, extending through the "FREE" space and through to each of the four corner spaces, on "Card 4," shall be entitled to a prize of \$3,000.

(e) Holders of tickets matching the "Caller's Card" play symbols in an "X" pattern and also having the "MYSTERY SYMBOL" as part of that same pattern, extending through the "FREE" space and through to each of the four corner spaces, on "Card 1," and having the 4X symbol (4 TIMES) appearing in the "MULTIPLIER SYMBOL" portion of the Mystery Multiplier Bonus area, on a single ticket, shall be entitled to a prize of \$2,000.

(f) Holders of tickets matching the "Caller's Card" play symbols in an "X" pattern, extending through the "FREE" space and through to each of the four corner spaces, on "Card 3," shall be entitled to a prize of \$1,000.

(g) Holders of tickets matching the "Caller's Card" play symbols in an "X" pattern, extending through the "FREE" space and through to each of the four corner spaces, on "Card 1" or "Card 2," shall be entitled to a prize of \$500.

(h) Holders of tickets matching the "Caller's Card" play symbols in a diamond pattern, matching one square in the midpoint in each of the four outside rows and columns, on "Card 5" or "Card 6," shall be entitled to a prize of \$100.

(i) Holders of tickets matching the "Caller's Card" play symbols in a diamond pattern, matching one square in the midpoint in each of the four outside rows and columns, on "Card 1" or "Card 2" or "Card 3" or "Card 4," shall be entitled to a prize of \$50.

(j) Holders of tickets matching the "Caller's Card" play symbols in the four corners on "Card 5" or "Card 6," shall be entitled to a prize of \$30.

(k) Holders of tickets matching the "Caller's Card" play symbols in four of the five spaces in a horizontal, vertical or diagonal line, and having the "MYSTERY SYMBOL" in the remaining space of that same winning pattern on "Card 5" or "Card 6," and having the 5X symbol (5 TIMES) appearing in the "MULTIPLIER SYMBOL" portion of the Mystery Multiplier Bonus area, on a single ticket, shall be entitled to a prize of \$30.

(l) Holders of tickets matching the "Caller's Card" play symbols in four of the five spaces in a horizontal, vertical or diagonal line, and having the "MYSTERY SYMBOL" in the remaining space of that same winning pattern on "Card 3" or "Card 4," and having the 5X symbol (5 TIMES) appearing in the "MULTIPLIER SYMBOL" portion of the Mystery Multiplier Bonus area, on a single ticket, shall be entitled to a prize of \$25.

(m) Holders of tickets matching the "Caller's Card" play symbols in four of the five spaces in a horizontal, vertical or diagonal line, and having the "MYSTERY SYMBOL" in the remaining space of that same winning

pattern on "Card 3" or "Card 4," and having the 4X symbol (4 TIMES) appearing in the "MULTIPLIER SYMBOL" portion of the Mystery Multiplier Bonus area, on a single ticket, shall be entitled to a prize of \$20.

(n) Holders of tickets matching the "Caller's Card" play symbols in the four corners on "Card 3" or "Card 4," shall be entitled to a prize of \$20.

(o) Holders of tickets matching the "Caller's Card" play symbols in four of the five spaces in a horizontal, vertical or diagonal line, and having the "MYSTERY SYMBOL" in the remaining space of that same winning pattern on "Card 3" or "Card 4," and having the 3X symbol (3 TIMES) appearing in the "MULTIPLIER SYMBOL" portion of the Mystery Multiplier Bonus area, on a single ticket, shall be entitled to a prize of \$15.

(p) Holders of tickets matching the "Caller's Card" play symbols in four of the five spaces in a horizontal, vertical or diagonal line, and having the "MYSTERY SYMBOL" in the remaining space of that same winning pattern on "Card 1" or "Card 2," and having the 5X symbol (5 TIMES) appearing in the "MULTIPLIER SYMBOL" portion of the Mystery Multiplier Bonus area, on a single ticket, shall be entitled to a prize of \$15.

(q) Holders of tickets matching the "Caller's Card" play symbols in four of the five spaces in a horizontal, vertical or diagonal line, and having the "MYSTERY SYMBOL" in the remaining space of that same winning pattern on "Card 5" or "Card 6," and having the 2X symbol (2 TIMES) appearing in the "MULTIPLIER SYMBOL" portion of the Mystery Multiplier Bonus area, on a single ticket, shall be entitled to a prize of \$12.

(r) Holders of tickets matching the "Caller's Card" play symbols in four of the five spaces in a horizontal, vertical or diagonal line, and having the "MYSTERY SYMBOL" in the remaining space of that same winning pattern on "Card 1" or "Card 2," and having the 4X symbol (4 TIMES) appearing in the "MULTIPLIER SYMBOL" portion of the Mystery Multiplier Bonus area, on a single ticket, shall be entitled to a prize of \$12.

(s) Holders of tickets matching the "Caller's Card" play symbols in four of the five spaces in a horizontal, vertical

or diagonal line, and having the "MYSTERY SYMBOL" in the remaining space of that same winning pattern on "Card 3" or "Card 4," and having the 2X symbol (2 TIMES) appearing in the "MULTIPLIER SYMBOL" portion of the Mystery Multiplier Bonus area, on a single ticket, shall be entitled to a prize of \$10.

(t) Holders of tickets matching the "Caller's Card" play symbols in the four corners on "Card 1" or "Card 2," shall be entitled to a prize of \$10.

(u) Holders of tickets matching the "Caller's Card" play symbols in four of the five spaces in a horizontal, vertical or diagonal line, and having the "MYSTERY SYMBOL" in the remaining space of that winning pattern on "Card 1" or "Card 2," and having the 3X symbol (3 TIMES) appearing in the "MULTIPLIER SYMBOL" portion of the Mystery Multiplier Bonus area, on a single ticket, shall be entitled to a prize of \$9.

(v) Holders of tickets matching the "Caller's Card" play symbols in a five-space horizontal, vertical or diagonal line on "Card 5" or "Card 6," shall be entitled to a prize of \$6.

(w) Holders of tickets matching the "Caller's Card" play symbols in four of the five spaces in a horizontal, vertical or diagonal line, and having the "MYSTERY SYMBOL" in the remaining space of that same winning pattern on "Card 1" or "Card 2," and having the 2X symbol (2 TIMES) appearing in the "MULTIPLIER SYMBOL" portion of the Mystery Multiplier Bonus area, on a single ticket, shall be entitled to a prize of \$6.

(x) Holders of tickets matching the "Caller's Card" play symbols in a five-space horizontal, vertical or diagonal line on "Card 3" or "Card 4," shall be entitled to a prize of \$5.

(y) Holders of tickets matching the "Caller's Card" play symbols in a five-space horizontal, vertical or diagonal line on "Card 1" or "Card 2," shall be entitled to a prize of \$3.

7. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Get:</i>	<i>Win:</i>	<i>Approximate Odds of 1 In:</i>	<i>Approximate No. of Winners Per 6,000,000 Tickets</i>
LINE CARD 1	\$3	22.22	270,000
LINE CARD 2	\$3	22.22	270,000
LINE CARD 3	\$5	32.26	186,000
LINE CARD 4	\$5	33.33	180,000
LINE CARD 1 w/2X M&M SYMBOLS	\$6	250	24,000
LINE CARD 2 w/2X M&M SYMBOLS	\$6	250	24,000
LINE CARDS 1 & 2	\$6	250	24,000
LINE CARD 5	\$6	250	24,000
LINE CARD 6	\$6	250	24,000
LINE CARD 1 w/3X M&M SYMBOLS	\$9	250	24,000
LINE CARD 2 w/3X M&M SYMBOLS	\$9	250	24,000
LINE CARDS 1 & 5	\$9	333.33	18,000
LINE CARDS 1 & 6	\$9	333.33	18,000
LINE CARDS 2 & 5	\$9	333.33	18,000
LINE CARDS 2 & 6	\$9	333.33	18,000
4 CORNERS—CARD 1	\$10	500	12,000

<i>Get:</i>	<i>Win:</i>	<i>Approximate Odds of 1 In:</i>	<i>Approximate No. of Winners Per 6,000,000 Tickets</i>
4 CORNERS—CARD 2	\$10	500	12,000
LINE CARD 3 w/2X M&M SYMBOLS	\$10	500	12,000
LINE CARD 4 w/2X M&M SYMBOLS	\$10	500	12,000
LINE CARDS 3 & 4	\$10	500	12,000
LINE CARD 1 w/4X M&M SYMBOLS	\$12	500	12,000
LINE CARD 2 w/4X M&M SYMBOLS	\$12	500	12,000
LINE CARD 5 w/2X M&M SYMBOLS	\$12	500	12,000
LINE CARD 6 w/2X M&M SYMBOLS	\$12	500	12,000
LINE CARDS 5 & 6	\$12	500	12,000
LINE CARD 1 w/5X M&M SYMBOLS	\$15	500	12,000
LINE CARD 2 w/5X M&M SYMBOLS	\$15	500	12,000
LINE CARD 3 w/3X M&M SYMBOLS	\$15	500	12,000
LINE CARD 4 w/3X M&M SYMBOLS	\$15	500	12,000
LINE CARD 3 + 4	\$15	1,000	6,000
CORNERS CARD 1			
LINE CARD 4 + 4	\$15	1,000	6,000
CORNERS CARD 2			
4 CORNERS—CARD 3	\$20	1,000	6,000
4 CORNERS—CARD 4	\$20	1,000	6,000
LINE CARD 3 w/4X M&M SYMBOLS	\$20	1,000	6,000
LINE CARD 4 w/4X M&M SYMBOLS	\$20	1,000	6,000
4 CORNERS—CARDS 1 & 2	\$20	1,000	6,000
LINE CARD 3 w/5X M&M SYMBOLS	\$25	500	12,000
LINE CARD 4 w/5X M&M SYMBOLS	\$25	333.33	18,000
LINE CARD 5 w/5X M&M SYMBOLS	\$30	2,400	2,500
LINE CARD 6 w/5X M&M SYMBOLS	\$30	2,400	2,500
LINE CARD 3 w/2X M&M SYMBOLS + 4	\$30	1,200	5,000
CORNERS—CARD 4			
4 CORNERS—CARD 5	\$30	2,400	2,500
4 CORNERS—CARD 6	\$30	2,400	2,500
4 CORNERS—CARDS 1 & 3	\$30	2,400	2,500
4 CORNERS—CARDS 2 & 4	\$30	2,400	2,500
DIAMOND—CARD 1	\$50	2,400	2,500
DIAMOND—CARD 2	\$50	2,400	2,500
DIAMOND—CARD 3	\$50	2,400	2,500
DIAMOND—CARD 4	\$50	2,400	2,500
DIAMOND—CARD 5	\$100	8,000	750
DIAMOND—CARD 6	\$100	8,000	750
4 CORNERS—CARDS 3, 4, 5 & 6	\$100	8,000	750
DIAMOND—CARDS 1 & 2	\$100	8,000	750
DIAMOND—CARDS 1 & 4	\$100	8,000	750
DIAMOND—CARDS 2 & 3	\$100	8,000	750
DIAMOND—CARDS 3 & 4	\$100	8,000	750
"X"—CARD 1	\$500	24,000	250
"X"—CARD 2	\$500	24,000	250
"X"—CARD 3	\$1,000	120,000	50
"X"—CARDS 1 & 2	\$1,000	120,000	50
"X"—CARD 4	\$3,000	120,000	50

<i>Get:</i>	<i>Win:</i>	<i>Approximate Odds of 1 In:</i>	<i>Approximate No. of Winners Per 6,000,000 Tickets</i>
"X"—CARD 1 w/4X M&M SYMBOLS + "X"—CARD 3	\$3,000	120,000	50
"X"—CARD 3 w/3X M&M SYMBOLS	\$3,000	120,000	50
"X"—CARD 5	\$30,000	1,200,000	5
"X"—CARD 6	\$60,000	1,200,000	5

M&M SYMBOLS = Multiplier and matching Mystery symbol.

Prizes, including top prizes, are subject to availability at the time of purchase.

8. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Mystery Multiplier Bingo instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

9. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Mystery Multiplier Bingo, prize money from winning Pennsylvania Mystery Multiplier Bingo instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Mystery Multiplier Bingo instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law, 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

11. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Mystery Multiplier Bingo or through normal communications methods.

[Pa.B. Doc. No. 06-348. Filed for public inspection February 24, 2006, 9:00 a.m.]

Pennsylvania \$100,000 Hold 'Em Poker Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of a change to the Pennsylvania \$100,000 Hold 'Em Poker instant lottery game rules that were published at 35 Pa.B. 3471 (June 18, 2005).

To rectify an apparent inconsistency between the Second Chance Drawing Requirements at section 10 of the Pennsylvania \$100,000 Hold 'Em Poker instant lottery game notice and instructions for entry appearing on the back of the ticket, section 10(e) of the Pennsylvania \$100,000 Hold 'Em Poker instant lottery game notice is hereby modified by deleting the words "and signature." Section 10(e) is modified as follows:

(e) The back of each nonwinning Pennsylvania \$100,000 Hold 'Em Poker instant lottery ticket entered in the Second Chance Drawing must be completed by the same player in a legible manner, including the player's name, street address, city, state, zip code and telephone number. Only one claimant per ticket allowed. Claimant must be 18 years of age or older, and must be at least 21 years of age to claim a seat in the World Series of Poker Tournament. Incomplete tickets shall be disqualified.

GREGORY C. FAJT,
Secretary

[Pa.B. Doc. No. 06-349. Filed for public inspection February 24, 2006, 9:00 a.m.]

HISTORICAL AND MUSEUM COMMISSION

National Register Nominations to be Reviewed by the Historic Preservation Board

The Historic Preservation Board (Board) will hold a meeting on March 7, 2006, at 9:45 a.m. in Room 125C, Commonwealth Keystone Building, 400 North Street, Harrisburg, PA. Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to participate should contact Helena Johnson at (717) 783-2698 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Board can accommodate their needs. Persons with questions or comments should contact the Bureau for Historic Preservation at (717) 783-8946.

Great Valley and Piedmont Region

1. *Germantown Grammar School* (boundary increase), 45 West Haines Street, Philadelphia
2. *United States Post Office—Market Street Branch*, 2970 Market Street, Philadelphia
3. *Speedwell Forge Mansion*, 465 Speedwell Forge Road, Elizabeth Township, Lancaster County
4. *Ephrata Commercial Historic District*, roughly bounded by West Main, East Main, North State, and South State Streets and Washington Ave., Ephrata, Lancaster County
5. *Thornton Village Historic District*, at the intersection Glen Mills Road and Concord Road, Thornbury Township, Delaware County
6. T. A. Willson & Company Building, 201 Washington Street, Reading, Berks County

Allegheny Plateau Region

No nominations

Southwestern Pennsylvania Region

No nominations

Ridge and Valley Region

No nominations

Great Valley and Piedmont Region

No nominations

Anthracite and Poconos Region

No nominations

BARBARA FRANCO,
Executive Director

[Pa.B. Doc. No. 06-350. Filed for public inspection February 24, 2006, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market St., 14th Floor, Harrisburg at 10:30 a.m. Note that the time and date of the meeting is tentative and interested parties are encouraged to contact the Commission at (717) 783-5417 or visit its website at www.irrc.state.pa.us to confirm that information. To obtain a copy of a regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy.

*Final-Form**Reg. No.**Agency/Title**Received**Public**Meeting*

57-236

Pennsylvania Public Utility Commission
Practice and Procedure Before the Commission

2/9/06

3/23/06

*Final-Omit**Reg. No.**Agency/Title**Received**Public**Meeting*

56-3

Board of Pardons
Representation of Applicant

2/9/06

3/23/06

JOHN R. MCGINLEY, Jr.,
Chairperson

[Pa.B. Doc. No. 06-351. Filed for public inspection February 24, 2006, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by March 20, 2006. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin* operating as *common carriers* for transportation of *persons* as described under each application.

A-00122434. Rhoda M. Rohrer t/a Rohrer's Taxi Service (1065 West Main Street, Apartment 2R, New Holland, Lancaster County, PA 17557)—persons in

paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the County of Lancaster, to points in Pennsylvania, and return.

A-00122435. D & S Taxi and Limousine Service, Inc. (1086 Zion Road, Bellefonte, Centre County, PA 16823), a corporation of the Commonwealth—persons, upon call or demand, in the Counties of Centre and Clinton.

Application of the following for approval of the *beginning* of the exercise of the right and privilege of operating motor vehicles as *common carriers* for the transportation of *household goods* as described under the application.

A-00122436. Frontier Van Lines Moving & Storage, Inc. (1129 Eagles Nest Lane, Monroeville, Allegheny County, PA 15146), a corporation of the Commonwealth—household goods in use, from points in the Counties of Allegheny, Beaver, Butler, Washington and Westmoreland, to points in Pennsylvania, and vice versa. *Attorney:* Ray F. Middleman, Malone Middleman, P. C., Northridge Office Plaza, 117 VIP Drive, Suite 310, Wexford, PA 15090.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 06-352. Filed for public inspection February 24, 2006, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project #06-008.1, Furnish and Install Fenders, Berth 6 at Packer Avenue Marine Terminal (PAMT) until 2 p.m. on Thursday, March 30, 2006. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 N. Delaware Ave., 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available March 7, 2006. Additional information and project listings may be found at www.philaport.com. The cost of the bid document is \$35 (includes 7% Pennsylvania Sales Tax). The cost is nonrefundable. PRPA is an equal opportunity employer. Contractors must comply with all applicable equal opportunity laws and regulations. Bidders must provide to the Procurement Department, in writing, the names of individuals that will be attending prebid meetings. This information is needed 24 hours prior to the meeting. Fax to (215) 426-6800, Attn: Procurement Department.

A mandatory prebid job site meeting will be held on March 16, 2006, at 11 a.m. at PAMT, Columbus Blvd. and Oregon Ave. (Entrance South Gate, South of Walt Whitman Bridge on Service Rd.), Philadelphia, PA 19148.

JAMES T. MCDERMOTT, Jr.
Executive Director

[Pa.B. Doc. No. 06-353. Filed for public inspection February 24, 2006, 9:00 a.m.]