

NOTICES

DEPARTMENT OF AGRICULTURE

Agricultural Product Promotion Matching Grant for 2008

The Department of Agriculture (Department) announces the application period for grants under the Pennsylvania Agricultural Product Promotion Matching Grant Program (Program). See 7 Pa. Code Chapter 105 (relating to Pennsylvania Agricultural Product Promotion Matching Grant Program—Statement of Policy).

The Program provides matching funds to Pennsylvania nonprofit agricultural product promotion and marketing organizations for projects intended to increase consumer awareness of Pennsylvania agricultural products and thereby increase sales of these products. The application,

work plan and budget should reflect January 1, 2008, as the project start date and the project completion date will be December 31, 2008.

Applications for the Program will be accepted by the Department beginning Tuesday, May 29, 2007, and continue through Tuesday, July 10, 2007. Applications must be received by 4 p.m. in the Bureau of Market Development on the closing date. Information on this program may be obtained from Frank Jurbala, Director, Bureau of Market Development, Department of Agriculture, 2301 North Cameron Street, Room 310, Harrisburg, PA 17110-9408, or documents to apply can be accessed at www.agriculture.state.pa.us.

DENNIS C WOLFF,
Secretary

[Pa.B. Doc. No. 07-688. Filed for public inspection April 20, 2007, 9:00 a.m.]

DEPARTMENT OF BANKING

Action on Applications

The Department of Banking, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending April 3, 2007.

BANKING INSTITUTIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-1-07	CommunityBanks, Millersburg, and East Prospect State Bank, East Prospect Surviving Institution— CommunityBanks, Millersburg	Millersburg	Effective
	All branches operated by East Prospect State Bank prior to the merger became branches of CommunityBanks upon the effective date of the merger including the main office of East Prospect State Bank.		
4-1-07	CommunityBanks, Millersburg, and BUCS Federal Bank, Owings Mills, Maryland Surviving Institution— CommunityBanks, Millersburg	Millersburg	Effective
	All branches operated by BUCS Federal Bank prior to the merger became branches of CommunityBanks upon the effective date of the merger including the main office of BUCS Federal Bank.		

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-22-07	Bucks County Bank Doylestown Bucks County	200 S. Main Street Doylestown #6687 Bucks County	Opened
3-28-07	Valley Green Bank Philadelphia Philadelphia County	23 West Highland Avenue Philadelphia Philadelphia County	Filed
3-29-07	Parkvale Savings Bank Monroeville Allegheny County	681 Clairton Boulevard Pittsburgh Allegheny County	Filed

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-30-07	Susquehanna Bank PA Lititz Lancaster County	100 Sterling Parkway Suite 100 Mechanicsburg Cumberland County	Filed

Branch Relocations/Consolidations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-5-07	AmeriServ Financial Bank Johnstown Cambria County	<i>Into:</i> 179 Lovell Avenue Ebensburg #5273 Cambria County <i>From:</i> 104 South Center Street Ebensburg #5318 Cambria County	Approved

SAVINGS INSTITUTIONS**Branch Applications**

<i>Date</i>	<i>Name of Association</i>	<i>Location</i>	<i>Action</i>
3-28-07	ESSA Bank & Trust Stroudsburg Monroe County	Tannersville Plaza Route 611 Tannersville Pocono Township Monroe County	Opened

CREDIT UNIONS**Consolidations, Mergers and Absorptions**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
3-31-07	Alcose Credit Union, White Oak, and Arcraft Credit Union, North Huntingdon Surviving Institution— Alcose Credit Union, White Oak	White Oak	Approved

The Department's website at www.banking.state.pa.us includes public notices for more recently filed applications.

VICTORIA A. REIDER,
Acting Secretary

[Pa.B. Doc. No. 07-689. Filed for public inspection April 20, 2007, 9:00 a.m.]

Action on Applications

The Department of Banking, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 9, 2002 (P. L. 1572, No. 207), known as the Credit Union Code, has taken the following action on applications received for the week ending April 10, 2007.

BANKING INSTITUTIONS**Charter Applications**

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-9-07 #5028416	Hometown Bank of Pennsylvania Bedford Bedford County	500 E. Pitt Street Bedford Bedford County	Commenced Operations

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-2-07	Farmers and Merchants Trust Company of Chambersburg Chambersburg Franklin County	Carlisle Crossing Shopping Center Carlisle #6806 Cumberland County	Opened

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-3-07	Embassy Bank for the Lehigh Valley Bethlehem Northampton County	Trexlerstown Marketplace Intersection of Hamilton Boulevard and Mill Creek Road Allentown Lower Macungie Township Lehigh County #6672	Opened
4-6-07	Bryn Mawr Trust Company Bryn Mawr Montgomery County	Villanova University Kennedy Hall Villanova Montgomery County #1143 (Limited Service Facility)	Closed

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
3-30-07	CommunityBanks Millersburg Dauphin County	1415 Ritner Highway Carlisle #6492 Cumberland County	Closed

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS**Consolidations, Mergers and Absorptions**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
4-4-07	Schuylkill County School	Pottsville	Approved
4-5-07	Employees Credit Union, Pottsville, and Argo Federal Credit Union, Schuylkill Haven Surviving Institution— Schuylkill County School Employees Credit Union, Pottsville		Effective

The main office of Argo Federal Credit Union prior to the merger became a branch of Schuylkill County School Employees Credit Union upon the effective date of the merger.

The Department's website at www.banking.state.pa.us includes public notices for more recently filed applications.

VICTORIA A. REIDER,
Acting Secretary

[Pa.B. Doc. No. 07-690. Filed for public inspection April 20, 2007, 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of May 2007

The Department of Banking (Department), under the authority contained in section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), hereby determines that the maximum lawful rate of interest for residential mortgages for the month of May 2007 is 7 1/4%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. No. 96-221). Further preemption was instituted with the signing of Pub. L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the United States Treasury. The latest yield rate on long-term government securities is 4.69 to which was added 2.50 percentage points for a total of 7.19 that by law is rounded off to the nearest quarter at 7 1/4%.

VICTORIA A. REIDER,
Acting Secretary

[Pa.B. Doc. No. 07-691. Filed for public inspection April 20, 2007, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a Statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a Statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise Statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0033740	Whispering Hollow South Mobile Home Park Sewage Treatment Facility 139 Country Club Road Northampton, PA 18067-9802	Allen Township Northampton	Hokendaqua Creek 2C	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0083267 (IW)	Butler Manufacturing Company 400 North Weaver Street Annville, PA 17003-1103	Lebanon County Annville Township	Quittaphilla Creek 7-D	Y
PA0021776 (SEW)	Fairfield Municipal Authority P. O. Box 705 180 Walter Street Ext. Fairfield, PA 17320	Adams County Hamiltonban Township	Spring Run 13-D	Y

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0027359 IW	Danville Municipal Authority 12 West Market Street Danville, PA 17821	Montour County Danville Borough	Susquehanna River 5E	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

PA-0029289, Sewage, **Borough of Stroudsburg**, 700 Sarah Street, Stroudsburg, PA 18360. This proposed facility is located in Stroudsburg Borough, **Monroe County**.

Description of Proposed Activity: Renewal of NPDES Permit.

The receiving stream, McMichael Creek, is in the State Water Plan Watershed No. 1E and is classified for HQ-CWF. The nearest downstream public water supply intake for City of Easton is located on Delaware River over 25 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 2.5 mgd.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N (5-1 to 10-31)	10		20
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a geometric mean 2,000/100 ml as a geometric mean		
pH	6.0 to 9.0 standard units at all times.		
Total Residual Chlorine	1.0		2.3

In addition to the effluent limits, the permit contains the following major special conditions:

1. Whole Effluent Toxicity Testing.

PA0070394, Industrial Waste, SIC Code 4953, **Herceg Landfill**, 539 Roundtable Drive, Nazareth, PA 18064. This existing facility is located in Bushkill Township, **Northampton County**.

Description of Proposed Activity: Renewal of an NPDES permit to discharge treated leachate from a closed sanitary landfill.

The receiving stream, a UNT to East Branch Monocacy Creek, is in the State Water Plan Watershed No. 02C and is classified for the following uses: HQ-CWF, aquatic life, water supply and recreation. The nearest downstream public water supply intake for Keystone Water Company is located on the Delaware River approximately 65 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.025 mgd are:

<i>Parameter</i>	<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
NH ₃ -N	4.9	10	12
pH	6.0 to 9.0 standard units at all times		
BOD ₅	37	140	
TSS	27	88	
Alpha-Terpineol	0.016	0.033	0.040

<i>Parameter</i>	<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Benzoic Acid	0.071	0.12	0.18
p-Cresol	0.014	0.025	0.035
Phenol	0.015	0.026	0.038
Zinc	0.11	0.20	0.28
Fecal Coliform	200/100 ml as a geometric average		

The EPA waiver is in effect.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PA 0046221, Sewage, **Newville Borough Water and Sewer Authority**, 99 Cove Alley, Newville, PA 17241. This facility is located in Newville Borough, **Cumberland County**.

Description of activity: The application is for renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Big Spring Creek, is in Watershed 7-B and classified for CWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Carlisle Borough is located on the Conodoguinet Creek, approximately 19.9 miles downstream. The discharge is not expected to affect the water supply.

The proposed Interim effluent limits for Outfall 001 for a design flow of 0.35 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N	Monitor and Report		
Total Residual Chlorine	0.5		1.6
Total Phosphorus	1.0		2.0
Total Phosphorus	Monitor lbs per year annual and lbs per month		
Total Nitrogen	Monitor lbs per year annual and lbs per month		
Net Total Phosphorus	Monitor lbs per year annual and lbs per month		
Net Total Nitrogen	Monitor lbs per year annual and lbs per month		
TKN	Monitor		
NO ₂ + NO ₃ -N	Monitor		
Dissolved Oxygen	Minimum of 5.0 at all times		
pH	From 6.0 to 9.0 inclusive		
Fecal Coliform	200/100 ml as a geometric average		
(5-1 to 9-30)	2,000/100 ml as a geometric average		
(10-1 to 4-30)			

The proposed Final effluent limits for Outfall 001 for a design flow of 0.35 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N	18		36
(5-1 to 10-31)	Monitor and Report		
(11-1 to 4-30)			
Total Residual Chlorine	0.5		1.6
Total Phosphorus	1.0		2.0
Total Phosphorus	Monitor lbs per year annual and lbs per month		
Total Nitrogen	Monitor lbs per year annual and lbs per month		
Net Total Phosphorus	7,306 lbs per year annual and lbs per month		
Net Total Nitrogen	799 lbs per year annual and lbs per month		
TKN	Monitor		
NO ₂ + NO ₃ -N	Monitor		
Dissolved Oxygen	Minimum of 5.0 at all times		
pH	From 6.0 to 9.0 inclusive		
Fecal Coliform	200/100 ml as a geometric average		
(5-1 to 9-30)	2,000/100 ml as a geometric average		
(10-1 to 4-30)			

In addition to the effluent limits, the permit contains the following major special conditions:

Schedule for compliance with Chesapeake Bay Tributary Strategy.

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is not in effect.

Application No. PA 0044598, Sewage, **Susquehanna Area Regional Airport Authority (Harrisburg International Airport)**, One Terminal Drive, Suite 300, Middletown, PA 17057-5048. This facility is located in Lower Swatara Township, **Dauphin County**.

Description of activity: The application is for renewal of an NPDES permit for existing discharge of treated sewage.

The receiving stream, a UNT to Susquehanna River (Post Run), is in Watershed 7-C and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Columbia Water Company is located on the Susquehanna River, approximately 19.2 miles downstream. The discharge is not expected to affect the water supply.

The proposed Interim effluent limits for Outfall 001 for a design flow of 0.150 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
Total Suspended Solids	30		60
Total Residual Chlorine	1.5		2.5
Total Phosphorus	2.0		4.0
Dissolved Oxygen		Minimum of 5.0 at all times	
pH		From 6.0 to 9.0 inclusive	
Fecal Coliform		200/100 ml as a geometric average	
(5-1 to 9-30)		2,000/100 ml as a geometric average	
(10-1 to 4-30)			

The proposed Final effluent limits for Outfall 001 for a design flow of 0.350 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
Total Suspended Solids	30		60
NH ₃ -N		Monitor and Report	
Total Phosphorus	2.0		4.0
Net Total Phosphorus		974 lbs per year annual	
Net Total Nitrogen		7,306 lbs per year annual	
Total Phosphorus		Monitor lbs per year annual and lbs per month	
Total Nitrogen		Monitor lbs per year annual and lbs per month	
TKN		Monitor	
NO ₂ + NO ₃ -N		Monitor	
Dissolved Oxygen		Minimum of 5.0 at all times	
pH		From 6.0 to 9.0 inclusive	
Fecal Coliform		200/100 ml as a geometric average	
(5-1 to 9-30)		2,000/100 ml as a geometric average	
(10-1 to 4-30)			

In addition to the effluent limits, the permit contains the following major special conditions:

Schedule for compliance with Chesapeake Bay Tributary Strategy.

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0260118, Sewage, **Chesapeake Estates of New Oxford LLLP (Chesapeake Estates MHP)**, 585 Martin Road, Gettysburg, PA 17325. This facility is located in Mount Pleasant Township, **Adams County**.

Description of activity: The application is for issuance of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, South Branch Conewago Creek, is in Watershed 7-F and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for New Oxford Water Supply Company is located on the South Branch Conewago Creek, approximately 0.6 mile downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.062328 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25		50
Total Suspended Solids	30		60
NH ₃ -N	Monitor and Report		

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine	0.50		1.60
Total Phosphorus		243 lbs per year annual	
Total Nitrogen		1,339 lbs per year annual	
TKN		Monitor	
NO ₂ + NO ₃ -N		Monitor	
Dissolved Oxygen		Minimum of 5.0 at all times	
pH		From 6.0 to 9.0 inclusive	
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,000/100 ml as a geometric average	

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0260126, Sewage, HAMM Equities, LLC (Buffalo Crossing Development, 1002 Monroe Boulevard, King of Prussia, PA 19406. This facility is located in Howe Township, **Perry County.**

Description of activity: The application is for issuance of an NPDES permit for new discharge of treated sewage.

The receiving stream, a UNT Juniata River, is in Watershed 12-B and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for United Water of PA is located on the Susquehanna River, approximately 21 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.050 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	50
Total Suspended Solids	30	60
NH ₃ -N		
(5-1 to 10-31)	2.0	4.0
(11-1 to 4-30)	6.0	12.0
Total Residual Chlorine	0.2	0.7
Dissolved Oxygen		Minimum of 5.0 at all times
pH		From 6.0 to 9.0 inclusive
Fecal Coliform		
(5-1 to 9-30)		200/100 ml as a geometric average
(10-1 to 4-30)		2,000/100 ml as a geometric average

Chesapeake Bay Requirements

	<i>Mass (lbs.)</i>		<i>Concentration (mg/l)</i>
Ammonia-N	<i>Monthly</i>	<i>Annual</i>	<i>Monthly Average</i>
Kjeldahl-N	Report	Report	Report
Nitrate-Nitrite as N	Report	Report	Report
Total Nitrogen	Report	Report	Report
Total Phosphorus	Report	Report	Report
Net Total Nitrogen	Report	0	
Net Total Phosphorus	Report	0	

The permit contains conditions which authorize the permittee to apply nutrient reduction credits, to meet the Net Total Nitrogen and Net Total Phosphorus effluent limits, under the Department's Trading of Nutrient and Sediment Reduction Credits Policy and Guidelines (392-0900-001, December 30, 2006). The conditions include the requirement to report application of these credits in supplemental DMRs submitted to the Department.

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0083593, Sewage, Silver Spring Township Authority, 31 East Main Street, New Kingston, PA 17071-1001. This facility is located in Silver Spring Township, **Cumberland County.**

Description of activity: The application is for renewal of an NPDES permit for existing discharge of treated sewage.

The receiving stream, Conodoguinet Creek, is in Watershed 7-B and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Steelton Municipal Waterworks is approximately 19.4 miles downstream. The discharge is not expected to affect the water supply.

The proposed Interim effluent limits for Outfall 001 for a design flow of 0.60 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	8.5		17
(11-1 to 4-30)	17.5		35
Total Residual Chlorine	1.0		2.0
Total Phosphorus			
(4-1 to 10-31)	1.0		2.0
Total Phosphorus			
(11-1 to 3-31)	2.0		4.0
Total Phosphorus		Monitor lbs per year annual and lbs per month.	
Total Nitrogen		Monitor lbs per year annual and lbs per month.	
Net Total Phosphorus		Monitor lbs per year annual and lbs per month.	
Net Total Nitrogen		Monitor lbs per year annual and lbs per month.	
TKN		Monitor	
NO ₂ + NO ₃ -N		Monitor	
Dissolved Oxygen		Minimum of 5.0 at all times	
pH		From 6.0 to 9.0 inclusive	
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,000/100 ml as a geometric average	

The proposed Final effluent limits for Outfall 001 for a design flow of 1.20 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	18		36
(11-1 to 4-30)	19		38
Total Residual Chlorine	0.5		1.6
Total Phosphorus	1.0		2.0
Net Total Phosphorus		2,922 lbs per year annual	
Net Total Nitrogen		21,918 lbs per year annual	
Net Total Phosphorus		Monitor lbs per year annual and lbs per month.	
Net Total Nitrogen		Monitor lbs per year annual and lbs per month.	
TKN		Monitor	
NO ₂ + NO ₃ -N		Monitor	
Dissolved Oxygen		Minimum of 5.0 at all times	
pH		From 6.0 to 9.0 inclusive	
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2,000/100 ml as a geometric average	

In addition to the effluent limits, the permit contains the following major special conditions:

Schedule for compliance with Chesapeake Bay Tributary Strategy.

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is not in effect.

Application No. PA 0260177, CAFO, **David E. Gemmill (Belview Valley Farms)**, 458 Gemmill Road, Delta, PA 17314.

David E. Gemmill has submitted an application for a CAFO National Pollutant Discharge Elimination System (NPDES) permit on December 26, 2006 for a proposed agricultural operation known as Belview Valley Farms, located on Gemmill Road in Peach Bottom Township. The CAFO would be situated near a UNT of Neill Run, which is classified as a TSF. The nearest downstream public surface water supply is a Baltimore City intake just above the Conowingo Dam on the Susquehanna River. The farm is not expected to impact the water supply.

The operation would include 7 beef cows that are currently located on the home farm site and a new 4,400-head swine finishing barn located just west of the home farm. According to the Nutrient Management Plan for the operation, manure generated by the swine animals will be collected in a concrete manure storage structure located below the barn, with dimensions of 120-feet wide by 297-feet long by 6-feet deep, with an approximate storage capacity of 1.47 million gallons with 6-inches of freeboard. The Nutrient Management Plan indicates that there are approximately 525 acres under the control of the farm for manure application.

The Department has conducted a preliminary review of the application and has deemed the application administratively complete. The Department has made a tentative determination to issue the NPDES permit. A draft CAFO NPDES permit was issued to the farm on March 28, 2007. The draft permit proposes BMPs for manure management, erosion and sediment pollution control and manure storage. The State Conservation Commission, through the York County Conservation District, approved the Nutrient Management Plan for this proposed agricultural operation on January 12, 2007.

The permit application, draft permit and Nutrient Management Plan are on file at the Southcentral Regional Office of the Department. Persons may make an appointment to review these documents and related files by calling Jennifer Troutman at (717) 705-4732 between 8 a.m. and 4 p.m., Monday through Friday.

Persons wishing to comment on the draft permit or the Nutrient Management Plan are invited to submit written comments to the Southcentral Regional Office at the address listed above within 30 days from the date of this public notice. Comments received within this 30-day public comment period and comments submitted at the public hearing held on April 5, 2007, will be considered in formulating the Department's final determination regarding the application. Comments should include the name, address and telephone number of the writer and a concise Statement to inform the Department of the basis of the comment and the relevant facts upon which it is based.

Following the 30-day comment period, the Watershed Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA0218723, Sewage, **Blacklick Valley Municipal Authority**, P. O. Box 272, Twin Rocks, PA 15960. This application is for renewal of an NPDES permit to discharge treated sewage from Blacklick Valley Municipal Authority STP in Buffington Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Blacklick Creek, which are classified as a TSF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the: Buffalo Township Municipal Authority, Freeport Plant, on the Allegheny River.

Outfall 001: existing discharge, design flow of 0.2 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	37.5		50
Suspended Solids	30	45		60
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0219169, Sewage, **Laurel Highlands Municipal Authority**, R. D. 3, Box 93, Rockwood, PA 15557. This application is for renewal of an NPDES permit to discharge treated sewage from New Centerville Borough STP in New Centerville Borough, **Somerset County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Middle Creek, which are classified as a TSF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Ohiopyle Borough Municipal Water Works.

Outfall 001: existing discharge, design flow of 0.04 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	10.0			20.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	1.0			2.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001).

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. 5507402, Sewage 4952, **Kreamer Municipal Authority**, P. O. Box 220, Kreamer, PA 17833. This proposed facility is located in Middlecreek Township, **Snyder County**.

Description of Proposed Action/Activity: The applicant proposes to construct and operate a new sewage plant. The sewage plant will be a package plant providing nutrient removal.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

V. Applications for NPDES Wavier Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI010907001	269 Canal Road, LP 301 Oxford Valley Road Suite 702 Yardley, PA 19067-7713	Bucks	Warminster Township	Delaware Division of the PA Canal WWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI030306006(1)	Daniel Winkler East Penn Manufacturing, Co. Deka Road Lyon Station, PA 19536	Berks	Richmond Township	Moselem Creek HQ
PAI033607002	Paul Risk 11 West State Street Quarryville, PA 17566	Lancaster	Eden Township	Bowery Run HQ-CWF, MF

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Fayette County Conservation District, 10 Nickman Plaza, Lemont Furnace, PA 15456, (724) 438-4497.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI056507001	Redstone Presbyterian Senior Care Center 6 Garden Center Greensburg, PA 15601	Westmoreland	North Huntingdon Township	UNT to Long Run HQ

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI062407002	The Clearfield Foundation 125 East Market Street Clearfield, PA 16830	Elk	Benezette Township	Mosquito Creek HQ-CWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a Statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise Statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Application No. 3907504, Public Water Supply.

Applicant	Bruce R. Young North Whitehall Lehigh County
Responsible Official	Bruce R. Young, Owner/President Iron Lakes Country Club 3625 Shankweiler Road Allentown, PA 18104 (610) 395-3369
Type of Facility	Public Water Supply
Consulting Engineer	Larry S. Turoscy, P. E. Lehigh Engineering Associates, Inc. 499 Riverview Drive P. O. Box 68 Walnutport, PA 18088 (610) 767-8545
Application Received Date	March 26, 2007

Description of Action	Application for installation of ion exchange filtration units to reduce the nitrate level of the well source water at the Iron Lakes Country Club.
-----------------------	--

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 3607505, Public Water Supply.

Applicant	Splashes Swim Club
Municipality	Bart Township
County	Lancaster
Responsible Official	Audra Spahn 4915 White Oak Road Paradise, PA 17562
Type of Facility	Public Water Supply
Consulting Engineer	G. Matthew Brown, P. E. ARRO Consulting, Inc 270 Granite Run Drive Lancaster, PA 17601
Application Received:	February 9, 2007
Description of Action	Installation of water softener, nitrate removal, upflow acid neutralizer and liquid chlorination.

Permit No. 6707502, Public Water Supply.

Applicant	United Water Pennsylvania
Municipality	Newberry Township
County	York
Responsible Official	John D. Hollenbach, Vice President 4211 East Park Circle Harrisburg, PA 17111-0151
Type of Facility	Public Water Supply
Consulting Engineer	Arthur Saunders, P. E. United Water Pennsylvania 4211 East Park Circle Harrisburg, PA 17111
Application Received:	March 21, 2007
Description of Action	Installation of a caustic soda feed system to adjust pH at the Reeser well site.

Permit No. 6707503, Public Water Supply.

Applicant	United Water Pennsylvania
Municipality	Newberry Township
County	York
Responsible Official	John D. Hollenbach, Vice President 4211 East Park Circle Harrisburg, PA 17111-0151
Type of Facility	Public Water Supply
Consulting Engineer	Arthur Saunders, P. E. United Water Pennsylvania 4211 East Park Circle Harrisburg, PA 17111
Application Received:	March 21, 2007

Description of Action Installation of a corrosion control system at the Susquehanna Village Well site.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 6507504, Public Water Supply.

Applicant **Torrance State Hospital**
P. O. Box 111
Torrance, PA 15779

Township or Borough Derry Township

Responsible Official Robert Snyder, Facility Maintenance Manager
Torrance State Hospital
P. O. Box 111
Torrance, PA 15779

Type of Facility Water treatment plant

Consulting Engineer

Application Received Date March 29, 2007

Description of Action Installation of a new flexible membrane liner and cover for the finished water reservoir.

Permit No. 0307501, Public Water Supply.

Applicant **Parks Township Municipal Authority**
1106 Highland Avenue
Vandergrift, PA 15690

Township or Borough Bethel Township

Responsible Official Charles Gibson, Chairman
Parks Township Municipal Authority
1106 Highland Avenue
Vandergrift, PA 15690

Type of Facility Water treatment plant

Consulting Engineer Bankson Engineers, Inc.
267 Blue Run Road
P. O. Box 200
Indianola, PA 15051

Application Received Date April 4, 2007

Description of Action Installation of a water storage tank, pump station with disinfection and adjacent waterlines.

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Application No. 2007501, Public Water Supply.

Applicant **Denny Ridge MHP**

Township or Borough Hayfield Township/Crawford County

Responsible Official John C. Nicholson, Owner

Consulting Engineer Steven R. Halmi, P. E., Project Engineer
Deiss and Halmi Engineering
105 Meadville Street
Edinboro, PA 16412

Application Received Date March 30, 2007

Description of Action Permit existing well, known as Well No. 3 as an additional source of supply.

Application No. 2507501, Public Water Supply.

Applicant **Idyll Whyte Village MHP**

Township or Borough McKean Township, Erie County

Responsible Official Harry K. Sickler, Owner

Consulting Engineer Clayton J. Fails, P. E., Project Engineer
Hill Engineering
8 Gibson Street
North East, PA 16428

Application Received Date April 2, 2007

Description of Action Addition of new water filtration system to MHP's existing potable water system.

MINOR AMENDMENT

Applications Received under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Application, Minor Amendment.

Applicant **Brodhead Creek Regional Authority**
Stroud Township, Monroe County

Responsible Official Kenneth Brown
Brodhead Creek Regional Authority
410 Stokes Avenue
East Stroudsburg, PA 18360

Type of Facility PWS

Consulting Engineer Russell D. Scott, IV, P. E.
RKR Hess Associates, Inc.
P. O. Box 268
East Stroudsburg, PA 18301

Application Received Date March 27, 2007

Description of Action Proposed project consists of painting the interior of an existing finished water storage tank, general maintenance work, minor repairs and improvements in and around the tank and valve installation.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 0407501MA, Minor Amendment.

Applicant **Center Township Water Authority**
224 Center Grange Road
Aliquippa, PA 15001

Township or Borough Center Township

Responsible Official	Ronald Crisi, General Manager Center Township Water Authority 224 Center Grange Road Aliquippa, PA 15001
Type of Facility	Water storage tanks
Consulting Engineer	Lennon, Smith Souleret Engineering, Inc. 846 Fourth Avenue Coraopolis, PA 15108
Application Received Date	April 2, 2007
Description of Action	Interior/exterior cleaning and painting and overflow modification of the two St. James water storage tanks.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment

period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Ramalho Residence, Lower Moreland Township, **Montgomery County**. On behalf of Lewis Ramalho, 3485 Brae Bourn Drive, Hindington Valley, PA 19006 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted by release of no. 2 fuel oil. The future use of the site will remain the same. A summary of the Notice of Intent to Remediate was reported to have been published in the *Bucks County Intelligencer* on December 7, 2006.

269 Canal Road, Falls Township, **Bucks County**. Trevan Houser, Land Resource Solutions, LLC, 1274 N. Church Street, NJ 08057 on behalf of Anthony Cino, 269 Canal Road, LP, 301 Oxford Valley Road, Suite 702, Yardley, PA 19067 has submitted a Notice of Intent to Remediate. Groundwater at the site has impacted by release of inorganics. The future use of the site is proposed for commercial redevelopment as a Brownfield site.

Trans Materials, West Goshen Township, **Chester County**. Christopher Ward, RT Env. Service, Inc., Pureland Complex, 510 Heron Drive, Suite 306, Bridgeport, NJ 08014 on behalf of Senya Isayeff, IRR-Keystone Community Alliance-West Goshen, 550 Union Street, West Chester, PA 19382 has submitted a Notice of Intent to Remediate. Groundwater at the site has been impacted by release of chlorinated solvents. The future use of the site is nonresidential, mixed-use warehouse and office space.

Hafer Farm Property, New Hanover Township, **Montgomery County**. Richard Ley, MARCOAR Remediation, Inc., 540 Trestel Place, Downingtown, PA 19335 on behalf of Marlene Troxell, National Penn Investors rust-Trustee Hafer Est., 2201 Ridgewood Road, No. 180, Wyomissing, PA 19610 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted by release of unleaded gasoline. The future intended use of the property is private residential.

Marlin Residence, Lower Providence Township, **Montgomery County**. Richard D. Trimpi, Trimpi Assoc., Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Mr. and Mrs. Marlin, 3962 Township Line Road, Colledgeville, PA 19426 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted by release of No. 2 fuel oil. The future use of the site is residential. A summary of the Notice of Intent to Remediate was reported to have been published in *The Mercury* on March 10, 2007.

Francis Freas Glass Works, Conshohocken Borough, **Montgomery County**. On behalf of Douglass Marzell,

Francis Freas Glass Works, 144—148 East 9th Avenue, Conshohocken, PA 19428 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted by release of chlorinated solvents. The future use of the property is nonresidential and will be a continuation of the current manufacturing operations and office use.

Four Falls Corp. Center, West Conshohocken Borough, **Montgomery County**. Michael Christie, Penn E&R, Inc., 2755 Bergey Road, Hatfield, PA 19440 on behalf of Richards Evans, Thomas Properties Group, Inc., 200 Four Falls, Suite 109, West Conshohocken, PA 19428 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted by release of no. 4, 5 and 6 fuel oil. The future use of the site will remain the same.

Keystone Industrial Port Complex/Lot 8 Phase 4, Fairless Hills, **Bucks County**. Jeffrey Smith, Langan Engineering and Env. Service, Inc., 30 S. 17th Street, Suite 1300, Philadelphia, PA 19103 on behalf of Kathleen Mayher, United States Steel Corp., 600 Grant Street, Philadelphia, PA 15219, has submitted a Notice of Intent to Remediate. Soil at the site has been impacted by release of chlorinated solvents. The subject property is currently vacant. A summary of the Notice of Intent to Remediate was reported to have been published in the *Bucks County Courier Times* on March 12, 2007.

Colony Arms Apts., Lower Providence Township, **Montgomery County**. Herbert Grant, Con-Tech Services, Inc., 23 East Front Street, Media, PA 19063 on behalf of Dan Stephano, Colony Arms Assoc., P. O. Box 370, Springs House, PA 19477 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted by release of no. 2 fuel oil. The property use will remain the same as present, a residential apartment complex. A summary of the Notice to Intent to Remediate was reported to have been published in the *Times Herald* on March 20, 2007.

905 Bristol Pike, Bristol Township, **Bucks County**. Samuel Kucia, Environmental Consulting, Inc., 500 East Washington Street, Suite 375, Norristown, PA 19401 on behalf of Robert White, Redevelopment Authority of Bucks County, One North Wilson Avenue, Bristol, PA 19007 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted by release of no. 2 fuel oil. The future use of the site will remain the same.

18 Chestnut Street, Sadsbury Township, **Chester County**. Gilbert Marshall, Marshall Geoscience, Inc., 170 E. First Avenue, Collegeville, PA 19426 on behalf of Joseph DiSciullo, 444 West Lincoln Highway, Coatesville, PA 19320 has submitted a Notice of Intent to Remediate. Groundwater at the site has been impacted by release of unleaded gasoline.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Department of Transportation York County Maintenance Facility, Manchester Borough, **York County**. Apex Companies, LLC, 269 Great Valley Parkway, Malvern, PA 19355, on behalf of Department of Transportation, P. O. Box 2957, Harrisburg, PA 17105, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with petroleum hydrocarbons. The property is and will remain a maintenance facility. The applicant is seeking to remediate to the Site-Specific Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Arcos Industries, Mount Carmel Township, **Northumberland County**, B L Companies, 213 Market Street,

Harrisburg, PA 17101 on behalf of Arcos Industries, 1 Arcos Drive, Mount Carmel, PA 17851 has submitted a Notice of Intent to Remediate groundwater contaminated with chlorinated solvents and metals. The applicant proposes to remediate the site to meet the Statewide Health/Site-Specific Standards. The intended future use of the property is continued welding wire-manufacturing operations.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application Received Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4001.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

Permit Application No. 100930. Philadelphia City Streets Department, Municipal Services Building, 1401 John F. Kennedy Boulevard, Philadelphia, PA 19102-1676. Facility is located in the City of Philadelphia. The application was received for the ten-year renewal of the solid waste permit for the City's Northwest Transfer Station. Application was received in the SERO on March 30, 2007.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise Statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a

notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121–143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

21-03078A: Carlisle Coatings and Waterproofing, Inc. (1275 Ritner Highway, Carlisle, PA 17013) for installation of a rubberized asphalt sheeting line in Carlisle Borough, **Cumberland County**. The line is subject to 40 CFR Part 60, Subpart UU—Standards of Performance for Asphalt Processing and Asphalt Roofing Manufacture.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

55-399-006A: Apex Homes, Inc. (7172 Route 522, Middleburg, PA 17842) for construction of a modular home manufacturing operation in Middlecreek Township, **Snyder County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.

09-0010: TEVA Pharmaceuticals USA, Inc. (650 Cathill Road, Sellersville, PA 18960) for installation and operation of a 60-inch Accela-Cota Tablet Coater, cartridge dust collector and HEPA filter at existing facility. Monitoring and recordkeeping requirements were applied to the source and the control devices to determine compliance with applicable limits on PM emissions. The facility is in West Rockhill Township, **Bucks County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

35-318-093: MACTac (P. O. Box 1106, Scranton, PA 18501-1106) for construction of a Technical Coating Line that will replace the existing 507 Coating Line at their facility in Moosic Borough, **Lackawanna County**. The facility is a Title V facility. The company has elected to take a voluntary coating usage restriction that will limit

VOC emissions from the process to 5.0 tpy. The line is to subject to Subpart RR of the Federal Standards of Performance for Pressure Sensitive Tape and Label Surface Coating Operations, 60.440–60.447. The plan approval will include all appropriate monitoring, recordkeeping and reporting requirements designed to keep the source and control device operating within all applicable air quality requirements and will be incorporated into the Title V Operating Permit through an Administrative Amendment in accordance with 25 Pa. Code § 127.450.

40-310-066: Barletta Materials and Construction, Inc. (P. O. Box 550, Tamaqua, PA 18252) for modification of a stone crushing plant (crusher replacement) and associated air cleaning device at the Nescopeck Sand and Gravel Pit, on Quarry Road, Nescopeck Township, **Luzerne County**. This plant is a non-Title V facility. It is anticipated that particulate emissions will be 14.2 tons annually. The stone crushing plant in this operation is subject to Subpart OOO of the Federal Standards of Performance for New Stationary Sources, 40 CFR 60.670–60.676. The company will operate the facility and maintain the systems in accordance with the good engineering practices to assure proper operation of the equipment. The Plan Approval and resulting operating permit will contain recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

21-05049B: Pennsy Supply, Inc. (1001 Paxton Street, Harrisburg, PA 17104) for installation of a limestone crushing plant at the company's Penn Township Quarry in Penn Township, **Cumberland County**. The crushing plant is subject to 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Crushing Plants. Potential emissions of PM from the facility are estimated at around 11 tpy. The plan approval will contain emissions limits and work practice standards along with stack testing, monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

31-05011D: U. S. Silica Company (P. O. Box 187, Berkeley Springs, WV 25411-0187) for adding chutes, a storage bin and changing conveying to the rail load out system in order to accommodate additional types of rail cars from the low iron sand process at the Mapleton Depot Plant in Brady Township, **Huntingdon County**. Completion of this project will not increase facility emissions. Appropriate conditions will be included in the plan approval to keep the facility operating within all applicable air quality requirements. The facility is subject to NSPS 40 CFR Part 60, Subpart OOO. The facility is presently covered by the Title V Operating Permit 31-05011. The plan approval will be incorporated into this permit in accordance with 25 Pa. Code § 127.450 (Administrative Amendment).

34-05003C: Tedd Wood, Inc. (P. O. Box 187, Johnstown Road, Thompsettown, PA 17094) for authorization to remove a 2.7 tpy, VOC emissions restriction from a coating booth at the facility located in Delaware Township, **Juniata County**. The plan approval will limit facility-wide emissions to less than 50 tpy of VOC, 10 tpy of a single HAP and 25 tpy of combined HAPs. Standard recordkeeping and operating restrictions will be included to keep the facility operating within all applicable air quality requirements.

38-03020A: Tech Cast, Inc. (640 South Cherry Street, Myerstown, PA 17067) for replacement of four burn out furnaces with two furnace/afterburner systems in Myerstown Borough, **Lebanon County**. The afterburners will have a removal efficiency of 99%. Estimated atmospheric emissions for PM, SO_x, CO, NO_x and VOC are estimated to be 0.0189, 0.0015, 0.2620, 0.5709 and 0.0137 tpy, respectively.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

24-162A: Rebco, Inc. (650 Brandy Camp Road, Kersey, PA 15846) for post construction approval of a surface coating process in Fox Township, **Elk County**. This is a State-only facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the State-only operating permit through an administrative amendment at a later date. The source shall comply with the following conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate BAT for the source:

- Subject to 25 Pa. Code §§ 123.1, 123.31 and 123.41 for Fugitive, Odor and Visible emissions, respectively.
- No person may permit the emission into the outdoor atmosphere of PM in a manner that the concentration of PM in the effluent gas exceeds 0.02 grain per dry standard cubic foot.
- Subject to 25 Pa. Code 129.52.
- Shall be maintained and operated in accordance with the manufacturer's specifications and in accordance with good air pollution control practices.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Braun, Chief, (215) 685-9476.

AMS 05198: Temple University—Health Sciences Campus (3401 North Broad Street, Philadelphia, PA 19140) to modify the Reasonably Available Control Technology (RACT) determination for three 76.4 mmBtu/hr natural gas and No. 6 oil fired boilers located in the Central Steam Plant in the City of Philadelphia, **Philadelphia County**. The modified RACT plan approval changes the Boilers No. 1 and No. 3 requirement for a fuel governing device limiting each boiler to 50 mmBtu/hr for with a requirement for Combustion Components Associates (CCA) burner modifications for each boiler. The modified RACT Plan Approval changes the Boiler No. 2 requirement to utilize flue gas recirculation and low excess air combustion with a requirement for CCA burner modifications. The potential NO_x emissions from the boilers due to these modifications will increase by 20.3 pounds per hour and 485 pounds per day, but will decrease on an annual basis by 134 tpy due to a new annual fuel usage limit. The plan approval will contain operating, testing, monitoring, recordkeeping and reporting requirements to ensure operation within all applicable requirements.

The Philadelphia Department of Public Health, Air Management Services (AMS) will conduct a public hearing on May 23, 2007, at 321 University Avenue beginning promptly at 6 p.m. and continuing till conclusion of testimony to receive comments on the preliminary determination to approve the modification.

Copies of all documents and information concerning this permit are available for review in the office of AMS, Room 218, 321 University Avenue, Philadelphia, PA 19104-4543, during normal business hours. Persons wishing to review these documents or to submit written comments should contact Karol Bowman at (215) 685-7572 or at the previous address. All written comments must be received by May 22, 2007. Comments received by facsimile will not be considered.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

09-00028: Fibermark North America, Inc. (45 North Fourth Street, Quakertown, PA 18951) for renewal of the Title V Operating Permit in Quakertown Borough, **Bucks County**. The initial permit was issued on August 9, 2001. The Quakertown facility coats base stock paper in order to produce various decorative papers, such as book covers, decorative paper coverings and imitation leather labels for clothing. The manufacturing plant operates saturators, graphic art lines and surface coating lines, as well as various clean-up operations and combustion units. There are no control devices for sources operated at the facility. The facility is major for VOC and HAP emissions. The graphic arts lines (Source ID 301 and 302) are subjected to 40 CFR Part 63 Subpart KK—National Emission Standards for the Printing and Publishing Industry. No changes have taken place at this facility that were not previously permitted. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting. The sources at this facility are not subject to Compliance Assurance Monitoring (CAM) pursuant to 40 CFR Part 64.

09-00006: United States Steel Corp.—Fairless Works (Pennsylvania Avenue, Fairless Hills, PA 19030) for renewal of the Title V Operating Permit in Falls Township, **Bucks County**. The initial permit was issued on December 19, 2001. The facility is primarily used for secondary processing, galvanizing of steel sheet products. As a result of potential emissions of NO_x, the facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments, and is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. Several sources in the initial Title V Permit were deactivated, and the sources were removed from this Title V Permit Renewal. The proposed Title V Operating Renewal does not adopt any new regulations. The facility is not subject to Compliance Assurance Monitoring (CAM) under 40 CFR Part 64. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

36-05023: F & M Hat Co. (103 Walnut Street, Denver, PA 17517) for operation of the company's hat manufacturing facility in Denver Borough, **Lancaster County**. This

action is a renewal of the previous operating permit and all permit requirements remain in effect.

38-05031: Supreme Mid-Atlantic Corp. (411 Jonestown Road, P. O. Box 779, Jonestown, PA 17038) for their truck and truck parts coating operation at their facility in Union Township, **Lebanon County**. Facility emissions of VOCs are limited to less than 50 tpy during any consecutive 12-month period. Facility emissions of HAPS are limited to less than 10 tpy for each HAP and less than 25 tpy for cumulative HAPS during any consecutive 12-month period. The Synthetic Minor operating permit will include emission limitations, work practice standards and testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

32-00281: Edward C. Griffith Quarrying, Inc. (14472 Route 119 North, Rochester Mills, PA 15771) for limestone handling at Griffith Quarry in North Mahoning Township, **Indiana County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, New Source Review Chief, (814) 332-6940.

25-00045: Saint Vincent Health Center (232 West 25th Street, Erie, PA 16544) for operation of the facility's air contamination sources consisting of three natural gas boilers, three diesel emergency generators and a histology lab in the City of Erie, **Erie County**.

PUBLIC HEARINGS

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

OP 08-0004: Craftmaster Manufacturing, Inc. (P. O. Box 311, Shiner Road, Towanda, PA 18848) for a Proposed Revision to the State Implementation Plan for Oxides of Nitrogen and VOCs; in Wysox Township, **Bradford County**.

In accordance with 25 Pa. Code §§ 129.91—129.95, the Department of Environmental Protection has made a preliminary determination to approve a Reasonably Available Control Technology (RACT) plan and an amendment to the State Implementation Plan (SIP) for a hardboard manufacturing facility owned and operated by CraftMaster Manufacturing, Inc. in Wysox Township, Bradford County.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the RACT approval for the facility, which are intended to comply with current regulations.

The preliminary RACT determination, if finally approved, will be incorporated into an operating permit for the facility and will be submitted to the United States Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan.

The following is a summary of the preliminary RACT determination for this operation:

Source

- Hardboard press (Line I)
- Hardboard press (Line II)
- Hardboard press (Die Form)
- Line I fiber dryers
- Line II fiber dryers
- Line II second stage fiber dryers
- 5 natural gas-fired combustion sources (one at 12 mmBtu/hr and 4 at 15 mmBtu/hr each)
- Line I tempering operation
- Line II tempering operation

RACT Requirement

- Operate a scrubber system in accordance with the requirements specified in previous operating permit 08-316-012A
- Operate a scrubber system in accordance with the requirements specified in previous operating permit 08-316-013
- Operate a scrubber system in accordance with the requirements specified in previous plan approval 08-316-011A
- The VOC emissions resulting from the volatilization of the VOCs contained in the wood fiber shall not exceed 39.9 pounds per hour for the first stage dryers and 3.2 pounds per hour for the second stage dryers and 151 tons in any 12-consecutive month period; also, operate a scrubber system in accordance with the requirements specified in previous operating permit 08-316-008A
- The VOC emissions resulting from the volatilization of the VOCs contained in the wood fiber shall not exceed 44.7 pounds per hour for the first stage dryers and 3.7 pounds per hour for the second stage dryers and 169.5 tons in any 12-consecutive month period; also, operate a scrubber system in accordance with the requirements specified in previous operating permit 08-316-007C
- The VOC and NO_x emissions resulting from the combustion of natural gas shall not exceed 1.0 and 12.7 tons, respectively, in any 12-consecutive month period
- The VOC and NO_x emissions shall not exceed 1.1 and 16.5 tons, respectively, in any 12-consecutive month period
- Operate a regenerative thermal oxidizer in accordance with the requirement specified in previous operating permit 08-316-012A
- The VOC emissions resulting from the volatilization of tempering oil shall not exceed 0.0673 pound per pound of oil applied and the NO_x emissions from the combustion of natural gas shall not exceed 1.0 ton in any 12-consecutive month period

Source

- Die Form tempering operation
- Line I surface coating operation
- Die Form surface coating operation
- Lap siding surface coating operation
- 3 prepress sealers
- Woodwaste incinerator

RACT Requirement

- The VOC emissions resulting from the volatilization of tempering oil shall not exceed 13.1 pounds per hour and 45.9 tons in any 12-consecutive month period and the NOx emissions from the combustion of natural gas shall not exceed 1.0 ton in any 12-consecutive month period
- Operate in accordance with the requirements specified in previous operating permit 08-318-022 and the NOx emissions from the combustion of natural gas shall not exceed 3.9 tons in any 12-consecutive month period
- Operate in accordance with the requirements specified in previous operating permit 08-318-019B and the NOx from the combustion of natural gas shall not exceed 1.2 tons in any 12-consecutive month period
- The VOC emissions from the lap siding surface coating operation shall not exceed 29.2 tons in any 12-consecutive month period and the NOx emissions from the combustion of natural gas shall not exceed 8.5 tons in any 12-consecutive month period
- The VOC emissions shall not exceed 3 pounds per hour, 15 pounds per day or 2.7 tons in any 12-consecutive month period
- The incinerator shall not be operated

A public hearing will be held for the purpose of receiving comments on the proposed operating permit revision and the proposed SIP revision. The hearing will be held on May 22, 2007, at 1 p.m. at the Department of Environmental Protection Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA. The public is invited to comment on the proposal. Persons interested in commenting are invited to appear at the public hearing.

Persons wishing to present testimony at the hearing should contact Daniel Spadoni at (570) 327-3659 at least 1 week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf.

Those unable to attend the hearing but wishing to comment should provide written comments to Muhammad Q. Zaman, Manager, Facilities Permitting Section, Department of Environmental Protection, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448. Comments must be received by June 1, 2007.

All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at (570) 327-3693.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Daniel Spadoni at (570) 327-3659 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate your needs.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous

Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the district mining office indicated before an application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.12—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application number; and a Statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor

at the conference; and a Statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

Permit Number: 17071301 and NPDES Permit no. NA, Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201-9642), to operate the Harmony Mine in Burnside Township, **Clearfield County** a new underground mine and related NPDES permit, Surface Acres Proposed 57.5, Underground Acres Proposed 3645.0, Subsidence Control Plan Acres Proposed 2189.1. No additional discharges. Application received on January 18, 2007.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

11970103 and NPDES No. PA0234460. T. J. Mining, Inc., P. O. Box 370, Carrolltown, PA 15722, permit renewal for reclamation only of a bituminous surface mine in Cresson Township, **Cambria County**, affecting 35.5 acres. Receiving stream: Burgoon Run classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received on March 26, 2007.

56970104 and NPDES No. PA0234541. Sherpa Mining Contractors, Inc., 337 Benny Road, Hooversville, PA 15936, revision of an existing bituminous surface mine to add auger mining in Shade Township, **Somerset County**, affecting 95.1 acres. Receiving streams: Stonycreek River and UNT to Stonycreek River classified for the following use: CWF. The first downstream potable water supply intake from the point of discharge is Hooversville Borough Somerset County Municipal Authority Stonycreek SWI. Application received on April 2, 2007.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

63070202 and NPDES Permit No. PA0251119. BOCA Coal, Inc. (92 McClelland Road, Canonsburg, PA

15317). Application for commencement, operation and reclamation of a coal refuse reprocessing surface mine, located in Union Township, **Washington County** and South Park Township, **Allegheny County**, affecting 98.9 acres. Receiving streams: UNT A and B to Piney Fork, classified for the following use: TSF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received on March 27, 2007.

26040105 and NPDES Permit No. PA0250635. Amerikohl Mining, Inc. (1384 SR 711, Stahlstown, PA 15687). Revision application to add 18.1 acres for an existing bituminous surface mine, located in Dunbar Township, **Fayette County**, affecting 364.6 acres. Receiving streams: Gist Run and a UNT to Laurel Run and Ferguson Run, classified for the following use: TSF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Revision application received on April 6, 2007.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

17070106 and NPDES No. PA0256528. Junior Coal Contracting, Inc. (2330 Six Mile Road, Philipsburg, PA 16866), commencement, operation and restoration of a bituminous surface auger mine with blasting in Decatur Township, **Clearfield County**, affecting 245.6 acres. Receiving stream: Big Run, classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received on March 30, 2007.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

54860105R4 and NPDES Permit No. PA0593303. Kuperavage Enterprises, Inc., (P. O. Box 99, Middleport, PA 17953), renewal of an existing anthracite surface mine, coal refuse reprocessing, coal refuse disposal and preparation plant operation in Blythe Township, **Schuylkill County** affecting 273.84 acres receiving stream: Schuylkill River. Application received on April 2, 2007.

COAL APPLICATIONS WITHDRAWN

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

32070101 and NPDES No. PA0262323. Britt Energies, Inc., 2450 Philadelphia Street, Indiana, PA 15701,

commencement, operation and restoration of a bituminous surface auger mine in Center Township, **Indiana County**, affecting 63.9 acres. Receiving streams: UNT to Yellow Creek and UNTs to Tearing Run both to Two Lick Creek to Blacklick Creek to Conemaugh River classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received February 21, 2007. Permit withdrawn on March 30, 2007.

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity ¹ pH ¹		greater than 6.0; less than 9.0	

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

03010407 and NPDES Permit No. PA0250040. Stitt Coal Company, Inc. (811 Garretts Run Road, Ford City, PA 16226). NPDES renewal for a noncoal surface mine, located in Kittanning Township, **Armstrong County**, affecting 301.3 acres. Receiving stream: Garretts Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received on April 2, 2007.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

1839-37990302-E-3. Cemex, Inc. (840 Gessner, Suite 1400, Houston, TX 77024). Application for a stream encroachment to construct and maintain a haul road crossing over a UNT No. 1 to Snake Run in Shenango and Wayne Townships, **Lawrence County** affecting 798.0 acres. Receiving streams: a UNT to Snake Run (unclassified), UNTs to Beaver River and Snake Run, classified for the following use: WWF. The first downstream potable water supply intake from the point of discharge is the Beaver Falls Water Authority. Application received on March 30, 2007.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

48870301C6 and NPDES Permit No. PA0593893. Haines & Kibblehouse, Inc., (P. O. Box 196, Skippack, PA 19474), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Upper Mt. Bethel Township, **Northampton County**, receiving stream: Delaware River, classified for the following uses: WWF and MF. Application received on April 3, 2007.

54980301C2. HMMK, LLC, (P. O. Box 79, Skippack, PA 19474), correction to an existing quarry operation to include a modular wet processing plant in Foster Township, **Schuylkill County** affecting 455.4 acres, receiving stream: Swatara Creek. Application received on April 3, 2007.

Noncoal Applications Received

Effluent Limits—The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise Statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the floodplain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

E15-767. PA DOT, District 6-0, 7000 Geerdes Boulevard, King of Prussia, PA 19406-1525, Phoenixville Borough, **Chester County**, ACOE Philadelphia District.

To remove the existing Gay Street Bridge (SR 0113, Section 08B), 936-foot long, (12 spans) and 43.5-foot wide structure and to replace it with a 972.5-foot long, (9 spans) and 50-foot, 2 inches wide structure with similar vertical and horizontal alignment completely spanning French Creek (TSF, MF). The existing waterway opening is 21,331 square feet and the new waterway opening will be 22,878 square feet.

The site is located along Gay Street approximately 500 feet north of intersection of Bridge Street and Gay Street (Phoenixville, PA, USGS Quadrangle N: 2.00 inches; W: 2.50 inches).

E15-769. Aqua Pennsylvania, Inc., 762 W. Lancaster Avenue, Bryn Mawr, PA 19010-3489, Schuylkill Township, **Chester County**, ACOE Philadelphia County.

To perform the following activities along the Pickering Creek (WWF) associated with the Pickering West Water Treatment Facility:

1. To construct and maintain a new high lift pump station inside an existing building within the 100-year floodplain,
2. To construct and maintain new pavement within the 100-year floodway and the 100-year floodplain,
3. To construct and maintain improvements to two existing exterior clearwells within the 100-year floodplain,
4. To construct and maintain a new post chemical feed building within the 100-year floodplain,
5. To construct and maintain new exterior supply and discharge piping within the 100-year floodplain, and
6. To perform minor grading within the 100-year floodway and the 100-year floodplain.

The site is located at the intersection of Route 23 (Valley Forge Road) and McAvoy Lane (Valley Forge, PA Quadrangle N: 22.0 inches; W: 16.7 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E28-332: Turnpike Commission, P. O. Box 67676, Harrisburg, PA 17106-7676, Lurgan Township, **Franklin County**, ACOE Baltimore District.

To reconstruct and widen the Turnpike between mile-posts 199.8 and 200.5 in Lurgan Township, Franklin County for the purpose of reducing curvature at the east end of the Blue Mountain Tunnel in order to improve traffic safety. The project includes the following impacts:

1. To construct and maintain 315.0 lineal feet of fill within a UNT to Clippinger Run (WWF) at Station 195+20 (Doyleburg, PA Quadrangle N: 2.40 inches; W: 3.35 inches, Latitude: 40° 08' 36"; Longitude: 77° 38' 32"). Impact 1 is a waived activity per 105.12(a)(2).
2. To construct and maintain 101.0 lineal feet of fill within a UNT to Clippinger Run (WWF) at Station 196+10 (Doyleburg, PA Quadrangle N: 2.38 inches; W: 3.39 inches, Latitude: 40° 08' 37"; Longitude: 77° 38' 29"). Impact 2 is a waived activity per 105.12(a)(2).

3. To relocate and maintain 420.0 lineal feet of a UNT to Clippinger Run (WWF) between Stations 209+35 and 210+60 (Doyleburg, PA Quadrangle N: 2.01 inches; W: 3.91 inches, Latitude: 40° 08' 45"; Longitude: 77° 38' 20").

4. To construct and maintain 531.0 lineal feet of 60-inch RCP and 266.0 lineal feet of associated scour protection within a UNT to Clippinger Run at Station 211+45 (Doyleburg, PA Quadrangle N: 1.80 inches; W: 3.78 inches, Latitude: 40° 08' 47"; Longitude: 77° 38' 16").

5. To construct and maintain 409.0 lineal feet of 54-inch RCP and 50.0 lineal feet of associated scour protection within a UNT to Clippinger Run at Station 222+30 (Doyleburg, PA Quadrangle N: 0.77 inch; W: 4.01 inches, Latitude: 40° 08' 56"; Longitude: 77° 37' 55").

6. To extend and maintain an existing 175.0 lineal-foot RCP carrying a UNT to Laughlin Run (WWF) under the Turnpike at station 232+00 (Doyleburg, PA Quadrangle N: 0.47 inch; W: 4.75 inches, Latitude: 40° 09' 04"; Longitude: 77° 37' 41"). The culvert will be extended 285.0 lineal feet downstream for a total culvert length of 460.0 lineal feet. Impact 6 is a waived activity per 105.12(a)(2).

The applicant is required to provide a minimum of 2377.0 lineal feet of stream channel mitigation for unavoidable impacts.

E67-817: Dillsburg Area Authority, 98 West Church Street, Dillsburg, PA 17019, Monroe Township, **Cumberland County** and Carroll Township, **York County**, ACOE Baltimore District.

To construct and maintain a 24-inch ductile iron sanitary sewer line crossing of the Yellow Breeches Creek (CWF, Scenic River) at a point east of Williams Grove (Mechanicsburg, PA Quadrangle N: 4.0 inches; W: 3.1 inches, Latitude: 40° 8' 49"; Longitude: 77° 1' 20") in Monroe Township, Cumberland County and Carroll Township, York County.

E21-395: William Grace, 1705 Edgar Lane, Camp Hill, PA 17011, Upper Allen Township, **Cumberland County**, ACOE Baltimore District.

To construct and maintain a 16.0-foot wide single span bridge having a span of 12.0 feet with an underclearance of 3.0 feet across a UNT to Yellow Breeches Creek (Spring Run) (CWF) in order to provide access to the Grace's home located 1,300 feet west of the Hertzler and Arcona Roads intersection (Lemoyne, PA Quadrangle N: 10.3 inches; W: 10.5 inches, Latitude: 40° 10' 54"; Longitude: 76° 57' 01") in Upper Allen Township, Cumberland County.

E67-814: Timothy Pasch, 2645 Carnegie Road, York, PA 17402, Springettsbury Township, **York County**, ACOE Baltimore District.

To replace two existing 50-foot long, 48-inch CMPs and one 50-foot long, 36-inch RCP with a single cell 140-foot long, 14-foot wide by 4-foot high concrete box culvert, depressed 6-inches with baffles in a UNT to Kreutz Creek (WWF) for the purpose of developing a commercial building lot (York, PA Quadrangle; N: 19.35 inches; W: 3.75 inches, Latitude: 39° 58' 53"; Longitude: 76° 35' 53") in Springettsbury Township, York County. The project will result in an additional 90 feet of permanent channel impacts from the stream enclosure.

E01-264: Keith Sunderman, S&A Custom Built Homes, Inc., 2121 Old Gatesburg Road, State College,

PA 16803, Stonehaven Subdivision in Oxford Township, **Adams County**, ACOE Baltimore District.

To construct and maintain: 1) a 4.5-foot by 8.0-foot by 50-foot concrete box culvert, an 8-inch water line, a 24-inch and two 15-inch outfall structures; 2) a 4.5-foot by 8.0-foot by 56-foot concrete box culvert an 8-inch sanitary sewer line, an 8-inch water line; 3) a 24-inch by 50-foot pipe culvert, an 8-inch water line, an 8-inch sanitary sewer line all associated with a UNT to the South Branch Conewago Creek (WWF) at a point just east of Hanover Street (McSherrystown, PA Quadrangle N: 18.6 inches; W: 6.6 inches, Latitude: 39° 51' 15"; Longitude: 77° 2' 50") in Oxford Township, Adams County. There are no wetland impacts associated with this project.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E11-326. Cambria Somerset Authority, 224 Walnut Street, Johnstown, PA 15901. To relocate channel in Summerhill Township, **Cambria County**, Pittsburgh ACOE District. (Ebensburg, PA Quadrangle N: 5.2 inches; W: 11.2 inches, Latitude: 40° 24' 9"; Longitude: 78° 42' 15.38"). The applicant proposes to relocate and maintain 120 linear feet of the channel of a UNT to the North Branch of the Little Conemaugh River (CWF) for the purpose of realigning the stream locate at the Law Road Bridge an access to the Wilmore Reservoir.

E32-482. Indiana County Commissioners, 825 Philadelphia Street, Indiana, PA 15701. To construct and maintain two pedestrian/bicycle bridges on Blacklick Creek (TSF) in East Wheatfield and Buffington Townships, **Indiana County**, Pittsburgh ACOE District. (New Florence, PA Quadrangle N: 17.96 inches; W: 1.24 inches, Latitude: 40° 28' 26"; Longitude: 79° 0' 32"). The applicant proposes to construct and maintain the first single span simply supported truss bridge with a span of approximately 115' and an underclearance of approximately 21 feet. The second is a 3 span simply supported truss bridge with each span having a length of approxi-

mately 70 feet, for a total span of 220.5 feet and an underclearance of approximately 19 feet. Both spans are constructed on existing abutments and the second structure will be supported on existing piers, which will be modified to accommodate the new spans. Temporary ford crossings to access the existing piers may be required and are also included. The new bridges are being constructed for the purpose of improving a pedestrian/bicycle trail. The first span is located approximately 1/2 mile north of Dilltown and the second is located approximately 3/4 mile northwest of Dilltown.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E10-431, Melcho Properties, L. P., 112 Seneca Farm Drive, Harmony, PA 16037. Sign Innovation Commercial Development, in Jackson Township, **Butler County**, ACOE Pittsburgh District (Evans City, PA Quadrangle N: 7.6 inches; W: 13.2 inches).

The applicant proposes to fill 0.03 acre of PEM wetland for an office, workshop and warehouse for Sign Innovation commercial development approximately 1.3 miles SE of the intersection of US Interstate 79 and SR 68. The project proposes to directly impact 0.03 acre of PEM wetland.

E25-711, David L. Anthony, 11800 Edinboro Road, Edinboro, PA 16412. Perry Lane Bridge, in Washington Township, **Erie County**, ACOE Pittsburgh District (Cambridge Springs, PA Quadrangle N: 19.4 inches; W: 15.4 inches).

The applicant proposes to remove the existing structure and to construct and maintain a prestressed concrete box beam structure bridge having a clear span of 71.0 feet and an underclearance of approximately 7.0 feet on a 90° skew across Conneauttee Creek on Perry Lane approximately 1,000 feet NE of the intersection of Perry Lane and SR 99. Conneauttee Creek is a perennial stream classified as a TSF. The project proposes to directly impact approximately 75 feet of stream.

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permit application has been received by the Department of Environmental Protection (Department) and is currently under review. Persons wishing to comment on the proposed permit are invited to submit a Statement to the Bureau of Waste Management, Division of Storage Tanks, P. O. Box 8763, Harrisburg, PA 17105-8763, within 30 days from the date of this publication. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise Statement to inform the Department of the exact basis of the comment and the relevant facts upon which it based.

The following applications have been received for Storage Tank Site-Specific Installation Permits under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 504, 1101—1102) and under 25 Pa. Code Chapter 245, Subchapter C.

<i>SSIP Application No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
07003	Pennsylvania BioDiesel, Inc. Northgate Industrial Park 759 Northgate Circle New Castle, PA 16105 Patrick Copple	Beaver	Potter Township	Four ASTs storing methanol	56,400 gallons total

ACTIONS

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE
ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY
MANAGEMENT (WQM) PERMITS**

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0028568	Bangor Borough Authority 54 Market Street P. O. Box 51 Bangor, PA 18013	Washington Township Northampton County	Martin's Creek	N
PA0060313 Sewage	Clean Treatment Sewage Co. 1065 Highway 315 Suite 102 Wilkes-Barre, PA 18702-6926	Pike Delaware Township	Dingmans Creek 1D	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0043486 (IW)	Lancaster County Solid Waste Management Authority 1299 Harrisburg Pike P. O. Box 4425 Lancaster, PA 17603-4425	Lancaster County Manor Township	Manns Run 7-J	Y
PA0085367 (SEW)—Transfer	Klinton Auker Sill's Family Campground P. O. Box 566 Adamstown, PA 19501-0566	Lancaster County Brecknock Township	UNT Little Muddy Creek 7-J	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. 0259942, Sewage, **Steven Nye**, 32 Harmon Road, Newburg, PA 17240. This proposed facility is located in Upper Mifflin Township, **Cumberland County**.

Description of Proposed Action/Activity: Authorization to discharge to Three Square Hollow Run in Watershed 7-B.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 2106407, Sewage, **Steven Nye**, 32 Harmon Road, Newburg, PA 17240. This proposed facility is located in Upper Mifflin Township, **Cumberland County**.

Description of Proposed Action/Activity: Authorization for construction/operation of a sewerage facilities consisting of a 1,000-gallon septic tank, STB-650 Ecoflo peat filter, tablet chlorinator and 415-gallon chlorine contact tank.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. WQG02550701, Sewerage, SIC 4952, **Penn Township Municipal Authority**, 2585 Route 522, P. O. Box 155, Selinsgrove, PA 17870-0155. This proposed facility will be located in Penn Township, **Snyder County**.

Description of Proposed Action/Activity: Permit issued authorizing the design, construction and operation of a 12,000 gpd pump station and sewer extension, which will convey sanitary wastewater from the Pawling Station Business Park, through the Penn Township Municipal Authority's collection system, to the Eastern Snyder County Regional Authority wastewater treatment plant.

WQM Permit No. WQG01080701, Sewerage, **Amedeo Mifsud**, R. R. 3, Box 3151A, Rome, PA 18837. This proposed facility is located in Orwell Township, **Bradford County**.

Description of Proposed Action/Activity: The applicant is approved to construct and operate a 400 gpd treatment plant to treat sewage from a residence. The treatment plant will consist of a septic tank, 360 square foot free access sand filters and chlorine disinfection.

WQM Permit No. 1406412, Sewerage, 4952, **Dorothy Semple**, 648 Rattlesnake Pike, Julian, PA, 16844. This proposed facility is located in Union Township, **Centre County**.

Description of Proposed Action/Activity: The applicant is proposing to construct and operate a 400 gpd small flow sewage treatment facility for a single residence. The treatment will consist of a septic tank, sand filter and chlorination. NPDES General Permit No. PAG045234 will cover the discharge to a UNT to Dewitt Run.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 2603201, Industrial Waste, **Mypodiamond, Inc.**, 1101 Mt. View Drive, Smithfield, PA 15478. This proposed facility is located in Georges Township, **Fayette County**.

Description of Proposed Action/Activity: Permit issuance for the construction and operation of a pH adjustment system and cooling pond.

WQM Permit No. 1173402-A3, Sewerage, **Glendale Yearound Sewer Company**, P. O. Box 89, 110 Troxell Spring Road, Flinton, PA 16640. This existing facility is located in White Township, **Cambria County**.

Description of Proposed Action/Activity: Issuance of permit amendment to reflect a deletion of a permit Standard Condition and addition of a permit Special Condition.

WQM Permit No. 467S028-A4, Sewerage, **McCandless Township Sanitary Authority**, 418 West Arcadia Drive, Pittsburgh, PA 15237. This existing facility is located in McCandless Township, **Allegheny County**.

Description of Proposed Action/Activity: Permit amendment issuance.

WQM Permit No. 3005402-A1, Sewerage, **Dana Mining Company of Pennsylvania, Inc.**, P. O. Box 1170, Morgantown, WV 26507. This existing facility is located in Dunkard Township, **Greene County**.

Description of Proposed Action/Activity: Permit amendment issuance for expansion of the 4-West Deep Mine Portal STP.

WQM Permit No. 6572405-A4, Sewerage, **Municipal Sanitary Authority of the City of New Kensington**, 120 Logans Ferry Road, New Kensington, PA 15068. This existing facility is located in New Kensington, **Westmoreland County**.

Description of Proposed Action/Activity: Permit amendment issuance for upgrade of STP.

WQM Permit No. WQG016141, Sewerage, **Frederick J. McFadden, III and Michael W. Ravotti**, 105 Maple Springs Court, Ebensburg, PA 15931 and 1094 St. Joseph Street, Loretto, PA 15940. This proposed facility is located in Allegheny Township, **Cambria County**.

Description of Proposed Action/Activity: Construction and operation of a small flow sewage treatment facility.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011505012	Vincent Meadows Partners 2500 East High Street Suite 610 Pottstown, PA 19464	Chester	East Vincent Township	Stony Run Creek HQ-TSF
PAI012306008	Storage World 2314 Herb Road Temple, PA 19560	Delaware	Edgmont Township	Ridley Creek Watershed HQ-TSF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI033606006	New Beginning Baptist Church 301 Black Barren Road Peach Bottom, PA 17563	Lancaster	Fulton Township	Conowingo Creek HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

NOTICES

1907

General Permit Type—PAG-02

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Warrington Township Bucks County	PAG2000906014	The Cutler Group, Inc. 5 Apollo Road Suite One Plymouth Meeting, PA 19462	Little Neshaminy Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Southampton Township Bucks County	PAG2000906055	The Cutler Group, Inc. 5 Apollo Road Suite One Plymouth Meeting, PA 19462	Tributary Neshaminy Creek TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Buckingham Township Bucks County	PAG2000907016	Winsome Blue Farm 1861 Swamp Road Furlong, PA 18925	UNT Neshaminy Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Plumstead Township Bucks County	PAG2000907022	Casadonti Homes, Inc. 5 West Washington Avenue Newtown, PA 18940	Geedes Run and Hickory Creek CWF, TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Milford Township Bucks County	PAG2000907008	Carl Morgan 255 Yoder Road Harleysville, PA 19438	UNT Stony Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
West Whiteland Township Chester County	PAG2001507004	United Mortgage Services, LLC 90 Country Road Tenafly, NJ 07670	West Valley Creek CWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
East Marlborough Township Chester County	PAG2001507009	Evangelical Lutheran Church of St. Michael P. O. Box 178 Unionville, PA 19375	Pocopson Creek TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Newlin Township Chester County	PAG2001506068	Steven Siepser and Suzannah Small 812 Apple Hill Road West Chester, PA 19380-3507	Bucks Run TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Concord Township Delaware County	PAG2002305017	Honis Properties P. O. Box 607 Concordville, PA 19331	West Branch Chester Creek TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Concord Township Delaware County	PAG2002306057	Longwood Land Development, LLC 3 Mill Road Suite 200 Wilmington, DE 19806	Chester Creek TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Newtown Township Delaware County	PAG2002306053	Bentley Communities, LP 1595 Paoli Pike Suite 202 West Chester, PA 19380	Jilip Run/Darby Creek CWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Concord Township Delaware County	PAG2002306022	Brandolini Company 1301 Lancaster Avenue Berwyn, PA 19312	West Branch Chester Creek TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Newtown Township Delaware County	PAR10J149	National Realty Company 1604 Walnut Street Philadelphia, PA 19103	Crum Creek CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Limerick Township Montgomery County	PAG20046060691	Chelsea Property Group 105 Eisenhower Parkway Roseland, NJ 07068	Schuylkill River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Frederick Township Montgomery County	PAG2004606168	James Erb and Amy E. Smith 38 Kendall Lane Royersford, PA 19468	Scioto Creek TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
East Norriton Township Montgomery County	PAG2004606151	Caracor, LLC 5925 Tilghman Street Suite 600 Allentown, PA 18104	UNT Stony Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
West Norriton Township Montgomery County	PAG2004606190	Rite Aid Corporation 875 Kings Highway Suite 201 Woodbury, NJ 08096	Schuylkill River CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Lower Salford Township Montgomery County	PAG2004606070	Kemp and Associates 610 West Germantown Pike Suite 321 Plymouth Meeting, PA 19642	West Branch Skippack Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Perkiomen Township Montgomery County	PAG2004606123	Betcher Road Properties, LLC 2526 North Broad Street Colmar, PA 18915	School House Run TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Limerick Township Montgomery County	PAG2004606138	Limerick PF, LTD 401 South Schuylkill Avenue Norristown, PA 19403	UNT Schuylkill River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Montgomery Township Montgomery County	PAG2004605182	James Connelly 350 North Pottstown Pike Exton, PA 19341	West Branch Neshaminy Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Lower Providence Township Montgomery County	PAG2004606192	Sprango Worcester Associates, LP 506 Bethlehem Pike Fort Washington, PA 19034	Skippack Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Pottstown Borough Montgomery County	PAG2004607006	Wal-Mart Stores, Inc. 2001 S. East 10th Street, Dept. 9 Bentonville, AR 72716	Schuylkill River CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
New Hanover Township Montgomery County	PAG2004606182	James N. Faust 2557 Swamp Pike Pottstown, PA 19646	Sanatoga Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Limerick Township Montgomery County	PAG2004605150	Heritage Building Group 2500 York Road Jamison, PA 18929	Mingo Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Lower Providence Township Montgomery County	PAG2004606181	Woodland Elementary School 1001 Driebel Mill Road Norristown, PA 19401	Mine Run	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
West Norriton Township Montgomery County	PAG20046060207	Harry P. and Seda L. Mirabile 569 East Main Street Norristown, PA 19401	UNT Indian Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900

NOTICES

1909

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Conshohocken Borough Montgomery County	PAG2004606097	Philomeno and Salamone 545 West Germantown Pike Plymouth Meeting, PA 19462	Schuylkill River CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Whitemarsh Township Montgomery County	PAG2004606176	Edward and Teresa Deleo P. O. Box 617 3028 Church Road LaFayette Hill, PA 19444	UNT Wissahickon Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015107009	Westrum Development Company 370 Commerce Drive Suite 100 Fort Washington, PA 19034	Schuylkill River CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Fairview Township York County	PAG2006706075	Mauro/Miles Partnership 310 Alpha Drive Pittsburgh, PA 15238	Fishing Creek TSF	York Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
East Manchester Township York County	PAG2006707002	HMDT Associates, LP 175 4th Street Dallastown, PA 17313	Hartman Run WWF	York Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Susquehanna Township Dauphin County	PAG2002205033(1)	Susquehanna Township School District 3350 Elmerton Avenue Harrisburg, PA 17109	Paxton Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018
Snyder County Penn Township	PAG2005506016	Michael and Katie Savidge 113 South Market Street Selinsgrove, PA 17870	Penns Creek WWF	Snyder County Conservation District 403 West Market Street Middleburg, PA 17842 (570) 837-0007, Ext. 5
Beaver County Hopewell Township	PAG2000406022	William Minton Beaver Land Development Co., Inc. 322 Broadhead Road Crescent Township, PA 15046	UNT to Raccoon Creek WWF	Beaver County CD (724) 378-1701
Greene County Richhill Township	PAG2003007002	Columbia Gas Transmission Co. 950 Manifold Road Washington, PA 15301	Wharton Run WWF	Greene County CD (724) 852-5278
Somerset County Paint Township	PAG2005607002	Philip Petrunak 1504 Hillside Avenue Windber, PA 15963	Seese Run CWF	Somerset County CD (814) 445-4652
Westmoreland County Murrysville	PAG2006507004	Jay Ketty—Respironics 1001 Murry Ridge Land Murrysville, PA 15668	UNT to Humms Run TSF	Westmoreland County CD (724) 837-5271
Westmoreland County Hempfield Township and South Greensburg Borough	PAG2006507005	Warehouse Rentals & Supplies 757 S. Main Street Greensburg, PA 15601	Trib. to Jacks Run WWF	Westmoreland County CD (724) 837-5271
Westmoreland County Hempfield Township	PAG2006507006	Dr. Wayne Doyle Hempfield Area School District 4345 Route 136 Greensburg, PA 15601	Jacks Run WWF	Westmoreland County CD (724) 837-5271

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Westmoreland County East Huntingdon Township	PAG2006507009	Economic Growth Connection 450 S. Main Street Suite 6 Greensburg, PA 15601 and CH&D Enterprises, Inc. 100 Brady Place New Stanton, PA 15672	Belson Run WWF	Westmoreland County CD (724) 837-5271
West Liberty Borough Butler County	PAG2101007001	BAMR P. O. Box 8476 Harrisburg, PA 17105-8476	UNT CWF to Hogue Run CWF	BAMR P. O. Box 8476 Harrisburg, PA 17105-8476 (717) 783-1311

General Permit Type—PAG-3

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Hanover Township Luzerne County	PAR202226	Air Products & Chemicals, Inc. 827 Sans Souci Parkway Wilkes-Barre, PA 18706-1332	Solomon's Creek CWF	DEP—NERO Water Mgmt. Program 2 Public Square Wilkes-Barre, PA 18711-2511 (570) 826-2511
Cumberland County Hampden Township	PAR803647	New Penn Motor Express, Inc. P. O. Box 630 625 South Fifth Street Lebanon, PA 17042	UNT to Cedar Run CWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Dauphin County Harrisburg City	PAR803697	Federal Express 3620 Hacks Cross Road Building B, 2nd Floor Memphis, TN 38125	Laurel Run Creek WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Cumberland County Carlisle Borough	PAR203520	Lane Enterprises, Inc. Metal Coating Facility 1244 Claremont Road Carlisle, PA 17013	UNT to Letort Run CWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Bedford County East Saint Clair Township	PAR203506	Lane Enterprises, Inc. 682 Quaker Valley Road Bedford, PA 15522	Dunning Creek WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
York County Manchester Township	PAR803652	Federal Express FedEx THVA 3620 Hacks Cross Road Building B, 2nd Floor Memphis, TN 38125	UNT of Little Conewago Creek TSF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
City of Williamsport Lycoming County	PAR604841 (Stormwater)	Penn Recycling, Inc. 2525 Trenton Avenue Williamsport, PA 17701	UNT to West Branch Susquehanna River WWF	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666

General Permit Type—PAG-4

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Orwell Township Bradford County	PAG045238	Amedeo Mifsud R. R. 3, Box 3151A Rome, PA 18837	Wysox CWF	Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3666
Allegheny Township Cambria County	PAG046341	Frederick J. McFadden, III 105 Maple Springs Court Ebensburg, PA 15931 and Michael W. Ravotti 1094 St. Joseph Street Loretto, PA 15940	Swale to Clearfield Creek	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Armstrong Township Indiana County	PAG046337	Paul and Claudia Price 490 Poulos Road Indiana, PA 15701	UNT of Curry Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Plum Borough Allegheny County	PAG046348	J.V. Rigging, Inc. 418 Willowbrook Road Apollo, PA 15613	UNT to Pucketa Creek	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

General Permit Type—PAG-8 (SSN)

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Cumberland County Penn Township	PAG083570	Borough of Carlisle 53 West South Street Carlisle, PA 17013	Josephine Bream Farm	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
Cumberland County Dickinson Township	PAG083570	Borough of Carlisle 53 West South Street Carlisle, PA 17013	Lewis Fink—Stonehouse Road Farm	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707

PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service,

(800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free

pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 2520037, Operations Permit, Public Water Supply.

Applicant **Aqua Pa, Inc.**
HC 6, Box 6040
Hawley, PA 18428
Lackawaxen Township

County **Pike**

Type of Facility PWS

Consulting Engineer Douglas Berg, P. E.
Entech Engineering, Inc.
P. O. Box 32
Reading, PA 19603

Permit to Operate Issued 1/9/07

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0606504, Public Water Supply.

Applicant **Pennsylvania American Water Company**

Municipality Exeter Township

County **Berks**

Type of Facility New Well G-9A in Glen Alsace District.

Consulting Engineer Daniel Cargnel, P. E.
Buchart Horn, Inc.
445 West Philadelphia Street
York, PA 17404

Permit to Construct Issued: 4/4/2007

Permit No. 0607508 MA, Minor Amendment, Public Water Supply.

Applicant **Western Berks Water Authority**

Municipality Spring Township

County **Berks**

Type of Facility Addition of a third raw water supply pump to the existing treatment plant.

Consulting Engineer Matthew J. Carnish, P. E.
Gannett Fleming
207 Senate Avenue
Camp Hill, PA 17011

Permit to Construct Issued: 3/29/2007

Operations Permit issued to **Pennsylvania American Water Company**, 3060023, Amity Township, **Berks County** on 3/29/2007, for the operation of facilities approved under Construction Permit No. 0605524.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. M. A.—6094501—Construction Public Water Supply.

Applicant **Borough of Mifflinburg**

Township or Borough Mifflinburg Borough

County **Union**

Responsible Official Michael E. Snook
Borough of Mifflinburg
333 Chestnut Street
Mifflinburg, PA 17844

Type of Facility Public Water Supply—Construction

Consulting Engineer Jason Wert, P. E.
Herbert Rowland & Grubic, Inc.
474 Windmere Drive
State College, PA 16801

Permit Issued Date April 4, 2007

Description of Action Replacement of two domestic booster pumps and installation of a fire flow pump and flow meter at the Old Orchard Lane Pump Station.

Permit No. 5306501—Construction Public Water Supply.

Applicant **Roulette Township Supervisors**

Township or Borough Roulette Township

County **Potter**

Responsible Official George Baker, Chairperson
Roulette Township Supervisors
P. O. Box 253
Roulette, PA 16746

Type of Facility Public Water Supply—Construction

Consulting Engineer Northwest Engineering, Inc.
R. R. 1, Box Q
Tidioute, PA 16351

Permit Issued Date April 9, 2007

Description of Action Construction of a new well, water storage tank and distribution piping.

The Northern Tier Children's Home, Public Water, Potter County: The Source Water Protection (SWP) report for The Northern Tier Children's Home has been approved on April 9, 2007. The Northern Tier Children's Home is to be commended for taking this proactive step to protect the source water for the community. Development of the program was funded, in part, by a SWP grant (L. Richard Adams, (570) 321-6581)).

Canton Borough Authority, Public Water, Bradford County: The Source Water Protection (SWP) report for the Canton Borough Authority has been approved on April 9, 2007. Canton Borough Authority is to be commended for taking this proactive step to protect the source water for the community. Development of the program was funded, in part, by a SWP grant (L. Richard Adams, (570) 321-6581)).

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under section 5 of the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Conewago Township	3279 Old Hershey Road Elizabethtown, PA 17022	Dauphin

Plan Description: Approval of a revision to the Official Sewage Plan of Conewago Township, Lebanon County. The proposed Aberdeen Mills subdivision, DEP Code No. B3-22910-148-2 consists of seven residential lots served by individual onlot sewage disposal. The Department's review of the sewage facilities update revision has not identified any significant impacts resulting from this proposal.

Southwest Regional Office, Regional Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
City of New Kensington	301 Eleventh Street New Kensington, PA 15068	Westmoreland

Plan Description: The approved plan provides for the replacement of the headwork's system through construction of a new influent pump station and screening facilities, modification of existing structures to include new grit removal and odor control systems and construction of a new secondary aeration blower/electrical building. The project also includes installation of a new nonpotable water system including new pumps and construction of new nonpotable water control building. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the Municipal Sanitary Authority of the City of New Kensington.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Pittsfield Township	R. D. 1, Box 68 Pittsfield, PA 16340	Warren

Plan Description: The approved plan provides for the Brokenstraw Valley Area Authority (BVAA) Phase II Project and it consists of updated information necessary for the continued implementation of the 1994 BVAA Sewage Facilities Plan. The 1994 Plan had been approved by the Department on July 8, 1994 and it provided for the extension of public sewers into several areas of the Township, including the Route 6 North and Davey Hill areas which will now be sewered as part of the Phase II Project.

The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Brokenstraw Township	770 Rouse Avenue R. R. 2, Box 284 Youngsville, PA 16371	Warren

Plan Description: The approved plan provides for the Brokenstraw Valley Area Authority (BVAA) Phase II Project and it consists of updated information necessary for the continued implementation of the 1994 BVAA Sewage Facilities Plan. The 1994 Plan had been approved by the Department on July 18, 1994 and it provided for the extension of public sewers into several areas of the Township, including the Meade Run, Matthews Run and Indian Camp areas which will now be sewered as part of the Phase II Project.

The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

**HAZARDOUS SITES CLEAN-UP
UNDER THE ACT OF
OCTOBER 18, 1988**

Public Notice of Proposed Consent Decree

Chem-Fab Site, 300 North Broad Street, Doylestown Borough, **Bucks County**, PA.

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Clean-up Act (HSCA), (35 P. S. § 6020.1113), has entered into a Consent Decree with 300 North Broad Street, Ltd. (300 NBS), for reimbursement of certain response costs incurred to investigate and remediate hazardous substances released and threatened to be released at the Chem-Fab Site in Doylestown Borough, Bucks County, PA (the site).

Between 1965 and 1995, Chem-Fab, Inc., an electroplating business operated the site and caused the release of hazardous substances on the site. The site is the source of groundwater contamination in certain areas of Doylestown Borough and Doylestown Township. The Department performed an environmental assessment and characterization of the site and its study revealed hexavalent chromium and other hazardous substances in groundwater beneath the site and on adjacent properties. The Department has incurred \$1,337,071.19 in response costs related to investigation of the site and anticipates conducting future response actions to remediate hazardous substances released at the site.

As the owner of the site, 300 NBS is a responsible party under section 701 of HSCA, (35 P. S. § 6018.701). Consequently, the Department has a claim against this limited partnership for response costs incurred at the site. On July 21, 2005, 300 NBS agreed to reimburse the Department in the amount of \$251,518.52 for certain past and future response costs incurred at the site. This agreement was made on the record before the Commonwealth Court and memorialized in an Order dated July 21, 2005, in the matter captioned and docketed as Commonwealth of Pennsylvania, Department of Environmental Protection v. 300 North Broad Street, Ltd., No. 334 M.D.1999. 300 NBS failed to comply with the July 21, 2005 Order.

It is in the public interest for the Department to resolve its claim against 300 NBS. The Department and 300 NBS

have negotiated in good faith and 300 NBS has agreed to pay off the liability required in the Commonwealth Court's July 21, 2005 Order. Thus, the parties have entered into a Consent Decree to resolve the Department's outstanding claims.

This notice is provided under section 1113 of HSCA, (35 P. S. § 6020.1113), which states that, "settlement shall become final upon the filing of the Department's response to significant written comments." The Consent Decree, which contains the specific terms of the agreement is available for public review and comment. The agreement can be examined from 8 a.m. to 4 p.m. at the Department's Southeast Regional Office, located at 2 East Main Street in Norristown, PA by contacting either April Flipse, at (484) 250-5721 or Gina M. Thomas, Esquire at (484) 250-5930. April Flipse and Gina Thomas may also be contacted electronically at aflipse@state.pa.us and githomas@state.pa.us, respectively. A public comment period on the Consent Decree will extend for 60 days from today's date. Persons may submit written comments regarding the agreement within 60 days from today's date, by submitting them to April Flipse at the previous address.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at

the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Department of Defense Depot Susquehanna PA, SWMU No. 4, Fairview Township, York County. Weston Solutions, Inc., 1400 Weston Way, West Chester, PA 19380, on behalf of Defense Logistics Agency, Defense Distribution Depot Susquehanna PA, 2001 Mission Drive, Suite 1, New Cumberland, PA 17070-5002, submitted a Final Report concerning remediation of site soils contaminated with chlorinated solvents, PAHs, PCBs, pesticides and inorganics. The report is intended to document remediation of the site to the Site-Specific Standard.

Department of Defense Depot Susquehanna PA, SWMU No. 2, Fairview Township, York County. Weston Solutions, Inc., 1400 Weston Way, West Chester, PA 19380, on behalf of Defense Logistics Agency, Defense Distribution Depot Susquehanna PA, 2001 Mission Drive, Suite 1, New Cumberland, PA 17070-5002, submitted a Final Report concerning remediation of site soils contaminated with chlorinated solvents, PAHs, PCBs, pesticides and inorganics. The report is intended to document remediation of the site to the Site-Specific Standard.

Pennsylvania Lines, LLC (PRR)—Dillerville Rail Yard, City of Lancaster, Lancaster County. Marshall Miller & Associates, Inc., 3013 Hartzdale Drive, Suite 1306, Camp Hill, PA 17011, on behalf of Norfolk Southern Railway Company, 110 Franklin Street SE, Box 13, Roanoke, VA 14041-0013, submitted a Final Report concerning remediation of site soils and groundwater contaminated with diesel fuel. The report is intended to document remediation of the site to the Nonresidential Site-Specific Standard.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

CDR Pigments & Dispersions Mfg., Ridgway Borough, Elk County. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205 on behalf of Flint Group, 14909 North Beck Road, Plymouth, MI 48170 has submitted a Final Report concerning remediation of site soil contaminated with Lead and site groundwater contaminated with Arsenic, Benzene, Ethyl Benzene, Lead, Toluene and Xylenes. The report is intended to document remediation of the site to meet the Site-Specific Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation

tion standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Penn State Fruit Research and Extension Center, Butler Township, **Adams County**. EPSYS Corporation, 1414 North Cameron Street, Harrisburg, PA 17103, on behalf of Penn State University, 6 Eisenhower Parking Deck, University Park, PA 16802, submitted a Final Report concerning remediation of site soils and groundwater contaminated with gasoline released from an unregulated underground storage tank. Penn State plans to continue using this site for fruit production and tree research. The final report demonstrated attainment of the residential Statewide Health Standard and was approved by the Department on April 3, 2007.

Former ENCO Realty Facility, City of Reading, **Berks County**. Whittemore and Haigh Engineering, Inc., 200 Bethlehem Drive, Suite 201, Morgantown, PA 19543, on behalf of QMM Properties, LLC, P. O. Box 350, Shillington, PA 19607-0350, submitted a Final Report concerning the remediation of site groundwater contaminated with VOCs, SVOCs and RCRA metals. The final report demonstrated attainment of the Nonresidential

Statewide Health Standard and was approved by the Department on April 4, 2007.

Thomas Kerns Residence, Spring Township, **Berks County**. GemChem, Inc., 53 North Cedar Street, Lititz, PA 17543, on behalf of Thomas Kerns, 612 Mohns Hill Road, Reading, PA 19068-9037, submitted a Final Report concerning remediation of site soils contaminated with No. 2 fuel oil. The report was submitted within 90 days of the release and demonstrated attainment of the Residential Statewide Health Standard. The final report was approved by the Department on April 4, 2007.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Determination of Applicability issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); and Residual Waste Regulation for a General permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. WMGR096NC-001. Bloomsburg Carpet Ind. Inc., 4999 Columbia Boulevard, Bloomsburg, PA 17815-8854, located in South Centre Township, **Columbia County**. This Determination of Applicability for the use of regulated fill was deemed administratively complete on February 19, 2007, and was issued March 2, 2007, by the Williamsport Regional Office on February 21, 2007. The Department waived the 60-day notice period for this Determination of Applicability.

Comments concerning the application should be directed to David Garg, P. E., Facilities Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Persons interested in obtaining more information about the general permit application should contact the Williamsport Regional Office, Telephone (570) 327-3653. TDD users should contact the Department through the Pennsylvania Relay Service, (800) 654-5984.

HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

Draft permits issued, revised or withdrawn under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

PAD003026663. Alcoa Inc., 201 Isabella Street, Pittsburgh, PA 15212, for Alcoa's Lancaster Works, located at 1700 Fruitville Pike Rear, Lancaster, PA 17604-4685, Lancaster City, **Lancaster County**. Draft Post Closure permit issued on April 20, 2007.

The Department is publishing notice of a draft post closure permit for Alcoa Inc.'s Lancaster Works. The post closure permit includes cap maintenance, groundwater monitoring provisions and the like for a previously stabilized and closed hazardous waste impoundments. The Department has completed its review of the permit application and has issued a draft permit on April 20, 2007. As required by 25 Pa. Code Chapter 270a.80(d)(2), the Department is providing public notice of this action.

Persons wishing to comment on the draft permit are invited to submit comments to the Southcentral Regional Office within 45 days from the date of this public notice. Comments received within this 45-day period will be considered in the formulation of the final determination regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Regional Office of the exact basis of any comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 45-day comment period and/or public hearing, the Department will make a final determination regarding the proposed permit action. Notice of this action will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

PAD000738823. Safety-Kleen Systems Inc., 5400 Legacy Drive, Plano, Texas 75024-3105, for the Safety-Kleen New Kingston facility, located at 10 Eleanor Drive, New Kingston, PA, 17072, Silver Spring Township, **Cumberland County**.

The Department of Environmental Protection received an application for a hazardous waste permit from Safety-Kleen for the storage of various hazardous wastes on March 29, 2004. This application was for the reauthorization of an existing permit to operate a commercial hazardous waste storage facility. The Department has completed its review of the permit application and has issued a draft permit on April 20, 2007. As required by 25 Pa. Code § 270a.80(d)(2), the Department is providing this public notice.

Persons wishing to comment on the draft permit are invited to submit a statement to the Southcentral Regional Office within 45 days from the date of this public notice. Comments received within this 45-day period will be considered in the formulation of the final determination regarding this application. Responses should include the name, address and telephone number of the writer; and a concise statement to inform the Regional Office of the exact basis of any comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 45-day comment period and/or public hearing, the Department will make a final determination regarding the proposed permit action. Notice of this action will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.

15-301-089GP: Veterinary Referral Center (340 Lancaster Avenue, Malvern, PA 19355) on April 5, 2007, to operate an animal crematory in East Whiteland Township, **Chester County**.

46-302-233GP: Blommer Chocolate Co. (P. O. Box 45, 1101 Blommer Drive, East Greenville, PA 18041) on April 6, 2007, to operate a natural gas fired boiler in Upper Hanover Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

GP3-06-05073B: Dyer Quarry, Inc. (1275 Rock Hollow Road, Birdsboro, PA 19508-20188) on April 5, 2007, for a Portable Nonmetallic Mineral Processing Plants under GP3 in Robeson Township, **Berks County**.

GP9-06-05073B: Dyer Quarry, Inc. (1275 Rock Hollow Road, Birdsboro, PA 19508-0811) on April 5, 2007, for Diesel or No. 2 Fuel-fired Internal Combustion Engines under GP9 in Robeson Township, **Berks County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

GP5-30-00155A: Energy Corp. of America (1380 Route 286 Highway East, Suite 221, Indiana, PA 15701) on April 5, 2007, to operate an IC Engine at Henderson Compressor Station in Cumberland Township, **Greene County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

GP-43-328: Energy Resources of America—Jamestown Compressor (West Jamestown Road, Jamestown, PA 16134) on March 31, 2007, for a portable mineral processing unit and nonroad engine in Greene Township, **Mercer County**.

GP-43-271: Great Lakes Energy—Wallace Compressor (Carlton Road, Carlton, PA 16311) on March 31, 2007, for a natural gas compressor in Greene Township, **Mercer County**.

GP-27-023: PA General Energy—Cooper Haight Compressor (Job Corp Road, Marionville, PA 15857) on March 31, 2007, for a natural gas compressor in Howe Township, **Forest County**.

GP-27-021: PA General Energy—TB 37 Compressor (FR 217, Marionville, PA 15857) on March 31, 2007, for a natural gas compressor in Howe Township, **Forest County**.

GP-27-025: PA General Energy—Deadman's Corners Compressor (FR 217, Marionville, PA 15857) on March 31, 2007, for a natural gas compressor in Howe Township, **Forest County**.

GP-27-020: PA General Energy—TB 5129 Compressor (FR 145, Marionville, PA 15857) on March 31, 2007, for a natural gas compressor in Kingsley Township, **Forest County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.

09-0007C: Waste Management Disposal Service of PA, Inc. (1513 Bordentown Road, Morrisville, PA 19067)

on 09-0007C, to operate a Landfill/Route Collected Gases in Falls Township, **Bucks County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05066E: Exide Technologies (P. O. Box 13995, Reading, PA 19612-3995) on April 3, 2007, to establish a BART emissions limit for the secondary lead smelting system controlled by two sets of cooling tubes, two fabric collectors, two venturi scrubbers and two spray chambers in Laureldale Borough and Muhlenberg Township, **Berks County**.

06-05090C: Chiyoda America, Inc. (P. O. Box 470, Morgantown, PA 19543-0470) on April 5, 2007, to modify a decorative printing operation in Caernarvon Township, **Berks County**.

34-03008A: Excel Homes, LLC (R. R. 2, Box 683, Liverpool, PA 17045) on April 5, 2007, to operate their existing modular home manufacturing facility in Susquehanna Township, **Juniata County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

19-00006C: Del Monte Corp. (6670 Low Street, Bloomsburg, PA 17815) on March 13, 2007, to construct a pet food manufacturing line and associated air cleaning devices (25 fabric collectors and four wet centrifugal collectors) in South Centre Township, **Columbia County**.

17-00017A: Rescar, Inc. (407 West Brentwood, Channelview, TX 77530) on March 13, 2007, to install an air cleaning device (a cartridge collector) on a railcar abrasive blasting operation in the City of Du Bois, **Clearfield County**.

14-00003A: The Pennsylvania State University (113 Office of Physical Plant, University Park, PA 16802) on March 27, 2007, to install a powder activated carbon (PAC) injection system to control mercury emissions from four coal fired boilers of the West Campus Steam Plant at the University Park in College Township, **Centre County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

61-210A: Glenn O. Hawbaker, Inc. (1041 Stevenson Road, Harrisville, PA 16038) on April 5, 2007, to construct an asphalt plant that will burn alternative fuels including Pennsylvanian mined coal at Glenn O. Hawbaker, Inc. Harrisville Plant in Barkeyville Township, **Venango County**.

42-158K: Temple-Inland Forest Products Corp. (149 Temple Drive, Mt. Jewett, PA 15857) on April 2, 2007, to modify the PAL Plan Approval (42-158I) to include the existing board breaker for the Mt. Jewett wood composite panel facility in **McKean County**. The facility is a Title V Facility.

10-021L: Indspec Chemical Corp. (133 Main Street, Petrolia, PA 16050) on March 16, 2007, to modify plan approval 10-021J to increase the hours of operation for the resin hold tank at their chemical manufacturing plant in Petrolia Borough, **Butler County**. The facility is a Title V Facility.

10-021M: Indspec Chemical Corp. (133 Main Street, Petrolia, PA 16050) on March 16, 2007, to modify plan approval 10-021J to increase the hours of operation for

the resin scrubbing system at their chemical manufacturing plant in the Petrolia Borough, **Butler County**. The facility is a Title V Facility.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.

23-0003G: ConocoPhillips Co. (1400 Park Avenue, Linden, NJ 07036) on April 4, 2007, to operate a platformer heaters revamp in Trainer Borough, **Delaware County**.

23-0012: Epsilon Product Co., LLC (Post Road and Blueball Avenue, P. O. Box 432, Marcus Hook, PA 19061) on April 4, 2007, to operate plant 2 and thermal oxidizer in Marcus Hook Borough, **Delaware County**.

23-0074: GS Roofing Products Co., Inc. (800 West Front Street, Chester, PA 19013) on April 4, 2007, to operate a thermal oxidizer in City of Chester, **Delaware County**.

46-0037X: Cabot Supermetals (P. O. Box 1608, County Line Road, Boyertown, PA 19512) on April 5, 2007, to operate a powder packaging unit in Douglass Township, **Montgomery County**.

23-0003E: ConocoPhillips Co. (1400 Park Avenue, Linden, NJ 07036) on April 6, 2007, to operate a gasoline and diesel desulfurization in Trainer Borough, **Delaware County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

47-00001B: PPL Montour, LLC (2 North Ninth Street, Allentown, PA 18101) on March 29, 2007, to extend the plan approval to install flue gas desulfurization systems on two bituminous coal-fired electric utility boilers (Units 1 and 2) and the construction of two 183 horsepower diesel engines until July 12, 2008, at their Montour Steam Electric Station in Derry Township, **Montour County**. The Plan Approval has been extended.

18-315-001: First Quality Tissue, LLC (904 Woods Avenue, Lock Haven, PA 17745) on April 6, 2007, to extend the deadline for the performance of stack testing on a paper machine (No. 1 machine) and associated boilers until August 4, 2007, and the authorization to operate the respective paper machine and associated equipment on a temporary basis until August 4, 2007, in Castanea Township, **Clinton County**. The plan approval has been extended.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

62-00032: Ellwood National Forge—ENF (1 Front Street, Irvine, PA 16329-1801) on April 2, 2007, to reissue a Title V permit to operate a iron and steel forging products manufacturing in Brokenstraw Township, **Warren County**. The facility's major emission sources include union iron boiler, natural gas space heaters, pack-

age heat boilers (2-muir), vacuum degreaser boiler, 45T electric arc furnace, ens annealing furnaces (4), enf heat treat (19), enf heat treat (10), shot blasts (2), crankshaft file and grind process, vacuum degreaser, teeming, scrap handling, slag handling, plant roadways and enc crankshaft degreasing. Previously this facility was synthetic minor in status. At present facility has taken no restriction on production capacity or number of hours. Thus the facility is becoming Title V. The facility is subject to the Compliance Assurance Monitoring Rule (CAM) found in 40 CFR Part 64. Appropriate permit conditions to address the applicable CAM requirements have been included in the permit.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Thomas Huynh, Chief, (215) 685-9476.

V05-010: Philadelphia Gas Works—Richmond Plant (3100 East Venango Street, Philadelphia, PA 19134) on April 10, 2007, to operate a natural gas utility in the City of Philadelphia, **Philadelphia County**. Activities include liquefied natural gas (LNG) storage and distribution of natural gas to the City of Philadelphia. The facility's air emission sources include three gas fired LNG compressors (2,350 HP each = 20 mmBtu/hr), ten heaters (six are between 94.1 and 105.0 mmBtu/hr, four are 11 mmBtu/hr or less), three turbines 13.7 mmBtu/hr or less three, two 170 HP emergency generators, two boilers less than 10 mmBtu/hr and three 295 HP engines.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

46-00169: Constantia Colmar, Inc. (92 County Line Road, Colmar, PA 18915) on April 5, 2007, for a non-Title V Facility, State-only, Synthetic Minor Operating Permit in Hatfield Township, **Montgomery County**. Constantia Colmar, Inc. (Constantia), prints on aluminum foil, shrink film and film laminations in its production of flexible packaging for the pharmaceutical, confectionary, beverage, cosmetics, snack food and other industries. The primary pollutants emitted from the facility are VOCs, most of which result from the operation of four printing presses. Constantia operates and maintains a regenerative thermal oxidizer to capture and control VOC emissions from the printing presses (ands other sources), which are located within a permanent total enclosure. To avoid being a major source of VOC emissions, the facility is subject to an emission restriction of 24.7 tpy. The permit will contain monitoring, recordkeeping, reporting and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

36-03133: Spangler's Flour Mill, Inc. (19 North Market Street, P. O. Box 175, Mount Joy, PA 17552) on April 9, 2007, to operate their flour mill in Mount Joy Borough, **Lancaster County**. This is a renewal of the State-only operating permit.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

49-00026: SemMaterials, LP (Fourth and Duke Streets, Northumberland, PA 17857) on March 20, 2007, to operate an asphalt storage and truck loading facility in Point Township, **Northumberland County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

11-00252: C and C Smith Lumber Co., Inc. (197 Tower Road, Summerhill, PA 15958) on April 10, 2007, to operate three wood fired boilers that burn sawdust and produce steam to dry the lumber in Croyle Township, **Cambria County**. The lumber is predominantly used for the furniture manufacturing industry. The facility also recycles the sawdust from the lumber mill to produce pellets for the wood stove industry.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Braun, Chief, (215) 685-9476.

N04-005: Bartash Printing, Inc. (5400 Grays Avenue, Philadelphia, PA 19143) on April 10, 2007, to operate a printing facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include five lithographic presses and one No. 2 oil fired emergency generator.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

08-00014: Eastern Industries, Inc. (4401 Camp Meeting Road, Center Valley, PA 18034) on April 4, 2007, in accordance with the minor operating permit modification requirements of 25 Pa. Code § 127.462, to allow the use of virgin No. 4 fuel oil and virgin No. 5 fuel oil as fuel in a batch asphalt plant in addition to the virgin No. 2 fuel oil, gas (natural or liquefied petroleum) and recycled/reprocessed oil previously allowed in Wysox Township, **Bradford County**.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

26-00413: Texas Eastern Transmission, LP (2601 Market Street, Suite 400, Harrisburg, PA 17110-9363) De Minimis emission increase of 1.2 tons NOx per year, 1.0 ton CO per year, 0.002 ton SOx per year, 0.035 ton PM per year, 1.55 tons VOCs per year and 0.3 ton hazardous air pollutants per year resulting from the installation of nine small sources at Uniontown Station 21A located in North Union Township, **Fayette County**.

Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

GP9-32-00320: Penn Run Quarry No. 2—Spruce Mine (456 Weston Road, Penn Run, PA 15765) on April 6, 2007, to operate two engines (one Cummins, 12 liters displacement, 250 Hp and one John Deere, 8.1 liters displacement, 150 Hp) at the Penn Run Quarry No. 2—Spruce Mine (590 Spruce Road, Cherry Hill Township, **Indianan County**). This authorization was denied.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56000102 and NPDES No. PA0235237. Action Mining, Inc., 1117 Shaw Mines Road, Meyersdale, PA 15552, revision of an existing bituminous surface-auger mine to conduct mining activities including overburden blasting within 100 feet and up to 25 feet of the outside right-of-way of T-550 in Brothersvalley Township, **Somerset County**, affecting 197.6 acres. Receiving streams: Piney Run tribs to Piney Run; tribs to Buffalo Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received September 20, 2006. Permit issued: April 2, 2007.

32870101 and NPDES No. PA0597899. Urey Coal Company, 6015 Ferguson Road, Indiana, PA 15701, permit renewal for reclamation only of a bituminous surface and auger mine in Banks Township, **Indiana County**, affecting 156.4 acres. Receiving streams: UNTs to Cush Creek and Cush Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received March 22, 2007. Permit issued: April 5, 2007.

11050101 and NPDES Permit No. PA0249718. E. P. Bender Coal Co., Inc., P. O. Box 594, Carrolltown, PA 15722, commencement, operation and restoration of a bituminous surface-auger mine in Cresson Township, **Cambria County**, affecting 197.7 acres. Receiving streams: UNT to Bear Rock Run. The first downstream potable water supply intake from the point of discharge is Lilly Borough surface water intake on Bear Rock Run, PWS No. 4110046. Application received February 7, 2005. Permit issued: April 6, 2007.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

03920103 and NPDES Permit No. PA0200484. Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201). Permit renewal issued for continued operation and reclamation of a bituminous surface/auger mining site located in West Franklin Township and Worthington Borough, **Armstrong County**, affecting 284.7 acres. Receiving streams: Buffalo Creek and Claypoole Run. Application received: February 5, 2007. Renewal issued: April 3, 2007.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

17060110 and NPDES No. PA0256421. Bell Resources, Inc. (1034 Hoyt Road, Curwensville, PA 16833), commencement, operation and restoration of a bituminous surface mine in Bloom and Penn Townships, **Clearfield County**, affecting 361.9 acres. Receiving streams: UNT to Bell Run; Bell Run, classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received: September 27, 2006. Permit issued: April 4, 2007.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

54930101T2 and NPDES Permit No. PA0595934. Char-Pac Coal Company, (P. O. Box 81, Minersville, PA 17954), transfer of an existing anthracite surface mine operation in Branch Township, **Schuylkill County** affecting 102.8 acres, receiving stream: Schaffer Creek. Application received November 9, 2006. Transfer issued: March 28, 2007.

Noncoal Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

Permit No. 4074SM12 and NPDES Permit No. PA0599352. New Enterprise Stone and Lime Company, Inc., P. O. Box 77, New Enterprise, PA 16664, renewal of NPDES Permit, Jefferson Township, **Somerset County**. Receiving streams: Kooser Run and UNTs to Kooser Run classified for the following use: HQ-CWF. There are no potable water supply intakes within 10 miles downstream. Application received January 17, 2007. Permit issued: April 5, 2007.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

42060803. Joseph E. Johnson (396 Newell Creek Road, Eldred, PA 16731) Commencement, operation and restoration of a small noncoal bluestone operation in Annin Township, **McKean County** affecting 5.0 acres. Receiving stream: Newell Creek. Application received: May 12, 2006. Permit issued: April 3, 2007.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

58050833. Mark G. Walworth, (R. R. 1, Box 1339, Hallstead, PA 18822), commencement, operation and restoration of a quarry operation in Liberty Township, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received July 7, 2005. Permit issued April 3, 2007.

58070807. John Sholtiss, (R. R. 2, Box 68 A, Route 171, Susquehanna, PA 18847), commencement, operation and restoration of a quarry operation in Thompson Township, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received January 29, 2007. Permit issued April 3, 2007.

58060868. Ronald Opeil, (5 Brookside Drive, P. O. Box 205, Carbondale, PA 18407), commencement, operation

and restoration of a quarry operation in Lenox Township, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received September 27, 2006. Permit issued April 4, 2007.

64072802. Paul R. Gustin, (P. O. Box 105, Preston Park, PA 18455), commencement, operation and restoration of a quarry operation in Preston Township, **Wayne County** affecting 5.0 acres, receiving stream: none. Application received February 15, 2007. Permit issued April 4, 2007.

58070804. Maurice Diaz, (P. O. Box 623, New Milford, PA 18834), commencement, operation and restoration of a quarry operation in New Milford Township, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received January 19, 2007. Permit issued April 4, 2007.

58060832. William J. Brewer, (R. R. 1, Box 1601, Hop Bottom, PA 18824), commencement, operation and restoration of a quarry operation in Lenox Township, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received May 1, 2006. Permit issued April 4, 2007.

58070806. Matthew E. Noldy, (R. D. 3, Box 147A, Meshoppen, PA 18630), commencement, operation and restoration of a quarry in Auburn Township, **Susquehanna County** affecting 2.0 acres, receiving stream: none. Application received January 23, 2007. Permit issued April 5, 2007.

58070808. Ronald K. Roe, (R. R. 1, Box 6 D, Susquehanna, PA 18847), commencement, operation and restoration of a quarry in Oakland Township, **Susquehanna County** affecting 2.5 acres, receiving stream: none. Application received February 2, 2007. Permit issued April 5, 2007.

58072802. Joseph A. Decker, Sr., (R. R. 1, Box 254, Kingsley, PA 18826), commencement, operation and restoration of a quarry in Gibson Township, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received February 20, 2007. Permit issued April 5, 2007.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (43 P.S. §§ 151–161); and 25 Pa. Code § 211.124 (relating to blasting activity permits). Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

21074128. Dyno Nobel, Inc., 1320 Galiffa Drive, Donora, PA 15033, blasting activity permit issued for single dwelling development in Middlesex Township, **Cumberland County**. Blasting activity permit end date is December 30, 2007. Permit issued March 26, 2007.

21074127. Newville Construction Services, Inc., 408 Mohawk Road, Newville, PA 17241-9424, blasting activity permit issued for pool/pond development in Monroe Township, **Cumberland County**. Blasting activity permit end date is March 30, 2008. Permit issued March 26, 2007.

11074001. Douglas Explosives, Inc., P. O. Box 77, Philipsburg, PA 16866, blasting activity permit issued for wind turbine construction project in Cresson Township, **Cambria County**. Duration of project is 360 days. Permit issued April 5, 2007.

32074001. Appalachian Geophysical Services, LLC, 2659 SR 60, P. O. Box 426, Killbuck, OH 44637, blasting activity permit issued for seismic exploration project located in East Mahoning and Grant Townships, **Indiana County**. Project end date is December 31, 2007. Permit issued April 5, 2007.

32074003. Appalachian Geophysical Services, LLC, 2659 SR 60, P. O. Box 426, Killbuck, OH 44637, blasting activity permit issued for seismic exploration project located in Center Township, **Indiana County**. Project end date is December 31, 2007. Permit issued April 5, 2007.

32074004. Appalachian Geophysical Services, LLC, 2659 SR 60, P. O. Box 426, Killbuck, OH 44637, blasting activity permit issued for seismic exploration project located in Center Township, **Indiana County**. Project end date is December 31, 2007. Permit issued April 5, 2007.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

02074003. KESCO, Inc. (P. O. Box 95, Adrian, PA 16210). Blasting activity permit for construction of Providence Point located in Marshall Township, **Allegheny County**, with an expected duration 180 days. Blasting activity permit issued: April 4, 2007.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

22074002. Explosives Experts, Inc., (P. O. Box 879, Sparks, MD 21152), construction blasting at Towne Place Suites/Marriott in Swatara Township, **Dauphin County** with an expiration date of July 3, 2007. Permit issued April 4, 2007.

15074106. Ed Wean Drilling & Blasting, Inc., (112 Ravine Road, Stewartsville, NJ 08886), construction blasting for Coatesville Sewer Line in the City of Coatesville, **Chester County** with an expiration of April 2, 2008. Permit issued April 4, 2007.

22074107. Dyno Nobel, Inc., (1320 Galiffa Drive, Donora, PA 15033), construction blasting for Derr Run Commons in Derry Township, **Dauphin County** with an expiration date of March 30, 2008. Permit issued April 4, 2007.

36074132. Dyno Nobel, Inc., (1320 Galiffa Drive, Donora, PA 15033), construction blasting for Lakeview County Estates in Mt. Joy Township, **Lancaster County** with an expiration date of April 30, 2008. Permit issued April 4, 2007.

45074126. Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for a single dwelling on Cherry Lane Road in Pocono Township, **Monroe County** with an expiration date of March 27, 2008. Permit issued April 4, 2007.

67074115. Dyno Nobel, Inc., (1320 Galiffa Drive, Donora, PA 15033), construction blasting for Shrewsbury Commerce Park in Shrewsbury Borough and Shrewsbury Township, **York County** with an expiration date of March 30, 2008. Permit issued April 4, 2007.

36074133. Keystone Blasting Service, (381 Reifsnnyder Road, Lititz, PA 17543), construction blasting

for a single dwelling in West Earl Township, **Lancaster County** with an expiration date of May 30, 2007. Permit issued April 5, 2007.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

E46-636. The Nolen Group, 505 1/2 Germantown Pike, Lafayette Hills, PA 19444, Upper Providence Township, **Montgomery County**, ACOE Philadelphia District.

To reissue and amend Permit E46-636, originally authorized on August 31, 1993, to construct and maintain a 14 foot by 8 foot precast concrete box culvert in Doe Run for

the construction of Campus Drive, an access road to a proposed office complex (Providence Corporate Center).

The authorization is amended to include an Environmental Assessment approval for two on-stream stormwater dams:

1. Springhouse Drive Dam which has affected 0.12 acre of wetland (PEM).
2. Little People Day Care Dam which has affected approximately 150 linear feet of intermittent stream.

The site is located approximately 1,400 feet south of the intersection of PA Route 29 and Arcola Road (Collegetown, PA, Quadrangle N: 6.7 inches; W: 13.6 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E46-1001. May Street Homeownership, Inc., P. O. Box 1170, Norristown, PA 19401, Pottstown Borough, **Montgomery County**, ACOE Philadelphia District.

To modify and maintain an existing stream enclosure which routes flow beneath the Borough of Pottstown along a UNT to the Schuylkill River (WWF-MF). The modification will consist of the removal of approximately 112 linear feet of existing 96-inch CMP pipe arch and to construct and maintain in its place, 277 linear feet of twin 66-inch RCP to facilitate the construction of a 28-unit subdivision (AKA May Street Crossing).

The work will enclose the last remaining portion of this stream channel within the watershed upstream of Oak Street. The Site is located at the north corner of Oak and Washington Streets, (Boyertown, PA, USGS Quadrangle N: 0.5 inch; W: 7.5 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. 1341(a)).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E29-093: Camp Sinoquipe, Mason Dixon Council Boy Scouts, 677 Boy Scout Road, Fort Littleton, PA 17223, Dublin Township, **Fulton County**, ACOE Baltimore District.

To construct and maintain fill made of rock, shale and gravel of about 900 cubic yards across the upper portion of Camp Sinoquipe lake for the purpose of creating a forebay to catch sediment deposits draining into the lake located just off SR 1011, about 1.8 miles north of Fort Littleton Village (Burnt Cabbins, PA Quadrangle N: 16.15 inches, W: 13.1 inches, Latitude: 40° 05' 20"; Longitude: 77° 58' 07") in Dublin Township, Fulton County.

E67-806: Susquehanna Radio Corporation, 5989 Susquehanna Plaza Drive, York, PA 17406-8910, in Manchester Township, **York County**, ACOE Baltimore District.

To construct and maintain a 12 foot wide by 30 foot long by 3.5 foot high precast concrete box culvert installed 12 inches below the existing stream bed elevation in a UNT to Codorus Creek (WWF) just east of the Susquehanna Trail (York, PA Quadrangle N: 22.6 inches; W: 17.1 inches, Latitude: 39° 59' 59"; Longitude: 76° 44' 49") in Manchester Township, York County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E17-429. Dubois Area School District, 500 Liberty Boulevard, Dubois, PA 15801. Expansion of the Dubois Area School District athletic fields, in the City of Dubois, **Clearfield County**, ACOE Pittsburgh District (Sabula, PA Quadrangle Latitude: 41° 07' 45.0"; Longitude: 78° 44' 50.4").

To modify, operate and maintain an existing stream enclosure, place and maintain fill within 0.30 acre of wetlands and along 300 feet of the floodway of a UNT to Beaver Run, for the expansion of an existing athletic field complex adjacent to the Dubois Area Senior High School. Modification to the existing stream enclosure shall be limited to the headwall/inlet. Construction activities associated with the stream enclosure modifications shall be performed at stream low flow and dry work conditions by dams and pumping or diverting stream flow around the work areas. The project permanently impacts 0.30 acre of wetland that the permittee has agreed to mitigate with 0.30 acre of onsite replacement wetlands.

E49-294. Charles Carpenter, R. R. 1, Box 959, Paxinos, PA 17860. Elevated Sand Filter System in Floodway, in Shamokin Township, **Northumberland County**, ACOE Baltimore District (Shamokin, PA Quadrangle Latitude 40° 49' 2"; Longitude 76° 36' 5").

This permit authorizes the construction, operation and maintenance of a sand filter small flow treatment facility to eliminate septic discharges to Bennys Run. This project is a total of 616 square feet and measures 22 feet wide by 28 feet long by 3.6 feet high. This project is located southwest of the intersection of Irish Valley Road and School House Road on Irish Valley Road in Shamokin, Northumberland County.

ENVIRONMENTAL ASSESSMENT

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

D15-394EA. T. Lyons Bradley, 1339 Temple Road, Pottstown, PA 19465. Project proposes to remove approximately 1.5 acres of accumulated silts and sediments from the reservoir impounded by the Bradley Pond Dam across a tributary to the Schuylkill River (HQ-TSF). The dam is located approximately 450 feet north of the intersection of Temple Road and Catfish Lane (Pottstown, PA Quadrangle, N: 17.80", W: 8.75").

EA08-003CO. Schrader Creek Watershed Association, R. R. No.2 Box 292, Towanda, PA 18848. Franklin Township, **Bradford County**, ACOE Baltimore District.

To construct and maintain a nonjurisdictional dam for the purpose of treating acid mine drainage and restoring aquatic life within a tributary to Coal Run (HQ-CWF). The dam is located approximately 1,500 feet southeast of the intersection of Carbon Road and Foot Plains Road (Leroy, Quadrangle, Latitude: 41° 39' 03"; Longitude: -76° 37' 42").

SPECIAL NOTICES

Request for Comment and Notice of Public Meeting

Proposed Total Maximum Daily Loads (TMDLs) for the Bernhart Creek in Berks County.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Availability of Final Total Maximum Daily Loads (TMDLs)

The Department of Environmental Protection (Department) has developed Total Maximum Daily Loads (TMDLs) for the watershed listed below. The TMDL sets the pollutant loading amounts for impaired waters that are allocated among the sources in the watershed. This TMDL has been approved by the Environmental Protection Agency and satisfies the Department's obligations under section 303(d) of the Federal Clean Water Act.

<i>Stream Name</i>	<i>County</i>	<i>Pollutants</i>
Bernhart Creek	Berks	Metals and salinity/TDS/chlorides

To request a copy of the TMDL, contact the Watershed Protection Program, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4820, Joseph Adams, josepadams@state.pa.us or access the TMDL through the Department's website at www.dep.state.pa.us/watermanagement_apps/tmdl/ (choose stream under "Select By TMDL Name:").

[Pa.B. Doc. No. 07-692. Filed for public inspection April 20, 2007, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) website at www.depweb.state.pa.us (DEP Keywords: Technical Guidance). The "Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

The Department will continue to revise its nonregulatory documents, as necessary, throughout 2007.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Notice to Rescind Technical Guidance

DEP ID: 383-2129-001 Title: Enhanced Coagulation Calculator Spreadsheet—Version 1.1. Description: The Enhanced Coagulation Calculator Spreadsheet—Version 1.1 is an obsolete technical guidance document that is rescinded from the Department's technical guidance inventory. The guidance document was formerly used to

provide instructions to assist water suppliers in understanding and implementing the "Enhanced Coagulation" requirements of the Stage 1 Disinfection Byproducts Rule. In lieu of using the enhanced coagulation calculator tool described in the guidance document, public water suppliers now have access to a Total Organic Carbon (TOC) calculation tool that enables users to retrieve specifically defined data from the Pennsylvania Drinking Water Information System. By using the TOC calculation tool, system users are provided with TOC performance data from treatment plants for any given 12-month period for which data is available. The tool can be accessed through the Drinking Water Reporting System on the Department's website at www.drinkingwater.state.pa.us/dwrs/HTM/DEP_frm.html (select the "Sample" function, enter a PWSID or select a county from the list; on the next screen, select PWSID(s) of interest, enter the desired 1-year time period and select the TOC report from the list of available reports). In addition to public water suppliers, other system users, including the public, university researchers and the regulated community can use the TOC calculation tool to retrieve user-defined data from the Pennsylvania Drinking Water Information System that can be downloaded for further analysis.

Contact: Questions regarding the rescission of technical guidance no. 383-2129-001 may be directed to Tim Lehman, Bureau of Water Standards and Facility Regulation at (717) 787-6744, or timplehman@state.pa.us. Effective Date: April 21, 2007.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 07-693. Filed for public inspection April 20, 2007, 9:00 a.m.]

Proposed Revision to the State Implementation Plan for the Allentown-Bethlehem-Easton 8-Hour Ozone Nonattainment Area; Public Hearing

Ground-level ozone concentrations above the Federal health-based standard are a serious human health threat and can also cause damage to crops, forests and wildlife. The Allentown-Bethlehem-Easton 8-Hour Ozone Nonattainment Area has met the health-based National ambient air quality standard for ozone based on 2003—2005 concentrations. Therefore, the Department of Environmental Protection (Department) plans to submit a request to the United States Environmental Protection Agency (EPA) to redesignate this nonattainment area to attainment of the 8-hour ozone national ambient air quality standard (NAAQS). The Department is seeking public comment on the 8-hour ozone redesignation request, the 2002 base year inventory and a State Implementation Plan revision setting forth a Maintenance Plan, demonstrating that the area can maintain the health-based ozone standard for the next 10 years as required under section 175A(a) of the Federal Clean Air Act (42 U.S.C.A. § 7505a). The Maintenance Plan, once approved by the EPA, will also establish new motor vehicle emission budgets for purposes of transportation conformity.

This proposal is available on the Department's website at www.depweb.state.pa.us (DEP Keywords: Air Plans) or through the contact persons listed.

The Department will hold a public hearing to receive comments on the proposals on Tuesday, May 22, 2007, at 10 a.m. at the Lehigh County Government Center, Con-

ference Room 123, 17 S. 7th Street, Allentown, PA 18101. Persons wishing to present testimony at the hearing should contact Yvette House, P. O. Box 8468, Harrisburg, PA 17105, (717) 787-9495, yhouse@state.pa.us to reserve a time. Persons who do not reserve a time will be able to testify as time allows. Witnesses should keep testimony to 10 minutes and should provide two written copies of their statement at the hearing.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact Yvette House at (717) 787-9495 or yhouse@state.pa.us. TDD users may contact the AT&T Relay Service at (800) 654-5984 to discuss how the Department can best accommodate their needs.

The Department must receive comments no later than May 25, 2007. Written comments should be sent to the attention of J. Wick Havens, Chief, Division of Air Resource Management, Bureau of Air Quality, P. O. Box 8468, Harrisburg, PA 17105-8468, jhavens@state.pa.us. Use "Allentown Ozone SIP" as the mail addressee or in the subject line.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 07-694. Filed for public inspection April 20, 2007, 9:00 a.m.]

Proposed Revision to the State Implementation Plan for the Scranton/Wilkes-Barre 8-Hour Ozone Nonattainment Area; Public Hearing

Ground-level ozone concentrations above the Federal health-based standard are a serious human health threat and can also cause damage to crops, forests and wildlife. The Scranton/Wilkes-Barre 8-Hour Ozone Nonattainment Area has met the health-based National ambient air quality standard for ozone based on 2003—2005 concentrations. Therefore, the Department of Environmental Protection (Department) plans to submit a request to the United States Environmental Protection Agency (EPA) to redesignate this nonattainment area to attainment of the 8-hour ozone national ambient air quality standard (NAAQS). The Department is seeking public comment on the 8-hour ozone redesignation request, the 2002 base year inventory and a State Implementation Plan revision setting forth a Maintenance Plan demonstrating that the area can maintain the health-based ozone standard for the next 10 years as required under section 175A(a) of the Federal Clean Air Act (42 U.S.C.A. § 7505a). The Maintenance Plan, once approved by the EPA, will also establish new motor vehicle emission budgets for purposes of transportation conformity.

This proposal is available on the Department's website at www.depweb.state.pa.us (DEP Keywords: Air Plans) or through the contact persons listed.

The Department will hold a public hearing to receive comments on the proposals on Wednesday, May 23, 2007, at 11 a.m. at the Department's Northeast Regional Office, Lackawanna Conference Room, 2 Public Square, Wilkes-Barre, PA 18711. Persons wishing to present testimony at the hearing should contact Yvette House, P. O. Box 8468, Harrisburg, PA 17105, (717) 787-9495, yhouse@state.pa.us

to reserve a time. Persons who do not reserve a time will be able to testify as time allows. Witnesses should keep testimony to 10 minutes and should provide two written copies of their statement at the hearing.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact Yvette House at (717) 787-9495 or yhouse@state.pa.us. TDD users may contact the AT&T Relay Service at (800) 654-5984 to discuss how the Department can best accommodate their needs.

The Department must receive comments no later than May 25, 2007. Written comments should be sent to the attention of J. Wick Havens, Chief, Division of Air Resource Management, Bureau of Air Quality, P. O. Box 8468, Harrisburg, PA 17105-8468, jhavens@state.pa.us. Use "Scranton/Wilkes-Barre Ozone SIP" as the mail addressee or in the subject line.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 07-695. Filed for public inspection April 20, 2007, 9:00 a.m.]

State Water Plan Statewide Water Resources Committee; Critical Water Planning Area Subcommittee Meeting

The Critical Water Planning Area Subcommittee of the Act 220 State Water Plan Statewide Committee has scheduled a meeting to discuss various technical issues impacting the development of the State Water Plan. The meeting will be held Tuesday, May 1, 2007, at 10 a.m., Rachel Carson State Office Building, 10th Floor Conference Room, 400 Market Street, Harrisburg, PA 17101.

Questions concerning this meeting should be directed to Susan Weaver, Division of Water Use Planning, P. O. Box 8555, Harrisburg, PA 17105-8555, (717) 783-8055, suweaver@state.pa.us.

Persons with a disability who require accommodations to attend the meeting should contact the Department at (717) 783-6118 or through the Pennsylvania AT&T Relay Services at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 07-696. Filed for public inspection April 20, 2007, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Real Estate for Sale; Adams County

The Department of General Services (Department), through its broker, Studley, Inc., will accept bids for the purchase of 24.28 gross acres (18.1 net acres) +/- of unimproved land zoned AR located on Barlow Greenmount Road at US 15 Bypass in Cumberland Township, Adams County. Bids are due June 1, 2007. Interested parties wishing to receive a copy of Solicitation

No. 94104 should call Bradford Mills, Studley, Inc. at (267) 256-7575 or bmills@studley.com.

JAMES P. CREEDON,
Secretary

[Pa.B. Doc. No. 07-697. Filed for public inspection April 20, 2007, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of The Ellwood City Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that The Ellwood City Hospital has requested an exception to the requirements of 28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period as set forth in 28 Pa. Code § 51.33(c) (relating to requests for exemption).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-698. Filed for public inspection April 20, 2007, 9:00 a.m.]

Application of Gettysburg Hospital for Exemption

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Gettysburg Hospital has requested an exception to the requirements of 28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period as set forth in 28 Pa. Code § 51.33(c) (relating to request for exemptions).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or

hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-699. Filed for public inspection April 20, 2007, 9:00 a.m.]

Application of Summit Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Summit Surgery Center has requested an exception to the requirements of 28 Pa. Code § 551.21(d) (relating to criteria for ambulatory surgery).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period as set forth in 28 Pa. Code § 51.33(c) (relating to request for exemptions).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-700. Filed for public inspection April 20, 2007, 9:00 a.m.]

Application of UPMC Bedford Memorial for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC Bedford Memorial has requested an exception to the requirements of 28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period as set forth in 28 Pa. Code § 51.33(c) (relating to request for exemptions).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously

listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-701. Filed for public inspection April 20, 2007, 9:00 a.m.]

Application of UPMC McKeesport for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC McKeesport has requested an exception to the requirements of 28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period as set forth in 28 Pa. Code § 51.33(c) (relating to request for exemption).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-702. Filed for public inspection April 20, 2007, 9:00 a.m.]

Application of Valley Surgical Center, Inc. for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Valley Surgical Center, Inc. has requested an exception to the requirements of 28 Pa. Code §§ 551.3 and 555.31(a) (relating to definitions; and license).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation

to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-703. Filed for public inspection April 20, 2007, 9:00 a.m.]

Integrated Human Immunodeficiency Virus (HIV) Planning Council; Public Meeting

The Statewide Integrated HIV Planning Council, established by the Department of Health under sections 301(a) and 317(b) of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247(b)), will hold a public meeting on Tuesday, May 8, 2007, from 9 a.m. to 2 p.m. at the Harrisburg Holiday Inn West, 5401 Carlisle Pike, Mechanicsburg, PA 17050.

For additional information, contact Joseph Pease, Department of Health, Bureau of Communicable Diseases, Room 1010, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-0572.

Persons with a disability who desire to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Joseph Pease at the previous number or at V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

The Department reserves the right to cancel this meeting without prior notice.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-704. Filed for public inspection April 20, 2007, 9:00 a.m.]

Laboratories Approved to Determine Analyses of Blood and/or Serum for Controlled Substances

The following laboratories are licensed by the Department of Health under the Clinical Laboratory Act (35 P. S. §§ 2151—2165) and/or the Federal Clinical Laboratory Improvement Act of 1967 (42 U.S.C.A. § 263a) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood and/or serum for the determination of controlled substances. This approval is based on demonstrated proficiency in tests conducted by the Bureau of Laboratories of the Department of Health (Department). These laboratories are also approved and designated for purposes of 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), 30 Pa.C.S. § 5125 (relating to chemical test to determine amount of alcohol controlled substance) and 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in blood and/or serum.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory analyses on blood and/or serum. Laboratories approved to perform screening analyses are designated on the approval list by an "S" followed by the letters "B" for blood and/or "Se" for serum. Laboratories approved to screen both blood and serum would therefore have "SBS" listed after their laboratory name. Laboratories approved to offer confirmatory analyses will be designated on the approval list by a "C" followed by the letters "B" for blood and/or "Se" for serum. Laboratories approved to perform confirmatory analyses on both serum and blood would therefore have "CBS" listed after the name of their laboratory.

Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic blood and/or serum analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the medicolegal purposes. They should also determine that the director of the facility is agreeable to performing analyses for forensic purposes. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The name of a laboratory is sometimes changed but the location, personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name of the facility changed, the Clinical Laboratory Permit numbers of the facilities are included in the lists of approved laboratories above the name of the laboratory at the time the list was prepared.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to M. Jeffery Shoemaker, Ph.D., Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

000671
ALLEG CNTY CORONERS DIV OF LABS—SBS, CBS
542 FORBES AVENUE
ROOM 10 COUNTY OFFICE BUILDING
PITTSBURGH, PA 15219
(412) 350-6873

000452
ANALYTIC BIO-CHEMISTRIES INC.—SBS, CBS
1680-D LORETTA AVENUE
FEASTERVILLE, PA 19053
(215) 322-9210

000266
DEPARTMENT OF PATHOLOGY & LAB MED-HUP—
SSe, CSe
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
(215) 662-6882

000977
DRUGSCAN INC.—SBS_e, CBS_e
1119 MEARN'S RD, PO BOX 2969
WARMINSTER, PA 18974
(215) 674-9310

000654
GUTHRIE CLINIC PATH LAB—SSe
GUTHRIE SQUARE
SAYRE, PA 18840
(570) 888-5858

024655
HEALTH NETWORK LABORATORIES—SBS_e, CBS_e
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
(610) 402-8150

020512
LABCORP OCCUPATIONAL TESTING SER—SBS_e,
CBS_e
1904 ALEXANDER DRIVE
P.O. BOX 12652
RESRCH TRNGL PARK, NC 27709
(919) 572-7465

009003
MAYO CLINIC DEPT LAB MED & PATH—SBS_e, CSe
200 FIRST STREET
SW HILTON 530
ROCHESTER, MN 55905
(507) 284-3018

005574
MEDTOX LABORATORIES INC.—SBS_e, CBS_e
402 WEST COUNTY ROAD D
ST. PAUL, MN 55112
(651) 636-7466

000504
NATIONAL MED SVCS INC/DBA NMS LABS—SBS_e,
CBS_e
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 657-4900

029741
NORTHERN TIER RESEARCH—SBS_e, CBS_e
1300 OLD PLANK ROAD
MAYFIELD, PA 18433
(570) 351-6153

000520
PITTSBURGH CRIMINALISTICS LABORATORY—SBS_e,
CBS_e
1320 FIFTH AVENUE
PITTSBURGH, PA 15219
(412) 391-6118

001136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SBS_e,
CBS_e
14225 NEWBROOK DRIVE
P. O. BOX 10841
CHANTILLY, VA 20153-0841
(703) 802-6900

000482
QUEST DIAGNOSTICS OF PA INC.—SBS_e, CBS_e
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

025461
QUEST DIAGNOSTICS VENTURE LLC—SBS_e, CBS_e
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7631

000151
ST JOSEPH QUALITY MEDICAL LAB—SBS_e, CBS_e
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

007731
WESTERN RESERVE CARE SYSTEM—SSe, CSe
500 GYPSY LANE
YOUNGSTOWN, OH 44501
(330) 884-3767

000018
WVHCS HOSP DBA PENNANT LABORATORY—SSe
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

000141
YORK HOSPITAL—SSe
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-705. Filed for public inspection April 20, 2007, 9:00 a.m.]

Laboratories Approved to Determine Urine Controlled Substance Content

The following laboratories are licensed by the Department of Health under the Clinical Laboratory Act (35 P. S. §§ 2151—2165) and/or the Federal Clinical Laboratory Improvement Act of 1967 (42 U.S.C.A. § 263a) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of urine for the determination of controlled substances or their biotransformation products. This approval is based on demonstrated proficiency in tests conducted by the Bureau of Laboratories of the Department of Health (Department). These laboratories are also approved and designated for purposes of 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; reports by emergency room personnel), 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in urine.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform

screening and/or confirmatory urine drug analyses. Laboratories approved to perform screening tests only are designated on the approval list by an "S" after the laboratory's name. Laboratories approved to perform confirmatory testing only are designated by a "C" following the laboratory's name. Those approved to perform both screening and confirmatory analyses are designated by the letters "SC." Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic urine drug analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the purpose. They should also determine that the director of the facility is agreeable to performing analyses for that purpose. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. The name of a laboratory is sometimes changed but the location, personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name of the facility changed, the Clinical Laboratory Permit numbers of the facilities are included in the lists of approved laboratories above the name of the laboratory at the time the list was prepared.

Questions regarding this list should be directed to M. Jeffery Shoemaker, Ph.D., Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

000212
ABINGTON MEMORIAL HOSPITAL—S
1200 OLD YORK ROAD
ABINGTON, PA 19001
(215) 576-2350

027908
ACM MEDICAL LABORATORY—SC
160 ELMGROVE PARK
ROCHESTER, NY 14624
(716) 429-2264

027180
ADVANCED TOXICOLOGY NETWORK—SC
3560 AIR CENTER COVE SUITE 101
MEMPHIS, TN 38118
(901) 794-5770

000233
ALBERT EINSTEIN MEDICAL CENTER—S
5501 OLD YORK ROAD
PHILADELPHIA, PA 19141
(215) 456-6100

000040
ALIQUIPPA COMMUNITY HOSPITAL LABORA-
TORY—S
2500 HOSPITAL DRIVE
PATHOLOGY DEPT
ALIQUIPPA, PA 15001
(724) 857-1240

000116
ALLE KISKI MED CNTR NEW KENSINGTON—S
651 FOURTH AVENUE
NEW KENSINGTON, PA 15068
(724) 337-5031

000671
ALLEG CNTY CORONERS DIV OF LABS—S
542 FORBES AVENUE
ROOM 10 COUNTY OFFICE BUILDING
PITTSBURGH, PA 15219
(412) 350-6873

000094
ALLEGHENY GEN HOSP SUBURBAN CAMPUS
LAB—S
100 SOUTH JACKSON AVENUE
BELLEVUE, PA 15202
(412) 734-6020

028233
ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S
320 E NORTH AVENUE
PITTSBURGH, PA 15212
(412) 359-6886

000077
ALLEGHENY GENERAL HOSPITAL—S
1307 FEDERAL STREET
PITTSBURGH, PA 15212
(412) 359-3521

000100
ALLEGHENY VALLEY HOSPITAL LAB—S
1300 CARLISLE ST
NATRONA HEIGHTS, PA 15065
(724) 224-5100

000120
ALTOONA REGIONAL HEALTH SYMBON SECOURS
CAMPUS—S
2500 SEVENTH AVENUE
ALTOONA, PA 16602-2099
(814) 949-4495

000119
ALTOONA REGIONAL HEALTH SYSTEM LAB—S
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
(814) 946-2340

026620
AMMON ANALYTICAL LABORATORY—SC
1622 SOUTH WOOD AVENUE
LINDEN, NJ 07036
(908) 862-4404

000452
ANALYTIC BIO-CHEMISTRIES INC—SC
1680-D LORETTA AVENUE
FEASTERVILLE, PA 19053
(215) 322-9210

000047
ASSOCIATED CLINICAL LABORATORIES—SC
1526 PEACH STREET
ERIE, PA 16501
(814) 461-2400

- 000320
BARNES KASSON HOSPITAL LAB—S
400 TURNPIKE STREET
SUSQUEHANNA, PA 18847
(570) 853-3135
- 021553
BENDINER & SCHLESINGER INC—SC
140 58TH STREET, SUITE 8D
BROOKLYN, NY 11220
(212) 254-2300
- 027615
BIOLOGICAL SPECIALTY CORPORATION—S
2165 NORTH LINE STREET
COLMAR, PA 18915
(215) 997-8771
- 027616
BIOLOGICAL SPECIALTY CORPORATION—S
1236 NEW RODGERS RD #851
BRISTOL, PA 19007
(215) 245-9855
- 027617
BIOLOGICAL SPECIALTY CORPORATION—S
22 SOUTH 4TH STREET
READING, PA 19602
(610) 375-9862
- 022757
BIOREFERENCE LABORATORIES INC—SC
481B EDWARD H ROSS DRIVE
ELMWOOD PARK, NJ 07407
(201) 791-3600
- 000002
BLOOMSBURG HOSPITAL—S
549 E FAIR STREET
BLOOMSBURG, PA 17815
(570) 387-2124
- 000033
BRADFORD REGIONAL MEDICAL CENTER—S
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
(814) 362-8247
- 000296
BRANDYWINE HOSPITAL—S
201 REECEVILLE ROAD, ATTN: LABORATORY
COATESVILLE, PA 19320
(610) 383-8000
- 000472
BROOKSIDE CLINICAL LAB INC—S
4000 EDMONT AVENUE
BROOKHAVEN, PA 19015
(610) 872-6466
- 000301
BUTLER MEMORIAL HOSPITAL—S
911 EAST BRADY STREET
BUTLER, PA 16001
(724) 284-4510
- 029116
CALLOWAY DRUG TESTING LABORATORIES INC—S
34 COMMERCE WAY
WOBURN, MA 01801
(781) 224-9899
- 000107
CANONSBURG GENERAL HOSPITAL—S
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
(724) 745-3916
- 000131
CARLISLE REGIONAL MEDICAL CENTER—S
361 ALEXANDER SPRING ROAD
CARLISLE, PA 17015-9129
(717) 249-1212
- 000751
CEDAR CREST EMERGICENTER—S
1101 SOUTH CEDAR CREST BOULEVARD
ALLEN TOWN, PA 18103
(610) 433-4260
- 000215
CENTRAL MONTGOMERY MEDICAL CENTER—S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
(215) 368-2100
- 000132
CHAMBERSBURG HOSPITAL DEPT OF PATHOL-
OGY—S
112 NORTH SEVENTH STREET
CHAMBERSBURG, PA 17201
(717) 267-7153
- 000310
CHARLES COLE MEMORIAL HOSPITAL—S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
(814) 274-9300
- 000198
CHESTER COUNTY HOSPITAL—S
701 E MARSHALL ST
WEST CHESTER, PA 19380
(610) 431-5182
- 000227
CHESTNUT HILL HOSPITAL—S
8835 GERMANTOWN AVENUE
DEPT OF PATHOLOGY
PHILADELPHIA, PA 19118
(215) 248-8630
- 000228
CHILDRENS HOSP OF PHILADELPHIA—S
ONE CHILDREN'S CENTER 34TH & CIVIC
PHILADELPHIA, PA 19104
(215) 590-1000
- 000329
CLARION HOSPITAL—S
1 HOSPITAL DRIVE
CLARION, PA 16214
(814) 226-9500
- 024916
CLINICAL SCIENCE LABORATORY INC—SC
51 FRANCIS AVENUE
MANSFIELD, MA 02048
(508) 339-6106
- 000005
COMMUNITY MEDICAL CENTER—S
1800 MULBERRY STREET
SCRANTON, PA 18510
(570) 969-8000
- 000125
CONEMAUGH VALLEY MEMORIAL HOSP—S
LABORATORY DEPT
1086 FRANKLIN STREET
JOHNSTOWN, PA 15904
(814) 534-9000

025256
CORPORATE HEALTH SERVICES—S
295 NORTH KERRWOOD DRIVE
SUITE 104
HERMITAGE, PA 16148
(724) 346-6425

000326
CORRY MEMORIAL HOSPITAL—S
612 WEST SMITH STREET
CORRY, PA 16407
(814) 664-4641

000201
CROZER CHESTER MED CENTER—S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
(610) 447-2000

000363
DE JOHN MED LABORATORY INC—S
1570 GARRETT ROAD
UPPER DARBY, PA 19082
(610) 626-2112

000204
DELAWARE COUNTY MEMORIAL HOSP—S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
(610) 284-8100

000266
DEPT OF PATHOLOGY & LAB MED-HUP—SC
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
(215) 662-6882

028893
DOMINION DIAGNOSTICS LLC—SC
211 CIRCUIT DRIVE
NORTH KINGSTOWN, RI 02852
(401) 667-0800

000194
DOYLESTOWN HOSPITAL—S
595 WEST STATE STREET
DOYLESTOWN, PA 18901
(215) 345-2250

000977
DRUGSCAN INC—SC
1119 MEARNES RD, P. O. BOX 2969
WARMINSTER, PA 18974
(215) 674-9310

000175
EASTON HOSPITAL—S
250 SOUTH 21ST ST
EASTON, PA 18042-3892
(610) 250-4140

000332
ELLWOOD CITY HOSPITAL—S
724 PERSHING ST.
ELLWOOD CITY, PA 16117
(724) 752-0081

000164
EPRHATA COMMUNITY HOSPITAL—S
169 MARTIN AVE.
P. O. BOX 1002
EPRHATA, PA 17522
(717) 733-0311

000031
ERHC RIDGWAY LABORATORY—S
94 HOSPITAL STREET
RIDGWAY, PA 15853
(814) 788-8525

000032
ERHC ST MARYS LABORATORY—S
763 JOHNSONBURG RD.
SAINT MARYS, PA 15857
(814) 788-8525

000181
EVANGELICAL COMMUNITY HOSPITAL—S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
(570) 522-2510

021431
FITNESS FOR DUTY CENTER—S
PPL SUSQUEHANNA LLC
769 SALEM BLVD.
BERWICK, PA 18603
(570) 542-3336

000192
FRANKFORD HOSP BUCKS CO CAMPUS—S
380 NORTH OXFORD VALLEY ROAD
LANGHORNE, PA 19047-8304
(215) 934-5227

000341
FRANKFORD HOSP TC LAB—S
RED LION & KNIGHTS ROADS
ATTN P FARANO MD
PHILADELPHIA, PA 19114
(215) 612-4000

000236
FRANKFORD HOSPITAL FRANK DIV—S
FRANKFORD AVENUE AND WAKELING ST,
PHILADELPHIA, PA 19124
(215) 831-2068

000115
FRICK HOSPITAL—S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
(724) 547-1500

020644
FRIENDS HOSPITAL—S
4641 ROOSEVELT BOULEVARD
PHILADELPHIA, PA 19124-2399
(215) 831-4600

009163
FRIENDS MEDICAL LAB INC—SC
5820 SOUTHWESTERN BLVD.
BALTIMORE, MD 21227
(412) 247-4417

000330
FULTON COUNTY MEDICAL CENTER—S
216 SOUTH FIRST STREET
MCCONNELLSBURG, PA 17233
(717) 485-3155

000173
GEISINGER MEDICAL CENTER—SC
N. ACADEMY RD.
DANVILLE, PA 17822
(570) 271-6338

- 000017
GEISINGER SOUTH WILKES-BARRE HOSPITAL—S
25 CHURCH STREET
WILKES-BARRE, PA 18765
(570) 826-3100
- 000019
GEISINGER WYOMING VALLEY MED CTR—S
1000 E MOUNTAIN DRIVE
WILKES-BARRE, PA 18711
(570) 826-7830
- 000237
GERMANTOWN COMM HLTH WILLOW TERR—S
ONE PENN BOULEVARD
PHILADELPHIA, PA 19144
(215) 951-8800
- 026799
GHHA OCCUPATIONAL HEALTH CENTER LAB—S
1000 ALLIANCE DRIVE
HAZLETON, PA 18202
(570) 459-1028
- 000152
GNADEN HUETTEN MEMORIAL HOSP—S
211 NORTH 12TH STREET
LEHIGHTON, PA 18235
(610) 377-7083
- 000299
GOOD SAMARITAN HOSPITAL—S
4TH & WALNUT STS.
P. O. BOX 1281
LEBANON, PA 17042-1218
(717) 270-7500
- 000182
GOOD SAMARITAN REGIONAL MED CTR—S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
(570) 621-4032
- 025957
GRAHAM-MASSEY ANALYTICAL LABS—SC
60 TODD ROAD
SHELTON, CT 06484
(203) 926-1100
- 000061
GROVE CITY MEDICAL CENTER—S
631 NORTH BROAD STREET EXT
GROVE CITY, PA 16127
(724) 450-7125
- 000654
GUTHRIE CLINIC PATH LAB—S
GUTHRIE SQUARE
SAYRE, PA 18840
(570) 888-5858
- 000239
HAHNEMANN UNIVERSITY HOSPITAL—S
BROAD & VINE STS.
MS 113
PHILADELPHIA, PA 19102
(215) 762-1783
- 000139
HANOVER HOSPITAL LABORATORY—S
300 HIGHLAND AVENUE
HANOVER, PA 17331
(717) 637-3711
- 000155
HARRISBURG HOSPITAL LABORATORY—S
MEDICAL SCIENCES BUILDING
100 2ND STREET
HARRISBURG, PA 17105
(570) 782-2832
- 000010
HAZLETON GENERAL HOSPITAL—S
700 EAST BROAD
HAZLETON, PA 18201
(570) 501-4152
- 000169
HEALTH NETWORK LABORATORIES—S
1627 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 402-2236
- 000549
HEALTH NETWORK LABORATORIES—S
1200 SOUTH CEDAR CREST BLVD
ALLENTOWN, PA 18103
(610) 402-8150
- 000600
HEALTH NETWORK LABORATORIES—S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
(484) 884-2259
- 024655
HEALTH NETWORK LABORATORIES—SC
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
(610) 402-8150
- 000166
HEART OF LANCASTER REGIONAL MEDICAL
CENTER—S
1500 HIGHLANDS DRIVE
LITITZ, PA 17543
(717) 625-5605
- 000103
HIGHLANDS HOSPITAL—S
401 EAST MURPHY AVENUE
CONNELLSVILLE, PA 15425
(724) 628-1500
- 000216
HOLY REDEEMER HOSPITAL—S
1648 HUNTINGDON PIKE
MEADOWBROOK, PA 19046
(215) 947-3000
- 000130
HOLY SPIRIT HOSPITAL—SC
503 N 21ST STREET
CAMP HILL, PA 17011-2288
(717) 763-2206
- 000052
INDIANA REGIONAL MEDICAL CENTER—S
HOSPITAL ROAD P. O. BOX 788
INDIANA, PA 15701-0788
(724) 357-7167
- 022201
INTERNATIONAL MEDICAL SYSTEMS—S
1430 DEKALB STREET
MONT CO DEPT OF HEALTH LABS
NORRISTOWN, PA 19404
(610) 292-0613

000135
J C BLAIR MEMORIAL HOSPITAL—S
1225 WARM SPRINGS AVENUE
HUNTINGDON, PA 16652
(814) 643-8645

000054
JAMESON MEMORIAL HOSPITAL—S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
(724) 656-4080

000240
JEANES HOSPITAL—S
7600 CENTRAL AVENUE
PHILADELPHIA, PA 19111
(215) 728-2347

000038
JEFFERSON REGIONAL MED CTR—S
565 COAL VALLEY ROAD
BIBRO BLDG 4TH FLOOR
PITTSBURGH, PA 15236
(412) 469-5723

000200
JENNERSVILLE REGIONAL HOSPITAL—S
1015 WEST BALTIMORE PIKE
WEST GROVE, PA 19390
(610) 869-1080

000312
JERSEY SHORE HOSPITAL—S
1020 THOMPSON STREET
JERSEY SHORE, PA 17740
(570) 398-0100

000532
KENSINGTON HOSPITAL—S
136 WEST DIAMOND STREET
PHILADELPHIA, PA 19122
(215) 426-8100

026008
KROLL LABORATORY SPECIALISTS—SC
1111 NEWTON STREET
GRETNA, LA 70053
(504) 361-8989

021306
LAB CORP OCCUPATIONAL TEST SRVCS—SC
1120 STATELINE ROAD WEST
SOUTHAVEN, MS 38671
(866) 827-8042

020512
LABCORP OCCUPATIONAL TESTING SER—SC
1904 ALEXANDER DRIVE
P. O. BOX 12652
RESRCH TRNGL PARK, NC 27709
(919) 572-7465

001088
LABCORP OF AMERICA HOLDINGS—SC
69 FIRST AVENUE, P. O. BOX 500
RARITAN, NJ 08869
(908) 526-2400

000165
LANCASTER GENERAL HOSPITAL—S
555 N DUKE STREET
P. O. BOX 3555
LANCASTER, PA 17604
(717) 299-5511

000167
LANCASTER REGIONAL MED CENTER—S
250 COLLEGE AVENUE
P. O. BOX 3434
LANCASTER, PA 17604
(717) 291-8022

000114
LATROBE AREA HOSPITAL—S
121 W SECOND AVENUE
LATROBE, PA 15650
(724) 537-1550

000138
LEWISTOWN HOSPITAL—S
400 HIGHLAND AVENUE
LEWISTOWN, PA 17044
(717) 248-5411

000030
LOCK HAVEN HOSPITAL—S
24 CREE DRIVE
LOCK HAVEN, PA 17745
(570) 893-5000

000639
MAGEE-WOMENS HOSPITAL OF UPMC HEALTH
SYSTEM—S
300 HALKET STREET
PITTSBURGH, PA 15213
(412) 647-4651

000242
MAIN LINE CLIN LABS LANKENAU CP—S
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
(610) 645-2615

000199
MAIN LINE CLIN LABS PAOLI MEM CP—S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
(610) 648-1000

000213
MAIN LINE HOSPITAL BRYN MAWR—S
130 BRYN MAWR AVENUE
BRYN MAWR, PA 19010
(610) 526-3554

000004
MARIAN COMMUNITY HOSPITAL—S
100 LINCOLN AVENUE
CARBONDALE, PA 18407
(717) 281-1042

027684
MARWORTH—S
BOX 36 LILLY LAKE ROAD
WAVERLY, PA 18471
(570) 563-1112

009003
MAYO CLINIC DEPT LAB MED & PATH—SC
200 FIRST STREET
SW HILTON 530
ROCHESTER, MN 55905
(507) 284-3018

000049
MEADVILLE MED CTR-LIBERTY ST—S
751 LIBERTY STREET
MEADVILLE, PA 16335
(814) 336-5000

- 005574
MEDTOX LABORATORIES INC—SC
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
(651) 636-7466
- 000023
MEMORIAL HOSPITAL LAB—S
1 HOSPITAL DRIVE
TOWANDA, PA 18848
(570) 265-2191
- 000203
MERCY FITZGERALD HOSPITAL—S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 237-4262
- 000247
MERCY HEALTH LAB/MHOP—S
501 S 54TH STREET
PHILADELPHIA, PA 19143
(215) 748-9181
- 000219
MERCY HEALTH LAB/MSH—S
2701 DEKALB PIKE
NORRISTOWN, PA 19401
(610) 278-2090
- 000336
MERCY HEALTH PARTNERS—S
746 JEFFERSON AVENUE
SCRANTON, PA 18510
(570) 348-7100
- 000082
MERCY HOSPITAL OF PITTSBURGH—S
1400 LOCUST STREET
PITTSBURGH, PA 15219
(412) 232-7831
- 000113
MERCY JEANNETTE HOSPITAL—S
600 JEFFERSON AVENUE
JEANNETTE, PA 15644
(724) 527-9330
- 028436
METHODIST HOSP DIV TJUH INC ER LAB—S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
(215) 952-9055
- 000245
METHODIST HOSP DIVISION/TJUH INC—S
1900 S BROAD STREET
PHILADELPHIA, PA 19145
(215) 952-9059
- 000128
MINERS MEDICAL CENTER—S
290 HAIDA AVENUE
P. O. BOX 689
HASTINGS, PA 16646
(814) 247-3100
- 028907
MIRMONT TREATMENT CENTER—S
100 YEARSLEY MILL ROAD
LIMA, PA 19063
(610) 744-1400
- 000108
MONONGAHELA VALLEY HOSPITAL INC—S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
(724) 258-1021
- 000217
MONTGOMERY HOSPITAL LAB—S
POWELL & FORNANCE STS
NORRISTOWN, PA 19401
(610) 270-2173
- 000214
MOSS REHAB EINSTEIN AT ELKINS PARK—S
60 EAST TOWNSHIP LINE ROAD
ELKINS PARK, PA 19027
(215) 663-6102
- 000025
MOUNT NITTANY MEDICAL CENTER—S
1800 PARK AVENUE
STATE COLLEGE, PA 16803
(814) 234-6117
- 000035
MUNCY VALLEY HOSPITAL—S
215 EAST WATER ST
MUNCY, PA 17756
(570) 546-8282
- 000304
NASON HOSPITAL—S
NASON DRIVE
ROARING SPRING, PA 16673
(814) 224-6215
- 000504
NATIONAL MED SVCS INC/DBA NMS LABS—SC
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 657-4900
- 000248
NAZARETH HOSPITAL—S
2601 HOLME AVENUE
PHILADELPHIA, PA 19152
(215) 335-6245
- 027246
NORCHEM DRUG TESTING LABORATORY—SC
1760 EAST ROUTE 66, SUITE 1
FLAGSTAFF, AZ 86004
(928) 526-1011
- 029741
NORTHERN TIER RESEARCH—SC
1300 OLD PLANK ROAD
MAYFIELD, PA 18433
(570) 351-6153
- 000099
OHIO VALLEY GENERAL HOSPITAL—S
25 HECKEL RD
MCKEES ROCKS, PA 15136
(412) 777-6161
- 000250
PARKWAY CLINICAL LABORATORIES—S
3494 D PROGRESS DRIVE
BENSALEM, PA 19020
(215) 245-5112
- 000258
PENN PRESBYTERIAN MEDICAL CENTER—S
51 NORTH 39TH ST
DEPT OF PATH & LAB 5TH FL RM 530
PHILADELPHIA, PA 19104-2640
(215) 662-3435

000316
 PENN STATE MILTON S HERSHEY MED CTR—S
 500 UNIVERSITY DRIVE
 DEPT OF PATHOLOGY & LAB MEDICINE
 HERSHEY, PA 17033
 (717) 531-8353

022533
 PENNSYLVANIA DEPT OF HEALTH—SC
 110 PICKERING WAY
 LIONVILLE, PA 19353
 (610) 280-3464

000251
 PENNSYLVANIA HOSP OF THE UNIV OF PA HLTH—S
 800 SPRUCE STREETS
 PHILADELPHIA, PA 19107
 (215) 829-3541

000197
 PHOENIXVILLE HOSPITAL LABORATORY—S
 140 NUTT ROAD
 DEPT OF PATHOLOGY
 PHOENIXVILLE, PA 19460-0809
 (610) 983-1612

000157
 PINNACLEHLTH/COMM GEN OSTEO HOSP—S
 4300 LONDONDERRY RD P. O. BOX 3000
 HARRISBURG, PA 17109
 (717) 657-7214

000520
 PITTSBURGH CRIMINALISTICS LABORATORY—SC
 1320 FIFTH AVENUE
 PITTSBURGH, PA 15219
 (412) 391-6118

000022
 POCONO MEDICAL CENTER LAB—S
 206 EAST BROWN STREET
 EAST STROUDSBURG, PA 18301
 (570) 476-3544

000221
 POTTSTOWN HOSPITAL COMPANY, LLC—S
 1600 EAST HIGH STREET
 POTTSTOWN, PA 19464
 (610) 327-7000

000183
 POTTSVILLE HOSP AND WARNE CLINIC—S
 420 SOUTH JACKSON STREET
 POTTSVILLE, PA 17901
 (570) 621-5262

000516
 PRINCETON BIOMEDICAL LABS INC—S
 2921 NEW RODGERS ROAD
 BRISTOL, PA 19007
 (215) 785-5200

021648
 PSYCHEMEDICS CORPORATION—SC
 5832 UPLANDER WAY
 CULVER CITY, CA 90230
 (800) 522-7424

000300
 PUNXSUTAWNEY AREA HOSPITAL—S
 81 HILLCREST DRIVE
 PUNXSUTAWNEY, PA 15767
 (814) 938-4500

022715
 QUEST DIAGNOSTICS—SC
 10101 RENNER BOULEVARD
 LENEXA, KS 66219-9752
 (913) 888-1770

028675
 QUEST DIAGNOSTICS—SC
 506 E STATE PKWY
 SCHAUMBURG, IL 60173
 (847) 885-2010

000315
 QUEST DIAGNOSTICS CLINICAL LABS INC—S
 900 BUSINESS CENTER DRIVE
 HORSHAM, PA 19044
 (215) 957-9300

027461
 QUEST DIAGNOSTICS INC—SC
 400 EGYPT ROAD
 NORRISTOWN, PA 19403
 (610) 631-4219

001136
 QUEST DIAGNOSTICS NICHOLS INSTITUTE—SC
 14225 NEWBROOK DRIVE
 P. O. BOX 10841
 CHANTILLY, VA 20153-0841
 (703) 802-6900

000482
 QUEST DIAGNOSTICS OF PA INC—SC
 875 GREENTREE ROAD
 4 PARKWAY CENTER
 PITTSBURGH, PA 15220-3610
 (412) 920-7600

025461
 QUEST DIAGNOSTICS VENTURE LLC—SC
 875 GREENTREE ROAD
 4 PARKWAY CENTER
 PITTSBURGH, PA 15220-3610
 (412) 920-7631

024249
 QUINTILES LABORATORIES LTD—SC
 5500 HIGHLANDS PARKWAY SUITE 600
 SMYRNA, GA 30082
 (770) 434-8492

000150
 READING HOSPITAL & MED CTR—S
 6TH AND SPRUCE STREETS
 WEST READING, PA 19611
 (610) 988-8080

025348
 REDWOOD TOXICOLOGY LABORATORY—SC
 3650 WESTWIND BOULEVARD
 SANTA ROSA, CA 95403
 (707) 577-7958

000206
 RIDDLE MEMORIAL HOSPITAL—S
 BALTIMORE PIKE HIGHWAY 1
 MEDIA, PA 19063
 (610) 566-9400

000243
 ROXBOROUGH MEMORIAL HOSPITAL—S
 5800 RIDGE AVENUE
 PHILADELPHIA, PA 19128
 (215) 487-4394

000171
SACRED HEART HOSPITAL—S
4TH AND CHEW STS.
ALLENTOWN, PA 18102
(610) 776-4727

000087
SAINT CLAIR MEMORIAL HOSPITAL—S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
(412) 561-4900

000174
SAINT LUKES HOSPITAL—S
801 OSTRUM STREET
BETHLEHEM, PA 18015
(610) 954-4558

000328
SAINT MARY MEDICAL CENTER—S
LANGHORNE - NEWTOWN RD.
LANGHORNE, PA 19047
(215) 710-2162

029838
SAN DIEGO REFERENCE LABORATORY—SC
6122 NANCY RIDGE DRIVE
SAN DIEGO, CA 92121
(800) 677-7995

024496
SCIENTIFIC TESTING LABS INC—SC
450 SOUTHLAKE BOULEVARD
RICHMOND, VA 23236
(804) 378-9130

028471
SECON A DIVISION OF CIVIGENICS—S
260 LA RUE FRANCE
LAFAYETTE, LA 70508
(337) 291-9501

029038
SECON OF NEW ENGLAND—SC
415 MAIN STREET
4TH FLOOR
WORCESTER, MA 01608
(508) 831-0703

000101
SEWICKLEY VALLEY HOSPITAL LAB—S
BLACKBURN RD & FITCH DRIVE
SEWICKLEY, PA 15143
(412) 741-6600

000064
SHARON REGIONAL HEALTH SYSTEM—S
740 EAST STATE STREET
SHARON, PA 16146
(724) 983-3911

027649
SMA MEDICAL LABORATORIES—S
940 PENNSYLVANIA BOULEVARD UNIT E
UPPER HOLLAND, PA 19053
(215) 322-6590

000039
SOLDIERS & SAILORS MEM HOSP—S
CENTRAL AVENUE
WELLSBORO, PA 16901
(570) 723-0133

000297
SOMERSET HOSPITAL CENTER FOR HEALTH—S
225 S CENTER AVENUE
SOMERSET, PA 15501
(814) 443-5000

022376
SPECIALTY LABORATORIES INC—S
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543

000361
ST CATHERINE MED CTR-FOUNTAIN SPRINGS—S
101 BROAD STREET
ASHLAND, PA 17921
(570) 875-5988

000260
ST CHRISTOPHERS HOSP FOR CHILDREN—S
ERIE AVENUE AT FRONT STREET
PHILADELPHIA, PA 19134
(215) 427-5337

000151
ST JOSEPH QUALITY MEDICAL LAB—SC
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

000261
ST JOSEPH'S HOSPITAL-DIV NPHS—S
16TH ST & GIRARD AVENUE
PHILADELPHIA, PA 19130
(215) 787-9000

000318
ST LUKES HOSP ALLENTOWN CAMPUS—S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
(610) 770-8300

000180
ST LUKES MINERS MEMORIAL HOSPITAL—S
360 WEST RUDDLE STREET
P. O. BOX 67
COALDALE, PA 18218
(570) 645-2131

029015
STERLING REFERENCE LABORATORIES—SC
624 MARTIN LUTHER KING JR WAY
TACOMA, WA 98405
(253) 552-1551

000187
SUNBURY COMMUNITY HOSPITAL—S
350 NORTH 11TH STREET
SUNBURY, PA 17801
(570) 286-3333

000207
TAYLOR HOSPITAL DIV OF CCMC—S
175 EAST CHESTER PIKE
RIDLEY PARK, PA 19078
(610) 595-6450

024997
TECHNOW INC—SC
31 INDUSTRIAL HIGHWAY
ESSINGTON, PA 19029
(610) 362-0610

000249
TEMPLE EAST INC NE—S
2301 EAST ALLEGHENY AVENUE
PHILADELPHIA, PA 19134
(215) 291-3671

000193
TEMPLE LOWER BUCKS HOSPITAL LAB—S
501 BATH ROAD
BRISTOL, PA 19007
(215) 785-9300

- 000235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
(215) 707-0977
- 000265
TEMPLE UNIVERSITY HOSPITAL—S
3401 N BROAD ST
PHILADELPHIA, PA 19140
(215) 707-4353
- 000205
THE MEDICAL CENTER BEAVER PA—S
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009-9700
(724) 728-7000
- 000104
THE UNIONTOWN HOSPITAL LABORATORY—S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
(724)430-5143
- 000085
THE WESTERN PA HOSP-FORBES REGIONAL
CAMPUS—S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
(412) 858-2560
- 000241
THOMAS JEFFERSON UNIVERSITY HOSP—S
125 SOUTH 11TH STREET
204 PAVILION
PHILADELPHIA, PA 19107
(215) 955-6374
- 000051
TITUSVILLE AREA HOSPITAL—S
406 WEST OAK STREET
TITUSVILLE, PA 16354
(814) 827-1851
- 000313
TYLER MEMORIAL HOSPITAL—S
880 SR 6 W
TUNKHANNOCK, PA 18657-6149
(570) 836-4705
- 000121
UPMC BEDFORD MEMORIAL—S
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
(814) 623-3506
- 000096
UPMC BRADDOCK—S
400 HOLLAND AVENUE
BRADDOCK, PA 15104
(412) 636-5291
- 000059
UPMC HORIZON GREENVILLE—S
110 NORTH MAIN STREET
GREENVILLE, PA 16125
(724) 588-2100
- 000057
UPMC HORIZON SHENANGO—S
2200 MEMORIAL DRIVE
FARRELL, PA 16121
(724) 981-3500
- 000098
UPMC MCKEESPORT LABORATORY—S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
(412) 664-2233
- 000058
UPMC NORTHWEST—S
100 FAIRFIELD DRIVE
SENECA, PA 16346
(814) 676-7120
- 005784
UPMC PASSAVANT LABORATORY CRANBERRY—S
ONE ST FRANCIS WAY
CRANBERRY TOWNSHIP, PA 16066
(724) 772-5370
- 000083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—SC
ROOM 5929 MAIN TOWER CHP
200 LOTHROP STREET
PITTSBURGH, PA 15213-2582
(412) 648-6000
- 000091
UPMC SAINT MARGARET HOSPITAL—S
815 FREEPORT ROAD
PITTSBURGH, PA 15215
(412) 784-4000
- 000092
UPMC SHADYSIDE—S
5230 CENTRE AVENUE
GROUND FLOOR WEST WING
PITTSBURGH, PA 15232
(412) 623-5950
- 000093
UPMC SOUTH SIDE—S
2000 MARY STREET
PITTSBURGH, PA 15203
(412) 488-5731
- 027225
US DRUG TESTING LABORATORIES INC—SC
1700 SOUTH MOUNT PROSPECT ROAD
DES PLAINES, IL 60018
(847) 375-0770
- 000335
VALLEY FORGE MED CTR & HOSP—S
1033 W GERMANTOWN PIKE
NORRISTOWN, PA 19403
(610) 539-8500
- 000622
WARMINSTER HOSPITAL—S
225 NEWTOWN ROAD
WARMINSTER, PA 18974
(215) 441-6700
- 000066
WARREN GENERAL HOSPITAL—S
2 CRESCENT PARK
WARREN, PA 16365
(814) 723-3300
- 000133
WAYNESBORO HOSPITAL—S
501 E MAIN STREET
WAYNESBORO, PA 17268
(717) 765-3403

000095
WESTERN PENNSYLVANIA HOSPITAL—S
4800 FRIENDSHIP AVENUE
PITTSBURGH, PA 15224
(412) 578-5779

007731
WESTERN RESERVE CARE SYSTEM—SC
500 GYPSY LANE
YOUNGSTOWN, OH 44501
(330) 884-3767

000112
WESTMORELAND REGIONAL HOSPITAL—S
532 W PITTSBURGH ST
GREENSBURG, PA 15601
(724) 832-4365

000037
WILLIAMSPORT HOSP & MED CENTER—S
777 RURAL AVENUE
WILLIAMSPORT, PA 17701-3198
(570) 321-2300

000018
VWHCS HOSP DBA PENNANT LABORATORY—SC
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

000141
YORK HOSPITAL—S
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-706. Filed for public inspection April 20, 2007, 9:00 a.m.]

Special Procedures to be Taken Due to Annual Rate of Syphilis in Specified Counties

The Department of Health is providing notice in accordance with 28 Pa. Code § 27.89(a)(1)(ii) (relating to examinations for syphilis) and based on 2006 data, that the annual rate of syphilis in the listed counties is at or above the level at which special precautions are to be taken. Women residing in the following counties: Allegheny, Beaver, Berks, Bradford, Bucks, Cumberland, Dauphin, Erie, Fayette, Lancaster, Lehigh, Lycoming, Montgomery, Northampton, Philadelphia, Pike, Washington, Westmoreland and York Counties are to be offered a test for syphilis in the following situations:

- At the third trimester of pregnancy.
- At the delivery of a child.
- At the delivery of a stillborn child.

This notice is in addition to the Statewide requirement for syphilis testing contained in 28 Pa. Code § 27.89(a)(1)(i) that directs a physician who attends, treats or examines a pregnant woman for conditions relating to pregnancy to offer the woman a test for syphilis at the time of first examination.

If a pregnant woman does not object, the test shall be performed in accordance with 28 Pa. Code § 27.89. If a pregnant woman objects, the regulation requires the person attending the woman to explain to her the need for the test. With respect to the woman who has given

birth, information relating to the test or the objection to the test is to be recorded in both the woman's medical record and in the record of the newborn, as regulation states.

All Other Counties

Physicians in all other counties not listed in this notice are still required to offer women a test for syphilis at the time of first examination for conditions related to pregnancy in accordance with 28 Pa. Code § 27.89(a)(1)(i).

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille), or have any other questions regarding this notice, should contact Stephen J. Kowalewski, Senior Public Health Advisor, Division of STD/TB, Department of Health, Room 1013, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-3981 or at V/TT (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-707. Filed for public inspection April 20, 2007, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Current Prevailing Wage Act Debarments

The following contractors have been determined to have intentionally violated the Pennsylvania Prevailing Wage Act (act) (43 P. S. §§ 165-1—165-17). This notice is published for the information and convenience of public bodies subject to the act. Under section 11(e) of the act (43 P. S. § 165-11(e)), these contractors, or either one of them, or any firms, corporations or partnerships in which either one of these contractors has an interest, shall be awarded no contract for 3 years after the date listed.

<i>Contractor</i>	<i>Address</i>	<i>Date of Debarment</i>
Power Welding and Fabrication and Charles Powers, Individually	805 S. Milton Grove Road Elizabethtown, PA 17022	4/6/2007

STEPHEN M. SCHMERIN,
Secretary

[Pa.B. Doc. No. 07-708. Filed for public inspection April 20, 2007, 9:00 a.m.]

Current Prevailing Wage Act Debarments

The following contractors have been determined to have intentionally violated the Pennsylvania Prevailing Wage Act (act) (43 P. S. §§ 165-1—165-17). This notice is published for the information and convenience of public bodies subject to the act. Under section 11(e) of the act (43 P. S. § 165-11(e)), these contractors, or either one of them, or any firms, corporations or partnerships in which either one of these contractors has an interest, shall be awarded no contract for 3 years after the date listed.

<i>Contractor</i>	<i>Address</i>	<i>Date of Debarment</i>
M. Smith Concrete and Michael Smith, Individually	2250 Robert Fulton Highway Peachbottom, PA 17563	4/6/2007
	STEPHEN M. SCHMERIN, Secretary	

[Pa.B. Doc. No. 07-709. Filed for public inspection April 20, 2007, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Treasure Hunt Terminal-Based Lottery Game

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314), and 61 Pa. Code § 875.4 (relating to notice of terminal-based lottery game rules), the Secretary of Revenue hereby provides public notice of the rules for the following terminal-based lottery game:

1. *Name:* The name of the terminal-based lottery game is Pennsylvania Treasure Hunt. The game will commence at the discretion of the Secretary, and will continue until the Secretary publicly announces a suspension or termination date.

2. *Price:* The price of a Pennsylvania Treasure Hunt ticket is \$1 per game or play. Additional games or plays may be purchased at the discretion of the player. A ticket will contain one to five games or plays.

3. *Description of the Pennsylvania Treasure Hunt lottery game:*

(a) Pennsylvania Treasure Hunt is designed to give players the opportunity to win one prize in each game or play.

(b) For a \$1 purchase, the player gets a ticket containing five different numbers ranging from 1 to 30. Players can win a prize by matching winning numbers randomly selected by the Lottery as determined and publicly announced by the Secretary.

(c) Correctly matching two or more of the five winning numbers randomly selected by the Lottery, and meeting all other validation criteria, entitles the ticket holder to a prize identified in Section 6(a) (relating to prizes available to be won and determination of prize winners).

4. *Pennsylvania Treasure Hunt bet slip and ticket characteristics:*

(a) To purchase a ticket, the player shall remit to an on-line retailer the purchase price, submit the completed Pennsylvania Treasure Hunt bet slip or request the number selection through quick pick or manual terminal entry to have a ticket issued. The ticket shall consist of one to five games or plays, each containing one five-number selection for each \$1 wagered, the drawing date or range of dates for which the ticket is entered, amount bet, and validation number data. On tickets containing multiple games or plays, each five-number selection will be identified by a letter prefix: A for the first game or play printed on the ticket; B for the second game or play printed on the ticket; C for the third game or play printed

on the ticket; D for the fourth game or play printed on the ticket; and E for the fifth game or play printed on the ticket. This ticket shall be the only valid proof of the bet placed, and the only valid receipt for claiming a prize. The ticket shall only be valid for the drawing date or range of dates printed on the ticket.

(b) Pennsylvania Treasure Hunt bet slips shall be available at no cost to the player. The minimum wager is \$1. For \$1, play game A; for \$2, play games A and B; for \$3, play games A, B, and C; for \$4, play games A, B, C and D; for \$5, play games A, B, C, D and E. Games shall be selected in accordance with the instructions printed on the Pennsylvania Treasure Hunt bet slip. A Pennsylvania Treasure Hunt bet slip has no pecuniary or prize value and does not constitute evidence of the purchase of a ticket or the numbers selected.

(c) If Pennsylvania Treasure Hunt bet slips are unavailable, number selections may be given to an on-line retailer in groups of five-number selections, for each game or play and for each \$1 wagered. The retailer shall manually enter the selections into the Lottery terminal.

(d) A player may also request number selection using the quick pick option by indication on the bet slip or making the request to an on-line retailer.

5. *Time, place and manner of conducting drawings.*

(a) *Time of drawing.* A Pennsylvania Treasure Hunt drawing will be held on a daily basis or as determined and publicly announced by the Secretary.

(b) *Place of drawing.* A Pennsylvania Treasure Hunt drawing will be conducted in the Harrisburg, Pennsylvania area unless the Secretary directs that a drawing or part of the drawing procedure be conducted at some other location.

(c) *Manner of conducting drawings.* The Lottery will select, at random, five numbers from 1 through 30, with the aid of mechanical devices or any other selection methodology as authorized by the Secretary. The five numbers selected will be used in determining winners for each individual drawing. The validity of a drawing will be determined solely by the Lottery.

6. *Prizes available to be won and determination of prize winners:*

(a) Determination of Pennsylvania Treasure Hunt prize winners for tickets correctly matching the winning numbers selected by the Lottery are:

(1) Holders of tickets upon which the player's five numbers, in a single game or play, match the five winning numbers selected by the Lottery, shall be the winner of the jackpot category prize.

(i) The minimum jackpot category prize will be \$10,000 divided equally by the number of tickets determined by the Lottery to be entitled to claim a jackpot category prize. The Lottery will estimate and announce the projected amount of the upcoming jackpot prior to the drawing. Payment will be made in the amount estimated and announced as the projected jackpot, or in the actual amount of the jackpot, whichever is greater, divided equally by the number of plays on tickets determined by the Lottery to be entitled to claim a jackpot category prize.

(ii) Prize money allocated to the jackpot category will be paid on a pari-mutuel basis. If more than one winning jackpot prize play is determined, each, upon meeting the requirements of 61 Pa. Code §§ 875.10 and 875.11 (relating to terminal-based lottery game ticket validation and

requirements; and procedures for claiming and payment of prizes), is entitled to a prorated payment share of the total jackpot prize category.

(iii) If, in a Pennsylvania Treasure Hunt drawing, there are no winning jackpot prize plays, prize money allocated to that prize category will be carried forward and added to the amount allocated for the jackpot prize category money in the next Pennsylvania Treasure Hunt drawing (20.46% of sales).

(2) Holders of tickets upon which four of the player's numbers, in a single game or play, match four of the winning numbers selected by the Lottery, shall be entitled to a prize of \$100.

(3) Holders of tickets upon which three of the player's numbers, in a single game or play, match three of the winning numbers selected by the Lottery, shall be entitled to a prize of \$6.

(4) Holders of tickets upon which two of the player's numbers, in a single game or play, match two of the winning numbers selected by the Lottery, shall be entitled to a prize of \$1.

(b) All Pennsylvania Treasure Hunt prize payments, including the jackpot prize, will be made as a one-time, lump-sum cash payment.

(c) A winning Pennsylvania Treasure Hunt ticket is entitled only to the highest prize won by those numbers in each game or play appearing on the ticket.

(d) The number of prize categories, the allocation of prize money among the prize categories, and the minimum jackpot category amount may be changed at the discretion of the Secretary and the change will be announced by public notice. The changes will only apply prospectively to Pennsylvania Treasure Hunt drawings as of the date specified in the public notice.

7. *Probability of winning.* The following table sets forth all possible ways that a prize can be won on a single ticket; corresponding prize or prizes won; and probability of winning each prize or combination of prizes:

<i>Number Of Winning Numbers Selected By The Player In A Single Game Or Play</i>	<i>Probability Of Winning Per Game Or Play Are 1 In:</i>	<i>Prize Won:</i>
5	142,506.00	Jackpot
4	1,140.05	\$100
3	47.50	\$6
2	6.20	\$1

8. *Retailer Incentive and Marketing Promotion Programs.*

(a) The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Treasure Hunt lottery tickets. The conduct of the Program will be governed by 61 Pa. Code § 811.41 (relating to promotional prizes).

(b) Retailer Incentive and Marketing Promotion Programs, including the use of unfunded free tickets, may be implemented at the discretion of the Secretary. If needed, funds for the programs, including the payment of prizes resulting from the programs, will be drawn from the Lottery Fund.

9. *Unclaimed Prize Money.* For a period of 1 year from the announced close of Pennsylvania Treasure Hunt game, prize money from winning Pennsylvania Treasure Hunt lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no

claim is made within 1 year of the anniversary date of the drawing in which the ticket or chance was entered, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. *Governing Law.* In purchasing a ticket, the player agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

THOMAS W. WOLF,
Acting Secretary

[Pa.B. Doc. No. 07-710. Filed for public inspection April 20, 2007, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Finding Indiana County

Under section 2002(b) of The Administrative Code of 1929 (71 P. S. § 512(b)), the Chief Engineer, Department of Transportation (Department), makes the following written finding:

The Federal Highway Administration and the Department are planning the construction of a two-lane collector roadway, Rose Street II, connecting West Philadelphia Street (Business Route 422 (SR4032)) and Oakland Avenue (SR 0286) in White Township and Indiana Borough, Indiana County, PA.

An Environmental Assessment (EA) was prepared to evaluate the potential environmental impacts caused by the subject project. The Federal Highway Administration issued a Finding of No Significant Impact on March 22, 2007, determining that the proposed alternative will have no significant impact on the human environment.

The EA and supporting documentation find there is no practicable alternative to construction of the preferred alternative, and the proposed action includes all practicable measures to minimize harm to the environment, which may result from the proposed project.

Mitigation measures will be taken to minimize harm as stipulated in the EA. The proposed project has no Section 4(f) use.

The environmental, economic, social and other effects of the proposed project as enumerated in section 2002 of The Administrative Code of 1929 have been considered. It has been concluded that all reasonable planning was completed to avoid, minimize or mitigate the environmental effects that are likely to result from the construction of this project.

M. G. PATEL, P. E.,
Chief Engineer

[Pa.B. Doc. No. 07-711. Filed for public inspection April 20, 2007, 9:00 a.m.]

**Finding
Monroe County**

Under section 2002(b) of The Administrative Code of 1929 (71 P. S. § 512(b)), the Chief Engineer for Highway Administration makes the following written finding:

The Department of Transportation (Department) plans to replace the Warnertown Bridge (SR 423, Section 01B) over Tobyhanna Creek in Coolbaugh Township, Monroe County. The project will require the use of land from State Game Lands No. 127.

Mitigation measures will be taken to minimize harm to the game lands including payment of fair market value for land acquired, transfer of vacated right-of-way no longer needed back to the Game Commission, regrading and reseeding all disturbed vacated right-of-way, providing a minimal 5'—10' between the proposed cut/fill line, and the required right-of-way line, and using the existing bridge to maintain traffic while the new bridge is being built.

The Chief Engineer for Highway Administration has considered the environmental, economic, social and other effects of the proposed project as enumerated in section 2002 of The Administrative Code of 1929 and have concluded that there is no feasible and prudent alternative to the project as designed and all reasonable steps have been taken to minimize the effect.

No adverse environmental effect is likely to result from this project.

M. G. PATEL, P. E.,
Chief Engineer

[Pa.B. Doc. No. 07-712. Filed for public inspection April 20, 2007, 9:00 a.m.]

**INDEPENDENT
REGULATORY REVIEW
COMMISSION**

Action Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10:30 a.m., Thursday, April 5, 2007, and announced the following:

Regulations Deemed Approved Under 5(g) of the Regulatory Review Act—Effective April 4, 2007

Department of Community and Economic Development #4-85: Industrial Housing and Components (amends 12 Pa. Code Chapter 145)

Regulations Approved:

State Board of Funeral Directors #16A-4814: Unprofessional Conduct (amends 49 Pa. Code Chapter 13)

Environmental Quality Board #7-399: Nonattainment New Source Review (amends 25 Pa. Code Chapters 121 and 127)

Gaming Control Board #125-47: Diversity (adds 58 Pa. Code Chapter 481a)

Gaming Control Board #125-46: Recordkeeping and Fees (adds 58 Pa. Code 451a and 471a)

Approval Order

Public Meeting held
April 5, 2007

Commissioners Voting: Arthur Coccodrilli, Chairperson, Alvin C. Bush, Vice Chairperson, David M. Barasch, Esq., David J. DeVries, Esq., John F. Mizner, Esq.

State Board of Funeral Directors—Unprofessional Conduct; Regulation No. 16A-4814 (#2459)

On February 2, 2005, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Funeral Directors. This rulemaking amends 49 Pa. Code Chapter 13. The proposed regulation was published in the February 12, 2005 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on March 5, 2007.

This final-form regulation updates the list of actions that constitute unprofessional conduct by licensed funeral directors.

We have determined this regulation is consistent with the statutory authority of the State Board of Funeral Directors (63 P. S. §§ 479.11(a)(5) and 479.16(a)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting held
April 5, 2007

Commissioners Voting: Arthur Coccodrilli, Chairperson, Alvin C. Bush, Vice Chairperson, David M. Barasch, Esq., David J. DeVries, Esq., John F. Mizner, Esq.

Environmental Quality Board—Nonattainment New Source Review; Regulation No. 7-399 (#2535)

On April 13, 2006, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board (Board). This rulemaking amends 25 Pa. Code Chapters 121 and 127. The proposed regulation was published in the April 29, 2006 *Pennsylvania Bulletin* with a 60-day public comment period. The final-form regulation was submitted to the Commission on March 6, 2007.

This rulemaking is a comprehensive revision of the Board's existing regulations for the nonattainment new source review (NSR) program. The major component of the NSR program is preconstruction review and permitting of new or modified stationary sources of air pollutants. The revisions include plantwide applicability limits that may reduce operating costs for industry via enhanced operational flexibility.

We have determined this regulation is consistent with the statutory authority of the Board (35 P. S. § 4005(a)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting held
April 5, 2007

Commissioners Voting: Arthur Coccodrilli, Chairperson, Alvin C. Bush, Vice Chairperson, Dissenting, David M. Barasch, Esq., Dissenting, David J. DeVries, Esq., John F. Mizner, Esq.

Gaming Control Board—Diversity; Regulation No. 125-47 (#2563)

On August 28, 2006, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Gaming Control Board (Board). This rulemaking adds 58 Pa. Code Chapter 481a. The proposed regulation was published in the September 9, 2006 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on February 28, 2007.

This final-form rulemaking establishes diversity participation and reporting requirements for all entities that are licensed or certified by the Board.

We have determined this regulation is consistent with the statutory authority of the Board (4 Pa.C.S.A. §§ 1202(b)(30), 1212 and 1325(b) and (c)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting held
April 5, 2007

Commissioners Voting: Arthur Coccodrilli, Chairperson, Alvin C. Bush, Vice Chairperson, David M. Barasch, Esq., David J. DeVries, Esq., John F. Mizner, Esq.

Gaming Control Board—Recordkeeping and Fees; Regulation No. 125-46 (#2562)

On August 28, 2006, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Gaming Control Board (Board). This rulemaking adds 58 Pa. Code Chapter 451a and 471a. The proposed regulation was published in the September 9, 2006 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on February 28, 2007.

This final-form rulemaking establishes fee and recordkeeping requirements for entities that are licensed, registered or certified by the Board.

We have determined this regulation is consistent with the statutory authority of the Board (4 Pa.C.S.A. §§ 1202(b)(30), 1207(3), 1208, 1209(d), 1308 and 1322) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review

Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

ARTHUR COCCODRILLI,
Chairperson

[Pa.B. Doc. No. 07-713. Filed for public inspection April 20, 2007, 9:00 a.m.]

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, in Harrisburg at 10:30 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy.

This schedule is tentative. Contact the Commission at (717) 783-5417 or check our website at www.irc.state.pa.us for updates.

Final-Form

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
125-45	Pennsylvania Gaming Control Board General and Operative Provisions; Board Procedures	4/10/07	5/17/07

Final-Omit

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
41-20	Office of the Victim Advocate Domestic and Sexual Violence Victim Address Confidentiality Program	4/9/07	5/17/07

ARTHUR COCCODRILLI,
Chairperson

[Pa.B. Doc. No. 07-714. Filed for public inspection April 20, 2007, 9:00 a.m.]

INSURANCE DEPARTMENT

Erie Insurance Exchange; Homowners Rate and Rule Revision; Rate Filing

On April 5, 2007, the Insurance Department (Department) received from Erie Insurance Exchange a filing for a rate level and rule change for homeowners insurance.

The company requests an overall 0.2% decrease amounting to -\$563,000 annually, to be effective August 1, 2007.

Unless formal administrative action is taken prior to May 5, 2007, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Department's website at www.ins.state.pa.us. To access the filing, under "Quick Links" click on "Rate Filings Published in the PA Bulletin."

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to Michael P. McKenney, Insurance Department, Insurance Product Regulation and Market Enforcement, 1311 Strawberry Square, Harrisburg, PA 17120 (e-mail at mmckenney@state.pa.us) within 15 days after publication of this notice in the *Pennsylvania Bulletin*.

RANDOLPH L. ROHRBAUGH,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-715. Filed for public inspection April 20, 2007, 9:00 a.m.]

Notice to Workers' Compensation Insurance Carriers

Insurance companies that write Workers' Compensation are required to report workers' compensation premium, loss and claim count information using 2006 Special Schedule "W." Authority for this call is contained in section 655 of The Insurance Company Law of 1921 (40 P. S. § 815).

Information to be reported by May 18, 2007, includes the following:

For calendar year 2006:

- Premiums—Written, Unearned, Earned.
- Losses—Indemnity vs. Medical for Paid, Reserves (Case vs. Bulk & IBNR), Incurred.
- Amounts added to premium to yield Standard Earned Premium at Designated Statistical Reporting Level.
- Deductible adjustments to yield first dollar premiums and losses.

For evaluations as of December 31, 2005, and December 31, 2006, policy year information for large deductible (that is, deductible >\$100,000) policies versus all other policies including small deductible policies on a first dollar basis:

- Premiums—Earned.
- Losses—Indemnity vs. Medical for Paid, Reserves (Case vs. Bulk & IBNR), Incurred.
- Claim counts—Indemnity vs. Medical for Incurred, Closed with and without payments.

Information regarding the submission of 2006 Special Schedule "W" has been sent to carriers and has also been posted at the Insurance Department's website at www.ins.state.pa.us.

Persons who have not received this information or have questions concerning information contained in this notice

should contact Bojan Zorkic, Actuarial Associate, 1311 Strawberry Square, Harrisburg, PA 17120, (717) 787-6968, bzorkic@state.pa.us.

RANDOLPH L. ROHRBAUGH,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-716. Filed for public inspection April 20, 2007, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of Bulletin). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Executive Board

Resolution #CB-07-079, Dated March 30, 2007. Authorizes the side letter between the Commonwealth and AFSCME concerning working out-of-class, holiday seniority, pay incentive for equipment operation and other conditions of employment for Department of Transportation employees in the Maintenance and Trades Unit.

Resolution #OR-06-349, Dated February 20, 2007. This request integrates the work of DPW's Office of Child Development with PDE's prekindergarten and kindergarten initiatives to create a unified approach for early learning in PA. The request renames the Department of Public Welfare's Office of Child Development to the Office of Child Development and Early Learning and co-locates this Office in the Department of Public Welfare and the Department of Education. This request also creates the Bureau of Early Intervention Services which consists of the Division of Standards and Professional Development, the Eastern Division of Operations and Monitoring and the Western Division of Operations and Monitoring. Within the Bureau of Early Learning Services, the request renames the Division of Quality and Education to the Division of Standards and Professional Development and the Division of Early Intervention to the Division of Operations and Monitoring. The Bureau of Early Learning Services and the Bureau of Early Intervention Services are shared Bureaus between the Department of Public Welfare and Education under the direction of the Deputy Secretary for Child Development and Early Learning.

Governor's Office

Management Directive No. 205.34—Commonwealth of Pennsylvania Information Technology Acceptable Use Policy, Amended March 28, 2007.

Management Directive No. 230.10—Travel and Subsistence Allowances, Amended February 15, 2007.

Management Directive No. 230.14—Foreign Areas Subsistence Allowances, Amended March 29, 2007.

Management Directive No. 230.15—Continental United States High Cost Subsistence Allowances, Amended March 29, 2007.

Management Directive No. 580.12—Recruitment for Classified Service Positions, Amended March 28, 2007.

Administrative Circular No. 07-04—Closing Instruction No. 1, Fiscal Year 2006-2007 Submission of Purchasing Documents, Dated March 1, 2007.

MARY JANE PHELPS,
Director,
Pennsylvania Bulletin

[Pa.B. Doc. No. 07-717. Filed for public inspection April 20, 2007, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by May 14, 2007. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-00123614. United Taxi Company (250 Mercer Street, Phillipsburg, NJ 08865), a corporation of the Commonwealth—persons, upon call or demand, in the Cities of Allentown, Lehigh County, Bethlehem, Northampton and Lehigh Counties and Easton, Northampton County. *Attorney:* David Vaida, 137 North 5th Street, Allentown, PA 18102.

A-00123617. Lockheart Limousine, Inc., (3990 Patterson Road, Aliquippa, Beaver County, PA 15001), a corporation of the Commonwealth—persons in limousine service; (1) from points in the Counties of Allegheny, Beaver, Fayette and Washington, to points in this Commonwealth and return; and (2) from points in Westmoreland County, to the Pittsburgh International Airport in Allegheny County and vice versa; subject to the following condition: That no right, power or privilege is granted to provide service to points in Butler County or to points in Westmoreland County, except as set forth in paragraph (2) previously; which is to be a transfer of all the right authorized under the certificate issued at A-00119296 to Shamrock Limousine, LLC, subject to the same limitations and conditions. *Attorney:* David M. O'Boyle, 1450 Two Chatham Center, Pittsburgh, PA 15219-3427.

A-00123622. Richard Santiago (707 Seybert Street, Hazleton, Luzerne County, PA 18201)—persons, in paratransit service, from Hazleton, Luzerne County to Pittston Township, Luzerne County, PA and return.

A-00123627. Esther A. Shinski (P. O. Box 32, Gordonville, PA 17529-0032)—certificate of public convenience to begin to transport, as a common carrier, persons in paratransit service, from points within a 20 mile

airline distance of carrier's domicile at 706 Georgetown Road, Paradise, Lancaster County, and from points in said territory to points within Lebanon County, and return, limited to persons whose personal convictions prevent them from owning or operating motor vehicles.

A-00123629. Pacifico Limousine, LLC (908 Stony Lane, Gladwyne, Montgomery County, PA 19035)—a limited liability company of the Commonwealth—persons in limousine service, between points in PA, excluding service between points in Allegheny County; which is to be a transport of all the rights authorized under the certificate issued at A-00108181, to Ed Kuzemka, Ltd., t/a White Star Limousine, subject to the same limitations and conditions. *Attorney:* Richard T. Mulcahey, Jr., Esquire, 1500 JFK Boulevard, Suite 1400, Philadelphia, PA 19102.

Applications of the following for approval of the *additional right and privilege of operating motor vehicles as common carriers for transportation of persons as described under each application.*

A-00122969. F3. Secrets Limousine Service, LLC. (1400 Union Meeting Road, Blue Bell, Montgomery County, PA 19422), a limited liability company of the Commonwealth—additional right—persons, in group and party service, in vehicles seating 11 to 15 passengers, including the driver, between points in the Counties of Montgomery, Delaware, Chester, Bucks and Lehigh, and from points in the said Counties, to points in PA, and return. *Attorney:* Andrew D. Santana, P. O. Box 431, Lansdale, PA 19446-0431.

Applications of the following for approval to *begin operating as a broker for transportation of persons as described under each application.*

A-00123641. Breakaway Tours, LLC (2103 Wilmington Road, New Castle, Lawrence County, PA 16105), a limited liability company of the Commonwealth—brokerage license—to arrange for the transportation of persons between points in PA.

Application of the following for the approval of the *right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under the application.*

A-00110238. F3. W.L. Roenigk, Inc., T/A W.L. Roenigk (798 Ekastown Road, Sarver, Butler County, PA 16055), a corporation of the Commonwealth, for the discontinuance of service, as a common carrier, by motor vehicle and cancellation of its certificate of public convenience authorizing the transportation of: (1) persons employed by Schenley Distilleries located in the Village of Schenley, Armstrong County, from the Borough of Freeport, Armstrong County, to the said distilleries, and vice versa; (2) persons employed by Schenley Distilleries at its plant located in the Village of Schenley, Armstrong County, from points on the following route to said plant, and vice versa: Beginning in the Borough of Natrona, Allegheny County, thence by means of various streets in said borough to Highway Route 28, thence by means of Highway Route 28 to the Borough of Freeport, Armstrong County, thence returning by means of Highway Route 28 to its intersection with Highway Route 356, thence by means of Highway Route 356 across the Allegheny River bridge to its intersection with an unnumbered highway to and across the Kiskiminetas River at Leechburg, thence by means of Highway Route 66 and an unnumbered road to the plant of Schenley Distilleries in the Village of

Schenley; excluding the right to pick up or discharge; passengers at points on the route between the Kiskiminetas River and said plant, except at the plant; (3) persons on schedule between Leechburg and Schenley, Armstrong County, over the following route: Beginning at a central station in Leechburg, thence along the Kittanning-Schenley Highway to the Kittanning-Schenley junction, thence along the Schenley Highway to Schenley; (4) persons on schedule between the Borough of Leechburg, Armstrong County, and the Boroughs of Hyde Park and West Leechburg, Westmoreland County, over the following routes: Beginning in the Borough of Leechburg, Armstrong County, thence on State Highway Traffic Route 256, across the Leechburg Bridge to the West Leechburg, unnumbered public road, Westmoreland County, thence on the West Leechburg unnumbered public road through the Borough of West Leechburg to the northern borough line and returning over the same routes. Beginning in the Borough of Leechburg, Armstrong County, thence on State Highway Traffic Route 256, across the Leechburg Bridge to the Hyde Park unnumbered public road, thence on unnumbered public road in Westmoreland County through the borough of Hyde Park to the eastern borough line, and returning over the same route; Right 4 subject to the following condition: that no right, power or privilege is granted to transport passengers locally on State Highway Traffic Route 256 between Leechburg and the Hyde Park unnumbered road; (5) persons on schedule between the Borough of Leechburg and Apollo, Armstrong County, over the following route: Beginning at the intersection of Second and Market Streets in the Borough of Leechburg; thence northwardly on Second Street to Main Street; thence westwardly on Main Street to Third Street; thence southwardly on Third Street to Market Street to Canal Street; thence generally southeastwardly along Canal Street and State Highway Route 66 in Gilpin and Parks Townships to First Street, being the intersection of Routes 56 and 66 in the Village of North Vandergrift; thence on Route 56 southwestwardly crossing the bridge over the Kiskiminetas River to Sherman Avenue in the Borough of Vandergrift; thence westwardly on Sherman Avenue, and turning southwardly on Washington Avenue, and turning eastwardly onto Grant Street; thence to Farragut Avenue; northeastwardly on Farragut Avenue to the intersection of Route 56 and Sherman Avenue; thence continuing northeastwardly on Route 56, by means of the bridge over the Kiskiminetas River to Route 66 in the Village of North Vandergrift; thence generally southeastwardly on Route 66 in Parks Township, North Apollo Borough and Kiskiminetas Township to Warren Avenue in the Borough of Apollo; thence southeastwardly along Warren Avenue to its intersection with First Street; thence southwestwardly on First Street to Kiski Avenue, and southeastwardly on Kiski Avenue to South Second Street; thence northeastwardly on South Second Street to Warren Avenue; thence northwestwardly on Warren Avenue to First Street; and returning by means of the same route to the place of beginning.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 07-718. Filed for public inspection April 20, 2007, 9:00 a.m.]

Telecommunications

A-310489F7009. Bentleyville Communications Corporation and Cellco Partnership, d/b/a Verizon Wireless. Joint petition of Bentleyville Communications Corporation and Cellco Partnership, d/b/a Verizon Wireless for approval of a traffic exchange agreement under section 252(e) of the Telecommunications Act of 1996.

Bentleyville Communications Corporation and Cellco Partnership d/b/a Verizon Wireless, by its counsel, filed on April 4, 2007, at the Pennsylvania Public Utility Commission, a joint petition for approval of a traffic exchange agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Bentleyville Communications Corporation and Cellco Partnership d/b/a Verizon Wireless joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 07-719. Filed for public inspection April 20, 2007, 9:00 a.m.]

Telecommunications

A-310489F7038. Marianna and Scenery Hill Telephone Company and Cellco Partnership d/b/a Verizon Wireless. Joint petition of Marianna and Scenery Hill Telephone Company and Cellco Partnership, d/b/a Verizon Wireless for approval of a traffic exchange agreement under section 252(e) of the Telecommunications Act of 1996.

Marianna and Scenery Hill Telephone Company and Cellco Partnership, d/b/a Verizon Wireless, by its counsel, filed on April 4, 2007, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a traffic exchange agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Marianna and Scenery Hill Telephone Company and Cellco Partnership, d/b/a Verizon Wireless joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 07-720. Filed for public inspection April 20, 2007, 9:00 a.m.]

Wastewater Service

A-230106 and A-230061F2000. Deer Haven, LLC, and Edwin, Inc. Amended application of Deer Haven, LLC and Edwin, Inc., for approval to remove the request of a stock transfer from the original application filed March 8, 2006, which requested approval of Deer Haven, LLC to: 1) acquire all common stock, assets and customers of Edwin, Inc.; 2) for Deer Haven, LLC to begin to supply wastewater collection and treatment services to the public in portions of Palmyra Township, Pike County, PA; and 3) for Edwin Inc. to abandon its certificate of public convenience as a wastewater facility in the Commonwealth.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before May 7, 2007. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Deer Haven, LLC

Through and By Counsel: Janet L. Miller, Esquire, Hawke, McKeon and Sniscak, LLP, 100 North Tenth Street, Harrisburg Energy Center, Harrisburg, PA 17101

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 07-721. Filed for public inspection April 20, 2007, 9:00 a.m.]

Wastewater Service

A-230240F0033. Little Washington Wastewater Company. Application of Little Washington Wastewater Company for approval to begin to offer, render, furnish and provide wastewater service to the public in a portion of Upper Oxford Township, Chester County, PA.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before May 7, 2007. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Little Washington Wastewater Company

Through and By Counsel: Thomas T. Niesen, Esquire, Thomas, Thomas, Armstrong and Niesen, 212 Locust Street, Suite 500, P. O. Box 9500, Harrisburg, PA 17108-9500

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 07-722. Filed for public inspection April 20, 2007, 9:00 a.m.]

Wastewater Service

A-230240F0034. Little Washington Wastewater Company. Application of Little Washington Wastewater Company for approval to begin to offer, render, furnish and provide wastewater service to the public in portions of Thornbury Township, Chester County, PA.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before May 7, 2007. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Little Washington Wastewater Company

Through and By Counsel: Thomas T. Niesen, Esquire, Thomas, Thomas, Armstrong and Niesen, 212 Locust Street, Suite 500, P. O. Box 9500, Harrisburg, PA 17108-9500

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 07-723. Filed for public inspection April 20, 2007, 9:00 a.m.]

Wastewater Service

A-230023F2000. Regal Oaks, Inc. Application of Regal Oaks, Inc., for approval, nunc pro tunc, to abandon and transfer wastewater facilities and service to customers, to the Township of Upper Pottsgrove, Montgomery County, PA.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before May 7, 2007. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Regal Oaks, Inc.

Through and By Counsel: Thomas J. Sniscak, Esquire, Craig R. Burgraff, Esquire, Hawke, McKeon and Sniscak, LLP, Harrisburg Energy Center, 100 North Tenth Street, Harrisburg, PA 17101

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 07-724. Filed for public inspection April 20, 2007, 9:00 a.m.]

Water Service

A-210104F0079. Aqua Pennsylvania, Inc. Application of Aqua Pennsylvania, Inc., for approval of: 1) the acquisition by Aqua Pennsylvania, Inc. of the water system assets of Lakeside Acres Water Company; and 2) the right of Aqua Pennsylvania, Inc. to begin to offer,

render, furnish or supply water service to the public in an additional portion of Sadsbury Township, Crawford County, PA.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before May 7, 2007. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Aqua Pennsylvania, Inc.

Through and By Counsel: Thomas T. Niesen, Esquire, Thomas, Thomas, Armstrong and Niesen, 212 Locust Street, Suite 500, P. O. Box 9500, Harrisburg, PA 17108-9500

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 07-725. Filed for public inspection April 20, 2007, 9:00 a.m.]

Water Service

A-210124 and A-210069F2000. Deer Haven, LLC and Lakeside Water Systems, Inc. Amended application of Deer Haven, LLC and Lakeside Water Systems, Inc., for approval to remove the request of a stock transfer from the original application filed March 8, 2006, which requested approval of Deer Haven, LLC, to: 1) acquire all common stock, assets and customers of Lakeside Water Systems, Inc.; 2) for Deer Haven, LLC to begin to supply water service to the public in portions of Palmyra Township, Pike County, PA; and 3) for Lakeside Water Systems, Inc. to abandon its certificate of public convenience as a water provider to the public in the Commonwealth.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before May 7, 2007. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Deer Haven, LLC

Through and By Counsel: Janet L. Miller, Esquire, Hawke, McKeon and Sniscak, LLP, 100 North Tenth Street, Harrisburg Energy Center, Harrisburg, PA 17101

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 07-726. Filed for public inspection April 20, 2007, 9:00 a.m.]

STATE BOARD OF BARBER EXAMINERS

Bureau of Professional and Occupational Affairs v. Anthony Caione, t/d/b/a Shears to You; Doc. No. 1112-42-2004

On March 1, 2007, Anthony Caione, t/d/b/a Shears to You, of Upper Darby, Delaware County, was assessed a civil penalty of \$350, based on his practicing on an expired license.

Individuals may obtain a copy of the adjudication by writing to C. William Fritz, II, Board Counsel, State Board of Barber Examiners, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final State Board of Barber Examiners (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court, must serve the Board with a copy of the petition for review. The Board contact for receiving service of the appeals is the previously named Board Counsel.

VINCENT IACONO,
Chairperson

[Pa.B. Doc. No. 07-727. Filed for public inspection April 20, 2007, 9:00 a.m.]

Bureau of Professional and Occupational Affairs v. Stylistic Unisex Hair Salon; Doc. No. 0833-42-2006

On March 1, 2007, Stylistic Unisex Hair Salon, of Philadelphia, Philadelphia County, was assessed an additional civil penalty of \$500 for a total of \$1,000, based on their employing unlicensed barbers and failure to remit previously ordered civil payment.

Individuals may obtain a copy of the adjudication by writing to C. William Fritz, II, Board Counsel, State Board of Barber Examiners, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final State Board of Barber Examiners (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court, must serve the Board with a copy of your petition for review. The Board contact for receiving service of the appeals is the previously named Board Counsel.

VINCENT IACONO,
Chairperson

[Pa.B. Doc. No. 07-728. Filed for public inspection April 20, 2007, 9:00 a.m.]

STATE BOARD OF COSMETOLOGY

**Bureau of Professional and Occupational Affairs v.
Susan Menozzi and Kathryn Buzek, t/d/b/a Ja-
maican Me Beautiful; Doc. No. 0139-45-2006**

On April 4, 2007, Susan Menozzi and Kathryn Buzek, t/d/b/a Jamaican Me Beautiful, of White Oak, Allegheny County, was assessed a civil penalty of \$1,250, based on violation of the act of May 3, 1933 (P. L. 242, No. 86) (63 P. S. §§ 507—527).

Individuals may obtain a copy of the adjudication by writing to C. William Fritz, II, Board Counsel, State Board of Cosmetology, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final State Board of Cosmetology (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of the petition for review. The Board contact for receiving service of such appeals is the previously named Board counsel.

SUSAN E. RINEER,
Chairperson

[Pa.B. Doc. No. 07-729. Filed for public inspection April 20, 2007, 9:00 a.m.]

STATE EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to the State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of Claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the State Employees' Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

May 23, 2007	Clifford J. Parris (Age 50 Retirement Credit)	1 p.m.
May 31, 2007	Deborah J. Austin (Multiple Service Election)	1 p.m.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 4 Pa. Code § 250.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

ERIC HENRY,
Secretary

[Pa.B. Doc. No. 07-730. Filed for public inspection April 20, 2007, 9:00 a.m.]

