

# NOTICES

## DEPARTMENT OF AGRICULTURE

### Vegetable Marketing and Research Program Referendum

Under 3 Pa.C.S. §§ 4501—4513 (relating to Agricultural Commodities Marketing Act), an assessment-related referendum was held from March 26 to April 9, 2007, to determine if the producers affected by the Pennsylvania Vegetable Marketing and Research Program (Program) desired to increase the program's assessment rate as described in the original ballot mailing to producers. To pass, a majority of eligible producers voting had to vote in favor of the increased rate and the representative acreage must be in the majority as well. An impartial Teller Committee met on April 13, 2007, to count the ballots. The following results were submitted by the Teller Com-

mittee: a total of 397 eligible votes were cast with 239 producers voting in favor of, and 158 producers voting against, the program's assessment rate increase. An additional three ballots were invalid because they were either incomplete or ineligible due to the acreage requirement. Eligible producers voting in favor of the Program's increased assessment rate represented 60.2% of the votes and 62.7% of production acreage. Producers voting against the assessment rate increase represented 39.8% of the votes and 37.3% of production acreage. Because a majority of the votes and represented acreage were cast in favor of the referendum, the Program assessment rate increase shall become effective immediately.

DENNIS C WOLFF,  
*Secretary*

[Pa.B. Doc. No. 07-971. Filed for public inspection June 1, 2007, 9:00 a.m.]

## DEPARTMENT OF BANKING

### Action on Applications

The Department of Banking, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 9, 2002 (P. L. 1572, No. 207), known as the Credit Union Code, has taken the following action on applications received for the week ending May 22, 2007.

### BANKING INSTITUTIONS

#### Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
5-16-07	Marquette Savings Bank Erie Erie County	1073 Park Avenue Meadville Crawford County	Approved

#### Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
5-14-07	The Fidelity Deposit and Discount Bank Dunmore Lackawanna County	<i>To:</i> Corner of Green Ridge Street and Ross Avenue Scranton Lackawanna County  <i>From:</i> Greenridge Plaza Scranton Lackawanna County	Effective
5-16-07	Republic First Bank Philadelphia Philadelphia County	<i>To:</i> 421 West Germantown Pike Plymouth Meeting Montgomery County  <i>From:</i> 75 West Germantown Pike East Norriton Montgomery County	Filed

### SAVINGS INSTITUTIONS

No activity.

### CREDIT UNIONS

No activity.

The Department's website at [www.banking.state.pa.us](http://www.banking.state.pa.us) includes public notices for more recently filed applications.

VICTORIA A. REIDER,  
*Acting Secretary*

[Pa.B. Doc. No. 07-972. Filed for public inspection June 1, 2007, 9:00 a.m.]

## DEPARTMENT OF EDUCATION

### 21st Century Community Learning Center Request for Application for 2007-2010; Announcement

The Department of Education (Department), Bureau of Community and Student Services, announces the availability of Federal grant funding for Fiscal Years (FY) 2007-2010 for 21st Century Community Learning Center (21st CCLC) and the release of Cohort 4, Request for Applications (RFA).

The 21st CCLC Program provides Federal funding for the establishment of community learning centers that provide academic, artistic and cultural enrichment opportunities for children, particularly students who attend high-poverty and low-performing schools, to meet State and local standards in core academic subjects; to offer students a broad array of activities that can complement their regular academic programs and to offer literacy and other educational services to the families of participating children. Grantees must provide academic enrichment activities to students when school is not in session (before school, after school and/or during holidays or summer recess) and help them meet state and local standards in core content areas such as reading, math and science.

Centers may also offer participants a broad array of other services and programs, including art, music, character education, service learning, recreation activities and technology education. Ancillary services for adult family members, such as literacy instruction, may also be given.

Contracts with successful applicants will be issued for a 3-year period beginning October 1, 2007, with the possibility of continuation for an additional 2-year period. The minimum grant award is \$50,000 per year.

*Eligible Applicants:* Federal law mandates per section 4203(a)(3) that any public or private organization may apply for CCLC funding if it proposes to serve: (1) students who primarily attend; (a) schools eligible for school wide programs under Title I, section 1114 of the No Child Left Behind Act; or (b) schools that serve a high percentage of students (at least 40%) from low-income families; and (2) the families of students described in item (1).

*Application Information:* Detailed information outlining grant terms and conditions, pertinent regulations and the application process is contained in the 21st CCLC RFA FY 2007-2010 document, which may be secured by these methods:

- Online at the Department's website at [www.pde.state.pa.us/21stcccl](http://www.pde.state.pa.us/21stcccl).

- Email request: Susan D'Annunzio at [sdannunzio@state.pa.us](mailto:sdannunzio@state.pa.us), Deb Klabe at [dklabe@state.pa.us](mailto:dklabe@state.pa.us) or Jackie LaPlaca at [jlaplaca@state.pa.us](mailto:jlaplaca@state.pa.us).

- Telephone questions will be accepted at (717) 783-6466 or TTY (717) 783-8445.

Applications must be received by 4 p.m. on Friday, June 29, 2007, at the Bureau of Community and Student Services, 333 Market Street, 5th Floor, Harrisburg, PA 17126-0333. Applications submitted after that time will be ineligible for consideration, as will be faxed or emailed applications. Mail original and five copies of application to Deana Zerby, 21st Century Community Learning Centers Program, Department of Education, 333 Market Street, 5th Floor, Harrisburg, PA 17126-0333.

*Grant Award Selection and Notification:* The Department has developed a competitive application and peer review process that ensures that awards are made through an open and fair grant award process. Notice of funding availability will be disseminated through publication in the *Pennsylvania Bulletin*; the Department website; direct notification of all local educational agencies through Penn LINK and email to interested parties who have contacted Department in the past 2 years.

*Preproposal Conferences:* The Department will conduct one preproposal workshop in Camp Hill on Wednesday, May 30, 2007, and one Elluminate® Webinar on Tuesday, June 5, 2007, where attendees will be provided information about the goals and priorities of the 21st CCLC Program, application procedures, evaluation criteria and technical assistance and resource information about high-quality programming and related State and Federal requirements.

The Camp Hill workshop will be held on Wednesday, May 30, 2007, from 9:30 a.m. to 12:15 p.m. at the Radisson Penn Harris Hotel, 1150 Camp Hill Bypass, Camp Hill, PA 17011 with registration from 8:30 a.m. to 9:30 a.m. The workshop will begin promptly at 9:30 a.m. Responses to questions asked at the preproposal workshops will be posted on the Department's website [www.pde.state.pa.us/21stcccl](http://www.pde.state.pa.us/21stcccl). The Elluminate® session will be held on Tuesday, June 5, 2007, from 10:30 a.m. to 1:30 p.m. Registration will be limited to the first 100 who register.

Registration for both workshops will open on Monday, May 21, 2007. Please register for either the Radisson Penn Harris workshop or the Elluminate® workshop at [www.21stcccl.org/cohort4\\_information\\_sessions.php](http://www.21stcccl.org/cohort4_information_sessions.php).

GERALD L. ZAHORCHAK, D. Ed.,  
Secretary

[Pa.B. Doc. No. 07-973. Filed for public inspection June 1, 2007, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

---

### APPLICATIONS

---

#### THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

## **I. NPDES Renewal Applications**

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0062863	Pike County Commissioners Administrative Offices 506 Broad Street Milford, PA 18337	Blooming Grove Township Pike County	Billings Creek 1D	Y
PA0020206	Bath Borough Authority 160 Mill Street P. O. Box 87 Bath, PA 18014	Northampton County Bath Borough	Monocacy Creek 2C	Y

## **II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications**

*Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.*

**PA0057029**, Industrial Waste, **Hewlett Packard Company**, 10375 Park Meadows Drive, Suite 150, Littleton, CO 80124. This existing facility is located in New Garden Township, **Chester County**.

Description of Proposed Activity: This application is for the renewal of an NPDES permit for an existing discharge from a groundwater remediation system for Hewlett Packard Company Avondale GWCU.

The receiving stream, a UNT to Egypt Run, is in the State Water Plan Watershed 3I and is classified for: CWF, aquatic life, water supply and recreation. Egypt Run is a tributary to East Branch White Clay Creek, which flows into White Clay Creek. There are no public water supply intakes identified downstream of the discharge.

The proposed effluent limits for Outfall 001, based on an average flow of 0.144 mgd are as follows:

<i>Parameters</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Chloroform	0.006		0.012	0.015
1,1-Dichloroethylene	0.001		0.002	0.0025
1,2-Cis-Dichloroethylene	Monitor and Report	Monitor and Report		Monitor and Report
1,2-Trans-Dichloroethylene	0.7	1.4		1.75
Tetrachloroethylene	0.001		0.002	0.0025
Trichloroethylene	0.005		0.01	0.012
pH	Within limits of 6.0 to 9.0 standard units at all times			

In addition to the effluent limits, the permit contains the following major special conditions:

1. Notification of Designation of Operator.
2. Remedial Measures if Unsatisfactory Effluent.
3. Discharge to Dry/Intermittent Stream.
4. BAT/ELG Reopener.
5. Test Methods.
6. Change of Ownership.
7. Sludge Disposal Requirement.
8. Groundwater Monitoring Requirements.
9. Summary Reports Evaluating Operation.
10. No Stripper Tower Cleaning Water Discharge.

**PA0051292**, Industrial Waste, SIC 4941, **Municipal Authority of the Borough of Morrisville**, 35 Union Street, Morrisville, PA 19067. This proposed facility is located in Morrisville Borough, **Bucks County**.

Description of Proposed Activity: Renewal of an NPDES permit to discharge filter backwash water and settling basin supernatant into the Delaware River.

The receiving stream, the Delaware River (Zone 1E), is in the State Water Plan Watershed 2E and is classified for: WWF. The nearest downstream public water supply intake for LBCJMA Water Treatment Plant is located on the Delaware River and is 1.8 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.15 mgd.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25	40	50
Suspended Solids	30	45	60
Total Iron	2.0	3.0	4.0
Total Aluminum	4.0	6.0	8.0
pH	Within limits of 6.0 to 9.0 standard units at all times		
Total Manganese	1.0	1.5	2.0
Total Residual Chlorine	0.5		1.64

*Other Conditions:*

The EPA waiver is in effect.

**PA0056880**, IW, SIC 4941, **Lower Bucks County Joint Municipal Authority**, 7811 New Falls Road, Levittown, PA 19058-0460. This proposed facility is located in Tullytown Borough, **Bucks County**.

Description of Proposed Activity: Renewal of an NPDES permit to discharge supernatant from secondary clarifiers twice per year into the Delaware River.

The receiving stream, Delaware River (Zone 2), is in the State Water Plan Watershed 2E and is classified for: WWF. The nearest downstream public water supply intake for Bristol Borough Water Filtration Plant is located on Delaware River and is 2.5 miles below the point of discharge.

The proposed effluent limits for Outfall 003 are based on a design flow of 500 gpm.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	75
pH	Within limits of 6.0 to 9.0 standard units at all times	
Iron, Total	2.0	5.0
Aluminum, Total	4.0	10.0
Manganese, Total	1.0	2.5
TRC	0.5	1.2

The EPA waiver is in effect.

**PA0026701**, Sewage, SIC 4952, **Municipal Authority of the Borough of Morrisville**, 35 Union Street, Morrisville, PA 19067. This proposed facility is located in Morrisville Borough, **Bucks County**.

Description of Proposed Activity: Renewal of an NPDES permit to discharge 7.1 mgd of treated sewage into the Delaware River.

The receiving stream, the Delaware River, is in the State Water Plan Watershed 2E and is classified for: WWF. The nearest downstream public water supply intake for the Pennsylvania Water Company is located on the Delaware River and is 2.5 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 7.1 mgd.

<i>Parameters</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	22	33	44
Total Suspended Solids	30	45	60
TSS % Removal	≥85%		
Ammonia as N	35		70
BOD <sub>5</sub> % Removal	≥88.5%		
CBOD <sub>20</sub>	2,418 lbs/day		
Total Residual Chlorine	0.5		1.2
Fecal Coliform	200 colonies/100 ml as a geometric average		1,000
Dissolved Oxygen	Minimum of 2.0 mg/l at all times		
pH	Within limits of 6.0 to 9.0 standard units at all times		
Phosphorus	Monitor and Report		
Toxicity, Acute (TUA)	Monitor and Report		
Toxicity, Chronic (TUC)	Monitor and Report		
Copper, Total	Monitor and Report		
Polychlorinated Biphenyls, Total (PCBs)	Monitor and Report		

In addition to the effluent limits, the permit contains the following major special conditions:

1. Conditions for Future Permit Modification.
2. Effective Disinfection.
3. 85% Reduction of Total Suspended Solids per DRBC Requirements.
4. 88.5% Reduction of BOD<sub>5</sub>, per DRBC Requirements.
5. TMDL/WLA Analysis.
6. Whole Effluent Toxicity Testing.

The EPA waiver is not in effect.

---

*Northeast Region: Water Management Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**PA0060054**, Sewage, **Mount Airy No. 1, LCC**, 299 Main Street—Sturges, Olyphant, PA 18447-2319. This proposed facility is located in Paradise Township, **Monroe County**.

Description of Proposed Activity: Renewal of NPDES permit to discharge 0.22 mgd of treated sewage.

The receiving stream, Forest Hills Run, is in the State Water Plan Watershed No. 1E and is classified for: HQ-CWF. The nearest downstream public water supply intake for East Stroudsburg is located on the Delaware River below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.220 mgd.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD <sub>5</sub>	25		50
Total Suspended Solids	30		60
NH <sub>3</sub> -N			
(5-1 to 10-31)	3.0		6.0
(11-1 to 4-30)	9.0		18.0
Phosphorus as "P"	A minimum of 6.0 mg/l at all times.		
Dissolved Oxygen	A minimum of 6.0 mg/l at all times.		
Fecal Coliform	A minimum of 6.0 mg/l at all times.		
(5-1 to 9-30)	200/100 ml as a geometric mean		
(10-1 to 4-30)	2,000/100 ml as a geometric mean		
pH	6.0 to 9.0 standard units at all times.		
Total Residual Chlorine	1.0		2.0
Total Dissolved Solids	1,000		2,000

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

**PA0204153**, Industrial Waste, SIC 4911, **Cambria Cogen Company**, 243 Rubisch Road, Ebensburg, PA 15931. This application is for renewal of an NPDES permit to discharge treated process water, cooling water, stormwater, untreated stormwater and pump recycle water from the Cambria Cogen Facility in Cambria Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, Little Conemaugh River, classified as a CWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Buffalo Township Municipal Authority, Freeport located 100 miles below the discharge point.

*Outfall 101:* existing discharge, design flow of 0.154 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Total Suspended Solids			30	100	
Oil and Grease			15	20	
Chromium			0.2	0.2	
Zinc			1.0	1.0	
Temperature (° F)					110
Free Available Chlorine			0.2		0.5
Total Residual Chlorine			0.5		1.25
pH	not less than 6.0 nor greater than 9.0				

*Other Conditions:* Part C permit conditions concerning priority pollutants, residual waste disposal, total residual and free available chlorine, PCBs, chemical additives and stormwater.

The EPA waiver is in effect.

*Outfall 001:* existing discharge, design flow of 0.154 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
The discharge from this outfall shall consist of sources monitored at Internal Monitoring Point 101.					

*Outfall 002:* existing discharge.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
This outfall shall discharge raw water (pump recycle water) from Wilmore Dam.					

*Outfall 003:* existing discharge of stormwater.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Chemical Oxygen Demand					Monitor and Report
Total Suspended Solids					Monitor and Report

**PA0218863**, Industrial Waste, SIC 4911, **Duke Energy Ohio, Inc.**, 139 East 4th Street, Cincinnati, OH 45202. This application is for renewal of an NPDES permit to discharge treated process water, cooling water and stormwater from the Fayette Energy Facility in German Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, Monongahela River (001) and UNT 41154 (002), classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply (PWS) is Carmichaels Municipal Authority, located below Nemaocolin 3.1 miles below the discharge point.

*Outfall 001:* existing discharge, design flow of 0.67 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report				
Total Suspended Solids	Monitor and Report				
Temperature (° F)	110				
Total Residual Chlorine	0.5			1.0	
Oil and Grease	Monitor and Report				
pH	not less than 6.0 nor greater than 9.0				

*Other Conditions:* Part C permit conditions concerning residual waste, floating material, temperature control, total residual and free available chlorine, PCBs, chemical additives, priority pollutants and stormwater.

The EPA waiver is in effect.

*Outfall 101:* existing discharge, design flow of 0.639 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report				
Total Suspended Solids	30				
Oil and Grease	15				
Chromium	0.2				
Zinc	1.0				
Free Available Chlorine	0.2				
pH	not less than 6.0 nor greater than 9.0				

*Outfall 201:* existing discharge, design flow of 0.022 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report				
Oil and Grease	15				
Total Suspended Solids	30				
pH	not less than 6.0 nor greater than 9.0				

*Outfall 301:* existing discharge, design flow of 0.009 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report				
Oil and Grease	15				
Total Suspended Solids	30				
pH	not less than 6.0 nor greater than 9.0				

*Outfall 002:* existing discharge of stormwater.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report				
Total Residual Chlorine	Monitor and Report		Monitor and Report		

**PA0092355-A1**, Sewage, **Municipal Authority of the Borough of Belle Vernon**, P. O. Box 181, 10 Main Street, Belle Vernon, PA 15012. This application is for amendment of an NPDES permit to discharge treated sewage from Belle Vernon-North Belle Vernon WPCP in Belle Vernon Borough, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Monongahela River, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Charleroi Borough Water Authority.

*Outfall 001:* existing discharge, design flow of 0.5 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25	38		50
Suspended Solids	30	45		60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.5			1.6
pH	not less than 6.0 nor greater than 9.0			

*Other Conditions:* The following effluent limitations will apply if/when the treatment plant is expanded to a flow of 0.95 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25	38		50
Suspended Solids	30	45		60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
Total Residual Chlorine	0.5			1.6
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

**PA0253472**, Sewage, **Hanover Township Sewer Authority**, 116 Steubenville Pike, Paris, PA 15021. This application is for issuance of an NPDES permit to discharge treated sewage from the proposed Bavington STP in Hanover Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Raccoon Creek, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Midland Water Authority.

*Outfall 001:* new discharge, design flow of 0.18 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD <sub>5</sub>	25	38		50
Suspended Solids	30	45		60
Ammonia Nitrogen (5-1 to 10-31)	18.0	27.0		36.0
Fecal Coliform (5-1 to 9-30)	200/100 ml as a geometric mean			
(10-1 to 4-30)	2,000/100 ml as a geometric mean			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

---

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**PA0240010**, Sewage, **Paul L. and Catherine P. LaBrie**, 112 Wetmore Trail, Kane, PA 16735. This proposed facility is located in Hamilton Township, **McKean County**.

Description of Proposed Activity: discharge of treated sewage from a Nonmunicipal STP.

The receiving water is the UNT to Two Mile Run. The receiving stream is in State Water Plan 16-F and is classified for the following uses: HQ-CWF, aquatic life, water supply and recreation. The nearest downstream potable water supply is the Emlenton Water Company which is located approximately 93 miles downstream on the Allegheny River.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 mgd.

<i>Parameter</i>	<i>Concentrations</i>		
	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
CBOD <sub>5</sub>	10		20



<i>Parameter</i>	<i>Concentrations</i>		
	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	20		40
**Total Residual Chlorine	XX		
**Fecal Coliform		200/100 ml as a geometric average	
pH		6.0 to 9.0 standard units at all times	

XX—Monitor and report.

\*\*—Data to be recorded on the Annual Maintenance Report.

The EPA waiver is in effect.

**PA0238490**, Sewage, **Kennedy MHP**, P. O. Box 226, Slippery Rock, PA 16057. This proposed facility is located in Marion Township, **Butler County**.

Description of Proposed Activity: New NPDES permit including the relocation of a treated minor discharge from an existing sewage treatment works.

For the purpose of evaluating effluent requirements for TDS, NO<sub>2</sub>-NO<sub>3</sub>, fluoride, phenolics, sulfate and chloride, the existing/proposed downstream potable water supply, considered during the evaluation is the Camp Allegheny intake located on the Slippery Rock Creek and is approximately 36 miles below point of discharge.

The receiving stream, the UNT to McMurry Run, is in Watershed 20-C and classified for: CWF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.005 mgd.

*Interim Limits (until outfall relocation)*

<i>Parameter</i>	<i>Concentrations</i>		
	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
CBOD <sub>5</sub>	10		20
Total Suspended Solids	10		20
NH <sub>3</sub> -N			
(5-1 to 10-31)	3		6
(11-1 to 4-30)	9		18
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2000/100 ml as a geometric average	
Total Residual Chlorine	1.4		3.3
pH		6.0 to 9.0 standard units at all times	

*Final Limits (after outfall relocation)*

<i>Parameter</i>	<i>Concentrations</i>		
	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
CBOD <sub>5</sub>	25		50
Total Suspended Solids	30		60
NH <sub>3</sub> -N			
(5-1 to 10-31)	8		16
(11-1 to 4-30)	24		48
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a geometric average	
(10-1 to 4-30)		2000/100 ml as a geometric average	
Total Residual Chlorine	1.4		3.3
pH		6.0 to 9.0 standard units at all times	

XX—Monitor and report on monthly DMRs.

### III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

*Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.*

**WQM Permit No. 0907404**, Sewerage, **Upper Southampton Sewer Authority**, 945 Street Road, P. O. Box 481, Southampton, PA 18966. This proposed facility is located in Lower Southampton Township, **Bucks County**.

Description of Action/Activity: Extension of force main 4,600 feet.

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**WQM Permit No. 3907403**, Sewerage, **Allied Utility Services, Inc.**, P. O. Box 1488, Skippack, PA 19474. This proposed facility is located in North Whitehall Township, **Lehigh County**.

Description of Proposed Action/Activity: This project consists of construction of a sewage pump station within a 55 single-family residential lot development with proposed sewage flows of 14,437 gpd with conveyance of sewage to existing Schnecksville North sewage treatment facility.

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**WQM Permit No. 6307401**, Sewerage, **Henry Berdine**, 559 Zediker Station Road, Washington, PA 15301. This proposed facility is located in South Strabane Township, **Washington County**.

Description of Proposed Action/Activity: Application for the construction and operation of a single-residence sewage treatment plant.

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No. WQG018538**, Sewerage, **Paul L. and Catherine P. LaBrie**, 112 Wetmore Trail, Kane, PA 16735. This proposed facility is located in Hamilton Township, **McKean County**.

Description of Proposed Action/Activity: A Single-Residence Sewage Treatment Plant.

---

#### **IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)**

---

#### **V. Applications for NPDES Wavier Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)**

---



---

#### **VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities**

---

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Northampton County Conservation District: Greystone Building, Gracedale Complex, Nazareth, PA 18064-9211, (610) 746-1971.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024807007	James and Sharon Carty 619 East Lawn Street Nazareth, PA 18064	Northampton	Bushkill Township	Monocacy Creek HQ-CWF
PAI024807008	Jack Muschlitz 615 Moorestown Drive Bath, PA 18014	Northampton	Wind Gap Borough	Little Bushkill Creek HQ-CWF, MF

---

#### **VII. List of NOIs for NPDES and/or Other General Permit Types**

---

PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

---

### **PUBLIC WATER SUPPLY (PWS) PERMIT**

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

## SAFE DRINKING WATER

**Applications Received under the Pennsylvania Safe Drinking Water Act**

*Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Permit No. 4607502**, Public Water Supply.

Applicant **Eadeh Family Limited Partnership**  
 Township Lower Providence  
 County **Montgomery**  
 Responsible Official Ernest C. Eadeh  
 511 Old Lancaster Road  
 No. 8  
 Berwyn, PA 19312  
 Type of Facility Public Water Supply  
 Consulting Engineer Ebert Engineering, Inc.  
 P. O. Box 540  
 4092 Skippack Pike  
 Skippack, PA 19474  
 Application Received Date April 25, 2007  
 Description of Action Permit application for the addition of activated carbon filters for VOC treatment and an ultra violet unit for disinfection.

*Northeast Region: Water Supply Management Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**Application No. 5407503**, Public Water Supply.

Applicant **Borough of Schuylkill Haven**  
 North Manheim Township  
**Schuylkill County**  
 Responsible Official James New, Borough Manager  
 Borough of Schuylkill Haven  
 12 West Main Street  
 Schuylkill Haven, PA 17972  
 Type of Facility Community Water System  
 Consulting Engineer Darryl A. Jenkins, P. E.  
 Great Valley Consultants  
 75 Commerce Drive  
 Wyomissing, PA 19610  
 Application Received Date May 8, 2007  
 Description of Action Application for construction of a replacement booster pump station to serve the Chestnut Hill development.

**Application No. 4807504**, Public Water Supply.

Applicant **Pennsylvania American Water (PAW)**  
 Pen Argyl and Roseto Boroughs  
 Plainfield, Washington and Upper  
 Mount Bethel Townships  
**Northampton County**  
 Responsible Official David Kaufman  
 PAW  
 800 West Hersheypark Drive  
 Hershey, PA 17033  
 Type of Facility PWS

Consulting Engineer Karl Shellenberger, P. E.  
 Buchart-Horn, Inc.  
 1200 West College Avenue  
 State College, PA 16801

Application Received Date May 10, 2007

Description of Action PAW proposes the construction of the PAW Blue Mountain/Bangor Interconnect Project which includes the construction of approximately 7,400 LF of new distribution mains, a new underground booster pumping station, new raw water pump at the Oxford Reservoir, and approximately 800 LF of new transmission main piping from the Bangor Plant to the Lower Handelong Reservoir.

*Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Application No. 2007503**, Public Water Supply.

Applicant **Mitchell Lake MHP**  
 Township or Borough Cambridge Township  
**Crawford County**  
 Responsible Official Scott A. Mitchell, Owner  
 Consulting Engineer Dennis A. DeSilvey, P. E.  
 Project Consultant  
 211 Gearhart Road  
 Pulaski, PA 16143

Application Received Date May 15, 2007

Description of Action Modification of public water supply treatment for arsenic removal.

**Application No. 1007501**, Public Water Supply.

Applicant **Fleming Mobile Home Park**  
 Township or Borough Center, Clay, Concord and  
 Oakland Townships  
**Butler County**  
 Responsible Official Beth and Mark McGarragh, Owner  
 Consulting Engineer William J. McGarvey, P. E.  
 Consulting Engineer  
 172 Woodcrest Road  
 Butler, PA 16002

Application Received Date May 15, 2007

Description of Action Permit existing system

**Application No. 6207501**, Public Water Supply.

Applicant **North Warren Municipal Authority**  
 Township or Borough Conewango Township  
**Warren County**  
 Responsible Official D. Melvin Jacobson, Chairperson  
 Consulting Engineer Dale W. Sorensen, P. E.  
 Northwest Engineering, Inc.  
 R. D. 1  
 P. O. Box Q  
 Tidioute, PA 16351

Application Received May 18, 2007  
 Date  
 Description of Action Replace pumps and install controls in the two booster pump stations along Follett Run Road.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

### PREAMBLE 1

#### Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator

at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.*

**1707-1737 North Delaware Avenue, Prop.**, City of Philadelphia, **Philadelphia County**. Gary Brown, RT Env. Svc., Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of James Anderson, Columbus Boulevard, Assoc., LP, 6958 Torresdale Avenue, Philadelphia, PA 19135 has submitted a Notice of Intent to Remediate. Groundwater at the site has been impacted by release of chlorinated solvents. The future proposed use of property would be nonresidential for food distribution.

**Harvey Gray Inc.**, Upper Merion Township, **Bucks County**. Tarek Selim, Penn E & R, 2755 Bergey Road, Hatfield, PA 19440 on behalf of Harvey Gray, Harvey Gray, Inc., 921 Creamery Road, Newtown, PA 18940 has submitted a Notice of Intent to Remediate. Groundwater and soil at the site has been impacted by release of PCB. Currently the site is inactive and considered for nonresidential redevelopment as a wastewater treatment facility.

*Northeast Region: Ronald S. Brezinski, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**Pirone Residence**, City of Allentown, **Lehigh County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 has submitted a Notice of Intent to Remediate (on behalf of his client, Richard and Olga Pirone, 1037 North 21st Street, Allentown, PA 18104) concerning the remediation of soils impacted with No. 2 fuel oil as a result of a filter connection error on the No. 2 fuel oil heating system. The applicant proposes to remediate the site to meet the Residential Statewide Health Standard for soils. The proposed future use of the property will be residential use. A summary of the Notice of Intent to Remediate was published in *The Express-Times* on April 26, 2007.

*Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**FR & S No. 3 Industrial Waste Site**, Exeter Township, **Berks County**. Synergy Environmental, Inc., 155 Railroad Plaza, 1st Floor, Royersford, PA 19508, on behalf of Wood Nursery Corporation, Exeter Associates, Inc., and Buddies Nursery, Inc., P. O. Box 264, Birdsboro, PA 19508-0264, submitted a Notice of Intent to Remediate soils and groundwater contaminated with metals, VOCs and SVOCs. Portions of the property were used for disposal of hazardous, industrial and demolition wastes. Future use is nonresidential.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

#### NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one

time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (act) and regulations adopted under the act.

#### PLAN APPROVALS

**Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.**

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.*

**06-05113A: PPL Distributed Generation, LLC** (2 North Ninth Street, Allentown, PA 18101-1179) for construction of a 143.3 mmBtu/hr biomass rotogrator stoker boiler controlled by fluegas recirculation, overfired air, SNCR NO<sub>x</sub> control, Trona injection and electrostatic precipitator in Maiden Creek Township, **Berks County**. The boiler will be used to generate electricity. The boiler will be subject to 40 CFR Part 60, Subpart Db, Standards of Performance for New Stationary Sources.

**36-05067K: C and D Technologies, Inc.** (82 East Main Street, Leola, PA 17540) for modifications to the existing battery manufacturing plant in Upper Leacock Township, **Lancaster County**. The plant is subject to 40 CFR Part 60, Subpart KK—Standards of Performance for Lead-Acid Battery Manufacturing Plants.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.*

**20-106A: Greenleaf Corp.** (18695 Greenleaf Drive, Saegertown, PA 16433-4429) to install a thermal oxidizer on a graphite resistance furnace at their manufacturing facility in Hayfield Township, **Crawford County**.

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.*

**23-0009D: Boeing Aircraft & Military System Group** (P. O. Box 16858, Philadelphia, PA 19142) Plan Approval submittal for the installation of 73 mmBtu/hr Nebraska Boiler firing Natural Gas and Number No. 2 Fuel Oil in Ridley Township, **Delaware County**. The permit is for a Title V facility. The permit will include monitoring, testing, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

**46-0198L: Blommer Chocolate Co.** (1101 Blommer Drive, East Greenville, PA 18041) for the addition of an Aspiration Box and associated dust collector to existing Production Line 2/3 between the Line 2/3 Micronizer and the Line 2/3 Winnower. The proposed source has a potential to emit 4.81 tpy PM after controls. The facility is located in Upper Hanover Township, **Montgomery County**.

**09-0024E: Waste Management Disposal Services of Pennsylvania, Inc.—Tullytown Landfill** (1121 Bordertown Road, Morrisville, PA 19067) Plan Approval submittal for the installation of Eastern Expansion of 7,400,000 cubic yards at the Tullytown Facility in Tullytown Borough, **Bucks County**. The design includes a modification of the gas collection and control system by adding collection wells, extending gas pipeline system, using the existing back-up flares and installing a new back-up flare. The permittee shall comply with 40 CFR Part 60, Subpart WWW. The permit is for a Title V facility. The permit will include monitoring, testing, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

**46-0264: Caddick Construction Co., Inc.** (P. O. Box 179, Ambler, PA 19002) for the installation of a Non-Metallic Mineral Processing Plant (plant) at the Caddick Construction Company, Inc., stone, concrete, asphalt, brick and other demolition debris crushing new facility located at 7147 Camp Hill Road, Fort Washington, PA 19034, Whitmarsh Township, **Montgomery County**. The installation of a plant may result in the emissions of 5.53 tpy of NO<sub>x</sub>, 1.22 tpy of PM<sub>10</sub> or smaller, 1.22 tpy of PM, 1.34 tpy of CO, 0.46 tpy of SO<sub>x</sub>, 0.13 tpy of VOC and 0.13 tpy of HAPs. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

**46-0025K: Lonza, Inc.** (900 River Road, Conshohocken, PA 19428) for the replacement of its existing venturi scrubber in Upper Merion Township, **Montgomery County**. This facility is a Title V facility. This

replacement will not result in any emission increase. The Plan Approval and Operating Permit will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.*

**48-313-100: Ecopax, LLC—United Plastics Group** (30 Commerce Drive, Somerset, NJ 08873) for construction and operation of a styrofoam production line and associated air cleaning devices at their facility in Forks Township, **Northampton County**. The construction of one line replaces the construction of two styrofoam production lines identified in the notice published at 36 Pa.B. 7314 (December 2, 2006). The operation of the production line will result in a facility-wide total VOC emission rate not to exceed 49.9 tpy. The plan approval will contain operating restrictions, testing, monitoring, reporting, recordkeeping and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.*

**14-00002I: Graymont (PA), Inc.** (965 East College Avenue, Pleasant Gap, PA 16823) to construct and operate a pneumatic truck transfer line system (Source ID P523), as well as install two bin-vent fabric filters (IDs C523A & B), at the Con-Lime plant in Benner Township, **Centre County**. This site is associated with the Pleasant Gap and Bellefonte facility in Spring Township, Centre County. The respective facility is a major facility for which a Title V operating permit 14-00002 has been issued.

The Department of Environmental Protection's (Department) review of the information provided by Graymont (PA), Inc. indicates that the proposed installation and construction will comply with all air quality regulatory requirements, including the BAT requirement of 25 Pa. Code §§ 127.1 and 127.12 pertaining to air contamination sources and the emission of air contaminants. Based on these findings, the Department intends to issue a plan approval for the proposed modification. Additionally, the plan approval, if issued, will subsequently be incorporated in an operating permit by means of an administrative amendment in accordance with 25 Pa. Code § 127.450 at a later date. The following is a summary of the conditions that the Department proposes to place in the plan approval to ensure compliance with all applicable air quality regulatory requirements.

1. All conditions contained in TVOP 14-00002 remain in effect unless superseded or amended by conditions contained in Plan Approval 14-00002I. If there is a conflict between a condition contained in Plan Approval 14-00002I and a condition contained in TVOP 14-00002, the permittee shall comply with the condition contained in Plan Approval 14-00002I.

2. The emission of PM from the IAC model 96TB-BHI-25 bin-vent fabric filters (IDs C523A and C523B) associated with the storage silos and pneumatic truck transfer line system (Source ID P523) shall not exceed 0.01 grain per dry standard cubic foot.

3. The total emissions of PM and PM10 from the pneumatic truck transfer line system shall not exceed 0.26 pound per hour and 0.63 ton in any 12-consecutive month period.

4. The total amount of material processes through Silos 3, 4, 7 and 8 shall not exceed 250,000 tons in any 12-consecutive month period. The total amount of material processes through Silos 1, 2, 5 and 6 shall not exceed 250,000 tons in any 12-consecutive month period.

5. The permittee may install and operate bin-vent fabric filters, other than the IAC model 96TB-BHI-25 bin-vent fabric filters, as long as the permittee requests, in writing, and the Department approves, in writing, the change prior to the installation. The bin-vent fabric filters shall each have a minimum fabric area of 13 square feet per filter and handle no more than 1,500 actual cubic feet of gas per minute. Any substitute bin-vent fabric filters must meet all design specifications and requirements contained in the plan approval application and supplemental materials submitted by Graymont (PA), Inc., dated September 1, 2006, and April 17, 2007, and all conditions of this plan approval.

6. The permittee shall only use 16 weight (ounces per square yard) polytetrafluoroethylene membrane filters, or another bag as approved by the Department that offers equivalent or better control of PM emissions, in the bin-vent fabric filters.

7. The permittee shall not operate the pneumatic truck transfer line system associated with Silos 3, 4, 7 and 8 (unloading station No. 1) without the simultaneous operation of the associated bin-vent fabric filter. The permittee shall not operate the pneumatic truck transfer line system associated with Silos 1, 2, 5 and 6 (unloading station No. 2) without the simultaneous operation of the associated bin-vent fabric filter. The PM emissions from the storage silos and the pneumatic truck transfer line system shall be controlled by the IAC model 96TB-BHI-25 bin-vent fabric filters (IDs C523A and C523B).

8. The permittee shall not simultaneously unload more than two tanker trucks with the pneumatic truck transfer line system. In addition, if two tanker trucks are simultaneously unloaded, one must be at unloading station No. 1 and the other must be at unloading station No. 2.

9. The bin-vent fabric filters shall be equipped with a device to continuously measure differential pressure across the respective fabric filter. In addition, the permittee shall record the differential pressure across each fabric filter at least once per week when each fabric filter is in operation.

10. The permittee shall keep records of the supporting calculations for PM and PM10 emissions on a monthly basis and shall verify compliance with the PM and PM10 emissions limitation for the pneumatic truck transfer line system in any 12-consecutive month period. These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

11. The permittee shall keep records of the amount of material process through Silos 3, 4, 7 and 8 on a monthly basis and shall verify compliance with the material throughput limitation for the silos in any 12-consecutive month period. The permittee shall keep records of the amount of material process through Silos 1, 2, 5 and 6 on a monthly basis and shall verify compliance with the material throughput limitation for the silos in any 12-consecutive month period. These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

12. The permittee shall comply with the fugitive PM emission limitations specified in 25 Pa. Code § 123.1.

A copy of the plan approval application and the Department's review is available for public review between 8

a.m. and 4 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at (570) 327-3693. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Manager, Facilities Permitting Section, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-0512.

**49-00033C: Watsontown Brick Co.** (P. O. Box 68, Route 405, Watsontown, PA 17777-0068) has submitted an application (No. 49-00033C) to the Department of Environmental Protection (Department) for plan approval for construction and operation of a 660 tph impact crusher, and associated material handling equipment (Source ID P125) for their brick making facility in Delaware Township, **Northumberland County**. Source ID P125 will be equipped with a water spray dust suppression system (ID C125) to control fugitive particulate emissions. The respective facility is a major facility for which a Title V operating permit 49-00033 has been issued.

The Department's review of the information submitted by Watsontown Brick Company indicates that the crusher and associated conveying and material handling equipment will meet all applicable air quality regulatory requirements pertaining to air contamination sources and the emission of air contaminants, including the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12. In addition, the impact crusher will meet the requirements of Subpart 000 of the New Source Performance Standards, 40 CFR 60.670—60.676. Based on these findings, the Department intends to approve the application and issue plan approval for the construction of the crusher and associated conveying and material handling equipment. Additionally, if the Department determines that the sources are operating in compliance with all plan approval conditions, the conditions established in the plan approval will be incorporated into Title V operating permit 49-00033 by means of an administrative amendment under 25 Pa. Code § 127.450.

The following is a summary of the conditions that the Department proposes to place in the plan approval to be issued to ensure compliance with all applicable regulatory requirements:

1. Source ID P125 consists of a 660 tph Metso Nordberg model NP-1415 impact crusher, a 20' vibrating pan feeder, and a 48" by 28' discharge conveyor.

2. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, Source ID P125 shall not be operated in excess of 3,000 hours in any 12-consecutive month period.

3. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the PM emissions from Source ID P125 shall be controlled to an efficiency of at least 95%.

4. The permittee shall comply with the fugitive PM emission limitations specified in 25 Pa. Code § 123.1.

5. The permittee shall keep records of the following information for Source ID P125:

(a) The total hours Source ID P125 is operated each month and the supporting calculations to verify compliance with the operating hours limitation for Source ID P125 in any 12-consecutive month period.

(b) The total amount of shale and brick batts processed through Source ID P125 each month.

These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

6. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, Source ID P125 shall be equipped with a water spray dust suppression system (ID C125). The water spray dust suppression system (ID C 125) shall be operated on any and all occasions that Source ID P125 is operated. Operation without simultaneous operation of the water spray dust suppression system can take place only in those unusual instances where processed materials contain sufficient moisture so as not to create air contaminant emissions in excess of the limitations specified in 25 Pa. Code § 123.1. If, however, the water spray dust suppression system is incapable of operation due to weather conditions or any other reason, the permittee may not operate Source ID P125.

7. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the discharge conveyor of Source ID P125 shall be completely covered to its discharge point to control fugitive PM emissions.

8. Source ID P125 is subject to 40 CFR Part 60, Subpart 000, 60.670—60.676. The permittee shall comply with all applicable requirements of that subpart.

9. The permittee shall comply with the visible emission limitations specified in 40 CFR 60.672.

10. The permittee shall comply with all recordkeeping and reporting requirements specified in 40 CFR 60.676.

A copy of the plan approval application is available for public review between 8 a.m. and 4 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at (570) 327-3693. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Chief, Facilities Permitting Section, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-0512.

**18-315-002B: First Quality Products, Inc.** (P. O. Box 270, McElhattan, PA 17748) for construction of two absorbent products (adult briefs) manufacturing lines (Lines 31 and 32) in Wayne Township, **Clinton County**.

The PM emissions from each line will be controlled by either an "Ibis International" or "Osprey Corporation" unit which incorporates a drum filter section, a cartridge filter section and a HEPA filter section operating in series. The resultant PM emissions from both machines combined are not expected to exceed .012 tpy. The total combined VOC emissions from the use of adhesives, inks and clean-up solvents are not expected to exceed 3.73 tpy.

The facility in which the two absorbent products manufacturing lines will be constructed is not a major (Title V) facility for any air contaminant.

The Department of Environmental Protection's (Department) review of the information submitted by First Quality Products, Inc. indicates that the proposed absorbent products manufacturing lines will comply with all applicable regulatory requirements pertaining to air contamination sources and the emission of air contaminants, including the BAT requirement of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue plan approval for the construction of the two proposed absorbent products manufacturing lines. Additionally, if the Department determines that the re-

spective manufacturing lines are operating in compliance with all conditions of the plan approval and all applicable regulatory requirements following their construction, the Department intends to incorporate the plan approval conditions into State-only Operating Permit 18-00026 in accordance with the administrative amendment requirements of 25 Pa. Code § 127.450.

The following is a summary of the conditions the Department proposes to place in the plan approval to be issued to ensure compliance with all applicable regulatory requirements:

1. The PM emissions from each line shall be controlled by either an Ibis International or Osprey Corporation unit consisting of a drum filter section, cartridge filter section and HEPA filter section operating in series. The concentration of PM in the exhaust of each of these units shall not exceed .0000044 grains per dry standard cubic foot of effluent gas volume and there shall be no visible air contaminant emissions from the exhaust of either unit (other than water vapor or steam).

2. Each of the two Ibis International or Osprey Corporation units shall be equipped with instrumentation to monitor the pressure differential across each of its three component sections on a continuous basis.

3. Spare drum filters, cartridge filters and HEPA filters shall be kept on hand.

4. Any air compressor supplying compressed air to any Ibis International or Osprey Corporation unit shall be equipped with air dryer and oil trap.

5. The total combined VOC emissions resulting from adhesive, ink and cleanup solvent usage associated with the two manufacturing lines shall not exceed 3.73 tons in any 12-consecutive month period and there shall be no volatile HAP emissions.

6. The adhesives used on, or in association with, the two manufacturing lines shall be restricted to hot melt adhesives which do not contain, as an intentionally-added ingredient, any VOC or volatile HAP. The hot melt adhesives may however result in the emission of VOCs provided that the emissions do not exceed .003 pound per pound of adhesive used.

7. No more than a combined total of 1,745,432 pounds of hot melt adhesive may be used on, or in association with, the two manufacturing lines in any 12-consecutive month period.

8. No more than a combined total of 321 gallons of VOC-containing cleanup solvent may be used on, or in association with, the two manufacturing lines in any 12-consecutive month period, including that used on the associated box printers, and the specific solvents used shall be as described in the plan approval application. The cleanup solvent used on the bag printers associated with the two manufacturing lines shall be acetone only.

9. No more than a combined total of 24 gallons of VOC-containing ink shall be used on, or in association with, the two manufacturing lines in any 12-consecutive month period, including that used on the associated box printers. The solvent in the inks used on the bag printers associated with the two manufacturing lines shall be acetone only.

10. No ink or solvent used on the two manufacturing lines shall contain any volatile HAPs.

11. All containers of VOC-containing materials and acetone-containing materials shall be kept closed except when in actual use. All used cleaning cloths shall be

stored in closed containers and such cloths shall never be treated in any manner which would unnecessarily promote the evaporative loss of any contained VOC or acetone to the atmosphere.

12. Records shall be maintained of the identity and amount of each adhesive, ink and cleanup solvent used on the respective two manufacturing lines each month. All such records shall be retained for at least 5 years and shall be made available to the Department upon request.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.*

**37-264G: Ellwood Quality Steels** (700 Moravia Street, New Castle, PA 16101) For modification of the existing Electric Arc Furnace (EAF) to allow the Melt Shop to increase production from 415,446 to 450,000 tons of steel per year in **Lawrence County**.

Under 25 Pa. Code § 127.44 and 40 CFR 52.21(1)(2), the Department of Environmental Protection (Department) is soliciting comments on the proposed Air Quality Plan Approval for Ellwood Quality Steels to modify the existing EAF in Lawrence County. This modification will allow the Melt Shop to increase production from 415,446 to 450,000 tons of steel per year.

Ellwood Quality Steels has filed an application with the Department (230 Chestnut Street, Meadville, PA 16335) to modify the EAF. EQS is proposing to increase production capacity of the Melt Shop by reducing tap-to-tap time at the EAF. The major factor in the projected EAF production increase is a new 35/42 mva transformer at the EAF, which will increase production by a maximum of 2.4 heats per day. The new transformer has the same secondary amperage, but a slightly higher secondary voltage which provides a longer, more stable arc, allowing a theoretical 5% reduction in the current "power on time." Other operational and mechanical improvements include increased operator efficiency, replacement of the EAF electrode regulation system and EAF gunning machine.

Applicable requirements for the proposed application include the Prevention of Significant Deterioration (PSD) regulations (40 CFR 52.21). This plan approval will in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date.

Based on the information provided by the applicant and the Department's own analysis, the proposed modifications to the EAFs will have a net emission increase of: NO<sub>x</sub> 13 tpy; CO 179 tpy; SO<sub>2</sub> 16 tpy; VOCs 11 tpy PM < 10 μm 8 tpy; and Total Suspended Particulates 8 tpy.

The Department has determined that the application reflects the use of BACT, as required by the PSD regulations. The expected allowable emission increase in CO from the proposed facility modifications exceeds the significant emission rate of 100 tpy listed under 40 CFR 52.21(b)(23)(i). A source impact analysis, under 40 CFR 52.21(k), was necessary to demonstrate that the CO emission will not contribute to air pollution in violation of the National Ambient Air Quality Standards (NAAQS). Additional impact analyses were required under 40 CFR 52.21(o). A Class I Area analysis was not required as no PSD increment standards exist for CO and CO emissions do not play a significant role in visibility degradation, thus the proposed modification is not expected to have an adverse effect on visibility.

According to 40 CFR 52.21(l) and (2), an alternative to the air quality models specified in 40 CFR Part 51,



Appendix W (relating to Guideline on Air Quality Models) may be used to model air quality if the United States Environmental Protection Agency (EPA) approves the substitute model. Use of the substitute model is subject to notice and an opportunity for public comment.

As an alternative to EPA Guideline Models, ISC-Prime was used in the air quality analysis for the proposed EAF project. Approval for the use of ISC-Prime in this analysis was granted by the EPA Region III. Under 25 Pa. Code §§ 127.44 and 127.83, as well as 40 CFR 52.21(l)(2) and (q), notice is hereby given that the Department is soliciting written comments on the use of the ISC-Prime, nonguideline model.

The model estimated that the maximum CO impact will be below the Class II significant impact levels (SILs). This is sufficient to demonstrate that the proposed modifications to the operating procedure at the EQS facility will not cause or significantly contribute to air pollution in violation of CO NAAQS. The maximum 8-hour CO concentration was also found to be below the de minimis monitoring level for CO.

The results of the NAAQS analysis for CO indicates a total value of 265.7  $\mu\text{g}/\text{m}^3$  for a urban 1-hour averaging period and a total value of 199.3  $\mu\text{g}/\text{m}^3$  for a urban 8-hour averaging period. The Class II SIL for an urban 1-hour averaging period is 2,000  $\mu\text{g}/\text{m}^3$  and for an 8-hour averaging period is 500  $\mu\text{g}/\text{m}^3$ . The de minimis level for a rural 8-hour averaging period is 575  $\mu\text{g}/\text{m}^3$ .

Sources subject to PSD regulations must meet certain conditions prior to the issuance of a preconstruction/modification approval. These conditions are briefly described below. For exact text, please refer to 40 CFR 52.21.

*Site Level Conditions:*

The production of steel ingots from the facility shall not exceed 450,000 ton of steel ingots per year (based on a 12-month rolling total).

*Boilers (4) Source ID: 033*

The natural gas consumption from the boiler shall not exceed 221,808 MCF of natural gas per year, calculated as a 12-month rolling total.

*Misc Heater Units (< 2.5 mmBtu/hr) Source ID: 034, Scrap Torch Source ID: 103 and Gas Cutter Source ID: 104*

The total natural gas consumption from the scrap torch (Source 103), gas cutter (Source 104) and the miscellaneous heaters (Source 034) shall not exceed 241,092 MCF of natural gas per year, calculated as a 12-month rolling total.

*Electric Arc Furnace Source ID: 101*

1. The Department reserves the right to establish to impose more stringent limitations based on results from stack testing.

2. The emissions from the EAF (Source 101) shall not exceed the following:

- (a) CO—1,035 tpy and 4.6 lbs/ton steel produced.
- (b) NO<sub>x</sub>—22.5 tpy and 0.1 lb/ton steel produced.
- (c) SO<sub>x</sub>—101.25 tpy and 0.45 lb/ton steel produced.
- (d) VOC—67.5 tpy and 0.3 lb/ton steel produced.
- (e) PM<sub>10</sub>—33.75 tpy and 0.15 lb/ton steel produced.

The tpy limits shall be calculated as a 12-month rolling total.

3. The capture efficiency from the EAF Direct Evacuation Control duct shall be at least 90%.

4. (a) Within 120 days of the issue date of this plan approval, a test procedure and a sketch with dimensions indicating the location of sampling ports and other data to ensure the collection of representative samples shall be submitted to the Department.

(b) Within 180 days of the issue date of this plan approval, stack tests shall be performed in accordance with the provisions of 25 Pa. Code Chapter 139 to show compliance with the NO<sub>x</sub>, SO<sub>x</sub>, VOC, PM and PM<sub>10</sub> emission limitations for the EAF. The stack tests shall be performed while the EAF is operating at the maximum rated capacity as stated on the application (based on 54.8 tons per hour). During the stack test for PM and PM<sub>10</sub> the sampling time and volume for each run shall be at least 4 hours and 160 dscf. The NO<sub>x</sub>, SO<sub>x</sub> and VOC testing for the EAF shall be conducted in the duct prior to the positive pressure baghouse.

(c) At least 2 weeks prior to the test, the Permittee shall inform the Department of the date and time of the test.

5. (a) Compliance with the CO emission limits shall be shown through an initial stack test and annual stack test thereafter as outlined as follows.

(b) Within 180 days of the issue date of this plan approval and annually thereafter, a stack test shall be performed in accordance with the provisions of 25 Pa. Code Chapter 139 and the most current edition of the Department's "Source Testing Manual" for CO emissions. The stack tests shall be performed while the EAF is operating at the maximum rated capacity as stated on the application (based on 54.8 tons per hour). The CO testing for the EAF shall be conducted in the duct prior to the positive pressure baghouse.

(c) At least 2 weeks prior to the test, the permittee shall inform the Department of the date and time of the test.

(d) Within 45 days after completion of the test, two copies of the complete test report, including all operating conditions, shall be submitted to the Department for approval.

(e) Actions Related to Noncompliance Demonstrated by a Stack Test:

(i) If the results of a stack test, performed as required by this approval, exceed the level specified in any condition of this approval, the Permittee shall take appropriate corrective actions. Within 30 days of the Permittee receiving the stack test results, a written description of the corrective actions shall be submitted to the Department. The Permittee shall take appropriate action to minimize emissions from the affected facility while the corrective actions are being implemented. The Department shall notify the Permittee within 30 days, if the corrective actions taken are deficient. Within 30 days of receipt of the notice of deficiency, the Permittee shall submit a description of additional corrective actions to the Department. The Department reserves the authority to use enforcement activities to resolve noncompliant stack tests.

(ii) If the results of the required stack test exceed any limit defined in this plan approval, the test was not performed in accordance with the stack test protocol or the source and/or air cleaning device was not operated in accordance with the plan approval, then another stack test shall be performed to determine compliance. Within 120 days of the Permittee receiving the original stack test

results, a retest shall be performed. The Department may extend the retesting deadline if the Permittee demonstrates, to the Department's satisfaction, that retesting within 120 days is not practicable. Failure of the second test to demonstrate compliance with the limits in the plan approval, not performing the test in accordance with the stack test protocol or not operating the source and/or air cleaning device in accordance with the plan approval may be grounds for immediate revocation of the plan approval to operate the affected source.

(d) Within 45 days after completion of the test, two copies of the complete test report, including all operating conditions, shall be submitted to the Department for approval.

(e) Actions Related to Noncompliance Demonstrated by a Stack Test:

(i) If the results of a stack test, performed as required by this approval, exceed the level specified in any condition of this approval, the Permittee shall take appropriate corrective actions. Within 30 days of the Permittee receiving the stack test results, a written description of the corrective actions shall be submitted to the Department. The Permittee shall take appropriate action to minimize emissions from the affected facility while the corrective actions are being implemented. The Department shall notify the Permittee within 30 days, if the corrective actions taken are deficient. Within 30 days of receipt of the notice of deficiency, the Permittee shall submit a description of additional corrective actions to the Department. The Department reserves the authority to use enforcement activities to resolve noncompliant stack tests.

(ii) If the results of the required stack test exceed any limit defined in this plan approval, the test was not performed in accordance with the stack test protocol or the source and/or air cleaning device was not operated in accordance with the plan approval, then another stack test shall be performed to determine compliance. Within 120 days of the Permittee receiving the original stack test results, a retest shall be performed. The Department may extend the retesting deadline if the Permittee demonstrates, to the Department's satisfaction, that retesting within 120 days is not practicable. Failure of the second test to demonstrate compliance with the limits in the plan approval, not performing the test in accordance with the stack test protocol or not operating the source and/or air cleaning device in accordance with the plan approval may be grounds for immediate revocation of the plan approval to operate the affected source.

6. The permittee shall maintain a rolling total of the hours of operation, natural gas consumption and facility production by adding the monthly totals to the 11 previous months.

7. The total natural gas consumption from the EAF burners shall not exceed 116,603 MCF of natural gas per year, calculated as a 12-month rolling total.

*Anneal Furnaces (6) Source ID: 102 Source Name*

(a) The total natural gas consumption from the numbers 15–19 furnaces (equipped with low NO<sub>x</sub> burners) shall not exceed 1,014,504 MCF of natural gas per year, calculated as a 12-month rolling total. The NO<sub>x</sub> emissions from the numbers 15–19 furnaces shall not exceed 65 lbs/MMCF (for each unit, respectively).

(b) The total natural gas consumption from the number 20 furnace shall not exceed 54,744 MCF of natural gas per year, calculated as a 12-month rolling total.

*Electric Ladle Furnaces Source ID: 109A and Source ID: 109B*

The emission of PM<sub>10</sub> from the baghouse that controls the two ladle furnaces shall not exceed 4.5 tpy, calculated as a 12-month rolling total, and shall not exceed 0.02 lb per ton of steel.

*Ladle Preheaters (2) Source ID: 132*

The natural gas consumption from the two ladle preheaters shall not exceed 130,355 MCF of natural gas per year, calculated as a 12-month rolling total.

*EAF Preheater Source ID: 135*

The natural gas consumption from the EAF preheat shall not exceed 41,895 MCF of natural gas per year, calculated as a 12-month rolling total.

The Department has made a preliminary determination to approve the plans submitted by Ellwood Quality Steels subject to the conditions listed. A final determination will be made based on any additional inputs received.

The Department will consider any written comments received within 30 days of the publication of this notice. Any person may oppose this preliminary determination by filing a written notice with the Department of Environmental Protection, Air Quality Program, 230 Chestnut Street, Meadville, PA 16335, Attn.: John Guth, Regional Air Program Manager.

Each protest shall include the following:

1. Name, address and telephone number of the person filing each protest.
2. Identification of the proposed plan approval issuance being opposed (37-264G).
3. Concise statement of the reasons for objection to the issuance of the plan approval and the relevant facts upon which the objections are based.

Copies of the application and the modeling analysis used in the evaluation are available for public inspection between 8 a.m. and 4 p.m. at the Department of Environmental Protection's Northwest Regional Office, 230 Chestnut Street, Meadville, PA. Appointments for scheduling a review may be made by calling Linda Conway at (814) 332-6340.

If sufficient public interest is generated, the Department, prior to the issuance of the plan approval, may in its discretion, hold a public meeting or fact-finding conference, at which time any person may appear and give testimony. If it is decided to hold a public hearing, then a notice to this effect shall be published in the local newspaper giving the place and time of such a hearing.

For any additional information regarding the previous, contact George Monasky, P. E. or John Guth at (814) 332-6940 or by writing the Department at the Meadville address given.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should by contacting the Department or the Pennsylvania AT&T relay service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

*Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Braun, Chief, (215) 685-9476.*

**AMS 07075: Verizon—Locust Central Office** (1631 Arch Street, Philadelphia, PA 19108) for installation of two 1500 Kilowatt diesel emergency generators in the

City of Philadelphia, **Philadelphia County**. There will be a potential annual emission increase of 24.1 tons of NOx for the facility. The plan approval will contain operating, monitoring and recordkeeping requirements to ensure operation within all applicable requirements.

#### OPERATING PERMITS

#### Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.*

**33-00140: Dominion Transmission, Inc.** (88 Laska Road, Punxsutawney, PA 15767) for reissuance of a Title V Permit in the Perry Township, **Jefferson County**. The facility is a gas transmission and distribution company. The facility's major emission sources included Boiler No. 1, miscellaneous combustion units, compressor engines Nos. 1 and 2, auxiliary generator No. 1, miscellaneous storage tanks, compressor engines No. 3, facility pumps, valves and flanges. The facility is a major facility due to its potential to emit of VOC and NOx. The facility is not subject to compliance assurance monitoring.

*Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Braun, Chief, (215) 685-9476.*

**V06-014: Exelon Generating Co.—Schuylkill Station** (2800 Christian Street, Philadelphia, PA 19146) for issuance of a Title V Operating Permit in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include one 1,530 mmBtu/hr boiler, one 233 mmBtu/hr combustion turbine, one 284 mmBtu/hr combustion turbine, one 2.75 MW diesel emergency generator and cold degreasing operations.

The operating permit will be issued under the 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener (215) 685-9426.

Persons wishing to file protest or comments on the previous operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least 30 days before the hearing.

#### Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.*

**35-00060: Preferred Meal Systems** (4135 Birney Avenue, Moosic, PA 18507) for a food processing facility in Upper Moosic Borough, **Lackawanna County**. The facility's main sources include two natural gas fired convection ovens. The facility has potential to emit PM, VOCs, HAPs, NOx, SOx and CO below the major emission thresholds. The proposed State-only Operating Permit

contains applicable requirements for emissions limitations, monitoring, recordkeeping, reporting and work practice standards designed to ensure facility compliance with Federal and State air pollution regulations.

**39-00072: Hamilton TEK Partners** (9999 Hamilton Boulevard, Breinigsville, PA 18031-9359) for an electronic manufacturing facility in Upper Macungie Township, **Lehigh County**. The facility's main sources include three natural gas/No. 2 fuel fired boilers. The facility has potential to emit PM, VOCs, HAPs, NOx, SOx and CO below the major emission thresholds. The proposed State-only Operating Permit contains applicable requirements for emissions limitations, monitoring, recordkeeping, reporting and work practice standards designed to ensure facility compliance with Federal and State air pollution regulations.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.*

**07-05035: Grannas Brothers Stone and Asphalt Co., Inc.** (P. O. Box 488, Hollidaysburg, PA 16648) for operation of a batch asphalt plant in Frankstown Township, **Blair County**. This is a renewal of the State-only operating permit issued in December 9, 2002.

**36-03134: Wilmac Healthcare, Inc.** (209 North Beaver Street, York, PA 17403) for operation of their nursing and rehabilitation center in Manheim Township, **Lancaster County**. This is a renewal of the State-only operating permit issued in March of 2002.

**67-03100: Iris Energy, LLC** (50 Danbury Road, Wilton, CT 06897) for operation of a synthetic fuel processing plant at the PPL Brunner Island Steam Electric Station in East Manchester Township, **York County**. This is a renewal of the State-only operating permit issued in May of 2002.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.*

**53-00013: C.A. Elliott Lumber Co., Inc.** (P. O. Box 260, Roulette, PA 16746) for operation of a lumber manufacturing facility in Roulette Township, **Potter County**.

The facility incorporates a 4.8 million Btu/hr wood-fired boiler, six lumber drying kilns and various pieces of woodworking equipment. The PM emissions from the woodworking equipment processing kiln-dried lumber shall be controlled by a dry sawdust hopper and a cyclone collector equipped with a fabric after filter, all of which shall be installed by no later than August 1, 2007.

Following the installation of the dry sawdust hopper and cyclone/fabric afterfilter, the air contaminant emissions from the facility are not expected to exceed 10.44 tons of PM and PM10, 10.30 tons of NOx, 12.62 tons of CO, .50 ton of VOC, .40 ton of volatile HAP and .53 ton of SOx per year.

The facility is not a major (Title V) facility for any air contaminant.

The Department of Environmental Protection (Department) proposes to incorporate into the operating permit to be issued conditions requiring compliance with all applicable regulatory requirements pertaining to air contamination sources and the emission of air contaminants as well as conditions previously contained in Operating Permit 53-302-009, issued on February 13, 1995.

The conditions previously contained in Operating Permit 53-302-009 include:

1. A condition restricting the fuel used in the wood-fired boiler to dry and green sawdust generated onsite from sawing logs and machining kiln-dried lumber.
2. A condition requiring analyses and/or samples of the fuel used in the wood-fired boiler to be submitted to the Department upon request.
3. A condition prohibiting the storage and handling of the ash generated in the wood-fired boiler from resulting in the emission of excessive fugitive dust.

The Department additionally proposes to incorporate several new conditions into the operating permit to be issued including:

4. A condition requiring both the construction of a dry sawdust storage hopper, consisting of a metal structure and concrete floor, and the installation of a cyclone collector and fabric afterfilter on a five head molder by no later than August 1, 2007.
5. A condition requiring the sawdust collected in the cyclone collector and fabric afterfilter to be deposited into the dry sawdust storage hopper by means of a rotary air lock.
6. A condition requiring records to be maintained of the type (hardwood or softwood) and quantity (board feet) of lumber processed through the kilns each month.

**41-00070: PMF Industries, Inc.** (2601 Reach Road, Williamsport, PA 17701) for operation of a metal products fabrication facility in the City of Williamsport, **Lycoming County**.

The facility incorporates an open top batch vapor degreaser, a grinding operation, an electro-polishing operation and a five kilowatt propane-fired emergency generator. The VOC emissions from the vapor degreaser are controlled by a refrigerated chiller and the PM emissions from the grinding operation are controlled by a cyclone collector.

The air contaminant emissions from the facility are not expected to exceed 13.01 tons of VOC, 9.77 tons of PM (including up to 9.77 tons of PM10), .45 ton of NOx, .04 ton of CO and .01 ton of SOx per year.

The facility is not a major (Title V) facility for any air contaminant.

The Department of Environmental Protection proposes to incorporate into the operating permit to be issued conditions requiring compliance with all applicable regulatory requirements pertaining to air contamination sources and the emission of air contaminants as well as conditions previously established in Plan Approval 41-327-003A, as modified on March 20, 2007.

The conditions previously established in Plan Approval 41-327-003A, as modified on March 20, 2007, include:

1. A condition limiting the solvent used in the vapor degreaser to n-propyl bromide.
2. A condition limiting the VOC emissions from the vapor degreaser to no more than 13.0 tons in any 12-consecutive month period.
3. A condition prohibiting the temperature of the chilled air blanket created by the vapor degreaser's refrigerated chiller, as measured at the coldest point on a vertical axis through the center of the degreaser, from exceeding 47.4° F at any time the sump heater is on except during the chiller defrost cycle.

4. A condition prohibiting the vapor degreaser's refrigerated chiller defrost cycle from exceeding 5 minutes during any 50 minute interval and prohibiting any more than 3 of the 6 refrigerated chiller coils from being defrosted simultaneously.

5. A condition requiring the vapor degreaser to incorporate a freeboard ratio of at least 1.15 and a manually-operated cover.

6. Conditions specifying the applicable 25 Pa. Code § 129.63 requirements for open top batch vapor degreasers.

7. Conditions requiring the maintenance, and periodic submittal, of records of the amount of solvent added to the vapor degreaser each month.

The Department additionally proposes to incorporate several new conditions into the operating permit to be issued including:

8. Conditions requiring the maintenance, and periodic submittal, of records of the identity of the solvent added to the vapor degreaser each month.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, New Source Review Chief, (814) 332-6940.*

**25-00501: Corry Forge** (441 East Main Street, Corry, PA 16407-2013) for renewal of an operating permit in Corry City, **Erie County**. The significant sources are miscellaneous natural gas combustion units, test sample cutting, billet grinding, heat treat furnaces, forge furnaces, miscellaneous storage tanks and degreasers. The conditions of the previous plan approvals and operating permit were incorporated into the renewal permit. The permittee shall not exceed 99 tpy of NOx emissions facility-wide based on a consecutive 12-month period. The natural gas usage for the facility shall not exceed 1,980 mmcf/yr based on a consecutive 12-month period. The natural gas throughput limit is based on not exceeding the NOx emission factor of 100 lbs/mmcf of gas. The facility shall monitor the natural gas usage on a monthly basis. The permittee shall keep records of the natural gas usage on a monthly basis. The permittee shall keep records of the NOx emissions on a monthly basis. The records of gas usage and NOx emissions shall be kept on site and made available to the Department of Environmental Protection upon request. The NOx emissions for the facility shall be calculated on a monthly basis for the entire facility based on the NOx emission factor of 100 lbs/mmcf multiplied by the gas usage (mmcf) divided by 2,000 lbs/ton. With the given restrictions, the status of the facility-operating permit is a Synthetic Minor.

## COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the district mining office indicated before an application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining

which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

*Coal Applications Received*

*Effluent Limits*—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

\*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

*California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.*

**Permit Number: 32971302 and NPDES Permit No. PA0215046, Rosebud Mining Company** (301 Market Street, Kittanning, PA 16201-9642), to revise the permit for the Dutch Run Mine in Armstrong and Washington Townships, **Indiana County** to add underground permit and subsidence control plan area acres. Underground acres proposed 3,027.0, subsidence control plan acres Proposed 3,027.0. No additional discharges. Application received April 18, 2007.

**Permit Number: 30841307 and NPDES Permit No. PA0213438, Emerald Coal Resources, LP** (158 Portal Road, P. O. Box 1020, Waynesburg, PA 15370), to revise the permit the Emerald Mine No. 1 in Franklin Township, **Greene County** and related NPDES permit to construct and operate the No. 9 Airshaft and one additional discharge point. Surface acres proposed 15.7. No additional discharges. Application received March 19, 2007.

**Permit Number: 30841307 and NPDES Permit No. PA0213438, Emerald Coal Resources, LP** (158 Portal Road, P. O. Box 1020, Waynesburg, PA 15370), to revise the permit the Emerald Mine No. 1 in Franklin and Washington Townships, **Greene County** to add acreage for longwall mining and perform stream remediation as may be necessary to alleviate subsidence pooling impacts to Purman Run in two areas bound by the following points on the Waynesburg USGS Quad, N: 8.53 inches; W: 9.00 inches, N: 7.43 inches; W: 8.90. Underground acres proposed 3,071.0, subsidence control plan acres proposed 3,071.0. No additional discharges. Application received March 22, 2007.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.*

**32070105 and NPDES No. PA0262412. Walter L. Houser Coal Co. Inc.** (12968 US 422, Kittanning, PA 16201), commencement, operation and restoration of a bituminous surface mine and for a variance on the 100' barrier on a UNT to the South Branch of Plum Creek for the purpose of using an existing stream crossing for access to the permit area and for a variance on the 100' barrier on the South Branch of Plum Creek for the purpose of topsoil storage and construction of erosion and sedimentation controls and treatment facilities in Washington Township, **Indiana County**, affecting 35.0 acres. Receiving stream: South Branch Plum Creek classified for

the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received May 7, 2007.

**56070105 and NPDES No. PA0262421. Amerikohl Mining, Inc.** (1384 SR 711, Stahlstown, PA 15687), commencement, operation and restoration of a bituminous surface-blasting mine and for a variance to conduct mining activities within 100 feet of a stream. The stream encroachment activities consist of installing erosion and sedimentation controls and removing a small portion of Upper Freeport coal beginning midway along the proposed permit line and proceeding upstream for approximately 1,100 feet on the southern bank of UNT 'B' to Casselman River in Black Township, **Somerset County**, affecting 155.2 acres. Receiving streams: UNTs to Casselman and Casselman Rivers classified for the following use: WWF. There are no potable water supply intakes within 10 miles downstream. Application received May 9, 2007.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.*

**17070110 and NPDES No. PA0256561. Waroquier Coal Company** (P. O. Box 128, Clearfield, PA 16830),

commencement, operation and restoration of a bituminous surface mine in Lawrence Township, **Clearfield County**, affecting 9.0 acres. Receiving streams: UNTs to Montgomery Creek, classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received May 10, 2007.

**4473SM10 and NPDES Permit No. PA0119440. Penn Coal Land, Inc.** (P. O. Box 68, Boswell, PA 15531), renewal of NPDES Permit in Decatur Township, **Clearfield County**. Receiving streams: UNTs to Little Laurel Run to Laurel Run to Moshannon Creek to West Branch Susquehanna River and UNTs to Coal Run to Moshannon Creek to West Branch Susquehanna River, classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. NPDES renewal application received February 23, 2007.

#### *Noncoal Applications Received*

*Effluent Limits*—The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended Solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity <sup>1</sup>		greater than 6.0; less than 9.0	
pH <sup>1</sup>			

<sup>1</sup> The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

*Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.*

**43070303. Three Rivers Aggregates** (P. O. Box 6090, Falmouth, VA 22403) Commencement, operation and restoration of a sand and gravel operation in Springfield and Wilmington Townships, **Mercer County** affecting 114.0 acres. Receiving streams: UNT to Indian Run and Indian Run, classified for the following use: Unclassified. There are no potable surface water supply intakes within 10 miles downstream. Application received May 10, 2007.

**17802-43070303-E-1. Three Rivers Aggregates** (P. O. Box 6090, Falmouth, VA 22403). Application for a stream encroachment to modify an existing crossing over UNT No. 1 to Indian Run in Springfield and Wilmington Townships, **Mercer County** affecting 114.0 acres. Receiving streams: UNT to Indian Run and Indian Run, classified for the following use: Unclassified. There are no potable surface water supply intakes within 10 miles downstream. Application received May 10, 2007.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.*

**Permit No. 4976SM4 and NPDES Permit No. PA0608858. Eastern Industries, Inc.** (4401 Camp Meeting Road, Suite 200, Center Valley, PA 18034), renewal of NPDES Permit, in Middleburg Township, **Tioga County**. Receiving stream: Norris Brook, classified

for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. NPDES renewal application received May 4, 2007.

## **FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401**

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the com

ment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Floodplain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).**

**WATER OBSTRUCTIONS AND ENCROACHMENTS**

*Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.*

**E15-774. West Vincent Township**, 729 St. Matthews Road, Chester Springs, PA 19425, West Vincent Township, Chester County, ACOE Philadelphia District.

To perform the following water obstructions and encroachments associated with the relocation and reconstruction of Eagle Farms Road and the Ewing Tract Residential Subdivision (E15-775). This site is located approximately 5,400 feet northeast of the intersection Pottstown Pike and Conestoga Road (Downingtown, PA USGS Quadrangle N: 16.1 inches, W: 6.3 inches) in West Vincent Township, Chester County.

1) To modify and maintain Chester Springs Road Crossing by removing the existing 30-inch RCP culvert and constructing 60 linear feet of 8-foot high by 28-foot wide concrete arch bridge across a tributary of Pickering Creek (HQ-TSF) and 0.01 acre of adjacent wetland (PFO). The crossing includes a proposed 8-inch Natural Gas Main.

2) To modify and maintain Eagle Farms Road Crossing No. 2 by removing the existing 24-inch culvert and constructing immediately downstream a replacement structure consisting of 66 linear feet of 8-foot high by 28-foot wide concrete arch bridge across a tributary of Pickering Creek (HQ-TSF) and 0.01 acre of adjacent wetland (PFO). The crossing includes several utility line crossings.

3) To modify and maintain Eagle Farms Road Crossing No. 3, by extending an existing 18-inch RCP culvert. The work will include an M-type inlet, junction box, 6 linear feet of 18-inch RCP, new outfall structure, a stormwater outfall channel and associated riprap apron, as an extension to the downstream end. The work will impact approximately 19 linear feet of stream.

4) To modify and maintain Eagle Farms Road Crossing No. 4, by extending the existing 15-inch RCP, which crosses a tributary of Pickering Creek (HQ-TSF). This 350-foot long stream enclosure will be extended at the upstream end with 44 linear feet of 18-inch RCP. The crossing includes several utility crossings.

This project also includes a General Permit No. 5 for a utility line (GP051507314), which will cross a tributary of

Pickering Creek (HQ-TSF). This general permit will be transferred to the appropriate utility company after construction.

**E15-775. Ewing Group, LLC**, 1180 Station Boulevard, Chester Springs, PA 19425, West Vincent Township, Chester County, ACOE Philadelphia District.

To perform the following water obstructions and encroachments associated with the relocation and reconstruction of Eagle Farms Road and the Ewing Tract Residential Subdivision (E15-775). This site is located approximately 5,400 feet northeast of the intersection Pottstown Pike and Conestoga Road (Downingtown, PA USGS Quadrangle N: 16.1 inches, W: 6.3 inches) in West Vincent Township, Chester County.

1) To modify and maintain Chester Springs Road Crossing by removing the existing 30-inch RCP culvert and constructing 60 linear feet of 8-foot high by 28-foot wide concrete arch bridge across a tributary of Pickering Creek (HQ-TSF) and 0.01 acre of adjacent wetland (PFO). The crossing includes a proposed 8-inch Natural Gas Main.

2) To modify and maintain Eagle Farms Road Crossing No. 2 by removing the existing 24-inch culvert and constructing immediately downstream a replacement structure consisting of 66 linear feet of 8-foot high by 28-foot wide concrete arch bridge across a tributary of Pickering Creek (HQ-TSF) and 0.01 acre of adjacent wetland (PFO). The crossing includes several utility line crossings.

3) To modify and maintain Eagle Farms Road Crossing No. 3, by extending an existing 18-inch RCP culvert. The work will include an M-type inlet, junction box, 6 linear feet of 18-inch RCP, new outfall structure, a stormwater outfall channel and associated riprap apron, as an extension to the downstream end. The work will impact approximately 19 linear feet of stream.

4) To modify and maintain Eagle Farms Road Crossing No. 4, by extending the existing 15-inch RCP, which crosses a tributary of Pickering Creek (HQ-TSF). This 350-foot long stream enclosure will be extended at the upstream end with 44 linear feet of 18-inch RCP. The crossing includes several utility crossings.

This project also includes a General Permit No. 5 for a utility line (GP051507314), which will cross a tributary of Pickering Creek (HQ-TSF). This general permit will be transferred to the appropriate utility company after construction.

**DAM SAFETY**

*Central Office: Bureau of Waterways Engineering, 400 Market Street, Floor 3, P. O. Box 8554, Harrisburg, PA 17105-8554.*

**D44-034A. Dark Hollow Dam**. Mount Union Municipal Authority, 9 West Market Street, Mount Union, PA 17066. To modify, operate and maintain Dark Hollow Dam across Dark Hollow Run (HQ-CWF) for the purpose of recreation. Works includes the construction of a 1.5-foot concrete cap on top of the masonry section of the dam and repairing the spillway and spillway discharge channel to allow safe passage of the spillway design flood. (Mount Union, PA Quadrangle N: 4.9 inches; W: 1.6 inches) Wayne Township, **Mifflin County**.

---

**ACTIONS**


---

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT  
FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE  
ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY  
MANAGEMENT (WQM) PERMITS**

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

---

**I. NPDES Renewal Permit Actions**


---

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0061115	Cove Haven, Inc. d/b/a Paradise Stream Resort P. O. Box 400 Scot Run, PA 18355	Paradise Township Monroe County	Paradise Creek 1E	Y
PA0041912	Deer Haven, LLC 41 Elm Street Morristown, NJ 07960	Palmyra Township Pike County	Lake Wallenpaupack 1C	N



*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0026212 Sewage	Washington-East Washington Joint Authority 60 East Beau Street Washington, PA 15301	South Strabane Township Washington County	Chartiers Creek	N

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

<i>NPDES No. (Type)</i>	<i>Facility Name &amp; Address</i>	<i>County &amp; Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0238457	Amy J. Wagner and Sue A. Brown 562 Wilson Mill Road New Wilmington, PA 16142	Wilmington Township Lawrence County	UNT to Little Neshannock Creek 20-A	Y
PA0238601	Elmer Sutton Mobile Home Park, STP 129 Elgie Drive Butler, PA 16001	Clay Township Butler County	UNT to Glade Run 20-C	Y
PA0031437	Edinboro Mobile Home Village 14520 Mystic Road Cambridge Springs, PA 16403	Washington Township Erie County	UNT to Conneauttee Creek 16-A	Y
PA0222259	Heckathorne United Methodist Church, SFTF 605 Heckathorne Church Road Seneca, PA 16346-3915	Cranberry Township Venango County	UNT to Halls Run 16-G	Y
PA0033421	Mercer Grove City KOA 1337 Butler Pike Mercer, PA 16137	Findley Township Mercer County	UNT to Pine Run 20-A	Y

## II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

*Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**NPDES Permit No. PAS802225**, Industrial Stormwater, **Student Transportation of America**, 230 East Main Street, Suite 100, Carnegie, PA 15106. This proposed facility is located in Washington Township, **Northampton County**.

Description of Proposed Action/Activity: Issuance of NPDES Industrial Stormwater Permit.

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**NPDES Permit No. PA0000370**, Industrial Waste, **Latrobe Municipal Authority**, P. O. Box 88, Latrobe, PA 15650. This proposed facility is located in Derry Township, **Westmoreland County**.

Description of Proposed Action/Activity: Permit issuance to discharge from a facility located at the Kingston Filtration Plant to receiving waters named Loyalhanna Creek.

## III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

*Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.*

**WQM Permit No. 1505420**, Amendment 1, **West Vincent Township**, 729 St. Matthews Road, Chester Springs, PA 19425-3301. This proposed facility is located in West Vincent Township, **Chester County**.

Description of Action/Activity: Expansion to existing permit.

**WQM Permit No. 2399201**, Industrial, Amendment 1, **Springfield Township**, 50 Powell Road, Springfield, PA 19064. This proposed facility is located in Springfield Township, **Delaware County**.

Description of Action/Activity: Construction and operation of Leachate Collection Trench, Limestone Treatment Cells and Wetlands Treatment System (existing as a backup).

*Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**WQM Permit No. WQG016140**, Sewerage, **Department of Veterans Affairs National Cemetery**, Administration Office of Construction Management, 811 Vermont Avenue Northwest, Room 235, Washington, DC 20005. This proposed facility is located in Cecil Township, **Washington County**.

Description of Proposed Action/Activity: Permit issuance for the construction and operation of a small flow sewage treatment facility.

*Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WQM Permit No. 2407401**, Sewerage, **Johnsonburg Municipal Authority**, 520 A Market Street, Johnsonburg, PA 15845. This proposed facility is located in Johnsonburg Borough, **Elk County**.

Description of Proposed Action/Activity: This project is for the replacement of three pump stations and the rehabilitation of deteriorated sewers in the Borough of Johnsonburg.

#### **IV. NPDES Stormwater Discharges from MS4 Permit Actions**

#### **V. NPDES Waiver Stormwater Discharges from MS4 Actions**

#### **VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions**

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024506013	Sciota Properties, LLC HC 1, Box 70 Saylorburg, PA 18353	Monroe	Hamilton Township	McMichael Creek HQ-CWF
PAI023906015	Upper Macungie Township 8330 Schantz Road Breinigsville, PA 18031	Lehigh	Upper Macungie Township	Iron Run HQ-CWF
PAI024806010	3 Twins Realty Partners, Inc. 287 Park Avenue Bangor, PA 18013	Northampton	Plainfield Township	Bushkill Creek HQ-CWF

*Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

*Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10F106(2) Revision No. 52	Ian Salada Penn State East Campus Penn State University 101P Physical Plant Building University Park, PA 16802	Centre	College Township	Tributary to Slab Cabin Run CWF

*Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

<i>NPDES Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI063306001(1)	Department of Transportation 2550 Oakland Avenue Indiana, PA 15701	Jefferson	Pine Creek and Warsaw Townships	Little Mill Creek HQ, CWF

#### **VII. Approvals to Use NPDES and/or Other General Permits**

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

#### **List of NPDES and/or Other General Permit Types**

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Non-Exceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage

PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

*General Permit Type—PAG-02**Facility Location:*

<i>Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Lower Saucon Township Northampton County	PAG2004807009	Robert Agentis Agentis Brothers, LLC 308 East Broad Street Bethlehem, PA 18018	Black River CWF	Northampton Co. Cons. Dist. (610) 746-1971
Wilkes-Barre Township Luzerne County	PAG2004007005	Joseph W. Balz King's College 133 North River Street Wilkes-Barre, PA 18711	Mill Creek CWF	Luzerne Co. Cons. Dist. (570) 674-7991
West Brunswick Township Schuylkill County	PAG2005403016(2)	Auburn Business Park South P. O. Box 472 Schuylkill Haven, PA 17972	1,500 feet Schuylkill River CWF	Schuylkill Co. Cons. Dist. (570) 622-3742
Bradford County Canton Borough Canton Township	PAG2000807004	Jeffrey Johnston Superintendent Canton Area School District 139 East Main Street Canton, PA 17724	Mill and Towanda Creeks CWF	Bradford County Conservation District Stoll Natural Resource Center R. R. 5 Box 5030C Towanda, PA 18848 (570) 265-5539, Ext. 6
Columbia County North Centre Township	PAG2001907002	Robert G. Paden 1326 Orange Street Berwick, PA 18603	Cabin Run CWF	Columbia County Conservation District 702 Sawmill Road Suite 204 Bloomsburg, PA 17815 (570) 784-1310, Ext. 102
Northumberland County Point Township	PAG2004907001	PAW Point Township Tank 484 Comfort Road Northumberland, PA 17857	Lithia Spring Creek CWF	Northumberland County Conservation District R. R. 3 Box 238-C Sunbury, PA 17801 (570) 286-7114, Ext. 4
Butler County Center Township	PAG2001007012	Stratford Heights Bradley A. Kress Kress Brothers Builders, Inc. 4930 South Pioneer Road Gibsonia, PA 15044	Stony Run WWF	Butler Conservation District (724) 284-5270
Crawford County Meadville City	PAG2002007003	Kenneth Hanna Allegheny College Maintenance Building 295 Loomis Street Meadville, PA 16335	Mill Run WWF	Crawford Conservation District (814) 463-5269
McKean County Bradford Township	PAG2004206002	Universal Well Services	Rutherford Run CWF	McKean Conservation District (814) 887-4001

*Facility Location:  
Municipality &  
County*Taylor Borough  
Lackawanna  
County*Permit No.*

PAG2113507001

*Applicant Name &  
Address*Department of  
Environmental  
Protection  
Bureau of Abandoned  
Mine Reclamation  
2 Public Square  
Fifth Floor  
Wilkes-Barre, PA  
18711-0790*Receiving  
Water/Use*Keyser Creek  
CWF*Contact Office &  
Phone No.*Department of  
Environmental Protection  
Bureau of Abandoned  
Mine Reclamation  
2 Public Square  
Fifth Floor  
Wilkes-Barre, PA  
18711-0790  
(570) 826-2371*General Permit Type—PAG-3**Facility Location:  
Municipality &  
County*Hazle Township  
Luzerne County*Permit No.*

PAR322204

*Applicant Name &  
Address*Polyglass USA, Inc.  
555 Oakridge Drive  
Hazleton, PA 18202*Receiving  
Water/Use*

Tomhicken Creek

*Contact Office &  
Phone No.*DEP—NERO  
Water Mgmt. Program  
2 Public Square  
Wilkes-Barre, PA  
18711-2511  
(570) 826-2511Schuylkill County  
Foster and Frailey  
Townships*Permit No.*

PAR502208

*Applicant Name &  
Address*  
Commonwealth  
Environmental Systems,  
LP  
249 Dunham Drive  
Dunmore, PA 18512*Receiving  
Water/Use*  
Swatara and  
Middle Creeks*Contact Office &  
Phone No.*  
DEP—NERO  
Water Mgmt. Program  
2 Public Square  
Wilkes-Barre, PA  
18711-2511  
(570) 826-2511Ridgway Township  
Elk County*Permit No.*

PAR238315

*Applicant Name &  
Address*  
General Chemical, LLC  
90 East Halsey Road  
Parsippany, NJ 07054*Receiving  
Water/Use*  
Powers Run*Contact Office &  
Phone No.*  
DEP—NWRO  
Water Management  
230 Chestnut Street  
Meadville, PA 16335-3481  
(814) 332-6942Big Run Borough  
Jefferson County*Permit No.*

PAR118319

*Applicant Name &  
Address*  
Star Iron Works, Inc.  
257 Caroline Street  
Punxsutawney, PA 15767*Receiving  
Water/Use*  
Big Run and Mahoning  
Creeks*Contact Office &  
Phone No.*  
DEP—NWRO  
Water Management  
230 Chestnut Street  
Meadville, PA 16335-3481  
(814) 332-6942Oil City  
Venango County*Permit No.*

PAR208326

*Applicant Name &  
Address*  
WEBCO Industries, Inc.  
Oil City Tube Division  
363 Seneca Street  
Oil City, PA 16301*Receiving  
Water/Use*  
Oil Creek*Contact Office &  
Phone No.*  
DEP—NWRO  
Water Management  
230 Chestnut Street  
Meadville, PA 16335-3481  
(814) 332-6942*General Permit Type—PAG-4**Facility Location  
County &  
Municipality*Brothersvalley  
Township  
Somerset County*Permit No.*

PAG046139

*Applicant Name &  
Address*David E. Hummel  
544 Plank Road  
Berlin, PA 15530-9668*Receiving  
Water/Use*

Miller Run

*Contact Office &  
Phone No.*Southwest Regional Office  
Water Management  
Program Manager  
400 Waterfront Drive  
Pittsburgh, PA  
15222-4745  
(412) 442-4000Salem Township  
Westmoreland  
County*Permit No.*

PAG046259

*Applicant Name &  
Address*  
Mark W. Hult  
P. O. Box 170  
Main Street  
Slickville, PA 15684*Receiving  
Water/Use*  
Getty Run*Contact Office &  
Phone No.*  
Southwest Regional Office  
Water Management  
Program Manager  
400 Waterfront Drive  
Pittsburgh, PA  
15222-4745  
(412) 442-4000

<i>Facility Location County &amp; Municipality</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Cecil Township Washington County	PAG046344	Department of Veterans Affairs National Cemetery Administration Office of Construction Management 811 Vermont Avenue Northwest Room 235 Washington, DC 20005	UNT of McPherson Creek	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Shenango Township Mercer County	PAG048744	Floyd E. Arrow 168 Mitchell Road West Middlesex, PA 16159-3314	UNT to Shenango River 20-A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Pine Grove Township Warren County	PAG048412	Debra D. and John L. Young 1588 Town Line Road Russell, PA 16345	Intermittent Stream Tributary to Fairbanks Run 16-F	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-10*

<i>Facility Location: Municipality &amp; County</i>	<i>Permit No.</i>	<i>Applicant Name &amp; Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office &amp; Phone No.</i>
Salem and Huntington Townships Luzerne County	PAG102212	Williams Gas Pipe Line—Transco 2800 Post Oak Boulevard Houston, TX	Huntington Creek TSF	DEP—NERO Water Management 2 Public Square Wilkes-Barre, PA 18711 (570) 826-2511
Whiteley Township Greene County	PAG106109	Columbia Gas Transmission Corporation 950 Manifold Road Washington, PA 15301	Dutch Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

## PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board

at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

### SAFE DRINKING WATER

#### Actions taken under the Pennsylvania Safe Drinking Water Act

*Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**Permit No. 3396420**, Public Water Supply.

Applicant	<b>Nestle Waters North America, Inc.</b> 405 Nestle Way Breinigsville, PA Upper Macungie Township
-----------	--

County **Lehigh**  
 Type of Facility Bottling plant  
 Consulting Engineer Forino Company, LP  
 555 Mountain Home Road  
 Sinking Spring, PA  
 Permit to Construct March 19, 2007  
 Issued

**Permit No. 3390077, Operations Permit, Public Water Supply.**

Applicant **Upper Saucon Township**  
 5500 Camp Meeting Road  
 Center Valley, PA 18034  
 Upper Saucon Township

County **Lehigh**  
 Type of Facility PWS  
 Consulting Engineer Steven R. Henning, P. E.  
 The Pidcock Company  
 2451 Parkwood Drive  
 Allentown, PA 18103

Permit to Construct May 9, 2007  
 Issued

**Permit No. 3480055, Operations Permit, Public Water Supply.**

Applicant **Pennsylvania American Water (PAW)**  
 100 North Pennsylvania Avenue  
 Wilkes-Barre, PA 18701

Hamilton Township  
 County **Monroe**  
 Type of Facility PWS  
 Consulting Engineer Scott Thomas, P. E.  
 PAW  
 852 Wesley Drive  
 Mechanicsburg, PA 17055

Permit to Construct May 11, 2007  
 Issued

*Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**Permit No. M.A.—5974501—Construction, Public Water Supply.**

Applicant **Blossburg Municipal Authority**  
 Bloss Township  
 Township or Borough  
 County **Tioga**  
 Responsible Official Frank Wasowicz  
 Blossburg Municipal Authority  
 245 Main Street  
 Blossburg, PA 16912

Type of Facility Public Water  
 Supply—Construction

Consulting Engineer William S. Bray, P. E.  
 Civil Engineering  
 P. O. Box 535  
 Wellsboro, PA 16901

Permit Issued Date May 17, 2007

Description of Action Addition of potassium  
 permanganate and THM-R.

**Permit No. 4107501—Construction, Public Water Supply.**

Applicant **American Tempo Village Park**  
 Township or Borough Lycoming Township  
 County **Lycoming**

Responsible Official Jeff Stout  
 American Tempo Village Park  
 528 Ruben Kehrer Road  
 Muncy, PA 17756-8043

Type of Facility Public Water  
 Supply—Construction

Consulting Engineer Britt Bassett, P. E.  
 Bassett Engineering  
 1440 Broad Street  
 Montoursville, PA 17754

Permit Issued Date May 17, 2007

Description of Action Construction of a barium  
 removal system for Well No. 2,  
 including a dual tank ion  
 exchange system, with Purolite  
 C 100E FM resin. Also approves  
 construction of four existing 325  
 gallon polyethylene finished  
 water storage tanks and a  
 booster pump.

*Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Permit No. 6106502, Public Water Supply.**

Applicant **Bucholz Mobile Home Park**  
 Township or Borough Frenchcreek Township  
 County **Venango County**

Type of Facility Public Water Supply

Permit to Construct May 16, 2007  
 Issued

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995

#### PREAMBLE 2

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial

investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Rodriquez Res.** Upper Merion Township, **Montgomery County.** Richard D. Trimpi, Trimpi Assoc., Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Leonora Rodriquez, 546 North Henderson Road, King of Prussia, PA 19406 has submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standards.

**Ten Tower Bridge,** Conshohocken Borough, **Montgomery County.** Gerald Kirkpatrick, Env. Standards, Inc., 1140 Valley Forge, P. O. Box 810, Valley Forge, PA 19482 on behalf of Josh Rubinich, O'Neil Properties Group, 2701 Renaissance Boulevard, 4th Floor, King of Prussia, PA 19406 has submitted a Remedial Investigation Report, Cleanup Report and Final Report concerning remediation of site soil contaminated with arsenic. The report is intended to document remediation of the site to meet the Site-Specific Standards and Statewide Health Standards.

**PECO Wyncote MGP,** Cheltenham Township, **Montgomery County.** Matthias Ohr, URS, 335 Commerce Drive, Suite 300, Fort Washington, PA 19134, Benjamin E. Henry, URS, 335 Commerce Drive, Suite 300, Fort Washington, PA 19134 on behalf of Michael Heffron, PECO Energy Co., 2301 Market Street, S9-1, Philadelphia, PA 19103 has submitted a Cleanup Plan concerning remediation of site soil contaminated with PAH's and other organics. The report is intended to document remediation of the site to meet the Site-Specific Standards.

**Agway Inc.,** Penn Township, **Chester County.** Larry Roach, Groundwater Science Corp., 2601 Market Place Street, Suite 310, Harrisburg, PA 17110 on behalf of John Steiner, Agway Liquidating Trust, 5790 Widewaters Parkway, Dewitt, NY 13214 has submitted a Remedial Investigation Report and Final Report concerning remediation of site soil and groundwater contaminated with pesticide. The report is intended to document remediation of the site to meet the Site-Specific Standards and Statewide Health Standards.

**315 West First Avenue, Property,** Parkesburg Borough, **Chester County.** Christopher Ward, RT Env. Svc., Inc., 510 Hernon Drive, Suite 306, Bridgeport, NJ 08014

on behalf of Senya Isayeff, Keystone Community Alliance, 550 East Union Street, The Goodwill Business Park, West Chester, PA 19382 has submitted a Final Report concerning remediation of site soil contaminated with other organic. The report is intended to document remediation of the site to meet the Statewide Health Standards.

**Rosenblum/Hetch Property,** Lower Merion Township, **Montgomery County.** David Farrington, Brickhouse Env., 515 South Franklin Street, West Chester, PA 19382 on behalf of Mandy Rosenblum and Elizabeth Hecht, 210 Ladbroke Road, Bryn Mawr, PA 19010 has submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standards.

**Suburban West Chester Facility,** West Chester Borough, **Chester County.** J. Neil Ketchum, Groundwater Sciences Corp., 2601 Market Place Street, Suite 310, Harrisburg, PA 17110 on behalf of Richard D. Williams, Suburban PA Prop., Acquisitions, LLC, P. O. Box 4833, Syracuse, NY 13221-4833, has submitted a Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Site-Specific Standards.

**Colony Arms Apts.,** Lower Providence Township, **Montgomery County.** Herb Grant, ConTech Services Inc., 23 East Front Street, Media, PA 19063 on behalf of Dan Stephano, Colony Arms Associates, P. O. Box 370, Springhouse, PA 19477 has submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standards.

**Trans Material,** West Goshen Township, **Chester County.** Christopher Ward, RT Env. Svc., Inc., Pureland Complex, Suite 306, 510 Heron Drive, P. O. Box 521, Bridgeport, NJ 08014 on behalf of Senya Isayeff, CIRR-Keystone Community Alliance—West Goshen, 550 Union Street, West Chester, PA 19382 has submitted a Background Final Report concerning remediation of site groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the Statewide Health Standards.

**Mill Creek Business Center,** Lower Merion Township, **Montgomery County.** Jonathan Spergel, Manko, Gold, Katcher & Fox, LLP, 401 City Avenue, Suite 500, Bala Cynwyd, PA 19004, Jeffrey Walsh, Penn Env. & Remediation, Inc., 2755 Bergey Road, Hatfield, PA 19440 on behalf of Rick Patton, Millcreek Road, Assoc., LP, 2701 Renaissance Boulevard, 4th Floor, King of Prussia, PA 19406 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with heavy metals, BTEX and PAHs. The report is intended to document remediation for the site to meet the Statewide Health Standards.

**Bovosso Residence,** Kennett Township, **Chester County.** Paul Hagerty, Hagerty Env., LLC, 202 Winding Lane, Kennett Square, PA 19348, on behalf of Ronald Bovasso, 948 Patricia Lane, Kennett Square, PA 19348 has submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation for the site to meet the Statewide Health Standards.

**Salmon & Butler Property,** City of Philadelphia, **Philadelphia County.** Justin Lauterbach, RT Env. Svc., Inc., 510 Heron Drive, Suite 306, P. O. Box 521, Bridgeport, NJ 08014 on behalf of Brad Ullery, Target Corp.,

1000 Nicollet Mall, TPN-0725, Minneapolis, MN 55403 has submitted a Final Report concerning a remediation of site soil and groundwater contaminated with inorganics and PAHs. The report is intended to document remediation for the site to meet the Statewide Health Standards and Site-Specific Standards.

**Pathan Chemical Site**, City of Philadelphia, **Philadelphia County**. Bill Schmidt, Pennoni Assoc. Inc., 3001 Market Street, Philadelphia, PA 19104 on behalf of Sandy Salzman, New Kensington CDC, 2515 Frankford Avenue, Philadelphia, PA 19125 has submitted a Cleanup Plan concerning a remediation of site soil and groundwater contaminated with inorganics, lead, PAHs and chlorinated solvents. The report is intended to documents remediation for the site to meet the Site-Specific Standards.

**Bridgeview Site**, Borough of Bridgeport, **Montgomery County**. Jonathan Spergel, Manko, Gold, Katcher & Fox, LLP, 401 City Avenue, Suite 500, Bala Cynwyd, PA 19004 on behalf of Brian Finnegan, Bridgeview Development, LP, 2701 Renaissance Boulevard, 4th Floor, King of Prussia, PA 19406 has submitted a Final Report concerning a remediation of site soil and groundwater contaminated with unleaded gasoline and leaded gasoline. The report is intended to documents remediation for the site to meet the Site-Specific Standards.

**Four Falls Corp Center**, West Conshohocken Borough, **Montgomery County**. Thomas Petercz, Penn E & R, Inc., 2755 Bergey Road, Hatfield, PA 19440, Michael Christie, Penn E & R, Inc. 2755 Bergey Road, Hatfield, PA 19440 on behalf of Richard Evans, Thomas Properties Group Inc., 200 Four Falls, Suite 109, West Conshohocken, PA 19428 has submitted a Final Report concerning a remediation of site soil contaminated with Nos. 4 and 5 fuel oil. The report is intended to documents remediation for the site to meet the Statewide Health Standards.

*Northeast Region: Ronald S. Brezinski, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

**Pirone Residence**, City of Allentown, **Lehigh County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 has submitted a Final Report (on behalf of his client, Richard and Olga Pirone, 1037 North 21st Street, Allentown, PA 18104) concerning the remediation of soils impacted with No. 2 fuel oil as a result of a filter connection error on the No. 2 fuel oil heating system. The report was submitted in order to document attainment of the Residential Statewide Health Standard for soils. The proposed future use of the property will be residential use.

*Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**City of Reading/Baer Park**, Reading City, **Berks County**. Services Environmental, Inc., 375 Morgan Street, Phoenixville, PA 19460, on behalf of City of Reading/Department of Public Works, 503 North 6th Street, Reading, PA 19067, submitted a Final Report concerning remediation of site soils contaminated with No. 2 fuel oil from a removed underground storage tank. The report is intended to document remediation of the site to the Residential Statewide Health Standard.

**McCoy Electronics Facility**, Mercersburg Borough, **Franklin County**. Weston Solutions, Inc., 1400 Weston Way, Suite 2653, West Chester, PA 19380, on behalf of Spirit Washers, 95 Fox Road, Mercersburg, PA 17236, and Corning, Inc., HP-Me-02-50, Corning, NY 14831 submit-

ted a Remedial Investigation and Risk Assessment report concerning remediation of site soils and groundwater contaminated with chlorinated solvents and cobalt. The report is intended to document remediation of the site to the Site-Specific and Residential Statewide Health Standards.

*Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Former Fenestra Corporation**, Millcreek Township, **Erie County**. Converse Consultants, 2738 West College Avenue, State College, PA 16801, on behalf of the Marmon Group, Inc., 225 West Washington Street, Chicago, IL 60606-3418 has submitted a Remedial Investigation Report and Final Report concerning remediation of site groundwater contaminated with trichloroethene. The reports are intended to document remediation of the site to meet the Site-Specific Standards.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995

#### PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).**

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.



For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Rodriquez Res.**, Upper Merion Township, **Montgomery County**. Richard D. Trimpi, CHMM, P. G. Trimpi Assoc., Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Leonora Rodriquez, 546 North Henderson Road, King of Prussia, PA 19406 has submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide Health Standards and was approved by the Department on April 20, 2007.

**PECO Wyncote MGP**, Cheltenham Township, **Montgomery County**. Matthias Ohr, URS, 335 Commerce Drive, Suite 300, Fort Washington, PA 19134, Benjamin E. Henry, URS, 335 Commerce Drive, Suite 300, Fort Washington, PA 19134 on behalf of Michael Heffron, PECO Energy Co., 2301 Market, Suite S9-1, Philadelphia, PA 19103 has submitted a Cleanup Plan concerning the remediation of site soil contaminated with PAHs and other organics. The Cleanup Plan was approved by the Department on May 10, 2007.

**Air Shield Property**, Warminster Township, **Bucks County**. Samuel Kucia, Env. Consulting, Inc., 500 East Washington Street, Suite 375, Norristown, PA 19401 on behalf of Gregory Rogerson, JERC Partners VIII, LP, 171 Route 173, Suite 201, Asbury, NJ 08802 has submitted a Final Report concerning the remediation of site groundwater and soil contaminated with other organics. The Final report demonstrated attainment of the Statewide Health Standards and was approved by the Department on April 25, 2007.

**315 West First Avenue Property**, Parkesburg Borough, **Chester County**. Christopher Ward, RT Env. Svc. Inc., 510 Heron Drive, Suite 306, Bridgeport, NJ 08014 on behalf of Senya Isayeff, Keystone Community Alliance, 550 East Union Street, The Goodwill Business Park, West Chester, PA 19382 has submitted a Final Report concerning the remediation of site soil contaminated with other organic. The Final Report demonstrated attainment of the Statewide Health Standards and was approved by the Department on April 20, 2007.

**Belmont Ridge**, Bensalem Township, **Bucks County**. Geoffrey Kristof, Leggette, Brashears, and Graham, Inc., 426 Brandywine Parkway, West Chester, PA 19380 on behalf of Bill Briegel, Orleans homebuilders, 3333 Street Road, Bensalem, PA 19020 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Site-Specific Standards and was approved by the Department on May 1, 2007.

**McDonald Property**, City of Philadelphia, **Philadelphia County**. Keith T. D'Ambrosio, P.E., Whitestone Assoc., Inc., New Britain Corp. Center, 1600 Manor Drive, Suite 220, Chalfont, PA 18914 on behalf of Scott Lang, McDonald Corp., 150 South Warner Road, Suite 470, King of Prussia, PA 19406 has submitted a Final Report

concerning the remediation of site soil contaminated with solvents. The Final Report demonstrated attainment of the Site-Specific Standards and was approved by the Department on April 24, 2007.

**Irwin Residence**, Aston Township, **Delaware County**. Joseph Diamadi, Marshall Geoscience, Inc., 170 East First Avenue, Collegeville, PA 19426 on behalf of Sue Irwin, 55 Seward Lane, Aston, PA 19014 has submitted a 90-day Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide Health Standards and was approved by the Department on April 30, 2007.

## AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.*

**46-310-066GP: David Erb Contractors, Inc.** (2930 Felton Road, East Norriton, PA 19401) on May 17, 2007, to operate a portable crusher/screener unit in Skippack Township, **Montgomery County**.

**46-329-018GP: David Erb Contractors, Inc.** (2930 Felton Road, East Norriton, PA 19401) on May 17, 2007, to operate a No. 2 fuel-fired internal combustion in Skippack Township, **Montgomery County**.

**09-329-004GP: Rohm & Haas Co.**, (727 Norristown Road, P. O. Box 0904, Spring House, PA 19477) on May 22, 2007, to operate a diesel fuel-fired internal combustion engine in Bristol Township, **Bucks County**.

**Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.*

**23-0109: Catayzlst International, Inc.** (1050 Ashland Avenue, Folcroft, PA 19032) on May 16, 2007, to operate three solvent based laminators in Folcroft Borough, **Delaware County**.

**09-0016B: Exelon Generation Co.** (955 River Road, Bristol, PA 19007) on May 18, 2007, to operate a cycle combustion turbine in Bristol Township, **Bucks County**.

**23-0066B: PyroPure, Inc.** (5 Commerce Drive, Aston, PA 19014) on May 18, 2007, to operate a replacement baghouse in Chester Township, **Delaware County**.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.*

**40-305-028: Carbon Enterprises, Inc.** (603 South Church Street, Hazleton, PA 18201) on May 9, 2007, to construct a coal drying/screening plant and associated air cleaning devices at their facility in Hazleton, **Luzerne County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.*

**06-05109A: Atlas Minerals and Chemicals, Inc.** (1227 Valley Road, P. O. Box 38, Mertztown, PA 19539) on May 18, 2007, to install a second asphalt processing line in Longswamp Township, **Berks County**.

**34-03007A: Dominion Transmission, Inc.** (445 West Main Street, Clarksburg, WV 26301) on May 18, 2007, to construct a natural gas fired 4,735 bhp engine driven natural gas compressors and 814 bhp auxiliary generator in Lackawanna Township, **Juniata County**.

**67-05004M: P. H. Glatfelter Co.** (228 South Main Street, Spring Grove, PA 17362-1000) on May 18, 2007, for production of new products on the facility's paper machines in Spring Grove Borough, **York County**.

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.*

**09-0124F: Fairless Energy, LLC** (5000 Dominion Boulevard, Glen Allen, VA 23060) on May 16, 2007, to operate an auxiliary boiler retrofit in Falls Township, **Bucks County**.

**09-0124B: Fairless Energy, LLC** (5000 Dominion Boulevard, Glen Allen, VA 23060) On May 16, 2007, to operate combined cycle combustion turbines in Falls Township, **Bucks County**.

**09-0124E: Fairless Energy, LLC** (5000 Dominion Boulevard, Glen Allen, VA 23060) On May 16, 2007, to operate a 31.9 mmBtu/hr gas fired preheater in Falls Township, **Bucks County**.

**46-0161B: Reading Materials, Inc.** (2052 Lucon Road, P. O. Box 1467, Skippack, PA 19474) On May 22, 2007, to operate a hot asphalt plant in Lower Pottsgrove Township, **Montgomery County**.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.*

**41-305-010B: Keystone Filler & Manufacturing Co.** (214 Railroad Street, Muncy, PA 17756) on May 15, 2007, to operate a portable coal, shale and rottenstone crushing and screening operation on a temporary basis until September 12, 2007, in Muncy Creek Township, **Lycoming County**. The plan approval has been extended.

**59-304-008G: ACP Manufacturing Co., LLC** (P. O. Box 68, Blossburg, PA 16912) on May 16, 2007, to operate a dip coat tank on a temporary basis until September 13, 2007, in Lawrence Township, **Tioga County**. The plan approval has been extended.

**19-320-005A: Press Enterprise, Inc.** (3185 Lackawanna Avenue, Bloomsburg, PA 17815) on May 16, 2007, to operate an eight color heatset web offset lithographic printing press on a temporary basis until September 13, 2007, in Scott Township, **Columbia County**. The plan approval has been extended.

**53-399-008: PA Pellets, LLC** (958 SR 49W, Ulysses, PA 16948) on May 16, 2007, to use a fabric collector to control the PM emissions from a wood hammermill

instead of the cartridge collector originally approved, to extend the deadline for the performance of stack testing on a wood-fired rotary sawdust/wood chip dryer and pellet cooler until June 20, 2007, to install check valves on the pressure differential monitoring systems associated with a multiclone collector and a cyclone collector, to require the pressure differential across the multiclone collector and cyclone collector to be recorded at least once per day and to operate the wood-fired rotary sawdust/wood chip dryer, hammermill and pellet cooler on a temporary basis until September 13, 2007, in Ulysses Borough, **Potter County**. The plan approval has been extended.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.*

**10-027E: Penreco** (138 Petrolia Street, Karns City, PA 16041) on May 21, 2007, effective on May 31, 2007, to construct a new gas/oil fired boiler rated at 91 mmBtu/hr to replace the existing coal fired boiler in Karns City Borough, **Butler County**. The new boiler is subject to the New Source Performance Standards for boilers greater than 10 mmBtu and less than 100 mmBtu. The facility is a Title V Facility.

**24-083H: Carbone of America Ind. Corp.** (215 Stackpole Street, St. Marys, PA 15857) on May 16, 2007, effective on April 30, 2007, to construct four additional mixers, two mills and a pulverizer in St. Marys City, **Elk County**. The mixers will be controlled by the existing scrubber. This is a Title V facility.

**24-131J: SGL Carbon, LLC** (900 Theresia Street, St. Marys, PA 15857) on May 16, 2007, effective on May 31, 2007, to construct two reactors in St. Marys, **Elk County**.

*Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Braun, Chief, (215) 685-9476.*

**AMS 05202: Veteran's Health Affairs** (3900 Woodland Avenue, Philadelphia, PA 19104) on May 16, 2007, under 25 Pa. Code § 127.13a, Philadelphia Air Management Code § 3-400 and Air Management Regulation XIII to correct the rated capacity of three boilers from 24 mmBtu/hr to 29.4 mmBtu/hr. There is no potential increase of NOx emissions. The plan approval was originally issued September 13, 2006, for installation of low NOx burners on three existing boilers and to allow the boilers to burn No. 6 fuel oil in the City of Philadelphia, **Philadelphia County**.

**Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.*

**37-00059: Praxis Northeast—Universal Rundle Plant**, (435 Industrial Drive, Savannah, TN 38372-5996) on May 16, 2007, the Department reissued the Title V Operating Permit for this Reinforced Plastics Plumbing Fixture manufacturing facility in Taylor Township, **Lawrence County**. The facility is a major source due to its potential to emit VOCs and HAPs.

*Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Thomas Huynh, Chief, (215) 685-9476.*

**V04-003: Park Towne Place Apartments** (2200 Ben Franklin Parkway, Philadelphia, PA 19130) for operation

of an apartment complex in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include two 25.1 mmBtu/hr boilers fired by No. 4 fuel oil or natural gas and four 35 kW emergency generators firing natural gas.

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.*

**46-00222: Bostik, Inc.** (1740 County Line Road, Huntingdon Valley, PA 19006) on May 16, 2007, for the manufacturing of caulking, adhesives and sealants. This is a non-Title V, Synthetic Minor facility located in Upper Moreland Township, **Montgomery County**. This Operating Permit incorporates the requirements of Plan Approval No. 46-0222A. The main sources of emissions are the facility's cleaning operations and seven mixers, used to make product. The facility also has numerous combustion sources that result in very little emissions. The Department has determined these to be insignificant sources. The facility also has various storage tanks that result in less than 1 pound of emissions a year. The facility has a potential to emit more than 25 tpy of VOCs. However, the facility has adopted an emission limit of 24.9 tpy for VOCs for the entire facility. The facility has a potential to emit of 6.13 tpy for HAPs, 0.62 tpy for PM and 1.32 tpy for NOx. Emissions of SOx and CO from the facility are insignificant.

**46-00240: Moyer Packing Co.** (249 Allentown Road, Souderton, PA 18964) on May 22, 2007, for a non-Title V, State-only, Synthetic Minor Operating Permit in Franconia Township, **Montgomery County**. Moyer Packing Company's Beef Plant is a slaughtering and meat packing facility. The boilers that are used for facility heating are a major source of NOx. The company has elected to take appropriate operating and emission restrictions to restrict NOx emissions to below 21 tpy and maintain a minor operating status. Monitoring, recordkeeping and reporting requirements have been added to the permit to address applicable limitations.

**23-00106: BPG Real Estate Investors—Straw Party 1 LP** (3815 West Chester Pike, Newtown Square, PA 19073) on May 22, 2007, for operation of three boilers, one emergency generator and one fire pump located at the Ellis Preserve at Newtown Square in Newtown Township, **Delaware County**. The permit is for a non-Title V (State-only) facility. The facility has elected to cap NOx and SOx to less than major facility thresholds; therefore, the facility is a Synthetic Minor. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.*

**64-00006: Hanson Aggregates PA, Inc.** (1900 Sullivan Trail, Easton, PA 18040) on May 11, 2007, to operate a batch asphalt plant and associated air cleaning devices at their facility in Lake Township, **Wayne County**.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.*

**06-03551: MGP LLC** (796 Fritztown Road, P. O. Box 2193, Sinking Spring, PA 19608) on May 17, 2007, to operate a graphite processing facility controlled by five fabric collectors in Spring Township, **Berks County**.

**28-03011: ATI Landis Threadings System** (360 South Church Street, Waynesboro, PA 17268-2610) on May 18, 2007, to operate of two natural gas fired boilers, 20.3 mmBtu/hr each and three blast cabinets controlled by a fabric collector, in Waynesboro Borough, **Franklin County**. This is a renewal of the State-only operating permit.

**28-03013: Grove Bowersox Funeral Home, Inc.** (50 South Broad Street, Waynesboro, PA 17268-1611) on May 18, 2007, for a crematorium at Waynesboro Borough, **Franklin County**. This is a renewal of the State-only operating permit.

**36-03074: Colonial Metals Co.** (2nd and Linden Streets, Columbia, PA 17512) on May 21, 2007, to operate a brass and bronze foundry in Columbia Borough, **Lancaster County**. This is a renewal of the State-only operating permit.

**36-05115: MGS, Inc.** (178 Muddy Creek Church Road, Denver, PA 17517-9328) on May 14, 2007, for surface coating and curing operations in East Cocalico Township, **Lancaster County**. This is a renewal of the State-only operating permit.

**36-05119: Signature Custom Cabinetry, Inc.** (434 Springville Road, Ephrata, PA 17522-9610) on May 17, 2007, for a wood working operation at Ephrata Township, **Lancaster County**. This is a renewal of the State-only operating permit.

**67-03030: Bickel's Snack Foods, Inc.** (1120 Zinns Quarry Road, York, PA 17404-3533) on May 16, 2007, to construct two potato chip fryers controlled by a mist eliminator in West Manchester Township, **York County**.

**67-03098: Worker-Semmel Funeral Home, Inc.** (849 East Market Street, York, PA 17403-1101) on May 18, 2007, to operate their human crematory in the City of York, **York County**. This is a renewal of the State-only operating permit.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.*

**65-00623: Wabtec Rubber Products** (269 Donahoe Road, Greensburg, PA 15601) on May 18, 2007, to operate a rubber manufacturing facility in Hempfield Township, **Westmoreland County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.*

**37-00126: Hickman Manufacturing, Inc.** (352 Industrial Park Drive, Route 18, Wampum, PA 16157) on May 15, 2007, the Department reissued State-only Operating Permit for to operate an asphalt coating facility, located in New Beaver Borough, **Lawrence County**.

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.*

**15-00055: Highway Materials, Inc.** (850 Quarry Road, Downingtown, PA) on May 22, 2007, for incorporation of PA-15-0039, for the additional use of the following fuels as at their existing asphalt plant in East Caln Township, **Chester County**. Waste Derived Liquid Fuel, fuel oil Nos. 2, 4 and 5 and also to increase the emission limit of fuel bound sulfur from these fuels, into SMOP-15-00055 Administrative Amendment of Synthetic Minor Operating Permit issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.450. The Operating Permit will contain recordkeeping requirements, monitoring requirements and operating conditions designed to keep the facility operating within the allowable emission limits and all applicable air quality requirements.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.*

**36-05087: Morgan Corp.** (35 Thousand Oaks Boulevard, Box 588, Morgantown, PA 19543-8838) on May 14, 2007, to operate a truck body manufacturing facility in Ephrata Borough, **Lancaster County**. This operating permit was administratively amended to incorporate Plan Approval 36-05087B. This is revision No. 1.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.*

**25-00337: Custom Engineering Co.** (2800 McClelland Avenue, Erie, PA 16510) on March 14, 2007, to administratively amend a natural minor operating permit to incorporate Plan Approval 25-337A to add a paint booth in Erie City, **Erie County**.

**43-00319: John Maneely Co.—Sharon Tube Division—Wheatland Plant** (20 Church Street, Wheatland, PA 16161) on May 14, 2007, to administratively amend a natural minor operating permit to incorporate the change of ownership and responsible official in the Borough of Wheatland, **Mercer County**.

#### **De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.**

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.*

**03-00062: Freeport Terminals, Inc.** (P. O. Box 29, Butler, PA 16003) De Minimis emission increase of 0.36 ton PM per year resulting from the installation on May 8, 2007, of a "Puckmaster" electric hydraulic press for the compaction of scrap metal at the Freeport Plant located in Freeport Borough, **Armstrong County**.

### **ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS**

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications**

**will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).**

#### *Coal Permits Actions*

*California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.*

**Permit Number: 32901603 and NPDES Permit No. PA0214507**, Tipple Four J, Inc., (P. O. Box 435, Seward, PA 15954), to renew the permit for the Tipple Four J in Armstrong Township, **Indiana County** and related NPDES permit. No additional discharges. Application received October 31, 2006. Permit issued May 14, 2007.

*Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.*

**26-06-08 and NPDES Permit No. PA0251020**. Purco Coal, Inc. (22 Van Voorhis Lane, Monongahela, PA 15063). Government Financed Construction Contract issued for reclamation of approximately 5.2 acres of abandoned mine lands located in Springhill Township, **Fayette County**. Receiving streams: UNT to Georges Creek. Application received December 18, 2006. Contract issued May 15, 2007.

**03020110 and NPDES Permit No. PA0250244. Original Fuels, Inc.** (P. O. Box 343, Punxsutawney, PA 15767). Permit renewal issued for continued reclamation only of a bituminous surface mining site located in Redbank Township, **Armstrong County**, affecting 73.0 acres. Receiving streams: UNTs to Redbank Creek to Allegheny River. Application received April 12, 2007. Renewal issued May 15, 2007.

*Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.*

**33950108 and NPDES Permit No. PA0227111. TLH Coal Company** (4401 Pollock Road, Marion Center, PA 15759) Renewal of an existing bituminous strip and auger operation in Perry Township, **Jefferson County** affecting 67.0 acres. This renewal is issued for reclamation only. Receiving streams: McCracken Run. Application received March 27, 2007. Permit Issued May 15, 2007.

**33820121 and NPDES Permit No. PA0604623. Terry Coal Sales, Inc.** (P. O. Box 58, Distant, PA 16223-0058) Renewal of an existing bituminous strip and auger operation in Knox Township, **Jefferson County** affecting 144.0 acres. This renewal is issued for reclamation only. Receiving streams: UNTs to Sandy Lick Creek. Application received March 27, 2007. Permit Issued May 15, 2007.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.*

**GFCC No. 17-07-01: A. W. Long Coal Company**, Morris Township, **Clearfield County** (Emigh Run to Moshannon Creek—Upper West Branch Watershed): A Government-Financed Construction Contract has been awarded to A. W. Long Coal Company that will result in the reclamation of 1,800-feet of open highwall, the reclamation of approximately 5 acres of abandoned underground mines and the reclamation of approximately 12.2 acres of abandoned mine land in Morris Township, Clearfield County. The reclamation of the abandoned mine land will also reduce the amount of sediment entering Emigh Run. As a Best Management

Practice alkaline addition, in the form of waste lime, will be added to the Upper Freeport mining area pit floor at a rate of 50 tons/acre. The value of this reclamation is estimated at \$50,000. (Contact: John Varner; (814) 342-8200, Moshannon)

*Noncoal Permits Actions*

*Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.*

**37900802. Fred Whelpley Excavation.** (2599 Horizon Drive, Brockway, PA 15824). Transfer of an existing small noncoal shale operation from Fred Whelpley Excavation in Snyder Township, **Jefferson County** affecting 5.0 acres. Receiving streams: UNT to Little Toby Creek. Application received April 25, 2007. Permit Issued May 15, 2007.

**37950303. Cemex, Inc.** (840 Gessner, Suite 1400, Houston, TX 77024) Renewal of NPDES Permit No. PA0227129 in Shenango Township, **Lawrence County** affecting 188.0 acres. Receiving streams: UNTs to McKee Run and McKee Run. Application received March 28, 2007. Permit Issued May 15, 2007.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.*

**64070810. Gary and Scott Hunt,** (111 Hunt Road, Lake Como, PA 18437), commencement, operation and restoration of a quarry operation in Buckingham Township, **Wayne County** affecting 5.0 acres, receiving stream: none. Application received February 5, 2007. Permit issued May 14, 2007.

**64070811. Gary and Scott Hunt,** (111 Hunt Road, Lake Como, PA 18437), commencement, operation and restoration of a quarry operation in Buckingham Township, **Wayne County** affecting 5.0 acres, receiving stream: none. Application received February 8, 2007. Permit issued May 14, 2007.

**64070812. Gary and Scott Hunt,** (111 Hunt Road, Lake Como, PA 18437), commencement, operation and restoration of a quarry operation in Buckingham Township, **Wayne County** affecting 5.0 acres, receiving stream: none. Application received February 15, 2007. Permit issued May 14, 2007.

**66060808. Royals Legacy Farm,** (P. O. Box 434, Chinchilla, PA 18410), commencement, operation and restoration of a quarry operation in Nicholson Township, **Wyoming County** affecting 5.0 acres, receiving stream: none. Application received July 19, 2006. Permit issued May 15, 2007.

**58070812. Todd B. Schmidt,** (R. R. 2, Box 2212, Hallstead, PA 18822), commencement, operation and restoration of a quarry operation in Great Bend Township, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received February 8, 2007. Permit issued May 15, 2007.

**40060301. Pioneer Aggregates, Inc.,** (202 Main Street, Laffin, PA 18702-2706), commencement, operation and restoration of a quarry operation in Plains Township, **Luzerne County** affecting 190.5 acres, receiving stream: none. Application received August 18, 2006. Permit issued May 15, 2007.

**58060874. Herbert Kilmer,** (R. R. 4, Box 56C, Montrose, PA 18801), commencement, operation and restoration of a quarry operation in New Milford Township, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received November 3, 2006. Permit issued May 16, 2007.

**ACTIONS ON BLASTING ACTIVITY APPLICATIONS**

**Actions on applications under the Explosives Acts of 1937 and 1957 (43 P. S. §§ 151–161); and 25 Pa. Code § 211.124 (relating to blasting activity permits). Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

*Blasting Permits Actions*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.*

**28074123. David H. Martin Excavating, Inc.,** (4961 Cumberland Highway, Chambersburg, PA 17201-9655), blasting activity permit issued for school development in Chambersburg Borough, **Franklin County**. Blasting activity permit end date is November 5, 2008. Permit issued May 10, 2007.

*Greensburg District Mining Office: Armbrust Professional Center; 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.*

**63074002. Hilltop Energy, Inc.** (6978 Linden Tree Road, Mineral City, OH 44656). Blasting activity permit issued for construction of Tanger Outlet Center, located in South Strabane Township, **Washington County**, with an expected duration of 7 months. Permit issued May 14, 2007.

**02074006. Chambers Development Company** (Monroeville Landfill, 600 Thomas Street, Monroeville, PA 15146). Blasting activity permit issued for landfill development located in Monroeville Borough, **Allegheny County**, with an expected duration of 6 months. Permit issued May 14, 2007.

**65074005. Kesco, Inc.** (P. O. Box 95, Adrian, PA 16210-0095). Blasting activity permit issued for construction of a borrow pit located in South Huntingdon Township, **Westmoreland County**, with an expected duration of 1 year. Permit issued May 14, 2007.

**02074004. Oakview, LP** (11676 Perry Highway, Suite 1100, Wexford, PA 15090). Blasting activity permit issued for sanitary sewer installation at the Summitt housing development located in Marshall Township, **Allegheny County**, with an expected duration of approximately 1 month. Permit issued May 16, 2007.

*Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.*

**62074005. Minard Run Oil Co.** (609 South Avenue, P. O. Box 18, Bradford, PA 16701). Blasting activity permit for gas and oil exploration in Mead Township, **Warren County**. This blasting activity permit will expire on May 17, 2008. Application received May 15, 2007. Application issued May 17, 2007.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.*

**35074002. James Resseguie, Resseguie Explosive Service,** (P. O. Box 271, Harford, PA 18823), construction blasting for the Filipek Foundation in Glenburn Township, **Lackawanna County** with an expiration date of August 1, 2007. Permit issued May 16, 2007.

**64074001. Chris Grady, Northeast Blasting,** (403 Middle Creek Road, Honesdale, PA 18431), construction blasting for the Robert Sohosky Sewer Project in Cherry

Ridge Township, **Wayne County** with an expiration date of May 31, 2008. Permit issued May 16, 2007.

**58074001. John Brainard**, (R. R. 1, Box 275, Kingsley, PA 18826), construction blasting for the Holgate House Foundation in Lenox Township, **Susquehanna County** with an expiration date of June 30, 2007. Permit issued May 16, 2007.

**09074110. Silver Valley Drilling & Blasting, Inc.**, (R. R. 4, Box 4196, Saylorsburg, PA 18353-9514), construction blasting for commercial development in Richland Township, **Bucks County** with an expiration date of May 9, 2008. Permit issued May 16, 2007.

**22074111. Dyno Nobel Inc.**, (1320 Galiffa Drive, Donora, PA 15033), construction blasting for The Preserves at Bow Creek in East Hanover Township, **Dauphin County** with an expiration date of May 30, 2008. Permit issued May 16, 2007.

**35074111. Holbert Explosives, Inc.**, (237 Mast Hope Plank Road, Lackawaxen, PA 18435), construction blasting for a warehouse at Covington Industrial Park in Covington Township, **Lackawanna County** with an expiration date of May 10, 2008. Permit issued May 11, 2007.

**36074149. Newville Construction Services, Inc.**, (408 Mohawk Road, Newville, PA 17241-9424), construction blasting for pool/pond in Mount Joy Township, **Lancaster County** with an expiration date of May 30, 2008. Permit issued May 16, 2007.

**45074130. Explosive Services, Inc.**, (7 Pine Street, Bethany, PA 18431), construction blasting for Skytop Lodge in Barrett Township, **Monroe County** with an expiration date of May 31, 2008. Permit issued May 14, 2007.

**48074107. Silver Valley Drilling & Blasting, Inc.**, (R. R. 4, Box 4196, Saylorsburg, PA 18353-9514), construction blasting for commercial development in Lower Nazareth Township, **Northampton County** with an expiration date of May 15, 2008. Permit issued May 16, 2007.

**48074107. Silver Valley Drilling & Blasting, Inc.**, (R. R. 4, Box 4196, Saylorsburg, PA 18353-9514), construction blasting for commercial development in Palmer Township, **Northampton County** with an expiration date of May 15, 2008. Permit issued May 16, 2007.

**52074119. Explosive Services, Inc.**, (7 Pine Street, Bethany, PA 18431), construction blasting for Pocono Ranchlands in Lehman Township, **Pike County** with an expiration date of May 31, 2008. Permit issued May 14, 2007.

**64074105. Explosive Services, Inc.**, (7 Pine Street, Bethany, PA 18431), construction blasting for commercial development in Dyberry Township, **Wayne County** with an expiration date of May 31, 2008. Permit issued May 11, 2007.

**64074106. Explosive Services, Inc.**, (7 Pine Street, Bethany, PA 18431), construction blasting for Paupackan Lake Estates in Paupack Township, **Wayne County** with an expiration date of May 31, 2008. Permit issued May 14, 2007.

**67074120. Newville Construction Services, Inc.**, (408 Mohawk Road, Newville, PA 17241-9424), construction blasting for Laurel Vista in Windsor Township, **York County** with an expiration date of May 30, 2008. Permit issued May 11, 2007.

**67074121. David H. Martin Excavating, Inc.**, (4961 Cumberland Highway, Chambersburg, PA 17201-9655), construction blasting for North Hanover Mall in Hanover Borough, **York County** with an expiration date of May 15, 2008. Permit issued May 16, 2007.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).**

*Permits, Environmental Assessments and 401 Water Quality Certifications Issued*

### WATER OBSTRUCTIONS AND ENCROACHMENTS

*Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.*

**E46-1000. Montgomery Township Municipal Sewer Authority**, 1001 Stump Road, Montgomeryville, PA 18936-9605, Montgomery Township, **Montgomery County**, ACOE Philadelphia District.

To construct and maintain four ford stream crossings of the Little Neshaminy Creek (WWF) at different points along an approximately 2,800-foot stream segment to facilitate maintenance access to an existing sanitary sewer interceptor that runs mostly parallel to the creek. The work will involve minor excavation and placement of stone bedding measuring approximately 12 inches deep by 9 feet wide along the creek bed and banks with different lengths based on the design submission.

The site is a narrow corridor containing the stream and running approximately 4,700 feet from the south side of Horsham Road and heading north with the last crossing located approximately 1,000 feet from Bethlehem Pike. The east side is bordered by a subdivision that extends towards Stump Road and the west is bordered by Upper State Road/SR 0202 (Ambler, PA, Quadrangle N: 19.42 inches; W: 15.29 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

**E09-914. Steven Vernachio**, 200 Constitution Avenue, Perkasio, PA 18944, Perkasio Borough, **Bucks County**, ACOE Philadelphia District.

To expand and maintain an existing Dairy Queen Restaurant to accommodate drive-through access within and along the floodway of the Perkiomen Creek (TSF) and Pleasant Spring Creek (TSF). This project is located approximately 500 feet southwest of the intersection Walnut Street and SR 152 (Telford, PA, USGS Quadrangle N: 21.2 inches; W: 6.4 inches).

*Northeast Regional Office, Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.*

**E40-657. Fred Sheaman**, 940 Rabbit Lane, White Haven, PA 18661, Foster Township, **Luzerne County**, United States Army Corps of Engineers Philadelphia District.

To authorize fill previously placed in approximately 590 linear feet of channel of a tributary to Pond Creek and 0.14 acre of wetlands for the construction of the entrance road to White Haven Estates residential subdivision. The tributary will be relocated to the western side of said entrance road and three road crossings will be installed as follows: 1) a 36-inch diameter HDPE culvert along Hillary Drive West, approximately 1,000 feet south of SR 0940; 2) a 60-inch diameter HDPE culvert, half buried, for a private driveway on Lot 102 in the relocated tributary; and 3) a 60-inch diameter HDPE culvert, half buried, along Hillary Drive West, approximately 120 feet south of SR 0940. The project is located on the south side of SR 0940, approximately 0.5 mile east of the intersection of SR 0940 and T382 (White Haven, PA Quadrangle N: 7.0 inches; W: 11.7 inches). (Subbasin: 5D)

*Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**E61-278. Richland Township Supervisors**, 1740 Rockland Nickelville Road, Emlenton, PA 16373. Geiring Road Bridge, in Richland Township, **Venango County**, ACOE Pittsburgh District (Emlenton, PA Quadrangle N: 41° 14' 48.5"; W: 79° 41' 24.5").

The applicant proposes to remove the existing structure and to construct and maintain a prestressed spread box beam bridge having a clear span of 41.5 feet and an underclearance of 6.9 feet on a 90° skew across Mill Creek (CWF) on T-552 (Geiring Road), approximately 0.6

mile West of the intersection of SR 38 and T-357. Project includes a temporary ford crossing. The project proposes to impact approximately 200 linear feet of stream.

*Northeast Region: Bureau of Abandoned Mine Reclamation, Wilkes-Barre District Office, 2 Public Square, 5th Floor, Wilkes-Barre, PA 18711-0790, (570) 826-2371.*

**E3511-002: Bureau of Abandoned Mine Reclamation**, Wilkes-Barre District Office. Taylor South Main project in Taylor Borough, **Lackawanna County**, ACOE Baltimore District, Scranton PA Quadrangle N: 2.7 inches; W: 10.8 inches.

To perform the following water obstruction and encroachment activities associated with an impaired creek caused by previously abandoned mine lands.

This project will construct an Abandoned Mine Land (AML) reclamation project to eliminate health and safety problems associated with an 84-acre AML site. The reclamation project will result in an encroachment of Keyser Creek, which has been impaired from previous mining. The project includes the reconstruction and stabilization of approximately 1,700 feet of creek.

#### ENVIRONMENTAL ASSESSMENTS

*Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.*

**D35-081EA. Pennsylvania-American Water Company**, 100 Pennsylvania Avenue, Wilkes-Barre, PA 18701 Spring Brook Township, **Lackawanna County**, ACOE Baltimore District.

Project proposes to modify Watres Dam across Spring Brook (HQ-CWF). The project proposes to regrade the downstream slope of the embankment with rock to improve issues associated with slope stability, incorporate a drainage blanket and relief wells to address issues associated with embankment seepage and widen the spillway to address issues associated with spillway capacity. The project will permanently impact 0.06 acre of Palustrine Emergent wetlands and 228 linear feet of stream channel. The applicant proposes to construct 0.07 acre of replacement wetlands on site. The dam is located approximately 3,800 feet southwest of the intersection of SR 502 and SR 690 (Moscow, PA Quadrangle, N: 8.0", W: 16.2").

#### DAM SAFETY

*Central Office: Bureau of Waterways Engineering, 400 Market Street, Floor 3, P. O. Box 8554, Harrisburg, PA 17105-8554.*

**D64-148. Department of Conservation and Natural Resources—Bureau of Facility Design & Construction**, P. O. Box 8451, Harrisburg, PA 17105-8451. To modify, operate and maintain Gouldsboro Lake Dam across Oakes Swamp Run (HQ-CWF), impacting 0.038 acre of Palustrine Emergent wetlands and zero feet of stream, for the purpose of rehabilitating the existing dam and increasing spillway capacity to the requirements of Commonwealth Regulations (Tobyhanna, PA Quadrangle N: 19.9 inches; W: 10.6 inches) in Lehigh Township, **Wayne County**.

**D08-063A. John and Holly Firely**, 798 Sharon Lane, Harleysville, PA 19438. To modify, operate and maintain Galvin Pond Dam across a Tributary to Trout Creek (WWF), impacting 0 acres of wetlands and 0 feet of

stream, for the purpose of upgrading the structure to comply with current dam safety standards (Bentley Creek, PA Quadrangle N: 13.4 inches; W: 9.0 inches) in

Ridgebury Township, **Bradford County**. Proposed modifications consist of leveling the crest of the dam and improving the emergency spillway.

---

## SPECIAL NOTICES

---

### CATEGORICAL EXCLUSION

*Northeast Region: Water Management Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Project Information:*

<i>Project Applicant</i>	<i>Project Applicant's Address</i>	<i>Project Location (Municipality)</i>	<i>Project Location (County)</i>
Saint Clair Sewer Authority	16 South Third Street St. Clair, PA 17970	Saint Clair Borough	Schuylkill

*Description:* The Pennsylvania Investment Authority (Authority), which administers the Commonwealth's State Revolving Fund, is intended to be the funding sources for this project. The Authority proposes to rehabilitate/renovate the existing wastewater treatment plant. The Department of Environmental Protection's (Department) review of the project and the information received has not identified any significant, adverse environmental impact resulting from this proposal. The Department hereby categorically excluded this project from the State Environmental Review Process.

*Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.*

**EGS65005. Loyalhanna Watershed Association** (110 Andi Lane, Ligonier, PA 15658). Project approved to abate mine drainage pollution in Derry Township and Latrobe Borough, **Westmoreland County**, affecting 3 acres. Receiving stream: Loyalhanna Creek. Project proposal received December 22, 2006. Project approval issued May 14, 2007.

[Pa.B. Doc. No. 07-974. Filed for public inspection June 1, 2007, 9:00 a.m.]

---

### Request for Bids

**D19-076-101.1, Dam and Trestle Removal on Fishing Creek, Mount Pleasant and Scott Townships, Columbia County.** The principal items of work include mobilization and demobilization, erosion and sediment control, dam removal, railroad trestle removal, 250 square yards of streambank reconstruction, seeding and 1,000 cubic yards of construction of rock causeway. This project issues on June 1, 2007, and bids will be opened on June 28, 2007, at 2 p.m. Bid documents cost \$10 per set and will not be mailed until payment has been received. Contact the Construction Contracts Section at (717) 787-7820 or joelmiller@state.pa.us for more information on this bid.

KATHLEEN A. MCGINTY,  
*Secretary*

[Pa.B. Doc. No. 07-975. Filed for public inspection June 2, 2007, 9:00 a.m.]

---

Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,  
*Secretary*

[Pa.B. Doc. No. 07-976. Filed for public inspection June 1, 2007, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Application of Abington Surgical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Abington Surgical Center has requested an exception to the requirements of 28 Pa. Code § 551.21(d) (relating to criteria for ambulatory surgery).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of

### Application of Bradford Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Bradford Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Health Care Facilities*. The facility specifically



requests exemption from the following standards contained in this publication: 5.4.1.1 (relating to cardiac cath. lab).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, dditlow@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,  
*Secretary*

[Pa.B. Doc. No. 07-977. Filed for public inspection June 1, 2007, 9:00 a.m.]

### Application of Carbon-Schuylkill Endoscopy Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Carbon-Schuylkill Endoscopy Center has requested an exception to the requirements of 28 Pa. Code § 551.3 (relating to definitions).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,  
*Secretary*

[Pa.B. Doc. No. 07-978. Filed for public inspection June 1, 2007, 9:00 a.m.]

### Application of Community Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Community Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Health Care Facilities*. The facility specifically requests exemption from the following standards contained in this publication: 3.4.2.1 (relating to patient care areas).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, dditlow@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,  
*Secretary*

[Pa.B. Doc. No. 07-979. Filed for public inspection June 1, 2007, 9:00 a.m.]

### Application of Frick Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Frick Hospital has requested an exception to the requirements of 28 Pa. Code §§ 103.3—103.5, 103.8, 103.31, 107.1, 107.21—107.26, 107.31—107.33, 107.51—107.54, 111.2, 115.27, 127.3, 129.4, 131.3, 135.2, 137.3, 139.3, 145.3, 146.1, 146.2, 147.13 and 155.3.

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, dditlow@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so should contact Director, Division

of Acute and Ambulatory Care at (717) 783-8980, V/TT (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,  
*Secretary*

[Pa.B. Doc. No. 07-980. Filed for public inspection June 1, 2007, 9:00 a.m.]

### Application of Latrobe Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Latrobe Hospital has requested an exception to the requirements of 28 Pa. Code §§ 103.3—103.5, 103.8, 103.31, 107.1, 107.21—107.26, 107.31—107.33, 107.51—107.54, 111.2, 115.27, 127.3, 129.4, 131.3, 135.2, 137.3, 139.3, 145.3, 146.1, 146.2, 147.13 and 155.3.

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, dditlow@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,  
*Secretary*

[Pa.B. Doc. No. 07-981. Filed for public inspection June 1, 2007, 9:00 a.m.]

### Application of Northwood Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Northwood Surgery Center has requested an exception to the requirements of 28 Pa. Code § 551.21(d) (relating to criteria for ambulatory surgery).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,  
*Secretary*

[Pa.B. Doc. No. 07-982. Filed for public inspection June 1, 2007, 9:00 a.m.]

### Application of Rhawn Street Endoscopy Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Rhawn Street Endoscopy Center has requested an exception to the requirements of 28 Pa. Code § 551.3 (relating to definitions).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,  
*Secretary*

[Pa.B. Doc. No. 07-983. Filed for public inspection June 1, 2007, 9:00 a.m.]

### Application of Robert Packer Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Robert Packer Hospital has requested an exception to the requirements of 28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of

Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request for exception and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,  
*Secretary*

[Pa.B. Doc. No. 07-984. Filed for public inspection June 1, 2007, 9:00 a.m.]

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,  
*Secretary*

[Pa.B. Doc. No. 07-986. Filed for public inspection June 1, 2007, 9:00 a.m.]

### Application of Village SurgiCenter for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Village SurgiCenter has requested an exception to the requirements of 28 Pa. Code § 569.35 (relating to general safety precautions).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request for exception and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,  
*Secretary*

[Pa.B. Doc. No. 07-985. Filed for public inspection June 1, 2007, 9:00 a.m.]

### Application of Warren General Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Warren General Hospital has requested an exception to the requirements of 28 Pa. Code § 107.61 (relating to written orders).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

### Application of The Western Pennsylvania Hospital—Forbes Regional Campus for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that The Western Pennsylvania Hospital—Forbes Regional Campus has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Health Care Facilities*. The facility specifically requests exemption from the following standards contained in this publication: 7.8A3(i) (relating to anesthesia room), 7.8A3.3(c) (relating to sterilizing facilities) and 7.4.A7 (relating to workrooms).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, dditlow@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,  
*Secretary*

[Pa.B. Doc. No. 07-987. Filed for public inspection June 1, 2007, 9:00 a.m.]

### Application of Westmoreland Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Westmoreland Hospital has requested an exception to the requirements of 28 Pa. Code §§ 103.3, 103.4, 103.5, 103.8, 103.31, 107.1, 107.21—107.26, 107.31—107.33, 107.51—107.54, 111.2, 115.27, 127.3, 129.4, 131.3, 135.2, 137.3, 139.3, 145.3, 146.1, 146.2, 147.13 and 155.3.

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, dditlow@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so should contact, the Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,  
*Secretary*

[Pa.B. Doc. No. 07-988. Filed for public inspection June 1, 2007, 9:00 a.m.]

### Health Policy Board Meeting

The Health Policy Board is scheduled to hold a meeting on Wednesday, June 13, 2007, at 10 a.m., in Room 812, Health and Welfare Building, Seventh and Forster Streets, Harrisburg, PA 17120.

For additional information or if you are a person with a disability and desire to attend the meeting and require an auxiliary aid, service or other accommodation to do so contact Lewis Wolkoff, Bureau of Health Planning at (717) 772-5298 or lwolkoff@state.pa.us or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

This meeting is subject to cancellation without notice.

CALVIN B. JOHNSON, M. D., M.P.H.,  
*Secretary*

[Pa.B. Doc. No. 07-989. Filed for public inspection June 1, 2007, 9:00 a.m.]

### Long-Term Care Nursing Facility; Request for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code §§ 205.10(a) and (b) and 205.38(f) (relating to doors; and toilet facilities).

John Heinz Senior Rehab Care  
150 Mundy Street  
Wilkes-Barre, PA 18702  
FAC ID 01370201

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, rapaexcept@state.pa.us

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who require an alternative format of this document or who desire to comment in an alternative format (for example, large print, audiotape, Braille), should contact the Division of Nursing Care Facilities at the address listed previously or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,  
*Secretary*

[Pa.B. Doc. No. 07-990. Filed for public inspection June 1, 2007, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania \$50,000 Birthday Dough Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$50,000 Birthday Dough.
2. *Price:* The price of a Pennsylvania \$50,000 Birthday Dough instant lottery game ticket is \$5.
3. *Play and Prize Play Symbols:*

(a) Each Pennsylvania \$50,000 Birthday Dough instant lottery game ticket will contain three play areas known as "Game 1," "Game 2" and "Game 3" respectively. Each game has a different game play method and is played separately. Each Pennsylvania \$50,000 Birthday Dough instant lottery game ticket will also contain a "Birthday Bonus Box" area.

(b) The prize play symbols and their captions located in the play area for "Game 1" are: \$5<sup>00</sup> (FIV DOL), \$10<sup>00</sup> (TEN DOL), \$20\$ (TWENTY), \$50\$ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN) and \$50,000 (FTY THO).

(c) The play symbols and their captions located in the play area for "Game 2" are: Balloon symbol (BALLOON) and an X symbol (XXX).

(d) The play area for "Game 3" will contain a "YOUR SYMBOLS" area and a "LUCKY SYMBOLS" area. The play symbols and their captions located in the "YOUR SYMBOLS" area and the "LUCKY SYMBOLS" area are: Rocket symbol (RCKT), Ice Cream Cone symbol (ICEC), Noisemaker symbol (NOISE), Money Bag symbol (SBAG), Bills symbol (BILLS), Stack symbol (STACK), Bow symbol (BOW), Hat symbol (HAT), Candle symbol (CANDL), Party Favor symbol (FAVOR), Cake symbol (CAKE), Gift symbol (GIFT), Horn symbol (HORN), Cupcake symbol (CUPC), Music symbol (MUSIC), Dance symbol (DANCE) and a Confetti symbol (CNFTI).

(e) The prize play symbols and the play symbol and their captions located in the "Birthday Bonus Box" area are: \$5<sup>.00</sup> (FIV DOL), \$10<sup>.00</sup> (TEN DOL), \$20\$ (TWENTY), \$50\$ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN) and NO BONUS (TRY AGAIN).

#### 4. Prize Symbols:

(a) The play area for "Game 2" will contain a "PRIZE" area. The prize symbols and their captions located in the "PRIZE" area for "Game 2" are: \$5<sup>.00</sup> (FIV DOL), \$10<sup>.00</sup> (TEN DOL), \$20\$ (TWENTY), \$50\$ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN) and \$50,000 (FTY THO).

(b) The play area for "Game 3" will contain six "Prize" areas. The prize symbols and their captions located in the six "Prize" areas for "Game 3" are: \$5<sup>.00</sup> (FIV DOL), \$10<sup>.00</sup> (TEN DOL), \$20\$ (TWENTY), \$50\$ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN) and \$50,000 (FTY THO).

5. Prizes: The prizes that can be won in "Game 1," "Game 2" and "Game 3" are: \$5, \$10, \$20, \$50, \$100, \$500 and \$50,000. The prizes that can be won in the "Birthday Bonus Box" area are: \$5, \$10, \$20, \$50, \$100 and \$500. The player can win up to eight times on a ticket.

6. Approximate Number of Tickets Printed For the Game: Approximately 4,800,000 tickets will be printed for the Pennsylvania \$50,000 Birthday Dough instant lottery game.

#### 7. Determination of Prize Winners:

(a) Determination of prize winners for "Game 1" are:

(1) Holders of tickets with three matching prize play symbols of \$50,000 (FTY THO) in the play area, on a single ticket, shall be entitled to a prize of \$50,000.

(2) Holders of tickets with three matching prize play symbols of \$500 (FIV HUN) in the play area, on a single ticket, shall be entitled to a prize of \$500.

(3) Holders of tickets with three matching prize play symbols of \$100 (ONE HUN) in the play area, on a single ticket, shall be entitled to a prize of \$100.

(4) Holders of tickets with three matching prize play symbols of \$50\$ (FIFTY) in the play area, on a single ticket, shall be entitled to a prize of \$50.

(5) Holders of tickets with three matching prize play symbols of \$20\$ (TWENTY) in the play area, on a single ticket, shall be entitled to a prize of \$20.

(6) Holders of tickets with three matching prize play symbols of \$10<sup>.00</sup> (TEN DOL) in the play area, on a single ticket, shall be entitled to a prize of \$10.

(7) Holders of tickets with three matching prize play symbols of \$5<sup>.00</sup> (FIV DOL) in the play area, on a single ticket, shall be entitled to a prize of \$5.

(b) Determination of prize winners for "Game 2" are:

(1) Holders of tickets with three matching Balloon (BALLOON) play symbols in the same row, column or diagonal, and a prize symbol of \$50,000 (FTY THO) in the "PRIZE" area for that game, on a single ticket, shall be entitled to a prize of \$50,000.

(2) Holders of tickets with three matching Balloon (BALLOON) play symbols in the same row, column or diagonal, and a prize symbol of \$500 (FIV HUN) in the "PRIZE" area for that game, on a single ticket, shall be entitled to a prize of \$500.

(3) Holders of tickets with three matching Balloon (BALLOON) play symbols in the same row, column or diagonal, and a prize symbol of \$100 (ONE HUN) in the "PRIZE" area for that game, on a single ticket, shall be entitled to a prize of \$100.

(4) Holders of tickets with three matching Balloon (BALLOON) play symbols in the same row, column or diagonal, and a prize symbol of \$50\$ (FIFTY) in the "PRIZE" area for that game, on a single ticket, shall be entitled to a prize of \$50.

(5) Holders of tickets with three matching Balloon (BALLOON) play symbols in the same row, column or diagonal, and a prize symbol of \$20\$ (TWENTY) in the "PRIZE" area for that game, on a single ticket, shall be entitled to a prize of \$20.

(6) Holders of tickets with three matching Balloon (BALLOON) play symbols in the same row, column or diagonal, and a prize symbol of \$10<sup>.00</sup> (TEN DOL) in the "PRIZE" area for that game, on a single ticket, shall be entitled to a prize of \$10.

(7) Holders of tickets with three matching Balloon (BALLOON) play symbols in the same row, column or diagonal, and a prize symbol of \$5<sup>.00</sup> (FIV DOL) in the "PRIZE" area for that game, on a single ticket, shall be entitled to a prize of \$5.

(c) Determination of prize winners for "Game 3" are:

(1) Holders of tickets where any one of the "YOUR SYMBOLS" play symbols matches either of the "LUCKY SYMBOLS" play symbols and a prize symbol of \$50,000 (FTY THO) appears in the "Prize" area under the matching "YOUR SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$50,000.

(2) Holders of tickets where any one of the "YOUR SYMBOLS" play symbols matches either of the "LUCKY SYMBOLS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "Prize" area under the matching "YOUR SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(3) Holders of tickets where any one of the "YOUR SYMBOLS" play symbols matches either of the "LUCKY SYMBOLS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "Prize" area under the matching "YOUR SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(4) Holders of tickets where any one of the "YOUR SYMBOLS" play symbols matches either of the "LUCKY SYMBOLS" play symbols and a prize symbol of \$50\$ (FIFTY) appears in the "Prize" area under the matching "YOUR SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(5) Holders of tickets where any one of the "YOUR SYMBOLS" play symbols matches either of the "LUCKY SYMBOLS" play symbols and a prize symbol of \$20\$ (TWENTY) appears in the "Prize" area under the matching "YOUR SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(6) Holders of tickets where any one of the "YOUR SYMBOLS" play symbols matches either of the "LUCKY SYMBOLS" play symbols and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in the "Prize" area under the matching "YOUR SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(7) Holders of tickets where any one of the "YOUR SYMBOLS" play symbols matches either of the "LUCKY SYMBOLS" play symbols and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in the "Prize" area under the matching "YOUR SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(d) Determination of prize winners for the "Birthday Bonus Box" are:

(1) Holders of tickets with a prize play symbol of \$500 (FIV HUN) in the "Birthday Bonus Box" area, on a single ticket, shall be entitled to a prize of \$500.

(2) Holders of tickets with a prize play symbol of \$100 (ONE HUN) in the "Birthday Bonus Box" area, on a single ticket, shall be entitled to a prize of \$100.

(3) Holders of tickets with a prize play symbol of \$50\$ (FIFTY) in the "Birthday Bonus Box" area, on a single ticket, shall be entitled to a prize of \$50.

(4) Holders of tickets with a prize play symbol of \$20\$ (TWENTY) in the "Birthday Bonus Box" area, on a single ticket, shall be entitled to a prize of \$20.

(5) Holders of tickets with a prize play symbol of \$10<sup>00</sup> (TEN DOL) in the "Birthday Bonus Box" area, on a single ticket, shall be entitled to a prize of \$10.

(6) Holders of tickets with a prize play symbol of \$5<sup>00</sup> (FIV DOL) in the "Birthday Bonus Box" area, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Birthday Bonus Box</i>	<i>Game 1</i>	<i>Game 2</i>	<i>Game 3</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. of Winners Per 4,800,000 Tickets</i>
\$5				\$5	20	240,000
	\$5			\$5	30	160,000
		\$5		\$5	30	160,000
			\$5	\$5	30	160,000
\$10				\$10	42.86	112,000
	\$10			\$10	200	24,000
		\$10		\$10	200	24,000
			\$10	\$10	200	24,000
\$5			\$5	\$10	150	32,000
			\$5 × 2	\$10	200	24,000
\$20				\$20	200	24,000
	\$20			\$20	200	24,000
		\$20		\$20	200	24,000
			\$20	\$20	300	16,000
\$10	\$5	\$5		\$20	200	24,000
\$10			\$5 × 2	\$20	200	24,000
			\$5 × 4	\$20	200	24,000
\$50				\$50	200	24,000
	\$50			\$50	600	8,000
		\$50		\$50	600	8,000
			\$50	\$50	600	8,000
\$5	\$20	\$20	\$5	\$50	600	8,000
\$10	\$10	\$10	\$10 × 2	\$50	600	8,000
\$20			\$5 × 6	\$50	600	8,000
			\$10 × 5	\$50	600	8,000
\$100				\$100	2,400	2,000
	\$100			\$100	2,400	2,000
		\$100		\$100	2,400	2,000
			\$100	\$100	2,400	2,000
\$10	\$20	\$20	\$10 × 5	\$100	2,400	2,000
\$20	\$20	\$20	\$20 × 2	\$100	2,400	2,000
\$50	\$50			\$100	2,400	2,000
			\$20 × 5	\$100	2,400	2,000
\$500				\$500	10,000	480
	\$500			\$500	10,000	480
		\$500		\$500	10,000	480
			\$500	\$500	10,000	480

<i>Birthday Bonus Box</i>	<i>Game 1</i>	<i>Game 2</i>	<i>Game 3</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. of Winners Per 4,800,000 Tickets</i>
			\$100 × 5	\$500	10,000	480
	\$50,000			\$50,000	960,000	5
		\$50,000		\$50,000	960,000	5
			\$50,000	\$50,000	960,000	5

GAME 1—Get 3 like amounts, win that prize.

GAME 2—Get three “BALLOON” (BALLOON) symbols in a row, column or diagonal, win prize shown.

GAME 3—When any of YOUR SYMBOLS match either LUCKY SYMBOL, win the prize shown under the matching symbol.

BIRTHDAY BONUS BOX—Reveal prize amount from \$5 to \$500 and win that prize.

Prizes, including the top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania \$50,000 Birthday Dough instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania \$50,000 Birthday Dough, prize money from winning Pennsylvania \$50,000 Birthday Dough instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania \$50,000 Birthday Dough instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania \$50,000 Birthday Dough or through normal communications methods.

THOMAS W. WOLF,  
*Secretary*

[Pa.B. Doc. No. 07-991. Filed for public inspection June 1, 2007, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department), District 9-0, under section 2003(e)(7) of The Administrative Code of 1929 (71 P. S. § 513(e)(7)), intends to sell certain land owned by the Department.

The following property is available for sale by the Department:

Parcel No. 52: (Kenneth P. Coho and Ruth E. Coho) located in Allegheny Township, Blair County. The parcel contains approximately 39,663.28 square feet of unimproved land situated at Plank Road and Kathryn Street. The estimated fair market value is \$92,900.

Interested public entities are invited to express their interest in purchasing the site within 30-calendar days from the date of publication of this notice to Sherry Nelson, Property Manager, Department of Transportation, R/W Unit, 1620 North Juniata Street, Hollidaysburg, PA 16648-1080.

ALLEN D. BIEHLER, P. E.,  
*Secretary*

[Pa.B. Doc. No. 07-992. Filed for public inspection June 1, 2007, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Triploid Grass Carp Permit Application

Under 58 Pa. Code § 71.7 (relating to triploid grass carp), the Fish and Boat Commission (Commission) may issue permits to stock triploid grass carp in Commonwealth waters. Triploid grass carp are sterile fish that may, in appropriate circumstances, help control aquatic vegetation. The Commission has determined consistent with 58 Pa. Code § 71.7(e)(3) to seek public input with respect to any proposed stockings of triploid grass carp in waters having a surface area of more than 5 acres.

Interested persons are invited to submit written comments, objections or suggestions about the notice to the Executive Director, Fish and Boat Commission, P. O. Box 67000, Harrisburg, PA 17106-7000, within 10 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted. Comments also may be submitted electronically by completing the form at [www.state.pa.us/Fish/regcomments](http://www.state.pa.us/Fish/regcomments). If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt.

The following applications to stock triploid grass carp in waters having a surface area of greater than 5 acres are currently undergoing staff review:

<i>Applicant</i>	<i>Water</i>	<i>Location of Water</i>	<i>Description of Water</i>	<i>Nature of Vegetation to be Controlled</i>
Omega Engineering	Lake Russell	Greene Township Pike County	50 acre lake which discharges into Freeling Run	Elodea canadensis
Fish and Boat Commission	Harris Pond	Ross Township Luzerne County	30 acre lake which discharges into Roaring Brook	Myriophyllum sp. Elodea canadensis Ceratophyllum sp.

DOUGLAS J. AUSTEN, Ph.D.,  
*Executive Director*

[Pa.B. Doc. No. 07-993. Filed for public inspection June 1, 2007, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10:30 a.m., Thursday, May 17, 2007, and announced the following:

#### *Regulations Approved:*

Pennsylvania Gaming Control Board #125-45: General and Operative Provisions; Board Procedures (adds 58 Pa. Code Chapters 401a, 403a, 405a and 407a)

Office of the Victim Advocate #41-20: Domestic and Sexual Violence Victim Address Confidentiality Program (amends 37 Pa. Code Chapter 802)

#### Approval Order

Public Meeting held  
May 17, 2007

*Commissioners Voting:* Arthur Coccodrilli, Chairperson; Alvin C. Bush, Vice Chairperson; David M. Barasch, Esq.; David J. DeVries, Esq.; John F. Mizner, Esq.

*Pennsylvania Gaming Control Board—General and Operative Provisions; Board Procedures  
Regulation No. 125-45 (#2561)*

On August 28, 2006, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania Gaming Control Board (Board). This rulemaking adds 58 Pa. Code Chapters 401a, 403a, 405a and 407a. The proposed regulation was published in the September 9, 2006, *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on April 10, 2007. On May 1, 2007, the Board simultaneously tolled and resubmitted the final-form regulation to revise a definition.

This final-form rulemaking establishes four chapters of the Board's regulations. These chapters relate to preliminary provisions, the operations and organization of the Board, the Bureau of Investigations and Enforcement and organization and access to the Board's case files.

We have determined this regulation is consistent with the statutory authority of the Board (4 Pa.C.S.A. §§ 1201(f), 1202(a), 1202(b)(25) and (30) and 1206) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

#### Approval Order

Public Meeting held  
May 17, 2007

*Commissioners Voting:* Arthur Coccodrilli, Chairperson; Alvin C. Bush, Vice Chairperson; David M. Barasch, Esq.; David J. DeVries, Esq.; John F. Mizner, Esq.

*Office of the Victim Advocate—Domestic and Sexual Violence Victim Address Confidentiality Program  
Regulation No. 41-20 (#2603)*

On April 9, 2007, the Independent Regulatory Review Commission (Commission) received this regulation from the Office of the Victim Advocate (OVA). This rulemaking amends 37 Pa. Code Chapter 802. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This final-omitted regulation establishes eligibility and administrative procedures for the Address Confidentiality Program under Act 188 of 2004.

We have determined this regulation is consistent with the statutory authority of the OVA (23 Pa.C.S. § 6712) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

ARTHUR COCCODRILLI,  
*Chairperson*

[Pa.B. Doc. No. 07-994. Filed for public inspection June 1, 2007, 9:00 a.m.]



### Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, in Harrisburg at 10:30 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy.

This schedule is tentative. Contact the Commission at (717) 783-5417 or check our website at [www.irrc.state.pa.us](http://www.irrc.state.pa.us) for updates.

#### Final Form

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
125-49	Pennsylvania Gaming Control Board Accounting and Internal Controls; Slot Computer Systems; Commencement of Slot Operations	5/17/07	6/21/07
12-67	Department of Labor and Industry General Provisions	5/21/07	6/21/07

ARTHUR COCCODRILLI,  
*Chairperson*

[Pa.B. Doc. No. 07-995. Filed for public inspection June 1, 2007, 9:00 a.m.]

## MILK MARKETING BOARD

### Sunshine Meetings 2007-2008

<i>Date</i>	<i>Room</i>	<i>Time</i>
July 11, 2007	VIP Lounge Farm Show Complex Cameron Street Harrisburg, PA 17110	1 p.m.
August 1, 2007	Room 202 Agriculture Building Harrisburg, PA 17110	1 p.m.
September 5, 2007	Room 202 Agriculture Building Harrisburg, PA 17110	1 p.m.
October 3, 2007	Commonwealth Technology Center Technology Park Harrisburg, PA 17110	12 p.m.
November 7, 2007	Room 309 Agriculture Building Harrisburg, PA 17110	1 p.m.
December 5, 2007	Room 202 Agriculture Building Harrisburg, PA 17110	1 p.m.
January 3, 2008	Room 202 Agriculture Building Harrisburg, PA 17110	1 p.m.
February 13, 2008	Room 202 Agriculture Building Harrisburg, PA 17710	1 p.m.
March 5, 2008	Room 202 Agriculture Building Harrisburg, PA 17110	1 p.m.
April 2, 2008	Room 202 Agriculture Building Harrisburg, PA 17110	1 p.m.

<i>Date</i>	<i>Room</i>	<i>Time</i>
May 7, 2008	Room 202 Agriculture Building Harrisburg, PA 17110	1 p.m.
June 4, 2008	Room 202 Agriculture Building Harrisburg, PA 17110	1 p.m.

This notice replaces the notice printed at 37 Pa.B. 2357 (May 19, 2007).

KEITH BIERLY,  
*Secretary*

[Pa.B. Doc. No. 07-996. Filed for public inspection June 1, 2007, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by June 25, 2007. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

**Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.**

**A-00123769. Janis G. Filiaggi, t/a Door To Door & More** (310 Mountain Road, State College, Centre County, PA 16801)—persons, in paratransit service, from points in the County of Centre, to points in Pennsylvania, and return.

**A-00123781. Corry Ambulance Service, Inc.** (1701 Sassafras Street, Erie, Erie County, PA 16502)—persons, in paratransit service, from points in the Counties of Erie, Crawford, Warren and Venango, to points in Pennsylvania, and return. *Attorney:* Christina M. Mellott, 5010 East Trindle Road, Suite 202, Mechanicsburg, PA 17050.

**A-00123786. Riverfront Limousine Service, LLC** (77 East Main Street, P. O. Box 5, Penns Grove, NJ 15001), a corporation of the State of New Jersey—persons in limousine service, between points in Pennsylvania, excluding the right to transport between points in Allegheny County; which is to be a transfer of all the right authorized under the certificate issued at A-00108205 to Gitt-A-Limo, Inc., t/a Affordable Limousine Service, subject to the same limitations and conditions. *Attorney:* Richard T. Mulcahey, Jr., 1500 JFK Boulevard, Suite 1400, Philadelphia, PA 19102.

**A-00123787. Tekay Transportation Services, LLC** (6032 Loretto Avenue, Philadelphia, Philadelphia County, PA 19149)—a limited liability company of the Commonwealth—persons in paratransit service from points in the Counties of Bucks, Chester, Delaware, Montgomery and Philadelphia, to points in Pennsylvania, and return.

**Application of the following for amendment to the certificate of public convenience approving the operation of motor vehicles as common carriers for transportation of persons as described under the application.**

**A-00108814, F4, Am-A. Bucks Transit Co., Inc.** (609 Iva Lane, Fairless Hills, Bucks County, PA 19030)—a corporation of the Commonwealth—persons in airport transfer service from points in the Borough of Bristol, the Township of Bristol and that portion of the Township of Bensalem southeast of US Route 1, but excluding that portion of the Township of Bensalem west of Woodhaven Boulevard, to the Philadelphia International Airport located in the City and County of Philadelphia and the Township of Tincum, Delaware County, and vice versa: *So As To Permit* the transportation of persons in airport transfer service, from the Townships of Bensalem, Middletown, Lower Southampton and Northampton, and the Borough of Doylestown, to the Philadelphia International Airport located in the City and County of Philadelphia and the Township of Tincum, Delaware County, and vice versa.

**A-00118810, F1, Am-E. Felix M. Szczepanski, t/d/b/a J. B. Taxi** (7 Seventh Street, Midland, Beaver County, PA 15059)—inter alia, persons, upon call or demand, in the County of Beaver: *So As To Permit* the transportation of persons, upon call or demand, in the County of Crawford.

**Complaint**

*Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. Smathers Construction, Inc.; Doc. No. A-00115788c0601*

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Smathers Construction, Inc., respondent, maintains its principal place of business at 6274 Ehr Gott Road, Meadville, PA 16335.

2. That respondent was issued a certificate of public convenience by this Commission on June 15, 1999, at Application Docket No. A-00115788.

3. That respondent abandoned or discontinued service without having first submitted a letter to this Commission containing a statement that the service is no longer being rendered. Respondent has not reported intrastate revenue for the years 2003, 2004 and 2005.

4. That respondent, by failing to submit a letter to this Commission containing a statement that the service is no longer being rendered, failed to comply with the January 11, 1999 Commission Decision at P-981458 and, by failing to maintain adequate, efficient and safe service and facilities, violated 66 Pa.C.S. § 1501.

*Wherefore*, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke respondent's Certificate of Public Convenience at A-00115788.

Respectfully submitted,

Wendy J. Keezel, Chief of Enforcement  
Motor Carrier Services & Enforcement Division  
Bureau of Transportation and Safety  
P. O. Box 3265  
Harrisburg, PA 17105-3265

VERIFICATION

Wendy J. Keezel, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect to be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: \_\_\_\_\_  
Wendy J. Keezel, Chief of Enforcement

NOTICE

A. You must file an answer within twenty days of the date of service of this Complaint. The date of service is the mailing date, as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your answer must be verified and the original and three copies sent to:

James J. McNulty, Secretary  
 Pennsylvania Public Utility Commission  
 P. O. Box 3265  
 Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty days, the Bureau of Transportation and Safety will request that the Commission issue an Order imposing a penalty, which will include the revocation of your Certificate of Public Convenience.

C. If you file an answer which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue an Order imposing a penalty, which may include the revocation of your Certificate of Public Convenience.

D. If you file an answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision.

E. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at 717-787-1168.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 07-997. Filed for public inspection June 1, 2007, 9:00 a.m.]

### Telecommunications

**A-313200F7003. Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company and Sprint Communications Company, LP.** Joint petition of Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company and Sprint Communications Company, LP for approval of a negotiated interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company and Sprint Communications Company, LP, by its counsel, filed on May 17, 2007, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a negotiated interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company and Sprint Communications Company, LP joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 07-998. Filed for public inspection June 1, 2007, 9:00 a.m.]

### Telecommunications

**A-311067F7005. North Pittsburgh Telephone Company and Dobson Cellular Systems, Inc.** Joint petition of North Pittsburgh Telephone Company and Dobson Cellular Systems, Inc. for approval of a commercial radio mobile radio services interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

North Pittsburgh Telephone Company and Dobson Cellular Systems, Inc., by its counsel, filed on May 16, 2007, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a commercial radio mobile radio services interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the North Pittsburgh Telephone Company and Dobson Cellular Systems, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,  
*Secretary*

[Pa.B. Doc. No. 07-999. Filed for public inspection June 1, 2007, 9:00 a.m.]

## STATE BOARD OF NURSING

**Bureau of Professional and Occupational Affairs v. Stacey L. Reamer, R. N., Doc. No. 1690-51-2004**

On April 4, 2007, Stacey L. Reamer, R. N., of Bethlehem, Lehigh County, was suspended for at least 3 years, retroactive to October 26, 2004, based on her violation of a State Board of Nursing (Board) order by which disciplinary action was deferred while she participated in a treatment program approved by the Board.

Individuals may obtain a copy of the adjudication by writing to Thomas A. Blackburn, Board Counsel, State Board of Nursing, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of the petition for review. The Board contact for receiving service of appeals is the previously named Board counsel.

MARY E. BOWEN, R. N., CRNP,  
*Chairperson*

[Pa.B. Doc. No. 07-1000. Filed for public inspection June 1, 2007, 9:00 a.m.]

# SUSQUEHANNA RIVER BASIN COMMISSION

## Public Hearing and Meeting

The Susquehanna River Basin Commission (Commission) will hold a public hearing as part of its regular business meeting beginning at 8:30 a.m. on June 13, 2007, at Cecil Community College Conference Center, Room TC208, 1 Seahawk Drive, North East, MD. At the public hearing, the Commission will consider: (1) the approval of certain water resources projects, including a project modification involving a diversion of water from the basin; (2) an enforcement action involving one project; and (3) a revision of its Comprehensive Plan for Management and Development of the Water Resources of the Susquehanna River Basin (Comprehensive Plan). Details concerning the matters to be addressed at the public hearing, as well as other matters on the business meeting agenda, are contained in the Supplementary Information section of this notice.

For further information contact Richard A. Cairo, General Counsel, (717) 238-0423, Ext. 306, fax (717) 238-2436, rcairo@srbc.net or Deborah J. Dickey, Secretary to the Commission, (717) 238-0423, Ext. 301, fax (717) 238-2436, ddickey@srbc.net.

In addition to the public hearing and its related action items identified, the business meeting also includes the following items on the agenda: 1) a presentation by the United States Fish and Wildlife Service regarding the 2007 migratory fish run and a presentation by the United States Geological Survey regarding a 7-year Coastal Plain Aquifer Study; 2) consideration of a Fiscal Year 09 Budget; 3) approval/ratification of grants and contracts; 4) election of Commission officers for the 2007/2008 term; and 5) presentation of the Commission's Maurice K. Goddard Award.

### *Public Hearing—Projects Scheduled for Action:*

1. Project Sponsor and Facility: Town of Conklin (Well 5), Broome County, NY. Application for groundwater withdrawal of up to 0.350 mgd.

2. Project Sponsor and Facility: Town of Erwin (IP Well 2), Steuben County, NY. Application for groundwater withdrawal of up to 0.504 mgd.

3. Project Sponsor and Facility: Far Away Springs—Brandonville, East Union Township, Schuylkill County, PA. Applications for groundwater withdrawal of up to 0.200 mgd and consumptive water use of up to 0.200 mgd.

4. Project Sponsor and Facility: Hughesville Borough Authority, Wolf Township, Lycoming County, PA. Application for groundwater withdrawal of up to 1.440 mgd.

5. Project Sponsor: Glenn O. Hawbaker, Inc. Project Facility: Pleasant Gap, Spring Township, Centre County, PA. Modification of consumptive water use approval (Docket No. 20050307).

6. Project Sponsor and Facility: Centre Hills Country Club, College Township, Centre County, PA. Application for groundwater withdrawal of up to 0.300 mgd.

7. Project Sponsor: New Enterprise Stone & Lime Company, Inc. Project Facility: Tyrone Quarry, Warriors Mark Township, Huntingdon County, PA. Modification of surface water and groundwater approval (Doc. No. 20031205).

8. Project Sponsor: New Enterprise Stone & Lime Company, Inc. Project Facility: Ashcom Quarry, Snake Spring Township, Bedford County, PA. Modification of groundwater approval (Doc. No. 20031204).

9. Project Sponsor and Facility: East Cocalico Township Authority (Well M), West Cocalico Township, Lancaster County, PA. Application for groundwater withdrawal of up to 1.580 mgd.

10. Project Sponsor and Facility: East Cocalico Township Authority (Well F), East Cocalico Township, Lancaster County, PA. Application for groundwater withdrawal of up to 1.150 mgd.

11. Project Sponsor: Golf Enterprises, Inc. Project Facility: Valley Green Golf Course, Newberry Township, York County, PA. Modification of consumptive water use approval (Doc. No. 20021019).

12. Project Sponsor and Facility: Dillsburg Area Authority, Carroll Township, York County, PA. Application for groundwater withdrawal of up to 0.360 mgd.

13. Project Sponsor and Facility: Mount Joy Borough Authority, Mount Joy Borough, Lancaster County, PA. Application for groundwater withdrawal of up to 1.020 mgd.

14. Project Sponsor and Facility: Dart Container Corporation of Pennsylvania (Well B), Upper Leacock Township, Lancaster County, PA. Application for groundwater withdrawal of up to 0.123 mgd.

15. Project Sponsor and Facility: Honey Run GIBG LLC, Dover Township, York County, PA. Modification of surface water withdrawal approval (Doc. No. 20020827).

### *Public Hearing—Project Scheduled for Action Involving a Diversion:*

1. Project Sponsor and Facility: AES Ironwood, LLC, South Lebanon Township, Lebanon County, PA. Modification of surface water and consumptive use approval and diversion (Doc. No. 19980502).

### *Public Hearing—Project Scheduled for Enforcement Action:*

1. Project Sponsor: South Slope Development Corporation (Doc. No. 19991103). Project Facility: Song Mountain Ski Resort, Town of Preble, Cortland County, NY.

### *Public Hearing—Revision of Comprehensive Plan:*

1. Incorporation of the Whitney Point Lake Section 1135 Project Modification and the (Barnes and Tucker) Lancashire No. 15 AMD Treatment Plant into the Commission's Comprehensive Plan.

### *Opportunity to Appear and Comment:*

Interested parties may appear at the previously mentioned hearing to offer written or oral comments to the Commission on any matter on the hearing agenda, or at

the business meeting to offer written or oral comments on other matters scheduled for consideration at the business meeting. The Chair of the Commission reserves the right to limit oral statements in the interest of time and to otherwise control the course of the hearing and business meeting. Written comments may also be mailed to the Susquehanna River Basin Commission, 1721 North Front Street, Harrisburg, PA 17102-2391, or submitted electronically to Richard A. Cairo, General Counsel, rcairo@srbc.net or Deborah J. Dickey, Secretary to the Commission, ddickey@srbc.net. Comments mailed or electronically submitted must be received prior to June 13, 2007, to be considered. Authority: Pub. L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806, 807 and 808.

PAUL O. SWARTZ,  
*Executive Director*

[Pa.B. Doc. No. 07-1001. Filed for public inspection June 1, 2007, 9:00 a.m.]

---

## THADDEUS STEVENS COLLEGE OF TECHNOLOGY

### Request for Bids

Thaddeus Stevens College of Technology is soliciting bids for Project 06-0010, Higher Education Continuing Education and Workforce Development Plan for the College. This should not exceed 40 hours per month to begin after July 1, 2007. Minimum qualification to be at least 10 years of higher education experience in continuing education. Bid documents can be obtained from Nancy Froeschle, Thaddeus Stevens College Technology, 750 East King Street, Lancaster, PA 17602, (717) 299-7787, froeschle@stevenscollege.edu, until June 4, 2007.

DR. WILLIAM E. GRISCOM,  
*President*

[Pa.B. Doc. No. 07-1002. Filed for public inspection June 1, 2007, 9:00 a.m.]

---

