

NOTICES

ADMINISTRATIVE OFFICE OF PENNSYLVANIA COURTS

Request for Proposal

The Administrative Office of Pennsylvania Courts is announcing its intention to release a Request for Proposal for the selection of a vendor to provide Equipment Maintenance and Support Services in supports of two of its statewide case management systems. The RFP is scheduled for release on September 4, 2007. Persons who

wish to receive a copy of the RFP may request one by contacting the Administrative Office of Pennsylvania Courts, Gary Spangenberg, Asset Supervisor, Attn: CPCMS/MDJS Maintenance and Support Services RFP, 5035 Ritter Road, Suite 700, Mechanicsburg, PA 17055-3079, gary.spangenberg@pacourts.us.

Include your company's name, address, phone number, contact name and contact name email address.

ZYGMONT A. PINES,
Court Administrator of Pennsylvania

[Pa.B. Doc. No. 07-1553. Filed for public inspection August 24, 2007, 9:00 a.m.]

DEPARTMENT OF BANKING

Actions on Applications

The Department of Banking, under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 9, 2002 (P. L. 1572, No. 207), known as the Credit Union Code, has taken the following action on applications received for the week ending August 14, 2007.

BANKING INSTITUTIONS

Mutual Holding Company Reorganization

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
8-13-07	North Penn Bank Scranton Lackawanna County	Scranton	Approved

North Penn Bank (the Bank), which is currently organized in mutual holding company structure, including a mid-tier bank holding company, North Penn Bancorp, Inc. (the Mid-Tier), under North Penn Mutual Holding Company (the MHC), is proposing to reorganize by converting the MHC and the Mid-Tier to Federal charters and then creating a thrift holding company and three interim banks (the Interims) and thereafter merging the Mid-Tier and the MHC into the Bank and then merging the Interims into the Bank. The resulting structure will be a stock Federal Thrift Holding Company, New North Penn Bancorp, Inc., which will own all of the shares of the Bank.

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
8-6-07	Marquette Savings Bank Erie Erie County	1073 Park Avenue Meadville Crawford County	Opened

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

The Department's website at www.banking.state.pa.us includes public notices for more recently filed applications.

VICTORIA A. REIDER,
Acting Secretary

[Pa.B. Doc. No. 07-1554. Filed for public inspection August 24, 2007, 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of September 2007

The Department of Banking (Department), under the authority contained in Section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), hereby determines that the maximum lawful rate of interest for residential mortgages for the month of September 2007 is 7 1/2%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. No. 96-221). Further preemption was instituted with the signing of Pub. L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which such individual owns and which

such individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the United States Treasury. The latest yield rate on long-term government securities is 5.10 to which was added 2.50 percentage points for a total of 7.60 that by law is rounded off to the nearest quarter at 7 1/2%.

VICTORIA A. REIDER,
Acting Secretary

[Pa.B. Doc. No. 07-1555. Filed for public inspection August 24, 2007, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0085782 Amendment No. 1 (Sew)	Ruscombmanor Township 204 Oak Lane Fleetwood, PA 19522	Berks County Ruscombmanor Township	UNT to Furnace Creek 3-D	Y
PA0021202 (Sew)	East Berlin Borough 128 Water Street East Berlin, PA 17316	Adams County East Berlin Borough	Conewago Creek 7-F	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0238716	Brett M. and Tricia M. Peterson 11432 Scotland Avenue North East, PA 16428	North East Township Erie County	UNT to Lake Erie 15	Y
PA0038482	Fox Township Sewer Authority 116 Irishtown Road Kersey, PA 15846	Fox Township Elk County	UNT to Daguscahonda Run 17-A	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

PA0052159, Industrial Waste, SIC 4941, **AQUA Pennsylvania, Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010-3489. This proposed facility is located in Middletown Township, **Delaware County**.

Description of Proposed Activity: Renewal of an NPDES permit to discharge treated process wastewater from a water filtration plant. This is an existing discharge to Ridley Creek.

The receiving stream, Ridley Creek, is in the State Water Plan Watershed 3G (Darby—Crum Creeks) and is classified for: TSF.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.15 mgd.

Parameters	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Total Suspended Solids			30	60	75
Total Residual Chlorine			0.5		1.2
Dissolved Oxygen	Minimum of 5.0 mg/l at all times				
pH	Within limits of 6.0 to 9.0 Standard Units at all times				
Aluminum, total			4.0	8.0	10.0
Iron, total			2.0	4.0	5.0
Manganese, total			1.0	2.0	2.5

The proposed effluent limits for Outfall 002 are based on an emergency discharge are as follows:

Parameters	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
Total Suspended Solids			30	60	75
Total Residual Chlorine			0.5		1.2
Dissolved Oxygen	Minimum of 5.0 mg/l at all times				
pH	Within limits of 6.0 to 9.0 Standard Units at all times				

NOTICES

	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum</i>
	<i>Average</i>	<i>Maximum</i>	<i>Average</i>	<i>Maximum</i>	
Aluminum, total			4.0	8.0	10.0
Iron, total			2.0	4.0	5.0
Manganese, total			1.0	2.0	2.5

The proposed effluent limits for Outfall 004 are based on an intermittent discharge are as follows:

	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum</i>
	<i>Average</i>	<i>Maximum</i>	<i>Average</i>	<i>Maximum</i>	
Parameters	Monthly	Daily	Monthly	Daily	(mg/l)
Total Residual Chlorine			0.5		1.2
pH	Within limits of 6.0 to 9.0 Standard Units at all times				

In addition to the effluent limits, the permit contains the following major special conditions:

1. Remedial Measures if Unsatisfactory Effluent.
2. BAT/BCT standards.
3. Change of Ownership.
4. Chlorine Minimization.
5. Proper Sludge Disposal.
6. Additional Sampling.
7. Laboratory Certification.

Northeast Region: Water Management Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790.

PA0064009, Industrial, **ESSROC Cement Corporation, Plant No. 2**, Route 248 and Easton Road, Nazareth, PA 18064. This proposed facility is located in Nazareth Borough, **Northampton County**.

Description of Proposed Activity: Renewal of NPDES Permit.

The receiving stream, UNT to East Branch of Monocacy Creek, is in the State Water Plan Watershed No. 2C and is classified for: HQ-CWF. The nearest downstream public water supply intake for City of Easton is located on Delaware River over 10 miles below the point of discharge.

The proposed effluent limits are as follows:

Outfall 002, Stormwater

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>
Total Suspended Solids		50.0
pH	6.0 to 9.0 Standard Units at all times	

PA0064017, Industrial, **ESSROC Cement Corporation, Plant No. 3**, Route 248 and Easton Road, Nazareth, PA 18064. This proposed facility is located in Nazareth Borough, **Northampton County**.

Description of Proposed Activity: Renewal of NPDES Permit

The receiving stream, Schoeneck Creek, is in the State Water Plan Watershed No. 2C and is classified for: WWF. The nearest downstream public water supply intake for City of Easton is located on Delaware River over 10 miles below the point of discharge.

The proposed effluent limits are as follows:

Internal Monitoring Point—102

The proposed effluent limits based on a design flow of 0.0036 mgd.

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>
Oil and Grease	15.0 mg/l	30.0 mg/l
pH	6.0 to 9.0 Standard Units at all times	

Outfall 002, Stormwater

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>
Total Suspended Solids		50.0
pH	6.0 to 9.0 Standard Units at all times	

PA0021580, Sewage, **Borough of Catasauqua**, 118 Bridge Street, Catasauqua, PA 18032-2598. This proposed facility is located in Catasauqua Borough, **Lehigh County**.

Description of Proposed Activity: Renewal of NPDES Permit

The receiving stream, Lehigh River, is in the State Water Plan Watershed No. 2C and is classified for: TSF. The nearest downstream public water supply intake for City of Allentown is located on Lehigh River over 8 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 2.25 mgd.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25.0	40.0	50.0
Total Suspended Solids	30.0	45.0	60.0
NH ₃ -N			
(5-1 to 10-31)	8.0		16.0
(11-1 to 4-30)	20.0		40.0
Dissolved Oxygen	A minimum of 5.0 mg/l at all times.		
Fecal Coliform			
(5-1 to 9-30)	200/100 ml as a Geometric Mean		
(10-1 to 4-30)	2,000/100 ml as a Geometric Mean		
pH	6.0 to 9.0 Standard Units at all times.		
Total Residual Chlorine	0.50		1.20

In addition to the effluent limits, the permit contains the following major special conditions:

1. Industrial pretreatment and whole effluent toxicity testing.

PA0063991, Industrial, **Essroc Cement Corporation**, Plant No. 1, Route 248 and Easton Road, Nazareth, PA 18064. This proposed facility is located in Upper Nazareth Township, **Northampton County**.

Description of Proposed Activity: Renewal of NPDES permit.

The receiving stream, UNT to Shoeneck Creek, is in the State Water Plan Watershed No. 2C and is classified for: WWF. The nearest downstream public water supply intake for City of Easton is located on the Delaware River over 10 miles below the point of discharge.

The proposed effluent limits are as follows:

Internal Monitoring Point—102

The proposed effluent limits based on a design flow of 0.169 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Daily Maximum (mg/l)</i>	<i>Maximum (mg/l)</i>
Total Suspended Solids	18 lbs./day	36 lbs./day	
Oil and Grease	15.0	30.0	
pH	6.0 to 9.0 Standard Units at all times		

Internal Monitoring Point—202

The proposed effluent limits based on a design flow of 0.088 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Daily Maximum (mg/l)</i>	<i>Maximum (mg/l)</i>
Total Suspended Solids	15 lbs./day	30 lbs./day	
Oil and Grease	15.0	30.0	
pH	6.0 to 9.0 Standard Units at all times		

Internal Monitoring Point—302

The proposed effluent limits based on a design flow of 0.0072 mgd are:

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Daily Maximum (mg/l)</i>	<i>Maximum (mg/l)</i>
Oil and Grease	15.0	30.0	
pH	6.0 to 9.0 Standard Units at all times		

Outfall 002

<i>Parameter</i>	<i>Monthly Average (mg/l)</i>	<i>Instantaneous Daily Maximum (mg/l)</i>	<i>Maximum (mg/l)</i>
Total Suspended Solids		50.0	
Oil and Grease	15.0	30.0	
pH	6.0 to 9.0 Standard Units at all times		
Temperature			110° F

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PA 0248266, CAFO, **Arnold Horst Farm**, 4475 Coseytown Road, Greencastle, PA 17225.

Steven Hykes (1239 Hykes Road, Greencastle, PA 17225) has submitted an NPDES permit application for Arnold Horst Farm, an existing swine and steer operation located in Antrim Township, **Franklin County**. The CAFO is situated near Conococheague Creek (Watershed 13-C), which is classified as a WWF. The CAFO has a target animal population of approximately 663 animal equivalent units consisting of 3,000 finishing swine and 380 steer heifers.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to reissue the NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit. The permit application and draft permit are on file at the Southcentral Regional Office of the Department.

Persons may make an appointment to review the Department of Environmental Protection's files by calling the file review coordinator at (717) 705-4732.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Application No. PA 0025381, Sewage, **Saxton Borough Municipal Authority**, P. O. Box 173, Saxton, PA 16678. This facility is located in Liberty Township, **Bedford County**.

Description of activity: The application is for an amendment of an NPDES permit for existing discharge of treated sewage.

The receiving stream, Raystown Branch Juniata River, is in Watershed 11-D, and classified for TSF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for 7 Points Marina is located on the Raystown Branch Juniata River (Raystown Lake), approximately 25 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.4 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
Total Residual Chlorine (Interim)	1		2
Total Residual Chlorine (Final)	0.5		1.64
Total Phosphorus	2		4
Color (PCU)		Maximum 1,000 at all times	
Oil and Grease		Monitor	
pH		From 6.0 to 9.0 inclusive	
Fecal Coliform (5-1 to 9-30)		200/100 ml as a Geometric Average	
(10-1 to 4-30)		2,000/100 ml as a Geometric Average	

	<i>Mass (lbs)</i>		<i>Concentration (lbs)</i>
	<i>Monthly</i>	<i>Annual</i>	<i>Monthly Average</i>
Ammonia-N	Report	Report	Report
Kjeldahl-N	Report		Report
Nitrate-Nitrite as N	Report		Report
Total Nitrogen	Report	Report	Report
Total Phosphorus	Report	Report	Report
Net Total Nitrogen	Report	7,603*	
Net Total Phosphorus	Report	974*	

Chesapeake Bay Requirements

The permit contains conditions which authorize the permittee to apply nutrient reduction credits, to meet the Net Total Nitrogen and Net Total Phosphorus effluent limits, under the Department of Environmental Protection's (Department) Trading of Nutrient and Sediment Reduction Credits Policy and Guidelines (392-0900-001, December 30, 2006). The conditions include the requirement to report application of these credits in supplemental DMRs submitted to the Department.

* Net Total Nitrogen and Net Total Phosphorus limits compliance date will begin on November 1, 2009. Since these reporting requirements are annual loads, reporting on compliance with the annual limitations will be required on the Supplemental Discharge Monitoring Report Annual Nutrient Summary by December 28, 2010. The facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until November 1, 2009.

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0032883, Sewage, **Duncansville Municipal Authority**, P. O. Box 502, Duncansville, PA 16635. This facility is located in Allegheny Township, **Blair County**.

Description of activity: The application is for renewal of an NPDES permit for existing discharge of treated sewage.

The receiving stream, Blair Gap Run, is in Watershed 11-A, and classified for TSF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Newport Borough Water Authority is located on the Juniata River, approximately 128 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 1.75 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	3.5		7.0
(11-1 to 4-30)	9.0		18
Total Residual Chlorine	0.24		0.78
Total Copper	0.026		0.065
Total Zinc	0.114		0.285
Dissolved Oxygen	Minimum of 5.0 at all times		
pH	From 6.0 to 9.0 inclusive		
Fecal Coliform			
(5-1 to 9-30)	200/100 ml as a Geometric Average		
(10-1 to 4-30)	2,000/100 ml as a Geometric Average		

Chesapeake Bay Requirements

	<i>Mass (lbs.)</i>		<i>Concentration (mg/l)</i>
	<i>Monthly</i>	<i>Annual</i>	<i>Monthly Average</i>
Ammonia-N	Report	Report	Report
Kjeldahl-N	Report	XXX	Report
Nitrate-Nitrite as N	Report	XXX	Report
Total Nitrogen	Report	Report	Report
Total Phosphorus	Report	Report	Report
Net Total Nitrogen	Report	22,228*	XXX
Net Total Phosphorus	Report	2,963*	XXX

* The permit contains conditions which authorize the permittee to apply nutrient reduction credits, to meet the Net Total Nitrogen and Net Total Phosphorus effluent limits, under the Department of Environmental Protection's (Department) Trading of Nutrient and Sediment Reduction Credits Policy and Guidelines (392-0900-001, December 30, 2006). The conditions include the requirement to report application of these credits in supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* Net Total Nitrogen and Net Total Phosphorus limits compliance date will begin on October 1, 2010. Since these reporting requirements are annual loads, reporting on compliance with the annual limitations will be required on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011. The facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until October 1, 2010.

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is not in effect.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PA0021687, Sewage, SIC 4952, **Wellsboro Municipal Authority**, 28 Crafton Street, Wellsboro, PA 16901. This existing facility is located in Wellsboro Borough, **Tioga County**.

Description of Proposed Activity: The applicant seeks to renew the major NPDES permit for the Authority wastewater treatment plant.

The receiving stream, March Creek, is in the State Water Plan Watershed 9A and is classified for: WWF. The nearest downstream public water supply intake for the Pennsylvania-American Water Company (at Milton, PA) is located on the West Branch Susquehanna River and is 114 river miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.0 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Monthly Average</i>	<i>Weekly Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
CBOD ₅	20	30		40
Total Suspended Solids	30	45		60
Total Chlorine Residual	0.17		0.29	0.56
Total Copper	0.011*		0.017*	
Ammonia-N				
(6-1 to 10-31)	1.5		3.0	
(11-1 to 5-31)	4.5		9.0	
Dissolved Oxygen		5.0 mg/l as a Minimum		
Fecal Coliforms		200 col/100 ml as a Geometric Mean		
(5-1 to 9-30)		2,000 col/100 ml as a Geometric Mean		
(10-1 to 4-30)		Within the range of 6.0 to 9.0		
pH				

* Limit takes effect 3 years following the permit effective date.

Chesapeake Bay Tributary Strategy Nutrient Requirements:

<i>Parameter</i>	<i>Concentration (mg/l)</i>		<i>Mass (lbs)</i>
	<i>Monthly Average</i>	<i>Monthly Load</i>	<i>Annual Load</i>
Ammonia-N	Report	Report	Report**
Kjeldahl-N	Report	Report	
Nitrate-Nitrate as N	Report	Report	
Total Nitrogen	Report	Report	Report
Total Phosphorus	Report	Report	Report
Net Total Nitrogen		Report	36,529*
Net Total Phosphorus		Report	4,871*

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department of Environmental Protection's (Department) Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document No. 392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2010. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2010.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011.

Outfall 002, 003—Combined Sewer Overflow—Best Management Practices

Outfall 004, 005—Stormwater—Best Management Practices

In addition to the effluent limits and best management practices, the permit contains the following major permit conditions:

1. Development, Operation and Implementation of a Pretreatment Program.
2. Management and Control of Combined Sewer Overflows.
3. Requirements Applicable to Stormwater Outfalls.
4. Copper Limit.

PA0027057, Sewage, SIC 4952, **Williamsport Sanitary Authority**, 253 West Fourth Street, Williamsport, PA 17701-6113. This existing facility is located in the City of Williamsport, **Lycoming County**.

Description of Proposed Activity: The applicant seeks to renew the major NPDES permit for the Authority's Central Plant.

The receiving stream, West Branch Susquehanna River, is in the State Water Plan Watershed 10A and is classified for: WWF. The nearest downstream public water supply intake for the Pennsylvania-American Water Company is located on the West Branch Susquehanna River and is 29 river miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 8.40 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Monthly Average</i>	<i>Weekly Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	40		50
Total Suspended Solids	30	45		60
Total Chlorine Residual	0.52		0.90	1.71
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)		200 col/100 ml as a Geometric Mean 2,000 col/100 ml as a Geometric Mean		
pH		Within the range of 6.0 to 9.0		

Chesapeake Bay Tributary Strategy Nutrient Requirements:

<i>Parameter</i>	<i>Concentration (mg/l)</i>		<i>Mass (lbs)</i>
	<i>Monthly Average</i>	<i>Monthly Load</i>	<i>Annual Load</i>
Ammonia-N	Report	Report	Report**
Kjeldahl-N	Report	Report	
Nitrate-Nitrate as N	Report	Report	
Total Nitrogen	Report	Report	Report
Total Phosphorus	Report	Report	Report
Net Total Nitrogen		Report	153,423*
Net Total Phosphorus		Report	20,456*

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department of Environmental Protection's (Department) Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document No. 392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2010. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2010.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011.

Outfall 002—004—Combined Sewer Overflow—Best Management Practices

In addition to the effluent limits and best management practices, the permit contains the following major permit conditions:

1. Operation and Implementation of a Pretreatment Program.
2. Management and Control of Combined Sewer Overflows.
3. CSO—Related Bypass.

PA0027049, Sewage, SIC 4952, **Williamsport Sanitary Authority**, 253 West Fourth Street, Williamsport, PA 17701-6113. This existing facility is located in the City of Williamsport, **Lycoming County**.

Description of Proposed Activity: The applicant seeks to renew the major NPDES permit for the Authority's West Plant.

The receiving stream, West Branch Susquehanna River, is in the State Water Plan Watershed 10A and is classified for: WWF. The nearest downstream public water supply intake for the Pennsylvania-American Water Company is located on the West Branch Susquehanna River and is 32 river miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 3.92 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Monthly Average</i>	<i>Weekly Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
CBOD ₅	40	60		80
Total Suspended Solids	44	66		88
Total Chlorine Residual	1.35		2.33	4.41
Chlorodibromomethane	0.21		0.33	
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)		200 col/100 ml as a Geometric Mean		
pH		2,000 col/100 ml as a Geometric Mean Within the range of 6.0 to 9.0		

Chesapeake Bay Tributary Strategy Nutrient Requirements:

<i>Parameter</i>	<i>Concentration (mg/l)</i>		<i>Mass (lbs)</i>	
	<i>Monthly Average</i>	<i>Monthly Load</i>	<i>Monthly Load</i>	<i>Annual Load</i>
Ammonia-N	Report	Report	Report	Report**
Kjeldahl-N	Report	Report	Report	
Nitrate-Nitrate as N	Report	Report	Report	
Total Nitrogen	Report	Report	Report	Report
Total Phosphorus	Report	Report	Report	Report
Net Total Nitrogen			Report	77,547*
Net Total Phosphorus			Report	9,546*

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department of Environmental Protection's (Department) Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document No. 392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2010. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2010.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011.

Outfall 002—Combined Sewer Overflow—Best Management Practices

Outfall 003—Stormwater—Best Management Practices

In addition to the effluent limits and best management practices, the permit contains the following major permit conditions:

1. Operation and Implementation of a Pretreatment Program.
2. Management and Control of Combined Sewer Overflows.
3. Requirements Applicable to Stormwater Outfalls.

PA0026239, Sewage, SIC 4952, **University Area Joint Authority**, 1576 Spring Valley Road, State College, PA 16801. This existing facility is located in Benner and College Townships, **Centre County**.

Description of Proposed Activity: The applicant seeks to renew the major NPDES permit for the wastewater treatment facility including tertiary treatment, consisting of primary clarification, aeration, secondary settling with phosphorus removal, filtration, BNR and UV disinfection, along with a beneficial reuse system.

The receiving stream, Spring Creek, is in the State Water Plan Watershed 9C and is classified for: HQ-CWF. The nearest downstream public water supply intake for Pennsylvania-American Water Company is located at Milton, PA on the West Branch Susquehanna River, approximately 87.0 river miles below the point of discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 9.0 mgd and a discharge flow of 6.0 mgd, are as follows:

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Monthly Average</i>	<i>Weekly Average</i>	<i>Daily Maximum</i>	<i>Maximum</i>
Flow	Not greater than 6.0 mgd as an Annual Average			
CBOD ₅	10.0	15.0		20.0
Total Suspended Solids	10.0	15.0		20.0
Total Dissolved Phosphorus	0.13			0.26

<i>Parameter</i>	<i>Concentration (mg/l)</i>			<i>Maximum</i>
	<i>Monthly Average</i>	<i>Weekly Average</i>	<i>Daily Maximum</i>	
Dissolved Oxygen			Minimum of 5.0 mg/l at all times	
Total Chlorine Residual			Provide Effective Dechlorination	
Fecal Coliforms (5-1 to 9-30)			200 col/100 ml as a Geometric Mean	
(10-1 to 4-30)			2,000 col/100 ml as a Geometric Mean	
pH			Within the range of 6.0 to 9.0	
NH ₃ -N (1-1 to 1-31)	4.5	6.7		9.0
(2-1 to 2-29)	5.0	7.5		10.0
(3-1 to 3-31)	5.5	8.2		11.0
(4-1 to 4-30)	4.0	6.0		8.0
(5-1 to 5-31)	3.0	4.5		6.0
(6-1 to 6-30)	2.5	3.7		5.0
(7-1 to 11-30)	1.0	1.5		2.0
(12-1 to 12-31)	4.0	6.0		8.0
Thallium	Report			
Total Copper	Report			
Free Cyanide	Report			
Total Cyanide	Report			
Total Mercury	Report			
Total Selenium	Report			
Effluent Temperature	Report			
Total Dissolved Solids	Report			

Chesapeake Bay Tributary Strategy Nutrient Requirements:

<i>Parameter</i>	<i>Concentration (mg/l)</i>		<i>Mass (lbs)</i>	
	<i>Monthly Average</i>	<i>Monthly Load</i>	<i>Monthly Load</i>	<i>Annual Load</i>
Ammonia-N	Report	Report		Report**
Kjeldahl-N	Report	Report		
Nitrate-Nitrate as N	Report	Report		
Total Nitrogen	Report	Report		Report
Total Phosphorus	Report	Report		Report
Net Total Nitrogen		Report		164,381*
Net Total Phosphorus		Report		21,918*

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department of Environmental Protection's (Department) Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document No. 392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2010. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2010.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011.

Outfall SW-01—SW-05—Stormwater—Best Management Practices

In addition to the effluent limits and best management practices, the permit contains the following major permit conditions:

1. Chesapeake Bay Nutrient Requirements.
2. Operation and Implementation of a Pretreatment Program.
3. Minimum Discharge Requirements.
4. Thermal Discharge Requirements.
5. Total Dissolved Solids Requirements.
6. Requirements Applicable to Stormwater Outfalls.

PA0026557, Sewerage, SIC 4952, **Sunbury Municipal Authority**, 462 South Fourth Street, Sunbury, PA 17801. This existing facility is located in City of Sunbury, **Northumberland County**.

Description of Proposed Activity: This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater.

The receiving stream, Susquehanna River, is in the State Water Plan Watershed 6B and classified for: WWF. The nearest downstream public water supply intake for Pennsylvania Water Company is located on the Susquehanna River is 40 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 4.2 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Monthly Average</i>	<i>Weekly Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	40		50
TSS	30	45		60
Total Residual Chlorine	0.5			1.6
Fecal Coliforms (5-1 to 9-30)		200 col/100 ml as a Geometric Mean		
(1-10 to 4-30)		2,000 col/100 ml as a Geometric Mean		
pH		Within the range of 6.0 to 9.0		

Chesapeake Bay Tributary Strategy Nutrient Requirements:

<i>Parameter</i>	<i>Concentration (mg/l)</i>		<i>Mass (lbs)</i>	
	<i>Monthly Average</i>	<i>Monthly Load</i>	<i>Monthly Load</i>	<i>Annual Load</i>
Ammonia-N	Report	Report	Report	Report**
Kjeldahl-N	Report	Report	Report	Report
Nitrate-Nitrate as N	Report	Report	Report	Report
Total Nitrogen	Report	Report	Report	Report
Total Phosphorus	Report	Report	Report	Report
Net Total Nitrogen		Report	Report	76,711*
Net Total Phosphorus		Report	Report	10,228*

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department of Environmental Protection's (Department) Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document No. 392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2010. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2010.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011.

Outfall 002—007—Combined Sewer Overflows—85% Capture and Treatment

In addition to the effluent limits and best management practices, the permit contains the following major permit conditions:

1. Operation and Implementation of a Pretreatment Program.
2. Management and Control of Combined Sewer Overflows.
3. Requirements Applicable to Stormwater Outfalls.

PA0027324, Sewerage, SIC 4952, **Shamokin Coal Township Joint Authority**, R. D. 2, Box 35, Shamokin, PA 17872-9603. This existing facility is located in Coal Township, **Northumberland County**.

Description of Proposed Activity: This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater.

The receiving stream, Shamokin Creek, Coal Run, Carbon Run, Furnance Run, Quaker Run, is in the State Water Plan Watershed 6B and classified for: CWF. The nearest downstream public water supply intake for Pennsylvania Water Company is located on the Susquehanna River is 60 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 7 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			<i>Instantaneous Maximum</i>
	<i>Monthly Average</i>	<i>Weekly Average</i>	<i>Daily Maximum</i>	
CBOD ₅	25	40		50
TSS	30	45		60
Total Residual Chlorine	0.5			1.6
Fecal Coliforms (5-1 to 9-30)		200 col/100 ml as a Geometric Mean		
(1-10 to 4-30)		2,000 col/100 ml as a Geometric Mean		
pH		Within the range of 6.0 to 9.0		

Chesapeake Bay Tributary Strategy Nutrient Requirements:

<i>Parameter</i>	<i>Concentration (mg/l)</i>		<i>Mass (lbs)</i>	
	<i>Monthly Average</i>	<i>Monthly Load</i>	<i>Monthly Load</i>	<i>Annual Load</i>
Ammonia-N	Report	Report	Report	Report**
Kjeldahl-N	Report	Report	Report	
Nitrate-Nitrate as N	Report	Report	Report	
Total Nitrogen	Report	Report	Report	Report
Total Phosphorus	Report	Report	Report	Report
Net Total Nitrogen		Report	Report	127,852*
Net Total Phosphorus		Report	Report	17,047*

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department of Environmental Protection's (Department) Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document No. 392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2010. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2010.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011.

Combined Sewer Overflow Outfalls: 002, 003, 003A, 004, 004A, 005, 005A, 006, 006A, 007—055, 055A, 056—073 and 077.

In addition to the effluent limits and best management practices, the permit contains the following major permit conditions:

1. Operation and Implementation of a Pretreatment Program.
2. Management and Control of Combined Sewer Overflows.
3. Requirements Applicable to Stormwater Outfalls.

PA0025933, Sewerage, 4952, **City of Lock Haven**, 20 East Church Street, Lock Haven, PA 17745. The existing facility is located in the City of Lock Haven, **Clinton County**.

Description of Proposed Activity: The applicant wishes to renew their NPDES permit for the Lock Haven Sewage Treatment Plant.

The receiving stream, Bald Eagle Creek, is in the State Water Plan Watershed 9C and is classified for: CWF. The nearest downstream public water supply intake is approximately 1.6 miles.

The proposed effluent limits for Outfall 001 are based on a design flow of 3.75 mgd and are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
	Flow	Monitor and Report	
Fecal Coliforms (5-1 to 9-30)		200/100 ml	
(10-1 to 4-30)		2,000/100 ml	
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
Total Chlorine Residual	0.5		1.6
Ammonia (NH ₃ -N)	20	30	40
pH	Within the Range of 6.0 to 9.0		

Chesapeake Bay Tributary Strategy Nutrient Requirements:

<i>Parameter</i>	<i>Concentration (mg/l)</i>		<i>Mass (lbs)</i>
	<i>Monthly Average</i>	<i>Monthly Load</i>	<i>Annual Load</i>
Ammonia-N	Report	Report	Report**
Kjeldahl-N	Report	Report	
Nitrate-Nitrate as N	Report	Report	
Total Nitrogen	Report	Report	Report
Total Phosphorus	Report	Report	Report
Net Total Nitrogen		Report	90,192*
Net Total Phosphorus		Report	9,132*

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department of Environmental Protection's (Department) Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document No. 392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2010. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2010.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011.

In addition to the effluent limits the permit contains a major permit conditions regarding the operation and implementation of a Pretreatment Program.

PA0020699, Sewerage, 4952, **Montgomery Water and Sewer Authority**, 35 South Main Street, Montgomery, PA 17752-0125. The existing facility is located in the Montgomery Borough, **Lycoming County**.

Description of Proposed Activity: The applicant wishes to renew their NPDES permit for the Montgomery Borough Wastewater Treatment Plant.

The receiving stream, West Branch of Susquehanna River, is in the State Water Plan Watershed 10C and is classified for: WWF. The nearest downstream public water supply intake is approximately 10 miles downstream.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.85 mgd and are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	Monitor and Report		
Fecal Coliforms (5-1 to 9-30)		200/100 ml	
(10-1 to 4-30)		2,000/100 ml	
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
Total Chlorine Residual	0.5		1.6
pH	Within the Range of 6.0 to 9.0		

Chesapeake Bay Tributary Strategy Nutrient Requirements:

<i>Parameter</i>	<i>Concentration (mg/l)</i>		<i>Mass (lbs)</i>
	<i>Monthly Average</i>	<i>Monthly Load</i>	<i>Annual Load</i>
Ammonia-N	Report	Report	Report**
Kjeldahl-N	Report	Report	
Nitrate-Nitrate as N	Report	Report	
Total Nitrogen	Report	Report	Report
Total Phosphorus	Report	Report	Report
Net Total Nitrogen		Report	15,525*
Net Total Phosphorus		Report	2,070*

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department of Environmental Protection's (Department) Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document No. 392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2010. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2010.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011.

In addition to the effluent limits the permit contains a major permit condition regarding the operation and implementation of a Pretreatment Program.

PA004466, Sewerage, 4952, **Lewisburg Area Joint Sewer Authority**, P. O. Box 305, Lewisburg, PA 17837-0305. The existing facility is located in the East Buffalo Township, **Union County**.

Description of Proposed Activity: The applicant wishes to renew their NPDES permit for the College Park Sewage Treatment Plant in Lewisburg, PA.

The receiving stream for Outfall 001, the West Branch of the Susquehanna River, is in the State Water Plan Watershed 10C and is classified for: WWF. The nearest public water supply surface water intake, owned by Sunbury Municipal Authority, is located on the Susquehanna River approximately 7.75 miles below the point of discharge.

The existing effluent limits for Outfall 001 will remain the same and were based on a design flow of 2.42 mgd.

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow			
Fecal Coliforms (5-1 to 9-30)		200/100 ml	
(1-10 to 4-30)		2,000/100 ml	
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
Total Chlorine Residual	0.5		1.6
pH		Within the Range of 6.0 to 9.0	

Chesapeake Bay Tributary Strategy Nutrient Requirements:

<i>Parameter</i>	<i>Concentration (mg/l)</i>		<i>Mass (lbs)</i>
	<i>Monthly Average</i>	<i>Monthly Load</i>	<i>Annual Load</i>
Ammonia-N	Report	Report	Report**
Kjeldahl-N	Report	Report	
Nitrate-Nitrate as N	Report	Report	
Total Nitrogen	Report	Report	Report
Total Phosphorus	Report	Report	Report
Net Total Nitrogen		Report	44,200*
Net Total Phosphorus		Report	5,893*

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department of Environmental Protection's (Department) Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document No. 392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2010. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2010.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011.

In addition to the effluent limits the permit contains a major permit condition applicable to Stormwater Outfalls.

PA0023531, Sewerage, SIC 4952, **Borough of Danville**, 239 Mill Street, Danville, PA 17821. This existing facility is located in the Borough of Danville, **Montour County**.

Description of Proposed Activity: The applicant seeks to renew the major NPDES permit for the wastewater treatment facility consisting of primary settling, contact stabilization, final settling and chlorine disinfection.

The receiving stream, Spring Creek, is in the State Water Plan Watershed 9C and is classified for: HQ-CWF. The nearest downstream public water supply intake for Pennsylvania-American Water Company is located at Milton, PA on the West Branch Susquehanna River, approximately 87.0 river miles below the point of discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 9.0 mgd and a discharge flow of 6.0 mgd, are as follows:

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Monthly Average</i>	<i>Weekly Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	40		50
Total Suspended Solids	30	45		60
Total Chlorine Residual	0.5			1.6
Fecal Coliforms (5-1 to 9-30)		200 col/100 ml as a Geometric Mean		
(10-1 to 4-30)		2,000 col/100 ml as a Geometric Mean		
pH		Within the range of 6.0 to 9.0		

Chesapeake Bay Tributary Strategy Nutrient Requirements

<i>Parameter</i>	<i>Concentration (mg/l)</i>		<i>Mass (lbs)</i>	
	<i>Monthly Average</i>	<i>Monthly Load</i>	<i>Monthly Load</i>	<i>Annual Load</i>
Ammonia-N	Report	Report	Report	Report**
Kjeldahl-N	Report	Report	Report	Report
Nitrate-Nitrate as N	Report	Report	Report	Report
Total Nitrogen	Report	Report	Report	Report
Total Phosphorus	Report	Report	Report	Report
Net Total Nitrogen		Report	Report	66,118*
Net Total Phosphorus		Report	Report	8,816*

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department of Environmental Protection's (Department) Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document No. 392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2010. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2010.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011.

Outfall S01—Stormwater—Best Management Practices

In addition to the effluent limits and best management practices, the permit contains the following major permit conditions:

1. Chesapeake Bay Nutrient Requirements.
2. Requirements Applicable to Stormwater Outfalls.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PA0110582, Sewage, SIC 4952, **Eastern Snyder County Regional Authority**, P. O. Box 330, Selinsgrove, PA 17870. This existing facility is located in Penn Township, **Snyder County**.

Description of Proposed Activity: The applicant seeks to renew the major NPDES permit for the wastewater treatment facility consisting of preliminary screening, grinding (comminutors), primary clarification, a vertical loop reactor, secondary clarification, flow-paced disinfection and post aeration.

The receiving stream, Susquehanna River, is in the State Water Plan Watershed 6B and is classified for: WWF. The nearest downstream public water supply intake for United Water Pennsylvania at Dauphin, PA, located 39 river miles downstream from the discharge.

The proposed effluent limits for Outfall 001, based on a discharge flow of 2.0 mgd:

<i>Parameter</i>	<i>Concentration (mg/l)</i>				<i>Mass (lbs)</i>		
	<i>Monthly Average</i>	<i>Weekly Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>	<i>Monthly Load</i>	<i>Annual Load</i>	
CBOD ₅	25	40		50			
Total Suspended Solids	30	45		60			
Total Chlorine Residual	0.5			1.6			
Fecal Coliforms 5-1 to 9-30 (10-1 to 4-30)		200 col/100 ml (2,000 col/100ml) as a Geometric Mean					
pH		Within the range of 6.0 to 9.0					

Chesapeake Bay Tributary Strategy Nutrient Requirements

Parameter	Concentration (mg/L)		Mass (lbs)
	Monthly Average	Monthly Load	Annual Load
Ammonia-N	Report	Report	Report**
Kjeldahl-N	Report	Report	
Nitrate-Nitrate as N	Report	Report	
Total Nitrogen	Report	Report	Report
Total Phosphorus	Report	Report	Report
Net Total Nitrogen		Report	36,529*
Net Total Phosphorus		Report	4,871*

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department of Environmental Protection's (Department) Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document No. 392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2010. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2010.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011.

Outfall SW-03—Stormwater—Best Management Practices

In addition to the effluent limits and best management practices, the permit contains the following major permit conditions:

1. Chesapeake Bay Nutrient Requirements.
2. Requirements Applicable to Stormwater Outfalls.

PA0026310, Sewerage, SIC 4952, **Clearfield Municipal Authority**, 107 East Market Street, Clearfield, PA 16830. This existing facility is located in Clearfield Borough, **Clearfield County**.

Description of Proposed Activity: This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater.

The receiving stream, West Branch Susquehanna River, is in the State Water Plan Watershed 8B and classified for: WWF. The nearest downstream public water supply intake for Pennsylvania American Water Company is located on the West Branch Susquehanna River is 160 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 4.5 mgd.

Parameter	Concentration (mg/l)			Instantaneous Maximum
	Monthly Average	Weekly Average	Daily Maximum	
CBOD ₅	25	40		50
TSS	30	45		60
Total Residual Chlorine	0.5			1.6
Fecal Coliforms		200 col/100 ml as a Geometric Mean		
(5-1 to 9-30)		2,000 col/100 ml as a Geometric Mean		
(10-1 to 4-30)		Within the range of 6.0 to 9.0		
pH				

Chesapeake Bay Tributary Strategy Nutrient Requirements:

Parameter	Concentration (mg/l)		Mass (lbs)
	Monthly Average	Monthly Load	Annual Load
Ammonia-N	Report	Report	Report**
Kjeldahl-N	Report	Report	
Nitrate-Nitrate as N	Report	Report	
Total Nitrogen	Report	Report	Report
Total Phosphorus	Report	Report	Report
Net Total Nitrogen		Report	82,191*
Net Total Phosphorus		Report	10,959*

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department of Environmental Protection's (Department) Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document No. 392-0900-001,

December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2010. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2010.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011.

Combined Sewer Overflow Outfalls: 002, 008, 014, 018, 036 and 038—040

In addition to the effluent limits, the permit contains the following major special conditions:

1. Chesapeake Bay Nutrient Requirements.
2. Management and Control of Combined Sewer Overflows.

The EPA waiver is not in effect.

PA0027171, Sewerage, SIC 4952, **The Municipal Authority of the Town of Bloomsburg**, 301 East Second Street, Bloomsburg, PA 17815. This existing facility is located in Town of Bloomsburg, **Columbia County**.

Description of Proposed Activity: This proposed action is for revoke and reissue of an NPDES permit for an existing discharge of treated sewage wastewater.

The receiving stream, Susquehanna River, is in the State Water Plan Watershed 5D and classified for: WWF. The nearest downstream public water supply intake for Danville Municipal Water Authority is located on the Susquehanna River is 10 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 4.29 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Monthly Average</i>	<i>Weekly Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	40		50
TSS	30	45		60
Methanol				Report
Total Residual Chlorine	0.78			4.0
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)		200 col/100 ml as a Geometric Mean 2,000 col/100 ml as a Geometric Mean		
pH		Within the range of 6.0 to 9.0		

Chesapeake Bay Tributary Strategy Nutrient Requirements:

<i>Parameter</i>	<i>Concentration (mg/l)</i>		<i>Mass (lbs)</i>
	<i>Monthly Average</i>	<i>Monthly Load</i>	<i>Annual Load</i>
Ammonia-N	Report	Report	Report**
Kjeldahl-N	Report	Report	
Nitrate-Nitrate as N	Report	Report	
Total Nitrogen	Report	Report	Report
Total Phosphorus	Report	Report	Report
Net Total Nitrogen		Report	78,855*
Net Total Phosphorus		Report	10,447*

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department of Environmental Protection's (Department) Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document No. 392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2010. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2010.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011.

Outfalls 002 and 003—Stormwater—Best Management Practices

In addition to the effluent limits and best management practices, the permit contains the following major permit conditions:

1. Permit Condition for Operation and Implementation of a Pretreatment Program.
2. Requirements Applicable To Stormwater Outfalls.

PA0023248, Sewerage, SIC 4952, **Berwick Area Joint Sewer Authority**, 1108 Freas Avenue, Berwick PA 18603. This existing facility is located in Berwick Borough, **Columbia County**.

Description of Proposed Activity: This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater.

The receiving stream, Susquehanna River, is in the State Water Plan Watershed 5D and classified for: WWF. The nearest downstream public water supply intake for Danville Municipal Water Authority is located on the Susquehanna River is 21 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 2.2 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Monthly Average</i>	<i>Weekly Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	40		50
TSS	30	45		60
Total Residual Chlorine	0.5			1.6
Fecal Coliforms (5-1 to 9-30)		200 col/100 ml as a Geometric Mean		
(10-1 to 4-30)		2,000 col/100 ml as a Geometric Mean		
pH		Within the range of 6.0 to 9.0		

Chesapeake Bay Tributary Strategy Nutrient Requirements:

<i>Parameter</i>	<i>Concentration (mg/l)</i>		<i>Mass (lbs)</i>	
	<i>Monthly Average</i>	<i>Monthly Load</i>	<i>Monthly Load</i>	<i>Annual Load</i>
Ammonia-N	Report	Report	Report	Report**
Kjeldahl-N	Report	Report	Report	
Nitrate-Nitrate as N	Report	Report	Report	
Total Nitrogen	Report	Report	Report	Report
Total Phosphorus	Report	Report	Report	Report
Net Total Nitrogen		Report	Report	92,198*
Net Total Phosphorus		Report	Report	8,913*

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department of Environmental Protection's (Department) Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document No. 392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2010. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2010.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011.

Outfalls 002—005—Combined Sewer Overflows—85% Capture and Treatment

In addition to the effluent limits and best management practices, the permit contains the following major permit conditions:

- Part C VII Management and Control of Combined Sewer Overflow.
- Part C VIII Permit Condition for Operation, and Implementation of a Pretreatment Program.
- Part C IX Requirements Applicable To Stormwater Outfalls.

PA0020486, Sewerage, SIC 4952, **Borough of Bellefonte**, 236 West Lamb Street, Bellefonte, PA 16823. This existing facility is located in Spring Township, **Centre County**.

Description of Proposed Activity: This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater.

The receiving stream, Spring Creek, is in the State Water Plan Watershed 9C and classified for: HQ-CWF. The nearest downstream public water supply intake for Pennsylvania American Water Company is located on the West Branch Susquehanna River is 86 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 3.22 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Monthly Average</i>	<i>Weekly Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	40		50
TSS	30	45		60
Ammonia-N				
(5-1 to 10-31)	3	4.5		6
(11-1 to 4-30)	9	13.5		18
Total Dissolved Phosphorus-P	1	1.5		2.0
Methanol				Report
Total Residual Chlorine	0.62			2
Fecal Coliforms				
(5-1 to 9-30)		200 col/100 ml as a Geometric Mean		
(10-1 to 4-30)		2,000 col/100 ml as a Geometric Mean		
pH		Within the range of 6.0 to 9.0		

Chesapeake Bay Tributary Strategy Nutrient Requirements:

<i>Parameter</i>	<i>Concentration (mg/l)</i>		<i>Mass (lbs)</i>	
	<i>Monthly Average</i>	<i>Monthly Load</i>	<i>Monthly Load</i>	<i>Annual Load</i>
Ammonia-N	Report	Report	Report	Report**
Kjeldahl-N	Report	Report	Report	Report
Nitrate-Nitrate as N	Report	Report	Report	Report
Total Nitrogen	Report	Report	Report	Report
Total Phosphorus	Report	Report	Report	Report
Net Total Nitrogen		Report	Report	58,812*
Net Total Phosphorus		Report	Report	7,842*

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department of Environmental Protection's (Department) Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document No. 392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2010. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2010.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011.

Outfall 002—Stormwater—Best Management Practices

In addition to the effluent limits and best management practices, the permit contains the following major permit conditions:

1. Operation and Implementation of a Pretreatment Program.
2. Requirements Applicable to Stormwater Outfalls.

PA0010561, Industrial Wastewater, SIC 0921, **Fish and Boat Commission**, 1735 Shiloh Road, State College, PA 16801-8495. This facility is the Pleasant Gap State Fish Hatchery located in Benner Township, **Centre County**.

Description of Proposed Action/Activity: This is an amendment to an NPDES permit (PA0010561) for two discharge points (Outfall 001 and Outfall 002) of treated industrial wastewater generated at the Pleasant Gap State Fish Hatchery to Logan Branch, a HQ-CWF. The amendment allows for affirmative defense language regarding the annual total suspended solids mass loading limitation of 18,950 pounds per year as established in Part C.VI. of the existing permit.

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (570) 327-3693.

The EPA waiver is in effect.

PA0010553, Industrial Wastewater, SIC 0921, **Fish and Boat Commission**, Benner Springs State Fish Hatchery, 1735 Shiloh Road, State College, PA 16801-8495. This facility is located in Benner Township, **Centre County**.

Description of Proposed Action/Activity: This is an amendment to an NPDES permit (PA0010553) for two discharges (Outfall 001 and Outfall 002) of treated industrial wastewater generated at the Benner Springs State Fish Hatchery to Spring Creek, a HQ-CWF. The amendment allows for affirmative defense language regarding the annual total suspended solids mass loading limitation of 36,110 pounds per year as established in Part C.VI. of the existing permit.

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (570) 327-3693.

The EPA waiver is in effect.

PA0229181, Industrial Waste, SIC 4952 (Sewerage), **Penns Tavern**, State Route 147, Sunbury PA, 17801. This proposed facility is located in Lower Augusta Township, **Northumberland County**.

Description of Proposed Activity: The applicant has applied for an NPDES permit to authorize the discharge from the proposed small flow treatment facility to serve Penns Tavern.

The receiving stream, the Susquehanna River, is in the State Water Plan Watershed 6B and is classified for: WWF. The nearest downstream public water supply intake for United Water Pennsylvania is located on Susquehanna River and is approximately 40 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0012 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Average Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
CBOD ₅			10		20
TSS			10		20
Cl ₂ Residual			Monitor and Report		
Fecal Coliforms (5-1 to 9-30)	200 colonies/100 ml as a Geometric Mean and not greater than				
(10-1 to 4-30)	1,000 colonies/100 ml in more than 10% of the samples tested				
	2,000 colonies/100 ml as a Geometric Mean				
pH	Within the range of 6.0 to 9.0				
Flow	Monitor and Report				

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA0216178, Sewage, **Cecil Township Municipal Authority**, 3599 Millers Run Road, Cecil, PA 15321. This application is for renewal of an NPDES permit to discharge treated sewage from Cherrybrook Sewage Treatment Plant in Cecil Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as a UNT to Chartiers Creek, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the West View Municipal Authority.

Outfall 001: existing discharge, design flow of 0.09005 mgd.

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen (5-1 to 10-31)	2.0			4.0
(11-1 to 4-30)	4.0			8.0
Fecal Coliform (5-1 to 9-30)	200/100 ml as a Geometric Mean			
(10-1 to 4-30)	2,000/100 ml as a Geometric Mean			
Total Residual Chlorine	.14			.33
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. 1507410, Sewerage, **Warwick Township**, 2500 Ridge Road, Elverson, PA 19520. This proposed facility is located in Warwick Township, **Chester County**.

Description of Action/Activity: Construction and operation of a 63,050 gpd treatment lagoon plant and 12.67 acres of sprayfield.

WQM Permit No. 1507411, Sewerage, **East Marlborough Township**, 721 Unionville Road, Kennett Square, PA 19348. This proposed facility is located in East Marlborough Township, **Chester County**.

Description of Action/Activity: Construction and operation of a sewage collection system to serve an existing residence with failing septic systems.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 2107406, Sewerage, **Middlesex Township Municipal Authority**, 350 North Middlesex Road, Suite 2, Carlisle, PA 17013. This proposed facility is located in Silver Spring Township, **Cumberland County**.

Description of Proposed Action/Activity: Seeking approval for the construction/operation of a new pump station with a suction lift station design.

WQM Permit No. 0107402, Sewerage, **New Oxford Municipal Authority**, 409 Water Works Road, New Oxford, PA 17350-1511. This proposed facility is located in Oxford Township, **Adams County**.

Description of Proposed Action/Activity: Seeking approval for the construction/operation of a wastewater treatment facility serving the New Oxford Borough and portions of **Oxford Township**.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. 6085403-A1, Sewerage 4952, **Kelly Township Municipal Authority**, 405 Winter Farm Road, Lewisburg, PA 17837. This proposed facility is located in Kelly Township, **Union County**.

Description of Proposed Action/Activity: The applicant proposes upgrading the existing wastewater treatment plant by replacing the current aeration system on the aerobic digester with a diffused aeration system. The upgrade will include removal of current air supply configuration and replacement with fine bubble membrane diffusers, positive displacement blowers and piping.

WQM Permit No. 4907401, Sewerage, SIC 4952, **Penns Tavern**, SR 147, Sunbury, PA 17801. This proposed facility will be located in Lower Augusta Township, **Northumberland County**.

Description of Proposed Action/Activity: Applicant seeks a permit authorizing the design, construction and operation of a small flow treatment facility, consisting of a two septic tanks, an effluent filter, an equalization tank, three peat biofilters, an erosion chlorinator and a chlorine contact tank. Discharge will be the Susquehanna River, a WWF.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

V. Applications for NPDES Wavier Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI010907005	HMH Limited Partnership 374 Easton Road Warrington, PA 18976	Bucks	Springfield Township	Cooks Creek EV
PAI010907012	Karen Walsh 2205 Finland Road Green Lane, PA 18054	Bucks	West Rockhill Township	Ridge Valley Creek HQ
PAI010907013	Jacob M. Blough 1715 Canary Road Quakertown, PA 18951	Bucks	Milford Township	UNT Unami Creek HQ-TSF
PAI011507035	Kurt Wolter P. O. Box 611 Devon, PA 19333	Chester	Tredyffrin	Tributary Valley Creek EV

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Monroe County Conservation District: 8050 Running Valley Road, Stroudsburg, PA 18360, (570) 629-3060.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024507006	Monroe—Pike Land, LLC R. R. 2 Box 2091C East Stroudsburg, PA 18301	Monroe	Middle Smithfield Township	Bush Kill HQ-TSF
PAI024507007	SADG-2, Inc. 100 Colliery Lane Dickson City, PA 18519	Monroe	Mount Pocono Borough	Yankee Run HQ-CWF

Lehigh County Conservation District: Lehigh Agriculture Center, Suite 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023907020	Rudy Amelio Devonshire Properties, LLC 1348 Hamilton Street Allentown, PA 18102	Lehigh	South Whitehall Township	Little Lehigh Creek HQ-CWF

Carbon County Conservation District: 5664 Interchange Road, Lehighton, PA 18235-5114, (610) 377-4894.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI021307003	Vacation Charters, LTD Mountain Laurel Timeshare Development Attn: W. Jack Kalins 1 Lake Drive Lake Harmony, PA 18624	Carbon	Kidder Township	Black Creek HQ-CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI030607004	Curtis Morton 133 Benfield Road Macungie, PA 18062	Berks	Longswamp Township	Little Lehigh HQ-CWF
PAI030607003	David Werley 600 Locust Street Mertztown, PA 19539	Berks	Longswamp Township	UNT to Toad Creek HQ-CWF
PAI032204001	King Drive Corporation 550 Lakewood Drive Harrisburg, PA 17112	Dauphin	Middle Paxton Township	UNT to Fishing Creek WWF
PAI033106004	Rex Smith 6495 Kennedy Lane Huntingdon, PA 16652	Huntingdon	Oneida Township	Standing Stone Creek HQ-CWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 0907516 , Public Water Supply.	
Applicant	Plumstead Township
Township	Plumstead Township
County	Bucks

Responsible Official Alan Bleam
5119 Stump Road
Pipersville, PA 18949

Type of Facility PWS

Consulting Engineer Ebert Engineering, Inc.
4092 Skippack Pike
P. O. Box 540
Skippack, PA 19474

Application Received August 10, 2007
Date

Description of Action Addition of an arsenic removal
system from chlorine gas to liquid
sodium hypochlorite and
installation of a booster pump for
system pressure.

Permit No. 0907515, Public Water Supply.

Applicant **Bucks County Water and
Sewer Authority**

Township Lower Southampton

County **Bucks**

Responsible Official Benjamin W. Jones
1275 Almshouse Road
Warrington, PA 18976

Type of Facility PWS

Consulting Engineer Tri-State Engineering Land
Surveyors
801 West Street Road
Feasterville, PA 19053

Application Received July 30, 2007
Date

Description of Action A second 2.0 million gallon
standpipe steel water storage tank
will be constructed adjacent to an
existing 2.0 million gallon of
similar dimension.

Permit No. 4607504, Public Water Supply.

Applicant **Schwenksville Borough
Authority**

Township Schwenksville

County **Montgomery**

Responsible Official Edward R. Beitler
P. O. Box 458
298 Main at Church Street
Schwenksville, PA 19473

Type of Facility PWS

Consulting Engineer Arro Consulting, Inc.
649 North Lewis Road
Suite 100
Limerick, PA 19468

Application Received July 30, 2007
Date

Description of Action The replacement of an existing
chlorine gas disinfection system
with a new sodium hypochlorite
disinfection system.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0607504, Public Water Supply.

Applicant **Greth Development Group**

Municipality Robeson Township

County **Berks**

Responsible Official Greth Development Group
President
P. O. Box 305
Temple, PA 19560

Type of Facility Public Water Supply

Consulting Engineer Scott M. Rights, P. E.
Steckbeck Engineering Associates
279 North Zimms Mill Road
Lebanon, PA 17042

Application Received: March 12, 2007

Description of Action Construction of a new water
system to serve the proposed
Stone Ridge Subdivision. The
system will consist of two
groundwater sources, disinfection,
finished water storage and booster
pumping facilities.

Permit No. 3607508, Public Water Supply.

Applicant **Tyson Foods Inc.**

Municipality New Holland Borough

County **Lancaster**

Responsible Official Tyson Foods, Inc.
Complex Manager
403 South Custer Avenue
P. O. Box 1156
New Holland, PA 17557

Type of Facility Public Water Supply

Consulting Engineer J. Marlin Hess, P. E.
Tyson Foods, Inc.
403 South Custer Avenue
P. O. Box 1156
New Holland, PA 17557

Application Received: March 23, 2007

Description of Action Installation of corrosion control
treatment using phosphate
addition to address lead and
copper problems.

Permit No. 0607516, Public Water Supply.

Applicant **Shinn Spring Water Company**

Municipality Cumru Township

County **Berks**

Responsible Official Shinn Spring Water Company
Vice President
2 East Pointe Drive
Birdsboro, PA 19508

Type of Facility Public Water Supply

Consulting Engineer Michael Hartman, P. E.
McCarthy Engineering Associates
1121 Snyder Road
West Lawn, PA 19609

Application Received: July 16, 2007

Description of Action Existing bottling company wishes to add Aqua Pa as a source of supply. This permit will also approve the addition of an onsite distillation unit.

Permit No. 0607517, Public Water Supply.

Applicant **Shillington Municipal Authority**
 Municipality Cumru Township
 County **Berks**
 Responsible Official Shillington Municipal Authority
 Borough Manager
 2 East Lancaster Avenue
 P. O. Box 247
 Shillington, PA 19607-0247

Type of Facility Public Water Supply
 Consulting Engineer Darryl A. Jenkins, P. E.
 Great Valley Consultants
 75 Commerce Drive
 Wyomissing, PA 19610
 Application Received: April 30, 2007
 Description of Action Installation of a booster pump station to allow the Governor Pointe development to meet the municipal fire flow rate specifications.

Permit No. 2107505, Public Water Supply.

Applicant **South Middleton Township Municipal Authority**
 Municipality South Middleton Township
 County **Cumberland**
 Responsible Official South Middleton Township
 Municipal Authority, Manager
 345 Criswell Drive
 Boiling Springs, PA 17007-0008

Type of Facility Public Water Supply
 Consulting Engineer Harry E. Bingaman, P. E.
 Glace Assoc., Inc.
 3705 Trindle Road
 Camp Hill, PA 17011
 Application Received: July 30, 2007
 Description of Action Booster Pump Station for Well No. 3.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 1907501—Construction, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.—Roaring Creek Division**
 Township or Borough Conyngham Township
 County **Columbia**
 Responsible Official Patrick R. Burke
 Regional Manager
 Aqua Pennsylvania, Inc.
 204 East Sunbury Street
 Shamokin, PA 17872

Type of Facility Public Water Supply—Construction
 Consulting Engineer William LaDieu
 CET Engineering Services
 1240 North Mountain Road
 Harrisburg, PA 17112

Permit Application Date August 14, 2007
 Description of Action Construction of new well station; installation of new well pumps and pitless adaptors.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 5607501, Public Water Supply.

Applicant **Borough of Somerset**
 340 West Union Street
 Somerset, PA 15501
 Township or Borough Jefferson Township
 Responsible Official Benedict Vinzani
 Borough Manager
 Borough of Somerset
 340 West Union Street
 Somerset, PA 15501

Type of Facility Water treatment plant
 Consulting Engineer The EADS Group, Inc.
 1126 Eighth Avenue
 Altoona, PA 16602
 Application Received Date July 25, 2007

Description of Action Addition of polymer and sodium bicarbonate at the Laurel Hill water treatment plant.

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Application No. 1007503, Public Water Supply.

Applicant **Concordia Lutheran Ministries**
 Township or Borough Jefferson Township
Butler County
 Responsible Official Keith E. Frndak, Administrator
 Consulting Engineer Kurt H. Todd, P. E.
 The Gateway Engineers Inc.
 201 South Main Street
 Suite 200
 Butler, PA 16001

Application Received Date August 8, 2007
 Description of Action Installation of new well to provide additional capacity and supplement the existing wells.

MINOR AMENDMENT

Applications Received under the Pennsylvania Safe Drinking Water Act

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 2607502MA, Minor Amendment.

Applicant **Municipal Authority of Westmoreland County**
6064 Route 30
P. O. Box 730
Greensburg, PA 15601

Township or Borough North Versailles Township

Responsible Official Christopher Kerr
Resident Manager
Municipal Authority of Westmoreland County
6064 Route 30
P. O. Box 730
Greensburg, PA 15601

Type of Facility Indian Creek water treatment plant

Consulting Engineer The EADS Group, Inc.
450 Aberdeen Drive
Somerset, PA 15501

Application Received Date August 6, 2007

Description of Action Cleaning and painting of the Naser No. 1 water storage tank.

Consulting Engineer The EADS Group, Inc.
450 Aberdeen Drive
Somerset, PA 15501

Application Received Date August 9, 2007

Description of Action Relocate the Cloverleaf pressure regulator vault from its existing location near the Cloverleaf Mobile Home Park to 265 Cloverleaf Drive in Salem Township, Westmoreland County.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

Application No. 6507508MA, Minor Amendment.

Applicant **Municipal Authority of Westmoreland County**
6064 Route 30
P. O. Box 730
Greensburg, PA 15601

Township or Borough Penn Township

Responsible Official Christopher Kerr
Resident Manager
Municipal Authority of Westmoreland County
6064 Route 30
P. O. Box 730
Greensburg, PA 15601

Type of Facility Beaver Run water treatment plant

Consulting Engineer The EADS Group, Inc.
450 Aberdeen Drive
Somerset, PA 15501

Application Received Date August 6, 2007

Description of Action Cleaning and painting of the Sunrise water storage tank.

Application No. 6507509MA, Minor Amendment.

Applicant **Municipal Authority of Westmoreland County**
6064 Route 30
P. O. Box 730
Greensburg, PA 15601

Township or Borough Salem Township

Responsible Official Christopher Kerr
Resident Manager
Municipal Authority of Westmoreland County
6064 Route 30
P. O. Box 730
Greensburg, PA 15601

Type of Facility Beaver Run water treatment plant

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Ronald S. Brezinski, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Former Kreller Rental Property, South Whitehall Township, **Lehigh County**. Jon P. Kleinle, Barry Isett & Associates, Inc., P. O. Box 147, 85 South Route 100 and Kressler Lane, Trexlertown, PA 18087-0147 has submitted a Notice of Intent to Remediate (on behalf of his client, Robin Osiecki, 1048 Hausman Road, Allentown, PA 18102), concerning the remediation of soils found to have been impacted by No. 2 fuel oil as a result of an underground storage tank's poor physical condition including approximately six small pinholes. The applicant proposes to remediate the site to meet the Residential Statewide Health Standard. The proposed future use of the property will be residential. A summary of the Notice of Intent to Remediate was published in *The Morning Call* on July 23, 2007. A Final Report was simultaneously submitted.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Central Pennsylvania Transportation, Inc., City of Lancaster, **Lancaster County**. GemChem, Inc., 53 North Cedar Street, Lititz, PA 17543, on behalf of Central Pennsylvania Transportation, Inc., 425 Steel Way, Lancaster, PA 17601 and WeeBee Audio, 1305A Manheim Pike, Lancaster, PA 17601-3123, submitted a Notice of Intent to Remediate soils contaminated with diesel fuel and used motor oil from a truck fire. The property is and will remain a commercial/industrial facility. The applicant is seeking to remediate to the Residential Statewide Health Standard.

Manheim-Lower Mill Facility, Manheim Borough, **Lancaster County**. RT Environmental Services, Inc., 215 West Church Road, King of Prussia, 19406, on behalf of Manheim Economic Development Corporation, 15 East High Street, Manheim, PA 17545, submitted a revised Notice of Intent to Remediate site soils contaminated with lead, arsenic, petroleum hydrocarbons and phenols. The property is a former brake parts manufacturing facility and future use is as a nonresidential business park. The applicant is seeking to remediate to both the Site-Specific and Residential Statewide Health Standards.

Franklin & Marshall College, City of Lancaster, **Lancaster County**. GemChem, Inc., 53 North Cedar Street, Lititz, PA 17543, on behalf of Franklin & Marshall College, 415 Harrisburg Pike, P. O. Box 3003, Lancaster, PA 17604-3003, submitted a Notice of Intent to Remediate site soils contaminated with No. 2 fuel oil from a removed underground storage tank. The property is and will remain residential. The applicant is seeking to remediate to the Residential Statewide Health Standard.

WLYH Tower, West Cornwall Township, **Lebanon County**. GeoServices, Ltd., 1525 Cedar Cliff Drive, Camp Hill, PA 17011, on behalf of Clear Channel Broadcasting, 3300 North Sixth Street, Harrisburg, PA 17110-1407, submitted a Notice of Intent to Remediate site soils contaminated with No. 2 fuel oil from an unregulated aboveground storage tank. The property is and will remain a television broadcasting facility. The applicant is seeking to remediate to the Statewide Health Standard.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

Applications received or withdrawn under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P. L. 525, No. 93) and regulations to transport infectious and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Renewal Applications Received

Weavertown Transport Leasing, Inc., 2 Dorrington Road, Carnegie, PA 15106. License No. PA-HC 0020. Received on June 29, 2007.

York Hospital, 1001 South George Street, York, PA 17405. License No. PA-HC 0017. Received on July 16, 2007.

Veolia ES Solid Waste of PA, Inc., 6330 Route 219, Brockway, PA 15824. License No. PA-HC 0199. Received on July 11, 2007.

DETERMINATION FOR APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Determination of Applicability received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGM017D005. Briar Patch Organic Farms, 691 Cannon Road, Mifflinburg, PA 17844.

The Department of Environmental Protection (Department), Bureau of Waste Management has received an application for a determination of applicability (DOA) under the Municipal Waste General Permit (No. WMGM017) for the beneficial use of manure, yard waste and food waste, and the like for use as a soil additive generated at its facility located in Buffalo Township, Union County. The Department determined the DOA application to be administratively complete on August 15, 2007.

Persons interested in obtaining more information about the general permit application may contact Ronald C. Hassinger, Chief, General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department through the Pennsylvania Relay Service (800) 654-5984.

**OPERATE WASTE PROCESSING OR DISPOSAL
AREA OR SITE**

Applications received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit Application No. 300818. Orion Power Midwest, LP, Route 168, West Pittsburg, PA 16160, Taylor Township, **Lawrence County**. The application is for a major permit modification vertical expansion at the New Castle Plant Ash Landfill. The application was submitted to the Department on April 30, 2007 and was subject to the Local Municipality Involvement Process. The LMIP took place on July 11, 2007. The application was found to be administratively complete by the Northwest Regional Office on July 26, 2007.

Comments concerning the application should be directed to Todd Carlson, Program Manager, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335. Persons interested in obtaining more information about the general permit application may contact the Northwest Regional Office, (814) 332-6848. TDD users may contact the Department of Environmental Protection through the Pennsylvania Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Permit Application No. 301353. Castle Environmental, Inc., 101 River Park Drive, New Castle, PA 16101, City of New Castle, **Lawrence County**. The application is for a new residual waste processing facility known as Castle Environmental, Inc. Riverview Park Facility. The application was submitted to the Department of Environmental Protection (Department) on April 23, 2007 and was subject to the Local Municipality Involvement Process (LMIP). The LMIP took place on July 11, 2007. The application was found to be administratively complete by the Northwest Regional Office on July 26, 2007.

Comments concerning the application should be directed to Todd Carlson, Program Manager, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335. Persons interested in obtaining more information about the general permit application may contact the Northwest Regional Office, (814) 332-6848. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Permit Application No. 101397. Veolia ES Greentree Landfill, LLC, 635 Toby Road, Kersey, PA 15846, Fox Township, **Elk County**. The application is for a major permit modification expansion of the Veolia ES Greentree Landfill. The application was submitted to the Department of Environmental Protection (Department) on February 20, 2007, and was subject to the Local Municipality Involvement Process (LMIP) and an Alternative Timeline. The LMIP took place on May 14, 2007, and the timeline was finalized on June 19, 2007. The application was found to be administratively complete by the Northwest Regional Office on July 6, 2007.

Comments concerning the application should be directed to Todd Carlson, Program Manager, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335. Persons interested in obtaining more information about the general permit application may contact the Northwest Regional Office, (814) 332-6848. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior to the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984. Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

05-03019A: Steckman Ridge, LP (890 Winter Street, Suite 300, Waltham, MA 02451) for construction of two natural gas fired 4,735 hp engine driven natural gas compressors controlled by oxidation catalyst, two dehydration units glycol reboiler controlled by thermal oxidizer and associated equipment in Monroe Township, **Bedford County**.

38-05028B: Milprint, Inc. (5 Keystone Drive, Lebanon, PA 17042) for modification of the printing press battery at the flexible packaging printing facility in South Lebanon Township, **Lebanon County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

04-00235G: First Energy Generation Corp. (76 South Main Street, Akron, OH 44308-1812) for purposes of determining an appropriate alternative opacity limits for their Bruce Mansfield Units 1—3 in Shippingport, **Beaver County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

37-290D: Ferrotech Corp. (526 South Jefferson Street, New Castle, PA 16101) for installation of an additional fabric filter PM control device at their facility site in the City of New Castle, **Lawrence County**. This is not a Title V facility.

61-211A: Schake Industries, Inc. (673 Colbert Avenue, Oil City, PA 16301) for construction of a paint spray booth with filters in Oil City, **Venango County**. This is a Title V facility.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

54-302-073: WPS Westwood Generation, LLC (1716 Lawrence Drive, DePere, WI 54115) for modification of a boiler at their facility in Frailey and Porter Townships, **Schuylkill County**. This facility is a Title V facility. The modification is for the installation of "wingwall" additional evaporative surface area to lower the combustor temperature of the boiler. There are no emission increases

related to this project. The boiler is subject to 40 CFR Part 60, Subpart Da, New Source Performance Standards for Stationary Sources—Electric Utility Steam Generating Units, and shall comply with all applicable requirements of this Subpart. The plan approval will include all appropriate monitoring, recordkeeping and reporting requirements designed to keep the boiler operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

36-05014I: Alumax Mill Products, Inc. (1480 Manheim Pike, Lancaster, PA 17604) for modifications to the existing secondary aluminum processing plant in Manheim Township, **Lancaster County**. The modifications include the installation of an aluminum homogenizing furnace and a modification to the cold rolling mill. The plant is subject to 40 CFR Part 63, Subpart GGGGG—National Emissions Standards for HAPs for Site Remediation; Subpart RRR—National Emissions Standards for HAPs for Secondary Aluminum Plants; Subpart SSSS—National Emission Standards for HAPs—Surface Coating of Metal Coils and 40 CFR Part 60, Subpart TT—Standards of Performance for Metal Coil Surface Coating. VOC emissions from the proposed modifications will be offset by emission reduction credits presently owned by the company. The plan approval will include emission limits along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

38-05011C: Plain 'n Fancy Kitchens, Inc. (Oak Street and Route 501, Schaefferstown, PA 17088-0519) for construction of a CEFLA spray coating system controlled by water curtain and modifications to existing woodworking coating booths located in Heidelberg Township, **Lebanon County**. The primary emissions from the source is VOC, which may increase the facility's potential emissions by approximately 14 pounds per hour. The plan approval will be incorporated into the facility's Title V operating permit No. 38-05011 by administratively amending the permit. The facility's major sources of emissions include wood furniture coating booths, woodworking area and other sources, which primarily emit VOCs. The Title V operating permit will contain emissions limits, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

65-00980A: Delmont Quality Limestone, LLC (200 Neville Road, Pittsburgh, PA 15225) for construction and operation of a nonmetallic mineral processing plant in Washington Township, **Westmoreland County**.

Under 25 Pa. Code § 127.44(a), the Department of Environmental Protection (Department) intends to issue a Plan Approval to Delmont Quality Limestone, LLC to allow construction and operation of a nonmetallic mineral processing plant in Washington Township, Westmoreland County. The facility will process up to 1.5 million tons of limestone and have the potential to emit 14.9 tons of PM₁₀, per year.

Copies of the application, Department's analysis and other documents used in evaluation of the application are available for public inspection during normal business hours at the address shown.

Department of Environmental Protection
400 Waterfront Drive
Pittsburgh, PA 15222

In order for the Department to assure compliance with all applicable standards, the Department proposes to place the following Special Conditions on the Plan Approval:

1. This Plan Approval is to allow the construction and operation of a Nonmetallic Mineral Processing Plant by Delmont Quality Limestone, LLC to be located in Washington Township, Westmoreland County (25 Pa. Code § 127.12b).

2. The Owner/Operator shall comply with the Fugitive Emission Regulations (25 Pa. Code §§ 123.1 and 123.2).

3. Facility-wide throughput shall not exceed 1,500,000 tons of limestone in any consecutive 12-month period (25 Pa. Code § 127.12b).

4. The Owner/Operator shall install water sprays on each crusher, screen and transfer point and operate the water sprays as necessary to prevent visible fugitive emissions from the source. A winterized surfactant shall be used during cold weather operations if weather conditions do not allow the application of water. Wet processing equipment would satisfy this requirement (25 Pa. Code § 127.12b).

5. The first 500 feet of the access road shall be paved and maintained. All other areas of vehicle traffic must be delineated by paving or crushed stone, as necessary, to prevent fugitive emissions from crossing the property line (25 Pa. Code § 127.12b).

6. A road sweeper shall be available to the site and used, as needed on a preventative basis, such that visible fugitive emissions do not cross the property line in accordance with 25 Pa. Code §§ 123.1 and 123.2.

7. A pressurized water truck shall be available to the site and shall be used for dust suppression purposes. In-plant roads and areas of vehicle traffic shall be watered, as needed on a preventative basis, such that visible fugitive emissions do not cross the property line in accordance with 25 Pa. Code §§ 123.1 and 123.2. Other methods of dust control shall be used when weather conditions make in-plant road watering hazardous, as necessary, to prevent visible fugitive emissions from crossing the property line in accordance with 25 Pa. Code §§ 123.1 and 123.2.

8. Road watering shall be performed, as needed, and earth or other material transported from the site shall be removed promptly, as needed, on the paved public road (Marco Road) to prevent visible fugitive emissions in accordance with 25 Pa. Code § 123.1(c).

9. All materials shall be stockpiled in such a manner that it may be adequately wetted by the pressurized water truck as necessary to control fugitive emissions. A winterized surfactant shall be used during cold weather operations if weather conditions do not allow the application of water (25 Pa. Code § 127.12b).

10. The Owner/Operator shall maintain a 12-month rolling total of limestone throughput at the Facility (25 Pa. Code § 127.12b).

11. The Owner/Operator shall perform a daily inspection of the Facility for the presence of fugitive emissions. Records of the inspections shall be maintained in a log and include any corrective actions taken (25 Pa. Code § 127.12b).

12. All logs and required records shall be maintained on site for a minimum of 5 years and shall be made available to the Department upon request (25 Pa. Code § 127.12b).

13. The facility is subject to New Source Performance Standards for Nonmetallic Processing Plants (40 CFR Part 60, Subpart OOO). In accordance with 40 CFR 60.4, copies of all requests, reports, applications, submittals and other communications shall be forwarded to both EPA and the Department at the addresses listed unless otherwise noted.

Director
Air Toxics and Radiation
US EPA, Region III
1650 Arch Street
Philadelphia, PA
19103-2029

Department of
Environmental Protection
Air Quality Program
400 Waterfront Drive
Pittsburgh, PA 15222-4745

14. This Plan Approval authorizes the temporary operation of the sources covered by this Plan Approval provided the following conditions are met (25 Pa. Code § 127.12b):

(a) The Owner/Operator shall submit written Notice of the Completion of Construction and the Operator's intent to commence operation at least 5 days prior to the completion of construction. The Notice shall state the date when construction will be completed and the date when the Operator expects to commence operation.

(b) Operation of the sources covered by this Plan Approval is authorized only to facilitate the start-up and shakedown of sources and air cleaning devices, to permit operations pending the issuance of an Operating Permit, or to permit the evaluation of the source for compliance with all applicable regulations and requirements.

(c) Upon receipt of the written Notice of the Completion of Construction from the Owner/Operator the Department shall authorize a 180-day Period of Temporary Operation of the sources from the date of commencement of operation. The Notice submitted by the Owner/Operator, prior to the expiration of this Plan Approval, shall modify the Plan Approval expiration date. The new Plan Approval expiration date shall be 180 days from the date of commencement of operation.

(d) Upon determination by the Owner/Operator that the sources covered by this Plan Approval are in compliance with all conditions of the Plan Approval the Owner/Operator shall contact the Department's reviewing engineer and schedule the Initial Operating Permit Inspection.

(e) Upon completion of Initial Operating Permit Inspection and determination by the Department that the sources covered by this Plan Approval are in compliance with all conditions of the Plan Approval the Owner/Operator shall submit an application for a State-only Operating Permit to the Department at least 60 days prior to the expiration date of the Plan Approval.

(f) The Owner/Operator may request an extension of the 180-day Period of Temporary Operation if compliance with all applicable regulations and Plan Approval require-

ments has not been established. The extension request shall be submitted in writing at least 15 days prior to the end of the Period of Temporary Operation and shall provide a description of the compliance status of the source. The extension request shall include a detailed schedule for establishing compliance and the reasons compliance has not been established. This Period of Temporary Operation may be extended for additional limited periods, each not to exceed 120-days, by submitting an extension request as described previously.

(g) If, at any time, the Department has cause to believe that air contaminant emissions from the sources listed in this plan approval may be in excess of the limitations specified in, or established under this plan approval or the permittee's operating permit, the permittee may be required to conduct test methods and procedures deemed necessary by the Department to determine the actual emissions rate. Such testing shall be conducted in accordance with 25 Pa. Code Chapter 139, where applicable, and in accordance with any restrictions or limitations established by the Department at such time as it notifies the company that testing is required.

Persons wishing to provide the Department with additional information that they believe should be considered prior to the issuance of the Plan Approval may submit the information to the Department of Environmental Protection at the address shown. A 30-day comment period, from the date of this publication, will exist for the submission of comments. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed Plan Approval (specify the Plan Approval number).
- Concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval. Written comments should be directed to:

Mark A. Wayner, P. E.
Regional Air Quality Program Manager
Commonwealth of Pennsylvania
Department of Environmental Protection
Southwest Region—Field Operation
400 Waterfront Drive
Pittsburgh, PA 15222-4745

For additional information you may contact the following at the same address:

Mark R. Gorog, P. E.
Air Quality Engineer
(412) 442-4333

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481. George Monasky, New Source Review Chief, (814) 332-6940.

43-323A: Chautauqua Fiberglass and Plastics, Inc. (80 Canal Street, Sharpsville, PA 16150) operation of a post construction custom Fiberglass Reinforced Plastic, FRP, fabrication operation in the Borough of Sharpsville, Mercer County.

Under 25 Pa. Code §§ 127.44(a) and 127.424(b), the Department of Environmental Protection (Department) intends to issue a Plan Approval for their plant located in the Borough of Sharpsville, Mercer County. This plan approval will authorize the operation of a post construction custom Fiberglass Reinforced Plastic, FRP, fabrication operation. The facility has submitted a State-only

Operating Permit. This plan approval will be incorporated into the State-only Operating Permit at a later date.

Based on the information provided by the applicant and Department's own analysis the styrene emissions from the operation will be limited to 9.9 tpy in any 12-month rolling period. Conditions of the plan approval include the following:

- The facility shall calculate the styrene emissions for the current month and add this to the previous 11 months to assure compliance with the styrene emission limitation of 9.9 tpy in any rolling 12-month period.
- The facility shall keep current Certified Product Data Sheets for each product used in the fabricating process.
- The facility shall keep an onsite log for resin and gelcoat use.
- The applicant shall maintain the sources in accordance with the manufacturer's specifications and consistent with good air pollution control practices.

Persons wishing to provide the Department with additional information they believe should be considered may submit the information to the address shown. Comments must be received, by the Department, within 30 days of the last day of publication. Written comments should include the following:

1. Name, address and telephone number of the person submitting comments.
2. Identification of the proposed Plan Approval; No. PA-43-323A.
3. Concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to John F. Guth, Regional Air Quality Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6940.

33-155C: Trail King Industries, Inc. (147 Industrial Park Road, Brookville, PA 15825-9798) Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Department of Environmental Protection (Department) intends to issue a plan approval to install a plasma cutting table and associated downflow air filtration system at the manufacturing facility in Brookville Borough, Jefferson County.

This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into a State-only operating permit through an administrative amendment at a later date.

Issuance of the plan approval is recommended with the appropriate conditions in the plan approval.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

40-00003: The Hershey Co.—Hazleton Plant (P. O. Box 340, Hazleton, PA 18201) a Title V Operating Permit for a chocolate and confectionery manufacturing facility in Hazle Township, **Luzerne County**. Sources at the facility include two natural gas/biogas fired boilers, two natural gas/No. 6 fuel oil fired boilers, two crumb dryers, Line No. 4 Nicomac pans, six sugar storage and conveying sources, three natural gas fired ovens (Line No. 3), two panning lines (No. 3 and No. 4), Line No. 6 coating pans, Line No. 6 polishing pans and one anaerobic reactor. These sources have the potential to emit major quantities of VOCs emissions above the Title V emission thresholds. The facility is considered a major stationary source subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The proposed Title V Operating Permit contains all applicable requirements including Federal and State regulations. In addition, monitoring, recordkeeping and reporting conditions regarding compliance with all applicable requirements are included.

40-00010: CertianTeed Corp. (1220 Oak Hill Road, Mountaintop, PA 18707) for renewal of the Title V Operating Permit in Wright Township, **Luzerne County**. The facility's major source of emissions is NOx and VOC emissions. The facility operates equipment such as glass furnaces, fiberglass form and various other operations.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, Muhammad Zaman, Facilities Permitting Chief, (570) 327-0512.

18-00009: Clinton County Solid Waste Authority (P. O. Box 209, McElhattan, PA 17748) for renewal of Title V Operating Permit 18-00009 for operation of a municipal waste landfill in Wayne Township, **Clinton County**.

The facility incorporates an active waste disposal area (South Side Disposal Area), an inactive waste disposal area (North Side Disposal Area), a landfill gas flare, a portable woodwaste tubgrinder and associated 1,000 horsepower diesel engine, a dirt screening plant and associated 475 horsepower diesel engine, a portable trommel screen and associated 157 horsepower diesel engine, a portable 16 horsepower gasoline-fired water pump, 19 small natural gas, waste oil and propane-fired space heaters and water heaters (with a combined total heat input of 4.36 mmBtu/hr), three small portable gasoline-fired generators (with a combined total capacity of 11.3 kilowatts) and a solvent parts washer. The landfill gas emissions from the South Side Disposal Area are controlled by a landfill gas extraction, collection and control system which incorporates the landfill gas flare. The fugitive PM emissions from the tubgrinder are controlled by a water spray dust suppression system. The fugitive PM emissions from the use of facility roadways are controlled by a water truck and a truck wash station.

The facility has the potential to emit up to 210.3 tons of PM, 52.4 tons of PM10, 154.0 tons of CO, 47.6 tons of NOx, 20.4 tons of SOx, 14.1 tons of VOC and 10.3 tons of HAPs per year.

The Department of Environmental Protection (Department) proposes to renew Title V Operating Permit 18-00009. The Department intends to incorporate into this renewal all conditions currently contained in Title V Operating Permit 18-00009 with these exceptions, changes and additions:

1. The conditions of Plan Approval 18-00009C, issued on October 13, 2005, to allow the average daily waste volume the landfill is permitted to receive to increase from 725 tons per day to 1,200 tons per day, have been incorporated into the permit.

2. A condition requiring fuel certification reports or analyses on all No. 2 fuel oil received at the facility to confirm its sulfur content has been expanded to include diesel fuel.

3. Conditions requiring a weekly inspection of the facility and the maintenance of records of these inspections have been modified to require records to be maintained of any visible air contaminant emissions, visible fugitive air contaminant emissions and boundary line odors detected during the inspections.

4. A condition requiring the semi-annual reporting of facility-wide VOC and HAP emission data has been expanded to include facility-wide CO, NOx, SOx and PM10 emission data as well.

5. A condition requiring malfunctions to be reported to the Department has been modified to exclude the reporting of malfunctions which do not result in, or potentially result in, air contaminant emissions in excess of an applicable air contaminant emission limitation and/or do not result in, or potentially result in, noncompliance with any operating permit condition.

6. Three small gasoline-fired portable generators have been added to the permit along with conditions specifying the applicable 25 Pa. Code § 123.13 PM and 25 Pa. Code § 123.21 SOx emission limits as well as restricting the fuel used in the respective generators to gasoline.

7. A condition has been added to the permit which requires the performance of stack testing on the landfill gas flare by no later than June 1, 2008, and every 4 years thereafter, to determine the nonmethane organic compound, NOx and CO emission rates as well as the nonmethane organic compound destruction efficiency in the flare.

8. A condition requiring the maintenance of records of "supporting calculations used to verify compliance with the NOx, CO, SOx and PM emissions limitations" for the landfill gas flare has been removed from the permit as it has been determined by the Department that compliance with the applicable limits cannot be verified by means of a "calculation."

9. A portable trommel screen and associated diesel engine have been added to the permit along with conditions specifying the applicable 25 Pa. Code § 123.13 PM and 25 Pa. Code § 123.21 SOx emission limits for the engine, restricting the operation of the trommel screen and engine to 1,300 hours in any 12-consecutive month period and requiring the maintenance of records of the number of hours the trommel screen and engine are operated each month.

10. A solvent parts washer has been added to the permit along with conditions specifying the applicable 25 Pa. Code § 129.63 requirements, prohibiting the use of halogenated solvents and solvents containing a HAP as an intentionally-added ingredient and requiring the maintenance of records of the amount of solvent added to the parts washer each month.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

11-00258: Texas Eastern Transmission, LP, (224 Texas Road, Lilly, PA 15938-9403) for a Title V Operating Permit Renewal for their Compressor station that is comprised of four natural gas fired turbines along with an emergency generator. The Lilly Compressor Station facility is in **Cambria County** and is used for production, storage and distribution of natural gas in Cresson Township, Cambria County.

65-00840: Dominion Transmission, Inc. (D. L. Clark Building, Suite 400, 503 Martindale Street, Pittsburgh, PA 15212-5817) for a Title V Operating Permit renewal for their South Oakford Compressor Station. The facility's major sources of emissions include two compressor engines, an auxiliary power generating engine, a boiler, a glycol dehydration system, miscellaneous storage tanks and fugitive emissions from facility pumps, valves, flanges, and the like at the facility in Hempfield Township, **Westmoreland County**.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

13-00015: Arfan, Inc. (517—519 Delaware Avenue, Rear, Palmerton, PA 18701) for operation of a crematory facility in Palmerton Borough, **Carbon County**. The State-only operating permit will include emissions, work practice standards and testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements. This is a renewal of the State-only operating permit issued in 2002.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

17-00036: The Burke Parsons Bowlby Corp. (392 Larkeytown Road, Dubois, PA 15801) for their wood preserving facility in Sandy Township, **Clearfield County**. The facility's main sources include a wood preserving operation, one waste wood-fired boiler, wood tie storage area, wood working equipment and a trim-grade operation. The facility has the potential to emit SO_x, NO_x, CO, PM and PM₁₀, VOCs and HAPs below the major emission thresholds. The proposed operating permit contains all applicable requirements including Federal and State regulations. In addition, monitoring, recordkeeping and reporting conditions regarding compliance with all applicable requirements are included.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, New Source Review Chief, (814) 332-6940.

33-00125: Energy Resources, Inc. (R. D. 2, Fermantown Road, Brockway, PA 15824) a Natural Minor operating permit is for operation of their facility's air contamination sources consisting of loading/unloading; crushing; screening; conveying; transferring; stacking and storage of coal in Snyder Township, **Jefferson County**.

37-00152: New Castle Refractories (915 Industrial Street, New Castle, PA 16102-1329) for reissuance of a Natural Minor Operating Permit for a manufacturing facility that produces silicon-carbide refractory (nonclay),

in the City of New Castle, **Lawrence County**. The facility's primary emissions sources include raw materials mixing, various mixers, natural gas fueled dryers, kilns, finish grinders and miscellaneous natural gas use for comfort heating.

25-00090: Zurn Industries—Cast Metals Div. (1301 Raspberry Street, Erie, PA 16502-1543) for reissuance of a Natural Minor Operating Permit to operate a foundry producing cast iron fixtures in the City of Erie, **Erie County**. The facility's primary emission sources include a cupola, secondary cupola mold/pour/cool, sand handling/shakeout, casting cleaning, a shell core room, a cleaning machine and a paint dip operation.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the district mining office indicated before an application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application num-

ber; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of

the proposed mining activities.

Coal Applications Received

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH ¹		greater than 6.0; less than 9.0	
Alkalinity greater than acidity ¹			

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

Permit Number 03071301 and NPDES Permit NA, Rosebud Mining Company (301 Market Street, Kittanning, PA 16201-9642), to operate the Long Run Mine in West Franklin and East Franklin Townships and Worthington Borough, **Armstrong County** a new underground mine and related NPDES permit. Surface Acres Proposed 84.2, Underground Acres Proposed 3,730.6, Subsidence Control Plan Acres Proposed 3,730.6. Receiving stream: Long Run and UNT to Long Run, classified for the following use: HQ-CWF. Application received March 13, 2007.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56070107 and NPDES No. PA0262382. Future Industries, Inc., P. O. Box 157, Meyersdale, PA 15552, commencement, operation and restoration of a bituminous surface auger mine in Summit and Brothersvalley Townships, **Somerset County**, affecting 328.4 acres. Receiving streams: Piney Run, Buffalo Creek, Casselman River classified for the following uses: CWF, WWF. There are no potable water supply intakes within 10 miles downstream. Application received July 27, 2007.

32970112 and NPDES No. PA0234605. AMFIRE Mining Company, LLC, One Energy Place, Latrobe, PA 15650, revision of an existing bituminous surface auger

mine to change land use from forestland to pastureland or land occasionally cut for hay in Green Township, **Indiana County**, affecting 103.3 acres. Receiving streams: Buck Run, Dixon Run classified for the following use: CWF. The first downstream potable water supply intake from the point of discharge is Pennsylvania American Water Company Two Lick Creek SWI. Application received August 1, 2007.

32980111 and NPDES No. PA0234885. Kraynak Coal Company, 3124 Firetower Road, Mahaffey, PA 15757, revision of an existing bituminous surface auger mine to change land use from forestland to wildlife habitat in Green Township, **Indiana County**, affecting 97.6 acres. Receiving streams: UNTs to Dixon Run classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received August 1, 2007.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

04070101 and NPDES Permit No. PA0251208. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001). Application for commencement, operation and reclamation to a bituminous surface mine, located in North Sewickley Township, **Beaver County**, affecting 151.7 acres. Receiving streams: UNTs to Beaver River, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received July 31, 2007.

Noncoal Applications Received

Effluent Limits—The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35mg/l	70mg/l	90mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

Permit No. 11070801. Beyer Trucking and Excavating, LLC, 1605 Frankstown Road, Summerhill, PA 15958, commencement, operation and restoration of a small noncoal (industrial minerals) operation in Croyle Township, **Cambria County**, affecting 6.8 acres, receiving stream: South Fork Little Conemaugh River. Application received July 6, 2007.

Permit No. 50072801, Cambridge Natural Stone Company, Inc., P. O. Box 110, Bound Brook, NJ 08805, commencement, operation and restoration of a small noncoal (industrial minerals) operation in Toboyne Township, **Perry County**, affecting 5.0 acres, receiving streams: UNT to Sherman Creek and UNT to Narrows Branch. Permit received July 3, 2007.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

59020302 and NPDES No. PA0243272. Glenn O. Hawbaker, Inc. (711 East College Avenue, Pleasant Gap, PA 16823), transfer of an existing noncoal sand and gravel mine from Fred J. Robbins located in Lawrence Township, **Tioga County**, affecting 17.5 acres. Receiving streams: Mutton Lane Creek to Tioga River, classified for the following use: WWF. There are no potable water supply intakes within 10 miles downstream. Application received July 27, 2007.

59050301 and NPDES No. PA5903001. Glenn O. Hawbaker, Inc. (711 East College Avenue, Pleasant Gap, PA 16823), transfer of an existing noncoal sand and gravel mine from Fred J. Robbins located in Lawrence Township, **Tioga County**, affecting 31.08 acres. Receiving streams: Mutton Lane Creek to Tioga River, classified for the following use: WWF. There are no potable water supply intakes within 10 miles downstream. Application received July 27, 2007.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

52020801. Gerard Barnes (HC 1 Box 694, Lakeville, PA 18438), Stage I and II bond release for a quarry in Lackawaxen Township, **Pike County** affecting 1.0 acre on property owned by Grassy Island Creek Rod & Gun Club, Inc. Application received July 31, 2007.

52980801. Grassy Island Creek Rod & Gun Club, Inc. (115 North Main Street, Nazareth, PA 18064), Stages I and II bond release for a quarry in Lackawaxen Township, **Pike County** affecting 2.0 acres on property owned by Grassy Island Rod & Gun Club, Inc. Application received July 31, 2007.

40050804. Brenda L. Rizzo (R. R. 2, Box 472, Sugarloaf, PA 18249), Stage I and II bond release for a quarry in Black Creek Township, **Luzerne County** affecting 1.0 acre on property owned by Donald and Dorothy LaRock. Application received August 6, 2007.

58990845. Douglas G. Kilmer (R. R. 1, Box 85K, Union Dale, PA 18470), Stage I and II bond release for a quarry in New Milford Township, **Susquehanna County** affecting 3.0 acres on property owned by Franklin Innes. Application received August 10, 2007.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

E46-1012. Limerick Partnership 1, LLC, Meetinghouse Business Center, Suite 120, Plymouth Meeting, PA 19462, Limerick Township, **Montgomery County**, ACOE Philadelphia District.

To relocate, construct and maintain 956 linear feet of a UNT of Mingo Creek (WWF) and to place fill within the abandoned channel to facilitate construction of a retail home center (Home Depot). The project is located on the west side of PA Route 100 approximately 1,900 feet southwest of Ridge Pike, west of Township Line (Phoenixville, PA Quadrangle N: 16.5 inches; W: 0.8 inch).

EA46-017. BT Limekiln, LP, 2600 Philmont Avenue, Suite 212, Huntingdon Valley, PA 19006, Upper Dublin Township, **Montgomery County**, ACOE Philadelphia District.

A request for an Environmental Assessment Approval for impacts associated with the construction, operation and maintenance of a nonjurisdictional dam across a UNT to Pine Run (TSF). The proposed dam will provide stormwater management for an, 192-Unit Age-Restricted Condominium Facility.

The site is located about 500 feet southeast of the intersection of Susquehanna Road and Route 152 (Ambler, PA, Quadrangle N: 2.3 inches; W: 5.9 inches).

E51-108. Pier 25 North, LP, 116 Arch Street, Philadelphia, PA 19106, Philadelphia City and **Philadelphia County**, ACOE Philadelphia District.

To perform the following water obstruction and encroachment activities at Pier 25 North, along the Delaware River (WWF) to accommodate a proposed residential development—involving 28 townhouses, a 38-story building and associated appurtenances:

1. To relocate and maintain a combined sewer outfall (CSO) adjacent to Christopher Columbus Avenue.
2. To expand the existing footprint of the pier. The project will occupy the previous footprint of Pier 25 North, which includes a 1.18-acre portion, which was severely damaged by a fire in the mid-1970s.
 - a. To remove 940 existing wooden pilings.
 - b. To install and maintain 815 new pilings and associated decking.

This project is located approximately 250 feet northwest of the intersection Spring Garden Street and Christopher Columbus Avenue (Delaware Avenue) (Philadelphia, PA USGS Quadrangle N: 15.1 inches; W: 1.5 inches).

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E01-269: Jeff Seifert, 202 West King Street, East Berlin, PA 17316, Menallen Township, **Adams County**, ACOE Baltimore District.

To construct and maintain a 5-foot 9-inch high by 17.5-foot wide by 15-foot long Longspan open bottom culvert in a UNT to Opposum Creek (TSF) (Arendtsville, PA Quadrangle Latitude: 39° 54' 43"; Longitude: 77° 15' 20", N: 22.0 inches; W: 1.1 inches) in Menallen Township, **Adams County**.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E08-444. South Creek Township, P. O. Box 60, Gillett, PA 16925. Water Obstruction and Encroachment Joint Permit Application, in South Creek Township, **Bradford County**, ACOE Baltimore District (Gillett, PA Quadrangle N: 41° 59' 10"; W: 76° 46' 24").

To construct, operate and maintain 24,000 feet of 8-inch gravity and 15,000 feet of 4-inch force main sanitary sewer line within the Susquehanna River watershed (WWF) for the treatment of municipal wastewater. Construction of the sanitary sewer lines will require stream and wetland crossings as follows:

<i>Crossing</i>	<i>Stream</i>	<i>Impact</i>	<i>Longitude</i>	<i>Latitude</i>
No. 1	South Creek (SC)	70 feet	76° 46' 23.7"	41° 59' 17.5"
No. 2	UNT to SC	30 feet	76° 47' 36.8"	41° 57' 12.5"
No. 3	UNT to SC	25 feet	76° 47' 45.1"	41° 56' 48.1"
No. 4	UNT to SC	30 feet	76° 47' 42.7"	41° 57' 9.8"
No. 5	Blodgett Hollow	45 feet	76° 47' 26.0"	41° 57' 32.9"
No. 6	UNT to SC	40 feet	76° 47' 12.3"	41° 57' 39.1"
Wetland	Wetland	140 feet (total)	76° 47' 47.0"	41° 56' 57.5"

All sewer line crossings shall be constructed with a minimum of 3-feet of cover with concrete encasement beneath the waterways. Trench plugs or clay dikes shall be used at every sewer line crossing a waterway to ensure the hydrology of the stream is not altered. Construction of the treatment plant will require the placement of fill in the floodway of South Creek (WWF). The project will temporarily impact 140 linear feet of wetlands while impacting 240-feet of waterway. The project is located along the eastern and western right-of-way of SR 0014 from the Borough of Gillett to the Borough of Fassett.

E17-410A1. Muddy Run Regional Authority, P. O. Box 474, Madera, PA 16661-0474. Muddy Run Regional Authority Wastewater Treatment Facility and Collection System, Beccaria, Bigler, Gulich Townships and Ramey Borough, **Clearfield County**, ACOE Baltimore District (Ramey, PA Quadrangle N: 15.25 inches; W: 9.20 inches).

The initial E17-410 permit authorized the applicant to construct, operate and maintain 250,000 linear feet of wastewater collection and conveyance lines within a 30-foot right-of-way for the treatment of municipal wastewater. Construction of the wastewater collection and

conveyance system resulted in 78 stream and 28 wetland crossings. This amendment requests additional authorization for the following: (1) Four hundred and forty-five square feet (0.01 acre) of permanent PEM wetland impact due to the placement of fill in the floodway of Muddy Run for the construction of a pump station; and (2) Six feet of temporary impact due to an additional utility crossing of a UNT to Muddy Run, which has a stream classification of CWF. This amendment proposes to compensate for the proposed wetland impacts through the creation of 0.71-acres of wetlands at State Game Lands No. 60.

E17-436. Emigh Run—Lakeside Watershed Association, P. O. Box 204, Morrisdale, PA 16858. Emigh Run No. 13 Acid Mine Drainage Treatment Project in Morris Township, **Clearfield County**, ACOE Baltimore District (Wallaceton, PA Quadrangle Latitude: 40° 56' 58.81"; Longitude: 78° 15' 57.09").

The applicant proposed to construct, operate and maintain a passive acid mine drainage treatment system requiring a rock outfall along Emigh Run (CWF), minor road crossing Emigh Run, fill in wetland associated to Emigh Run and rock outfall along a UNT (CWF) to

Emigh Run for the abatement of acid mine drainage pollution. As proposed, the project permanently impacts 0.06 acre of wetland and 50 feet of stream channel that is located along the southern right-of-way of SR 2033 approximately 2.3 stream miles upstream of the Emigh Run Reservoir. The Emigh Run No. 13 Acid Mine Drainage Treatment Project permanently impacts 0.06 acre of wetland, for which the permittee has agreed to construct 0.06 acre of onsite replacement wetland to mitigate the impact. Construction of the 0.06-acre replacement wetland shall commence prior to or be concurrent with the construction activities authorized by this permit.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

D56-097EA. Stonycreek Valley Development Corporation, P. O. Box 163, Shanksville, PA 15560, Stonycreek Township, **Somerset County**, ACOE Pittsburgh District.

Project proposes to dredge approximately 18 acres of accumulated silts and sediments from the reservoir impounded by the Lake Stonycreek Dam across Rhoads Creek (CWF). The dam is located approximately 4,700 feet northeast of the intersection of Stutzmantown Road (SR 1001) and Shanksville Road (SR 1007) (Stoystown, PA Quadrangle Latitude: 40° 01' 13"; Longitude: 78° 53' 31").

EA33-005CO. Mill Creek Coalition of Clarion and Jefferson Counties, 221 Pondview Lane, Marble, PA 16334. Union Township, **Jefferson County**, ACOE Pittsburgh District.

Project proposes to construct, operate and maintain a nonjurisdictional dam across a tributary to Little Mill Creek (CWF) for the purpose of constructing a passive acid mine drainage treatment system. The project will impact approximately 20 feet of stream channel. The dam will be located approximately 2,500 feet southwest of the intersection of Clinger Road (T351) and Glenn Road (T320) (Corsica, PA Quadrangle Latitude: 41° 12' 00"; Longitude: 79° 12' 27").

D15-396EA. Culbertson Realty Associates, LP, 1595 Paoli Pike, Suite 202, P. O. Box 1906, West Chester, PA 19380, West Brandywine Township, **Chester County**, ACOE Philadelphia District.

Project proposes to breach and remove Culbertson Village Dam across Culbertson Run (HQ-CWF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will restore approximately 550 lineal feet of stream channel. The dam is located approximately 500 feet south of the intersection of Andover Drive and SR 322 (Wagontown, PA Quadrangle Latitude: 40° 03' 02"; Longitude: 75° 47' 35"). The project also proposes construction and maintenance of an 8-inch PVC sanitary sewer line crossing Culbertson Run (HQ-CWF) at a point located approximately 50 feet south of the intersection of Andover Drive and SR 322 (Wagontown, PA Quadrangle Latitude: 40° 03' 07"; Longitude: 75° 47' 37").

ACTIONS

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE
ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY
MANAGEMENT (WQM) PERMITS**

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay

Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0005037 Industrial Waste	EME Homer City Generation, LP 1750 Power Plant Road Homer City, PA 15748-8009	Indiana County Center Township	Tributaries of Two Lick Creek, Blacklick Creek, Cherry Run and Blacklick Creek	N
PA0216739 Industrial Waste	Allegheny Ludlum Corporation, Inc. 100 River Avenue Brackenridge, PA 15014-1597	Westmoreland County Allegheny Township	UNT of the Allegheny River	Y
PA0218863 Industrial Waste	Duke Energy Ohio, Inc. 139 East 4th Street Cincinnati, OH 45202	Fayette County German Township	Monongahela River and UNT 41154	Y
PA0027219 Sewage	Greater Uniontown Joint Sewage Plant Authority 90 Romeo Lane Uniontown, PA 15401	Fayette County North Union Township	Redstone Creek	Y
PA0092363 Sewage	Fayette County Housing Authority 624 Pittsburgh Road Uniontown, PA 15401	Fayette County Washington Township	UNT of Downers Run	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0248363, CAFO, **Pennsylvania National Turf Club, Inc., Penn National of Grantville**, P. O. Box 32, Grantville, PA 17028. This proposed facility is located in East Hanover Township, **Dauphin County**.

Description of Size and Scope of Proposed Operation/Activity: Authorization to operate a 1,300 AEU horse farm in Watershed 7-D.

NPDES Permit No. PA0260851, CAFO, **J. Kevin Rohrer, Hidden Acres Farm**, 2115 Rohrer Road, Manheim, PA 17545. This proposed facility is located in Rapho Township, **Lancaster County**.

Description of Size and Scope of Proposed Operation/Activity: Authorization to operate a 586 AEU swine, beef and sheep farm in Watershed 7-G.

NPDES Permit No. PA0248002, CAFO, **Jobo Holstein Farms, LLC**, 200 Tall Oaks Road, Gettysburg, PA 17325. This proposed facility is located in Mount Pleasant Township, **Adams County**.

Description of Size and Scope of Proposed Operation/Activity: Authorization to operate a 1,548 AEU dairy farm in Watershed 7-F.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0239828, Industrial Waste, **Troyer Sand & Gravel, Ltd.**, 13021 Flatts Road, Waterford, PA 16441-2809. This proposed facility is located in LeBoeuf Township, **Erie County**.

Description of Proposed Action/Activity: This applicant requests a new NPDES permit for the discharge of treated gravel wash water from the Troyer 1 Mine.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. WQG02150717, Sewerage, **Oxford Area Sewer Authority**, P. O. Box 379, Oxford, PA 19363. This proposed facility is located in East Nottingham Township, **Chester County**.

Description of Action/Activity: Construction and operation of a sewage pump station.

WQM Permit No. 4607405, Sewerage, **Lower Moreland Township**, 640 Red Lion Road, Huntingdon Valley, PA 19006. This proposed facility is located in Lower Moreland Township, **Montgomery County**.

Description of Action/Activity: A combination gravity and low pressure sewer system.

WQM Permit No. 4607406, Sewerage, **Lower Moreland Township**, 640 Red Lion Road, Huntingdon Valley, PA 19006. This proposed facility is located in Moreland Township, **Montgomery County**.

Description of Action/Activity: Construction and operation proposed gravity sewer system.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 0107201, CAFO, **Jobo Holstein Farms, LLC**, 200 Tall Oaks Road, Gettysburg, PA 17325. This proposed facility is located in Mount Pleasant Township, **Adams County**.

Description of Proposed Action/Activity: Permit approval for the construction and operation of manure and food processing waste storage facilities in Watershed 7-F.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 0206202, Industrial Waste, **Orion Power MidWest, LP**, 121 Champion Way, Suite 200, Canonsburg, PA 15317. This proposed facility is located in Springdale Borough, **Allegheny County**.

Description of Proposed Action/Activity: Permit issuance for the construction and operation of a FGD Scrubber Blowdown Wastewater Treatment Facility.

WQM Permit No. 6306201-A1, Industrial Waste, **Molycorp, Inc.**, 1217 West Wayne Street, Washington, PA 15301. This existing facility is located in Canton Township, **Washington County**.

Description of Proposed Action/Activity: Permit issuance for a modification to the existing treatment plant.

WQM Permit No. 1185402-A6, Sewerage, 300 West High Street, Ebensburg, PA 15931. This existing facility is located in Cambria Township, **Cambria County**.

Description of Proposed Action/Activity: Permit issuance for modifications to the existing Ebensburg Sewage Treatment Plant.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. WQG018551, Sewerage, **Jane Ewing-Woods**, 33 Eden Glen, Black Mountain, NC 28711. This proposed facility is located in Wayne Township, **Erie County**.

Description of Proposed Action/Activity: A Single Residence Sewage Treatment Plant.

WQM Permit No. WQG018553, Sewerage, **Jacob D. Corwin**, 10207 Old Route 99, McKean, PA 16426. This proposed facility is located in McKean Township, **Erie County**.

Description of Proposed Action/Activity: A Single Residence Sewage Treatment Plant.

WQM Permit No. 1682401, Sewerage, A3, **Municipal Authority of Strattanville Borough**, P. O. Box 139, 361 Virgin Alley, Strattanville, PA 16258. This proposed facility is located in Strattanville Borough, **Clarion County**.

Description of Proposed Action/Activity: This project is for the installation of a fine screen on the influent to the treatment plant and a larger chlorine contact tank at the plant and an upgrade to the plant's capacity.

WQM Permit No. WQG018557, Sewerage, **Raymond and Linda Smith**, 112 Birchwood Drive, Transfer, PA 16154. This proposed facility is located in Pymatuning Township, **Mercer County**.

Description of Proposed Action/Activity: A Single Residence Sewage Treatment Plant.

WQM Permit No. WQG018559, Sewerage, **Judith L. Haniak**, R. D. 1, Box 23, Columbus, PA 16405-9714. This proposed facility is located in Columbus Township, **Warren County**.

Description of Proposed Action/Activity: A Single Residence Sewage Treatment Plant.

WQM Permit No. WQG018558, Sewerage, **Jeffrey Cave**, 6851 Route 6N, Edinboro, PA 16412. This proposed facility is located in Washington Township, **Erie County**.

Description of Proposed Action/Activity: A Single Residence Sewage Treatment Plant.

WQM Permit No. WQG018546, Sewerage, **Daisy A. and Wayne H. Adams**, 1409 Rutledge Road, Greenville, PA 16125. This proposed facility is located in South Pymatuning Township, **Mercer County**.

Description of Proposed Action/Activity: A Single Residence Sewage Treatment Plant.

WQM Permit No. WQG018562, Sewerage, **Gary A. and Barbara E. Santillo**, 5730 Florek Road, Edinboro, PA 16412-2923. This proposed facility is located in Washington Township, **Erie County**.

Description of Proposed Action/Activity: A Single Residence Sewage Treatment Plant.

WQM Permit No. WQG018560, Sewerage, **Judith L. Haniak**, R. D. 1, Box 23, Columbus, PA 16405-9714. This proposed facility is located in Columbus Township, **Warren County**.

Description of Proposed Action/Activity: A Single Residence Sewage Treatment Plant.

WQM Permit No. WQG028312, Sewerage, **Cranberry Township, Butler County**, 2525 Rochester Road, Cranberry Township, PA 16066-6499. This proposed facility is located in Cranberry Township, **Butler County**.

Description of Proposed Action/Activity: Permit issuance for construction of a Sewer Extension to service a residential development in Cranberry Township.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI014607003	Realen Valley Forge Greenes Associates 1000 Chesterbrook Boulevard Berwyn, PA 19312	Montgomery	Upper Merion Township	Trout Creek WWF

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI024506031	Summit Realty Advisors, LLC 8 Devonshires Court Blue Bell, PA 19422	Monroe	Barrett Township	Mill Creek HQ-CWF
PAI023505004	Robert T. Doble, P. E. Assistant District Executive-Design Department of Transportation Engineering District 4-0 55 Keystone Industrial Park Dunmore, PA 18512	Lackawanna	Mayfield Borough	Lackawanna River HQ-CWF
PAI024806025	Posh Properties 2216 Willow Park Road Bethlehem, PA 18017	Northampton	Wind Gap Borough	Little Bushkill Creek HQ-CWF, MF

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI041407005	Chris Sanders Sanders Mingoville Subdivision P. O. Box 185 Centre Hall, PA 16828	Centre	Walker Township	UNT to Little Fishing Creek HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage

PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

General Permit Type—PAG-02

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Bensalem Township Bucks County	PAG2000906109	Squire Home Builders 134 Redstone Drive Warrington, PA 18976	Poquessing Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
West Goshen Township Chester County	PAG2001507011	McFadden Group, LLC 115 West Miner Street West Chester, PA 19382	Chester Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Franklin Township Chester County	PAG2001507045	Franklin Township 20 Municipal Lane P. O. Box 118 Kemblesville, PA 19347	West Branch White Clay Creek CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
East Bradford Township Chester County	PAG2001507042	Department of Transportation 7000 Geerdes Boulevard King of Prussia, PA 19406-1525	East Branch Brandywine Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Washington Township Schuylkill Co.	PAG2005407013	Trent L. Stauffer 91 Mill Road Myerstown, PA 17067	Lower Little Swatara Creek CWF	Schuylkill Co. Cons. Dist. (570) 622-3742
Roaring Brook Township Lackawanna Co.	PAG2003507009	Landview, LLC 5 Manorview Drive Dallas, PA 18612	Roaring Brook CWF	Lackawanna Co. Cons. Dist. (570) 281-9495
Upper Saucon Township Lehigh Co.	PAR10Q169R	Justin Bloch Lennar Corp. 800 Main Street Freehold, NJ 07728	Saucon Creek CWF	Lehigh Co. Cons. Dist. (610) 391-9583
Bethlehem Township Northampton Co.	PAG2004807006	Richard Brooks Ashley Development Corp. 559 Main Street Bethlehem, PA 18018	Tributary to Lehigh River CWF	Northampton Co. Cons. Dist. (610) 746-1971
Lower Saucon Township Northampton Co.	PAG2004807010	Lester Sharetzsky 2425 Front Street Easton, PA 18042	Saucon Creek CWF	Northampton Co. Cons. Dist. (610) 746-1971
Tilden Township Berks County	PAG2000607036	Patrick Dolan Dolan Construction, Inc. 401 South 13th Street Reading, PA 19602	Hassler Run UNT to Mill Creek TSF	Berks County Conservation Dist. 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657, Ext. 201
City of Reading Berks County	PAG2000607046	Paul Gazzerro, VP Administration and Finance Albright College 13th and Bern Streets Reading, PA 19612	Bernhart Creek WWF	Berks County Conservation Dist. 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657, Ext. 201

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
City of Reading Berks County	PAG2000607013	Thomas Chapman The Reading School District 800 Washington Street Reading, PA 19601	Schuylkill River Watershed WWF	Berks County Conservation Dist. 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657, Ext. 201
Upper Allen Township Cumberland County	PAG2002107029	Messiah College President's Residence One College Avenue P. O. Box 3035 Grantham, PA 17027	UNT Yellow Breeches CWF	Cumberland County Conservation District 43 Brookwood Avenue Carlisle, PA 17013 (717) 240-7812
Lower Paxton Township Dauphin County	PAG2002207023	CrossPoint Church 430 Colonial Road Harrisburg, PA 17109	Paxton Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018
City of Harrisburg Dauphin County	PAG2002207032	Jack R. Kay Cityscape Investors II, LLC 140 East Market Street York, PA 17401	Susquehanna River WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018
Clay Township Lancaster County	PAG2003607018	GAF Reality Mgmt Group, LLC 5313 Main Street East Petersburg, PA 17520	Meadow Run WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
Ephrata Borough Lancaster County	PAG2003607032	Larry Eby 1480 Ironstone Drive East Earl, PA 17519	UNT Cocalico Creek WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
East Hempfield Township Lancaster County	PAG2003607037	Joseph Grow, III 7521 Ironhorse Boulevard West Palm Beach, FL 33412	Chickies Creek WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
Lititz Borough Lancaster County	PAG2003607038	Dale G. Wittenbert 501 South Walnut Street Lititz, PA 17543	Lititz Run—Santo Domingo Creek WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
Paradise Township Lancaster County	PAG2003607039	BB Real Estate Partners 5306 Lincon Highway Gap, PA 17527	UNT Pequea Creek WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
Warwick Township Lancaster County	PAG2003607042	Newport Square Associates P. O. Box 1998 Lancaster, PA 17608	Hubers Run CWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5

NOTICES

4697

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Providence Township Lancaster County	PAG2003607043	Harry Herr 90 Mount Airy Road New Providence, PA 17560	UNT Huber Run CWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
Lancaster City Lancaster County	PAG2003607046	County Of Lancaster 50 North Duke Street 5th Floor Lancaster, PA 17608	Conestoga River WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
East Donegal Township Lancaster County	PAG2003607047	Corixa Corporation 325 North Bridge Street Marietta, PA 17547	Evans Run— Susquehanna River WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
Warwick Township Lancaster County	PAG2003607050	Warwick Township 315 Clay Road Lititz, PA 17543	Lititz Run WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
Rapho Township Lancaster County	PAG2003607051	Rapho Township 971 Colebrook Road Manheim, PA 17545	UNT Little Chickies TSF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
Upper Leacock Township Lancaster County	PAG2003607052	Michael C. Kapp 2355 New Holland Pike Lancaster, PA 17601	UNT Conestoga River WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
Manheim Township Lancaster County	PAG2003607053	Hostetter Construction Corp. P. O. Box 516 751 Frederick Street Hanover, PA 17331	UNT Bachman Run WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
East Cocalico Township Lancaster County	PAG2003607054	Supervalu, Inc. 11480 Valley View Road Eden Praire, MN 55344	Little Muddy Creek WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
Elizabeth Township Lancaster County	PAG2003607056	Elizabeth Township 423 South View Drive Lititz, PA 17543	UNT Hammer Creek TSF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
Centre County Harris Township	PAG2001407010	Kirk Aguer/Nittany Grove Park Expansion Aguer-Nobori Partnership 113 Ramsey Way Boalsburg, PA 16827	UNT to Spring Creek CWF	Centre County Conservation District 414 Holmes Avenue Suite 4 Bellefonte, PA 16823 (814) 355-6817

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Snyder County Penn Township	PAG2005506015	Kurt Kissinger Susquehanna Industrial Development Corp. P. O. Box 10 104 South Susquehanna Trail Shamokin Dam, PA 17876-0010	Trib. 17739 Secondary Water Middle Creek CWF/TSF	Snyder County Conservation District 403 West Market Street Middleburg, PA 17842 (570) 837-0007, Ext. 5
Snyder County Penn Township	PAG2005506016	Michael and Katie Savidge 113 South Market Street Selingsrove, PA 17870	Penns Creek WWF	Snyder County Conservation District 403 West Market Street Middleburg, PA 17842 (570) 837-0007, Ext. 5
Snyder County Penn Township	PAG2005506017	Joseph A. Yoder R. R. 1 Box 506 D Lewisburg, PA 17837	UNT to Penns Creek CWF	Snyder County Conservation District 403 West Market Street Middleburg, PA 17842 (570) 837-0007, Ext. 5
Snyder County Penn Township	PAG2005506018	Ryan Housekeeper 3723 Fairview Industrial Drive Suite 270 Salem, OR 97302	UNT to Penns Creek CWF	Snyder County Conservation District 403 West Market Street Middleburg, PA 17842 (570) 837-0007, Ext. 5
Snyder County Monroe Township	PAG2005507001	Nathan Allison Monroe Marketplace Preit Services, LLC 200 South Broad Street Philadelphia, PA 19102-3803	UNT to Susquehanna River WWF	Snyder County Conservation District 403 West Market Street Middleburg, PA 17842 (570) 837-0007, Ext. 5
Snyder County Union Township	PAG2005507002	Richard O. Hilsher Hilshers General Store R. D. 1 P. O. Box 45 Port Trevorton, PA 17864-9801	UNT to Susquehanna River WWF	Snyder County Conservation District 403 West Market Street Middleburg, PA 17842 (570) 837-0007, Ext. 5
Snyder County Selingsrove Borough	PAG2005507003	Susquehanna University 514 University Avenue Selingsrove, PA 17870-1001	Penns Creek WWF	Snyder County Conservation District 403 West Market Street Middleburg, PA 17842 (570) 837-0007, Ext. 5
Beaver County North Sewickley Township	PAG2000407007	Gerald E. Gagne 3170 Bennetts Run Road Beaver Falls, PA 15010	Bennett's Run WWF	Beaver County CD (724) 378-1701
Cambria County City of Johnstown	PAG20011060111	Johnstown Redevelopment Authority 4th Floor Public Safety Building 401 Washington Street Johnstown, PA 15901	Stonycreek River WWF	Cambria County CD (814) 472-2120
Washington County California Borough	PAG2006305043	The Perryman Company 213 Vandale Drive Houston, PA 15342	Monongahela River WWF	Washington County CD (724) 228-6774
Butler County Cranberry Township	PAG2001007014	Westinghouse at Cranberry Woods Trammell Crow Development & Investment, Inc. 800 Cranberry Woods Drive Cranberry Township, PA 16066	Brush Creek WWF	Butler County (724) 284-5270

*General Permit Type—PAG-3**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Tremont Township Schuylkill County	PAR202232	Dayton Superior Corporation 55 North Pine Street Tremont, PA 17981	Good Spring Creek to Swatara Creek	DEP—NERO Water Mgmt. Program 2 Public Square Wilkes-Barre, PA 18711-2511 (570) 826-2511
Lancaster County Lititz Borough	PAR203543	Woodstream Corporation 69 North Locust Street Lititz, PA 17543	UNT to Lititz Run WWF	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
City of Erie Erie County	PAR208322	PSB Industries, Inc. 1202 West 12th Street Erie, PA 16501	Municipal stormwater sewers to Cascade Creek, Presque Isle Bay	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Cranberry Township Butler County	PAR208312	Three Rivers Aluminum Company TRACO Aluminum Window Manufacturing 71 Progress Avenue Cranberry, Township, PA 16066-3596	UNT to Brush Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Wayne Township Erie County	PAG049348	Jane Ewing-Woods 33 Eden Glen Black Mountain, NC 28711	UNT to Bear Creek 16-B	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Waterford Township Erie County	PAG048505	Carol Ann Engel-Henderson 12828 Hood Road Waterford, PA 16441-9660	UNT to LeBoeuf Creek 16-A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
McKean Township Erie County	PAG049350	Jacob D. Corwin 10207 Old Route 99 McKean, PA 16426	UNT to Elk Creek 15-EC	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Pymatuning Township Mercer County	PAG049354	Raymond E. and Linda Smith, Sr. 215 Fredonia Road Apt. 1 Greenville, PA 16125	UNT to the Shenango River 20-A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Franklin Township Erie County	PAG048454	Marshall E. Tolley 11281 Eureka Road Edinboro, PA 16412	UNT to Cussawago Creek 16-D	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Washington Township Erie County	PAG048828	Dean K. and Patricia B. Eichen 1620 Timber Drive Cambridge Springs, PA 16403	UNT to Little Conneauttee Creek 16-A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Columbus Township Warren County	PAG049357	Judith L. Haniak R. D. 1, Box 23 Columbus, PA 16405-9714	UNT to Coffee Creek 16-B	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Washington Township Erie County	PAG049356	Jeffrey Cave 6851 Route 6N Edinboro, PA 16412	A drainage swale to Cussawago Creek 16-D	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
South Pymatuning Township Mercer County	PAG049342	Daisy A. and Wayne H. Adams 1409 Rutledge Road Greenville, PA 16125	UNT to the Shenango Reservoir	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Washington Township Erie County	PAG049360	Barbara E. and Gary A. Santillo 5730 Florek Road Edinboro, PA 16412-2923	UNT to Boles Run	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Columbus Township Warren County	PAG049358	Judith L. Haniak R. D. 1, Box 23 Columbus, PA 16405-9714	UNT to Coffee Creek 16-B	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Harborcreek Township Erie County	PAG058376	TA Operating, LLC 24601 Center Ridge Road Westlake, OH 44145-5634	UNT to Seven Mile Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
North Beaver Township Lawrence County	PAG058312	Tic Toc Food Mart, Inc. 547 Mount Jackson Road One Center 60 New Castle, PA 16102	Hickory Run	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 5407501, Public Water Supply.

Applicant	Lake Wynonah Municipal Authority 686 Berne Road Auburn, PA Wayne Township
County	Schuylkill County
Type of Facility	Public Water System
Consulting Engineer	Spotts, Stevens, McCoy 1047 North Park Road Reading, PA
Permit to Construct Issued	August 6, 2007

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Operations Permit issued to **Petersburg Water Authority**, 4310019, Petersburg Borough, **Huntingdon County** on July 20, 2007, for the operation of facilities approved under Construction Permit No. 3104502 MA.

Operations Permit issued to **Mill Creek Area Municipal Authority**, 4310050, Brady Township, **Huntingdon County** on July 20, 2007, for the operation of facilities approved under Construction Permit No. 3102502.

Operations Permit issued to **City of Lebanon Authority**, 7380010, Swatara Township, **Lebanon County** on August 13, 2007, for the operation of facilities approved under Construction Permit No. 3806502 MA.

Operations Permit issued to **United States Army Corps of Engineers—Baltimore District, 4310855**, Penn Township, **Huntingdon County** on August 13, 2007, for the operation of facilities approved under Construction Permit No. 3107501.

Permit No. 3807503, Public Water Supply.

Applicant **Dutchman's Country Market, Inc., d/b/a Dutch-Way Farm Market**
Municipality Heidelberg Township
County **Lebanon**
Type of Facility Installation of nitrate treatment.
Consulting Engineer Charles A. Kehew II, P. E., James R. Holley & Assoc., Inc. 18 South George Street York, PA 17401
Permit to Construct July 20, 2007
Issued:

Permit No. 2207503, Public Water Supply.

Applicant **United Water Pennsylvania**
Municipality Susquehanna Township
County **Dauphin**
Type of Facility Construction of a booster pumping station for the Deer Path Woods development.
Consulting Engineer Arthur Saunders, P. E. United Water Pennsylvania 4211 East Park Circle Harrisburg, PA 17111
Permit to Construct July 20, 2007
Issued:

Permit No. 2207510 MA, Minor Amendment, Public Water Supply.

Applicant **United Water Pennsylvania**
Municipality Hummelstown Borough
County **Dauphin**
Type of Facility Leak repair of Hummelstown clearwell tank No. 2.
Consulting Engineer Arthur Saunders, P. E. United Water Pennsylvania 4211 East Park Circle Harrisburg, PA 17111
Permit to Construct July 30, 2007
Issued:

Northcentral Region: Water Supply Management Program Manager; 208 West Third Street, Williamsport, PA 17701.

Permit No. 1407502-IT—Construction, Public Water Supply.

Applicant **Madisonburg Water Works**
Township or Borough Miles Township
County **Centre**
Responsible Official Timothy Snyder, Board President Madisonburg Water Works P. O. Box 50 Madisonburg, PA 16852
Type of Facility Public Water Supply—Construction
Consulting Engineer Michael J. Peleschak alfred benesch & company 400 One Norwegian Plaza Pottsville, PA 17901
Permit Issued Date August 9, 2007
Description of Action Construction of a Siemens/Mencor 3L10V microfiltration plant, disinfection and a 60,000 gallon finished water storage tank.

Permit No. M.A.—1896501—Construction, Public Water Supply.

Applicant **Kettle Creek State Park**
Township or Borough Leidy Township
County **Clinton**
Responsible Official John Norbeck DCNR, Bureau of State Parks P. O. Box 8551 Harrisburg, PA 17105-8551
Type of Facility Public Water Supply—Construction
Consulting Engineer Mark Lonergan Senior Civil Engineer DCNR 400 Market Street Harrisburg, PA 17105-8451
Permit Issued Date August 14, 2007
Description of Action Addition of Aqua-Mag for corrosion control to the existing system.

Permit No. 1489511-T1—Transfer, Public Water Supply.

Applicant **Empire Mobile Home Park**
Township or Borough Potter Township
County **Centre**
Responsible Official Ray A. Walker, Jr. Empire Mobile Home Park P. O. Box 5003 Pleasant Gap, PA 16823
Type of Facility Public Water Supply—Operation
Consulting Engineer N/A
Permit Issued Date August 14, 2007
Description of Action Transfer of Empire MHP from Charles Guenther to Ray A. Walker, Jr.

Permit No. 4907501—Construction, Public Water Supply.

Applicant **The Meadows at Watsonstown**
 Township or Borough Delaware Township
 County **Northumberland**
 Responsible Official Alvin C. Thompson
 The Meadows at Watsonstown
 2814 Walbert Avenue
 Allentown, PA 18104
 Type of Facility Public Water
 Supply—Construction
 Consulting Engineer Charles Kehew, P. E.,
 James R. Holley & Associates,
 Inc.
 18 South George Street
 York, PA 17401
 Permit Issued Date August 14, 2007
 Description of Action Replacement of Well No. 1 with
 Well No. 3.

Permit No. 4496231A6—Construction and Operation, Public Water Supply.

Applicant **Dutch Valley Food Company, Inc.**
 Township or Borough Porter Township
 County **Schuylkill**
 Responsible Official John T. Lerch
 Manufacturing and Technical
 Projects Manager
 Dutch Valley Food Company, Inc.
 P. O. Box 471
 Sunbury, PA 17801-0471
 Type of Facility Public Water
 Supply—Construction and
 Operation
 Consulting Engineer Ralph A. Lamert Jr., P. E.
 LAR Enterprises
 363 West High Street
 Gettysburg, PA 17325-2496
 Permit Issued Date August 14, 2007
 Description of Action Construction and Operation of
 Stoney Mountain Springs and
 the loading station

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 4300503-T1-MA1, Minor Amendment, Public Water Supply.

Applicant **Aqua PA Shenango Valley WTP**
 Borough or Township Wilmington and Shenango
 Townships
 County **Lawrence and Mercer
 Counties**
 Type of Facility PWS
 Consulting Engineer Peter J. Kusky, P. E.
 Permit to Construct August 14, 2007
 Issued

Wellhead Protection Program Approval issued to **Port Allegheny Borough**, 45 West Maple Street, Port Allegheny, PA 16743, PWSID No. 6420021, Port Allegheny Borough, **McKean County** on August 13, 2007.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under section 5 of the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Lynn Township	7911 Kings Highway New Tripoli, PA 18066	Lehigh

Plan Description: The approved plan provides for a systematic plan to identify and propose corrective measures for portions of the Township's wastewater collection system that may be subject to excessive amounts of infiltration/inflow. The Corrective Action Plan (CAP) also contains time schedules for the implementation of the activities proposed in the CAP. The CAP is now to be considered an integral part of Lynn Township's Official Sewage Facilities Plan.

Should conditions be encountered during the implementation of the CAP, which require the alteration of the approved CAP, Lynn Township shall contact the Department, in writing, and discuss the need to alter the CAP at the earliest possible time. Any additional wastewater-related improvements, additions, deletions or changes outside of those explicitly described in the CAP must be in compliance with the Department's regulations and be submitted to and approved by the Department in writing.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Middletown Borough	60 West Emaus Middletown, PA 17057	Dauphin

Plan Description: Approval of a revision to the Official Sewage Plan of Middletown Borough, Dauphin County. The proposed Woodland Hills Subdivision consists of 312 residential units with a sewage flow of 70,200 gpd connected to two new pump stations and forcemains tributary to the Middletown Borough Wastewater Treatment Plant. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant impacts resulting from this proposal.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Lower Paxton Township	425 Prince Street Harrisburg, PA 17109	Dauphin

Plan Description: Approval of a revision to the Official Sewage Plan of Lower Paxton Township, Dauphin County. The proposed Stray Winds Farm Subdivision consists of 449 residential units with a sewage flow of 112,250 gpd tributary to the Lower Paxton Township sewer system.

The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant impacts resulting from this proposal.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Granville Township	100 Helen Street Lewistown, PA 17044	Mifflin

Plan Description: Approval of a revision to the Official Sewage Plan of Granville Township, Mifflin County. The proposed expansion of the MCIDC Industrial Park consists of a new pump station and forcemain tributary to the Granville Township Wastewater Treatment Plant. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant impacts resulting from this proposal.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Ronald S. Brezinski, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Former Kreller Rental Property, South Whitehall Township, **Lehigh County**. Jon P. Kleinle, Barry Isett & Associates, Inc., P. O. Box 147, 85 South Route 100 and Kressler Lane, Trexlertown, PA 18087-0147 has submitted a Final Report (on behalf of his client, Robin Osiecki, 1048 Hausman Road, Allentown, PA 18102), concerning the remediation of soils found to have been impacted by No. 2 fuel oil as a result of an underground storage tank's poor physical condition including approximately six small pinholes. The report was submitted to document attainment of the Residential Statewide Health Standard. The proposed future use of the property will be residential. A public notice regarding the submittal of the final reports was published in *The Morning Call* on July 23, 2007. A Notice of Intent to Remediate was simultaneously submitted.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

William G. Rice Residence, Manor Township, **Lancaster County**. Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of the following residents in Conestoga, PA 17516: William G. and Shirley Rice, 153 Pittsburg Valley Road; John Schopf, 149 Pittsburg Valley Road; Daniel and Sandra Brown, 138 Pittsburg Valley Road; Gary and Sheryl Ann Brinkman, 133 Pittsburg Valley Road; John McDonald, 128 Pittsburg Valley Road; Brian Hornberger, 127 Pittsburg Valley Road; William Burgess, 108 Pittsburg Valley Road; Richard and Annette Dailey, 75 Pittsburg Valley Road; Wesley Bleacher, 70 Pittsburg Valley Road; Anne Miller, 35 Pittsburg Valley Road; and State Farm Mutual Insurance Company, P. O. Box 13, Concordville, PA 19331, resubmitted a Final Report concerning surface water and sediment contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to the Residential Statewide Health Standard.

Anvil International, Inc. (former Tyco), Columbia Borough, **Lancaster County**. Earth Tech, Inc., Two Market Plaza Way, Mechanicsburg, PA 17055, on behalf of Tyco International, Inc., 9 Roszel Road, Princeton, NJ 08540 and Anvil International, Inc., 1411 Lancaster Avenue, Columbia, PA 17512-1900, submitted a Final Report concerning remediation of site groundwater contaminated with metals and petroleum hydrocarbons. The report is intended to document remediation of the site to the Site-Specific and Statewide Health Standards.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Sunbury Textile Mill Inc. Sites 1, 2 and 3, City of Sunbury, **Northumberland County**. Geosyntec Consultants, 130 Research Lane, Suite 2, Guelph, Ontario, Canada N1G 5G3 on behalf of Sunbury Textile Mills, 1200 Miller Street, Sunbury, PA 17801 has submitted a Cleanup Plan concerning remediation of site soil and groundwater contaminated with chlorinated solvents and petroleum hydrocarbons. The report is intended to document remediation of the site to meet the Site-Specific Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Ronald S. Brezinski, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Former Anemostat Plant, City of Scranton, Lackawanna County. Bryon Nickerson, SAIC, 180 Gordon Drive, Suite 110, Exton, PA 19341 submitted a Final Report (on behalf of his client, Keyser Properties, Inc., 260 North Elm Street, Westfield, MA 01085), concerning the characterization and remediation of site soils and groundwater found to have been contaminated with chlorinated solvents. The report demonstrated attainment of the Site-Specific Standard using pathway elimination for soils and groundwater and was approved on August 6, 2007.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Linda Kurtz Residence, Borough of Mechanicsburg, Cumberland County. Alliance Environmental Services, Inc., 1820 Linglestown Road, Harrisburg, PA 17110, on behalf of Linda Kurtz, 102 North Washington Street, Mechanicsburg, PA 17055-3263 and Shipley Energy Group, P. O. Box 1509, York, PA 17405, submitted a Final Report concerning the remediation of site soils contaminated with No. 2 fuel oil. The final report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department of Environmental Protection on August 7, 2007.

Eli Fisher Garage, West Cocalico Township, Lancaster County. Alternative Environmental Solutions, 930 Pointview Avenue, Suite B, Ephrata, PA 17522, on behalf of Fishers Garage, 5 Creamery Road, Reinholds, PA 17569-9624, submitted a Final Report concerning the remediation of site groundwater contaminated with No. 2 fuel oil. The final report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department of Environmental Protection on August 8, 2007.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Loyal Plaza, Loyalsock Township, Lycoming County. Environmental Standards, 1140 Valley Forge Road, Valley Forge, PA 19482-0810 on behalf of Glimcher Development Corp., 150 East Gay Street, Columbus, OH 43215 has submitted a Cleanup Plan concerning remediation of site soil, groundwater and indoor air contaminated with solvents. The report is intended to document remediation of the site to meet the Site-Specific Standard. The Cleanup Plan was approved on August 7, 2007.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Hazardous Waste Transporter License Issued

Bio-Team Mobile, LLC, 6 E. Kendig Road, Willow Street, PA 17584. License No. PA-AH 0733. Effective July 24, 2007.

Care Environmental Corp., 10 Orben Drive, Landing, NJ 07850. License No. PA-AH 0735. Effective August 6, 2007.

Interstate Ventruess, Inc., 111 Union Valley Road, Suite B, Oak Ridge, TN 37830. License No. PA-AH 0732. Effective August 7, 2007.

Hazardous Waste Transporter License Renewed

Auchter Industrial Vac Service, Inc., 4801 South Wood Avenue, Linden, NJ 07036. License No. PA-AH 0444. Effective July 11, 2007.

Quality Carriers, Inc., 4041 Park Oaks Boulevard, Suite 200, Tampa, FL 33610. License No. PA-AH 0630. Effective July 11, 2007.

Sumter Transport Company, P. O. Box 1060, Sumter, SC 29151-1060. License No. PA-AH 0439. Effective July 16, 2007.

Barnett Transportation, Inc., 1547 51st Avenue, Tuscaloosa, AL 35401. License No. PA-AH 0700. Effective August 1, 2007.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

Infectious and Chemotherapeutic Waste Transporter License, actions taken under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and Act 93 (P.L. 525, No. 93) and regulations to transport infectious and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Infectious and Chemotherapeutic Waste Transporter License Voluntarily Terminated

Commodore Medical Service of Pennsylvania, LLC, 1941 Cement Plant Road, Nashville, TN 37208. License No. PA-HC 0228. Effective June 25, 2007.

Actions on applications for Infectious and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and Act 93 (P.L. 525, No. 93) and regulations to transport infectious and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Infectious and Chemotherapeutic Waste Transporter License Renewed

Weavertown Transport Leasing, Inc., 2 Dorrington Road, Carnegie, PA 15106. License No. PA-HC 0020. Effective July 10, 2007.

York Hospital, 1001 South George Street, York, PA 17405. License No. PA-HC 0017. Effective July 17, 2007.

Veolia ES Solid Waste of PA, Inc., 6330 Route 219, Brockway, PA 15824. License No. PA-HC 0199. Effective July 17, 2007.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit issued under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit ID No. PAD980552848. Newell Rubbermaid, Inc., 2707 Butterfield Road, Oak Brook, IL 60523-1267. Approval of a remedial action plan (RAP) for the storage and treatment of hazardous waste at the Palmieri remediation site at 141 Wagner Road in Center Township, **Beaver County**. The 2 year RAP was issued in the Regional Office on August 7, 2007.

POSTCLOSURE CARE OF A HAZARDOUS WASTE DISPOSAL FACILITY UNDER THE TERMS OF A CONSENT ORDER AND AGREEMENT

Consent Order and Agreement under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4706.

This is a Reposting of a Notice Given at 37 Pa.B. 3321 (July 14, 2007):

PAD003026903. Consent Order and Agreement—General Electric Company, Lancaster Facility—Upper Quarry and Lower Lagoon Areas, Pleasure Road, Lancaster, PA, City of Lancaster, **Lancaster County**. A request from General Electric Company—Lancaster Facility (GE Lancaster) to conduct Post Closure Care activities under the terms of a Consent Order and Agreement (COA) was received by the Department of Environmental Protection (Department) on June 13, 2007. A draft COA has been developed by the Department in response to this request. The COA would allow GE Lancaster to continue implementing Post Closure Care activities for the Upper Quarry and Lower Lagoon Areas, previously provided under Hazardous Waste Permit No. PAD003026903. This COA would serve as an alternate enforceable document to achieve postclosure care requirements, under 40 CFR 270.1(c)(7), incorporated by reference at 25 Pa. Code § 270a.1. The Consent Order and Agreement alternative must provide for administrative procedures required for a postclosure permit including public notice and a public comment period.

Further information on the proposed request and draft COA are available by contacting John Oren, Permitting Manager, Department of Environmental Protection, Southcentral Regional Office, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4706. A copy of the postclosure care documents and draft COA are available for review at the Department's Southcentral Regional Office. File reviews may be scheduled by calling (717) 705-4732.

Persons wishing to comment on the proposed request and draft COA are invited to submit a statement to the Southcentral Regional Office within 45 days from the date of this public notice. Comments received within this 45-day period will be considered in the formulation of the final determination regarding this COA. Responses should include the name, address and telephone number of the writer; and a concise statement to inform the Regional Office of the exact basis of any comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 45-day comment period and/or public hearing, the Department will make a final determination regarding the proposed COA. Notice of this action will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

HAZARDOUS WASTE TREATMENT, STORAGE AND DISPOSAL FACILITIES

Request for Bond Release under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

PAD001643691. Harley-Davidson Motor Company, 1425 Eden Road, York, PA 17402, Springettsbury Township, **York County.** A request to release the full \$110,000 bond amount for three RCRA interim status storage units located at the Harley-Davidson Facility was received by the Department of Environmental Protection (Department) on April 11, 2007. The request was made in accordance with 25 Pa. Code § 265a.165 of the Department's Hazardous Waste Regulations. Two storage areas (building 51 and 67) and two storage tanks (1-4,000 gallon tank and 1-6,000 gallon tank) were closed in accordance with the approved closure plans. The Department has reviewed the final closure certifications and other data provided to the Department. Any groundwater contamination found at or near these areas will be addressed under a "One Cleanup Program Agreement" between Harley Davidson, the Federal Environmental Protection Agency and the Department.

Further information on the proposed request for bond release is available by contacting John Oren, Permitting Manager, Department of Environmental Protection, Southcentral Regional Office, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, (717) 705-4706.

Persons wishing to comment on the proposed request are invited to submit a statement to the Southcentral Regional Office within 45 days from the date of this public notice. Comments received within this 45-day period will be considered in the final determination regarding this request for bond release. Responses should include the name, address, and telephone number of the writer; and a concise statement to inform the Regional Office of the exact basis of any comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 45-day comment period and/or public hearing, the Department will make a final determination regarding the proposed request for bond release. Notice of this action will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Wejkszner, New Source Review Chief, (570) 826-2531.

48-310-072GP3: Brandenburg Industrial Service Co. (2217 Spillman Drive, Bethlehem, PA 18015) on August 3, 2007, to construct and operate a Portable

Crushing Operation with watersprays at their site in Bethlehem, **Northampton County.**

48-329-005GP9: Brandenburg Industrial Service Co. (2217 Spillman Drive, Bethlehem, PA 18015) on August 3, 2007, to install and operate a Diesel I/C Engine at their site in Bethlehem, **Northampton County.**

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

GP-25-025: GE Transportation (2901 East Lake Road, Erie, PA 16531) on August 7, 2007, for an emergency generator in Lawrence Park Township, **Erie County.**

GP-27-036: Pennsylvania General Energy—Salmon Creek No. 1347 (Forest Route 145, Marienville, PA 16239) on August 10, 2007, for a natural gas fired compressor engine in Jenks Township, **Forest County.**

GP-27-032: Pennsylvania General Energy—Salmon Creek No. 1346 (Forest Route 145, Marienville, PA 16239) on August 10, 2007, for a natural gas fired compressor engine in Jenks Township, **Forest County.**

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.

15-0031A: Henry Co. (336 Cold Stream Road, Kimberton, PA 19442) on August 14, 2007, to operate an odor control device in East Pikeland Township, **Chester County.**

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

20-106A: Greenleaf Corp. (18695 Greenleaf Drive, Saegertown, PA 16433-4429) on August 10, 2007, to install a thermal oxidizer on a graphite resistance furnace at the manufacturing facility in Hayfield Township, **Crawford County.**

37-257A: Mohawk Area School District (Mohawk School Road, Bessemer, PA 16112) on August 10, 2007, to change sulfur content of coal allowance from 1.5% Sulfur to 2.0% Sulfur at the Mohawk Elementary School in North Beaver Township, **Lawrence County.** This is not a Title V facility.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Braun, Chief, (215) 685-9476.

AMS 06021: Kinder Morgan Liquid Terminals, LLP (3300 North Delaware Avenue, Philadelphia, PA 19134) on August 10, 2007, to add a new loading position to one loading rack and switch the vapor recovery from a second loading rack to a third loading rack in the City of Philadelphia, **Philadelphia County.** The project will increase potential VOC emissions from the facility by 2.0 tons per rolling 12-month period.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Thomas McGinley, New Source Review Chief, (484) 250-5920.

46-0037X: Cabot Supermetals (P. O. Box 1608, County Line Road, Boyertown, PA 19512) on August 8, 2007, to operate a powder packaging unit in Douglass Township, **Montgomery County**.

15-0004E: Alcoa Packaging, LLC (520 Lincoln Avenue, Downingtown, PA 19335) on August 8, 2007, to operate a rotogravure press No. 9 in Downingtown Borough, **Chester County**.

23-0012: Epsilon Product Co., LLC (Post Road and Blueball Avenue, P. O. Box 432, Marcus Hook, PA 19061) on August 8, 2007, to operate plant 2 and a thermal oxidizer in Marcus Hook Borough, **Delaware County**.

46-0037Q: Cabot Supermetals (P. O. Box 1608, County Line Road, Boyertown, PA 19512) on August 8, 2007, to operate a wet dust collector in Douglass Township, **Montgomery County**.

46-0037V: Cabot Supermetals (P. O. Box 1608, County Line Road, Boyertown, PA 19512) On August 8, 2007, to operate a gemco dryer building 19 in Douglass Township, **Montgomery County**.

46-0242A: BAE Systems Information and Electronics Systems Integration Inc. (305 Richardson Road, Lansdale, PA 19446) on August 10, 2007, to operate a Federal enforceable emission cap/NOx in Montgomery Township, **Montgomery County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

65-00726A: Gutchess Hardwoods, Inc. (150 Mclean Road, P. O. Box 5478, Cortland, NY 13045) on August 7, 2006, to allow time for submission of an operating permit application for their facility in Unity Township, **Westmoreland County**. This plan approval was extended.

Plan Approvals Denied, Terminated, Modified, Suspended or Revoked under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and the provisions of 25 Pa. Code §§ 127.13b and 127.13c.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

60-318-012: Q-E Manufacturing Co., Inc. (809 Market Street, New Berlin, PA 17855) on August 13, 2007, a plan approval to construct a wood stove parts spray booth and modify an existing wood stove parts surface coating operation was terminated at the permittee's request in New Berlin Borough, **Union County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

09-00056: GE Betz, Inc. (4636 Somerton Road, Trevose, PA 19053-6783) on July 31, 2007, for a State-only, Synthetic Minor Operating Permit in Bensalem Township, **Bucks County**. Miscellaneous hot water boilers and emergency generators at the facility are a major source of NOx. The company has elected to take appropriate operating and emission restrictions to restrict NOx emissions to below 24.9 tpy and maintain a minor operating status. Monitoring, recordkeeping and reporting requirements have been added to the permit to address applicable limitations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

38-03009: Regal Cast, Inc. (P. O. Box 1170, Lebanon, PA 17042-1170) on August 6, 2007, to manufacture steel and nonferrous castings at their foundry in the City of Lebanon, **Lebanon County**.

67-03100: Iris Energy, LLC (50 Danbury Road, Wilton, CT 06897-4448) on August 8, 2007, to operate a synthetic fuel processing plant at their PPL Brunner Island Steam Electric Station in East Manchester Township, **York County**. This is a renewal of the State-only operating permit.

67-05062: Gerhard Daniel Worldwide (34 Barnhart Drive, Hanover, PA 17331-9586) on August 3, 2007, to operate their industrial steel wire cloth manufacturing facility in Hanover Borough, **York County**. This is a renewal of the State-only operating permit.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Edward Jurdones Brown, Facilities Permitting Chief, (484) 250-5920.

23-00047: Degussa Corp. (1200 West Front Street, Chester, PA 19013) on July 31, 2007, for an administrative amendment to State-only (Synthetic Minor) Operating Permit No. 23-00047 for its facility located in the City of Chester, **Delaware County**. The Administrative Amendment incorporates the requirements of Plan Approval Nos. 23-0047D and 23-0047E for the addition of a baghouse to one of the storage silos and the replacement of the burner on one of the spray dryers, respectively, at the facility. The following changes have been addressed in the amended State-only Operating Permit (SOOP):

All source material listings referring to "precipitated silica" and "silica powder," as indicated in Sections A (Site Inventory List) and D, of the SOOP, have been changed to "amorphous precipitated silica" (to provide clarification and consistency).

The following for spray dryer 3, as indicated in Sections A (Site Inventory List) and D, of the SOOP:

The Source ID number has been changed from 112 to 112A to reflect the replacement of the dryer burner.

A source capacity for the spray dryer has been added.

The source capacities for natural gas and propane have been changed.

The Department telephone number at which to report any malfunctions, as specified in Condition No. 014(a), Section C, of the SOOP, has been changed from (610) 832-6241 to (484) 250-5920.

The name of the EPA program division referenced in Condition No. 008, Section D (under Source ID 031), of the SOOP, has been changed from "Air, Toxics, and Radiation Division" to "Air Protection Division."

An additional authority citation to 25 Pa. Code § 127.443 has been added to each condition that is based on a condition found in a previously issued document.

All citations to 25 Pa. Code § 127.444 have been changed to 25 Pa. Code § 127.441.

The pressure drop restriction for baghouse 2832 has been moved from Subsection I (Emission Restrictions) to Subsection VI (Work Practice Requirements), Section D (under Source ID 103), of the SOOP.

Concentration and rate restrictions on PM emissions from baghouse 6132 have been added as Condition No. 002, Section D (under Source ID 103), of the SOOP.

A requirement to maintain records of the manufacturer's specifications for baghouse 6132 has been added as Condition No. 004(a), Section D (under Source ID 103), of the SOOP.

Work practice requirements for baghouse 6132 have been added as Condition No. 006(a)—(f), Section D (under Source ID 103), of the SOOP.

Baghouse 6132 has been added to the source listing in Condition No. 010(f), Section D (under Source ID 103), of the SOOP.

The number of the baghouse associated with silo 2657, as indicated in Condition No. 006, Section D (under Source ID 108), of the SOOP, has been corrected from 2685 to 2658.

A requirement to operate and maintain the spray dryer in accordance with the manufacturer's specifications has been added as Condition No. 004, Section D (under Source ID 112A), of the SOOP.

The Source ID number for spray dryer 3, as indicated in Section F, of the SOOP, has been changed from 112 to 112A to reflect the replacement of the dryer burner.

Administrative Amendment of SOOP No. 23-00047 is issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.450.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

36-03080: Rohrer's Quarry, Inc. (P. O. Box 365, 70 Lititz Road, Lititz, PA 17543) on August 7, 2007, to operate crushing, concrete and lime plants at their existing facility in Warwick Township, **Lancaster County**. This operating permit was administratively amended to incorporate Plan Approval 36-03080A. This is revision No. 1.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

Permit Number 30810703 and NPDES Permit No. PA0092894, Consol Pennsylvania Coal Company, (1525 Pleasant Grove Road, Claysville, PA 15323), to revise the permit for the Bailey Coal Refuse Disposal Area No. 1 and No. 2 in Richhill Township, **Greene County** to modify the reclamation plan and add an NPDES discharge point at Disposal Area No. 1, Receiving stream: UNT to Owens Run, classified for the following use: WWF. Application received April 21, 2005. Permit issued August 6, 2007.

Permit Number 30841312 and NPDES Permit No. PA0013790, Consolidation Coal Company, (1 Bridge Street, Monongah, WV 26554), to revise the permit for the Blacksville No. 2 Mine in Wayne Township, **Greene County** to perform construction activities to install the 10-S Injection Borehole. Surface Acres Proposed 0.5. No additional discharges. Application received April 26, 2006. Permit issued August 6, 2007.

Permit Number 32961302 and NPDES Permit No. PA0214949, AMFIRE Mining Company, LLC, (One Energy Place, Latrobe, PA 15650), to renew the permit for the Ondo Mine in Brush Valley and Center Townships, **Indiana County** and related NPDES permit. No additional discharges. Application received January 11, 2007. Permit issued August 6, 2007.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

65050102 and NPDES Permit No. PA0250830. Bedrock Mines, LP (101 Emerson Avenue, Pittsburgh, PA 15215). Permit revised to allow additional mining within the permit, submittal of an auger safety permit, stockpiling of alkaline material on site and a land use change at an existing bituminous surface mining site located in Washington and Bell Townships, **Westmoreland County**, affecting 245.0 acres. Receiving streams: UNTs to Beaver Run. Revision application received February 22, 2007. Permit revision issued August 8, 2007.

63050101 and NPDES Permit No. PA0250694. Muligan Mining, Inc. (5945 Pudding Stone Lane, Bethel Park, PA 15102). Permit revised to add 9.2 acres to the permit area and change the land use from forestland to pastureland/land occasionally cut for hay at an existing bituminous surface mining site located in Smith Township, **Washington County**, now affecting 55.9 acres. Receiving streams: Raccoon Creek, and UNTs to Little Raccoon Run and Raccoon Creek. Revision application received May 21, 2007. Revised permit issued August 8, 2007.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

10010112 and NPDES Permit No. PA0242039. T. C. Mining (252 Lower Hays Run Road, Kittanning, PA 16201) Renewal of an existing bituminous strip and auger operation in Clay and Concord Townships, **Butler County** affecting 181.7 acres. This renewal is issued for reclamation only. Receiving streams: UNT to South Branch Slippery Rock Creek. Application received June 11, 2007. Permit Issued August 1, 2007.

16060102 and NPDES Permit No. PA0258121. Glenn O. Hawbaker, Inc. (1952 Waddle Road, State College, PA 16803) Transfer of an existing bituminous strip operation from Allegheny Milestone, Inc. in Beaver and Licking Townships, **Clarion County** affecting 29.0 acres. Receiving streams: UNTs to Clarion River. Application received May 23, 2007. Permit Issued August 7, 2007.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

17753050 and NPDES No. PA0044822. River Hill Coal Co., Inc. (P. O. Box 141, Kylertown, PA 16847), revision of an existing bituminous surface mine to change land use in Karthaus Township, **Clearfield County**, affecting 687.6 acres. Receiving streams: UNT to Saltlick Run (CWF), to Saltlick Run (CWF), to Mosquito Creek (CWF), to West Branch Susquehanna River (WWF). There are no potable water supply intakes within 10 miles downstream. Application received June 8, 2007. Permit issued August 3, 2007.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

40900204R3. Silverbrook Anthracite, Inc., (1 Market Street, Laflin, PA 18702), renewal of an existing anthracite coal refuse reprocessing operation in Newport Township and the City of Nanticoke, **Luzerne County** affecting 80.0 acres, receiving stream: none. Application received July 31, 2006. Renewal issued August 6, 2007.

Noncoal Permits Actions

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

26070603 and NPDES Permit No. PA0251097. Fayette Coal & Coke, Inc. (2611 Memorial Boulevard, Connellsville, PA 15425). Permit issued for commencement, operation, and reclamation of a noncoal surface mining site located in Georges Township, **Fayette County**, affecting 65.8 acres. Receiving streams: UNTs to York Run. Application received March 15, 2007. Permit issued August 9, 2007.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

08070802. David A. Walter (R. R. 2, Box 241A, New Albany, PA 18833). Transfer of an existing small noncoal (bluestone/flagstone) operation from Walter Flagstone, Inc., in Wilmot Township, **Bradford County**, affecting 3.0 acres. Receiving streams: Sugar Run Creek, tributary to North Branch Susquehanna. Application received February 20, 2007. Permit issued July 31, 2007.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (43 P.S. §§ 151–161); and 25 Pa. Code § 211.124 (relating to blasting activity permits). Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

21074157. Fitz & Smith, Inc., P. O. Box 178, Dal-lastown, PA 17313-0178, blasting activity permit issued for residential development in Lower Allen Township, **Cumberland County**. Blasting activity permit end date is August 4, 2008. Permit issued August 1, 2007.

28074144. Geological Tech Inc., P. O. Box 70, Falling Waters, WV 25419-0070, blasting activity permit issued for residential development in Greencastle Borough, **Franklin County**. Blasting activity permit end date is October 7, 2007. Permit issued August 2, 2007.

01074113. Dyno Nobel, Inc., 1320 Galiffa Drive, Donora, PA 15033, blasting activity permit issued for residential development in Germany Township, **Adams County**. Blasting activity permit end date is August 30, 2008. Permit issued August 3, 2007.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

27074002. Seneca Resources Corporation (286 Old Sigel Road, Sigel, PA 15860). Blasting activity permit for gas and oil exploration in Kingsley Township, **Forest County**. This blasting activity permit will expire on August 9, 2008. Application received August 9, 2007. Application issued August 9, 2007.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

55074101. Douglas Explosives, Inc. (P. O. Box 77, Philipsburg, PA 16866), construction blasting for commercial development, Monroe Marketplace, located in Monroe Township, **Snyder County**. Permit issued July 24, 2007. Permit expires August 30, 2008.

18074001. Dykon Explosive Demolition Corp. (1202 West 36th Street North, Tulsa, OK 74127), explosive felling of the First Quality Tissue plant located in the City of Lock Haven, **Clinton County**. Permit issued July 24, 2007. This blasting permit has an approval for one of the following dates: August 18, 19, 25 or 26, 2008.

18074002. Douglas Explosives, Inc. (P. O. Box 77, Philipsburg, PA 16866), blasting for a water line for the Porter Township Municipal Authority located in Porter Township, **Clinton County**. Permit issued July 24, 2007. Permit expires October 30, 2007.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

36074188. Warren's Excavating & Drilling, Inc., (P. O. Box 1022, Honey Brook, PA 19344), construction blasting for a residential development in Lancaster Township, **Lancaster County** with an expiration date of July 15, 2008. Permit issued August 3, 2007.

38074119. Keystone Blasting Service, (381 Reifsnnyder Road, Lititz, PA 17543), construction blasting for a single dwelling in Cleona Borough, **Lebanon County** with an expiration date of October 30, 2007. Permit issued August 3, 2007.

46074116. Allan A. Myers, Inc., d/b/a Independence Construction Materials, (P. O. Box 98, Worcester, PA 19490), construction blasting for Providence Town Center in Montgomery Township, **Montgomery County** with an expiration date of July 1, 2008. Permit issued August 3, 2007.

67074138. J. Roy's, Inc., (P. O. Box 125, Bowmansville, PA 17507), construction blasting for Eden Road addition in Springettsbury Township, **York County** with an expiration date of August 1, 2008. Permit issued August 3, 2007.

67074139. J. Roy's, Inc. (P. O. Box 125, Bowmansville, PA 17507), construction blasting for Gettle Development addition in Manchester Township, **York County** with an expiration date of August 1, 2008. Permit issued August 3, 2007.

09074120. American Rock Mechanics, Inc., (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Milford Township Water Authority in Milford Township, **Bucks County** with an expiration date of December 31, 2008. Permit issued August 6, 2007.

45074147. Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for Sunrise Village in Smithfield Township, **Monroe County** with an expiration date of August 31, 2008. Permit issued August 6, 2007.

45074148. Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for South Ridge Estates in Price Township, **Monroe County** with an expiration date of August 31, 2008. Permit issued August 6, 2007.

45074149. Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for Evergreen Estates in Evergreen Estates in Middle Smithfield Township, **Monroe County** with an expiration date of August 31, 2008. Permit issued August 6, 2007.

52074127. Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for Oak Ridge Estates in Dingman Township, **Pike County** with an expiration date of August 31, 2008. Permit issued August 6, 2007.

66074001. Brainard Explosives, (R. R. 1, Box 279, Kingsley, PA 18826), construction blasting for Road Fill in Eaton Township, **Wyoming County** with an expiration date of July 31, 2008. Permit issued August 7, 2007.

09074121. Allan A. Myers, Inc. d/b/a Independence Construction Materials, (P. O. Box 98, Worcester, PA 19490), construction blasting for Ann's Choice in Warminster Township, **Bucks County** with an expiration date of August 1, 2008. Permit issued August 10, 2007.

09074122. Newville Construction Services, Inc., (408 Mohawk Road, Newville, PA 17241), construction blasting for Woodside Road sewer extension in

Bedminster Township, **Bucks County** with an expiration date of August 6, 2008. Permit issued August 10, 2007.

15074113. Horst Drilling & Blasting, Inc., (141 Ranck's Church Road, New Holland, PA 17557), construction blasting for Ewing Tract in West Vincent Township, **Chester County** with an expiration date of August 1, 2008. Permit issued August 10, 2007.

35074118. DC Guelich Explosives, Inc., (R. R. 3, Box 125A, Clearfield, PA 16830), construction blasting for Dolf Refuse Mine Fire in Olyphant Borough, **Lackawanna County** with an expiration date of August 1, 2008. Permit issued August 10, 2007.

35074119. Hayduk Enterprises, Inc., (257 Riverside Drive, Factoryville, PA 18419), construction blasting for commercial development in Jessup Borough, **Lackawanna County** with an expiration date of December 31, 2007. Permit issued August 10, 2007.

36074189. Newville Construction Services, Inc., (408 Mohawk Road, Newville, PA 17241), construction blasting for Paradise Elementary School in Paradise Township, **Lancaster County** with an expiration date of August 1, 2008. Permit issued August 10, 2007.

40074129. Geological Technologies, Inc., (P. O. Box 70, Falling Waters, WV 25419), construction blasting for Ruby Tuesday in the City of Hazleton, **Luzerne County** with an expiration date of August 6, 2008. Permit issued August 10, 2007.

40074130. Hayduk Enterprises, Inc., (257 Riverside Drive, Factoryville, PA 18419), construction blasting for Forest Heights Development in Duryea Borough, **Luzerne County** with an expiration date of August 31, 2007. Permit issued August 10, 2007.

54074106. Hayduk Enterprises, Inc., (257 Riverside Drive, Factoryville, PA 18419), construction blasting for Sharp Mountain Phase IV in the City of Pottsville, **Schuylkill County** with an expiration date of August 31, 2007. Permit issued August 10, 2007.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal

form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Regional Office, Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E48-362. Kemmerer Corporation, 3220 Valley View Drive, Bath, PA 18014. Lehigh and Moore Townships, **Northampton County**, United States Army Corps of Engineers Philadelphia District.

To construct and maintain a road crossing consisting of an open-bottom arch culvert having a span of 12.0 feet and minimum underclearance of approximately 2.0 feet in a tributary to Hockendauqua Creek (CWF) and in approximately 0.12 acre of adjacent EV wetlands for the purpose of constructing an access road to serve Phase IV of Cottonwood Crest planned residential development. The permittee is required to provide 0.12 acre of replacement wetlands. The project is located approximately 1,500 feet east of the intersection of Murphy Road and South Cottonwood Road (Kunkletown, PA Quadrangle N: 2.8 inches; W: 14.6 inches). (Subbasin: 2C)

E39-469. Upper Saucon Township, 5500 Camp Meeting Road, Center Valley, PA 18034. Upper Saucon Township, **Lehigh County**, United States Army Corps of Engineers Philadelphia District.

To construct and maintain a 12-inch diameter DIP waterline crossing of two tributaries to Saucon Creek (CWF) and through approximately 650 feet of adjacent EV wetlands. The project is located along Liberty Road (T415), North Main Street (SR 2045) and Passer Road (SR 2028) (Allentown East, PA Quadrangle N: 4.4 inches; W: 2.2 inches). (Subbasin: 2C)

E39-468. Upper Saucon Township, 5500 Camp Meeting Road, Center Valley, PA 18034. Upper Saucon Township, **Lehigh County**, United States Army Corps of Engineers Philadelphia District.

To construct and maintain a 12-inch diameter DIP waterline crossing of a tributary to Saucon Creek (CWF) and 0.01 acre of adjacent EV wetlands. The project is located between the Curly Horse Road cul-de-sac and Hopewell Road (Allentown East, PA Quadrangle N: 6.0 inches; W: 8.5 inches). (Subbasin: 2C)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E07-409: Team Ten, LLC, American Eagle Paper Mill, 1600 Pennsylvania Avenue, Tyrone, PA 16686, Snyder Township, **Blair County**, ACOE Baltimore District.

To construct and maintain a 14-foot high by 40-foot long concrete wall and related work along the right bank of Bald Eagle Creek (TSF) located at the American Eagle Paper Mill (Tyrone, PA Quadrangle N: 8.99 inches; W: 16.00 inches, Latitude: 40° 40' 28.2"; Longitude: 78° 14' 25.63") in Snyder Township and Tyrone Borough, Blair County.

E67-824: Harry Becker and Claude Rohrbaugh, 3963 and 3967 Little John Drive, York, PA 17408-8985, North Codorus Township, **York County**, ACOE Baltimore District.

To construct and maintain a 6-inch sanitary sewer lateral crossing in a UNT to Codorus Creek (CWF) at a point just west of Route 616 (West York, PA Quadrangle N: 5.2 inches; W: 6.0 inches, Latitude: 39° 54' 13"; Longitude: 76° 47' 34") in North Codorus Township, York County.

E36-827: Department of Transportation, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103-1699, Manheim Township, **Lancaster County**, ACOE Baltimore District.

To: (1) remove an existing single span T-Beam bridge having a total span of 25.0 feet, a width of 30 feet, and minimum underclearance of 5.0 feet, with associated dam structure located directly under the bridge; (2) remove an existing single-lane single span T-Beam bridge having a total span of 12.0 feet, a width of 30 feet, and minimum underclearance of 5.0 feet, with associated emergency spillway structure located directly under the bridge; (3) remove approximately 9,240 cubic feet of roadway fill between the two bridge structures; and to (4) construct and maintain a single span Spread Box Beam Bridge having a total span of 48.5 feet, a width of 50 feet, and minimum underclearance of 4.0 feet carrying Oregon Road (SR 0722) over Lititz Run (WWF) at a point approximately 200 feet west of its intersection with Creek Road (TR-620) (Leola, PA Quadrangle N: 20.2 inches; W: 17.2 inches, Latitude 40° 06' 40"; Longitude: 76° 14' 54") in Manheim Township, Lancaster County. The applicant is proposing to use rock-vein structures to control the streambed elevation and maintain the pool level within the lake that was created by the dam.

E22-509: Hershey Trust Company, 1201 Homestead Lane, Hershey, PA 17033, South Hanover Township, **Dauphin County**, ACOE Baltimore District.

To construct and maintain an 8-inch PVC sanitary sewer pipe wetland crossing temporarily impacting .013 acre PEM wetland; four, 4-inch and 8-inch PVC sanitary sewer pipe wetland crossings temporarily impacting .007 acre, .021 acre, .006 acre and .43 acre PEM wetlands, respectively; a 40-foot long 4-inch and 8-inch PVC sanitary sewer pipes crossing of a UNT to the Swatara Creek (WWF); a 4-inch and 8-inch sanitary sewer pipe crossing the Swatara Creek (WWF); an 80-foot long by 24-inch

HDPE sewer pipe wetland crossing permanently impacting .036 acre PEM wetland; a 35-foot long by 34-foot, 8.25-inch wide concrete arch bridge with a 9-foot, 2-inch clearance over the water crossing a UNT to the Swatara Creek (WWF) permanently impacting .021 acre of PEM wetland. Other utilities are located within the fill of the roadway crossings. The project is located at the northeast corner of the intersection of SR 0039 and East Canal Street (SR 2010) (Hershey, PA Quadrangle; N: 9 inches, W: 6.9 inches; Latitude: 40° 18' 00"; Longitude: 76° 40' 40") in South Hanover Township, Dauphin County. The .057-acre of permanent PEM wetland impact will be replaced onsite with a .085-acre of PEM wetland mitigation area.

E36-813: Department of Transportation, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA, East Cocalico and West Cocalico Townships, **Lancaster County**, ACOE Baltimore District.

To reconstruct and widen SR 0897 Section 012 in East and West Cocalico Townships, Lancaster County for the purpose of improving traffic safety involving the following:

1. Remove an existing 39.0-foot long, 54.0-inch by 36.0-inch corrugated metal arch culvert and to construct and maintain 40.0-foot long, 38.0-inch by 60.0-inch elliptical concrete culvert pipe with D-W end section depressed six-inches within the channel of Stony Run (WWF) at Station 833+08 (Sinking Springs, PA Quadrangle; N: 20.60 inches; W: 11.40 inches, Latitude: 40° 14' 15"; Longitude: 76° 04' 51"). Net permanent channel impact is 40.0 lineal feet.
2. Remove an existing 36.0-foot long, 15.0-inch corrugated metal culvert and to construct and maintain 40.0-foot long, 18.0-inch reinforced concrete culvert pipe within the channel of a UNT to Little Cocalico Creek (TSF) at Station 860+15 (Sinking Springs, PA Quadrangle; N: 21.80 inches; W: 11.80 inches, Latitude: 40° 14' 42"; Longitude: 76° 05' 04"). Net permanent channel impact is 40.0 lineal feet and the net PEM wetland impact is 0.03 acre.
3. Maintain fill within 0.03 acre of PEM wetland to widen SR 0897 between Stations 860+30 to 862+40 (Sinking Springs, PA Quadrangle; N: 21.80 inches; W: 11.80 inches, Latitude: 40° 14' 42"; Longitude: 76° 05' 04").
4. Relocate and maintain 26.0-feet of a UNT to Little Cocalico Creek (TSF) between Stations 876+15 and 877+40 (Sinking Springs, PA Quadrangle; N: 22.60 inches; W: 12.00 inches, Latitude: 40° 14' 55"; Longitude: 76° 05' 08"). The proposed relocation will permanently impact 125-feet of stream channel.
5. To construct and maintain a 16.0-foot long, 19.0-inch by 30.0-inch elliptical concrete culvert pipe within a UNT to Little Cocalico Creek (TSF) at Station 876+15 (Sinking Springs, PA Quadrangle; N: 22.70 inches; W: 12.10 inches; Latitude: 40° 14' 58"; Longitude: 76° 05' 07"). Net permanent channel impact is 16.0 lineal feet.
6. Relocate and maintain 247.0-feet of a UNT to Little Cocalico Creek (TSF) between Stations 875+10 and 877+57 (Sinking Springs, PA Quadrangle; N: 22.60 inches; W: 12.00 inches, Latitude: 40° 14' 55"; Longitude: 76° 05' 08"). The proposed relocation will permanently impact 247-feet of stream channel.
7. Remove an existing 18.0-foot long, 18.0-inch reinforced concrete culvert and to construct and maintain 24.0-foot long, 19.0-inch by 30.0-inch elliptical concrete culvert pipe within a UNT to Little Cocalico Creek (TSF) at Station 877+25 (Sinking Springs, PA Quadrangle; N: 22.70 inches; W: 12.10 inches, Latitude: 40° 14' 58"; Longitude: 76° 05' 07"). Net permanent channel impact is 24.0 lineal feet.
8. Remove an existing 40.0-foot long, 24.0-inch corrugated metal culvert and to construct and maintain 40.0-foot long, 19.0-inch by 30.0-inch elliptical concrete culvert pipe within a UNT to Little Cocalico Creek (TSF) at Station 877+39 (Sinking Springs, PA Quadrangle; N: 22.70 inches; W: 12.10 inches, Latitude: 40° 14' 58"; Longitude: 76° 05' 07"). Net permanent channel impact is 40.0 lineal feet.
9. Relocate and maintain 290.0-feet of a UNT to Little Cocalico Creek (TSF) between Stations 877+60 and 880+50 (Sinking Springs, PA Quadrangle; N: 22.70 inches; W: 12.10 inches, Latitude: 40° 14' 58"; Longitude: 76° 05' 08"). The proposed relocation will permanently impact 290-feet of stream channel.
10. Remove an existing 52.0-foot long, 36.0-inch corrugated metal culvert and to construct and maintain a 56.0-foot long, 29.0-inch by 45.0-inch elliptical concrete culvert pipe within the channel of a UNT to Little Cocalico Creek (TSF) at Station 880+34 (Terre Hill, PA Quadrangle; N: 0.00 inch; W: 11.90 inches, Latitude: 40° 15' 00"; Longitude: 76° 05' 07"). Net permanent channel impact is 56.0 lineal feet.
11. Relocate and maintain 385.0-feet of a UNT to Little Cocalico Creek (TSF) between Stations 880+90 and 884+85 (Terre Hill, PA Quadrangle; N: 0.00 inch; W: 11.90 inches, Latitude: 40° 15' 00"; Longitude: 76° 05' 08"). The proposed relocation will permanently impact 385-feet of stream channel.
12. To construct and maintain a 40.0-foot long, 29.0-inch by 45.0-inch elliptical concrete culvert pipe within a UNT to Little Cocalico Creek (TSF) at Station 884+36 (Terre Hill, PA Quadrangle; N: 0.30 inch; W: 12.0 inches, Latitude: 40° 15' 05"; Longitude: 76° 05' 08"). Net permanent channel impact is 40.0 lineal feet.
13. Remove an existing 46.0-foot long, 22.0-inch by 33.0-inch corrugated metal arch culvert and to construct and maintain 44.0-foot long, 29.0-inch by 45.0-inch elliptical concrete culvert pipe within a UNT to Little Cocalico Creek (TSF) at Station 884+84 (Terre Hill, PA Quadrangle; N: 0.30 inch; W: 12.00 inches, Latitude: 40° 15' 05"; Longitude: 76° 05' 08"). Net permanent channel impact is 46.0 lineal feet.
14. Relocate and maintain 270.0-feet of a UNT to Little Cocalico Creek (TSF) between Stations 885+15 and 887+95 (Terre Hill, PA Quadrangle; N: 0.30 inch; W: 12.00 inches, Latitude: 40° 15' 06"; Longitude: 76° 05' 09"). The proposed relocation will permanently impact 270-feet of stream channel.
15. Relocate and maintain 540.0-feet of a UNT to Little Cocalico Creek (TSF) between Stations 887+95 and 893+35 (Terre Hill, PA Quadrangle; N: 0.40 inch; W: 12.10 inches, Latitude: 40° 15' 10"; Longitude: 76° 05' 09"). The proposed relocation will permanently impact 540-feet of stream channel.
16. Remove an existing 38.0-foot long, 24.0-inch diameter corrugated metal culvert and to construct and maintain 40.0-foot long, 19.0-inch by 30.0-inch elliptical concrete culvert pipe within a PEM wetland at Station 887+69 (Terre Hill, PA Quadrangle; N: 0.40 inch; W: 12.10 inches, Latitude: 40° 15' 08"; Longitude: 76° 05' 09"). Net permanent PEM wetland impact is 0.002 acre.

17. Remove an existing 19.0-foot long, steel I-beam bridge with an average underclearance of 4.8-feet and a span of 8.0-foot and to construct and maintain a one-foot depressed 36.0-foot long, concrete box culvert with an underclearance of 5.0-foot and a span of 8.0-foot within a UNT to Little Cocalico Creek (TSF) at Station 893+35 (Terre Hill, PA Quadrangle; N: 0.60 inch; W: 12.10 inches, Latitude: 40° 15' 13"; Longitude: 76° 05' 08"). Net permanent channel impact is 36.0 lineal feet.

18. Maintain fill within 0.034 acre of PEM wetland at Station 894+15 (Terre Hill, PA Quadrangle N: 0.70 inch; W: 12.10 inches, Latitude: 40° 15' 14"; Longitude: 76° 05' 09").

19. Remove an existing 40.0-foot long, 15.0-inch corrugated metal culvert and to construct and maintain 40.0-foot long, 14.0-inch by 23.0-inch elliptical concrete culvert pipe within a PEM wetland at Station 904+26 (Terre Hill, PA Quadrangle; N: 1.10 inches; W: 12.40 inches, Latitude: 40° 15' 21"; Longitude: 76° 05' 19"). Net permanent PEM wetland impact is 0.001 acre.

20. Maintain fill within 0.001 acre of PEM wetland at Station 904+85 (Terre Hill, PA Quadrangle N: 1.10 inches; W: 12.40 inches, Latitude: 40° 15' 21"; Longitude: 76° 05' 19").

21. Remove an existing 22.1-foot long, concrete slab bridge with an average underclearance of 4.2-feet and a span of 14.0-foot and to construct and maintain a one-foot depressed 34.9-foot long, concrete box culvert with an underclearance of 5.0-foot and a span of 18.0-foot within a UNT to Little Cocalico Creek (TSF) at Station 905+50 (Terre Hill, PA Quadrangle; N: 1.10 inches; W: 12.40 inches, Latitude: 40° 15' 21"; Longitude: 76° 05' 19"). Net permanent channel impact is 34.9 lineal feet.

22. Relocate and maintain 375.0-feet of a UNT to Little Cocalico Creek (TSF) between Stations 934+55 and 938+50 (Terre Hill, PA Quadrangle N: 1.90 inches; W: 13.70 inches, Latitude: 40° 15' 38"; Longitude: 76° 05' 53"). The proposed relocation will permanently impact 375-feet of stream channel.

23. Remove an existing 35.0-foot long, 18.0-inch corrugated metal culvert and to construct and maintain 36.0-foot long, 14.0-inch by 23.0-inch elliptical concrete culvert pipe within a PEM wetland at Station 938+28 (Terre Hill, PA Quadrangle; N: 1.90 inches; W: 13.80 inches, Latitude: 40° 15' 39"; Longitude: 76° 05' 53"). Net permanent PEM wetland impact is 0.002 acre.

The project will result in 2,525 linear feet of permanent channel impacts, 0.05 acre of temporary PEM wetland impacts and 0.07 acre of permanent PEM wetland impacts. The applicant is required to replace 0.07 acre of PEM wetlands and has proposed to create 0.31 acre of PEM wetlands along the UNT to Little Cocalico Creek (TSF) between Stations 903+00 and 906+50. The applicant has proposed 625 linear feet of stream channel stabilization, riparian plantings and streambank fencing along the UNT to Little Cocalico Creek (TSF) at Station 905+50 as stream impact compensation.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E41-576. Department of Transportation, Engineering District 3-0, P. O. Box 218 Montoursville, PA 17754-0218. SR 1005 Section 011 Bridge Replacement Project in Plunketts Creek Township, **Lycoming County**, ACOE Susquehanna River Basin District (Barbours, PA Quadrangle N: 7.95 inches; W: 7.40 inches).

To remove an existing concrete encased steel I-beam bridge and replace with a 48-inch by 39-inch P/S concrete box-beam bridge on a skew of 50.25°, which carries SR 1005 over Plunketts Creek (HQ-CWF). This project is located approximately 4 miles from the intersection of SR 0087 and SR 1005 in Plunketts Creek Township, Lycoming County.

This project proposes to have a minimal impact on Plunkett's Creek, which is designated a HQ-CWF. This project does not propose to impact any jurisdictional wetlands. This permit also includes 401 Water Quality Certification.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1556. Allegheny County Airport Authority, Landside Terminal, 4th Floor Mezzanine, Pittsburgh, PA 15231. To place and maintain fill in Findlay Township, **Allegheny County**, Pittsburgh ACOE District. (Aliquippa, PA Quadrangle; N: 0.5 inches; W: 2.5 inches; Latitude: 40° 30' 14"; Longitude: 80° 16' 16"). To place and maintain fill in 0.04 acre of wetlands (PEM) and to place and maintain fill in 246 feet of a UNT to Raredon Run (TSF) for the purpose of extending the runway 10L safety area (RSA). The project is located approximately 1.5 miles northeast of Clinton. To compensate for the wetland impacts the permittee will construct and maintain 0.04 acre of replacement wetlands on site. The permittee has previously constructed stream mitigation in and along Raredon Run to compensate for the stream impacts.

E02-1557. Allegheny County Airport Authority, Pittsburgh International Airport, Landside Terminal, Suite 4000, P. O. Box 12370, Pittsburgh, PA 15230. To fill wetlands in Findlay Township, **Allegheny County**, Pittsburgh ACOE District. (Oakdale, PA Quadrangle N: 17.5 inches; W: 15.6 inches; Latitude: 40° 28' 19"; Longitude: 80° 14' 17"). To place and maintain fill in 0.02 acre of wetlands as part of remediating a landslide located along an existing gas line within the Pittsburgh International Airport. To compensate for the 0.02 acre of wetland impacts, the applicant has constructed 0.2 acre of replacement wetlands at their Moon Clinton Road wetland mitigation site authorized with Permit No. E02-1451.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

EA05-007: Ernest Fuller, Broad Top Township, SX8A-D2 AMD Discharge Remediation Growing Greener Project, 187 Municipal Road, P. O. Box 57, Defiance, PA 16633, **Bedford County**, ACOE Baltimore District.

To remediate an existing abandoned mine drainage discharge (SX8A-D2) adjacent to Brewster Hollow Run (WWF). Site location: at a point just north of Coaldale on Township Road 596 (Saxton, PA Quadrangle N: 11 inches; W: 11.5 inches, Latitude: 40° 11' 08" N; Longitude: 78° 12' 27" W) in Broad Top Township, Bedford County. To create a passive treatment system to provide additional detention and filtration for the net alkaline, iron-stained water from the abandoned mine discharge to. The Applicant proposes 0.13 acre of wetland impacts and anticipates reduction in pollutant loading by 75%.

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

D06-034EA. Ken R. Gehris, 1500 Conrad Weiser Parkway, Womelsdorf, PA 19567. Centre Township, **Berks County**, ACOE Philadelphia District.

To remove remnants of the previously breached Dauberville Dam across Irish Creek (WWF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The dam is located approximately 300 feet north of the intersection of Railroad Road and Bellemans Church Road (Temple, PA Quadrangle; Latitude: 40° 27' 30", Longitude: 75° 58' 53").

D19-076EA. Department of Transportation Engineering District 3-0, 715 Jordan Avenue, Montoursville, PA, Mount Pleasant and Scott Townships, **Columbia County**, ACOE Baltimore District.

Project proposes to breach and remove an unnamed dam across Fishing Creek (WWF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will also involve the removal of an abandoned railroad trestle bridge approximately 200 feet upstream from the dam. The project will restore approximately 750 linear feet of stream channel. The dam is located approximately 1.1 miles northeast of the intersection of Back Branch Road (SR4008) and Millertown Road (SR4011) (Bloomsburg, PA Quadrangle; Latitude: 41° 01' 45", Longitude: 76° 26' 47").

D49-027EA and D49-028EA. Game Commission, 2001 Elmerton Avenue, Harrisburg, PA 17110. Lewis Township, **Northumberland County**, ACOE Baltimore District.

Project proposes to breach an unnamed dam and Intake Dam across a tributary to Glade Run (WWF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will restore approximately 100 linear feet of stream channel. The dams are located approximately 1 1/4 mile southwest of the intersection of Glade Run Road and Muncy Exchange Road (Muncy, PA Quadrangle Latitude: 41° 10' 15", Longitude: 76° 46' 18"). (Muncy, PA Quadrangle Latitude: 41° 10' 6", Longitude: 76° 46' 20").

D46-344EA. Cheltenham Township, 8230 Old York Road, Elkins Park, PA 19027-1589. Cheltenham Township, **Montgomery County**, ACOE Philadelphia District.

Project proposes to breach and remove Cheltenham Dam across Tacony Creek (WWF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will restore approximately 310 linear feet of stream channel. The dam is located approximately 300 feet north of the intersection of Shoemaker Road and Forrest Avenue (Germantown, PA Quadrangle; Latitude: 40° 4' 36", Longitude: 75° 7' 33").

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Waste Management, Director, P. O. Box 8763, Harrisburg, PA 17105-8763.

<i>SSIP Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
07-65-008	Commonwealth Renewable Energy, Inc. 777 Technology Drive Mt. Pleasant, PA 15666 Attn: Richard Walker	Westmoreland	Hempfield Township	3 ASTs storing Petroleum Products	8,250,000 gallons total
				9 ASTs storing Hazardous Substances	95,310 gallons total

SPECIAL NOTICES

PUBLIC NOTICE

Notice of Public Hearing for NPDES Permit Application No. PAI023907010

The Department of Environmental Protection (Department) will hold a public hearing to accept comment on Individual National Pollutant Discharge Elimination System (NPDES) Permit Application No. PAI023907010 for the discharge of stormwater from construction activities at the proposed Stone Ridge Estates project, in Upper Milford Township, Lehigh County.

The public hearing will be conducted on October 17, 2007, at 7 p.m. in the Upper Milford Township Municipal Building at 5831 Kings Highway South, Old Zionsville, PA 18068-0210, by the Department, Watershed Management Program, Permitting and Technical Services Section, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570)

826-2511. The hearing is in response to an application submitted by PAI023907010. The NPDES permit application proposes the discharge of stormwater from construction activities associated with the proposed Stone Ridge Estates project to the Saucon Creek (CWF) and a tributary to Saucon Creek (CWF with Exceptional Value Wetlands) watersheds.

The Department requests that individuals wishing to testify at the hearing submit a written notice of intent to: PAI023907010 NPDES Public Hearing, PA Department of Environmental Protection, Watershed Management Program, 2 Public Square, Wilkes-Barre, PA 18711. The Department will accept notices up to the day of the hearing. The Department requests that individuals limit their testimony to ten minutes so that all individuals have the opportunity to testify. The Department can only review comments made with regard to the NPDES Permit Application No. PAI023907010. Written copies of oral testimony are requested. Relinquishing time to others will not be allowed. Individuals attending the hearing will

have the opportunity to testify if they so desire, however, individuals who preregister to testify will be given priority on the agenda.

Persons with a disability who wish to testify and require an auxiliary aid; service or other accommodation should contact Christine Domashinski of the Department at (570) 826-2511 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department can meet their needs.

The NPDES permit application is available for review at the Lehigh County Conservation District Office located at the Lehigh County Agricultural Center, Suite 102, 4184 Dorney Park Road, Allentown, (610) 391-9583.

For further information, contact Mark Carmon of the Department's Northeast Regional Office at (570) 826-2511.

Special Notice

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

EGS03001. Armstrong Conservation District (124 Armsdale Road, Suite B-2, Kittanning, PA 16201). A project to abate a mine discharge by constructing a wetland system in Parks Township, **Armstrong County**, affecting 3.5 acres. Receiving stream: Carnahan Run. Project received April 23, 2007.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

Act 181 Solicitation Notice

Under the act of October 12, 1984 (P. L. 916, No. 181), the Department of Environmental Protection solicits letters of interest/reclamation proposals from landowners, licensed mine operators, and/or eligible reclamation contractors for the reclamation of the following abandoned strip mine project:

<i>Project</i>	<i>Municipality</i>	<i>County</i>	<i>Acres</i>
Cambria Mills Co., Inc. Lyncroft Mine SMP: 17803034	Beccaria	Clearfield	100

Letters of interest must be received by Tom Koptchak, Geologic Specialist at the Moshannon District Office, Department of Environmental Protection, 186 Enterprise Drive Philipsburg, PA 16866, no later than 4 p.m., local time, September 15, 2007, to be considered.

Telephone inquiries shall be directed to Tom Koptchak, Moshannon at (814) 342-8140.

Project Overview: Reclamation of site includes regrading to eliminate two sedimentation ponds, two coal stockpile areas, planting of trees on 100 acres, backfilling and grading of two pit areas (~67 acres), reclamation of preexisting haul road, removal and disposal of on site trash, and the construction of one drainage channel measuring 700 ft. in length. Actual activities may vary depending on property owner preferences.

[Pa.B. Doc. No. 07-1556. Filed for public inspection August 24, 2007, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) website at www.depweb.state.pa.us (DEP Keywords: Technical Guidance). The "Final Documents" heading is the

link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

The Department will continue to revise its nonregulatory documents, as necessary, throughout 2007.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Draft Technical Guidance—Substantive Revision

DEP ID: 562-2112-503. Title: Bituminous Coal Surface Mining Near Underground Utility Lines and Blasting Near Underground Utility Lines on All Mining and Construction Sites. Description: This guidance document, formerly titled "Coal Surface Mining and Blasting Near Underground Utility Lines and Pipelines," establishes procedures mine operators should follow when conducting mining and blasting activities near underground utility lines. The procedures identified in the guidance serve to not only ensure the integrity of underground utility lines, but to also protect the safety of workers and the interests of utility line owners. Substantive changes were recently made to the guidance to further enhance the procedures for limiting the effects blasting may have on underground utility lines. These revisions result in a guidance document that more clearly follows the regulatory requirements for blasting activities. The document also includes guidance on the regulation of blasting near underground utility lines in anthracite coal mining, noncoal mining and on construction sites. Written Comments: The Department is seeking comments on the substantive revisions to draft technical guidance #562-2112-503. Interested persons may submit written comments on this draft technical guidance document by September 24, 2007. Comments submitted by facsimile will not be accepted. The Department will accept comments submitted by e-mail. A return name and address must be included in each e-mail transmission. Written comments should be submitted to Richard Lamkie, Department of Environmental Protection, Bureau of Mining and Reclamation, Rachel Carson State Office Building, P. O. Box 8461, Harrisburg, PA 17105-8461; rlamkie@state.pa.us. Contact: Questions regarding the draft technical guidance document should be directed to Richard Lamkie at (717) 787-5103, rlamkie@state.pa.us. Effective Date: Upon publication of notice as final in the *Pennsylvania Bulletin*.

Notice To Rescind Technical Guidance

DEP ID: 700-5600-001. Title: Guidance for Pollution Prevention and Energy Efficiency Site Assessments. Description: This guidance document was formerly issued by the Department to identify the policy and procedures for

which it would conduct pollution prevention and energy efficiency site assessments. Since the guidance document was finalized, the Department has determined that there is insufficient need to maintain the protocol in the guidance document, as it does not reflect current program goals and priorities of the Department and is therefore outdated and invalid. Contact: Questions concerning the rescission of technical guidance document #700-5600-001 should be directed to Richard Illig, Department of Environmental Protection, Office of Energy and Technology Deployment, Rachel Carson State Office Building, 15th Floor, P. O. Box 8772, Harrisburg, PA 17105-8772, (717) 772-5834, rillig@state.pa.us. Effective Date: August 25, 2007.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 07-1557. Filed for public inspection August 24, 2007, 9:00 a.m.]

Bid Opportunities

S14-024-101.1, Wallace Run Stream Rehabilitation Project, Boggs Township, Centre County. The principal items of work and approximate quantities include 700 linear feet of Restoration of Stream Channel, 122 linear feet of Existing Drainage Pipe Extension and Realignment and Stabilizing Channel Using a Combination of six Rock Vane Structures and Biotextile Bank Stabilization. This project issues on August 24, 2007, and bids will be opened on September 25, 2007, at 2 p.m. Bid documents cost \$10 per set and will not be mailed until payment has been received. A mandatory prebid conference is planned for this project but a date has not been set. Please use the contact information contained in this advertisement to find out more about the prebid. Failure to attend will be cause for rejection of the bid. Please contact the Construction Contracts Section at (717) 787-7820 or joelmiller@state.pa.us for more information on this bid.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 07-1558. Filed for public inspection August 24, 2007, 9:00 a.m.]

Recycling Fund Advisory Committee Meeting and Solid Waste Advisory Committee Meeting

The Solid Waste Advisory Committee (SWAC) meeting is scheduled for Thursday, September 13, 2007, and the Recycling Fund Advisory Committee (RFAC) will hold a special meeting on that date from 10 a.m. to 12 p.m. in Room 105 of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The purpose of the meeting is to provide the RFAC with details of past expenditures from the Recycling Fund and to solicit input on proposed expenditures, including recycling market development. The SWAC will meet in the same location from approximately 12 p.m. to 3 p.m.

Questions concerning this meeting should be directed to Lawrence Holley at (717) 787-7381, lholley@state.pa.us. The agenda and meeting materials for this meeting will be available through the Public Participation Center on the Department of Environmental Protection's (Depart-

ment) website at www.depweb.state.pa.us (DEP Keyword: Public Participation, Participate).

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact Helen Powell at (717) 787-7381 or through the AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 07-1559. Filed for public inspection August 24, 2007, 9:00 a.m.]

State Water Plan; Statewide Water Resources Committee; Critical Water Planning Area Subcommittee Meeting

The Critical Water Planning Area Subcommittee of the Act 220 State Water Plan Statewide Committee has scheduled a meeting to discuss various technical issues impacting the development of the State Water Plan. The meeting will be held Tuesday, August 28, 2007, at 10 a.m., Rachel Carson State Office Building, 10th Floor Conference Room, 400 Market Street, Harrisburg, PA 17101.

Questions concerning this meeting should be directed to Susan Weaver, Division of Water Use Planning, P. O. Box 8555, Harrisburg, PA 17105-8555, (717) 783-8055, suweaver@state.pa.us.

Persons with a disability who require accommodations to attend the meeting should contact the Department of Environmental Protection (Department) at (717) 783-6118 or through the Pennsylvania AT&T Relay Services at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 07-1560. Filed for public inspection August 24, 2007, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Real Estate for Sale Lehigh County

State-owned real estate for sale in the City of Allentown, Lehigh County, PA. The Department of General Services, through its Broker, Studley, Inc., will accept bids for the purchase of 4.2471 gross acres +/- of improved land zoned B-3 Highway Business District located at 1713 Lehigh Street in the City of Allentown. Bids are due September 6, 2007. Interested parties wishing to receive a copy of Solicitation No. 94141 should call Bradford Mills, Studley, Inc., at (267) 256-7575, bmills@studley.com.

JAMES P. CREEDON,
Secretary

[Pa.B. Doc. No. 07-1561. Filed for public inspection August 24, 2007, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Paoli Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Paoli Hospital has requested an exception to the requirements of 28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-1562. Filed for public inspection August 24, 2007, 9:00 a.m.]

Health Policy Board Meeting

The Health Policy Board is scheduled to hold a meeting on Wednesday, September 12, 2007, at 10 a.m., in Room 812, Health and Welfare Building, Seventh and Forster Streets, Harrisburg, PA 17120.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Lewis Wolkoff, Bureau of Health Planning at (717) 772-5298 or lwolkoff@state.pa.us or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

This meeting is subject to cancellation without notice.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-1563. Filed for public inspection August 24, 2007, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Deal Or No Deal™ Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Deal Or No Deal™.
2. *Price:* The price of a Pennsylvania Deal Or No Deal™ instant lottery game ticket is \$5.

3. *Play Symbols:* Each Pennsylvania Deal Or No Deal™ instant lottery game ticket will contain one play area featuring a "WINNING CASE NUMBERS" area, a "YOUR CASE NUMBERS" area and a separate "BANKER'S BOX" play area containing a play symbol and a prize symbol. The play symbols and their captions located in the "WINNING CASE NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR) and 24 (TWYFOR). The play symbols and their captions located in the "YOUR CASE NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR) and a TV SET symbol (TV SET). The play symbols and their captions, one of which will be located in the "BANKER'S BOX" play area are: DEAL symbol (DEAL), NO BONUS symbol (TRY AGAIN) and TRY AGAIN symbol (NO BONUS). The "BANKER'S BOX" is played separately from the rest of the game.

4. *Prize Symbols:* The prize symbols and their captions located in the "YOUR CASE NUMBERS" area are: FREE (TICKET), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20\$ (TWENTY), \$40\$ (FORTY), \$50\$ (FIFTY), \$100 (ONE HUN), \$400 (FOR HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and \$50,000 (FTY THO). The prize symbols and their captions, located in the "BANKER'S BOX" play area are: FREE (TICKET), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20\$ (TWENTY), \$40\$ (FORTY), \$50\$ (FIFTY), \$100 (ONE HUN), \$400 (FOR HUN), \$1,000 (ONE THO) and \$5,000 (FIV THO).

5. *Prizes:* The prizes that can be won in this game are: Free \$5 Ticket, \$5, \$10, \$20, \$40, \$50, \$100, \$400, \$1,000, \$5,000 and \$50,000. The prizes that can be won in "BANKER'S BOX" area are: Free \$5 Ticket, \$5, \$10, \$20, \$40, \$50, \$100, \$400, \$1,000 and \$5,000. A player can win up to ten times on a ticket.

6. *Second-Chance Drawings:* The Pennsylvania Lottery will conduct Second-Chance Drawings for nonwinning Deal Or No Deal™ instant lottery tickets as provided for in section 11.

7. *Approximate Number of Tickets Printed For the Game:* Approximately 7,680,000 tickets will be printed for the Pennsylvania Deal Or No Deal™ instant lottery game.

8. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "YOUR CASE NUMBERS" play symbols matches any of the "WINNING CASE NUMBERS" play symbols and a prize symbol of \$50,000 (FTY THO) appears under the matching "YOUR CASE NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50,000.

(b) Holders of tickets upon which any one of the "YOUR CASE NUMBERS" play symbols matches any of the "WINNING CASE NUMBERS" play symbols and a

(z) Holders of tickets upon which any one of the "YOUR CASE NUMBERS" play symbols is a TV SET symbol (TV SET), and a prize symbol of \$5⁰⁰ (FIV DOL) appears under the TV SET symbol (TV SET), on a single ticket, shall be entitled to a prize of \$5.

(aa) Holders of tickets with a DEAL symbol (DEAL) in the "BANKER'S BOX" play area and a prize symbol of \$5⁰⁰ (FIV DOL) appears under the DEAL symbol (DEAL) in the "BANKER'S BOX" play area, on a single ticket, shall be entitled to a prize of \$5.

(bb) Holders of tickets upon which any one of the "YOUR CASE NUMBERS" play symbols matches any of the "WINNING CASE NUMBERS" play symbols and a prize symbol of FREE (TICKET) appears under the matching "YOUR CASE NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of one Pennsylvania Deal Or No Deal™ instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.

(cc) Holders of tickets upon which any one of the "YOUR CASE NUMBERS" play symbols is a TV SET symbol (TV SET), and a prize symbol of FREE (TICKET) appears under the TV SET symbol (TV SET), on a single ticket, shall be entitled to a prize of one Pennsylvania Deal Or No Deal™ instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.

(dd) Holders of tickets with a DEAL symbol (DEAL) in the "BANKER'S BOX" play area and a prize symbol of FREE (TICKET) appears under the DEAL symbol (DEAL) in the "BANKER'S BOX" play area, on a single ticket, shall be entitled to a prize of one Pennsylvania Deal Or No Deal™ instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.

9. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

When Any Of Your Case Numbers Match Any Of The Winning Case Numbers, Win With Prize(s) Of:

<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. of Winners Per 7,680,000 Tickets</i>
DEAL w/FREE	FREE \$5 TICKET	128,000
FREE w/TV SET	FREE \$5 TICKET	128,000
FREE	FREE \$5 TICKET	128,000
DEAL w/\$5	\$5	76,800
\$5 w/TV SET	\$5	76,800
\$5	\$5	128,000
DEAL w/\$10	\$10	128,000
\$10 w/TV SET	\$10	128,000
\$5 × 2	\$10	128,000
\$10	\$10	128,000
DEAL w/\$20	\$20	64,000
\$20 w/TV SET	\$20	64,000
\$5 × 4	\$20	64,000
\$20	\$20	64,000
DEAL w/\$40	\$40	12,800
\$40 w/TV SET	\$40	12,800
\$5 × 8	\$40	12,800
\$10 × 4	\$40	12,800
\$20 × 2	\$40	12,800
\$40	\$40	12,800
DEAL w/\$50	\$50	12,800
\$50 w/TV SET	\$50	12,800
\$5 × 10	\$50	12,800
\$10 × 5	\$50	12,800
\$50	\$50	25,600
DEAL w/\$100	\$100	5,120
\$100 w/TV SET	\$100	5,120
\$10 × 10	\$100	5,120
\$50 × 2	\$100	5,120
\$100	\$100	5,120
DEAL w/\$400	\$400	512
\$400 w/TV SET	\$400	512
\$40 × 10	\$400	512
\$100 × 4	\$400	512
\$400	\$400	512
DEAL w/\$1,000	\$1,000	192
\$1,000 w/TV SET	\$1,000	192
\$100 × 10	\$1,000	192
(\$400 × 2) + (\$100 × 2)	\$1,000	192
\$1,000	\$1,000	256

When Any Of Your Case Numbers Match Any Of The Winning Case Numbers, Win With Prize(s) Of:

DEAL w/\$5,000
\$5,000
\$50,000

Win:
\$5,000
\$5,000
\$50,000

Approximate Odds Are 1 In:
240,000
240,000
768,000

Approximate No. of Winners Per 7,680,000 Tickets
32
32
10

PA DEAL OR NO DEAL™ Second-Chance Drawing
PA DEAL OR NO DEAL™ Bonus Second-Chance Drawing

TV SET (TV SET) = Win prize shown under it automatically

DEAL = Get a "DEAL" (DEAL) symbol in the BANKER'S BOX and win the prize shown under it automatically.

Lottery will award 9 trips to Hollywood in PA DEAL OR NO DEAL™ Second-Chance Drawing. One entrant is guaranteed to play DEAL OR NO DEAL™ for a chance to win up to \$1 million cash. All costs are included in licensing fee. Estimated value of each trip is \$12,500 and includes Federal Withholding Credit. There is no cash equivalent for trip.

Lottery will select 9 contestants in the PA Bonus Second-Chance Drawing. A final drawing consisting of entrants from all lotteries offering the DEAL OR NO DEAL™ game will determine winner of the \$1 million cash prize.

Note: 4.25% maximum deducted from prize fund for licensing fee.

Prizes, including the top prizes, are subject to availability at the time of purchase.

10. Deal Or No Deal™ Second-Chance Drawings Requirements:

(a) To be eligible for the Second-Chance Drawings, players must mail exactly three nonwinning Pennsylvania Deal Or No Deal™ instant lottery tickets in an envelope no larger than 4 1/8 inches by 9 1/2 inches addressed to Pennsylvania Lottery, Deal Or No Deal™ Second-Chance Drawings, P. O. Box 999, Middletown, PA 17057-0999. The player shall affix proper postage to the entry.

(b) Envelopes containing less than or more than three nonwinning Pennsylvania Deal Or No Deal™ instant lottery tickets shall be disqualified.

(c) Nonwinning Pennsylvania Deal Or No Deal™ instant lottery tickets received in an envelope larger than 4 1/8 inches by 9 1/2 inches shall be disqualified. The only exception is for nonwinning Pennsylvania Deal Or No Deal™ instant lottery tickets received in a United States Post Office "damaged-in-mail-process" envelope.

(d) Winning Pennsylvania Deal Or No Deal™ instant lottery tickets submitted to the Deal Or No Deal™ Second-Chance Drawings address will not be paid or honored. Entries into the Second-Chance Drawings containing winning Pennsylvania Deal Or No Deal™ instant lottery tickets will be disqualified.

(e) The back of each nonwinning Pennsylvania Deal Or No Deal™ instant lottery ticket entered in the Second-Chance Drawings must be completed by the same player in a legible manner, including the player's name, street address, city, state, zip code, telephone number and signature. Only one claimant per ticket allowed. Claimant must be 18 years of age or older. Incomplete tickets shall be disqualified.

11. Second-Chance Drawings Procedures:

(a) The Lottery will conduct a Pennsylvania Deal Or No Deal™ Second-Chance Drawing and a Pennsylvania Deal Or No Deal™ Bonus Second-Chance Drawing. All Pennsylvania Deal Or No Deal™ Second-Chance Drawing entries received at Lottery Headquarters on or before February 22, 2008, will be eligible to participate in the Pennsylvania Deal Or No Deal™ Second-Chance Drawing which will be held at Lottery Headquarters the week of February 25, 2008. All Pennsylvania Deal Or No

Deal™ Second-Chance Drawing entries received at Lottery Headquarters on or before August 15, 2008, including those eligible to participate in the Pennsylvania Deal Or No Deal™ Second-Chance Drawing, will be eligible to participate in the Pennsylvania Deal Or No Deal™ Bonus Second-Chance Drawing which will be held at Lottery Headquarters the week of August 18, 2008. The odds of an entry being selected in either the Pennsylvania Deal Or No Deal™ Second-Chance Drawing or the Pennsylvania Deal Or No Deal™ Bonus Second-Chance Drawing depend upon the number of entries received.

(b) To be eligible for either the Deal Or No Deal™ Second-Chance Drawing or the Deal Or No Deal™ Bonus Second-Chance Drawing, a player must have complied with the requirements of section 10.

(1) The Lottery assumes no responsibility for a lost or misplaced entry not entered into the Pennsylvania Deal Or No Deal™ Second-Chance Drawing or the Pennsylvania Deal Or No Deal™ Bonus Second-Chance Drawing.

(2) If a Pennsylvania Deal Or No Deal™ Second-Chance Drawing entry or a Pennsylvania Deal Or No Deal™ Bonus Second-Chance Drawing entry is rejected during or following the Pennsylvania Deal Or No Deal™ Second-Chance Drawing or the Pennsylvania Deal Or No Deal™ Bonus Second-Chance Drawing, the sole remedy is to select another entry to replace the rejected entry in accordance with Lottery procedure.

(c) Manner of conducting the Deal Or No Deal™ Second-Chance Drawing.

(1) All entries received at Lottery Headquarters on or before February 22, 2008, will be placed in numbered containers, each containing approximately 500 envelopes.

(2) A computer-generated randomizer or mechanical device may be used to select the numbered containers from which the winners will be selected, one from each container. If used, the randomizer will not be programmed to eliminate the possibility of the same container being selected more than once.

(3) One envelope will be randomly drawn from each of the selected numbered containers. As each entry envelope is selected, its contents will be qualified according to the requirements of section 10. If the entry does not meet the requirements of section 10, another entry will be selected from that container; and so on, until a qualified entry has

been chosen. Once a qualified entry has been selected, further validation will take place by verifying the status of the tickets contained in the entry envelope drawn by entering the ticket information into the computerized instant ticket database. The first qualified and validated entry from each of the designated containers will entitle its owner to the Deal Or No Deal™ Trip Package Prize described in section 12.

(4) Determination of winners will be made by the Secretary, whose judgment will be final and binding.

(d) Manner of conducting the Pennsylvania Deal Or No Deal™ Bonus Second-Chance Drawing.

(1) All entries received at Lottery Headquarters on or before August 15, 2008, will be placed in numbered containers, each containing approximately 500 envelopes. These numbered containers along with the numbered containers containing entries from the Pennsylvania Deal Or No Deal™ Second-Chance Drawing will be eligible to participate in the Pennsylvania Deal Or No Deal™ Bonus Second-Chance Drawing.

(2) A computer-generated randomizer or mechanical device may be used to select the numbered containers from which the winners will be selected, one from each container. If used, the randomizer will not be programmed to eliminate the possibility of the same container being selected more than once.

(3) One envelope will be randomly drawn from each of the selected numbered containers. As each entry envelope is selected, its contents will be qualified according to the requirements of section 10. If the entry does not meet the requirements of section 10, another entry will be selected from that container; and so on, until a qualified entry has been chosen. Once a qualified entry has been selected, further validation will take place by verifying the status of the tickets contained in the entry envelope drawn by entering the ticket information into the computerized instant ticket database. The first qualified and validated entry from each of the designated containers will entitle its owner's name to be entered into another drawing, further described in section 13.

(4) Determination of winners will be made by the Secretary, whose judgment will be final and binding.

(e) The payment of a prize awarded in either the Pennsylvania Deal Or No Deal™ Second-Chance Drawing or the Pennsylvania Deal Or No Deal™ Bonus Second-Chance Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code §§ 811.16 (relating to prizes payable after death of prize winner).

12. *Deal Or No Deal™ Trip Package Prize Description:*

(a) Each Deal Or No Deal™ Second-Chance Drawing prize will have an average value of approximately \$12,500 including a \$3,125 Federal Withholding Credit. The Trip Package consists of the following:

(1) Round-trip coach airfare for four to a major southern California airport. Departure cities include Harrisburg, PA, Philadelphia, PA, Pittsburgh, PA and Baltimore, MD.

(2) Hotel accommodations include two double rooms (double occupancy), each for four nights at a first class hotel selected by the Lottery.

(3) Ground transportation in California from and to airport/hotel and hotel/studio throughout the duration of the trip and all fulfillment and hosting services are included.

(4) One opportunity to participate in a random drawing to play Deal Or No Deal™. Each Deal Or No Deal™ Trip Package winner selected by the Pennsylvania Lottery, in accordance with section 11, will in the order in which they were selected by the Pennsylvania Lottery, randomly select a briefcase. All of the briefcases except one will contain a dollar amount of \$5,000, \$10,000 or \$25,000. The winners who select a briefcase containing a dollar amount will win the amount noted in their briefcase, less required Federal withholding. The Pennsylvania Deal Or No Deal™ Trip Package winner who selects the briefcase not containing a dollar amount will play Deal Or No Deal™ and will win a guaranteed prize of between \$.01 and \$1 million, less required Federal withholding, in accordance with the Deal Or No Deal™ Television Game Show rules. There is no guarantee that the Deal Or No Deal™ show will be aired on television.

(b) Deal Or No Deal™ Trip Package prize restrictions:

(1) The Deal Or No Deal™ Trip Package prize winner must be at least eighteen years of age.

(2) The Deal Or No Deal™ Trip Package prize is not redeemable for cash.

(3) Each Deal Or No Deal™ Trip Package prize winner will be responsible for the following expenses: applicable travel expenses to and from the departure airport or any airport parking fees; entertainment including alcoholic beverages; fees (such as, departure fees, excess baggage fees, and the like); additional gratuities; hotel incidentals (such as, telephone calls, valet services, laundry, gift shop, and the like); additional transportation in addition to that described herein; travel accident, baggage and trip cancellation insurance. The winner will be responsible for any additional costs incurred by the following changes to the trip package: change of travel companions; staying additional nights; adding additional travelers; upgrading transportation; upgrading hotel room; upgrading class of airline; or any other applicable trip details.

(4) The Deal Or No Deal™ Trip Package prize is transferable one time. Name changes are not permitted once the Deal Or No Deal™ trip is booked. If the winner cancels the trip, the trip package will be void. There will be no extensions and the winner will not receive any reimbursement for the unused trip package. Airline tickets are nonrefundable and all airline rules and restrictions apply. Other restrictions may apply.

(5) Federal withholding tax on cash prizes will be deducted directly from cash prizes in accordance with Internal Revenue Service rules.

(c) Pennsylvania Deal Or No Deal™ Trip Package Winner Proxy:

(1) In the event that a Pennsylvania Deal Or No Deal™ Trip Package winner does not wish to or cannot participate in Deal Or No Deal™ activities related to the selection of the winner to play the Deal Or No Deal™ game, the Deal Or No Deal™ Trip Package winner may select a proxy to act on his or her behalf. All proxy selections must be approved by the Lottery or its designee. If a Pennsylvania Deal Or No Deal™ Trip Package winner fails to select a proxy that is acceptable to the Lottery, or its designee, the Lottery shall appoint a proxy to act on behalf of that Deal Or No Deal™ Trip Package winner.

(2) A proxy appointed by a Pennsylvania Deal Or No Deal™ Trip Package winner, or the Lottery shall act on behalf of the Deal Or No Deal™ Trip Package winner. By participating in the Pennsylvania Deal Or No Deal™

instant lottery game, the Pennsylvania Deal Or No Deal™ Trip Package winner agrees to accept all decisions made by the proxy. Any prize won by the proxy will be awarded to the Pennsylvania Deal Or No Deal™ Trip Package winner.

(3) In the event that the Pennsylvania Deal Or No Deal™ Trip Package winner selected to play Deal Or No Deal™ does not wish to or cannot participate on the game show, the finalist may select a proxy to act on his behalf. All proxy selections must be approved by the Lottery or its designee. If the Pennsylvania Deal Or No Deal™ Trip Package winner selected to play Deal Or No Deal™ fails to select a proxy that is acceptable to the Lottery, or its designee, the Lottery shall appoint a proxy to act on behalf of the finalist selected to play Deal Or No Deal™.

(4) In the event that the Pennsylvania Deal Or No Deal™ Trip Package winner selected to play Deal Or No Deal™ or the winner's designated proxy does not appear by the required time prior to the television game show taping, the Lottery, or its designee, will appoint a proxy to act on behalf of the winner selected to play Deal Or No Deal™. In the event the Pennsylvania Deal Or No Deal™ Trip Package winner selected to play Deal Or No Deal™ is unable to continue play during the taping of the game show, the Lottery, or its designee, will appoint a proxy to act on behalf of the winner.

(5) A proxy appointed by the Pennsylvania Deal Or No Deal™ Trip Package winner selected to play Deal Or No Deal™, or the Lottery, or its designee, shall act on behalf of the winner. By participating in the Pennsylvania Deal Or No Deal™ instant lottery game, the Pennsylvania Deal Or No Deal™ Trip Package winner agrees to accept all game show decisions made by the proxy. Any prize won by the proxy during the television game show will be awarded to the Pennsylvania Deal Or No Deal™ Trip Package winner selected to play Deal Or No Deal™.

13. *Deal Or No Deal™ Bonus Second-Chance Drawing Prize Description:*

(a) Each Deal Or No Deal™ Bonus Second-Chance Drawing Prize shall consist of the opportunity for each Deal Or No Deal™ Bonus Second-Chance Drawing winner selected by the Pennsylvania Lottery to be entered into a final drawing for a cash prize of \$1 million. The final winner will be selected from among all entries submitted by participating lotteries. A computer-generated randomizer or mechanical device may be used to select the final drawing winner.

(b) The odds of an entry being selected in the Pennsylvania Deal Or No Deal™ Bonus Second-Chance Drawing depends upon the number of entries received.

(c) Federal withholding tax on this prize will be deducted directly from cash prize in accordance with Internal Revenue Service rules.

14. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Deal Or No Deal™ instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentives).

15. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Deal Or No Deal™, prize money from winning Pennsylvania Deal Or No Deal™ instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close

of the Pennsylvania Deal Or No Deal™ instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

16. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

17. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Deal Or No Deal™ or through normal communications methods.

THOMAS W. WOLF,
Secretary

[Pa.B. Doc. No. 07-1564. Filed for public inspection August 24, 2007, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Request for Proposals

The Department of Transportation is issuing a Request for Proposals (RFP) 6R-01, "Outdoor Advertising Devices and Automotive Recycling Salvage Surveillance Update." The purpose of this RFP is to select an Offeror to gather data and information on all outdoor advertising devices (OAD), junkyards and automotive dismantlers and recyclers in Westmoreland, Washington, Fayette and Greene Counties for Engineering District 12-0. Efforts will be focused on field inspection and logging all OADs (approximately 7,000 devices) in an approved spreadsheet format. The scope of work and the required information to be submitted are discussed in the RFP, which may be downloaded from the Department of General Services (Department) website at www.dgsweb.state.pa.us/comod/main.asp. Updates will be posted as they occur, check the website often.

Not all Bidding Opportunities are advertised in the *Pennsylvania Bulletin* for State government agencies. Generally, Bidding Opportunities over \$20,000 for materials and \$250,000 for services are advertised on the Department, Bureau of Procurement website at www.dgsweb.state.pa.us/comod/main.asp. The Bidding Opportunities website is updated on a daily basis.

Suppliers interested in doing business with Commonwealth agencies are strongly encouraged to register as a portal supplier at www.pasupplierportal.state.pa.us.

For more information, contact the Department Supplier Services and Support, (717) 346-2676, (877) 435-7363 (toll free), rasrmhelp@state.pa.us.

ALLEN D. BIEHLER, P. E.,
Secretary

[Pa.B. Doc. No. 07-1565. Filed for public inspection August 24, 2007, 9:00 a.m.]

FISH AND BOAT COMMISSION

Proposed Additions to List of Class A Wild Trout Waters

The Fish and Boat Commission (Commission) is considering changes to its list of Class A Wild Trout Streams. Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), it is the Commission's policy to manage self-sustaining Class A wild trout populations as a renewable natural resource to conserve that resource and the angling it provides. Class A wild trout populations represent the best of this Commonwealth's naturally reproducing trout fisheries. The Commission manages these stream sections solely for the perpetuation of the wild trout fishery with no stocking.

Criteria developed for Class A Wild Trout fisheries are species specific. Wild Trout Abundance Class Criteria include provisions for:

(i) *Wild Brook Trout Fisheries*

(A) Total brook trout biomass of at least 30 kg/ha (26.7 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Brook trout biomass must comprise at least 75% of the total trout biomass.

(ii) *Wild Brown Trout Fisheries*

(A) Total brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Brown trout biomass must comprise at least 75% of the total trout biomass.

(iii) *Mixed Wild Brook and Brown Trout Fisheries*

(A) Combined brook and brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brook trout biomass must comprise less than 75% of the total trout biomass.

(E) Brown trout biomass must comprise less than 75% of the total trout biomass.

(iv) *Wild Rainbow Trout Fisheries*

Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 2.0 kg/ha (1.78 lbs/acre).

In order for a water to be removed from the Class A Wild Trout Streams designation, total trout biomass must be documented below the set criteria for two consecutive stream examinations.

During recent surveys, Commission staff have documented the following stream sections to have Class A Wild Trout populations (ST = Brook Trout, BT = Brown Trout). The Commission intends to consider adding these waters to its list of Class A Wild Trout Streams at its meeting on October 1 and 2, 2007.

County	Stream	Limits	ST (kg/ha)	BT (kg/ha)	Length (miles)
Luzerne	Wapwallopen Creek	Headwaters downstream to confluence with Big Wapwallopen Creek		49.10	3.61
Luzerne	Wapwallopen Creek	Confluence with Big Wapwallopen Creek downstream to 380 meters downstream of SR 3012		41.28	1.78
Luzerne	Big Wapwallopen Creek	Headwaters downstream to powerline crossing upstream of Nuangola Road SR 2042	46.07	51.84	4.68
Luzerne	Balliet Run	Headwaters downstream to the mouth		59.73	3.71
Luzerne	Bow Creek	Headwaters downstream to the mouth	15.90	41.15	4.52

Persons with comments, objections or suggestions concerning the additions are invited to submit comments in writing to Executive Director, Fish and Boat Commission, P. O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments also may be submitted electronically by completing the form at www.state.pa.us/Fish/regcomments. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

DOUGLAS J. AUSTEN, Ph.D.
Executive Director

[Pa.B. Doc. No. 07-1566. Filed for public inspection August 24, 2007, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meeting Scheduled

The Health Care Cost Containment Council has scheduled the following meeting: Wednesday, August 29, 2007, Payment Data Advisory Group—10:30 a.m. The meeting will be held in the conference room at the Council Office, 225 Market Street, Suite 400, Harrisburg, PA 17101. The public is invited to attend. Persons who need accommodation due to a disability and want to attend the meeting should contact Cherie Elias, Health Care Cost Containment Council, 225 Market Street, Harrisburg, PA 17101,

(717) 232-6787 at least 24 hours in advance so that arrangements can be made.

MARC P. VOLAVKA,
Executive Directory

[Pa.B. Doc. No. 07-1567. Filed for public inspection August 24, 2007, 9:00 a.m.]

HISTORICAL AND MUSEUM COMMISSION

National Register Nominations to be Reviewed by the Historic Preservation Board

The Historic Preservation Board (Board) will hold a meeting on September 11, 2007, at 9:45 a.m. in Program Room 2 of Fort Hunter, 100 Fort Hunter Road, Harrisburg, PA. Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to participate should contact Helena Johnson at (717) 783-2698 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the agency can accommodate their needs. Persons with questions or comments should contact the Bureau for Historic Preservation at (717) 783-8946.

Anthracite Region and Poconos

1. *Shawnee-Minisink Site*, along the Delaware River, Smithfield Township, Monroe County.

Southwestern Pennsylvania

2. *Try Street Terminal*, 600—620 2nd Avenue, Pittsburgh, Allegheny County.

3. *Charleroi Historic District*, Between Crest Avenue and PA Railroad Tracks, from 1st Street to Northern Borough Line, Charleroi, Washington County.

4. *Shade Furnace*, along Dark Shade Creek, near junction with Clear Shade Creek Road, Shade Township, Somerset County.

Great Valley and Piedmont Region

5. *Springtown Historic District*, East Route 212, Route 412, Hickory Lane, Church Street, South Walnut Street, Springfield Township, Bucks County.

6. *Budd, Edward G.*, Manufacturing Company, 2450 Hunting Park Avenue, Philadelphia.

Allegheny Plateau

No nominations.

Ridge and Valley

No nominations.

BARBARA FRANCO,
Executive Director

[Pa.B. Doc. No. 07-1568. Filed for public inspection August 24, 2007, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
125-64	Pennsylvania Gaming Control Board Manufacturer Designees; Principal Licenses; Employees; Vendor Certification and Registration; Slot Machine Licenses 37 Pa.B. 2695 (June 16, 2007)	7/16/07	8/15/06

Pennsylvania Gaming Control Board Regulation #125-64 (IRRC #2614)

Manufacturer Designees; Principal Licenses; Employees; Vendor Certification and Registration; Slot Machine Licenses

August 15, 2007

We submit for your consideration the following comments on the proposed rulemaking published in the June 16, 2007 *Pennsylvania Bulletin*. Our comments are based on criteria in section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P. S. § 745.5a(a)) directs the Pennsylvania Gaming Control Board (Board) to respond to all comments received from us or any other source.

Chapter 429a. Manufacturer Designees

1. General.—Reasonableness; Clarity.

The term “manufacturer designee” is the subject of this Chapter, but it is not defined. This term should be defined in the final-form regulation.

Also, the regulation requires manufacturer designees to submit applications to the Board, but provides no guidance on how soon the Board will act on the application or what recourse the applicant has if the application is denied. We recommend that those details be included in the final-form regulation.

2. Section 429a.6. Manufacturer designee as agent.—Statutory authority.

Under Subsection (b), a licensed manufacturer “shall be jointly and severally liable for any act or omission by the

licensed manufacturer designee in violation of the act or this part, regardless of actual knowledge by the licensed manufacturer of the act or omission." What is the Board's statutory authority for this provision?

Chapter 433a. Principal Licenses

3. Section 433a.1. Definitions.—Consistency with statute; Clarity.

Applicant

This definition differs from the definition found in Section 1103 the Pennsylvania Race Horse Development and Gaming Act (Act) (4 Pa.C.S. § 1103). It also differs from the definition found in Section 401.4 of the Board's regulations. A consistent definition should be used. A similar concern is found in Section 441a.1.

Holding company

This definition references at least 20% of the power or right to control or vote outstanding voting securities of a corporation or other entity. The definition in the Act only references "any significant part." What is the basis for the 20%?

Principal

Since this term is used throughout this chapter, we recommend that it be defined.

4. Section 433a.3. Individual ownership.—Need; Reasonableness.

Subsection (g) states, "The Board may require any individual who has a financial interest in, or receives an economic benefit from, an applicant or licensee to be licensed as a principal." Why is it necessary to require these individuals to be licensed as a principal? A similar question applies to Sections 433a.4(h) and 433a.6(d).

5. Section 433a.7. Trusts.—Clarity.

The term "similar business entity" is used in this section, but it is not defined. We recommend that it be defined in Section 433a.1 (relating to Definitions).

Chapter 435a. Employees

6. General.—Reasonableness; Clarity.

Sections 435a.2 (relating to Key employee license), 435a.3 (relating to Occupation permit) and 435a.5 (relating to Nongaming employee registration) outline the requirements for obtaining licenses, permits and registrations. These sections and this chapter do not provide detail on how long the Board has to review the applications, how the applicant will be notified of the Board's decision and how the applicant can appeal the Board's decision. These details should be included in the final-form regulation.

7. Section 435a.1. General provisions.—Statutory authority; Reasonableness; Clarity.

Under Subsection (k), what is the Board's statutory authority for requiring applicants for licenses or permits to demonstrate that they are current on any financial obligation owed to the Commonwealth or any subdivision thereof, including court-ordered child support payments? Additionally, if the Board has the statutory authority, the regulation should specify what documentation must be submitted to the Board to demonstrate compliance with this provision.

8. Section 435a.6. Board credentials.—Reasonableness; Clarity.

This section requires certain individuals to obtain Board credentials. The final-form regulation should include the process for obtaining Board credentials.

Chapter 437a. Vendor Certification and Registration

9. Section 437a.1. General vendor requirements.—Reasonableness; Clarity.

Subsection (b) explains when a vendor will be required to apply for certification. Subsection (b)(4) states that vendor certification will be required "based on the Board's analysis of the vendor's services." This criterion is vague. The final-form regulation should include the criteria the Board will use to determine if certification is needed.

10. Section 437a.2. Vendor registration applications.—Statutory authority.

Subsection (c) requires an applicant for a vendor registration to reimburse the costs incurred by the Board in conducting the review of the application *up to a maximum amount of \$2,000*. Section 1208(1)(iii) of the Act requires the Board to recoup *all* expenses relating to investigations. What is the Board's statutory authority for imposing the cap of \$2,000? Further, does an applicant for a vendor registration fall within the definition of an "applicant, licensee, permittee or registrant" as referenced in Section 1208(1)(iii) of the Act? Additionally, the term "vender" in Subsection (a) should be amended to use the proper term "vendor."

11. Section 437a.11. Slot machine applicants' and licensees' duty to investigate.—Need; Reasonableness; Clarity.

Subsection (a) requires slot machine licensees and applicants to investigate the background and qualifications of potential vendors. It states that "Certification or registrations by the Board may not be relied upon as the sole criterion for entering into an agreement with a certified or registered vendor." We question the reasonableness of and need for this provision. If the Board finds a vendor to be suitable for registration or certification after its extensive investigation, that should be sufficient to allow a licensee or applicant to conduct business with the vendor. We recommend that this provision be deleted.

If the Board elects to retain this provision, we recommend that the final-form regulation specifically include the other criteria that an applicant or licensee must use when deciding to enter into an agreement with a certified or registered vendor.

Chapter 441a. Slot Machine Licensing

12. Section 441a.1. Definitions.—Consistency with statute and existing regulations.

Under the definition of "guest rooms under common ownership," do time share units equal common ownership? How is this provision consistent with the Section 1305 of the Act, which requires Category 3 licensed facilities to be in a "well-established" resort hotel having no fewer than 275 guest rooms under common ownership?

13. Section 441a.7. Licensing hearings for slot machine licenses.—Clarity.

Subsection (b) references prehearing conferences, but the regulation does not provide any detail on when or how those conferences are conducted. The final-form regulation should include, or provide a cross-reference to, this information.

Subsection (u) states that a final order and written decision will be served on the applicants for slot machine licenses. After the conclusion of the licensing hearings, within what time frame will the Board issue the final order?

14. Section 441a.16. Slot machine license term and renewal.—Consistency with statute; Fiscal impact; Reasonableness; Clarity.

Under this section, slot machine licenses will be valid for 1 year, and renewal applications must be submitted to the Board at least 60 days prior to the expiration of the license. Commentators note that this section does not provide details on the renewal requirements and are concerned that the lack of specificity could result in an unreasonable, burdensome and expensive renewal process.

We agree that this section is vague and recommend that the final-form regulation include the application requirements for license renewal.

15. Section 441a.20. Slot machine license agreements.—Reasonableness; Clarity.

Subsection (a) requires agreements or noncontractual relationships between a person and a slot machine licensee to receive Board approval. The process that the Board will use to approve these agreements and relationships is not included in the regulations. This information, including timelines for review, should be included in the final-form regulation.

16. Section 441a.21. Management contracts.—Statutory authority.

Under section, a slot machine licensee “shall be jointly and severally liable for any act or omission by the management company in violation of the act or this part, regardless of actual knowledge by the slot machine licensee of the act or omission.” What is the Board’s statutory authority for this provision?

17. Section 441a.23. Category 3 slot machine licenses.—Statutory authority; Clarity.

Under Subsection (a), amenities offered by a resort hotel must be on the premises of that hotel. Would a satellite location or property owned by the hotel qualify as “premises?” This should be clarified in the final-form regulation.

Subsection (d) allows a patron of the amenities at a Category 3 slot machine licensee’s facility unlimited access to the gaming floor for one 24-hour period within 72 hours of use of the amenity. What is the Board’s statutory authority for this provision?

18. Miscellaneous Clarity.

Under Section 437a.1.(c)(4), the term “associates” should be changed to “associations.”

ARTHUR COCCODRILLI,
Chairperson

[Pa.B. Doc. No. 07-1569. Filed for public inspection August 24, 2007, 9:00 a.m.]

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission’s public meetings are held at 333 Market Street, 14th Floor, in Harrisburg at 10:30 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, IRRC will provide a copy.

This schedule is tentative. Contact the Commission at (717) 783-5417 or check our website at www.irrc.state.pa.us for updates.

Final-Form

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
125-56	Pennsylvania Gaming Control Board Practice and Procedure	8/8/07	9/20/07
125-61	Pennsylvania Gaming Control Board General Revisions; Applications; Licensed Entity Representatives; Manufacturer Licenses; Supplier Licenses; Horsemen’s Organizations; Labor Organizations; Junket Enterprises; Management Companies	8/8/07	9/20/07
125-54	Pennsylvania Gaming Control Board Compulsive and Problem Gambling; Self Exclusion	8/8/07	9/20/07
125-57	Pennsylvania Gaming Control Board Persons Required to be Excluded; Underage Gaming	8/8/07	9/20/07

Final-Omit

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
7-415	Environmental Quality Board Alternative Fuels Incentive Grant Program (AFIG) Regulation	8/13/07	9/20/07

ARTHUR COCCODRILLI,
Chairperson

[Pa.B. Doc. No. 07-1570. Filed for public inspection August 24, 2007, 9:00 a.m.]

INSURANCE DEPARTMENT

Blue Cross of Northeastern Pennsylvania; Major Medical Nongroup Rate Filing; Filing No. 1353-MM-NON-GR-1/1/2008; Rate Filing

On August 14, 2007, the Insurance Department (Department) received from Blue Cross of Northeastern Pennsylvania and Highmark Blue Shield a filing for a rate increase for its Major Medical Nongroup product.

The company requests a 9.8% increase or on average \$15.29 per contract per month. This will affect about 4,650 contractholders and will produce additional revenue of about \$853,835 annually. The requested effective date of the change is January 1, 2008.

Unless formal administrative action is taken prior to November 8, 2007, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Department's website at www.ins.state.pa.us. Under the Quick Links section, click on the link "Rate Filings Published in the PA Bulletin."

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Sabater, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, jsabater@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1571. Filed for public inspection August 24, 2007, 9:00 a.m.]

Capital Advantage Insurance Co.; Individual Direct Pay Basic Hospitalization/Medical-Surgical/Major Medical Plan; Filing No. 07-W; Rate Filing

On August 9, 2007, the Insurance Department (Department) received from Capital Advantage Insurance Co. a filing for a rate increase for the medical-surgical and major medical portion of its Individual Direct Pay Basic Hospitalization/Medical-Surgical/Major Medical Plan.

The company requests a 9.9% increase or about \$44.76 per contract per month on average. This will affect about 661 contractholders and will produce additional income of about \$29,589 annually. The requested effective date of the change is January 1, 2008.

Unless formal administrative action is taken prior to November 8, 2007, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Department's website at www.ins.state.pa.us. Under the Quick Links section, click on the link "Rate Filings Published in the PA Bulletin."

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Sabater, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, jsabater@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1572. Filed for public inspection August 24, 2007, 9:00 a.m.]

Capital Advantage Insurance Company; Individual Direct Pay Comprehensive Major Medical Benefit Contract for the Non-HIPAA and HCTC Programs with a \$750 Deductible (Form No. IA-COMP750-C) and \$1,500 Deductible (Form No. IA-COMP1500-C); Rate Filing

By filing No. 07-X, Capital Advantage Insurance Company requests approval to increase rates for its Individual Direct Pay Comprehensive Major Medical Benefit Contract with a \$750 Deductible for the Non-HIPAA and HCTC Programs (Form No. IA-COMP750-C) and Individual Direct Pay Comprehensive Major Medical Benefit Contract with a \$1,500 Deductible for HIPAA and HCTC Eligible Individuals (Form No. IA-COMP1500-C). The filing requests an overall increase of 9.9%. The current and requested rates are as follows:

Contract Type	Current Rates	Proposed Rates	Percent Increase
<i>Tier I—\$750 Deductible</i>			
Single	\$355.63	\$390.84	9.9%
Husband and Wife	\$711.26	\$781.67	9.9%
Parent and Child	\$510.86	\$561.44	9.9%
Parent and Children	\$510.86	\$561.44	9.9%
Family	\$745.78	\$819.61	9.9%
<i>Tier II—\$1,500 Deductible</i>			
Single	\$303.18	\$333.19	9.9%
Husband and Wife	\$606.36	\$666.39	9.9%
Parent and Child	\$439.73	\$483.26	9.9%
Parent and Children	\$439.73	\$483.26	9.9%
Family	\$641.93	\$705.48	9.9%

The proposed rate increase will affect about 4,284 contracts and will produce additional revenue of about \$2.27 million annually. The requested effective date of the change is January 1, 2008.

Unless formal administrative action is taken prior to November 8, 2007, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) website at www.ins.state.pa.us. Under the Quick Links section, click on the link "Rate Filings Published in the PA Bulletin."

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to Cherri Sanders-Jones, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square,

Harrisburg, PA 17120, csandersjo@state.pa.us, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1573. Filed for public inspection August 24, 2007, 9:00 a.m.]

Capital Advantage Insurance Company; Special Care Individual Direct Pay Medical-Surgical Contract Rate Increase; Filing No. 07-U; Rate Filing

Capital Advantage Insurance Company submitted to the Insurance Department (Department), for its review and approval, adjusted rates for the medical-surgical portion of its Special Care Individual Direct Pay Basic Hospitalization/Medical-Surgical Program. The requested average rate increase is 9.9%. An effective date of January 1, 2008, has been requested. The proposed rate increase would affect approximately 3,616 contracts and would produce additional annual premium income of \$440,940. The current and requested rates are as follows:

*Special Care Medical/Surgical Program Health Services—
Nongroup*

<i>Contract Type</i>	<i>Current Rates</i>	<i>Proposed Rates</i>	<i>% Increase</i>
<i>Tier I</i>			
Single	\$84.56	\$92.93	9.9%
Husband and Wife	\$169.12	\$185.86	9.9%
Parent and Child	\$140.54	\$154.45	9.9%
Parent and Children	\$140.54	\$154.45	9.9%
Family	\$225.10	\$247.38	9.9%
<i>Tier II</i>			
Single	\$84.56	\$92.93	9.9%
Husband and Wife	\$169.12	\$185.86	9.9%
Parent and Child	\$140.54	\$154.45	9.9%
Parent and Children	\$140.54	\$154.45	9.9%
Family	\$225.10	\$247.38	9.9%

Unless formal administrative action is taken prior to November 8, 2007, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's website at www.ins.state.pa.us. Under the Quick Links section, click on the link "Rate Filings Published in the PA Bulletin."

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1574. Filed for public inspection August 24, 2007, 9:00 a.m.]

Capital BlueCross and Capital Advantage Insurance Company; Individual Direct Pay Comprehensive Major Medical Benefit Contract for HIPAA and HCTC Eligible with a \$750 Deductible (Form No. IA-COMP750h-C) and \$1,500 Deductible (Form No. IA-COMP1500h-C); Rate Filing

By filing No. 07-Y Capital BlueCross and Capital Advantage Insurance Company requests approval to increase rates for its Individual Direct Pay Comprehensive Major Medical Benefit Contract with a \$750 Deductible for HIPAA and HCTC Eligible Individuals (Form No. IA-COMP750h-C) and Individual Direct Pay Comprehensive Major Medical Benefit Contract with a \$1,500 Deductible for HIPAA and HCTC Eligible Individuals (Form No. IA-COMP1500h-C). The filing requests an overall increase of 9.9%. The current and requested rates are as follows:

<i>Contract Type</i>	<i>Current Rates</i>	<i>Proposed Rates</i>	<i>Percent Increase</i>
<i>Tier I—\$750 Deductible</i>			
Single	\$522.56	\$574.29	9.9%
Husband and Wife	\$1,045.12	\$1,148.59	9.9%
Parent and Child	\$734.94	\$807.70	9.9%
Parent and Children	\$734.94	\$807.70	9.9%
Family	\$1,072.92	\$1,179.14	9.9%
<i>Tier II—\$1,500 Deductible</i>			
Single	\$440.60	\$484.22	9.9%
Husband and Wife	\$881.20	\$968.44	9.9%
Parent and Child	\$624.13	\$685.92	9.9%
Parent and Children	\$624.13	\$685.92	9.9%
Family	\$911.16	\$1,001.36	9.9%

The proposed rate increase will affect about 526 contracts and will produce additional revenue of about \$395,880 annually. The requested effective date of the change is January 1, 2008.

Unless formal administrative action is taken prior to November 8, 2007, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) website at www.ins.state.pa.us. Under the Quick Links section, click on the link "Rate Filings Published in the PA Bulletin."

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to Cherri Sanders-Jones, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, sandersjo@state.pa.us, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1575. Filed for public inspection August 24, 2007, 9:00 a.m.]

Capital BlueCross; Individual Direct Pay Basic Hospitalization/Medical-Surgical/Major Medical Plan; Filing No. IA-Trad-C; Rate Filing

On August 9, 2007 the Insurance Department (Department) received from Capital BlueCross a filing for a rate increase for the hospital portion of its Individual Direct Pay Basic Hospitalization/Medical-Surgical/Major Medical Plan.

The company requests a 9.9% increase or about \$41.78 per contract per month on average. This will affect about 661 contractholders and will produce additional income of about \$27,615 annually. The requested effective date of the change is January 1, 2008.

Unless formal administrative action is taken prior to November 8, 2007, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Department's website at www.ins.state.pa.us. Under the Quick Links section, click on the link "Rate Filings Published in the PA Bulletin."

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Sabater, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, jsabater@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1576. Filed for public inspection August 24, 2007, 9:00 a.m.]

Capital BlueCross; Special Care Individual Direct Pay Basic Hospitalization Rate Increase; Filing No. 07-T; Rate Filing

Capital Blue Cross submitted to the Insurance Department (Department), for its review and approval, adjusted rates for the hospitalization portion of its Special Care Individual Direct Pay Basic Hospitalization/Medical-Surgical Program. The requested average rate increase is 9.9%. An effective date of January 1, 2008, has been requested. The proposed rate increase would affect approximately 3,616 contracts and would produce additional annual income of \$392,184. The current and requested rates are as follows:

*Special Care Hospital Program Health Services—
Nongroup*

<i>Contract Type</i>	<i>Current Rates</i>	<i>Proposed Rates</i>	<i>Percentage Increase</i>
<i>Tier I</i>			
Single	\$74.58	\$81.96	9.9%
Husband and Wife	\$149.16	\$163.93	9.9%
Parent and Child	\$126.79	\$139.34	9.9%
Parent and Children	\$126.79	\$139.34	9.9%
Family	\$201.37	\$221.31	9.9%

<i>Contract Type</i>	<i>Current Rates</i>	<i>Proposed Rates</i>	<i>Percentage Increase</i>
<i>Tier II</i>			
Single	\$113.66	\$124.91	9.9%
Husband and Wife	\$227.32	\$249.82	9.9%
Parent and Child	\$193.22	\$212.35	9.9%
Parent and Children	\$193.22	\$212.35	9.9%
Family	\$306.88	\$337.26	9.9%

Unless formal administrative action is taken prior to November 8, 2007, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's website at www.ins.state.pa.us. Under the Quick Links section, click on the link "Rate Filings Published in the PA Bulletin."

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1577. Filed for public inspection August 24, 2007, 9:00 a.m.]

Philip Coff, M. D.; Prehearing

Appeal of Philip Coff, M. D. under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910); Doc. No. MM07-07-048

On or before August 30, 2007, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's May 8, 2007, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for September 21, 2007. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before September 17, 2007. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before September 6, 2007, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before September 13, 2007.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1578. Filed for public inspection August 24, 2007, 9:00 a.m.]

Conseco Senior Health Insurance Company; 25% Rate Increase Filing for Several LTC Home Health Policy Forms; Rate Filing

Conseco Senior Health Insurance Company is requesting approval to increase the premium 25% on several Long-Term Care home health policy forms. The company is requesting a 25% increase on the following forms which were originally issued by American Travelers: ATL-HHC-1, ATL-HHC-2, ATL-HHC-3, ATL-HHC-4, ATL-HHC-6 and ATL-HHC-87. A total of 1,950 Commonwealth policyholders will be affected by this rate adjustment.

Unless formal administrative action is taken prior to November 8, 2007, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) website at www.ins.state.pa.us. Under the Quick Links section, click on the link "Rate Filings Published in the PA Bulletin."

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1579. Filed for public inspection August 24, 2007, 9:00 a.m.]

Pamela A. Crilley, D. O.; Prehearing

Appeal of Pamela A. Crilley, D. O. under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910); Doc. No. MM07-07-015

On or before August 21, 2007, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's June 28, 2007, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for September 12, 2007. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before September 7, 2007. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before August 28, 2007, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Sev-

enth Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before September 4, 2007.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1580. Filed for public inspection August 24, 2007, 9:00 a.m.]

Exxon Service Station 9899; Prehearing

Appeal of Exxon Service Station 9899 under the Storage Tank and Spill Prevention Act; Underground Storage Tank Indemnification Fund; USTIF File No. 2005-0109(M); Doc. No. UT07-07-021

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and any other relevant procedure provisions of law.

A prehearing telephone conference shall be held on September 13, 2007. Motions preliminary to those at hearing, protests, petitions to intervene, notices of appearance or notices of intervention, if any, must be filed with the Administrative Hearings Office, Room 200, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102 on or before August 30, 2007. Answers to petitions to intervene, if any, shall be filed on or before September 6, 2007.

A date for a hearing shall be determined, if necessary, at the prehearing telephone conference.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1581. Filed for public inspection August 24, 2007, 9:00 a.m.]

52nd Street Gas, Inc.; Prehearing

Appeal of 52nd Street Gas, Inc. under the Storage Tank and Spill Prevention Act; Underground Storage Tank Indemnification Fund; USTIF File No. 2006-0176(F); Doc. No. UT07-07-018

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and any other relevant procedure provisions of law.

A prehearing telephone conference shall be held on September 13, 2007. Motions preliminary to those at hearing, protests, petitions to intervene, notices of appearance or notices of intervention, if any, must be filed with the Administrative Hearings Office, Room 200, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102 on or before August 30, 2007. Answers to petitions to intervene, if any, shall be filed on or before September 6, 2007.

A date for a hearing shall be determined, if necessary, at the prehearing/settlement telephone conference.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1582. Filed for public inspection August 24, 2007, 9:00 a.m.]

Highmark, Inc., d/b/a Highmark Blue Shield; Direct Pay Medical/Surgical Products; Blue Cross of Northeastern PA and Independence Blue Cross Plan Areas; Rate Filing

By filing No. 1-DPMS (MIDA)-07-HBS Highmark, Inc. requests approval to increase rates for its Direct Pay Medical/Surgical Products in the Blue Cross of Northeastern PA (1800S student and nonstudent, Plan C, 5000S, UCR 100 and UCR 80/20) and Independence Blue Cross (1800S, Plan C, 5000S, UCR 100 and UCR 80/20) plan areas. The filing requests an overall increase of 15% or \$17.74 per contract per month. Increases may vary by plan area and program, reflecting differences in claim costs and expenses. This will affect about 10,300 contractholders and will produce additional revenue of about \$2.196 million annually. The requested effective date of the change is January 1, 2008.

Unless formal administrative action is taken prior to November 8, 2007, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) website at www.ins.state.pa.us. Under the Quick Links section, click on the link "Rate Filings Published in the PA Bulletin."

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's Harrisburg office.

Interested parties are invited to submit written comments, suggestions or objections to Cherri Sanders-Jones, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, csandersjo@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1583. Filed for public inspection August 24, 2007, 9:00 a.m.]

Highmark, Inc., d/b/a Highmark Blue Shield; Filing No. 1-DPMG (MIDA)-07-HBS; Application for Approval of Revised Rates for Direct Pay Medicare Supplement (Security65) Programs, Providing Medical/Surgical Benefits for Standardized Benefit Packages A, B, C and H, in the Blue Cross of Northeastern Pennsylvania and Independence Blue Cross Service Areas; Rate Filing

Highmark Inc., d/b/a Highmark Blue Shield, has filed for approval revised rates for its Security65 medical/surgical programs for the Blue Cross of Northeastern Pennsylvania and Independence Blue Cross service areas. The aggregate rate increase requested is 9.9% for the Blue Cross of Northeastern Pennsylvania service area and 15.0% for the Independence Blue Cross service area. The requested effective date of the revised rates is January 1, 2008. The most recent prior rate adjustment for these programs took effect on September 1, 2005. The current and requested rates for First Eligible issues, and the requested rate adjustments, are as follows:

*Blue Cross of
Northeastern PA
Service Area
Benefit Plan*

<i>Benefit Plan</i>	<i>Policy Number</i>	<i>Current Rate</i>	<i>Proposed Rate</i>	<i>Rate Adjustment</i>
Plan A	MDGAP-A	\$63.80	\$63.80	0.0%
Plan B	MDGAP-B	\$70.15	\$76.95	9.7%
Plan C	MDGAP-C	\$70.15	\$76.95	9.7%
Plan H	MDGAP-H	\$78.70	\$86.80	10.3%

*Independence Blue
Cross Service Area
Benefit Plan*

<i>Benefit Plan</i>	<i>Policy Number</i>	<i>Current Rate</i>	<i>Proposed Rate</i>	<i>Rate Adjustment</i>
Plan A	5450	\$104.15	\$119.75	15.0%
Plan B	5451	\$104.15	\$119.75	15.0%
Plan C	5452	\$104.15	\$119.75	15.0%
Plan H	5453	\$112.95	\$129.85	15.0%

These rate adjustments would affect approximately 42,945 members and would produce approximately \$4.0 million in additional premium annually in the Blue Cross of Northeastern Pennsylvania service area, and would affect approximately 47,468 members and would produce approximately \$9.4 million in additional premium annually in the Independence Blue Cross service area.

Unless formal administrative action is taken prior to November 8, 2007, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) website at www.ins.state.pa.us. Under the Quick Links section, click on the link "Rate Filings Published in the PA Bulletin."

Copies of the filing are also available for public inspection, by appointment, during normal working hours at the Department's offices in Harrisburg and Pittsburgh.

Interested parties are invited to submit written comments, suggestions or objections to Michael Gurgiolo, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, mgurgiolo@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1584. Filed for public inspection August 24, 2007, 9:00 a.m.]

Ann Keenan, M. D.; Prehearing**Appeal of Ann Keenan, M. D. under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910); Doc. No. MM07-07-005**

On or before September 4, 2007, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's June 15, 2007, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for September 25, 2007. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before September 14, 2007. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before September 11, 2007, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before September 18, 2007.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1585. Filed for public inspection August 24, 2007, 9:00 a.m.]

Stephen Mechanick, M. D.; Prehearing**Appeal of Stephen Mechanick, M. D. under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910); Doc. No. MM07-07-011**

On or before August 21, 2007, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's June 11, 2007, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for September 11, 2007. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before September 7, 2007. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before August 28, 2007, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before September 4, 2007.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1586. Filed for public inspection August 24, 2007, 9:00 a.m.]

Pottstown Medical Center; Prehearing**Appeal of Pottstown Medical Center under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910); Doc. No. MM07-07-047**

On or before August 30, 2007, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's June 22, 2007, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for September 21, 2007. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before September 17, 2007. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before September 6, 2007, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before September 13, 2007.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1587. Filed for public inspection August 24, 2007, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68) (Act 68) in connection with the termination of the insureds' automobile policies. The hearings will be held in accordance with the requirements of Act 68, 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearings will be held in the Insurance Department's regional offices in Harrisburg and Philadelphia. Failure by an appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearings will be held in the Philadelphia Regional Office, Room 1701, State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of James and Young Hinchliffe; file no. 07-265-37853; Erie Insurance Exchange; doc. no. P07-07-043; September 19, 2007, 11 a.m.

The following hearing will be held in the Pittsburgh Regional Office, Room 304, State Office Building, 300 Liberty Avenue, Pittsburgh, PA 15222.

Appeal of Sharon Aurednik; file no. 07-302-37314; State Farm Insurance Co.; doc. no. P07-07-013; September 11, 2007, 11 a.m.

Appeal of Linda Rumbaugh; file no. 07-302-37352; Erie Insurance Exchange; doc. no. P07-07-001; September 11, 2007, 1 p.m.

Parties may appear with or without counsel and offer relevant testimony or other relevant evidence. Each party

must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Kathryn Culbertson, Agency Coordinator at (717) 705-4194.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1588. Filed for public inspection August 24, 2007, 9:00 a.m.]

claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending.

Reimbursement is available only when the insured is successful on appeal and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing, and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Kathryn Culbertson, Agency Coordinator at (717) 705-4194.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1589. Filed for public inspection August 24, 2007, 9:00 a.m.]

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. §§ 1171.8) in connection with their companies' termination of the insureds' policies. The administrative hearing will be held in the Insurance Department's regional offices in Harrisburg and Pittsburgh, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearings will be held in the Philadelphia Regional Office, Room 1701, State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of Beatrice Crawford; file no. 07-266-35785; Fair Plan of Pennsylvania; doc. no. PH07-07-020; September 19, 2007, 10 a.m.

Appeal of Marilyn White; file no. 07-215-36248; Harleysville Insurance Company; doc. no. P07-06-020; September 18, 2007, 9 a.m.

The following hearing will be held in the Pittsburgh Regional Office, Room 304, State Office Building, 300 Liberty Avenue, Pittsburgh, PA 15222.

Appeal of Alexandra Petilla; file no. 07-302-35219; Homesite Insurance Company; doc no. P07-07-007; September 11, 2007, 10 a.m.

Parties may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings,

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insurers have requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (40 P. S. §§ 1171.8) in connection with their companies' termination of the insureds' policies. The administrative hearing will be held in the Insurance Department's regional offices in Harrisburg and Pittsburgh, PA. Failure by an appellant to appear at a scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Philadelphia Regional Office, Room 1701, State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

Appeal of Erie Insurance Exchange; file no. 07-265-36842; James Anderson and Marianne Cavello; doc. no. PH07-07-002; September 18, 2007, 4 p.m.

Parties may appear with or without counsel and offer relevant testimony and/or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending.

Reimbursement is available only when the insured is successful on appeal and may not be ordered in all

instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing, and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Kathryn Culbertson, Agency Coordinator at (717) 705-4194.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1590. Filed for public inspection August 24, 2007, 9:00 a.m.]

Robert M. Rogers, Jr., M. D.; Prehearing

**Appeal of Robert M. Rogers, Jr., M. D. under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910);
Doc. No. MM07-07-017**

On or before August 21, 2007, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's June 14, 2007, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for September 11, 2007. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before September 7, 2007. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before August 28, 2007, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before September 4, 2007.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1591. Filed for public inspection August 24, 2007, 9:00 a.m.]

Keith E. Sadel, M. D.; Prehearing

**Appeal of Keith E. Sadel, M. D. under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910);
Doc. No. MM07-07-016**

On or before August 21, 2007, the appellant shall file a concise statement setting forth the factual and/or legal

basis for the disagreement with MCARE's July 3, 2007, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for September 11, 2007. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before September 7, 2007. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before August 28, 2007, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before September 4, 2007.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1592. Filed for public inspection August 24, 2007, 9:00 a.m.]

William Sauer, M. D.; Prehearing

**Appeal of William Sauer, M. D. under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910);
Doc. No. MM07-07-010**

On or before September 4, 2007, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's June 20, 2007, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for September 25, 2007. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before September 14, 2007. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before September 11, 2007, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before September 18, 2007.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1593. Filed for public inspection August 24, 2007, 9:00 a.m.]

James E. Spicher, M. D.; Prehearing

**Appeal of James E. Spicher, M. D. under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910);
Doc. No. MM07-07-038**

On or before September 4, 2007, the appellant shall file a concise statement setting forth the factual and/or legal

basis for the disagreement with MCARE's June 26, 2007, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for September 25, 2007. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before September 14, 2007. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before September 11, 2007, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before September 18, 2007.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1594. Filed for public inspection August 24, 2007, 9:00 a.m.]

David Topolsky, M. D.; Prehearing

Appeal of David Topolsky, M. D. under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910); Doc. No. MM07-07-014

On or before August 21, 2007, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's June 28, 2007, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for September 12, 2007. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before September 7, 2007. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before August 28, 2007, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before September 4, 2007.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1595. Filed for public inspection August 24, 2007, 9:00 a.m.]

Saul D. Wolfson, M. D.; Prehearing

Appeal of Saul D. Wolfson, M. D. under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910); Doc. No. MM07-07-049

On or before August 30, 2007, the appellant shall file a concise statement setting forth the factual and/or legal

basis for the disagreement with MCARE's June 22, 2007, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for September 20, 2007. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before September 17, 2007. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before September 6, 2007, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before September 13, 2007.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-1596. Filed for public inspection August 24, 2007, 9:00 a.m.]

MILK MARKETING BOARD

Hearing and Presubmission Schedule; Milk Marketing Area No. 3

Under the Milk Marketing Law (31 P. S. § 700j-101—700j-1302), the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Area No. 3 on October 3, 2007, at 12:45 p.m. in Meeting Rooms 1 and 2 of the Commonwealth Technology Center, 1 Technology Park, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning cost replacement in Milk Marketing Area No. 3. Evidence will be limited to the following: annualized processing, packaging and delivery costs; updated costs for containers, ingredients and Class II products; updated labor, utility and insurance costs based on comparisons between costs per point for the second quarters of calendar years 2006 and 2007; consideration of skim and butterfat contents of products regulated by the Board; adjustment for shrinkage, sales of bulk products and cream processing costs; in-store handling costs and a reasonable rate of return to milk dealers and stores. In accordance with OGO A-937, evidence and testimony will be considered regarding the heating fuel adjuster in Area 3. In accordance with OGO A-939, evidence and testimony will be considered regarding the diesel fuel cost adjuster in Area 3.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 4 p.m. on September 5, 2007, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 4 p.m. on September 5, 2007, notification of their desire to be included as a party. Parties may indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to deberly@state.pa.us.

The parties shall observe the following requirements for advance filing of witness information and exhibits:

1. By 4 p.m. on September 7, 2007, each party shall file with the Board, in person or by mail, one original and eight copies and ensure receipt by all other parties of one copy of:

a. A list of witnesses who will testify for the party, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a statement of the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 4 p.m. on September 21, 2007, each party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 4 p.m. on September 28, 2007, each party shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents, or records in other proceedings before the Board, or who wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code §§ 35.164, 35.165, 35.167 or 35.173. Whenever these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties; in addition, at least 20 copies shall be available for distribution to nonparties attending the hearing.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing and received in the Board office by 4 p.m. on September 13, 2007.

The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

KEITH BIERLY,
Secretary

[Pa.B. Doc. No. 07-1597. Filed for public inspection August 24, 2007, 9:00 a.m.]

Hearing and Presubmission Schedule; Milk Marketing Area No. 6

Under the Milk Marketing Law (31 P. S. § 700j-101—700j-1302), the Pennsylvania Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Area No. 6 on October 3, 2007, commencing at 12:15 p.m. in Meeting Rooms 1 and 2 of the Commonwealth Technology Center, 1 Technology Park, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning cost replacement in Milk Marketing Area No. 6. Evidence will be limited to the following: annualized processing, packaging and delivery costs; updated costs for containers, ingredients and Class II products; updated labor, utility and insurance costs based on comparisons between costs per point for the second quarters of calendar years 2006 and 2007; consideration

of skim and butterfat contents of products regulated by the Board; adjustment for shrinkage, sales of bulk products and cream processing costs; in-store handling costs and a reasonable rate of return to milk dealers and stores. In accordance with OGO A-937, evidence and testimony will be considered regarding the heating fuel adjuster in Area 6. In accordance with OGO A-939, evidence and testimony will be considered regarding the diesel fuel cost adjuster in Area 6.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 4 p.m. on September 5, 2007, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 4 p.m. on September 5, 2007, notification of their desire to be included as a party. Parties may indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to deberly@state.pa.us.

The parties shall observe the following requirements for advance filing of witness information and exhibits:

1. By 4 p.m. on September 7, 2007, each party shall file with the Board, in person or by mail, one original and eight copies and ensure receipt by all other parties of one copy of:

a. A list of witnesses who will testify for the party, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a statement of the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 4 p.m. on September 21, 2007, each party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 4 p.m. on September 28, 2007, each party shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board, or who wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code §§ 35.164, 35.165, 35.167 or 35.173. Whenever these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties; in addition, at least 20 copies shall be available for distribution to nonparties attending the hearing.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing and received in the Board office by 4 p.m. on September 13, 2007.

The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

KEITH BIERLY,
Secretary

[Pa.B. Doc. No. 07-1598. Filed for public inspection August 24, 2007, 9:00 a.m.]

PENNSYLVANIA EMERGENCY MANAGEMENT AGENCY

Application for the Volunteer Fire Company and Volunteer Ambulance Services Grant Program

This notice provides updated information about the Volunteer Fire Company and Volunteer Ambulance Services Grant Program. Volunteer fire companies and volunteer ambulance services seeking grants under this act shall submit completed applications no later than 4 p.m. Eastern Daylight Saving Time on October 11, 2007. The application for the fiscal years commencing July 1, 2006, and July 1, 2007, shall be a combined application. Written instructions and guidelines for the grant program will be available on line at the Office of State Fire Commissioner website www.osfc.state.pa.us no later than August 7, 2007. Grant applications will be available on line at the Office of State Fire Commissioner website www.osfc.state.pa.us no later than August 28, 2007.

This notice is provided in accordance with the Volunteer Fire Company and Volunteer Ambulance Services Grant Act (72 P. S. §§ 3943.1—3944.5).

ROBERT P. FRENCH,
Director

[Pa.B. Doc. No. 07-1599. Filed for public inspection August 24, 2007, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Gas Service

A-125127F0004. PPL Gas Utilities Corporation. Application of PPL Gas Utilities Corporation for approval to offer, render, furnish or supply gas utility service to the public in the additional territories of Pocono and Hamilton Townships in Monroe County, PA.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before September 10, 2007. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: PPL Gas Utilities Corporation

Through and By Counsel: Daniel P. Delaney, Esquire, Kirkpatrick and Lockhart, Preston Gates Ellis, LLP, 17 North Second Street, 18th Floor, Harrisburg, PA 17101-1507

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 07-1600. Filed for public inspection August 24, 2007, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by September 17, 2007. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin* operating as *common carriers* for transportation of persons as described under each application.

A-00123795, F.2. Meeghan A. Scott (252 West Roosevelt Boulevard, Philadelphia, Philadelphia County, PA 19120)—persons, in paratransit service, from points in the County of Philadelphia, to State Correctional Institutions, and return.

A-00124036. John L. Ehrisman (R. R. 1, Box 91-A, Thompsettown, Juniata County, PA 17094)—persons, in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Juniata County, to points in Pennsylvania, and return.

A-00124038. Robert Auxier (P. O. Box 143, Sharpsville, Mercer County, PA 16150)—persons, in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the County of Mercer to points in Pennsylvania, and return.

Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. Camp, Charles E., t/a Mad Dog Transport; Doc. No. A-00117285C0701

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That all authority issued to Camp, Charles E. (respondent) is under suspension effective 06/02/2007 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at Camp, Charles E., t/a Mad Dog Transport, 1274 Old State Road, Apollo, PA 15613.

3. That respondent was issued a Certificate of Public Convenience by this Commission on 1/03/2001 at Application Docket No. A-00117285.

4. That respondent has failed to maintain evidence of bodily injury and property damage liability insurance on file with this Commission.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Transportation and Safety Prosecutory Staff will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at Docket No. A-00117285 for failure to maintain evidence of current insurance on file with the Commission, (2) orders such other remedy as the Commission may deem to be appropriate, which may include a fine and the suspension of a vehicle registration and (3) imposes an additional fine on the respondent.

Respectfully submitted,

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services & Enforcement Division
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Wendy J. Keezel, Chief of Enforcement for the Motor Carrier Services and Enforcement Division of the Bureau of Transportation and Safety, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services and Enforcement
Division
Bureau of Transportation and Safety

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original and three (3) copies sent to:

James J. McNulty, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty (20) days of the date of service, the Bureau of Transportation and Safety will request that the Commission issue an Order imposing a penalty. Pursuant to 66 Pa.C.S. § 3301(a), the penalty could include a fine of up to \$1,000 for each violation, the revocation of your Certificate of Public Convenience, or any other remedy as may be appropriate. Each day you continue to violate any regulation, direction, requirement, determination or Order of the Commission is a separate and distinct offense, subject to additional penalties.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations within twenty (20) days of the date of service of this Complaint. The proof of insurance must be filed with the Compliance Office, Bureau of Transportation and Safety, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265.

Upon receipt of the evidence of insurance from your insurer, the Complaint proceeding shall be closed. *Acord Certificates of Insurance and Faxed Form Es and Hs are Unacceptable as Evidence of Insurance.*

D. If you file an answer which admits or fails to deny the allegations of the complaint, the Bureau of Transportation and Safety will request that the Commission issue an Order imposing a penalty, which may include the cancellation of your Certificate of Public Convenience. Should the Commission cancel your Certificate of Public Convenience, it may also impose an additional fine of up to \$1,000.

E. If you file an answer which contests the complaint, the matter will be assigned to an administrative law judge for hearing and decision. The judge is not bound by the optional fine set forth.

F. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at (717) 787-1227.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 07-1601. Filed for public inspection August 24, 2007, 9:00 a.m.]

Telecommunications

A-310555F7000. Verizon Pennsylvania, Inc. (f/k/a Bell Atlantic-Pennsylvania, Inc.) and RCN Telecom Services, Inc. and RCN Telecom Services of Philadelphia, Inc. Joint petition of Verizon Pennsylvania, Inc. (f/k/a Bell Atlantic-Pennsylvania, Inc.) and RCN Telecom Services, Inc. and RCN Telecom Services of Philadelphia, Inc. for approval of amendment no. 6 to an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, Inc. (f/k/a Bell Atlantic-Pennsylvania, Inc.) and RCN Telecom Services, Inc. and RCN Telecom Services of Philadelphia, Inc., by its counsel, filed on August 10, 2007, at the Pennsylvania Public Utility Commission (Commission), a joint petition for

approval of amendment no. 6 to an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania, Inc. (f/k/a Bell Atlantic-Pennsylvania, Inc.) and RCN Telecom Services, Inc. and RCN Telecom Services of Philadelphia, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 07-1602. Filed for public inspection August 24, 2007, 9:00 a.m.]

2008 Schedule of Filing Dates for Recovery of Purchased Gas Costs; Doc. No. L-840102

Under 52 Pa. Code § 53.64(a) (relating to filing requirements for natural gas distributors with gross intrastate annual operating revenues in excess of \$40 million) the Pennsylvania Public Utility Commission (Commission) annually publishes a schedule of filing dates for jurisdictional gas utilities subject to the procedure of 66 Pa.C.S. § 1307(f) (relating to sliding scale of rates; adjustments) for the recovery of purchased gas costs.

The 2008 schedule of filing dates is as follows:

February 1, 2008: National Fuel Gas Distribution Corporation—PA Division; T.W. Phillips Gas and Oil Company

March 1, 2008: Philadelphia Gas Works

April 1, 2008: Columbia Gas of Pennsylvania, Inc.; Peoples Natural Gas Company; Equitable Gas Company

June 1, 2008: UGI Penn Gas, Inc.; PECO—Gas Division; UGI Corporation; PPL Gas Utilities, Corp.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 07-1603. Filed for public inspection August 24, 2007, 9:00 a.m.]

Wastewater Service

A-230066F2000. Rostraver Preferred Properties, Inc. Application of Rostraver Preferred Properties, Inc., for approval of the abandonment or discontinuance of wastewater service to the residents of the area known as Todd Manor in Belle Vernon, PA.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before September 10, 2007. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Rostraver Preferred Properties, Inc.

Through and By Counsel: Mark Ramsier, Esquire, 823 Broad Avenue, Belle Vernon, PA 15012

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 07-1604. Filed for public inspection August 24, 2007, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project No. 07-081.S, Maintenance for Boiler, TMT (LMSR Project), until 2 p.m. on Thursday, September 20, 2007. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 North Delaware Avenue, 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available August 28, 2007. PRPA is an equal opportunity employer. Contractor must comply with all applicable equal employment opportunity laws and regulations.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 07-1605. Filed for public inspection August 24, 2007, 9:00 a.m.]

