

NOTICES

DELAWARE RIVER BASIN COMMISSION

Meeting and Public Hearing

The Delaware River Basin Commission (Commission) will hold an informal conference followed by a public hearing on Wednesday, December 12, 2007. The hearing will be part of the Commission's regular business meeting. Both the conference session and business meeting are open to the public and will be held at the Commission's office building, located at 25 State Police Drive in West Trenton, NJ.

The conference among the commissioners and staff will begin at 10 a.m. Topics of discussion will include: a status report by staff of the United States Geological Survey on the flood analysis model under development in accordance with the Commission's Resolution No. 2006-20 to evaluate the potential for reservoirs throughout the basin to be used to mitigate flooding along the Delaware River and its tributaries; status of a proposal to update the water quality standard for PCBs in the Delaware Estuary and provide for implementation of the new standard; a report on the status of three pending rulemakings: (a) amendments to the Water Code and Water Quality Regulations relating to water accountability and source metering, recording and reporting; (b) Water Code amendments to implement a Flexible Flow Management Program proposed by the parties to the Supreme Court Decree of 1954 for operation of the New York City Delaware Basin reservoirs; and (c) amendments to the Water Code and Water Quality Regulations regarding Special Protection Waters. In addition, there will be a discussion of the proposed Commission Fiscal Year (FY) 2008-2009 Water Resources Program and a presentation by Dr. Rebecca L. Schneider of Cornell University on how networks of roadside ditches across watersheds contribute significantly to flooding, droughts and degraded water quality downstream.

The subjects of the public hearing to be held during the 1:30 p.m. business meeting include the dockets listed as follows:

1. *Deptford Township Municipal Utilities Authority D-94-68 CP-2*. An application for the renewal of a groundwater withdrawal project to continue withdrawal of 123 mg/30 days to supply the applicant's public water supply distribution system from existing Wells Nos. 1, 2, 4, 6—8 and 9R in the Potomac-Raritan-Magothy Formation. The project is located in the Lower Delaware Watershed in Deptford Township, Gloucester County, NJ, in New Jersey Critical Water Supply Area 2.

2. *City of Vineland D-95-47 CP-2*. An application for the renewal of a groundwater withdrawal project to continue the withdrawal of 494.5 mg/30 days to supply the applicant's public water supply distribution system from existing Wells Nos. 2—14 in the Cohansey Formation. The project is located in the Maurice River Watershed in the City of Vineland, Cumberland County, NJ.

3. *Merchantville-Pennsauken Water Commission D-97-5 CP-2*. An application for the renewal of a groundwater withdrawal project to continue withdrawal of 335 mg/30 days to supply the applicant's public water supply distribution system from 15 existing wells in the Potomac-

Raritan-Magothy Formation. The project is located in the Pennsauken Creek Watershed in Merchantville Borough and Pennsauken Township, Camden County, NJ.

4. *Nestlé Waters North America, Inc. D-98-27-3*. An application for the renewal of a spring water withdrawal project to continue withdrawal of 9 mg/30 days to supply the applicant's bottled water operations from existing Hoffman Springs Nos. 1—3 and new Mattos Catchment No. 1. The project is located in the Ontelaunee Creek Watershed in Lynn Township, Lehigh County, PA.

5. *Sapa Extrusions, Inc. (formerly Alcoa Extrusions, Inc.) D-2005-1-3*. An application to continue to discharge up to 0.10 mgd from an existing outfall to the West Branch Schuylkill River. No expansion of the treatment facility is proposed and no alterations to the existing effluent limits are requested. The treatment facility is located in Cressona Borough, Schuylkill County, PA.

6. *E. I. du Pont de Nemours and Company D-71-86-2*. An application for the renewal and update of the Edge Moor facility's IWTP and noncontact cooling water discharges and for approval of the installation of an effluent diffuser. The permitted discharges from the applicant's titanium dioxide production facility include a 5.2 mgd discharge of treated IWTP effluent from Outfall 001, a 2.89 mgd discharge of noncontact cooling water and stormwater from Outfall 002, and a 5.9 mgd discharge of noncontact cooling water and stormwater from Outfall 003. The facility will continue to discharge to the Delaware River. The facility is located in Edgemoor, DE.

7. *Warren County (Pequest River) Municipal Authority D-71-96 CP-2*. An application to modify an existing docket by providing a Total Dissolved Solids (TDS) determination for the Warren County (Pequest River) Municipal Utilities Authority's Oxford Area Wastewater Treatment Plant (WWTP). The Oxford Area WWTP has a design flow of 0.5 million gallons per day (mgd) and treats primarily domestic sewage prior to discharge to the Pequest River at River Mile 197.8-7.2-0.9. The facility also accepts leachate from a landfill operated by the Pollution Control Financing Authority of Warren County and from Covanta Industry. Because these waste streams can result in a WWTP discharge that exceeds the Commission's basin wide effluent TDS limitation of 1,000 mg/l, the applicant has requested a variance in the form of an adjusted effluent TDS limitation of 9,864 pounds per day. The Commission's criteria allow for a variance from a TDS effluent limit where the variance would not result in an instream TDS concentration in excess of 500 mg/l or an increase in the instream TDS concentrations of more than 33%. The Pequest is a tributary of the Lower Delaware River, which the Commission has designated on an interim basis as Special Protection Waters with a classification of Significant Resource Waters. The facility is located in Oxford Township, Warren County, NJ.

8. *County of Chester Department of Facilities Management D-83-15 CP-3*. An application for approval to expand a 0.105 mgd WWTP to treat an average flow of 0.13676 mgd. The WWTP will continue to serve only the Pocopson Home and Prison, located in Pocopson Township, Chester County, PA. Following advanced treatment, the WWTP effluent will be applied to expanded adjacent spray fields, which are located in the Pocopson Creek Watershed. A new aerated lagoon will be constructed to provide sufficient supplemental effluent storage, so that a WWTP discharge to a stream will not be needed.

9. *The Premcor Refining Group, Inc. D-93-4-6.* An application to replace the withdrawal of water from Well Nos. P-3A and P-4A in the applicant's water supply system that have become unreliable sources of supply and to increase the applicant's surface water withdrawal from the Delaware River and Red Lion Creek. Premcor requests that its combined withdrawal from replacement Wells Nos. P-3B and P-4B and seven existing wells remain limited to 180 mg/30 days; that its withdrawal from the Delaware River intake remain 13,560 mg/30 days; that the docket authorize withdrawals of 38.9 mg/30 days from the Red Lion Creek intake and up to 56.2 mg/30 days from the Dragon Run intake, and that Premcor's combined withdrawal from all sources be limited to 13,835.1 mg/30 days. The proposed allocation represents no increase in groundwater withdrawals and no increase from the Delaware River intake. The docket is proposed to include previously undocketed preCompact DNREC allocations from Dragon Run and Red Lion Creek. The project is located in the Potomac Formation in the C & D Canal East, Dragon Run Creek, Red Lion Creek and Delaware River watersheds in Delaware City, New Castle County, DE.

10. *Valero Paulsboro Refinery D-2006-28-1.* An application for approval of a surface water withdrawal project to supply up to 10.8 mgd (324 mg/30 days) of water to the applicant's petroleum refinery from an existing surface water intake. The project is located in the Delaware Watershed in Greenwich Township, Gloucester County, NJ, in New Jersey Critical Water Supply Area 2.

11. *Exelon Power D-2006-44-1.* An application for approval of an existing surface water withdrawal project to supply up to 9,975 mg/30 days of water to the applicant's Cromby Generating Station from the Schuylkill River and to limit the existing withdrawal from all intakes to 9,975 mg/30 days. No increase in withdrawals is requested. The project is located in the Schuylkill River Watershed in East Pikeland Township, Chester County, PA and is located in the Southeastern Pennsylvania Ground Water Protected Area.

12. *To-Jo Mushrooms, Inc. D-2007-3-1.* An application for approval of the rerate of the existing To-Jo Mushroom IWTP from 0.03 mgd—0.049 mgd and for approval of the existing 0.035 mgd discharge of contact cooling water. The applicant's IWTP serves a mushroom canning facility. The IWTP and contact cooling water will continue to be discharged to Trout Run, a tributary of the White Clay Creek. The facility is located in New Garden Township, Chester County, PA.

13. *The Asbury Graphite Mills, Inc. D-2007-26-1.* An application for approval of a groundwater withdrawal project to supply up to 5.65 mg/30 days of water to the applicant's manufacturing facility from Intake Nos. 1, 2A, 2B and 2C in the Musconetcong River and to supply up to 1.43 mg/30 days from Well Nos. 1 and 2 completed in the Allentown Dolomite Formation in the Musconetcong River Watershed, for a total allocation of 7.08 mg/30 days. The project is located in Bethlehem Township, Hunterdon County, NJ, within the drainage area to the section of the nontidal Delaware River known as the Lower Delaware, which is designated as Special Protection Waters.

14. *Woodbourne Correctional Facility D-2007-28 CP-1.* An application for approval of a groundwater withdrawal project to supply up to 7.20 mg/30 days of water to the applicant's domestic water supply from Well Nos. 1—7 and to limit the existing withdrawal from all wells to 7.20 mg/30 days. The project is located in the Valley Fill Aquifer in the Middle Delaware Watershed in

Woodbourne Township, Sullivan County, NY, within the drainage area to the section of the nontidal Delaware River known as the Upper Delaware, which is designated as Special Protection Waters.

In addition, the Commission's 1:30 p.m. business meeting will include a public hearing on the proposed FY 2008-2009 Current Expense and Capital Budgets.

The business meeting also will include adoption of the Minutes of the Commission's September 26, 2007, business meeting; announcements of upcoming advisory committee meetings and other events; a report by the Executive Director; a report by the Commission's General Counsel; and an opportunity for public dialogue.

Draft dockets scheduled for public hearing on December 12, 2007, will be posted on the Commission's website www.drbc.net where they can be accessed through the Notice of Commission Meeting and Public Hearing. Additional documents relating to the dockets and other items may be examined at the Commission's offices. Please contact William Muszynski at (609) 883-9500, Ext. 221, with any docket-related questions.

Individuals in need of an accommodation as provided for in the Americans With Disabilities Act who wish to attend the informational meeting, conference session or hearings should contact the commission secretary directly at (609) 883-9500, Ext. 203 or through the Telecommunications Relay Services (TRS) at 711, to discuss how the Commission can accommodate their needs.

PAMELA M. BUSH,
Secretary

[Pa.B. Doc. No. 07-2147. Filed for public inspection November 30, 2007, 9:00 a.m.]

DEPARTMENT OF AGRICULTURE

Temporary Order Designating Dangerous Transmissible Diseases

The Department of Agriculture (Department) hereby issues a temporary order designating West Nile Encephalitis (WNE), Chronic Wasting Disease (CWD), Spring Viremia of Carp (SVC), Viral Hemorrhagic Septicemia (VHS), Lymphocytic Choriomeningitis Virus (LCMV) and the neurologic form of Equine Rhinopneumonitis or Equine Herpes Virus (EHV-1) as "dangerous transmissible diseases." These designations are made under the authority of 3 Pa.C.S. §§ 2301—2389 (relating to the Domestic Animal Law).

This temporary order is the successor to a previous temporary order with respect to these same diseases, as published at 36 Pa.B. 7974 (December 30, 2006) that made the same dangerous transmissible disease designations. This previous temporary order will expire as of January 1, 2008.

Under 3 Pa.C.S. § 2327(a) (relating to disease surveillance and detection), the Department has authority to monitor the domestic animal population of this Commonwealth to determine the prevalence, incidence and location of transmissible diseases of animals. Under 3 Pa.C.S. § 2321(d) (relating to dangerous transmissible diseases), the Department has authority to declare a disease that has not been specifically identified in that statute as a

“dangerous transmissible disease” to be a dangerous transmissible disease through issuance of a temporary order making that designation.

1. WNE

WNE is a disease of public health significance. It also poses a threat to domestic animal health and to the economic well being of domestic animal industries—particularly the equine industry. Section 2322(c) of 3 Pa.C.S. (relating to neoplastic diseases, metabolic diseases and heritable diseases) requires the Department to proceed with the agreement of the Department of Health (Health) when it adds a disease of public health significance to the list of designated dangerous transmissible diseases. Both the Department and Health agreed upon adding WNE to the list of dangerous transmissible diseases and to the reissuance of this temporary order.

WNE is an infection of the brain caused by the West Nile virus. Although West Nile virus has, in the past, been found most typically in Africa, Eastern Europe and West Asia, it was detected in the New York City area and in parts of New Jersey in 1999. It has spread across the United States since then. In mild cases of human disease, infection can cause fever, headache, body aches, skin rash and swollen lymph glands. In more severe cases, it can cause headache, high fever, neck stiffness, stupor, disorientation, coma, tremors, paralysis and occasional convulsions. In animals, horses and birds appear to be most susceptible to illness following infection, although reports of illness in other species are increasing.

Humans and animals can acquire West Nile virus through a bite from a mosquito that has bitten an infected bird. The designation of WNE as a “dangerous transmissible disease” will facilitate the Department’s surveillance of birds, horses and other animals for the presence of the West Nile virus or WNE. The designation will also help the Department in providing assistance to Health and other public health agencies in monitoring and treatment efforts.

2. CWD

CWD is a disease of whitetail deer, elk and other cervids and is a member of the group of diseases known as transmissible spongiform encephalopathies (TSEs). Other more well-known TSEs are scrapie and bovine spongiform encephalopathy (BSE) or “mad cow” disease. All are thought to be caused by a protein that has converted to an abnormal infectious form known as a “prion.” There is some evidence, in the case of BSE, that humans may become infected through consumption of meat products containing central nervous system tissues, thus there is a significant public health interest concerning all TSEs.

A number of states have, in recent years, instituted import regulations requiring that cervids entering those states: (1) originate from herds that are participating in a surveillance program; and (2) originate from states that have authority to take action in the event that CWD is diagnosed. The designation of CWD as a “dangerous transmissible disease” will facilitate the development and oversight of a surveillance program and will help the Department react and take action in the event CWD is detected.

3. SVC

SVC is caused by a ribonucleic acid virus known as *Rhabdovirus carpio* and is considered an emerging disease in the United States. SVC poses a threat to both domestic fish health and wild fish health in this Com-

monwealth and has the potential to create a significant adverse economic impact on this Commonwealth’s aquaculture industry.

The SVC virus readily infects species of the *Cyprinidae* family (carp and minnows) and spreads through direct contact with infected fish and through shared infected water sources. Symptoms typically appear in the spring time as water temperatures increase. Symptoms in infected fish range from undetectable through mild disease to sudden massive die-off.

There is no specific treatment for fish infected with SVC and no vaccine to prevent the disease. Once natural water resources become infected, SVC may be impossible to eradicate and may pose a permanent threat to aquaculture facilities utilizing those water sources.

4. VHS

Viral hemorrhagic septicemia (VHS) virus is a serious pathogen of fresh and saltwater fish that is causing an emerging disease in the Great Lakes region of the United States and Canada. VHS virus is a rhabdovirus (rod shaped virus) that affects fish of all size and age ranges. It does not pose any threat to human health. VHS can cause hemorrhaging of fish tissue, including internal organs, and can cause the death of infected fish. Once a fish is infected with VHS, there is no known cure. Not all infected fish develop the disease, but they can carry and spread the disease to other fish. The World Organization of Animal Health has categorized VHS as a transmissible disease with the potential for profound socio-economic consequences.

5. LCMV

LCMV is known to cause potentially fatal disease in humans and is capable of being spread by various rodent species. From time to time, outbreaks have occurred in the United States—necessitating swift investigation and disease containment strategies in order to protect human health.

6. Neurologic Form of EHV-1

EHV-1 is a highly contagious virus that is ubiquitous in horse populations worldwide. The age, seasonal and geographic distributions vary and are likely determined by immune status and concentration of horses. Infection with EHV-1 most commonly causes respiratory illness, characterized by fever, rhinopharyngitis and tracheobronchitis. Infection may also cause abortions in pregnant mares, following clinical or subclinical infection, and can be fatal to newborn foals. A further, infrequent clinical resultant effect of EHV-1 infection is the development of neurologic disease. Depending upon the location and extent of the lesions, signs of neurologic disease may vary from mild in coordination and posterior paresis to severe posterior paralysis with recumbency, loss of bladder and tail function, and loss of sensation to the skin in the perineal and inguinal areas, and even the hindlimbs. In exceptional cases, the paralysis may be progressive and culminate in quadriplegia and death.

Transmission of EHV-1 occurs by direct or indirect contact with infective nasal discharges, aborted fetuses, placentas or placental fluids. Transmission can occur by means of coughing or sneezing over a distance of up to 35 feet, as well as by direct contact with infected horses, feed and equipment.

There is currently no known method to reliably prevent the neurologic form of EHV-1 infection. Sound management practices, including isolation, are important to reduce the risk of infection with EHV-1. Maintaining

appropriate vaccination protocols may also be prudent in an attempt to reduce the incidence of the respiratory form of EHV-1 infection, which may reduce the incidence of the neurologic form.

Order

The Department hereby designates WNE, CWD, SVC, VHS, LCMV and EHV-1 "dangerous transmissible diseases" under 3 Pa.C.S. § 2321(d). This order supplants any previous temporary order making a designation.

This order shall take effect as of January 1, 2008, and shall remain in effect until no later than January 1, 2009. This Department may: (1) reissue this temporary order to

extend the designation beyond January 1, 2009; (2) allow this temporary order to expire on January 1, 2009; (3) supplant this temporary order with a formal regulation; or (4) modify this temporary order.

Questions regarding this temporary order may be directed to Paul Knepley, DVM, Director, Bureau of Animal Health and Diagnostic Services, 2301 North Cameron Street, Harrisburg, PA 17110-9408, (717) 772-2852.

DENNIS C WOLFF,
Secretary

[Pa.B. Doc. No. 07-2148. Filed for public inspection November 30, 2007, 9:00 a.m.]

DEPARTMENT OF BANKING

Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 9, 2002 (P. L. 1572, No. 207), known as the Credit Union Code, has taken the following action on applications received for the week ending November 13, 2007.

BANKING INSTITUTIONS

Charter Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
11-7-07	MileStone Bank Doylestown Bucks County	1980 South Easton Road Suite 110 Doylestown Bucks County	Commenced Operations

Interim Charter Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
11-9-07	Integrity Interim Bank Camp Hill Cumberland County	Camp Hill	Filed

Application filed in conjunction with the reorganization of Integrity Bank, Camp Hill, into a bank holding company form of business whereby Integrity Bank will become the wholly-owned subsidiary of Integrity Bancshares, Inc., a new holding company in formation.

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
9-13-07	CNB Bank Clearfield Clearfield County	2617 Asbury Road Erie Erie County	Opened
11-8-07	Graystone Bank Lancaster Lancaster County	2300 East Market Street Springettsbury Township York County	Filed
11-8-07	Graystone Bank Lancaster Lancaster County	1759 West Main Street Clay Township Lancaster County	Filed
11-9-07	The Dime Bank Honesdale Wayne County	99 Welwood Avenue Hawley Wayne County	Filed

BANKING INSTITUTIONS

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
11-5-07	Reliance Savings Bank Altoona Blair County	To: 401 Logan Boulevard Altoona Blair County	Filed

NOTICES

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
		<i>From:</i> 109 Logan Boulevard Altoona Blair County	
11-8-07	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	<i>To:</i> 229 North West End Boulevard Suite D-1 Quakertown Montgomery County	Filed
		<i>From:</i> 255 North West End Boulevard Quakertown Montgomery County	

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
11-9-07	Northwest Savings Bank Warren Warren County	1666 Market Street Extension Warren Warren County	Approved

Articles of Amendment

<i>Date</i>	<i>Name of Bank</i>	<i>Purpose</i>	<i>Action</i>
11-7-07	Bucks County Bank Doylestown Bucks County	Amendment to the Second Article of the Articles of Incorporation provides for a change of location and address for the principal place of business <i>From:</i> 350 South Main Street, Suite 213, Doylestown Township, Doylestown, PA 18901. <i>To:</i> 200 South Main Street, Doylestown, Bucks County, PA 18901. The former location has been discontinued as an office of the institution.	Approved and Effective

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS**Consolidations, Mergers and Absorptions**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
11-6-07	Butler Armco Employees Credit Union, Butler, and Deshon V.A. Employees Federal Credit Union, Butler Surviving Institution— Butler Armco Employees Credit Union, Butler	Butler	Filed

The Department's website at www.banking.state.pa.us includes public notices for more recently filed applications.

STEVEN KAPLAN,
Secretary

[Pa.B. Doc. No. 07-2149. Filed for public inspection November 30, 2007, 9:00 a.m.]

Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 9, 2002 (P. L. 1572, No. 207), known as the Credit Union Code, has taken the following action on applications received for the week ending November 20, 2007.

BANKING INSTITUTIONS
Holding Company Acquisitions

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
11-16-07	Harleysville National Corporation, Harleysville, acquired 100% of East Penn Financial Corporation, Emmaus, and so indirectly acquired East Penn Bank, Emmaus. Subsequent to the acquisition, East Penn Bank merged with and into The Harleysville National Bank and Trust Company, Harleysville, a wholly-owned subsidiary of Harleysville National Corporation.	Harleysville	Effective
11-16-07	Susquehanna Bancshares, Inc., Lititz, acquired 100% of the voting shares of Community Banks, Inc., Harrisburg.	Lititz	Effective

Section 112 Applications

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
11-15-07	S & T Bancorp, Inc., Indiana, to acquire up to 24.99% of Allegheny Valley Bancorp, Inc., Pittsburgh.	Indiana	Approved

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
11-16-07	Susquehanna Bank PA, Lititz, and CommunityBanks, Millersburg Surviving Institution— Susquehanna Bank PA, Lititz	Lititz	Effective

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
11-5-07	Gateway Bank of Pennsylvania McMurray Washington County	Gateway Commons 900 Commonwealth Drive Suite 100 Cranberry Township Butler County	Opened
11-12-07	Mauch Chunk Trust Company Jim Thorpe Carbon County	226 Claremont Street Tamaqua Schuylkill County	Opened

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
11-6-07	1st Summit Bank Johnstown Cambria County	<i>To:</i> 600 Main Street Johnstown Cambria County <i>From:</i> 516 Main Street Johnstown Cambria County	Effective

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

The Department's website at www.banking.state.pa.us includes public notices for more recently filed applications.

STEVEN KAPLAN,
Secretary

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Emergency Shelter Grant Program

The Department of Community and Economic Development (Department), Center for Community Development is anticipating applying for funding through the United States Department of Housing and Urban Development.

The Emergency Shelter Grant Program is established within Subtitle B of Title IV of the Stewart B. McKinney Homeless Assistance Act (42 U.S.C.A. §§ 11371—11378). The program authorizes grants for the rehabilitation or conversion of buildings for use as emergency shelters for the homeless, for the payment of certain operating expenses and essential services in connection with emergency shelters for the homeless and for homeless prevention activities. The program is designed to be the first step in a continuum of assistance to enable homeless individuals and families to move toward independent living as well as to prevent homelessness.

One copy of the application may be submitted by local governments to the Department's Customer Service Center, 4th Floor, Commonwealth Keystone Building, 400 North Street, Harrisburg, PA 17120 in accordance with the Department's single application requirements. A copy of the application must also be sent to the appropriate regional office. The application window will open on December 1, 2007, and close at 5 p.m. on February 1, 2008. Applications received prior to or after these dates may not be considered for funding.

Application forms and instructions may be obtained by contacting the Department's Center for Community Development, in Harrisburg at (717) 787-5327, or the Department's Regional Offices. Persons with a disability who wish to submit an application in accordance with the provisions stated herein and who require assistance with that application, and persons who require copies of this notice in an alternate format (large type, Braille, and the like) should contact Ed Geiger, 4th Floor, Commonwealth Keystone Building, Harrisburg, PA 17120, (717) 787-5327 to discuss how the Department may best accommodate their needs. The following is the listing of the Department's regional offices and the counties they serve:

REGIONAL OFFICES

Southeast

Bucks, Chester, Delaware, Montgomery and Philadelphia Counties

Department of Community and Economic Development
Philadelphia State Office Building
1400 Spring Garden Street, Room 1800
Philadelphia, PA 19130
(215) 560-2256

Northeast

Berks, Bradford, Carbon, Lackawanna, Lehigh, Luzerne, Monroe, Northampton, Pike, Schuylkill, Sullivan, Susquehanna, Tioga, Wayne and Wyoming Counties

Department of Community and Economic Development
409 Lackawanna Avenue
3rd Floor, Oppenheim Building
Scranton, PA 18503
(570) 963-4571

Central

Adams, Cumberland, Dauphin, Franklin, Lancaster, Lebanon, Perry, York, Bedford, Blair, Cambria, Centre, Clinton, Columbia, Fulton, Huntingdon, Juniata, Lycoming, Mifflin, Montour, Northumberland, Snyder, Somerset and Union Counties.

Department of Community and Economic Development
Commonwealth Keystone Building
400 North Street, 4th Floor
Harrisburg, PA 17120
(717) 787-7347

Southwest

Allegheny, Armstrong, Beaver, Butler, Fayette, Greene, Indiana, Washington and Westmoreland Counties

Department of Community and Economic Development
1405 State Office Building
300 Liberty Avenue
Pittsburgh, PA 15222
(412) 565-5002

Northwest

Cameron, Clarion, Clearfield, Crawford, Elk, Erie, Forest, Jefferson, Lawrence, McKean, Mercer, Potter, Venango and Warren Counties

Department of Community and Economic Development
100 State Street, Suite 205
Erie, PA 16507
(814) 871-4241

Main Office

Center for Community Development
400 North Street, 4th Floor
Commonwealth Keystone Building
Harrisburg, PA 17120
(717) 787-5327

DENNIS YABLONSKY,
Secretary

[Pa.B. Doc. No. 07-2151. Filed for public inspection November 30, 2007, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Middle Conodoguinet Creek Watershed Conservation Plan

Notice is hereby given that the Department of Conservation and Natural Resources (Department), Bureau of Recreation and Conservation has approved the Middle Conodoguinet Creek Watershed Conservation Plan and is placing the Middle Conodoguinet Creek Watershed and all tributaries covered in the Plan in Cumberland County, on the Pennsylvania Rivers Conservation Registry (Registry).

The Conodoguinet Creek Watershed Association submitted the Middle Conodoguinet Watershed Conservation Plan and other required information to gain Registry status.

After review of the Plan and other information, the Department has determined that the Pennsylvania Rivers

Conservation Program requirements have been satisfied and places the following on the Registry:

- Conodoguinet Creek (Cumberland County): A segment of the Conodoguinet Creek from its confluence with Alexanders Spring Creek to its confluence with Green Spring Creek—21 linear miles.
- A corridor extending 1 mile in depth on both sides of the creek.
- The following tributary watersheds within the study area in Cumberland County—approximately 162.34 square miles.
- Alexanders Spring Creek in Carlisle Borough, Dickinson Township, North Middleton Township, Penn Township, South Middleton Township and West Pennsboro Township.
- Back Creek in Upper Mifflin Township, Lower Mifflin Township.
- Big Spring Creek in Newville Borough, North Newton Township, South Newton Township, Penn Township and West Pennsboro Township.
- Brandy Run in Upper Mifflin Township.
- Bulls Head Branch of Green Spring Creek in North Newton Township and Southampton Township.
- Center Creek in Lower Mifflin Township.
- Doubling Gap Creek in Lower Mifflin Township.
- Green Spring Creek in North Newton Township.
- Locust Creek in Lower Frankford Township and Upper Frankford Township.

- Mount Rock Spring Creek in Dickinson Township, Penn Township and West Pennsboro Township.
- Opossum Creek in Lower Frankford Township.
- Rock Run in Upper Frankford Township and Lower Mifflin Township.
- Whisky Run in Lower Mifflin Township and Upper Mifflin Township.
- All unnamed tributary streams within the study area.

This action becomes effective December 1, 2007. Projects identified in the Middle Conodoguinet Creek Watershed Conservation Plan become eligible for implementation, development or acquisition grant funding through the Pennsylvania Rivers Conservation Program.

A copy of the Final Plan is available for review at the Conodoguinet Creek Watershed Association, 49 Sample Bridge Road, Mechanicsburg, PA 17050, www.cumberlandcd.com/watershed/ccwa/RCP.html and Department of Conservation and Natural Resources, Rachel Carson State Office Building, 400 Market Street, 6th Floor, Harrisburg, PA 17101, (717) 787-2316.

Maps and supporting data are available by contacting the Conodoguinet Creek Watershed Association.

MICHAEL F. DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 07-2152. Filed for public inspection November 30, 2007, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0036439 (Minor Sewage)	Department of Public Welfare White Haven Center 827 Oley Valley Road White Haven, PA 18661	Foster Township Luzerne County	Linesville Creek 02A	Y
PAS702203	Eastern Industries, Inc. 4401 Camp Meeting Road Center Valley, PA 18034	East Allen Township Northampton County	Monocacy Creek 2C	Y
PA0061182	Big Boulder Corporation P. O. Box 707 Blakeslee, PA 18610-0707	Kidder Township Carbon County	UNT to Tunkhannock Creek 2A	Y
PA0063096	Seiders Hill, Inc. P. O. Box 359 Pottsville, PA 17901	North Manheim Township Schuylkill County	West Branch Schuylkill River CWF Watershed 3A	Y
PA0062197 (Minor IW Renewal)	Schuylkill County Municipal Authority Mt. Laurel WTP 221 South Centre Street Pottsville, PA 17901	Schuylkill County New Castle Township	Mud Run 3A	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0034363 (SEW)	Pine View Acres Mobile Home Park 116-B Blantz Road Lititz, PA 17543	Lancaster County Penn Township	UNT Chickies Creek 7G	Y
PA0247022 (CAFO)	Ridge View Farms David W. Sweigart, III 189 Ridge View Road South Elizabethtown, PA 17022	Lancaster County Mount Joy Township	Conoy Creek 7G	Y
PA0043028 (SEW)	Evergreen Enterprise/ Stuart Hess (Hemlock Acres Court) 1546 Newport Road Manheim, PA 17545	Lancaster County Rapho Township	Chickies Creek 7G	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0246522 (SEW)	Heritage Cove Campground Richard Wright 8214 Peridot Drive Unit 107 McLean, VA 22102	Bedford County Liberty Township	Raystown Branch Juniata River 11-D	Y
PA0039730 (SEW)	Lake Raystown Resort 100 Chipmunk Crossing Entriiken, PA 16638	Huntingdon County Lincoln Township	Tatman Run 11-D	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0020257	Borough of Grove City Grove City Borough STP P. O. Box 110 123 Main Street Grove City, PA 16127-0110	Grove City Borough Mercer County	Wolf Creek 20-C	N

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

PA0011657, Industrial Waste, SIC 4911, **Exelon Generation Company**, 300 Exelon Way, Kennett Square, PA 19348. This proposed facility is located in the City of Philadelphia, **Philadelphia County**.

Description of Proposed Activity: Renewal of an NPDES permit.

The receiving stream, Schuylkill River—Delaware River Estuary Zone 4, is in the State Water Plan Watershed 3F and is classified for: WWF and MF.

The proposed effluent limits for Outfall 001 are based on a design flow of 360.4 mgd.

<i>Parameters</i>	<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	60	75
Oil and Grease	15.0		30.0
Temperature			110° F
Total Residual Oxidant			0.2
pH (Standard Units)	Instantaneous Minimum 6.0		9.0
PCBs, Total		Monitor and Report	

The proposed effluent limits for MP 101 are as follows.

<i>Parameters</i>	<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	100	
Oil and Grease	15.0	20.0	
Copper, Total	1.0	1.0	
Iron, Total	1.0	1.0	
pH (Standard Units)	6.0 (Minimum)		9.0

The proposed effluent limits for MP 201 are as follows.

<i>Parameters</i>	<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	100	
Oil and Grease	15.0	20.0	30.0
pH (Standard Units)	Minimum 6.0		9.0

The proposed effluent limits for MP 301 are as follows.

<i>Parameters</i>	<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Suspended Solids	30	100	
Oil and Grease	15.0	20.0	30.0

In addition to the effluent limits, the permit contains the following major special conditions:

1. Delaware River Zone 4 Thermal Requirements.
2. Chemical Additives Requirements.
3. 316(b) Intake Structure Condition.
4. TRO Requirements.
5. PMP for PCBs.

PA0052078, Sewage, **Municipal Authority of the Borough of Elverson**, 101 South Chestnut Street, P. O. Box 266, Elverson, PA 19520-0266. This existing facility is located in Elverson Borough, **Chester County**.

Description of Proposed Activity: This NPDES application is for renewal of the Elverson Borough Municipal Authority sewage treatment plant.

The receiving stream, a UNT to East Branch Conestoga River, is in the State Water Plan Watershed 7J, within the Chesapeake Bay Watershed, and is classified for: WWF. There are no public water supply intakes identified downstream. This facility is a Phase 5, smaller discharger as described in Pennsylvania's Chesapeake Bay Tributary Strategy.

The proposed effluent limits for Outfall 001 are based on an annual average flow of 0.125 mgd.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Monthly Average</i>	<i>Weekly Average</i>	<i>Monthly Average</i>	<i>Weekly Average</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅					
(5-1 to 10-31)	16	24	15	23	30
(11-1 to 4-30)	26	40	25	38	50
Total Suspended Solids	31	47	30	45	60
Ammonia as N					
(5-1 to 10-30)	1.6		1.5		3.0
(11-1 to 4-30)	4.7		4.5		9.0
Phosphorus as P	2.1		2.0		4.0
Fecal Coliform					
(5-1 to 9-30)			200/100 ml		1,000/100 ml
(10-1 to 4-30)			2,000/100 ml		
Dissolved Oxygen			5.0 (minimum)		
pH (Standard Units)			6.0 (minimum)		9.0
Total Residual Chlorine			0.03		0.07

As a Phase 5 smaller discharger, the facility is given the option to monitor levels of Total Nitrogen (TN) and Total Phosphorus (TP) for 2 years, as part of this permit renewal or a subsequent renewal, for the purpose of data collection to establish existing performance for TN and TP effluent quality. If the facility chooses to monitor with this renewal, the following monitoring requirements are proposed for Outfall 001:

<i>Parameters</i>	<i>Mass (lbs)</i>		<i>Concentration (mg/l)</i>		
	<i>Monthly</i>	<i>Annual</i>	<i>Minimum</i>	<i>Monthly Average</i>	<i>Maximum</i>
Ammonia as N	Report	Report		Report	
Kjeldahl-N	Report			Report	
Nitrate-Nitrite as N	Report			Report	
Total Nitrogen	Report	Report		Report	
Total Phosphorus	Report	Report		Report	

In addition to the effluent limits, the permit contains the following major special conditions:

1. Notification of Designation of Operator.
2. Average Weekly Definition.
3. Remedial Measures if Unsatisfactory Effluent.
4. No Stormwater.
5. Acquire Necessary Property Rights.
6. Small Stream.
7. Change of Ownership.
8. Total Residual Chlorine Requirement.
9. Sludge Disposal Requirement.
10. Certified Operator.
11. Laboratory Certification.
12. Instantaneous Maximum Limits.
13. Fecal Coliform 1-max Reporting.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

PAS122203, Industrial Stormwater, **Nestle Waters North America**, 305 Nestle Way, Breinigsville, PA 18031. This proposed facility is located in Upper Macungie Township, **Lehigh County**.

Description of Proposed Activity: Issuance of new Industrial Stormwater Permit.

The receiving stream, Little Lehigh Creek, is in the State Water Plan Watershed 2C and is classified for: HQ-CWF. The nearest downstream public water supply intake for Keystone Water Company is located on Delaware is over 60 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are as follows:

Parameter	Mass (lb/day)		Concentration (mg/l)	
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily
CBOD ₅				Report
Chemical Oxygen Demand				Report
Oil and Grease				Report
pH				Report
Total Suspended Solids (TSS)				Report
Total Kjeldahl Nitrogen (TKN)				Report
Total Phosphorus				Report
Iron (dissolved)				Report

In addition to the effluent limits, the permit contains the following major special conditions:

1. Requirements applicable to stormwater outfalls along with identified best management practices.

PAS122202, Industrial Stormwater, **Nestle Waters North America**, 405 Nestle Way, Breinigsville, PA 18031. This proposed facility is located in Upper Macungie Township, **Lehigh County**.

Description of Proposed Activity: Issuance of new Industrial Stormwater Permit.

The receiving stream, Little Lehigh Creek, is in the State Water Plan Watershed 2C and is classified for: HQ-CWF. The nearest downstream public water supply intake for Keystone Water Company is located on Delaware is over 60 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are as follows:

Parameter	Mass (lb/day)		Concentration (mg/l)	
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily
CBOD ₅				Report
Chemical Oxygen Demand				Report
Oil and Grease				Report
pH				Report
Total Suspended Solids (TSS)				Report
Total Kjeldahl Nitrogen (TKN)				Report
Total Phosphorus				Report
Iron (dissolved)				Report

In addition to the effluent limits, the permit contains the following major special conditions:

1. Requirements applicable to stormwater outfalls along with identified best management practices.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PA0046221, Sewage, **Newville Borough Water & Sewer Authority**, 99 Cove Alley, Newville, PA 17241. This facility is located in Newville Borough, **Cumberland County**.

Description of activity: The application is for renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Big Spring Creek, is in Watershed 7-B, and classified for CWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Carlisle Borough is located on the Conodoguinet Creek, approximately 19.9 miles downstream. The discharge is not expected to affect the water supply.

The proposed interim effluent limits for Outfall 001 for a design flow of 0.35 mgd are:

Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N	Monitor and Report		
Total Residual Chlorine	0.5		1.6
Total Phosphorus	1.0		2.0

NOTICES

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Dissolved Oxygen		Minimum of 5.0 at all times	
pH		From 6.0 to 9.0 inclusive	
Fecal Coliform		200/100 ml as a Geometric Average	
(5-1 to 9-30)		2,000/100 ml as a Geometric Average	
(10-1 to 4-30)			
<i>Chesapeake Bay Requirements</i>			
	<i>Concentration (mg/l) Monthly Average</i>	<i>Monthly</i>	<i>Mass (lbs) Annual</i>
Ammonia-N	Report	Report	Report**
Kjeldahl-N	Report	Report	
Nitrate-Nitrite as N	Report	Report	
Total Nitrogen	Report	Report	Report
Total Phosphorus	Report	Report	Report
Net Total Nitrogen		Report	Report
Net Total Phosphorus		Report	Report

The proposed final effluent limits for Outfall 001 for a design flow of 0.600 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N			
(5-1 to 10-31)	18		36
(11-1 to 4-30)	Monitor and Report		
Total Residual Chlorine	0.5		1.6
Total Phosphorus	1.0		2.0
Dissolved Oxygen		Minimum of 5.0 at all times	
pH		From 6.0 to 9.0 inclusive	
Fecal Coliform		200/100 ml as a Geometric Average	
(5-1 to 9-30)		2,000/100 ml as a Geometric Average	
(10-1 to 4-30)			
<i>Chesapeake Bay Requirements</i>			
	<i>Concentration (mg/l) Monthly Average</i>	<i>Monthly</i>	<i>Mass (lbs) Annual</i>
Ammonia-N	Report	Report	Report**
Kjeldahl-N	Report	Report	
Nitrate-Nitrite as N	Report	Report	
Total Nitrogen	Report	Report	Report
Total Phosphorus	Report	Report	Report
Net Total Nitrogen		Report	7,306*
Net Total Phosphorus		Report	799*

* The permit contains conditions which authorize the permittee to apply nutrient reduction credits, to meet the Net Total Nitrogen and Net Total Phosphorus effluent limits, under the Department of Environmental Protection's Trading of Nutrient and Sediment Reduction Credits Policy and Guidelines (392-0900-001, December 30, 2006). The conditions include the requirement to report application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* Net Total Nitrogen and Net Total Phosphorus limits compliance date will begin on October 1, 2012. Since these reporting requirements are annual loads, reporting on compliance with the annual limitations will be required on the Supplemental DMR—Annual Nutrient Summary. The facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until October 1, 2012.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary.

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is not in effect.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA0002062, Industrial Waste, SIC 4911, **Reliant Energy Northeast Management Company**, 121 Champion Way, Canonsburg, PA 15317. This application is for renewal of an NPDES permit to discharge treated process water, sewage and untreated stormwater from Keystone Generating Station in Plumcreek Township, **Armstrong County**.

The following effluent limitations are proposed for discharge to the receiving waters, Allegheny River, Crooked and Plum Creeks, classified as WWF, WWF and TSE, respectively with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is Buffalo Township Municipal Authority located in Freeport, PA, approximately 10 miles below the discharge point on the Allegheny River.

Outfall 001: New discharge to Allegheny River, average discharge flow of 0.648 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report				
Suspended Solids			30	100	
Oil and Grease			15	20	30
BOD ₅			25	50	
Aluminum			Monitor and Report		
Arsenic			Monitor and Report		
Beryllium			0.1	0.2	
Boron			Monitor and Report		
Cadmium			Monitor and Report		
Chromium III			Monitor and Report		
Chlorides			Monitor and Report		
Copper			0.1	0.2	
Lead			0.1	0.2	
Manganese			Monitor and Report		
Mercury			0.004	0.008	
Nickel			Monitor and Report		
Selenium			2.5	5.0	
Silver			0.1	0.2	
Zinc			Monitor and Report		
Iron, total			Monitor and Report		
Iron, dissolved			Monitor and Report		
Temperature				110° F	
pH	not less than 6.0 nor greater than 9.0 Standard Units				

Outfall 002: Existing, 0.05 mgd discharge to Plum Creek.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report				
	Debris collected on the intake trash racks shall not be returned to the waterway.				

Outfall 103: Existing, intermittent discharge to Outfall 003.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report				
TSS			30	100	
Oil and Grease			15	20	
pH	not less than 6.0 nor greater than 9.0 Standard Units				

Outfall 203: Existing, intermittent discharge to Outfall 003.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow (mgd)	Monitor and Report				
Suspended Solids			30	100	
Oil and Grease			15	20	
Free Available Chlorine				0.2	0.5
Total Residual Chlorine			0.5		1.0
pH	not less than 6.0 nor greater than 9.0 Standard Units				

Outfall 303: Existing, 0.04 mgd discharge to Outfall 003.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	0.04				
CBOD ₅			25		50
Suspended Solids			30		60
Total Residual Chlorine			2.4		4.2
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)			200/100 ml 2,000/100 ml	1,000/100 ml	
Chloroform			Monitor and Report		
Chlorodibromomethane			Monitor and Report		
Dichlorobromomethane			Monitor and Report		
pH	not less than 6.0 nor greater than 9.0 Standard Units				

Outfall 403: Existing, 1.5 mgd discharge to Outfall 003.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Suspended Solids			30	100	
Oil and Grease			15	20	
Free Available Chlorine				0.2	0.5
Total Residual Chlorine			0.5		1.0
pH	not less than 6.0 nor greater than 9.0 Standard Units				

Outfall 503: Existing, 4.7 mgd discharge to Outfall 003.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Suspended Solids			30	100	
Oil and Grease			15	20	
Free Available Chlorine				0.2	0.5
Total Residual Chlorine			0.5		1.0
pH	not less than 6.0 nor greater than 9.0 Standard Units				

Outfall 603: Existing, intermittent discharge to Outfall 003.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Suspended Solids			30	100	
Oil and Grease			15	20	
Chloroform			Monitor and Report		
pH	not less than 6.0 nor greater than 9.0 Standard Units				

Outfall 703: Existing, 0.023 mgd discharge to Outfall 003.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Iron			3.0	6.0	
Manganese			Monitor and Report		
Total Suspended Solids			30	60	
pH	not less than 6.0 nor greater than 10.0 Standard Units				

Outfall 803: Existing, 0.2 mgd discharge to Outfall 003.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				

Debris collected on the intake trash racks shall not be returned to the waterway.

Outfall 903: Existing, intermittent stormwater discharge to Outfall 003.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
This discharge shall consist solely of uncontaminated stormwater runoff.					

Outfall 003: Interim limits, existing, 6.6 mgd discharge to Crooked Creek.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Suspended Solids			30	100	
Oil and Grease			15	20	30
Total Residual Chlorine			0.19		0.33
Chloroform	Monitor and Report				
Temperature (7-1 to 12-31)	Heat rejection to the waterway shall not exceed a daily maximum of 7.0 x 10 ⁸ Btu/day.				
(1-1 to 6-30)	Heat rejection to the waterway shall not exceed a daily maximum of 14.0 x 10 ⁸ Btu/day.				
Mercury			0.000098	0.0002	
Thallium			0.003	0.006	
1,2 Dichloroethane			0.0007	0.0014	
Cadmium	Monitor and Report				
Lead	Monitor and Report				
Selenium	Monitor and Report				
pH	not less than 6.0 nor greater than 9.0 Standard Units				

Outfall 003: Final limits, existing, 6.6 mgd discharge to Crooked Creek.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Suspended Solids			30	100	
Oil and Grease			15	20	30
Total Residual Chlorine			0.19		0.33
Chloroform	Monitor and Report				
Temperature (7-1 to 12-31)	Heat rejection to the waterway shall not exceed a daily maximum of 7.0 x 10 ⁸ Btu/day.				
(1-1 to 6-30)	Heat rejection to the waterway shall not exceed a daily maximum of 14.0 x 10 ⁸ Btu/day.				
Mercury			0.000098	0.0002	
Thallium			0.003	0.006	
1,2 Dichloroethane			0.0007	0.0014	
Cadmium			0.0005	0.001	
Lead			0.006	0.012	
Selenium			0.01	0.02	
pH	not less than 6.0 nor greater than 9.0 Standard Units				

Outfall 004: Existing, intermittent stormwater discharge to Plum Creek.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Aluminum	Monitor and Report				

NOTICES

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Iron, Total			Monitor and Report		
Manganese			Monitor and Report		
Total Suspended Solids			Monitor and Report		
Sulfate			Monitor and Report		
pH			Monitor and Report		

Outfall 005: Existing, intermittent stormwater discharge to Crooked Creek.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum

This discharge shall consist solely of uncontaminated stormwater runoff.

Outfall 006: Existing, intermittent stormwater discharge to Crooked Creek.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Aluminum			Monitor and Report		
Chromium			Monitor and Report		
Iron			Monitor and Report		
Manganese			Monitor and Report		
Nickel			Monitor and Report		
Titanium			Monitor and Report		
Zinc			Monitor and Report		
pH			Monitor and Report		

Outfall 107: Existing, 0.024 mgd discharge to Outfall 007.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Aluminum			Monitor and Report		
Iron, Total			3.5		7.0
Manganese			2.0		4.0
Total Suspended Solids			35.0		70.0
Sulfate			Monitor and Report		
pH	not less than 6.0 nor greater than 9.0 Standard Units				

Outfall 007: Existing, 0.018 mgd discharge to Crooked Creek.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Aluminum			Monitor and Report		
Iron, Total			Monitor and Report		
Manganese			Monitor and Report		
Total Suspended Solids			Monitor and Report		
Sulfate			Monitor and Report		
pH			Monitor and Report		

Outfall 008: Existing, intermittent discharge to Plum Creek.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Iron, Total			Monitor and Report		
Manganese			Monitor and Report		
Total Suspended Solids			Monitor and Report		
Sulfate			Monitor and Report		
Barium			Monitor and Report		
Arsenic			Monitor and Report		

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Aluminum			Monitor and Report		
Chromium			Monitor and Report		
Titanium			Monitor and Report		
Zinc			Monitor and Report		
Nickel			Monitor and Report		
pH			Monitor and Report		

Outfall 009: Existing stormwater discharge to Plum Creek.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Iron, Total			Monitor and Report		
Manganese			Monitor and Report		
Total Suspended Solids			Monitor and Report		
Sulfate			Monitor and Report		
Barium			Monitor and Report		
Arsenic			Monitor and Report		
Aluminum			Monitor and Report		
Chromium			Monitor and Report		
Titanium			Monitor and Report		
Zinc			Monitor and Report		
Nickel			Monitor and Report		
pH			Monitor and Report		

Outfalls 010—012: Existing, intermittent discharges to Crooked Creek.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Total Suspended Solids			30		100
Iron			3.5		7.0
Aluminum			Monitor and Report		
Manganese			2.0		4.0
Nickel			Monitor and Report		
Zinc			Monitor and Report		
pH	not less than 6.0 nor greater than 9.0 Standard Units				

Outfall 013: Existing, 0.0017 mgd discharge to Crooked Creek.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Iron			Monitor and Report		
Manganese			Monitor and Report		
Total Suspended Solids			Monitor and Report		
Sulfate			Monitor and Report		
Barium			Monitor and Report		
Arsenic			Monitor and Report		
pH	not less than 6.0 nor greater than 9.0 Standard Units				

Outfall 014: Existing, 0.0061 mgd discharge to Crooked Creek.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Iron			Monitor and Report		
Manganese			Monitor and Report		
Total Suspended Solids			Monitor and Report		
Sulfate			Monitor and Report		

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Barium					Monitor and Report
Arsenic					Monitor and Report
pH	not less than 6.0 nor greater than 9.0 Standard Units				

Outfalls 015—020: Existing, intermittent stormwater discharges to Crooked Creek.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
	These discharges shall consist solely of uncontaminated stormwater runoff.				

Other Conditions: Conditions relating to stormwater associated with the construction activities, Toxic Reduction Evaluation, Wetland Treatment System Operation and Maintenance and Total Residual Chlorine Minimization.

The EPA waiver is not in effect.

PA0001759, Industrial Waste, SIC 3081, **Omnova Solutions, Inc.**, 1001 Chambers Avenue, Jeannette, PA 15644-3207. This application is for renewal of an NPDES permit to discharge stormwater and untreated cooling water from facility in Jeannette, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, Brush Creek, classified as a TSF with existing and/or potential used for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is Pennsylvania American Water Company, located at 410 Cooke Lane, Pittsburgh, PA 15234, 28.9 miles below the discharge point.

Outfall 001: existing discharge, design flow of varies mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Temperature (° F)					
January 1-31				57	1/week
February 1-29				56	1/week
March 1-31				89	1/week
April 1-15				101	1/week
April 16-30				107	1/week
May 1-15				100	1/week
May 16-31				104	1/week
June 1-15				83	1/week
June 16-30				80	1/week
July 1-31				76	1/week
August 1-15				90	1/week
August 16-31				108	1/week
September 1-15				100	1/week
September 16-30				94	1/week
October 1-15				88	1/week
October 16-31				80	1/week
November 1-15				74	1/week
November 16-30				63	1/week
December 1-31				55	1/week
pH	not less than 6.0 nor greater than 9.0 Standard Units				

Outfall 101: existing discharge, design for 0.0917 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)					Monitor and Report
BOD ₅			NA	26	
Oil and Grease			15	29	
Total Suspended Solids			NA	19	
pH	not less than 6.0 nor greater than 9.0 Standard Units				

Outfall 201: new discharge, design flow of 0.00072 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)					
Fluoride					Monitor and Report
Iron					Monitor and Report
Boron					Monitor and Report
Magnesium					Monitor and Report
pH	not less than 6.0 nor greater than 9.0 Standard Units				

Outfall 003: existing discharge, design flow of 0.0121 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)					
BOD ₅			NA	26	
Oil and Grease			15	29	
Temperature (° F)					
January 1-31				57	1/week
February 1-29				56	1/week
March 1-31				89	1/week
April 1-15				101	1/week
April 16-30				107	1/week
May 1-15				100	1/week
May 16-31				104	1/week
June 1-15				83	1/week
June 16-30				80	1/week
July 1-31				76	1/week
August 1-15				90	1/week
August 16-31				108	1/week
September 1-15				100	1/week
September 16-30				94	1/week
October 1-15				88	1/week
October 16-31				80	1/week
November 1-15				74	1/week
November 16-30				63	1/week
December 1-31				55	1/week
pH	not less than 6.0 nor greater than 9.0 Standard Units				

Outfall 006—012, 301, 103: existing discharge, flow varies

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Total Suspended Solids					Monitor and Report

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager; 230 Chestnut Street, Meadville, PA 16335-3481.

PA0034193, Sewage. **Lake View County Club**, P. O. Box 468, North East, PA 16428-0468. This existing facility is located in North East Township, **Erie County**.

Description of Proposed Activity: This application is for a new NPDES permit for discharge of treated sewage from a nonmunicipal treatment plant serving a country club facility.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, there is no potable water supply to consider before the discharge reaches Lake Erie, approximately 7.5 miles downstream.

The receiving stream, Sixteen Mile Creek, is in watershed 16-SM and classified for: CWF and MF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.010 mgd.

<i>Parameter</i>	<i>Concentrations</i>		
	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	Monitor and Report		
CBOD ₅	25		50
Total Suspended Solids	30		60
NH ₃ -N			
(5-1 to 10-31)	6		12
(11-1 to 4-30)	18		36
Dissolved Oxygen	minimum of 3.0 mg/l at all times		
Total Residual Chlorine	1.4		3.3
Fecal Coliform			
(5-1 to 9-30)	200/100 ml as a Geometric Average		1,000/100 ml
(10-1 to 4-30)	2,000/100 ml as a Geometric Average		10,000/100 ml
pH	6.0 to 9.0 Standard Units at all times		

The EPA waiver is in effect.

PA0220906, Industrial Waste. **Pithole Water Association**, P. O. Box 294, Cyclone, PA 16726. This proposed facility is located in Keating Township, **McKean County**.

Description of Proposed Activity: New NPDES permit for an existing discharge of treated industrial waste.

The receiving water is a UNT to McQuen Hollow. The receiving stream is in State Water Plan 16-c and is classified for the following uses: Exceptional Value, aquatic life, water supply and recreation. The nearest downstream potable water supply, PA-NY State line, is approximately 21 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.0001 mgd.

<i>Parameter</i>	<i>Concentrations</i>		
	<i>Average Monthly (mg/l)</i>	<i>Average Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	XX		
Total Suspended Solids	30	60	75
Iron (T)	2	4	5
Manganese	1	2	2.5
Aluminum (T)	4	8	10
Total Residual Chlorine	0.5		1.2
pH	6.0 to 9.0 Standard Units at all times		

XX—Monitor only

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications Under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 3907404, Sewerage, **Keystone Mobile Home Park**, P. O. Box 295, Birdsboro, PA 19508. This proposed facility is located in North Whitehall Township, **Lehigh County**.

Description of Proposed Action/Activity: This project consists of replacement of the existing malfunctioning wastewater treatment plant to be constructed in same vicinity of the existing facility. The proposed treatment plant will be an extended aeration system consisting of an equalization tank, aeration basins, settling tanks, chlorination and dechlorination tanks, re-aeration and polishing tanks. The proposed replacement plant will have same design capacity as the existing, which is 37,500 gpd.

WQM Permit No. 6607401, Sewerage, **St. Michael's School**, P. O. Box 370, Tunkhannock, PA 18657-0370. This proposed facility is located in Falls Township, **Wyoming County**.

Description of Proposed Action/Activity: This project consists of replacement of the existing malfunctioning wastewater treatment plant to include a single Cromaglass package treatment unit, sludge holding tank and disinfection tank to service the St. Michael's School. This treatment plant will be located immediately adjacent to the existing plant, which will be demolished.

WQM Permit No. 6407403, Sewerage, **Honesdale Borough**, 958 Main Street, Honesdale, PA 18431. This proposed facility is located in Honesdale Borough, **Wayne County**.

Description of Proposed Action/Activity: This project consists of construction of a new wastewater treatment plant to be built adjacent to the existing wastewater treatment plant to increase efficiency and capacity.

WQM Permit No. 4007403, Sewerage, **Butler Township**, 415 West Butler Drive, Drums, PA 18222. This proposed facility is located in Butler Township, **Luzerne County**.

Description of Proposed Action/Activity: This is for an organic rerate to the Drums Wastewater Treatment Plant.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 3607402, Sewerage, **Hershey Farm Restaurant and Motor Inn**, P. O. Box 159, 240 Hartman Bridge Road, Strasburg, PA 17579. This proposed facility is located in Strasburg Township, **Lancaster County**.

Description of Proposed Action/Activity: Relocation and expansion of a wastewater treatment plant for existing commercial property.

WQM Permit No. 2107409, Sewerage, **Borough of Mechanicsburg**, 36 West Allen Street, Mechanicsburg, PA 17055. This proposed facility is located in Mechanicsburg Borough and Silver Spring Township, **Cumberland County**.

Description of Proposed Action/Activity: Replacement of the Gross Drive Interceptor.

WQM Permit No. 0107405, Sewerage, **Fairfield Municipal Authority**, P. O. Box 705, 180 Water Street Extended, Fairfield, PA 17320. This proposed facility is located in Hamiltonban Township, **Adams County**.

Description of Proposed Action/Activity: Construction/operation of a sewage treatment plant and pump stations.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 2792401, Sewerage, Amendment No. 2, **Jenks Township**, P. O. Box 436, 2 Pine Street, Marienville, PA 16239. This proposed facility is located in Jenks Township, **Forest County**.

Description of Proposed Action/Activity: This project is to replace an existing sewage pump station which serves a large portion of the Village of Marienville, Forest County, known as the Cherry Street Pump Station (No. 2). This will service the western and southern sections of Marienville including residences, business, the East Forest School Facility and the Snyder Memorial Assisted Living Facility.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

V. Applications for NPDES Wavier Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011507049	Stonebridge Life Insurance Co. 4333 Edgewood Road, NK Cedar Rapids, IA 52499	Chester	East Whiteland Township	Valley Creek EV
PAI011507050	East Coventry Township 855 Ellis Woods Road Pottstown, PA 19465	Chester	East Coventry Township	Pigeon Creek HQ-TSF
PAI011507051	Poplar Realty Investments, LP 915 Montgomery Avenue Narberth, PA 19072	Chester	East Whiteland Township	Little Valley Creek EV

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI032107006	Traditions of America, LLC Boiling Springs Community Martin Dwyer 210 King of Prussia Road Suite 370 Radnor, PA 19087	Cumberland	South Middleton Township	Yellow Breeches Creek HQ-CWF
PAI030607008	James Adamowicz The Highlands at Wyomissing 200 Cambridge Avenue Wyomissing, PA 19610	Berks	Wyomissing Borough	Wyomissing Creek HQ

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act

MINOR AMENDMENT

*Northwest Region: Water Supply Management Program
Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

Application No. 3784502-T1-MA3, Minor Amendment.

Applicant	Pennsylvania American Water Company
Township or Borough	Ellwood City/Wayne Township Lawrence County
Responsible Official	Kristen Snyder, Operations Supervisor PA American Water Co., Ellwood 2736 Ellwood Road New Castle, PA 16101
Type of Facility	Public Water Supply
Application Received Date	November 2, 2007
Description of Action	Rehabilitation of 3,000,000 water storage tank, known as Aiken Reservoir.

Application No. 1069502-T1-MA7, Minor Amendment.

Applicant	Pennsylvania American Water Company
Township or Borough	Butler City/Butler Township Butler County
Responsible Official	Kevin M. Mortimer, Operations Supervisor PA American Water Co., Butler 203 Oneida Valley Road Butler, PA 16001
Type of Facility	Public Water Supply
Application Received Date	October 22, 2007
Description of Action	Rehabilitation of 0.25 million gallon elevated water storage tank, known as Oak Hill Tank.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made

within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Former Lehigh Valley Railroad Maintenance Facility, Sayre Borough, **Bradford County**, KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110 on behalf of Brian Driscoll, 1 Progress Plaza, Towanda, PA 18848 has submitted a Notice of Intent to Remediate soil and groundwater contaminated with organics in groundwater, LNAPL contamination in confined area (diesel fuel), metals (lead) in drainage swales. The applicant proposes to remediate the site to meet the Site-Specific Standard. The proposed future use of the property will include light industrial and/or commercial use.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Daily News Publishing Company, City of McKeesport, **Allegheny County**. Jason Floyd, P. G., Mountain Research, LLC, 825 25th Street, Altoona, PA 16601 on behalf of Ralph Martin, Tribune-Review Publishing Company, 503 Martindale Street, Pittsburgh, PA 15212 and Chris Miller, Latrobe Printing and Publishing Company, P. O. Box 1894, Biddeford, ME 04005 has submitted a Notice of Intent to Remediate. Known primary contaminants in the soil and groundwater are trichloroethene, tetrachloroethene and CIS-1,2-dichloroethene. These contaminants are common constituents in solvents which may have been utilized during previous photo-finishing and printing processes. The site has been historically used for industrial purposes and offsite migration will be investigated. The site will remain nonresidential.

Willoughby Woods Plan of Lots, Peters Township, **Washington County**. Joseph G. Prokopik, CP Environmental Group, 1092 Fifth Avenue, New Kensington, PA 15068 on behalf of Woody Welsch, Briwood, Inc., 122 Cedar Lane, McMurray, PA 15317 has submitted a Notice of Intent to Remediate. The property is currently an undeveloped track of land, however historically (late 1960s) the area contained two ponds. These ponds contained mine water, pumped from a nearby deep mining operation. It was reported that the sediment remained after the ponds were emptied and backfilled. The sediment layer is located at a depth of 8 to 12 feet below ground and is between 0 and 15 inches thick. Analytical results indicate that arsenic and iron are above the Act 2 residential MSCS for soils. A Statewide Health Standard will be achieved through excavation and disposal of the impacted sediment material.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Accuride Erie, LP (Former Kaiser Aluminum), City of Erie, **Erie County**. MACTEC Engineering & Consulting, Carnegie Office Park, Building 4, Suite 200, 700 North Bell Avenue, Pittsburgh, PA 15106 on behalf of Greater Erie Industrial Development Corporation, 5240 Knowledge Parkway, Erie, PA 16510-4658 has submitted a Nonresidential, Nonuse Aquifer Final Report concerning remediation of site soils contaminated with arsenic, cadmium, lead and site groundwater contaminated with aluminum, benzene, beryllium, cadmium, iron, lead, manganese. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Stackpole Center Northeast Area, City of St. Marys, **Elk County**. EMSOURCE St. Marys, LLC, 111 Commercial Street, Suite 400, Portland, ME 04101 has submitted a Final Report concerning remediation of site soils contaminated with arsenic, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, dibenz(a,h)anthracene, indeno(1,2,3-cd)pyrene, lead and site groundwater contaminated with 1,1,2-trichloroethane, 1,1-dichloroethene, 1,2-dichloroethene, 1,2-dichloroethane (total), 1,2-dichloropropane, cis-1,2-dichloroethene, lead, tetrachloroethene, trichloroethene and vinyl chloride. The report is intended to document remediation of the site to meet the Site-Specific Standard.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

Applications received or withdrawn under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P. L. 525, No. 93) and regulations to transport infectious and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Renewal Applications Received

Clean Harbors Environmental Services, Inc., 42 Longwater Drive, Norwell, MA 02061-1612. License No. PA-HC 0053. Effective September 24, 2007.

University of Pittsburgh, Public Safety Building, 4th Floor, 3412 Forbes Avenue, Pittsburgh, PA 15260. License No. PA-HC 0183. Effective September 7, 2007.

Blood-Line Medical Waste Recovery Systems, Inc., 24 Grove Street, South Hackensack, NJ 07606. License No. PA-HC 0229. Effective October 23, 2007.

JPS Equipment Co., Inc., P. O. Box 788, Edgemont, PA 19028. License No. PA-HC 0142. Effective October 31, 2007.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE GENERAL PERMITS

Application received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Municipal Waste Regulations for a General Permit to Operate Infectious and Chemotherapeutic Waste Processing Facilities.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application Number WMGI010R001. Pennsylvania University School of Veterinary Medicine, 382 West Street Road, Kennett Square, PA 19348. General Permit Application Number WMGI010R001 authorizes infectious waste processing through digestion of biological tissues. The approved processing is limited to chemical and thermal digestion using sodium or potassium hydroxide. The application for renewal of General Permit Number WMGI010R001 was deemed administratively complete by Central Office on September 5, 2007.

Persons interested in reviewing the application may contact Ronald C. Hassinger, Chief, General Permits/Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department of Environmental Protection through the Pennsylvania Relay Service at (800) 654-5984.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121–143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Neal Elko, New Source Review Chief, (570) 826-2531.

39-313-047: ICO Polymers North America, Inc. (P. O. Box 397, Bloomsbury, NJ 08804) for construction of a plastics processing plant with collectors at their facility to be in Upper Macungie Township, **Lehigh County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

01-05033A: Knouse Foods Cooperative, Inc. (P. O. Box 807, Biglerville, PA 17307) for replacing a 24.5 mmBtu/hr boiler with a new 29.05 mmBtu/hr boiler at the Peach Glen fruit processing facility in Tyrone Township, **Adams County**.

21-05002A: PPG Industries, Inc. (400 Park Drive, Carlisle, PA 17013) for use of a VOC-containing cutting fluid lubricant for glass cutting at the Works No. 6 plant in South Middleton Township, **Cumberland County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

53-00007A: Dominion Transmission, Inc. (445 West Main Street, Clarksburg, WV 26301) for modification of a natural gas compressor station (State Line Station) by increasing the allowable fugitive VOC emissions from 2.9 tons in any 12-consecutive month period to 9.0 tons in any 12-consecutive month period in Genessee Township, **Potter County**.

53-00004C: Dominion Transmission, Inc. (445 West Main Street, Clarksburg, WV 26301) for modification of a natural gas compressor station (Harrison Station) by increasing the allowable fugitive VOC emissions from 4.4 tons in any 12-consecutive month period to 23.2 tons in any 12-consecutive month period in Harrison Township, **Potter County**.

53-00006C: Dominion Transmission, Inc. (445 West Main Street, Clarksburg, WV 26301) for modification of a natural gas compressor station (Ellisburg Station) by increasing the allowable fugitive VOC emissions from 7.9 tons in any 12-consecutive month period to 31.0 tons in any 12-consecutive month period in Genessee Township, **Potter County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

15-0037C: Oberthur Card Systems, Inc. (523 James Hance Court, Exton, PA) for installation of an Eight Color Nonheatset Sheet fed Lithographic Press at their existing facility in West Whiteland Township, **Chester County**. The potential increase of VOC emissions from this new source is 6.5 tpy. This facility is a Title V facility. The Plan Approval will contain monitoring requirements, recordkeeping requirements and operating conditions designed to keep the Eight Color Nonheatset Sheet fed Lithographic Press and the facility operating within the allowable emission limitations and all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

22-03002A: Conopco—d/b/a Unilever Bestfoods NA (523 South 17th Street, Harrisburg, PA 17104) to permit burning of No. 6 fuel oil in their two boilers at their site in the City of Harrisburg, **Dauphin County**. The boilers are subject to 40 CFR, Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Unit. The boilers primarily burn natural gas and currently use No. 4 fuel oil as their secondary fuel. Upon approval, the use of No. 6 fuel oil as an additional secondary fuel is not expected to go beyond a 1 month period in any given calendar year, hence, NOx emissions during that time are not expected to increase more than 1.15 tons/month and subsequent SOx emissions are not expected to increase beyond 0.12 ton/month. The plan approval shall contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements in the ensuing facilitywide operating permit.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

12-399-018: Quality Compacted Metals, Inc. (214 South Broad Street, Emporium, PA 15834) for modification of a sintered powdered metal products rust inhibitor dip coating operation in Emporium Borough, **Cameron County**.

The rust inhibitor dip coating operation consists of two dip tanks which were exempt from plan approval when they were constructed in 2001 because the associated VOC emissions were less than 2.7 tpy. The proposed modification is an increase in the usage of coating such that the VOC emissions from the dip coating operation will be as high as 15 tpy.

The facility in which the dip coating operation is located is not a major (Title V) facility for any air contaminant.

The Department of Environmental Protection's (Department) review of the information submitted by Quality Compacted Metals, Inc. indicates that the dip coating operation will comply with all applicable regulatory requirements pertaining to air contamination sources and the emission of air contaminants following the proposed modification, including the available technology requirement of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue plan approval for the proposed modification of the sintered powdered metal parts rust inhibitor dip coating operation.

The following is a summary of the conditions the Department proposes to place in the plan approval to be issued to ensure compliance with all applicable requirements:

1. The dip tanks shall not be heated.
2. The dip tanks shall be covered at all times except when parts are being dipped or drained or when coating is being added to, or removed from, the tanks.
3. The coating used in the dip tanks shall not contain any VHAPs and shall have a maximum vapor pressure of .53 millimeter of mercury at 68° F. The coating shall be used as it is received from the coating supplier or vendor. No additives of any kind shall be added to the coating onsite or to the dip tanks.
4. Only sintered metal parts shall be processed through the dip tanks.
5. Hot or warm parts shall not be processed through the dip tanks. All parts shall be allowed to cool to room temperature before they are dipped in the dip tanks.
6. All parts shall be drained over the dip tanks for at least 15 seconds after being dipped or for the time it takes for the dripping of liquid coating from the parts to cease, whichever is longer. Parts having cavities or holes shall be tipped or rotated while the part is draining to allow liquid coating to drain into the dip tanks.
7. No fans shall be located or positioned so that they blow across the opening of a dip tank.
8. The total combined VOC emissions from the dip coating operation shall not exceed 15 tons in any 12-consecutive month period.
9. Comprehensive accurate records shall be maintained of the identity, vapor pressure, VOC content, VHAP content and amount of coating added to the dip tanks during each month. These records shall be submitted to the Department on an annual basis.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Braun, Chief, (215) 685-9476.

AMS 07162: Sun Chemical Corp. (3301 Hunting Park Avenue, Philadelphia, PA 19132) to install one new Kady Mill (KM-12) in the City of Philadelphia, **Philadelphia County**. The Kady Mill will have the following potential annual emissions: 4.8 tons of VOCs, 4.6 tons of PM and 0.3 ton of HAPs. The plan approval will contain operating, testing, monitoring, recordkeeping and reporting requirements to ensure operation within all applicable requirements.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Neal Elko, New Source Review Chief, (570) 826-2531.

40-00008: Offset Paperback Manufacturing, Inc. (P. O. Box N, 101 Memorial Highway, Dallas, PA 18612) for a Title V Operating Permit to operate a Lithographic Printing Presses and gas fired boiler in Dallas, **Luzerne County**. The facility's major source of emissions is VOC.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

28-05017: Armaclad Doors and Windows, LLC (P. O. Box 455, Mont Alto, PA 17237) for operation of their door manufacturing facility in Quincy Township, **Franklin County**. The Title V Operating Permit will include emission restrictions, work practice standards and testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements. This is a renewal of the Title V operating permit issued in 2002.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

56-00181: Southern Alleghenies Landfill, Inc. (625 Cherrington Parkway, Coraopolis, PA 15108) an operating permit renewal for their municipal solid waste landfill in Conemaugh Township, **Somerset County**. Company operates landfill, gas control system and soil processing system at this site. Proposed OP contains applicable emission limits, as well as testing, monitoring, recordkeeping and reporting requirements.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

42-00158: TIN Inc.—d/b/a Temple-Inland—Mt. Jewett MDF Operations (303 South Temple Drive, Diboll, TX 75941-2419) The MDF facility consist of chip storage and handling, refining, dryers, press, sawing, sanding, combustion sources for the dryer and press and various wood handling air emission sources located in Sergeant Township, **McKean County**. The facility is a Title V facility and is therefore subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The Title V Operating Permit is being modified to include the MACT requirements of 40 CFR 63, Subpart DDDD pertaining to Plywood and Composite Wood Products. The Permit contains a compliance schedule for the second stage dryer. The Particle Board Sources previously covered by this Permit were removed from operation. Temple uses an RTO (for the dryers) and a TCO (for the press) with the 90% control of Total Hydrocarbons option. The facility is required to maintain the records of the 3-hour block average temperature for the RTO and TCO. The RTO temperature shall not fall below 1,500° F and the TCO temperature shall not fall below 800° F.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Braun, Chief, (215) 685-9476.

V07-003: Naval Foundry and Propeller Center (Building 592—Code 1423, Philadelphia, PA 19112) for operation of a cement mixing, metal melting, metal stress relieving and metal grit blasting facility as per foundry operations and for operation of a machining, degreasing, painting and blasting of metal parts facility as per the machine shop in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include sand mixing, 14 electric induction furnaces, sand conveying operations, laser welding, blasting, metal grinding, sawing, 17 combustion units each rated at 20 mmBtu/hr or less, propeller cleaning, paint spraying and film developing. The facility's air emission control devices include baghouses, dust collectors and particulate recovery.

The operating permit will be issued under the 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener, (215) 685-9426.

Persons wishing to file protest or comments on the previous operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least 30 days before the hearing.

V07-004: PAID Steam Boiler Plant—Philadelphia Naval Business Center—operated by Duke Energy Generation Services of Philadelphia, LLC (2000 Constitution Avenue, Philadelphia, PA 19112) for operation of a facility that acquires, holds, constructs, improves, maintains, operates, owns, finances and leases, either in the capacity of lessor or lessee, industrial, commercial or specialized development projects in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include three 217/207 mmBtu/hr boilers that can burn natural gas/No. 6, No. 2 or waste oil controlled by low NOx burners with associated flue gas recirculation.

The operating permit will be issued under the 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener, (215) 685-9426.

Persons wishing to file protest or comments on the previous operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least 30 days before the hearing.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

15-00055: Highway Materials, Inc. (850 Quarry Road, Downingtown, PA 19335-3449) for a Non-Title V Facility, State-only Operating Permit renewal in East Caln Township, **Chester County**. Highway Materials operates a batch asphalt plant. The source of emissions is the batch asphalt plant, which is controlled by a cyclone/baghouse. In this renewal the percent ash in the Waste Derived Liquid Fuel was increased from 0.5% to 1.0%. Monitoring, recordkeeping and reporting requirements are included in the permit to address applicable limitations.

46-00094: Highway Materials, Inc. (5100 Joshua Road, Plymouth Meeting, PA 19462) for a Non-Title V Facility, State-only Operating Permit in Whitemarsh Township, **Montgomery County**. Highway Materials operates a batch asphalt plant. The source of emissions is the batch asphalt plant, which is controlled by a cyclone/baghouse. In this renewal the percent ash in the Waste Derived Liquid Fuel was increased from 0.5% to 1.0%.

Monitoring, recordkeeping and reporting requirements are included in the permit to address applicable limitations.

09-00135: Met Pro Corporation—Fybroc Division (700 Emlen Way, Telford, PA 18969) for renewal of the State-only Operating Permit in Telford Borough, **Bucks County**. The initial permit was issued on January 28, 2003. The facility's major emission points include resin injection/transfer mold and filament winding processes.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

06-03078: Brush Wellman, Inc. (P. O. Box 973, Reading, PA 19603) for operation of a beryllium alloy machine shop controlled by various wet scrubbers in Perry Township, **Berks County**. The plant is a State-only facility. The beryllium alloys used at the plant are all less than 5% by weight beryllium. The permit will include monitoring, work practices, recordkeeping and reporting requirements designed to keep the plant operating within all applicable air quality requirements.

06-03091: The Rose Corp. (P. O. Box 15208, Reading, PA 19612-5208) for operation of a steel fabricating shop in the City of Reading, **Berks County**. This action is a renewal of a State-only operating permit issued in 2002.

06-03117: Custom Processing Services, Inc. (2 Birchmont Drive, Reading, PA 19606-3266) for operation of a custom milling facility controlled by various fabric collectors in Exeter Township, **Berks County**. The facility is a State-only operating permit. The facility has the potential to emit 19 tpy of PM. The permit will include monitoring, work practices, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

21-03047: Cleveland Brothers Equipment, Inc. (2009 State Road, Camp Hill, PA 17011) for operation of a hard chrome plating facility in Lower Allen Township, **Cumberland County**. Chrome emissions are controlled by a fume suppressant and mist eliminators. The State-only operating permit will include emission restrictions, monitoring and recordkeeping requirements designed to keep the facility operating within all applicable air quality requirements.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, New Source Review Chief, (814) 332-6940.

20-00281: Channellock, Inc. (1306 South Main Street, Meadville, PA 16335-3035) for re-issuance of the Natural Minor Permit to operate a metal hand tool manufacturing facility in the City of Meadville, **Crawford County**. The facility's major emission sources include miscellaneous natural gas combustion, waste incinerator, metal polishing and miscellaneous natural gas process use.

43-00294: International Timber & Veneer, LLC (75 McQuiston Drive, Jackson Center, PA 16133) for re-issuance of the Natural Minor Operating Permit for operation of the facility's air contamination sources consisting of a 23.9 mmBtu/hr wood-fired boiler, 8.4 mmBtu/hr natural gas boiler, three space heater, four veneer dryers and sawing, grinding and chipping sources for the processing of hardwood logs into veneer in Jackson Township, **Mercer County**.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the

Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the district mining office indicated before an application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH ¹		greater than 6.0; less than 9.0	
Alkalinity greater than acidity ¹			

¹The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

Permit Number 30841312 and NPDES Permit No. PA0013790, Consolidation Coal Company (1 Bridge Street, Monongah, WV 26554), to revise the permit for the Blacksville Mine No. 2 in Jackson and Gilmore Townships, **Greene County** to add acreage for longwall mining and perform stream restoration as may be necessary to alleviate subsidence pooling impacts to Blockhouse Run and UNT 41821 to Blockhouse Run in seven areas bound by the following points on the Holbrook USGS Quad, N: 3 inches; W: 11.5 inches to N: 5 inches; W: 14.7 inches to N: 6.0 inches; W: 13.7 inches and to Roberts Run in four areas bound by the following points on the same USGS Quad, N: 3.2 inches; W: 15.0 inches to N: 1.3 inches; W: 11.9 inches. Underground Acres Proposed 3,852.17, Subsidence Control Plan Acres Proposed 3,171.55. No additional discharges. Application received August 24, 2007.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56980102 and NPDES No. PA0234681. Hoffman Mining, Inc., P. O. Box 130, 118 Runway Road, Friedens, PA 15541, permit renewal for reclamation only of a bituminous surface auger mine in Shade Township, **Somerset County**, affecting 92.7 acres. Receiving streams: UNT to Oven Run classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received November 8, 2007.

32060101 and NPDES No. PA0249891. D. J. & W. Mining, Inc., P. O. Box 425, Indiana, PA 15701, revision of an existing bituminous surface mine to change from commercial forestland, unmanaged natural habitat and forestland to pastureland occasionally cut for hay, in Washington Township, **Indiana County**, affecting 80.3 acres. Receiving streams: UNTs to and South Branch Plum Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received November 9, 2007.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

03020102 and NPDES Permit No. PA0250058. D. J. & W. Mining, Inc. (P. O. Box 425, Indiana, PA 15710) Renewal application for reclamation only of an existing bituminous surface mine, located in North Buffalo and Cadogan Townships, **Armstrong County**, affect-

ing 48.9 acres. Receiving streams: UNTs to Allegheny River, classified for the following use: WWF. The potable water supply that has an intake within 10 miles downstream from the point of discharge: Municipal Authority of Buffalo Township. Renewal application received November 8, 2007.

02070103 and NPDES Permit No. PA0251194. Collier Development Co., Inc. (Box 334, Presto, PA 15142) Application for commencement, operation and reclamation of a bituminous surface mine, located in Collier Township, **Allegheny County**, affecting 9.0 acres. Receiving stream: UNT to Cartiers Creek, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received November 13, 2007.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

10060103 and NPDES Permit No. PA0258172. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001) Application for a stream encroachment to encroach upon a UNT to Muddy Creek in Clay and Center Townships, **Butler County** affecting 218.0 acres. Receiving streams: Three UNTs to Muddy Creek, classified for the following use: HQ-CWF; and two UNTs to Stony Run and Stony Run, classified for the following use: WWF. There are no potable surface water supply intakes within 10 miles downstream. Application received November 13, 2007.

33-07-11 and NPDES Permit No. PA025458. Sky Haven Coal, Inc. (5510 State Park Road, Penfield, PA 15849) Proposal to enter into a Government Financed Reclamation Construction Contract on a 13.9 acre site in Winslow Township, **Jefferson County**. The proposal includes total reclamation of 4.9 acres of abandoned deep mine subsidence zones that include 1.4 acres of coal removal incidental and necessary to the reclamation activities. Receiving stream: Soldier Run, classified for the following use: CWF. There are no potable surface water intakes within 10 miles downstream. Application received October 19, 2007.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

54860108R4 and NPDES Permit No. PA0593508. Reading Anthracite Company (200 Mahantongo Street, P. O. Box 1200, Pottsville, PA 17901), renewal of an existing anthracite surface mine operation in New Castle and Norwegian Townships and St. Clair Borough, **Schuylkill County** affecting 1,469.0 acres, receiving stream: East Branch of Norwegian Creek. Application received November 8, 2007.

Noncoal Applications Received

Effluent Limits—The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

Permit No. 5074SM4 and NPDES Permit No. PA0595888, New Enterprise Stone & Lime Company, Inc., P. O. Box 77, New Enterprise, PA 16664, renewal of NPDES Permit, Fannett Township, **Franklin County**. Receiving stream: tributary to Dry Run classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received November 1, 2007.

Permit No. 31020302 and NPDES Permit No. PA0249319, Glenn O. Hawbaker, Inc., 1952 Waddle Road, State College, PA 16803-1649, renewal of NPDES Permit, Morris Township, **Huntingdon County**. Receiving streams: UNTs to Frankstown Branch Juniata River classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. NPDES renewal application received November 13, 2007.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

37990302 and NPDES Permit No. PA0241547. Cemex, Inc. (840 Gessner, Suite 1400, Houston, TX 77024). Revision to an existing limestone operation in Shenango and Wayne Townships, **Lawrence County** affecting 801.0 acres. Receiving streams: UNT to Snake Run, classified for the following use: WWF and UNT to Beaver Run, classified for the following use: Unclassified. There are no potable surface water supply intakes within 10 miles downstream. Revision to incorporate 70 acres of underground limestone mining. Application received November 9, 2007.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

22880302C5 and NPDES Permit No. PA0594211. Haines & Kibblehouse, Inc. (P. O. Box 196, Skippack, PA 19474), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Lower Swatara Township, **Dauphin County**, receiving stream: Swatara Creek, classified for the following use: WWF. Application received November 9, 2007.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions

of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E36-830: Scott Sweigart, Forino Developers, 555 Mountainhome Road, Sinking Spring, PA 19608, Mt. Joy Township, **Lancaster County**, ACOE Baltimore District.

To construct and maintain: (1) 51.0 feet of 48.0 inch by 76.0 inch HERCP stream crossing having a permanent wetland impact of 0.10 acre, and a permanent stream impact of 70.0 linear feet; (2) 97.0 feet of 60.0 inch diameter RCP having a permanent wetland impact of 0.10 acre, and a permanent stream impact of 97.0 feet; (3) 21.0 feet of 8.0 inch PVC sanitary sewer line utility crossing having a temporary stream impact of 21.0 feet; (4) 47.0 feet of 24.0 inch diameter RCP outfall; (5) a 10.0 foot wide, single span pedestrian bridge having a normal span of 14.5 feet and an underclearance of 32.0 inches, with a permanent stream impact of 15.0 feet; (6) 53.0 feet of 18.0 inch diameter RCP stream crossing, having a

permanent stream impact of 53 linear feet; (7) a 15.0 foot wide, single span footbridge having a normal span of 14.5 feet and an underclearance of 0.5 feet, with a permanent stream impact of 15.0 linear feet; (8) 39.0 feet of 15.0 inch SWCPP stream crossing, having a permanent stream impact of 39.0 linear feet; (9) 19.0 feet of 36.0 inch diameter SWCPP and 13.0 feet of 36.0 inch diameter SLCPP outfall structure; (10) an outfall structure consisting of 40.0 feet of 15.0 inch RCP discharging into wetlands; (11) 0.5 acre of permanent wetland disturbance for the construction of Lots 26 and 27; (12) a 5.0 foot wide walking path permanently impacting 0.04 acre of wetlands; (13) a 10.0 foot wide bike path permanently impacting 0.2 acre of wetlands; (14) a 69.0 foot in length, 24.0 inch diameter RCP outfall structure; and (15) a wetland mitigation of 0.31 acre onsite of the proposed project, all affecting a UNT to Donegal Creek (CWF), for the purpose of constructing an a 241 unit subdivision located off of Schwanger and Campus Roads (Elizabethtown, PA Quadrangle N: 3.5 inches; W: 9.1 inches, Latitude: 40° 8' 76" N; Longitude: 76° 33' 55" W) in Mt. Joy Township, Lancaster County.

E01-273: Franklin Township, Craig Hartley, 55 Scott School Road, Orrtanna, PA 17353, Franklin Township, Adams County, ACOE Baltimore District.

To conduct various activities as follows:

1. To permanently impact 0.27 acre of a wetland to construct a wastewater treatment plant within the 100-year floodplain of, and to construct and maintain a 10-inch diameter sewer line in a UNT to Marsh Creek (CWF) (Fairfield Quadrangle N: 20.62 inches; W: 9.50 inches, Latitude: 39° 51' 51"; Longitude: 77° 19' 03").

2. To construct and maintain an 8-inch diameter sewer line in a UNT to Marsh Creek (CWF) (Fairfield Quadrangle N: 20.93 inches; W: 9.50 inches, Latitude: 39° 51' 56"; Longitude: 77° 19' 01").

3. To construct and maintain a 10-inch diameter outfall pipe along a UNT to Marsh Creek (CWF) (Fairfield Quadrangle N: 20.50 inches; W: 9.50 inches, Latitude: 39° 51' 48"; Longitude: 77° 19' 02").

4. To construct and maintain a 10-inch diameter sewer line in a UNT to Marsh Creek (CWF) (Fairfield Quadrangle N: 20.75 inches; W: 9.75 inches, Latitude: 39° 51' 53"; Longitude: 77° 19' 09").

5. To construct and maintain an 8-inch diameter sewer line in a UNT to Marsh Creek (CWF) (Fairfield Quadrangle N: 21.25 inches; W: 9.87 inches, Latitude: 39° 52' 03"; Longitude: 77° 19' 11").

6. To construct and maintain a 10-inch diameter sewer line in a UNT to Marsh Creek (CWF) (Fairfield Quadrangle N: 21.50 inches; W: 10.75 inches, Latitude: 39° 52' 07"; Longitude: 77° 19' 34").

7. To construct and maintain a 10-inch diameter sewer line in a UNT to Marsh Creek (CWF) (Arendtsville Quadrangle N: 0.06 inch; W: 12.37 inches, Latitude: 39° 52' 31"; Longitude: 77° 20' 15").

8. To construct and maintain a 10-inch diameter sewer line in a UNT to Marsh Creek (CWF) (Arendtsville Quadrangle N: 0.25 inch; W: 12.50 inches, Latitude: 39° 55' 35"; Longitude: 77° 20' 19").

9. To construct and maintain an 8-inch diameter sewer line within the 100-year floodplain of and in Muskrat Run (CWF) (Arendtsville Quadrangle N: 1.37 inches; W: 15.12 inches, Latitude: 39° 52' 57"; Longitude: 77° 21' 26").

10. To construct and maintain an 8-inch diameter sewer line in a UNT to Muskrat Run (CWF) (Arendtsville Quadrangle N: 1.18 inches; W: 15.31 inches, Latitude: 39° 52' 53"; Longitude: 77° 21' 31").

11. To construct and maintain an 8-inch diameter sewer line in a UNT to Muskrat Run (CWF) (Arendtsville Quadrangle N: 1.06 inches; W: 15.31 inches, Latitude: 39° 52' 52"; Longitude: 77° 21' 31").

12. To construct and maintain an 8-inch diameter sewer line within the 100-year floodplain of and in a UNT to Muskrat Run (CWF) (Arendtsville Quadrangle N: 2.12 inches; W: 13.37 inches, Latitude: 39° 53' 13"; Longitude: 77° 20' 41").

All for the construction of a new wastewater treatment plant and its associated sewer lines in Franklin Township, Adams County.

E67-834: P. H. Glatfelter Company, Attn: Robert J. Miller, 228 South Main Street, Spring Grove, PA 17362, Jackson Township, York County, ACOE Baltimore District.

To repair and maintain approximately 1,000 linear feet of flood control levee using R-5 and R-7 rip-rap, to install and maintain a gabion retaining wall, and to fill 0.03 acre of wetland all impacts are associated with Bunch and Codorus Creeks (WWF). The project is located approximately 1,700 feet west of the intersection of South Main and Church Streets (Seven Valleys, PA Quadrangle, N: 22.0 inches; W: 17.25 inches, Latitude: 39° 52' 18"; Longitude: 76° 52' 23") in Jackson Township, York County.

E36-833: John Glick, 183 Stony Hill Road, Quarryville, PA 17566, Eden Township, Lancaster County, ACOE Baltimore District.

To construct and maintain a 12.0 foot wide single span bridge having a normal span of 25.0 feet, and an underclearance of 6.15 feet, crossing over Big Beaver Creek (TSF) for the purpose of constructing an access drive to existing agricultural lands (Quarryville, PA Quadrangle N: 9.5"; W: 12.5", Latitude: 39° 55' 40"; Longitude: 76° 09' 36") just north of the intersection of Miller and Springville Roads in Eden Township, Lancaster County.

E38-159: Pennsy Supply, Dino Faiola, 1 Clear Spring Road, Annville, PA 17003, North Annville Township, Lebanon County, ACOE Baltimore District.

To construct and maintain a 157.0 square foot concrete fishing pad, an associated 50.0 square foot concrete access walkway and minor grading and paving for 378.0 foot access drive and a 1,000 square foot parking area, all for the purposed of creating a handicapped accessible fishing area in the floodway of the Quittapahilla Creek (TSF) (Palmyra, PA Quadrangle N: 15.1"; W: 5.8", Latitude: 40° 19' 50"; Longitude: 76° 32' 26") off of Clear Spring Road in North Annville Township, Lebanon County.

E28-343: Washington Township, Michael A. Christopher, 13013 Welty Road, Waynesboro, PA 17268, Washington Township, Franklin County, ACOE Baltimore District.

To construct and maintain a 152.67-foot long three-span open bottom precast concrete arch bridge each having a clear span of 48.0 feet and a minimum underclearance of 8 feet and to repair and maintain an existing 13-foot wide single span steel stringer bridge having a clearspan of 26.7 feet and an average underclearance of 5 feet. Both structures impact the East Branch Antietam Creek (CWF). The project is located approximately 1/4 mile

southeast of Country Club Road approximately 1 mile from its intersection with Gehr Road (Waynesboro, PA Quadrangle, N: 0.9 inch; W: 6.2 inches, Latitude: 39° 45' 10"; Longitude: 77° 32' 0") in Washington Township, Franklin County.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-145 A1. Orion Power Midwest, LP, 121 Champion Way, Canonsburg, PA 15317. Amendment to include the construction of a Gypsum Conveyor in Springdale Borough, **Allegheny County**, Pittsburgh ACOE District (New Kensington West, PA Quadrangle N: 7.1 inches; W: 6.0 inches, Latitude: 40° 32' 21"; Longitude: 79° 47' 35"). The applicant proposes to amend permit No. E02-145 to include the construction and maintenance of a Gypsum Conveyor on the right bank of the Allegheny River (WWF) for the purpose of loading and unloading barges. The project is located at River Mile 15.6 at the Cheswick Power Station, approximately 6,100 feet upstream from the Lock and Dam No. 3.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E16-134, Donald L. Shirey, 127 West Garfield Street, New Bethlehem, PA 16242. Private Residence in Floodway of Leisure Run, in New Bethlehem Borough, **Clarion County**, ACOE Pittsburgh District (New Bethlehem, PA Quadrangle N: 41° 00' 14", W: 79° 19' 43").

To complete construction of a private residence and associated grading and landscaping within the assumed right floodway (50 feet from top of bank) of Leisure Run extending approximately 175 feet upstream from Penn Street.

E61-281, Titusville Oil & Gas Associates, Inc., 16899 Jerusalem Corners Road, Pleasantville, PA 16341. Titusville Oil & Gas Associates, Inc., in Cornplanter Township, **Venango County**, ACOE Pittsburgh District (President, PA Quadrangle N: 41° 27' 22.4"; W: 79° 36' 39.3").

The applicant proposes to construct and maintain a 2-inch diameter plastic pipe outfall (for an oil well production water treatment facility) to the Allegheny River within the Federal Scenic River corridor approximately 100 feet downstream of the confluence of Pithole Creek and the Allegheny River. The Allegheny River is a perennial stream classified as a WWF.

ENVIRONMENTAL ASSESSMENTS

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

EA17-003. The Clearfield Foundation, P. O. Box 250, Clearfield, PA 16830. Wetland restoration project at the former SB Elliott State Tree Nursery in Pine Township, **Clearfield County**, ACOE Baltimore District (Elliott Park Quadrangle; Latitude N: 41° 7' 24"; Longitude W: 78° 31' 45").

The applicant proposes to restore 4.8 acres of wetlands at the former SB Elliott State Tree Nursery near SB Elliott State Park, within the Stony Run Watershed (HQ-CWF). The wetland restoration also includes 0.5 acre of wetland enhancement and 3.8 acres of terrestrial/wetland fringe enhancement through vegetative plantings. Wetland restoration will result in 0.1 acre of permanent PEM wetland impact due to the placement of water level control structures and 0.2 acre of temporary PEM wetland impact due to the placement of access roads.

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

D15-023EA. Bureau of Waterways Engineering, P. O. Box 8460, Harrisburg, PA 17105-8460. East Vincent Township, **Chester County**, Limerick Township, **Montgomery County**, ACOE Philadelphia District.

Project proposes to breach and remove Vincent Dam across the Schuylkill River (WWF, MF) for the purpose of eliminating a threat to public safety and restoring the river to a free flowing condition. The project will restore approximately 1,000 lineal feet of stream channel. The dam is located approximately 80 feet east of the intersection of SR 4022 and T-304 (Phoenixville, PA Quadrangle Latitude: 40° 12' 26"; Longitude: 75° 33' 56").

DAM SAFETY

Central Office: Bureau of Waterways Engineering, 400 Market Street, Floor 3, P. O. Box 8554, Harrisburg, PA 17105-8554.

D64-015. Lake Underwood Nimrod Club c/o Charles Westgate, R. R. 1, Box 38, Thompson, PA 18465. To modify, operate and maintain the Lake Underwood Dam across a tributary to Equinunk Creek (HQ-CWF), with no proposed impacts to wetlands or the stream channel, for the purpose of rehabilitating the existing dam and increasing spillway capacity to ensure compliance with Commonwealth Regulations (Lake Como, PA-NY Quadrangle N: 16.0 inches; W: 15.8 inches) in Preston Township, **Wayne County**.

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0087891 (Stormwater)	Growmark FS, Inc. 1701 Towanda Avenue Bloomington, IL 61702-2500	Adams County Latimore Township	Drainage swale tributary to Mud Run 7F	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0094455 Sewage	Derry Township Municipal Authority P. O. Box 250 New Derry, PA 15671	Westmoreland County Derry Township	McGee Run	Y
PA0001775 Sewage	McFadden Machine Company, Inc. 160 Hill Road Blairsville, PA 15717	Indiana County Blacklick Township	UNT of Muddy Run	Y
PA0091243 Sewage	Allegheny Trails Council Flag Plaza 1275 Bedford Avenue Pittsburgh, PA 15219	Fayette County Wharton Township	UNT of Pine Run	Y
PA0031844 Sewage	Kiski Area School District 200 Poplar Street Vandergrift, PA 15690	Westmoreland County Washington Township	UNT of Pine Run	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0090786 Sewage	Hempfield Township Supervisors 1132 Woodward Drive Suite A Greensburg, PA 15601	Westmoreland County Hempfield Township	UNT to Brush Creek	Y
PA0041238 Sewage	Meyersdale-Summit Park Recreation Commission P. O. Box 194 Meyersdale, PA 15552-0194	Somerset County Summit Township	Blue Lick Creek	Y
PA0205087 Sewage	Scottyland Camping Resort 1628 Barron Church Road Rockwood, PA 15557	Somerset County Middlecreek Township	Lost Creek	Y
PA0204854 Sewage	D'Atri, Inc. 320 Sunset Drive Baden, PA 15005	Beaver County New Sewickley Township	UNT of Pine Run	Y
PA0219371 Sewage	Frank and Leona Van Scoyoc 7480 Prim Rose Drive Mentor on the Lake, OH 44060	Cambria County Dean Township	Drainage Swale Tributary to Clearfield Creek	Y
PA0096652 Sewage	Miley Motor Sports P. O. Box 4530 Pittsburgh, PA 15205	Allegheny County North Fayette Township	UNT (Drainage Swale) to Half Crown Run	Y
PA0217727 Sewage	Rices Landing Borough P. O. Box 185 100 Water Street Rices Landing, PA 15357	Greene County Rices Landing Borough	Monongahela River	Y
PA0026417 Sewage	Municipality of Penn Hills 12245 Frankstown Road Pittsburgh, PA 15235	Allegheny County Municipality of Penn Hills	Allegheny River	N
PA0219347 Sewage	Patricia L. Iams 4124 Finleyville-Elrama Road Finleyville, PA 15332	Washington County Union Township	Lobbs Run	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0020346	Borough of Punxsutawney Mahoning East Civic Center 301 East Mahoning Street Punxsutawney, PA 15767	Punxsutawney Borough Jefferson County	Mahoning Creek 17-D	N
PA0035513	Department of Transportation Rest Area E I-80 Eastbound Department of Transportation P. O. Box 3060 Harrisburg, PA 17120-3060	Shenango Township Mercer County	Shenango River 20-A	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No. PA0011444, Industrial Waste, **Congoleum Corporation**, Ridge Road and Yates Avenue, Marcus Hook, PA 19061. This proposed facility is located in Trainer Borough, **Delaware County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge noncontact cooling water, stormwater and groundwater into the Marcus Hook Creek.

NPDES Permit No. PA0050482, Amendment No. 1, Sewage, **Freedoms Foundation at Valley Forge**, 1601 Valley Forge Road, Valley Forge, PA 19482-0706. This proposed facility is located in Schuylkill Township, **Chester County**.

Description of Proposed Action/Activity: Approval for the amendment to upgrade the treatment plant and collection system the discharge will be to Jug Hollow in Watershed 3F.

NPDES Permit No. PA0026603, Sewage, **Ambler Borough**, 122 East Butler Avenue, Abler, PA 19002-4476. This proposed facility is located in Upper Dublin Township, **Montgomery County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge treated sewage. The permit was issued November 7, 2005. The permit was appealed and, as a result of stipulation of settlement, the phosphorus limits and compliance dates are revised.

NPDES Permit No. PA0053929, Sewage, **Barryway Enterprises, Inc., Bubba's Pot Belly Stove Restaurant**, 1485 Route 309, Quakertown, PA 18951. This proposed facility is located in Springfield Township, **Bucks County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge into a UNT to Tohickon Creek in Watershed 2D.

NPDES Permit No. PA0021512, Sewage, **Royersford Borough**, 300 Main Street, P. O. Box 188, Royersford, PA 19468-0188. This proposed facility is located in Upper Providence Township, **Montgomery County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge into the Schuylkill River in Watershed 3E—Perkiomen.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0021075, Amendment No. 1, Sewage, **Robin Hemperly, Borough Manager**, Borough of Myerstown, 101 East Washington Street, Myerstown, PA 17067-1142. This proposed facility is located in Jackson Township, **Lebanon County**.

Description of Proposed Action/Activity: Authorization to discharge to Tulpehocken Creek in Watershed 3-C.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No. PA0253499, Sewage, **Janice Polito**, 256 Park Lane, Darlington, PA 16115. This proposed facility is located in Big Beaver Borough, **Beaver County**.

Description of Proposed Action/Activity: Permit issuance for a small flow single residence sewage treatment plant.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. WQG02010702, Sewage, **Abbottstown-Paradise Joint Sewer Authority**, P. O. Box 505, Abbottstown, PA 17301. This proposed facility is located in Abbottstown Borough and Paradise Township, **York and Adams Counties**.

Description of Proposed Action/Activity: Construction/Operation of the Country Club Road Pumping Station and Sewer Extension.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. WQG018584, Sewerage, **Roger Rouse**, 9638 Haskell Hill Road, Wattsburg, PA 16442. This proposed facility is located in Venango Township, **Erie County**.

Description of Proposed Action/Activity: A single Residence Sewage Treatment Plant.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011507030	Andrew Jones and Michael Losito 485 Willow Street Toughkenamon, PA 19374	Chester	Lower Oxford Township	West Branch Big Elk Creek HQ
PAI011507035	Kurt Wolter P. O. Box 611 Devon, PA 19333	Chester	Tredyffrin Township	Tributary Valley Creek EV
PAI011507036	William and Wendy Neuhoff 979 Fairview Road Glenmoore, PA 19343	Chester	East Nantmeal Township	Marsh Creek HQ-TSF-MF
PAI012306006	Pulte Homes of PA, LP 1100 Northbrook Drive Suite 200 Trevose, PA 19053	Delaware	Marple Township	Crum Creek EV
PAI012306009	Halcyon Construction Co. P. O. Box 828 Concordville, PA 19331	Delaware	Edgmont Township	Rocky Run HQ-CWF-MF

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI014607004	Jeffery Clemens 531 Main Street Harleysville, PA 19438-1305	Montgomery	Upper Salford Township	UNT Unami Creek HQ-TSF

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024506006	C & M at Mountain Hollow, LP 2421 Bristol Road Warrington, PA 18976	Monroe	Stroud Township	Brodhead Creek HQ-CWF
PAI024805024	Nic Zawarski & Sons Developers, Inc. 1441 Linden Street Bethlehem, PA 18018-2685	Northampton	Bethlehem City	Monocacy Creek HQ-CWF
PAI024804002	Richard and Rhonda Bartolacci R. B. Associates Two Courtney Place Suite 140 3864 Courtney Street Bethlehem, PA 18017	Northampton	Forks Township	Bushkill Creek HQ-CWF
PAI024806016	Spectrum Land Acquisition, Inc. 3312 7th Street Whitehall, PA 18052	Northampton	Bushkill Township	East Branch Monocacy Creek HQ-CWF
PAI024506009	Superior Custom Homes, Inc. P. O. Box 794 Brodheads ville, PA 18322	Monroe	Chestnuthill Township	Poplar Run EV
PAI023905039	Jerome and Ina Goldstein 812 North Second Street Emmaus, PA 18049-2518	Lehigh	Upper Milford Township	Little Lehigh Creek HQ-CWF

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Somerset County Conservation District, Somerset County AG Center, 6024 Glades Pike, Suite 103, Somerset, PA 15501, (814) 445-4652.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI055607002 Note: This was originally published as PAI055607007 as an application.	The Buncher Company 5600 Forward Avenue Pittsburgh, PA 15217	Somerset	Jefferson Township	Laurel Hill Creek HQ/CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage

PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

General Permit Type—PAG-02

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Bensalem Township Bucks County	PAG2000907015	Turnpike Commission Box 67676 Harrisburg, PA 17106-7676	Neshaminy and Poquessing Creeks WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Makefield Township Bucks County	PAG2000907042	Paul Inderbitzin 910 Old Dolington Road Newtown, PA 18940	Houghs Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Wrightstown Township Bucks County	PAG2000906065	Anthony Pagano 747 Swamp Road Newtown, PA 18940	Neshaminy Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Falls and Middletown Townships Bucks County	PAG2000907037	Department of Transportation 7000 Geerdes Boulevard King of Prussia, PA 19406-1525	UNT Queen Anne Creek and Mill Creek	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015106072	Homeownership Developers, LLC 721 Chestnut Street Philadelphia, PA 19106	Schuylkill River CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015107011	Fiacco, LLC Engineers 111 Buck Road Unit 100 Huntingdon Valley, PA 19006	City of Philadelphia Storm Sewer System	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015107027	Steve Steinbrook 3138 Chestnut Street Philadelphia, PA 19104	Delaware River WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Jessup Borough Lackawanna County	PAG2003507017	Robert McCormick 9450 West Bryn Mawr Avenue No. 150 Rosemont, IL 60018	Grassy Island Creek CWF	Lackawanna County Conservation District (570) 281-9495
Smithfield Township Monroe County	PAG2004505005	Kenbar Investment Group P. O. Box 404 Marshalls Creek, PA 18335	Brodhead Creek TSF, MF	Monroe County Conservation District (570) 629-3060
Upper Saucon Township Lehigh County	PAG2003907018	Robert Snyder De Sales University 2755 Station Road Center Valley, PA 18034	Saucon Creek CWF	Lehigh County Conservation District (610) 391-9583
Palmer Township Northampton County	PAG2004803044R	Atlantic Equity Van Buren Road, LLC 25A Hanover Road Suite 310 Florham Park, NJ 07923	Shoeneck Creek WWF	Northampton County Conservation District (610) 746-1971

NOTICES

6333

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Middletown Borough Dauphin County	PAG2002207045	The Catholic Dioceses of Harrisburg 280 North Race Street Middletown, PA 17057	Swatara Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018
Spring Township Berks County	PAG2000607056	Pastor Brian Koch Glad Tidings Assembly of God Church 1110 Snyder Road West Lawn, PA 19609-1151	Cacoosing Creek CWF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657 Ext. 201
Spring Garden Township York County	PAR10Y6551	Dr. Kenneth Martin York College of Pennsylvania 439 Country Club Road York, PA 17405-7199	Codorus Creek-Oil Creek WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Dover Township York County	PAG2006707021	James Craft JG Leasing Co., Inc. P. O. Box 8 York Haven, PA 17370	Fox Run TSF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
South Londonderry Township Lebanon County	PAG2003807016	South Londonderry Township Thomas Ernharth Township Manager P. O. Box 3 Campbelltown, PA 17010	Spring Creek-Killinger Creek WWF-TSF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042-9788 (717) 272-3908 Ext. 4
Jackson Township York County	PAG20067040601	Jackson Heights, LLC Joseph A. Myers 160 Ram Drive Hanover, PA 17331	UNT to Codorus Creek WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Allegheny Township Blair County	PAG2000707017	Scranton-Altoona Terminals Corp. P. O. Box 2621 Harrisburg, PA 17105	Beaverdam Branch of Juniata River WWF	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 (814) 696-0877 Ext. 5
Richmond Township Berks County	PAG2000607043	George C. Yialamas 300 Hill Road Kutztown, PA 19530	UNT to Sacony Creek TSF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657 Ext. 201
Boyertown Borough Berks County	PAG2000607053	James Hollenbach Hollenbach Construction 166 Holly Road P. O. Box 507 Boyertown, PA 19512-0507	UNT to Swamp Creek TSF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657 Ext. 201

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Birdsboro Borough Berks County	PAG2000607044	Thomas Brown F. M. Brown Sons, Inc. P. O. Box 67 Birdsboro, PA 19508	Hay Creek CWF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657 Ext. 201
City of Reading Berks County	PAG2000607058	Larry Orkus Reading Eagle Company 345 Penn Street P. O. Box 582 Reading, PA 19603-0582	Schuylkill River WWF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657 Ext. 201
South Londonderry Township Lebanon County	PAG2003807016	Thomas Ernharth, Township Manager South Londonderry Township P. O. Box 3 Campbelltown, PA 17010	Spring Creek-Killinger Creek WWF-TSF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 Ext. 4
North Cornwall Township Lebanon County	PAG2003807024	John Wengert WGR Dairy, Inc. 2401 Walnut Street Lebanon, PA 17042	Snitz Creek- Quittapahilla Creek TSF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 Ext. 4
Heidelberg Township Lebanon County	PAG2003807022	Dale Kauffman 826 Weavertown Road Myerstown, PA 17067	UNT to Tulpehocken Creek TSF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 Ext. 4
Fulton Township Lancaster County	PAR100588R	Rick Tindall Tindall's Virgin Timber Box 200 Black Barren Road Peach Bottom, PA 17563	UNT to Conowingo Creek CWF	Lancaster County Conservation District 1383 Arcadia Road Room 6 Lancaster, PA 17601-3149 (717) 299-5361
Brecknock Township Lancaster County	PAG2003607031	Hawk Valley Developers, LLC 1319 Crestview Drive Denver, PA 17517	UNT to Muddy Creek WWF	Lancaster County Conservation District 1383 Arcadia Road Room 6 Lancaster, PA 17601-3149 (717) 299-5361
Hellam Township York County	PAG2006707059	Keith Kline 1 Waterford Professional Center York, PA 17402	Wildcat Run-Kreutz Creek WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Delta Borough York County	PAG2006707050	Randolph Nooft 1051 Bridgeton Road Fawn Grove, PA 17321	UNT to Scott Creek TSF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Columbia County Franklin Township	PAG2001906012	Robert E. Krum 100 Orchard Drive Catawissa, PA 17820	UNT to Roaring Creek CWF	Columbia County Conservation District 702 Sawmill Road Suite 204 Bloomsburg, PA 17815 (570) 784-1310 Ext. 102

NOTICES

6335

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Columbia County Town of Bloomsburg	PAG2001907012	Eric Milner Bloomsburg University Buckingham Maintenance 400 East Second Street Bloomsburg, PA 17815	Fishing Creek WWF	Columbia County Conservation District 702 Sawmill Road Suite 204 Bloomsburg, PA 17815 (570) 784-1310 Ext. 102
Tioga County Tioga Township	PAG2005907010	Nate Kissell New Enterprise Stone & Lime Co., Inc. P. O. Box 77 New Enterprise, PA 16664	Bentley Creek WWF Tioga River WWF	Tioga County Conservation District 50 Plaza Lane Wellsboro, PA 16901 (570) 724-1801 Ext. 3
Allegheny County Upper St. Clair Township	PAR10A4512R	Williamson & Jefferson, Inc. 212 Sussez Way McMurray, PA 15317	Painters Run WWF	Allegheny County CD (412) 241-7645
Allegheny County City of Pittsburgh	PAR10A583R	Little Sisters of the Poor 1028 Benton Avenue Pittsburgh, PA 15212	Ohio River WWF	Allegheny County CD (412) 241-7645
Allegheny County O'Hara Township	PAR10A586R	Thomson Properties, Inc. 9400 McKnight Road Pittsburgh, PA 15237	Allegheny River WWF	Allegheny County CD (412) 241-7645
Allegheny County City of Pittsburgh	PAG20002060691	Housing Authority of the City of Pittsburgh 200 Ross Street 9th Floor Pittsburgh, PA 15219 and Bedford Phase II, LP 1415 Oliver Street St. Louis, MO 63102	Ohio River WWF	Allegheny County CD (412) 241-7645
Allegheny County Findlay Township	PAG20002060751	Findlay Township P. O. Box 409 Route 30 Clinton, PA 15026	Potato Garden Run WWF	Allegheny County CD (412) 241-7645
Allegheny County Plum Borough	PAG2000206096	Keith Nowalk 150 Nowalk Drive Pittsburgh, PA 15239	Plum Creek WWF	Allegheny County CD (412) 241-7645
Allegheny County Ross Township	PAG2000206117	Mark A. Brantner 594 Wible Run Road Pittsburgh, PA 15209	Nelson Run WWF	Allegheny County CD (412) 241-7645
Allegheny County Ohio Township	PAG20002061231	Charles Lenzner 665 Duff Road Sewickley, PA 15243	Bear Run TSF	Allegheny County CD (412) 241-7645
Allegheny County North Fayette Township	PAG20002070071	A & E Land Development 8051 Steubenville Pike Oakdale, PA 15071	Robinson Run WWF	Allegheny County CD (412) 241-7645
Allegheny County West Deer and Fawn Townships	PAG2000207011	Deer Creek Drainage Basin Authority 945 Little Deer Creek Road Russellton, PA 15076	Bull Creek, Little Deer Creek TSF	Allegheny County CD (412) 241-7645
Allegheny County McCandless Township	PAG20002070151	UPMC Passavant 9100 Babcock Boulevard Pittsburgh, PA 15237	Pine Creek TSF	Allegheny County CD (412) 241-7645
Allegheny County Penn Hills and Churchill Boroughs	PAG2000207021	Associated Investors, Inc. 800 Mutual Building 816 Fifth Avenue Pittsburgh, PA 15219	Duffs Run WWF	Allegheny County CD (412) 241-7645

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Allegheny County Marshall Township	PAG2000207033	Mitsubishi Electric Power Products, Inc. 512 Kaystone Drive Warrendale, PA 15086	Brush Creek WWF	Allegheny County CD (412) 241-7645
Allegheny County McCandless Township	PAG2000207046	Vincentian Sisters of Charity 8200 McKnight Road Pittsburgh, PA 15237	Little Pine Creek TSF	Allegheny County CD (412) 241-7645
Allegheny County North Fayette Township	PAG2000207049	Cliff Mine Road, LP 315 Payday Drive Elizabeth, PA 15037	Montour Run TSF	Allegheny County CD (412) 241-7645
Allegheny County McKees Rocks Borough	PAG2000207050	Old Town Properties, LP One Atlantic Avenue Pittsburgh, PA 15212	Chartiers Creek WWF	Allegheny County CD (412) 241-7645
Allegheny County South Fayette Township	PAG2000207051	Newbury Development Association, LP 2214 Liberty Avenue Pittsburgh, PA 15222	Charters Creek Millers Run WWF	Allegheny County CD (412) 241-7645
Allegheny County Pine Township	PAG2000207055	Learning Child Center, LLC 9331 Marshall Road Cranberry Township, PA 16066	Brush Creek WWF	Allegheny County CD (412) 241-7645
Allegheny County Bethel Park Borough	PAG2000207061	David Knaus P. O. Box 152 Bethel Park, PA 15102	Peters Creek WWF	Allegheny County CD (412) 241-7645
Allegheny County North Fayette Township	PAG2000207062	Community College of Allegheny County 800 Allegheny Avenue Pittsburgh, PA 15239	Robinson Run WWF	Allegheny County CD (412) 241-7645
Allegheny County North Fayette Township	PAG2000207066	Wood Waste Recycling, Inc. 111 Bridge Street Burgettstown, PA 15021	Half Crown Run WWF	Allegheny County CD (412) 241-7645
Allegheny County South Fayette Township	PAG2000207067	Mearl Kamyk 1224 Ridge Road McDonald, PA 15057	Millers Run WWF	Allegheny County CD (412) 241-7645
Allegheny County Moon Township	PAG2000207069	Eaton Corporation 1000 Cherrington Parkway Coraopolis, PA 15108	Montour Run TSF	Allegheny County CD (412) 241-7645
Allegheny County Harmar and Fawn Townships	PAG2000207070	Joseph B. Fray Company P. O. Box 66 Russellton, PA 15076	Allegheny River WWF	Allegheny County CD (412) 241-7645
Allegheny County Harmar and Fawn Townships and Plum Borough	PAG2000207071	Joseph B. Fray, Co. P. O. Box 66 Russellton, PA 15076	Allegheny River WWF	Allegheny County CD (412) 241-7645
Allegheny County Fawn, Plum and Harmar Townships	PAG2000207072	Joseph B. Fray Company P. O. Box 66 Russellton, PA 15076	Allegheny River WWF	Allegheny County CD (412) 241-7645
Allegheny County Monroeville	PAG2000207073	SimpleMed, LLC 8035 McKnight Road Pittsburgh, PA 15237 and TRI Contracting P. O. Box 96 McKeesport, PA 15135	East Thompson Run WWF	Allegheny County CD (412) 241-7645

NOTICES

6337

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Allegheny County North Fayette Township	PAG2000207082	Seabright Land Corporation 6 Commerce Drive Pittsburgh, PA 15239	Robinson Run WWF	Allegheny County CD (412) 241-7645
Allegheny County O'Hara Township	PAG2000207089	O'Hara Capital Partners 103 Gamma Drive Pittsburgh, PA 15238	Powers Run WWF	Allegheny County CD (412) 241-7645
Allegheny County South Fayette Township	PAG2000207090	Hickory Grade Land Company P. O. Box 401 Bridgeville, PA 15017 and Heartland Homes, Inc. P. O. Box 535 Lawrence, PA 15055	Coal Run WWF	Allegheny County CD (412) 241-7645
Armstrong County Redbank Township	PAG2000307008	Justin and Jennifer Moore 175 Walker Flat Road Mayport, PA 16240	UNT to Redbank Creek TSF	Armstrong County CD (724) 548-3425
Fayette County North Union Township	PAG20026050191	Steve Solomon 1758 Mileground Morgantown, WV 26505	Redstone Creek WWF	Fayette County CD (724) 438-4497
Fayette County Georges Township	PAG2002607023	Fayette Industrial Fund P. O. Box 2101 Uniontown, PA 15401	Georges Creek WWF	Fayette County CD (724) 438-4497
Westmoreland County Penn Township	PAG2006507031	Fabyonic Construction Don Fabyonic 301 McWilliams Road Trafford, PA 15085	Tributary to Turtle Creek TSF	Westmoreland County CD (724) 837-5271
Westmoreland County East Huntingdon Township	PAG2006507032	Wendell H. Stone Co., Inc. R. D. 12 Box 613 Roseytown Road Greensburg, PA 15601	Belson Run WWF	Westmoreland County CD (724) 837-5271
Westmoreland County Ligonier Township	PAG2006507035	James D. Rossi 193 Sugarbush Drive Latrobe, PA 15650	Loyalhanna Creek CWF	Westmoreland County CD (724) 837-5271
Westmoreland County East Huntingdon Township	PAG2006507038	Penske Truck Leasing 801 Katie Court Harrisburg, PA 17109	Tributary to Buffalo Run WWF	Westmoreland County CD (724) 837-5271
Westmoreland County Murrysville	PAG2006507040	Craig Cozza Alex Development 2nd Floor 5770 Forbes Avenue Pittsburgh, PA 15217	Turtle Creek TSF	Westmoreland County CD (724) 837-5271
Mercer County Jackson Township	PAG2004307008	Ernest D. May George J. Howe Co. 629 West Main Street Grove City, PA 16127	UNT Yellow Creek TSF	Mercer Conservation District (724) 662-2242

*General Permit Type—PAG-3**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Upper Nazareth Township Northampton County	PAR702210	Highway Materials, Inc. 1750 Walton Road Blue Bell, PA 19422-2303	UNT to Shoeneck Creek WWF	DEP—NERO Water Management Program 2 Public Square Wilkes-Barre, PA 18711-2511 (570) 826-2511
Berks County Muhlenberg Township	PAR803661 (transfer)	Farm & Home Oil Company 420 State Road Telford, PA 18969	UNT Laurel Run WWF 3C	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
New Castle Township Lawrence County	PAR208370	International Specialty Alloys Aerospace Division P. O. Box 5186 New Castle, PA 16105-5547	UNT to Shenango River	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-04**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Hayfield Township Crawford County	PAG048867	Matthew F. and Patricia D. Koehler 16615 Maple Drive Saegertown, PA 16433	UNT to Cussewago Creek 16-D	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Venango Township Erie County	PAG049385	Roger Rouse 9638 Haskell Hill Road Wattsburg, PA 16442	A Drainage swale to the West Branch of French Creek 16-A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Fairview Township Erie County	PAG048889	Mr. and Mrs. Kevin Luke McCann 6065 Bridlewood Drive Fairview, PA 16415-2709	UNT to Bear Creek 15-BE	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-8 (SSN)**Facility Location & County/Municipality*

<i>County/Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Plum Creek Township Armstrong County		Synagro 3239 Route 981 New Alexandria, PA 15670	Reefer Farm	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

*General Permit Type—PAG-10**Facility Location & Municipality*

<i>County/Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Berks County Muhlenberg Township	PAG103529 (transfer)	Farm & Home Oil Company 420 State Road Telford, PA 18969	UNT Laurel Run WWF 3C	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Wellhead Protection Program Approval issued to Roamingwood Sewer and Water Association, P. O. Box 6, (SR 590), Lake Ariel, PA 18436, PWSID No. 2640025, Lake and Salem Townships, **Wayne County**, on August 22, 2007.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 1907501—Construction, Public Water Supply.

Applicant	Aqua PA, Inc.—Roaring Creek Division
Township or Borough	Conyngham Township
County	Columbia
Responsible Official	Patrick R. Burke Regional Manager Aqua PA, Inc.—Roaring Creek Division 204 East Sunbury Street Shamokin, PA 17872
Type of Facility	Public Water Supply—Construction

Consulting Engineer	William A. LaDieu, P. E. CET Engineering Services 1240 North Mountain Road Harrisburg, PA 17112-1788
Permit Issued Date	November 16, 2007
Description of Action	Major permit amendment for the rehab of the Roaring Creek Well Station.

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 1099501—MA1, Public Water Supply.

Applicant	Borough of Mars
Borough or Township	Adams Township
County	Butler County
Type of Facility	Municipal Water Authority
Consulting Engineer	Steven H. Greenberg KLH Engineers, Inc. 5173 Campbells Run Road Pittsburgh, PA 15205
Permit to Construct Issued	November 2, 2007

Permit No. 2507503, Public Water Supply.

Applicant	Saint Boniface School
Borough or Township	Greene Township
County	Erie County
Type of Facility	School
Consulting Engineer	Mark J. Corey & Associates 5845 Jordan Road Erie, PA 16510
Permit to Construct Issued	November 14, 2007

WATER ALLOCATIONS

Actions taken on applications received under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the acquisition of rights to divert waters of this Commonwealth

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit WA 10-1009. Water Allocations. **Mars Borough**, 598 Spring Avenue, P. O. Box 395, Mars, PA 16046. Grants the applicant's right to acquire water from the Municipal Authority of Adams Township (Permit WA 10-1006) for use during emergency situations. The service provided will be at a flow rate not to exceed 150 gpm (216,000 gpd) for a period not to exceed 30 days. Mars Borough Water Department serves customers located in Mars Borough, **Butler County**.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under section 5 of the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Washington Township	11800 Edinboro Road Edinboro, PA 16412	Erie
Edinboro Borough	124 Meadville Street Edinboro, PA 16412	Erie

Plan Description: The approved plan provides for expanding and upgrading the Borough of Edinboro WWTP from 1.2 to 1.8 mgd at its present location and converting the Washington Township Angling Road WWTP to a pump station to convey all Township flows to the Borough WWTP. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL**Plan Disapprovals Granted under section 5 of the Pennsylvania Sewage Facilities Act (35 P.S. § 750.5)**

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Bethel Township	3015 South Pine Grove Street Fredericksburg, PA 17026	Lebanon

Plan Description: The proposed Judith Brown Sterner Subdivision, A3-38905-204-2 consists of two new residential lots and a residual tract served by individual onlot disposal systems. The plan was disapproved because the hydrogeologic study included in the planning module submission that was received by the Department of Environmental Protection indicated that lots 11 and 12 will pollute the groundwater of this Commonwealth in violation of The Clean Streams Law. Specifically, the groundwater recharge easements are not down gradient of the proposed sewage disposal systems and the groundwater recharge easements are located across a groundwater discharge divide. This condition is considered a nuisance and is prohibited.

**Public Notice of Proposed Settlement Agreement
Department of Environmental Protection,
Fish and Boat Commission,
Game Commission and
Department of Conservation and Natural Resources
Norfolk Southern Train Derailment Site
McKean County and Cameron County**

Under the Hazardous Sites Cleanup Act (35 P.S. §§ 6020.101—6020.1305); Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); The Clean Streams Law (35 P.S. §§ 691.1—691.1001); section 1917-A of The Administrative Code of 1929 (71 P.S. § 510-17); 30 Pa.C.S. §§ 101—7314 (relating to Fish and Boat); Conservation and Natural Resources Act (71 P.S. §§ 1340.101—1340.1102); Pennsylvania Scenic Rivers Act (32 P.S. §§ 820.21—820.29); Wild Resources Conservation Act (32 P.S. §§ 5301—5314); and 34 Pa.C.S. §§ 101—2901 (relating to Game and Wildlife Code), notice is hereby provided that the Department of Environmental Protection (Department), Fish and Boat Commission, Game Commission

and Department of Conservation and Natural Resources, (collectively, the Commonwealth Parties) have entered into a proposed Settlement Agreement with Norfolk Southern Corporation and Norfolk Southern Railway Company (collectively Norfolk Southern).

The proposed Settlement Agreement concerns the contamination of the environment that occurred on June 30, 2006, when approximately 31 rail cars of a train operated by Norfolk Southern Railway Company derailed near Gardeau, in Norwich Township, McKean County. During the derailment, liquid sodium hydroxide spilled from three railcars into wetlands and entered Big Fill Run, a tributary of the Sinnemahoning—Portage Creek that flows through McKean County and into Cameron County. From Big Fill Run, the spilled sodium hydroxide traveled down Sinnemahoning-Portage Creek, which flows into the Driftwood Branch of Sinnemahoning Creek (collectively the Site). This release of liquid sodium hydroxide contaminated soils, sediments, surface water, groundwater and wetlands and killed or damaged fish and other aquatic life and terrestrial plant and animal life at the Site.

Under the supervision of the Department and the Fish and Boat Commission, Norfolk Southern have completed the response actions to clean up and restore the environment at the Site in accordance with the May 2007, Consent Order and Agreement between Norfolk Southern and the Department. The May 2007, Consent Order and Agreement remains in effect and is maintained as a public record at the Department's Northwest Regional Office at 230 Chestnut Street, Meadville, PA, and at the repository for public documents for the Site located at the Cameron County Conservation District Office, 20 East Fifth Street, Room 105, Emporium, PA 15834.

Under the terms of the proposed Settlement Agreement that is the subject of this Public Notice, Norfolk Southern shall pay \$3,675,000 for distribution by the Department and \$3,675,000 for distribution by the Fish and Boat Commission. These payments will resolve Norfolk Southern's civil liability for the Site including, but not limited to, their liability for natural resources damages at the Site.

On behalf of the Commonwealth Parties, the Department will receive comments relating to the proposed Settlement Agreement for 60 days from the date of this Public Notice. The Commonwealth Parties have the right to withdraw their consent to the proposed Settlement Agreement if the comments disclose facts or considerations which indicate that the proposed Settlement Agreement is inappropriate, improper, or not in the public interest.

If the Commonwealth Parties do not withdraw their consent to the proposed Settlement Agreement after the public comment period, this Settlement Agreement will then be final. Thereafter, the Department, on behalf of the Commonwealth Parties, will publish a Public Notice of the final Settlement Agreement and this Public Notice will start the 30 day period for an appeal of the final Settlement Agreement (Appeal Period).

The final Settlement Agreement shall be effective on the date on which the Appeal Period has expired without any review or appeal having been taken or, if such review or appeal is taken during the Appeal Period, then when such review or appeal has finally been determined by the highest court or reviewing body, or the matter has been resolved by all of the parties to such appeal or review.

The proposed Settlement Agreement is available for inspection and copying at the Department's Northwest

Regional Office at 230 Chestnut Street, Meadville, PA and at the repository for public documents for the Site located at the Cameron County Conservation District Office, 20 East Fifth Street, Room 105, Emporium, PA 15834.

Comments may be submitted, in writing, to Ricardo F. Gilson, Regional Manager, Department of Environmental Protection, Water Management, 230 Chestnut Street, Meadville, PA 16335. Further information may be obtained by contacting Ricardo F. Gilson at (814) 332-6942. TDD users should contact the Department through the Pennsylvania Relay Service at (800) 645-5984.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a Site-Specific Standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Gettysburg College, Borough of Gettysburg, Adams County. Alliance Environmental Services, Inc., 1820 Linglestown Road, Harrisburg, PA 17103, on behalf of

Gettysburg College, 300 North Washington Street, Campus Box 392, Gettysburg, PA 17325, submitted a Remedial Investigation Report, Risk Assessment Report and Cleanup Plan concerning remediation of site soils and groundwater contaminated with chlorinated solvents. The applicant is seeking to remediate the site to the Site-Specific Standard.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Pittsburgh Business Park (Formerly Papercraft), O'Hara Township, Allegheny County. David Oliveri-McGovern, SESTECH Environmental, 650 North Sam Houston Parkway East, Suite 410, Houston, TX 77060, has submitted a Remedial Investigation Report and a Final Report concerning remediation of site soil contaminated with other organics. The reports are intended to document remediation of the site to meet the Site-Specific Standard.

Willoughby Woods Plan of Lots, Peters Township, Washington County. Joseph G. Prokopik, CP Environmental Group, Inc., 1092 Fifth Avenue, New Kensington, PA 15068 (on behalf of Woody Welsch, Briwood, Inc., 122 Cedar Lane, McMurray, PA 15317) has submitted a Final Report concerning remediation of site soil contaminated with inorganics. The report is intended to document remediation of the site to meet the Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a Site-Specific Standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan

for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Ronald S. Brezinski, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Bartorillo Residence, Rice Township, **Luzerne County**. James Sposito, James P. Sposito Associates, 11 Archbald Street, Carbondale, PA 18407 submitted a Final Report (on behalf of his client, Patrick Bartorillo, 260 Lakeview Drive, Mountaintop, PA 18707) concerning the remediation of soils found to have been impacted by a No. 2 fuel oil as a result of an accidental release. The report documented attainment of the Residential Statewide Health Standard and was approved on November 9, 2007. No relief from liability can be granted for the "vapor intrusion pathway" since it was not evaluated in the report.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Chambersburg Mall—Parcel A-20, Greene Township, **Franklin County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Pennsylvania Real Estate Investment Trust, 200 South Broad Street, Philadelphia, PA 19120, submitted a Final Report concerning the remediation of site groundwater contaminated with leaded and unleaded gasoline. The Final Report demonstrated attainment of the background standard and was approved by the Department of Environmental Protection on November 5, 2007.

D & A Truck Lines, Inc. Diesel Fuel Spill, Womelsdorf Borough, **Berks County**. Taylor GeoServices, Inc., 38 Bishop Hollow Road, Newtown Square, PA 19073, on behalf of Valley Forge Flag Co., Inc., 8875 Berkshire Boulevard, Wyomissing, PA 19610-1246 and D & A Truck Lines, Inc., 926 North Front Street, New Ulm, MN 56073-1193, submitted a Final Report concerning remediation of site soils contaminated with diesel fuel. The Final Report, which was submitted within 90 days of the release, demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department of Environmental Protection on November 6, 2007.

Nguyen Tran Residence, City of Lancaster, **Lancaster County**. Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of Nguyen Tran, 618 East End Avenue, Lancaster, PA 17602-3712

and State Farm Insurance, P. O. Box 13, Concordville, PA 19331, submitted a Final Report concerning remediation of site soils contaminated with No. 2 fuel oil released into a basement by means of an unconnected fill pipe. The final report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department of Environmental Protection on November 8, 2007.

Miller Optical, Inc., City of Lancaster, **Lancaster County**. GemChem, Inc., 53 North Cedar Street, P. O. Box 384, Lititz, PA 17543-0384, on behalf of Miller Optical, Inc., 845 Columbia Avenue, Lancaster, PA 17603-3224, submitted a Final Report concerning remediation of site soils contaminated with No. 2 fuel oil. The final report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department of Environmental Protection on November 8, 2007.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Apex Homes, Inc., Monroe Township, **Snyder County**, Northridge Group, Inc., 1172 Ridge Road, Northumberland, PA 17857 on behalf of Apex Homes, Inc., 7172 SR 522, Middleburg, PA 17842 has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on November 7, 2007.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Groveton Reducing Station—Columbia Gas, Robinson Township, **Allegheny County**. Christopher H. Kupfer, P. G., Michael Baker Jr., Inc., 100 Airside Drive, Airside Business Park, Coraopolis, PA 15108 on behalf of Marc Okin, Columbia Gas of Pennsylvania/NiSource, 200 Civic Center Drive, Columbus, OH 43215 and Scott Freshwater, Contractor Services, Inc., 929 Charleston Road, Spencer, WV 25276 has submitted a Final Report concerning the remediation of site soil contaminated with benzene, PCBs, lead and arsenic. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on April 23, 2007.

Wilksburg Save-A-Lot, Wilksburg Borough, **Allegheny County**. Dennis Guthrie, URS Corporation, 501 Holiday Drive, Suite 300, Pittsburgh, PA 15220 on behalf of Wesley Johnson, Wilksburg Borough Manager, 713 South Avenue, Wilksburg, PA 15221 and Fred Ralston, Allegheny County Department of Economic Development, 425 Sixth Street, Pittsburgh, PA 15219 has submitted a Final Report concerning the remediation of site soil contaminated with lead and arsenic and site groundwater contaminated with petroleum compounds (benzene, ethylbenzene, toluene and xylenes). The Final Report demonstrated attainment of the Site-Specific Standard and was approved by the Department of Environmental Protection on May 24, 2007.

CoGo's—North Canal Street, Borough of Sharpsburg, **Allegheny County**. William A. McGill, The GeoEnvironmental Consortium, Inc., 701 Freeport Road, South Building, Pittsburgh, PA 15238 on behalf of Mrs. Wateska, 103 Valley View Drive, Sharpsburg, PA 15215 and Robert L. Helmstadter, CoGo's Company, 638 Rostraver Road, Suite 103, Belle Vernon, PA 15012 has submitted a Final Report concerning the remediation of site soil contaminated with fuel oil No. 2. The Final

Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on May 22, 2007.

Couy Trust Auto Image Plus Facility, City of Pittsburgh, **Allegheny County**. Frank W. Benacquista, P. G., KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110 on behalf of Suzanne Staab, Mellon Bank NA—Trustee, 3 Mellon Center, Room 1315, Pittsburgh, PA 15259 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with VOCs typically associated with gasoline and petroleum products associated with the operation of the former gasoline station located on the property. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on June 29, 2007.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Hazardous Waste Transporter License Renewed

Veolia ES Technical Solutions, LLC, 1 Eden Lane, Flanders, NJ 07836. License No. PA-AH 0500. Effective September 27, 2007.

RSO, Inc., P. O. Box 1450, Laurel, MD 20725-1450. License No. PA-AH 0578. Effective September 28, 2007.

The Environmental Service Group (NY), Inc., 177 Wales Avenue, Tonawanda, NY 14150. License No. PA-AH S144. Effective October 2, 2007.

Robbie D. Wood, Inc., P. O. Box 125, Dolomite, AL 35061. License No. PA-AH 0504. Effective October 4, 2007.

Miller Environmental Group, Inc., 538 Edwards Avenue, Calverton, NY 11933. License No. PA-AH 0501. Effective October 4, 2007.

Feecorp Corporation, 7995 Allen Road, Canal Winchester, OH 43110. License No. PA-AH 0515. Effective October 11, 2007.

Action Resources, Inc., 40 County Road 517, Hanceville, AL 35077. License No. PA-AH 0650. Effective October 17, 2007.

PSC Industrial Outsourcing, Inc., 1802 Shelton Drive, Hollister, CA 95023. License No. PA-AH 0395. Effective October 22, 2007.

AERC.Com, Inc., 2591 Mitchell Avenue, Allentown, PA 18103-6609. License No. PA-AH 0687. Effective October 23, 2007.

Fortress Trucking Limited, 7079 Wellington Road 124, Guelph ON N1H 6J3. License No. PA-AH 0512. Effective October 24, 2007.

Superior Carriers, Inc., 711 Jorie Boulevard, Suite 101 North, Oak Brook, IL 60523. License No. PA-AH 0686. Effective October 30, 2007.

JMT Environmental Technologies, Inc., P. O. Box 22044, Lehigh Valley, PA 18002. License No. PA-AH 0648. Effective November 7, 2007.

Hazardous Waste Transporter License Issued

Tri-Line Carriers GP, Inc., 1179 Ridgeway Road, Woodstock, ON N4S 8P6. License No. PA-AH 0736. Effective October 23, 2007.

Hazardous Waste Transporter License Voluntarily Terminated

Clean Streams, Inc., P. O. Box 3059, Munster, IN 46321. License No. PA-AH 0441. Effective September 21, 2007.

Autumn Industries, Inc., 518 Perkins-Jones Road, Warren, OH 44483. License No. PA-AH 0267. Effective October 2, 2007.

Hazardous Waste Transporter License Expired

Siemens Water Technologies Transport Corp., 1657 Commerce Drive, Suite 10-B, South Bend, IN 46628. License No. PA-AH 0722. Effective October 31, 2007.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

Actions on applications for Infectious and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Act 93 (P. L. 525, No. 93) and regulations to transport infectious and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

Infectious and Chemotherapeutic Waste Transporter License Renewed

Clean Harbors Environmental Services, Inc., 42 Longwater Drive, Norwell, MA 02061-1612. License No. PA-HC 0053. Effective October 10, 2007.

University of Pittsburgh, Public Safety Building, 4th Floor, 3412 Forbes Avenue, Pittsburgh, PA 15260. License No. PA-HC 0183. Effective October 18, 2007.

Blood-Line Medical Waste Recovery Systems, Inc., 24 Grove Street, South Hackensack, NJ 07606. License No. PA-HC 0229. Effective November 2, 2007.

JPS Equipment Co., Inc., P. O. Box 788, Edgemont, PA 19028. License No. PA-HC 0142. Effective November 6, 2007.

Infectious and Chemotherapeutic Waste Transporter License Expired

Abington Memorial Hospital, 1200 Old York Road, Abington, PA 19001-3720. License No. PA-HC 0095. Effective October 31, 2007.

MUNICIPAL WASTE GENERAL PERMITS

Permits Issued Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and the Beneficial Use of Municipal Waste.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGM035. Robert T. Winzinger, Inc., 1704 Marne Highway, Hainesport, NJ 08036.

General Permit Number WMGM035 is for the processing of: (1) reclaimed asphalt pavement; (2) unpainted brick, block, concrete; and (3) unprocessed wood waste (that is, trees, tree stumps, stump grinding, roots and grubbing material) at Winzinger Philadelphia Port Richmond facility for beneficial use as a construction and mulch material. The general permit was issued by Central Office on November 15, 2007.

Persons interested in reviewing the general permit should contact Ronald C. Hassinger, Chief, General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Land Recycling and Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users should contact the Department of Environmental Protection through the Pennsylvania Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

IESI Blue Ridge Landfill Greene Township, Franklin County Permit Number 100934. Submitted an application to increase their average daily volume from 1,450 tpd to 1,700 tpd on August 15, 2007. A Local Municipal Involvement Process meeting was held on October 30, 2007, at which point the application was considered received. The Department of Environmental Protection (Department), applicant and Greene Township negotiated a Department review time frame of 365 days. The application was considered administratively complete on November 5, 2007.

Permit Issued Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 101680. Waste Mgmt Disposal Service of PA, Inc., 1000 New Ford Mill Road, Morrisville, PA 19067, Falls Township, **Bucks County.** This permit is for a new 162.4 acre landfill to be known as GROWS North Landfill. The permit was issued by Southeast Regional Office on November 15, 2007.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Neal Elko, New Source Review Chief, (570) 826-2531.

39-310-038GP3: Kerns Crushing, Inc. (180 Barns Road, Sinking Spring, PA 19608) on November 13, 2007, to construct and operate a Portable Crushing Operation with watersprays at their site in Upper Macungie Township, **Lehigh County.**

39-329-008GP9: Kerns Crushing, Inc. (180 Barns Road, Sinking Spring, PA 19608) on November 13, 2007, to install and operate an internal combustion engine at their site in Upper Macungie Township, **Lehigh County.**

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

GP5-26-00546: Atlas Pipeline Pennsylvania, LLC (1550 Coraopolis Heights Road, 2nd Floor, P. O. Box 611, Moon Township, PA 15108) on November 14, 2007, a General Operating Permit to operate two Caterpillar Model 3516LE 1,265-bhp compressor engines and a Hanover Smith Dehydrator rated at .475 mmBtu/hr at their Prah Compressor station at German Township, **Fayette County.**

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

GP-25-079: Rexam Plastic Packaging—Erie Plant (316 West 16th Street, Erie, PA 16502) on October 31, 2007, for a burn off oven BAQ/GPA/GP-4 in **Erie County.** This permit was previously permitted under Owens-Brockway Closures.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

01-03034A: Texas Eastern Transmission, LP (P. O. Box 1642, Houston, TX 77251-1642) on November 14, 2007, to construct a natural gas compressor station with electric compressor, which is exempt from permitting in Tyrone Township, **Adams County.**

67-03144A: KRB Machinery (1058 Cool Creek Road, Wrightsville, PA 17368) on November 13, 2007, to install one NorAm M-3 downdraft paint booth in Lower Windsor Township, **York County.**

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

17-00017B: Rescar, Inc. (450 Osborn Avenue, DuBois, PA 15801), on October 30, 2007, to construct a rail car refurbishing facility, including car cleaning, abrasive blasting, interior and exterior surface coating operations and minor combustion sources for general purpose heating and curing of surface coatings, at the company's site in the City of DuBois, **Clearfield County.**

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

11-00241A: Department of Corrections (P. O. Box A, Cresson, PA 16699-0001) on November 13, 2007, to construct a wood fired boiler at the State Correctional Institution in Cresson Township, **Cambria County.**

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

23-0003H: ConocoPhillips Co. (4101 Post Road, Trainer, PA 19061) on November 15, 2007, to operate an isocraker expansion/sour water drum in Trainer Borough, **Delaware County**.

23-0003F: ConocoPhillips Co. (4101 Post Road, Trainer, PA 19061) on November 15, 2007, to operate an internal scrubber platformer unit in Trainer Borough, **Delaware County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

41-00010F: Andritz, Inc. (35 Sherman Street, Muncy, PA 17756) on November 9, 2007, to operate a shot blasting system, an arc welding station, four grinding stations, four plasma arc cutting/welding stations and associated air cleaning device (a fabric collector) on a temporary basis until March 9, 2008, in Muncy Borough, **Lycoming County**. The plan approval has been extended.

14-00014C: Glenn O. Hawbaker, Inc. (411 East College Avenue, Bellefonte, PA 16823) on November 13, 2007, to approve the construction of a 6' by 16' double deck aggregate screen in an asphalt plant at the Pleasant Gap site in Spring Township, **Centre County**.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

06-05063: Boyertown Foundry Co. (P. O. Box 443, New Berlinville, PA 19545-0443) on November 14, 2007, to modify their mold making operation by constructing a third mold making machine controlled by a wetted packed bed scrubber in the Boyertown Borough, **Berks County**. This Title V Operating Permit has been administratively amended to incorporate Plan Approval 06-5063C. This is revision No. 2.

67-05004: P. H. Glatfelter Co. (228 South Main Street, Spring Grove, PA 17362-1000) on November 8, 2007, to operate a pulp and paper mill in Spring Grove Borough, **York County**. This Title V operating permit was administratively amended to incorporate Plan Approval numbers 67-05004H and 67-05004J. This is revision No. 1.

67-05008: York International Corp. (P. O. Box 1592-361Q, York, PA 17405-1592) on November 6, 2007, for refrigeration and heating equipment in Spring Garden Township, **York County**. This is a minor modification of the Title V Operating Permit.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

25-00783: Haysite Reinforced Plastics (5599 Perry Highway, Erie, PA 16509-3562) on November 13, 2007, to reissue a Title V Operating Permit to produce laminated

sheets, custom molded parts, pultruded shapes and molding compound at their plant located in the City of Erie, **Erie County**. The primary emission sources include a flat sheet molding line, a BMC-SMC Molding line, a SMC machine, an injection molding line, a pultrusion molding line, a mix room, two natural gas fired boilers and miscellaneous natural gas heating units.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

38-05036: Grosfillex, Inc. (230 Old West Penn Avenue, Robeson, PA 19551-8904) on November 9, 2007, to operate two automated paint lines controlled by dry filters in South Lebanon Township, **Lebanon County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

63-00016: Allegheny Energy Supply Co., LLC (800 Cabin Hill Drive, Greensburg, PA 15601) on November 16, 2007, for an Operating Permit renewal that includes a Best Available Retrofit Technology determination. The facility's major sources of emissions include one coal-fired boiler, rated at 2,988 mmBtu/hr and three oil-fired boilers, each rated at 841 mmBtu/hr, that emit major quantities of CO, NO_x, PM and SO_x. The proposed permit includes all applicable emission restrictions, testing, monitoring, recordkeeping and reporting requirements. No emission changes are being approved in this action for their Mitchell Plant, in Monongahela City, **Washington County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

10-00345: Allegheny Mineral Corp. (102 Van Dyke Road, Harrisville, PA 16038-2524) on November 7, 2007, to issue a Natural Minor Operating Permit to operate a limestone processing facility at their facility in Marion Township, **Butler County**. The facility's primary emission sources include a primary crushing station, a scalping screen station, a secondary crushing station, a tertiary crusher station, a dry dust screen station, a wash screen station, storage piles, paved roadways, unpaved roadways and truck loading.

42-00194: Glenn O. Hawbaker, Inc.—Shinglehouse Plant (497 Horse Run Road, Shinglehouse, PA 16748) on November 13, 2007, to re-issue the State-only Operating Permit 42-00194 to operate the facility's air contamination sources consisting of two crushers, three feeders, four screening operations and 11 conveyor transfers in Ceres Township, **McKean County**. This facility is subject to 40 CFR Part 60, Subpart OOO for the sand and gravel process.

61-00200: Webco Industries, Inc. (363 Seneca Street, Oil City, PA 16301) on November 13, 2007, to re-issue the State-only Operating Permit for the operation of the facility's air contamination sources consisting of annealing furnace, two 8.0 mmBtu/hr space heaters, gas generator, emergency generators and a cold lube draw tank in Oil City, **Venango County**. The facility manufactures boilers and mechanical tubing.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

23-00091: Union Packaging (6250 Baltimore Pike, Yeadon, PA 19050) on November 7, 2007, to incorporate Plan Approval PA 23-0091A for Bobst Lamanic (7-color) flexographic press in Yeadon Borough, **Delaware County**. The Administrative Amendment of State-only Operating Permit was issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.450.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

19-320-005: Press Enterprise, Inc. (3185 Lackawanna Avenue, Bloomsburg, PA 17815) on November 8, 2007, in accordance with the administrative amendment requirements of 25 Pa. Code § 127.450, to incorporate the conditions established in Plan Approval 19-320-005A for two heatset web offset lithographic printing presses and two nonheatset web offset lithographic printing press in Scott Township, **Columbia County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

65-00634: Dominion Transmission Incorporated—Tonkin Compressor Station (445 West Main Street, Clarksburg, WV 26302-2450) on November 8, 2007, whose major source of emissions include two internal combustion engines and a space heating boiler which primarily emit NOx, a parts washer and fugitive VOC emissions from facility pumps, valves, flanges, and the like. The permit is being amended to revise the company's address and permit contact phone number as well as to add three storage tanks to the list of insignificant activities for the facility in Murrysville Borough, **Westmoreland County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

Permit Number 32841601 and NPDES Permit No. PA0214159, Robindale Energy Services, Inc., (224 Grange Hall Road, P. O. Box 228, Armagh, PA 15920), to revise the permit for the Dilltown Facility in Brush Valley Township, **Indiana County** to use beneficial coal ash as coal ash placement for reclamation. No additional discharges. Application received February 15, 2007. Permit issued November 15, 2007.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

63070102 and NPDES Permit No. 0251186. Oxford Mining Company (544 Chestnut Street, P. O. Box 427, Coshocton, OH 43812) Commencement, operation and reclamation of a bituminous surface mine, located in Jefferson Township, **Washington County**, affecting 99.7 acres. Receiving streams: UNTs to Scott Run. Application received June 27, 2007. Permit issued November 8, 2007.

03020104 and NPDES Permit No. 0250091. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001) Renewal application for reclamation only to an existing bituminous surface mine, located in Valley and Kittanning Townships, **Armstrong County**, affecting 261.5 acres. Receiving stream: UNT to Cowanshannock Creek. Renewal application received September 12, 2007. Renewal permit issued November 9, 2007.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

16070101 and NPDES Permit No. PA0258270. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001) Commencement, operation and restoration of a bituminous strip operation in Monroe Township, **Clarion County** affecting 166.0 acres. Receiving streams: UNTs to Brush Run and Brush Run, UNT to Piney Creek. Application received March 15, 2007. Permit issued November 8, 2007.

1475-16070101-E-1. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001) Application for a stream encroachment to upgrade and maintain a haul road crossing over UNT No. 7 to Brush Run in Monroe Township, **Clarion County**. Receiving streams: UNTs to Brush Run and Brush Run, UNT to Piney Creek. Application received March 15, 2007. Permit issued November 8, 2007.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

17860144 and NPDES No. PA0115711. Junior Coal Contracting, Inc. (2330 Six Mile Road, Philipsburg, PA 16866), permit renewal for the continued operation and restoration of a bituminous surface mine in Decatur Township, **Clearfield County**, affecting 324.0 acres. Receiving streams: Shimmel Run and UNT to Moshannon Creek, classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received September 12, 2007. Permit issued November 8, 2007.

EnerCorp, Inc., GFCC No. 17-07-06, Graham Township, Clearfield County (Mons Run to Alder Run—Upper West Branch Watershed): A Government-Financed Construction Contract has been awarded to EnerCorp, Inc., that will result in the reclamation of 16.0 acres of abandoned mine spoil in Graham Township,

Clearfield County. The site will be reclaimed and regraded to approximate original contour. Alkaline addition in the form of waste lime will be added to the Lower Kittanning mining area at a rate of 310 tons/acre. The value of this reclamation is estimated at \$96,000. Contact John Varner, (814) 342-8200, Moshannon.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

22030201C2. Meadowbrook Coal Co., Inc., (6690 SR 209, Lykens, PA 17048), correction to an existing anthracite coal refuse reprocessing operation to include the utilization of biosolids as a soil supplement and update the post-mining land use in Wiconisco Township, **Dauphin County**, receiving stream: none. Application received May 29, 2007. Correction issued November 15, 2007.

Noncoal Permits Actions

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

26970401 and NPDES Permit No. PA0202100. Laurel Aggregates, Inc. (P. O. Box 1209, Morgantown, WV 26507) Revision to permit for E & S Controls and to add acreage to an existing noncoal surface mine, located in Springhill Township, **Fayette County**, affecting 271.52 acres. Receiving streams: Rubles Run and UNTs to Rubbles Run. Revision application received February 8, 2007. Permit issued November 9, 2007.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

62071002. Munsee Sand and Gravel (927 West Smith Street, Corry, PA 16407) Authorization to extract noncoal (industrial minerals) in Columbus Township, **Warren County** to provide fill material to the Tonnard Addition construction project. Receiving stream: Brokenstraw Creek. Application received November 2, 2007. Authorization approved November 13, 2007.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

52070803. John Beisel, (135 Rowland Road, Greeley, PA 18425-9621), commencement, operation and restoration of a quarry operation in Lackawaxen Township, **Pike County** affecting 5.0 acres, receiving stream: none. Application received July 24, 2007. Permit issued November 14, 2007.

58060865. Alexander Jubinski, Jr., (R. R. 1, Box 1311, Factoryville, PA 18419), commencement, operation and restoration of a quarry operation in Dimock Township, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received September 13, 2006. Permit issued November 15, 2007.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (43 P. S. §§ 151—161); and 25 Pa. Code § 211.124 (relating to blasting activity permits). Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

21074168. John W. Gleim, Jr., Inc., 625 Hamilton Street, Carlisle, PA 17013-1925, blasting activity permit issued for warehouse development in Carlisle Borough, **Cumberland County**. Blasting activity permit end date is August 15, 2008. Permit issued November 6, 2007.

28074154. Geological Tech, Inc., P. O. Box 70, Falling Waters, WV 25419-0070, blasting activity permit issued for residential development in Greencastle Borough, **Franklin County**. Blasting activity permit end date is April 30, 2008. Permit issued November 7, 2007.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

02074011. Chambers Development Co. (Monroeville Landfill, 600 Thomas Street, Monroeville, PA 15146) Blasting activity permit issued for landfill cell development at the Monroeville Landfill located in Monroeville Borough, **Allegheny County**, with an expected duration of 180 days. Permit issued November 13, 2007.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

16074003. Appalachian Geophysical Services, LLC (2659 SR 60, P. O. Box 426, Killbuck, OH 44637-0426) Blasting activity permit for well exploration in Washington, Farmington and Green Townships, **Clarion and Forest Counties**. This blasting activity permit will expire on December 31, 2007. Application received November 8, 2007. Permit issued November 13, 2007.

42074007. U. S. Energy (2350 North Forrest Road, Getzville, NY 14068) Blasting activity permit for road construction for well exploration in Foster Township, **McKean County**. This blasting activity permit will expire on November 13, 2008. Application received November 9, 2007. Permit issued November 13, 2007.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

67074007. Explosives Experts, Inc., (P. O. Box 879, Sparks, MD 21152), construction blasting at Willow Springs Tract Industrial Park in East Manchester Township, **York County** with an expiration date of May 8, 2008. Permit issued November 8, 2007.

09074127. Brubacher Excavating, Inc., (P. O. Box 528, Bowmansville, PA 17507), construction blasting for Interchange Business Park in Milford Township, **Bucks County** with an expiration date of November 1, 2008. Permit issued November 13, 2007.

39074129. Austin Powder Company, (25800 Science Park Drive, Cleveland, OH 44122), construction blasting for Whitfield Estates in Lower Macungie Township, **Lehigh County** with an expiration date of November 30, 2008. Permit issued November 13, 2007.

45074157. Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for Franklin Hill Acres in Smithfield Township, **Monroe County** with an expiration date of November 30, 2008. Permit issued November 13, 2007.

45074158. Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for Winona Lakes in Middle Smithfield Township, **Monroe County** with an expiration date of November 30, 2008. Permit issued November 13, 2007.

45074159. Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for Wilderness

Acres in Middle Smithfield Township, **Monroe County** with an expiration date of November 30, 2008. Permit issued November 13, 2007.

45074160. Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for Shawnee Oakdale Subdivision in Middle Smithfield and Smithfield Townships, **Monroe County** with an expiration date of November 30, 2008. Permit issued November 13, 2007.

45074161. Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for Pocono Farms in Coolbaugh Township, **Monroe County** with an expiration date of November 30, 2008. Permit issued November 13, 2007.

47074104. Kesco, Inc., (127 Oneida Valley Road, Butler, PA 16001), construction blasting for US Gypsum in Washingtonville Borough, **Montour County** with an expiration date of March 9, 2008. Permit issued November 13, 2007.

48074117. Austin Powder Company, (25800 Science Park Drive, Cleveland, OH 44122), construction blasting for Chrin Commerce Center Phase II in Palmer and Lower Nazareth Townships, **Northampton County** with an expiration date of November 30, 2007. Permit issued November 13, 2007.

06074130. J. Roy's, Inc., (Box 125, Bowmansville, PA 17507), construction blasting for Carpenter Tech in the City of Reading, **Berks County** with an expiration date of November 16, 2008. Permit issued November 14, 2007.

360741120. Keystone Blasting Service, (381 Reifsnnyder Road, Lititz, PA 17543), construction blasting for a pool in Manheim Township, **Lancaster County** with an expiration date of November 30, 2007. Permit issued November 14, 2007.

360741121. M & J Explosives, Inc., (P. O. Box 608, Carlisle, PA 17013), construction blasting for a warehouse in East Lampeter Township, **Lancaster County** with an expiration date of November 30, 2008. Permit issued November 14, 2007.

360741122. Keystone Blasting Service, (381 Reifsnnyder Road, Lititz, PA 17543), construction blasting for Lap Ridge Development in East Lampeter Township, **Lancaster County** with an expiration date of December 30, 2008. Permit issued November 14, 2007.

360741123. Keystone Blasting Service, (381 Reifsnnyder Road, Lititz, PA 17543), construction blasting for Beiler Manure Storage in Salisbury Township, **Lancaster County** with an expiration date of December 30, 2007. Permit issued November 14, 2007.

38074127. Keystone Blasting Service, (381 Reifsnnyder Road, Lititz, PA 17543), construction blasting for a single dwelling in Cornwall Borough, **Lebanon County** with an expiration date of December 30, 2007. Permit issued November 14, 2007.

38074128. Keystone Blasting Service, (381 Reifsnnyder Road, Lititz, PA 17543), construction blasting to remove rocks in field at 1453 Horseshoe Pike in South Annville Township, **Lebanon County** with an expiration date of December 30, 2007. Permit issued November 14, 2007.

46074126. Eastern Blasting Co., Inc., (1292 Street Road, New Hope, PA 18938), construction blasting for Glaxo Smith-Kline in Upper Providence Township, **Montgomery County** with an expiration date of September 10, 2008. Permit issued November 14, 2007.

46074127. Allan A. Myers, Inc. d/b/a Independence Construction Materials, (P. O. Box 98, Worcester, PA 19490), construction blasting for Glaxo Smith-Kline in Upper Providence Township, **Montgomery County** with an expiration date of November 1, 2008. Permit issued November 14, 2007.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

E46-1018. Borough of Conshohocken, 720 Lafayette Street, Conshohocken, PA 19482, Conshohocken Borough, **Montgomery County**, ACOE Philadelphia District.

To perform minor grading and construction of a surface parking facility within the 100-year floodway of the Schuylkill River (WWF-MF) associated with a proposed residential development. This project is associated with the Millennium Institute for Corporate Excellence Project, a mixed-use residential/commercial development and waterfront open space development, which previously received Encroachment Permit No. E46-633. This site is located approximately 1,900 feet downstream of the Fayette Street Bridge and is bound by Ash, Washington and Cherry Streets (Norristown, PA USGS Quadrangle N: 13.0 inches; W: 7.25 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E46-1019. Washington Street Associates, IV, LP, 2701 Renaissance Boulevard, 4th Floor, King of Prussia, PA 19406, Conshohocken Borough, **Montgomery County**, ACOE Philadelphia District.

To perform minor grading and construction of a surface parking facility within the 100-year floodway of the Schuylkill River (WWF-MF) associated with a proposed residential development. This project is associated with the Millennium Institute for Corporate Excellence Project, a mixed-use residential/commercial development and waterfront open space development, which previously received Encroachment Permit No. E46-663. This site is located approximately 1,900 feet downstream of the Fayette Street Bridge and is bound by Ash, Washington and Cherry Streets (Norristown, PA USGS Quadrangle N: 13.0 inches; W: 7.25 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E09-921. Newtown Grant Homeowners Associates, 6 Gladiola Circle, Newtown, PA 18940-9224, Newtown Township, **Bucks County**, ACOE Philadelphia District.

To construct and maintain an approximately 19-foot, 8-inch long by 3-foot wide pedestrian bridge across Newtown Creek (WWF) and associated wetlands which will connect an existing walking path within the common grounds of the Newtown Grant Subdivision. The site is located in the vicinity of 360 Eagle Road (Langhorne, PA USGS Quadrangle, N: 5.5 inches; W: 2.5 inches).

The issuance of this permit also constitutes approval of a Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northeast Regional Office, Watershed Management Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E48-349. R. B. Associates, Two Courtney Place, Suite 140, Bethlehem, PA 18017. Forks Township, **Northampton County**, United States Army Corps of Engineers Philadelphia District.

To construct and maintain a 147-foot long stormwater outfall channel in the floodway of Bushkill Creek (HQ-CWF) which is associated with a 5-lot subdivision known as Sullivan Trail Commercial Development. The project is located between SR 2025 (Sullivan Trail) and Bushkill Creek, northwest of the intersection of SR 1002 and SR 2025 (Easton, PA-NJ Quadrangle N: 22.2 inches; W: 17.1 inches). (Subbasin: 1F)

E39-463. Airport Associates, Inc., 1288 Valley Forge Road, Suite 987, Valley Forge, PA 19482. Hanover Township, **Lehigh County**, United States Army Corps of Engineers Philadelphia District.

To construct and maintain a 1,800 foot long, 12-foot by 8-foot single cell concrete box stream enclosure with a 170-foot long energy dissipator consisting of a cable-concrete and riprap, in a tributary to the Lehigh River (CWF); to construct and maintain numerous utility line crossings above the stream enclosure; to construct and maintain a cable-concrete outfall channel in the floodway of the tributary; and to construct and maintain a 1,000-foot long channel change consisting of a riprap lined low-flow channel, floodplain grading and riparian plantings. The water obstructions and encroachments are part of the Airport Center Retail Development. The project is located immediately north of the intersection of Airport Road (SR 1003) and Downs Drive (Catasauqua, PA Quadrangle N: 2.6 inches; W: 9.0 inches). (Subbasin: 2C)

E64-270. Roy and Louise Montalvan, 200 Jersey Avenue, Greenwood Lake, NY 10925. Salem Township, **Wayne County**, United States Army Corps of Engineers Philadelphia District.

To fill 0.39 acre of isolated wetlands within the Wallenpaupack Creek Watershed (HQ-CWF) for the purpose of constructing a commercial building, associated parking and stormwater facilities. The project is located on the north side of SR 0590 approximately 2.3 miles east of its intersection with SR 0191 (Lakeville, PA Quadrangle N: 6.1 inches; W: 14.6 inches). (Subbasin: 01C)

Southcentral Region: Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E67-822: Department of Transportation Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103-1699, Newberry and Conewago Townships, **York County**, ACOE Baltimore District.

To: (1) remove an existing, three span steel I-Beam bridge having a total span of 188 feet, a width of 20 feet and minimum underclearance of 23.8 feet; (2) construct and maintain a three span continuous prestressed concrete spread box beam bridge having a total clear span of 217.5 feet, a width of 30.0 feet and a minimum underclearance of 24.0 feet carrying York Road (SR 4009) over Conewago Creek (WWF) at a point approximately 3.1 miles south of Lewisberry Road (Dover, PA Quadrangle N: 16.1 inches; W: 11.3 inches, Latitude 40° 05' 19"; Longitude: 76° 49' 51"); and (3) construct and maintain two 18-inch reinforced concrete pipe outfall structure discharging stormwater to Conewago Creek (Dover, PA Quadrangle N: 16.1 inches; W: 11.3 inches, Latitude 40° 05' 19"; Longitude: 76° 49' 51") in Newberry and Conewago Townships, York County. The project will involve the installation of a temporary causeway and cofferdams.

E67-807: Worthington Investments, LLP, Eight Greenspring Valley Road, Suite 200, Owings Mills, MD 21117 in Conewago Township, **York County**, ACOE Baltimore District.

To construct and maintain a 6.0-foot high, 25.0-foot span, 55.0-foot long reinforced concrete box culvert with rip-rap rock aprons in Locust Run (TSF) at a point just East of Canal Road (Dover, PA Quadrangle N: 5.7 inches; W: 5.1 inches, Latitude: 40° 3' 50"; Longitude: 76° 78' 40") in Conewago Township, York County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E08-444. South Creek Township, P. O. Box 60, Gillett, PA 16925. Water Obstruction and Encroachment Joint Permit Application, in South Creek Township, **Bradford County**, ACOE Baltimore District (Gillett, PA Quadrangle N: 41° 59' 10"; W: 76° 46' 24").

To construct, operate and maintain 24,000 feet of 8-inch gravity and 15,000 feet of 4-inch force main sanitary sewer line within the Susquehanna River watershed (WWF) for the treatment of municipal wastewater. Construction of the sanitary sewer lines will require stream and wetland crossings as follows:

Crossing	Stream	Impact
No. 1	South Creek (SC)	70 feet
No. 2	UNT to SC	30 feet
No. 3	UNT to SC	25 feet
No. 4	UNT to SC	30 feet
No. 5	Blodgett Hollow	45 feet
No. 6	UNT to SC	40 feet
No. 7	Plant Outfall	30 feet
Wetland	Wetland	0.096 acre (temporary)

All sewer line crossings shall be constructed with a minimum of 3-feet of cover with concrete encasement beneath the waterways. Trench plugs or clay dikes shall be used at every sewer line crossing a waterway to ensure the hydrology of the streams is not altered. Construction of the treatment plant will require the placement of fill in the floodway of South Creek (WWF). The project will temporarily impact 140 linear feet of wetlands while impacting 240-feet of waterway. The project is located along the eastern and western right-of-way of SR 0014 from the Borough of Gillett to the Borough of Fassett.

E08-446: Water Obstruction and Encroachment. Troy Area School District, 310 Elmira Street, Sayre, PA. 16947. Troy Borough, **Bradford County**. United States Army Corps of Engineers Baltimore District (Troy, PA 7.5' Quadrangle N: 7.4"; W: 4.9").

To place and maintain fill in 0.55 acre of a palustrine emergent/scrub shrub wetland system and to place and maintain fill in 0.84 acre of an open water system for the purpose of constructing a new track on the Middle School property. 0.60 acre of replacement wetlands are proposed in the same watershed. The site is located in the Sugar Creek watershed, approximately 1,000 feet north of the Middle School property, near the intersection of King and High Streets in Troy, PA.

E17-435. Boggs Township, P. O. Box 69, West Decatur, PA 16878. Emigh Run Headwaters Acid Mine Drainage Treatment Project in Boggs Township,

Clearfield County, ACOE Baltimore District (Wallaceton, PA Quadrangle Latitude: 40° 57' 12"; Longitude: 78° 16' 29").

The applicant proposes to realign 611-feet of Emigh Run and construct, operate and maintain a: (1) passive treatment acid mine drainage treatment system; (2) dam for flow diversion; (3) two road crossings; and (4) three rock outlet aprons in Emigh Run and associated wetlands for acid mine drainage abatement. The earthen dam constructed for flow diversion shall not exceed a maximum height of 2.0-feet and top width of 6.0-feet. The Emigh Run Headwaters Acid Mine Drainage Treatment Project permanently impacts 0.15-acre of wetland, for which the permittee has agreed to construct 0.17-acre of replacement wetland to mitigate the 0.15-acre of impact. Construction of the 0.17-acre replacement wetland shall commence prior to the construction activities authorized by this permit. For mitigation of the stream impacts, the applicant has proposed operation and maintenance of the acid mine treatment system that will provide for significant water quality improvement Emigh Run downstream of the project. The project is located along the southern right-of-way of Clearfield Street approximately 0.86-mile east of T-674 and Clearfield Street intersection in Wallaceton Borough.

E55-216. Department of Conservation and Natural Resources, 18865 Old Turnpike Road, Millmont, PA 17845. High Top Road Rehabilitation, in Spring Township, **Snyder County**, ACOE Baltimore District (Weikert, PA Quadrangle N: 40° 48' 7.2"; W: 77° 17' 12.8").

To construct, operate and maintain a road rehabilitation project within the floodway of a UNT to Swift Run, HQ-CWF. The road shall be widened 4 feet to a width of 14 feet for a distance of 400 feet to improve safe vehicular travel along High Top Trail. This project is located on Jacks Mountain, 150 yards up High Top Trail from the intersection with Swift Run Road. This permit was issued under Section 105.13(e) "Small Projects."

E60-185. Jill and Siavash Amirpashaie, 2173 Ferguson Court, Woodbridge, VA 22191. Creekside Cabin, in Hartley Township, **Union County**, ACOE Baltimore District (Beavertown, PA Quadrangle N: 21.74 inches; W: 9.20 inches).

To: 1) remove an existing cottage; 2) to construct and maintain a 50-foot by 37-foot cottage on 32 collars with lattice work surround in the left floodway of Penns Creek; 3) a 190-foot by 3-foot high by 18-inch deep stone masonry wall on the left bank of Penns Creek located at 37 Apple Drive, which is 0.2 mile west on Creek Road from Davis Road. This permit was issued under Section 105.13(e) "Small Projects."

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-584-A1. Hanson Aggregates PMA, Inc., 2200 Springfield Pike, Connellsville, PA 15425, in East Franklin and Pine Townships, **Armstrong County**, Pittsburgh ACOE District (Templeton, PA Quadrangle N: 9.1 inches; W: 12.4 inches). To amend Permit E02-584, which authorizes commercial sand and gravel dredging in select areas of the Allegheny River (WWF) and Ohio River (WWF), subject to review of fish surveys, mussel surveys and prescribed setbacks in Allegheny, Armstrong, Beaver and Westmoreland Counties, to include Allegheny River Mile Points 55.0 to 55.2 right and left descending bank in East Franklin and Pine Townships, Armstrong County.

NOTICES

6351

Permit No. E02-584—Attachment No. 1, Approved Dredging Areas by River Mile

<i>County</i>	<i>River</i>	<i>Pool</i>	<i>River Miles</i>	<i>Municipalities</i>	<i>Comments/ Restrictions</i>	<i>Mussel Survey Expiration Date</i>
Allegheny	Allegheny	4	26.4 to 26.7 L	Allegheny Township Westmoreland County		01/18/11
			26.8 to 27.2 R	Harrison Township		01/18/11

NOTES: "R" refers to Right Descending Bank and "L" refers to Left Descending Bank.

Permit No. E02-584—Attachment No. 2, Approved Dredging Areas by River Mile

<i>County</i>	<i>River</i>	<i>Pool</i>	<i>River Miles</i>	<i>Municipalities</i>	<i>Comments/ Restrictions</i>	<i>Mussel Survey Expiration Date</i>
Beaver	Ohio	Montgomery	19.2 to 20.2 R	Baden Borough		04/12/11
			20.6 to 21.6 R	Conway Borough Economy Borough		03/21/10
			21.0 to 21.1 L	Hopewell Township	Minimum 250 ft. Setback from NP shoreline.	05/16/09
			21.1 to 21.3 L	Hopewell Township		05/16/09
			21.3 to 21.4 L	Hopewell Township Center Township	Minimum 250 ft. setback from NP shoreline.	05/16/09
			21.4 to 21.6 L	Center Township	Minimum 200 ft. setback from NP shoreline.	05/16/09
			21.6 to 21.7 L	Center Township		05/16/09
			26.2 to 27.2 L and R	Beaver Borough Center Township Potter Township Vanport Borough		04/12/11
			31.0 to 31.4 R	Industry Borough		07/26/10
	Ohio	New Cumberland	35.5 to 36.0 L and R	Greene Township Midland Borough Shippingport Borough		03/21/10
			36.6 to 36.8 R	Midland Borough		05/22/08
			37.1 to 37.2 R	Midland Borough Ohio Borough		01/02/08

NOTES: "R" refers to Right Descending Bank and "L" refers to Left Descending Bank. "NP"—refers to normal pool.

Permit No. E02-584—Attachment No. 3, Approved Dredging Areas by River Mile

<i>County</i>	<i>River</i>	<i>Pool</i>	<i>River Miles</i>	<i>Municipalities</i>	<i>Comments/ Restrictions</i>	<i>Mussel Survey Expiration Date</i>
Armstrong	Allegheny	7	48.2 to 49.0 L and R	East Franklin Township Rayburn Township		12/05/07
			49.1 to 49.3 L	Rayburn Township		12/05/07
		8	52.8 to 53.3 L	Boggs Township Washington Township		09/17/08
			53.3 to 54.0 L and R	Boggs Township Pine Township Washington Township		01/02/08
			55.0 to 55.2 L and R	Pine Township East Franklin Township		10/08/11

NOTES: "R" refers to Right Descending Bank and "L" refers to Left Descending Bank.

E02-919-A1. Tri-State River Products, Inc., Box 218, 334 Insurance Street, Beaver, PA 15009, in East Franklin and Pine Townships, **Armstrong County**, Pittsburgh ACOE District (Templeton, PA Quadrangle N: 9.1 inches; W: 12.4 inches). To amend Permit E02-919, which authorizes commercial sand and gravel dredging in select areas of the Allegheny River (WWF) and Ohio River (WWF), subject to review of fish surveys, mussel surveys and prescribed setbacks in Allegheny, Armstrong, Beaver and Westmoreland Counties, to include Allegheny River Mile Points 55.0 to 55.2 right and left descending bank in East Franklin and Pine Townships, Armstrong County.

Permit No. E02-919—Attachment No. 1, Approved Dredging Areas by River Mile

<i>County</i>	<i>River</i>	<i>Pool</i>	<i>River Miles</i>	<i>Municipalities</i>	<i>Comments/ Restrictions</i>	<i>Mussel Survey Expiration Date</i>
Allegheny	Allegheny	4	26.4 to 26.7 L	Allegheny Township (Westmoreland County)		01/18/11
			26.8 to 27.2 R	Harrison Township		01/18/11

NOTES: "R" refers to Right Descending Bank and "L" refers to Left Descending Bank.

Permit No. E02-919—Attachment No. 2, Approved Dredging Areas by River Mile

<i>County</i>	<i>River</i>	<i>Pool</i>	<i>River Miles</i>	<i>Municipalities</i>	<i>Comments/ Restrictions</i>	<i>Mussel Survey Expiration Date</i>
Beaver	Ohio	Montgomery	19.2 to 20.2 R	Baden Borough		04/12/11
			20.6 to 21.6 R	Conway Borough Economy Borough		03/21/10
			21.0 to 21.1 L	Hopewell Township	Minimum 250 ft. Setback from NP shoreline.	05/16/09
			21.1 to 21.3 L	Hopewell Township		05/16/09
			21.3 to 21.4 L	Hopewell Township Center Township	Minimum 250 ft. setback from NP shoreline.	05/16/09
			21.4 to 21.6 L	Center Township	Minimum 200 ft. setback from NP shoreline.	05/16/09
			21.6 to 21.7 L	Center Township		05/16/09

<i>County</i>	<i>River</i>	<i>Pool</i>	<i>River Miles</i>	<i>Municipalities</i>	<i>Comments/ Restrictions</i>	<i>Mussel Survey Expiration Date</i>
			26.2 to 27.2 L and R	Beaver Borough Center Township Potter Township Vanport Borough		04/12/11
			31.0 to 31.4 R	Industry Borough		07/26/10
	Ohio	New Cumberland	35.5 to 36.0 L and R	Greene Township Midland Borough Shippingport Borough		03/21/10
			36.6 to 36.8 R	Midland Borough		05/22/08
			37.1 to 37.2 R	Midland Borough Ohio Borough		01/02/08

NOTES: "R" refers to Right Descending Bank and "L" refers to Left Descending Bank. "NP"—refers to normal pool.

Permit No. E02-919—Attachment No. 3, Approved Dredging Areas by River Mile

<i>County</i>	<i>River</i>	<i>Pool</i>	<i>River Miles</i>	<i>Municipalities</i>	<i>Comments/ Restrictions</i>	<i>Mussel Survey Expiration Date</i>
Armstrong	Allegheny	7	48.2 to 49.0 L and R	East Franklin Township Rayburn Township		12/05/07
			49.1 to 49.3 L	Rayburn Township		12/05/07
		8	52.8 to 53.3 L	Boggs Township Washington Township		09/17/08
			53.3 to 54.0 L and R	Boggs Township Pine Township Washington Township		01/02/08
			55.0 to 55.2 L and R	Pine Township East Franklin Township		10/08/11

NOTES: "R" refers to Right Descending Bank and "L" refers to Left Descending Bank.

E02-1326-A1. Glacial Sand and Gravel Company, P. O. Box 1022, Kittanning, PA 16201, in East Franklin and Pine Townships, **Armstrong County**, Pittsburgh ACOE District (Templeton, PA Quadrangle N: 9.1 inches; W: 12.4 inches). To amend Permit E02-1326, which authorizes commercial sand and gravel dredging in select areas of the Allegheny River (WWF) and Ohio River (WWF), subject to review of fish surveys, mussel surveys and prescribed setbacks in Allegheny, Armstrong, Beaver and Westmoreland Counties, to include Allegheny River Mile Points 55.0 to 55.2 right and left descending bank in East Franklin and Pine Townships, Armstrong County.

Permit No. E02-1326—Attachment No. 1, Approved Dredging Areas by River Mile

<i>County</i>	<i>River</i>	<i>Pool</i>	<i>River Miles</i>	<i>Municipalities</i>	<i>Comments/ Restrictions</i>	<i>Mussel Survey Expiration Date</i>
Allegheny	Allegheny	4	26.4 to 26.7 L	Allegheny Township Westmoreland County		01/18/11
			26.8 to 27.2 R	Harrison Township		01/18/11

NOTES: "R" refers to Right Descending Bank and "L" refers to Left Descending Bank.

Permit No. E02-1326—Attachment No. 2, Approved Dredging Areas by River Mile

<i>County</i>	<i>River</i>	<i>Pool</i>	<i>River Miles</i>	<i>Municipalities</i>	<i>Comments/ Restrictions</i>	<i>Mussel Survey Expiration Date</i>
Beaver	Ohio	Montgomery	19.2 to 20.2 R	Baden Borough		04/12/11
			20.6 to 21.6 R	Conway Borough Economy Borough		03/21/10
			21.0 to 21.1 L	Hopewell Township	Minimum 250 ft. Setback from NP shoreline.	05/16/09
			21.1 to 21.3 L	Hopewell Township		05/16/09
			21.3 to 21.4 L	Hopewell Township Center Township	Minimum 250 ft. setback from NP shoreline.	05/16/09
			21.4 to 21.6 L	Center Township	Minimum 200 ft. setback from NP shoreline.	05/16/09
			21.6 to 21.7 L	Center Township		05/16/09
			26.2 to 27.2 L and R	Beaver Borough Center Township Potter Township Vanport Borough		04/12/11
			31.0 to 31.4 R	Industry Borough		07/26/10
			35.5 to 36.0 L and R	Greene Township Midland Borough Shippingport Borough		03/21/10
			36.6 to 36.8 R	Midland Borough		05/22/08
			37.1 to 37.2 R	Midland Borough Ohio Borough		01/02/08

NOTES: "R" refers to Right Descending Bank and "L" refers to Left Descending Bank. "NP"—refers to normal pool.

Permit No. E02-1326—Attachment No. 3, Approved Dredging Areas by River Mile

<i>County</i>	<i>River</i>	<i>Pool</i>	<i>River Miles</i>	<i>Municipalities</i>	<i>Comments/ Restrictions</i>	<i>Mussel Survey Expiration Date</i>
Armstrong	Allegheny	7	48.2 to 49.0 L and R	East Franklin Township Rayburn Township		12/05/07
			49.1 to 49.3 L	Rayburn Township		12/05/07
		8	52.8 to 53.3 L	Boggs Township Washington Township		09/17/08
			53.3 to 54.0 L and R	Boggs Township Pine Township Washington Township		01/02/08

County	River	Pool	River Miles	Municipalities	Comments/ Restrictions	Mussel Survey Expiration Date
			55.0 to 55.2 L and R	Pine Township East Franklin Township		10/08/11

NOTES: "R" refers to Right Descending Bank and "L" refers to Left Descending Bank.

E65-911. Westmoreland County Department of Public Works, RDIC, Box 203, Greensburg, PA 15601. To construct and maintain a replacement bridge in Penn Township, **Westmoreland County**, Pittsburgh ACOE District (Irwin, PA Quadrangle N: 10.5 inches; W: 3.5 inches, Latitude: 40° 21' 25"; Longitude: 79° 38' 51"). To construct and maintain a replacement bridge with a span of 20' and an underclearance of 4.4' to convey the Harrison City—Export Road (County Road 193) across a UNT to Bushy Run (TSF), for the purpose of correction of roadway curvature deficiency, narrow lane widths and provide for a center turning lane. The project is located about 150' north of the intersection of County Road 193 and SR 31.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

D15-396EA. Culbertson Realty Associates, LP, 1595 Paoli Pike, Suite 202, P. O. Box 1906, West Chester, PA 19380. West Brandywine Township, **Chester County**, ACOE Philadelphia District.

Project proposes to breach and remove Culbertson Village Dam across Culbertson Run (HQ-CWF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will restore approximately 550 lineal feet of stream channel. The dam is located approximately 500 feet south of the intersection of Andover Drive and SR 322 (Wagontown, PA Quadrangle Latitude: 40° 03' 02"; Longitude: 75° 47' 35"). The project also proposes construction and maintenance of an 8-inch PVC sanitary sewer line crossing Culbertson Run (HQ-CWF) at a point located approximately 50 feet south of the intersection of Andover Drive and SR 322 (Wagontown, PA Quadrangle Latitude: 40° 03' 07"; Longitude: 75° 47' 37").

[Pa.B. Doc. No. 07-2153. Filed for public inspection November 30, 2007, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) website at www.depweb.state.pa.us (DEP Keywords: Technical Guidance). The "Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

The Department will continue to revise its nonregulatory documents, as necessary, throughout 2007.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Notice to Rescind Technical Guidance

DEP ID: 257-2300-001. Title: Final Rulemaking: Chapter 245, Subchapters A and B (relating to general provisions; and certification program for installers and inspectors of storage tanks and storage tank facilities general certification requirements).

DEP ID: 257-2318-004. Title: Summary for the Permitting of Underground and Aboveground Storage Tank Systems and Facilities; Chapter 245, Subchapter C (relating to permitting of underground and aboveground storage tank systems and facilities).

DEP ID: 257-2318-002. Title: P. E. Certification for ASTs

DEP ID: 257-4180-003. Title: Strategy for Addressing the 1998 Federal and State Deadline for Upgrading Existing USTs

DEP ID: 257-2318-001. Title: ASNT Level II Certification

DEP ID: 257-0900-020. Title: Summary of the Technical Standards for USTs, Chapter 245, Subchapter E (relating to technical standards for underground storage tanks).

DEP ID: 257-0900-018. Title: Summary of Technical Requirements for ASTs, Chapter 245, Subchapter F (relating to technical standards for aboveground storage tanks and facilities).

DEP ID: 257-0900-019. Title: Summary of the Simplified Program for Small ASTs, Chapter 245, Subchapter G (relating to simplified program for small aboveground storage tanks).

DEP ID: 257-2318-003. Title: Upgrade Requirements Triggered by Substantial Modification of USTs

Description: The previous guidance documents were formerly issued by the Department to aid in the understanding of the Underground and Aboveground Storage Tank Regulations. When the Storage Tank Program amendments to Chapter 245 were published as final

rulemaking at 37 Pa.B. 5979 (November 10, 2007), the guidance documents identified previously became outdated and no longer valid. Contact: Questions concerning the rescission of the technical guidance documents listed previously should be directed to Raymond S. Powers, Department of Environmental Protection, Storage Tank Division, Rachel Carson State Office Building, 14th Floor, P. O. Box 8762, Harrisburg, PA 17105-8772, (717) 772-5834, rapowers@state.pa.us. Effective Date: December 1, 2007.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 07-2154. Filed for public inspection November 30, 2007, 9:00 a.m.]

DEPARTMENT OF HEALTH

Amendments to Charges for Medical Records

Under 42 Pa.C.S. §§ 6152 and 6155 (relating to subpoena of records; and rights of patients), the Secretary of Health (Secretary) is directed to adjust annually the amounts which may be charged by a health care facility or health care provider upon receipt of a request or subpoena for production of medical charts or records. These charges apply to any request for a copy of a medical chart or record except as follows:

(1) Flat fees (as listed in this notice) apply to amounts that may be charged by a health care facility or health care provider when copying medical charges or records either: a) for the purpose of supporting any claim or appeal under the Social Security Act or any Federal or State financial needs based program; or b) for a district attorney.

(2) An insurer shall not be required to pay for copies of medical records required to validate medical services for which reimbursement is sought under an insurance contract, except as provided in: (a) the Worker's Compensation Act (77 P.S. §§ 1—104.4 and 2501—2506) and the regulations promulgated thereunder; (b) 75 Pa.C.S. Chapter 17 (relating to financial responsibility) and the regulations promulgated thereunder; or (c) a contract between an insurer and any other party.

The charges listed in this notice do not apply to an X-ray film or any other portion of a medical record which is not susceptible to photostatic reproduction.

Under 42 Pa.C.S. § 6152.1 (relating to limit on charges), the Secretary is directed to make a similar adjustment to the flat fee which may be charged by a health care facility or health care provider for the expense of reproducing medical charts or records where the request is: (1) for the purpose of supporting a claim or appeal under the Social Security Act or any Federal or State financial needs based benefit program; or (2) made by a district attorney.

The Secretary is directed to base these adjustments on the most recent changes in the consumer price index reported annually by the Bureau of Labor Statistics of the United States Department of Labor. For the annual period of October 31, 2006, through October 31, 2007, the consumer price index was 2.5%.

Accordingly, the Secretary provides notice that, effective January 1, 2008, the following fees may be charged by a health care facility or health care provider for production of records in response to subpoena or request:

	<i>Not to Exceed</i>
Amount charged per page for pages 1—20	\$ 1.28
Amount charged per page for pages 21—60	\$.95
Amount charged per page for pages 61—end	\$.32
Amount charged per page for microfilm copies	\$ 1.88
Flat fee for production of records to support any claim under Social Security	\$24.08
Flat fee for supplying records requested by a district attorney	\$19.00
* Search and retrieval of records	\$19.00

*NOTE: Federal regulations enacted under the Health Insurance Portability and Accountability Act (HIPAA) at 45 CFR Parts 160—164 state that covered entities may charge a reasonable cost based fee that includes only the cost of copying, postage and summarizing the information (if the individual has agreed to receive a summary) when providing individuals access to their medical records. The Department of Health and Human Services has stated that the fees may not include costs associated with searching for and retrieving the requested information. For further clarification on this issue, inquiries should be directed to the Office of Civil Rights, United States Department of Health and Human Services, 200 Independence Avenue, S.W., Room 509F, HHH Building, Washington, D.C. 20201, (866) 627-7748, www.hhs.gov/ocr/hipaa.

In addition to the amounts listed previously, charges may also be assessed for the actual cost of postage, shipping and delivery of the requested records.

The Department of Health is not authorized to enforce these charges.

Questions or inquiries concerning this notice should be sent to James T. Steele, Jr., Deputy Chief Counsel, Room 825, Health and Welfare Building, Harrisburg, PA 17120 or for speech and or hearing impaired persons, the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT) or V/TT (717) 783-6514.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2155. Filed for public inspection November 30, 2007, 9:00 a.m.]

Application of Abington Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Abington Memorial Hospital has requested an exception to the requirements of 28 Pa. Code §§ 553.1, 553.31(b), 555.1, 557.1, 557.2 and 567.1.

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2156. Filed for public inspection November 30, 2007, 9:00 a.m.]

Application of Allegheny General Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Allegheny General Hospital has requested an exception to the requirements of 28 Pa. Code §§ 103.1, 103.3—103.5 and 103.8—103.10.

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2157. Filed for public inspection November 30, 2007, 9:00 a.m.]

Application of Alle-Kiski Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Alle-Kiski Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standards contained in this publication: 3.9.2.3.1.1(1)(2) (relating to

square footage), 3.9.2.3.1.3 (relating to vacuum outlets), 3.9.2.3 (relating to patient holding), 3.9.2.3.3.3 (relating to patient toilet room) and 3.9-2.5 (relating to support areas for patients).

Alle-Kiski Medical Center is also requesting exception to 28 Pa. Code § 101.31(7) (relating to hospital requirements).

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, dditlow@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2158. Filed for public inspection November 30, 2007, 9:00 a.m.]

Application of Altoona Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Altoona Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standards contained in this publication: 5.1.3.8(1) (relating to airborne infection isolation room) and 5.1.3.8(3)(a—d) (relating to secured holding room).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, dditlow@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2159. Filed for public inspection November 30, 2007, 9:00 a.m.]

Application of Brownsville Tri-County Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Brownsville Tri-County Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standards contained in this publication: 3.1.1.1(1) (relating to maximum number of beds per room), 3.1.1.5(1) (relating to hand-washing station in the toilet room), 3.1.5.9(3) (relating to special bathing facilities), 5.1.3.7(1)(a) (relating to space requirements for examination room), 5.1.3.7(5)(e) (relating to decontamination capability), 5.1.3.9(4) (relating to scrub stations), 5.1.3.9(9) (relating to housekeeping room), 5.5.3.4 (relating to patient toilet), 5.5.8.3(1) (relating to hand-washing stations in procedure room), 5.11.2.5 (relating to support areas for staff), 6.2.2.11 (relating to vending devices) and 2.1.1.5(3) (relating to toilet room).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, dditlow@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2160. Filed for public inspection November 30, 2007, 9:00 a.m.]

Application of The Center for Specialized Surgery LP for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that The Center for Specialized Surgery LP has requested an exception to the requirements of 28 Pa. Code § 551.21(d)(2) (relating to criteria for ambulatory surgery).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2161. Filed for public inspection November 30, 2007, 9:00 a.m.]

Application for Exception to 28 Pa. Code § 551.3

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that the following facilities have requested an exception to the requirements of 28 Pa. Code § 551.3 (relating to definitions):

Eynon Surgery Center—PS3 patients
Endoscopy Center of Bucks County—PS3 patients
Valley View Surgical Center—PS3 and PS4 patients
Hypertension—Nephrology Associates, PC—PS3 and PS4 patients
Delaware Valley Nephrology & Associates—PS3 and PS4 patients

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and

require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2162. Filed for public inspection November 30, 2007, 9:00 a.m.]

Application of Healthsouth Hospital of Pittsburgh for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Healthsouth Hospital of Pittsburgh has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standard contained in this publication: 5.7.2.4(1) (relating to handwashing).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, dditlow@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2163. Filed for public inspection November 30, 2007, 9:00 a.m.]

Application of Northeast Regional Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Northeast Regional Surgery Center has requested an exception to the requirements of 28 Pa. Code § 555.31(a) (relating to principle).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2164. Filed for public inspection November 30, 2007, 9:00 a.m.]

Application of Robert Packer Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Robert Packer Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standard contained in this publication: 5.3.3.2 (relating to postanesthetic care units).

Robert Packer Hospital has also requested an exception to the requirements of 28 Pa. Code § 51.23 (relating to positron emission tomography).

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, dditlow@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2165. Filed for public inspection November 30, 2007, 9:00 a.m.]

Application of Saint Catherine Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Saint Catherine Medical Center has requested an exception to the requirements of 28 Pa. Code § 107.2 (relating to medical staff membership).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2166. Filed for public inspection November 30, 2007, 9:00 a.m.]

Application of Select Specialty Hospital—Johnstown for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Select Specialty Hospital—Johnstown has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standards contained in this publication: 3.1.1.5(2) (relating to hand washing in patient rooms) and 3.1.5.9(2) (relating to central bathing).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, dditlow@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other

accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2167. Filed for public inspection November 30, 2007, 9:00 a.m.]

Application of Somerset Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Somerset Hospital has requested an exception to the requirements of 28 Pa. Code §§ 138.15 and 138.18(b) (relating to high-risk cardiac catheterizations; and EPS studies).

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2168. Filed for public inspection November 30, 2007, 9:00 a.m.]

Application of Surgery Center of Pennsylvania Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Surgery Center of Pennsylvania Hospital has requested an exception to the requirements of 28 Pa. Code § 571.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standard contained in this publication: 2.3.1.3(a) (relating to OR size).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and

Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, dditlow@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, V/TT (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2169. Filed for public inspection November 30, 2007, 9:00 a.m.]

Application of The Western Pennsylvania Hospital—Forbes Regional Campus for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that The Western Pennsylvania Hospital—Forbes Regional Campus has requested an exception to the requirements of 28 Pa. Code §§ 103.1, 103.3—103.5, 103.8—103.10, 107.1, 107.11, 107.23, 107.25 and 107.26.

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2170. Filed for public inspection November 30, 2007, 9:00 a.m.]

Application of The Western Pennsylvania Hospital—West Penn Campus for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that The Western Pennsylvania Hospital—West

Penn Campus has requested an exception to the requirements of 28 Pa. Code §§ 103.1, 103.3—103.5, 103.8—103.10, 107.1, 107.11, 107.23, 107.25 and 107.26.

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2171. Filed for public inspection November 30, 2007, 9:00 a.m.]

Application of The Williamsport Hospital and Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that The Williamsport Hospital and Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standard contained in this publication: 3.7.5.2.1.1 (relating to corridor width).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, dditlow@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980,

V/TT (717) 783-6154 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2172. Filed for public inspection November 30, 2007, 9:00 a.m.]

Health Policy Board Meeting

The Health Policy Board is scheduled to hold a meeting on Wednesday, December 12, 2007, at 10 a.m., in Room 812, Health and Welfare Building, Seventh and Forster Streets, Harrisburg, PA 17120.

For additional information or if you are a person with a disability and wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Lewis Wolkoff, Bureau of Health Planning at (717) 772-5298, lwolkoff@state.pa.us or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

This meeting is subject to cancellation without notice.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2173. Filed for public inspection November 30, 2007, 9:00 a.m.]

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 201.3 (relating to definitions).

Menno Haven, Inc.
2075 Scotland Avenue
Chambersburg, PA 17201
FAC ID 132202

Menno Haven Penn Hall, Inc.
1425 Philadelphia Avenue
Chambersburg, PA 17201
FAC ID 064902

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building).

Baldock Health Care Center
8850 Barnes Lake Road
North Huntingdon, PA 15642
FAC ID 020102

LaFayette Manor, Inc.
147 Lafayette Manor Road
Uniontown, PA 15401
FAC ID 120202

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2174. Filed for public inspection November 30, 2007, 9:00 a.m.]

Organ Donation Advisory Committee Meeting

The Organ Donation Advisory Committee, established under 20 Pa.C.S. § 8622 (relating to The Governor Robert P. Casey Memorial Organ and Tissue Donation Awareness Trust Fund), will hold a public meeting on December 5, 2007, from 10 a.m. to 2 p.m., at the Civil War Museum, 1 Lincoln Circle, Harrisburg, PA 17103.

For additional information or persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so contact Jessica Zilka, Public Health Educator, Health Education and Information Program, Bureau of Health Promotion and Risk Reduction, Room 1000, Health and Welfare Building, Harrisburg, PA at (717) 787-6214 or for speech and/or hearing impaired persons at V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

This meeting is subject to cancellation without notice.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2175. Filed for public inspection November 30, 2007, 9:00 a.m.]

Traumatic Brain Injury Advisory Board Meeting

The Traumatic Brain Injury Advisory Board, established under the Federal Traumatic Brain Injury Act of 1996 (42 U.S.C.A. § 300d-52), will hold a public meeting on Thursday, December 6, 2007, from 10 a.m. to 3 p.m., in the Administration Building, Conference Room B/C, Dixon University Center located at 2986 North Second Street, Harrisburg, PA 17110.

For additional information, or if you are a person with a disability and desire to attend the meeting and require an auxiliary aid, service or other accommodation to do so contact Wendy Queen, Public Health Program Administrator, Division of Child and Adult Health Services at

(717) 772-2762 or for speech and/or hearing impaired persons at V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

This meeting is subject to cancellation without notice.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 07-2176. Filed for public inspection November 30, 2007, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Frederick Mennonite Community v. DEP; EHB Doc. No. 2007-253-L

Frederick Mennonite Community has appealed the issuance by the Department of Environmental Protection of NPDES permit to Frederick Mennonite Community for a facility in Upper Frederick Township, Montgomery County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457 and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Acting Chairperson

[Pa.B. Doc. No. 07-2177. Filed for public inspection November 30, 2007, 9:00 a.m.]

Willow Creek, LLC v. DEP; EHB Doc. No. 2007-254-MG

Willow Creek, LLC has appealed the denial by the Department of Environmental Protection of an NPDES stormwater construction permit to Willow Creek, LLC for Ballymeade Subdivision in Lower Oxford Township, Chester County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O.

Box 8457, Harrisburg, PA 17105-8457 and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Acting Chairperson

[Pa.B. Doc. No. 07-2178. Filed for public inspection November 30, 2007, 9:00 a.m.]

HISTORICAL AND MUSEUM COMMISSION

National Register Nominations to be Reviewed by the Historic Preservation Board

The Historic Preservation Board (Board) will hold a meeting on December 11, 2007, at 9:45 a.m. in Room 125C, Commonwealth Keystone Building, 400 North Street, Harrisburg, PA. Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to participate should contact Helena Johnson at (717) 783-2698 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the agency can accommodate their needs. Persons with questions or comments should contact the Bureau for Historic Preservation at (717) 783-8946.

Allegheny Plateau Region

1. *Mexican War Streets Historic District Boundary Increase*, roughly bounded by West North, Sandusky, Arch, and Alpine Streets, Pittsburgh, Allegheny County, No. 082601.

2. *Pittsburgh Plate Glass Building*, 632—642 Fort Duquesne Boulevard, Pittsburgh, Allegheny County, No. 004936.

3. *Lake City School*, 27586 Lake City Road, Spring Creek Township, Elk County, No. 114464.

Great Valley and Piedmont Region

4. *Gomery-Schwartz Autocar Building*, 130—140 North Broad Street, Philadelphia County, No. 052889.

5. *Heinrich Knauss House*, 152 East Main Street, Emmaus, Lehigh County, No. 101486.

Anthracite and Poconos Region

6. *Grace Episcopal Church*, 827 Church Street, Honesdale, Wayne County, No. 119183.

Ridge and Valley Region

7. *York Casket Company*, 700—710 Linden Avenue, York City, York County, No. 143024.

Southwestern Pennsylvania Region

No nominations.

BARBARA FRANCO,
Executive Director

[Pa.B. Doc. No. 07-2179. Filed for public inspection November 30, 2007, 9:00 a.m.]

concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Robert Brackbill, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557 or rbrackbill@state.pa.us.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-2181. Filed for public inspection November 30, 2007, 9:00 a.m.]

INSURANCE DEPARTMENT**Alleged Violation of Insurance Laws; Jacqueline M. Taylor; Doc. No. SC-07-11-015**

Notice is hereby given of the Order to Show Cause issued on November 16, 2007, by the Deputy Insurance Commissioner in the previously-referenced matter. Violation of the following is alleged: 40 P.S. §§ 310.11(20), 310.78(a).

Respondent shall file a written answer to the Order to Show Cause within 20 days of the date of issue. If respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102.

Persons with a disability who wish to attend the previously-referenced administrative hearing, and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Kathryn J. Culbertson, Disabilities Services Coordinator at (717) 705-4194.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-2180. Filed for public inspection November 30, 2007, 9:00 a.m.]

Application for Approval to Acquire Control

Alleghany Insurance Holdings, LLC has filed an application for approval to acquire control of Homesite Insurance Company of Pennsylvania, a Pennsylvania domiciled stock casualty insurance company. The filing was made under the requirements set forth under the Insurance Holding Companies Act (40 P.S. §§ 991.1402—991.1413). Persons wishing to comment on the acquisition are invited to submit a written statement to the Insurance Department (Department) within 7 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a

Application for Voluntary Surrender of Certificate of Authority

Lakeland Insurance Company, a domestic stock casualty insurance company, has submitted an application for approval to surrender its Insurance Department (Department) Certificate of Authority. Persons wishing to comment on the grounds of public or private interest concerning the surrender, are invited to submit a written statement to the Department within 7 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the writer, identification of the application to which the comment is addressed and a concise statement with sufficient detail to inform the Department of the exact basis of the comment and the relevant facts upon which it is based. Written statements should be directed to Robert Brackbill, Company Licensing Division, Room 1345, Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557 or rbrackbill@state.pa.us.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-2182. Filed for public inspection November 30, 2007, 9:00 a.m.]

Arson and Insurance Fraud Reporting; Notice No. 2007-06

This notice is issued to advise and remind insurers of their obligations under Pennsylvania law in the reporting of suspected arson and insurance fraud.

Arson and insurance fraud are recognized in Pennsylvania as serious crimes. Pennsylvania law explicitly requires insurer reporting of suspected arson (40 P.S. § 1610.3(b)(1)) and suspected insurance fraud (75 Pa.C.S. § 1817 and 18 Pa.C.S. § 4117) to a law enforcement agency for consideration of criminal investigation and prosecution. Pennsylvania law provides immunity to encourage and protect persons in that reporting. Accordingly, the Insurance Department releases the following guidance to insurers seeking to meet their statutory obligation for reporting of suspected arson and insurance fraud:

1. Each insurer has the burden of determining through their investigation when the probable cause of a fire loss is arson or when a reasonable basis exists to believe that insurance fraud has occurred, is occurring or is to occur.

2. Upon reaching such a determination, insurers will within 30 days make a written report of the suspected arson or insurance fraud to a Federal, State or local criminal law enforcement agency.

3. An insurer's entry of the suspected arson or suspected insurance fraud matter to a claims database or other information system serving the insurance industry will not in and of itself be viewed by the department as satisfying that insurer's statutory obligation to report suspected arson or insurance fraud to a criminal law enforcement agency.

4. Examination of insurer fraud control programs will include a review of insurer determination of suspected arson and insurance fraud, and a confirmation of the insurer's written reporting to a criminal law enforcement agency.

Questions regarding this notice may be addressed to the Chief, Anti-fraud Compliance Division, Bureau of Enforcement, Insurance Department, 12th Floor, Strawberry Square, Harrisburg, PA 17120 or ra-infraud@state.pa.us.

This notice supersedes the notice printed at 31 Pa.B. 5508 (September 29, 2001).

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-2183. Filed for public inspection November 30, 2007, 9:00 a.m.]

Blue Cross of Northeastern Pennsylvania; Filing No. 1377-SEC65-EXCOMRATE-4/1/08; Application for Approval of Revised Rates for Community Rated 65 Special Program and Experience Rated 65 Special Program; Rate Filing

Blue Cross of Northeastern Pennsylvania has filed for approval revised rates for its community rated and experience rated 65 Special programs. The requested effective date of the revised rates is April 1, 2008. The most recent prior rate adjustment for this program took effect on January 1, 2006. The current and requested rates and the requested rate adjustment percentages are as follows:

	<i>Current Rate</i>	<i>Proposed Rate</i>	<i>Rate Adjustment</i>
65 Special Community Rated	\$69.95	\$72.77	4.03%
65 Special Experience Rated	\$72.45	\$72.77	0.44%

The composite impact of these proposed rate adjustments is approximately 2.34%. These changes would impact approximately 3,709 subscribers and would produce approximately \$74,000 in additional premium annually.

Unless formal administrative action is taken prior to February 14, 2008, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) website at www.ins.state.pa.us. Under the Quick Links section, click on the link "Rate Filings Published in the PA Bulletin."

Copies of the filings are also available for public inspection, by appointment, during normal working hours at the Department's offices in Harrisburg, Philadelphia and Pittsburgh.

Interested parties are invited to submit written comments, suggestions or objections to Michael Gurgiolo,

Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, mgurgiolo@state.pa.us, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-2184. Filed for public inspection November 30, 2007, 9:00 a.m.]

Capital Blue Cross and Capital Advantage Insurance Company; Filing No. 07-MM; Application for Approval of Revised Rates for Nongroup Medicare Supplemental Security Plans A, B, C and H; Rate Filing

Highmark, Inc. has filed for approval revised rates for its nongroup Medicare supplemental Security program. The aggregate rate increase requested is approximately 5.0%. The requested effective date of the revised rates is January 1, 2008. The most recent prior rate adjustment for this program took effect on January 1, 2006. The current and requested rates for First Eligible issues, and the requested rate adjustments, are as follows:

<i>Standardized Benefit Plan</i>	<i>Current Rate</i>	<i>Proposed Rate</i>	<i>Rate Adjustment</i>
Plan A	\$88.43	\$91.91	3.9%
Plan B	\$115.60	\$119.08	3.0%
Plan C	\$136.40	\$143.86	5.5%
Plan H w/Rx	\$209.46	\$223.65	6.8%
Plan H w/o Rx	\$140.35	\$151.45	7.9%

These rate adjustments would affect approximately 34,371 members and would produce approximately \$2.8 million in additional premium annually.

Unless formal administrative action is taken prior to February 7, 2008, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) website at www.ins.state.pa.us. Under Quick Links section, click on the link "Rate Filings Published in the PA Bulletin."

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department's office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Michael Gurgiolo, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, mgurgiolo@state.pa.us, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-2185. Filed for public inspection November 30, 2007, 9:00 a.m.]

Children's Health Insurance Program Advisory Council Meeting

The Insurance Department (Department) has scheduled a meeting of the Children's Health Advisory Council (Council) on Friday, December 7, 2007, at 1 p.m. in the Heritage B Conference Room, Lobby Level, 333 Market Street, Harrisburg, PA 17120. The Children's Health Care Act (40 P. S. §§ 991.2301—991.2361) charges the Council with the responsibilities of overseeing outreach activities and evaluating access and quality of service provided to children enrolled in the Children's Health Insurance Program. The public is invited to attend. Persons who need accommodations due to a disability who wish to attend the meeting should contact Kirk Montrose, Insurance Department, 1300 Strawberry Square, Harrisburg, PA 17120, (717) 214-4781, at least 24 hours in advance so that arrangements can be made.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-2186. Filed for public inspection November 30, 2007, 9:00 a.m.]

Progressive Specialty Insurance Company; Private Passenger Automobile; Rate and Rule Revisions; Rate Filing

On October 23, 2007, the Insurance Department (Department) received from Progressive Specialty Insurance Company a filing for rate level changes for private passenger automobile insurance.

The company requests an overall 5.3% increase amounting to \$9.233 million annually, to be effective February 1, 2008, for new business and March 12, 2008, for renewals.

Unless formal administrative action is taken prior to December 22, 2007, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Department's website at www.ins.state.pa.us. Under Quick Links section, click on the link "Rate Filings Published in the PA Bulletin."

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department's office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Mike McKenney, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, mmckenney@state.pa.us, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 07-2187. Filed for public inspection November 30, 2007, 9:00 a.m.]

PATIENT SAFETY AUTHORITY

Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. § 1303.303), enacted on March 20, 2002, will hold a meeting of the Authority's Board of Directors on Tuesday, December 11, 2007, at 10:30 a.m. in the Wildwood Conference Center, Harrisburg Area Community College, One HAAC Drive, Harrisburg, PA.

Individuals having questions regarding this meeting, which is open to the public, should contact the Authority at (717) 346-0469.

MICHAEL C. DOERING,
Executive Director

[Pa.B. Doc. No. 07-2188. Filed for public inspection November 30, 2007, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by December 24, 2007. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfers of rights as described under this application.

A-00124199. Billy L. Sankey, t/a Sankey's Amish Transportation (54 First Avenue, Greenville, Mercer County, PA 16125)—persons, in paratransit service, limited to the transportation of persons whose personal convictions prevent them from owning or operating motor vehicles, between points in the Borough of Greenville and the Townships of Hempfield, Salem and Sugar Grove, Mercer County, and the Townships of East Fallowfield and West Fallowfield, Crawford County; and from said borough and townships to other points in Pennsylvania, and return; which is to be a transfer of all the right authorized under the certificate issued at A-00121046 to Gail DeEtta Stevenson, subject to the same limitations and conditions.

Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. Podgorica, Inc.; Doc. No. A-00111461C0701

Date: _____

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services and Enforcement
Division
Bureau of Transportation and Safety

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That all authority issued to Podgorica, Inc. (respondent) is under suspension effective 06/22/2007 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at Podgorica, Inc., 8 Trent Road, Wynnewood, PA 19096.

3. That respondent was issued a Certificate of Public Convenience by this Commission on 7/30/2002 at Application Docket No. A-00111461.

4. That respondent has failed to maintain evidence of bodily injury and property damage liability insurance on file with this Commission.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Transportation and Safety Prosecutory Staff will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at Docket No. A-00111461 for failure to maintain evidence of current insurance on file with the Commission, (2) orders such other remedy as the Commission may deem to be appropriate, which may include a fine and the suspension of a vehicle registration and (3) imposes an additional fine on the respondent.

Respectfully submitted,

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services & Enforcement Division
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Wendy J. Keezel, Chief of Enforcement for the Motor Carrier Services and Enforcement Division of the Bureau of Transportation and Safety, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original and three (3) copies sent to:

James J. McNulty, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty (20) days of the date of service, the Bureau of Transportation and Safety will request that the Commission issue an Order imposing a penalty. Pursuant to 66 Pa.C.S. § 3301(a), the penalty could include a fine of up to \$1,000 for each violation, the revocation of your Certificate of Public Convenience, or any other remedy as may be appropriate. Each day you continue to violate any regulation, direction, requirement, determination or Order of the Commission is a separate and distinct offense, subject to additional penalties.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations within twenty (20) days of the date of service of this Complaint. The proof of insurance must be filed with the

Compliance Office, Bureau of Transportation
and Safety
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Upon receipt of the evidence of insurance from your insurer, the Complaint proceeding shall be closed. *Acord Certificates of Insurance and Faxed Form Es and Hs are Unacceptable as Evidence of Insurance.*

D. If you file an Answer which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue an Order imposing a penalty, which may include the cancellation of your Certificate of Public Convenience. Should the Commission cancel your Certificate of Public Convenience, it may also impose an additional fine of up to \$1,000.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

F. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at (717) 787-1227.

Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. USA Legal Services Trucking . . . ; Doc. No. A-00123349C0701

Date: _____

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services and Enforcement
Division
Bureau of Transportation and Safety

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That all authority issued to USA Legal Services Trucking . . . (respondent) is under suspension effective 05/08/2007 for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at USA Legal Services Trucking . . . , 7601 Castor Avenue, Suite 200A, Philadelphia, PA 19152.

3. That respondent was issued a Certificate of Public Convenience by this Commission on 3/09/2007 at Application Docket No. A-00123349.

4. That respondent has failed to maintain evidence of bodily injury and property damage liability insurance and cargo insurance on file with this Commission.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Transportation and Safety Prosecutory Staff will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at Docket No. A-00123349 for failure to maintain evidence of current insurance on file with the Commission, (2) orders such other remedy as the Commission may deem to be appropriate, which may include a fine and the suspension of a vehicle registration and (3) imposes an additional fine on the respondent.

Respectfully submitted,

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services & Enforcement Division
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Wendy J. Keezel, Chief of Enforcement for the Motor Carrier Services and Enforcement Division of the Bureau of Transportation and Safety, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original and three (3) copies sent to:

James J. McNulty, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty (20) days of the date of service, the Bureau of Transportation and Safety will request that the Commission issue an Order imposing a penalty. Pursuant to 66 Pa.C.S. § 3301(a), the penalty could include a fine of up to \$1,000 for each violation, the revocation of your Certificate of Public Convenience, or any other remedy as may be appropriate. Each day you continue to violate any regulation, direction, requirement, determination or Order of the Commission is a separate and distinct offense, subject to additional penalties.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations within twenty (20) days of the date of service of this Complaint. The proof of insurance must be filed with the

Compliance Office, Bureau of Transportation
and Safety
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Upon receipt of the evidence of insurance from your insurer, the Complaint proceeding shall be closed. *Acord Certificates of Insurance and Faxed Form Es and Hs are Unacceptable as Evidence of Insurance.*

D. If you file an Answer which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue an Order imposing a penalty, which may include the cancellation of your Certificate of Public Convenience. Should the Commission cancel your Certificate of Public Convenience, it may also impose an additional fine of up to \$1,000.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

F. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at (717) 787-1227.

Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. Owens, Brian J., t/a Owens, Brian J. Excavting, LLC; Doc. No. A-00123285 C0701

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That all authority issued to Owens, Brian J. (respondent) is under suspension effective 02/03/2007 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at Owens, Brian J., t/a Owens, Brian J. Excavting, LLC, 1984 Jerry Run Road, Clearfield, PA 16830.
3. That respondent was issued a Certificate of Public Convenience by this Commission on 1/03/2007 at Application Docket No. A-00123285.
4. That respondent has failed to maintain evidence of bodily injury and property damage liability insurance on file with this Commission.
5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Transportation and Safety Prosecutory Staff will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at Docket No. A-00123285 for failure to maintain evidence of current insurance on file with the Commission, (2) orders such other remedy as the Commission may deem to be appropriate, which may include a fine and the suspension of a vehicle registration and (3) imposes an additional fine on the respondent.

Respectfully submitted,

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services & Enforcement Division
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Wendy J. Keezel, Chief of Enforcement for the Motor Carrier Services and Enforcement Division of the Bureau of Transportation and Safety, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements

herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services and Enforcement
Division
Bureau of Transportation and Safety

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original and three (3) copies sent to:

James J. McNulty, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty (20) days of the date of service, the Bureau of Transportation and Safety will request that the Commission issue an Order imposing a penalty. Pursuant to 66 Pa.C.S. § 3301(a), the penalty could include a fine of up to \$1,000 for each violation, the revocation of your Certificate of Public Convenience, or any other remedy as may be appropriate. Each day you continue to violate any regulation, direction, requirement, determination or Order of the Commission is a separate and distinct offense, subject to additional penalties.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations within twenty (20) days of the date of service of this Complaint. The proof of insurance must be filed with the

Compliance Office, Bureau of Transportation
and Safety
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

Upon receipt of the evidence of insurance from your insurer, the Complaint proceeding shall be closed. *Acord Certificates of Insurance and Faxed Form Es and Hs are Unacceptable as Evidence of Insurance.*

D. If you file an Answer which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue an Order imposing a penalty, which may include the cancellation of your Certificate of Public Convenience. Should the Commission cancel your Certificate of Public Convenience, it may also impose an additional fine of up to \$1,000.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

F. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at (717) 787-1227.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 07-2189. Filed for public inspection November 30, 2007, 9:00 a.m.]

Water Service

A-212285F0150. Pennsylvania-American Water Company and Mountain Top Estates Property Owners Association. Application of Pennsylvania-American Water Company and Mountain Top Estates Property Owners Association for approval of: 1) the transfer, by sale, of the water works property and rights of the Mountain Top Estates Property Owners Association to Pennsylvania-American Water Company; and 2) the commencement by Pennsylvania-American Water Company of water service to the public in additional portions of Middle Smithfield Township, Monroe County, presently being served by Mountain Top Estates Property Owners Association.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before December 17, 2007. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Pennsylvania-American Water Company

Through and by Counsel: Velma A. Redmond, Esquire, Susan Simms Marsh, Esquire, 800 West Hersheypark Drive, Hershey, PA 17033

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 07-2190. Filed for public inspection November 30, 2007, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Public Hearing and Meeting

The Susquehanna River Basin Commission (Commission) will hold a public hearing as part of its regular business meeting beginning at 1:30 p.m. on December 5, 2007, at Woods Conference Room, Alumni Sports and Fitness Complex, Franklin and Marshall College, 929 Harrisburg Pike, Lancaster, PA. At the public hearing, the Commission will consider: 1) the approval of certain water resources projects; 2) enforcement actions involving three projects; 3) consideration of a request for an administrative hearing; 4) extension of two emergency water withdrawal certificates; and 5) revision of the Commission's current project fee schedule. Details concerning the matters to be addressed at the public hearing and business meeting are contained in the Supplementary Information section of this notice.

For further information contact Richard A. Cairo, General Counsel, (717) 238-0423, Ext. 306, fax (717) 238-2436, rcairo@srbc.net or Deborah J. Dickey, Secretary to the Commission, (717) 238-0423, Ext. 301, fax (717) 238-2436, ddickey@srbc.net.

In addition to the public hearing and its related action items identified, the business meeting also includes the following items on the agenda: 1) special recognitions for Pennsylvania Senator Noah Wenger and New York Alternate Commissioner Scott Foti; 2) a report on the present hydrologic conditions of the basin; 3) adoption of a final rulemaking for agricultural consumptive water use; 4) approval of certain low flow augmentation for agricultural consumptive use mitigation; 5) revision of aquifer test standards; 6) approval of the Fiscal Year 2007 independent audit; and 7) various contract and grant approvals.

Public Hearing—Projects Scheduled for Action:

1. Project Sponsor and Facility: Village of Waverly (Well 4), Tioga County, NY. Modification of groundwater approval (Doc. No. 20030207).

2. Project Sponsor and Facility: Snow Mountain, LLC, Scranton City, Lackawanna County, PA. Application to transfer approvals for surface water withdrawal of 7.300 mgd and consumptive water use of up to 1.600 mgd (Doc. No. 20030405).

3. Project Sponsor: Graymont (PA) Inc. Project Facility: Pleasant Gap Facility, Spring Township, Centre County, PA. Modification of consumptive water use approval (Doc. No. 20050306).

4. Project Sponsor: Glenn O. Hawbaker, Inc. Project Facility: Pleasant Gap Facility, Spring Township, Centre County, PA. Modification of consumptive water use approval (Doc. No. 20050307).

5. Project Sponsor: Parkwood Resources, Inc. Project Facility: Cherry Tree Mine, Burnside Township, Indiana and Clearfield Counties, PA. Application for consumptive water use of up to 0.225 mgd.

6. Project Sponsor and Facility: Mountainview Thoroughbred Racing Association, Inc., East Hanover Township, Dauphin County, PA. Modification of consumptive water use approval (Doc. No. 20020819).

7. Project Sponsor and Facility: King Drive Corp., Middle Paxton Township, Dauphin County, PA. Modification of consumptive water use approval (Doc. No. 20020615).

8. Project Sponsor and Facility: York Plant Holding LLC, Springettsbury Township, York County, PA. Application for consumptive water use of up to 0.575 mgd.

Public Hearing—Projects Scheduled for Enforcement Actions:

1. Project Sponsor and Facility: Cooperstown Dreams Park, Inc. (Doc. No. 20060602), Town of Hartwick, Otsego County, NY.

2. Project Sponsor: Sand Springs Development Corp. (Doc. No. 20030406). Project Facility: Sand Springs Golf Community, Butler Township, Luzerne County, PA.

3. Project Sponsor and Facility: BC Natural Chicken, LLC (Doc. No. 20040305), Bethel Township, Lebanon County, PA.

Public Hearing—Request for Administrative Hearing:

1. Project Sponsor: PPL Susquehanna, LLC. Project Facility: Susquehanna Steam Electric Station, Salem Township, Luzerne County, PA (Doc. No. 19950301).

Public Hearing—Extension of Emergency Water Withdrawal Certificates:

1. Project Sponsor and Facility: City of Lock Haven, Wayne Township, Clinton County, PA.

2. Project Sponsor and Facility: Houtzdale Municipal Authority (Doc. No. 19950101), Rush Township, Centre County, PA.

Public Hearing—Fee Schedule Revision:

Revise the project fee schedule to include escalations for the Consumer Price Index and the addition of a fee category for withdrawals less than 100,000 gpd.

Opportunity to Appear and Comment:

Interested parties may appear at the previous hearing to offer written or oral comments to the Commission on any matter on the hearing agenda, or at the business meeting to offer written or oral comments on other matters scheduled for consideration at the business meeting. The chair of the Commission reserves the right to

limit oral statements in the interest of time and to otherwise control the course of the hearing and business meeting. Written comments may also be mailed to the Susquehanna River Basin Commission, 1721 North Front Street, Harrisburg, PA 17102-2391, or submitted electronically to Richard A. Cairo, General Counsel, rcairo@srbc.net or Deborah J. Dickey, Secretary to the Commission, ddickey@srbc.net. Comments mailed or electronically submitted must be received prior to December 5, 2007, to be considered.

Authority: Pub. L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808. Dated: November 9, 2007.

PAUL O. SWARTZ,
Executive Director

[Pa.B. Doc. No. 07-2191. Filed for public inspection November 30, 2007, 9:00 a.m.]

