

NOTICES

DELAWARE RIVER BASIN COMMISSION

Meeting and Public Hearing

The Delaware River Basin Commission (Commission) will hold a public hearing on Wednesday, March 12, 2008. The hearing will be part of the Commission's regular business meeting. The business meeting is open to the public and will be held at the Commission's office building, located at 25 State Police Drive in West Trenton, NJ. No morning conference session is scheduled for this meeting.

Note that Commission action on the Proposed Amendments to the Water Quality Regulations, Water Code and Comprehensive Plan to Classify the Lower Delaware River as Special Protection Waters will not take place at this meeting. The earliest Commission meeting date when action could be taken is May 14, 2008.

The subjects of the public hearing to be held during the 1:30 p.m. business meeting include the dockets listed as follows:

1. *Freeland Borough Municipal Authority D-94-63 CP-2*. An application for the renewal of a groundwater withdrawal project to continue withdrawal of 17.2 mg/30 days to supply the applicant's public water supply distribution system from existing Wells Nos. 9, 12 and 14 in the Buck Mountain Mauch Chunk Formation. The project is located in the Pond Creek Watershed in Freeland Borough, Luzerne County, PA, within the drainage area to the section of the nontidal Delaware River known as the Lower Delaware, which is designated as Special Protection Waters.

2. *Township of Roxbury D-96-17 CP-2*. An application for the renewal of a ground water withdrawal project to supply up to 19.8 mg/30 days from existing Wells Nos. 2, 4, 9 and 12. The project is located in the Stratified Drifts Aquifer in the Musconetcong River Watershed in Roxbury Township, Morris County, NJ, within the drainage area to the section of the nontidal Delaware River known as the Lower Delaware, which is designated as Special Protection Waters.

3. *Smithfield Beef Group (MOPAC) D-96-21-3*. An application for approval of an upgrade of the existing 0.75 mgd industrial wastewater treatment plant (IWTP) in accordance with a Consent Order and Agreement issued by the Department of Environmental Protection. The upgrade includes a new anaerobic lagoon, a new tertiary filtration system and a new ultraviolet light disinfection system. The IWTP will continue to discharge to the Skippack Creek. The IWTP is located in Franconia Township, Montgomery County, PA.

4. *Nestlé Waters North America, Inc. D-98-27-3*. An application for the renewal of a spring water withdrawal project to continue withdrawal of 9 mg/30 days to supply the applicant's bottled water operations from existing Hoffman Springs Nos. 1—3 to supply up to 1.95 mg/30 days from the new Mattos Catchment No. 1 to supplement flow in Ontelaunee Creek. The project is located in the Ontelaunee Creek Watershed in Lynn Township, Lehigh County, PA.

5. *Fifer Orchards, Inc. D-2002-20-2*. A combined ground and surface water withdrawal project to continue to

supply a maximum of 543 mg/30 days of water to the applicant's irrigation of approximately 2,285 acres of fruit and vegetables through two new wells, nine existing wells and nine existing intakes. The wells are located in the Columbia Formation in the St. Jones River Watershed in the City of Wyoming, Kent County, DE. Surface water will be withdrawn from a series of onsite ponds in the St. Jones River Watershed.

6. *Ambler Borough D-75-16 CP-2*. An application for approval of a rerate of the Ambler Borough wastewater treatment plant (WWTP) to 8.0 mgd as a maximum monthly value. The WWTP's existing 6.5 mgd annual average flow will remain unchanged. The WWTP will continue to discharge to the Wissahickon Creek, a tributary to the Schuylkill River. The facility is located in Ambler Borough, Montgomery County, PA.

7. *The Premcor Refining Group, Inc. D-93-4-6*. An application to replace the withdrawal of water from Wells Nos. P-3A and P-4A in the applicant's water supply system that have become unreliable sources of supply and to increase the applicant's surface water withdrawal from the Delaware River and Red Lion Creek. Premcor requests that its combined withdrawal from replacement Wells Nos. P-3B and P-4B and seven existing wells remain limited to 180 mg/30 days; that its withdrawal from the Delaware River intake remain at 13,560 mg/30 days; that the docket authorize withdrawals of 38.9 mg/30 days from the Red Lion Creek intake and up to 56.2 mg/30 days from the Dragon Run intake, and that Premcor's combined withdrawal from all sources be limited to 13,655.1 mg/30 days. The proposed allocation represents no increase in groundwater withdrawals, no increase from the Delaware River intake and the inclusion in a Commission docket of previously undocketed pre-Compact DNREC allocations from Dragon Run and Red Lion Creek. The project is located in the Potomac Formation in the C & D Canal East, Dragon Run Creek, Red Lion Creek and Delaware River watersheds in Delaware City, New Castle County, DE.

8. *Aqua Pennsylvania, Inc. D-97-3-2*. An application to use Wells Nos. 1 and 2 at the former Simpson Paper Company to serve the applicant's potable water supply system. The applicant seeks a maximum withdrawal of 42 mg/30 days from Wells Nos. 1 and 2, representing no change from the maximum combined withdrawal from the wells. The project is located in the Conestoga Formation in the Schuylkill River Watershed in Whitemarsh Township, Montgomery County, PA and is located in the Southeastern Pennsylvania Ground Water Protected Area.

9. *Town of Felton D-99-26 CP-2*. An application for the renewal of a groundwater withdrawal project and to decrease the maximum withdrawal from 5.7 mg/30 days to 5.328 mg/30 days to supply the applicant's public water supply distribution from existing Wells Nos. 2—4 in the Frederica and Piney Point formations. The project is located in the Fan Branch Watershed in the Town of Felton, Kent County, DE.

10. *Upper Hanover Authority D-2001-61 CP-2*. An application for approval of a WWTP expansion project that will increase treatment capacity from 0.15 mgd to 0.40 mgd, while maintaining existing effluent quality by means of the addition of sequencing batch reactor and tertiary filtration processes. The existing WWTP has reached its design capacity and the expansion project is needed to serve new development in Upper Hanover

Township, Montgomery County, PA. Following ultraviolet light disinfection, the WWTP effluent will be discharged to Macoby Creek, a tributary of Perkiomen Creek, within the Schuylkill River Watershed. The project is located in the Southeastern Pennsylvania Ground Water Protected Area.

11. *Mountain Hill Cottages D-2005-2-1*. An application to upgrade the septic system that serves the Mountain Hill Cottages development located off Cold Spring Road approximately 2,000 feet north of its intersection with Cantrell Road in the Town of Thompson, Sullivan County, NY. An additional septic system will be constructed to treat 5,250 gallons of flow. The effluent from the proposed septic system will be routed to a 14,000 gpd sand filter, which recharges the groundwater. No expansion of the sand filter is required, but a new chlorine contact tank will be provided. The project is in the Bush Kill Watershed, upstream from its confluence with the Neversink River in the drainage area of the Commission Special Protection Waters.

12. *Valleybrook Golf Club D-2006-21-1*. An application for approval of a surface water withdrawal project to supply up to 7 mg/30 days of water to the applicant's golf course irrigation system from three surface water intakes from a series of one lake and retention ponds on Pines Run. The project is located in the Pines Run Watershed in Gloucester Township, Camden County, NJ.

13. *Pocono Manor Investors Pt. 1, L.P. D-2006-43-1*. A revised application for approval of a groundwater withdrawal project to supply up to 15.984 mg/30 days of water to the applicant's Pocono Manor site from new Wells Nos. 1—3 and to limit the existing withdrawal from all wells to 15.984 mg/30 days. The wells will serve Phases I, II-A, III and II-B of the docket holder's revised residential and commercial development plans. The project is located in the Catskill Formation in the Brodhead/Swiftwater Creek Watershed in Pocono Township, Monroe County, PA. The location is also within the drainage area to the section of the nontidal Delaware River known as the Middle Delaware, which is classified as Special Protection Waters.

14. *Wayne Economic Development Corporation D-2007-18-1*. An application for the approval of the new Sterling Business Park WWTP. The new 35,000 gpd WWTP will service the 252-acre Sterling Business Park of the Wayne County Economic Development Corporation (WEDCO). The Sterling Business Park will consist of up to 23 commercial building sites, ranging in size from 3 to 30 acres. The project includes a 7,000 gpd nonpotable water reuse system for restrooms and landscape irrigation. The applicant's WWTP will discharge to the West Branch Wallenpaupack Creek, within the section of the nontidal Delaware River known as the Upper Delaware, which is classified as Special Protection Waters. The facility is located on SR 0191, approximately one mile north of the SR 0191/Newfoundland exit off I-84 in Sterling Township, Wayne County, PA.

15. *Upper Makefield Township D-2007-24 CP-1*. An application for approval of a groundwater withdrawal project to supply up to 8.43 mg/30 days of water to the applicant's public water supply distribution system from new Wells HH1, HH2, HH4, GTW1 and GTW2. The project is located in the Brunswick and Lockatong formations in the Houghs Creek and Delaware River Watersheds in Upper Makefield Township, Bucks County, PA. The site is located within the drainage area to the section of the nontidal Delaware River known as the Lower Delaware, which is designated as Special Protection Waters.

16. *Upper Makefield Township D-2007-25 CP-1*. An application for the approval of the new 20,000 gpd Gray Tract WWTP. The WWTP will serve approximately 96 age-restricted dwellings and 14 existing homes and is proposed to discharge to an unnamed tributary of Hough's Creek, which is tributary to the Delaware River. The facility is located in Upper Makefield Township, Bucks County, PA, within the drainage area to the section of the nontidal Delaware River known as the Lower Delaware, which is designated as Special Protection Waters.

17. *Congoleum Corporation D-2007-35-1*. An application to discharge an average of 122,000 gpd of noncontact cooling and stormwater from the applicant's tile floor manufacturing facility. The discharge is to a Hamilton Township municipal storm sewer, which discharges to Hamilton Ditch and Miry Run, tributaries to the Delaware River. The facility is located in Hamilton Township, Mercer County, NJ.

18. *U.S. Silica—Port Elizabeth Mine D-2007-37-1*. An application for approval of a surface water withdrawal project to supply up to 288 mg/30 days of water from surface water Intake No. 1 for sand and gravel processing and up to 0.778 mg/30 days from one well used for sanitary supply at the facility. The project is located in the Maurice River Watershed in Mauricetown Township, Cumberland County, NJ.

19. *Franconia Sewer Authority D-2007-41 CP-1*. An application for approval of the construction of a new 0.15 mgd Franconia Sewer Authority WWTP, pump station and appurtenances. The new WWTP will serve the new Souderton Area High School and sanitary waste from Smithfield Beef Group (formerly Moyer Packing Company). The WWTP will discharge to the Skippack Creek, a tributary to the Perkiomen Creek, which is a tributary to the Schuylkill River. The facility will be located in Franconia Township, Montgomery County, PA.

20. *Pocono Manor Investors, L.P. D-2007-44-1*. An application for approval of a surface water withdrawal project to supply up to 0.72 mg/30 days of water to the applicant's irrigation system from Intake No. 1 and to limit the existing withdrawal from all intakes to 0.72 mg/30 days. The project is located on Indian Run, a tributary to Pocono Creek in Pocono Township, Monroe County, PA, within the drainage area to the section of the nontidal Delaware River known as the Upper Delaware, which is designated as Special Protection Waters.

21. *Congoleum Corporation, D-2005-25-2*. Approval is requested for corrections to the effluent table in section A.4.d. of Docket D-2005-25-1 issued on March 1, 2006, for an industrial discharge of noncontact cooling water and stormwater from Congoleum Plant No. 2. The effluent table incorrectly listed limits for four parameters for which the Commission lacked applicable requirements: Bromodichlorormethane, Chloroform, Chlorine Produced Oxidants and Chronic Toxicity. The Executive Director subsequently issued corrected Docket D-2005-25-2, in which the state limits are listed for these parameters, pending ratification by the Commission. The discharge is made to the Hamilton Township storm sewer, which discharges to Pond Run, a tributary of the Assunpink Creek. The facility is located in Hamilton Township, Mercer County, NJ.

22. *Borough of South Coatesville, D-74-39 CP-2*. Approval is requested for corrections to the effluent table in section A.4.d. of Docket D-74-39-CP-2 issued on July 18, 2007, for the rerate of the South Coatesville Wastewater

Treatment Plant. The effluent table incorrectly listed a Commission limit for Dissolved Oxygen that is inapplicable to the South Coatesville Borough facility. The Executive Director subsequently issued corrected Docket D-74-39 CP-2, in which the applicable state limit is listed for this parameter, pending ratification by the Commission. The facility is located on the border between South Coatesville and Modena Boroughs in Chester County, PA. The discharge is to the West Brandywine Creek.

In addition, the Commission's 1:30 p.m. business meeting will include adoption of the Minutes of the Commission's December 12, 2007, business meeting; announcements of upcoming advisory committee meetings and other events; a report by the Executive Director; a report by the Commission's General Counsel; consideration of a resolution for the minutes authorizing the Executive Director to engage an engineering firm to oversee lighting and HVAC improvements to the Commission's West Trenton office building; a resolution to adopt the Commission's annual budget for the Fiscal Year ending 2009 (July 1, 2008 through June 30, 2009); and an opportunity for public dialogue. The hearing on the proposed budget took place on December 12, 2007.

Draft dockets scheduled for public hearing on March 12, 2008, are posted on the Commission's web site www.drbc.net, where they can be accessed through the Notice of Commission Meeting and Public Hearing. Additional documents relating to the dockets and other items may be examined at the Commission's offices. Contact William Muszynski at (609) 883-9500, Ext. 221, with any docket-related questions.

Individuals in need of an accommodation as provided for in the Americans With Disabilities Act who wish to attend the informational meeting, conference session or hearings should contact the commission secretary directly at (609) 883-9500, Ext. 203 or through the Telecommunications Relay Services (TRS) at 711, to discuss how the Commission can accommodate their needs.

PAMELA M. BUSH,
Secretary

[Pa.B. Doc. No. 08-398. Filed for public inspection March 7, 2008, 9:00 a.m.]

DEPARTMENT OF BANKING

Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 9, 2002 (P. L. 1572, No. 207), known as the Credit Union Code, has taken the following action on applications received for the week ending February 26, 2008.

BANKING INSTITUTIONS

Section 112 Applications

<i>Date</i>	<i>Name of Group</i>	<i>Location</i>	<i>Action</i>
2-25-2008	The Snyder Group, Kittanning, to acquire up to 74.2% of Merchants Bancorp of Pennsylvania, Kittanning	Kittanning	Filed

Holding Company Acquisitions

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
2-25-2008	First Priority Financial Corp., Malvern, to acquire 100% of Prestige Community Bank, Newtown	Malvern	Approved

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
2-25-2008	First Priority Bank, Malvern, and Prestige Community Bank, Newtown Surviving Institution: First Priority Bank, Malvern	Malvern	Approved

Branch Applications

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
1-2-2008	Valley Green Bank Philadelphia Philadelphia County	23 West Highland Avenue Philadelphia Philadelphia County	Opened
2-21-2008	Affinity Bank of Pennsylvania Wyomissing Berks County	South Temple Boulevard and 5th Street Highway Muhlenberg Berks County	Filed
2-22-2008	Northwest Savings Bank Warren Warren County	1632 Empire Boulevard Webster Monroe County, NY	Filed

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
2-22-2008	Northwest Savings Bank Warren Warren County	125 Emeryville Drive Suite 100 Cranberry Township Butler County	Filed
2-25-2008	American Bank Allentown Lehigh County	4261 Freemansburg Avenue Bethlehem Northampton County	Approved

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
2-25-2008	Citizens Bank of Pennsylvania Philadelphia Philadelphia County	<i>To:</i> 780 South Valley Forge Road Lansdale Montgomery County <i>From:</i> 1601 South Valley Forge Road Lansdale Montgomery County	Approved

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS**Conversions**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
2-13-2008	Lancaster Postal Employees Credit Union Lancaster Lancaster County	Lancaster	Effective

Conversion from a Pennsylvania State-chartered credit union to a Federally-chartered credit union to be known as Lancaster Postal Employees Federal Credit Union.

Community Charter Conversions

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
2-13-2008	Superior Credit Union Collegeville Montgomery County	Collegeville	Filed

The credit union proposes to amend its Articles of Incorporation to serve a field of membership limited to the following community: All people who live, work, worship, attend school in, and businesses and other legal entities in Montgomery County, PA.

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
2-20-2008	TruMark Financial Credit Union, Trevose, and Local 98 IBEW Federal Credit Union, Philadelphia Surviving Credit Union: TruMark Financial Credit Union, Trevose	Trevose	Approved
2-25-2008	Pennsylvania State Employees Credit Union, Harrisburg, and Rite Aid Employees Credit Union, Camp Hill Surviving Credit Union: Pennsylvania State Employees Credit Union, Harrisburg	Harrisburg	Approved

Articles of Amendment

<i>Date</i>	<i>Name of Credit Union</i>	<i>Purpose</i>	<i>Action</i>
2-25-2008	Binney & Smith Inc. Easton Employees Credit Union Easton Northampton County	Amendment to Article 1 of the Articles of Incorporation provides for a change of the name of the credit union from "Binney & Smith Inc. Easton Employees Credit Union" to "Crayola LLC Employees Credit Union."	Approved and Effective

<i>Date</i>	<i>Name of Credit Union</i>	<i>Purpose</i>	<i>Action</i>
2-25-2008	Callery Credit Union Mars Butler County	Amendment to the Article 1 of the Articles of Incorporation provides for a change of the name of the credit union from "Callery Credit Union" to "Southern Butler County Community Credit Union."	Approved and Effective

The Department's web site at www.banking.state.pa.us includes public notices for more recently filed applications.

STEVEN KAPLAN,
Secretary

[Pa.B. Doc. No. 08-399. Filed for public inspection March 7, 2008, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0085570 (IW)	Millersburg Area Authority 101 West Street Millersburg, PA 17061-1321	Dauphin County Upper Paxton Township	Wiconisco Creek 6C	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0103519	Whitehall Camp Western Pennsylvania Church of God 514 Whitehall Road Emlenton, PA 16373	Richland Township Venango County	UNT to Richey Run	Y
PA0222267	Lovett's Manufactured Home Park Dennis P. and Laura A. Baker R. R. 2 Box 141-A Corry, PA 16407	Washington Township Erie County	Darrows Creek 16-A	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES PA0012777, Industrial Waste, SIC Codes 2891 and 2879, **Rohm & Haas Chemicals, LLC**, 5000 Richmond Street, Philadelphia, PA 19137. This proposed facility is located in the City of Philadelphia, **Philadelphia County**.

Description of Proposed Activity: This application is for renewal of an NPDES permit to discharge noncontact cooling water and stormwater from Rohm & Haas—Philadelphia Plant through three outfalls in Frankford Inlet and Delaware Estuary Zone 3.

The receiving stream, Delaware River, is in the State Water Plan Watershed 3J and is classified as WWF. There is no downstream public water supply intake in Pennsylvania.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.85 mgd and are as follows:

<i>Parameter</i>	<i>Instantaneous Minimum (mg/l)</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum⁽²⁾ (mg/l)</i>
Flow (mgd)				
Temperature (° F)				98
pH (Standard Units)	6.0			9.0
Total Suspended Solids (NET)		30	60	75
Total Suspended Solids (Influent)		Monitor and Report	Monitor and Report	Monitor and Report
Total Suspended Solids (Effluent)		Monitor and Report	Monitor and Report	Monitor and Report
PCBs, Total			Monitor and Report	
Biological Oxygen Demand*			Monitor and Report	
Chemical Oxygen Demand*			Monitor and Report	
Total Kjeldahl Nitrogen*			Monitor and Report	
Nitrate plus Nitrite as Nitrogen*			Monitor and Report	

NOTICES

<i>Parameter</i>	<i>Instantaneous Minimum (mg/l)</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum⁽²⁾ (mg/l)</i>
Total Phosphorus*			Monitor and Report	
pH (Standard Units)*		Monitor and Report Instantaneous Minimum		Monitor and Report

* These are stormwater parameters. Sample shall be taken during storm event.

The proposed effluent limits for Outfall 003 are based on a design flow of 0.12 mgd and are as follows:

<i>Parameter</i>	<i>Instantaneous Minimum (mg/l)</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum⁽²⁾ (mg/l)</i>
Flow (mgd)				
Temperature (° F)				98
pH (Standard Units)	6.0			9.0
Biological Oxygen Demand*			Monitor and Report	
Chemical Oxygen Demand*			Monitor and Report	
Total Kjeldahl Nitrogen*			Monitor and Report	
Nitrate plus Nitrite as Nitrogen*			Monitor and Report	
Total Phosphorus*			Monitor and Report	
pH (Standard Units)*		Monitor and Report Instantaneous Minimum		Monitor and Report

* These are stormwater parameters. Sample shall be taken during stormwater event.

The proposed effluent limits for Outfall 007 for stormwater runoff are as follows:

<i>Parameter</i>	<i>Instantaneous Minimum (mg/l)</i>	<i>Monthly Average (mg/l)</i>	<i>Daily Maximum (mg/l)</i>	<i>Instantaneous Maximum⁽²⁾ (mg/l)</i>
Biological Oxygen Demand*			Monitor and Report	
Chemical Oxygen Demand*			Monitor and Report	
Total Kjeldahl Nitrogen*			Monitor and Report	
Nitrate plus Nitrite as Nitrogen*			Monitor and Report	
Total Phosphorus*			Monitor and Report	
pH (Standard Units)*		Monitor and Report Instantaneous Minimum		Monitor and Report

* These are stormwater parameters. Sample shall be taken during storm event.

In addition to the effluent limits, the permit contains the following major special conditions:

1. Stormwater Monitoring Requirements.
2. PCBs Monitoring Requirements.

EPA waiver is not in effect.

PA0035769 Amendment No. 2, Sewage Waste, SIC 2011, 2048, 2077 and 2875; **Smithfield Beef Group—Souderton, Inc.** (formerly Moyer Packing Company), 2580 University Avenue, Green Bay, WI 54311. Facility is located at 741 Souder Road, Elroy, PA 18964.

Description of Proposed Activity: Discharge of treated wastewater from a facility serving beef and rendering operations in Franconia Township, **Montgomery County**.

The receiving stream Skippack Creek is in the State Water Plan Watershed 3E and is classified for: TSF.

The proposed effluent limits for Outfall 001, based on an average flow of 0.75 mgd, are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5-1 to 10-31)	10	20	25
(11-1 to 4-10)	20	40	50
Total Suspended Solids	30	60	75
Oil and Grease	15	25	30
Fecal Coliform col./100 ml	200		1,000
pH	Within limits of 6.0 to 9.0 Standard Units at all times		
Phosphorus as P (4-1 to 10-31)	0.80	1.60	2.00
(11-1 to 3-31)	1.60	3.2	4.00
Ammonia as N (5-1 to 10-31)	1.2	2.4	3.0
(11-1 to 4-30)	3.6	7.2	9.0
Dissolved Oxygen	Minimum of 5.0 mg/l at all times		
Total Residual Chlorine	0.024		0.094
Osmotic Pressure	95 Milliosmoles/Kg as Maximum Daily		
Total Dissolved Solids	3,100	6,200	7,750
Total Nitrogen	Monitor		Monitor

The proposed effluent limits for stormwater Outfalls MP 101, 002—004 are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅		Monitor and Report	
COD		Monitor and Report	
Oil and Grease		Monitor and Report	
pH		Monitor and Report	
Suspended Solids		Monitor and Report	
Total Kjeldahl Nitrogen		Monitor and Report	
Total Phosphorus		Monitor and Report	
Iron (Dissolved)		Monitor and Report	

The EPA waiver is not in effect. In addition to the effluent limits, the permit contains the following major special conditions:

1. Remedial Measures.
2. BAT/ELG Reopener.
3. TMDL/WLA Analysis.
4. Requirements for Stormwater Outfalls.
5. Laboratory Certification.
6. Certified Operator.
7. Inspection of Stream at Outfall 001.
8. Develop a PPC Plan.
9. Inspection of the Outfall and Stream Conditions.
10. Develop a Sampling Plan.
11. Develop an Operations and Maintenance Plan.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PA0085111. Industrial Waste, SIC Code 4941, **Altoona City Authority (Tipton Plant)**, 20 Greenwood Road, Altoona, PA 16602-7114. This facility is located in Antis Township, **Blair County**.

Description of activity: The application is for renewal of an NPDES permit for existing discharge of treated industrial waste.

The receiving stream, Tipton Run, is in Watershed 11-A and classified for HQ-CWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake is Newport Borough Water Authority located on the Juniata River, approximately 116 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 based on a design flow of 0.8 mgd are:

Parameter	Concentration (mg/l)		
	Average Monthly	Maximum Daily	Instantaneous Maximum
pH		From 6.0 to 9.0 inclusive	
Total Aluminum	0.26	0.52	0.65

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA0000647, Industrial Waste, SIC 8731, **Crucible Research, Division of Crucible Materials Corporation**, 6003 Campbells Run Road, Pittsburgh, PA 15205-1022. This application is for renewal of an NPDES permit to discharge treated process water, stormwater and untreated cooling water from the Crucible Research facility in Robinson Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, Campbells Run, classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is West View Municipal Authority, located on the Ohio River over 15 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.0096 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Oil and Grease			15		30
Temperature (° F)					110
pH	not less than 6.0 nor greater than 9.0				

Other Conditions: Priority pollutant sampling, residual waste disposal, floating materials control, no net addition of pollutants to cooling waters, stormwater and temperature controls, chemical additives, Toxics Reduction Evaluation requirements for mercury, discharge and dilution prohibitions and biannual sampling or employee training.

The EPA waiver is in effect.

PAS406101, Industrial Waste, SIC 4953, **Siemens Water Technologies Corp.**, 118 Park Road, Darlington, PA 16115. This application is for renewal of an NPDES permit to discharge stormwater from a carbon reactivation plant in Darlington Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, North Branch Little Beaver Creek classified as a HQ-CWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is Steubenville Water Authority, located in Steubenville, OH, 30 miles below the discharge point.

Outfall 001: existing discharge of stormwater.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Flow (mgd)	Monitor and Report				
Total Suspended Solids					Monitor and Report
Chemical Oxygen Demand					Monitor and Report
pH					Monitor and Report

Other Conditions: Residual waste disposal, floating materials control, stormwater controls and a Stormwater Pollution Prevention Plan.

The EPA waiver is in effect.

PA0007196, Sewage, **Charles Shay**, 12840 Route 286 West, Clarksburg, PA 15725. This application is for renewal of an NPDES permit to discharge treated sewage from Charles Shay Sewage Treatment Plant in Young Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as UNT of Blacklegs Creek, which are classified as a CWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Buffalo Township Municipal Authority—Freeport on the Allegheny River.

Outfall 001: existing discharge, design flow of 0.005 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	1.5			3.0
(11-1 to 4-30)	2.0			4.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a Geometric Mean			
(10-1 to 4-30)	2,000/100 ml as a Geometric Mean			
Total Residual Chlorine	0.08			0.18
Dissolved Oxygen	not less than 6.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0026824, Sewage, **Clairton Municipal Authority**, One North State Street, Clairton, PA 15025. This application is for renewal of an NPDES permit to discharge treated sewage from the Clairton Sewage Treatment Plant in the City of Clairton, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Peters Creek, which are classified as a TSF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Western Pennsylvania Water Company located on the Monongahela River.

Outfall 001: existing discharge, design flow of 6.0 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	37.5		50
Suspended Solids	30	45		60
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a Geometric Mean			
(10-1 to 4-30)	2,000/100 ml as a Geometric Mean			
Total Residual Chlorine	0.5			1.0
pH	not less than 6.0 nor greater than 9.0			

Other Conditions: Outfalls 002—006 discharge to Peters Creek and serve as combined sewer overflows necessitated by stormwater entering the sewer system and exceeding the hydraulic capacity of the sewer and/or treatment plant. Each discharge shall be monitored for cause, frequency, duration and quantity of flow.

Outfalls 007—011 are permitted to discharge uncontaminated stormwater runoff from the areas in and around the treatment plant. There are at this time no specific effluent limitations on these outfalls.

The EPA waiver is not in effect.

PA0026841, Sewage, **Borough of Oakmont**, Fifth Street and Virginia Avenue, P. O. Box 206, Oakmont, PA 15139-0206. This application is for renewal of an NPDES permit to discharge treated sewage from Oakmont Wastewater Treatment Plant in Oakmont Borough, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Allegheny River, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Wilkesburg-Penn Joint Water Authority on the Allegheny River.

Outfall 001: existing discharge, design flow of 1.2 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	37.5		50
Suspended Solids	30	45		60
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a Geometric Mean			
(10-1 to 4-30)	2,000/100 as a Geometric Mean			
Total Residual Chlorine	0.5			1.6
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is not in effect.

PA0043729, Sewage, **Hampton Township**, 3101 McCully Road, Allison Park, PA 15101-1331. This application is for renewal of an NPDES permit to discharge treated sewage from Allison Park STP in Hampton Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Pine Creek, which are classified as a TSF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the West View Borough Municipal Water Authority on the Ohio River.

Outfall 001: existing discharge, design flow of 3.2 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅ (5-1 to 10-31)	15	23		30
(11-1 to 4-30)	25	38		50
Suspended Solids	30	45		60
Ammonia Nitrogen (3-1 to 11-30)	1.5	2.3		3.0
(12-1 to 2-29)	4.5	6.8		9.0
Fecal Coliform (5-1 to 9-30)	200/100 ml as a Geometric Mean			
(10-1 to 4-30)	2,000/100 ml as a Geometric Mean			
Total Residual Chlorine	0.5			1.6
Dissolved Oxygen	not less than 6.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is not in effect.

PA0091138, Sewage, **Cecil Township Municipal Authority**, 3599 Millers Run Road, Cecil, PA 15321. This application is for renewal of an NPDES permit to discharge treated sewage from Teodori STP in Cecil Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Chartiers Creek, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the West View Municipal Authority.

Outfall 001: existing discharge, design flow of 0.149 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	37.5		50
Suspended Solids	30	45		60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a Geometric Mean			
(10-1 to 4-30)	2,000/100 ml as a Geometric Mean			
Total Residual Chlorine	1			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0217697, Sewage, **RoxCoal, Inc.**, 1576 Stoystown Road, P. O. Box 149, Friedens, PA 15541. This application is for renewal of an NPDES permit to discharge treated sewage from Sarah Mine STP in Jenner Township, **Somerset County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as UNT of Roaring Run, which are classified as a CWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Quemahoning Water.

Outfall 001: existing discharge, design flow of 0.003 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a Geometric Mean			
(10-1 to 4-30)	2,000/100 ml as a Geometric Mean			

Parameter	Concentration (mg/l)			
	Average Monthly	Average Weekly	Maximum Daily	Instantaneous Maximum
Total Residual Chlorine	1.4			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. 5108402, Sewerage, **Philadelphia Water Department**, 1101 Market Street, The Aramark Tower, Philadelphia, PA 19107. This proposed facility is located in Philadelphia City, **Philadelphia County**.

Description of Action/Activity: Construction and operation of a sewer extension for a Casino Resort/Commercial Entertainment District.

WQM Permit No. 1508401, Sewerage, **ENSERV, Inc.**, 1145 King Road, Immaculata, PA 19345. This proposed facility is located in East Whiteland Township, **Chester County**.

Description of Action/Activity: Remove existing communitor, replace with new fine bar screen and install new effluent filter.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 6708403, Sewerage, **Borough of Hanover**, 44 Frederick Street, Hanover, PA 17331. This proposed facility is located in Conewago Township, **Adams County** and Penn Township/Borough of Hanover, **York County**.

Description of Proposed Action/Activity: Application for upgrade to the Edgegrove Interceptor.

WQM Permit No. 0708401, Sewerage, **Duncansville Municipal Authority**, P. O. Box 502, Duncansville, PA 16635. This proposed facility is located in Duncansville Borough and Allegheny Township, **Blair County**.

Description of Proposed Action/Activity: Application for an upgrade and expansion of a wastewater treatment facility.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. 4908401, Sewerage, SIC 4952, **Mount Carmel Municipal Authority**, 137 West 4th Street, Suite 4, Mount Carmel, PA 17851-0365. This proposed facility will be located in the Borough of Mount Carmel, **Northumberland County**.

Description of Proposed Action/Activity: The applicant proposes the construction of a 2.25 mgd Intermittent Cycle Extended Aeration System wastewater treatment plant.

WQM Permit No. 1908401, Sewage 4952, **Conyngham Township**, P. O. Box 10, Wilburton, PA, 17945. This proposed facility is located in Conyngham Township, **Columbia County**.

Description of Proposed Action/Activity: The applicant proposes to construct and operate a sewage collection and conveyance system serving Locustdale, Aristis and Wilburton. The sewage be conveyed to and treated at Mount Carmel.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 0308201, Industrial Waste, **CNX Gas Company, LLC**, 100 Evergreen Drive, Waynesburg, PA 15370. This proposed facility is located in South Bend Township, **Armstrong County**.

Description of Proposed Action/Activity: Application for construction and operation of a Coalbed Methane Water Treatment Facility.

WQM Permit No. 6308201, Industrial Waste, **CNX Gas Company, LLC**, 100 Evergreen Drive, Waynesburg, PA 15370. This proposed facility is located in Fallowfield Township, **Washington County**.

Description of Proposed Action/Activity: Application for the construction and operation of a Coalbed Methane Water Treatment Facility.

WQM Permit No. 5604405-A1, **Somerset Township Municipal Authority**, P. O. Box 247, 2209 North Center Avenue, Somerset, PA 15501. This existing facility is located in Somerset Township, **Somerset County**.

Description of Proposed Action/Activity: Application for construction and operation of existing treatment plant upgrade.

WQM Permit No. 6308401, **Peters Township Sanitary Authority**, 3244 Washington Road, McMurray, PA 15317-3153. This proposed facility is located in Peters Township, **Washington County**.

Description of Proposed Action/Activity: Application for the construction and operation of an interceptor capacity augmentation project.

WQM Permit No. WQG026119, **Deer Creek Drainage Basin Authority**, Box 148, Russellton, PA 15076. This proposed facility is located in West Deer and Indiana Townships, **Allegheny County**.

Description of Proposed Action/Activity: Application for the construction and operation of a sanitary sewage collection and conveyance facility.

WQM Permit No. WQG026120, Deer Creek Drainage Basin Authority, Box 148, Russellton, PA 15076. This proposed facility is located in West Deer and Indiana Townships, **Allegheny County**.

Description of Proposed Action/Activity: Application for the construction and operation of a sanitary sewage collection and conveyance facility.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 16004107, Sewerage, Amendment No. 1, **Emlenton Area Municipal Authority**, P. O. Box 448, Emlenton, PA 16373. This proposed facility is located in Salem Township, **Clarion County**.

Description of Proposed Action/Activity: This project is to rehabilitate two elevated sand mounds into open access sand mounds located at the Lamartine Wastewater Treatment Facility.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

V. Applications for NPDES Wavier Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI011508010	Sher Rockee Mushroom Farms 170 Sher Rockee Lane Lincoln University, PA 19352	Chester	Upper Oxford Township	East Branch Big Elk Creek HQ-TSF-MF
PAI011508011	Charles Knapp/Keith Grant 960 Pottstown Pike Chester Springs, PA 19425	Chester	West Nantmeal Township	UNT East Branch Brandywine Creek HQ-TSF-MF
PAI011508012	TR Moser, Inc. 1171 Lancaster Avenue Suite 201 Berwyn, PA 19312	Chester	Upper Uwchlan and Wallace Townships	Marsh Creek HQ
PAI011508013	United Sports Training Center 1426 Marshallton Thornton Road Downingtown, PA 19355	Chester	West Bradford Township	Beaver Creek TSF, MF Broad Run EV

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Lackawanna County Conservation District: 1300 Old Plank Road, Mayfield, PA 18433, (570) 281-9495.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023508001	Gould Electronics, Inc. 34929 Curtis Boulevard East Lake, OH 44095-4001	Lackawanna	Throop Borough	Sulphur Creek HQ-CWF
PAI023508002	James McDonough Lackawanna County Performing Arts Authority 200 Adams Avenue Scranton, PA 18503	Lackawanna	City of Scranton	Spring Brook CWF, EV Wetlands

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Clinton County Conservation District: 45 Cooperation Lane, Mill Hall, PA 17751, (570) 726-3798.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041808002	Department of Transportation District 2-0 1924 Daisy Street Extension Clearfield, PA 16830	Clinton	Woodward Township	Queens Run HQ

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

**PUBLIC WATER SUPPLY (PWS)
PERMIT**

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Application No. 6408501, Public Water Supply.

Applicant	ARC DAM Frieden, LLC Wayne Township Schuylkill County
Responsible Official	Carl F. Berger, Manager Affordable Residential Communities 102 Frieden Manor Schuylkill Haven, PA 17972-9509
Type of Facility	Community Water System
Consulting Engineer	Clayton E. Bubeck, P. E. RATTEW Associates, Inc. 950 East Main Street Suite 220 Schuylkill Haven, PA 17972
Application Received Date	February 7, 2008
Description of Action	Application for construction of a booster pump station.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0108502, Public Water Supply.

Applicant	East Berlin Area Joint Authority
Municipality	Hamilton Township
County	Adams
Responsible Official	East Berlin Area Joint Authority, Operator 128 Water Street East Berlin, PA 17316
Type of Facility	Public Water Supply
Consulting Engineer	Bruce Hulshizer, P. E. Buchart-Horn, Inc. 445 West Philadelphia Street York, PA 17401-3383
Application Received:	February 4, 2008
Description of Action	Construction of a new subdivision known as the Buttercup Farm subdivision with two wells, disinfection, storage tank and booster pump station.

Permit No. 0108503, Public Water Supply.

Applicant	Gettysburg Municipal Authority
Municipality	Cumberland Township
County	Adams
Responsible Official	Gettysburg Municipal Authority, Manager 601 East Middle Street Gettysburg, PA 17325-3307
Type of Facility	Public Water Supply
Consulting Engineer	Diana Young, P. E. Buchart-Horn, Inc. P. O. Box 15040 York, PA 17405-7040
Application Received:	February 13, 2008
Description of Action	Construction of a new treatment building for Well No. 9 with disinfection, chlorine dioxide and arsenic removal treatment.

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Application No. 2008504, Public Water Supply.

Applicant	Timbercrest Property, LLC
Township or Borough	Vernon Township Crawford County
Responsible Official	Kevin Handlow, Secretary
Consulting Engineer	Dennis A. DeSilvey Creative Environmental Solutions, Inc. 211 Gearhart Road Pulaski, PA 16143
Application Received Date	February 19, 2008
Description of Action	Addition of new groundwater source (Well No. 4).

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Ronald S. Brezinski, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Former UGI Wilkes-Barre/Water Street MGP Site, City of Wilkes-Barre, **Luzerne County**, John Roberts, Jacques Whitford Company, Inc., 450 South Gravers Road, Suite 105, Plymouth Meeting, PA 19462 has submitted a Notice of Intent to Remediate (on behalf of his client, UGI Utilities, Inc., 100 Kachel Boulevard, Suite 400, P. O. Box 12677, Reading, PA 19612-2677), concerning the remediation of site soils and groundwater found or suspected to have been impacted by manufactured gas constituents. The applicant proposes to remediate the site to meet a combination of Statewide Health and Site-Specific Standards. A Summary of the Notice of Intent to Remediate was published in the *Times Leader* on or about February 22, 2008. Future use of the property will remain nonresidential.

Former Hospital Central Services Corporation (HCSC) Property, City of Scranton, **Lackawanna County**, Martin Gilgallon, Pennsylvania Tectonics, Inc., 826 Main Street, Peckville, PA 18452 has submitted a Notice of Intent to Remediate (on behalf of his client, Kelbri Development, LLC, 800 James Street, Second Floor, Scranton, PA 18510), concerning the remediation of site soils found or suspected to have been impacted by volatile and semivolatile organic compounds. The applicant proposes to remediate the site to meet the Residential Statewide Health Standard. The proposed future use of the site will be residential. A summary of the Notice of Intent to Remediate is expected to be published in a local newspaper serving the general area sometime in the near future.

Cranberry Creek Gateway Park Project—Northern Parcel, Hazle Township, **Luzerne County**, Lori Girvan, Barry Isett & Associates, Inc., P. O. Box 2562, Hazleton, PA 18201 has submitted a Notice of Intent to Remediate (on behalf of her client, Can Do, Inc., 1 South Church Street, Suite 200, Hazleton, PA 18201), concerning the remediation of soils found or suspected to have been contaminated with petroleum related compounds as the result of an equipment spillage near the former quarry. The applicant proposes to remediate the site to meet the Residential Statewide Health Standard for soils. A summary of the Notice of Intent to Remediate was published in the *Hazleton Standard-Speaker* on November 1, 2006. A Final Report was simultaneously submitted.

Pleasant Valley School District Operations Facility, Polk Township, **Monroe County**, Dave Fife, Quad Three Group, Inc., 72 Glenmaura National Boulevard, Suite 105, Moosic, PA 18507 has submitted a Notice of Intent to Remediate (on behalf of his client, Mark Meinhart, Pleasant Valley School District, 1 School Lane, Route 115, Brodheads ville, PA 18322), concerning the remediation of soils and groundwater found or suspected to have been impacted by No. 2 fuel oil as a result of an accidental release from an underground storage tank. The applicant proposes to remediate the site to meet the Residential Statewide Health Standard for soils. The proposed future use of the property will be residential.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Small Tube Manufacturing, LLC (d/b/a Small Tube Products), Allegheny Township, **Blair County**, Malcolm Pirnie, Inc., 1603 Carmody Court, Suite 403, Sewickley, PA 15143, on behalf of Wolverine Tube, Inc., 2100 Market

Street NE, Decatur, AL 35609-2202, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with copper. The property is and will remain a copper tube redrawing facility. The applicant is seeking to remediate to the Statewide Health Standard.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

UGI PNG Bloomsburg Former Mfg. Gas Plant (MGP), Town of Bloomsburg, **Columbia County**, UGI Utilities, Inc., P. O. Box 12677, Reading, PA 19612-2677 has submitted a Notice of Intent to Remediate soil and groundwater contaminated with mpg constituents. The applicant proposes to remediate the site to meet the Site-Specific Standard. The site will remain in use as an operations center.

UGI PNG Williamsport Holder/Regulator Station (Rose Street), City of Williamsport, **Lycoming County**, UGI Utilities, Inc., P. O. Box 12677, Reading, PA 19612-2677 has submitted a Notice of Intent to Remediate soil contaminated with lead and benzo(a)pyrene and groundwater contaminated with benzene. The applicant proposes to remediate the site to meet the Site-Specific Standard. The site will remain as a regulator station and gas distribution center.

Danville Former MGP Site, Danville Borough, **Montour County**, PPL Services, Inc., 2 North 9th Street, GENTW17, Allentown, PA 18101-1179 has submitted a Notice of Intent to Remediate soil and groundwater contaminated with polycyclic aromatic hydrocarbons and benzene, toluene, ethylbenzene and xylene. The applicant proposes to remediate the site to meet the Site-Specific Standard. The property will continue to be used as an electrical substation.

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

142 Pennsylvania Avenue Suite, Lower Merion Township, **Montgomery County**. Michael Gonshor, Roux Associates, Inc., 1222 Forest Parkway, Suite 190, West Deptford, NJ 08066 on behalf of Joann Magnatta, Main Line Health Real Estate, LP, 937 Haverford Road, Bryn Mawr, PA 19010 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted by release of No. 2 fuel oil. Proposed future use may be residential and/or nonresidential depending on final redevelopment plans relative to the parcel where rededication was conducted. A summary of the Notice of Intent to Remediate was reported to have been published in *The Main Line Times* on January 31, 2008.

Whitemarsh Township Landfill, Whitemarsh Township, **Montgomery County**. Ed Layton, Blazoksky Associates, Inc., 649 North Lewis Road, Royersford, PA 19468 on behalf of Marc Zaid, Joshua Hill, Inc., 166 East Levering Mill Road, Suite 200, Bala Cynwyd, PA 19004 has submitted a Notice of Intent to Remediate. Groundwater at the site has been impacted with the release of inorganics and leaded gasoline. The future use of the site will remain the same.

Summit Cleaners, Middletown Township, **Bucks County**. Kevin J. Billings, P. E., Property Solutions Incorporated, 323 New Albany Road, Moorestown, NJ 08057 on behalf of Ronald D. Gigliotti, Gigliotti Group, Inc., 1717 Langhorne Newtown Road, Langhorne, PA 19047 has submitted a Notice of Intent to Remediate. Groundwater at the site has been impacted with the release of chlorinated solvents. A summary of the Notice of Intent to Remediate was reported to have been published in the *Buck County Courier Times* on November 8, 2007.

Florence Remington Property, West Bradford Township, **Chester County**. John Zatytczye, Penn Environmental and Remediation, 2755 Bergey Road, Hatfield, PA 19440 on behalf of Jim Schofield, 6 Sheridan Drive, Princeton Junction, NJ 08550 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of inorganics. A summary of the Notice of Intent to Remediate was reported to have been published in the *Daily Local News* on January 30, 2008.

DETERMINATION FOR APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Applications for Determination of Applicability for General Permit received. Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

General Permit Application No. WMGM028SW001. Johnstown Regional Energy, LLC, 80 Clinton Street, Johnstown, PA 15901. Laurel Highlands Landfill, 260 Laurel Ridge Road, Johnstown, PA 15909-4032. Determination of Applicability application requesting coverage under the existing Department of Environmental Protection General Permit No. WMGM028 for medium to high Btu landfill gas processing at a municipal waste landfill in Jackson Township, **Cambria County**, was received in the Regional Office on February 20, 2008.

General Permit Application No. WMGM028SW002. Johnstown Regional Energy, LLC, 80 Clinton Street, Johnstown, PA 15901. Shade Landfill 1176, No. 1 Road, Cairnbrook, PA 15924. Determination of Applicability application requesting coverage under the existing Department of Environmental Protection General Permit No. WMGM028 for medium to high Btu landfill gas processing at a municipal waste landfill in Shade Township, **Somerset County**, was received in the Regional Office on February 20, 2008.

General Permit Application No. WMGM028SW003. Johnstown Regional Energy, LLC, 80 Clinton Street, Johnstown, PA 15901. Southern Alleghenies Landfill, 843 Miller Picking Road, Davidsville, PA 15928. Determination of Applicability application requesting coverage under the existing Department of Environmental Protection (Department) General Permit No. WMGM028 for medium to high Btu landfill gas processing at a municipal waste landfill in Conemaugh Township, **Somerset County**, was received in the Regional Office on February 20, 2008.

Comments concerning the application should be directed to David Eberle, Facilities Manager, Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Persons interested in obtaining more information about the general permit application may contact the Department's Southwest Regional Office at (412) 442-4000. TDD users may contact the Department through the Pennsylvania Relay Service (800) 654-5984. Public comments must be submitted within 30 days of this notice and may recommend revisions to, and approval or denial of the application.

**OPERATE WASTE PROCESSING OR DISPOSAL
AREA OR SITE**

Application Received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

Permit Application No. T-1060 and G-2127. Waste Mgmt. of Pa., Inc., 444 Oxford Valley Road, Langhorne, PA 19047, Falls Township, Borough of Tullytown, **Bucks County**. The operators of GROWS Landfill and Tullytown Resource Recovery Facility Landfill have submitted a request for the one-time disposal of an estimated 510 cubic yards of material related to the removal of the reed beds at the Borough of Royersford's wastewater treatment facility (Royersford). The reed bed material consists of dewatered sewage sludge and reeds that became contaminated with various low activity radioactive materials—primarily cesium-137 and cobalt-60-by receiving radioactive influent from sewer releases made under 10 CFR 20.2003 by UniTech Services Group (formerly known as Interstate Nuclear Services), from approximately 1985-2004. Royersford desires to remove the reed beds in their entirety to make way for a treatment plant expansion.

The Nuclear Regulatory Commission (NRC) has not exercised any regulatory authority over the possession and subsequent routine disposal of Royersford sludge in the past. However, both the NRC and the Department believe that the reed bed material should be assessed before being moved or disposed offsite. To that end, in October 2007, the NRC conducted a dose assessment for workers and the public from residual radioactivity in the dewatered sewage sludge in the reed beds. That assessment found that doses to workers at both Royersford and the disposal facility would not be significant if the sewage sludge is disposed in a permitted landfill. Long-term doses to the public from disposing of the sewage sludge at a permitted waste facility will be a very small fraction of a mrem/year (the NRC's acceptable public dose limit is 100 mrem/year). The conclusion of the NRC assessment is that disposal in a permitted landfill should be pursued as compared to leaving the sludge in place.

Based on the NRC assessment, Royersford proposes to dispose of the reed bed material at either GROWS and/or TRRF Landfill. SERO Waste Management and Radiation Protection Program staff are currently reviewing the disposal request, copies of which have been provided to the Borough of Tullytown, Falls Township and Bucks County Department of Health. Written comments will be accepted at the previous address and must be received within 30 days from the publication date of this notice. A copy of the disposal request may be viewed at the Norristown office of the SERO by calling (484) 250-5910 to schedule a public file review. The application was received by the Southeast Regional Office on January 14, 2008.

AIR QUALITY

**PLAN APPROVAL AND OPERATING PERMIT
APPLICATIONS**

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State

operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Neal Elko, New Source Review Chief, (570) 826-2531.

52-310-012: Springbrook Enterprises, Inc. (504 Well Road, Hawley, PA 18424) for construction of a crushing operation with watersprays at their facility in Blooming Grove Township, **Pike County**.

48-399-057: ESSROC Cement Corp. (Route 248 and Easton Road, Nazareth, PA 18064) for installation of a new storage dome with baghouses at their facility in Lower Nazareth Township, **Northampton County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05115A: Granger Energy of Morgantown, LLC (16980 Wood Road, Lansing, MI 48906) for construction of a landfill gas treatment plant in Caernarvon Township, **Berks County**. The plant will treat the landfill gas being generated by the Conestoga Landfill for shipment by pipeline to other facilities. The plant will be subject to 40 CFR Part 60, Subpart WWW, Standards of Performance for New Stationary Sources and Subpart AAAA, National Emission Standards for HAPs.

07-05035A: Grannas Brothers Stone and Asphalt Co., Inc. (P. O. Box 488, Hollidaysburg, PA 16648) for modification of an existing asphalt plant in Frankstown Township, **Blair County**. The modification involves the firing of waste derived liquid fuel in addition to No. 2 oil. The source is subject to 40 CFR Part 60, Subpart I—Standards of Performance for Hot Mix Asphalt Facilities.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Neal Elko, New Source Review Chief, (570) 826-2531.

48-320-014A: Cadmus Specialty Publications (1991 Northampton Street, Easton, PA 18042-3189) for operation of a four web offset printing press at their facility in Easton, **Northampton County**. VOC emissions from the plant will remain under the 50 tpy threshold. Emissions will be controlled by the use of afterburners. The Department of Environmental Protection will place a condition for the facility to monitor temperature rise across the catalyst. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, M. Gorog and B. Hatch, Environmental Engineer Managers, (412) 442-4163/5226.

26-00569A: Holt and Bugbee—H & B Hardwoods (P. O. Box 37, 1600 Shawsheen Street, Tewksbury, MA 01876) for construction of a wood fired boiler rated at 18.9 mmBtu/hr at their Mt. Braddock facility in North Union Township, **Fayette County**.

Under 25 Pa. Code § 127.44(a), the Department of Environmental Protection (Department) intends to issue a Plan Approval for the construction of a wood fired boiler rated at 18.9 mmBtu/hr at the Holt & Bugbee (H & B) Hardwoods (P. O. Box 37, 1600 Shawsheen Street, Tewksbury, MA 01876) at the Mt. Braddock facility in North Union Township, Fayette County. The boiler is manufactured by AFS Energy Systems (model AFS-400-15-WF). It can be operated 24 hours per day, 7 days per week or approximately 8,760 hours per year. The new boiler is being installed to eliminate the need for sawdust disposal and to provide heat for the kiln drying of lumber.

Copies of the application, the Department's analysis and other documents used in evaluation of the application are available for public inspection during normal business hours at the address listed.

Department of Environmental Protection
400 Waterfront Drive
Pittsburgh, PA 15222

For the Department to assure compliance with all applicable standards, the Department proposes to place the following Special Conditions on the Plan Approval:

1. This Plan Approval is for the construction of a wood fired boiler rated at 18.9 mmBtu/hr at the Holt & Bugbee Hardwoods facility located in North Union Township, Fayette County. The following is a list of equipment that will be added to this facility. (25 Pa. Code § 127.12b)

- One AFS 18.9 mmBtu/hr Boiler.
- A two unit multicclone collector system.

2. The emissions from the 18.9 mmBtu/hr AFS Boiler shall be limited to the following: (25 Pa. Code § 127.12b)

<i>Pollutant</i>	<i>Pounds per mmBtu</i>	<i>Pounds per Hour</i>	<i>Tons per Year</i>
PM	0.25	4.73	24.00
CO		11.36	49.77
NOx		4.17	18.25

1. The owner/operator shall keep monthly records of operational hours and fuel usage for each source at this facility. These records shall be used to calculate NOx, CO and PM emissions for the sources at this facility, and shall be used to determine compliance with annual emission limitations. The records and calculations shall be kept onsite for a period of 5 years and be made available to the Department upon request. (25 Pa. Code § 127.12b)

2. This source is subject to Subpart Dc of the Standards of Performance for New Stationary Sources and shall comply with all applicable requirements of this Subpart 40 CFR 60.4 requires submission of copies of all requests, reports, applications, submittals and other communications to both EPA and the Department. The EPA copies shall be forwarded to:

Director; Air, Toxics and Radiation Division
US EPA, Region III
841 Chestnut Building
Philadelphia, PA 19107

3. This source is subject to 25 Pa. Code §§ 123.1, 123.31 and 123.41 for fugitive, odor and visible emissions, respectively.

4. SO₂ emissions are limited to 4 lbs/mmBtu under 25 Pa. Code § 123.22(a)(1). Compliance with this limit shall be demonstrated through the use of a low sulfur wood fuel.

5. Stack testing shall be conducted to determine the following emission rates from the AFS Boiler stack: PM, CO and NOx (as NO₂). Stack testing shall be performed within 180 days of start-up or within 60 days of achieving maximum normal production rate, whichever comes first. Stack tests shall be conducted in accordance with 25 Pa. Code Chapter 139 regulations and the Department's Source Testing Manual. (25 Pa. Code Chapter 139)

(a) Under 25 Pa. Code § 139.3 to at least 45 calendar days prior to commencing an emissions testing program, a test protocol shall be submitted to the Department for review and approval. The test protocol shall meet all applicable requirements specified in the most current version of the Department's Source Testing Manual.

(b) Under 25 Pa. Code § 139.3 at least 15 calendar days prior to commencing an emission testing program, notification as to the date and time of testing shall be

given to the appropriate Regional Office. Notification shall also be sent to the Division of Source Testing and Monitoring. Notification shall not be made without prior receipt of a protocol acceptance letter from the Department.

(c) Under 25 Pa. Code § 139.53(a)(3) within 15 calendar days after completion of the onsite testing portion of an emission test program, if a complete test report has not yet been submitted, an electronic mail notification shall be sent to the Department's Division of Source Testing and Monitoring indicating the completion date of the onsite testing.

(d) Under 40 CFR Part 60.8(a), 40 CFR Part 61.13(f) and 40 CFR Part 63.7(g) a complete test reports shall be submitted to the Department no later than 60 calendar days after completion of the onsite testing portion of an emission test program. For those tests being conducted under 40 CFR Part 61, the, a complete test report shall be submitted within 31 days after completion of the test

(e) Under 25 Pa. Code § 139.53(b) a complete test report shall include a summary of the emission results on the first page of the report indicating if each pollutant measured is within permitted limits and a statement of compliance or noncompliance with all applicable permit conditions. The summary results will include, at a minimum, the following information:

- A statement that the owner or operator has reviewed the report from the emissions testing body and agrees with the findings.
- Permit numbers and conditions which are the basis for the evaluation.
- Summary of results with respect to each applicable permit condition.
- Statement of compliance or noncompliance with each applicable permit condition.

(f) Under 25 Pa. Code § 139.3 to all submittals shall meet all applicable requirements specified in the most current version of the Department's Source Testing Manual.

(g) All testing shall be performed in accordance with the provisions of 25 Pa. Code Chapter 139.

(h) Under 25 Pa. Code §§ 139.53(a)(1) and 139.53(a)(3) all submittals, besides notifications, shall be accomplished through PSIMS*Online available through www.depgreenport.state.pa.us/ecom/LogIn.jsp when it becomes available. If internet submittal can not be accomplished, three copies of the submittal shall be sent to the Department of Environmental Protection, Bureau of Air Quality, Division of Source Testing and Monitoring, 400 Market Street, 12th Floor, Rachael Carson State Office Building, Harrisburg, PA 17105-8468 with deadlines verified through document postmarks.

(i) The permittee shall ensure all Federal reporting requirements contained in the applicable subpart of 40 CFR are followed, including timelines more stringent than those contained herein. In the event of an inconsistency or any conflicting requirements between State and the Federal, the most stringent provision, term, condition, method or rule shall be used by default.

6. This Plan Approval authorizes temporary operation of the sources covered by this Plan Approval provided the following conditions are met. (Pa. Code 25 § 127.12b)

(i) The Owner/Operator shall submit written Notice of the Completion of Construction and the Operator's intent to commence operation at least 5 days prior to the

completion of construction. The Notice shall state the date when construction will be completed and the date when the Operator expects to commence operation.

(ii) Operation of the sources covered by this Plan Approval is authorized only to facilitate the start-up and shakedown of sources and air cleaning devices, to permit operations pending the issuance of an Operating Permit, and to permit the evaluation of the source for compliance with all applicable regulations and requirements.

(iii) Upon receipt of the Notice of the Completion of Construction from the Owner/Operator the Department shall authorize a 180-day Period of Temporary Operation of the sources from the date of commencement of operation. The Notice submitted by the Owner/Operator, prior to the expiration of this Plan Approval, shall modify the Plan Approval expiration date. The new Plan Approval expiration date shall be 180 days from the date of commencement of operation.

(iv) Upon determination by the Owner/Operator that the sources covered by this Plan Approval are in compliance with all conditions of the Plan Approval the Owner/Operator shall contact the Department's reviewing engineer and schedule the Initial Operating Permit Inspection.

(v) Upon completion of the Initial Operating Permit Inspection and determination by the Department that the sources covered by this Plan Approval are in compliance with all conditions of the Plan Approval, the Owner/Operator shall apply for a new, or amend the existing Operating Permit at least 60 days prior to the expiration date of the Plan Approval. The application shall incorporate the conditions of this Plan Approval into the Operating Permit.

(vi) The Owner/Operator may request an extension of the 180-day Period of Temporary Operation if compliance with all applicable regulations and Plan Approval requirements has not been established. The extension request shall be submitted in writing at least 15 days prior to the end of the Period of Temporary Operation and shall provide a description of the compliance status of the source. The extension request shall include a detailed schedule for establishing compliance and the reasons compliance has not been established. This Period of Temporary Operation may be extended for additional periods, each not to exceed 120-days, by submitting an extension request as described.

Any person wishing to provide the Department with additional information that they believe should be considered prior to the issuance of the Plan Approval may submit the information to the Department at the address shown. A 30-day comment period, from the date of this publication, will exist for the submission of comments. Each written comment must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed Plan Approval (specify the Plan Approval number).
- Concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval. Written comments should be directed to:

Mark A. Wayner, P. E.
Regional Air Quality Program Manager
Commonwealth of Pennsylvania
Department of Environmental Protection
Southwest Region—Field Operation
400 Waterfront Drive
Pittsburgh, PA 15222-4745

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Braun, Chief, (215) 685-9476.

AMS 07193: Ashland Chemical Co., Inc. (2801 South Columbus Boulevard, Philadelphia, PA 19148) for installation of two blending tanks and increased production vinyl ester by 25% (an increase of 11.25 million pounds per rolling 12 month period). There will be a potential emission increase of 1.36 tons for VOCs for the facility. The plan approval will contain operating and recordkeeping requirements to ensure operation within all applicable requirements.

N07-002: General Electric International, Inc.—Philadelphia Service Center (1040 East Erie Avenue, Philadelphia, PA 19124) for repair of industrial transformers, retrofitting and refilling of railroad transformers, large motor repair and rental of energy producing and HVAC equipment in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include three paint booths, rail bay open coating, surface coating operations outside paint booths for a motor generator department, nine PM sources, eight combustion units each rated at less than 2 mmBtu/hr and two cold cleaning degreaser. The facility's air emission control devices include two dust collectors, a cyclone and surface coating filters for PM capture.

The operating permit will be issued under the 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the previous operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least 30 days before the hearing.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

26-00413: Texas Eastern Transmission Corp. (P. O. Box 1642, Houston, TX 77251-1642) for their Uniontown Compressor Station in North Union Township, **Fayette County**. The facility's major sources include various compressor engines, generators and turbines which emit major quantities of NOx.

65-00839: Texas Eastern Transmission, LP (P. O. Box 1642, Houston, TX 77251-1642) for their Delmont Compressor Station in Salem Township, **Westmoreland County**. The facility's major source of emissions include various sources of natural gas combustion which includes internal combustion engines, turbines and emergency generators which emit major quantities of NOx.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

09-00120: BASF Construction Chemicals, LLC (6450 Bristol Pike, Bristol, PA 19007) for operation of three dust collectors associated with mixing/packing lines in Bristol Township, **Bucks County**. This action is a renewal of the original State-only Operating Permit (Natural Minor), which was issued on April 21, 2003. The proposed renewal will also incorporate conditions from the previously issued Plan Approvals, No. 09-0120 and 09-0120A. The renewal contains conditions including monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

07-05033: Grannas Brothers Stone & Asphalt Co., Inc. (P. O. Box 488, Hollidaysburg, PA 16648) for operation of a limestone crushing plant and asphalt plant in Catharine Township, **Blair County**. Facility emissions of VOCs will be limited to less than 50 tpy and HAPs emissions are limited to less than 10 tpy for any single HAP or 25 tpy for any combination of HAPs. The State-only facility wide operating permit will contain emission limits along with monitoring, recordkeeping and reporting conditions to ensure the facility complies with the applicable air quality requirements. A portion of the limestone crushing equipment is subject to 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants. The asphalt plant and associated equipment is subject to 40 CFR Part 60, Subpart I—Standards of Performance for Hot Mix Asphalt Facilities.

31-03002: New Enterprise Stone & Lime Company, Inc. (P. O. Box 77, New Enterprise, PA 16664-0077) for operation of a limestone crushing plant in Spruce Creek Township, **Huntingdon County**. The State-only facility wide operating permit will contain emission limits along with monitoring, recordkeeping and reporting conditions to ensure the facility complies with the applicable air quality requirements. A portion of the limestone crushing equipment is subject to 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

31-03004: New Enterprise Stone & Lime Company, Inc. (P. O. Box 77, New Enterprise, PA 16664-0077) for operation of a limestone crushing plant and a concrete plant in Warriors Mark Township, **Huntingdon County**. The State-only facility wide operating permit will contain emission limits along with monitoring, recordkeeping and reporting conditions to ensure the facility complies with the applicable air quality requirements. A portion of the limestone crushing equipment is subject to 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

14-00030: Wetzler Funeral Services (206 North Spring Street, Bellefonte, PA 16823-1506) for their facility in Bellefonte Borough, **Centre County**. The facility's

main sources include one natural gas-fired cremator incinerator. The facility has the potential to emit SO_x, NO_x, CO, PM/PM₁₀, VOCs and HAPs below the major emission thresholds. The proposed operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

19-00020: Kawneer Co., Inc. (500 East 12th Street, Bloomsburg, PA 17815) for renewal of a State-only operating permit for operation of an aluminum architectural products manufacturing facility in the Town of Bloomsburg, **Columbia County**.

The facility incorporates a surface coating operation, 48 natural gas-fired combustion units (with a total combined heat input of 36.26 mmBtu/hr), a paint burnoff oven, three pretreat tanks, an eight mmBtu/hr natural gas-fired aluminum billet preheat furnace, six anodizing tanks, a 12 kilowatt propane-fired generator, various water treatment tanks and a solvent parts washer. The VOC/VHAP emissions from the surface coating operation are controlled by a regenerative thermal oxidizer.

The facility has the potential to emit up to 24.5 tons of NO_x, 17.2 tons of VOCs, 9.999 tons of any single HAP, 16.3 tons of all HAPs combined, 10.4 tons of CO, 2.0 tons of PM/PM₁₀ and .1 ton of SO_x per year.

The Department of Environmental Protection (Department) proposes to renew State-only Operating Permit 19-00020. The Department intends to incorporate into this renewal all conditions currently contained in State-only Operating Permit 19-00020 with these exceptions, changes and additions:

1. A condition requiring the performance of Method 24 VOC analyses of each coating, adhesive and solvent used at the facility has been removed from the permit as Method 24 results do not necessarily accurately reflect the true VOC content of all coatings, adhesives and solvents and the permittee is otherwise required to maintain records of the VOC content of all the materials.

2. Conditions requiring the performance of weekly inspections of the facility for the presence of excessive visible air contaminant emissions, excessive visible fugitive air contaminant emissions and excess malodorous air contaminant emissions, and the maintenance of records of these inspections, have been removed from the permit as the facility does not contain the types of sources that are likely to produce excessive visible air contaminant emissions and excessive visible fugitive air contaminant emissions and has no history of producing excessive malodorous air contaminant emissions.

3. Conditions requiring the maintenance, and periodic reporting, of records of "the supporting calculations . . . used to verify compliance with" facility-wide emission limitations have been revised to both expand the list of limitations for which records are to be maintained and recorded and to clarify the specific information which must be recorded and reported.

4. A condition requiring malfunctions to be reported to the Department has been modified to exclude the reporting of malfunctions which do not result in, or potentially result in, air contaminant emissions in excess of an applicable air contaminant emission limitation and/or do not result in, or potentially result in, noncompliance with any operating permit condition.

5. 41 small natural gas-fired combustion units (with a total combined heat input of 7.26 mmBtu/hr) have been added to the permit along with a condition specifying the applicable 25 Pa. Code § 123.22 SO_x emission limitation

and a condition limiting the fuel used in the respective combustion units to natural gas.

6. Conditions have been added to the permit requiring the performance of VOC capture efficiency testing and regenerative thermal oxidizer VOC destruction efficiency testing by no later than November 1, 2008, and approximately every 3 years thereafter, while the surface coating operation is operating at a minimum VOC generation rate and also while it is operating at a maximum VOC generation rate.

7. A condition requiring the recording of at least one paint burnoff oven secondary chamber temperature reading per day has been removed from the permit as the paint burnoff oven is required to have a continuous secondary chamber temperature monitoring and recording system.

8. Conditions requiring the paint burnoff oven to be operated in a manner consistent with good operating and maintenance practices and in accordance with the manufacturer's specifications have been removed from the permit as the respective requirements are too vague to be enforceable on a practical basis.

9. A 12 kilowatt propane-fired generator has been added to the permit along with conditions specifying the applicable 25 Pa. Code § 123.13 PM emission limitation and 25 Pa. Code § 123.21 SO_x emission limitation and a condition limiting the fuel used in the generator to propane.

10. Conditions requiring the maintenance, and periodic reporting, of records of "the supporting calculations . . . used to verify compliance with" the 14.8 ton per 12-consecutive month period VOC surface coating operation emission limitation have been revised to clarify the specific information which must be recorded and reported.

11. Conditions addressing the applicable 25 Pa. Code § 129.63 requirements for a solvent parts washer have been revised to clarify the specific requirements.

12. Various conditions previously located in Section C (Site Level Requirements) of the permit have been moved to Section D (Source Level Requirements).

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

56-00153: Somerset Community Hospital (225 South Center Avenue, Somerset, PA 15501) for operation of Boilers at Somerset Hospital in Somerset Borough, **Somerset County**. This is a SOOP renewal.

11-00003: Westmont Hilltop School District (827 Diamond Boulevard, Johnstown, PA 15905) for operation of two-tri-fuel boilers at Goucher Street Elementary School in Westmont Borough, **Cambria County**. This is a SOOP renewal.

11-00242: Westmont Hilltop School District (827 Diamond Boulevard, Johnstown, PA 15905) for operation of two tri-fuel boilers at the High School in Upper Yoder Township, **Cambria County**. This is a SOOP renewal.

65-00621: Kennametal—Kingston Plant (P. O. Box 231, Latrobe, PA 15650) for processing of tungsten products through furnaces and captured by baghouses as product collectors. The facility mostly operates electric furnaces with a few smaller gas fired furnaces. Emissions from this facility shall not exceed 100 tons of SO₂, 100 tons of NO_x, 100 tons of PM₁₀, 50 tons of VOCs, 10 tons

of a single HAP and/or 25 tons of all HAP's combined. Facility is located in Derry Township, **Westmoreland County**.

04-00693: Littell Steel (P. O. Box 298, New Brighton, PA 15066) operates a shot blast operation, surface coating, steel cutting, fabrication, sand blasting and associated control device equipment (baghouses). Emissions from this facility shall not exceed 100 tons of SO₂, 100 tons of NO_x, 100 tons of PM₁₀, 50 tons of VOCs, 10 tons of a single HAP and/or 25 tons of all HAP's combined. This facility is located in Bridgewater Borough, **Beaver County**.

63-00400: Hansen Engineering, Inc. (167 Laidley's Run Road, West Alexander, PA 15376) for operation of a small scale calcining, recovery and/or drying of various metal sludges and wastes (primarily nickel, tungsten and molybdenum) in West Finley Municipality, **Washington County**. Emissions from this facility shall not exceed 100 tons of SO₂, 100 tons of NO_x, 100 tons of PM₁₀, 50 tons of VOCs, 10 tons of a single HAP and/or 25 tons of all HAP's combined.

04-00065: Whemco-Steel Castings, Inc.—Midland (1 12th Street, Midland, PA 15059) for operation consists of an electric arc furnace, two coreless induction furnaces, heat-treating activities, shot blasting operations and scrap burning located in Midland Municipality, **Beaver County**. Emissions from this facility shall not exceed 100 tons of SO₂, 100 tons of NO_x, 100 tons of PM₁₀, 50 tons of VOCs, 10 tons of a single HAP and/or 25 tons of all HAP's combined.

**COAL AND NONCOAL MINING
ACTIVITY APPLICATIONS**

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an applica-

tion is available for inspection at the district mining office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the district mining office indicated before an application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH ¹		greater than 6.0; less than 9.0	
Alkalinity greater than acidity ¹			

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 mg/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56920106 and NPDES No. PA0599557. Sherpa Mining Contractors, Inc., 337 Benny Road, Hooversville, PA 15936, permit renewal for the continued operation and restoration of a bituminous surface mine in Shade Township, **Somerset County**, affecting 276.0 acres. Receiving streams: UNT Hinson Run, UNT Shade Creek and UNT Stony Creek classified for the following use: CWF. The first downstream potable water supply intake from the point of discharge is Cambria Somerset Authority Stonycreek SWI. Application received February 8, 2008.

56910103 and NPDES No. PA0599247. Barbuschak Excavating, 132 Algonquin Path, Stoystown, PA 15563, permit renewal for reclamation only of a bituminous surface mine in Shade Township, **Somerset County**, affecting 19.8 acres. Receiving streams: UNTs to and Miller Run classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received February 14, 2008.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

26080102 and NPDES Permit No. 0251321. Patterson Coal Company (20 Elizabeth Drive, Smithfield, PA 15478). Application for commencement, operation and reclamation to a bituminous surface mine, located in German Township, **Fayette County**, affecting 41.3 acres. Receiving stream: North Branch Browns Run, classified for the following use: WWF. The potable water

supply that has intakes within 10 miles downstream from the point of discharge Carmichaels Municipal Authority. Application received February 13, 2008.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

61970101 and NPDES Permit No. PA0227358. Ben Hal Mining Company (389 Irishtown Road, Grove City, PA 16127). Revision to an existing bituminous surface strip, limestone and shale removal operation in Irwin Township, **Venango County** affecting 71.5 acres. Receiving streams: Four UNTs to Scrubgrass Creek, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Revision to add 5.0 acres to surface mining permit. Application received February 25, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

54-305-007GP12. Stoudt's Ferry Preparation Co., Inc., (P. O. Box 279, St. Clair, PA 17970), application to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 on existing Surface Mining Permit No. 54020201 in Mahanoy Township, **Schuylkill County**. Application received February 15, 2008.

54930102T4. Rausch Creek Land, LP, (918 Gap Street, Valley View, PA 17983), transfer of an existing anthracite surface mine operation from Harriman Coal Corp. in Porter Township, **Schuylkill County** affecting 462.0 acres, receiving stream: none. Application received February 20, 2008.

Noncoal Applications Received

Effluent Limits—The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 mg/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

Permit No. 4275SM14T and NPDES Permit No. PA0124532, New Enterprise Stone & Lime Company, Inc., P. O. Box 77, Church Street, New Enterprise, PA 16664, renewal of NPDES permit, Warriors Mark and Snyder Townships, **Huntingdon and Blair Counties**. Receiving streams: Logan Spring Run; UNT to Little Juniata River; to Little Juniata River. There are no potable water supply intakes within 10 miles downstream. NPDES renewal application received February 20, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

7175SM1A1C11 and NPDES Permit No. PA0613827. Pennsy Supply, Inc., (P. O. Box 3331, Harrisburg, PA 17105), correction to an existing quarry operation to increase the NPDES Discharge rate in South Hanover Township, **Dauphin County**, receiving stream: Swatara Creek, classified for the following use: WWF. Application received February 15, 2008.

74740303A4C7 and NPDES Permit No. PA0594334. Eastern Industries, Inc., (4401 Camp Meeting Road, Center Valley, PA 18034), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Lower Mt. Bethel Township, **Northampton County**, receiving stream: Delaware River, classified for the following uses: WWF and MF. Application received February 19, 2008.

8073SM2A1C6 and NPDES Permit No. PA0595519. **Glasgow, Inc.**, (P. O. Box 1089, Glenside, PA 19038), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Upper Merion Township, **Montgomery County**, receiving stream: UNT to Schuylkill River, classified for the following use: WWF. Application received February 20, 2008.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

E46-1024. Hatfield Quality Meats, Inc., 2700 Clemens Road, P. O. Box 902, Hatfield, PA 19440, Hatfield Township, **Montgomery County**, ACOE Philadelphia District.

To construct and maintain a 340-foot long extension to an existing 54-inch diameter RCP stream enclosure at the upstream end across a UNT to Skippack Creek (TSF) associated with the proposed building addition and the access roadway. The project is located along Clemens

Road and southwest of the intersection of Fairgrounds Road and Clemens Roads (Telford, PA Quadrangle N: 4.0 inches; W: 9.5 inches).

E51-225. Philadelphia Water Department, 1101 Market Street, 2nd Floor, Philadelphia City, **Philadelphia County**, ACOE Philadelphia District.

To perform the following Water obstruction and encroachment activities associated with St. Martins Bridge Replacement Project across/along Cresheim Creek (TSF) located in the Fairmount Park:

1. To replace an existing dilapidated single span stone arch bridge, and to construct and maintain, in its place, a 100-foot long single span pedestrian bridge with approximately 7.5-foot width, and 15-foot underclearance. This work also includes construction and maintenance of a stormwater outfall channel, and placement of fill in the floodplain associated with the grading for the approach pathways.

2. To construct and maintain three in-stream grade control rock vanes at specific locations along the profile of the stream to facilitate a natural stream regime.

3. To relocate an existing 12 inch sanitary sewer pipe to the proposed bridge superstructure.

4. To relocate an existing exposed encased 20 inch water main in the stream bed.

The site is located approximately 863 feet south of the intersection of Cherokee and Telner Streets (Germantown, PA Quadrangle N: 10.13 inches; W: 10.91 inches).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E35-414. Alliance Sanitary Landfill, Inc., 398 South Keyser Avenue, Taylor, PA 18517, in Taylor Borough, **Lackawanna County**, United States Army Corps of Engineers, Baltimore District.

To excavate 0.18 acre of wetlands for the purpose of constructing a stormwater management basin associated with the proposed area 2 expansion project of the Alliance Sanitary Landfill. The project is located on the north side of SR 3011 (Keyser Avenue) at its intersection with I-476 (Scranton, PA Quadrangle N: 3.5 inches; W: 15.0 inches).

E66-138. Bowman Creek Watershed Association, P. O. Box 236, Noxen, PA 18636, in Noxen Township, **Wyoming County**, United States Army Corps of Engineers, Baltimore District.

To construct and maintain a 1,800 foot long stream channel restoration project in Bowman Creek (HQ-CWF) consisting of the following work: bankfull benches, rock j-hook vanes, log vanes, streambank restoration and re-establishing the width and alignment of the historical stream channel. Seven log vanes and a bankfull bench were previously authorized by Emergency Permit No. EP66064160 on November 14, 2006, for the purpose of stabilizing the streambanks along the upper limits of the work area. The project begins 250 feet downstream from the SR 0029 bridge and extends downstream to a point just past the confluence of Beaver Creek (Noxen, PA Quadrangle N: 7.9 inches; W: 6.5 inches).

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E36-836: West Cocalico Township/Strickler/Greenville Roads: Norma Enck, 156B West Main Street, P. O. Box 244, Reinholds, PA 17569, ACOE Baltimore District.

To remove 40.0 feet of 15.0-inch diameter SLCPP, 35.0 feet in length of 18.0-inch diameter SLCPP, and to construct and maintain 195.0 feet in length of 18.0-inch SLCPP and 30.0 feet in length of 19.0-inch by 30.0-inch RCP for the purpose of relocating 205.0 feet of a UNT to Cocalico Creek (WWF) located at the intersection of Greenville and Strickler Roads (Womelsdorf, PA Quadrangle N: 22.67 inches; W: 3.52 inches, Latitude: 40° 15' 1.7" N; Longitude: 76° 9' 1.3" W) in West Cocalico Township, Lancaster County.

E22-531: Greater Zion Missionary Baptist Church, Sharon Bass, 212 North Progress Avenue, Harrisburg, PA 17109, Susquehanna Township, **Dauphin County**, ACOE Baltimore District.

To replace 6.0 feet of 72.0-inch CMP and to extend the 72.0 inch CMP by an overall length of 60.0 feet in a UNT to Paxton Creek (WWF), and to provide bank stabilization to alleviate slope and building foundation degradation. The project is located at 212 North Progress Avenue (Harrisburg East, PA Quadrangle N: 7.1 inches; W: 13.1 inches, Latitude: 40° 17' 19"; Longitude: 76° 50' 38") in Susquehanna Township, Dauphin County.

E22-524: Leslie D. Jacobson, Crown Realty Trust Company, 8150 Derry Street, Harrisburg, PA 17111, Lower Paxton Township, **Dauphin County**, ACOE Baltimore District.

To construct and maintain a 6.0-foot high by 16.0-foot wide by 95.0-foot long open bottom concrete con-span arch bridge over a UNT to Beaver Creek (WWF) to provide access to a proposed residential development. The project is located at the east end of Lancer Drive (Harrisburg East, PA Quadrangle N: 7.63 inches; W: 9.19 inches, Latitude 40° 18' 1.37"; Longitude: 76° 48' 12.28") in Lower Paxton Township, Dauphin County. No wetlands will be impacted by this project.

E67-831: Silver Fox Partners, LLC, 447 Granite Run Drive, Lancaster, PA 17601, Silver Fox Estates, Fairview Township, **York County**, ACOE Baltimore District.

To construct and maintain: 1) a 61.92-foot long, 84.0-inch diameter CMP and associated utilities in a UNT to Yellow Breeches Creek (CWF) and associated PEM/PFO wetlands; 2) a 99.70-foot long, 72.0-inch diameter CMP and associated utilities in a UNT to Yellow Breeches Creek (CWF) and associated PFO wetlands; 3) a 62.32-foot long, 48.0-inch diameter SLCPP and associated utilities in a UNT to Yellow Breeches Creek (CWF); and 4) four stormwater management outfall structures to a UNT to Yellow Breeches Creek (CWF), for the purpose of constructing a 50-lot residential subdivision. The project is located south of Highland Drive and north of Sidonsburg Road, west of their intersections with Moores Mountain Road in Fairview Township, York County (Lemoyne, PA Quadrangle N: 3.6 inches; W: 5.1 inches, Latitude: 40° 08' 34.71"; Longitude: 76° 54' 43.11"). The project will impact a total of 635.0 linear feet of stream channel, 0.049 acre of PEM wetland and 0.045 acre of PFO wetland. The permittee is required to provide 0.139 acre of replacement wetlands and is proposing 0.150 acre of onsite mitigation.

E67-843: PPL Generation, LLC, 2 North Ninth Street, Allentown, PA 18101, York Haven Bypass Road, Newberry Township, **York County**, ACOE Baltimore District.

To construct and maintain a 4,000.0-foot long bypass road which will cross three UNTs to the Susquehanna River (WWF), 0.021 acre of PEM/PFO wetland, 0.21 acre of PSS/PFO wetland and 0.053 acre of PEM wetland for

the purpose of alleviating truck traffic through the Borough of York Haven, PA. The project is located north of PA SR 382 in Newberry Township, York County (York Haven, PA Quadrangle N: 21.19 inches; W: 15.14 inches, Latitude: 40° 07' 00"; Longitude: 76° 44' 00"). The project impacts a total of 307.0 linear feet of stream channel and 0.284 acre of wetland. The permittee is required to provide a minimum of 0.451 acre of replacements wetlands which will be located onsite.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E60-186. East Buffalo Township Supervisors, 589 Fairground Road, Lewisburg, PA 17837. Improvements to Municipal Facilities in East Buffalo Township, **Union County**, ACOE Baltimore District (Lewisburg, PA Quadrangle N: 15.67 inches; W: 4.46 inches).

1) 0.02 acre for basin outfall = 20 linear feet 18-inch HDPE pipe, 53 square yard of geomembrane, concrete endwall; 2) 2.21 acre total for: Swales 2 to 5, a 5.78 acre basin with 2,272 cubic yard net excavation, driveway across from St. Mary's Street being repositioned, 200 square feet of maintenance building foundation reconstruction, remove existing stock piles and grade 2,500 square feet area to drain towards Swale 5; 3) 0.02 acre = 5 linear feet of a 24-inch HDPE pipe with concrete endwall for storm drain outlet to Swale 2; 4) 0.02 ac = 24-inch HDPE culvert with concrete headwalls and endwall for new driveway across from St. Mary's Street; 5) area 0.02 ac = 200 square feet corner of the maintenance building as part of foundation reconstruction to 463.0 ft elevation.

E60-187. Lewisburg Area Recreation Authority, 629 Fairground Road, Lewisburg, PA 17837-8885. Saint Mary Street Park, in Lewisburg Borough, **Union County**, ACOE Baltimore District (Lewisburg, PA Quadrangle N: 16.1 inches; W: 3.3 inches).

To construct and maintain: 1) sloping of the stream bank; 2) live staking; 3) installation of turf reinforcement matting with vegetation; 4) installation of soil filled and vegetated rip-rap; 5) fill existing rip-rap with soil and seed with riparian mix; 6) installation of Gabion baskets filled with rip-rap; 7) log deflector vanes; and 8) wild-flower seed mix will also be placed in various areas. Projected area of impact is 0.94 acre with approximately 540 cubic yards of excavation and minimal backfill in Limestone Run, which is classified as a WWF.

E60-188. William C. Walling, 461 County Road, Lewisburg, PA 17837. Walling Driveway, in Union Township, **Union County**, ACOE Baltimore District (Lewisburg, PA Quadrangle N: 4.62 inches; W: 5.52 inches).

To construct and maintain a 42-inch diameter 25-foot long smooth bore corrugated plastic pipe with shale cover, 22-foot wide shale approaches, and concrete masonry end walls to provide a shale driveway over an unnamed intermittent tributary to Winfield Creek, located 1.2 miles north on Stein Lane from SR 304. This project proposes to impact 25 linear feet of a UNT intermittent tributary to Winfield Creek, which is classified as a WWF.

E60-190. Buffalo Creek Watershed Alliance, P. O. Box 501, Lewisburg, PA 17837. Water Obstruction and Encroachment Joint Permit Application, in Hartley Township, **Union County**, ACOE Susquehanna River Basin District (Hartleton, PA Quadrangle N: 40° 56' 22"; W: 77° 13' 43").

To construct and maintain an 8" PVC intake, a concrete weir measuring 25 feet wide and 2.9 feet high and R-3 lined outfall swale into Buffalo Creek. This project proposes to have a minimal impact on Buffalo Creek, which is designated a HQ-CWF and does not propose to impact any jurisdictional wetlands.

E14-487. Robert S. McGrail-Peasley, 2045 Runville Road, Bellefonte, PA 16823, Berm/bridge/culvert, in Boggs Township, **Centre County**, ACOE Baltimore District (Bellefonte, PA Quadrangle N: 21.07 inches; W: 13.35 inches).

To construct and maintain: 1) 340 foot long by 2 foot wide by 2 foot high earthen berm on the top of the right bank of a UNT to Wild Cat Run for the purpose of protecting an earthen road from flood waters; 2) a wooden pedestrian bridge with a 19-foot clear span and 4-foot underclearance across Wild Cat Run for private use; 3) a 24-inch diameter HDPE culvert with a rock headwall to make a new road crossing near the upstream limit of the earthen berm, located 3,100 feet upstream of the intersection of Gum Stump and Runville Roads (SR 144) (Bellefonte, PA Quadrangle N: 21.07 inches; W: 13.35 inches) in Boggs Township, Centre County. This project proposes to impact 340 linear feet of the UNT to Wild Cat Run and 5 linear feet of Wild Cat Run that are tributaries to Wallace Run, which is classified as a HQ-CWF and proposes no wetland impacts.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1573. Premier Marine Salvage, LLC, 1290 Maple Street, Crescent, PA 15046. To operate and maintain a mooring facility in Neville Township, **Allegheny County**, Pittsburgh ACOE District. (Emsworth, PA Quadrangle N: 2.1 inches; W: 16.6 inches, Latitude: 40° 30'

42"; Longitude: 80° 07' 10"). The applicant proposes to operate and maintain the existing barge mooring facility approximately 900 feet in length and 130 feet wide and the existing ramp in the channel and along the left bank of the Ohio River (WWF) located approximately 8,800.0 feet downstream from the Emsworth Dam.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

EA01-007: Gettysburg National Military Park, 105 Taneytown Road, Gettysburg, PA 17325 in Cumberland Township, **Adams County**, ACOE Baltimore District.

To construct and maintain a 6.0-inch waterline in and across Plum Creek (WWF) (Gettysburg, PA Quadrangle Latitude: 39° 48' 60"; Longitude: 77° 14' 30") for the purpose of providing service and fire protection to historical buildings south of United States Avenue, 0.42 mile east of Plum Creek's intersection with US Highway 15 in Cumberland Township, Adams County.

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

D42-010EA. Bradford City Water Authority, 28 Kennedy Street, Bradford, PA 16701-2006. Bradford Township, **McKean County**, ACOE Pittsburgh District.

Project proposes to remove approximately 8 acres of accumulated silts and sediments from the reservoir impounded by the Bradford City No. 3 Dam for the purpose of maintenance. The project proposes to construct two temporary road crossings that will impact approximately 20 feet of stream channel. The dam is located across Marilla Brook (HQ-CWF) approximately 5 miles west of the intersection of US 219 and SR 346 (Bradford, PA Quadrangle Latitude: 41° 57' 12"; Longitude: 78° 44' 25").

ACTIONS

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE
ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY
MANAGEMENT (WQM) PERMITS**

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Section I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0044920 (Industrial Waste)	Lehighon Electronics, Inc. P. O. Box 328 208 Memorial Drive Lehighon, PA 18235-0328	Mahoning Township Carbon County	Mahoning Creek 02B	Y
PA0060721	Pocono Plateau Camp and Retreat Center R. R. 2 Box 2747 Pocono Plateau Road Cresco, PA 18326-9404	Barrett Township Monroe County	Taylor Creek 01C	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0008893 (IW)	Team Ten, LLC 1600 Pennsylvania Avenue Tyrone, PA 16686	Blair County Tyrone Borough	Bald Eagle Creek 11-A	Y
PA0088617 (Sew)	Bratton Township Mifflin County 133 Mountain Lane McVeytown, PA 17051	Mifflin County Bratton Township	Carlisle Run 12-A	Y
PA0026972 (Sew)	Exeter Township Berks County Authority 4975 DeMoss Road Reading, PA 19606	Berks County Exeter Township	Schuylkill River 3-D	N

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed#)</i>	<i>EPA Waived Y/N ?</i>
PA0112119 (Nonmunicipal)	All American Travel Plazas, Inc. P. O. Box 302 Bethel, PA 19507	Northumberland County Turbot Township	Limestone Run 10D	Y
PA0112810 (Nonmunicipal)	Kipps Run MHP 46 Stacey Road Barto, PA 19504	Northumberland County Riverside Borough	Kipps Run 5E	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0094315 Sewage	Thomas I. Wiles 110 Sandy Creek Road Verona, PA 15147-1728	Allegheny County Municipality of Penn Hills	Sandy Creek	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0238911	Titusville Dairy Products Co. 217 South Washington Street P. O. Box 186 Titusville, PA 16354-0186	Titusville City Crawford County	Oil Creek 16-E	Y
PA0239631— Minor Amendment No. 1	Monroe Township 17956 Route 68 Sligo, PA 16255	Monroe Township Clarion County	Brush Run 17-B	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No. PA0013021, Industrial Waste, **PQ Corporation**, 1200 West Swedesford Road, Berwyn, PA 19482. This proposed facility is located in City of Chester, **Delaware County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge industrial wastewater and stormwater from their Chester Plant into the Delaware River, Zone 4 in Watershed 3G.

NPDES Permit No. PA0013714, Industrial Waste, **Exelon Generation Company**, 300 Exelon Way, Kennett Square, PA 19348. This proposed facility is located in Eddystone Borough, **Delaware County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge treated industrial wastewater, noncontact cooling water into the Delaware River Estuary Zone 4 and Crum Creek in Watershed 3G.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

NPDES Permit No. PA-0026921, Sewage, **Greater Hazleton Joint Sewer Authority**, P. O. Box 651, Valmont Industrial Park, West Hazleton, PA 18201-0651. This proposed facility is located in West Hazleton Borough, **Luzerne County**.

Description of Proposed Action: Issuance of NPDES Permit to discharge 8.9 mgd of treated sewage.

NPDES Permit No. PA0026107, Sewage, **Wyoming Valley Sanitary Authority**, P. O. Box 33A, Wilkes-Barre, PA 18703. This proposed facility is located in Hanover Township, **Luzerne County**.

Description of Proposed Action/Activity: Issuance of NPDES Permit to discharge 32 mgd of treated sewage.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0021067, Sewage, **Mount Joy Borough Authority**, 21 East Main Street, Mount Joy, PA 17552. This proposed facility is located in East Donegal Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization to discharge to Little Chickies Creek in Watershed 7-G.

NPDES Permit No. PA0020664, Sewage, **Middletown Borough Authority**, 60 West Emaus Street, Middletown, PA 17057-1499. This proposed facility is located in Middletown Borough, **Dauphin County**.

Description of Proposed Action/Activity: Authorization to discharge to Susquehanna River in Watershed 7-C.

NPDES Permit No. PA0021067, Sewage, **Mount Joy Borough Authority**, 21 East Main Street, Mount Joy, PA 17552. This proposed facility is located in East Donegal Township, **Lancaster County**.

Description of Proposed Action/Activity: Authorization to discharge to Little Chickies Creek in Watershed 7-G.

NPDES Permit No. PA0027316, Sewage, **City of Lebanon Authority**, 2311 Ridgeview Road, Lebanon, PA 17042. This proposed facility is located in North Cornwall Township, **Lebanon County**.

Description of Proposed Action/Activity: Authorization to discharge to Quittapahilla Creek in Watershed 7-D.

Northcentral Regional Office: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-0530.

NPDES Permit No. PA0229172, Industrial Wastewater (SIC code 4941), **Duncan Township Municipal Water Authority**, R. R. 1, Box 55, Wellsboro, PA 16901. This facility is located in Duncan Township, **Tioga County**.

Description of Action/Activity: The activity is for the issuance of an NPDES permit authorizing the discharge of treated industrial wastewater from a greensand water filtration plant to a UNT to Wilson Creek in Duncan Township, Tioga County. This receiving stream is classified for CWF, aquatic life, water supply and recreation.

For the purpose of evaluating effluent requirements for Total Dissolved Solids, NO₂-NO₃ (Nitrate-Nitrite), Fluoride, Phenolics, Sulfates and Chlorides, the existing downstream potable water supply considered during the evaluation is near Jersey Shore, PA, located approximately 50 river miles downstream from the discharge.

The effluent limits for Discharge (numbered) 001, based on a design flow of 0.0067 mgd are:

Discharge Parameter	In (mg/l)			
	Monthly Average	Weekly Average	Daily Maximum	Instantaneous Maximum
Total Suspended Solids	30		60	
Iron (total)	1.50		3.00	
Aluminum (total)	0.75		1.50	
Manganese (total)	1.00		2.00	
pH		6 to 9 between all times		
Total Residual Chlorine	0.5			

The above effluent limitations were established at the Water Quality Criteria levels described in a Total Daily Maximum Load Report conducted by the Department of Environmental Protection on the Babbs Creek Watershed. In addition to the effluent limits, the applicant will be required to monitor and sample the outfall and submit monthly Discharge Monitoring Reports.

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0102652, Sewerage, **GCP Countryside, LP**, 560 Oakwood Avenue, No. 100, Lake Forest, IL 60014. This existing facility is located in McKean Township, **Erie County**.

Description of Proposed Action/Activity: A new NPDES permit for an existing discharge of treated sewage from a sewage treatment plant serving the Countryside Manufactured Home Community.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. 460429, Sewerage, **Amendment, Whitemarsh Township Sewer Authority**, 616 Germantown Pike, Lafayette Hill, PA 19444-1821. This proposed facility is located in Whitemarsh Township, **Montgomery County**.

Description of Action/Activity: Modify existing pump stations to prevent surcharges during wet weather events.

WQM Permit No. WQG02460801, Sewerage, **Lower Salford Township Authority**, P. O. Box 243, 57 Main Street, Mainland, PA 19451. This proposed facility is located in Lower Salford Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a low pressure system consisting of four grinder pump units and a common force main.

WQM Permit No. WQG02230732, Sewerage, **White Horse Village**, 535 Gradyville Road, Newtown Square, PA 19073. This proposed facility is located in Edgmont Township, **Delaware County**.

Description of Action/Activity: Construction and operation of a pump station to serve and expansion of an existing assisted living facility.

WQM Permit No. 1596417, Sewerage, **Renewal, New Garden Township Sewer Authority**, 299 Starr Road, Landenberg, PA 19350. This proposed facility is located in New Garden Township, **Chester County**.

Description of Action/Activity: Renewal of existing wastewater treatment plant.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI010907013	Jacob M. Blough, Jr. 1715 Canary Road Quakertown, PA 18951	Bucks	Milford Township	Tributary Unami Creek HQ-TSF
PAI010907023	Marc Solt 2519 Camp Rock Hill Road Quakertown, PA 18951	Bucks	Milford Township	Unami Creek HQ-TSF
PAI011507006	Upper Uwchlan Township 140 Pottstown Pike Chester Springs, PA 19425	Chester	Upper Uwchlan Township	Pickering Creek HQ-TSF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI036706001	The Seasons 2645 Carnegie Road York, PA 17402	York	Dover Township	Fox Run TSF
PAI033607002	Paul Risk 11 West State Street Quarryville, PA 17566	Lancaster	Eden Township	Bowery Run HQ-CWF, MF

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Armstrong County Conservation District, Armsdale Administration Building, 124 Armsdale Road, Suite B-2, Kittanning, PA 16201, (724) 548-3425.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI050303001	Jack Claypoole R. D. 2 Box 153 Dayton, PA 16222	Armstrong	Cowanshannock Township	South Branch of Pine Creek HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

General Permit Type—PAG-02

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Falls Township Bucks County	PAG2000908017	Fairless Energy, LLC 5000 Dominion Boulevard Glen Alan, VA 23060	Delaware River WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Falls Township Bucks County	PAG2000907069	USS Real Estate One Ben Fairless Drive Fairless Hills, PA 19030	Delaware River WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
New Britain Township Bucks County	PAG2000907129	Danielle Matarese 114 Krista Court Chalfont, PA 18914	West Branch Neshaminy Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Richland Township Bucks County	PAG2000907115	Jeffrey A. Naugle 20 North Ambler Street Quakertown, PA 18951	Tohickon Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Marcus Hook Borough Delaware County	PAG2002307033	Chichester School District P. O. Box 2100 Boorthwyn, PA 19061	Delaware River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Lower Chichester Township Delaware County	PAG2002308003	PPL Interstate Energy Company 214 Shoemaker Road Pottstown, PA 19464	Naamans Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Lower Moreland Township Montgomery County	PAG20046060391	Arcadia Land Company 100 West Lancaster Avenue Wayne, PA 19087	Pennypack Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Limerick Township Montgomery County	PAG2004607041	Mikelen, LLC 2965 West Germantown Avenue Fairview Village, PA 19409	UNT Landis Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Conshohocken Borough Montgomery County	PAG2004607181	Seven Tower Bridge Associates Five Tower Bridge West Conshohocken, PA 19428	Schuylkill River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Gwynedd Township Montgomery County	PAG2004607120	Kers, Pearlstine Onorato & Hladik 425 West Main Street Lansdale, PA 19446	UNT Wissahickon Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Limerick Township Montgomery County	PAG2004607112	Kennedy Automotive Group, Inc. 620 Bustleton Pike Feasterville, PA 19053	Hartenstine Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Limerick Township Montgomery County	PAG2004608003	DHLP Limerick Golf Community 435 Devon Park Drive Building 200 Wayne, PA 19087	Sanatoga Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Montgomery Township Montgomery County	PAG2004607130	Greenway Development 3625 Welsh Road Willow Grove, PA 19090	UNT Little Neshaminy Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG2015106056	1601 Vine Associates, Inc. 232 North 22nd Street Philadelphia, PA 19103-1004	Schuylkill River WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Palmer Township Northampton County	PAG2004807008	Strausser Enterprises, Inc. 1108 Van Buren Road Easton, PA 18045-2030	Shoeneck Creek WWF	Northampton County Conservation District (610) 746-1971
Sugarloaf Township Luzerne County	PAG2004007036	Allen Cooper 31 Cooper Lane Drums, PA 18222	Little Nescopeck Creek CWF	Luzerne County Conservation District (570) 674-7991
Southampton Township Cumberland County	PAG2002107043	Linford Sensenig 767 Walnut Bottom Road Shippensburg, PA 17257	Green Spring Creek CWF	Cumberland County Conservation District 310 Allen Road Carlisle, PA 17013 (717) 240-7812

NOTICES

1201

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Dickinson Township Cumberland County	PAG2002107054	Samuel and Peggy Brown 11 Flagstone Drive Carlisle, PA 17015	Alexander Spring Creek CWF	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 (717) 240-7812
West Pennsboro Township Cumberland County	PAG2002108001	Big Spring United Lutheran Church Mauric Hilliard 900 Glendale Circle Carlisle, PA 17013	UNT to Mount Rock Spring Creek WWF	Cumberland County Conservation District 310 Allen Road Carlisle, PA 17013 (717) 240-7812
Halifax Township Dauphin County	PAG2002208007	Daniel Jorich 300 McKelvey Road Dauphin, PA 17018	Powell Creek TSF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Derry Township Dauphin County	PAG2002207066	Ken Bachman HERCO 300 Park Boulevard Hershey, PA 17033	Swatara Creek-Spring Creek East WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Middletown Borough Dauphin County	PAG2002208005	Dr. Richard Weinstein Middletown School District 55 West Water Street Middletown, PA 17057	Swatara Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Swatara Township Dauphin County	PAG2002208002	44 Hummelstown Associates, LLC 3506 Ada Drive Mechanicsburg, PA 17050	Beaver Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Lower Paxton Township Dauphin County	PAG2002207061	Volunteers of America 2212 Walnut Street Harrisburg, PA 17103	Beaver Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Washington Township Dauphin County	PAG2002208012	Tyann Miller Mooney & Associates 230 York Street Hanover, PA 17331	Wiconisco Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Centre County Boggs Township	PAG2001408002	Brian Soyka Sheet No. 181 Rebuild/Sheet, Inc. 5700 Sixth Avenue Altoona, PA 16602	Bald Eagle Creek TSF	Centre County Conservation District 414 Holmes Avenue Suite 4 Bellefonte, PA 16823 (814) 355-6817
Columbia County Orange Township	PAG2001907010	Frank Perano Stony Brook Management P. O. Box 677 Morgantown, PA 19543	Fishing Creek CWF	Columbia County Conservation District 702 Sawmill Road Suite 204 Bloomsburg, PA 17815 (570) 784-1310, Ext. 102

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Potter County Coudersport Borough	PAG2005308001	Coudersport Area School District 698 Dwight Street Coudersport, PA 16915	Alleghany River CWF	Potter County Conservation District 107 Market Street Coudersport, PA 16915 (814) 274-8411, Ext. 4
Union County East Buffalo Township	PAG2006008002	East Buffalo Township 589 Fairground Road Lewisburg, PA 17837	Limestone Run WWF	Union County Conservation District Union County Government Center 155 North 15th Street Lewisburg, PA 17837 (570) 524-3860
Cambria County Richland Township	PAG2001108001	Jeffrey S. Long R. R. 1 Box 426 Tyrone, PA 16686	UNT Little Paint Creek CWF	Cambria County CD (814) 472-2120
Fayette County North Sewickley Township	PAG2002608004	Kelly Piatti P. O. Box 606 Smithfield, PA 15478	UNT to Redstone Creek WWF	Fayette County CD (724) 438-4497
Butler County Adams Township	PAG20010060141	Charles Vrabel 13 Dewey Lane Gibsonia, PA 15044	Breakneck Creek CWF	Butler Conservation District (724) 284-5270
Mercer County City of Hermitage	PAG2004308002	Department of Transportation Donald Hall 255 Elm Street P. O. Box 398 Oil City, PA 16301	Pine Hollow Run WWF Allen Run WWF	Mercer Conservation District (724) 662-2242
<i>General Permit Type—PAG-3</i>				
<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Berks County Muhlenberg Township	PAR803661 (transfer)	Farm & Home Oil, LLC—Tuckertown Petro Storage Terminal 3115 State Road Telford, PA 18969	UNT Laurel Run WWF 3C	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
City of Erie Erie County	PAR238320	Englehard Corporation 1729 East Avenue Erie, PA 16503	Stormwater tributaries to Motsch Run and Lake Erie	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
<i>General Permit Type—PAG-4</i>				
<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Washington Township Schuylkill County	PAG042223	Edward A. Redding 3432 Sweet Arrow Lake Road Pine Grove, PA 17963-9061	Upper Little Swatara Creek CWF	DEP—NERO Water Management Program 2 Public Square Wilkes-Barre, PA 18711-0790 (570) 826-2511
North East Township Erie County	PAG048855	Brian Sherman 265 Hidden Lane North East, PA 16428	UNT to Lake Erie 15	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*Facility Location:
Municipality &
County*

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG048837	Lora T. and Roger W. Kerry 1125 Slippery Rock Road Grove City, PA 16127	UNT to Swamp Run 20-C	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
PAG048501	John J. Antalek 5844 Lunger Road Erie, PA 16510-4843	UNT to Six Mile Creek 15-6M	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
PAG049405	Floyd L. McClellan, Jr. 20871 Ross Road Corry, PA 16407	UNT to the South Branch of French Creek 16-A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-10

*Facility Location &
Municipality*

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
PAG103529 (transfer)	Farm & Home Oil, LLC— Tuckertown Petro Storage Terminal 3115 State Road Telford, PA 18969	UNT Laurel Run WWF 3C	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

**PUBLIC WATER SUPPLY (PWS)
PERMITS**

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

*Southeast Region: Water Supply Management Program
Manager, 2 East Main Street, Norristown, PA 19401.*

Permit No. 1508502, Minor Amendment. Public Water Supply.

Applicant	Honey Brook Borough Authority
Borough	Honey Brook Borough
County	Chester
Type of Facility	PWS
Consulting Engineer	Spotts, Stevens, & McCoy, Inc. 1047 North Park Road P. O. Box 6307 Reading, PA 19610-0307
Permit to Construct Issued	February 20, 2008

Permit No. 4608502, Minor Amendment. Public Water Supply.

Applicant	Pennsylvania American Water Company
Township	Worcester
County	Montgomery
Type of Facility	PWS
Consulting Engineer	Pennsylvania American Water Company 852 Wesley Drive Mechanicsburg, PA 17055

Permit to Construct Issued February 20, 2008

Permit No. 2307503, Major Amendment. Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
Township Springfield Township
County **Delaware**
Type of Facility PWS
Consulting Engineer CET Engineering Services
1240 North Mountain Road
Harrisburg, PA 17112-8004

Permit to Operate Issued February 19, 2008

Permit No. 1507509, Major Amendment. Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
Township Schuylkill
County **Chester**
Type of Facility PWS
Consulting Engineer CET Engineering Services
1240 North Mountain Road
Harrisburg, PA 17112-8004

Permit to Operate Issued February 20, 2008

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0607516, Public Water Supply.

Applicant **Shinn Spring Water Company**
Municipality Cumru Township
County **Berks**
Type of Facility Existing bottling company wishes to add Aqua Pa as a source of supply. This permit will also approve the addition of an onsite distillation unit.

Consulting Engineer Michael Hartman, P. E.
McCarthy Engineering Associates
1121 Snyder Road
West Lawn, PA 19609

Permit to Construct Issued February 8, 2008

Permit No. 0607518 MA, Minor Amendment, Public Water Supply.

Applicant **The Caernarvon Township Authority**
Municipality Caernarvon Township
County **Berks**
Type of Facility Construction of a new 750,000 gallon finished water storage tank to serve existing Caernarvon Township Authority distribution system.

Consulting Engineer Jennifer I. Kintzer, P. E.
Great Valley Consultants
75 Commerce Drive
Wyomissing, PA 19610

Permit to Construct Issued February 15, 2008

Permit No. 6707511, Public Water Supply.

Applicant **Delta Borough**
Municipality Delta Borough
County **York**
Type of Facility Corrosion control.

Consulting Engineer Charles A. Kehew II, P. E.
James R. Holley & Assoc., Inc.
18 South George Street
York, PA 17401

Permit to Construct Issued February 19, 2008

Permit No. 2207516 MA, Minor Amendment, Public Water Supply.

Applicant **United Water Pennsylvania**
Municipality Lower Paxton Township
County **Dauphin**
Type of Facility Repainting of the Blue Meadows storage tank.

Consulting Engineer Thomas Schink
United Water Pennsylvania
4211 East Park Circle
Harrisburg, PA 17111

Permit to Construct Issued February 19, 2008

Permit No. 2207517 MA, Minor Amendment, Public Water Supply.

Applicant **United Water Pennsylvania**
Municipality Susquehanna Township
County **Dauphin**
Type of Facility Reconstruction of filter nos. 5 and 8 at the 6th Street treatment plant.

Consulting Engineer Arthur Saunders, P. E.
United Water Pennsylvania
4211 East Park Circle
Harrisburg, PA 17111

Permit to Construct Issued February 14, 2008

Operations Permit issued to **Grier School**, 4310022, Warriors Mark Township, **Huntingdon County** on February 12, 2008, for the operation of facilities approved under Construction Permit No. 3107503 MA.

Operations Permit issued to **United Water Pennsylvania**, 7220015, Hummelstown Borough, **Dauphin County** on February 19, 2008, for the operation of facilities approved under Construction Permit No. 2205504.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 1406506—Operation, Public Water Supply.

Applicant **Penn State University**
 Township or Borough College Township
 County **Centre**
 Responsible Official Ian Salada
 Manager of Engineering Services
 Penn State University
 101P Physical Plant Building
 University Park, PA 16802

Type of Facility Public Water Supply—Operation
 Consulting Engineer N/A
 Permit Issued Date February 26, 2008
 Description of Action Operation of a raw water main and modification of the chlorination facility.

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Transfer of Operations Permit issued to **Irontrac MHP1, LLC, d/b/a Beacon Lite, MHP**, PWSID No. 5100017, Center Township, **Butler County**. Permit Number 1088501-T1, issued February 21, 2008, for the operation of the public water system servicing Beacon Lite, MHP, according to specifications approved by Construction/Operation Permit No. 1088501, issued August 2, 1990.

Transfer of Operations Permit issued to **Irontrac MHP2, LLC, d/b/a Maple Manor MHP**, PWSID No. 5100071, Brady Township, **Butler County**. Permit Number 1088502-T1, issued February 21, 2008, for the operation of the public water system servicing Maple Manor, MHP, according to specifications approved by Operation Permit No. 1088502, issued July 19, 1990.

Operations Permit issued to **Pennsylvania American Water Company**, PWSID No. 6620020, Glade Township, **Warren County**. Permit Number 6205501, issued February 22, 2008, for the operation of Cobham Park Road Booster Station, according to specifications approved by Operation Permit No. 6205501, issued June 19, 2006.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under section 5 of the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Rapho Township	971 Colebrook Road Manheim, PA 17545	Lancaster County

Plan Description: The approved plan provides for expansion of the Chiques Church of the Brethren from 500 to 700 seats. New flows will be 826 gpd equalized to 730 gpd tributary to a sewage treatment plant for denitrification and elevated sand mounds for disposal. The Department of Environmental Protection (Department) code number is A3-36948-438-3M and the APS number is 626474. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required

NPDES Permits or WQM Permits must be obtained in the name of the Chiques Church of the Brethren.

Plan Location: on the north and south sides of Lynwood Drive 600 feet east of its intersection with Oak Ridge Drive.

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
North Codorus Township	1986 Stoverstown Road Spring Grove, PA 17362	York County

Plan Description: Correction/Republication: The development proposed a 24 lot single-family residential subdivision on 20.3 acres that would utilize public water and onlot sewage disposal. The name of the project is Lynwood Phase II-C and the code number is B3-67946-264-2. The plan was disapproved because it failed to adequately mitigate contamination from the proposed onlot systems to the groundwater.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a Site-Specific Standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Jedidah Press Property, Norristown Borough, **Montgomery County**. Mark Irani, Land Recycling Solutions, LLC, 3101 Mt. Carmel Avenue, Suite 3, Glenside, PA 19038 on behalf of Samuel Thomas, 119—121 East Lafayette Street, LLC, 521 Hermitage Street, Philadelphia, PA 19128 has submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Florence Remington Property, West Bradford Township, **Chester County**. John Zatyzyk, Penn Environmental & Remediation, 2755 Bergey Road, Hatfield, PA 19440 on behalf of Jim Schofield, 6 Sheridan Drive, Princeton Junction, NJ 08550 has submitted a Final Report concerning remediation of site soil contaminated with inorganics. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Anchor Glass Container, Royersford Borough, **Montgomery County**. Craig Herr, RT Environmental, Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of Joseph Price, Granor Price Homes Royersford Corporation, 721 Dresher Road, Horsham PA 19044 has submitted a Final Report concerning remediation of site soil contaminated with arsenic, chromium, selenium, lead and benzene. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Accidental No. 3 Fuel Oil, West Nottingham Township, **Chester County**. Gilbert Marshall, Marshall Geoscience, Inc. 170 East First Avenue, Collegeville, PA 19426 on behalf of Phil Robinson, 125 Baltimore Pike, Nottingham, PA 19362, Charles Reed, L. K. Bowman, Company, 12 Old Forge Road, P. O. Box 80, Nottingham, PA 19362, Richard Graybeal, BRT, Inc., 813 North Octorara Trail, Parkesburg, PA 19365 has submitted a 90-day Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

9222 Old Easton Road, Nockamixon Township, **Bucks County**. Charlene Drake, REPSG, Inc., 6901 Kingsessing Avenue, Philadelphia, PA 19142 on behalf of George McLuckey, 9222 Old Easton Road, Ferndale, PA 18921 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide Health Standard.

Schmidt's Brewery, City of Philadelphia, **Philadelphia County**. Charlene Drake, REPSG, 6901 Kingsessing Avenue, Philadelphia 19142 on behalf of Adam Lisausky, Northern Liberties Development, LP, 969 North Second Street, Philadelphia, PA 19123 has submitted a Remedial Investigation/Cleanup Report concerning remediation of site soil and groundwater contaminated with petroleum hydrocarbons, pcbs, pahs, metals and other organics. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Boulevard Plaza, City of Philadelphia, **Philadelphia County**. James Mullan, Hocage Consulting Corporation, 987 Haddon Avenue, Collingswood, NJ 08108 has submitted a Remedial Investigation/Risk Assessment Final Report concerning remediation of site soil and groundwater contaminated with metals and organic compounds. The

report is intended to document remediation of the site to meet the Site Specific Standard.

Imperial Plaza Shopping Center, City of Philadelphia, **Philadelphia County**. John W. Fowler, GZA GeoEnvironmental, Inc., 501 Office Center Drive, Suite 220, Fort Washington, PA 19034 on behalf of John Liang, Imperial Aramingo, LLP c/o Lerner-Heidenberg Properties, 234 Closter Dock Road, Closter, NJ 07624 has submitted a Background Standard/Final Report concerning remediation of site groundwater and soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Background Standard Report and Statewide Health Standard.

Northeast Region: Ronald S. Brezinski, Regional Environmental Cleanup Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790.

Former Hospital Central Services Corporation (HCSC) Property, City of Scranton, **Lackawanna County**. Martin Gilgallon, Pennsylvania Tectonics, Inc., 826 Main Street, Peckville, PA 18452 has submitted a Final Report (on behalf of his client, Kelbri Development, LLC, 800 James Street, Second Floor, Scranton, PA 18510), concerning the remediation of site soils found to have been impacted by volatile and semiVOCs. The report was submitted to document attainment of the Residential Statewide Health Standard.

Cranberry Creek Gateway Park Project—Northern Parcel, Hazle Township, **Luzerne County**. Lori Girvan, Barry Isett & Associates, Inc., P. O. Box 2562, Hazleton, PA 18201 has submitted a Final Report (on behalf of her client, Can Do, Inc., 1 South Church Street, Suite 200, Hazleton, PA 18201), concerning the remediation of site soils found to have been contaminated with petroleum related compounds as the result of an equipment spillage near the former quarry. The report was submitted to document attainment of the Residential Statewide Health Standard for soils. The future use of the property may include residential or commercial uses. A Notice of Intent to Remediate was simultaneously submitted.

Southcentral Region: Environmental Cleanup Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110.

Standard Steel, LLC, Machine Shop No. 1, Burnham Borough, **Mifflin County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Standard Steel, LLC, 500 North Walnut Street, Burnham, PA 17009, submitted a Remedial Investigation and Final Report concerning remediation of site soils and groundwater contaminated with petroleum products and Pahs. The reports are intended to document remediation of the site to a combination of the Statewide Health and Site-Specific Standards.

Standard Steel, LLC, Residual Waste Landfill, Derry Township, **Mifflin County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Standard Steel, LLC, 500 North Walnut Street, Burnham, PA 17009, submitted a Remedial Investigation, Risk Assessment and Final Report concerning remediation of site soils and groundwater contaminated with petroleum products, VOCs and Chromium. The reports are intended to document remediation of the site to a combination of the Statewide Health and Site-Specific Standards.

Bethany Children's Home/Leinbach Cottage, Heidelberg Township, **Berks County**. Synergy Environmental Inc., 155 Railroad Plaza, 1st Floor, Royersford, PA 19468, on behalf of Bethany Children's Home, 1863 Bethany Road, Womelsdorf, PA 19562, submitted a Final

Report concerning remediation of groundwater contaminated with fuel oil. The report is intended to document remediation of the site to the Statewide Health Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a Site-Specific Standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Girard Academy Music Program, City of Philadelphia, **Philadelphia County**. Gloria Hunsberger, Kleinfelder East, Inc., 800 East Washington Street, West Chester, PA 19380 on behalf of Francis Locke, School District of Philadelphia, PA 19103 has submitted a Final Report concerning the remediation of site soil contaminated with lead. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on February 21, 2008.

Riverview Property Area D-1, West Norriton Township, **Philadelphia County**. Jeffery Welsh, Penn E & R, 2755 Bergery Road, Hatfield, PA 19440 on behalf of Kevin Kyle, Riverview Residential Partners, II, LP, 2701 Renaissance Boulevard, Fourth Floor, King of Prussia, PA 19406 has submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on February 13, 2008.

Buckeye Partners, LP, Chelsea Station, Aston Township, **Delaware County**. Matthew Brainard, Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, Robert Nigolian, Buckeye Partners, LP, 3186 Gates Road, Auburn, NY 13021 on behalf of Deborah Lamond, ConocoPhillips Company, 1400 Park Avenue, Room S-107, Linden, NJ 07036 has submitted a 90-day Final Report concerning the remediation of site soil contaminated with diesel fuel. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on February 12, 2008.

Jarrettown Elementary School, Upper Dublin Township, **Philadelphia County**. Phillip Donmoyer, Alternative Environmental Solutions, 930 Pointview Avenue, Suite B, Dresher, PA 19025 on behalf of Jim Donahue, Upper Dublin School District, 1580 Fort Washington Avenue, Maple Glen, PA 19002 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with No 2 fuel oil. The Final report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on February 13, 2008.

Market Square Cleaners, City of Philadelphia, **Philadelphia County**. Stuart Wiswall, Keating Environmental Management, 123 John Robert Thomas Drive, Exton, PA 19341 on behalf of James Kahn, KLH Market Square, LP, 1075 Virginia Drive, Suite 100, Fort Washington, PA 19034 has submitted a Final Report concerning the remediation of site groundwater and soil contaminated with chlorinated solvents. The Final report demonstrated attainment of the Site Specific Standard and was approved by the Department of Environmental Protection on February 7, 2008.

1190 Church Road Site, Lansdale Borough/Upper Gwynedd Township, **Montgomery County**. Gary Brown, RT Environmental Services, Inc. 215 West Church Road, King of Prussia, PA 19406 on behalf of Anthony Lordi, Dewey Commercial, 435 Devon Park Drive, Suite 200, Wayne PA 19807 has submitted a Final Report concerning the remediation of site soil contaminated with chlorinated solvents compounds, semiVOCs and metals. The Final report demonstrated attainment of the Site-Specific Standard and was approved by the Department of Environmental Protection on February 7, 2007.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Turkey Hill Dairy, Manor Township, **Lancaster County**. GemChem, Inc., 53 North Cedar Street, Lititz, PA 17543, on behalf of Turkey Hill Dairy, Inc., 2601 River Road, Conestoga, PA 17516, submitted a Final Report concerning the remediation of site soils contaminated with diesel fuel. The final report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department of Environmental Protection on February 21, 2008.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Eureka Packaging, City of Williamsport, **Lycoming County**. Alternative Environmental Solutions, 930 Pointview Avenue, Suite B, Ephrata, PA 17522 on behalf of Henry Perciballi, Gunga Enterprises, LLC, 429 Market Street, Williamsport, PA 17701 has submitted a Remedial Investigation Report to remediate groundwater contaminated with tetrachloroethylene (PCE) and Trichloroethylene (TCE). The report was approved by the Department of Environmental Protection on February 20, 2008.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

ARG Refinery, City of Bradford, **McKean County**. Conestoga-Rovers & Associates, 651 Colby Drive, Waterloo, Ontario, Canada N2V 1C2, on behalf of ARG Refining Group, Inc., 77 North Kendall Avenue, Bradford, PA 16701 has submitted a Remedial Investigation and Risk Assessment Reports concerning the remediation of site soils contaminated with petroleum refining related compounds including, but not limited to, benzene, toluene, ethyl benzene, xylenes, benzo(a)pyrene, arsenic, cadmium, lead and groundwater contaminated with petroleum refining related compounds including, but not limited to, benzene, toluene, ethyl benzene, xylenes, arsenic, iron, aluminum, cadmium, lead and chlorinated hydrocarbons. The Remedial Investigation Report and Risk Assessment Report were approved by the Department of Environmental Protection on October 29, 2007.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

HAZARDOUS WASTE TRANSPORTER LICENSE ISSUED

N & D Transportation Co., Inc., 100 Ind. Drive, North Smithfield, RI 02896. License No. PA-AH 0741. Effective February 7, 2008.

HAZARDOUS WASTE TRANSPORTER LICENSE RENEWED

Enviroserve, JV Limited Partnership, 5502 Schaaf Road, Cleveland, OH 44131. License No. PA-AH 0456. Effective January 15, 2008.

Universal Environmental Nevada, Inc., P. O. Box 10120, Reno, NV 89510. License No. PA-AH 0709. Effective January 23, 2008.

Valley City Disposal, Inc., d/b/a Valley City, 1040 Market Street SW, Grand Rapids, MI 49503. License No. PA-AH 0410. Effective January 23, 2008.

Edward Armstrong & Sons, Inc., P. O. Box 10968, Lancaster, PA 17605. License No. PA-AH 0027. Effective January 25, 2008.

Freehold Cartage, Inc., P. O. Box 5010, Freehold, NJ 07728-5010. License No. PA-AH 0067. Effective January 31, 2008.

Carlucci Construction Co., Inc., 401 Meadow Street, Cheswick, PA 15024. License No. PA-AH 0297. Effective February 5, 2008.

ETC Logistics, LLC, P. O. Box 462, Parkman, OH 44080. License No. PA-AH 0688. Effective February 5, 2008.

U. S. Bulk Transport, Inc., 205 Pennbriar Drive, Erie, PA 16509. License No. PA-AH 0408. Effective February 8, 2008.

HAZARDOUS WASTE TRANSPORTER LICENSE

Hazardous Waste Transporter License, actions taken under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

HAZARDOUS WASTE TRANSPORTER LICENSE EXPIRED

Von Roll America, Inc., 1250 George Street, East Liverpool, OH 43920. License No. PA-AH 0644. Effective January 31, 2008.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

Infectious and Chemotherapeutic Waste Transporter License, actions taken under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Act 93 (P. L. 525, No. 93) and regulations to transport infectious and chemotherapeutic waste.

Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471.

INFECTIOUS AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE VOLUNTARILY TERMINATED

Sterilogic Waste Systems, Inc., 80 Industrial Park Road, Middletown, CT 06457. License No. PA-HC 0208. Effective January 9, 2008.

MUNICIPAL WASTE GENERAL PERMITS

Permits Issued Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and the Beneficial Use of Municipal Waste.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGM034. PPL Renewable Energy, LLC, Two North Ninth Street, Allentown, PA 18101.

This general permit General was issued on December 8, 2005, for the processing and beneficial use of landfill gas (LFG), generated at the Frey Farm/Creswell Landfill located in Lancaster County. The approved uses are (i) use of LFG as an alternate fuel for the power generators installed at this landfill, and (ii) the electricity produced will be transmitted to the local electric utility grid for consumers use.

Based on the information provided in the notification, the processing operations and beneficial use activity performed by PPL Distributed Generation, LLC is now under the ownership and management of PPL Renewable Energy, LLC.

Notice is hereby given of the re-issuance of the General Permit Numbered WMGM034 granting PPL Renewable Energy, LLC the processing and beneficial use of LFG, generated at the Frey Farm/Creswell Landfill located in Lancaster County, as specified in the general permit. Central Office approved the re-issuance of this general permit on February 26, 2008.

Persons interested in reviewing the general permit may contact Ronald C. Hassinger, Chief, General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department of Environmental Protection through the Pennsylvania Relay Service, (800) 654-5984.

DETERMINATION FOR APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Permits Issued Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGM034D002. PPL Distributed Generation, LLC, Two North Ninth Street, Allentown, PA 18101.

This general permit General was issued on October 27, 2006, for the processing and beneficial use of landfill gas (LFG), generated at the Greater Lebanon Refuse Authority Landfill, located in Lebanon County. The approved uses are (i) use of LFG as an alternate fuel for the power generators installed at this landfill, and (ii) the electricity produced will be transmitted to the local electric utility grid for consumers use.

Based on the information provided in the notification, the processing operations and beneficial use activity performed by PPL Distributed Generation, LLC is now under the ownership and management of PPL Renewable Energy, LLC.

Notice is hereby given of the re-issuance of the General Permit Numbered WMGM034D002 granting PPL Renewable Energy, LLC the processing and beneficial use of LFG, generated at the Greater Lebanon Refuse Authority Landfill located in Lebanon County, as specified in the general permit. Central Office approved the re-issuance of this general permit on February 26, 2008.

Persons interested in obtaining more information about the general permit application may contact Ronald C. Hassinger, Chief, General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Land Recycling and Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472 at (717) 787-7381. TDD users may contact the Department of Environmental Protection through the Pennsylvania Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit ID No. 101534. Laurel Highlands Landfill, Inc., 260 Laurel Ridge Road, Johnstown, PA 15909. Operation of a municipal waste landfill in Jackson Township, **Cambria County**. Permit renewal issued in the Regional Office on February 22, 2008.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

09-310-077GP: Haines & Kibblehouse, Inc. (2052 Lucon Road, Skippack, PA 19474) on February 22, 2008, to relocate the portable nonmetallic mineral processing plant in West Rockhill Township, **Bucks County**.

46-320-039GP: Sharp Corp. (23 Carland Road, Conshohocken, PA 19428) on February 26, 2008, to operate a sheet-fed offset lithographic printing press in Plymouth Township, **Montgomery County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Mark Neal Elko, New Source Review Chief, (570) 826-2531.

54-329-005GP9: Haines & Kibblehouse (P. O. Box 196, 2052 Lucon Road, Skippack, PA 19474) on February 19, 2008, to install and operate a Diesel I/C Engine at their site at the Turnpike Site in New Castle Township, **Lehigh County**.

39-310-039GP3: Kerns Crushing, Inc. (180 Barns Road, Sinking Spring, PA 19608) on February 19, 2008, to construct and operate a Portable Crushing Operation with watersprays at their site in Hanover Township, **Lehigh County**.

39-329-010GP9: Kerns Crushing, Inc. (180 Barns Road, Sinking Spring, PA 19608) on February 19, 2008, to install and operate an internal combustion engine at their site in Hanover Township, **Lehigh County**.

45-310-049GP3: Papillon & Moyer Excavating LLC (816 North 9th Street, Stroudsburg, PA 18360) on February 19, 2008, to construct and operate a Portable Crush-

ing Operation with watersprays at their site in Stroud Township, **Schuylkill County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

GP1-22-03054: Pinnacle Health System (218 South 2nd Street, Harrisburg, PA 17104) on February 14, 2008, for Small Gas and No. 2 Oil Fired Combustion Units under GP1 in Lower Paxton Township, **Dauphin County**. This is a renewal of the GP1 operating permit.

GP9-28-02047A: New Enterprise Stone and Lime Co., Inc. (P. O. Box 77, New Enterprise, PA 16664) on February 21, 2008, for Diesel or No. 2 Fuel-fired Internal Combustion Engines under GP9 in St. Thomas and Peters Townships, **Franklin County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

23-0026A: Glasgow, Inc. (P. O. Box 1089, Glenside, PA 19038-1089) on February 20, 2008, to operate a rotary drum replacement in Springfield Township, **Delaware County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Neal Elko, New Source Review Chief, (570) 826-2531.

40-313-047: ALCOA KAMA Inc. (600 Dietrich Avenue, Hazleton, PA 18201) on February 22, 2008, to operate their Polymerization Plant No. 2 at their facility in Hazleton, **Luzerne County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

24-083M: Carbone of America, (215 Stackpole Street, City of Saint Marys, PA 15857) on February 20, 2008, to install an electric furnace with a thermal oxidizer control device at their facility site in the City of Saint Marys, **Elk County**. This is a Title V facility.

43-270F: CCL Container (One Llodio Drive, Hermitage, PA 16148-9015) on February 14, 2008, to modify conditions associated with the thermal oxidizer established in previous plan approvals in Hermitage City, **Mercer County**. This is a Title V facility.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

15-0004D: Alcoa Packaging, LLC (520 Lincoln Avenue, Downingtown, PA 19335) on February 22, 2008, to operate five film seamers, No. 9—13 in Downingtown Borough, **Chester County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

01-05029: Reliant Energy Wholesale Generation, LLC (121 Champion Way, Suite 200, Canonsburg, PA 15317) on February 18, 2008, for the natural gas-fired 900 MW combined cycle electric generating facility at the Hunterstown Station in Straban Township, **Adams County**. This plan approval was extended.

22-05007B: The Harrisburg Authority (One Keystone Plaza, Suite 104, Harrisburg, PA 17101) on February 19, 2008, to construct the Harrisburg Materials, Energy, Recycling and Recovery Facility in the City of Harrisburg, **Dauphin County**. This plan approval was extended.

36-05142A: Mars Snackfood US, LLC (295 Brown Street, Elizabethtown, PA 17022-2192) on February 15, 2008, to install of a new roasting system at their candy manufacturing facility in Elizabethtown Borough, **Lancaster County**. This plan approval was extended.

67-05079A: York Building Products Company, Inc. (1020 North Hartley Street, P. O. Box 1708, York, PA 17405) on November 23, 2007, to replace the existing fabric filter baghouse at their existing asphalt plant in Jackson Township, **York County**. This plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

17-00001C: Reliant Energy Mid-Atlantic Power Holdings, LLC (121 Champion Way, Suite 200, Canonsburg, PA 15317), located in Bradford Township, **Clearfield County**, on February 22, 2008, to authorize the construction and operation of a four selective noncatalytic reduction systems to June 21, 2008. The plan approval has been extended.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

24-083D: Carbone of America—Graphite Materials Division (1032 Trout Run Road, St. Marys, PA 15857) on February 29, 2008, to construct a CBH Kiln in Benzinger Township, **Elk County**.

24-123E: Veolia ES Solid Waste of North America (635 Toby Road, Kersey, PA 15846) on February 29, 2008, to install an additional enclosed ground flare (6,000 cfm) similar in design to the existing flares in Fox Township, **Elk County**. This is a Title V facility.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Thomas Huynh, Chief, (215) 685-9476.

V07-004: PAID Steam Boiler Plant—Philadelphia Naval Business Center (2000 Constitution Avenue, Philadelphia, PA 19112) on February 26, 2008, to operate a facility that acquires, holds, constructs, improves, maintains, operates, owns, finances and leases, either in the capacity of lessor or lessee, industrial, commercial or specialized development projects in the City of Philadelphia, **Philadelphia County**. The facility is operated by Duke Energy Generation Services of Philadelphia, LLC. The facility's air emission sources include three 217/207

mmBtu/hr boilers that can burn natural gas/No. 6, No. 2, or waste oil controlled by low NO_x burners with associated flue gas recirculation.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

06-03079: Interstate Container, LLC (P. O. Box 317, Grace and Meade Streets, Reading, PA 19603-0317) on February 21, 2008, to operate a recycled paper manufacturing plant in the City of Reading, **Berks County**. The boiler is subject to 40 CFR Part 60, Subpart Dc, Standards of Performance for New Stationary Source. This action is a renewal of the State-only operating permit.

36-05107: Pepperidge Farm, Inc. (2195 North Reading Road, Denver, PA 17517-9112) on February 22, 2008, to operate a bakery at their Denver Plant in East Cocalico Township, **Lancaster County**. This is a renewal of the State-only operating permit.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

16-00043: JM Smucker of PA, Inc. (300 Keck Avenue, New Bethlehem, PA 16242-1151) on February 20, 2008, for an administrative amendment of the State Operating Permit to incorporate the change of the responsible official Permit Contact. The Facility is in **Clarion County**.

42-00178: Glenn O. Hawbaker, Inc. (Route 155, Turtlepoint, PA 16750) on February 21, 2008, for an administrative amendment of the State Operating Permit to incorporate the conditions of Plan Approvals 42-178B and the addition of a drat slat conveyor, 3 batchers and RAP system that were previously exempted from plan approval the facility is located in **McKean County**.

Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

49-00005B: Hoeganaes Corp. (4330 Paradise Road, Watsontown PA 17777) on February 20, 2008, to terminate the authorization to operate the insulated particles process identified in the respective plan approval, at the Watsontown Plant in Delaware Township, **Northumberland County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56880101 and NPDES No. PA0599361. Cooney Brothers Coal Company, P. O. Box 246, Cresson, PA 16630, permit renewal of reclamation only of a bituminous surface and auger mine in Paint Township, Somerset County, affecting 191.8 acres. Receiving streams: Shade Creek and UNTs to Shade Creek classified for the following uses: CWF. There are no potable water supply intakes within 10 miles downstream. Application received December 18, 2007. Permit issued February 15, 2008.

Noncoal Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

Permit No. 6577SM3A and NPDES Permit No. PA0120588. P & W Excavating, Inc., P. O. Box 712, McConnellsburg, PA 17233-0712, renewal of NPDES Permit, Todd Township, **Fulton County**. Receiving streams: UNT Kendall Run to Big Cove Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received December 12, 2007. Permit issued February 14, 2008.

Permit No. 28070801. R. R. Miller & Sons, Inc., 10961 Worleystown Road, Greencastle, PA 17225, commencement, operation and restoration of a small noncoal (industrial minerals) operation in Montgomery Township, **Franklin County**, affecting 5.0 acres. Receiving streams: West Branch Conocheague Creek. Application received October 3, 2007. Permit issued February 20, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

09070301. Haines & Kibblehouse, Inc., (2052 Lucon Road, P. O. Box 196, Skippack, PA 19474-0196), commencement, operation and restoration of a quarry operation in Hilltown Township, **Bucks County** affecting 83 acres, receiving stream: none. Application received June 28, 2007. Permit issued February 19, 2008.

58070845. James J. Foltz, (R. R. 1, Box 66 F, New Milford, PA 18834), commencement, operation and restoration of a quarry operation in Brooklyn Township,

Susquehanna County affecting 2.0 acres, receiving stream: none. Application received July 13, 2007. Permit issued February 20, 2008.

38020301C and NPDES Permit No. PA0224227. Greater Lebanon Refuse Authority, (1610 Russell Road, Lebanon, PA 17046), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in North Annville and North Lebanon Townships, **Lebanon County**, receiving stream: UNT to Swatara Creek and Union Canal. Application received January 8, 2008. Renewal issued February 21, 2008.

ABANDONED MINE RECLAMATION

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

Bond Forfeiture	PBF 17803034.1
Contract Awarded	
Location	Beccaria Township Clearfield County
Description	Act 181, Bond Forfeiture Reclamation, Lyncroft Mine Cambria Mills Coal Co., Inc. Permit No. 17803034
Contractor	E. P. Bender Coal Co., Inc. 198 South Main Street P. O. Box 594 Carrolltown, PA 15722
Amount	\$635,000.00
Date of Award	February 20, 2008

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (43 P.S. §§ 151–161); and 25 Pa. Code § 211.124 (relating to blasting activity permits). Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

21084106. Warrens Excavating & Drilling, Inc., P. O. Box 1022, Honey Brook, PA 19344-0902, blasting activity permit issued for residential development in Silver Spring Township, **Cumberland County**. Blasting activity permit end date is February 15, 2009. Permit issued February 15, 2008.

28084102. David H. Martin Excavating, Inc., 4961 Cumberland Highway, Chambersburg, PA 17201-9655, blasting activity permit issued for residential development in Shippensburg Borough, **Franklin County**. Blasting activity permit end date is June 11, 2008. Permit issued February 15, 2008.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

17084001. Douglas Explosives, Inc. (664 Graham Station Road, Philipsburg, PA 16866), blasting for Clearfield Co. SR 879, A01, Lick Run Bridge in Goshen and Lawrence Townships, **Clearfield County**. Permit issued February 21, 2008. Permit expires February 21, 2009.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

09084101. Ed Wean Drilling & Blasting, Inc., (112 Ravine Road, Stewartsville, NJ 08886), construction blasting for Chapman Corners in Wrightstown Township, **Bucks County** with an expiration date of February 12, 2009. Permit issued February 19, 2008.

36084121. Warren's Excavating & Drilling, Inc., (P. O. Box 1022, Honey Brook, PA 19344), construction blasting for Crossroads Surgery Center in West Earl Township, **Lancaster County** with an expiration date of February 15, 2009. Permit issued February 19, 2008.

35084107. ER Linde Construction Corp., (9 Collan Park, Honesdale, PA 18431), construction blasting for Toyota Parking Lot Expansion in Moosic Borough, **Lackawanna County** with an expiration date of January 30, 2009. Permit issued February 20, 2008.

35084108. ER Linde Construction Corp., (9 Collan Park, Honesdale, PA 18431), construction blasting for Daron Block in Archbald Borough, **Lackawanna County** with an expiration date of January 30, 2009. Permit issued February 20, 2008.

40084104. Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for commercial development on Baltimore Drive in Plains Township, **Luzerne County** with an expiration date of February 11, 2009. Permit issued February 20, 2008.

54084103. Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for First Quality Nonwovens in East Union Township, **Schuylkill County** with an expiration date of February 11, 2009. Permit issued February 20, 2008.

15084003. Anrich, Inc., (1271 South Gulph Road, Wayne, PA 19087) and Bernard J. Hasara, (1125 East Mahanoy Avenue, Mahanoy City, PA 17948), construction blasting for Coatesville Operation Sanitary Sewer Interceptor Replacement in the City of Coatesville, **Chester County** with an expiration date of August 21, 2008. Permit issued February 21, 2008.

15084104. Hayduk Enterprises, Inc., (257 Riverside Drive, Factoryville, PA 18419), construction blasting for Coatesville Waterlines in Coatsville City and South Coatsville Borough, **Chester County** with an expiration date of February 28, 2009. Permit issued February 22, 2008.

22084101. Dyno-Nobel, Inc., (567 Main Street, Tremont, PA 17981), construction blasting for Spring Creek Cemetery in Derry Township, **Dauphin County** with an expiration date of February 28, 2009. Permit issued February 22, 2008.

22084102. Dyno-Nobel, Inc., (567 Main Street, Tremont, PA 17981), construction blasting for Brickyard of Edgewater in Royalton Borough and Londonderry Township, **Dauphin County** with an expiration date of February 28, 2009. Permit issued February 22, 2008.

36084122. Keystone Blasting Service, (381 Reif-snyder Road, Lititz, PA 17543), construction blasting for Richmond Square in Manheim Township, **Lancaster County** with an expiration date of December 30, 2008. Permit issued February 22, 2008.

36084122. Keystone Blasting Service, (381 Reif-snyder Road, Lititz, PA 17543), construction blasting for The East Meadows at Wetherburn in Manheim Township, **Lancaster County** with an expiration date of December 30, 2009. Permit issued February 22, 2008.

39084107. Austin Powder Company, (25800 Science Park Drive, Cleveland, OH 44122), construction blasting

for Graymoor Development in Lower Macungie Township, **Lehigh County** and Nazareth Borough and Lower Nazareth Township, Northampton County with an expiration date of February 15, 2009. Permit issued February 22, 2008.

39084108 American Rock Mechanics, Inc., (7531 Chestnut Street, Zionsville, PA 18092), construction blasting for Graymoor Development in Lower Macungie Township, **Lehigh County** with an expiration date of February 20, 2009. Permit issued February 22, 2008.

67084103. Newville Construction Services, Inc., (408 Mohawk Road, Newville, PA 17241), construction blasting for Stapleton Development in Windsor Township, **York County** with an expiration date of February 18, 2009. Permit issued February 22, 2008.

51084001. Controlled Demolition, Inc., (2737 Meryman's Mill Road, Phoenix, MD 21131), implosion of Mantua Hall Building in the City of Philadelphia, **Philadelphia County** with an expiration date of March 30, 2008. Permit issued February 25, 2008.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Regional Office, Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E66-135. United States Department of the Interior, Fish and Wildlife Service, 315 South Allen Street, Suite 322, State College, PA 16801. Eaton Township, **Wyoming County**, United States Army Corps of Engineers Baltimore District.

To construct and maintain a 7,800-foot long stream channel restoration project in Bowman Creek consisting of the following work: bankfull benches, rock cross vanes and J-hook structures, fish enhancement structures such as random boulders and plantings along the stream banks and re-establishing the width and alignment of the historical stream channel at the downstream end of the project as identified on the design plans dated August 14, 2007. Gravel bar removal work, rock vane construction and stream bank stabilization work to protect a residence and water supply well were previously authorized by Emergency Permit No. EP6607401 on January 4, 2007. The work area is known as Jenks Road/Bowman Creek Stream Restoration Project-Section A, which extends from SR 0292 downstream to a point approximately 1,000-feet east of the confluence of Marsh Creek. (Center Moreland, PA Quadrangle N: 18.0 inches; W: 14.5 inches).

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E22-527: Cedar-Clock Tower, LLC, Blue Mountain Commons, Chris Fencel, 3307 Trindle Road, Camp Hill, PA 17011, Susquehanna Township, **Dauphin County**, ACOE Baltimore District.

To fill a 1.089 acre pond and a 0.184 acre stormwater detention facility for the purpose of constructing a commercial building and related parking areas. The proposed impacts are associated with a UNT to the Paxton Creek (WWF). The project is located 2300 Linglestown Road (Harrisburg East, PA Quadrangle, N: 15.10; W: 15.30, Latitude 40° 20' 0"; Longitude 76° 51' 36") in Susquehanna Township, Dauphin County.

E67-820: Mike Eden, Eden Properties, LLC, 157 East Main Street, New Freedom, PA 17349, New Freedom Borough, **York County**, ACOE Baltimore District

To construct and maintain an 18" HDPE stormwater outfall pipe with a riprap rock apron that discharges to a UNT to the South Branch Codorus Creek (WWF); (2) to fill two wetlands for the construction of a building and parking area. The wetland impacts are associated with a UNT to the South Branch Codorus Creek (WWF) permanently impacting 0.012 acre (121 ft² and 414 ft²) of PEM wetland. The project is located at the northwest corner of the intersection of Constitution Avenue (SR 0851) and Pleasant Avenue (T-428) (New Freedom, PA Quadrangle, N: 21.6 inches; W: 9.8 inches, Latitude: 39° 44' 36";

Longitude: 76° 41' 52") in New Freedom Borough, York County. The wetland impact is considered diminimus and no mitigation is required.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E14-503. Craig Micklow, 913 San Saba Drive, Southlake, TX 76902. Micklow Residence Bridge, in Union Township, **Centre County**, ACOE Baltimore District (Bellefonte, PA Quadrangle N: 8.53 inches; W: 6.14 inches).

To construct and maintain a concrete bridge system with two 16-foot 2-inch wide by 5-foot 1-inch high arches over McCormick Run, plus the associated 200 cubic yards of clean approach ramp fill and right floodplain emergency spillway located 0.25 mile north on Bush Hollow Road from SR 220. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-440-A3. McKees Rocks Industrial Enterprises, Inc., 104 Broadway Avenue, Carnegie, PA 15106. (Pittsburgh West, PA Quadrangle N: 14.6 inches; W: 8.3 inches and Latitude: 40° 27' 19"; Longitude: 80° 03' 35"). To amend Permit No. E02-440-A2 to include construction and maintenance of existing facilities that should have already been permitted, including two river dolphins and a mooring cell, which will be replaced by adding two additional river dolphins in its place under this current amendment, for a total of four river dolphins, in the channel of and along the left bank of the Ohio River (WWF). This project will also consist of extending the existing wall approximately 200.0 feet, for a total barge mooring area of 786.0 feet long by 35.0 feet wide and a total facilities area of 654.5 feet long by 10.0 feet wide, in the channel of and along the left bank of Ohio River (WWF), as measured from normal pool elevation.

E03-428. Jack Claypoole, R. D. 2, Box 153, Dayton, PA 16222. To remove existing structures and to operate and maintain culvert crossing in Cowanshannock Township, **Armstrong County**, Pittsburgh ACOE District. (Rural Valley, PA Quadrangle N: 13.0 inches; W: 4.2 inches, Latitude: 40° 40' 18", Longitude 79° 16' 50"). To remove existing structures and to operate and maintain culvert crossing number 1, which is a 24" diameter culvert and to reset the last downstream section so that it is depressed 6", the culvert is approximately 50' long, located in the South Branch Pine Creek (HQ-CWF): to construct and maintain culvert number 2, which will be three-24" diameter culverts with the center culvert depressed 6" and each approximately 40' long, located in the same stream; to construct and maintain culvert number 3, which will be a 42" diameter culvert depressed 6" and approximately 120' long, located in the same stream, to remove fill from approximately 0.07 acre of wetlands near the downstream end of culvert number 2, to maintain fill in 0.77 acre of wetlands and to construct and maintain 0.82 acre of replacement wetlands, for the purpose of constructing a horse track. The project is located off of Bucktail Road.

E26-229-A1. Matt Canestrale Contracting, Inc., P. O. Box 234, Belle Vernon, PA 15012. To construct and maintain barge dock in Luzerne Township, **Fayette County**, Pittsburgh ACOE District. (California, PA Quadrangle N: 2.3 inches; W: 14.6 inches, Latitude: 40° 00'

45.5"; Longitude: 79° 58' 52.2"). To amend permit number E26-229, which authorized the operation and maintenance of an existing 3,854 foot long by 211 foot wide barge mooring facility, a 720 foot long by 50 foot wide loading facility between mile points 62.8 and 63.5 along the right bank of the Monongahela River (WWF), a crane platform at Mooring Cell 26 and maintenance dredging, to construct and maintain a 175 foot long by 27 foot wide barge dock at the downstream end of the existing facilities at mile point 62.65, along the right bank of in Monongahela River (WWF).

E63-588-A1. Canonsburg Borough, 68 East Pike Street, Canonsburg, PA 15317. To construct and maintain bank protection in Canonsburg Borough, **Washington County**, Pittsburgh ACOE District. (Canonsburg, PA Quadrangle N: 1.34 inches; W: 10.25 inches, Latitude: 40° 15' 26.58"; Longitude: 80° 12' 2.28"). To amend permit E63-588, which was issued on October 19, 2006. To construct and maintain approximately 800 linear feet channel bank protection using R-6 rock riprap and switchgrass plantings along the right bank of Chartiers Creek (WWF) located north of Strabane Avenue.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

D10-010EA. Borough of Zelienople, 111 West New Castle Street, Zelienople, PA 16063. Jackson Township, **Butler County**, ACOE Pittsburgh District.

Project proposes to breach and remove Zelienople Reservoir Dam No. 3 and two unnamed nonjurisdictional dams in the Scholars Run watershed (WWF) for the purpose of eliminating a threat to public safety. The dam is located approximately 900 feet north of the intersection of SR 68 and US 19 (Zelienople, PA Quadrangle; Latitude: 40° 47' 58"; Longitude: 80° 8' 10").

WATER QUALITY CERTIFICATIONS

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Certification request initiated by the **Borough of Lehighton**, P. O. Box 29, Municipal Building, Second and South Street, Lehighton, PA 18235.

Date of Initial *Pennsylvania Bulletin* Notice: November 10, 2007, Volume 37, Number 45.

Beltzville Hydroelectric Project (Federal Energy Regulatory Commission (FERC) Project No. P-12455-003), on Beltzville Lake and Pohopoco Creek, Franklin Township, **Carbon County**, United States Army Corps of Engineers — Philadelphia District.

Project Description: The Borough of Lehighton proposes to construct hydroelectric facilities with a generating capacity of 2.6 MW on the downstream side of the existing United States Army Corps of Engineers Beltzville Dam. The hydroelectric project would entail the installation of a steel liner in a portion of the existing dam conduit, installation of a closure gate at the end of the dam conduit and construction of a new penstock, powerhouse, tailrace and 12kV transmission line. Lehighton Quadrangle N: 17.9 inches; W: 2.3 inches.

Final Action on Request: Certification Granted on February 15, 2008

SPECIAL NOTICES

**HAZARDOUS SITES CLEANUP UNDER THE ACT
OF OCTOBER 18, 1988**
**Public Notice of Proposed Consent
Order and Agreement**
**Department of Environmental Protection
Mays Properties, Inc., Phillips Lane Site
Robinson Township, Allegheny County**

Under section 1113 of the Hazardous Sites Cleanup Act (35 P.S. §§ 6020.101–6020.1305) (HSCA), notice is hereby given that the Department of Environmental Protection (Department) has entered into a proposed Consent Order and Agreement (CO&A) with Aristech Chemical Corporation, Ashland Inc., Beazer East, Inc., Mays Properties, Inc., Robert A. Mays and Neville Chemical Corporation concerning the environmental investigation and cleanup of the Mays Properties, Inc. Phillips Lane Site (Site). The Site is located in Robinson Township, Allegheny County.

The terms of the settlement are set forth in the CO&A, which is available for review at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA. The Department will receive and consider comments relating to the CO&A for 60 days from the date of this Public Notice. Comments may be submitted, in writing, to Terry Goodwald, Department of Environmental Protection, Hazardous Sites Cleanup, 400 Waterfront Drive, Pittsburgh, PA 15222. Further information may be obtained by contacting Terry Goodwald at (412) 442-4000. TDD users may contact the Department through the Pennsylvania Relay Services at (800) 645-5984.

The Department has reserved the right to withdraw its consent to the CO&A if comments concerning the CO&A disclose facts or considerations which indicate that the CO&A is inappropriate, improper, or not in the public interest. A person adversely affected by the settlement may file an appeal with the Environmental Hearing Board.

Act 181 Reclamation Proposals

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

An unsolicited Act 181 Reclamation Proposal has been received from Coal Loaders, Inc., 210 East Main Street, P. O. Box 556, Ligonier, PA 15658 for the reclamation of the following abandoned strip mine project:

<i>Project No.</i>	<i>Municipality</i>	<i>County</i>	<i>Acres</i>
PBF 56960111.1	Stonycreek Township	Somerset	58.0

Big J. Mining, Inc., SMP No. 56960111 on the Sorber, Swank, Gray Mining Company and Berwind Corporation properties requires backfilling and revegetation.

Coal Loaders, Inc. proposes to install erosion and sedimentation controls, backfill the existing pit and revegetate the disturbed areas.

Any questions or comments can be direct to Joseph L. Allison, Environmental Group Manager, Department of Environmental Protection, 286 Industrial Park Road, Ebensburg, PA 15931.

Telephone inquiries shall be directed to Joseph L. Allison at (814) 472-1900.

[Pa.B. Doc. No. 08-400. Filed for public inspection March 7, 2008, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) web site at www.depweb.state.pa.us (DEP Keywords: "Technical Guidance"). The "Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

The Department will continue to revise its nonregulatory documents, as necessary, throughout 2008.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Final Technical Guidance:

DEP ID: 383-3301-107. Title: Laboratory Reporting Instructions for Lead and Copper under the Lead and Copper Rule. Description: This guidance, issued on February 1, 1999, provides instructions to community and nontransient, noncommunity water systems and certified laboratories for the reporting of drinking water lead and copper tap monitoring results as required by the Federal Lead and Copper Rule, published on June 7, 1991, and as implemented in 25 Pa. Code Chapter 109, Subchapter K (relating to lead and copper). Minor revisions to this rule became effective on August 10, 2002 (32 Pa.B. 3894). This guidance was revised to incorporate changes to reporting requirements under the revised regulations and to incorporate additional changes that were necessary for the Commonwealth to obtain primacy for the Lead and Copper Rule. Notice of the draft technical guidance was published in the 36 Pa.B. 1455 (March 25, 2006), with provision for a 30-day public comment period that concluded on April 25, 2006. The Department did not receive any public comments during the comment period, the Department made changes to the final document to enhance its clarity. Specifically, in sections 1, 3, 4 and 7 the statement, "both the lead and copper analyses must be conducted by the same lab" was added to clarify the instructions and to prevent future reporting errors. In sections 3 and 4, clarification was made that any result that is less than the EPA specified Practical Quantification Level (PQL) should report the result as zero. On Table 1 in section 7, PQL levels were added and approved methods were updated to be consistent with the Method Update Rule published by EPA in March 2007. Section 8 was added to clarify how to calculate the 90th percentile

value. Contact: Dawn Hissner, Department of Environmental Protection, Bureau of Water Standards and Facility Regulation, Rachel Carson State Office Building, 11th Floor, P. O. Box 8467, Harrisburg, PA 17105 (717) 787-0130; dhissner@state.pa.us. Effective Date: March 8, 2008.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 08-401. Filed for public inspection March 7, 2008, 9:00 a.m.]

Proposed Revisions to Pennsylvania's State Implementation Plan

Section 110 of the Federal Clean Air Act (CAA) requires states to develop State Implementation Plans (SIP) and programs to meet the National Ambient Air Quality Standards (NAAQS) established by the United States Environmental Protection Agency (EPA) to protect public health and welfare. Section 110 of the CAA sets forth general elements for the implementation of SIPs. Section 110(a)(2) of the CAA requires states to submit SIP revisions to the Environmental Protection Agency (EPA) Administrator that provide for implementation, maintenance and enforcement of the NAAQS.

The Department of Environmental Protection (Department) is seeking comment on a SIP revision that confirms the Commonwealth's compliance with section 110(a)(2)(K) of the CAA for fine PM_{2.5}. Section 110(a)(2)(K) requires a state's SIP to provide for the performance of air quality modeling as EPA may prescribe to predict the effect on ambient air quality of emissions of air pollutants for which a NAAQS has been established. The SIP revision identifies the Commonwealth's legal authority and obligation to attain the PM_{2.5} NAAQS and to perform the modeling, and describes the process the Department is using to prepare and submit modeling for PM_{2.5}, including its work with a cooperative regional consortium.

The proposed SIP revision is available on the Department's web site at www.depweb.state.pa.us (choose Air Plans) or through the contact persons listed. The Department will hold a public hearing to receive comments on the proposals on Thursday, April 10, 2008, at 1 p.m. at the Department's Southcentral Regional Office, 909 Elmerton Avenue, Susquehanna Room A, Harrisburg, PA 17110.

Persons wishing to present testimony at the hearing on the proposed SIP revisions should contact Yvette House, P. O. Box 8468, Harrisburg, PA 17105, (717) 787-9495, yhouse@state.pa.us to reserve a time. Persons who do not reserve a time will be able to testify as time allows. Witnesses should limit testimony to 10 minutes and provide the Department with two written copies of their statement at the hearing.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, service or other accommodation to participate in the proceeding should contact Yvette House at yhousestate.pa.us or (717) 787-9495. TDD users may contact the AT&T Relay Service at (800) 654-5984 to discuss how the Department can best accommodate their needs.

The Department must receive comments no later than April 10, 2008. Written comments should be sent to the attention of Arleen Shulman, Division of Air Resource Management, Bureau of Air Quality, P. O. Box 8468, Harrisburg, PA 17105-8468, ashulman@state.pa.us

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 08-402. Filed for public inspection March 7, 2008, 9:00 a.m.]

Proposed Revision to the State Implementation Plan for the Greene County 8-Hour Ozone Nonattainment Area; Public Hearing

Ground-level ozone concentrations above the Federal health-based standard are a serious human health threat and can also cause damage to crops, forests and wildlife. Ozone is not emitted directly to the atmosphere, but is formed by photochemical reactions between volatile organic compounds and oxides of nitrogen (NOx) in the presence of sunlight. Stationary point sources are the main source of NOx for Greene County. The Department of Environmental Protection (Department) has reexamined the methodology used to predict future emissions from stationary point sources and found that the methodology used for the 2007 State Implementation Plan (SIP) revision for Greene County submitted to the United States Environmental Protection Agency (EPA) over-predicted future emissions of NOx from electric generating units. The Department is proposing a SIP revision that explains why the methodology was changed, what new methodology is being used for evaluation, and what the revised emission predictions are. The Department is seeking comment only on the portions of the SIP that pertain to the methodology used to project future emissions from stationary point sources. The proposed SIP revision is available on the Department's web site at www.depweb.state.pa.us (DEP Keywords: Air Plans) or through the contact persons listed.

The Department will hold a public hearing to receive comments on the proposed SIP revision only if a request for a public hearing is received from a member of the public. A request for a public hearing must be received by 4 p.m. on Monday, April 7, 2008. If a request for a public hearing is received by 4 p.m. on Monday, April 7, 2008, the public hearing will be held on Wednesday, April 9, 2008, at 1 p.m. at the Greene County Office Building, 93 East High Street, Waynesburg, PA 15370. If no request for public hearing is received by 4 p.m. on Monday, April 7, 2008, the hearing will be cancelled, and notice of the cancellation will be published on Tuesday, April 8, 2008, at 12 p.m., on the Department's web site at www.depweb.state.pa.us (DEP Keywords: Air Plans). Interested parties may also call (717) 787-9495 to find out if the hearing has been cancelled.

Persons wishing to request a public hearing or who wish to present testimony at a scheduled hearing should contact Yvette House, P. O. Box 8468, Harrisburg, PA 17105, (717) 787-9495, yhouse@state.pa.us to reserve a time. The Department will consider a request to present testimony at a scheduled hearing to be a request for a public hearing. Persons who do not reserve a time will be able to testify as time allows. Witnesses should keep testimony to 10 minutes and should provide two written copies of their statement at the hearing.

Persons with a disability who wish to attend the hearing and who require an auxiliary aid, service or other accommodation to participate in the proceeding should contact Yvette House at (717) 787-9495 or yhouse@state.pa.us. TDD users may contact the AT&T Relay Service at (800) 654-5984 to discuss how the Department can best accommodate their needs.

Persons interested in this proposed SIP revision are invited to submit written comments on the proposed SIP revision. Written comments must be received by the Department no later than April 11, 2008. Written comments should be sent to the attention of Arleen Shulman, Division of Air Resource Management, Bureau of Air Quality, P. O. Box 8468, Harrisburg, PA 17105-8468, ashulman@state.pa.us. Please use "Greene County Ozone SIP Revision" as the mail addressee or in the subject line.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 08-403. Filed for public inspection March 7, 2008, 9:00 a.m.]

State Water Plan; Statewide Water Resources Committee; Critical Water Planning Area Subcommittee Meeting

The Critical Water Planning Area Subcommittee of the Act 220 State Water Plan Statewide Committee has scheduled a meeting to discuss various technical issues impacting the development of the State Water Plan. The meeting will be held March 11, 2008, at 12:30 p.m., Department of Environmental Protection, Rachel Carson State Office Building, 10th Floor Conference Room, 400 Market Street, Harrisburg, PA 17105.

Questions concerning this meeting should be directed to Susan Weaver, Division of Water Use Planning, P. O. Box 8555, Harrisburg, PA 17105-8555, (717) 783-8055, suweaver@state.pa.us.

Persons with a disability who require accommodations to attend the meeting should contact the Department of Environmental Protection (Department) at (717) 783-6118 or through the Pennsylvania AT&T Relay Services at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 08-404. Filed for public inspection March 7, 2008, 9:00 a.m.]

Watershed Protection and Restoration Grants and Flood Protection Grants Through the Growing Greener Plus Program; Request for Applications

As part of the 2008 Department of Environmental Protection's (Department) Growing Greener Plus Program, applications are now being accepted for watershed protection and restoration grants. Under 27 Pa.C.S. §§ 6101—6113 (relating to Environmental Stewardship and Watershed Protection Act), the Department is authorized to allocate these grants to a variety of eligible applications including: counties, authorities and other municipalities; county conservation districts; watershed organizations recognized by the Department who promote

local watershed conservation efforts, council of governments and other authorized organizations involved in the restoration and protection of the environment in this Commonwealth. Growing Greener II provides additional focus on capital improvement projects related to watershed protection, mine and abandoned mine remediation, and plugging of abandoned oil and gas wells.

For the upcoming grant round, the Department will invest in projects that will ultimately protect and/or restore this Commonwealth's watersheds from impairment due to nonpoint source pollution. Example of special priority areas include: Watershed Renaissance—comprehensive watershed plan implementation in a small watershed; projects located in "priority" watersheds that reduce the source of impairment; beneficial reuse of waste products and/or remining; and beneficial use of abandoned mine pools.

Examples of eligible projects could include reducing nonpoint source pollution in watersheds where streams are impaired; integrating stormwater management and flood protection into watershed management; encouraging the beneficial use of abandoned mine pool water; and water conservation strategies and projects that will help reduce Total Maximum Daily Load pollutants.

Through the same application, applicants can also apply for funding through the Department's Flood Protection Grant Program and Section 319 Nonpoint Source Grant. Flood protection grants are for communities that operate and maintain State and Federal flood protection projects. Section 319 grants focus on funding similar projects to Growing Greener but with special emphasis within targeted watersheds.

The deadline for submitting applications to the Department's Growing Greener Grants Center (Center) is May 16, 2008. Applications must be postmarked no later than May 16, 2008. If hand delivered, the package must be received to the Center by 4:30 p.m. on May 16, 2008, at the address that follows. Late submissions will not be considered.

To request or download an application or obtain more information concerning the Growing Greener Programs, visit the Growing Greener web site at www.depweb.state.pa.us (DEP Keyword: Growing Greener). Persons can send e-mails to GrowingGreener@state.pa.us or contact the Center at (717) 705-5400. Written requests should be addressed to the Department of Environmental Protection, Grants Center, 15th Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8776, Harrisburg, PA 17105-8776.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 08-405. Filed for public inspection March 7, 2008, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Real Estate for Sale
Lehigh County

The Department of General Services (Department) has State-owned real estate for sale in the City of Allentown, Lehigh County, PA. The Department through its Broker,

Studley, Inc., will accept bids for the purchase of 4.2471 gross acres +/- of improved land zoned B-3 Highway Business District located at 1713 Lehigh Street in the City of Allentown. Bids are due May 28, 2008. Interested parties wishing to receive a copy of Solicitation No. 94190 should call Bradford Mills, Studley, Inc., at (267) 256-7575 or bmills@octaviahill.com.

JAMES P. CREEDON,
Secretary

[Pa.B. Doc. No. 08-406. Filed for public inspection March 7, 2008, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Dermatologic SurgiCenter for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Dermatologic SurgiCenter has requested an exception to the requirements of 28 Pa. Code § 553.31(a) (relating to administrative responsibilities).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-407. Filed for public inspection March 7, 2008, 9:00 a.m.]

Application of Hamot Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Hamot Medical Center has requested an exception to the requirements of 28 Pa. Code § 107.2 (relating to medical staff membership).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-408. Filed for public inspection March 7, 2008, 9:00 a.m.]

Application of Heritage Valley Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Heritage Valley Surgery Center has requested an exception to the requirements of 28 Pa. Code §§ 557.1 and 557.4 (relating to policy; and quality assurance and improvement committee).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-409. Filed for public inspection March 7, 2008, 9:00 a.m.]

Application of Hospital of the University of Pennsylvania for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Hospital of the University of Pennsylvania has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which

requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 2.1-5.3.3.1(2) (relating to stretcher holding stations).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-410. Filed for public inspection March 7, 2008, 9:00 a.m.]

Application of JC Blair Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that JC Blair Memorial Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 3.1.1.2(2) and (3) (relating to patient rooms) and 3.1.1.5 (relating to hand-washing stations).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and

Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-411. Filed for public inspection March 7, 2008, 9:00 a.m.]

Application of Lehigh Valley Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Lehigh Valley Hospital has requested an exception to the requirements of 28 Pa. Code § 51.23 (relating to positron emission tomography).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-412. Filed for public inspection March 7, 2008, 9:00 a.m.]

Application of Lehigh Valley Hospital—Cedar Crest for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Lehigh Valley Hospital—Cedar Crest has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 2.1-Table 2.1-5 (relating to station outlets for oxygen, vacuum, and medical air systems).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-413. Filed for public inspection March 7, 2008, 9:00 a.m.]

Application of Reading Endoscopy Center, LLC for Exception; Correction

A notice for Reading Endoscopy Center, LLC was incorrectly published at 38 Pa.B. 943 (February 16, 2008) as a request for exception to 28 Pa. Code § 551.31 (relating to licensure). The request for exception should have been for 28 Pa. Code § 551.3 (relating to definitions).

The request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-414. Filed for public inspection March 7, 2008, 9:00 a.m.]

Applications for Exception to 28 Pa. Code § 569.1

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that the following facilities have requested an exception to the requirement of 28 Pa. Code § 569.1 (relating to principle).

Plastic Surgical Associates of Johnstown, Inc.
Ophthalmology Surgery Institute of Central Pennsylvania

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-415. Filed for public inspection March 7, 2008, 9:00 a.m.]

Application of Triumph Hospital Harrisburg for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Triumph Hospital Harrisburg has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.2-2.2.1.2, 2.2.1.3 (relating to patient rooms or care areas), 3.1-3.1.1.1, 3.1.1.2, 3.1.1.5, 3.1.1.6, 3.1.5.5, 3.1.5.9 (relating to medical surgical nursing units), 7.1-7.1.2.3, 7.1.2.5 (relating to administrative and public areas), Table 2.1-5 (relating to station outlets for oxygen, vacuum and medical air systems).

This facility is also requesting exception from NFPA 101, 2000, specifically, Section 19.1.6.1 (relating to minimum construction requirements).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation

to do so should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-416. Filed for public inspection March 7, 2008, 9:00 a.m.]

Application of UPMC Horizon for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC Horizon has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 3.1.3 (relating to examination/treatment room).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-417. Filed for public inspection March 7, 2008, 9:00 a.m.]

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code §§ 205.6(a) and (b), 205.36(h) and 205.38(a) and (b) (relating to function of building; bathing facilities; and toilet facilities).

United Zion Retirement Community
722 Furnace Hill Pikes
Lititz, PA 17543
FAC ID 470402

The following long-term care nursing facility is seeking an exception to 28 Pa. Code §§ 205.24(a) and 205.27 (relating to dining room; and lounge and recreation rooms).

John J. Kane Regional Center—Scott Township
300 Kane Boulevard
Pittsburgh, PA 15243
FAC ID 364902

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on this exception request may do so by sending a letter by mail, e-mail or facsimile to the division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who require an alternative format of this document or who desire to comment in an alternative format (for example, large print, audiotape, Braille), should contact the Division of Nursing Care Facilities at the address or phone numbers listed previously or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-418. Filed for public inspection March 7, 2008, 9:00 a.m.]

Organ Donation Advisory Committee Meeting

The Organ Donation Advisory Committee established under 20 Pa.C.S. § 8622 (relating to The Governor Robert P. Casey Memorial Organ and Tissue Donation Awareness Trust Fund), will hold a public meeting on March 26, 2008, from 10 a.m. to 2 p.m. The meeting will be held at the Civil War Museum, 1 Lincoln Circle, Harrisburg, PA 17103.

For additional information or persons with a disability who desire to attend the meeting and require an auxiliary aid, service or other accommodation to do so contact Jessica Zilka, Public Health Educator, Health Education and Information Program, Bureau of Health Promotion and Risk Reduction, Room 1000, Health and Welfare Building, Harrisburg, PA at (717) 787-6214 or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

This meeting is subject to cancellation without notice.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-419. Filed for public inspection March 7, 2008, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Medical Assistance Program Fee Schedule Revisions; 2007 HCPCS Updates; Prior Authorization Requirements

The Department of Public Welfare (Department) announces changes to the Medical Assistance (MA) Program Fee Schedule and prior authorization requirements. These changes are effective for dates of service on and after March 15, 2008.

Fee Schedule Revisions

The Department is adding and end-dating procedure codes as a result of implementing the 2007 updates made by the Centers for Medicare and Medicaid Services to the Healthcare Common Procedure Coding System (HCPCS). The Department is also adding procedure codes, and procedure code and modifier combinations, to the MA Program Fee Schedule as a result of significant program exception requests.

Fees for the new procedure codes, and procedure code and modifier combinations, will be published in a *Medical Assistance Bulletin* that will be issued to all providers.

Procedure codes being added to the MA Program Fee Schedule as a result of the 2007 HCPCS updates which are effective and compensable for dates of service as of March 15, 2008.

<i>Procedure Code and Modifiers</i>	<i>Procedure Code and Modifiers</i>	<i>Procedure Code and Modifiers</i>	<i>Procedure Code and Modifiers</i>
00625	35303	67346 (SG)	77078 (26)
00626	35303 (80)	72291 (26)	77078 (TC)
15002	35304	72292 (26)	77079
15002 (SG)	35304 (80)	76776	77079 (26)
15003	35305	76776 (26)	77079 (TC)
15004	35305 (80)	76776 (TC)	77080
15004 (SG)	35306	76813	77080 (26)
15005	35306 (80)	76813 (26)	77080 (TC)
15731	35537	76813 (TC)	77081
15731 (SG)	35537 (80)	76814	77081 (26)
15830	35538	76814 (26)	77081 (TC)
15830 (80)	35538 (80)	76814 (TC)	77083
15830 (SG)	35539	76998 (26)	77083 (26)
15847	35539 (80)	77001	77083 (TC)
15847 (80)	35540	77001 (26)	77084
17311	35540 (80)	77001 (TC)	77084 (26)
17312	35637	77002	77084 (TC)
17313	35637 (80)	77002 (26)	77371
17314	35638	77002 (TC)	77372
17315	35638 (80)	77003	77373
19105	35883	77003 (26)	77435
19300	35883 (80)	77003 (TC)	82107
19300 (SG)	35884	77011	83698
19301	35884 (80)	77011 (26)	83913
19301 (SG)	37210	77011 (TC)	86788
19302	37210 (SG)	77012	86789
19302 (80)	44157	77012 (26)	87305
19302 (SG)	44157 (80)	77012 (TC)	87498
19303	44158	77013 (26)	87640
19303 (80)	44158 (80)	77014	87641
19303 (SG)	47719	77014 (26)	87653
19304	47719 (80)	77014 (TC)	87808
19304 (80)	48105	77021	91111

<i>Procedure Code and Modifiers</i>	<i>Procedure Code and Modifiers</i>	<i>Procedure Code and Modifiers</i>	<i>Procedure Code and Modifiers</i>
19304 (SG)	48105 (80)	77021 (26)	91111 (26)
19305	48548	77021 (TC)	91111 (TC)
19305 (80)	48548 (80)	77022 (26)	92025
19306	49324	77031	92025 (26)
19306 (80)	49324 (80)	77031 (26)	92025 (TC)
19307	49324 (SG)	77031 (TC)	94002
19307 (80)	49325	77032	94003
25109	49325 (80)	77032 (26)	94610
25109 (SG)	49325 (SG)	77032 (TC)	94644
25606	49326	77051	94645
25606 (SG)	49326 (80)	77051 (26)	94777
25607	49402	77051 (TC)	96040
25607 (80)	49402 (SG)	77052	A4461
25607 (SG)	49435	77052 (26)	A4463
25608	49435 (80)	77052 (TC)	A4600
25608 (80)	49436	77053	A8000
25608 (SG)	49436 (80)	77053 (26)	A8001
25609	49436 (SG)	77053 (TC)	A8002
25609 (80)	54865	77054	A8003
25609 (SG)	54865 (SG)	77054 (26)	A8004
27325	55875	77054 (TC)	D0273
27325 (80)	55875 (SG)	77055	D1206
27325 (SG)	55876	77055 (26)	D1555
27326	55876 (SG)	77055 (TC)	G0392
27326 (80)	56442	77056	G0392 (SG)
27326 (SG)	56442 (SG)	77056 (26)	G0393
28055	57296	77056 (TC)	G0393 (SG)
28055 (SG)	57296 (80)	77057	G0394
32998	57558	77057 (26)	J7345
32998 (80)	57558 (SG)	77057 (TC)	K0738 (RR)
32998 (SG)	58541	77058	L1001
33202	58541(80)	77058 (26)	L3806
33203	58541 (SG)	77058 (TC)	L3808
33254	58542	77059	L3915
33254 (80)	58542 (80)	77059 (26)	L6611
33255	58542 (SG)	77059 (TC)	L6624
33255 (80)	58543	77072	L6639
33256	58543 (80)	77072 (26)	L6703
33256 (80)	58543 (SG)	77072 (TC)	L6704
33265	58544	77073	L6706
33265 (80)	58544 (80)	77073 (26)	L6707
33266	58544 (SG)	77073 (TC)	L6708
33266 (80)	58548	77074	L6709
33675	58548 (80)	77074 (26)	L7007
33675 (80)	58957	77074 (TC)	L7008
33676	58957 (80)	77075	L7009
33676 (80)	58958	77075 (26)	L8691

<i>Procedure Code and Modifiers</i>	<i>Procedure Code and Modifiers</i>	<i>Procedure Code and Modifiers</i>	<i>Procedure Code and Modifiers</i>
33677	58958 (80)	77075 (TC)	Q4081
33677 (80)	64910	77076	T4543
33724	64910 (80)	77076 (26)	
33724 (80)	64910 (SG)	77076 (TC)	
33726	64911	77077	
33726 (80)	64911 (80)	77077 (26)	
35302	64911 (SG)	77077 (TC)	
35302 (80)	67346	77078	

Procedure codes being end-dated from the MA Program Fee Schedule as a result of the 2007 HCPCS updates and which will not be compensable for services provided after March 14, 2008:

<i>Procedure Codes</i>					
15000	31708	76003	76355	L0110	L6808
15001	31710	76005	76360	L3902	L6809
15831	33200	76012	76362	L3914	L6825
17304	33201	76013	76370	L6700	L6830
17305	33245	76020	76393	L6705	L6835
17306	33246	76040	76394	L6710	L6840
17307	33253	76061	76400	L6715	L6845
17310	35381	76062	76778	L6720	L6850
19140	35507	76065	76986	L6725	L6855
19160	35541	76066	78704	L6730	L6860
19162	35546	76071	78715	L6735	L6865
19180	35641	76075	78760	L6740	L6867
19182	44152	76077	91060	L6745	L6868
19200	44153	76082	92573	L6750	L6870
19220	47716	76083	94656	L6755	L6872
19240	48005	76086	94657	L6765	L6873
21300	48180	76088	A4348	L6770	L6875
25611	49085	76090	A4359	L6775	L6880
25620	54152	76091	E0164	L6780	L7010
26504	54820	76092	E0166	L6790	L7015
27315	56720	76093	E0180	L6795	L7020
27320	57820	76094	E0701	L6800	L7025
28030	67350	76095	E0977	L6806	L7030
31700	75998	76096	L0100	L6807	L7035

Procedure codes being added by the Department to the MA Program Fee Schedule as a result of significant program exception requests, which are effective and compensable for dates of service as of March 15, 2008.

<i>Procedure Code and Modifiers</i>	<i>Procedure Code and Modifiers</i>	<i>Procedure Code and Modifiers</i>	<i>Procedure Code and Modifiers</i>
17111	59514	78608	95810 (TC)
17111 (SG)	59514 (80)	78608 (26)	95811
43644	59820 (U7)	78608 (TC)	95811 (26)
43644 (80)	69710	86361	95811 (TC)
43770	69710 (80)	92135	95930
43770 (80)	69710 (SG)	92135 (26)	95930 (26)
43771	69711	92135 (TC)	95930 (TC)
43771 (80)	69711 (80)	92250	99239

<i>Procedure Code and Modifiers</i>	<i>Procedure Code and Modifiers</i>	<i>Procedure Code and Modifiers</i>	<i>Procedure Code and Modifiers</i>
43772	69711 (SG)	92250 (26)	A4231
43772 (80)	69714	92250 (TC)	A4230
43773	69714 (SG)	95805 (26)	C1300
43773 (80)	69715	95805 (TC)	E0619 (RR)
43774	69715 (SG)	95807 (26)	S3818
43774 (80)	69717	95807 (TC)	S3819
59025 (26)	69717 (SG)	95808 (26)	S3820
59025 (TC)	69718	95808 (TC)	S3822
59409	69718 (SG)	95810 (26)	S3823

Prior Authorization Requirements

The Department has determined that the following procedure codes currently on the MA Program Fee Schedule will require prior authorization, as authorized under section 443.6(b)(7) (relating to reimbursement for certain medical assistance items and services) of the act of June 13, 1967 (P. L. 31, No. 21) (62 P. S. §§ 101—1503) known as Public Welfare Code (code):

72159	Magnetic resonance angiography, spinal canal and contents, with or without contrast materials
72198	Magnetic resonance angiography, pelvis, with or without contrast materials
73225	Magnetic resonance angiography, upper extremity, with or without contrast materials
76936	Ultrasound guided compression repair of arterial pseudoaneurysm or arteriovenous fistulae (includes diagnostic ultrasound evaluation, compression of lesion and imaging)
78647	Cerebrospinal fluid flow, imaging (not including introduction of material); tomographic (SPECT)
78807	Radiopharmaceutical localization of inflammatory process; tomographic (SPECT)

The following procedure codes that are being added to the MA Program Fee Schedule are prostheses and orthoses that require prior authorization under section 443.6(b)(1) of the Public Welfare Code (code) (62 P. S. § 443.6(b)(1)), as amended by the act of July 7, 2005 (P. L. 177, No. 42).

L1001	Cervical thoracic lumbar sacral orthosis, immobilizer, infant size, prefabricated, includes fitting and adjustment
L3806	Wrist hand finger orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface material, straps, custom fabricated, includes fitting and adjustment
L3808	Wrist hand finger orthosis, rigid without joints, may include soft interface material; straps, custom fabricated, includes fitting and adjustment
L3915	Wrist hand orthosis, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, prefabricated, includes fitting and adjustment
L6611	Addition to upper extremity prosthesis, external powered, additional switch, any type
L6624	Upper extremity addition, flexion/extension and rotation wrist unit
L6639	Upper extremity addition, heavy duty feature, any elbow
L6703	Terminal device, passive hand/mitt, any material, any size
L6704	Terminal device, sport/recreational/work attachment, any material, any size
L6706	Terminal device, hook, mechanical, voluntary opening, any material, any size, lined or unlined
L6707	Terminal device, hook, mechanical, voluntary closing, any material, any size, lined or unlined
L6708	Terminal device, hand, mechanical, voluntary opening, any material, any size
L6709	Terminal device, hand, mechanical, voluntary closing, any material, any size
L7007	Electric hand, switch or myoelectric controlled, adult
L7008	Electric hand, switch or myoelectric, controlled, pediatric
L7009	Electric hook, switch or myoelectric controlled, adult
L8691	Auditory osseointegrated device, external sound processor, replacement

The Department has determined that the following new procedure codes being added to the MA Program Fee Schedule will require prior authorization as authorized under § 443.6(b)(7) of the code:

<i>Procedure Code</i>	<i>Procedure Description</i>
C1300	Hyperbaric oxygen under pressure, full body chamber, per 30 minute interval

<i>Procedure Code</i>	<i>Procedure Description</i>
15830	Excision, excessive skin and subcutaneous tissue (includes lipectomy); abdomen, infraumbilical panniculectomy
15847	Excision, excessive skin and subcutaneous tissue (includes lipectomy), abdomen (e.g., abdominoplasty) (includes umbilical transposition and fascial plication) (list separately in addition to code for primary procedure)
19300	Mastectomy for gynecomastia
19304	Mastectomy, subcutaneous
43644	Laparoscopy, surgical, gastric restrictive procedure; with gastric bypass and Roux-en-Y gastroenterostomy (roux limb 150 cm or less)
43770	Laparoscopy, surgical, gastric restrictive procedure; placement of adjustable gastric band (gastric band and subcutaneous port components)
43771	Laparoscopy, surgical, gastric restrictive procedure; revision of adjustable gastric band component only
43772	Laparoscopy, surgical, gastric restrictive procedure; removal of adjustable gastric band component only
43773	Laparoscopy, surgical, gastric restrictive procedure; removal and replacement of adjustable gastric band component only
43774	Laparoscopy, surgical, gastric restrictive procedure; removal of adjustable gastric band and subcutaneous port components
69710	Implantation or replacement of electromagnetic bone conduction hearing device in temporal bone
69711	Removal or repair of electromagnetic bone conduction hearing device in temporal bone
69714	Implantation, osseointegrated implant, temporal bone, with percutaneous attachment to external speech processor/cochlear stimulator; without mastoidectomy
69715	Implantation, osseointegrated implant, temporal bone, with percutaneous attachment to external speech processor/cochlear stimulator; with mastoidectomy
69717	Replacement (including removal of existing device), osseointegrated implant, temporal bone, with percutaneous attachment to external speech processor/cochlear stimulator; without mastoidectomy
69718	Replacement (including removal of existing device), osseointegrated implant, temporal bone, with percutaneous attachment to external speech processor/cochlear stimulator; with mastoidectomy
78608	Brain imaging, positron emission tomography (PET); metabolic evaluation

The following procedure code being added to the MA Program Fee Schedule is durable medical equipment and will require prior authorization, as authorized under § 443.6(b)(3) of the code:

E0619 (RR)	Apnea monitor, with recording feature
------------	---------------------------------------

Fiscal Impact

The estimated cost for Fiscal Year 2007-2008 is \$0.537 million (\$0.254 million in State funds). The estimated cost for Fiscal Year 2008-2009 is \$3.220 (\$1.515 million in State funds).

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department at the following address: Department of Public Welfare, Office of Medical Assistance Programs, c/o Deputy Secretary's Office, Attention: Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received will be reviewed and considered for any subsequent revisions to the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the AT&T Relay Service (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ESTELLE B. RICHMAN,
Secretary

Fiscal Note: 14-NOT-543. (1) General Fund:

	MA-Outpatient
(2) Implementing Year 2007-08 is	\$254,000
(3) 1st Succeeding Year 2008-09 is	\$1,515,000
2nd Succeeding Year 2009-10 is	\$1,515,000
3rd Succeeding Year 2010-11 is	\$1,515,000
4th Succeeding Year 2011-12 is	\$1,515,000
5th Succeeding Year 2012-13 is	\$1,515,000
(4) 2006-07 Program—	\$671,472,000
2005-06 Program—	\$945,950,000
2004-05 Program—	\$842,991,000

(7) Medical Assistance Outpatient; (8) recommends adoption. Funds have been included in the budget to cover these increases.

[Pa.B. Doc. No. 08-420. Filed for public inspection March 7, 2008, 9:00 a.m.]

2007 Group Two Exception Requests; Medical Assistance Long-Term Care Participation Review

The purpose of this notice, published under 55 Pa. Code § 1187.21a(e)(4) (relating to nursing facility exception requests—statement of policy), is to announce the 2007 Group Two Exception Requests received by the Department of Public Welfare covering the submission period of July 1, 2007, through December 31, 2007.

Expansion Requests

<i>Number</i>	<i>Name</i>	<i>Address</i>	<i>County</i>	<i>Beds</i>
JD07001	William Penn Care Center	2020 Ader Road Jeanette, PA 15644	Westmoreland	1
JD07002	Lakeside Nursing Center	Box 357, R. D. 4 Dallas, PA 18612	Luzerne	30
JD07003	Presbyterian Homes At Hollidaysburg	220 Newry Street Hollidaysburg, PA 16648	Blair	8
JD07004	Sycamore Manor Health Center	1445 Sycamore Road Montoursville, PA 17754	Lycoming	8

A copy of the previously listed exception requests is available for review during the 30-day comment period. The public may review the requests during regular business hours. To schedule an appointment to review a request, call (717) 705-3705.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Public Welfare, Barry Farrell, Office of Long-Term Living, Bureau of Community Development, P. O. Box 2675, Harrisburg, PA 17105. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ESTELLE B. RICHMAN,
Secretary

Fiscal Note: 14-NOT-542. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 08-421. Filed for public inspection March 7, 2008, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Fairview Township Authority v. DEP; EHB Doc. No. 2008-048-L

Fairview Township Authority has appealed the issuance by the Department of Environmental Protection of an NPDES permit to Fairview Township Authority for a facility in Fairview Township, York County, PA.

A date for the trial on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457 and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's

rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Acting Chairperson

[Pa.B. Doc. No. 08-422. Filed for public inspection March 7, 2008, 9:00 a.m.]

Lancaster Area Sewer Authority v. DEP; EHB Doc. No. 2008-043-L

Lancaster Area Sewer Authority has appealed the issuance by the Department of Environmental Protection of an NPDES permit to Lancaster Area Sewer Authority for a facility in Manor Township, Lancaster County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Acting Chairperson

[Pa.B. Doc. No. 08-423. Filed for public inspection March 7, 2008, 9:00 a.m.]

York City Sewer Authority v. DEP; EHB Doc. No. 2008-044-L

York City Sewer Authority has appealed the issuance by the Department of Environmental Protection of an NPDES permit to York City Sewer Authority for a facility in Manchester Township, York County, PA.

A date for the trial on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Acting Chairperson

[Pa.B. Doc. No. 08-424. Filed for public inspection March 7, 2008, 9:00 a.m.]

**ENVIRONMENTAL
QUALITY BOARD**

Meeting Cancellation

The March 18, 2008, meeting of the Environmental Quality Board (Board) is cancelled. The next meeting of the Board is scheduled for April 15, 2008, at 9 a.m. in Room 105 of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105. An agenda and meeting materials for the April 15, 2008, meeting will be available on the Department of Environmental Protection's web site at www.depweb.state.pa.us (DEP Key-words: EQB).

Questions concerning the Board's next scheduled meeting may be directed to Michele Tate at (717) 783-8727 or mtate@state.pa.us.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 08-425. Filed for public inspection March 7, 2008, 9:00 a.m.]

**FISH AND BOAT
COMMISSION**

Time Restrictions at Union Access, Susquehanna River and Mountain Springs Lake in Luzerne County

The Executive Director of the Fish and Boat Commission (Commission), acting under the authority of 58 Pa. Code § 53.4(a) (relating to limiting access to Commission property and other restrictions), has closed the following Commission access areas to the public during the hours of 10 p.m. to 5 a.m.: Union Access on the Susquehanna River and Mountain Springs Lake, Luzerne County. These time restrictions are effective when posted at the sites. It is unlawful for any person to enter or remain upon Commission property during the times it is closed to public use without the express written consent of the Executive Director or designee.

DOUGLAS J. AUSTEN, Ph.D.,
Executive Director

[Pa.B. Doc. No. 08-426. Filed for public inspection March 7, 2008, 9:00 a.m.]

**INDEPENDENT
REGULATORY REVIEW
COMMISSION**

Action Taken by the Commission

The Independent Regulatory Review Commission (Commission) met publicly at 10:30 a.m., Thursday, February 21, 2008, and announced the following:

Regulation Deemed Approved Under Section 5(g) of the Regulatory Review Act—Effective February 20, 2008:

Pennsylvania Gaming Control Board #125-71: Bureau of Investigation and Enforcement; and Slot Machine Testing and Control (amends Chapters 405a and 461a)

Regulation Approved:

Department of Revenue #15-442: Repeal of Sales and Use Tax Exclusion for Tangible Personal Property Used in the Production of Commercial Motion Pictures (deletes 61 Pa. Code § 32.38)

Approval Order

Public Meeting held
February 21, 2008

Commissioners Voting: Arthur Coccodrilli, Chairperson; David J. DeVries, Esq.; Nancy Sabol Frantz, Esq.; John F. Mizner, Esq., by Phone

Department of Revenue—Repeal of Sales and Use Tax Exclusion for Tangible Personal Property Used in the Production of Commercial Motion Pictures; Regulation No. 15-442 (#2667)

On January 18, 2008, the Independent Regulatory Review Commission (Commission) received this regulation from the Department of Revenue (Department). This rulemaking deletes 61 Pa. Code § 32.38. Notice of pro-

posed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This regulation updates existing rules to reflect a statutory change in Act 55 of 2007 which removed the sales and use tax exclusion for commercial motion pictures from the Tax Reform Code.

We have determined this regulation is consistent with the statutory authority of the Department (72 P.S. §§ 7201(c)(8) and 7204(54)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

ARTHUR COCCODRILLI,
Chairperson

[Pa.B. Doc. No. 08-427. Filed for public inspection March 7, 2008, 9:00 a.m.]

Notice of Filing of Final Rulemaking

The Independent Regulatory Review Commission (Commission) received the following regulation. It is scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, in Harrisburg at 10:30 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy.

This schedule is tentative. Contact the Commission at (717) 783-5417 or check our web site at www.irrc.state.pa.us for updates.

Final-Omit

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
16A-6512	State Board of Physical Therapy Deletion of Athletic Trainer Regulations	2/27/08	4/3/08

ARTHUR COCCODRILLI,
Chairperson

[Pa.B. Doc. No. 08-428. Filed for public inspection March 7, 2008, 9:00 a.m.]

INSURANCE DEPARTMENT

Liberty Mutual Fire Insurance Company; Liberty Insurance Corporation and The First Liberty Insurance Corporation; Private Passenger Automobile; Rate and Rule Revisions; Rate Filing

On February 15, 2008, the Insurance Department (Department) received from Liberty Mutual Fire Insurance Company, Liberty Insurance Corporation and The

First Liberty Insurance Corporation (company) a filing for rate level changes for private passenger automobile insurance.

The company requests an overall 2.97% increase amounting to \$7.3 million annually, to be effective June 30, 2008, for new business and August 4, 2008, for renewals.

Unless formal administrative action is taken prior to April 15, 2008, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Department's web site at www.ins.state.pa.us. To access the filing, under "Quick Links" click on "Rate Filings Published in the PA Bulletin."

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department's regional office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Eric Zhou, Insurance Department, Insurance Product Regulation and Market Enforcement, 1311 Strawberry Square, Harrisburg, PA 17120, gzhou@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 08-429. Filed for public inspection March 7, 2008, 9:00 a.m.]

Nationwide Insurance Company of America; Private Passenger Automobile; Rate and Rule Revisions; Rate Filing

On February 18, 2008, the Insurance Department (Department) received from Nationwide Insurance Company of America (company) a filing for rate level changes for private passenger automobile insurance.

The company requests an overall 3.1% increase amounting to \$6.2 million annually, to be effective July 31, 2008, for renewal business only.

Unless formal administrative action is taken prior to April 18, 2008, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Department's web site at www.ins.state.pa.us. To access the filing, under "Quick Links" click on "Rate Filings Published in the PA Bulletin."

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department's regional office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Eric Zhou, Insurance Department, Insurance Product Regulation and Market Enforcement, 1311 Strawberry Square, Harrisburg, PA 17120, gzhou@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 08-430. Filed for public inspection March 7, 2008, 9:00 a.m.]

**Nationwide Mutual Fire Insurance Company and
Nationwide Property and Casualty Insurance
Company; Homeowners; Rate and Rule Revi-
sion; Rate Filing**

On February 11, 2008, the Insurance Department (Department) received from Nationwide Mutual Fire Insurance Company and Nationwide Property and Casualty Insurance Company (company) a filing for a rate level and rule change for homeowners insurance.

The companies request an overall 2.1% increase amounting to \$5,053,100 annually, to be effective July 28, 2008.

Unless formal administrative action is taken prior to March 12, 2008, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.ins.state.pa.us. To access the filing, under "Quick Links" click on "Rate Filings Published in the PA Bulletin."

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department's regional office in Harrisburg.

Interested parties are invited to submit written comments, suggestions or objections to Michael P. McKenney, Insurance Department, Insurance Product Regulation and Market Enforcement, 1311 Strawberry Square, Harrisburg, PA 17120, mmckenney@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 08-431. Filed for public inspection March 7, 2008, 9:00 a.m.]

**PENNSYLVANIA
INFRASTRUCTURE
INVESTMENT AUTHORITY**

Meeting Date and Cut-Off Change

The Fiscal Year 2007-2008 regular meeting scheduled for Tuesday, April 15, 2008 has been changed to Monday, April 14, 2008. The application cut-off date of February 19, 2008, has already occurred. The Pennsylvania Infrastructure Investment Authority Board Meeting will begin at 10 a.m. instead of the 10:30 a.m. on the stated meeting date.

<i>Application Cut-Off Date</i>	<i>Board Meeting Date</i>	<i>Location</i>
February 19, 2008	Monday, April 14, 2008	Dixon University Center

Dixon University Center
Richards Hall
Recital Room
2986 North
Second Street
Harrisburg, PA

Persons requiring ADA accommodations at the Board meeting should contact Kathlyn Domitrovich at (717) 783-4493 or kdomitrovi@state.pa.us.

PAUL K. MARCHETTI,
Executive Director

[Pa.B. Doc. No. 08-432. Filed for public inspection March 7, 2008, 9:00 a.m.]

**PENNSYLVANIA PUBLIC
UTILITY COMMISSION**

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by March 24, 2008. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2008-2014168. (Corrected) Steffany L. Turns (P. O. Box 537, Halifax, Dauphin County, PA 17032)—persons, upon call or demand, in the Counties of Snyder, Perry, Northumberland, Schuylkill and Northern Dauphin County to include Halifax, Millersburg, Elizabethville, Gratz, Lykens and Wiconisco, and the City of Williamsport, Lycoming County.

A-2008-2014173. Clarion Medical, LLC (1000 Valley Forge Circle, Suite 110 B, King of Prussia, Montgomery County, PA 19406)—in paratransit service, from points in Montgomery and Bucks Counties, to points in Pennsylvania, and return.

Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under each application.*

A-2008-2022192. VA Five Star, Inc. (26 Nancy Drive, Richboro, Bucks County, PA 18954), a corporation of the Commonwealth—for the right to transport, as a common carrier, by motor vehicle, persons in limousine service, which is to be a transfer of all of the operating rights under the certificate issued at A-00108814, F.5, to Bucks Transit Co., Inc., subject to the same limitations and conditions. *Attorney:* Brandon R. Wind, Esquire, Petrille Wind, PC, 1206 Swamp Road, Fountainville, PA 18923.

Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under each application.

A-2008-2021410. Graefe Moving Services, Inc. (2173 Limestone Street, Coplay, Lehigh County, PA 18037)—a corporation of the Commonwealth—household goods in use, from points in Lehigh County, to points in Pennsylvania, and vice versa.

A-2008-2024691. 4N Enterprises, LLC, t/a Units Mobile Storage of Eastern PA (4165 Fawn Trail Road, Allentown, Lehigh County, PA 18104)—a limited liability corporation of the Commonwealth—household goods in use, from points in the Counties of Lehigh, Northampton and Bucks; the municipalities of Green Lane, Harleysville, Hatfield, Kulpsville, Lansdale, Pennsburg, Souderton and Telford in Montgomery County; and the municipality of Hereford in Bucks County, to points in Pennsylvania, and vice versa.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods by transfer of rights as described under each application.

A-2008-2023229. Simonik Transportation & Warehousing Group, LLC (103 Gaither Drive, Mt. Laurel, Burlington County, NJ 08054)—a limited liability corporation of the State of New Jersey—household goods in use, which is to be a transfer of all rights authorized under the certificates issued at A-00115142, F.2 to Simonik Moving & Storage, Inc., subject to the same limitations and conditions.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 08-433. Filed for public inspection March 7, 2008, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept faxed bids for Project No. 08-020.P, Trash Removal, Tioga Marine Terminal, LMSR Project until 2 p.m. on Thursday, March 20, 2008. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 North Delaware Avenue, 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available March 11, 2008. PRPA is an equal opportunity employer. Contractor must comply with all applicable equal employment opportunity laws and regulations.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 08-434. Filed for public inspection March 7, 2008, 9:00 a.m.]

STATE BOARD OF BARBER EXAMINERS

Bureau of Professional and Occupational Affairs v. Thomas W. Shaffer Barber Shop; Doc. No. 0047-42-2008

On January 8, 2008, Thomas W. Shaffer Barber Shop, of Uniontown, Fayette County, had its license suspended for noncompliance with a previously issued State Board of Barber Examiners (Board) order.

Individuals may obtain a copy of the adjudication by writing to C. William Fritz, II, Board Counsel, State Board of Barber Examiners, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

VINCENT IACONO,
Chairperson

[Pa.B. Doc. No. 08-435. Filed for public inspection March 7, 2008, 9:00 a.m.]

STATE BOARD OF COSMETOLOGY

Bureau of Professional and Occupational Affairs v. La' Salon Expression of You; Doc. No. 0095-45-2008

On January 15, 2008, La' Salon Expression of You, of Philadelphia, Philadelphia County, had its license suspended for failure to comply with a previously issued State Board of Cosmetology (Board) order.

Individuals may obtain a copy of the adjudication by writing to C. William Fritz, II, Board Counsel, State Board of Cosmetology, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

SUSAN E. RINEER,
Chairperson

[Pa.B. Doc. No. 08-436. Filed for public inspection March 7, 2008, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Barbara Rusz, LPN; Doc. No. 2368-51-2007

On January 14, 2008, Barbara Rusz, LPN, a/k/a Barbara Rusz Fabry, LPN, of Apollo, Armstrong County, was suspended, based on her noncompliance of a previously issued State Board of Nursing (Board) order.

Individuals may obtain a copy of the adjudication by writing to Thomas A. Blackburn, Board Counsel, State Board of Nursing, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board counsel.

MARY E. BOWEN, R. N., CRNP,
Chairperson

[Pa.B. Doc. No. 08-437. Filed for public inspection March 7, 2008, 9:00 a.m.]

STATE BOARD OF VEHICLE MANUFACTURERS, DEALERS AND SALESPERSONS

Bureau of Professional and Occupational Affairs v. Andre Johnson, Sr.; Doc. No. 2471-60-2007

On December 14, 2007, Andre Johnson, Sr., license no. MV-207431, of Philadelphia, Philadelphia County, was

suspended under the Order of the Court of Common Pleas of Philadelphia County dated December 7, 2007, which the Court issued under 23 Pa.C.S. § 4355 (relating to denial or suspension of licenses). The suspension is effective immediately.

Individuals may obtain a copy of the order by writing to Gerald S. Smith, Senior Counsel in Charge, State Board of Vehicle Manufacturers, Dealers and Salespersons, P. O. Box 2649, Harrisburg, PA 17105-2649.

GARY M. BARBERA,
Chairperson

[Pa.B. Doc. No. 08-438. Filed for public inspection March 7, 2008, 9:00 a.m.]

STATE REAL ESTATE COMMISSION

Bureau of Professional and Occupational Affairs v. Lionel Yates; Doc. No. 0123-56-2008

On January 16, 2008, Lionel Yates, license no. RS-212462, of Norristown, Montgomery County, was suspended under the Order of the Court of Common Pleas of Montgomery County dated January 7, 2008, which the Court issued under 23 Pa.C.S. § 4355 (relating to denial or suspension of licenses). The suspension is effective immediately.

Individuals may obtain a copy of the order by writing to Gerald S. Smith, Senior Counsel in Charge, State Real Estate Commission, P. O. Box 2649, Harrisburg, PA 17105-2649.

JOSEPH MCGETTIGAN, Sr.,
Chairperson

[Pa.B. Doc. No. 08-439. Filed for public inspection March 7, 2008, 9:00 a.m.]