

NOTICES

DEPARTMENT OF EDUCATION

Application of Commonwealth Medical Education Corporation for Approval of Change to Degree-Granting Status, Name Change to 'The Commonwealth Medical College,' and Amendment and Restatement of its Articles of Incorporation

Notice of Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application of the Commonwealth Medical Education Corporation for a Certificate of Authority approving the institution's change to degree-granting status with a corresponding change of name. The organization requests approval to operate a community-based medical college under the name The Commonwealth Medical College. The proposed degree programs are a program in Medicine leading to a Doctor of Medicine (MD) degree and a program in Biomedical Sciences leading to a Master of Biomedical Sciences (MBS) degree. Approval of authority to confer an honorary Doctor of Medical Arts degree is also requested. Additionally and in tandem, the Department will consider the organization's request to amend and restate its Articles of Incorporation.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon these items without hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protests) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protest and request for hearing shall be filed with Carol M. D. Gisselquist, Higher Education Specialist (717) 787-4448, 333 Market Street, Harrisburg, PA 17126-0333 on or before 4 p.m. on the due date prescribed by this notice. Persons wishing to review the application should phone or write to the aforementioned office to schedule a time for an in-office review. Duplicate copies of the application are not available.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodation to participate should contact Carol Gisselquist at (717) 787-4448 to discuss how the Department may best accommodate their needs.

GERALD L. ZAHORCHAK, D.Ed.,
Secretary

[Pa.B. Doc. No. 08-1019. Filed for public inspection May 30, 2008, 9:00 a.m.]

Availability of 2008-2009 Career and Technical Education Federal Tech Prep Grants

Applications for Federal Tech Prep grant funds are invited. The project period is July 1, 2008, to June 30, 2009.

Maximum Amounts per Tech Prep Region:

1. *Central Region*: Centre, Clinton, Columbia, Juniata, Lycoming, Mifflin, Montour Northumberland, Snyder and Union Counties—\$183,475
2. *Lehigh Valley Region*: Lehigh and Northampton Counties—\$193,460
3. *North Central Region*: Cameron, Clearfield, Elk, Jefferson, McKean and Potter Counties—\$90,659
4. *Northeast Region*: Carbon, Lackawanna, Luzerne, Monroe, Pike, Schuylkill and Wayne Counties—\$327,709
5. *Northern Tier Region*: Bradford, Sullivan, Susquehanna, Tioga and Wyoming Counties—\$75,878
6. *Northwest Region*: Clarion, Crawford, Erie, Forest, Lawrence, Mercer, Venango and Warren Counties—\$299,993
7. *Philadelphia Region*: Philadelphia County—\$1,037,547
8. *Pittsburgh Region*: Allegheny County—\$396,439
9. *South Central Region*: Adams, Cumberland, Dauphin, Franklin, Lebanon, Perry and York Counties—\$355,864
10. *Southeast Region*: Berks, Bucks, Chester, Delaware, Lancaster and Montgomery Counties—\$888,222
11. *Southern Alleghenies Region*: Bedford, Blair, Cambria, Fulton, Huntingdon and Somerset Counties—\$166,245
12. *Southwest Region*: Armstrong, Beaver, Butler, Fayette, Greene, Indiana, Washington and Westmoreland Counties—\$409,879

1. Eligibility Requirements

Funding is available on a competitive basis to career and technical education centers/area vocational-technical schools, school districts and charter schools with Department of Education approved programs; postsecondary institutions including proprietary schools; Intermediate Units; and Workforce Investment Boards that offer approved career and technical education programs. Funding preference is granted to an institution within a Tech Prep region/consortium that will ensure the establishment of regional Tech Prep activities to include all partners.

The Department of Education (Department) will give consideration to Tech Prep applications that:

- Establish a leadership committees to bring direction to implement the "Program of Study" to the region which will include representation from secondary, postsecondary, business, school administrators, teachers, community and others.
- Assist in the development and implementation of statewide "Programs of Study" by CIP, as recognized by the Department.
- Implement the approved statewide articulation agreement guidelines designed for all Department-approved Career and Technical Education "Programs of Study."
- Facilitate the alignment of academic and technical curriculum between secondary and postsecondary levels that meets academic and industry standards related to an approved "Program of Study."

- Facilitate the alignment of academic and technical curriculum between secondary and postsecondary levels to eliminate the need for remediation at the postsecondary level.

- Assess, plan, develop, organize and implement "Program of Study" activities within the state defined regions, as recognized by the Department.

- Maintain communication with all consortium schools that have Department-approved Career and Technical Education "Programs of Study."

- Assist all consortium schools in the identification and reporting of Tech Prep students within the Department-approved Career and Technical Education "Programs of Study."

2. *Application Deadline*

Applications are due June 30, 2008, by 5:30 p.m.

3. *How to apply*

The Department has implemented an internet-based E-Grant system that requires eligible applicants to apply for funding online. The grant guidelines will be available on the Department's web site at www.pde.state.pa.us/. On the left side click on: Pre K-12 Schools, Career and Technical Education, Grants and Funding and Funding Sources. This page provides a listing of the various funding guidelines. Click on Federal Tech Prep.

4. *Questions Concerning the Grant Application*

Questions concerning the grant application should be addressed to Susan Will, Tech Prep Coordinator, Department of Education, Bureau of Career and Technical Education, Professional Development and Support Services, 333 Market Street, 11th Floor, Harrisburg, PA 17126-0333, (717) 346-9735, swill@state.pa.us.

To all area career and technical education centers/area vocational-technical schools, school districts and charter schools with Department-approved programs; postsecondary institutions including proprietary schools; Intermediate Units; and Workforce Investment Boards. Funding preference is granted to an institution within a Tech Prep consortium that will ensure the establishment of regional Tech Prep activities to include all partners.

The current issue of the *Pennsylvania Bulletin* contains information on the following grant available through the

Bureau of Career and Technical Education: Federal Tech Prep. The E-Grant link for the Tech Prep grant is "Federal Tech Prep—(386)." The E-Grant link for equipment grants is "Federal Tech Prep—(386)."

The Federal Tech Prep grant is targeted to area career and technical education centers/area vocational-technical schools, school districts, and charter schools with Department-approved programs; postsecondary institutions including proprietary schools; Intermediate Units; and Workforce Investment Boards. Funding preference is granted to the institution within a Tech Prep consortium that will ensure the establishment of regional Tech Prep activities to include all partners.

The Federal Tech Prep grants are limited to the alignment of activities and funds towards the six Key Components of the 2008-2013 Tech Prep Guidelines.

1. Statewide Articulation Agreement and Programs of Study.

2. Alignment of Academic and Technical Curriculum between Secondary and Postsecondary Levels.

3. In-service Professional Development for Teachers/Faculty and Administrators and Professional Development Programs for Counselors.

4. Assist All Consortium Schools in the Identification and Reporting of Tech Prep Students within Department-approved Career and Technical Education "Programs of Study."

5. Special Populations.

6. Preparatory Services.

Funding preference is granted to an institution within a Tech Prep consortium that will ensure the establishment of regional Tech Prep activities to include all partners. The *Pennsylvania Bulletin* is available at www.pabulletin.com. Persons who have any questions on these grant opportunities, contact Susan Will at swill@state.pa.us.

GERALD L. ZAHORCHAK, D.Ed.,
Secretary

[Pa.B. Doc. No. 08-1020. Filed for public inspection May 30, 2008, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N?</i>
PA0010227 (IW)	F. L. Smidth, Inc. 236 Cherry Street Manheim, PA 17545	Lancaster County Manheim Borough	Chickies Creek 7G	Y
PA0028347 (SEW)	Martinsburg Municipal Authority 133 East Allegheny Street P. O. Box 307 Martinsburg, PA 16662-0307	Blair County Martinsburg Borough	UNT Plum Creek 11-A	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

PA#0027693, Sewage, **Minersville Sewer Authority**, 2 East Sunbury Street, Minersville, PA 17954. This existing facility is located in Minersville Borough and Branch Township, **Schuylkill County**.

Description of Proposed Activity: Renewal of NPDES Permit to discharge up to 1.0 mgd of treated sewage.

The receiving stream, West Branch Schuylkill River, is in the State Water Plan Watershed 03 and is classified for: CWF. The nearest downstream public water supply intake for the Pottstown Borough Water Authority is located on the Schuylkill River approximately 60 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 1.0 mgd are as follows:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
NH ₃ -N (5-1 to 10-31) first 3 years of permit (11-1 to 4-30) last 2 years of permit	Monitor and Report 12		Monitor and Report 24
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)	200/100 ml as a Geometric Mean 2,000/100 ml as a Geometric Mean		
pH	6.0 to 9.0 Standard Units at all times.		
Total Residual Chlorine	0.96		2.2

The proposed effluent limits for Outfall 002 (stormwater) are as follows:

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>
CBOD ₅				Report
Chemical Oxygen Demand				Report
Oil and Grease				Report
pH				Report
Total Suspended Solids (TSS)				Report
Total Kjeldahl Nitrogen (TKN)				Report
Total Phosphorus				Report
Iron (dissolved)				Report

Point sources 003—009 serve as combined sewer reliefs necessitated by stormwater entering the sewer system and exceeding the hydraulic capacity of the sewers and/or the treatment plant. In accordance with the Department of Environmental Protection's EPA approved CSO strategy, a special permit requirement is included in Part C of this permit.

In addition to the effluent limits, the permit contains the following major special conditions:

1. Requirements applicable to stormwater outfalls along with identified best management practices.
2. Management and control of combined sewer overflows.
3. Whole Effluent Toxicity Testing.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PA 0081841, Sewage, **Thousand Trails, Inc.**, 493 South Mount Pleasant Road, Lebanon, PA 17042. This facility is located in Hershey Preserve STP, **Dauphin County**.

Description of activity: The application is for renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, UNT to Gingrich Run, is in Watershed 7-D, and classified for TSE, water supply, recreation and fish consumption. The nearest downstream public water supply intake for PA American Water Company is located on the Swatara Creek, approximately 18 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.04 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	20
Total Suspended Solids	10	20
NH ₃ -N (5-1 to 10-31)	3	6
(11-1 to 4-30)	9	18
Total Phosphorus	2.0	4.0
Total Residual Chlorine	0.12	0.38
Dissolved Oxygen	Minimum of 5.0 at all times	
pH	From 6.0 to 9.0 inclusive	
Fecal Coliform (5-1 to 9-30)	200/100 ml as a Geometric Average	
(10-1 to 4-30)	2,000/100 ml as a Geometric Average	

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0260657, CAFO, **Hammer Creek Dairy Farm**, 260 Schaeffer Road, Newmanstown, PA 17073.

Lavern and Francis Martin have submitted an NPDES permit renewal application for Hammer Creek Dairy Farm, an existing dairy and poultry layer operation located in Heidelberg Township, **Lebanon County**. The CAFO is situated near Hammer Creek (Watershed 7-J), which is classified as a HQ-CWF. The CAFO has a target animal population of approximately 439.7 animal equivalent units consisting of 90,000 layers, 95 adult cows, and eight calves. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue the NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit. The permit application and draft permit are on file at the Southcentral Regional Office of the Department.

Persons may make an appointment to review the Department's files by calling the file review coordinator at (717) 705-4732.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA0206041, Industrial Waste, SIC 2821 and 3087, **Washington Penn Plastics Company, Inc.**, 450 Racetrack Road, P. O. Box 236, Washington, PA 15301-0236. This application is for renewal of an NPDES permit to discharge untreated stormwater from the Arden Division in South Strabane Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, Chartiers Creek, classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is West View Municipal Authority, located on the Ohio River, 50 miles below the discharge point.

Outfall 001: existing discharge of stormwater.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Iron, Total					Monitor and Report
Aluminum, Total					Monitor and Report
Manganese, Total					Monitor and Report
Total Suspended Solids					Monitor and Report
Fecal Coliform					Monitor and Report
pH					Monitor and Report

Other Conditions: Part C conditions concerning floating materials, stormwater and a Stormwater Pollution Prevention Plan.

The EPA waiver is in effect.

PA0024490, Sewage, **Rockwood Borough**, 358 Market Street, Rockwood, PA 15557. This application is for renewal of an NPDES permit to discharge treated sewage from Rockwood Borough STP in Black Township, **Somerset County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Casselman River, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Ohiopyle Municipal Water Works.

Outfall 001: existing discharge, design flow of 0.3 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	38		50
Suspended Solids	30	45		60
Fecal Coliform	200/100 ml as a Geometric Mean			
(5-1 to 9-30)	2,000/100 ml as a Geometric Mean			
(10-1 to 4-30)	1.0			3.3
Total Residual Chlorine	not less than 6.0 nor greater than 9.0			
pH				

Other Conditions: Outfalls 002, 004 and 005 will serve as Combined Sewer Overflows.

The EPA waiver is in effect.

PA0028011, Sewage, **HMSHost**, P. O. Box 8, Middletown, PA 17057. This application is for renewal of an NPDES permit to discharge treated sewage from Zelenople Service Station Plaza Sewage Treatment Plant in New Sewickley Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Brush Creek, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Beaver Falls Municipal Water Authority.

Outfall 001: existing discharge, design flow of 0.05 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10			20
Suspended Solids	25			50
Ammonia Nitrogen				
(5-1 to 10-31)	2.0			4.0
(11-1 to 4-30)	6.0			12.0
Phosphorus	1			2
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a Geometric Mean			
(10-1 to 4-30)	2,000/100 ml as a Geometric Mean			
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 5 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0094064, Sewage, **Keystone Restaurant and Truck Stop**, P. O. Box 277, Ebensburg, PA 15931. This application is for renewal of an NPDES permit to discharge treated sewage from Keystone Restaurant and Truck Stop STP in Munster Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Noels Creek, which are classified as a HQ-CWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Municipal Authority of Buffalo Township.

Outfall 001: existing discharge, design flow of 0.0072 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10			20
Suspended Solids	25			50
Ammonia Nitrogen				
(5-1 to 10-31)	2.0			4.0
(11-1 to 4-30)	4.0			8.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a Geometric Mean			
(10-1 to 4-30)	2,000/100 ml as a Geometric Mean			
Total Residual Chlorine	0.1			0.2
Dissolved Oxygen	not less than 7.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0253731, Sewage, **Richard Holland**, 943 Blackhawk Road, Beaver Falls, PA 15010. This application is for issuance of an NPDES permit to discharge treated sewage from Holland Single Residence STP in South Beaver Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as UNT to Brush Creek, which are classified as a HQ-CWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Beaver Falls Municipal Authority.

Outfall 001: new discharge, design flow of 0.0004 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10			20
Suspended Solids	20			40
Ammonia Nitrogen				
(5-1 to 10-31)	5.0			10.0
(11-1 to 4-30)	15			30
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a Geometric Mean			
(10-1 to 4-30)	2,000/100 ml as a Geometric Mean			

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Dissolved Oxygen	not less than 3.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0253758, Sewage, **Mark Sirochman**, 187 Gardners Road, Cross Junction, VA 22625. This application is for issuance of an NPDES permit to discharge treated sewage from Sirochman SRSTP in Allegheny Township, **Somerset County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as UNT to Raystown Branch Juniata River, which are classified as a CWF with existing and/or potential uses for aquatic life, water supply and recreation.

Outfall 001: new discharge, design flow of 0.0005 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Fecal Coliform	200/100 ml as a Geometric Mean			
(5-1 to 9-30)	2,000/100 ml as a Geometric Mean			
(10-1 to 4-30)				
Total Residual Chlorine	1.4			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0238724, Sewage, **Gary E. and Cindy E. Freligh**, Co-owners, **Freligh's Whispering Pines Mobile Home Park**, 26330 Hickernell Road, P. O. Box 342, Springboro, PA 16435. This existing facility is located in Girard Township, **Erie County**.

Description of Proposed Activity: A new NPDES Permit for an existing discharge of treated sewage from a non-POTW serving the Freligh's Whispering Pines Mobile Home Park.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, the existing downstream potable water supply considered during the evaluation is Erie Water Works, located in Lake Erie, approximately 16 miles below the point of discharge.

The receiving stream, a UNT to Elk Creek, is in Watershed 15-EC and classified for: CWF, MF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.010 mgd.

<i>Parameter</i>	<i>Concentrations</i>		
	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	Monitor and Report		
CBOD ₅	25		50
Total Suspended Solids	30		60
NH ₃ -N			
(5-1 to 10-31)	2		4
(11-1 to 4-30)	6		12
Phosphorus as "P"	1.0		
Dissolved Oxygen	minimum of 6.0 mg/l at all times		
Total Residual Chlorine	0.27		0.63
Fecal Coliform	200/100 ml as a Geometric Average		
(5-1 to 9-30)	2,000/100 ml as a Geometric Average		
(10-1 to 4-30)	6.0 to 9.0 Standard Units at all times		
pH			

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0025739-Amendment No. 1, Sewage. Borough of Port Allegany, 45 West Maple Street, Port Allegany, PA 16743-1318. This proposed facility is located in Port Allegany Borough, **McKean County**.

Description of Proposed Activity: Expansion of an existing discharge of treated sewage.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, the existing/proposed downstream potable water supply, considered during the evaluation is the PA/NY State line, approximately 25 miles below the point of discharge.

The receiving stream, the Allegheny River, is in Watershed 16-C and classified for: CWF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.9 mgd.

Interim Limits

<i>Parameters</i>	<i>Loadings</i>		<i>Concentrations</i>		
	<i>Average Monthly (lb/day)</i>	<i>Average Weekly (lb/day)</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	XX	XX			
CBOD ₅	188	300	25	40	50
Total Suspended Solids	225	338	30	45	60
NH ₃ -N (5-1 to 10-31)	101		13.5		27
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)			200/100 ml as a Geometric Average 16,000/100 ml as a Geometric Average		
Total Residual Chlorine			0.66		2.2
pH			6.0 to 9.0 Standard Units at all times		

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 mgd.

Final Limits

<i>Parameters</i>	<i>Loadings</i>		<i>Concentrations</i>		
	<i>Average Monthly (lb/day)</i>	<i>Average Weekly (lb/day)</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	XX	XX			
CBOD ₅	313	500	25	40	50
Total Suspended Solids	375	563	30	45	60
NH ₃ -N (5-1 to 10-31)	119		9.5		19
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)			200/100 ml as a Geometric Average 2,000/100 ml as a Geometric Average		
Total Residual Chlorine			0.47		1.56
pH			6.0 to 9.0 Standard Units at all times		

XX—Monitor and report on monthly DMRs.

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0101192, Industrial Waste. Falls Creek Borough WTP, 79 6th Street, Falls Creek, PA 15842. This proposed facility is located in Falls Creek Borough, **Jefferson County**.

Description of Proposed Activity: an existing discharge of treated industrial waste.

The receiving water is Falls Creek. The receiving stream is in State Water Plan 17-C and is classified for the following uses: CWF, aquatic life, water supply and recreation. The nearest downstream potable water supply, the Hawthorn Water Company, is located on Redbank Creek and is approximately 46 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.022 mgd.

<i>Parameter</i>	<i>Concentrations</i>		
	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	XX		
Total Suspended Solids	30	60	75
Iron	2	4	5
Manganese	1	2	2.5

<i>Parameter</i>	<i>Concentrations</i>		
	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Aluminum	4	8	10
Total Residual Chlorine	0.5		1.6
pH	6.0 to 9.0 Standard Units at all times		

XX—Monitor and report on DMRs.

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0238686, Sewage. **Brandy One, LLC**, P. O. Box 449, Mars, PA 16046. This proposed facility is located in Connoquenessing Township, **Butler County**.

Description of Proposed Activity: New permit for an existing discharge of treated sewage.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, the existing/proposed downstream potable water supply, considered during the evaluation is the Harmony Borough Water Company intake is located on the Little Connoquenessing Creek and is approximately 10 miles below point of discharge.

The receiving stream, the UNT to Little Connoquenessing Creek, is in Watershed 20-C and classified for: CWF, aquatic life, water supply and recreation.

Interim Limits

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0239 mgd.

<i>Parameters</i>	<i>Loadings</i>		<i>Concentrations</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly (lb/day)</i>	<i>Average Weekly (lb/day)</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	
Flow (mgd)	XX				
CBOD ₅			25		50
TSS			30		60
NH ₃ -N					
(5-1 to 10-31)			3		6
(11-1 to 4-30)			9		18
Fecal Coliform			200/100 ml as a Geometric Average		
(5-1 to 9-30)			2,000/100 ml as a Geometric Average		
(10-1 to 4-30)			0.5		1.2
Total Residual Chlorine					
Dissolved Oxygen	4				
Phosphorus as "P"			2		4
pH	6.0 to 9.0 Standard Units at all times				

Final Limits

The proposed effluent limits for Outfall 001 are based on a design flow of 0.03853 mgd.

<i>Parameters</i>	<i>Loadings</i>		<i>Concentrations</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly (lb/day)</i>	<i>Average Weekly (lb/day)</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	
Flow (mgd)	XX				
CBOD ₅			25		50
TSS			30		60
NH ₃ -N					
(5-1 to 10-31)			3.5		7
(11-1 to 4-30)			10.5		21
Fecal Coliform			200/100 ml as a Geometric Average		
(5-1 to 9-30)			2,000/100 ml as a Geometric Average		
(10-1 to 4-30)			0.39		0.9
Total Residual Chlorine					
Dissolved Oxygen	5				
Phosphorus as "P"			2		4
pH	6.0 to 9.0 Standard Units at all times				

XX—Monitor and report on monthly DMRs.

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 0208202, Industrial Waste, **Allegheny County Airport Authority, PGH International Airport, Landside Terminal**, 4th Floor Mezzanine, P. O. Box 12370, Pittsburgh, PA 15231-0370. This proposed facility is located in Moon and Findlay Townships, **Allegheny County**.

Description of Proposed Action/Activity: Application for the construction and operation of a deicing stormwater treatment plant.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

V. Applications for NPDES Wavier Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10-G444-RA-1	West Vincent Associates, LTD 707 Eagleview Boulevard Exton, PA 19341-1159	Chester	West Vincent Township	Birch Run EV
PAI01 1508032	Brandywine Ridge, Inc. 901 Glenbrook Avenue Bryn Mawr, PA 19010	Chester	Willistown Township	Ridley Creek HQ
PAI01 1508033	Troy and Teri Stacey P. O. Box 615 Honey Brook, PA 19344	Chester	West Branch Brandywine Creek HQ	West Branch Brandywine Creek HQ

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Lehigh County Conservation District: Lehigh Agriculture Center, Suite 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023908004	Cecilia Birdsell East Penn School District 800 Pine Street Emmaus, PA 18049	Lehigh	Lower Macungie Township	Little Lehigh Creek HQ-CWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration

of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact

the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Application No. 5808501, Public Water Supply.

Applicant	Pennsylvania American Water Harmony Township Susquehanna County
Responsible Official	David R. Kaufmann Pennsylvania American Water 800 West Hersheypark Drive Hershey, PA 17033
Type of Facility	PWS
Consulting Engineer	James P. Connor, P. E. Pennsylvania American Water 100 North Pennsylvania Avenue Wilkes-Barre, PA 18701
Application Received Date	April 23, 2008
Description of Action	Applicant proposes the addition of a polymer feed system to aid in the water coagulation process at the Susquehanna WTP.

Application No. 4008503, Public Water Supply.

Applicant	Valley Gorge Mobile Home Park White Haven Borough Luzerne County
Responsible Official	Paul Swerdon Valley Gorge Mobile Home Park 316 Susquehanna Street White Haven, PA 18661
Type of Facility	PWS
Consulting Engineer	Paul Swerdon, P. E. 316 Susquehanna Street White Haven, PA 18661
Application Received Date	May 8, 2008
Description of Action	Applicant proposes the addition of a new source of supply (Well No. 3) as an alternate or back-up source for the mobile home park.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Application No. 1408502—Construction, Public Water Supply.

Applicant	Gregg Township Water Authority
Township or Borough	Gregg Township
County	Centre

Responsible Official	Thomas Stitzer, Chairperson Gregg Township Water Authority P. O. Box 165 Spring Mills, PA 16875
Type of Facility	Public Water Supply—Construction
Consulting Engineer	Eric S. Lundy, P. E. Nittany Engineering & Associates, LLC 2836 Earlstown Road Suite 1 Centre Hall, PA 16828
Application Received	May 19, 2008
Description of Action	Construction of a well to be primary source of water for the new filtration plant while using the existing spring source as an emergency supply.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation.

tion and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Phoenix Steel Foundry Building, Phoenixville Borough, **Chester County**. Stephen Brower, Environmental Standards, Inc., 1140 Valley Forge Road, P. O. Box 810, Valley Forge, PA 19482 on behalf of Michael Kimble, Hankin Phoenix Foundry Partners, LP, 1707 Eagleview Boulevard, Exton, PA 19341 has submitted a Notice of Intent to Remediate. Soil and groundwater at the site has been impacted by release of chlorinated solvents. It is anticipated that the property will be used for nonresidential purpose. A summary of the Notice of Intent to Remediate was reported to have been published in the *Phoenix* on April 24, 2008.

Valley View Danboro MHP, Plumstead Township, **Bucks County**. Thomas Reinstadtler, R. J. Walsh Associates, Inc., P. O. Box 119, Allentown, NJ 08501 on behalf of Matry Mancini, American Residential Community, 1081 Easton Road, Danboro, PA 18916 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted by release of No. 2 fuel oil. The future use of the site will remain the same.

Willard Elementary School, City of Philadelphia, **Philadelphia County**. Gloria Hunsberger, Kleinfelder East, Inc., 800 East Washington Street, Philadelphia, PA 19380 on behalf of Francine Locke, School District of Philadelphia Environmental, 440 North Broad Street, 3rd Floor, Room 3053, Philadelphia, PA 19103 has submitted a Notice of Intent to Remediate. Soil at the site has been impacted with the release of inorganics. The site will be developed as the New Willard Elementary School. A summary of the Notice of Intent to Remediate was reported to have been published in the *Philadelphia Weekly* on November 11, 2007.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Former Woodwright Pallet Company, York Township, **York County**. Earth Engineering, Inc., 115 West Germantown Pike, East Norriton, PA 19401, on behalf of Joseph Allison, Gaptex, Inc., 180 South Orchard Street, York, PA 17313, submitted a Notice of Intent to Remediate site soils contaminated with VOCs and chlorinated solvents. This commercial property will be remediated to the Statewide Health Standard.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Mallery Lumber Wolf Run Project, Jones Township, **Elk County**. Mountain Research, LLC, 825 25th Street,

Altoona, PA 16601 on behalf of Mert Holdings, LLC, 214 West Fourth Street, Emporium, PA 15834 has submitted a Notice of Intent to Remediate. The site was formerly utilized for lumbering operations and has been found to be contaminated with arsenic in site soils. The proposed future use of the property is expected to be residential and/or undeveloped. The Notice of Intent to Remediate was published in *The Johnsonburg Press* on November 17, 2007.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Former EMI/Gunite Site, City of Erie, **Erie County**. MACTEC Engineering and Consulting, Inc., Carnegie Office Park, Building 4, 700 North Bell, Suite 200, Pittsburgh, PA 15106 on behalf of Cathedral Preparatory School, 225 West 9th Street, Erie, PA 16501 has submitted a Notice of Intent to Remediate. The site operated as an iron foundry from the late 1880's until October 2006. Records indicate various chemicals, solvents and oils (some containing PCBs) were utilized throughout the facility. Laboratory results indicated a few exceedances of the Residential Direct Contact MSCs for arsenic, benzo(a)anthracene and dibenzo(a,h)anthracene. An athletic complex will be constructed on the site. The Notice of Intent to Remediate was published in the *Erie-Times News* on December 28, 2007.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application received, under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit Application No. 301355. Eagle Environmental II, LP, 345 Alexander Spring Road, Suite 3, Carlisle, PA 17015. The application for the proposed Harmony Residual Waste Landfill, located on Township Road 409 in Chest Township, **Clearfield County**, was submitted to the Williamsport Regional Office on May 2, 2008. A Local Municipal Involvement Process meeting will be scheduled sometime in June 2008.

Comments concerning the application should be directed to David Garg, P. E., Facilities Manager, Williamsport Regional Office, 208 West 3rd Street, Suite 101, Williamsport, PA 17701. Person interested in obtaining more information about the general permit application may contact the Williamsport Regional Office at (570) 327-3740. TDD users may contact the Department of Environmental Protection through the Pennsylvania Relay Service, (800) 654-5984.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all

the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121–143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Ray Kempa, New Source Review Chief, (570) 826-2531.

66-399-006: Procter & Gamble Paper Products Co. (P. O. Box 32, Mehoopany, PA 18629-0032) for modification of their existing diaper operation at their facility in Washington Township, **Wyoming County**.

35-320-010: PA Hutchinson Co. (400 Penn Avenue, Mayfield, PA 18433) for installation of a 2-color webfed heatset lithographic printing press at their site in Mayfield Borough, **Lackawanna County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

36-05001G: Armstrong World Industries, Inc. (1507 River Road, Marietta, PA 17547) for adding a mat stacker after the boardmill in East Donegal Township, **Lancaster County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, M. Gorog and B. Hatch, Environmental Engineer Managers, (412) 442-4163/5226.

26-00574A: Stone Materials, LLC (P. O. Box 423, Reedsville, WV 26547) for installation of limestone quarry in Georges Township, **Fayette County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

24-012H: C/G Electrodes, LLC—St. Mary's Plant (800 Theresia Street, St. Mary's, PA 15857-1898) for the exhausting an existing source (metallurgical coke screening operations venting through a dust collector indoors) to the outdoors in St. Marys City, **Elk County**. This is a Title V facility.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Ray Kempa, New Source Review Chief, (570) 826-2531.

54-313-087: First Quality Nonwovens, Inc. (101 Green Mountain Road, Hazleton, PA 18202) for construction of a polypropylene extrusion operation to be designated as Line No. 7 and operation of existing polypropylene extrusion lines designated as Line No. 2—Line No. 6 at the facility in East Union Township, **Schuylkill County**. Presently, the company manufactures polypropylene nonwoven fabrics at their facility. Expected PM emission rate will be less than 0.02 grain/dscf from each extruder stack. Potential VOC emissions from the facility will be less than 50 tpy based on 12-month rolling sum. The company will operate the facility and maintain the sources in accordance with the good engineering practices to assure proper operation of the sources. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

35-320-010: PA Hutchinson Co. (400 Penn Avenue, Mayfield, PA 18433) for installation of a 2-color webfed heatset lithographic printing press at their site in Mayfield Borough, **Lackawanna County**. VOC emissions from the plant will remain under the 50 tpy threshold. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

06-05037G: McConway & Torley, LLC (109 Forty-Eighth Street, Pittsburgh, PA 15021-2755) for installation of ladle metallurgy furnace operations and vacuum degassing operations in their steel making facility at 230 Railroad Street in Kutztown Borough, **Berks County**. The equipment changes, with controls, will increase facil-

ity emissions by 10 tpy of CO, 7 tpy of NO_x and 3 tpy of PM. The plan approval will include monitoring requirements, recordkeeping requirements, reporting requirements, emission restrictions and work practice standards designed to keep the facility operating within all applicable air quality requirements.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

25-124C: Mayer Bros. Construction Co. (1902 Cherry Street, Erie, PA 16502) for conversion of an existing hot mix asphalt plant to burn No. 5 fuel oil as an alternate fuel in the City of Erie, **Erie County**, as described in the applicant's application of March 18, 2008.

Under 25 Pa. Code §§ 127.44(a) and 127.424(b), that the Department of Environmental Protection (Department) intends to issue a Plan Approval for their facility in the City of Erie, Erie County. This plan approval will authorize. This proposed modification was previously permitted under Plan Approval 25-124B, issued August 8, 2006. The Plan Approval will subsequently be incorporated into the facility's Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

This modification will result in a potential net increase in emissions of 4.75 tons of NO_x and 1.39 tons of VOCs per year over the facility's current potential emissions burning natural gas. The plan approval includes emissions restrictions for PM, CO, NO_x and VOCs, and restrictions on sulfur content and other specifications for the No. 5 fuel oil. The permittee will be restricted to a maximum annual throughput of 100,000 tons of hot mix asphalt. The plan approval will also include appropriate testing, monitoring, recordkeeping, reporting and work practice requirements as needed to demonstrate compliance with applicable air quality requirements.

Copies of the application, the Department's analysis, and other documents used in the evaluation are available for public inspection between 8 a.m. and 4 p.m. weekdays at the address shown. To make an appointment, contact Records Management at (814) 332-6340, for an appointment.

Anyone wishing to provide the Department with additional information they believe should be considered may submit the information to the address shown. Comments must be received, by the Department, within 30 days of the last day of publication. Written comments should include the following:

1. Name, address and telephone number of the person submitting comments.
2. Identification of the proposed Plan Approval No. 25-124C.
3. Concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to John Guth, Regional Air Quality Manager,

Department of Environmental Protection, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6940.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

AR-03-00027: Reliant Energy Northeast Management Co.—Keystone Power Plant (121 Champion Way, Suite 200, Canonsburg, PA 15317-5817) for operation of two coal-fired boilers in Plumcreek Township, **Armstrong County**. This is a renewal of the Title IV (Acid Rain) operating permit.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

46-00035: SmithKline Beecham Corp., d/b/a Glaxo SmithKline (709 Swedeland Road, King of Prussia, PA 19406) for renewal of their Title V Operating Permit in Upper Merion Township, **Montgomery County**. The facility is primarily involved in pharmaceutical research and development. SmithKline Beecham Corp., d/b/a Glaxo SmithKline operates boilers, generators, incinerators and other lab equipment. The renewal incorporates plan approval 46-0035D for the installation of a scrubber system and fabric filter. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting. The operation is subject to Compliance Assurance Monitoring under 40 CFR Part 64 and NSPS regulations.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Ray Kempa, New Source Review Chief, (570) 826-2531.

35-00020: Master Halco, Inc. (1000 North South Road, Scranton, PA 18504) for operation of galvanizing and wire drawing processes at their facility in the City of Scranton, **Lackawanna County**. This facility is currently operating under Operating Permit 35-318-092. All permit requirements shall be included in the State-only (Natural Minor) Operating Permit for this facility. This Operating Permit shall include emission restrictions, monitoring, recordkeeping and reporting requirements designed to ensure this facility complies with all applicable air quality regulations.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

21-05030: Ahlstrom Filtration, LLC (122 West Butler Street, Mount Holly Springs, PA 17065) for operation of their specialty paper manufacturing plant in Mount Holly Springs, **Cumberland County**. This action reflects an ownership change and all existing permit conditions will remain in effect.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, New Source Review Chief, (814) 332-6940.

61-00122: Seneca Hardwood Lumber Co., Inc. (212 Seneca Hardwood Road, Cranberry, PA 16319) intends to issue a Natural Minor Operating Permit is for the operation of their facility's air contamination source consisting of: a 10.3 mmBtu/hr wood-fired boiler, a 8.4 mmBtu/hr wood/natural gas-fired boiler, wood working operations, one cold cleaning machine and six wood-drying kilns in the Rockland Township, **Venango County**.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the district mining office indicated before an applica-

tion within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH ¹		greater than 6.0; less than 9.0	
Alkalinity greater than acidity ¹			

¹The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

03940110 and NPDES Permit No. PA0200999. Britt Energies, Inc. (2450 Philadelphia Street, Indiana, PA 15701) Application received for transfer of permit currently issued to Seven Sisters Mining Company, Inc., for

continued operation and reclamation of a bituminous surface mining site located in Wayne Township, **Armstrong County**, affecting 55.5 acres. Receiving streams: UNTs "A" and "B" to North Branch of South Fork Pine Creek to Pine Creek to the Allegheny River, classified for the following uses: HQ-CWF (South Fork Pine Creek), and WWF (Allegheny River). There are no public water supplies within 10 miles from the point of discharge. Transfer application received May 5, 2008.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

16020102 and NPDES Permit No. PA0242128. Ancient Sun, Inc. (P. O. Box 129, Shippenville, PA 16254) Renewal of an existing bituminous surface strip operation in Toby Township, **Clarion County** affecting 27.9 acres.

Receiving streams: UNT to Little Licking Creek, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application for reclamation only. Application received May 13, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

54-305-008GP12. Ginther Coal Company (P. O. Box 989, Pottsville, PA 17901) Application to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and

conditions of General Permit, BAQ-GPA/GP-12 on existing Surface Mining Permit No. 54743208 in East Norwegian Township, **Schuylkill County**. Application received May 6, 2008.

Noncoal Applications Received

Effluent Limits—The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

Permit No. 05080801. Stuart M. Shaffer, 3794 Hyndman Road, Hyndman, PA 15545, commencement, operation and restoration of a small noncoal (industrial minerals) operation in Londonderry Township, **Bedford County**, affecting 2 acres. Receiving streams: UNT to Wills Creek. Application received April 22, 2008.

Permit No. 11080801. Kevin E. Hite, 516 Eckenrode Mill Road, Patton, PA 16668, commencement, operation and restoration of a small noncoal (industrial minerals) operation in East Carroll Township, **Cambria County**, affecting 5.0 acres. Receiving streams: Laurel Lick Run to Chest Creek. Application received May 13, 2008.

Permit No. 32080802. Russell J. Bonarrigo II, 2134 Route 22, P. O. Box 97, Blairsville, PA 15717, commencement, operation and restoration of a small noncoal (industrial minerals) operation in Blairsville Borough, **Indiana County**, affecting 5.0 acres, receiving streams: UNT to the Conemaugh River. Permit received May 14, 2008.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

20800301. Conneaut Lake Sand and Gravel, Inc. (P. O. Box 233, West Middlesex, PA 16159) Renewal of NPDES Permit No. PA0211851, Vernon Township, **Crawford County**. Receiving streams: UNT to Watson Run and Watson Run; UNT of Mud Run to Mud Run classified for the following use: WWF. There are not potable surface water supply intakes within 10 miles downstream. NPDES renewal application received May 12, 2008.

37080303 and NPDES Permit No. PA0258598. Three Rivers Aggregates (P. O. Box 6090, Falmouth, VA 22403) Commencement, operation and restoration of a sand and gravel operation in Scott and Plain Grove Townships, **Lawrence County** affecting 71.0 acres. Receiving streams: UNT No. 1 to Taylor Run and Taylor Run, classified for the following use: CWF. There are no

potable surface water supply intakes within 10 miles downstream. Application to include a request to change a portion of the premining land use of forestland to a postmining land use of pastureland or land occasionally cut for hay. Application received May 13, 2008.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E54-335. Wayne Township Municipal Authority/Attention: Ralph Fiddler, P. O. Box 97, Friedensburg, PA 17933, in Wayne Township, **Schuylkill County**, United States Army Corps of Engineers, Philadelphia District.

To construct and maintain 39,100 linear feet of 8-inch diameter PVC main sewer line and 3,700 linear feet of 6-inch diameter PVC lateral service sewer lines with 25 crossings under Long Run (CWF) a tributary to the Schuylkill River (WWF, MF). The project begins 0.04 mile west of the intersection of Stone Mountain Road in SR 0443 and ends 0.05 mile south and west of the intersection of SR 0443 in Bensing Road in Wayne Township, Schuylkill County (Friedensburg, PA Quadrangle N: 18.51/20.93 inches; W: 16.81/11.26 inches).

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E67-839: Faire Wynd Associates, LP, 4400 Deer Path Road, Harrisburg, PA 17110, Bupp-McNaughton, Dover Township, **York County**, United States Army Corps of Engineers, Baltimore District.

To install and maintain: 1) a 2.50-foot high by 10.0-foot wide by 98.50-foot long concrete box culvert in a UNT to Fox Run (TSF) permanently impacting 98.5 linear feet of stream channel; 2) an 18.0-inch diameter by 60.0-foot long SLPP in a UNT to Fox Run (TSF) permanently impacting 60.0 linear feet of stream channel; 3) a 2.50-foot high by 10.0-foot wide by 87.0-foot long concrete box culvert in a UNT to Fox Run permanently impacting 87.0 linear feet of stream channel; and 4) a rip-rap apron permanently impacting 40.0 linear feet of a UNT to Fox Run (TSF). The project is located along Roosevelt Avenue/Bull Road, just south of Canal Road (Dover, PA Quadrangle N: 1.75 inches; W: 9.75 inches, Latitude: 40° 0' 51"; Longitude: 76° 48' 52") in Dover Township, York County. The project will impact a total of 450.0 linear feet of stream channel. The applicant proposes no impacts to wetlands.

E36-831: Veolia ES Lancaster/Lancaster Landfill, Michael C. Carlini, 2487 Cloverleaf Road, Elizabethtown, PA 17022-0347, Mount Joy Township, **Lancaster County**, United States Army Corps of Engineers, Baltimore District.

To construct and maintain a 27.6 acre expansion to an existing landfill facility impacting 4.29 acres of PEM/PFO/POW wetlands, and 553.0 linear feet of a UNT to Little Chickes Creek (TSF) and a utility line crossing of dual 6.0 inch HDPE leachate conveyance pipes affecting 10.0 linear feet of a UNT to Little Chickies Creek (TSF) (Elizabethtown, PA Quadrangle N: 8.0"; W: 4.0", Latitude: 40° 10' 12"; Longitude: 76° 31' 39") in Mount Joy Township, Lancaster County. The applicant proposes a minimum of 8.58 acres of replacement wetlands.

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permit application has been received by the Department of Environmental Protection (Department) and is currently under review. Persons wishing to comment on the proposed permit are invited to submit a statement to the Bureau of Waste Management, Division of Storage Tanks, P. O. Box 8763, Harrisburg, PA 17105-8763, within 30 days from the date of this publication. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of the comment and the relevant facts upon which it based.

The following application has been received for Storage Tank Site-Specific Installation Permits under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C.

<i>SSIP Application No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
08004	Nittany Oil Company, Inc. 321 North Front Street Philipsburg, PA 16866 Attn: Sam Sleek	Mifflin	Granville Township	Two ASTs storing ethanol	40,000 gallons total

ACTIONS

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE
ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY
MANAGEMENT (WQM) PERMITS**

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of

Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PAS802208 (Stormwater)	Swallow Associates Nestle Transportation Corp. 3003 Turner Street Allentown, PA 18104	Upper Macungie Township Lehigh County	Cedar Creek 02C	Y
PA0036463 (Industrial Waste)	OMNOVA Solutions, Inc. 95 Hickory Drive Auburn, PA 17922-0429	West Brunswick Township Schuylkill County	UNTs to Schuylkill River	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0034363 (SEW)	Stuart Hess Pine View Acres MHP 116-B Blantz Road Lititz, PA 17543	Lancaster County Penn Township	UNT Chickies Creek 7-G	Y
PA0081949 (SEW)	West Earl Sewer Authority Brownstown Wastewater Treatment Plant P. O. Box 725 Brownstown, PA 17508	Lancaster County West Earl Township	Conestoga River 7-J	Y

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0247111 (CAFO)	Robert Barley Star Rock Farms 37 Chestnut Grove Road Conestoga, PA 17516	Lancaster County Manor Township	Little Conestoga Creek 7-J	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0219479 Sewage	Carl E. Nicolaus, III 180 Pollock Run Road Belle Vernon, PA 15012-3102	Westmoreland County Rostraver Township	UNT of Pollock Run	Y
PA0216071 Sewage	Univar USA, Inc. P. O. Box 303 Bunola, PA 15020-0303	Allegheny County Forward Township	Monongahela River	Y
PA0032069 Sewage	Saint Francis University P. O. Box 600 Loretto, PA 15940-0600	Cambria County Loretto Borough	UNT of Clearfield Creek	Y
PA0219258 Sewage	Mechling-Shakley Veterans Center 1413 SR 268 Cowansville, PA 16218-9530	Armstrong County Sugarcreek Township	Drainage Swale Tributary to UNT of Patterson Creek	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0030295	Commodore Perry School District 3002 Perry Highway Hadley, PA 16130	Perry Township Mercer County	Millner Run 20-A	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0261092, Sewage, **Graham and Carla Snyder**, 1144 Picketown Road, Harrisburg, PA 17112. This proposed facility is located in West Hanover Township, **Dauphin County**.

Description of Proposed Action/Activity: Authorization to discharge to UNT Beaver Creek in Watershed 7-D.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0238724, Sewage, **Gary E. and Cindy E. Freligh**, Co-owners, **Freligh's Whispering Pines Mobile Home Park**, 26330 Hickernell Road, P. O. Box 342, Springboro, PA 16435. This existing facility is located in Girard Township, **Erie County**.

Description of Proposed Activity: A new NPDES Permit for an existing discharge of treated sewage from a non-POTW serving the Freligh's Whispering Pines Mobile Home Park.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, the existing downstream potable water supply considered during the evaluation is Erie Water Works, located in Lake Erie, approximately 16 miles below the point of discharge.

The receiving stream, a UNT to Elk Creek, is in Watershed 15-EC and classified for: CWF, MF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.010 mgd.

<i>Parameter</i>	<i>Concentrations</i>		
	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow	Monitor and Report		
CBOD ₅	25		50
Total Suspended Solids	30		60
NH ₃ -N			
(5-1 to 10-31)	2		4
(11-1 to 4-30)	6		12
Phosphorus as "P"	1.0		
Dissolved Oxygen	Minimum of 6.0 mg/l at all times		

<i>Parameter</i>	<i>Concentrations</i>		
	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Total Residual Chlorine	0.27		0.63
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)		200/100 ml as a Geometric Average 2,000/100 ml as a Geometric Average	
pH		6.0 to 9.0 Standard Units at all times	

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0025739-Amendment No. 1, Sewage. **Borough of Port Allegany**, 45 West Maple Street, Port Allegany, PA 16743-1318. This proposed facility is located in Port Allegany Borough, **McKean County**.

Description of Proposed Activity: Expansion of an existing discharge of treated sewage.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, the existing/proposed downstream potable water supply, considered during the evaluation is the PA/NY state line, approximately 25 miles below the point of discharge.

The receiving stream, the Allegheny River, is in Watershed 16-C and classified for: CWF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.9 mgd.

Interim Limits

<i>Parameters</i>	<i>Loadings</i>			<i>Concentrations</i>	
	<i>Average Monthly (lb/day)</i>	<i>Average Weekly (lb/day)</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	XX	XX			
CBOD ₅	188	300	25	40	50
Total Suspended Solids	225	338	30	45	60
NH ₃ -N (5-1 to 10-31)	101		13.5		27
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)			200/100 ml as a Geometric Average 16,000/100 ml as a Geometric Average		
Total Residual Chlorine			0.66		2.2
pH			6.0 to 9.0 Standard Units at all times		

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 mgd.

Final Limits

<i>Parameters</i>	<i>Loadings</i>			<i>Concentrations</i>	
	<i>Average Monthly (lb/day)</i>	<i>Average Weekly (lb/day)</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	XX	XX			
CBOD ₅	313	500	25	40	50
Total Suspended Solids	375	563	30	45	60
NH ₃ -N (5-1 to 10-31)	119		9.5		19
Fecal Coliform (5-1 to 9-30) (10-1 to 4-30)			200/100 ml as a Geometric Average 2,000/100 ml as a Geometric Average		
Total Residual Chlorine			0.47		1.56
pH			6.0 to 9.0 Standard Units at all times		

XX—Monitor and report on monthly DMRs.

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0101192, Industrial Waste. **Falls Creek Borough WTP**, 79 6th Street, Falls Creek, PA 15842. This proposed facility is located in Falls Creek Borough, **Jefferson County**.

Description of Proposed Activity: an existing discharge of treated industrial waste.

The receiving water is Falls Creek. The receiving stream is in State Water Plan 17-C and is classified for the following uses: CWF, aquatic life, water supply and recreation. The nearest downstream potable water supply, the Hawthorn Water Company, is located on Redbank Creek and is approximately 46 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 0.022 mgd.

<i>Parameter</i>	<i>Concentrations</i>		
	<i>Average Monthly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	XX		
Total Suspended Solids	30	60	75
Iron	2	4	5
Manganese	1	2	2.5
Aluminum	4	8	10
Total Residual Chlorine	0.5		1.6
pH	6.0 to 9.0 standard units at all times		

XX—Monitor and report on DMRs.

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0238686, Sewage. **Brandy One, LLC**, P. O. Box 449, Mars, PA 16046. This proposed facility is located in Connoquenessing Township, **Butler County**.

Description of Proposed Activity: New permit for an existing discharge of treated sewage.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, the existing/proposed downstream potable water supply, considered during the evaluation is the Harmony Borough Water Company intake is located on the Little Connoquenessing Creek and is approximately 10 miles below point of discharge.

The receiving stream, the UNT to Little Connoquenessing Creek, is in Watershed 20-C and classified for: CWF, aquatic life, water supply and recreation.

Interim Limits

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0239 mgd.

<i>Parameters</i>	<i>Loadings</i>		<i>Concentrations</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly (lb/day)</i>	<i>Average Weekly (lb/day)</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	
Flow (mgd)	XX				
CBOD ₅			25		50
TSS			30		60
NH ₃ -N					
(5-1 to 10-31)			3		6
(11-1 to 4-30)			9		18
Fecal Coliform					
(5-1 to 9-30)		200/100 ml as a Geometric Average			
(10-1 to 4-30)		2,000/100ml as a Geometric Average			
Total Residual Chlorine			0.5		1.2
Dissolved Oxygen	4				
Phosphorus as "P"			2		4
pH	6.0 to 9.0 Standard Units at all times				

Final Limits

The proposed effluent limits for Outfall 001 are based on a design flow of 0.03853 mgd.

<i>Parameters</i>	<i>Loadings</i>		<i>Concentrations</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly (lb/day)</i>	<i>Average Weekly (lb/day)</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	
Flow (mgd)	XX				
CBOD ₅			25		50
TSS			30		60
NH ₃ -N					
(5-1 to 10-31)			3.5		7
(11-1 to 4-30)			10.5		21
Fecal Coliform					
(5-1 to 9-30)		200/100 ml as a Geometric Average			
(10-1 to 4-30)		2,000/100 ml as a Geometric Average			
Total Residual Chlorine			0.39		0.9
Dissolved Oxygen	5				
Phosphorus as "P"			2		4
pH	6.0 to 9.0 Standard Units at all times				

XX—Monitor and report on monthly DMRs.

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

WQM Permit No. 4507405, Sewerage, **Utilities, Inc., d/b/a Penn Estates Utilities, Inc.**, P. O. Box 379, Dunkirk, MD 20754-0379. This proposed facility is located in Stroud Township, **Monroe County**.

Description of Proposed Action/Activity: Issuance of Water Quality Management Permit for the addition of a denitrification filter with a capacity of 0.200 mgd in parallel to existing units at the Penn Estates Wastewater Treatment Plant.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 2208404, Sewerage, **William Weaver, Lower Paxton Township Authority**, 425 Prince Street, Harrisburg, PA 17109. This proposed facility is located in Lower Paxton Township, **Dauphin County**.

Description of Proposed Action/Activity: Approval for the construction/operation of sewerage facilities consisting of: replacement of force main from Linglestown Road Pump Station to MH 821 in Balthaser Road with 900' of 4" force main and 1,109' of 6" force main increasing station capacity.

WQM Permit No. 2207405, Sewerage, **Graham and Carla Snyder**, 1144 Piketown Road, Harrisburg, PA 17112. This proposed facility is located in West Hanover Township, **Dauphin County**.

Description of Proposed Action/Activity: Approval for the construction/operation of a small flow sewage treatment plant to serve their single-family residence.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. WQG018619, Sewerage, **Barbara and David A. Winner**, 4689 SE 92nd Street, Starke, FL 32091. This proposed facility is located in Pittsfield Township, **Warren County**.

Description of Proposed Action/Activity: A single Residence Sewage Treatment Plant.

WQM Permit No. WQG018616, Sewerage, **Pamela L. Miller**, R. R. 1, Box 188, Pleasantville, PA 16341-9323. This proposed facility is located in Harmony Township, **Forest County**.

Description of Proposed Action/Activity: A single Residence Sewage Treatment Plant.

WQM Permit No. WQG018621, Sewerage, **Cole M. and Maria C. Schultz**, 1160 Pleasant Road, Warren, PA 16365-9701. This proposed facility is located in Pleasant Township, **Warren County**.

Description of Proposed Action/Activity: A single Residence Sewage Treatment Plant.

WQM Permit No. 3708402, Sewerage, **Mahoning Township**, 4538 West State Street, Hillsville, PA 16132. This proposed facility is located in Mahoning Township, **Lawrence County**.

Description of Proposed Action/Activity: The proposed new sewerage system will service approximately 600 existing residential homes and businesses and future horse racetrack and casino. The new sewage treatment-plant will have a design capacity of 360,000 gpd. The treatment-plant is being designed/situated to allow for possible future expansion with additional treatment capacity.

WQM Permit No. 3708401, Sewerage, **Mahoning Township**, 4538 West State Street, Hillsville, PA 16132. This proposed facility is located in Mahoning Township, **Lawrence County**.

Description of Proposed Action/Activity: The new treatment plant will serve portions of Mahoning Township and the proposed Valley View Downs and Casino. Flows from the Mahoning Township service areas will be conveyed to a new centralized wastewater treatment plant. The new treatment plant will be constructed just west of Route 224 and southeast of the Mahoning River. The new treatment plant will discharge to the Mahoning River, approximately 3,300 feet upstream of the existing bridge of Route 224.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 0907010	Prime Properties, Inc. 1630 Meetinghouse Road Hartsville, PA 18974	Bucks	Springfield Township	Unami Creek HQ-TSF
PAI01 0907025	Bensalem Redevelopment, LP 2310 Terwood Drive Huntingdon Valley, PA 19006	Bucks	Bensalem Township	Delaware River WWF-MF

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 1507023	The Kilgore Company 489 Devon Park Drive Suite 300A Wayne, PA 19087	Chester	Willistown Township	Valley Creek EV

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023508002	Lackawanna County Performing Arts Authority Attn: James McDonough 200 Adams Avenue Scranton, PA 18503	Lackawanna	Scranton City	Spring Brook CWF

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041408006	Weaver's Store Irvin Weaver 1352 Hilltop Road Narvon, PA 17555	Centre	Penn Township	Elk Creek EV

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI063708001	Mahoning Township 4538 West State Street P. O. Box 99 Hillsville, PA 16132	Lawrence	Mahoning Township	Mahoning River and UNT WWF UNT Shenango River WWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

NOTICES

2521

General Permit Type—PAG-2

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Buckingham Township Bucks County	PAR10-D658-R	Heritage Steeplechase, LP 3326 Old York Road Furlong, PA 18925	UNT Neshaminy Creek TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
New Britain Township Bucks County	PAG200 0907129-1	Danielle Matarese 114 Krista Court Chalfont, PA 18914	West Branch Neshaminy Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Doylestown Township Bucks County	PAG200 0908036	Chalfont-New Britain Joint Sewage Authority 1645 Upper State Road Doylestown, PA 18901	Neshaminy Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Plumstead Township Bucks County	PAG200 0905093-1	Toll Brothers, Inc. 250 Gibraltar Road Horsham, PA 19044	North Branch Neshaminy Creek TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Lower Merion Township Montgomery County	PAG200 4608008	Berg Builders, Inc. 408 East Fourth Street Suite 301 Bridgeport, PA 19405	Mill Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Lower Merion Township Montgomery County	PAG200 4608035	Janie Budzius 1601 Spring Mill Road Gladwyne, PA 19035	Sawmill Run and Schukill River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Howe Township Perry County	PAG2035008004	Newport Developers, LLP George Junkin 238 B Main Street Reisterstown, MD 21136	UNT to Juniata River WWF	Perry County Conservation District P. O. Box 36 31 West Main Street New Bloomfield, PA 17068 (717) 582-5119
West Hanover Dauphin County	PAG2002208018	Gary C. Wesner GCW Properties 2550 Kingston Road Suite 221 York, PA 17402	Manada Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 (717) 921-8100
Richmond and Maiden creek Townships Berks County	PAG2000608014	Thomas J. Golinsky Director of Facilities Fleetwood School District 801 North Richmond Street Fleetwood, PA 19522	Willow Creek CWF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657, Ext. 201
Antrim Township Franklin County	PAG2002808012	Kell & Woodring Subdivision Dwayne Woodring 13141 Gearhart Road Greencastle, PA 17225	Marsh Run WWF	Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Washington and Quincy Townships Quincy Township Franklin County	PAG2002808016	Paul and Diane Gunder 9932 Mentzer Gap Road Waynesboro, PA 17268	Bisected Run CWF-MF	Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5
Antrim Township Franklin County	PAG2002808005	Antrim Commons Business Park Marchetti Associates 1710 Underpass Way Suite 200 Hagerstown, MD 21740	Conococheague Creek CWF	Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5
Guilford Township Franklin County	PAG2002808013	Pathway Full Gospel Church Christy Stouffer 5238 Guitner Road Chambersburg, PA 17202	Conococheague Creek CWF	Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5
Greene Township Franklin County	PAG002808024	Susan Naugle 2324 Smoketown Road Fayetteville, PA 17222	UNT to Conococheague Creek WWF	Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5
Centre County Patton Township	PAG2001408004	Patton Town Center Ben Heim Tri Core Development 444 East College Avenue Suite 540 State College, PA 16801	UNT to Big Hollow CWF	Centre County Conservation District 414 Holmes Avenue Suite 4 Bellefonte, PA 16823 (814) 355-6817
Centre County Bellefonte Borough	PAG2001408006	Bellefonte Rite Aid Susan Waley Mid-Atlantic Realty, Inc. 571 McGlaughlin Road Gettysburg, PA 17325	Tributary to Spring Creek CWF	Centre County Conservation District 414 Holmes Avenue Suite 4 Bellefonte, PA 16823 (814) 355-6817
Clearfield County Lawrence Township	PAG2001708006	Leonard O. Swisher P. O. Box 1223 Clearfield, PA 16830	UNT to Woods Run CWF	Clearfield County Conservation District 650 Leonard Street Clearfield, PA 16830 (814) 765-2629
Snyder County Penn Township	PAG2005507004	Penn Township Fred Ulrich 228 Clifford Road Selinsgrove, PA 17870	Penns Creek WWF	Snyder County Conservation District 403 West Market Street Middleburg, PA 17842 (570) 837-0007, Ext. 5
Snyder County Franklin Township	PAG2005507005	Cole Properties Greg Cole 5 Enterprise Drive Danville, PA 17820	Middle Creek TSF	Snyder County Conservation District 403 West Market Street Middleburg, PA 17842 (570) 837-0007, Ext. 5
Snyder County Selinsgrove Borough	PAG2005507007	Icon Realty Kevin M. Hicks R. R. 1 Box 237 B Liverpool, PA 17041	Penns Creek WWF	Snyder County Conservation District 403 West Market Street Middleburg, PA 17842 (570) 837-0007, Ext. 5

NOTICES

2523

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Snyder County Jackson Township	PAG2005507008	Designer Homes Paul John 15 Industrial Road Mifflinburg, PA 17844	Penns Creek WWF	Snyder County Conservation District 403 West Market Street Middleburg, PA 17842 (570) 837-0007, Ext. 5
Snyder County Selinsgrove Borough	PAG2005508001	Selinsgrove Area School District Fred Johnson 401 North 18th Street Selinsgrove, PA 17870-1665	Penns Creek WWF	Snyder County Conservation District 403 West Market Street Middleburg, PA 17842 (570) 837-0007, Ext. 5
Snyder County Selinsgrove Borough	PAG2005508002	Susquehanna University David Henry 514 University Avenue Selinsgrove, PA 17870	UNT to Penns Creek WWF	Snyder County Conservation District 403 West Market Street Middleburg, PA 17842 (570) 837-0007, Ext. 5
Tioga County Richmond Township	PAG2005908001	Doug Grossman Lowe's Companies, Inc. 250 Summerwind Lane Harleysville, PA 19438	Tioga River CWF	Tioga County Conservation District 50 Plaza Lane Wellsboro, PA 16901 (570) 724-1801, Ext. 3
Butler County Cranberry Township	PAG2001007014(1)	Trammell Crow Development & Investment, Inc. Westinghouse at Cranberry Woods 800 Cranberry Woods Drive Cranberry Township, PA 16066	UNT Brush Creek WWF	Butler County Conservation District (724) 284-5270
Erie County McKean Borough McKean Township	PAG2002508006	Erie Water Works McKean Waterline Phase 2 340 West Bayfront Parkway Erie, PA 16507	Lake Erie Water Shed Elk Creek, UNT to Elk Creek, Lamson Run WWF; MF; CWF	Erie County Conservation District (814) 825-6403
Erie County City of Erie	PAG2002508008	Mercyhurst College Mercyhurst Dormitory Project 501 East 38th Street Erie, PA 16546	Mill Creek WWF; MF	Erie County Conservation District (814) 825-6403
Lawrence County Mahoning Township	PAG2003708003	Valley View Downs 10 West Market Street Suite 200 Indianapolis, IN 46204	Marshal Run WWF UNT Shenango River WWF	Lawrence County Conservation District (724) 652-4512
McKean County Foster Township	PAR1041012R(1)	Bradford Office of Economic Development Lafferty Hollow Industrial Park Phase III	Kendall Creek WWF	McKean County Conservation District (814) 887-4001
Warren County Conewango Township	PAG2006203005R	North Warren Municipal Authority 4 Hospital Drive North Warren, PA 16365	UNT Conewango Creek WWF	Warren County Conservation District (814) 563-3117

General Permit Type—PAG-3

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Hazleton City Luzerne County	PAR202250	Valmont Penn Summit—Heights Facility 101 Carleton Avenue Hazleton, PA 18202	Little Nescopeck Creek CWF	DEP—NERO Water Management Program 2 Public Square Wilkes-Barre, PA 18711-2511 (570) 826-2511

*Facility Location:
Municipality &
County*Franklin County
Antrim Township*Permit No.*
PAR213551*Applicant Name &
Address*
Eldorado Stone, LLC
9156 Molly Pitcher Highway
Greencastle, PA 17225-9712*Receiving
Water/Use*
Muddy Run
WWF*Contact Office &
Phone No.*
DEP—SCRO
909 Elmerton Avenue
Harrisburg, PA 17110
(717) 705-4707*General Permit Type—PAG-4**Facility Location &
Municipality*Cumberland County
North Middleton
Township*Permit No.*
PAG043698*Applicant Name &
Address*
Timothy Brenneman
2260 Easy Road
Carlisle, PA 17013*Receiving
Water/Use*
UNT Conodoguinet
Creek
WWF
7B*Contact Office &
Phone No.*
DEP—SCRO
909 Elmerton Avenue
Harrisburg, PA 17110
(717) 705-4707York County
East Manchester
Township*Permit No.*
PAG043601
(transfer)*Applicant Name &
Address*
Adam Hostetter
115 North Griffith Lane
Manchester, PA 17345*Receiving
Water/Use*
Conewago Creek
7F*Contact Office &
Phone No.*
DEP—SCRO
909 Elmerton Avenue
Harrisburg, PA 17110
(717) 705-4707Cumberland County
Lower Frankford
Township*Permit No.*
PAG043700*Applicant Name &
Address*
Shawn Snyder
399 Meadowbrook Road
Carlisle, PA 17015*Receiving
Water/Use*
Drainage Swale to
Conodoguinet Creek
7-B*Contact Office &
Phone No.*
DEP—SCRO
909 Elmerton Avenue
Harrisburg, PA 17110
(717) 705-4707Blair County
Antis Township*Permit No.*
PAG043873*Applicant Name &
Address*
Robert Kenner
Allison Kehoe
703 East 25th Avenue
Altoona, PA 16601*Receiving
Water/Use*
Sugar Run
11-A*Contact Office &
Phone No.*
DEP—SCRO
909 Elmerton Avenue
Harrisburg, PA 17110
(717) 705-4707Buffington Township
Indiana County*Permit No.*
PAG046366*Applicant Name &
Address*
William Mardis
2615 Wehrum Road
Vintondale, PA 15961*Receiving
Water/Use*
Drainage swale to
Blacklick Creek*Contact Office &
Phone No.*
Southwest Regional
Office Water
Management
Program Manager
400 Waterfront Drive
Pittsburgh, PA
15222-4745
(412) 442-4000Pine Township
Allegheny County*Permit No.*
PAG046372*Applicant Name &
Address*
William Slebodnik
5535 North Montour Road
Gibsonia, PA 15044*Receiving
Water/Use*
UNT Breakneck
Creek*Contact Office &
Phone No.*
Southwest Regional
Office Water
Management
Program Manager
400 Waterfront Drive
Pittsburgh, PA
15222-4745
(412) 442-4000Sugar Grove
Township
Warren County*Permit No.*
PAG048564*Applicant Name &
Address*
Henry L. McQueen
R. R. 1
Box 220
Hazeltime Hollow Road
Youngsville, PA 16371-9522*Receiving
Water/Use*
UNT to Matthews
Run
16-B*Contact Office &
Phone No.*
DEP—NWRO
Water Management
230 Chestnut Street
Meadville, PA
16335-3481
(814) 332-6942Pine Grove
Township
Warren County*Permit No.*
PAG049425*Applicant Name &
Address*
Cable Hollow Evangelical
Church
3157 Cable Hollow Road
Russell, PA 16345*Receiving
Water/Use*
UNT to the North
Branch Akeley Run
16-B*Contact Office &
Phone No.*
DEP—NWRO
Water Management
230 Chestnut Street
Meadville, PA
16335-3481
(814) 332-6942Pittsfield Township
Warren County*Permit No.*
PAG049430*Applicant Name &
Address*
Barbara and David A.
Winner
4689 SE 92nd Street
Starke, FL 32091*Receiving
Water/Use*
Gar Run
16-B*Contact Office &
Phone No.*
DEP—NWRO
Water Management
230 Chestnut Street
Meadville, PA
16335-3481
(814) 332-6942

<i>Facility Location & Municipality</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Harmony Township Forest County	PAG049427	Pamela L. Miller R. R. 1 Box 188 Pleasantville, PA 16341-9323	Stewart Run 16-E	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
LeBoeuf Township Erie County	PAG048885	Mr. and Mrs. Gerald S. Zimmer 12625 Hill Road Waterford, PA 16441	UNT to little Conneauttee Creek 16-A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Greene Township Erie County	PAG049420	Hedrick Road Association 4799 Hedrick Road Waterford, PA 16441	UNT to the East Branch of LeBoeuf Creek 16A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Pleasant Township Warren County	PAG049432	Cole M. and Maria C. Schultz 1160 Pleasant Road Warren, PA 16365-9701	Sill Run 16-B	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-5

*Facility Location:
Municipality & County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Union City Erie County	PAG058314	Country Fair 95 P. O. Box 780 Warren, PA 16365	UNT to South Branch of French Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-8 (SSN)

<i>Facility County/Municipality</i>	<i>Applicant Name & Address</i>	<i>Site Name</i>	<i>Contact Office & Phone No.</i>
North Versailles Township Allegheny County	Synagro 3239 Route 981 New Alexandria, PA 15670	Pitcairn Monroeville Sportsmen Club	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

**PUBLIC WATER SUPPLY (PWS)
PERMITS**

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board

within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 3608504 MA, Minor Amendment, Public Water Supply.

Applicant	City of Lancaster
Municipality	West Lampeter Township
County	Lancaster
Type of Facility	Renovation, repair and repainting of the 1.88-million gallon Willow Street storage tank.
Consulting Engineer	Matthew D. Warfel The ARRO Group, Inc. 270 Granite Run Drive Lancaster, PA 17601-6804
Permit to Construct Issued	May 15, 2008

Operations Permit issued to **Pennsylvania-American Water**, 7210029, Hampden Township, **Cumberland County** on May 15, 2008, for the operation of facilities approved under Construction Permit No. 2105501 MA.

Operations Permit issued to **Borough of Fleetwood**, 3060029, Richmond Township, **Berks County** on May 12, 2008, for the operation of facilities approved under Construction Permit No. 0606509.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under section 5 of the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Plan Location: on the northwest side of Otterbein Church Road, 1,000 feet southwest of Paxton Run Road.

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Lurgan Township	8650 McClays Mill Road Newburg, PA 17240	Franklin County

Plan Description: The approved plan, in the name of Karlen Williams, provides for a Small Flow Treatment Facility to serve one residential dwelling with sewage flows of 500 gpd. The project is located on the northwest side of Otterbein Church Road, 1,000 feet southwest of Paxton Run Road. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the owner.

Plan Location: at the intersection of Amberson Church Road and Panoramic Lane.

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Fannett Township	P. O. Box 40 Dry Run, PA 17220	Franklin County

Plan Description: The approved plan, in the name of Robert Stewart, provides for two Small Flow Treatment Facilities to serve two residential dwellings with sewage flows of 800 gpd. The project is located at the intersection of Amberson Road and Panoramic Lane. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the owner.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a Site-Specific Standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Wyeth Lab, Borough of West Chester, **Chester County**. Daniel Sheehan Malcon, Pirnie, Inc., 824 Market Street, Suite 820, Wilmington, DE 19801 on behalf of Robert H. Taggart, Wyeth, 5 Giralda Farms, Madison, NJ 07940 has submitted a Remedial Investigation/Cleanup

Plan concerning remediation of site groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the Site-Specific Standard.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

New Holland Manufacturing Facility/Franklin Street Parcel, New Holland Borough, **Lancaster County**. Aquaeter, Inc., 7340 East Caley Avenue, Suite 200, Centennial, CO 80111 and CNH America, Inc., 700 State Street, Racine, WI 53404 has submitted a Final Report concerning remediation of site soils contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to the Nonresidential Statewide Health Standard.

Raymark-Manheim Lower Mill Facility, Manheim Borough, **Lancaster County**. RT Environmental Services, Inc., 215 West Church Road, King of Prussia, 19406, on behalf of Manheim Economic Development Corporation, 15 East High Street, Manheim, PA 17545, submitted a combined remedial investigation report and Final Report concerning remediation of site soils contaminated with lead, arsenic, petroleum hydrocarbons and phenols. The report is intended to document remediation of the site to the Nonresidential Statewide Health and Site-Specific Standards.

Former Getty Highspire Terminal, Lower Swatara Township, **Dauphin County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Getty Properties Corporation, 125 Jericho Turnpike, Suite 102, Jericho, NY 11753 and Petroleum Products Corporation, P. O. Box 2621, Harrisburg, PA 17105, submitted a remedial investigation report and cleanup plan concerning remediation of site soils and groundwater contaminated with petroleum hydrocarbons and MTBE. The site is being remediated to a combination of Statewide Health and Site-Specific Standards.

Huntingdon Former MGP Site, Huntingdon Borough, **Huntingdon County**. Haley & Aldrich, 340 Granite Street, 3rd Floor, Manchester, NH 03102 on behalf of PPL Gas Utilities Corporation, 2 North Ninth Street (GENTW17), Allentown, PA 18101-1179, submitted a remedial investigation report and risk assessment report concerning remediation of site soils and groundwater contaminated with coal tar, PAHs and VOCs. The site is being remediated to Site-Specific Standards.

Former Gene Latta Ford, Hanover Borough, **York County**. Alliance Environmental Services, Inc., 1820 Linglestown Road, Harrisburg, PA 17110, on behalf of Gene Latta Ford/Buick, Inc., 1565 Carlisle Pike, Hanover, PA 17331 and You're The Man, LLC, 1830 Carlisle Pike, Hanover, PA 17331, submitted a remedial investigation report, risk assessment and cleanup plan concerning remediation of site groundwater contaminated with PCE and MTBE. The applicant is seeking to remediate to the Site-Specific Standard.

CR Property Group, LLC/106 Fallsview Avenue, York Haven Borough, **York County**. Alliance Environmental Services, Inc., 1820 Linglestown Road, Harrisburg, PA 17110 on behalf of CR Property Group, LLC, 1561 East Market Street, York, PA 17403, submitted a Final Report concerning remediation of site soils contaminated with kerosene. The report was submitted within 90 days of the release and is intended to document remediation of the site to the Statewide Health Standard. This is and will continue to be a residential property.

Columbia Gas of Pennsylvania Service Center, Gettysburg Borough, **Adams County**. ENSR, 2 Technology Park Drive, Westford, MA 01866-3140, on behalf of Columbia Gas of Pennsylvania, 1020 North Hartley Street, York, PA 17404 and NiSource Corporate Services Company, 300 Frieberg Parkway, Westborough, MA 01581-3900, submitted a combined remedial investigation and Final Report concerning remediation of site soils and groundwater contaminated with coal tar and PAHs. The report is intended to document remediation of the site to the Site-Specific Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a Site-Specific Standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at

the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

510 North Broad Street, City of Philadelphia **Philadelphia County**. Joseph Diamadi, Jr., Marshall Geoscience, Inc., 170 East First Avenue, Collegeville, PA 19426 on behalf of Joseph P. Boganksy, Amerimar Networks Management Co., Inc., 1500 Spring Garden Street, Suite 105, Philadelphia, PA 19130 has submitted a Final Report concerning the remediation of site soil contaminated with unleaded gasoline and lead. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on May 12, 2008.

Thorton Stable Property, City of Philadelphia, **Philadelphia County**. Richard Burns, Conestoga-Rovers & Associates, 410 Eagleview Boulevard, Exton, PA 19341 on behalf of Bryan Cullen, Westrum BT2, LP, 370 Commerce Drive, Fort Washington, PA 19034 has submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on May 12, 2008.

Windram Residence, New London Township, **Chester County**. Robert Kleinschmidt, Miller Environmental, Inc., 514 Hartman Run Road, Morgantown, WV 26505 on behalf of Robert Garza, Miller Environmental, Inc., 640 West Race Street, Martinsburg, WV 25401 has submitted 90-day Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on May 6, 2008.

Tompson Residence, Bristol Borough, **Bucks County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Anthony and Carla Tompson, 232 Franklin Street, PA 19007 has submitted a Final Report concerning the remediation of site soil contaminated with petroleum. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on May 5, 2008.

Harmon Residence, North Coventry Township, **Chester County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Paul Harmon, 1271 Dimity Court, Pottstown, PA 19465 has submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on May 7, 2008.

Slanga Residence, City of Philadelphia, **Philadelphia County**. Staci Cottone, J&J Spill Service and Supplies, Inc., P. O. Box 370, Blue Bell, PA 19422 on behalf of Caroline Slanga, 172 Shurs Lane, Philadelphia, PA 19127 has submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on May 6, 2008.

Schmidts Brewery, City of Philadelphia, **Philadelphia County**. Rick Weaver, Kleeman Associates, Inc.,

3650 Concord Parkway, Suite 100, Chantilly, VA 20151 on behalf of Tina Roberts, Northern Liberties Development Associates, LP, One Reed Street, Philadelphia, PA 19147 has submitted a Remedial Investigation/Cleanup Plan concerning the remediation of site soil and groundwater contaminated with petroleum hydrocarbons, pcbs, PAH, metals and other organics. The Remedial Investigation/Cleanup Plan was approved by the Department of Environmental Protection on May 6, 2008.

Barclay Road, New Britain Township, **Bucks County**. Mark Fortna, DelVal Soil Environmental Consultants, Inc., Sky Run II, 4050 Skyron Drive, Suite A-1, Doylestown, PA 18902 on behalf of Clay Heckler, Real Pro Enterprises, LT, 2312 North Broad Street, Colmar, PA 18915 has submitted a Final Report concerning the remediation of site soil and groundwater contaminated with unleaded gasoline. The Final Report demonstrated attainment of the Statewide Health Standard and was placed on hold by the Department of Environmental Protection on May 2, 2008.

Anchor Glass Site, Royersford Borough, **Montgomery County**. Craig Herr, RT Environmental, Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of Joseph Price, Granor Price Homes Royersford Corporation, 721 Dresher Road, Horsham, PA 19044 has submitted a Final Report concerning the remediation of site soil contaminated with arsenic, chromium, selenium, lead and benzene. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on May 14, 2008.

Northeast Region: Ronald S. Brezinski, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Bethlehem Commerce Center—Lot 52 (Eastern Engineered Wood Products Parcel), City of Bethlehem, **Northampton County**. Kenneth G. Robbins, HDR Engineering, Inc., 609 West Hamilton Street, Allentown, PA 18101 submitted a Final Report (on behalf of his client, Lehigh Valley Industrial Park, 1805 East Fourth Street, Bethlehem, PA), concerning the remediation of site soil found to have been impacted by inorganics as a result of historic manufacturing operations. The report documented attainment of the Site-Specific Standard for soils and was approved on May 7, 2008.

POSTCLOSURE CARE OF A HAZARDOUS WASTE DISPOSAL FACILITY UNDER THE TERMS OF A CONSENT ORDER AND AGREEMENT

Consent Order and Agreement under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4706.

PAD003026903. Consent Order and Agreement—General Electric Company, Lancaster Facility—Upper Quarry and Lower Lagoon Areas, Pleasure Road, Lancaster, PA, City of Lancaster, **Lancaster County**. In response to a request from General Electric Company—Lancaster Facility to conduct Postclosure Care activities under the terms of a Consent Order and Agreement (COA), received by the Department of Environmental Protection (Department) on June 13, 2007, a COA was executed between General Electric Company and the Department on May 30, 2008.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Ray Kempa, New Source Review Chief, (570) 826-2531.

13-301-014GP14: Mountain Crest Crematory, Inc. (10 East Kline Road, McAdoo Industrial Park, McAdoo, PA 18237) on May 8, 2008, to install and operate a human remains crematory at their site in Banks Township, **Carbon County**.

40-310-075GP3: Haines & Kibblehouse (P. O. Box 196, 2052 Lucon Road, Skippack, PA 19474) on May 8, 2008, to construct and operate a Portable Crushing Operation with watersprays at their site in Plains Township, **Luzerne County**.

40-329-006GP9: Haines & Kibblehouse (P. O. Box 196, 2052 Lucon Road, Skippack, PA 19474) on May 8, 2008, to install and operate a Diesel I/C Engine at their site in Plains Township, **Luzerne County**.

35-310-048GP3: Haines and Kibblehouse (P. O. Box 196, 2052 Lucon Road, Skippack, PA 19474) on May 7, 2008, to construct and operate a Portable Crushing Operation with watersprays at their site in Dunmore Borough, **Lackawanna County**.

35-329-003GP9: Haines and Kibblehouse (P. O. Box 196, 2052 Lucon Road, Skippack, PA 19474) on May 7, 2008, to install and operate a Diesel I/C Engine at their site in Dunmore Borough, **Lackawanna County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

GP3-06-03110C: Haines & Kibblehouse, Inc. (P. O. Box 196, Skippack, PA 19474) on May 13, 2008, for Portable Nonmetallic Mineral Processing Plants under GP3 in Douglass Township, **Berks County**.

GP3-22-03069A: Eastern Industries, Inc. (P. O. Box 177, Winfield, PA 17889) on May 13, 2008, for Portable Nonmetallic Mineral Processing Plant under GP3 in Washington Township, **Dauphin County**.

GP9-22-03077: Eastern Industries, Inc. (P. O. Box 177, Winfield, PA 17889) on May 13, 2008, for Diesel or No. 2 fuel-fired Internal Combustion Engines under GP9 in Washington Township, **Dauphin County**.

GP14-36-03038A: Evans Eagle Burial Vaults, Inc. (15 Graybill Road, Leola, PA 17540) on May 13, 2008, for Human or Animal Crematories under GP14 in Upper Leacock Township, **Lancaster County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

15-0029D: Dopaco, Inc. (241 Woodbine Road, Downingtown, PA 19335-3082) on May 9, 2008, for the changing of 3.1 tons of VOC ERCs from internal netting to banking/trading at their facility in Downingtown Borough, **Chester County**. These ERCs have been previously approved and have an expiration date of June 12, 2013.

23-0111: Centocor Research & Development, Inc. (145 King of Prussia Road, Radnor, PA 19087) on May 16, 2008, to install a Diesel or No. 2 Fuel-Fired Internal Combustion Engine that powers 2,250 kW Peak Shaving Electric Generator (diesel electric generator) at their Centocor pharmaceutical research and development/manufacturing/biotechnological facility at 145 King of Prussia Road, Radnor Township, **Delaware County**. The installation of the diesel electric generator may result in the emissions of: 2.38 tpy of NO_x; 0.26 tpy of CO; 0.22 tpy of VOCs; 0.27 tpy of SO_x; 0.15 tpy of PM₁₀; 0.01 tpy of HAPs and 0.006 tpy of formaldehyde. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

17-302-024: Clearfield Area School District (438 River Road, Clearfield, PA 16830) on May 15, 2008, to extend the authorization to operate a 10 mmBtu/hr wood-fired boiler on a temporary basis to September 12, 2008, in Lawrence Township, **Clearfield County**. The plan approval has been extended.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

16-132B: Clarion Boards, Inc. (1 Fiberboard Avenue, Shippensville, PA 16245) on May 13, 2008, to modify their fiberboard plant in Paint Township, **Clarion County**.

16-132C: Clarion Boards, Inc. (143 Fiberboard Road, Shippensville, PA 16254) on November 30, 2007, to install dryers, venturi and cyclonic separator in Paint Township, **Clarion County**.

25-1006A: Lake Erie Biofuels, LLC (1001 State Street, Erie, PA 16501-1814) on May 31, 2008, to construct a biodiesel production plant in City of Erie, **Erie County**. This is a State-only facility.

25-1006B: Lake Erie Biofuels, LLC (1540 East Lake Road, Erie, PA 16511) on May 31, 2008, to allow various fuels to be fired in the Process Boilers installed under GP-1 in Erie City, **Erie County**.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

22-05011L: PPL Martins Creek, LLC (2 North 9th Street, Allentown, PA 18101-1139) on May 14, 2008, to

operate of a combustion turbine site in the City of Harrisburg, **Dauphin County**. This is a renewal of the Title V operating permit.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

23-00088: Southco, Inc. (210 North Brinton Lake Road, Concordville, PA 19331) on May 14, 2008, for a State-only, Natural Minor Operating Permit Renewal in Concord Township, **Delaware County**. Southco is in the business of manufacturing and finishing of industrial fasteners. The facility operates a variety of sources that burn natural gas including boilers, a burn off oven, heaters, evaporators and a generator. The facility also operates a diesel fired emergency generator and several cold degreasers. The facility does not have the potential to exceed any Title V thresholds. Monitoring, recordkeeping and reporting requirements have been added to the permit to address applicable limitations.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Ray Kempa, New Source Review Chief, (570) 826-2531.

39-00072: Hamilton TEK Partners (9999 Hamilton Boulevard, Breinigsville, PA 18031-9359) on May 13, 2008, to issue a State-only (Synthetic Minor) Operating Permit for operation of three boilers at their facility in Upper Macungie Township, **Lehigh County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

31-05012: Department of Corrections—Smithfield SCI (1120 Pike Street, Huntingdon, PA 16652-1117) on May 14, 2008, for three Nebraska Model No. CFB-AO-2323 under feed stoker, bituminous coal fired boilers in Smithfield Township, **Huntingdon County**. This is a renewal of the State-only operating permit.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

04-00693: Littell Steel (P. O. Box 298, New Brighton, PA 15066) on May 13, 2008, to operate a shot blast operation, surface coating, steel cutting, fabrication, sand blasting and associated control device equipment (baghouses) in Bridgewater Borough, **Beaver County**. Emissions from this facility shall not exceed 100 tons of SO₂, 100 tons of NO_x, 100 tons of PM₁₀, 50 tons of VOCs, 100 tons of CO, 10 tons of a single HAP and/or 25 tons of all HAPs combined.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

10-00337: Celco Partnership—d/b/a Verizon Wireless (700 Cranberry Woods Drive, Cranberry Township, PA 16066) on May 14, 2008, for the issuance of a Natural Minor Operating Permit to operate a Verizon Wireless Call Center. This operation is in Cranberry Township, **Butler County**. The facility's primary emission source is a diesel fueled emergency generator.

24-00124: PIHT, LLC (118 Access Road, St. Marys, PA 15857-3370) on May 13, 2008, for re-issuance of a Natural

Minor Permit to operate a metal heat-treating facility. Emissions sources associated with this facility include 11 draw furnaces, eight heat treating furnaces and 14 control devices (smog hog electrostatic precipitators). This facility is natural minor because the emission of pollutants from all sources is less than Title V emission threshold.

24-00162: Rebco, Inc. (650 Brandy Camp Road, Kersey, PA 15846-1904) on May 14, 2008, for the issuance of a Natural Minor Operating Permit to operate a facility that manufactures powdered metal components and performs specialty machining. This operation is located in Fox Township, **Elk County**. The facility's primary emission sources include a dip tank, dip operations and parts washers.

42-00147: W. R. Case & Sons Cutlery Co. (Owens Way, Bradford, PA 16701) on May 12, 2008, the Department re-issued the Natural Minor Operating Permit for the operation of the facility's air contamination sources consisting of five space heaters, four dust collection systems, a 30 Kw emergency generator and three parts washers located in Bradford Township, **McKean County**.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Braun, Chief, (215) 685-9476.

S07-004: North Philadelphia Health System—St. Joseph's Hospital (1601 West Girard Avenue, Philadelphia, PA 19130) on May 16, 2008, to operate a hospital in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include one 565 Kw emergency generator, three 200 Hp Boilers and one 25 Hp Boiler.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

46-00224: Harleysville Mutual Insurance Co. (355 Maple Avenue, Harleysville, PA 19438-2222) on May 14, 2008, for a minor modification of State-only (Synthetic Minor) Operating Permit No. 46-00224 for their facility in Lower Salford Township, **Montgomery County**. The minor modification alters the usage of the facility's two emergency generators for use during emergency events declared by the PJM Emergency Load Response Program. The modified SOOP includes monitoring, recordkeeping, reporting and work practice requirements designed to keep the facility operating within all applicable air quality requirements. Minor modification of SOOP No. 46-00224 is issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.462.

15-00103: Christiana Cabinetry (504 Rosemont Avenue, Atglen, PA 19310-9449) on May 15, 2008, an Administrative Amendment to incorporate the conditions of Plan approval 15-00103 for six spray booths in Atglen Township, **Chester County**. VOCs are the main emissions from this facility and these emissions are limited to 17.58 tpy from all six of the spray booths combined. The permit includes monitoring, recordkeeping and reporting requirements designed to keep the facility within all applicable air quality requirements.

09-00134: Reed Minerals (905 Steel Road South, Fairless Hills, PA 19030) on May 14, 2008, The Natural

Minor Operating Permit No. 09-00134 has been amended to incorporate conditions from Plan Approval No. 09-0134C, which allow for the modification of a coal slag roofing granules plant for a non-Title V facility in Falls Township, **Bucks County**. Modifications include: (1) The replacement of the facility's RFFC-12 (Dryer) Baghouse (Source ID: C01) with a Sly Dust Collector (Source ID: C03), to control emissions of PM from the facility's rotary dryer, as well as the PM emissions from the dryer feed conveyor; and (2) The increase in production of the coal slag roofing granules plant, from 35 tons/hr to 50 tons/hr. All revisions to Natural Minor Operating Permit 09-00134 were made under 25 Pa. Code § 127.450.

15-00009: AGC Chemicals Americas, Inc. (255 South Bailey Road, Downingtown, PA 19335) on May 15, 2008, for an Administrative Amendment to incorporate the conditions of Plan Approval 15-0009B for free flow process and fluid bed dryer/ovens in Caln Township, **Chester County**. The permit includes monitoring, recordkeeping and reporting requirements designed to keep the facility within all applicable air quality requirements.

23-00026: Glasgow, Inc.—Freeborn Asphalt Plant (531 Eagle Road, Springfield, PA) on May 14, 2008, for an administrative amendment to the issued State-only Operating Permit (Synthetic Minor) 23-00026 in Springfield Township, **Delaware County**. The facility operates a 6,000-lb batch plant consisting of a dryer, knock-out box, baghouse, exhaust fan and stack. The issued State-only Operating Permit has been amended to correct an error to the amended permit issued on April 19, 2006. This permit was issued as a Title V Operating Permit. The amended permit has been subsequently issued as a State-only Operating Permit. Comments will only be taken on the changes covered in this notice.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Ray Kempa, New Source Review Chief, (570) 826-2531.

40-00083: Reynolds Packaging Kama, Inc. (600 Dietrich Avenue, Hazelton, PA 18201-7754) on May 9, 2008, to administratively amend the operating permit to change ownership from Alcoa Kama, Inc. for their plastic film/sheet manufacturing facility in Hazelton City, **Luzerne County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

17-00005: Glen-Gery Corp. (P. O. Box 338, SR 970, Bigler, PA 16825) on May 14, 2008, in accordance with the administrative amendment requirements of 25 Pa. Code § 127.450, to incorporate conditions from Plan Approval 17-00005A issued on December 4, 2007, for the construction of a clay/shale crusher in Bradford Township, **Clearfield County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and

the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

32030101 and NPDES No. PA0249378. P & N Coal Company, Inc., P. O. Box 332, Punxsutawney, PA 15767, permit renewal for a bituminous surface mine in Montgomery Township, **Indiana County**, affecting 182.2 acres. Receiving streams: Cush Creek and UNT to Cush Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received March 10, 2008. Permit issued May 16, 2008.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

03830116 and NPDES Permit No. PA0599727. Bedrock Mines, LP (111 Freeport Road, Pittsburgh, PA 15215) Transfer of permit formerly issued to Walter L. Houser Coal Co., Inc., for continued operation and reclamation of a bituminous surface/auger mine, coal preparation and processing facility located in Kittanning Township, **Armstrong County**, affecting 812.0 acres. Receiving streams: UNTs of Mill Run to Cowanshannock Creek to the Allegheny River. Application received July 25, 2007. Transfer permit issued May 9, 2008.

65960108 and NPDES Permit No. PA0201669. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001) Permit renewal issued for continued reclamation only of a bituminous surface mine located in Unity and Ligonier Townships, **Westmoreland County**, affecting 105.8 acres. Receiving streams: UNT to Fourmile Run. Application received April 1, 2008. Renewal issued May 12, 2008.

03050103 and NPDES Permit No. 0250961. Mountain Coal Co., Inc. (11931 SR 84, Kittanning, PA 16201) Permit revised for additional acres to an existing bituminous surface mine located in Madison Township, **Armstrong County**, affecting 140.8 acres. Receiving streams: UNTs to Allegheny River. Revision application received March 24, 2008. Permit issued May 16, 2008.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

33070108. Ben Hal Mining Company (389 Irishtown Road, Grove City, PA 16127) Commencement, operation and restoration of a bituminous strip operation in McCalmont Township, **Jefferson County** affecting 40.0 acres. Receiving streams: Six UNTs to Little Sandy Creek. Application received October 30, 2007. Permit issued May 13, 2008.

Noncoal Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56070801. Shaffer Brothers Coal Company, Inc., 1 Jay Street, Windber, PA 15963, commencement, operation and restoration of a small noncoal (industrial minerals) operation in Paint Township, **Somerset County**, affect-

ing 5.0 acres, receiving streams: UNT to Seese Run. Application received July 25, 2007. Permit issued May 12, 2008.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

37990302. Cemex, Inc. (840 Gessner, Suite 1400, Houston, TX 77024) Revision to an existing industrial mineral limestone operation to incorporate 70.0 acres of underground mining in Shenango and Wayne Townships, **Lawrence County**. Receiving streams: UNTs to Snake Run and UNTs to Beaver River. Application received November 9, 2007. Permit issued May 8, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

58060864. Joseph M. Cicon, (R. R. 2, Box 140D, New Milford, PA 18834), commencement, operation and restoration of a quarry operation in New Milford Township, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received September 12, 2006. Permit issued May 13, 2008.

54950302C12. Pennsy Supply, Inc., (1001 Paxton Street, Harrisburg, PA 17104), correction to an existing quarry operation to update permitted acres, update E & S controls and update reclamation schedule in Wayne Township, **Schuylkill County** affecting 152.32 acres, receiving stream: Bear Creek. Application received February 13, 2008. Correction issued May 13, 2008.

64070820. Star Pond, LLC (315 Old Route 10, Deposit, NY 13754), commencement, operation and restoration of a quarry operation in Scott Township, **Wayne County** affecting 2.0 acres, receiving stream: none. Application received September 21, 2007. Permit issued May 15, 2008.

6276SM4C5 and NPDES Permit No. PA0613143. Martin Limestone, Inc., (P. O. Box 550, Blue Ball, PA 17506), correction to an existing quarry operation and NPDES Permit for discharge of treated mine drainage in Honey Brook and Caernarvon Townships, **Chester and Lancaster Counties** affecting 150.2 acres, receiving stream: East Branch Brandywine Creek. Application received December 6, 2007. Correction issued May 16, 2008.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (43 P. S. §§ 151–161); and 25 Pa. Code § 211.124 (relating to blasting activity permits). Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

21084126. Douglas Explosives, Inc., P. O. Box 77, Philipsburg, PA 16866-0077, blasting activity permit issued for residential development in Upper Allen Township, **Cumberland County**. Blasting activity permit end date is April 25, 2009. Permit issued May 5, 2008.

21084128. Douglas Explosives, Inc., P. O. Box 77, Philipsburg, PA 16866-0077, blasting activity permit issued for residential development in Silver Spring Township, **Cumberland County**. Blasting activity permit end date is May 5, 2009. Permit issued May 6, 2008.

21084127. John W. Gleim, Jr., Inc., 625 Hamilton Street, Carlisle, PA 17013-1925, blasting activity permit issued for warehouse development in Penn Township, **Cumberland County**. Blasting activity permit end date is December 15, 2008. Permit issued May 6, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

15084107. M & J Explosives, Inc., (P. O. Box 608, Carlisle, PA 17013), construction blasting for Gateway Community Church in Sadbury Township, **Chester County** with an expiration date of May 31, 2009. Permit issued May 12, 2008.

22084105. Dyno-Nobel, Inc., (567 Main Street, Tremont, PA 17981), construction blasting for Stone Ridge Commerce Parking Lot II in Lower Swatara Township, **Dauphin County** with an expiration date of December 30, 2008. Permit issued May 12, 2008.

38084109. Keystone Blasting Service, (381 Reifsnnyder Road, Lititz, PA 17543), construction blasting for Strathford Meadows in South Lebanon Township, **Lebanon County** with an expiration date of December 30, 2009. Permit issued May 13, 2008.

45084121. Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for Skytop Lodge in Barrett Township, **Monroe County** with an expiration date of May 31, 2009. Permit issued May 13, 2008.

52084108. Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for Tanglewood Lakes in Palmyra Township, **Pike County** with an expiration date of May 7, 2009. Permit issued May 13, 2008.

64084104. Explosive Services, Inc., (7 Pine Street, Bethany, PA 18431), construction blasting for Paupackan Lake Estates in Paupack and Lake Townships, **Wayne County** with an expiration date of May 31, 2009. Permit issued May 13, 2008.

23084103. Brubacher Excavating, Inc., (P. O. Box 528, Bowmansville, PA 17507), construction blasting for Weber Residence in Radnor Township, **Delaware County** with an expiration date of May 30, 2009. Permit issued May 14, 2008.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501–508 and 701–704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483.

TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

Northeast Regional Office, Watershed Management Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E39-480. John Grogan and Jenny Vogt, 4600 Mill Road, Coopersburg, PA 18036-1525. Coopersburg Borough, **Lehigh County**, United States Army Corps of Engineers, Philadelphia District.

To construct, operate and maintain a 6-inch diameter ductile iron sanitary sewer beneath a UNT to Saucon Creek, locally known as Mill Run and associated wetlands for the connection to public sewage collection and treatment. The sanitary sewer line beneath Mill Run shall be 15-feet in length with a maximum wetland impact of 0.01 acre. Construction of the sanitary sewer line shall be performed in dry work conditions by dam and pumping, fluming stream flow around the work area or boring beneath stream and wetlands. Since the project is adjacent to bog turtle habitat, sanitary sewer construction and future repair work shall be conducted in or along the stream channel and wetland between November 1 and March 31. If work must be done outside these dates, a qualified bog turtle surveyer shall conduct a preconstruction survey immediately prior to the work activities. If turtles are found, work must not be initiated and the US Fish & Wildlife Service and the Fish and Boat Commission must be contacted. Construction of the sanitary sewer permanently impacts 0.01-acre of wetland, which the Department of Environmental Protection has deemed as de minimis and replacement wetland for mitigating the impacts will not be required (Allentown East, PA Quadrangle Latitude: 40° 30' 58.36"; Longitude: 75° 24' 9.00").

E40-683. Department of Transportation, Engineering District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512. Wyoming Borough and Jenkins Township, **Luzerne County**, United States Army Corps of Engineers, Baltimore District.

To place fill in a de minimis area of wetlands equal to 0.05 acre; to remove the existing structure; and to construct and maintain a 10-span, prestressed concrete bridge, having a total span of 1,315 feet with a maximum underclearance of 22.5 feet, across the Susquehanna River (WWF). The project also includes temporary wetland impacts equal to 0.22 acre associated with the temporary installation of access roads and riprap causeways to be constructed in separate phases to facilitate the construction of the new bridge and demolition of the existing structure. The project is known as the Eighth Street Bridge Replacement Project and is located on SR 1021, Section 370 over the Susquehanna River.

E45-509. Brodhead Creek Regional Authority, 410 Stokes Avenue, East Stroudsburg, PA 18301. SR 0611 Scot Run Waterline Relocation Project, Pocono Township, **Monroe County**, United States Army Corps of Engineers, Philadelphia District (Mt. Pocono, PA Quadrangle Latitude: 40° 03' 52.09"; Longitude: 75° 19' 05.25" and Latitude: 40° 04' 10.48"; Longitude: 75° 19' 25.15").

The permittee shall relocate, operate and maintain a 12-inch diameter public drinking water supply line beneath Scot Run, a UNT to Scot Run and exceptional value wetlands associated to both streams. The waterline crossing beneath Scot Run shall be 60-feet in length with maximum temporary wetland impact of 0.07-acre. The waterline crossing the UNT shall be 16-feet in length with a maximum temporary wetland impact of 0.02 acre. Relocation of the waterline shall be performed during stream low flow and dry work conditions by dam and pumping, fluming stream flow around the work area or boring beneath stream and wetlands. Since Scot Run is a WTF, no waterline construction or future repair work shall be conducted in or along the stream channels between October 1 and December 31 without prior written approval from the Fish and Boat Commission. The southern most waterline crossing is located along the western right-of-way of SR 0611 approximately 2,785-feet north of the SR 0800 and SR 0611 Exchange. Wetland impacts incurred by the waterline relocation shall solely be temporary and as such no mitigation through replacement wetlands will be required.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E60-189. Mifflinburg Borough, 333 Chestnut Street, Mifflinburg, PA 17844. Mifflinburg Wastewater Treatment Plant, in Mifflinburg Borough, **Union County**, United States Army Corps of Engineers, Baltimore District (Mifflinburg, PA Quadrangle N: 9.07 inches; W: 5.90 inches).

To place and maintain 56,070 cubic feet of clean earthen fill, stabilized with vegetation to prevent erosion, to provide an elevated surface 1.5 feet above the 100-year flood elevation in the 100-year flood fringe for a wastewater storage tank located 20 feet north of the sequencing batch reactor No. 2 of the Mifflinburg Wastewater Treatment Plant. This permit was issued under Section 105.13(e) "Small Projects."

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335.

E20-560, Department of Transportation, Engineering District 1-0, 255 Elm Street, Oil City, PA 16301. SR 0079, Section A06 Roadway Reconstruction and widening over Van Horne Creek in Vernon Township, **Crawford County**, United States Army Corps of Engineers, Pittsburgh District (Geneva, PA Quadrangle N: 41° 37' 21"; W: 80° 10' 25").

To: (1) construct and maintain a 19' and 24' culvert extension up and downstream respectively to the existing 26' wide by 8' high by 179.31' Long reinforced concrete box culvert located a N: 41° 37' 20" and W: 80° 10' 54"

carrying SR 0006 over Van Horn Creek (WWF); (2) construct and maintain seven 18" diameter outfall pipes and one 18" diameter outfall pipe extension to Van Horn Creek; (3) to repair and maintain the existing wing walls on the reinforced concrete box culverts located at N: 41° 37' 04" and W: 80° 10' 25" Northbound and N: 41° 37' 32" and W: 80° 11' 09" Southbound on I-79 carrying Van Horn Creek; and (4) to place and maintain fill within 0.034 acre of PEM/PFO wetlands all for the roadway reconstruction project at the I-79 and SR 0006 interchange.

SPECIAL NOTICES

Notice of Planning Grant Awards under Section 901 of the Municipal Waste Planning Recycling and Waste Reduction Act of 1988, Act 101

The Department of Environmental Protection (Department) hereby announces the following grants to counties under the Pennsylvania Municipal Waste Planning, Recycling and Waste Reduction Act of 1988, Act 101, P. L. 556, Section 901 and Section 208 of the Waste Tire Recycling Act/Small Business and Household Pollution Prevention Act (Act 190 of 1996).

Planning grants are awarded to counties for 80% of approved costs for preparing municipal waste management plans as required by Act 101, for carrying out related studies, surveys, investigations, inquiries, research and analysis, including those related to siting, environmental mediation, education programs on pollution prevention and household hazardous waste and providing technical assistance to small businesses for pollution prevention. Grants may be awarded for feasibility studies and project development for municipal waste processing or disposal facilities, except for facilities for the combustion of municipal waste that are not proposed to be operated for the recovery of energy. All grant awards are predicated on the receipt of recycling fees required by Sections 701 and 702 of Act 101 and the availability of monies in the Recycling Fund.

Inquiries regarding the grant offerings should be directed to Sally Lohman, Chief, Waste Planning Section, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, P. O. Box 8472, Harrisburg, PA 17105-8472.

KATHLEEN A. MCGINTY,
Secretary

Act 101, Section 901 Planning Grant

<i>Region</i>	<i>County</i>	<i>Applicant</i>	<i>Project Description</i>	<i>Grant Award</i>
Southeast				
Northeast				
Southcentral	Bedford	Bedford County	Plan Revision	\$48,987
Northcentral	Northumberland Centre	Northumberland County Centre County	Plan Revision Plan Revision	\$67,260 \$200,000
Southwest				
Northwest	Crawford	Crawford County	Plan Revision	\$64,438

Noncoal (Industrial Minerals) Bond Release Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

Permit No. 56910801. William V. Miller, Jr., 748 National Highway, LaVale, MD 21502, bond release on a small noncoal (industrial minerals) operation in Southampton Township, **Somerset County**, affecting 9.0 acres. Receiving stream: Laurel Run. Application received January 3, 2008. Final bond released May 13, 2008.

[Pa.B. Doc. No. 08-1021. Filed for public inspection May 30, 2008, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) web site at www.depweb.state.pa.us (DEP Keywords: "Technical Guidance"). The "Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

The Department will continue to revise its nonregulatory documents, as necessary, throughout 2008.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Final Technical Guidance—Substantive Revision:

DEP ID: 257-3120-001. Title: Evaluation of Underground Storage Tank Liners. Description: Both State and Federal regulations require that internally-lined underground storage tanks with no other means of corrosion protection be inspected 10 years after the lining installation and re-evaluated every 5 years thereafter. This guidance addresses regulatory requirements and industry procedures for documenting each lining evaluation, certifying evaluation results or findings, recordkeeping and reporting. Substantive revisions were proposed to the guidance, which were advertised for public comment at 38 Pa.B. 1546 (March 29, 2008). The Department did not receive comments on the draft technical guidance during the public comment period. Contact: Questions regarding the final technical guidance document should be directed to Walter Nagel or Raymond Powers, Department of Environmental Protection, Bureau of Waste Management, Rachel Carson State Office Building, P. O. Box 8763, Harrisburg, PA 17105-8763, (717) 772-5551; wnagel@state.pa.us; rapowers@state.pa.us. Effective Date: May 31, 2008.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 08-1022. Filed for public inspection May 30, 2008, 9:00 a.m.]

Bid Opportunity

BOGM 08-4, Cleaning Out and Plugging Nine Orphan and Abandoned Oil Wells, Francis Benedict, Vicky Johnson, Mr. and Mrs. John Eakin, and Mr. and Mrs. Robert Eakin Properties), Lewis Run Borough and Lafayette Township, McKean County.

The principal items of work include cleaning out and plugging nine orphan and abandoned oil wells, estimated to be 2,500 feet each in depth, to Department of Environmental Protection's specifications, preparing and restoring well sites and mobilizing and demobilizing plugging equipment. This project issues on May 30, 2008, and bids will be opened on July 1, 2008, at 2 p.m. Bid documents cost \$10 per set and will not be mailed until payment has been received. A prebid conference is planned for this project but a date has not been set. Use the contact information contained in this advertisement to find out more about the prebid. Contact the Construction Contracts Section at (717) 787-7820 or joelmiller@state.pa.us for more information on this bid.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 08-1023. Filed for public inspection May 30, 2008, 9:00 a.m.]

City of Philadelphia's Ambient Air Monitoring Network Plan Available for Public Comment

Under 40 CFR Part 58 (relating to ambient air quality surveillance) requires State and local air pollution control agencies to adopt and submit to the Environmental Protection Agency (EPA) Regional Administrator an Annual Monitoring Network Plan (AMNP) on July 1, 2008. The AMNP provides for the establishment and maintenance of an air quality surveillance system that consists of a network of monitoring stations. A proposed AMNP must be made available for public inspection for at least 30 days prior to submission to EPA. The EPA will also provide an opportunity for review and comment prior to approving or disapproving a Monitoring Network Plan submitted by a state and local air pollution control agency.

Air Management Services is the local air pollution control agency for the City of Philadelphia under the Department of Public Health. Philadelphia has an air monitoring network of 12 air monitoring stations that house instruments that measure ambient levels of air pollutants.

The proposed AMNP is available for public inspection on the City's web site at www.phila.gov/health/units/ams/index.html and at the office of Air Management Services, 321 University Avenue, 2nd Floor, Philadelphia, PA 19104, during normal business hours. For further information, contact Henry Kim, Chief of Program Services at (215) 685-9437.

Written comments on the proposed AMNP should be sent to Henry Kim, Chief of Program Services, Air Management Services, 321 University Avenue, 2nd Floor, Philadelphia, PA 19104 or by e-mail to henry.kim@phila.gov. Only written comments will be accepted. Comments received by facsimile will not be accepted. Persons wishing to file comments on the proposed AMNP must submit comments by June 30, 2008.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 08-1024. Filed for public inspection May 30, 2008, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Addendum and Revision of the Listing of Approved Speed-Timing Devices and Appointment of Maintenance and Calibration Stations

[Addendum]

The Department of Transportation (Department), Bureau of Motor Vehicles, under the authority of 75 Pa.C.S. § 3368 (relating to speed timing devices), published at 38 Pa.B. 2123 (May 3, 2008) a notice of approved speed-timing devices and maintenance and calibration stations for use until the next comprehensive list is published.

Addendum

As an addendum to the listing of approved Official Maintenance and Calibration Stations, the Department hereby gives notice of the addition of the following station:

Appointed, under 75 Pa.C.S. § 3368(d), for nonradar devices, which measure elapsed time between measured road surface points by using two sensors, for stopwatch testing, and for nonradar devices which calculate average speed between any two points:

Targetron, Incorporated, 190 Angletown Road, Muncy, Lycoming County, PA 17756—Also authorized to use mobile units (Appointed: 05/07/91). The station numbers are EL21, EM21 and W64.

Comments, suggestions or questions may be directed to Elizabeth Threnhauser, Manager, Admin/Tech Support Section, Vehicle Inspection Division, Bureau of Motor Vehicles, Third Floor, Riverfront Office Center, 1101 South Front Street, Harrisburg, PA 17104, (717) 783-7016.

Other approved speed-timing devices and appointment of maintenance and calibration stations appear at 38 Pa.B. 2123 (May 3, 2008).

ALLEN D. BIEHLER, P. E.,
Secretary

[Pa.B. Doc. No. 08-1025. Filed for public inspection May 30, 2008, 9:00 a.m.]

Meetings Scheduled

State Transportation Commission's Scheduled Meeting

The next quarterly business meeting of the State Transportation Commission (STC) will be held on August 7, 2008, in Towanda, PA. For more information, contact the Office of the STC at (717) 787-2913 or by means of email at nritchie@state.pa.us.

State Transportation Advisory Committee's Scheduled Meeting

The next scheduled meeting of the State Transportation Advisory Committee will be held on July 10, 2008, on the

8th Floor of the Commonwealth Keystone Building, Harrisburg, PA. For more information, contact the Office of the STC at (717) 787-2913 or by means of email at nritchie@state.pa.us.

Aviation Advisory Committee's Scheduled Meeting

The next scheduled meeting of the Aviation Advisory Committee (AAC) will be held on June 4, 2008, on the 8th Floor of the Commonwealth Keystone Building, Harrisburg, PA. For more information, contact the Executive Secretary of AAC at (717) 705-1494 or by means of email at sgulick@state.pa.us.

Pedalcycle and Pedestrian Advisory Committee's Scheduled Meeting

The next scheduled meeting of the Pedalcycle and Pedestrian Advisory Committee (PPAC) will be held on June 5, 2008, in Room 125C of the Commonwealth Keystone Building, Harrisburg, PA. For more information, contact Executive Secretary of PPAC at (717) 783-8444 or by means of email at dbachman@state.pa.us.

ALLEN D. BIEHLER, P. E.,
Secretary

[Pa.B. Doc. No. 08-1026. Filed for public inspection May 30, 2008, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Christopher C. Kinsella, Jr. v. DEP and Posh Properties, Permittee; EHB Doc. No. 2008-147-C

Christopher C. Kinsella, Jr. has appealed the issuance by the Department of Environmental Protection of the NPDES permit to Posh Properties for stormwater discharges associated with construction activities in Salisbury Township, Lehigh County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Acting Chairperson

[Pa.B. Doc. No. 08-1027. Filed for public inspection May 30, 2008, 9:00 a.m.]

HISTORICAL AND MUSEUM COMMISSION

National Register Nominations to be Reviewed by the Historic Preservation Board

The Historic Preservation Board (Board) will hold a meeting on June 10, 2008, at 9:45 a.m. in Room 125C, Commonwealth Keystone Building, 400 North Street, Harrisburg, PA. Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to participate should contact Helena Johnson at (717) 783-2698 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the agency can accommodate their needs. Persons with questions or comments should contact the Bureau for Historic Preservation at (717) 783-8946.

1. Woman's Medical College of Pennsylvania, 3300 Henry Avenue, Philadelphia, 054170.
2. Nakashima House & Studio, 1847—1858 Aquetong Road, Solebury Township, Bucks County, 144165.
3. Farrell Elementary School, 1020 Spearman Avenue, Farrell, Venango County, 110198.
4. General Wayne Hotel, 138 East Main Street, Menno Township, Mifflin County, 110198.
5. Hornby School, Station Road, Greenfield Township, Erie County, 094120.
6. Thomas Brothers Store, 4 South Main Street, Biglerville, Adams County, 143997.
7. Century Building, 130 7th Street, Pittsburgh, Allegheny County, 005083.

8. Amalgamated Center, 2101—2143 South Street, Philadelphia, Philadelphia County, 144039.

9. Keefe-Mumbower Mill, Upper Gwynedd Township, Montgomery County, 087190.

BARBARA FRANCO,
Executive Director

[Pa.B. Doc. No. 08-1028. Filed for public inspection May 30, 2008, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P. S. § 645.5b).

The Commission has issued comments on the following proposed regulations. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
57-257	Pennsylvania Public Utility Commission Universal Services and Energy Conservation Reporting Requirements and Customer Assistance Programs 38 Pa.B. 776 (February 9, 2008)	4/18/08	5/19/08

Pennsylvania Public Utility Commission Regulation #57-257 (IRRC #2674)

Universal Services and Energy Conservation Reporting Requirements and Customer Assistance Programs

May 19, 2008

We submit for your consideration the following comments on the proposed rulemaking published in the February 9, 2008 *Pennsylvania Bulletin*. Our comments are based on criteria in section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P. S. § 745.5a(a)) directs the Pennsylvania Public Utility Commission (PUC) to respond to all comments received from us or any other source.

1. General Issues—Fiscal impact; Consistency with statute and other administrative documents; Implementation procedures; Clarity.

The proposed regulation amends two existing chapters and creates a new chapter. This first portion of our

comments relates to general issues. Following this first portion, our comments will focus on specific provisions within the proposed regulation. Comments on two or more similar provisions from different chapters are combined under the same heading that identifies in bold type the specific sections of the proposed regulation that are being reviewed.

Residential customers, fiscal impact and cost recovery

Several provisions of the proposed regulation establish that the costs of universal service and energy conservation programs will be recovered by distribution companies from only their residential ratepayers. See §§ 54.71, 54.74(a)(5), 54.74(b)(4)(iv), 62.1, 62.4(a)(5), 62.4(b)(4)(iv), and 76.4(1). In particular, three subsections specifically state that the surcharge is “applicable only to residential customers” and “costs shall be recoverable only from residential customers.” See §§ 54.74(b)(4)(iv), 62.4(b)(4)(iv) and 76.4(1).

Although some commentators supported this new language in the proposed regulation, others questioned incorporating this policy into a regulation.

The Public Utility Code (Code) indicates that “programs for low-income assistance, energy conservation” are “public purpose costs” and adds:

... The public purpose is to be promoted by continuing universal service and energy conservation policies, protections and services, and full recovery of such costs is to be permitted through a nonbypassable rate mechanism.

66 Pa.C.S. § 2802(17). The question arises as to why non-residential customers will be allowed to “bypass” paying their share of the costs for this “public purpose.”

Another section of the Code states that these programs will be funded “by nonbypassable, *competitively neutral* cost-recovery mechanisms that fully recover the costs of universal service and energy conservation services.” (Emphasis added.) 66 Pa.C.S. § 2804(9). The PUC needs to explain how these mechanisms are “competitively neutral” if whole classes of ratepayers are exempt.

Commentators expressed concerns with the fiscal impact of the regulation on residential ratepayers. As energy costs continue to rise and rate caps for residential services expire, household energy costs will escalate substantially. At the same time, the costs of programs established by this regulation are rising. In its comments dated April 18, 2008, the Energy Association of Pennsylvania asserts that these costs increased by over 249 percent from 2000 to 2005.

The PUC needs to fully review the potential fiscal impact of these programs on residential ratepayers. If the final-form regulation places the program costs solely on residential ratepayers, the PUC will need to provide a thorough analysis and explanation of the fiscal impact of this policy, including: 1) the average cost per household; 2) the justifications for applying this cost to residential ratepayers only; 3) the impact of increasing energy and program costs on residential ratepayers’ ability to pay; and 4) the future ability of residential ratepayers to bear the costs of the program after rate caps expire.

Status of Statement of Policy

Several commentators have suggested that various provisions in the proposed regulation conflict with the PUC’s existing policy statement concerning this program. See 52 Pa. Code Chapter 69. The existence of two conflicting documents concerning the same subject matter can result in unnecessary confusion. In order to improve clarity, the PUC needs to address and eliminate conflicts between the policy statement and final-form regulation.

2. Sections 54.72, 62.2 and 76.2—Definitions.—Implementation procedures; Clarity.

Confirmed low income residential account

The definition for “confirmed low income residential account”, in Sections 54.72 and 62.2, indicates that one of the factors that can be used to designate a customer as “low-income” is “self-certification by the customer.” Several commentators expressed concern that this designation may be subject to fraud and is an unreliable means of verifying income. The final-form regulation should explain the need for this designation and establish methods for verification of income levels. If the term “self-certification” is retained in the final-form regulation, the criteria and procedures for “self-certification” and verification should be delineated in the substantive provisions of the regulation relating to eligibility.

Customer assistance program (CAP)

These sections provide a definition for “customer assistance program.” However, this term is already defined by statute. 66 Pa.C.S. § 1403. To improve clarity, the final-form regulation should include a cross-reference to this statutory provision rather than include a definition.

We note that the statutory definition does not include the phrase “payment troubled.” If the PUC intends to include “payment troubled” as a condition for CAP eligibility, then this requirement should be addressed in the substantive provisions of the regulation.

For example, Subsections 54.74(b)(1)(ix) and 62.4(b)(1)(ix) require plans to describe outreach and intake efforts for “low income customers with arrears.” In addition, Sections 54.74(b)(2)(i) and 62.4(b)(2)(i) require that tariff filings include rules for “program eligibility.” These subsections could be amended in the final-form regulation to address CAP eligibility for “payment troubled low income customers.” A list of “eligibility criteria” for CAP customers was published in a notice of proposed changes to the policy statement in the *Pennsylvania Bulletin* on November 10, 2007 (37 Pa.B. 6028). If the PUC intends these eligibility criteria to be binding on distribution companies and CAP customers, then the provisions should be incorporated into the final-form regulation.

EDC—Electric distribution company

Chapter 62 references the statutory definition for the term “NGDC—Natural gas distribution company.” Statutory references are also used for the definitions of “universal service and energy conservation” in both Chapters 54 and 62. Chapter 54 should reference the statutory definition for “electric distribution company” found in 66 Pa.C.S. § 2803.

Hardship funds

Commentators have suggested the addition of a definition for “hardship funds” in the regulation, as this term is used in Section 54.75(2)(ii)(D). The final-form regulation should define this term.

LIHEAP—Low Income Home Energy Assistance Program

Unlike the definition for “LIURP” (Low Income Usage Reduction Program), the definition for “LIHEAP” does not include a reference to the state regulations for this program. The final-form regulation should include in the definition a cross-reference to 55 Pa. Code Chapter 601.

LIHEAP grants

The term “LIHEAP grants” is used in the regulation, in Sections 54.74(b)(2)(iv) and 62.4(b)(2)(iv), but it is not defined. To improve clarity, the final-form regulation should define this term.

Substantive provisions

Some commentators encouraged the PUC to add substantive provisions to definitions in this section. If the PUC opts to add substantive provisions recommended by commentators, those substantive requirements should be placed in the appropriate sections of the body of the regulation, not in the definitions section.

3. Sections 54.74 and 62.4—Review of universal service and energy conservation plans, funding and cost recovery.—Implementation procedures.

These sections provide information concerning the submittal of universal service and energy conservation plans by distribution companies. However, the regulation does not provide deadlines for review by the PUC. The final-

form regulation should specify an amount of time for the PUC to review NGDCs and EDCs plans. In addition, the final-form regulation should include provisions that the public will be provided adequate notice of these tariff filings, similar to what is currently provided in Section 53.31 of the PUC's existing regulations.

Subsection (a)(4) states that an EDC or NGDC shall "consult with the BCS [PUC Bureau of Consumer Services] for advice regarding the design and implementation of its plan at least 30 days prior to submission of the plan to the Commission [PUC] for approval." It is our understanding that the intent of this provision is to give BCS an opportunity to review a distribution company's plan. If this is the case, then the provision should state that a distribution company must submit its plan to BCS for review. It could also state that the BCS will be given 30 days to review the plan. This clarification should be made in the final-form regulation.

Subsection (b) establishes requirements for the contents of tariff filings for a utility's universal service and energy conservation plans. The final-form regulation should also include public notice requirements concerning these tariff filings.

The language in Subsection (b)(1)(viii) is confusing. There are references to the "approved plan" and a comparison with its actual implementation. Is the PUC asking for information about the implementation of a previously approved plan? This needs to be explained or deleted from the final-form regulation.

4. Sections 54.75 and 62.5—Annual residential collection and universal service and energy conservation program reporting requirements.—Clarity.

The term "source of intake" in Subsection 54.75(2)(i)(D) is unclear. It should be explained or defined in the final-form regulation. In addition, the first paragraph of Section 62.5 is labeled as Subsection (a). This is unnecessary since there is no Subsection (b).

5. Sections 54.76 and 62.6—Evaluation reporting requirements.—Clarity.

Subsection (a) indicates that both EDCs and NGDCs shall conduct impact evaluations of their programs *after "conferring" with BCS*. (Emphasis added.) Based on the language in these sections, however, it is unclear what is involved with this process. The final-form regulation should clarify whether the PUC intends for BCS to approve the selection of the independent third-party to conduct an impact evaluation, or if it is the role of BCS simply to provide a list of evaluators that should receive a request for proposal.

6. Section 76.1. Purpose.—Clarity.

This section references "compliance with statutory requirements" but it does not list the statutory requirements. The final-form regulation should include a cross-reference to specific statutory provisions.

7. Section 76.3. Approval process.—Implementation procedures; Clarity.

Subsection (b) refers to an "immediate temporary modification" of an existing CAP plan. This term is vague and should be clarified in the final-form regulation.

8. Section 76.4. Recovery of costs of customer assistance programs.—Implementation procedures; Clarity.

Paragraph (2) indicates that: "the following CAP costs are eligible for recovery, if *prudently incurred* and reasonable in amount." (Emphasis added). The final-form regulation should specify how the determination is made that costs are "prudently incurred."

In addition, in Section 76.4(4), the final-form regulation should clarify how the PUC would determine the "timeliness of a distribution company's collection activities."

9. Section 76.5. Default provisions for failure to comply with program rules.—Implementation procedures.

Several commentators have expressed concern that dismissal from CAP is not an appropriate option for violations of the CAP program, including failure to pay. Has the PUC considered the feasibility of applying other alternatives before dismissing a customer from CAP?

In addition, several commentators have questioned why, as mentioned in subsection (a)(1), failure to apply for LIHEAP is a factor for consideration when determining lack of compliance with the CAP program. What happens when LIHEAP assistance is terminated due to lack of funding? The PUC should review the impact of including this factor in the final-form regulation.

In subsection (a)(5), what is the definition of "usage reduction services"? Could there be instances where a customer is prohibited from accepting usage reduction services due to lease restrictions?

10. Section 76.6. Restoration of service after termination for nonpayment of CAP bills.—Possible conflict with statute.

This section would apply 66 Pa.C.S. § 1407 and applicable PUC regulations and orders to restoration of service when a CAP customer's service is terminated. A commentator stated that this would be in direct conflict with 66 Pa.C.S. § 1405(c). The PUC should amend the final-form regulation to alleviate any conflict with the statute.

11. Miscellaneous Clarity.

In certain provisions of Chapters 54, 62 and 76, there is new language which indicates that conditions or situations will be governed by, or consistent with, "applicable Commission [PUC] regulations and orders" or "the code, applicable Commission [PUC] regulations, orders and other applicable law." See Sections 54.74(b)(1), (b)(2), and 62.4(b)(1), (b)(2), and 76.6. These provisions do not reference specific regulations or statutes.

In contrast, Sections 56.74(a)(3) and 62.4(a)(3) include this sentence: "The filing must conform to *applicable* regulations in Chapters 53 and 76. . . ." (Emphasis added.) This is helpful since the sentence references the applicable chapters. The other provisions that refer broadly to other applicable regulations or applicable laws should also reference specific titles, chapters or sections of existing regulations and statutes.

ARTHUR COCCODRILLI,
Chairperson

[Pa.B. Doc. No. 08-1029. Filed for public inspection May 30, 2008, 9:00 a.m.]

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the dates noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, in Harrisburg at 10:30 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy.

This schedule is tentative. Contact the Commission at (717) 783-5417 or check our web site at www.irrc.state.pa.us for updates.

Final-Form

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Tolled</i>	<i>Resubmitted</i>	<i>Public Meeting</i>
6-306	State Board of Education Special Education Services and Programs	5/15/08	5/15/08	6/5/08
<i>Reg. No.</i>	<i>Agency/Title</i>		<i>Received</i>	<i>Public Meeting</i>
125-81	Pennsylvania Gaming Control Board Slot Machine Licensing		5/15/08	6/19/08
7-414	Environmental Quality Board Coal Mines		5/15/08	6/19/08
7-410	Environmental Quality Board Stream Redesignations, Big Brook, and others		5/15/08	6/19/08
7-400	Environmental Quality Board Mine Opening Blasting		5/15/08	6/19/08
6-308	Department of Education Charter School and Cyber Charter School Services and Programs for Children with Disabilities		5/16/08	6/19/08

ARTHUR COCCODRILLI,
Chairperson

[Pa.B. Doc. No. 08-1030. Filed for public inspection May 30, 2008, 9:00 a.m.]

INSURANCE DEPARTMENT

Commerce and Industry Insurance Company; Prehearing

Appeal of Commerce and Industry Insurance Company under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910); Doc. No. MM08-05-008

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code Chapter 56 (relating to special rules of administrative practice and procedure).

On or before June 5, 2008, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's April 7, 2008, determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A prehearing telephone conference initiated by this office is scheduled for June 26, 2008, at 10:30 a.m. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or before June 1, 2008. A hearing date shall be determined, if necessary, at the prehearing telephone conference.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before June 12, 2008, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before June 19, 2008.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joel Cortes, Human Resources Analyst at (717) 783-2168.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 08-1031. Filed for public inspection May 30, 2008, 9:00 a.m.]

Marvin Loev, M. D.; Prehearing

Appeal of Marvin Loev, M. D. under the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. §§ 1303.101—1303.910); Doc. No. MM07-10-005

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law); 1 Pa. Code Part II (relating to

General Rules of Administrative Practice and Procedure); and 31 Pa. Code Chapter 56 (relating to special rules of administrative practice and procedure).

On or before June 16, 2008, the appellant shall file a concise statement setting forth the factual and/or legal basis for the disagreement with MCARE's determination. The statement may be in narrative form or in numbered paragraphs, but in either event shall not exceed two pages. A hearing shall occur on July 29, 2008, at 10 a.m. in Room 200, Administrative Hearings Office, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA.

On or before July 15, 2008, each party shall file with the Administrative Hearings Office a prehearing statement which shall contain: (1) a comprehensive statement of undisputed facts to be stipulated between the parties; (2) a statement of additional contended facts; (3) names and address of witnesses along with the specialties of experts to be called; (4) a list of documents to be used at the hearing; (5) special evidentiary or other legal issues; and (6) the estimated time for the party's case. Contemporaneously with service of the prehearing statement. Any report subsequently received from a party's expert witness prior to hearing shall be supplied to the other party within 2 business days. Copies of expert reports need not be filed with the Administrative Hearings Office.

Motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed on or before June 27, 2008, with the Hearings Administrator, Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102. Answer to petitions to intervene, if any shall be filed on or before July 7, 2008.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joel Cortes, Human Resources Analyst at (717) 783-2168.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 08-1032. Filed for public inspection May 30, 2008, 9:00 a.m.]

Appeal of Joseph and Jennifer Grady; file no. 08-214-51574; Erie Insurance Exchange; doc. no. PH08-05-019; July 24, 2008, 10:30 a.m.

Appeal of Tyrone and Barbara Phillips; file no. 08-217-52070; Erie Insurance Exchange; doc. no. PH08-05-018; June 18, 2008, 1 p.m.

Parties may appear with or without counsel and offer relevant testimony or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce documentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joel Cortes, Human Resources Analyst at (717) 783-2168.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 08-1033. Filed for public inspection May 30, 2008, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P. L. 464, No. 68) (Act 68) in connection with the termination of the insureds' automobile policies. The hearings will be held in accordance with the requirements of Act 68; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearings will be held in the Insurance Department's regional office in Philadelphia, PA. Failure by an appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearings will be held in the Philadelphia Regional Office, Room 1701, State Office Building, 1400 Spring Garden Street, Philadelphia, PA 19130.

LIQUOR CONTROL BOARD

Expiration of Leases

The following Liquor Control Board lease will expire:

Bucks County, Wine & Spirits Store #0924, Route 132, Street Road and Route 263, York Road, Warminster, PA.

Lease Expiration Date: April 30, 2007

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 8,000 net useable square feet of new or existing retail commercial space in a 1 mile radius of intersection of Route 132, Street Road and Route 263, York Road, Warminster, PA.

Proposals Due: June 13, 2008, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128-2113
Contact: Robert Jolly, (215) 482-9670
 PATRICK J. STAPLETON, III,
Chairperson

[Pa.B. Doc. No. 08-1034. Filed for public inspection May 30, 2008, 9:00 a.m.]

PATIENT SAFETY AUTHORITY

Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P. S. § 1303.303), enacted on March 20, 2002, announces a meeting of the Authority's Board on Tuesday, June 10, 2008, 10:30 a.m. to be held at the Wildwood Conference Center, Harrisburg Area Community College, One HAAC Drive, Harrisburg, PA.

Individuals having questions regarding this meeting, which is open to the public, should contact the Authority at (717) 346-0469.

MICHAEL C. DOERING,
Executive Director

[Pa.B. Doc. No. 08-1035. Filed for public inspection May 30, 2008, 9:00 a.m.]

Reporting Requirements for Nursing Homes under The Health Care-Associated Infection and Prevention Control Act

Purpose

The purpose of this announcement is to give nursing home facilities notice of their reporting requirements to the Patient Safety Authority (Authority) and the Department of Health (Department) under the Health Care-Associated Infection and Prevention Control Act (Act 52 of 2007). The reporting requirements presented in this notice were developed in consultation with the Department and the Authority's Health Care-Associated Infection (HAI) Advisory Panel.

Reporting Requirements for Nursing Homes

In addition to reporting under the Health Care Facilities Act 1979 (Pub. L. 130, No. 48), Act 52 requires that nursing homes electronically report patient-specific health care-associated infections to the Authority and the Department using nationally recognized standards based on Centers for Disease Control and Prevention (CDC) definitions.

Method of Reporting HAIs

The timelines and format for reporting HAIs is being established and will be published in a future notice. However, the Authority does not expect that Nursing Homes will begin reporting before the end of 2008. A list of reportable infections is presented at the end of this notice as Exhibit A. The criteria for determining HAIs

were developed utilizing the definitions for infection surveillance in long-term care by McGeer A, Campbell B, Emori TG, and others (McGeer Criteria) together with modified CDC definitions for long-term care. The criteria are presented at the end of this notice as Exhibit B.

Serious Event Reporting

The occurrence of an HAI in nursing homes, defined as per criteria in Exhibit B is deemed to constitute a Serious Event as defined by the MCARE Act (Act 13), § 302. If an infection meets the criteria for reporting, that infection shall be reported to the Authority as a Serious Event as required by Act 13 and Act 52, subject to the additional requirements as described in this notice.

Health care-associated infections reported to the Authority are subject to the same patient notification requirements set forth by Act 13 for all Serious Events. Under Act 13, all Serious Events require that the healthcare facility notify the patient or their legal representative in writing that a Serious Event has occurred; this written notification must occur within 7 calendar days. For purposes of meeting the 24-hour reporting requirement for Serious Events set forth by Act 13, nursing homes must submit reports of HAIs to the Authority within 24 hours of their confirmation (surveillance completed and infection confirmed according to the criteria by a staff member responsible for infection control). If confirmation of an HAI occurs over a weekend or State government holiday, reports must be submitted by 5 p.m. on the next work day.

Public Comment Period

For 30 calendar days from the date of this publication, the Authority is accepting public comment about the uniform reporting requirements established jointly by the Authority and the Department of Health under Chapter 4—HAI of the MCARE (40 P. S. § 1303.401 et. seq.), (2007).

Submit comments electronically by means of e-mail to the Patient Safety Authority at patientsafetyauthority@state.pa.us.

The Authority will review comments received and publish an additional Notice in the *Pennsylvania Bulletin*. This notice may include updates or changes, based on public comments, to the reporting requirements.

Persons with a disability who require an alternative format of this notice (for example large print, audio tape or Braille) should contact the PA-PSRS help desk at (866) 316-1070.

Exhibit A. List of Reportable HAIs

1. Symptomatic Urinary Tract Infection

- 1.1 Indwelling urinary catheter related
- 1.2 Nonurinary catheter related

2. Respiratory Tract Infection

- 2.1 Pneumonia
- 2.2 Influenza-like illness (ILI)
- 2.3 Sinusitis
- 2.4 Bronchitis/tracheobronchitis

3. Skin and Soft Tissue Infection

- 3.1 Cellulitis
- 3.2 Burns
- 3.3 Vascular and diabetic ulcer (chronic/non healing)
- 3.4 Device-associated soft tissue/wound infection for example:

- Tracheostomy site
- Peripheral/Central IV catheter site

- G-tube site
- Supra pubic catheter site
- In-dwelling drain

4. Decubitus ulcer (pressure related) Infection

5. Gastrointestinal Tract Infection

- 5.1 Bacterial (such as, *Campylobacter*, *Salmonella* species, *Shigella*)
- 5.2 Viral-like (such as, norovirus, rotavirus)
- 5.3 *Clostridium difficile* (*C.difficile*/*C.diff*)
- 5.4 Other nonviral/nonbacterial (such as, Amebiasis, Giardiasis, *Cryptococcus*)

6. Intra-abdominal infection

- 6.1 Peritonitis/deep abscess

7. Conjunctivitis

8. Mouth and perioral infection

9. Meningitis

10. Viral Hepatitis

11. Osteomyelitis

12. Primary Bloodstream Infection

Exhibit B. Criteria for Defining HAIs in Long-Term Care

The Centers for Disease Control and Prevention (CDC) definitions for health care-associated infections (HAIs) are generally not applicable to nursing homes.

In 1991, McGeer et al developed a set of definitions for determining HAIs in long-term care. The criteria were developed by modifying the CDC definitions and taking into consideration the difference in population, services and resources.

The criteria set forth below have been developed in accordance with the requirements of Act 52, using McGeer criteria and further modification of the CDC—based criteria.

Key Points in Defining Infections in the Elderly

- The CDC defines an HAI as a localized or systemic condition that was not present or incubating upon admission to a facility.
- All signs and symptoms of an infection must be acute, new or rapidly worsening.
- Noninfectious causes should always be considered before defining an infection.
- A change in mental or functional status is often indicative of a developing infection.
- Physician diagnosis plays a significant role in defining certain infections particularly where laboratory and radiology resources would be preferable but are limited.
- Antimicrobial treatment alone is not indicative of an HAI.
- In the elderly population, a fever is defined as: an oral or equivalent temperature* of 100.4° F (38° C) or an increase of 2° F (1.1° C) over baseline.

***Note:** Discussion concerning the definition of temperature readings by means of alternative monitoring routes (such as, tympanic and axillary) has ensued. As there is lack of standardization of readings for these alternative routes, we invite comments addressing this issue.

Symptomatic urinary tract infection

Resident with Urinary Catheter

Two or more of the following with no other recognized cause:

- Fever and/or chills with no other source.
- Flank or suprapubic pain or tenderness (self-described or identified upon examination).
- Gross hematuria or change in character of urine.
- Change in mental and/or functional status from daily baseline.

Resident without Urinary Catheter

Three or more of the following:

- Fever and/or chills.
- New burning pain on urinating (dysuria), frequency or urgency.
- Flank or suprapubic pain or tenderness (self described or identified upon examination).
- Gross hematuria or change in character of urine.
- Change in mental and/or functional (including incontinence) status from daily baseline.

Note: If an appropriately collected and processed urine culture was taken and the resident was not receiving antibiotics at the time, then the culture must be positive IN the presence of defined signs and symptoms.

Respiratory Tract Infection

Pneumonia

Interpretation by a physician of a chest x-ray as demonstrating pneumonia, or probable pneumonia in the presence of an infiltrate and/or consolidation.

and

Three or more of the following:

- Fever with no other cause.
- New or increased cough.
- New or increased sputum production.
- Pleuritic chest pain.
- Rhonchi, rales, wheezes and/or bronchial breathing.
- New and/or increased shortness of breath and/or tachypnea (normal respiratory rate = 16—25 breaths/min).
- Change in mental and/or functional status from baseline in the presence of symptoms.

Note: Congestive heart failure and other noninfectious causes of similar signs and symptoms should be ruled out.

Influenza-Like Illness (ILI)

Fever

and

Three or more of the following during Influenza season (October 1 to April 30):

- Chills.
- Headache or eye pain.
- Malaise or loss of appetite.
- Sore throat.

- Dry cough.
- Myalgias.

Sinusitis

Physician diagnosis of sinusitis

and

Two or more of the following:

- Fever with no other recognized cause.
- Pain or tenderness over the sinuses.
- Headache.
- Purulent exudate or nasal obstruction.

Bronchitis/Tracheobronchitis

Symptoms must be acute and either NO chest X-ray or X-ray does NOT meet the criteria for Pneumonia

Three or more of the following:

- Fever.
- New or increased cough.
- New or increased sputum production.
- Pleuritic chest pain.
- Rhonchi, rales, wheezes and/or bronchial breathing.
- New and/or increased shortness of breath.
- Tachypnea (> breaths/min—normal respiratory rate = 16–25 breaths/min).
- Change in mental and functional status from baseline in the presence of symptoms.

Skin and Soft Tissue Infection**Cellulitis, IV Site, Burns, Vascular/diabetic Ulcer, device associated**

Purulent drainage, pustules or vesicles at wound, skin, or soft tissue site

or

Four or more of the following signs and symptoms:

- Fever with no other recognized cause.
- Heat.
- Redness.
- Swelling.
- Pain or tenderness.
- Serous drainage.

Decubitus Ulcer (pressure related) Infection

Resident has at least two of the following signs and symptoms with no other recognized cause:

- Redness.
- Tenderness.
- Swelling of decubitus wound edges.

and

At least one of the following:

- Organisms cultured from properly collected fluid or tissue (see note to follow).
- Organisms cultured from blood (no other recognized cause).

Note: Purulent drainage alone is not sufficient evidence of an infection. Surface organisms cultured from the decubitus ulcer are not sufficient evidence of an

infection. Needle aspiration of fluid or a biopsy of the tissue from the ulcer margin is required.

Gastrointestinal Tract Infection

Symptoms for Viral and Bacterial Infections to include:

One or more of the following signs and symptoms

- Two or more loose or watery stools above what is normal for the resident in a 24 hour period
- Two or more episodes of vomiting within a 24 hour period
- Laboratory confirmed enteric pathogen from stool WITH a compatible clinical syndrome.
- Stool toxin assay (C.difficile).
- Single IgM or fourfold increase in IgG for pathogen in paired sera.

Note: These criteria must include NO evidence of a noninfectious cause: such as, DIARRHEA: laxatives, change in tube feeding or medication; VOMITING: change in medication, other G.I. diseases such as peptic ulcer disease.

CDC defines a C.difficile laboratory confirmed infection as health-care acquired if it presents > 3 days after admission (that is, on or after day 4).

Intra-abdominal Infection**Peritonitis/Deep Abscess**

Two or more of the following with no other recognized cause:

- Fever
- Nausea
- Vomiting
- Abdominal pain
- Jaundice

and

One of the following:

- Organism(s) cultured from drainage from surgically placed drain or tube.
- Radiographic evidence of infection.
- Physician diagnosis of an intra-abdominal infection.

Conjunctivitis

New pain, itching or redness of conjunctiva

and

Purulent exudate from one or both eyes for \geq 24 hours

Note: Allergies and foreign body trauma should be ruled out.

Mouth and Perioral Infection

Physician or Dentist diagnosis and treatment of infection

and

One or more of the following with no other recognized cause:

- Abscess
- Ulceration
- Raised white patches on inflamed mucosa
- Plaque on oral mucosa

Meningitis

Physician diagnosis of Meningitis

and

Three or more of the following with no other recognized cause:

- Fever
- Headache
- Stiff neck
- Meningeal signs as determined by a physician
- Cranial nerve signs as determined by a physician
- Irritability

Viral Hepatitis

Positive antigen or antibody test for Hepatitis A, B, C or delta antigen

and

Two or more of the following with no other recognized cause:

- Fever
- Anorexia
- Nausea
- Vomiting
- Abdominal pain
- Jaundice
- History of transfusion within the previous 3 months

Osteomyelitis

Two or more of the following with no other recognized cause:

- Fever
- Localized swelling
- Tenderness at suspected site of bone infection
- Heat at suspected site of bone infection
- Drainage at suspected site of bone infection

and

Either

• Organism cultured from blood with no other recognized cause

or

- Physician diagnosis of Osteomyelitis

Primary Bloodstream Infection

Two or more blood cultures drawn on separate occasions documented with a common skin contaminant (such as, diphtheroids, *Bacillus* sp., *Propionibacterium* sp., coagulase-negative staphylococci, or micrococci).

or

A single blood culture documented with a pathogenic organism (noncontaminant)

and

One of the following:

- Fever or new hypothermia
- Drop in systolic blood pressure of > 30 mm Hg over baseline
- Change in mental or functional status

Note: Organism in blood culture is not related to infection at another site (secondary bacteremia).

MICHAEL C. DOERING,
Executive Director

[Pa.B. Doc. No. 08-1036. Filed for public inspection May 30, 2008, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by June 16, 2008. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2008-2038712. Joseph Webb Young, t/a Young Transportation & Hauling (1427 Greenburr Gap Road, Loganton, Clinton County, PA 17747)—persons, in paratransit service, whose personal convictions prevent them from owning or operating motor vehicles, from points in the County of Clinton, to points in Pennsylvania and return.

A-2008-2038716. Kent Development, Inc., t/a Racing Limos of Philadelphia (649 South Avenue, Suite 4, Secane, Delaware County, PA 19018), a corporation of the Commonwealth—persons, in limousine service, from points in the Counties of Delaware, Bucks, Montgomery, Chester and Lancaster, to points in Pennsylvania, and return; excluding service which is under the jurisdiction of the Philadelphia Parking Authority.

A-2008-2040849. John A. King (172 North New Holland Road, Gordonville, Lancaster County, PA 17529)—persons, in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Lancaster County, to points in Pennsylvania, and return.

A-2008-2040868. Everette Silvester Grant, t/a Door to Door Cab Service (8838 Blackbird Drive, Tobyhanna, Monroe County, PA 18466)—persons, upon call or demand, in the County of Monroe.

Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under each application.*

A-2008-2038788. Frontier Transit, Inc. (380 Red Lion Road, Suite 202A, Huntingdon Valley, Montgomery

County, PA 19006), a corporation of the Commonwealth—for the right to transport, as a common carrier, by motor vehicle, persons in paratransit service, which is to be a transfer of all of the operating rights under the certificate issued at A-00112108, F. 3, to C.A.T.S. Enterprises, Inc., subject to the same limitations and conditions. *Attorney:* David P. Temple, Esquire, 1760 Market Street, Suite 1100, Philadelphia, PA 19103.

Application of the following for approval to begin operating as contract carriers for transportation of persons as described under each application.

A-2008-2036035. North Connections Logistics, Inc. (4107-08 Sylon Boulevard, Hainesport, NJ 08036), a corporation of the State of Delaware—contract carrier—persons, for CSX Transportation, between points in Pennsylvania.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 08-1037. Filed for public inspection May 30, 2008, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Public Hearing and Meeting

The Susquehanna River Basin Commission (Commission) will hold a public hearing as part of its regular business meeting beginning at 8:30 a.m. on June 12, 2008, at the Holiday Inn Elmira-Riverview, 760 E. Water Street, Elmira, NY. At the public hearing, the Commission will consider: 1) approval of certain water resources projects, including one enforcement action; 2) consideration of a request to reopen Docket No. 20020819, Mountainview Thoroughbred Racing Association, Inc.; and 3) a request for a hearing on an administrative appeal regarding Docket No. 20080305, Mountainview Thoroughbred Racing Association, Inc. Details concerning the matters to be addressed at the public hearing and business meeting are contained in the Supplementary Information section of this notice.

For further information contact Richard A. Cairo, General Counsel, (717) 238-0423, sxt. 306, fax (717) 238-2436, rcairo@srbc.net or Deborah J. Dickey, Secretary to the Commission, (717) 238-0423, ext. 301, fax (717) 238-2436, dddickey@srbc.net.

Supplementary Information

In addition to the public hearing and its related action items identified below, the business meeting also includes the following items on the agenda: 1) a special infrastructure presentation by Sandra Allen of the NY Department of Environmental Conservation; 2) a report on the present hydrologic conditions of the basin; 3) approval of a proposal to increase the Commission's consumptive use mitigation fee; 4) a recommendation to rescind certain Commission policies; 5) approval of an FY-10 Budget; 6) approval of various grants and contracts; and 7) election of a new Chairman and Vice-Chairman to serve in the next fiscal year. The Commission will also hear a Legal Counsel's report and an update on recent activities in our regulatory program.

Public Hearing—Projects Scheduled for Action

1. Project Sponsor and Facility: Fortuna Energy Inc. (Catatunk Creek), Town of Spencer, Tioga County, NY.

Applications for consumptive water use of up to 0.250 mgd and surface water withdrawal of up to 0.250 mgd.

2. Project Sponsor and Facility: East Resources, Inc. (Chemung River), Town of Big Flats, Chemung County, NY. Applications for consumptive water use of up to 0.250 mgd and surface water withdrawal of up to 0.250 mgd.

3. Project Sponsor and Facility: Fortuna Energy, Inc. (Chemung River), Chemung Town, Chemung County, NY. Applications for consumptive water use of up to 0.250 mgd and surface water withdrawal of up to 0.250 mgd.

4. Project Sponsor and Facility: East Resources, Inc. (Seely Creek), Town of Southport, Chemung County, NY. Applications for consumptive water use of up to 0.250 mgd and surface water withdrawal of up to 0.250 mgd.

5. Project Sponsor and Facility: East Resources, Inc. (Tioga River; at Tioga Junction), Lawrence Township, Tioga County, PA. Applications for consumptive water use of up to 0.250 mgd and surface water withdrawal of up to 0.250 mgd.

6. Project Sponsor and Facility: East Resources, Inc. (Crooked Creek; near Middlebury Center), Middlebury Township, Tioga County, PA. Applications for consumptive water use of up to 0.250 mgd and surface water withdrawal of up to 0.250 mgd.

7. Project Sponsor and Facility: Fortuna Energy, Inc. (Susquehanna River), Sheshequin Township, Bradford County, PA. Applications for consumptive water use of up to 0.250 mgd and surface water withdrawal of up to 0.250 mgd.

8. Project Sponsor and Facility: East Resources, Inc. (Tioga River; near Mansfield), Richmond Township, Tioga County, PA. Applications for consumptive water use of up to 0.250 mgd and surface water withdrawal of up to 0.250 mgd.

9. Project Sponsor and Facility: Fortuna Energy, Inc. (Sugar Creek), West Burlington Township, Bradford County, PA. Applications for consumptive water use of up to 0.250 mgd and surface water withdrawal of up to 0.250 mgd.

10. Project Sponsor and Facility: Fortuna Energy, Inc. (Towanda Creek), Franklin Township, Bradford County, PA. Applications for consumptive water use of up to 0.250 mgd and surface water withdrawal of up to 0.250 mgd.

11. Project Sponsor and Facility: Neptune Industries, Inc. (Lackawanna River), Borough of Archbald, Lackawanna County, PA. Application for surface water withdrawal of up to 0.499 mgd.

12. Project Sponsor and Facility: Keystone Landfill, Inc., Dunmore Borough, Lackawanna County, PA. Applications for consumptive water use of up to 0.100 mgd and groundwater withdrawal of 0.020 mgd from Well 1, 0.010 mgd from Well 2, and 0.020 mgd from Well 3, and settlement of an outstanding compliance matter.

13. Project Sponsor: United States Gypsum Company. Project Facility: Washingtonville Plant (Well W-A8), Derry Township, Montour County, PA. Application for groundwater withdrawal of 0.350 mgd.

14. Project Sponsor: Kratzer Run Development, LLC. Project Facility: Eagles Ridge Golf Club (formerly Grandview Golf Course/Susquehanna Recreation Corporation), Ferguson Township, Clearfield County, PA. Applications for consumptive water use of up to 0.099 mgd and surface water withdrawal of up to 0.099 mgd.

15. Project Sponsor and Facility: Commonwealth Environmental Systems, LP, Foster, Frailey and Reily Townships, Schuylkill County, PA. Modification of consumptive water use and groundwater approval (Docket No. 20070304).

16. Project Sponsor and Facility: Lykens Valley Golf Course (formerly Harrisburg North Golf Course), Upper Paxton Township, Dauphin County, PA. Applications for consumptive water use of up to 0.200 mgd and surface water withdrawal of up to 0.200 mgd.

17. Project Sponsor and Facility: Spring Creek Golf Course (Spring Creek), Derry Township, Dauphin County, PA. Applications for consumptive water use of up to 0.081 mgd and surface water withdrawal of up to 0.081 mgd.

18. Project Sponsor: Pennsy Supply, Inc. Project Facility: Hummelstown Quarry, South Hanover Township, Dauphin County, PA. Application for surface water withdrawal of up to 29.925 mgd.

19. Project Sponsor: Titanium Hearth Technologies, Inc. Project Facility: TIMET North American Operations, Caernarvon Township, Berks County, PA. Application for consumptive water use of up to 0.133 mgd, and settlement of an outstanding compliance matter.

20. Project Sponsor and Facility: Conestoga Country Club (Well 1), Manor and Lancaster Townships, Lancaster County, PA. Application for groundwater withdrawal of 0.281 mgd.

21. Project Sponsor and Facility: Rock Springs Generation Facility, Rising Sun, Cecil County, MD. Modification of surface water withdrawal, groundwater withdrawal, and consumptive water use approval (Docket No. 20001203).

Public Hearing—Project Scheduled for Enforcement Action

1. Project Sponsor and Facility: Standing Stone Golf Club (Docket No. 20020612), Oneida Township, Huntingdon County, PA.

Public Hearing—Petition to Reopen Docket

1. Petition of East Hanover Township, et. al., Dauphin County, PA, to reopen Docket No. 20020819, Mountainview Thoroughbred Racing Association, Inc.

Public Hearing—Request for Hearing on Administrative Appeal

1. Request of East Hanover Township, et. al., Dauphin County, PA, for hearing on administrative appeal of Docket No. 20080305, Mountainview Thoroughbred Racing Association, Inc.

Opportunity to Appear and Comment

Interested parties may appear at the previous hearing to offer written or oral comments to the Commission on any matter on the hearing agenda, or at the business meeting to offer written or oral comments on other matters scheduled for consideration at the business meeting. The chair of the Commission reserves the right to limit oral statements in the interest of time and to otherwise control the course of the hearing and business meeting. Written comments may also be mailed to the Susquehanna River Basin Commission, 1721 North Front Street, Harrisburg, PA 17102-2391, or submitted electronically to Richard A. Cairo, General Counsel, rcairo@srbc.net or Deborah J. Dickey, Secretary to the Commission, ddickey@srbc.net. Comments mailed or electronically submitted must be received prior to June 12, 2008, to be considered.

Authority: Pub. L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808. Dated: May 19, 2008.

PAUL O. SWARTZ,
Executive Director

[Pa.B. Doc. No. 08-1038. Filed for public inspection May 30, 2008, 9:00 a.m.]

THADDEUS STEVENS COLLEGE OF TECHNOLOGY

Request for Bids

Thaddeus Stevens College of Technology is soliciting bids for a variety of construction products such as lumber, insulation, stair stringers, wall plates, and the like—necessary for the construction of a residential home. Bid documents can be obtained from Nancy Froeschle, Thaddeus Stevens College, 750 East King Street, Lancaster, PA 17602, (717) 299-7787 or froeschle@stevenscollege.edu until June 11, 2008.

DR. WILLIAM E. GRISCOM,
President

[Pa.B. Doc. No. 08-1039. Filed for public inspection May 30, 2008, 9:00 a.m.]

