

NOTICES

DEPARTMENT OF BANKING

Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 9, 2002 (P. L. 1572, No. 207), known as the Credit Union Code, has taken the following action on applications received for the week ending January 8, 2008.

BANKING INSTITUTIONS

Interim Charter Applications

| <i>Date</i> | <i>Name of Bank</i> | <i>Location</i> | <i>Action</i> |
|-------------|--|-----------------|------------------------------|
| 1-4-08 | Integrity Interim Bank Camp Hill Cumberland County | Camp Hill | Approved and Effective |

Incorporation of an interim bank in conjunction with the reorganization of Integrity Bank, Camp Hill, into a bank holding company form of business whereby Integrity Bank will become the wholly-owned subsidiary of Integrity Bancshares, Inc., a new holding company in formation.

Holding Company Acquisitions

| <i>Date</i> | <i>Name of Corporation</i> | <i>Location</i> | <i>Action</i> |
|-------------|--|-----------------|---------------|
| 12-24-07 | First Priority Financial Corp., Malvern, to acquire 100% of Prestige Community Bank, Newtown | Malvern | Filed |

Consolidations, Mergers and Absorptions

| <i>Date</i> | <i>Name of Bank</i> | <i>Location</i> | <i>Action</i> |
|-------------|---|-----------------|---------------|
| 12-24-07 | First Priority Bank, Malvern, and Prestige Community Bank, Newtown Surviving Institution: First Priority Bank, Malvern | Malvern | Filed |

Branch Applications

| <i>Date</i> | <i>Name of Bank</i> | <i>Location</i> | <i>Action</i> |
|---|--|---|---------------|
| 12-10-07 | Prestige Community Bank Newtown Bucks County | 5936 Easton Road Pipersville Bucks County | Opened |
| Establishment of the branch office was approved with the initial incorporation of Prestige Community Bank, Newtown. | | | |
| 1-2-08 | Clarion County Community Bank Clarion Clarion County | 592 Main Street Rimersburg Clarion County | Filed |
| 1-2-08 | Nova Savings Bank Philadelphia Philadelphia County | 920 South Street Philadelphia Philadelphia County | Filed |

Branch Discontinuances

| <i>Date</i> | <i>Name of Bank</i> | <i>Location</i> | <i>Action</i> |
|-------------|--|---|---------------|
| 12-31-07 | Fulton Bank Lancaster Lancaster County | 2901 Horseshoe Pike Campbelltown Lebanon County | Closed |

NOTICES

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

Consolidations, Mergers and Absorptions

| <i>Date</i> | <i>Name of Credit Union</i> | <i>Location</i> | <i>Action</i> |
|-------------|---|-----------------|---------------|
| 1-4-08 | Butler Armco Employees Credit Union, Butler and Deshon V.A. Employees Federal Credit Union, Butler Surviving Institution: Butler Armco Employees Credit Union, Butler | Butler | Approved |
| 1-8-08 | Butler Armco Employees Credit Union, Butler and Deshon V.A. Employees Federal Credit Union, Butler Surviving Institution: Butler Armco Employees Credit Union, Butler | Butler | Effective |
| 1-3-08 | Riverset Credit Union, Pittsburgh, and Duke Federal Credit Union, Pittsburgh Surviving Institution: Riverset Credit Union, Pittsburgh | Pittsburgh | Filed |

Articles of Amendment

| <i>Date</i> | <i>Name of Credit Union</i> | <i>Purpose</i> | <i>Action</i> |
|-------------|---|--|---------------|
| 12-3-07 | Riverset Credit Union Pittsburgh Allegheny County | Amendment to the 8th Article of the Articles of Incorporation provides for service to the underserved/low-income area served by Duke Federal Credit Union ("Duke"), subsequent to merger between Riverset Credit Union and Duke. | Filed |

The Department's website at www.banking.state.pa.us includes public notices for more recently filed applications.

STEVEN KAPLAN,
Secretary

[Pa.B. Doc. No. 08-95. Filed for public inspection January 18, 2008, 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of February 2008

The Department of Banking (Department), under the authority contained in section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), hereby determines that the maximum lawful rate of interest for residential mortgages for the month of January 2008 is 6 3/4%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. No. 96-221). Further preemption was instituted with the signing of Pub. L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as a principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the United States Treasury. The latest yield rate on long-term government securities is 4.34 to which was added 2.50 percentage points for a total of 6.84 that by law is rounded off to the nearest quarter at 6 3/4%.

STEVEN KAPLAN,
Secretary

[Pa.B. Doc. No. 08-96. Filed for public inspection January 18, 2008, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Snowmobile and ATV Advisory Committee; Meeting Cancellation

The Snowmobile and ATV Advisory Committee of the Department of Conservation and Natural Resources (Department) meeting scheduled for Thursday, January 24, 2008, at 9 a.m., in Room 105, Rachel Carson State Office Building, Harrisburg, PA has been cancelled due to insufficient agenda items.

Questions concerning this meeting or agenda items can be directed to John Quigley at (717) 787-9632.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact John Quigley at (717) 787-9632 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

MICHAEL DIBERARDINIS,
Secretary

[Pa.B. Doc. No. 08-97. Filed for public inspection January 18, 2008, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

| <i>Location</i> | <i>Permit Authority</i> | <i>Application Type or Category</i> |
|-----------------|-------------------------|--|
| Section I | NPDES | Renewals |
| Section II | NPDES | New or amendment |
| Section III | WQM | Industrial, sewage or animal waste; discharge into groundwater |
| Section IV | NPDES | MS4 individual permit |
| Section V | NPDES | MS4 permit waiver |
| Section VI | NPDES | Individual permit stormwater construction |
| Section VII | NPDES | NOI for coverage under NPDES general permits |

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the EPA Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final

determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N ?</i> |
|-----------------------------|---|--------------------------------------|--------------------------------------|-----------------------------|
| PA0043206 | Trails End Camp, Inc. 1714 Wantagh Avenue Wantagh, NY 11793 | Berlin Township Wayne County | UNT to Beach Lake 1A | Y |

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N ?</i> |
|-----------------------------|--|---|--------------------------------------|-----------------------------|
| PA0082228 (SEW) | Herbert Hess Hilltop Acres Mobile Home Park 1546 Newport Road Manheim, PA 17545 | Lancaster County Rapho Township | Chickies Creek 7-G | Y |
| PA0087696 (SEW) | GSP Management Company P. O. Box 677 Morgantown, PA 19543-0677 | Dauphin County East Hanover Township | UNT Manada Creek 7-D | Y |
| PA0247111 (CAFO) | Star Rock Dairy, Inc. 37 Chestnutt Grove Road Conestoga, PA 17516 | Lancaster County Manor Township | Fisherman Run 7-J | Y |
| PA0031950 (SEW) | Little Buffalo State Park 1579 State Park Road Newport, PA 17074-9428 | Perry County Juniata Township | Little Buffalo Creek 12-B | Y |

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N ?</i> |
|-----------------------------|---|--|--------------------------------------|-----------------------------|
| PA0112119 (Nonmunicipal) | All American Travel Plaza, Inc. 1201 Harrisburg Pike Carlisle, PA 17013 | Northumberland County Turbot Township | Limestone Run 10D | Y |
| PA0112810 (Nonmunicipal) | Kipps Run MHP 46 Stacey Road Barto, PA 19504 | Northumberland County Riverside Borough | Kipps Run 5E | Y |
| PA0228672 (Sewage) | Muddy Run Regional Authority Glen Hope STP P. O. Box 474 Madera, PA 16661 | Glen Hope Borough Township Clearfield County | Clearfield Creek CWF | Y |
| PA0229237 IW | Clearfield Municipal Authority 107 East Market Street Clearfield, PA 16830-2405 | Lawrence Township Clearfield County | Moose Creek 8B | Y |

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

PA0244325, Industrial Waste, **Naval Facilities Engineering Command (NAVFAC) Mid-Atlantic**, 4911 South Broad Street, Philadelphia, PA 19112. This proposed facility is located in Warminster Township, **Bucks County**.

Description of Proposed Activity: An application for an NPDES permit to discharge treated groundwater from the former Naval Air Warfare Center to a UNT to Little Neshaminy Creek in Warwick Township, Bucks County.

The receiving stream, a UNT (Stream Code 02647) to Little Neshaminy Creek, is in the State Water Plan Watershed 3F and is classified for: WWF, MF. The nearest downstream public water supply intake for Aqua Pennsylvania—Trevose is located on Neshaminy Creek.

The proposed effluent limits for Outfall 001 are based on an average flow of 150,000 gpd.

| <i>Parameter</i> | <i>Mass (lbs/day)</i> | | <i>Concentration (mg/l)</i> | | |
|------------------------|------------------------|----------------------|--|----------------------|-------------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum (mg/l)</i> |
| 1,1-Dichloroethylene | | | 0.0003 | 0.0006 | 0.0008 |
| Carbon Tetrachloride | | | 0.0014 | 0.0028 | 0.0035 |
| Chromium, VI | | | 0.0150 | 0.0300 | 0.0375 |
| Tetrachloroethylene | | | 0.0045 | 0.0090 | 0.0113 |
| Trichloroethylene | | | 0.0150 | 0.0300 | 0.0375 |
| Iron, dissolved | | | 0.440 | 0.880 | 1.100 |
| Iron, total | | | 2.20 | 4.40 | 5.50 |
| Total Suspended Solids | | | 30 | 60 | 75 |
| pH | | | Not less than 6.0 nor greater than 9.0 | | |

In addition to the effluent limits, the permit contains the following major special conditions:

1. Remedial Measures.
2. Acquire Necessary Property Rights.
3. BAT/BCT Reopener.
4. EPA Test Methods.
5. Change of Ownership.
6. Proper Sludge Disposal.
7. Stripping Tower Wastewater.

PA0058556, Industrial Waste, SIC 4941, **Downingtown Municipal Water Authority**, 100 Waterplant Way, Downingtown, PA 19335. This existing facility is located in Downingtown Borough, **Chester County**.

Description of Proposed Activity: Renewal of NPDES permit to discharge filter backwash, clarifier backwash and sludge drying bed filtrate from a sludge thickening/holding tank of a water filtration plant.

The receiving stream, a UNT to Beaver Creek, is in the State Water Plan Watershed 3H and is classified for: TSF, MF, aquatic life, water supply and recreation. The nearest downstream public water supply intake for Aqua, PA, Inc.'s Ingrams Mill Plant is located on East Branch Brandywine Creek and is approximately 4.2 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on an average annual design flow of 0.05 mgd.

| <i>Parameters</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> | | |
|-------------------------|------------------------|----------------------|-----------------------------|----------------------|-------------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum (mg/l)</i> |
| Total Suspended Solids | | | 30 | 60 | 75 |
| pH (Standard Units) | | | 6.0, I-minimum | | 9.0 |
| Total Residual Chlorine | | | 0.5 | 1.0 | 1.25 |
| Iron, Total | | | 2.0 | 4.0 | 5.0 |
| Aluminum, Total | | | 4.0 | 8.0 | 10.0 |
| Manganese, Total | | | 1.0 | 2.0 | 2.5 |
| Total Dissolved Solids | | | 1,000 | 2,000 | 2,500 |

In addition to the effluent limits, the permit contains the following major special conditions:

1. Remedial Measures if Public Nuisance.
2. BAT Reopener.
3. Laboratory Certification.
4. Change in Ownership.
5. Proper Sludge Disposal.
6. TMDL/WLA Analysis.

EPA review is not waived.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PA0088692, CAFO, **Frey Dairy Farms**, 2646 River Road, Conestoga, PA 17516.

Frey Dairy Farms, Inc. has submitted an NPDES permit renewal application for Frey Dairy Farms, an existing dairy operation located in Manor Township, **Lancaster County**. The CAFO is situated near Manns and Wisslers Runs (Watershed 7-J), which are classified as a WWF and a HQ-CWF, respectively. The CAFO has a target animal population of approximately 2,185 animal equivalent units consisting of 1,231 adult cows, 786 heifers and two bulls.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue the NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit. The permit application and draft permit are on file at the Southcentral Regional Office of the Department.

Persons may make an appointment to review the Department's files by calling the file review coordinator at (717) 705-4732.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Application No. PA0259829, CAFO, **Armstrong Valley Farms**, 299 Shoop Road, Halifax, PA 17032.

Armstrong Valley Farms, Inc. has submitted an NPDES permit renewal application for Armstrong Valley Farms, an existing swine, beef and dairy operation in Jackson Township, **Dauphin County** that plans to undergo an expansion. The CAFO is situated near Armstrong Creek, which is classified as a CWF. The CAFO has a target animal population of approximately 700 animal equivalent units consisting of 2,180 finishing swine, 220 adult dairy cows, 70 dairy heifers and calves, 20 beef cows, 50 beef calves, 50 beef steers and one bull.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue the NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit. The permit application and draft permit are on file at the Southcentral Regional Office of the Department.

Persons may make an appointment to review the Department's files by calling the file review coordinator at (717) 705-4732.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Application No. PA0260207, CAFO, **Felton Pig Farm**, 1068 Main Street Ext., Felton, PA 17322.

Michael Jasienski has submitted an NPDES permit renewal application for Felton Pig Farm, an existing swine operation in Chanceford Township, **York County**. The CAFO is situated near a UNT of Carter Creek, which is classified as a CWF. The CAFO has a target animal population of approximately 403 animal equivalent units consisting of 3,000 finishing swine and five dry cows.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue the NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit. The permit application and draft permit are on file at the Southcentral Regional Office of the Department.

Persons may make an appointment to review the Department's files by calling the file review coordinator at (717) 705-4732.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Application No. PA0259781, CAFO, **Penn Valley Swine, LLC**, 32 Phillips Road, Mohrsville, PA 19541.

Jeffrey Rohrer, Penn Valley Swine, LLC, has submitted an NPDES permit renewal application for Penn Valley Pork Farm, an existing swine, beef and poultry operation in Conestoga Township, **Lancaster County**. The CAFO is situated near Leshar Run, which is classified as a WWF. The CAFO has a target animal population of approximately 787 animal equivalent units consisting of 1,400 sows, 4,750 nursery pigs, 450 gilts and four boars.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue the NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit. The permit application and draft permit are on file at the Southcentral Regional Office of the Department.

Persons may make an appointment to review the Department's files by calling the file review coordinator at (717) 705-4732.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Application No. PA0085782, Sewage, **Ruscombmanor Township**, 204 Oak Lane, Fleetwood, PA 19522. This facility is located in Ruscombmanor Township, **Berks County**.

Description of activity: The application is for of an NPDES permit amendment to expand an existing discharge of treated sewage from 0.025 mgd to 0.0645 mgd.

The receiving stream, a UNT to Furnace Creek, is in Watershed 3-D and classified for CWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Pennsylvania American Water Works is located on the Schuylkill River, approximately 40 miles downstream. The discharge is not expected to affect the water supply.

The proposed Interim effluent limits for Outfall 001 for a design flow of 0.0645 mgd are:

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Average Weekly (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|-------------------------|-----------------------------------|-------------------------------------|---|
| CBOD ₅ | 25 | | 50 |
| Total Suspended Solids | 30 | | 60 |
| NH ₃ -N | | | |
| (5-1 to 10-31) | 5 | | 10 |
| (11-1 to 4-30) | 15 | | 30 |
| Total Residual Chlorine | 0.34 | | 1.1 |
| Dissolved Oxygen | | Minimum of 5.0 at all times | |
| pH | | From 6.0 to 9.0 inclusive | |
| Fecal Coliform | | | |
| (5-1 to 9-30) | | 200/100 ml as a Geometric Average | |
| (10-1 to 4-30) | | 4,300/100 ml as a Geometric Average | |

The proposed Final effluent limits for Outfall 001 for a design flow of 0.0645 mgd are:

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Average Weekly (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|-------------------------|-----------------------------------|-------------------------------------|---|
| CBOD ₅ | 25 | | 50 |
| Total Suspended Solids | 30 | | 60 |
| NH ₃ -N | | | |
| (5-1 to 10-31) | 3.0 | | 5.0 |
| (11-1 to 4-30) | 9.0 | | 15.0 |
| Total Residual Chlorine | 0.076 | | 0.218 |
| Dissolved Oxygen | | Minimum of 5.0 at all times | |
| pH | | From 6.0 to 9.0 inclusive | |
| Fecal Coliform | | | |
| (5-1 to 9-30) | | 200/100 ml as a Geometric Average | |
| (10-1 to 4-30) | | 2,000/100 ml as a Geometric Average | |

Persons may make an appointment to review the Department of Environmental Protection's files by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA0008281, Amendment No. 1, Industrial Waste, Sewage and Stormwater, PPL Brunner Island, LLC (Brunner Island Steam Electric Station), Two North Ninth Street, GENPL-6, Allentown, PA 18101-1179. This facility is located in East Manchester Township, **York County**.

Description of activity: The Department of Environmental Protection (Department), Southcentral Regional Office Water Management Program, is proposing to amend NPDES Permit No. PA0008281 to include a new outfall for the discharge of treated wastewater generated by two flue gas desulfurization (scrubber) towers. A new industrial wastewater treatment plant will be constructed to treat the wastewater.

The receiving streams, Susquehanna River, Conewago Creek and Hartman Run, are in Watersheds 7-F and 7-H, and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Wrightsville Water Supply Co. is located on the Susquehanna River, approximately 10 miles downstream.

The proposed effluent limits for Outfall 007 (scrubber wastewater) for a design flow of 0.52 mgd are:

| <i>Parameter</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
|------------------------|----------------------------|--|----------------------------------|
| pH | | 6.0 to 9.0 Standard Units at all times | |
| Total Suspended Solids | 30 | 100 | 100 |
| Oil and Grease | 15 | 20 | 30 |
| Total Copper | 0.45 | 0.9 | 1.1 |
| Total Lead | 0.4 | 0.8 | 1.0 |

Monitoring requirements are proposed for Temperature, Total Phosphorus, Total Kjeldahl Nitrogen, Nitrate and Nitrite-Nitrogen, Total Nitrogen, Total Aluminum, Total Antimony, Total Arsenic, Total Boron, Total Cadmium, Total Chromium, Total Iron, Total Mercury, Total Molybdenum, Total Nickel, Total Selenium, Total Thallium, Total Zinc, Chloride and Fluoride. In addition, an annual mass limitation for Total Phosphorus is proposed.

Persons may make an appointment to review the Department's files by calling the file review coordinator at (717) 705-4732.

The EPA waiver is not in effect.

Application No. PA0246441, CAFO, Drew Derstein Farm, 10049 Ferguson Valley Road, Lewistown, PA 17044.

Deer Stone Ag., Inc. has submitted an NPDES CAFO permit renewal application for the Drew Derstein Farm, an existing swine operation located in Granville Township, **Mifflin County**. The existing operation includes three swine barns and a two stage, high-density polyethylene (HDPE) lined manure storage lagoon. The CAFO is situated near a

UNT to Strodes Run (Watershed 12-A), which is classified as HQ-CWF. The CAFO has a target animal population of approximately 711 animal equivalent units consisting of 1,200 gestating sows, 200 sows with litter, 10 boars, 4,000 nursery pigs and 60 gilt developer pigs. The HDPE lined lagoon is the only liquid manure storage facility on the farm. A leak detection system is installed beneath the lagoon. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

The permit application and draft permit are on file at the Southcentral Regional Office of the Department.

Persons may make an appointment to review the Department's files by calling the file review coordinator at (717) 705-4732.

Persons wishing to comment on the proposed permit are invited to submit written comments to the previous address within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. All comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the basis of the comment and the relevant facts upon which it is based.

Following the 30-day comment period, the Watershed Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Application No. PA0026972, Sewage, **Exeter Township, Berks County Authority**, 4975 DeMoss Road, Reading, PA 19606. This facility is located in Exeter Township, **Berks County**.

Description of activity: The application is for renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Schuylkill River, is in Watershed 3-D and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Borough of Pottstown Water and Sewer Authority is located on the Schuylkill River, approximately 8 miles downstream. The discharge is not expected to affect the water supply.

The proposed Interim effluent limits for Outfall 001 for a design flow of 1.2 mgd are:

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Average Weekly (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|-------------------------|--------------------------------------|----------------------------------|---|
| CBOD ₅ | 25 | 40 | 50 |
| Total Suspended Solids | 30 | 45 | 60 |
| NH ₃ -N | Monitor and Report | | |
| Total Copper | 0.057 | | 0.114 |
| Total Residual Chlorine | 0.4 | | 0.9 |
| Total PCBs | Monitor and Report | | |
| Dissolved Oxygen | Minimum of 5.0 at all times | | |
| pH | From 6.0 to 9.0 inclusive | | |
| Fecal Coliform | 200/100 ml as a Geometric Average | | |
| (5-1 to 9-30) | 10,000/100 ml as a Geometric Average | | |
| (10-1 to 4-30) | | | |

The proposed Final effluent limits for Outfall 001 for a design flow of 1.2 mgd are:

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Average Weekly (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|-------------------------|-------------------------------------|----------------------------------|---|
| CBOD ₅ | 25 | 40 | 50 |
| Total Suspended Solids | 30 | 45 | 60 |
| NH ₃ -N | 20 | | 40 |
| Total Copper | 0.057 | | 0.114 |
| Total Residual Chlorine | 0.4 | | 0.9 |
| Total PCBs | Monitor and Report | | |
| Dissolved Oxygen | Minimum of 5.0 at all times | | |
| pH | From 6.0 to 9.0 inclusive | | |
| Fecal Coliform | 200/100 ml as a Geometric Average | | |
| (5-1 to 9-30) | 2,000/100 ml as a Geometric Average | | |
| (10-1 to 4-30) | | | |

The proposed Interim effluent limits for Outfall 002 for a design flow of 5.9 mgd are:

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Average Weekly (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|-------------------------|--------------------------------------|----------------------------------|---|
| CBOD ₅ | 25 | 40 | 50 |
| Total Suspended Solids | 30 | 45 | 60 |
| Total Copper | 0.057 | | 0.114 |
| Total Residual Chlorine | 0.4 | | 0.9 |
| Total PCBs | Monitor and Report | | |
| Dissolved Oxygen | Minimum of 5.0 at all times | | |
| pH | From 6.0 to 9.0 inclusive | | |
| Fecal Coliform | 200/100 ml as a Geometric Average | | |
| (5-1 to 9-30) | 10,000/100 ml as a Geometric Average | | |
| (10-1 to 4-30) | | | |

The proposed Final effluent limits for Outfall 002 for a design flow of 5.9 mgd are:

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Average Weekly (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|-------------------------|-------------------------------------|----------------------------------|---|
| CBOD ₅ | 25 | 40 | 50 |
| Total Suspended Solids | 30 | 45 | 60 |
| NH ₃ -N | 20 | | 40 |
| Total Copper | 0.057 | | 0.114 |
| Total Residual Chlorine | 0.4 | | 0.9 |
| Total PCBs | Monitor and Report | | |
| Dissolved Oxygen | Minimum of 5.0 at all times | | |
| pH | From 6.0 to 9.0 inclusive | | |
| Fecal Coliform | 200/100 ml as a Geometric Average | | |
| (5-1 to 9-30) | 2,000/100 ml as a Geometric Average | | |
| (10-1 to 4-30) | | | |

Persons may make an appointment to review the Department of Environmental Protection's files by calling the file review coordinator at (717) 705-4732.

The EPA waiver is not in effect.

Application No. PA0246646, Sewage, **Copart Auto Auction**, Eight Park Drive, Grantville, PA 17028. This facility is located in East Hanover Township, **Lebanon County**.

Description of activity: The application is for renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, UNT Swatara Creek, is in Watershed 7-D and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Pennsylvania American Water Company is located on the Swatara Creek, approximately 17 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.0017 mgd are:

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Average Weekly (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|-------------------------|-------------------------------------|----------------------------------|---|
| CBOD ₅ | 25 | | 50 |
| Total Suspended Solids | 30 | | 60 |
| Total Residual Chlorine | 0.5 | | 1.63 |
| Dissolved Oxygen | Minimum of 5.0 at all times | | |
| pH | From 6.0 to 9.0 inclusive | | |
| Fecal Coliform | 200/100 ml as a Geometric Average | | |
| (5-1 to 9-30) | 2,000/100 ml as a Geometric Average | | |
| (10-1 to 4-30) | | | |

Persons may make an appointment to review the Department of Environmental Protection's files by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA0004740, Sewage, **Charles D. Rupp**, P. O. Box 334, Templeton, PA 16259. This application is for renewal of an NPDES permit to discharge treated sewage from Nautical Mile Marina STP in Pine Township, **Armstrong County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Allegheny River, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Kittanning Borough Suburban Joint Water Authority.

Outfall 001: existing discharge, design flow of 0.005 mgd.

| <i>Parameter</i> | <i>Concentration (mg/l)</i> | | | |
|-------------------------|--|---------------------------|--------------------------|----------------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| CBOD ₅ | 25 | | | 50 |
| Suspended Solids | 30 | | | 60 |
| Fecal Coliform | | | | |
| (5-1 to 9-30) | 200/100 ml as a Geometric Mean | | | |
| (10-1 to 4-30) | 2,000/100 ml as a Geometric Mean | | | |
| Total Residual Chlorine | 1.4 | | | 3.3 |
| pH | not less than 6.0 nor greater than 9.0 | | | |

The EPA waiver is in effect.

PA0021610, Sewage, **Blairsville Municipal Authority**, 203 East Market Street, Blairsville, PA 15717. This application is for renewal of an NPDES permit to discharge treated sewage from Blairsville Municipal Authority STP in Burrell Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Conemaugh River, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Buffalo Township Municipal Authority, Freeport Plant, in the Allegheny River.

Outfall 001: existing discharge, design flow of 0.903 mgd.

| <i>Parameter</i> | <i>Concentration (mg/l)</i> | | | |
|-------------------------|--|---------------------------|--------------------------|----------------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| CBOD ₅ | 25 | 37.5 | | 50 |
| Suspended Solids | 30 | 45 | | 60 |
| Fecal Coliform | | | | |
| (5-1 to 9-30) | 200/100 ml as a Geometric Mean | | | |
| (10-1 to 4-30) | 2,000/100 ml as a Geometric Mean | | | |
| Total Residual Chlorine | 0.5 | | | 1.6 |
| pH | not less than 6.0 nor greater than 9.0 | | | |

Outfalls 002—011, 013, 016 and 017, which discharge to the receiving waters known as Sulphur Run and the Conemaugh River, serve as combined sewer overflows necessitated by stormwater entering the sewer system and exceeding the hydraulic capacity of the sewers and/or the treatment plant. These combined sewer overflows are permitted to discharge only for such reason. There are at this time no specific effluent limitations on the outfalls. Each discharge shall be monitored for cause, frequency, duration and quantity of flow.

The EPA waiver is in effect.

PA0026425, Sewage, **Municipality of Penn Hills**, 12245 Frankstown Road, Pittsburgh, PA 15235. This application is for renewal of an NPDES permit to discharge treated sewage from Lincoln Road STP in Penn Hills Township, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Shades Run, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the City of Pittsburgh.

Outfall 001: existing discharge, design flow of 0.24 mgd.

| <i>Parameter</i> | <i>Concentration (mg/l)</i> | | | |
|-------------------------|--|---------------------------|--------------------------|----------------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| CBOD ₅ | 25 | 37.5 | | 50 |
| Suspended Solids | 30 | 45 | | 60 |
| Fecal Coliform | | | | |
| (5-1 to 9-30) | 200/100 ml as a Geometric Mean | | | |
| (10-1 to 4-30) | 2,000/100 ml as a Geometric Mean | | | |
| Total Residual Chlorine | 1.0 | | | 3.3 |
| pH | not less than 6.0 nor greater than 9.0 | | | |

The EPA waiver is in effect.

PA0091219, Sewage, **Plum Borough Municipal Authority**, 4555 New Texas Road, Pittsburgh, PA 15239. This application is for renewal of an NPDES permit to discharge treated sewage from Laurel Gardens STP in Plum Borough, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as UNT of Little Plum Creek, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Wilkinsburg-Penn Joint Water Authority on the Allegheny River.

Outfall 001: existing discharge, design flow of 0.014 mgd.

| <i>Parameter</i> | <i>Concentration (mg/l)</i> | | | |
|---------------------------------|--|-----------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| CBOD ₅ | 25 | | | 50 |
| Suspended Solids | 30 | | | 60 |
| Fecal Coliform (5-1 to 9-30) | 200/100 ml as a Geometric Mean | | | |
| (10-1 to 4-30) | 2,000/100 ml as a Geometric Mean | | | |
| Total Residual Chlorine | 1.4 | | | 3.3 |
| pH | not less than 6.0 nor greater than 9.0 | | | |

The EPA waiver is in effect.

PA0092487, Sewage, **Nino J. Barsotti**, 546 Three Mile Hill Road, Mt. Pleasant, PA 15666. This application is for renewal of an NPDES permit to discharge treated sewage from Nino's Restaurant STP in Bullskin Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as UNT of Jacobs Creek, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the McKeesport Municipal Water Works.

Outfall 001: existing discharge, design flow of 0.007 mgd.

| <i>Parameter</i> | <i>Concentration (mg/l)</i> | | | |
|------------------------------------|--|-----------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| CBOD ₅ | 25 | | | 50 |
| Suspended Solids | 30 | | | 60 |
| Ammonia Nitrogen (5-1 to 10-31) | 10.0 | | | 20.0 |
| (11-1 to 4-30) | 20.0 | | | 40.0 |
| Fecal Coliform (5-1 to 9-30) | 200/100 ml as a Geometric Mean | | | |
| (10-1 to 4-30) | 2,000/100 ml as a Geometric Mean | | | |
| Total Residual Chlorine | 1.4 | | | 3.3 |
| pH | not less than 6.0 nor greater than 9.0 | | | |

The EPA waiver is in effect.

PA0094315, Sewage, **Thomas I. Wiles**, 110 Sandy Creek Road, Verona, PA 15147-1728. This application is for renewal of an NPDES permit to discharge treated sewage from Thomas Wiles Sewage Treatment Plant in the Municipality of Penn Hills, **Allegheny County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Sandy Creek, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Wilkinsburg-Penn Joint Water Authority.

Outfall 001: existing discharge, design flow of 0.0004 mgd.

| <i>Parameter</i> | <i>Concentration (mg/l)</i> | | | |
|---------------------------------|--|-----------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| CBOD ₅ | 25 | | | 50 |
| Suspended Solids | 30 | | | 60 |
| Fecal Coliform (5-1 to 9-30) | 200/100 ml as a Geometric Mean | | | |
| (10-1 to 4-30) | 2,000/100 ml as a Geometric Mean | | | |
| Total Residual Chlorine | Monitor and Report | | | |
| pH | not less than 6.0 nor greater than 9.0 | | | |

The EPA waiver is in effect.

PA0098299, Sewage, **East Haven Developments, LLC**, 212 Snyder Road, Donegal, PA 15628. This application is for renewal of an NPDES permit to discharge treated sewage from Laurel Highlands Personal Care Home STP in Donegal Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Drainage Swale Tributary to Fourmile Run, which are classified as a TSF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Latrobe Municipal Authority on Loyalhanna Creek.

Outfall 001: existing discharge, design flow of 0.022 mgd.

| <i>Parameter</i> | <i>Concentration (mg/l)</i> | | | |
|-------------------------|--|-----------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| CBOD | 25 | | | 50 |
| Suspended Solids | 30 | | | 60 |
| Ammonia Nitrogen | | | | |
| (5-1 to 10-31) | 2.5 | | | 5.0 |
| (11-1 to 4-30) | 7.5 | | | 15.0 |
| Fecal Coliform | | | | |
| (5-1 to 9-30) | 200/100 ml as a Geometric Mean | | | |
| (10-1 to 4-30) | 2,000/100 ml as a Geometric Mean | | | |
| Total Residual Chlorine | 1.4 | | | 3.3 |
| Dissolved Oxygen | not less than 5.0 mg/l | | | |
| pH | not less than 6.0 nor greater than 9.0 | | | |

The EPA waiver is in effect.

PA0217719, Sewage, **Michele R. Love**, 295 Tunnel Road, Smithfield, PA 15478-1471. This application is for renewal of an NPDES permit to discharge treated sewage from Riviera Mobile Home Court STP in Dunkard Township, **Greene County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Monongahela River, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the East Dunkard Water Association on the Monongahela River.

Outfall 001: existing discharge, design flow of 0.01 mgd.

| <i>Parameter</i> | <i>Concentration (mg/l)</i> | | | |
|-------------------------|--|-----------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| CBOD ₅ | 25 | | | 50 |
| Suspended Solids | 30 | | | 60 |
| Fecal Coliform | | | | |
| (5-1 to 9-30) | 200/100 ml as a Geometric Mean | | | |
| (10-1 to 4-30) | 2,000/100 ml as a Geometric Mean | | | |
| Total Residual Chlorine | 1.4 | | | 3.3 |
| pH | not less than 6.0 nor greater than 9.0 | | | |

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0240061, Sewage, **Country Acres Personal Care Home**, 2017 Meadville Road, Titusville, PA 16354. This proposed facility is located in Cherrytree Township, **Venango County**.

Description of Proposed Activity: a new discharge of treated sewage.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, the existing/proposed downstream potable water supply, considered during the evaluation is the General Authority of Franklin intake on French Creek is located in Franklin, PA and is approximately 20.0 miles below point of discharge.

The receiving stream, the UNT to Prather Creek, is in Watershed 16-D and classified for: CWF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.00815 mgd.

| <i>Parameter</i> | <i>Concentrations</i> | | |
|------------------------|-------------------------------|------------------------------|-------------------------------------|
| | <i>Average Monthly (mg/l)</i> | <i>Average Weekly (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
| Flow | XX | | |
| CBOD ₅ | 25 | | 50 |
| Total Suspended Solids | 30 | | 60 |
| NH ₃ -N | | | |
| (5-1 to 10-31) | 8.5 | | 17 |

| Parameter | Concentrations | | |
|---|------------------------|--|------------------------------|
| | Average Monthly (mg/l) | Average Weekly (mg/l) | Instantaneous Maximum (mg/l) |
| Fecal Coliform (5-1 to 9-30) (10-1 to 4-30) | | 200/100 ml as a Geometric Average 2,000/100 ml as a Geometric Average | |
| Total Residual Chlorine | 0.5 | | 1.2 |
| pH | | 6.0 to 9.0 Standard Units at all times | |

XX—Monitor and report on monthly DMRs.
The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager; 2 East Main Street, Norristown, PA 19401.

WQM Permit No. 5108401, Sewerage, **Philadelphia Water Department**, 1101 Market Street, Aramark Tower, 2nd Floor, Philadelphia, PA 19107. This proposed facility is located in Philadelphia City, **Philadelphia County**.

Description of Action/Activity: Construct a 3+ million gallon offline storage basin to contain combined sewer overflows during peak storm events.

Southcentral Region: Water Management Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 6708401, Sewerage, **York City Sewer Authority**, 345 East Market Street, York, PA 17403. This proposed facility is located in Manchester Township, **York County**.

Description of Proposed Action/Activity: Seeking approval for the construction/upgrade for the York City WWTP.

Northwest Region: Oil and Gas Management Program Manager; 230 Chestnut Street, Meadville, PA 16335-3481, (814) 332-6860.

WQM Permit No. 6107403, Sewerage, **County Acres Personal Care Home**, 2017 Meadville Road, Titusville, PA 16354. This proposed facility is located in Cherrytree Township, **Venango County**.

Description of Proposed Action/Activity: A new discharge of treated sewage from a Nonmunicipal STP to be constructed at a nursing home.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

V. Applications for NPDES Wavier Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Northeast Region: Watershed Management Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790.

Lehigh County Conservation District: Lehigh Agricultural Center, Suite 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

| NPDES Permit No. | Applicant Name & Address | County | Municipality | Receiving Water/Use |
|------------------|--|--------|--------------------------|-------------------------------|
| PAI023907031 | Hal Bendit Macungie Medical Realty P. O. Box 487 Macungie, PA 18062 | Lehigh | Lower Macungie Township | Little Lehigh Creek HQ-CWF |
| PAI023907032 | Jim Gentile Polaris Properties, Inc. 7562 Penn Drive Suite 100 Allentown, PA 18106 | Lehigh | South Whitehall Township | Cedar Creek HQ-CWF |

Monroe County Conservation District: 8050 Running Valley Road, Stroudsburg, PA 18360, (570) 629-3060.

| NPDES Permit No. | Applicant Name & Address | County | Municipality | Receiving Water/Use |
|------------------|--|--------|-----------------|------------------------|
| PAS10S124R | Briland Development, LLC 8 Abeel Road East Stroudsburg, PA 18301 | Monroe | Pocono Township | Pocono Creek HQ-CWF |

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|--|---------------|------------------------|----------------------------|
| PAI032208001 | Joshua and Sarah Spicher 921 Red Hill Road Dauphin, PA 17018 | Dauphin | Middle Paxton Township | Clark Creek HQ |

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Montour County Conservation District: 112 Woodbine Lane, Suite 2, Danville, PA 17821, (570) 271-1140.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|---|---------------|---------------------|---|
| PAI044708001 | Dawn E. Quinn-Doiron 150 East Ninth Street Bloomsburg, PA 17815 | Montour | Mayberry Township | Trib 27465 to South Branch Roaring Creek HQ-CWF Trib 18601 to Shamokin Creek WWF |

VII. List of NOIs for NPDES and/or Other General Permit Types

| | |
|--------|---|
| PAG-12 | Concentrated Animal Feeding Operations (CAFOs) |
| PAG-13 | Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) |

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

| |
|--|
| Permit No. 6707514 , Public Water Supply. |
| Applicant The York Water Company |
| Municipality West Manheim Township |
| County York |
| Responsible Official The York Water Company Vice President—Engineering 130 East Market Street P. O. Box 15089 York, PA 17405-7089 |
| Type of Facility Public Water Supply |
| Consulting Engineer Mark S. Snyder, P. E. The York Water Company 130 East Market Street P. O. Box 15089 York, PA 17405-7089 |
| Application Received: December 11, 2007 |
| Description of Action Construction of the West Manheim Booster Station with fluoridation. |

MINOR AMENDMENT

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

| |
|---|
| Application No. 4300503-T1-MA2 , Minor Amendment. |
| Applicant Aqua PA, Inc. |
| Township or Borough City of Sharon Mercer County |
| Responsible Official Peter J. Kusky, P. E. Aqua PA Service Center 6650 South Avenue Boardman, OH 44512 |
| Type of Facility Public Water Supply |
| Application Received Date December 18, 2007 |

Description of Action Repainting interior and exterior of welded steel reservoir, known as "Carnegie View Steel Reservoir"

WATER ALLOCATIONS

Applications received under the act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. § 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WA-585, Water Allocation, **Lower Bucks County Joint Municipal Authority**, 7811 New Falls Road, Levittown, PA 19058, Tullytown Borough, **Bucks County**. The application is for renewal of allocation permit to continue the peak day withdrawal of 15.0 mgd from the Delaware River.

WA-51-165B, Water Allocation, **Philadelphia Water Department**, Aramark Tower, 1101 Market Street, Philadelphia, PA 19107, City of Philadelphia, **Philadelphia County**. The application is for renewal of an allocation permit to continue the peak day withdrawal of 258 mgd from the Schuylkill River.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a

summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Ronald S. Brezinski, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Endless Mountain Health Systems, Montrose Borough, **Susquehanna County**. Karl Pfizenmayer, Storb Environmental, Inc., 410 North Easton Road, Willow Grove, PA 19090 has submitted a Notice of Intent to Remediate (on behalf of his client, Endless Mountain Health Systems, 3 Grow Avenue, Montrose, PA 18801), concerning the remediation of soils and groundwater found or suspected to have been impacted by No. 2 heating oil as a result of an accidental release. The applicant proposes to remediate the site to meet the Residential Statewide Health Standard for both soils and groundwater. The intended future use of the property in the near term is expected to remain as a combined hospital, clinic, pharmacy and offices; however, future use of the property is unknown. A summary of the Notice of Intent to Remediate is expected to be published in a local newspaper serving the general area sometime in the near future.

Seventh Day Adventist Church, Hanover Township, **Northampton County**. Thomas Martinelli, JMT Environmental Technologies, Inc., P. O. Box 22044, Lehigh Valley, PA 18002-2044 has submitted a Notice of Intent to Remediate (on behalf of his client, Seventh Day Adventist Church, 1175 Macada Road, Bethlehem, PA 18017), concerning the remediation of soils found or suspected to have been impacted by No. 2 fuel oil as a result of a leaking underground storage tank. The applicant proposes to remediate the site to meet the Residential Statewide Health Standard for soils. The proposed future use of the property will be institutional. A summary of the Notice of Intent to Remediate was published in the *Express-Times* on October 29, 2007. A Final Report was simultaneously submitted.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Corning Frequency Control Plant 1, Mount Holly Springs Borough, **Cumberland County**. Weston Solutions, Inc., 1400 Weston Way, West Chester, PA 19380, on behalf of Corning Incorporated, HP-ME-03-079, Corning, NY 14831, submitted a revised Notice of Intent to

Remediate site soils and groundwater. Historic releases of industrial materials, including solvents and solid wastes, have reportedly occurred near Plant 1. The site is expected to be used in the future for industrial/commercial purposes. The site will be remediated to a combination of Statewide Health and Site-Specific Standards.

**OPERATE WASTE PROCESSING OR DISPOSAL
AREA OR SITE**

Application deemed complete under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit Application No. 101217. Northern Tier Solid Waste Authority submitted an application for permit reissuance and name change of the Wellsboro Area Transfer Station, located in Delmar Township, **Tioga County**, to the Tiadaghton Area Transfer Station. This application was deemed complete by the Williamsport Regional Office on December 26, 2007.

Comments concerning the application should be directed to David Garg, P. E., Facilities Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Persons interested in obtaining more information about the permit application may contact the Williamsport Regional Office, (570) 327-3740. TDD users may contact the Department through the Pennsylvania Relay Service, (800) 654-5984.

AIR QUALITY

**PLAN APPROVAL AND OPERATING PERMIT
APPLICATIONS**

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating

permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Neal Elko, New Source Review Chief, (570) 826-2531.

66-315-050: Procter & Gamble Paper Products Co. (P. O. Box 32, Mehoopany, PA 18629-0032) for modification of their existing pulp handling equipment at their facility in Washington Township, **Wyoming County**.

39-302-193: St. Lukes Hospital (1736 Hamilton Street, Allentown, PA 18104) for installation of three Cleaver Brooks boilers at their facility in Allentown, **Lehigh County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

06-05069N: East Penn Manufacturing Co., Inc. (P. O. Box 147, Deka Road, Lyon Station, PA 19536-0147) for modification of various sources at the assemble plant S-1 in Richmond Township, **Berks County**. The modifications include the following: new cast-on-strap machine, new fabric collector and control of existing grid casters. The modification should result in a net reduction in emissions. Some of the sources involved in the modification are subject to 40 CFR Part 60, Subpart KK, Standards of Performance for New Stationary Sources.

36-03116B: Cargill Cocoa and Chocolate (48 North Broad Street, Lititz, PA 17543) for modification of the previous plan approval (36-05116A issued in October of 2006) for the new roasting system at their chocolate manufacturing facility in Mount Joy Borough, **Lancaster County**.

36-05096A: Pennsy Supply, Inc.—d/b/a McMinn's Asphalt (P. O. Box 3331, Harrisburg, PA 17105) for modification to the Paradise HMA plant to use on-specification waste derived liquid fuel at their Paradise Township, **Lancaster County** facility.

36-05097A: Pennsy Supply, Inc.—d/b/a McMinn's Asphalt (P. O. Box 3331, Harrisburg, PA 17105) for modification to the Mason-Dixon HMA Plant to use

on-specification waste derived liquid fuel at their Fulton Township, **Lancaster County** facility.

36-05099B: Pennsy Supply, Inc.—d/b/a McMinn's Asphalt (P. O. Box 3331, Harrisburg, PA 17105) for modification to the East Petersburg HMA plant to use on-specification waste derived liquid fuel at their East Hempfield Township, **Lancaster County** facility.

36-05123C: Corixa Corporation—d/b/a GlaxoSmith-Kline Biologicals (325 North Bridge Street, Marietta, PA 17547-0304) for an emergency generator at the biological manufacturing facility in East Donegal Township, **Lancaster County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, William Charlton, New Source Review Chief, (412) 442-4174.

32-00393A: Prime Metals & Alloys, Inc. (101 Innovation Drive, P. O. Box 194, Lucememines, PA 15754) for installation and operation of new induction furnaces, an AOD, Annealing furnaces and various other processes at their site in Center Township, **Indiana County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

10-021Q: INDSPEC Chemical Corp. (133 Main Street, Petrolia, PA 16050-0307) for modification existing conditions from plan approval 10-021I for the removal of nitrogen monitoring requirements associated with the Resorcinol storage vessel (Proc 190) in Petrolia Borough, **Butler County**. This is a Title V facility.

10-281M: II-VI, Inc. (375 Saxonburg Boulevard, Saxonburg, PA 16056) for construction of an additional Hydrogen Selenide production process in the existing DH building in Saxonburg, **Butler County**. This is a State-only V facility.

20-194E: Lord Corp.—Saegertown Operations (601 South Street, Saegertown, PA 16433-1050) for installation of a new 1,500 gallon reactor storage vessel to replace the existing two reactor vessels at their facility site in the Borough of Saegertown, **Crawford County**. This is a Title V facility.

24-083N: Carbone of America Ind. Corp. (215 Stackpole Street, St. Mary's, PA 15857) for installation of a regenerative thermal oxidizer and SO₂ scrubber to replace existing oxidizers (C129 and C129A) for the control of sources 129, 129A and 404 in St. Mary's City, **Elk County**. This is a Title V facility.

25-987E: Hanes Erie, Inc. (7601 Klier Drive, Fairview Business Park, Fairview, PA 16415-2449) to construct an additional spray coating line in the cosmetic container coating facility, Fairview Township, **Erie County**.

42-028A: Saint-Gobain (1 Railroad Avenue, Port Allegany, PA 16743) for a modified application for plan approval to increase production by adding electric boost on Furnace No. 3 at the container glass manufacturing facility in Port Allegany Borough, **McKean County**. This is a Title V facility, Permit No. 42-00028.

42-028B: Saint-Gobain (1 Railroad Avenue, Port Allegany, PA 16743) for a plan approval to rebrick and to install an Oxygen Enriched Air Staging System on Furnace No. 1 at the container glass manufacturing facility in Port Allegany Borough, **McKean County**. This is a Title V facility, Permit No. 42-00028.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

01-05033A: Knouse Foods Cooperative, Inc. (P. O. Box 807, Biglerville, PA 17307) for replacing a 24.5 mmBtu/hr boiler with a new 29.05 mmBtu/hr boiler at the Peach Glen fruit processing facility in Tyrone Township, **Adams County**. In keeping with their synthetic minor plan approval application, the facility emissions shall be less than 100 tpy of SO_x. The State-only operating permit will include monitoring, recordkeeping, reporting requirements, emission restrictions and work practice standards designed to keep the facility operating within all applicable air quality requirements.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

37-243D: INMETCO (One INMETCO Drive, Ellwood City, PA 16117) for installation of a 156,000 acfm baghouse to replace the current venturi scrubber system for the Rotary Hearth Furnace in Ellwood City Borough, **Lawrence County**. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval at Title V facilities in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date. The source shall comply with the following conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate BAT for the source:

- Emissions shall comply with 25 Pa. Code §§ 123.1, 123.31 and 123.41 for fugitive, odor and visible emissions respectively.

- Subject to 25 Pa. Code § 123.21

- No person may permit the emission into the outdoor atmosphere of PM in a manner that the concentration of total PM in the effluent gas exceeds 0.02 grain per dry standard cubic foot.

- A person may not permit the emission into the outdoor atmosphere of visible air contaminants in such a manner that the opacity of the emission is either of the following:

- Equal to or greater than 10% for a period or periods aggregating more than 3 minutes in any hour.

- Equal to or greater than 30% at any time.

- Emissions of NO_x from this source shall not exceed 99.5 pounds per hour.

- The Rotary Hearth Furnace is permitted to process only the materials found on the following list. The list is consistent with those items listed in INMETCO's Hazardous Waste Part-B Permit.

- The following materials shall NOT be fed into the RHF:

- Separated plastic battery cases from industrial batteries and consumer (sealed) cell power packs.

- Wood, that is, pallets, boxes and skids.
- Shipping containers made of wood, plastic or large pieces of plastic that meet the 40 CFR 261.7 residues of hazardous waste in empty containers.
- Waste materials that do not meet the requirements of 40 CFR Subsection 266.100, "Hazardous Waste Burning in Boilers and Industrial Furnaces."
- Note: Materials fed to the RHF may contain small amounts of plastic, wood and/or cardboard that is intermittently mixed into and has become part of the feed, which cannot be removed or separated economically.
- The source shall be stack tested for total PM initially and at time of operating permit renewal.
- Install a CO CEM in accordance with the provisions of 25 Pa. Code Chapter 139.
- The permittee shall maintain a record of all preventative maintenance inspections of the control device. These records shall, at a minimum, contain the dates of the inspections, any problems or defects, the actions taken to correct the problems or defects and any routine maintenance performed.
- The permittee shall maintain records of the following from the operational inspections:
 - Pressure differential—daily.
 - Inlet temperature to baghouse—continuously.
 - Tribo guard bag failure indicator system.
 - The source is subject to CAM.
- The permittee shall perform a daily operational inspection of the control device.
- The permittee shall keep on hand, for emergency replacement, 25% of the total number of filter elements used for the baghouse.
- The control device shall be operated at all times the source is in operation.
- The permittee shall maintain and operate the source and control device in accordance with the manufacturer's specifications and in accordance with good air pollution control practices.
- The permittee shall adhere to the approved indicator range for the baghouse so that operation within the range shall provide reasonable assurance of compliance. A departure from the specified indicator range over a specified averaging period shall be defined as an excursion. The approved indicator range for the following shall be determined during the initial performance test or any subsequently approved performance tests unless otherwise stated:
 - Pressure drop determined during initial stack testing.
 - Inlet temperature of less than 475° F.

37-243E: INMETCO (One INMETCO Drive, Ellwood City, PA 16117) for installation of two additional chambers to an existing inplant baghouse in Ellwood City Borough, **Lawrence County**. The baghouse will increase its capacity from 67,450 scfm to 87,060 scfm. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval at Title V facilities in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into the Title V operating permit through an administrative amendment at a later date. The source shall comply with the following conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (per-

taining to plan approval terms and conditions) and will demonstrate BAT for the source:

- Emissions shall comply with 25 Pa. Code §§ 123.1, 123.31 and 123.41 for fugitive, odor and visible emissions respectively.
- No person may permit the emission into the outdoor atmosphere of PM in a manner that the concentration of PM in the effluent gas exceeds 0.02 grain per dry standard cubic foot.
- A person may not permit the emission into the outdoor atmosphere of visible air contaminants in such a manner that the opacity of the emission is either of the following:
 - Equal to or greater than 10% for a period or periods aggregating more than 3 minutes in any hour.
 - Equal to or greater than 30% at any time.
- The PM10 emissions shall not exceed 50.0 tpy on a 12-month rolling basis.
- The source shall be stack tested for total PM initially and at time of operating permit renewal.
- The permittee shall maintain a log for the control device associated with this source. This record shall indicate at a minimum: the date of each monthly maintenance inspection; the name of the person performing the inspection; record of any bag/cartridge replacement; any mechanical repairs and/or adjustments; once a day record of the pressure drops across collector; and the date and time of problems with the control device and the corrective action taken.
- The permittee shall monitor, on a daily basis, the pressure drop across the control device, while the source and control device are operating. During the daily checks, the control device will be observed for any conditions that might indicate a need for further maintenance.
- The permittee shall perform monthly maintenance inspections of the fabric collector.
- The permittee shall keep on hand, for emergency replacement, 25% of the total number of filter elements used for each collector.
- The control device associated with this source is to be in operation at all times that the source is in operation.
- The control device associated with this source shall be maintained and operated in a manner consistent with good air pollution control practices.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

22-05010: Texas Eastern Transmission—Grantville Compressor Station (P. O. Box 1642, Houston, TX 77251-1642) for renewal of the Title V Operating Permit issued in April 2003 in East Hanover Township, **Dauphin County**. The facility's major sources of emissions include four natural gas fired gas turbines, which primarily emit NOx.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

09-00142: ML 35, LLC (35 Runway Road, Levittown, PA 19057) for renewal of a State-only, Synthetic Minor Operating Permit in Bristol Township, **Bucks County**. The facility operates four diesel fired emergency generators at its facility to provide back-up electrical power. Monitoring, recordkeeping and reporting requirements have been added to the permit to address applicable limitations.

46-00155: Sermatech International, Inc. (159 South Limerick Road, Royersford, PA 19468) for a State-only (Synthetic Minor) Operating Permit in Limerick Township, **Montgomery County** for Sermatech International, Inc. Sermatech applies extreme performance coatings to various components and parts for the aerospace and industrial gas turbine industries. The primary pollutants emitted from the facility are VOCs and PM, most of which result from the operation of two paint booths, a batch vapor degreaser (VOCs only), and a binder mix tank (PM only). The paint booths are equipped with paint arrestor filters and carbon filters to control PM and VOC emissions, respectively. To avoid being a major source of VOC emissions, the facility is subject to a VOC emission restriction of 18.4 tpy. Also, the paint booths are subject to source-level VOC emission restrictions of 3.5 and 2.6 tpy. The permit will contain monitoring, recordkeeping, reporting and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Neal Elko, New Source Review Chief, (570) 826-2531.

40-00106: Unison Engine Components, Inc. (710 Crestwood Drive, Mountain Top, PA 18707) for operation of a ring splitter saw and associated air cleaning device at their facility in the Crestwood Industrial Park, Wright Township, **Luzerne County**. This facility is currently operating under Operating Permit 40-399-056. All requirements of the current Operating Permit will be incorporated into a new State-only (Natural Minor) Operating Permit. This Operating Permit shall include emission restrictions, monitoring, recordkeeping and reporting requirements designed to ensure this facility complies with all applicable air quality regulations.

39-00056: Lehigh County Authority (7676 Industrial Boulevard, Allentown, PA 18106) for operation of a Facility State-only Natural Minor Operating Permit for a waste water treatment facility in Upper Macungie Township, **Lehigh County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

22-05037: Pennsy Supply, Inc. (1001 Paxton Street, Harrisburg, PA 17105) for operation of the Paxton Street Concrete/Asphalt Plants. This action is a renewal of the State-only operating permit issued in 2003.

38-03035: V & S Lebanon Galvanizing, LLC (1000 Buckeye Park Road, Columbus, OH 43207) for operation of a hot dip galvanizing facility in Union Township,

Lebanon County. This is a renewal of the State-only operating permit issued in June 2002.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

55-00004: Colonial Furniture Company (P. O. Box 117, Freeburg, PA 17827) for their wood furniture manufacturing facility in Freeburg Borough, **Snyder County**. The facility's main sources include four No. 2 fired combustion units, seven spray booths and various wood-working operations. The facility has the potential to emit PM₁₀, NO_x, CO, SO_x, VOCs and HAPs below the major emission thresholds. The proposed operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, New Source Review Chief, (814) 332-6940.

25-00964: FMCTI—Smith Meter (16022 Wagner Avenue, Erie, PA 16514) the Department of Environmental Protection intends to reissue this Natural Minor Operating Permit. The facility's primary sources of emissions are facility heaters, two surface coating operations and associated equipment in the City of Erie, **Erie County**.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of an application is available for inspection at the district mining office indicated before an application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for certification.

Written comments, objections or requests for informal conferences on applications may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the district mining office indicated before an application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Where any of the mining activities listed will have discharges of wastewater to streams, the Department will incorporate NPDES permits into the mining activity permits issued in response to these applications. NPDES permits will contain, at a minimum, technology-based effluent limitations as identified in this notice for the respective coal and noncoal applications. In addition, more restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining

which may occur will be incorporated into a mining activity permit, when necessary, for compliance with water quality standards (in accordance with 25 Pa. Code Chapters 93 and 95). Persons or agencies who have requested review of NPDES permit requirements for a particular mining activity within the previously mentioned public comment period will be provided with a 30-day period to review and submit comments on the requirements.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the application number; and a statement of sufficient detail to inform the

Department on the basis of comment or objection and relevant facts upon which it is based. Requests for an informal conference must contain the name, address and telephone number of requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor wishes to have the conference conducted in the locality of the proposed mining activities.

Coal Applications Received

Effluent Limits—The following coal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

| <i>Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
|--|---------------------------|---------------------------------|----------------------------------|
| Iron (total) | 3.0 mg/l | 6.0 mg/l | 7.0 mg/l |
| Manganese (total) | 2.0 mg/l | 4.0 mg/l | 5.0 mg/l |
| Suspended solids | 35 mg/l | 70 mg/l | 90 mg/l |
| pH ¹ | | greater than 6.0; less than 9.0 | |
| Alkalinity greater than acidity ¹ | | | |

¹The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: (1) surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and (2) drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

Permit Number 03971301 and NPDES Permit No. PA0215091, AMFIRE Mining Company, LLC, (One Energy Place, Latrobe, PA 15650), to renew the permit for the Ridge Mine in South Bend Township, **Armstrong County** and Young Township, **Indiana County** and related NPDES permit. No additional discharges. Application received October 25, 2007.

Permit Number 30831303 and NPDES Permit No. PA0013511, Cumberland Coal Resources, LP, (158 Portal Road, P. O. Box 1020, Waynesburg, PA 15370), to revise the permit for the Cumberland Mine in Center, Franklin and Wayne Townships, **Greene County** to add acreage for longwall mining. Underground Acres Proposed 4677.0, Subsidence Control Plan Acres Proposed 4677.0. No additional discharges. Application received June 19, 2007.

Permit Number 30921301 and NPDES Permit No. PA0213900, River Processing Corporation, (158 Portal Road, P. O. Box 1020, Waynesburg, PA 15370), to renew the permit for the Monongahela Resource Mine in Morgan and Jefferson Townships, **Greene County** and related NPDES permit for reclamation only. No additional discharges. Application received November 16, 2007.

Permit Number 32850701 and NPDES Permit No. PA0213683, AMFIRE Mining Company, LLC, (One Energy Place, Latrobe, PA 15650), to revise the permit for the Clymer Refuse Disposal Site in Cherryhill Township, **Indiana County** to expand the refuse disposal area and add discharges to related NPDES permit. Coal Refuse Disposal Support Acres Proposed 13.5, Coal Refuse Dis-

posal Acres Proposed 51.5. Receiving Streams: UNT to Dixon Run, classified for the following use: CWF and UNT to Buck Run, classified for the following use: CWF. Application received September 14, 2007.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56010106, Marquise Mining Corporation, 3889 Menoher Boulevard, Johnstown, PA 15905, permit renewal for reclamation only of a bituminous surface mine in Shade Township, **Somerset County**, affecting 325 acres. Receiving streams: Dixie Run and Fallentimber Run classified for the following use: CWF. The first downstream potable water supply intake from the point of discharge is Cambria Somerset Authority Stonycreek SWI. Application received December 19, 2007.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

03950113 and NPDES Permit No. PA0201529, Seven Sisters Mining Co., Inc. (6608 US Route 22, P. O. Box 300, Delmont, PA 15626). Renewal application for a not-started bituminous surface mine, located in Burrell and South Bend Townships, **Armstrong County**, affecting 93 acres. Receiving streams: UNT to Crooked Creek and Crooked Creek, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received December 31, 2007.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

17010104 and NPDES No. PA0243060, Sky Haven Coal, Inc. (5510 State Park Road, Penfield, PA 15849), permit renewal for the continued operation and restoration of a bituminous surface mine in Morris Township, **Clearfield County**, affecting 55.9 acres. Receiving streams: UNTs to Moshannon Creek, classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received December 18, 2007.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

54-305-006GP12. B-D Mining Company, (10 Gilberton Road, Gilberton, PA 17934), application to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 on existing Surface Mining Permit No. 54850202 in Mahanoy Township, **Schuylkill County**. Application received December 31, 2007.

Noncoal Applications Returned

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

| <i>Parameter</i> | <i>30-day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
|--------------------------------------|-----------------------|---------------------------------|------------------------------|
| Suspended solids | 35 mg/l | 70 mg/l | 90 mg/l |
| Alkalinity exceeding acidity* pH* | | greater than 6.0; less than 9.0 | |

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

32020301 and NPDES Permit No. PA0249149. Ridge Energy Company, Inc., 265 Swamp Road, Clymer, PA 15728, renewal of NPDES Permit in Cheryhill Township, **Indiana County**. Receiving streams: UNT to Penn Run classified for the following use: CWF. The first downstream potable water supply intake from the point of discharge is PA American Water Company—Indiana on Two Lick Creek. NPDES renewal application received December 20, 2007.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

03030401 and NPDES Permit No. PA0250333. Seven Sisters Mining Co., Inc. (6608 US Route 22, P. O. Box 300, Delmont, PA 15626). Renewal application for a not-started noncoal surface mine, located in Burrell and South Bend Townships, **Armstrong County**, affecting 34.7 acres. Receiving stream: Crooked Creek, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received December 31, 2007.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as

08060812. Darlene W. Ellis (R. R. 2, Box 213, Wyalusing, PA 18853), commencement, operation and restoration of a small, noncoal (bluestone) surface mine in Wilmot Township, **Bradford County**, affecting 5.0 acres. Receiving streams: Sugar Run Creek, UNT to Susquehanna River. Application received July 28, 2006. Application returned December 17, 2007.

Noncoal Applications Received

Effluent Limits—The following noncoal mining applications that include an NPDES permit application will be subject to, at a minimum, the following technology-based effluent limitations for discharges of wastewater to streams:

relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E05-343: Steckman Ridge, LP, Rita V. Nguyen, 5400 Westheimer Court, Houston, TX 77056, Monroe Township, **Bedford County**, ACOE Baltimore District.

To conduct various activities as follows:

1. To construct and maintain a 16-inch diameter natural gas line in a UNT to West Branch Sideling Hill Creek (EV) (Mench, PA Quadrangle, N: 2.30 inches; W: 13.09 inches, Latitude: 39° 53' 17.57"; Longitude: 78° 20' 34.56").

2. To construct and maintain a 8-inch diameter natural gas line in a UNT to West Branch Sideling Hill Creek (EV) (Mench, PA Quadrangle, N: 3.69 inches; W: 11.29 inches, Latitude: 39° 53' 42.15"; Longitude: 78° 19' 48.56").

3. To replace and maintain a 16-inch diameter natural gas line in a UNT to West Branch Sideling Hill Creek (EV) (Mench, PA Quadrangle, N: 3.52 inches; W: 14.27 inches, Latitude: 39° 53' 39.92"; Longitude: 78° 21' 4.89").

4. To replace and maintain a 8-inch diameter natural gas line in a UNT to West Branch Sideling Hill Creek (EV) (Mench, PA Quadrangle, N: 1.68 inches; W: 12.89 inches, Latitude: 39° 53' 3.52"; Longitude: 78° 20' 29.39").

5. To replace and maintain a 16-inch diameter natural gas line in a UNT to West Branch Sideling Hill Creek (EV) (Mench, PA Quadrangle, N: 1.59 inches; W: 13.06 inches, Latitude: 39° 53' 1.82"; Longitude: 78° 20' 33.88").

6. To replace and maintain a 16-inch diameter natural gas line in a UNT to West Branch Sideling Hill Creek (EV) and to temporarily impact a 0.03 acre of PEM wetland (Mench, PA Quadrangle, N: 7.53 inches; W: 12.18 inches, Latitude: 39° 54' 59.15"; Longitude: 78° 20' 11.38").

7. To replace and maintain a 16-inch diameter natural gas line in a UNT to West Branch Sideling Hill Creek (EV) and to temporarily impact a 0.04 acre of PEM wetland (Mench, PA Quadrangle, N: 7.30 inches; W: 12.25 inches, Latitude: 39° 54' 54.61"; Longitude: 78° 20' 13.18").

8. To replace and maintain a 16-inch diameter natural gas line in a UNT to West Branch Sideling Hill Creek (EV) (Mench, PA Quadrangle, N: 4.07 inches; W: 14.37 inches, Latitude: 39° 53' 50.70"; Longitude: 78° 21' 7.58").

9. To replace and maintain a 16-inch diameter natural gas line in a UNT to West Branch Sideling Hill Creek (EV) (Mench, PA Quadrangle, N: 4.02 inches; W: 14.37 inches, Latitude: 39° 53' 49.82"; Longitude: 78° 21' 6.77").

10. To replace and maintain a 16-inch diameter natural gas line in a UNT to West Branch Sideling Hill Creek (EV) (Mench, PA Quadrangle, N: 3.33 inches; W: 14.16 inches, Latitude: 39° 53' 36.03"; Longitude: 78° 21' 2.05").

11. To replace and maintain a 16-inch diameter natural gas line in a UNT to West Branch Sideling Hill Creek (EV) (Mench, PA Quadrangle, N: 5.01 inches; W: 11.95 inches, Latitude: 39° 54' 9.46"; Longitude: 78° 20' 5.54").

12. To replace and maintain a 16-inch diameter natural gas line in a UNT to West Branch Sideling Hill Creek (EV) (Mench, PA Quadrangle, N: 3.61 inches; W: 12.31 inches, Latitude: 39° 53' 41.63"; Longitude: 78° 20' 14.61").

13. To replace and maintain a 16-inch diameter natural gas line in a UNT to West Branch Sideling Hill Creek (EV) (Mench, PA Quadrangle, N: 1.28 inches; W: 13.54 inches, Latitude: 39° 52' 55.63"; Longitude: 78° 20' 46.29").

14. To replace and maintain a 16-inch diameter natural gas line in a UNT to West Branch Sideling Hill Creek

(EV) (Mench, PA Quadrangle, N: 0.79 inch; W: 13.89 inches, Latitude: 39° 52' 46.00"; Longitude: 78° 20' 55.09").

15. To replace and maintain a 8-inch diameter natural gas line in a UNT to West Branch Sideling Hill Creek (EV) (Mench, PA Quadrangle, N: 2.06 inches; W: 12.19 inches, Latitude: 39° 53' 11.01"; Longitude: 78° 20' 11.70").

16. To replace and maintain a 8-inch diameter natural gas line in a UNT to West Branch Sideling Hill Creek (EV) (Mench, PA Quadrangle, N: 2.41 inches; W: 14.62 inches, Latitude: 39° 53' 17.88"; Longitude: 78° 21' 13.92").

17. To replace and maintain a 8-inch diameter natural gas line in a UNT to West Branch Sideling Hill Creek (EV) (Mench, PA Quadrangle, N: 2.82 inches; W: 14.73 inches, Latitude: 39° 53' 25.96"; Longitude: 78° 21' 16.72").

18. To replace and maintain a 16-inch diameter natural gas line temporarily impacting a 0.04 acre of PEM/PSS wetland of a UNT to West Branch Sideling Hill Creek (EV) (Mench, PA Quadrangle, N: 5.59 inches; W: 13.24 inches, Latitude: 39° 54' 20.76"; Longitude: 78° 20' 38.62").

19. To replace and maintain a 16-inch diameter natural gas line temporarily impacting a 0.10 acre of PEM/PSS wetland of a UNT to West Branch Sideling Hill Creek (EV) (Mench, PA Quadrangle, N: 5.51 inches; W: 13.23 inches, Latitude: 39° 54' 19.16"; Longitude: 78° 20' 38.48").

20. To replace and maintain a 8-inch diameter natural gas line temporarily impacting a 0.01 acre of PEM wetland of a UNT to West Branch Sideling Hill Creek (EV) (Mench, PA Quadrangle, N: 3.23 inches; W: 14.54 inches, Latitude: 39° 53' 34.09"; Longitude: 78° 21' 11.81").

All activities are related to the improvements of an existing natural gas storage wells in Monroe Township, **Bedford County**.

E21-401: Department of Transportation, Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103, North Middleton Township, **Cumberland County**, ACOE Baltimore District.

To remove an existing 190.0-foot long, two-span, steel thru-girder bridge with a clear span of 185.0 feet, an out-to-out width of 26.0 feet, and an average underclearance of 12.0 feet, carrying SR 0034 over Conodoguinet Creek (WWF) (Carlisle, PA Quadrangle: Latitude: 40° 14' 21"; Longitude: 77° 10' 49", North: 20.8 inches; West: 7.8 inches), and to construct and maintain a 189.0-foot long, two-span, prestressed concrete adjacent box beam bridge, with a clear span of 185.5 feet, an out-to-out width of 41.4 feet normal to the roadway centerline, and an average underclearance of 12.0 feet across Conodoguinet Creek (WWF) (Carlisle, PA Quadrangle: Latitude: 40° 14' 21"; Longitude: 77° 10' 49", North: 20.8 inches; West: 7.8 inches). The project involves permanent relocation of 150.0 feet of intermittent stream channel, 0.01 acre of PEM wetland fill for the purpose of roadway approach widening, temporary cofferdams and the use of a temporary causeway for demolition and construction of the pier. The project will result in approximately 95.0 linear feet of temporary perennial stream impact, 75.0 linear feet of permanent perennial stream impact, and 150.0 linear feet of permanent intermittent stream impact, for a cumulative impact of approximately 300.0 linear feet (0.12 acre)

in North Middleton Township, Cumberland County. The amount of wetland impact is de minimis and replacement is not required.

E05-344: Department of Transportation, Engineering District 9-0, 1620 North Juniata Street Hollidaysburg, PA 16648, Hopewell Township, **Bedford County**, ACOE Baltimore District.

To remove a single span reinforced concrete T-beam bridge having a clear span of 24.0 feet and an underclearance of 4.0 feet carrying SR 0026 over Bank Run (HQ-CWF) (Hopewell, PA Quadrangle: Latitude: 40° 9' 27"; Longitude: 78° 18' 17", N: 5.9 inches; W: 7.7 inches) in and to construct and maintain a 64-foot long by 24-foot wide and 5-foot underclearance pre-cast concrete box culvert, to construct and maintain a temporary road crossing of Bank Run (HQ-CWF) (Hopewell, PA Quadrangle: Latitude: 40° 9' 27"; Longitude: 78° 18' 17", N: 5.9 inches; W: 7.7 inches) using three 36-inch diameter by 51.5-foot long pipes, to construct and maintain a temporary road crossing of a PEM wetland using an 18-inch diameter pipe, and to temporarily divert Bank Run (HQ-CWF) (Hopewell, PA Quadrangle: Latitude: 40° 9' 27"; Longitude: 78° 18' 17", N: 5.9 inches; W: 7.7 inches) using a 36-inch diameter by 195-foot long pipe. The project will permanently impact 0.5 acre PEM wetlands and 92.5 feet of perennial stream, and will temporarily impact 0.05 acre PEM wetlands and 195.0 feet of perennial stream in Hopewell Township, Bedford County. Compensatory mitigation for permanent wetland impacts will be provided at the Huntingdon Advanced Wetland Compensation Site.

E29-094: Department of Conservation and Natural Resources, Bureau of Forestry, James S. Smith, 440 Buchanan Trail, McConnellsburg, PA 17233-8204, Ayr Township, **Fulton County**, ACOE Baltimore District.

To construct and maintain a 4.0-foot wide single span footbridge having a normal span of 69.0 feet and a minimum underclearance of 5.70 feet across Big Cove Creek (CWF) (Big Cove Tannery, PA Quadrangle N: 15.8 inches; W: 6.9 inches, Latitude: 39° 50' 13"; Longitude: 78° 02' 57") for the purpose of improving a trail in Buchanan State Forest located in Big Cove Tannery Village, about 1 mile south of the PA 928 and PA 522 intersection in Ayr Township, **Fulton County**.

E36-835: Marialice Hollinger, 50 College Avenue, P. O. Box 347, Elizabethtown, PA 17022-0347, Elizabethtown Borough, **Lancaster County**, ACOE Baltimore District.

To construct and maintain a: (1) 15-inch SLCPP pipe outfall and associated rip-rap protection; and (2) terraces and landscaping along and within the floodway of a UNT

to Conoy Creek (TSF) (Elizabethtown, PA Quadrangle N: 4.1 inches; W: 14.2 inches, Latitude: 40° 08' 49.48"; Longitude: 76° 36' 5.85") to enhance the aesthetics of the property and improve maintenance of the corridor at a point just west of the intersection of College Avenue and South Hanover Street, off of College Avenue, in Elizabethtown Borough, Lancaster County.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E11-331. Department of Transportation, District 9-0, 1620 North Juniata Street, Hollidaysburg, PA 16648. To construct a bridge in Clearfield Township, **Cambria County**, Baltimore ACOE District. (Ashville, PA Quadrangle N: 17.9 inches; W: 2.7 inches, Latitude: 40° 35' 55"; Longitude: 78° 31' 10"). The applicant proposes to construct and maintain a 98.5 ft. long by 29.4 ft. wide, 22.6 ft. minimum underclearance, single span replacement of the failed SR 1012, 100 ft. long by 20 ft. wide, single span bridge over Clearfield Creek (CWF) with a drainage area of 57 sq. miles, a 239 ft. long relocation of a UNT to Clearfield Creek with a drainage area of 20 acres; and a road stormwater outfall to Clearfield Creek. In addition, a total of 0.001 acre of de minimis Exceptional Value wetland fill will be replaced at the Department of Transportation's Cambria County wetland bank. This project provides for minor road realignment and replacement of the failed Clearfield Creek bridge that was removed January 2, 2008 under Emergency Permit 1107203. The project is located approximately 0.2 mile west of the Village of Dysart in Clearfield Township.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E37-175, Valley View Downs, LP, 10 West Market Street, Suite 200, Indianapolis, IN 46204. Valley View Downs, in Mahoning Township, **Lawrence County**, ACOE Pittsburgh District (Edinburg, PA Quadrangle N: 41° 03' 07"; W: 82° 27' 04").

The applicant is proposing to construct and maintain a 1,500 employee facility consisting of a one-mile horse track, grandstand, clubhouse, casino, parking, stormwater facilities, improvements of Baird Road and other infrastructure SW of the intersection of SR 422 and Baird Road involving to fill four PEM wetlands having areas of 0.37 acre, 0.41 acre, 0.04 acre and 0.01 acre respectively. Project includes mitigation by means of a \$12,450 payment to the Wetland Replacement Fund and a payment of \$80,550 to the Lawrence County Conservation District to manage, administer and distribute funds to a stream improvement project on Deer Creek. The project proposes to directly impact 0.83 acre of PEM wetland.

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

| <i>Location</i> | <i>Permit Authority</i> | <i>Application Type or Category</i> |
|-----------------|-------------------------|--|
| Section I | NPDES | Renewals |
| Section II | NPDES | New or amendment |
| Section III | WQM | Industrial, sewage or animal wastes; discharges to groundwater |
| Section IV | NPDES | MS4 individual permit |
| Section V | NPDES | MS4 permit waiver |
| Section VI | NPDES | Individual permit stormwater construction |
| Section VII | NPDES | NOI for coverage under NPDES general permits |

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N ?</i> |
|-----------------------------|--|---|--------------------------------------|-----------------------------|
| PA0060186 | Elk Meadows Homeowners Association P. O. Box 248 Uniondale, PA 18470 | Herrick Township Susquehanna County | UNT of Tunkhannock Creek 4F | Y |
| PA0061603 | Eagle Lake Community Association P. O. Box 305 Gouldsboro, PA 18444-0305 | Covington Township Lackawanna County | UNT to Tamarack Creek 2A | Y |

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed#)</i> | <i>EPA Waived Y/N ?</i> |
|-----------------------------|--|---------------------------------------|-------------------------------------|-----------------------------|
| PA0033782 (Sewage) | Timberend Estates, Inc. 548 Ruben Kehrer Road Lot 100A Muncy, PA 17756 | Fairfield Township Lycoming County | UNT to Twin Run WWF | Y |
| PA0114693 | Clymer Township Municipal Authority Sewage Treatment Plant P. O. Box 62 Sabinsville, PA 16943-0062 | Tioga County Clymer Township | Mill Creek SWP 4A | Y |
| PA0027677 IW | US Department of the Interior U.S.G.S. Northern Appalachian Research Laboratory 176 Straight Run Road Wellsboro, PA 16901 | Shippen Township Tioga County | Marsh Creek 9A | Y |

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N</i> |
|-----------------------------|--|--|--------------------------------------|---------------------------|
| PA0093475 Sewage | Findlay Township Municipal Authority 1271 Route 30 P. O. Box 409 Clinton, PA 15026 | Allegheny County Findlay Township | Potato Garden Run | Y |
| PA0205346 Sewage | David M. Smith 139 Wilma Drive Apollo, PA 15613 | Westmoreland County Washington Township | UNT of Pucketa Creek | Y |

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N ?</i> |
|-----------------------------|--|--------------------------------------|--------------------------------------|-----------------------------|
| PA0014427 | United States Fish and Wildlife Service Allegheny National Fish Hatchery 1050 Hemlock Road Warren, PA 16365 | Glade Township Warren County | Allegheny River 16-B | Y |

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No. PA0011011, Sewage, **Plymouth Tube Company**, 29W150 Warrenville Road, Warrenville, IL 60555. This proposed facility is located in Horsham Township, **Montgomery County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge treated groundwater from an air stripping tower serving the former Plymouth Tube Company to a UNT to Park Creek in Watershed 2F—Neshaminy.

NPDES Permit No. PA0050458, Sewage, **Little Washington Wastewater Company**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010-3489. This proposed facility is located in East Brandywine Township, **Chester County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge treated sewage from a facility known as Culbertson Run WWTP into Culbertson Run in Watershed 3H.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

NPDES Permit No. PA-0065200, Sewage, **Omega Homes, Inc.**, 1150 South Cedar Crest Boulevard, Allentown, PA 18103-7909. This proposed facility is located in West Penn Township, **Schuylkill County**.

Description of Proposed Action: Issuance of NPDES Permit to discharge 0.09 mgd of treated sewage to Mahoning Creek.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327 3664.

PA0229211, Industrial Waste, SIC 2899, **Bionol Clearfield, LLC**, 99 Longwater Circle, Norwell, MA 02061. This proposed facility is located in Clearfield Borough, **Clearfield County**.

Description of Proposed Activity: This proposed action is for issuance of an NPDES permit for a new discharge of blow down, treated industrial waste and stormwaters.

The receiving stream, West Branch Susquehanna River, is in the State Water Plan Watershed 8B and classified for: WWF. The nearest downstream public water supply intake for Reliant Energy is located on West Branch Susquehanna River is 10 miles below the point of discharge.

The proposed effluent limits for Outfall 101 based on a design flow of 0.082 mgd.

| <i>Parameter</i> | <i>Mass Units lbs/day</i> | | <i>Concentration (mg/l)</i> | | | |
|-------------------------|----------------------------|--------------------------|-----------------------------|----------------------------|--------------------------|----------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Minimum</i> | <i>Average Monthly</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
| pH | | | 6.0 | | | 9.0 |
| TSS | | | | 30 | 60 | |
| Total Iron | | | | 2.0 | 4.0 | |
| Total Aluminum | | | | 4.0 | 8.0 | |
| Total Manganese | | | | 1.0 | 2.0 | |
| Total Residual Chlorine | | | | 0.5 | | |

| Parameter | Mass Units lbs/day | | Concentration (mg/l) | | Daily Maximum | Instantaneous Maximum |
|--|--------------------|---------------|----------------------|-----------------|---------------|-----------------------|
| | Average Monthly | Maximum Daily | Minimum | Average Monthly | | |
| The proposed effluent limits for Outfall 102 based on a design flow of 0.125 mgd. | | | | | | |
| pH | | | 6.0 | | | 9.0 |
| Total Residual Halogen | | | | 0.2 | | 0.5 |
| Temperature | | | | Report | Report | |
| The proposed effluent limits for Outfalls 002—004 based on a design flow of N/A mgd. | | | | | | |
| pH | | | | | Report | |
| COD | | | | | Report | |
| 5 Day CBOD | | | | | Report | |
| TSS | | | | | Report | |
| Total Recoverable Petroleum Hydrocarbons | | | | | Report | |
| Ammonia-N | | | | | Report | |
| Total Phosphorus | | | | | Report | |

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. 4907402, Sewerage 4952, **Milton Regional Sewer Authority**, P. O. Box 433, Milton, PA 17847. This proposed facility is located in Milton Borough and West Chillisquaque Township, **Northumberland County**.

Description of Proposed Action/Activity: A permit has been issued for the construction of a wastewater pumping station and associated force main to convey noncontact cooling water from ConAgra Foods to the Milton Regional Sewer Authority wastewater treatment facility for treatment and discharge.

WQM Permit No. 4107403, Sewerage 4952, **Hughesville Wolf Township Joint Municipal Authority**, 547 Woolen Mill Road, Hughesville, PA 17737. This proposed facility is located in Wolf Township, **Lycoming County**.

Description of Proposed Action/Activity: The applicant proposes to construct and operate a sewage collection system and grinder pump station serving the Tagge Development.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 0207401, Sewerage, **The McCandless Township Sewer Authority**, 418 Arcadia Drive, Pittsburgh, PA 15237-5506. This proposed facility is located in Marshall Township, **Allegheny County**.

Description of Proposed Action/Activity: Permit issuance for the construction and operation of sanitary sewer, sanitary force main and sewage pump station.

WQM Permit No. 463S028-A1, Sewerage, **Westmoreland Fayette Municipal Sewer Authority**, P. O. Box 126, Scottdale, PA 15683. This proposed facility is located in East Huntingdon Township, **Westmoreland County**.

Description of Proposed Action/Activity: Permit issuance for the construction and rerouting of STP outfall sewer.

WQM Permit No. 6507401, Sewerage, **City of Jeannette Municipal Authority**, P. O. Box 294, Penn, PA 15675. This proposed facility is located in the City of Jeannette, **Westmoreland County**.

Description of Proposed Action/Activity: Permit issuance for treatment plant improvements.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. WQG018596, Sewerage, **Maureen Bergdahl**, 224 Elmhurst Circle, Cranberry Township, PA 16066. This proposed facility is located in Connoquenessing Township, **Butler County**.

Description of Proposed Action/Activity: A single residence Sewage Treatment Plant.

WQM Permit No. WQG018535, Sewerage, **Larry E. Shelhamer**, P. O. Box 323, Edinboro, PA 16412. This proposed facility is located in Washington Township, **Erie County**.

Description of Proposed Action/Activity: A single residence Sewage Treatment Plant.

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. 1594418, Sewerage, Renewal, **Kennett Township and Suntech, Inc.**, P. O. Box 75, Suntech Associates, Westtown, PA 19395. This proposed facility is located in Kennett Township, **Chester County**.

Description of Action/Activity: Renewal of permit for the operation of the Ashford WWTP and associated subsurface disposal beds and trenches.

WQM Permit No. 1504407, Sewerage, Renewal, **East Brandywine Township Municipal Authority**, 1214 Horseshoe Pike, Downingtown, PA 19335. This proposed facility is located in East Brandywine Township, **Chester County**.

Description of Action/Activity: Renewal of a large volume onlot disposal permit for Hideaway Farms disposal beds to dispose of 39,600 gpd of treated sewage from Culbertson Run WWTP.

WQM Permit No. 1596401, Sewerage, Renewal, **Little Washington Wastewater Company**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010. This proposed facility is located in East Brandywine Township, **Chester County**.

Description of Action/Activity: Renewal of a large volume onlot disposal permit for Culbertson Run WWTP.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|---|---------------|---------------------------|---|
| PAI011506071 | Emerson and Dennis Bealer 1220 East Cedarville Road Pottstown, PA 19465 | Chester | East Coventry Township | Pigeon Creek HQ-TSF |
| PAI011507046 | Uwchlan Township 715 North Ship Road Exton, PA 19341 | Chester | Uwchlan Township | Shamona Creek HQ |
| PAI012307001 | 211 Sycamore Mills Road, LLC 160 Park Place Media, PA 19063 | Delaware | Upper Providence Township | UNT Ridley Creek HQ-TSF UNT Crum Creek WWF |
| PAI015107004 | HSP Gaming, LP 1600 Arch Street Suite 300 Philadelphia, PA 19103 | Philadelphia | City of Philadelphia | Delaware River WWF, MF |

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|---|---------------|-------------------------|---------------------------------------|
| PAI024806028 | Monocacy Heights, LP 4562 Steuben Road Bethlehem, PA 18020 | Northampton | Plainfield Township | Little Bushkill Creek HQ-CWF, MF |
| PAI024506028 | DEPG Stroud Associates, LP 625 Ridge Pike Suite A-107 Conshohocken, PA 19428 | Monroe | Stroud Township | Wigwam Run HQ-CWF |
| PAI024804012 | Northampton County 669 Washington St. Easton, PA 18042-7465 | Northampton | Upper Nazareth Township | Monocacy Creek Watershed HQ-CWF |

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|---|---------------|--------------------------------------|---|
| PAI033605007 | Salisbury Township 5581 Old Philadelphia Pike Gap, PA 17527 | Lancaster | Salisbury Township | Unnamed Branch of Pequea Creek HQ-CWF |
| PAI032806010 | Dennis Fleagle South Mountain Restoration Center 10058 South Mountain Road South Mountain, PA 17261 | Franklin | Guilford Township Quincy Township | Rock Mountain Creek HQ-CWF |

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

| | |
|-------|---|
| PAG-1 | General Permit for Discharges From Stripper Oil Well Facilities |
| PAG-2 | General Permit for Discharges of Stormwater Associated With Construction Activities (PAR) |
| PAG-3 | General Permit for Discharges of Stormwater From Industrial Activities |

| | |
|-------------|--|
| PAG-4 | General Permit for Discharges From Small Flow Treatment Facilities |
| PAG-5 | General Permit for Discharges From Gasoline Contaminated Groundwater Remediation Systems |
| PAG-6 | General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO) |
| PAG-7 | General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application |
| PAG-8 | General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site |
| PAG-8 (SSN) | Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage |
| PAG-9 | General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site |
| PAG-9 (SSN) | Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage |
| PAG-10 | General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines |
| PAG-11 | (To Be Announced) |
| PAG-12 | Concentrated Animal Feeding Operations (CAFOs) |
| PAG-13 | Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) |

General Permit Type—PAG-02

| <i>Facility Location & Municipality</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|--|--|---|
| Parkesburg Borough Chester County | PAG2001506008 | Heritage Building Group, Inc. 2500 York Road Jameson, PA 18929 | UNT Bucks Run TSF, MF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900 |
| East Marlborough Township Chester County | PAG2001507059 | East Marlborough Township 721 Unionville Road Kennett Square, PA 19348 | West Branch Red Clay Creek TSF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900 |
| Birmingham Township Chester County | PAG2001507064 | Aqua PA 762 West Lancaster Avenue Bryn Mawr, PA 19010 | Brandywine Creek WWF, MF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900 |
| Bethel Township Delaware County | PAG20023040441 | Maple Zone, LLC 1451 Conchester Highway Boothwyn, PA 19061 | Naamans Creek WWF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900 |
| Upper Gwynedd Township Montgomery County | PAG2004607170 | Upper Gwynedd Township P. O. Box 1 Parkside Place West Point, PA 19486 | Towamencin Creek TSF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900 |
| Franconia Township Montgomery County | PAG2004607058 | TH Properties 345 Main Street Harleysville, PA 19438 | Skippack Creek TSF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900 |
| Upper Merion Township Montgomery County | PAG2004607165 | Upper Merion Township 175 West Valley Forge Road King of Prussia, PA 19406 | Schuylkill River CWF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900 |
| City of Philadelphia Philadelphia County | PAG2015107032 | A.P.M. 2147 North 6th Street Philadelphia, PA 19122 | City of Philadelphia Wastewater Treatment Plant | Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900 |
| City of Philadelphia Philadelphia County | PAG2015107039 | Essington Avenue Partners, LP 2701 Renaissance Boulevard King of Prussia, PA 19406 | Schuylkill Tidal Watershed B WWF, MF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900 |

| <i>Facility Location & Municipality</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|--|--|--|
| Susquehanna Township Dauphin County | PAG2002207057 | Jerry L. Watson Commerce Drive Dauphin, LP 30 Marianne Drive York, PA 17406 | Paxton Creek WWF | Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 |
| Halifax Township Dauphin County | PAR10I283R | Gary E. Lenker DONCO Construction, Inc. 720 Allegheny Street P. O. Box 123 Dauphin, PA 17018 | Susquehanna River WWF | Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 |
| Derry Township Dauphin County | PAG2002207004 | Jeffrey Keiser Derry Township 600 Clearwater Road Hershey, PA 17033 | Spring Creek WWF | Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 |
| South Lebanon Township Lebanon County | PAG2003807029 | Mike Moore Lebanon Valley Cold Storage P. O. Box 191 156 West Harrisburg Avenue Rheems, PA 17570 | Municipal Separate Storm Sewer within Quittapahilla Creek TSF | Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908, Ext. 4 |
| Lebanon City Lebanon County | PAG2003807025 | Jason Giurintano Habitat for Humanity of Lebanon County, Inc. 235 South 12th Street Lebanon, PA 17042 | Quittapahilla Creek TSF | Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908, Ext. 4 |
| Swatara Township Lebanon County | PAG2003807023 | Isaac B. Martin 1131 Hunters Chase Lane Lebanon, PA 17046 | UNT to Swatara Creek WWF | Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908, Ext. 4 |
| Hamilton Township Franklin County | PAG2002806007 | Warm Springs Road Phase II Tom Mongold Divinity Investments P. O. Box 1180 Chambersburg, PA 17201 | UNT to Back Creek WWF | Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5 |
| Southampton Township Franklin County | PAG2002807029 | United Business Park Joe Raccula Duke Construction 5600 Blazer Parkway Suite 100 Dublin, OH 43017 | Furnace Run WWF | Franklin County Conservation District 100 Sunset Boulevard West Chambersburg, PA 17201 (717) 264-8074, Ext. 5 |
| Middle Paxton Township Dauphin County | PAG2002207052 | Richard Yingst Fishing Creek Assoc., LP 4712 Smith Street Harrisburg, PA 17109 | Fishing Creek WWF | Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 |
| Jefferson Township Berks County | PAG2000607076 | Dr. Thomas A. Stewart 7173 Bernville Road Bernville, PA 19506 | Northkill Creek CWF | Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657, Ext. 201 |

| <i>Facility Location & Municipality</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|---|--|---|---|---|
| York City York County | PAG2006707077 | Tim Rutter M & G Realty, Inc. 2295 Susquehanna Trail York, PA 17404 | Willis Run WWF | York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430 |
| Antis Township Blair County | PAG2000707022 | Raymond and Pamela Tononi Raystown Transit Services, Inc. 9071 Old Route 22 Huntingdon, PA 16652 | Little Juniata River TSF | Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 (814) 696-0877, Ext. 5 |
| Penn Township York County | PAG2006707080 | SKF USA, Inc. 20 Industrial Drive Hanover, PA 17331 | Gitts Run WWF | York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430 |
| Silver Spring Township Cumberland County | PAG200210041 | Cumberland Valley School District Mike Willis 6746 Carlisle Pike Mechanicsburg, PA 17050 | Conodoguinet Creek WWF | Cumberland County Conservation District 310 Allen Road Carlisle, PA 17013 (717) 240-7812 |
| Penn Township York County | PAG2006707079 | Jason Myers Victory Free Will Baptist Church 25 Breezewood Drive Hanover, PA 17331 | Oil Creek WWF | York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430 |
| Tioga County Chatham Township | PAG2005907011 | Chatham Township Municipal Authority 1579 Blair Creek Road Little Marsh, PA 16950 | Crooked Creek WWF | Tioga County Conservation District 50 Plaza Lane Wellsboro, PA 16901 (570) 724-1801, Ext. 3 |
| Armstrong County Rayburn Township | PAR10B050R | Rayburn Township Municipal Authority P. O. Box 776 Kittanning, PA 16201 | Cowanshannock Creek TSF | Armstrong County CD (724) 548-3425 |
| Fayette County South Union Township | PAG2002607021 | Emilio Ciarrocchi 121 Regency Drive Uniontown, PA 15401 | UNT to Coal Lick Run WWF | Fayette County CD (724) 438-4497 |
| Washington County North Franklin Township | PAG2006307038 Renewal of PAR10W217 | Lewis and Cheryl Keith 2455 Park Avenue Washington, PA 15301 | UNTB to Chartiers Creek WWF | Washington County CD (724) 228-6774 |
| Elk County City of St. Mary's | PAG2002407003 | City of St. Marys P. O. Box 1994 11 Lafayette Street St. Marys, PA 15857 | Elk Creek CWF Hellfire Run CWF | Elk Conservation District (814) 776-5373 |

General Permit Type—PAG-3

| <i>Facility Location & Municipality</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|--|-------------------|---|----------------------------|---|
| Dauphin County Lykens Borough | PAR203603 | Alfa Laval, Inc. P. O. Box 10 Lykens, PA 17048-0010 | Wisconisco Creek WWF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |
| Cumberland County Lower Allen Township | PAR803706 | Liberty Excavators, Inc. 4402 Gettysburg Road Camp Hill, PA 17011 | UNT to Cedar Run CWF | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707 |

| <i>Facility Location & Municipality</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|--|----------------------------|--|
| Bradford County Sayre Borough | PAR804857 | James M. Haggerty 318 North Elmer Avenue Sayre, PA 18840-2108 | Municipal Storm Sewer | Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3664 |
| New Sewickley Township Beaver County | PAR606171 | Crows Run Auto Recycling 320 Crows Run Road Freedom, PA 15042 | Crows Run | Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000 |
| Neville Township Allegheny County | PAR606143 | Heidelberg Metals 3100 Grand Avenue Pittsburgh, PA 15225 | Ohio River | Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000 |
| Center Township Indiana County | PAR706117 | IA Construction Corporation P. O. Box 290 Homer City, PA 15748 | Two Lick Creek | Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000 |
| Green Township Indiana County | PAR226118 | Polyvision Corporation 2170 Barr Slope Road Dixonville, PA 15734-0048 | UNT to Dixon Run | Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000 |

General Permit Type—PAG-4

| <i>Facility Location: Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|---|---|---|
| Connoquenessing Township Butler County | PAG049400 | Maureen Berghahl 224 Elmhurst Circle Cranberry Township, PA 16066 | UNT to Connoquenessing Creek 20-C | DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942 |
| Farmington Township Warren County | PAG048876 | Janice K. Lauffenburger 2128 Valentine Run Road Russell, PA 16345 | UNT to Rhine Run 16-B | DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942 |
| Sugar Grove Township Warren County | PAG048533 | Michael E. Leach 2460 Rounds Hill Road Sugar Grove, PA 16350-9233 | Saunders Run 16-B | DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942 |
| Hayfield Township Crawford County | PAG048536 | Lisa H. and Richard C. Schmalzried 13470 Foster Road Conneautville, PA 16406 | UNT to Cussewago Creek 16-D | DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942 |

Facility Location:

| <i>Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|------------------------------------|-------------------|---|----------------------------------|---|
| Washington Township Erie County | PAG049386 | Larry E. Shelhamer P. O. Box 323 Edinboro, PA 16412 | UNT to Conneauttee Creek 16-A | DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942 |

General Permit Type—PAG-7

| <i>Facility Location & Municipality</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Site Name & Location</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|--|---|---|
| Southampton Township Cumberland County | PAG073513 | Borough of Shippensburg 111 North Fayette Street P. O. Box 129 Shippensburg, PA 17257 | Shippensburg WWTP 963 Avon Drive Shippensburg, PA 17257 | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707 |

General Permit Type—PAG-8

| <i>Facility Location & County/ Municipality</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Site Name & Location</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|--|---|---|
| East Pennsboro Township Cumberland County | PAG083515 | East Pennsboro Township 98 South Enola Drive Enola, PA 17025 | East Pennsboro Township WWTP 21 East Dulles Drive Camp Hill, PA 17011 | DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707 |

PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0607515 MA, Minor Amendment, Public Water Supply.

| | |
|----------------------------|---|
| Applicant | Shoemakers Borough |
| Municipality | Shoemakersville Borough |
| County | Berks |
| Type of Facility | This permit approves the use of caustic soda in place of soda ash for pH adjustment and the switch from chlorine gas to sodium hypochlorite for disinfection. |
| Consulting Engineer | Michael J. Peleschak, P. E. Alfred Benesch & Company 400 One Norwegian Plaza Pottsville, PA 17901 |
| Permit to Construct Issued | December 21, 2007 |

Permit No. 2907502 MA, Minor Amendment, Public Water Supply.

| | |
|--------------|--|
| Applicant | McConelssburg Borough Municipal Authority |
| Municipality | Todd Township |
| County | Fulton |

Type of Facility Permit approves installation of a raw water transmission main from the future Stenger Well source to the site of the future treatment facilities.

Consulting Engineer David E. Marks, P. E.
Gannett Fleming, Inc.
P. O. Box 67100
Harrisburg, PA 17106-7100

Permit to Construct Issued December 21, 2007

Permit No. 2107509 MA, Minor Amendment, Public Water Supply.

Applicant **North Middleton Authority**

Municipality North Middleton Township and Middlesex

County **Cumberland**

Type of Facility Commons at Parker Springs and Keystone Arms Interconnections.

Consulting Engineer Peter Lusardi, P. E.
CET Engineering Services
1240 North Mountain Road
Harrisburg, PA 17112

Permit to Construct Issued December 27, 2007

Permit No. 0607520, Public Water Supply.

Applicant **Wissahickon Spring Water**

Municipality Hamburg Borough

County **Berks**

Type of Facility Addition of fluoride as a mineral to be injected into select bottled water products.

Consulting Engineer Kenneth M. Justice, P. E.
AEON Geosciences, Inc
2120 Bellemead Avenue
Havertown, PA 19083-2250

Permit to Construct Issued December 27, 2007

Permit No. 0607510, Public Water Supply.

Applicant **Proto-Cast, LLC**

Municipality Douglass Township

County **Berks**

Type of Facility This application is for the addition of an arsenic treatment system to the existing water system located within the Proto-Cast facility in Douglassville, PA.

Consulting Engineer Karen Pollock, P. E.
System Designs Engineering
850 Park Road
Wyomissing, PA 19610

Permit to Construct Issued January 4, 2008

Permit No. 2207511, Public Water Supply.

Applicant **Upper Dauphin Area School District**

Municipality Washington Township

County **Dauphin**

Type of Facility Addition of zinc orthophosphate as lead and copper treatment.

Consulting Engineer Thomas W. Schreffler, P. E.
Light-Heigel & Associates, Inc.
430 East Main Street
Palmyra, PA 17078

Permit to Construct Issued January 8, 2008

Permit No. 5007505 MA, Public Water Supply.

Applicant **Bloomfield Borough Water Authority**

Municipality Bloomfield Borough

County **Perry**

Type of Facility New .300 mgd Storage Tank.

Consulting Engineer Harry E. Bingaman, P. E.
Glace Assoc., Inc.
3705 Trindle Road
Camp Hill, PA 17011

Permit to Construct Issued December 21, 2007

Operations Permit issued to: Superior Water Company, Inc., 3060137, Washington Township, Berks County on December 20, 2007, for the operation of facilities approved under Construction Permit No. 0605509.

Operations Permit issued to: Oregon Dairy, Inc., 7361076, Manheim Borough, Lancaster County on December 21, 2007, for the operation of facilities approved under Construction Permit No. 3606512.

Operations Permit issued to: Latte Luv Espresso, 7360725, Paradise Township, Lancaster County on December 26, 2007, for the operation of facilities approved under Construction Permit No. 3606513.

Operations Permit issued to: Pennsylvania American Water, 3060088, Exeter Township, Berks County on January 3, 2008, for the operation of facilities approved under Construction Permit No. 0607507.

Operations Permit issued to: Middle Spring Presbyterian Church, 7280953, Southampton Township, Cumberland County on December 21, 2007, for the operation of facilities approved under Construction Permit No. 2107507.

Northcentral Region: Water Supply Management Program Manager; 208 West Third Street, Williamsport, PA 17701.

Permit No. M.A.—5906501—Operation, Public Water Supply.

Applicant **Osceola Township Municipal Authority**

Township or Borough Osceola Township

County **Tioga**

Responsible Official John Seely
Osceola Township Municipal Authority
P. O. Box 115
Osceola, PA 16942

Type of Facility Public Water Supply—Operation
 Consulting Engineer Gregory M. Cummings, P. E.
 Larson Design Group
 34 Denison Parkway—West
 P. O. Box 100
 Corning, NY 14830

Permit Issued Date January 7, 2008

Description of Action Operation of the 210,000 gallon glass lined, bolted steel finished water storage tank.

Permit No. 1807503—Construction, Public Water Supply.

Applicant **Suburban Lock Haven Water Authority**

Township or Borough Lamar Township
 County **Clinton**

Responsible Official Stuart Sibold, P. E.
 EADS Group
 1126 Eighth Avenue
 Altoona, PA 16602

Type of Facility Public Water
 Supply—Construction

Consulting Engineer Jack Peters
 Suburban Lock Haven Water
 Authority
 326 Main Street
 Mill Hall, PA 17751

Permit Issued Date January 7, 2008

Description of Action Add an 850,000 gallon elevated finished water storage tank, upgrade the pumps and controls in the Salona Booster Station and add booster chlorination capabilities at the Salona station as well.

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 2007504-C, Public Water Supply.

Applicant **Guys Mills Mutual Water Association**

Borough or Township Randolph Township
 County **Crawford County**

Type of Facility Municipal Water Association

Consulting Engineer Stephen R. Halmi, P. E.
 Deiss & Halmi Engineering
 105 Meadville Street
 Edinboro, PA 16412

Permit to Construct Issued January 3, 2008

Rescission of Operations Permit for Lake Properties Holdings, LLC, PWSID No. 6200012, Summit Township, **Crawford County**, Permit No. 2089501-T1, on January 2, 2008. The Department of Environmental Resources has received notification and verified the proper abandonment of Well No. 1 and Well No. 2. The facility (former Jo Winn MHP) and none of the water system currently exist.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approval Granted under section 5 of the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Plan Location:

| Borough or Township | Borough or Township Address | County |
|---------------------|--|-----------------|
| Antrim Township | P. O. Box 130 10655 Antrim Church Road Greencastle, PA 17225 | Franklin County |

Plan Description: The approved plan, in the name of Molly Pitcher, provides for 500 residential dwellings and 20 commercial EDUs using ATMA sewer with sewage flows of 117,000 gallons per day. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the Authority.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapproval Granted under section 5 of the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Plan Location:

| Borough or Township | Borough or Township Address | County |
|-----------------------|---|-------------|
| Peach Bottom Township | c/o Catherine M. Bilger, Secretary 545 Broad Street Extended Delta, PA 17314 | York County |

Plan Description: A3-67950-181-2, The Woods at Slate Ridge: The Official Plan revision consists of a five lot single-family residential subdivision on 24.4 acres with total proposed sewage flows of 2,000 gpd to be treated by individual onlot disposal system. The proposed development is located on the northwestern side of Quarry Road and the Pennsylvania/Maryland state line Peach Bottom Township, York County. The proposed plan revision was disapproved because the hydrogeologic study contained in the planning information received by the Department of Environmental Protection and required by Chapter 71, § 71.62(c), contained information that the groundwater will be polluted on a portion of the property and the onsite sewage systems proposed for a portion of this subdivision will pollute the Waters of the Commonwealth in violation of The Clean Streams Law. Such a condition is considered a nuisance and is prohibited. Specifically, all proposed lots must be individually sized to dilute the nitrates originating from each lot's system. This proposal included two lots that are too small to attenuate the nitrate-nitrogen being produced by the systems on these lots.

HAZARDOUS SITES CLEAN-UP UNDER THE ACT OF OCTOBER 18, 1988

Notice of Prompt Interim Response

Everglade Junkyard—Barn Related Contamination Hempfield Township, Westmoreland County

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA) (35 P. S. §§ 6020.101—6020.1305) has initiated a prompt interim response at the Everglade Junkyard—Barn. This response has been initiated under Sections 501(a) and 505(b) of the HSCA (35 P. S. §§ 6020.501(a) and 6020-505(b)).

The Everglade Junkyard property is located on Everglade Road about 1 mile south of Route 30 in Hempfield Township, Westmoreland County. From the late 1940s and continuing into the 1980s the property was used as a transfer station for ferrous, nonferrous and alloy scrap (especially grindings) collected from different facilities for eventual transfer elsewhere for reuse, recycling, disposal and/or treatment. A barn located on the eastern edge of property appears to have been used in the scrap processing operation. Results of samples taken of the ash, soil and debris located in the barn indicate contamination above the Statewide Health Standards under the Land Recycling and Environmental Remediation Standards Act for PCBs, dioxin, mercury, lead and other metals. The barn is in poor structural condition and there is a concern that its collapse would result in contamination becoming exposed to the elements thereby increasing the threat to human health and the environment.

The objective and scope of the prompt interim response is demolition and cleanup of contamination related to the barn. All contaminated material, including the barn wood, will be properly handled and disposed. Contaminated soil immediately surrounding the barn will be excavated and properly disposed. If needed, clean soil will be used to cover any depressions that remain as a result of the demolition work.

The following alternatives were evaluated: (1) no action; (2) maintain existing fence around barn; and (3) demolish barn and dispose of contaminated material. The selected alternative is number three. This alternative was chosen because it complies with the applicable, relevant and appropriate requirements to the greatest extent compare to the other alternatives and is the most cost effective.

This notice is being provided under Section 506(b) of HSCA. The administrative record which contains the information that forms the basis and documents the selection of this response action is available for public review and comment. The administrative record is located at the Department's Pittsburgh Office at 400 Waterfront Drive, Pittsburgh, PA 15222 and is available for review Monday through Friday from 8 a.m. to 4 p.m.. Contact Dawn Saunders at (412) 442-4000 to schedule a review of this record.

The administrative record will be open for comment from January 19, 2008, until April 17, 2008. Persons may submit written comments into the record during this time only, by sending them to Dawna Saunders at the Department's Pittsburgh Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222 or by delivering them to this office in person.

In addition, persons may present oral comments, for inclusion in the administrative record, at a public hear-

ing. The Department has scheduled the hearing on March 3, 2008, at the Hempfield Township Municipal Building, 1132 Woodward Drive, Greensburg, PA 15601 at 6:30 p.m. Persons wishing to present comments must register with Helen Humphreys by noon on March 3, 2008, at (412) 442-4000 or in writing at 400 Waterfront Drive, Pittsburgh, PA 15222.

Persons with a disability who wish to attend the hearing and require auxiliary aid, service or other accommodations to participate in the proceedings, should call Helen Humphreys at (412) 442-4000 or through the Pennsylvania AT & T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a Site-Specific Standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Ronald S. Brezinski, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Seventh Day Adventist Church, Hanover Township, **Northampton County**. Thomas Martinelli, JMT Environmental Technologies, Inc., P. O. Box 22044, Lehigh Valley, PA 18002-2044 has submitted a Final Report (on behalf of his client, Seventh Day Adventist Church, 1175 Macada Road, Bethlehem, PA 18017), concerning the remediation of soils found or suspected to have been impacted by No. 2 fuel oil as a result of a leaking underground storage tank. The report was submitted to document attainment of the Residential Statewide Health Standard for soils. A public notice regarding the submittal of the Final Report was published in the *Express-Times* on October 29, 2007. A Notice of Intent to Remediate was simultaneously submitted.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Esbin Property, West Lampeter Township, **Lancaster County**. GCI Environmental Services, 1250 East King Street, Lancaster, PA 17602, on behalf of Josephine Esbin, 1719 Pennsylvania Avenue, Lancaster, PA 17602-2603, submitted a Remedial Investigation Report and Final Report concerning remediation of site soils and groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to the Statewide Health and Site-Specific Standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a Site-Specific Standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of reuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan,

is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Ronald S. Brezinski, Regional Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Lyman Witmer Residence, Pine Grove Township, **Schuylkill County**. Ryan C. Winnan, Storb Environmental, Inc., 410 North Easton Road, Willow Grove, PA 19090 submitted a Final Report (on behalf of his client, Lyman Witmer, 212 Tremont Road, Pine Grove, PA 17963) concerning the remediation of soils found to have been impacted by No. 2 fuel oil as a result of an accidental release. The report demonstrated attainment of the Residential Statewide Health Standard for soils and was approved on January 2, 2008.

Schoch, Inc., Hamilton Township, **Monroe County**. Thomas Martinelli, JMT Environmental Technologies, Inc., P. O. Box 22044, Lehigh Valley, PA 18002-2044 submitted a Final Report and an addendum (on behalf of his client, Rose Schoch, 4300 Manor Drive, Stroudsburg, PA 18360), concerning the remediation of soils found to have been impacted by diesel fuel as the result of an accidental release from a 55-gallon drum. The report demonstrated attainment of the Residential Statewide Health Standard for soils and was approved on January 7, 2008. The report was originally submitted within 90 days of the release.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Suburban Heating Oil Partners, City of Lancaster, **Lancaster County**. Groundwater Sciences Corporation, 2601 Market Place Street, Suite 310, Harrisburg, PA 17110, on behalf of Esther M. Goropoulos, 8 Foxglove Circle, Hershey, PA 17033-2619 and Suburban Heating Oil Partners, 5793 Widewaters Parkway, Suite 100, Syracuse, NY 13214, submitted a Remedial Investigation Report and Cleanup Plan concerning the remediation of site soils and groundwater contaminated with petroleum product. The report and plan were approved by the Department of Environmental Protection on December 13, 2007. The applicant intends to remediate the site to the Site-Specific Standard.

Steelton Highspire Elementary School, Steelton Borough, **Dauphin County**. Pennoni Associates, Inc., 3001 Market Street, Philadelphia, PA 19104, on behalf of Steelton Highspire School District, Swatara Street and Reynders Avenue, Steelton, PA 17113, submitted a Remedial Investigation Report and Cleanup Plan concerning remediation of site soils contaminated with PAHs and metals. The Remedial Investigation Report and Cleanup

Plan were approved by the Department of Environmental Protection on December 24, 2007. The applicant intends to remediate the site to the Site-Specific Standard.

Gettysburg College, Borough of Gettysburg, **Adams County**. Alliance Environmental Services, Inc., 1820 Linglestown Road, Harrisburg, PA 17103, on behalf of Gettysburg College, 300 North Washington Street, Campus Box 392, Gettysburg, PA 17325, submitted a Remedial Investigation Report, Risk Assessment Report and Cleanup Plan concerning remediation of site soils and groundwater contaminated with chlorinated solvents. The reports and plan were disapproved by the Department of Environmental Protection on January 7, 2008.

David Yurista Residence, West Hempfield Township, **Lancaster County**. Patriot Environmental Management, LLC, P. O. Box 629, Douglassville, PA 19518, on behalf of David Yurista, 3659 Horizon Drive, Lancaster, PA 17601-1115, submitted a Final Report concerning remediation of site soils and groundwater contaminated with No. 2 fuel oil. The final report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department of Environmental Protection on January 7, 2008.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Gary Alexander Property, Terry Township, **Bradford County**. Chambers Environmental Group, Inc., 629 East Rolling Ridge Drive, Bellefonte, PA 16823 on behalf of Welles Mill Company, Inc., R. R. 6, Box 6024, Towanda, PA 18848 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 diesel fuel. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on December 27, 2007.

Robert F. Mitchell Oil Co. (Former), Decatur Township, **Clearfield County**. Marshall Miller & Assoc., 3913 Hartzdale Drive, Suite 1306, Camp Hill, PA 17011 on behalf of Carl Wright, Wright Philipsburg, LLC, 532 Bryn Mawr Avenue, Swarthmore, PA 19801 has submitted a Final Report concerning remediation of site soil and groundwater contaminated with gasoline. The Final Report Demonstrated attainment of the Site-Specific Standard and was conditionally approved by the Department of Environmental Protection on January 4, 2008.

J. F. Arms Enterprises I-80W MM 247 Accident, Mifflin Township, **Columbia County**. Taylor Geo-Services, Inc., 38 Bishop Hollow Road, Suite 200, Newtown Square, PA 19073 on behalf of J. F. Arms Enterprises, 5080 North Lakeview Road, Bloomington, IN 47404 has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on December 27, 2007.

Henkels & McCoy, Inc. Route 15S Truck Accident Site, Shamokin Dam Borough, **Snyder County**. Northridge Group, Inc., 1172 Ridge Road, Northumberland, PA 17857 on behalf of Henkels & McCoy, Inc., P. O. Box 218, Burlington, NJ 08016 has submitted a Final Report concerning remediation of site soil contaminated with unleaded gasoline. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on December 28, 2007.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

U. S. Bronze Foundry & Machine, Inc.—South Parking Lot Site, Woodcock Township, **Crawford County**. Pneumo Abex, LLC, c/o Briggs & Morgan, P.A., 2200 IDS Center, 80 South 8th Street, Minneapolis, MN 55402 on behalf of U. S. Bronze Foundry & Machine, Inc., 18649 Brake Shoe Road, Meadville, PA 16335 has submitted a Cleanup Plan concerning the remediation of site soils contaminated with lead and chromium. The Cleanup Plan was approved by the Department of Environmental Protection on January 2, 2008.

Former GTE Products Corporation Titusville Facility, Oilcreek Township, **Venango County**. Malcolm Pirnie, 43 British American Boulevard, Latham, NY 12110 on behalf of GTE Operations Support, Inc., One Verizon Way VC34W453, Basking Ridge, NJ 07920-1097 has submitted a Remedial Investigation Report and Final Report concerning the remediation of site soil and site groundwater contaminated with CIS-1,2-dichloroethylene, tetrachloroethylene, trichloroethylene and vinyl chloride. The Remedial Investigation Report and Final Report demonstrated attainment of the Statewide Health Standard and Site-Specific Standard and was approved by the Department of Environmental Protection on December 12, 2007.

OMG Americas, Sugarcreek Borough, **Venango County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205 on behalf of OMG Americas, P. O. Box 111, Franklin, PA 16323 has submitted a Risk Assessment Report concerning the remediation of site soil, site groundwater, site surface water and site sediment contaminated with lead, heavy metals, solvents, BTEX, PHCs and Pahs. The Risk Assessment Report was disapproved by the Department of Environmental Protection on November 21, 2007.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Eastco Enterprises, Inc., Jackson Township, **Lebanon County Permit Number 300742**. This is to inform individuals that the Department of Environmental Protection has reviewed the application for a Permit Reissuance for the Quaker Alloy, Inc. residual waste landfill to determine whether it contains the information, maps, fees and other documents necessary to be considered administratively complete. Be advised that the application has been determined to be administratively complete.

RESIDUAL WASTE GENERAL PERMITS

Permits Issued Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Number WMGR039. G & H Oil Company, 2553 Pennsylvania Avenue West, Warren, PA 16365-3620. General Permit Number WMGR039 authorizes operation of transfer facilities and rail transloading facilities for the processing of waste oil (including waste oil mixed with waste in accordance with 25 Pa. Code § 298.10(b)(2)(ii) or (iii)), waste oil/water mixtures and asphalt condensate from the manufacture of shingles prior to beneficial use. The approved processing is limited to collection, bulking, storage and passive oil/water separation. The permit was renewed by Central Office on December 24, 2007.

Persons interested in reviewing the general permit should contact Ronald C. Hassinger, Chief, General Permits/Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users should contact the Department of Environmental Protection through the Pennsylvania Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit Modification Under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

Permit Application No. 400593. Covanta Delaware Valley, LP, 10 Highland Avenue, Chester, PA 19013, City of Chester, **Delaware County.** This application is for modification to the maximum daily volume and to the days and hours of waste acceptance and queuing area operations at the facility. The application was modified by Southeast Regional Office on January 2, 2007.

AIR QUALITY

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

46-0147B: Chemalloy Co., Inc. (P. O. Box 350, Bryn Mawr, PA 19010) on January 7, 2008, to operate a metal grinding and milling processing plant at an existing facility in Bryn Mawr, **Montgomery County.**

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Neal Elko, New Source Review Chief, (570) 826-2531.

40-305-027A: Mountaintop Anthracite, Inc. (1550 Crestwood Road, Mountaintop, PA 18707) on December 19, 2007, to operate an anthracite coal drying, screening and packaging plant at their facility in Wright Township, **Luzerne County.**

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

01-05016K: ISP Minerals, Inc. (P. O. Box O, Blue Ridge Summit, PA 17214-0914) on January 2, 2007, to replace two screens and supporting conveyors and elevators. Replacement of existing equipment within existing sources will be controlled by the use of an existing fabric filter baghouse in Hamiltonban Township, **Adams County.**

67-05083: Conective Mid-Merit, LLC (P. O. Box 6066 92 DC 72, Newark, DE 19714-6066) on January 3, 2008, for construction of a combined cycle electric generating facility. The proposed facility is to be in Peach Bottom Township, **York County.** This is a modification of the plan approval application.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

08-00002C: E. I. DuPont de Nemours & Co., Inc. (R. D. 1, Box 15, Towanda, PA 18848) on December 4, 2007, to modify a thermal colors filters coater (Coater No. 11) by increasing the allowable VOC emissions from less than 2.7 tpy to a maximum of 24.46 tons in any 12 consecutive month period and the allowable HAP emissions from less than 1 tpy for any individual HAP and less than 2.5 tpy for all HAPs combined to a maximum of 24.4 tons in any 12 consecutive month period as well as for the installation of an air cleaning device (a regenerative thermal oxidizer) on the respective coater in North Towanda Township, **Bradford County.**

07-00005A: Glen-Gery Corp. (P. O. Box 338, Bigler, PA 16825) on December 4, 2007, to construct a secondary clay and shale impact crusher in Bradford Township, **Clearfield County.**

55-399-006A: Apex Homes, Inc. (7172 Route 522, Middleburg, PA 17842) on December 4, 2007, to construct a modular home manufacturing operation in Middlecreek Township, **Snyder County.**

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Braun, Chief, (215) 685-9476.

AMS 07162: Sun Chemical Corporation (3301 Hunting Park Avenue, Philadelphia, PA 19132) on January 3, 2008, to install one new Kady Mill (KM-12) in the City of Philadelphia, **Philadelphia County.** The Kady Mill will have the following potential annual emissions: 4.8 tons of VOCs, 4.6 tons of PM and 0.3 tons of HAPs.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

46-0025J: Lonza, Inc. (900 River Road, Conshohocken, PA 19428) on January 2, 2008, to operate eight new tanks in Upper Merion Township, **Montgomery County.**

46-0147: Chemalloy Co., Inc. (P. O. Box 350, Bryn Mawr, PA 19010) on January 2, 2008, to operate a ball mills and dust collectors in Plymouth Township, **Montgomery County.**

46-0037X: Cabot Supermetals (P. O. Box 1608, County Line Road, Boyertown, PA 19512) on January 7, 2008, to operate a powder packaging unit in Douglass Township, **Montgomery County.**

15-0114: Action Manufacturing Co. (500 Bailey Crossroads Road, Atglen, PA 19310) on January 7, 2008, to operate a thermal treatment unit in West Fallowfield Township, **Chester County**.

46-0037Q: Cabot Supermetals (P. O. Box 1608, County Line Road, Boyertown, PA 19512) on January 7, 2008, to operate a wet dust Collector in Douglass Township, **Montgomery County**.

46-0240: Smithfield Beef Group (249 Allentown Road, Souderton, PA 18964) on January 7, 2008, to operate a 29.9 mmBtu/hr heat input boiler in Franconia Township, **Montgomery County**.

46-0037V: Cabot Supermetals (P. O. Box 1608, County Line Road, Boyertown, PA 19512) on January 7, 2008, to operate a gemco dryer in Building 19 in Douglass Township, **Montgomery County**.

46-0198K: Blommer Chocolate Co. (1101 Blommer Drive, East Greenville, PA 18041-2140) on January 7, 2008, to operate an expansion project in Upper Hanover Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

36-05129A: Haines & Kibblehouse, Inc. (2052 Lucon Road, P. O. Box 196, Skippack, PA 19474) on January 3, 2008, to use alternative fuel sources for their existing Silver Hill Quarry batch asphalt plant in Brecknock Township, **Lancaster County**. This plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

14-399-016A: Spectrum Control, Inc. (1900 West College Avenue, State College, PA 16801) on January 2, 2008, to extend the authorization to operate various ceramic capacitor manufacturing operations on a temporary basis until May 1, 2008, in Ferguson Township, **Centre County**. The plan approval has been extended.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

15-00010: ArcelorMittal Plate, LLC (139 Modena Road, Coatesville, PA 19320) on January 7, 2008, this is a Title V facility in the City of Coatesville, **Chester County**. The Title V Operating Permit has been amended to incorporate conditions from Plan Approval Nos. 15-0010 and 15-0010A, for the modifications of two grit blast machines and two NAB furnaces. Under Plan Approval No. 15-0010, emissions of PM from the Vertical Grit Blast Machine increased from 0.84 tpy to 4.09 tpy. Under the same Plan Approval, emissions of PM from the Horizontal Grit Blast Machine increased from 0.84 tpy to 4.31 tpy. Under Plan Approval No. 15-0010A, the 145' NAB Furnace and the 200' NAB Furnace were made subject to new restrictions such that the combined emissions of NOx have been reduced from approximately 93.2 tons per 12-month rolling period to 64.3 tons per 12-month rolling period. All other emissions from the two NAB Furnaces will be reduced in proportion with the NOx emissions. All revisions to the Title V Operating Permit were made under 25 Pa. Code § 127.450.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Norman Frederick, Facilities Permitting Chief, (570) 826-2531.

40-00008: Offset Paperback Manufacturing, Inc. (P. O. Box N, 101 Memorial Highway, Dallas, PA 18612) on December 31, 2007, to operate a facility Title V Operating Permit in Dallas, **Luzerne County**.

40-00010: CertianTeed Corp. (1220 Oak Hill Road, Mountaintop, PA 18707) on December 31, 2007, to operate a facility Title V Operating Permit in Wright Township, **Luzerne County**.

40-00046: Wilkes-Barre General Hospital (575 North River Street, Wilkes-Barre, PA 18764-0001) on December 17, 2007, to operate a facility Title V Operating Permit in City of Wilkes-Barre, **Luzerne County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

28-05003: Columbia Gas Transmission Corp. (950 Manifold Road, Washington, PA 15301-9610) on December 31, 2007, for natural gas transmission and storage facilities in Montgomery Township, **Franklin County**. This is a renewal of the Title V operating permit.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

63-00070: Dyno Nobel, Inc. (Dyno Nobel, Inc. 1320 Galiffa Drive, Donora, PA 15033) on January 1, 2008, for an operating permit renewal that includes a Best Available Retrofit Technology. The facility's major sources of emissions include a nitric acid plant, which emits major quantities of NOx. The permit includes all applicable emission restrictions, testing, monitoring, recordkeeping and reporting requirements. No emission changes are being approved in this action determination for their Donora Plant, in Donora Borough, **Washington County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

09-00059: Saint Mary Medical Center (1201 Langhorne Newtown Road, Langhorne, PA 19047) on January 7, 2008, for a renewal Non-Title V Facility, State-only, Synthetic Minor Permit in Middletown Township, **Bucks County**. Saint Mary Medical Center is a general medical and surgical hospital. The facility has taken site level restrictions for natural gas and No. 2 fuel oil usage. The fuel restrictions will ensure that Saint Mary Medical Center remains under the emission thresholds. Monitoring, recordkeeping and reporting requirements have been added to the permit to address applicable limitations.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Neal Elko, New Source Review Chief, (570) 826-2531.

48-00081: NAPA Development Corp., Inc. (P. O. Box 639, Wind Gap, PA 18091) on December 31, 2007, to issue a State-only (Natural Minor) Operating Permit for operation of a stone crushing operation and associated air cleaning devices in Plainfield Township, **Northampton County**.

40-00047: Geisinger Health Group Dallas (1000 East Mountain Drive, Wilkes-Barre, PA 18711-0027) on November 30, 2007, to operate a Facility State-only Natural Minor Operating Permit for quarry operation of boilers in Plains Township, **Luzerne County**.

40-00067: Wyoming Valley Sanitary Authority (P. O. Box 33A, Wilkes-Barre, PA 18703-1333) on November 30, 2007, to operate a Facility State-only Synthetic Minor Operating Permit for operation of an incinerator and scrubber in Hanover Township, **Luzerne County**.

40-00049: Pennsy Supply, Inc. (1001 Paxton Street, Harrisburg, PA 17104) on December 31, 2007, to operate a Facility State-only Natural Minor Operating Permit for quarry operation in Dorrance Township, **Luzerne County**.

13-00010: Ametek Corp.—OFC (42 Mountain Avenue, Green Acres Industrial Park, Nesquehoning, PA 18240) on December 31, 2007, to operate a Facility State-only Natural Minor Operating Permit for a Plastic Material and Resins operation in Nesquehoning Borough, **Carbon County**.

48-00002: Stroehmann Bakeries (2400 Northampton Street, Easton, PA 18042) on December 31, 2007, to operate a Facility State-only Synthetic Minor Operating Permit for a Bread and Roll product operation in Palmer Township, **Northampton County**.

54-00001: Gold Mills, LLC (P. O. Box 26969, Greensboro, NC 27419-6969) on December 31, 2007, to operate a Facility State-only Synthetic Minor Operating Permit for operation of a Textile and fabric finishing mill in Pine Grove Borough, **Schuylkill County**.

54-00044: Middleport Materials, Inc. (P. O. Box 189, Telford, PA 18969) on December 31, 2007, to operate a Facility State-only Natural Minor Operating Permit for operation of a portable cone crusher in Walker Township, **Schuylkill County**.

39-00064: Cera-Met, LLC (2175 Avenue C, Bethlehem, PA 18017-2119) on December 31, 2007, to operate a Facility State-only Synthetic Minor Operating Permit for operation of a Aluminum Foundry in the City of Bethlehem, **Lehigh County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

05-03006: Kennametal, Inc. (442 Chalybeate Road, Bedford, PA 15522-8637) on December 27, 2007, to operate a foundry operation in Colerain Township, **Bedford County**.

05-03010: New Enterprise Stone & Lime Co., Inc. (P. O. Box 77, New Enterprise, PA 16664-0077) on January 7, 2008, to operate a limestone crushing plant, limestone wash plant, truck load out, two portable limestone crushing plants and a concrete plant in Snake Spring Township, **Bedford County**.

67-03116: Surtech Industries, Inc. (915 Borom Road, York, PA 17404-1382) on December 27, 2007, to operate an industrial manufacturing facility in the City of York, **York County**. This is a renewal of the State-only operating permit.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

14-00017: Supelco, Inc. (595 North Harrison Road, Bellefonte, PA 16823) on December 4, 2007, to operate a

chromatographic equipment manufacturing facility in Spring Township, **Centre County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

20-00281: Channellock, Inc. (1306 South Main Street, Meadville, PA 16335-3035) on January 3, 2008, to re-issue the Natural Minor Permit to operate a metal hand tool manufacturing facility in City of Meadville, **Crawford County**. The facility's major emission sources include miscellaneous natural gas combustion, waste incinerator, metal polishing and miscellaneous natural gas process use.

25-00360: The Electric Materials Co. (50 South Washington Street, North East, PA 16428) on December 26, 2007, to re-issue the State-only Operating Permit for operation of the facility's air contamination sources consisting of natural gas process units, annealing furnace, four cold batch degreasing units, open-top vapor degreaser, four brazing units, three paint booths, four induction furnaces, three core sand molding presses and a burn-off oven for the secondary metal production in the Borough of North East, **Erie County**.

25-00886: Vincent Cross Paving, Inc. (11620 Lake Pleasant Road, Union City, PA 16438), on December 20, 2007, to re-issue the Synthetic Minor Operating Permit for this asphalt paving material manufacturing plant in Venango Township, **Erie County**. The facility's primary sources of emissions are a hot mix asphalt batch plant and the associated equipment.

43-00294: International Timber & Veneer, LLC (75 McQuiston Drive, Jackson Center, PA 16133) on January 2, 2008, re-issue the State-only Operating Permit for operation of the facility's air contamination sources consisting of a 23.9 mmBtu/hr wood-fired boiler, 8.4 mmBtu/hr natural gas boiler, three space heater, four veneer dryers and sawing, grinding and chipping sources for the processing of hardwood logs into veneer in Jackson Township, **Mercer County**.

43-00309: Bucks Fabricating, Inc. (3547 Perry Highway, Hadley, PA 16130-7237) on January 2, 2008, to the issue a Natural Minor Operating Permit to operate a facility that fabricates Steel roll off dumpsters in Sandy Creek Township, **Mercer County**. The facility's primary emission sources include surface coating, assembly cleaning, a steam cleaning machine, an emergency generator and propane heaters.

62-00149: Interlectric Corp., Inc. (1401 Lexington Avenue, Warren, PA 16365) on January 3, 2008, to reissue a Synthetic Minor Permit to operate an electric lamp bulb and tube manufacturing company in the City of Warren, **Warren County**. The significant sources included, 1) Miscellaneous natural gas fired sources, 2) Flow application coating process, 3) Coating mixing room. The facility has taken a limitation on the facilities potential to emit VOCs not more than 49.9 tpy to qualify as synthetic minor status.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Ronald Davis, New Source Review Chief, (717) 705-4702.

36-05097: Pennsy Supply, Inc. (P. O. Box 4688, Lancaster, PA 17604-4688) on January 3, 2008, for operation of an asphalt plant in Fulton Township, **Lancaster County**. This operating permit was administratively amended due to a change of ownership. This is Revision No. 1.

36-05126: Pennsy Supply, Inc. (P. O. Box 4688, Lancaster, PA 17604-4688) on January 3, 2008, for a batch asphalt plant controlled by a fabric filter at Donegal Quarry, Heisey Quarry Road in West Donegal Township, **Lancaster County**. This operating permit was administratively amended due to a change of ownership. This is Revision No. 1.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

10-00344: Fannie's Friends (352 Railroad Street, Evans City, PA 16033) on January 2, 2008, a Natural Minor Operating Permit was administratively amended to incorporate a change of Responsible Official, located in Evans City, **Butler County**.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

Permit Number 56743705 and NPDES No. PA0235695. Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201), to revise the permit for the Mine 78 CRDA in Paint Township, **Somerset County** to conduct refuse operations, add acreage and two NPDES points and change operation name from Windber Mine No. 78 CRDA. Coal Refuse Disposal Support Acres Proposed: 29. Receiving stream: UNT to Paint Creek, classified for the following use: CWF. Application received August 10, 2006. Permit issued December 20, 2007.

Permit Number 56971301 and NPDES Permit No. PA0214973. RoxCOAL, Inc., (P. O. Box 149, Friedens, PA 15541), to renew the permit for the Geronimo Mine in Jenner and Quemahoning Townships, **Somerset County** and related NPDES permit. No additional discharges. Application received December 21, 2006. Permit issued December 21, 2007

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

26020103 and NPDES Permit No. PA0250163. Stash Mining Company (P. O. Box 20, Waltersburg, PA 15488). Permit renewal issued for reclamation only of an existing bituminous surface mining site located in Menallen Township, **Fayette County**, affecting 27.7 acres. Receiving stream: Redstone Creek. Application received September 28, 2007. Renewal issued January 3, 2008.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

17970110 and NPDES No. PA0220655. AMFIRE Mining Co., LLC (One Energy Place, Latrobe, PA 15650), permit renewal for the continued operation and restoration of a bituminous surface mine in Penn Township, **Clearfield County**, affecting 256.0 acres. Receiving streams: UNT to Bell Run to Bell Run to West Branch Susquehanna River, classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received November 6, 2007. Permit issued December 13, 2007.

17910124 and NPDES No. PA0206725. TDK Coal Sales, Inc. (P. O. Box 259, Brockway, PA 15824), permit renewal for the continued operation and restoration of a bituminous surface mine in Brady Township, **Clearfield County**, affecting 393.0 acres. Receiving streams: UNT to Laurel Branch Run to Laurel Branch Run, UNT to Beech Run and Beech Run, Beech Run and Laurel Branch Run to East Branch Mahoning Creek, East Branch Mahoning Creek to Mahoning Creek, classified for the following use: HW-CWF. The first downstream potable water supply intake from the point of discharge is: Pennsylvania American Water Company intake on East Branch of Mahoning Creek in Big Run, PA. Application received June 6, 2007.

17010115 and NPDES No. PA0243183. King Coal Sales, Inc. (P. O. Box 712, Philipsburg, PA 16866), permit renewal for the continued operation and restoration of a bituminous surface mine in Morris and Boggs Townships, **Clearfield County**, affecting 190.1 acres. Receiving streams: Emigh Run to Moshannon Creek to West Branch Susquehanna, classified for the following uses: CWF, WWF. There are no potable water supply intakes within 10 miles downstream. Application received September 27, 2007.

17000105 and NPDES No. PA0242926. Hilltop Coal Company, Inc. (R. R. 1, Box 347, Houtzdale, PA 16651), permit renewal for reclamation only of a bituminous surface mine in Gulich Township, **Clearfield County**, affecting 48 acres. Receiving streams: East Branch Little Muddy Run to Little Muddy Run to Muddy Run to Clearfield Creek to the West Branch of the Susquehanna River. There are no potable water supply intakes within 10 miles downstream. Application received December 10, 2007. Permit issued December 11, 2007.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

54860207R4. South Tamaqua Coal Pockets, Inc., (804 West Penn Pike, Tamaqua, PA 18252), renewal of an existing anthracite coal refuse reprocessing and disposal operation in West Penn Township, **Schuylkill County** affecting 65.0 acres, receiving stream: none. Application received April 10, 2007. Renewal issued December 31, 2007.

40663031C6. Jeddo-Highland Coal Company, (46 Public Square, Suite 600, Wilkes-Barre, PA 18701), correction to an existing anthracite surface mine operation to include coal refuse reprocessing in Foster Township,

Luzerne County affecting 536.0 acres, receiving stream: none. Application received July 6, 2007. Correction issued January 7, 2008.

19860101R4. Jac-Mar Coal Co. t/a L & E Coal, (P. O. Box 353, Cresco, PA 18326), renewal of an existing anthracite surface mine operation in Conyngham Township, **Columbia County** affecting 190.0 acres, receiving stream: none. Application received April 3, 2006. Renewal issued January 7, 2008.

Noncoal Permits Actions

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

64070817. Tompkins Bluestone Co., Inc., (P. O. Box 776, Hancock, New York 13783), commencement, operation and restoration of a quarry operation in Buckingham Township, **Wayne County** affecting 4.0 acres, receiving stream: none. Application received August 16, 2007. Permit issued December 31, 2007.

58070855. Robert J. Hilling, (R. R. 1, Box 163, Susquehanna, PA 18847), commencement, operation and restoration of a quarry operation in Oakland Township, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received October 1, 2007. Permit issued December 31, 2007.

58070853. Adam Gregerson, (R. R. 1, Box 1431, Laceyville, PA 18623), commencement, operation and restoration of a quarry operation in Auburn Township, **Susquehanna County** affecting 1.0 acre, receiving stream: none. Application received September 11, 2007. Permit issued December 31, 2007.

58070859. William M. Ruark, (P. O. Box 127, Meshoppen, PA 18630), commencement, operation and restoration of a quarry operation in Dimock Township, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received October 17, 2007. Permit issued January 2, 2008.

58070860. William M. Ruark, (P. O. Box 127, Meshoppen, PA 18630), commencement, operation and restoration of a quarry operation in Dimock Township, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received October 17, 2007. Permit issued January 2, 2008.

58070861. William M. Ruark, (P. O. Box 127, Meshoppen, PA 18630), commencement, operation and restoration of a quarry operation in Dimock Township, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received October 17, 2007. Permit issued January 2, 2008.

66070806. William M. Ruark, (P. O. Box 127, Meshoppen, PA 18630), commencement, operation and restoration of a quarry operation in Meshoppen Township, **Wyoming County** affecting 5.0 acres, receiving stream: none. Application received October 17, 2007. Permit issued January 2, 2008.

5278SM2C7 and NPDES Permit No. PA0595764. Hanson Aggregates Pennsylvania, Inc., (P. O. Box 231, Easton, PA 18044), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Lake Township, **Wayne County**, receiving stream: UNT to Middle Creek. Application received November 15, 2007. Renewal issued January 2, 2008.

40980301C3 and NPDES Permit No. PA0223867. Brdaric Excavating, Inc., (913 Miller Street, Luzerne, PA 18709), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in

Kingston Township, **Luzerne County**, receiving stream: UNT to Susquehanna River. Application received November 19, 2007. Renewal issued January 4, 2008.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (43 P.S. §§ 151–161); and 25 Pa. Code § 211.124 (relating to blasting activity permits). Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

21074175. M & J Explosives, Inc., P. O. Box 608, Carlisle, PA 17013-0608, blasting activity permit issued for residential development in Hampden Township, **Cumberland County**. Blasting activity permit end date is December 31, 2008. Permit issued December 24, 2007.

21074176. M & J Explosives, Inc., P. O. Box 608, Carlisle, PA 17013-0608, blasting activity permit issued for water service extension development in Middlesex Township, **Cumberland County**. Blasting activity permit end date is December 31, 2008. Permit issued December 24, 2007.

01074122. Dyno Nobel, Inc., 1320 Galiffa Drive, Donora, PA 15033, blasting activity permit issued for sewage treatment plant development in Bonneauville Borough, **Adams County**. Blasting activity permit end date is December 30, 2008. Permit issued December 27, 2007.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

52074133. Holbert Explosives, Inc., (237 Mast Hope Plank Road, Lackawaxen, PA 18435), construction blasting for Twin Lake Road in Shohola Township, **Pike County** with an expiration date of June 30, 2008. Permit issued December 31, 2007.

09074130. Warren's Excavating & Drilling, Inc., (P. O. Box 1022, Honey Brook, PA 19344), construction blasting for Woodspring Meadows in West Rockhill Township, **Bucks County** with an expiration date of December 15, 2008. Permit issued January 2, 2008.

360741133. Keystone Blasting Service, (381 Reifsnnyder Road, Lititz, PA 17543), construction blasting for Hartman Station in East Lampeter and Upper Leacock Township, **Lancaster County** with an expiration date of December 30, 2008. Permit issued January 2, 2008.

360741134. Keystone Blasting Service, (381 Reifsnnyder Road, Lititz, PA 17543), construction blasting for West Ridge Development in Ephrata Township, **Lancaster County** with an expiration date of December 30, 2008. Permit issued January 2, 2008.

360741135. Keystone Blasting Service, (381 Reifsnnyder Road, Lititz, PA 17543), construction blasting for Anglesea Development in West Earl Township, **Lancaster County** with an expiration date of December 30, 2008. Permit issued January 2, 2008.

38074130. Keystone Blasting Service, (381 Reifsnnyder Road, Lititz, PA 17543), construction blasting for Beckley's Corner Estates in South Lebanon Township,

Lebanon County with an expiration date of December 30, 2008. Permit issued January 2, 2008.

38074131. Keystone Blasting Service, (381 Reif-snyder Road, Lititz, PA 17543), construction blasting for Falcon Crest Development in South Lebanon Township, **Lebanon County** with an expiration date of December 30, 2008. Permit issued January 2, 2008.

38074132. Keystone Blasting Service, (381 Reif-snyder Road, Lititz, PA 17543), construction blasting for Iron Valley Development/Cornwall Estates in Cornwall Borough, **Lebanon County** with an expiration date of December 30, 2008. Permit issued January 2, 2008.

38074133. Keystone Blasting Service, (381 Reif-snyder Road, Lititz, PA 17543), construction blasting for Stone Hill Trailer Park in North Annville Township, **Lebanon County** with an expiration date of December 30, 2008. Permit issued January 2, 2008.

46074129. Austin Powder Company, (25800 Science Park Drive, Cleveland, OH 44122), construction blasting for Coddington View in Upper Pottsgrove Township, **Montgomery County** with an expiration date of June 30, 2008. Permit issued January 2, 2008.

46074130. Rock Work, Inc., (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Parklands in Upper Hanover Township, **Montgomery County** with an expiration date of January 1, 2009. Permit issued January 2, 2008.

46074006. Joao & Bradley Construction, (P. O. Box 20345, Lehigh Valley, PA 18002) and AJT Blasting, LLC, (P. O. Box 20412, Bethlehem, PA 18002), construction blasting for the Horsham Township Water and Sewer Extension in Horsham Township, **Montgomery County** with an expiration date of September 30, 2008. Permit issued January 2, 2008.

51074004. Explo-Craft, Inc., (P. O. Box 1332, West Chester, PA 19380), construction blasting at the Channel 6 Site in the City of Philadelphia, **Philadelphia County** with an expiration date of December 31, 2008. Permit issued January 2, 2008.

09074131. Eastern Blasting Co., Inc., (1292 Street Road, New Hope, PA 18938), construction blasting for single dwelling in Buckingham Township, **Bucks County** with an expiration date of August 10, 2008. Permit issued January 3, 2008.

360741132. Keystone Blasting Service, (381 Reif-snyder Road, Lititz, PA 17543), construction blasting for Hempfield Crossings in East Hempfield Township, **Lancaster County** with an expiration date of December 30, 2008. Permit issued January 3, 2008.

36084101. Keystone Blasting Service, (381 Reif-snyder Road, Lititz, PA 17543), construction blasting for a single dwelling in West Hempfield Township, **Lancaster County** with an expiration date of April 30, 2008. Permit issued January 3, 2008.

48074120. Austin Powder Company, (25800 Science Park Drive, Cleveland, OH 44122), construction blasting for Hanover Corporate Center in Lower Nazareth and Hanover Townships, **Northampton County** with an expiration date of December 31, 2008. Permit issued January 3, 2008.

48084101. Schlouch, Inc., (P. O. Box 69, Blandon, PA 19510), construction blasting for Airport Commons in Hanover Township, **Northampton County** with an expiration date of January 2, 2009. Permit issued January 3, 2008.

48084102. Rock Work, Inc., (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Penn's Ridge in Forks Township, **Northampton County** with an expiration date of January 1, 2009. Permit issued January 3, 2008.

ABANDONED MINE RECLAMATION

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

| | |
|------------------|--|
| Bond Forfeiture | PBF 57830101.3 |
| Contract Awarded | |
| Location | Cherry Township Sullivan County |
| Description | Act 181, Bond Forfeiture Reclamation, Bernice Mining and Contracting, Inc., Surface Mining Permit No. 57830101 |
| Contractor | Endless Mountain Business Holdings, Inc. d/b/a Adams Enterprises 235 Bardwell Road Factoryville, PA 18419 |
| Amount | \$364,000.00 |
| Date of Award | December 27, 2007 |

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free

pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Regional Office, Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E45-484. Hirshland & Company, 1055 West Lakes Drive, Suite 300, Berwyn, PA 19312. Mt. Pocono Borough, **Monroe County**, United States Army Corps of Engineers Philadelphia District.

To place fill in approximately 0.07 acre of PEM wetlands for the purpose of constructing an entrance road for a proposed commercial development. The permittee is required to provide for 0.07 acre of replacement wetlands by participating in the Pennsylvania Wetland Replacement Project. The project is located on the south side of SR 0940, approximately 0.8 mile east of SR 0314 (Pocono Pines, PA Quadrangle N: 21.8 inches; W: 0.3 inches). (Subbasin: 1E)

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E17-438. Victory Energy Corporation, 220 Airport Road, Indiana, PA 15701. Natural Gas Collection Pipeline Installation in Bell Township, **Clearfield County**, ACOE Baltimore District (Westover, PA Quadrangle; Latitude: 40° 51' 17"; Longitude 78° 41' 41").

The applicant proposed to operate and maintain a two-inch natural gas pipeline that extends approximately 2,000-feet to connect Thompson Wells No. 109 and No. 114. The site is located immediately to the east of SR 36 and the Crest Creek floodplain, approximately 2 miles south of the Borough of Mahaffey. This application was an after-the-fact submission to apply for authorization for the existing natural gas line. Original construction temporarily impacted 0.05 acre in two PEM/PSS wetlands. Onsite wetland restoration of 0.05 acre occurred to mitigate for the unauthorized wetland impact.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-584-A3 Hanson Aggregates PMA, Inc., 2200 Springfield Pike, Connellsville, PA 15425, in Washington and Pine Townships, **Armstrong County**, Pittsburgh ACOE District (Templeton, PA Quadrangle N: 7.5 inches; W: 12.4 inches). To amend Permit E02-584, which authorizes commercial sand and gravel dredging in select areas of the Allegheny River (WWF) and Ohio River (WWF), subject to review of fish surveys, mussel surveys and prescribed setbacks in Allegheny, Armstrong, Beaver and Westmoreland Counties, to include Allegheny River Mile Points 54.7 to 55.0 right and left descending bank in Washington and Pine Townships, Armstrong County.

Permit No. E02-584

Attachment No. 1 Approved Dredging Areas by River Mile

| County | River | Pool | River Miles | Municipalities | Comments/ Restrictions | Mussel Survey Expiration Date |
|-----------|-----------|------|----------------|---|---------------------------|----------------------------------|
| Allegheny | Allegheny | 4 | 26.4 to 26.7 L | Allegheny Township (Westmoreland County) | | 01/18/11 |
| | | | 26.8 to 27.2 R | Harrison Township | | 01/18/11 |

NOTES: "R" refers to Right Descending Bank and "L" refers to Left Descending Bank.

Permit No. E02-584

Attachment No. 2 Approved Dredging Areas by River Mile

| County | River | Pool | River Miles | Municipalities | Comments/ Restrictions | Mussel Survey Expiration Date |
|--------|-------|------------|----------------|--------------------------------------|--|----------------------------------|
| Beaver | Ohio | Montgomery | 19.2 to 20.2 R | Baden Borough | | 04/12/11 |
| | | | 20.6 to 21.6 R | Conway Borough Economy Borough | | 03/21/10 |
| | | | 21.0 to 21.1 L | Hopewell Township | Minimum 250 ft. Setback from NP shoreline. | 05/16/09 |
| | | | 21.1 to 21.3 L | Hopewell Township | | 05/16/09 |
| | | | 21.3 to 21.4 L | Hopewell Township Center Township | Minimum 250 ft. setback from NP shoreline. | 05/16/09 |
| | | | 21.4 to 21.6 L | Center Township | Minimum 200 ft. setback from NP shoreline. | 05/16/09 |
| | | | 21.6 to 21.7 L | Center Township | | 05/16/09 |

| <i>County</i> | <i>River</i> | <i>Pool</i> | <i>River Miles</i> | <i>Municipalities</i> | <i>Comments/ Restrictions</i> | <i>Mussel Survey Expiration Date</i> |
|---------------|--------------|-------------------|-------------------------|--|-----------------------------------|--|
| | | | 26.2 to 27.2 L and R | Beaver Borough, Center Township, Potter Township, Vanport Borough | | 04/12/11 |
| | | | 31.0 to 31.4 R | Industry Borough | | 07/26/10 |
| | Ohio | New Cumberland | 35.5 to 36.0 L and R | Greene Township Midland Borough Shippingport Borough | | 03/21/10 |
| | | | 36.6 to 36.8 R | Midland Borough | | 05/22/08 |

NOTES: "R" refers to Right Descending Bank and "L" refers to Left Descending Bank.
"NP"—refers to normal pool

Permit No. E02-584

Attachment No. 3 Approved Dredging Areas by River Mile

| <i>County</i> | <i>River</i> | <i>Pool</i> | <i>River Miles</i> | <i>Municipalities</i> | <i>Comments/ Restrictions</i> | <i>Mussel Survey Expiration Date</i> |
|---------------|--------------|-------------|-----------------------|--|-----------------------------------|--|
| Armstrong | Allegheny | 8 | 52.8 to 53.3 L | Boggs Township, Washington Township | | 09/17/08 |
| | | | 54.7 to 55.0 L & R | Pine Township, Washington Township | | 05/31/12 |
| | | | 55.0 to 55.2 L & R | Pine Township, Washington Township | | 10/08/11 |

NOTES: "R" refers to Right Descending Bank and "L" refers to Left Descending Bank.

E02-919-A3 Tri-State River Products, Inc., Box 218, 334 Insurance Street, Beaver, PA 15009, in Washington and Pine Townships, **Armstrong County**, Pittsburgh ACOE District (Templeton, PA Quadrangle N: 7.5 inches; W: 12.4 inches). To amend Permit E02-919, which authorizes commercial sand and gravel dredging in select areas of the Allegheny River (WWF) and Ohio River (WWF), subject to review of fish surveys, mussel surveys and prescribed setbacks in Allegheny, Armstrong, Beaver and Westmoreland Counties, to include Allegheny River Mile Points 54.7 to 55.0 right and left descending bank in Washington and Pine Townships, Armstrong County.

Permit No. E02-919

Attachment No. 1 Approved Dredging Areas by River Mile

| <i>County</i> | <i>River</i> | <i>Pool</i> | <i>River Miles</i> | <i>Municipalities</i> | <i>Comments/ Restrictions</i> | <i>Mussel Survey Expiration Date</i> |
|---------------|--------------|-------------|--------------------|---|-----------------------------------|--|
| Allegheny | Allegheny | 4 | 26.4 to 26.7 L | Allegheny Township (Westmoreland County) | | 01/18/11 |
| | | | 26.8 to 27.2 R | Harrison Township | | 01/18/11 |

NOTES: "R" refers to Right Descending Bank and "L" refers to Left Descending Bank.

Permit No. E02-919

Attachment No. 2 Approved Dredging Areas by River Mile

| <i>County</i> | <i>River</i> | <i>Pool</i> | <i>River Miles</i> | <i>Municipalities</i> | <i>Comments/ Restrictions</i> | <i>Mussel Survey Expiration Date</i> |
|---------------|--------------|-------------|--------------------|--------------------------------------|--|--|
| Beaver | Ohio | Montgomery | 19.2 to 20.2 R | Baden Borough | | 04/12/11 |
| | | | 20.6 to 21.6 R | Conway Borough Economy Borough | | 03/21/10 |
| | | | 21.0 to 21.1 L | Hopewell Township | Minimum 250 ft. Setback from NP shoreline. | 05/16/09 |
| | | | 21.1 to 21.3 L | Hopewell Township | | 05/16/09 |
| | | | 21.3 to 21.4 L | Hopewell Township Center Township | Minimum 250 ft. setback from NP shoreline. | 05/16/09 |
| | | | 21.4 to 21.6 L | Center Township | Minimum 200 ft. setback from NP shoreline. | 05/16/09 |

NOTICES

| <i>County</i> | <i>River</i> | <i>Pool</i> | <i>River Miles</i> | <i>Municipalities</i> | <i>Comments/ Restrictions</i> | <i>Mussel Survey Expiration Date</i> |
|---------------|-------------------|-------------|-------------------------|--|-----------------------------------|--|
| | | | 21.6 to 21.7 L | Center Township | | 05/16/09 |
| | | | 26.2 to 27.2 L and R | Beaver Borough, Center Township, Potter Township, Vanport Borough | | 04/12/11 |
| | | | 31.0 to 31.4 R | Industry Borough | | 07/26/10 |
| Ohio | New Cumberland | | 35.5 to 36.0 L and R | Greene Township Midland Borough Shippingport Borough | | 03/21/10 |
| | | | 36.6 to 36.8 R | Midland Borough | | 05/22/08 |

NOTES: "R" refers to Right Descending Bank and "L" refers to Left Descending Bank.
"NP"—refers to normal pool

Permit No. E02-919

Attachment No. 3 Approved Dredging Areas by River Mile

| <i>County</i> | <i>River</i> | <i>Pool</i> | <i>River Miles</i> | <i>Municipalities</i> | <i>Comments/ Restrictions</i> | <i>Mussel Survey Expiration Date</i> |
|---------------|--------------|-------------|-------------------------|--|-----------------------------------|--|
| Armstrong | Allegheny | 8 | 52.8 to 53.3L | Boggs Township, Washington Township | | 09/17/08 |
| | | | 54.7 to 55.0 L and R | Pine Township, Washington Township | | 05/31/12 |
| | | | 55.0 to 55.2 L and R | Pine Township, Washington Township | | 10/08/11 |

NOTES: "R" refers to Right Descending Bank and "L" refers to Left Descending Bank.

E02-1326-A3 Glacial Sand and Gravel Company, P. O. Box 1022, Kittanning, PA 16201, in Washington and Pine Townships, **Armstrong County**, Pittsburgh ACOE District (Templeton, PA Quadrangle N: 7.5 inches; W: 12.4 inches). To amend Permit E02-1326, which authorizes commercial sand and gravel dredging in select areas of the Allegheny River (WWF) and Ohio River (WWF), subject to review of fish surveys, mussel surveys and prescribed setbacks in Allegheny, Armstrong, Beaver and Westmoreland Counties, to include Allegheny River Mile Points 54.7 to 55.0 right and left descending bank in Washington and Pine Townships, Armstrong County.

Permit No. E02-1326

Attachment No. 1 Approved Dredging Areas by River Mile

| <i>County</i> | <i>River</i> | <i>Pool</i> | <i>River Miles</i> | <i>Municipalities</i> | <i>Comments/ Restrictions</i> | <i>Mussel Survey Expiration Date</i> |
|---------------|--------------|-------------|--------------------|---|-----------------------------------|--|
| Allegheny | Allegheny | 4 | 26.4 to 26.7 L | Allegheny Township (Westmoreland County) | | 01/18/11 |
| | | | 26.8 to 27.2 R | Harrison Township | | 01/18/11 |

NOTES: "R" refers to Right Descending Bank and "L" refers to Left Descending Bank.

Permit No. E02-1326

Attachment No. 2 Approved Dredging Areas by River Mile

| <i>County</i> | <i>River</i> | <i>Pool</i> | <i>River Miles</i> | <i>Municipalities</i> | <i>Comments/ Restrictions</i> | <i>Mussel Survey Expiration Date</i> |
|---------------|--------------|-------------|--------------------|--------------------------------------|--|--|
| Beaver | Ohio | Montgomery | 19.2 to 20.2 R | Baden Borough | | 04/12/11 |
| | | | 20.6 to 21.6 R | Conway Borough Economy Borough | | 03/21/10 |
| | | | 21.0 to 21.1 L | Hopewell Township | Minimum 250 ft. Setback from NP shoreline. | 05/16/09 |
| | | | 21.1 to 21.3 L | Hopewell Township | | 05/16/09 |
| | | | 21.3 to 21.4 L | Hopewell Township Center Township | Minimum 250 ft. setback from NP shoreline. | 05/16/09 |

| County | River | Pool | River Miles | Municipalities | Comments/ Restrictions | Mussel Survey Expiration Date |
|--------|-------|-------------------|-------------------------|--|--|----------------------------------|
| | | | 21.4 to 21.6 L | Center Township | Minimum 200 ft. setback from NP shoreline. | 05/16/09 |
| | | | 21.6 to 21.7 L | Center Township | | 05/16/09 |
| | | | 26.2 to 27.2 L and R | Beaver Borough, Center Township, Potter Township, Vanport Borough | | 04/12/11 |
| | | | 31.0 to 31.4 R | Industry Borough | | 07/26/10 |
| | Ohio | New Cumberland | 35.5 to 36.0 L and R | Greene Township Midland Borough Shippingport Borough | | 03/21/10 |
| | | | 36.6 to 36.8 R | Midland Borough | | 05/22/08 |

NOTES: "R" refers to Right Descending Bank and "L" refers to Left Descending Bank.
"NP"—refers to normal pool

Permit No. E02-1326

Attachment No. 3 Approved Dredging Areas by River Mile

| County | River | Pool | River Miles | Municipalities | Comments/ Restrictions | Mussel Survey Expiration Date |
|-----------|-----------|------|-----------------------|--|---------------------------|----------------------------------|
| Armstrong | Allegheny | 8 | 52.8 to 53.3 L | Boggs Township, Washington Township | | 09/17/08 |
| | | | 54.7 to 55.0 L & R | Pine Township, Washington Township | | 05/31/12 |
| | | | 55.0 to 55.2 L & R | Pine Township, Washington Township | | 10/08/11 |

NOTES: "R" refers to Right Descending Bank and "L" refers to Left Descending Bank.

E11-321. Johnstown Redevelopment Authority, Public Safety Building, Fourth Floor, 401 Washington Street, Johnstown, PA 15901. To operate an aerial sanitary sewer line in the City of Johnstown, **Cambria County**, Pittsburgh ACOE District. (Pittsburgh, PA Quadrangle N: 10.04 inches; W: 5.89 inches and Latitude: 40° 18' 19"; Longitude: 78° 55' 02"). To operate and maintain an aerial sanitary sewer line crossing over Cheney Run (WWF), with an 18-inch diameter C.I.P. or PVC pipe, for the purpose of conveying excess flows and to supplement an existing 8-inch diameter sanitary sewer line. The project is located adjacent to the brick arch bridge that carries Osborne Street over this watercourse.

E11-329. Lamont Crocco, 1167 Franklin Street, Johnstown, PA 15905-4309. To construct a concrete channel in the City of Johnstown, **Cambria County**, Pittsburgh ACOE District. (Johnstown, PA Quadrangle N: 9.67 inches; W: 6.54 inches and Latitude: 40° 18' 11.61"; Longitude: 78° 55' 18.91"). To construct and maintain a 39' by 84' restaurant and bar spanning an existing concrete channel over Cheney Run (WWF). The total channel impact is approximately 39 feet.

ENVIRONMENTAL ASSESSMENTS

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

EA17-005. The Clearfield Foundation, P. O. Box 250, Clearfield, PA 16830. Wetland restoration project at the former SB Elliott State Tree Nursery in Pine Township, **Clearfield County**, ACOE Baltimore District (Elliott Park Quadrangle; Latitude N: 41° 7' 24"; Longitude W: 78° 31' 45").

To restore 4.8 acres of wetlands at the former SB Elliott State Tree Nursery near SB Elliott State Park, within the Stony Run Watershed (HW-CWF). The wetland restoration also includes 0.5 acre of wetland enhancement and 3.8 acres of terrestrial/wetland fringe enhancement through vegetative plantings. Wetland restoration will result in 0.1 acre of permanent PEM wetland impact due to the placement of water level control structures and 0.2 acre of temporary PEM wetland impact due to placement of access roads.

SPECIAL NOTICES

Certification to Perform Radon-Related Activities in Pennsylvania

In the month of December 2007, the Department of Environmental Protection, under the Radon Certification Act (63 P. S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the following persons to perform radon-related activities this Commonwealth. The period of certification is 2 years. For a complete list of persons currently certified to perform radon-related activities in this Commonwealth and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P. O. Box 8469, Harrisburg, PA 17105-8469, (800) 23RADON.

| <i>Name</i> | <i>Address</i> | <i>Type of Certification</i> |
|--|--|------------------------------|
| A'n S Company | P. O. Box 1145 121 East Simpson Street Mechanicsburg, PA 17055 | Testing |
| Francesco Amati | 7 Rabe Lane Donora, PA 15033 | Testing |
| Stephen Beloyan | P. O. Box 201 308 Hill Avenue Langhorne, PA 19047 | Testing |
| Donald Bole | 227 Ramparts Boulevard New Kensington, PA 15068 | Testing |
| Francis Butler, Jr. | 20 Thornridge Road Springfield, PA 19064 | Testing |
| George Conklin, III Appalachian Environmental Group | 237 Susquehanna Avenue Lock Haven, PA 17745 | Testing and Mitigation |
| Michael Conroy | 74 Derbyshire Drive Carlisle, PA 17015 | Testing |
| Robert Haushalter, Jr. | 4786 Cypress Street Pittsburgh, PA 15224 | Testing |
| Robert Hewlett | P. O. Box 1942 Cranberry Township, PA 16066 | Mitigation |
| Mark Johnson | 112 Salix Drive Bellefonte, PA 16823 | Testing |
| Daniel Link | 127 East Chestnut Street West Chester, PA 19380 | Mitigation |
| John Lomonaco | 102 Mink Lane Greentown, PA 18426 | Testing |
| Richard Malin | 2075 Haymaker Road Monroeville, PA 15146 | Testing |
| John Mallon, Jr. Radon Detection & Control | P. O. Box 419 4027 Jordan Street South Heights, PA 15081 | Testing and Mitigation |
| Frank Marsico | 504 Woodcrest Drive Mechanicsburg, PA 17050 | Mitigation |
| Robert Raishart | 778 Armel Hollow Road Latrobe, PA 15650 | Testing |
| Jeffrey Remas | 314 Race Street West Pittston, PA 18643 | Testing |
| Keith Roe | 1510 Gary Street Bethlehem, PA 18018 | Testing |
| John Rogers | 1129 Old Eagle Road Lancaster, PA 17601 | Testing |
| Brendan Ryan Envirocare | 216 Logan Road Valencia, PA 16059 | Testing |
| Kenneth Schutter | P. O. Box 55 Kimberton, PA 19442 | Testing |
| Volz Environmental Services, Inc. | 1200 Gulf Lab Road Pittsburgh, PA 15238 | Testing |

Bureau of Mine Safety; Request for Variance

The Department of Environmental Protection (Department), Bureau of Mine Safety (Bureau), has received a request for variance from Penn View Mining Company. The following notification contains a summary of this request. A complete copy of the variance request may be obtained from Cathy Dunn, (724) 439-7469 or from the BMS website at www.depweb.state.pa.us/deepminesafety/site/default.asp.

The Department is publishing a summary of the request to solicit comments from affected parties on the proposed variance request. Comments may be used by the Bureau to assist in its investigation of the variance request. Comments will be accepted for 30 days following the publication of this notice. All comments should be addressed to: Joseph A. Scaffoni, Director, Bureau of Mine Safety, Fayette County Health Center, 100 New Salem Road, Room 167, Uniontown, PA 15401.

Section 702 of the Bituminous Coal Mine Act (act) (53 P. S. § 701-101—701-706), provides a mechanism for operators to obtain variances from specific requirements of the act to accommodate the adoption of new machinery, equipment, tools, supplies, methods or processes.

Section 242(c) states that where belt conveyors are installed, main stoppings and regulators shall be so arranged as to reduce the quantity of air traveling in the belt conveyor entry to a minimum for effective ventilation and to provide an intake air split as an escapeway from the face are to the main air current.

Summary of the Request: Penn View Mining requests a variance to use point CO early warning fire detection system and entries in common with the belt conveyor entry at the TJS No. 6 Mine.

**Request for Comment and Notice of Public Meeting
For the Proposed Total Maximum Daily Load
(TMDL) for the Brush Run Watershed in
Beaver County**

*Greensburg District Mining Office: Armbrust Building,
8205 Route 819, Greensburg, PA 15601.*

The Department of Environmental Protection (Department) is holding a public meeting on February 6, 2008, beginning at 10:30 a.m. at the Greensburg District Mining Office in Greensburg, PA to discuss and accept comments on a proposed TMDL. The proposed TMDL was established in accordance with the requirements of Section 303(d) of The Clean Water Act. One stream segment in the Brush Run Watershed has been identified as impaired on the 1996 Pennsylvania 303(d) list due to high concentrations of metals; additional segments were identified in 1998, 2002, 2004 and 2006. The listed segment and miles degraded are shown in the following table:

| <i>Stream Code</i> | <i>Stream Name</i> | <i>Miles Degraded</i> |
|--------------------|--------------------|-----------------------|
| 33337 | Brush Run | 7.35 |

The proposed plan provides calculations of the stream's total capacity to accept metals (aluminum, iron and manganese), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows (Brush Run is designated as a high quality water):

| <i>Parameter</i> | <i>Criterion value (mg/l)</i> | <i>Total Recoverable/ Dissolved</i> |
|------------------|-----------------------------------|---|
| Aluminum | 0.0783 | Total Recoverable |
| Iron | 0.247 | Total Recoverable |
| Manganese | 0.0289 | Total Recoverable |
| pH | 6.0—9.0 | NA |

The primary pollutant source for the watershed is abandoned mine workings. This watershed was heavily mined for coal in the 20th century. The effects of this are still present. The TMDL consists of load allocations, which are made to nonpoint sources of pollution and waste load allocations, which are made to permitted point sources.

The TMDL was developed using Monte Carlo Simulation to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. Monte Carlo Simulation allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL.

The TMDL sets allowable loading rates for metals, sediment and acidity at specified points in the watershed.

The basis of information used in the establishment of this TMDL is field data collected throughout 2006.

The data and all supporting information used to develop the proposed TMDL are available from the Department. To request a copy of the proposed TMDL and an information sheet, contact Michael Gardner at (724) 925-5522 between 8 a.m. and 3 p.m., Monday through Friday, at Greensburg District Mining Office, 8205 Route 819, Greensburg, PA 15601. E-mail will be received at mgardner@state.pa.us. Directions to the meeting place can also be obtained through this contact.

The proposed TMDL can be viewed and printed by accessing the Department's website at www.dep.state.pa.us (PA Keyword: TMDL).

Written comments will be accepted at the previous address and must be postmarked by March 19, 2008. Persons who plan to make a presentation at the public meeting should notify the Department no later than 3 p.m. Friday, February 1. The Department will consider all comments in developing the final TMDL, which will be submitted to the EPA for approval.

**Request for Comment and Notice of Public Meeting
For the Proposed Total Maximum Daily Load
(TMDL) for Clarks Run Watershed in
Beaver County**

*Greensburg District Mining Office: Armbrust Building,
8205 Route 819, Greensburg, PA 15601.*

The Department of Environmental Protection (Department) is holding a public meeting on February 6, 2008, beginning at 10:30 a.m. at the Greensburg District Mining Office in Greensburg, PA to discuss and accept comments on a proposed TMDL. The proposed TMDL was established in accordance with the requirements Section 303(d) of The Clean Water Act. One stream segment in the Clarks Run Watershed has been identified as impaired on the 1996 Pennsylvania 303(d) list due to high concentrations of metals; additional segments were identified in 1998, 2002, 2004 and 2006. The listed segment and miles degraded are shown in the following table:

| <i>Stream Code</i> | <i>Stream Name</i> | <i>Miles Degraded</i> |
|--------------------|--------------------|-----------------------|
| 34015 | Brush Run | 3.5 |

The proposed plan provides calculations of the stream's total capacity to accept metals (aluminum, iron and manganese), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

| <i>Parameter</i> | <i>Criterion value (mg/l)</i> | <i>Total Recoverable/ Dissolved</i> |
|------------------|-----------------------------------|---|
| Aluminum | 0.75 | Total Recoverable |
| Iron | 1.50 | Total Recoverable |
| Manganese | 1.0 | Total Recoverable |
| pH | 6.0—9.0 | NA |

The primary pollutant source for the watershed is abandoned mine workings. This watershed was heavily mined for coal in the 20th century. The effects of this are still present. The TMDL consists of load allocations, which are made to nonpoint sources of pollution and waste load allocations, which are made to permitted point sources.

The TMDL was developed using Monte Carlo Simulation to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. Monte Carlo Simulation allows for the expansion of a data set based on its

statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL.

The TMDL sets allowable loading rates for metals, sediment and acidity at specified points in the watershed. The basis of information used in the establishment of this TMDL is field data collected throughout 2006.

The data and all supporting information used to develop the proposed TMDL are available from the Department. To request a copy of the proposed TMDL and an information sheet, contact Marty Picklo at (724) 925-5517 between 8 a.m. and 3 p.m., Monday through Friday, at Greensburg District Mining Office, 8205 Route 819, Greensburg, PA 15601. E-mail will be received at mpicklo@state.pa.us. Directions to the meeting place can also be obtained through this contact.

The proposed TMDL can be viewed and printed by accessing the Department's website at www.dep.state.pa.us (PA Keyword: TMDL).

Written comments will be accepted at the previous address and must be postmarked by March 19, 2008. Persons who plan to make a presentation at the public meeting should notify the Department no later than 3 p.m. Friday, February 1. The Department will consider all comments in developing the final TMDL, which will be submitted to the EPA for approval.

**Request for Comment and Notice of Public Meeting
For the Proposed Total Maximum Daily Load
(TMDL) for the Saltlick Run Watershed in
Fayette County**

*Greensburg District Mining Office: Armbrust Building,
8205 Route 819, Greensburg, PA 15601.*

The Department of Environmental Protection (Department) is holding a public meeting on February 5, 2008, beginning at 1:30 p.m. at the Greensburg District Mining Office in Greensburg, PA to discuss and accept comments on a proposed TMDL. The proposed TMDL was established in accordance with the requirements of Section 303(d) of The Clean Water Act. One stream segment in the Wallace Run Watershed has been identified as impaired on the 1996 Pennsylvania 303(d) list due to high concentrations of metals; additional segments were identified in 1998, 2002, 2004 and 2006. The listed segment and miles degraded are shown in the following table:

| <i>Stream Code</i> | <i>Stream Name</i> | <i>Miles Degraded</i> |
|--------------------|--------------------|-----------------------|
| 40203 | Saltlick Run | 2.8 |

The proposed plan provides calculations of the stream's total capacity to accept metals (aluminum, iron and manganese), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

| <i>Parameter</i> | <i>Criterion value (mg/l)</i> | <i>Total Recoverable/ Dissolved</i> |
|------------------|-----------------------------------|---|
| Aluminum | 0.75 | Total Recoverable |
| Iron | 1.50 | Total Recoverable |
| Manganese | 1.0 | Total Recoverable |
| pH | 6.0—9.0 | NA |

The primary pollutant source for the watershed is abandoned mine workings. This watershed was heavily mined for coal in the 20th century. The effects of this are still present. The TMDL consists of load allocations, which are made to nonpoint sources of pollution and waste load allocations, which are made to permitted point sources.

The TMDL was developed using Monte Carlo Simulation to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. Monte Carlo Simulation allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL.

The TMDL sets allowable loading rates for metals, sediment and acidity at specified points in the watershed. The basis of information used in the establishment of this TMDL is field data collected throughout 2006.

The data and all supporting information used to develop the proposed TMDL are available from the Department. To request a copy of the proposed TMDL and an information sheet, contact Michael Gardner at (724) 925-5522 between 8 a.m. and 3 p.m., Monday through Friday, at Greensburg District Mining Office, 8205 Route 819, Greensburg, PA 15601. E-mail will be received at mgardner@state.pa.us. Directions to the meeting place can also be obtained through this contact.

The TMDL can be viewed and printed by accessing the Department's website at www.dep.state.pa.us (PA Keyword: TMDL).

Written comments will be accepted at the previous address and must be postmarked by March 19, 2008. Persons who plan to make a presentation at the public meeting should notify the Department no later than 3 p.m. Friday, February 1. The Department will consider all comments in developing the final TMDL, which will be submitted to the EPA for approval.

**Request for Comment and Notice of Public Meeting
For the Proposed Total Maximum Daily Load
(TMDL) for the Wallace Run Watershed in
Fayette County**

*Greensburg District Mining Office: Armbrust Building,
8205 Route 819, Greensburg, PA 15601.*

The Department of Environmental Protection (Department) is holding a public meeting on February 5, 2008, beginning at 1:30 p.m. at the Greensburg District Mining Office in Greensburg, PA to discuss and accept comments on a proposed TMDL. The proposed TMDL was established in accordance with the requirements of Section 303(d) of The Clean Water Act. One stream segment in the Wallace Run Watershed has been identified as impaired on the 1996 Pennsylvania 303(d) list due to high concentrations of metals; additional segments were identified in 1998, 2002, 2004 and 2006. The listed segment and miles degraded are shown in the following table:

| <i>Stream Code</i> | <i>Stream Name</i> | <i>Miles Degraded</i> |
|--------------------|--------------------|-----------------------|
| 41088 | Wallace Run | 1.3 |

The proposed plan provides calculations of the stream's total capacity to accept metals (aluminum, iron and manganese), pH and maintain levels below water quality criteria. The applicable water quality criteria are as follows:

| <i>Parameter</i> | <i>Criterion value (mg/l)</i> | <i>Total Recoverable/ Dissolved</i> |
|------------------|-----------------------------------|---|
| Aluminum | 0.75 | Total Recoverable |
| Iron | 1.50 | Total Recoverable |
| Manganese | 1.0 | Total Recoverable |
| pH | 6.0—9.0 | NA |

The primary pollutant source for the watershed is abandoned mine workings. This watershed was heavily

mined for coal in the 20th century. The effects of this are still present. The TMDL consists of load allocations, which are made to nonpoint sources of pollution and waste load allocations, which are made to permitted point sources.

The TMDL was developed using Monte Carlo Simulation to determine long-term average concentrations that each stream segment could accept and still meet water quality criteria 99% of the time. Monte Carlo Simulation allows for the expansion of a data set based on its statistical makeup. Since there was no critical flow condition where criteria were exceeded, the Department used the average flow to express the loading values in the TMDL.

The TMDL sets allowable loading rates for metals, sediment and acidity at specified points in the watershed. The basis of information used in the establishment of this TMDL is field data collected throughout 2006.

The data and all supporting information used to develop the proposed TMDL are available from the Department. To request a copy of the proposed TMDL and an information sheet, contact Michael Gardner at (724) 925-5522 between 8 a.m. and 3 p.m., Monday through Friday, at Greensburg District Mining Office, 8205 Route 819, Greensburg, PA 15601. E-mail will be received at mgardner@state.pa.us. Directions to the meeting place can also be obtained through this contact.

The TMDL can be viewed and printed by accessing the Department's website at www.dep.state.pa.us (PA Keyword: TMDL).

Written comments will be accepted at the previous address and must be postmarked by March 19, 2008. Persons who plan to make a presentation at the public meeting should notify the Department no later than 3 p.m. Friday, February 1. The Department will consider all comments in developing the final TMDL, which will be submitted to the EPA for approval.

[Pa.B. Doc. No. 08-98. Filed for public inspection January 18, 2008, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) website at www.depweb.state.pa.us (DEP Keywords: Technical Guidance). The "Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

The Department will continue to revise its nonregulatory documents, as necessary, throughout 2008.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications.

Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Draft Technical Guidance

DEP ID: 383-3301-102. Title: Laboratory Reporting Instructions for Total and Fecal Coliform Bacteria in Public Drinking Water Distribution Systems. Description: This guidance provides instructions to all public water systems and certified laboratories for the reporting of drinking water total and fecal coliform monitoring results as required by the Federal Total Coliform Rule and as implemented under the PA TCR in Chapter 109 of the Pennsylvania Safe Drinking Water Regulations. Substantive revisions are proposed to the guidance in order to incorporate new EPA-approved analytical laboratory reporting methods for total and fecal coliform methods, as well as revisions to the Lab Responsibilities Section to achieve consistency with Chapter 109. A new section on the Department Assistance Tools is also added to the guidance document. Written Comments: The Department is seeking comments on the substantive revisions to draft technical guidance No. 383-3301-102. Interested persons may submit written comments on this draft technical guidance document by February 19, 2008. Comments submitted by facsimile will not be accepted. The Department will accept comments submitted by e-mail. A return name and address must be included in each e-mail transmission. Written comments should be submitted to Dawn Hissner, Department of Environmental Protection, Bureau of Water Standards and Facility Regulation, Rachel Carson State Office Building, 11th Floor, P. O. Box 8467, Harrisburg, PA 17105-84671, dhissner@state.pa.us. Contact: Questions regarding the draft technical guidance document should be directed to Dawn Hissner at (717) 787-0130 or dhissner@state.pa.us. Effective Date: Upon publication of notice as final in the *Pennsylvania Bulletin*.

Final Technical Guidance

DEP ID: 383-3301-306. Title: Laboratory Reporting Instructions for Disinfectant Residuals, Disinfection Byproducts and Precursors. Description: This guidance provides instructions to all public water systems and certified laboratories for the reporting of drinking water disinfectant residual, chlorite, bromate, bromide, total trihalo-methanes, haloacetic acids, UV254, dissolved organic carbon, specific ultraviolet absorbance, total organic carbon and alkalinity monitoring results as required by the Federal Surface Water Treatment Rule and the Disinfectants/Disinfection Byproducts Rule (D/DBPR) and as implemented under the Pennsylvania Filter Rule and the D/DBPR in 25 Pa. Code Chapter 109 (relating to safe drinking water). The D/DBPR and revisions to the Pennsylvania Filter Rule became effective on July 21, 2001. This guidance was developed to establish uniform instructions and protocol for implementing reporting requirements for the contaminants regulated under these rules.

Notice of the draft technical guidance document was published in the *Pennsylvania Bulletin* on 35 Pa.B. 6383 (November 19, 2005), with provision for a 30-day public comment period that concluded on December 19, 2005. Although the Department did not receive any public comments during the comment period, the Department made changes to the final document to enhance its clarity.

Specifically, in Section 2 of the document, the responsibilities of the laboratory were clarified, as well changes in Section 7 to clarify the type of documentation that must be retained by the laboratory and the duration for which it must be retained. In addition, in Section 6, the list of Analysis Method Codes was modified in order to be consistent with the Method Update Rule published by the Environmental Protection Agency in March 2007, and Bromate and Total Organic Carbon were added to the summary tables in Section 9 in order to be consistent with the monitoring and reporting revisions for contaminants under the Stage 2 Disinfectants/Disinfectant Byproduct Rule. Contact: Dawn Hissner, Department of Environmental Protection, Bureau of Water Standards and Facility Regulation, Rachel Carson State Office Building, 11th Floor, P. O. Box 8467, Harrisburg, PA 17105-84671, (717) 787-0130; dhissner@state.pa.us. Effective Date: January 19, 2008.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 08-99. Filed for public inspection January 18, 2008, 9:00 a.m.]

Bid Opportunity

BOGM 07-12, Cleaning Out and Plugging 28 Abandoned and Orphan Oil Wells, (Donna Reiley O'Dell, Mike Dudick, Fred Cloud, Fred Lunden, Mildred Colosimo, Mr. and Dominic Piganelli Jr., Dan Hillard, George Duke, Mr. and Mrs. Ben Wentworth, Joseph Tominez, David Lunden and Jennifer Tingley Properties), Bradford City and Foster Township, McKean County. The principal items of work include cleaning out and plugging 28 abandoned and orphan oil wells, estimated to be 1,300 feet each in depth, to the Department of Environmental Protection's specifications, preparing and restoring well sites and mobilizing and demobilizing plugging equipment. This project issues on January 18, 2008, and bids will be opened on February 21, 2008, at 2 p.m. Bid documents cost \$10 per set and will not be mailed until payment has been received. A prebid conference is planned for this project but a date has not been set. Contact the Construction Contracts Section at (717) 787-7820 or joelmiller@state.pa.us for more information on this bid.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 08-100. Filed for public inspection January 18, 2008, 9:00 a.m.]

Water Resources Regional Committee Meetings Schedule for 2008

The following is a list of 2008 meeting dates for the six Water Resources Regional Committees associated with the Department of Environmental Protection (Department). These schedules and an agenda for each meeting, including meeting locations and meeting materials, will be available through the Public Participation Center on the Department's website at www.depweb.state.pa.us.

The six regional committees listed were created under 27 Pa.C.S. Chapter 31 (relating to water resources planning) to help guide the development of a new State Water

Plan (plan) for the Commonwealth. The regional committees' purpose is to develop the regional component of the overall plan, and to provide recommendations to the Statewide Water Resources Committee, which is charged under 27 Pa.C.S. Chapter 31 to develop the plan.

The 2008 meeting dates of the six Water Resources Regional Committees are as follows:

Delaware Water Resources Regional Committee

Meetings of the Delaware Water Resources Regional Committee in 2008 will be held at 9:30 a.m. at various locations throughout the Delaware River Basin. The meeting dates are as follows:

| | |
|-------------------|---|
| February 8, 2008 | Department of Environmental Protection Southeast Regional Office 2 East Main Street Norristown, PA 19401 |
| May 9, 2008 | Sweet Arrow Lake County Park Clubhouse Clubhouse Road Pine Grove, PA 17963 |
| August 8, 2008 | Jim Thorpe Environmental Center 151 East White Bear Drive Summit Hill, PA 18250 |
| November 14, 2008 | Department of Environmental Protection Southeast Regional Office 2 East Main Street Norristown, PA 19401 |

Questions concerning these meetings should be directed to Leslie Sarvis, Water Planning Office, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 772-5634, lsarvis@state.pa.us.

Great Lakes Water Resources Regional Committee

Meetings of the Great Lakes Water Resources Regional Committee in 2008 will be held at 10 a.m. at the Erie County Conservation District, Headwaters Park, 1927 Wager Road, Erie, PA 16509. The meeting dates are as follows:

| |
|------------------|
| February 5, 2008 |
| May 6, 2008 |
| August 5, 2008 |
| November 4, 2008 |

Questions concerning these meetings should be directed to Lori Mohr, Water Planning Office, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 787-4628, laumohr@state.pa.us.

Lower Susquehanna Water Resources Regional Committee

Meetings of the Lower Susquehanna Water Resources Regional Committee in 2008 will be held at 9:30 a.m. at the following locations:

| | |
|-------------------|---|
| February 11, 2008 | Department of Environmental Protection |
| August 11, 2008 | Southcentral Regional Office |
| November 10, 2008 | 909 Elmerton Avenue Harrisburg, PA 17110 |

May 12, 2008 Dauphin County Conservation District
1451 Peters Mountain Road
Dauphin, PA 17018

Questions concerning these meetings should be directed to Rachel Delavan, Water Planning Office, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 772-5634, rdelavan@state.pa.us.

Ohio Water Resources Regional Committee

Meetings of the Ohio Water Resources Regional Committee in 2008 will be held at 10 a.m. at the Cranberry Township Municipal Center, 2525 Rochester Road, Cranberry Township, PA 16066. The meeting dates are as follows:

February 4, 2008
May 5, 2008
August 4, 2008
November 3, 2008

Questions concerning these meetings should be directed to Lori Mohr, Water Planning Office, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 787-4628, laumohr@state.pa.us.

Potomac Water Resources Regional Committee

Meetings of the Potomac Water Resources Regional Committee in 2008 will be held at 10 a.m. at various locations throughout the Potomac River Basin. The meeting dates are as follows:

February 15, 2008 Adams County Department of Emergency Services
230 Greenamyer Lane
Gettysburg, PA 17325

May 16, 2008 Franklin County Administrative Annex Building
218 North 2nd Street
Chambersburg, PA 17201

September 19, 2008 Adams County Department of Emergency Services
230 Greenamyer Lane
Gettysburg, PA 17325

November 21, 2008 Franklin County Administrative Annex Building
218 North 2nd Street
Chambersburg, PA 17201

Questions concerning these meetings should be directed to Leslie Sarvis, Water Planning Office, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 772-5634, lsarvis@state.pa.us.

Upper/Middle Susquehanna Water Resources Regional Committee

Meetings of the Upper/Middle Susquehanna Water Resources Regional Committee in 2008 will be held at 10 a.m. at various locations throughout the Upper/Middle Susquehanna River Basin. The meeting dates are as follows:

February 20, 2008 Centre County Solid Waste Authority
253 Transfer Road
Bellefonte, PA 16823

May 21, 2008 Department of Environmental Protection
Northcentral Regional Office
208 West Third Street, Suite 101
Williamsport, PA 17701-6448

August 20, 2008 Department of Environmental Protection
Northeast Regional Office
2 Public Square
Wilkes-Barre, PA 18711

November 19, 2008 Department of Environmental Protection
Northcentral Regional Office
208 West Third Street, Suite 101
Williamsport, PA 17701-6448

Questions concerning these meetings should be directed to Rachel Delavan, Water Planning Office, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 772-5634, rdelavan@state.pa.us.

Persons with a disability who require accommodations to attend any of the meetings listed previously should contact the Department at (717) 783-6118 or through the Pennsylvania AT&T Relay Services at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

KATHLEEN A. MCGINTY,
Secretary

[Pa.B. Doc. No. 08-101. Filed for public inspection January 18, 2008, 9:00 a.m.]

DEPARTMENT OF GENERAL SERVICES

Request for Proposal Pennsylvania Public Television Network

The Pennsylvania Public Television Network (PPTN) Commission, an independent State agency based in Hershey, PA, has issued a Request for Proposal (RFP) related to the procurement of a Digital Media Asset Management System and a Network Real Time File Transfer System. Interested parties can obtain a copy of the RFP by accessing PPTN's website www.pptn.state.pa.us or by written request to PPTN, 24 Northeast Drive, Hershey, PA 17033 or by contacting Richard Kaelberer at rkaelberer@state.pa.us. Final proposals are due to the PPTN office no later than noon on Monday, February 4, 2008, at the address listed previously.

Not all Bidding Opportunities are advertised in the *Pennsylvania Bulletin* for State government agencies. Generally, Bidding Opportunities over \$20,000 for materials and \$250,000 for services are advertised on the Department of General Services (Department), Bureau of Procurement website at www.dgsweb.state.pa.us/comod/main.asp. The Bidding Opportunities website is updated on a daily basis.

Suppliers interested in doing business with Commonwealth agencies are strongly encouraged to register as a portal supplier at www.pasupplierportal.state.pa.us.

For more information, contact the Department Supplier Services and Support, (717) 346-2676, (877) 435-7363 (toll free), rasrmhelp@state.pa.us.

ALLEN D. BIEHLER, P. E.,
Secretary

[Pa.B. Doc. No. 08-102. Filed for public inspection January 18, 2008, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Delaware Valley Nephrology and Hypertension Associates, PC, d/b/a Quality Vascular Access Services for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Delaware Valley Nephrology and Hypertension Associates, PC, d/b/a Quality Vascular Access Services has requested an exception to the requirements of 28 Pa. Code §§ 551.3(ii) and 553.31(a) (relating to definitions; and administrative responsibilities).

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-103. Filed for public inspection January 18, 2008, 9:00 a.m.]

Application of Hypertension Nephrology Associates, PC for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Hypertension Nephrology Associates, PC, has requested an exception to the requirements of 28 Pa. Code §§ 551.3(ii) and 553.31(a) (relating to definitions; and administrative responsibilities).

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-104. Filed for public inspection January 18, 2008, 9:00 a.m.]

Application of Memorial Hospital Outpatient Endoscopy Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Memorial Hospital Outpatient Endoscopy Center has requested an exception to the requirements of 28 Pa. Code § 551.3(ii) (relating to definitions).

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-105. Filed for public inspection January 18, 2008, 9:00 a.m.]

Application of The Pain and Surgical Center of Langhorne for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that The Pain and Surgical Center of Langhorne, has requested an exception to the requirements of 28 Pa. Code § 551.31(a) (relating to licensure).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-106. Filed for public inspection January 18, 2008, 9:00 a.m.]

Application of RMS Lifeline Interventional Access Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that RMS Lifeline Interventional Access Center has requested an exception to the requirements of 28 Pa. Code § 571.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exemption from the following standards contained in this publication: 3.7-2.4.2.1(1) (relating to phase III recovery), 3.7-2.5.1 (relating to restricted corridors central station) and 3.7-2.5.7.4. (relating to stretcher storage).

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech ad/or

hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-107. Filed for public inspection January 18, 2008, 9:00 a.m.]

Infant Hearing Screening Advisory Committee Meeting

The Infant Hearing Screening Advisory Committee, established under the Infant Hearing Education Assessment, Reporting and Referral Act (11 P. S. §§ 876-1—876-90), will hold a public meeting on Thursday, March 13, 2008, from 10 a.m. to 3 p.m., 125N, Training Room C, Plaza Level, Commonwealth Keystone Building, Commonwealth Avenue and Forster Streets, Harrisburg, PA.

For additional information, contact Arthur A. Florio, Public Health Program Administrator, Newborn Hearing Screening Program, Division of Newborn Screening and Genetics at (717) 783-8143.

Persons with a disability who wish to attend the meeting and require auxiliary aid, service or other accommodation to do so should contact the Newborn Hearing Screening Program at (717) 783-8143. Speech and/or hearing impaired persons use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-108. Filed for public inspection January 18, 2008, 9:00 a.m.]

Newborn Metabolic Screening Technical Advisory Committee Meeting

The Newborn Screening and Follow-Up Program, established under the Newborn Child Testing Act (35 P. S. §§ 621—625) will hold a public meeting on Wednesday, February 13, 2008, from 10 a.m. to 3 p.m. at Dixon University Center, Conference Room C, 2986 North Second Street, Harrisburg, PA.

For additional information or if you are a person with a disability and desire to attend the meeting and require auxiliary aid, service or other accommodation to do so contact Suzanne Bellotti, Public Health Program Administrator, Division of Newborn Disease Prevention and Identification, at (717) 783-8143 or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984 (TT).

Please R.S.V.P. by February 1, 2008, to Rita Sebastian at (717) 783-8143 or the telephone number previously listed.

The Department reserves the right to cancel this meeting without prior notice.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-109. Filed for public inspection January 18, 2008, 9:00 a.m.]

Recognized Lifeguard Certifying Authorities for 2008

The Department of Health has determined that the following lifeguard certifying authorities meet the requirements in 28 Pa. Code § 18.42 (relating to certified lifeguards) and are recognized as lifeguard certifying authorities for 2008: The American Red Cross, Jeff Ellis and Associates, YMCA; The Boy Scouts of America; Starfish Aquatics Institute and National Aquatic Safety Company.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Scott Heidel, Department of Health, Bureau of Community Health Systems, Room 628, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-4366 or for speech and/or hearing impaired persons, V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Services at (800) 654-5984.

CALVIN B. JOHNSON, M. D., M.P.H.,
Secretary

[Pa.B. Doc. No. 08-110. Filed for public inspection January 18, 2008, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Nursing Facility Assessment Program for Fiscal Year 2007-2008

This notice announces the proposed assessment amount, the proposed assessment methodology and the estimated aggregate impact on nursing facilities that will be subject to the assessment under the Nursing Facility Assessment Program in Fiscal Year (FY) 2007-2008.

Background

In 2003, the Pennsylvania General Assembly amended the Public Welfare Code to authorize the Department of Public Welfare (Department) to implement a monetary assessment on private nursing facilities in this Commonwealth over a 4 year period (Assessment Program). The act of September 30, 2003 (P. L. 169, No. 25) (Act 25), codified at, 62 P. S. §§ 801-A—815-A. Over the past 4 years, the Department used the Assessment Program revenue to maintain and augment payments to Pennsylvania's Medical Assistance (MA) nursing facility providers. Recognizing the substantial benefits realized through the Assessment Program, the General Assembly enacted Act 16 of 2007 to reauthorize the Assessment Law for an additional 5 years. Act of June 30, 2007 (P. L. 169, No. 16) (Act 16). In addition to reauthorizing the Assessment Program, Act 16 amended the Assessment Law to allow the Department to include county nursing facilities in the Assessment Program effective July 1, 2007. Id., 62 P. S. § 802-A.

Before implementing the Assessment Program in a fiscal year, the Secretary of Public Welfare (Secretary) must publish a notice in the *Pennsylvania Bulletin* that specifies the proposed assessment amount, provides an explanation of the proposed assessment methodology, and identifies the aggregate impact on nursing facilities subject to the assessment. See 62 P. S. § 805-A. Additionally, the Department must seek such waivers from the Federal Centers for Medicare and Medicaid Services (CMS) as

may be necessary to implement the Assessment Program in conformity with Federal law and to guarantee that the assessment amounts qualify for matching Federal funds. See 62 P. S. § 812-A.

Proposed Assessment Methodology and Rates

As noted previously, Act 16 authorized the Department to include the county nursing facilities in the Assessment Program effective July 1, 2007. The Department carefully analyzed the impact of extending the Assessment Program to county nursing facilities and concluded that both the Commonwealth and MA nursing facility providers would benefit. The Department determined that including county nursing facilities in the Assessment Program would allow the Department to collect an increased amount of assessment revenues which, in turn, could be used to maintain MA payment rates.

After consultation with the nursing facility trade associations, the Department submitted a waiver request to CMS in September 2007, to continue the Assessment Program for an additional 5 years and to implement assessments on county nursing facilities effective July 1, 2007. By letter dated November 28, 2007, CMS approved the Department's waiver request.

Consistent with the approved waiver, the Department proposes to exempt the following nursing facilities from the Assessment Program in FY 2007-2008:

- (1) State owned and operated nursing facilities.
- (2) Veteran's Administration nursing facilities.
- (3) Nursing facilities that have not been licensed and operated by the current or previous owner for the full calendar quarter prior to the calendar quarter in which an assessment is collected.
- (4) Nursing facilities that provide nursing facility services free of charge to all residents.

Under the proposed rate structure, the Department will assess nonexempt nursing facilities at two rates. One rate will apply to county nursing facilities, to facilities that have 50 or fewer beds, and to nursing facilities that participate in a continuing care retirement community (CCRC). The other rate will apply to all other nonexempt facilities. Each nonexempt facility's quarterly assessment amount will continue to be calculated by multiplying its assessment rate by the facility's non-Medicare resident days during the calendar quarter that immediately precedes the assessment quarter. But for the inclusion of the county nursing facilities, this proposed rate structure is the same structure that was used in previous years.

Although the Department intends to maintain the same basic rate structure for FY 2007-2008, the Department is proposing to increase the assessment rates for nonexempt nursing facilities from FY 2006-2007. Specifically, the Department proposes to implement the following assessment rates during FY 2007-2008:

- (1) The proposed assessment rate for county nursing facilities and for nonexempt facilities that either have 50 or fewer beds or participate in a CCRC will be \$2.40 per non-Medicare resident day.
- (2) The proposed assessment rate for all other nonexempt nursing facilities will be \$24.83 per non-Medicare resident day.

Aggregate Assessment Amounts and Fiscal Impact

The Department estimates that, if the proposed assessment rates are implemented, the annual aggregate assessment fees for nonexempt nursing facilities will total

\$413,643,000 for FY 2007-2008. The Department will use the State revenue derived from the assessment fees and any associated Federal matching funds to maintain and increase payments to qualified MA nursing facility providers in accordance with applicable law and regulations.

Public Comment

Interested persons are invited to submit written comments regarding the contents of this notice to Gail Weidman, Department of Public Welfare, Office of Long-Term Living, P. O. Box 2675, Harrisburg, PA 17105. Comments must be submitted within 30 days of publication of the notice. See 62 P. S. § 805-A. After considering the comments, the Secretary will publish a second notice announcing the final assessment rates for FY 2007-2008. The Department will not begin collecting assessment fees until after the publication of the final assessment rate notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ESTELLE B. RICHMAN,
Secretary

Fiscal Note: 14-NOT-538. No fiscal impact; (8) recommends adoption. Enactment of this regulation is expected to generate \$413,643,000 in State revenue.

[Pa.B. Doc. No. 08-111. Filed for public inspection January 18, 2008, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Cash 5 Terminal-Based Lottery Game

Under 61 Pa. Code § 816.101 (relating to creation), the Secretary of Revenue hereby provides public notice of the termination of the Cash 5 lottery game rules at 61 Pa. Code §§ 816.101—816.117, effective for tickets purchased on or before January 31, 2008. Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 875.4 (relating to notice of terminal-based lottery game rules), the Secretary of Revenue hereby provides public notice of the following new rules for the terminal-based lottery game, Pennsylvania Cash 5, effective for tickets purchased on or after February 1, 2008:

1. *Name:* The name of the terminal-based lottery game is Pennsylvania Cash 5. The game will commence at the discretion of the Secretary, and will continue until the Secretary publicly announces a suspension or termination date.

2. *Price:* The price of a Pennsylvania Cash 5 ticket is \$1 per game or play. Additional games or plays may be purchased at the discretion of the player. A ticket will contain one to five plays.

3. *Description of the Pennsylvania Cash 5 lottery game:*

(a) Pennsylvania Cash 5 is designed to give players the opportunity to win one prize in each play.

(b) For a \$1 purchase, the player gets a ticket containing five different numbers ranging from 1 to 43. Players

can win a prize by matching winning numbers randomly selected by the Lottery as determined and publicly announced by the Secretary.

(c) Correctly matching two or more of the five winning numbers randomly selected by the Lottery, and meeting all other validation criteria, entitles the ticket holder to a prize identified in Section 6(b) (relating to prizes available to be won and determination of prize winners).

4. *Pennsylvania Cash 5 bet slip and ticket characteristics:*

(a) To purchase a ticket, the player shall remit to an on-line retailer the purchase price, submit the completed Pennsylvania Cash 5 bet slip or request the number selection through quick pick or manual terminal entry to have a ticket issued. The ticket shall consist of one to five plays, each containing one five-number selection for each \$1 wagered, the drawing date or range of dates for which the ticket is entered, amount bet, and validation number data. On tickets containing multiple plays, each five-number selection will be identified by a letter prefix: A for the first play printed on the ticket; B for the second play printed on the ticket; C for the third play printed on the ticket; D for the fourth play printed on the ticket; and E for the fifth play printed on the ticket. This ticket shall be the only valid proof of the bet placed, and the only valid receipt for claiming a prize. The ticket shall only be valid for the drawing date or range of dates printed on the ticket.

(b) Pennsylvania Cash 5 bet slips shall be available at no cost to the player. The minimum wager is \$1. For \$1, purchase play A; for \$2, purchase plays A and B; for \$3, purchase plays A, B and C; for \$4, purchase plays A, B, C and D; for \$5, purchase plays A, B, C, D and E. Plays shall be selected in accordance with the instructions printed on the Pennsylvania Cash 5 bet slip. A Pennsylvania Cash 5 bet slip has no pecuniary or prize value and does not constitute evidence of the purchase of a ticket or the numbers selected.

(c) If Pennsylvania Cash 5 bet slips are unavailable, number selections may be given to an on-line retailer in groups of five-number selections, for each play and for each \$1 wagered. The retailer shall manually enter the selections into the Lottery terminal.

(d) A player may also request number selection using the quick pick option by indication on the bet slip or making the request to an on-line retailer.

5. *Time, place and manner of conducting drawings.*

(a) *Time of drawing.* A Pennsylvania Cash 5 drawing will be held on a daily basis or as determined and publicly announced by the Secretary.

(b) *Place of drawing.* A Pennsylvania Cash 5 drawing will be conducted in the Harrisburg, Pennsylvania area unless the Secretary directs that a drawing or part of the drawing procedure be conducted at some other location.

(c) *Manner of conducting drawings.* The Lottery will select, at random, five numbers from 1 through 43, with the aid of mechanical devices or any other selection methodology as authorized by the Secretary. The five numbers selected will be used in determining winners for each individual drawing. The validity of a drawing will be determined solely by the Lottery.

6. *Prizes available to be won and determination of prize winners:*

(a) Fifty percent of Cash 5 gross sales for a Cash 5 game drawing will be reserved for prizes and allocated to

the winnings pool for payment of prizes as enumerated in Section 6(b) (relating to prizes available to be won and determination of prize winners). The winnings pool does not include money carried forward from a previous Pennsylvania Cash 5 drawing.

(b) Determinations of Pennsylvania Cash 5 prize winners for tickets correctly matching the winning numbers selected by the Lottery are:

(1) Holders of tickets upon which the player's five numbers, in a single play, match the five winning numbers selected by the Lottery, shall be the winner of the jackpot category prize. The jackpot category prize shall consist of 67.94% of the winnings pool after deduction of the fourth category prize, plus any prize money carried forward from a prior Pennsylvania Cash 5 drawing pursuant to §§ 6(b)(1)(iii), 6(b)(2)(ii) and 6(b)(3)(ii).

(i) The minimum jackpot category prize will be \$125,000 divided equally by the number of tickets determined by the Lottery to be entitled to claim a jackpot category prize. The Lottery will estimate and announce the projected amount of the upcoming jackpot category prize prior to the drawing. Payment will be made in the amount estimated and announced as the projected jackpot category prize or in the actual amount of the jackpot category prize, whichever is greater, divided equally by the number of plays on tickets determined by the Lottery to be entitled to claim a jackpot category prize.

(ii) Prize money allocated to the jackpot category prize will be paid on a pari-mutuel basis. If more than one winning jackpot prize play is determined, each, upon meeting the requirements of 61 Pa. Code §§ 875.10 and 875.11 (relating to terminal-based lottery game ticket validation and requirements; and procedures for claiming and payment of prizes), is entitled to a prorated payment share of the total jackpot category prize.

(iii) If, in a Pennsylvania Cash 5 drawing, there are no winning jackpot category prize plays, prize money allocated from the winnings pool to that prize category will be carried forward and added to the amount allocated for the jackpot category prize money in the next Pennsylvania Cash 5 drawing.

(2) Holders of tickets upon which four of the player's numbers, in a single play, match four of the winning numbers selected by the Lottery, shall be the winner of the second category prize. The second category prize shall consist of 11.9% of the winnings pool after deduction of the fourth category prize.

(i) Prize money allocated to the second category prize will be paid on a pari-mutuel basis. If more than one winning second category prize play is determined, each, upon meeting the requirements of 61 Pa. Code §§ 875.10

and 875.11 (relating to terminal-based lottery game ticket validation and requirements; and procedures for claiming and payment of prizes), is entitled to a prorated payment share of the total second category prize.

(ii) If, in a Pennsylvania Cash 5 drawing, there are no winning second category prize plays, prize money allocated from the winnings pool to that prize category will be carried forward and added to the amount allocated for the jackpot category prize money in the next Pennsylvania Cash 5 drawing.

(3) Holders of tickets upon which three of the player's numbers, in a single play, match three of the winning numbers selected by the Lottery, shall be the winner of the third category prize. The third category prize shall consist of 20.16% of the winnings pool after deduction of the fourth category prize.

(i) Prize money allocated to the third category prize will be paid on a pari-mutuel basis. If more than one winning jackpot prize play is determined, each, upon meeting the requirements of 61 Pa. Code §§ 875.10 and 875.11 (relating to terminal-based lottery game ticket validation and requirements; and procedures for claiming and payment of prizes), is entitled to a prorated payment share of the total third category prize.

(ii) If, in a Pennsylvania Cash 5 drawing, there are no winning third category prize plays, prize money allocated from the winnings pool to that prize category will be carried forward and added to the amount allocated for the jackpot category prize money in the next Pennsylvania Cash 5 drawing.

(4) Holders of tickets upon which two of the player's numbers, in a single play, match two of the winning numbers selected by the Lottery, shall be entitled to a fourth category prize of \$1.

(c) All Pennsylvania Cash 5 prize payments, including the jackpot category prize, will be made as a one-time, lump-sum cash payment.

(d) A winning Pennsylvania Cash 5 ticket is entitled only to the highest prize won by those numbers in each game or play appearing on the ticket.

(e) The number of prize categories, the allocation of prize money among the prize categories, and the minimum jackpot category prize amount may be changed at the discretion of the Secretary and the change will be announced by public notice. The changes will only apply prospectively to Pennsylvania Cash 5 drawings as of the date specified in the public notice.

7. *Probability of winning.* The following table sets forth all possible ways that a prize can be won on a single ticket; corresponding prize or prizes won; and probability of winning each prize or combination of prizes:

| <i>Number Of Winning Numbers Selected By The Player In A Single Game Or Play</i> | <i>Probabilities Of Winning Per Game Or Play Are 1 In:</i> | <i>Prize Won:</i> |
|--|--|------------------------|
| 5 | 962,598.0 | Jackpot Category Prize |
| 4 | 5,066.3 | Second Category Prize |
| 3 | 136.9 | Third Category Prize |
| 2 | 11.4 | Fourth Category Prize |

8. Retailer Incentive and Marketing Promotion Programs.

(a) The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Cash 5 lottery tickets. The conduct of the Program will be governed by 61 Pa. Code § 811.41 (relating to promotional prizes).

(b) Retailer Incentive and Marketing Promotion Programs, including the use of unfunded free tickets, may be implemented at the discretion of the Secretary. If needed, funds for the programs, including the payment of prizes resulting from the programs, will be drawn from the Lottery Fund.

9. *Unclaimed Prize Money.* For a period of 1 year from the announced close of the Pennsylvania Cash 5 game, prize money from winning Pennsylvania Cash 5 lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the anniversary date of the drawing in which the ticket or chance was entered, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. *Governing Law.* In purchasing a ticket, the player agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

THOMAS W. WOLF,
Secretary

[Pa.B. Doc. No. 08-112. Filed for public inspection January 18, 2008, 9:00 a.m.]

Pennsylvania Diamond 9's Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name.* The name of the game is Pennsylvania Diamond 9's.

2. *Price.* The price of a Pennsylvania Diamond 9's instant lottery game ticket is \$2.

3. *Play Symbols.* Each Pennsylvania Diamond 9's instant lottery game ticket will contain "WINNING NUMBERS" and "YOUR NUMBERS" areas. The play symbols and their captions located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN) and 20 (TWENT). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 20 (TWENT), 9 symbol (NINE) and a Diamonds symbol (DMNDS).

4. *Prize Symbols.* The prize symbols and their captions located in the "prize" areas are: \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$3⁰⁰ (THR DOL), \$5⁰⁰ (FIV DOL), \$9⁰⁰ (NIN DOL), \$10⁰⁰ (TEN DOL), \$20\$ (TWENTY), \$50\$ (FIFTY), \$90\$ (NINTY), \$100 (ONE HUN), \$500 (FIV HUN), \$900 (NIN HUN) and \$20,000 (TWY THO).

(THIRTY), \$50\$ (FIFTY), \$90\$ (NINTY), \$100 (ONE HUN), \$500 (FIV HUN), \$900 (NIN HUN) and \$20,000 (TWY THO).

5. *Prizes.* The prizes that can be won in this game are: \$1, \$2, \$3, \$5, \$9, \$10, \$20, \$30, \$50, \$90, \$100, \$500, \$900 and \$20,000. A player can win up to 10 times on a ticket.

6. *Approximate Number of Tickets Printed For the Game.* Approximately 7,560,000 tickets will be printed for the Pennsylvania Diamond 9's instant lottery game.

7. *Determination of Prize Winners.*

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$20,000 (TWY THO) appears in the "prize" area to the right of the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20,000.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$900 (NIN HUN) appears in the "prize" area to the right of the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$900.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 9 symbol (NINE), and a prize symbol of \$900 (NIN HUN) appears in the "prize" area to the right of the 9 symbol (NINE), on a single ticket, shall be entitled to a prize of \$900.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Diamonds symbol (DMNDS), and a prize symbol of \$100 (ONE HUN) appears in the "prize" area to the right of the Diamonds symbol (DMNDS), on a single ticket, shall be entitled to a prize of \$900.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "prize" area to the right of the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 9 symbol (NINE), and a prize symbol of \$500 (FIV HUN) appears in the "prize" area to the right of the 9 symbol (NINE), on a single ticket, shall be entitled to a prize of \$500.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Diamonds symbol (DMNDS), and a prize symbol of \$50\$ (FIFTY) appears in the "prize" area to the right of the Diamonds symbol (DMNDS), on a single ticket, shall be entitled to a prize of \$450.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area to the right of the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a 9 symbol (NINE), and a prize symbol of \$100 (ONE HUN) appears in the "prize" area to the right of the 9 symbol (NINE), on a single ticket, shall be entitled to a prize of \$100.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches either of the "WINNING NUMBERS" play symbols and a prize symbol of

“prize” area to the right of the 9 symbol (NINE), on a single ticket, shall be entitled to a prize of \$2.

(hh) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches either of the “WINNING NUMBERS” play symbols and a prize symbol of \$1⁰⁰ (ONE DOL) appears in the “prize” area to the

right of the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

| <i>When Any Of Your Numbers Match Either Winning Number, Win With Prize(s) Of:</i> | <i>Win:</i> | <i>Approximate Odds Are 1 In:</i> | <i>Approximate No. Of Winners Per 7,560,000 Tickets</i> |
|--|-------------|---------------------------------------|---|
| \$1 × 2 | \$2 | 33.33 | 226,800 |
| “9” w/\$2 | \$2 | 25 | 302,400 |
| \$2 | \$2 | 37.50 | 201,600 |
| \$1 × 3 | \$3 | 75 | 100,800 |
| “9” w/\$3 | \$3 | 30 | 252,000 |
| \$3 | \$3 | 75 | 100,800 |
| \$1 × 5 | \$5 | 150 | 50,400 |
| “9” w/\$5 | \$5 | 75 | 100,800 |
| \$5 | \$5 | 150 | 50,400 |
| \$1 × 9 | \$9 | 375 | 20,160 |
| \$1 w/DIAMONDS | \$9 | 375 | 20,160 |
| “9” w/\$9 | \$9 | 187.50 | 40,320 |
| \$9 | \$9 | 375 | 20,160 |
| \$1 × 10 | \$10 | 1,500 | 5,040 |
| \$2 × 5 | \$10 | 1,500 | 5,040 |
| “9” w/\$10 | \$10 | 750 | 10,080 |
| (\$1 w/DIAMONDS) + \$1 | \$10 | 375 | 20,160 |
| \$10 | \$10 | 750 | 10,080 |
| \$2 × 10 | \$20 | 750 | 10,080 |
| (\$2 w/DIAMONDS) + \$2 | \$20 | 500 | 15,120 |
| \$5 × 4 | \$20 | 1,500 | 5,040 |
| \$10 × 2 | \$20 | 1,500 | 5,040 |
| “9” w/\$20 | \$20 | 750 | 10,080 |
| \$20 | \$20 | 1,500 | 5,040 |
| \$5 × 6 | \$30 | 2,400 | 3,150 |
| (\$1 w/DIAMONDS) + (\$3 × 7) | \$30 | 1,905 | 3,969 |
| (\$2 w/DIAMONDS) + (\$3 × 4) | \$30 | 1,905 | 3,969 |
| (\$3 w/DIAMONDS) + \$3 | \$30 | 1,905 | 3,969 |
| \$10 × 3 | \$30 | 2,400 | 3,150 |
| “9” w/\$30 | \$30 | 1,875 | 4,032 |
| \$30 | \$30 | 2,400 | 3,150 |
| \$5 × 10 | \$50 | 3,000 | 2,520 |
| (\$5 w/DIAMONDS) + \$5 | \$50 | 3,000 | 2,520 |
| \$10 × 5 | \$50 | 3,000 | 2,520 |
| “9” w/\$50 | \$50 | 3,000 | 2,520 |
| \$50 | \$50 | 3,000 | 2,520 |
| \$9 × 10 | \$90 | 10,000 | 756 |
| \$10 × 9 | \$90 | 10,000 | 756 |
| (\$9 w/DIAMONDS) + \$9 | \$90 | 6,316 | 1,197 |
| (\$10 w/DIAMONDS) | \$90 | 6,316 | 1,197 |
| \$30 × 3 | \$90 | 10,000 | 756 |
| “9” w/\$90 | \$90 | 6,316 | 1,197 |
| \$90 | \$90 | 8,000 | 945 |
| \$10 × 10 | \$100 | 12,000 | 630 |
| (\$10 w/DIAMONDS) + (\$5 × 2) | \$100 | 8,000 | 945 |
| (\$10 w/DIAMONDS) + \$10 | \$100 | 8,000 | 945 |
| \$50 × 2 | \$100 | 12,000 | 630 |
| “9” w/\$100 | \$100 | 8,000 | 945 |
| \$100 | \$100 | 12,000 | 630 |
| \$50 × 10 | \$500 | 60,000 | 126 |
| \$100 × 5 | \$500 | 60,000 | 126 |
| (\$50 w/DIAMONDS) + \$50 | \$500 | 60,000 | 126 |
| “9” w/\$500 | \$500 | 60,000 | 126 |
| \$500 | \$500 | 60,000 | 126 |
| \$90 × 10 | \$900 | 60,000 | 126 |
| (\$100 w/DIAMONDS) | \$900 | 60,000 | 126 |
| “9” w/\$900 | \$900 | 60,000 | 126 |

| <i>When Any Of Your Numbers Match Either Winning Number, Win With Prize(s) Of:</i> | <i>Win:</i> | <i>Approximate Odds Are 1 In:</i> | <i>Approximate No. Of Winners Per 7,560,000 Tickets</i> |
|--|-------------|---------------------------------------|---|
| \$900 | \$900 | 60,000 | 126 |
| \$20,000 | \$20,000 | 840,000 | 9 |

9 (NINE) Symbol = Win prize to the right of it automatically.
DIAMONDS (DMNDS) Symbol = Win 9 times the prize shown to the right of it.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Diamond 9's instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentive).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Diamond 9's, prize money from winning Pennsylvania Diamond 9's instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Diamond 9's instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Diamond 9's or through normal communications methods.

THOMAS W. WOLF,
Secretary

[Pa.B. Doc. No. 08-113. Filed for public inspection January 18, 2008, 9:00 a.m.]

Pennsylvania Dublin Gold Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Dublin Gold.

2. *Price:* The price of a Pennsylvania Dublin Gold instant lottery game ticket is \$10.

3. *Play Symbols:* Each Pennsylvania Dublin Gold instant lottery game ticket will contain one play area featuring a "WINNING SYMBOLS" area and a "YOUR SYMBOLS" area. The play symbols and their captions located in the "WINNING SYMBOLS" area are: Mushroom symbol (MSHROM), Castle symbol (CASTLE), Money Bag symbol (MNYBAG), Pipe symbol (PIPE), Piggy Bank symbol (PIGBNK), Cabbage symbol (CAB-

BAGE), Diamond symbol (DMND), Rainbow symbol (RNBOW), Gold Bar symbol (GOLD), Chest symbol (CHEST), Coins symbol (COINS), Wallet symbol (WALLET) and a Money symbol (MONEY). The play symbols and their captions located in the "YOUR SYMBOLS" area are: Pot O' Gold symbol (PTGOLD), Leprechaun symbol (LEPCH), Mushroom symbol (MSHROM), Castle symbol (CASTLE), Money Bag symbol (MNYBAG), Pipe symbol (PIPE), Piggy Bank symbol (PIGBNK), Cabbage symbol (CABBAGE), Diamond symbol (DMND), Rainbow symbol (RNBOW), Gold Bar symbol (GOLD), Chest symbol (CHEST), Coins symbol (COINS), Wallet symbol (WALLET) and a Money symbol (MONEY).

4. *Prize Symbols:* The prize symbols and their captions located in the "YOUR SYMBOLS" area are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20\$ (TWENTY), \$25\$ (TWY FIV), \$40\$ (FORTY), \$50\$ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN), \$1,000 (ONE THO) and \$250,000 (TWHNFYTH).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$20, \$25, \$40, \$50, \$100, \$500, \$1,000 and \$250,000. The player can win up to 15 times on the ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 2,520,000 tickets will be printed for the Pennsylvania Dublin Gold instant lottery game.

7. Determination of Prize Winners:

(a) Holders of tickets upon which any one of the "YOUR SYMBOLS" play symbols matches any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$250,000 (TWHNFYTH) appears in the "prize" area to the right of the matching "YOUR SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$250,000.

(b) Holders of tickets upon which any one of the "YOUR SYMBOLS" play symbols matches any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area to the right of the matching "YOUR SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets with a Leprechaun (LEPCH) play symbol, and a prize symbol of \$500 (FIV HUN) appearing in the "prize" area to the right of that Leprechaun (LEPCH) play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets with a Pot O' Gold (PTGOLD) play symbol, and a prize symbol of \$50\$ (FIFTY) appears in ten of the "prize" areas, and a prize symbol of \$100 (ONE HUN) appears in five of the "prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which any one of the "YOUR SYMBOLS" play symbols matches any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "prize" area to the

right of the matching "YOUR SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets with a Pot O' Gold (PTGOLD) play symbol, and a prize symbol of \$25\$ (TWY FIV) appears in ten of the "prize" areas, and a prize symbol of \$50\$ (FIFTY) appears in five of the "prize" areas, on a single ticket, shall be entitled to a prize of \$500.

(g) Holders of tickets with a Leprechaun (LEPCH) play symbol, and a prize symbol of \$100 (ONE HUN) appearing in the "prize" area to the right of that Leprechaun (LEPCH) play symbol, on a single ticket, shall be entitled to a prize of \$200.

(h) Holders of tickets upon which any one of the "YOUR SYMBOLS" play symbols matches any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area to the right of the matching "YOUR SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(i) Holders of tickets with a Leprechaun (LEPCH) play symbol, and a prize symbol of \$50\$ (FIFTY) appearing in the "prize" area to the right of that Leprechaun (LEPCH) play symbol, on a single ticket, shall be entitled to a prize of \$100.

(j) Holders of tickets with a Pot O' Gold (PTGOLD) play symbol, and a prize symbol of \$5^{.00} (FIV DOL) appears in ten of the "prize" areas, and a prize symbol of \$10^{.00} (TEN DOL) appears in five of the "prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(k) Holders of tickets upon which any one of the "YOUR SYMBOLS" play symbols matches any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$50\$ (FIFTY) appears in the "prize" area to the right of the matching "YOUR SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(l) Holders of tickets with a Leprechaun (LEPCH) play symbol, and a prize symbol of \$25\$ (TWY FIV) appearing in the "prize" area to the right of that Leprechaun (LEPCH) play symbol, on a single ticket, shall be entitled to a prize of \$50.

(m) Holders of tickets upon which any one of the "YOUR SYMBOLS" play symbols matches any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$40\$ (FORTY) appears in the "prize" area to the right

of the matching "YOUR SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(n) Holders of tickets with a Leprechaun (LEPCH) play symbol, and a prize symbol of \$20\$ (TWENTY) appearing in the "prize" area to the right of that Leprechaun (LEPCH) play symbol, on a single ticket, shall be entitled to a prize of \$40.

(o) Holders of tickets upon which any one of the "YOUR SYMBOLS" play symbols matches any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$25\$ (TWY FIV) appears in the "prize" area to the right of the matching "YOUR SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$25.

(p) Holders of tickets upon which any one of the "YOUR SYMBOLS" play symbols matches any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$20\$ (TWENTY) appears in the "prize" area to the right of the matching "YOUR SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(q) Holders of tickets with a Leprechaun (LEPCH) play symbol, and a prize symbol of \$10^{.00} (TEN DOL) appearing in the "prize" area to the right of that Leprechaun (LEPCH) play symbol, on a single ticket, shall be entitled to a prize of \$20.

(r) Holders of tickets upon which any one of the "YOUR SYMBOLS" play symbols matches any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$10^{.00} (TEN DOL) appears in the "prize" area to the right of the matching "YOUR SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(s) Holders of tickets with a Leprechaun (LEPCH) play symbol, and a prize symbol of \$5^{.00} (FIV DOL) appearing in the "prize" area to the right of that Leprechaun (LEPCH) play symbol, on a single ticket, shall be entitled to a prize of \$10.

(t) Holders of tickets upon which any one of the "YOUR SYMBOLS" play symbols matches any of the "WINNING SYMBOLS" play symbols and a prize symbol of \$5^{.00} (FIV DOL) appears in the "prize" area to the right of the matching "YOUR SYMBOLS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

*When Any Of Your Symbols Match Any Of The Winning Symbols, Win Prize Shown To The Right Of The Matching Symbol.
Win With Prize(s) Of:*

\$5 x 2
 \$5 w/LEPRECHAUN
 \$10
 \$5 x 4
 \$10 x 2
 \$10 w/LEPRECHAUN
 \$20
 \$5 x 5
 (\$5 w/LEPRECHAUN) + (\$5 x 3)
 \$25
 \$5 x 8
 \$10 x 4
 \$20 x 2
 \$20 w/LEPRECHAUN
 \$40

| <i>Win:</i> | <i>Approximate Odds Are 1 In:</i> | <i>Approximate No. Of Winners Per 2,520,000 Tickets</i> |
|-------------|-----------------------------------|---|
| \$10 | 60 | 42,000 |
| \$10 | 15 | 168,000 |
| \$10 | 20 | 126,000 |
| \$20 | 120 | 21,000 |
| \$20 | 120 | 21,000 |
| \$20 | 60 | 42,000 |
| \$20 | 60 | 42,000 |
| \$25 | 100 | 25,200 |
| \$25 | 75 | 33,600 |
| \$25 | 100 | 25,200 |
| \$40 | 300 | 8,400 |
| \$40 | 300 | 8,400 |
| \$40 | 300 | 8,400 |
| \$40 | 300 | 8,400 |
| \$40 | 300 | 8,400 |

When Any Of Your Symbols Match Any Of
The Winning Symbols, Win Prize Shown To
The Right Of The Matching Symbol.
Win With Prize(s) Of:

| | Win: | Approximate Odds Are 1 In: | Approximate No. Of Winners Per 2,520,000 Tickets |
|---|-----------|-------------------------------|--|
| \$5 × 10 | \$50 | 300 | 8,400 |
| \$10 × 5 | \$50 | 600 | 4,200 |
| \$25 × 2 | \$50 | 600 | 4,200 |
| \$25 w/LEPRECHAUN | \$50 | 150 | 16,800 |
| \$50 | \$50 | 300 | 8,400 |
| \$10 × 10 | \$100 | 685.71 | 3,675 |
| \$50 × 2 | \$100 | 685.71 | 3,675 |
| \$50 w/LEPRECHAUN | \$100 | 369.23 | 6,825 |
| POT O' GOLD w/(\$5 × 10) + (\$10 × 5) | \$100 | 600 | 4,200 |
| \$100 | \$100 | 685.71 | 3,675 |
| \$50 × 10 | \$500 | 6,000 | 420 |
| \$100 × 5 | \$500 | 6,000 | 420 |
| (\$100 w/LEPRECHAUN) + (\$100 × 3) | \$500 | 6,000 | 420 |
| \$500 | \$500 | 6,000 | 420 |
| POT O' GOLD w/(\$25 × 10) + (\$50 × 5) | \$500 | 6,000 | 420 |
| \$100 × 10 | \$1,000 | 30,000 | 84 |
| \$500 × 2 | \$1,000 | 30,000 | 84 |
| \$500 w/LEPRECHAUN | \$1,000 | 15,000 | 168 |
| POT O' GOLD w/(\$50 × 10) + (\$100 × 5) | \$1,000 | 30,000 | 84 |
| \$1,000 | \$1,000 | 30,000 | 84 |
| \$250,000 | \$250,000 | 252,000 | 10 |

Leprechaun (LEPCH) Symbol = Win double the prize to the right of it.
Pot O' Gold (PTGOLD) Symbol = Win all 15 prizes shown.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Dublin Gold instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentive).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Dublin Gold, prize money from winning Pennsylvania Dublin Gold instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Dublin Gold instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Dublin Gold or through normal communications methods.

THOMAS W. WOLF,
Secretary

[Pa.B. Doc. No. 08-114. Filed for public inspection January 18, 2008, 9:00 a.m.]

Pennsylvania Lucky Shamrock '08 Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Lucky Shamrock '08.

2. *Price:* The price of a Pennsylvania Lucky Shamrock '08 instant lottery game ticket is \$1.

3. *Play Symbols:* Each Pennsylvania Lucky Shamrock '08 instant lottery game ticket will contain one play area featuring a "POT O' GOLD NUMBER" area and a "YOUR NUMBERS" area. The play symbols and their captions located in the "POT O' GOLD NUMBER" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE) and 10 (TEN). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN) and a Rainbow symbol (RNBOW).

4. *Prize Symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area are: FREE (TICKET), \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$4⁰⁰ (FOR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20\$ (TWENTY), \$25\$ (TWY FIV), \$40\$ (FORTY), \$50\$ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN) and \$1,000 (ONE THO).

5. *Prizes:* The prizes that can be won in this game are: Free \$1 Ticket, \$1, \$2, \$4, \$5, \$10, \$20, \$25, \$40, \$50, \$100, \$500 and \$1,000. The player can win up to five times on a ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 8,400,000 tickets will be printed for the Pennsylvania Lucky Shamrock '08 instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "POT O' GOLD NUMBER" play symbol and a prize symbol of \$1,000 (ONE THO) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(b) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "POT O' GOLD NUMBER" play symbol and a prize symbol of \$500 (FIV HUN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(c) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Rainbow symbol (RNBOW) and a prize symbol of \$100 (ONE HUN) appears in each of the five "prize" areas, on a single ticket, shall be entitled to a prize of \$500.

(d) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "POT O' GOLD NUMBER" play symbol and a prize symbol of \$100 (ONE HUN) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(e) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Rainbow symbol (RNBOW), and a prize symbol of \$20\$ (TWENTY) appears in each of the five "prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "POT O' GOLD NUMBER" play symbol and a prize symbol of \$50\$ (FIFTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(g) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Rainbow symbol (RNBOW), and a prize symbol of \$10⁰⁰ (TEN DOL) appears in each of the five "prize" areas, on a single ticket, shall be entitled to a prize of \$50.

(h) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "POT O' GOLD NUMBER" play symbol and a prize symbol of \$40\$ (FORTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$40.

(i) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "POT O' GOLD NUMBER" play symbol and a prize symbol of \$25\$ (TWY FIV) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$25.

(j) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Rainbow symbol (RNBOW), and a prize symbol of \$5⁰⁰ (FIV DOL) appears in each of the five "prize" areas, on a single ticket, shall be entitled to a prize of \$25.

(k) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "POT O' GOLD NUMBER" play symbol and a prize symbol of \$20\$ (TWENTY) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(l) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Rainbow symbol (RNBOW), and a prize symbol of \$4⁰⁰ (FOR DOL) appears in each of the five "prize" areas, on a single ticket, shall be entitled to a prize of \$20.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "POT O' GOLD NUMBER" play symbol and a prize symbol of \$10⁰⁰ (TEN DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(n) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Rainbow symbol (RNBOW), and a prize symbol of \$2⁰⁰ (TWO DOL) appears in each of the five "prize" areas, on a single ticket, shall be entitled to a prize of \$10.

(o) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "POT O' GOLD NUMBER" play symbol and a prize symbol of \$5⁰⁰ (FIV DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

(p) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a Rainbow symbol (RNBOW), and a prize symbol of \$1⁰⁰ (ONE DOL) appears in each of the five "prize" areas, on a single ticket, shall be entitled to a prize of \$5.

(q) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "POT O' GOLD NUMBER" play symbol and a prize symbol of \$4⁰⁰ (FOR DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$4.

(r) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "POT O' GOLD NUMBER" play symbol and a prize symbol of \$2⁰⁰ (TWO DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$2.

(s) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "POT O' GOLD NUMBER" play symbol and a prize symbol of \$1⁰⁰ (ONE DOL) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1.

(t) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols matches the "POT O' GOLD NUMBER" play symbol and a prize symbol of FREE (TICKET) appears under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of one Pennsylvania Lucky Shamrock '08 instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

When Any Of Your Numbers
Match The Pot O' Gold
Number; Win with Prize(s) Of:

| | Win: | Approximate Odds Are 1 In: | Approximate No. of Winners Per 8,400,000 Tickets |
|------------------------|-----------------|-------------------------------|--|
| FREE | FREE \$1 TICKET | 10 | 840,000 |
| \$1 × 2 | \$2 | 33.33 | 252,000 |
| \$2 | \$2 | 33.33 | 252,000 |
| \$1 × 4 | \$4 | 200 | 42,000 |
| \$2 × 2 | \$4 | 300 | 28,000 |
| \$4 | \$4 | 200 | 42,000 |
| \$1 × 5 | \$5 | 300 | 28,000 |
| \$1 × 5 w/RAINBOW | \$5 | 200 | 42,000 |
| \$5 | \$5 | 300 | 28,000 |
| \$2 × 5 | \$10 | 600 | 14,000 |
| \$2 × 5 w/RAINBOW | \$10 | 150 | 56,000 |
| \$10 | \$10 | 600 | 14,000 |
| \$4 × 5 | \$20 | 3,000 | 2,800 |
| \$4 × 5 w/RAINBOW | \$20 | 1,500 | 5,600 |
| \$10 × 2 | \$20 | 3,000 | 2,800 |
| \$20 | \$20 | 3,000 | 2,800 |
| \$5 × 5 | \$25 | 3,000 | 2,800 |
| \$5 + \$10 × 2 | \$25 | 3,000 | 2,800 |
| \$5 × 5 w/RAINBOW | \$25 | 1,500 | 5,600 |
| \$25 | \$25 | 3,000 | 2,800 |
| \$10 × 4 | \$40 | 4,000 | 2,100 |
| (\$5 × 2) + (\$10 × 3) | \$40 | 4,000 | 2,100 |
| \$20 × 2 | \$40 | 4,000 | 2,100 |
| \$40 | \$40 | 4,000 | 2,100 |
| \$10 × 5 | \$50 | 4,000 | 2,100 |
| \$10 × 5 w/RAINBOW | \$50 | 4,000 | 2,100 |
| \$25 × 2 | \$50 | 4,000 | 2,100 |
| \$50 | \$50 | 4,000 | 2,100 |
| \$20 × 5 | \$100 | 24,000 | 350 |
| \$20 × 5 w/RAINBOW | \$100 | 21,818 | 385 |
| \$50 × 2 | \$100 | 24,000 | 350 |
| \$100 | \$100 | 24,000 | 350 |
| \$100 × 5 | \$500 | 240,000 | 35 |
| \$100 × 5 w/RAINBOW | \$500 | 240,000 | 35 |
| \$500 | \$500 | 240,000 | 35 |
| \$1,000 | \$1,000 | 560,000 | 15 |

RAINBOW (RNBO) = Win all 5 prizes shown automatically.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Lucky Shamrock '08 instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentive).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Lucky Shamrock '08, prize money from winning Pennsylvania Lucky Shamrock '08 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Lucky Shamrock '08 instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P. S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Lucky Shamrock '08 or through normal communications methods.

THOMAS W. WOLF,
Secretary

[Pa.B. Doc. No. 08-115. Filed for public inspection January 18, 2008, 9:00 a.m.]

Pennsylvania Match & Win™ Instant Lottery Game

Under the State Lottery Law (72 P. S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Match & Win™.

2. *Price:* The price of a Pennsylvania Match & Win™ instant lottery game ticket is \$3.

3. *Play Symbols:* Each Pennsylvania Match & Win™ instant lottery game ticket will contain a "Play Grid" area, a "STAR NUMBERS" area and a horizontal "prize" area and vertical "prize" area. The "Play Grid" area consists of 27 spaces on a play grid 9 columns wide by 3 rows deep. The 9 vertical "Columns" are designated as "Column 1," "Column 2," "Column 3," "Column 4," "Column 5," "Column 6," "Column 7," "Column 8" and "Column 9." The 3 horizontal "Rows" are designated as "Row 1," "Row 2" and "Row 3." Each "Column" and each "Row" offers a separate chance to win. The play symbols appearing in the "Play Grid" area are a variable selection consisting of 27 of the 90 distinctive play symbols. Each Pennsylvania Match & Win™ instant lottery game ticket will also contain a "STAR NUMBERS" area consisting of 20 of the 90 play symbols in a 2 x 10 grid. The play symbols located in the "Play Grid" area and in the "STAR NUMBERS" area are the numbers 1 through 90.

4. *Prize Symbols:* The prize symbols and their captions located in the 9 "prize" areas, one below each of the 9 vertical "Columns" are: \$3⁰⁰ (THR DOL), \$5⁰⁰ (FIV DOL), \$6⁰⁰ (SIX DOL), \$10⁰⁰ (TEN DOL), \$15\$ (FIFTN), \$20\$ (TWENTY), \$40\$ (FORTY), \$100 (ONE HUN), \$300 (THR HUN), \$1,000 (ONE THO) and \$3,000 (THR THO). The prize symbols and their captions located in the 3 "prize" areas, one to the right of each of the 3 horizontal "Rows" are: \$3⁰⁰ (THR DOL), \$5⁰⁰ (FIV DOL), \$6⁰⁰ (SIX DOL), \$10⁰⁰ (TEN DOL), \$15\$ (FIFTN), \$20\$ (TWENTY), \$30\$ (THIRTY), \$40\$ (FORTY), \$100 (ONE HUN), \$300 (THR HUN), \$1,000 (ONE THO), \$3,000 (THR THO), \$30,000 (TRY THO) and \$60,000 (STY THO).

5. *Prizes:* The prizes that can be won in this game are: \$3, \$5, \$6, \$10, \$15, \$20, \$30, \$40, \$100, \$300, \$1,000, \$3,000, \$30,000 and \$60,000. The player can win up to 5 times on each ticket.

6. *Approximate Number of Tickets Printed For the Game:* Approximately 6,000,000 tickets will be printed for the Pennsylvania Match & Win™ instant lottery game.

7. *Determination of Prize Winners:*

(a) Holders of tickets in which nine of the "STAR NUMBERS" play symbols match the same exact nine play symbols appearing in a complete horizontal "Row," and a prize symbol of \$60,000 (STY THO) appears in the corresponding "prize" area immediately to the right of that "Row," on a single ticket, shall be entitled to a prize of \$60,000.

(b) Holders of tickets in which nine of the "STAR NUMBERS" play symbols match the same exact nine play symbols appearing in a complete horizontal "Row," and a prize symbol of \$30,000 (TRY THO) appears in the corresponding "prize" area immediately to the right of that "Row," on a single ticket, shall be entitled to a prize of \$30,000.

(c) Holders of tickets in which nine of the "STAR NUMBERS" play symbols match the same exact nine play symbols appearing in a complete horizontal "Row," and a prize symbol of \$3,000 (THR THO) appears in the corresponding "prize" area immediately to the right of that "Row," on a single ticket, shall be entitled to a prize of \$3,000.

(d) Holders of tickets in which three of the "STAR NUMBERS" play symbols match the same exact three play symbols appearing in a complete vertical "Column," and a prize symbol of \$3,000 (THR THO) appears in the corresponding "prize" area immediately below that "Column," on a single ticket, shall be entitled to a prize of \$3,000.

(e) Holders of tickets in which nine of the "STAR NUMBERS" play symbols match the same exact nine play symbols appearing in a complete horizontal "Row," and a prize symbol of \$1,000 (ONE THO) appears in the corresponding "prize" area immediately to the right of that "Row," on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets in which three of the "STAR NUMBERS" play symbols match the same exact three play symbols appearing in a complete vertical "Column," and a prize symbol of \$1,000 (ONE THO) appears in the corresponding "prize" area immediately below that "Column," on a single ticket, shall be entitled to a prize of \$1,000.

(g) Holders of tickets in which nine of the "STAR NUMBERS" play symbols match the same exact nine play symbols appearing in a complete horizontal "Row," and a prize symbol of \$300 (THR HUN) appears in the corresponding "prize" area immediately to the right of that "Row," on a single ticket, shall be entitled to a prize of \$300.

(h) Holders of tickets in which three of the "STAR NUMBERS" play symbols match the same exact three play symbols appearing in a complete vertical "Column," and a prize symbol of \$300 (THR HUN) appears in the corresponding "prize" area immediately below that "Column," on a single ticket, shall be entitled to a prize of \$300.

(i) Holders of tickets in which nine of the "STAR NUMBERS" play symbols match the same exact nine play symbols appearing in a complete horizontal "Row," and a prize symbol of \$100 (ONE HUN) appears in the corresponding "prize" area immediately to the right of that "Row," on a single ticket, shall be entitled to a prize of \$100.

(j) Holders of tickets in which three of the "STAR NUMBERS" play symbols match the same exact three play symbols appearing in a complete vertical "Column" and a prize symbol of \$100 (ONE HUN) appears in the corresponding "prize" area immediately below that "Column," on a single ticket, shall be entitled to a prize of \$100.

(k) Holders of tickets in which nine of the "STAR NUMBERS" play symbols match the same exact nine play symbols appearing in a complete horizontal "Row," and a prize symbol of \$40\$ (FORTY) appears in the corresponding "prize" area immediately to the right of that "Row," on a single ticket, shall be entitled to a prize of \$40.

(l) Holders of tickets in which three of the "STAR NUMBERS" play symbols match the same exact three play symbols appearing in a complete vertical "Column" and a prize symbol of \$40\$ (FORTY) appears in the corresponding "prize" area immediately below that "Column," on a single ticket, shall be entitled to a prize of \$40.

(m) Holders of tickets in which nine of the "STAR NUMBERS" play symbols match the same exact nine play symbols appearing in a complete horizontal "Row," and a prize symbol of \$30\$ (THIRTY) appears in the corresponding "prize" area immediately to the right of that "Row," on a single ticket, shall be entitled to a prize of \$30.

(n) Holders of tickets in which nine of the "STAR NUMBERS" play symbols match the same exact nine play symbols appearing in a complete horizontal "Row," and a prize symbol of \$20\$ (TWENTY) appears in the corresponding "prize" area immediately to the right of that "Row," on a single ticket, shall be entitled to a prize of \$20.

(o) Holders of tickets in which three of the "STAR NUMBERS" play symbols match the same exact three play symbols appearing in a complete vertical "Column," and a prize symbol of \$20\$ (TWENTY) appears in the corresponding "prize" area immediately below that "Column," on a single ticket, shall be entitled to a prize of \$20.

(p) Holders of tickets in which nine of the "STAR NUMBERS" play symbols match the same exact nine play symbols appearing in a complete horizontal "Row," and a prize symbol of \$15\$ (FIFTN) appears in the corresponding "prize" area immediately to the right of that "Row," on a single ticket, shall be entitled to a prize of \$15.

(q) Holders of tickets in which three of the "STAR NUMBERS" play symbols match the same exact three play symbols appearing in a complete vertical "Column," and a prize symbol of \$15\$ (FIFTN) appears in the corresponding "prize" area immediately below that "Column," on a single ticket, shall be entitled to a prize of \$15.

(r) Holders of tickets in which nine of the "STAR NUMBERS" play symbols match the same exact nine play symbols appearing in a complete horizontal "Row," and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the corresponding "prize" area immediately to the right of that "Row," on a single ticket, shall be entitled to a prize of \$10.

(s) Holders of tickets in which three of the "STAR NUMBERS" play symbols match the same exact three play symbols appearing in a complete vertical "Column," and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the corresponding "prize" area immediately below that "Column," on a single ticket, shall be entitled to a prize of \$10.

(t) Holders of tickets in which nine of the "STAR NUMBERS" play symbols match the same exact nine play symbols appearing in a complete horizontal "Row," and a prize symbol of \$6⁰⁰ (SIX DOL) appears in the corresponding "prize" area immediately to the right of that "Row," on a single ticket, shall be entitled to a prize of \$6.

(u) Holders of tickets in which three of the "STAR NUMBERS" play symbols match the same exact three play symbols appearing in a complete vertical "Column," and a prize symbol of \$6⁰⁰ (SIX DOL) appears in the corresponding "prize" area immediately below that "Column," on a single ticket, shall be entitled to a prize of \$6.

(v) Holders of tickets in which nine of the "STAR NUMBERS" play symbols match the same exact nine play symbols appearing in a complete horizontal "Row," and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the corresponding "prize" area immediately to the right of that "Row," on a single ticket, shall be entitled to a prize of \$5.

(w) Holders of tickets in which three of the "STAR NUMBERS" play symbols match the same exact three play symbols appearing in a complete vertical "Column," and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the corresponding "prize" area immediately below that "Column," on a single ticket, shall be entitled to a prize of \$5.

(x) Holders of tickets in which nine of the "STAR NUMBERS" play symbols match the same exact nine play symbols appearing in a complete horizontal "Row," and a prize symbol of \$3⁰⁰ (THR DOL) appears in the corresponding "prize" area immediately to the right of that "Row," on a single ticket, shall be entitled to a prize of \$3.

(y) Holders of tickets in which three of the "STAR NUMBERS" play symbols match the same exact three play symbols appearing in a complete vertical "Column," and a prize symbol of \$3⁰⁰ (THR DOL) appears in the corresponding "prize" area immediately below that "Column," on a single ticket, shall be entitled to a prize of \$3.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

| <i>When You Match All Of The Numbers In A Complete Vertical Column In The Play Grid, Win Prize Shown Below That Column. Win With Prize(s) Of:</i> | <i>When You Match All Of The Numbers In A Complete Horizontal Row In The Play Grid, Win Prize Shown To The Right Of That Row. Win With Prize(s) Of:</i> | <i>Win:</i> | <i>Approximate Odds Are 1 In:</i> | <i>Approximate No. Of Winners Per 6,000,000 Tickets</i> |
|---|---|-------------|-----------------------------------|---|
| \$3 | \$3 | \$3 | 18.18 | 330,000 |
| \$5 | \$5 | \$3 | 18.18 | 330,000 |
| \$3 × 2 | \$5 | \$5 | 29.41 | 204,000 |
| \$6 | \$3 × 2 | \$5 | 33.33 | 180,000 |
| \$5 × 2 | \$6 | \$6 | 200 | 30,000 |
| \$10 | \$3 × 2 | \$6 | 200 | 30,000 |
| \$3 × 5 | \$6 | \$6 | 200 | 30,000 |
| \$5 × 3 | \$5 × 2 | \$6 | 200 | 30,000 |
| \$5 × 2 | \$10 | \$10 | 200 | 30,000 |
| \$15 | \$10 | \$10 | 200 | 30,000 |
| | | \$15 | 500 | 12,000 |
| | | \$15 | 500 | 12,000 |
| | | \$15 | 500 | 12,000 |
| | | \$15 | 500 | 12,000 |

| <i>When You Match All Of The Numbers In A Complete Vertical Column In The Play Grid, Win Prize Shown Below That Column. Win With Prize(s) Of:</i> | <i>When You Match All Of The Numbers In A Complete Horizontal Row In The Play Grid, Win Prize Shown To The Right Of That Row. Win With Prize(s) Of:</i> | <i>Win:</i> | <i>Approximate Odds Are 1 In:</i> | <i>Approximate No. Of Winners Per 6,000,000 Tickets</i> |
|---|---|-------------|-----------------------------------|---|
| \$5 × 4 | \$15 | \$15 | 500 | 12,000 |
| \$10 × 2 | | \$20 | 1,000 | 6,000 |
| | | \$20 | 1,000 | 6,000 |
| \$10 | \$10 × 2 | \$20 | 1,000 | 6,000 |
| \$20 | \$10 | \$20 | 1,000 | 6,000 |
| | | \$20 | 1,000 | 6,000 |
| \$10 × 4 | \$20 | \$20 | 200 | 30,000 |
| \$5 × 2 | | \$40 | 1,714 | 3,500 |
| \$10 × 2 | \$30 | \$40 | 1,714 | 3,500 |
| \$20 | \$20 | \$40 | 1,714 | 3,500 |
| \$40 | \$20 | \$40 | 1,714 | 3,500 |
| | | \$40 | 1,714 | 3,500 |
| \$20 × 5 | \$40 | \$40 | 1,714 | 3,500 |
| \$40 × 2 | \$20 | \$100 | 2,000 | 3,000 |
| \$100 | \$100 | \$100 | 2,000 | 3,000 |
| | | \$100 | 1,600 | 3,750 |
| \$100 × 3 | \$100 | \$100 | 1,600 | 3,750 |
| \$100 × 2 | \$100 | \$300 | 30,000 | 200 |
| \$300 | \$100 | \$300 | 30,000 | 200 |
| | | \$300 | 30,000 | 200 |
| \$300 × 3 | \$300 | \$300 | 30,000 | 200 |
| \$1,000 | \$100 | \$1,000 | 30,000 | 200 |
| | | \$1,000 | 30,000 | 200 |
| \$3,000 | \$1,000 | \$1,000 | 30,000 | 200 |
| | | \$3,000 | 240,000 | 25 |
| | \$3,000 | \$3,000 | 240,000 | 25 |
| | \$30,000 | \$30,000 | 600,000 | 10 |
| | \$60,000 | \$60,000 | 1,200,000 | 5 |

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Match & Win™ instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentive).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Match & Win™, prize money from winning Pennsylvania Match & Win™ instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Match & Win™ instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be

disseminated through media used to advertise or promote Pennsylvania Match & Win™ or through normal communications methods.

THOMAS W. WOLF,
Secretary

[Pa.B. Doc. No. 08-116. Filed for public inspection January 18, 2008, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Finding Butler County

Under section 2002(b) of The Administrative Code of 1929 (71 P.S. § 512(b)), the Secretary of Transportation makes the following written finding:

The Federal Highway Administration (FHWA) and the Department of Transportation (Department) are planning to replace the Senn Bridge which carries Evergreen Mill Road (T-323) over the Little Connoquenessing Creek in Jackson Township, Butler County. Therefore, this project will require the use of the Senn Bridge which is eligible for the National Register of Historic Places and, therefore, qualifies as a Section 4(f)/Section 2002 resource.

In accordance with section 2002 of Pennsylvania Act 120 establishing the Department, a Level-2 Categorical

Exclusion Evaluation has been developed for the subject project along with a "Nationwide/Programmatic Section 4(f) Evaluation for Projects that Necessitate the Use of Historic Bridges" checklist to evaluate the potential environmental impacts caused by the subject project. The checklist also serves as the Section 2002 Evaluation. The approved documents are available in the CE/EA Expert System.

Based upon studies, there is no feasible and prudent alternative to the proposed action. Mitigation measures will be implemented to minimize harm as stipulated in the Level-2 CEE, the "Nationwide/Programmatic Section 4(f) Evaluation for Projects that Necessitate the Use of Historic Bridges" and the associated Memorandum of Agreement.

The environmental, economic, social and other effects of the proposed project, as enumerated in section 2002 of The Administrative Code of 1929 have been considered. It has been concluded that there is no feasible and prudent alternative to the project as designed and all reasonable steps have been taken to minimize the effects.

BRIAN G. THOMPSON, P. E.,
Acting Director, Bureau of Design

[Pa.B. Doc. No. 08-117. Filed for public inspection January 18, 2008, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Crum Creek Neighbors v. DEP and Pulte Homes of PA, LP, Permittee; EHB Doc. No. 2007-287-L

Crum Creek Neighbors has appealed the issuance by the Department of Environmental Protection of NPDES permit to Pulte Homes of PA, LP for stormwater discharges associated with construction activities in Marble Township, Delaware County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457 and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the AT&T Pennsylvania Relay Center at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Acting Chairperson

[Pa.B. Doc. No. 08-118. Filed for public inspection January 18, 2008, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Decrease in Underwriting Authority of Shared Services Insurance Group, Inc.

Shared Services Insurance Group, Inc. (SSIG), a Pennsylvania domiciled stock casualty insurance company, has filed an application to decrease its lines of underwriting authority. The classes of authority that SSIG is applying to delete are Other Liability and Workers' Compensation, as defined by section 202, subdivision (c), paragraphs (4) and (14). The filing was made under the requirements set forth under section 322 of The Insurance Company Law (40 P. S. § 445). Persons wishing to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 7 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@state.pa.us.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 08-119. Filed for public inspection January 18, 2008, 9:00 a.m.]

Application for Increase in Underwriting Authority of Conemaugh Valley Mutual Insurance Company

Conemaugh Valley Mutual Insurance Company (CVM), a Pennsylvania domiciled mutual casualty insurance company, has filed an application to increase its lines of underwriting authorities. The classes of authority that CVM is applying to add are Boiler and Machinery, Water and Livestock, as defined by section 202, subdivision (c), paragraphs (5), (8) and (10). The filing was made under the requirements set forth under section 322 of The Insurance Company Law (40 P. S. § 445). Persons wishing to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 7 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party, identification of the application to which the statement is addressed, and a concise statement with sufficient detail to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120; fax (717) 787-8557; syerger@state.pa.us.

JOEL SCOTT ARIO,
Acting Insurance Commissioner

[Pa.B. Doc. No. 08-120. Filed for public inspection January 18, 2008, 9:00 a.m.]

Eligible Surplus Lines Insurer List

Under section 1605(b) of The Insurance Company Law of 1921 (40 P.S. § 991.1605(b)), the Insurance Department publishes the most recent Eligible Surplus Lines Insurer List. This list replaces in its entirety the Eligible Surplus Lines Insurer List as of June 21, 2007, published at 37 Pa.B. 3141 (July 7, 2007).

Persons who have any questions concerning this notice should contact Robert Brackbill, Chief, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, (717) 787-2735.

| <i>Key No.</i> | <i>Company Name</i> | <i>Statutory Home Address</i> |
|----------------|---|---|
| 48123 | ACE EUROPEAN GROUP LIMITED | 100 LEADENHALL STREET LONDON, Great Britain EC3A 3BP |
| 10512 | ADMIRAL INSURANCE COMPANY | 209 ORANGE STREET WILMINGTON, DE 19801 |
| 10513 | ADRIATIC INSURANCE COMPANY | 314 EAST THAYER AVENUE BISMARCK, ND 58501 |
| 38980 | AIG EXCESS LIABILITY INSURANCE COMPANY, LTD. | 2711 CENTERVILLE ROAD SUITE 400 WILMINGTON, DE 19808 |
| 67489 | AIX SPECIALTY INSURANCE COMPANY | 103 FOULK ROAD SUITE 202 WILMINGTON, DE 19803 |
| 48099 | ALLIANZ GLOBAL CORPORATE & SPECIALTY AG | GROBER BURSTAH 3 HAMBURG, Germany D-20457 |
| 10516 | ALLIANZ UNDERWRITERS INSURANCE COMPANY | 2350 EMPIRE AVENUE BURBANK, CA 91504-3350 |
| 10535 | ALLIED WORLD ASSURANCE COMPANY (U.S.) INC. | 2711 CENTERVILLE ROAD SUITE 400 WILMINGTON, DE 19808 |
| 10519 | AMERICAN EMPIRE SURPLUS LINES INSURANCE COMPANY | 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 10520 | AMERICAN EQUITY INSURANCE COMPANY | 2401 WEST PEORIA AVENUE PHOENIX, AZ 85029 |
| 36855 | AMERICAN HEALTHCARE SPECIALTY INSURANCE COMPANY | 425 W. CAPITOL AVENUE SUITE 1800 LITTLE ROCK, AR 72201 |
| 10521 | AMERICAN INTERNATIONAL SPECIALTY LINES INSURANCE COMPANY | 1400 WEST BENSON BOULEVARD SUITE 315 ANCHORAGE, AK 99503 |
| 63828 | AMERICAN MODERN SURPLUS LINES INSURANCE COMPANY | 7000 MIDLAND BLVD AMELIA, OH 45102-2607 |
| 18146 | AMERICAN SAFETY INDEMNITY COMPANY | 100 GALLERIA PARKWAY, S. E. SUITE 700 ATLANTA, GA 30330 |
| 10522 | AMERICAN WESTERN HOME INSURANCE COMPANY | 600 BANK OF OKLAHOMA PLAZA OKLAHOMA CITY, OK 73102 |
| 10524 | APPALACHIAN INSURANCE COMPANY | 1301 ATWOOD AVENUE JOHNSTON, RI 02919-0500 |
| 33748 | ARCH EXCESS & SURPLUS INSURANCE COMPANY | 10306 REGENCY PARKWAY DRIVE OMAHA, NE 68113 |
| 10587 | ARCH SPECIALTY INSURANCE COMPANY | 10306 REGENCY PARKWAY DRIVE C/O LAWRENCE HARR OMAHA, NE 68113 |
| 10588 | ARROWOOD SURPLUS LINES INSURANCE COMPANY | 2711 CENTERVILLE ROAD SUITE 400 WILMINGTON, DE 19808 |
| 51442 | ASPEN INSURANCE UK LIMITED | 30 FENCHURCH STREET LONDON, ENGLAND, United Kingdom EC3M 3BD |
| 35611 | ASPEN SPECIALTY INSURANCE COMPANY | 316 NORTH FIFTH STREET BISMARCK, ND 58502 |

| <i>Key No.</i> | <i>Company Name</i> | <i>Statutory Home Address</i> |
|----------------|---|---|
| 22348 | ASSICURAZIONI GENERALI S.p.A. | PIAZZA DUCA DEGLI ABRUZZI, 2 TRIESTE, Italy 34132 |
| 22349 | ASSOCIATED ELECTRIC & GAS INSURANCE SERVICES LIMITED | THE MAXWELL ROBERTS BUILDING 4TH FLOOR HAMILTON, Bermuda HM11 |
| 10525 | ASSOCIATED INTERNATIONAL INSURANCE COMPANY | TEN PARKWAY NORTH DEERFIELD, IL 60015 |
| 41586 | ATLANTIC CASUALTY INSURANCE COMPANY | 400 COMMERCE COURT GOLDSBORO, NC 27534 |
| 10526 | AUDUBON INDEMNITY COMPANY | C/O CORPORATION SERVICE COMPANY 506 SOUTH PRESIDENT STREET JACKSON, MS 39201 |
| 22371 | AVIVA INTERNATIONAL INSURANCE LIMITED | ST. HELEN'S 1 UNDERSHAFT LONDON, Great Britain EC3P3DQ |
| 41562 | AXA CORPORATE SOLUTIONS ASSURANCE | 4 RUE JULES LEFEBVRE PARIS, France 75009 |
| 59554 | AXIS SPECIALTY EUROPE LIMITED | MOUNT HERBERT COURT 34 UPPER MOUNT STREET DUBLIN, Ireland |
| 10536 | AXIS SPECIALTY INSURANCE COMPANY | ONE STATE STREET SUITE 1700 HARTFORD, CT 06103 |
| 10592 | AXIS SURPLUS INSURANCE COMPANY | 303 WEST MADISON SUITE 500 CHICAGO, IL 60606 |
| 63055 | BERKSHIRE HATHAWAY INTERNATIONAL INSURANCE LIMITED | BIRCHIN COURT FOURTH FLOOR LONDON, Great Britain EC3V 9DU |
| 22369 | BRITISH AVIATION INSURANCE COMPANY LIMITED | FITZWILLIAM HOUSE 10 ST. MARY'S AXE LONDON, Great Britain EC3ABEQ |
| 10528 | CANAL INDEMNITY COMPANY | 400 EAST STONE AVENUE GREENVILLE, SC 29601 |
| 48319 | CAPITOL SPECIALTY INSURANCE CORPORATION | 1600 ASPEN COMMONS MIDDLETON, WI 53562 |
| 64641 | CATLIN INSURANCE COMPANY (UK) LIMITED | 3 MINSTER COURT MINCING LANE LONDON, United Kingdom EC3R 7DD |
| 63239 | CATLIN SPECIALTY INSURANCE COMPANY | 160 GREENTREE DRIVE SUITE 101 DOVER, DE 19904 |
| 10529 | CENTENNIAL CASUALTY COMPANY | 2200 WOODCREST PLACE SUITE 200 BIRMINGHAM, AL 35209 |
| 10531 | CENTURY SURETY COMPANY | 465 N CLEVELAND AVENUE WESTERVILLE, OH 43082 |
| 10532 | CHUBB CUSTOM INSURANCE COMPANY | C/O CORPORATE SERVICE COMPANY 2711 CENTERVILLE ROAD WILMINGTON, DE 19808-1645 |
| 18617 | CLARENDON AMERICA INSURANCE COMPANY | 601 EWING STREET SUITE C-8 PRINCETON, NJ 09650 |
| 10533 | COLONY INSURANCE COMPANY | 8720 STONEY POINT PARKWAY SUITE 300 RICHMOND, VA 23235 |
| 10582 | COLONY NATIONAL INSURANCE COMPANY | 8720 STONEY POINT PARKWAY SUITE 300 RICHMOND, VA 23235 |

| <i>Key No.</i> | <i>Company Name</i> | <i>Statutory Home Address</i> |
|----------------|--|---|
| 10534 | COLUMBIA CASUALTY COMPANY | CNA PLAZA CHICAGO, IL 60685 |
| 22388 | COMMONWEALTH INSURANCE COMPANY | 595 BURRARD STREET, SUITE 1500 BOX 49115 BENTALL TOWER THREE VANCOUVER, V7X 1G4 |
| 37372 | CRUM & FORSTER SPECIALTY INSURANCE COMPANY | 2999 NORTH 44TH STREET SUITE 250 PHOENIX, AZ 85018 |
| 66658 | CUMIS SPECIALTY INSURANCE COMPANY, INC. | 2000 HERITAGE WAY WAVERLY, IA 50677 |
| 10600 | DARWIN SELECT INSURANCE COMPANY | 320 WEST CAPITAL STREET SUITE 1000 LITTLE ROCK, AR 72201-3525 |
| 37001 | DISCOVER SPECIALTY INSURANCE COMPANY | 200 NORTH LASALLE STREET CHICAGO, IL 60661 |
| 10541 | EMPIRE INDEMNITY INSURANCE COMPANY | 630 NE 63RD STREET OKLAHOMA CITY, OK 73105 |
| 63338 | ENDURANCE AMERICAN SPECIALTY INSURANCE COMPANY | 767 THIRD AVENUE FIFTH FLOOR NEW YORK, NY 10017 |
| 10542 | ESSEX INSURANCE COMPANY | 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 10543 | EVANSTON INSURANCE COMPANY | TEN PARKWAY NORTH DEERFIELD, IL 60015 |
| 10544 | EVEREST INDEMNITY INSURANCE COMPANY | CORPORATION TRUST CENTER 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 10545 | EXECUTIVE RISK SPECIALTY INSURANCE COMPANY | 82 HOPMEADOW STREET SIMSBURY, CT 06070-7683 |
| 10547 | FIREMAN'S FUND INSURANCE COMPANY OF OHIO | 312 WALNUT STREET SUITE 1100 CINCINNATI, OH 45202 |
| 10548 | FIRST FINANCIAL INSURANCE COMPANY | 528 SOUTH FIFTH STREET SUITE 210 SPRINGFIELD, IL 62701-1822 |
| 10549 | FIRST MERCURY INSURANCE COMPANY | ONE SOUTH WACKER DRIVE SUITE 2740 CHICAGO, IL 60606 |
| 10550 | FIRST SPECIALTY INSURANCE CORPORATION | 237 EAST HIGH STREET JEFFERSON CITY, MO 65102 |
| 18477 | GEMINI INSURANCE COMPANY | CORPORATION TRUST CENTER 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 10553 | GENERAL AGENTS INSURANCE COMPANY OF AMERICA, INC. | 115 SOUTHWEST 89TH STREET OKLAHOMA CITY, OK 73139 |
| 10552 | GENERAL SECURITY INDEMNITY COMPANY OF ARIZONA | 2338 W. ROYAL PALM ROAD SUITE J PHOENIX, AZ 85021 |
| 10554 | GENERAL STAR INDEMNITY COMPANY | 695 EAST MAIN STREET P. O. BOX 10354 STAMFORD, CT 06904-2354 |
| 22411 | GENERALI ASSURANCES IARD | 7 BOULEVARD HAUSSMAN PARIS, France 75009 |
| 10555 | GENESIS INDEMNITY INSURANCE COMPANY | 316 NORTH FIFTH STREET BISMARCK, ND 58501 |
| 58119 | GEOVERA SPECIALTY INSURANCE COMPANY | 4820 BUSINESS CENTER DRIVE SUITE 200 FAIRFIELD, CA 94534 |

| <i>Key No.</i> | <i>Company Name</i> | <i>Statutory Home Address</i> |
|----------------|--|--|
| 44715 | GLENCOE INSURANCE LIMITED | RENAISSANCE HOUSE 8 EAST BROADWAY PO BOX HM 2527 HAMILTON, Bermuda HM GX |
| 10556 | GOTHAM INSURANCE COMPANY | 919 THIRD AVENUE 10TH FLOOR NEW YORK, NY 10022 |
| 10514 | GREAT AMERICAN E & S INSURANCE COMPANY | THE CORPORATION TRUST COMPANY 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 10518 | GREAT AMERICAN FIDELITY INSURANCE COMPANY | THE CORPORATION TRUST COMPANY 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 10540 | GREAT AMERICAN PROTECTION INSURANCE COMPANY | 580 WALNUT STREET CINCINNATI, OH 45204 |
| 22412 | GREAT LAKES REINSURANCE (UK) PLC | UPPER GROUND FLOOR 1 MINSTER COURT MINCING LANE LONDON, Great Britain EC3R7AA |
| 36489 | GUILFORD INSURANCE COMPANY | 528 SOUTH FIFTH STREET SUITE 210 SPRINGFIELD, IL 62701-1822 |
| 10557 | GULF UNDERWRITERS INSURANCE COMPANY | ONE TOWER SQUARE HARTFORD, CT 06183 |
| 66133 | HCC SPECIALTY INSURANCE COMPANY | 201 ROBERT S. HERR AVENUE OKLAHOMA, OK 73102 |
| 44169 | HOMELAND INSURANCE COMPANY OF NEW YORK | 201 NORTH SERVICE ROAD MELVILLE, NY 11747 |
| 10559 | HOUSTON CASUALTY COMPANY | 13403 NORTHWEST FREEWAY HOUSTON, TX 77040 |
| 37373 | HUDSON SPECIALTY INSURANCE COMPANY | 17 STATE STREET 29TH FLOOR NEW YORK, NY 10004 |
| 10560 | ILLINOIS EMCASCO INSURANCE COMPANY | 717 MULBERRY STREET DES MOINES, IA 50309-3872 |
| 10561 | ILLINOIS UNION INSURANCE COMPANY | 525 WEST MONROE STREET CHICAGO, IL 60631 |
| 10562 | INDIAN HARBOR INSURANCE COMPANY | CT CORPORATION SYSTEM 314 EAST THAYER AVENUE BISMARCK, ND 58501 |
| 10563 | INEX INSURANCE EXCHANGE | 1 SOUTH WACKER DRIVE SUITE 2720 CHICAGO, IL 60606-4617 |
| 45736 | INTEGON SPECIALTY INSURANCE COMPANY | 500 WEST FIFTH STREET WINSTON-SALEM, NC 27152 |
| 28076 | INTERNATIONAL INSURANCE CO OF HANNOVER, LTD | L'AVENIR OPLADEN WAY, BRACKNELL BERKSHIRE, Great Britain UK RG12 OPH |
| 10564 | INTERSTATE FIRE & CASUALTY COMPANY | 33 WEST MONROE CHICAGO, IL 60603 |
| 70118 | IRONSHORE INSURANCE LTD. | SWAN BUILDING 26 VICTORIA STREET HAMILTON, Bermuda HM12 |
| 10566 | ITT PACIFIC INSURANCE COMPANY | HARTFORD PLAZA HARTFORD, CT 06115 |
| 10546 | JAMES RIVER INSURANCE COMPANY | 52 EAST GAY STREET COLUMBUS, OH 43215 |

| <i>Key No.</i> | <i>Company Name</i> | <i>Statutory Home Address</i> |
|----------------|--|---|
| 8967 | LANDMARK AMERICAN INSURANCE COMPANY | 115 S.W. 89TH STREET OKLAHOMA CITY, OK 73139-8501 |
| 10567 | LANDMARK INSURANCE COMPANY | 2730 GATEWAY OAKS DRIVE SUITE 100 SACRAMENTO, CA 95833 |
| 45576 | LANTANA INSURANCE LTD. | RENAISSANCE HOUSE 8-12 EAST BROADWAY HAMILTON, Bermuda HM 19 |
| 10569 | LEXINGTON INSURANCE COMPANY | 2711 CENTERVILLE ROAD SUITE 400 WILMINGTON, DE 19808 |
| 22415 | LIBERTY MUTUAL INSURANCE EUROPE LIMITED | 3TH FLOOR, TWO MINSTER COURT MINCING LANE LONDON, Great Britain EC3R 7YE |
| 18457 | LIBERTY SURPLUS INSURANCE CORPORATION | 175 BERKELEY STREET BOSTON, MA 02117 |
| 22416 | LLOYD'S (UNDERWRITERS AT) | ONE LIME STREET LONDON, Great Britain EC3M7HA |
| 22417 | LONDON AND EDINBURGH INSURANCE COMPANY LIMITED | 8 SURREY STREET NORWICH NR1 3NG ENGLAND, Great Britain EC3M5BT |
| 22418 | MARINE INSURANCE COMPANY LIMITED | ST MARKS COURT, CHART WAY HORSHAM, WEST SUSSEX ENGLAND, Great Britain RH 12 1XL |
| 22455 | MARKEL INTERNATIONAL INSURANCE COMPANY LIMITED | THE MARKEL BUILDING 49 LEADENHALL STREET LONDON, Great Britain EC3A2EA |
| 10570 | MAX SPECIALTY INSURANCE COMPANY | 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 10527 | MAXUM INDEMNITY COMPANY | 1209 ORANGE STREET WILMINGTON, DE 19801 |
| 69016 | MEDICAL MUTUAL LIABILITY INSURANCE SOCIETY OF MARYLAND | 225 INTERNATIONAL CIRCLE HUNT VALLEY, MD 21030 |
| 10571 | MT. HAWLEY INSURANCE COMPANY | 9025 N. LINDBERGH DRIVE PEORIA, IL 61615 |
| 10572 | NAMIC INSURANCE COMPANY, INC. | 3601 VINCENNES ROAD INDIANAPOLIS, IN 46268 |
| 10573 | NATIONAL FIRE & MARINE INSURANCE COMPANY | 3024 HARNEY STREET OMAHA, NE 68131-3580 |
| 10574 | NAUTILUS INSURANCE COMPANY | 7233 E. BUTHERUS DRIVE SCOTTSDALE, AZ 85260 |
| 10575 | NAVIGATORS SPECIALTY INSURANCE COMPANY | ONE PENN PLAZA 55TH FLOOR NEW YORK, NY 10119-0002 |
| 10537 | NOETIC SPECIALTY INSURANCE COMPANY | 111 S. WACKER DRIVE CHICAGO, IL 60606-4410 |
| 10576 | NORTH AMERICAN CAPACITY INSURANCE COMPANY | 650 ELM STREET MANCHESTER, NH 03101-2524 |
| 10584 | NORTH POINTE CASUALTY INSURANCE COMPANY | 10199 SOUTHSIDE BLVD BUILDING 1 JACKSONVILLE, FL 32256 |
| 10577 | NORTHFIELD INSURANCE COMPANY | 1270 OFFICE PLAZA DRIVE WEST DES MOINES, IA 50266 |
| 10578 | NUTMEG INSURANCE COMPANY | HARTFORD PLAZA HARTFORD, CT 06115 |
| 22421 | OCEAN MARINE INSURANCE COMPANY LIMITED | ST. HELEN'S 1 UNDERSHAFT LONDON, Great Britain EC3P3DQ |

| <i>Key No.</i> | <i>Company Name</i> | <i>Statutory Home Address</i> |
|----------------|---|--|
| 10579 | OLD REPUBLIC UNION INSURANCE COMPANY | 307 NORTH MICHIGAN AVENUE CHICAGO, IL 60601 |
| 58179 | PENN-PATRIOT INSURANCE COMPANY | 526 KING STREET ALEXANDRIA, VA 22314 |
| 40659 | PRAETORIAN SPECIALTY INSURANCE COMPANY | 1209 ORANGE STREET WILMINGTON, DE 19801-1120 |
| 23150 | PRINCETON EXCESS AND SURPLUS LINES INSURANCE COMPANY | 2711 CENTERVILLE ROAD SUITE 400 WILMINGTON, DE 19808 |
| 10583 | PROFESSIONAL UNDERWRITERS LIABILITY INSURANCE COMPANY | 136 EAST SOUTH TEMPLE SUITE 2100 SALT LAKE CITY, UT 84111 |
| 22449 | QBE INSURANCE (EUROPE) LIMITED | PLANTATION PLACE 30 FENCHURCH STREET LONDON, Great Britain EC3M 3BD |
| 47448 | QBE SPECIALTY INSURANCE COMPANY | 314 EAST THAYER AVENUE BISMARCK, ND 58501 |
| 53074 | QUANTA SPECIALTY LINES INSURANCE COMPANY | 3500 DEPAUW BOULEVARD SUITE 3050 INDIANAPOLIS, IN 46268 |
| 44436 | RED MOUNTAIN CASUALTY INSURANCE COMPANY, INC. | 100 BROOKWOOD PLACE SUITE 500 BIRMINGHAM, AL 35209 |
| 70898 | REPUBLIC-VANGUARD INSURANCE COMPANY | 2394 E. CAMELBACK ROAD PHOENIX, AZ 85016 |
| 10603 | ROCKHILL INSURANCE COMPANY | 2999 NORTH 44TH STREET SUITE 250 PHOENIX, AZ 85018 |
| 10589 | SAFECO SURPLUS LINES INSURANCE COMPANY | SAFECO PLAZA SEATTLE, WA 98185 |
| 10590 | SAVERS PROPERTY AND CASUALTY INSURANCE COMPANY | 700 WEST 47TH STREET KANSAS CITY, MO 64112-1802 |
| 10591 | SCOTTSDALE INSURANCE COMPANY | ONE NATIONWIDE PLAZA COLUMBUS, OH 43215 |
| 44276 | SENECA SPECIALTY INSURANCE COMPANY | 2999 NORTH 44TH STREET SUITE 250 PHOENIX, AZ 85018-7256 |
| 33514 | SIRIUS INTERNATIONAL INSURANCE CORPORATION | BIRGER JARISGATAN 57B STOCKHOLM, Sweden SE 113 96 |
| 10565 | SPECIALTY SURPLUS INSURANCE COMPANY | 1 KEMPER DRIVE LONG GROVE, IL 60049-0001 |
| 22453 | SR INTERNATIONAL BUSINESS INSURANCE COMPANY LIMITED | 30 ST. MARY AXE LONDON, Great Britain EC3A8EP |
| 10593 | ST. PAUL SURPLUS LINES INSURANCE COMPANY | 2711 CENTERVILLE ROAD SUITE 400 WILMINGTON, DE 19808 |
| 10594 | STEADFAST INSURANCE COMPANY | SUITE 202 32 LOOCKERMAN SQUARE DOVER, DE 19904 |
| 10596 | TIG SPECIALTY INSURANCE COMPANY | C/O RIVERSTONE RESOURCES, LLC 8880 RIO SAN DIEGO DRIVE SAN DIEGO, CA 92108 |
| 10597 | TRAVELERS EXCESS AND SURPLUS LINES COMPANY | ONE TOWER SQUARE HARTFORD, CT 06183 |
| 54486 | TT CLUB MUTUAL INSURANCE LIMITED | INTERNATIONAL HOUSE CREECHURCH LANE LONDON, Great Britain EC3A 5BA |

| <i>Key No.</i> | <i>Company Name</i> | <i>Statutory Home Address</i> |
|----------------|---|--|
| 10598 | TUDOR INSURANCE COMPANY | 91 COURT STREET KEENE, NH 03431 |
| 10599 | U. S. UNDERWRITERS INSURANCE COMPANY | 316 NORTH FIFTH STREET SIXTH FLOOR BISMARCK, ND 58501 |
| 44120 | UNITED NATIONAL CASUALTY INSURANCE COMPANY | 5253 HOHMAN AVENUE PO BOX 1150 HAMMOND, IN 46320 |
| 10558 | UNITED NATIONAL SPECIALTY INSURANCE COMPANY | 411 EAST WISCONSIN AVENUE SUITE 700 MILWAUKEE, WI 53202 |
| 64798 | UNITED SPECIALTY INSURANCE COMPANY | 160 GREENTREE DRIVE SUITE 101 DOVER, DE 19904 |
| 52712 | VICTORIA INSURANCE COMPANY | 2301 E. LAMAR BOULEVARD 5TH FLOOR ARLINGTON, TX 76006 |
| 10605 | VOYAGER INDEMNITY INSURANCE COMPANY | 260 INTERSTATE NORTH CIRCLE NW ATLANTA, GA 30339 |
| 10607 | WESTCHESTER SURPLUS LINES INSURANCE COMPANY | 500 COLONIAL CENTER PARKWAY SUITE 200 ROSWELL, GA 30076 |
| 10608 | WESTERN HERITAGE INSURANCE COMPANY | 6263 N. SCOTTSDALE ROAD SUITE 240 SCOTTSDALE, AZ 85250 |
| 10610 | WESTERN WORLD INSURANCE COMPANY | 91 COURT STREET KEENE, NH 03431 |
| 49219 | WILSHIRE INSURANCE COMPANY | 702 OBERLIN ROAD RALEIGH, NC 27605-0800 |
| 70201 | WIND RIVER REINSURANCE COMPANY, LTD | BURNABY BUILDING 16 BURNABY STREET HAMILTON, Bermuda HM 11 |
| 10604 | XL SELECT INSURANCE COMPANY | 735 FIRST NATIONAL BUILDING OKLAHOMA CITY, OK 73102 |
| 10611 | ZC SPECIALTY INSURANCE COMPANY | 400 WEST 15TH STREET SUITE 710 AUSTIN, TX 78701 |

[Pa.B. Doc. No. 08-121. Filed for public inspection January 18, 2008, 9:00 a.m.]

PENNSYLVANIA COUNCIL ON AGING

2008 Meeting Dates

Under 65 Pa.C.S. §§ 701—716 (relating to Sunshine Act), the Pennsylvania Council on Aging (Council) has established the following schedule for the Council's meetings for 2008:

| | |
|------------------------------|------------------|
| Wednesday, February 13, 2008 | 9 a.m.—2:30 p.m. |
| Wednesday, April 9, 2008 | 9 a.m.—2:30 p.m. |
| Wednesday, June 11, 2008 | 9 a.m.—2:30 p.m. |
| Wednesday, August 13, 2008 | 9 a.m.—2:30 p.m. |
| October Meeting | TBA |
| Wednesday, December 10, 2008 | 9 a.m.—2:30 p.m. |

Meetings, with the exception of the October meeting, will be held at the Offices of the Department of Aging, in the Fifth Floor Conference Room, 555 Walnut Street, Harrisburg, PA.

Contact the Pennsylvania Council on Aging at (717) 772-0473 for the date and location of the October meeting, which will be determined later.

Persons with a disability who wish to attend the previously-listed meetings and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Darlene Sampson, Executive Director at (717) 772-0473 to discuss how the Council may best accommodate their needs.

DARLENE SAMPSON,
Executive Director

[Pa.B. Doc. No. 08-122. Filed for public inspection January 18, 2008, 9:00 a.m.]

PENNSYLVANIA GAMING CONTROL BOARD

Change of Control Slot Machine License Fee

The Pennsylvania Gaming Control Board, under 4 Pa.C.S. § 1328(d) (relating to change in ownership or control of slot machine licensee), may, at its discretion, reduce the new slot machine licensing fee required in connection with a change in control of a slot machine licensee.

While the Board recognizes that a significant fee would provide an immediate benefit to the Commonwealth, imposing too high a fee on an acquirer could cause harm to the gaming industry by jeopardizing its long term prospects. For this reason, the Board believes that the taxpayers of the Commonwealth will benefit more in the long term by fostering competition for our gaming licenses and enticing new operators who are willing to invest the capital necessary to ensure that our gaming facilities remain engines of economic growth and sources of vital revenue to the Commonwealth well into the future.

Therefore, at its December 18, 2007, public meeting, the Board adopted a \$2.5 million fee to be assessed on an acquirer in connection with a change in control unless special circumstances would dictate otherwise. This fee is effective immediately.

THOMAS A. DECKER,
Chairperson

[Pa.B. Doc. No. 08-123. Filed for public inspection January 18, 2008, 9:00 a.m.]

PHILADELPHIA REGIONAL PORT AUTHORITY

Request for Bids

The Philadelphia Regional Port Authority (PRPA) will accept sealed bids for Project No. 07-171.S Reproduction/ Reprinting of the PRPA Journal of Commerce Insert, no later than 2 p.m. on Thursday, February 7, 2008. The bid documents can be obtained from the Director of Procurement, PRPA, 3460 North Delaware Avenue, 2nd Floor, Philadelphia, PA 19134, (215) 426-2600 and will be available January 22, 2008. Additional information and project listings may be found at www.philaport.com. PRPA is an equal opportunity employer. Contractor must comply with all applicable equal opportunity laws and regulations.

JAMES T. MCDERMOTT, Jr.,
Executive Director

[Pa.B. Doc. No. 08-124. Filed for public inspection January 18, 2008, 9:00 a.m.]