

NOTICES

DEPARTMENT OF BANKING

Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 9, 2002 (P. L. 1572, No. 207), known as the Credit Union Code, has taken the following action on applications received for the week ending December 9, 2008.

Under section 503.E of the Department of Banking Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2230. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Section 112 Applications

<i>Date</i>	<i>Name of Individual</i>	<i>Location</i>	<i>Action</i>
12-9-2008	William Kronenberg, III, to acquire up to 16.67% of preferred stock of New Century Bank, Phoenixville	Phoenixville	Approved
12-9-2008	Kenneth B. and Moira F. Mumma to acquire up to 16.67% of preferred stock of New Century Bank, Phoenixville	Phoenixville	Approved
12-9-2008	John J. and Doris Sickler to acquire up to 13.33% of preferred stock of New Century Bank, Phoenixville	Phoenixville	Approved
12-9-2008	T. Lawrence Way to acquire up to 16.67% of preferred stock of New Century Bank, Phoenixville	Phoenixville	Approved

Holding Company Acquisitions

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
12-5-2008	Harleysville National Corporation, Harleysville, acquired 100% of Willow Financial Bancorp, Inc., Wayne, and thereby indirectly acquired Willow Financial Bank, Wayne, which merged with and into The Harleysville National Bank and Trust Company, Harleysville, a wholly-owned subsidiary of Harleysville National Corporation	Harleysville	Effective

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
12-4-2008	Allegheny Valley Bank of Pittsburgh Pittsburgh Allegheny County	333 Allegheny Avenue Oakmont Allegheny County	Approved
12-4-2008	Graystone Bank Lancaster Lancaster County	2325 South Market Street Elizabethtown Lancaster County	Approved

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
12-4-2008	Mid Penn Bank Millersburg Dauphin County	3763 Peters Mountain Road Halifax Dauphin County	Approved

Articles of Amendment

<i>Date</i>	<i>Name of Institution</i>	<i>Purpose</i>	<i>Action</i>
12-4-2008	Colonial American Bank West Conshohocken Montgomery County	Amend Articles II, V, VI, VII and XII of the Articles of Incorporation	Filed
	Amendment to Article II provides for a change of the principal place of business of the institution <i>From</i> : 300 Conshohocken State Road, Suite 160, West Conshohocken, PA 19428 <i>To</i> : 300 Welsh Road, Building 4, Suite 100, Horsham, PA 19044.		
	Amendment to Articles V and VI provides for the issuance of common stock and preferred stock.		
	Amendment to Article VII provides for a change of the authorized number of directors <i>From</i> : not less than five nor more than nine <i>To</i> : not less than five nor more than 15.		
	Amendment to Article XII clarifies provisions relating to the acquisition of voting control of the institution.		
12-5-2008	DM Trust Company Philadelphia Philadelphia County	Amend the First Article of the Articles of Incorporation	Approved and Effective
	Amendment to the First Article provides for a change of the name of the institution <i>From</i> : "DM Trust Company" <i>To</i> : "Everest Trust Company."		

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS**Branch Applications****De Novo Branches**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
12-1-2008	Glatco Credit Union Spring Grove York County	Spring Grove High School 1490 Roth's Church Road Spring Grove York County	Filed

The Department's web site at www.banking.state.pa.us includes public notices for more recently filed applications.

STEVEN KAPLAN,
Secretary

[Pa.B. Doc. No. 08-2298. Filed for public inspection December 19, 2008, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION**Applications, Actions and Special Notices****APPLICATIONS**

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION
SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM)
PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Services at (800) 654-5984.

I. NPDES Renewal Applications

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0023264 (Sew)	Twin Boroughs Sanitary Authority P. O. Box 118 Mifflin, PA 17058	Juniata County Mifflin Borough	Juniata River 12-A	Y
PA0087921 (Sew)	Berwick Township 85 Municipal Road Hanover, PA 17331-8992	Adams County Berwick Township	UNT Pine Run 7-F	Y
PA0008427 (IW)	NRG Energy Center Harrisburg, LLC 100 North 10th Street Harrisburg, PA 17101-3357	Dauphin County Harrisburg City	Paxton Creek 7-C	Y

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0024091 SP	Millville Borough P. O. Box 30 Millville, PA 17846-0030	Columbia County Millville Borough	Little Fishing Creek 5C	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

PA0031208, Sewage, SIC 4952, **Garnet Valley School District**, 80 Station Road, Glen Mills, PA 19342. This proposed facility is located in Concord Township, **Delaware County**.

Description of Proposed Activity: Renewal of an NPDES permit to discharge treated sewage from Garnet Valley HS STP.

The receiving stream, Green Creek, is in the State Water Plan Watershed 3G and is classified for: CWF, aquatic life, water supply and recreation. The nearest downstream public water supply intake for Aqua PA Main System is located on Chester Creek and is 5.7 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0222 mgd.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>	
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅				
(5-1 to 10-31)	1.85		10	20
(11-1 to 4-30)	3.7		20	40
TSS	1.85		10	20
Ammonia as N				
(5-1 to 10-31)	0.56		3	6
(11-1 to 4-30)	1.67		9	18
Phosphorus Total				
Years 1 and 2			Monitor and Report	Monitor and Report
Years 3—5				
(5-1 to 10-31)	0.18		1.0	2.0
(11-1 to 4-30)	0.37		2.0	4.0
Fecal Coliform			# 200/100 ml	# 1,000/100 ml
Dissolved Oxygen				5.0 (Instantaneous Minimum)
TRC			1.0	1.5
pH			6.0 to 9.0 Standard Units at all times	

In addition to the effluent limits, the permit contains the following major special conditions:

1. Operator Notification.
2. Abandon STP When Municipal Sewers Available.
3. Remedial Measures if Unsatisfactory Effluent.
4. No Stormwater.
5. Acquire Necessary Property Rights.
6. Dry Stream Discharge.
7. Change of Ownership.
8. Chlorine Minimization.
9. Proper Sludge Disposal.
10. I-max Limitation.
11. 2/Month Monitoring.
12. Fecal Coliform Reporting.

PA0051586, Sewage, SIC 4952, **Clover D, Inc., Tohickon Family Campground**, 8308 Covered Bridge Road, Quakertown, PA 18951. This proposed facility is located in East Rockhill Township, **Bucks County**.

Description of Proposed Activity: renewal of an NPDES permit to discharge 25,000 gpd of treated sewage into Tohickon Creek.

The receiving stream, Tohickon Creek, is in the State Water Plan Watershed 2D and is classified for: TSF. The nearest downstream public water supply intake for PA Water Company is located on Delaware River and is 26 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 25,000 gpd.

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		<i>Instantaneous Maximum (mg/l)</i>
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	
CBOD ₅					
(5-1 to 10-31)	3.12		15		30
(11-1 to 4-30)	5.21		25		50
Total Suspended Solids	6.26		30		60
Ammonia as N					
(5-1 to 10-31)	0.63		3.0		6.0
(11-1 to 4-30)	1.88		6.0		12.0
Phosphorus as P	0.104		0.5		1.0
Fecal Coliform			200 #/100 ml		1,000 #/100 ml

Parameters	Mass (lb/day)		Concentration (mg/l)		Instantaneous Maximum (mg/l)
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	
Total Residual Chlorine			0.5		1.2
Dissolved Oxygen			3.0 Minimum		
pH			Within limits of 6.0 to 9.0 Standard Units at all times		

In addition to the effluent limits, the permit contains the following major special conditions:

1. Special Protection Waters.

PA0244287, Industrial Waste, SIC 4941, **Telford Borough Authority**, 122 Penn Avenue, Telford, PA 18969-1912. This proposed facility is located in Hilltown Township, **Bucks County**.

Description of Proposed Activity: The backwash water discharge from arsenic removal system of (Well No. 6) a potable waster system. The rate of discharge will be 256-gallon per minute for 10 minutes every 2—4 weeks.

The receiving stream, UNT to Mill Creek, is in the State Water Plan Watershed 3E and is classified for: TSF.

The proposed effluent limits for Outfall 001 are based on a design flow of 2,360 gpd.

Parameters	Concentration (mg/l)		
	Average Monthly	Maximum Daily	Instantaneous Maximum
Total Suspended Solids	30	60	75
pH (Standard Units)	Within limits of 6 to 9 Standard Units at all times		
Iron, Total	1.5	3.0	3.75
Arsenic, Total	Monitor and Report		

In addition to the effluent limits, the permit contains the following major special conditions:

The EPA waiver is in effect

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PA 0247022, CAFO, **David Sweigart, III**, 189 Ridge View Road South, Elizabethtown, PA 17022. David Sweigart, III has submitted an application to renew the existing individual NPDES permit for an existing CAFO known as the Ridge View Farm, located in Mount Joy Township, **Lancaster County**.

The CAFO is situated near a UNT to Conoy Creek, which is classified as a TSF. The CAFO includes two finishing swine barns and a dairy facility designed to maintain an animal population of approximately 981 animal equivalent units consisting of 6,200 finishing swine, 128 mature dairy cows, 50 dairy heifers and 10 dairy calves. Manure is stored in concrete and steel manure storage structures with a total capacity of approximately 2.47 million gallons. Manure produced at the operation is applied onsite or exported to local farmers in accordance with an approved Nutrient Management Plan. A release or discharge to waters of this Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to reissue the NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit. The permit application and draft permit are on file at the Southcentral Regional Office of the Department.

Persons may make an appointment to review the Department's files by calling the file review coordinator at (717) 705-4732.

Persons wishing to comment on the proposed permit are invited to submit written comments to the previous address within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. Following the 30-day comment period, the Watershed Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Application No. PA 0260151, Sewage, **Maxatawny Township Municipal Authority**, 127 Quarry Road, Kutztown, PA 19530. This facility is located in Maxatawny Township, **Berks County**.

Description of activity: The application is for an NPDES permit for a new discharge of treated sewage.

The receiving stream, Sacony Creek, is in Watershed 3-B, and classified for TSF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Reading Area Water Authority is located on Maiden Creek, approximately 14 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.14 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	25	40	50
Total Suspended Solids	30	45	60
NH ₃ -N	20		40
Total Residual Chlorine	0.5		1.6
Total Phosphorus	Report		2.0
Dissolved Oxygen		Minimum of 5.0 at all times	
pH		From 6.0 to 9.0 inclusive	
Fecal Coliform		200/100 ml as a Geometric Average	
(5-1 to 9-30)		2,000/100 ml as a Geometric Average	
(10-1 to 4-30)			

Lake Ontelaunee TMDL Requirements

	<i>Mass (lbs) Annual</i>
Total Phosphorus	426
Total Suspended Solids	12,785

The Lake Ontelaunee TMDL, originally approved by U.S. Environmental Protection Agency (EPA) in August 2004, has been revised to include a point source discharge that received planning approval in June 2001 in the Maxatawny Township Phase I Act 537 Plan, and again on September 18, 2003, in the Phase II Act 537 Plan. The TMDL for the Lake Ontelaunee Watershed failed to take into account this approved discharge. The proposed revisions reallocate 0.193 metric tpy of phosphorus from the LA to the WLA and 5.8 metric tpy of sediment from the LA to the WLA to account for the discharge.

The data and all supporting documentation used to develop the proposed TMDLs are available from the Department of Environmental Protection (Department). To request a copy of the proposed TMDL amendment, contact Bill Brown, Chief, TMDL Development Section, Watershed Protection Division, Department of Environmental Protection, P. O. Box 8555, Harrisburg, PA 17105-8555, (717) 783-2951, Willbrown@state.pa.us.

The TMDLs can be accessed through the Department's web site (www.dep.state.pa.us) by clicking on the Water Topics Link, then the TMDL link. Note that attachments and appendices must be requested through paper mail. Persons with a disability may use the Pennsylvania AT&T Relay Service by calling (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) and request that the call be relayed. Any person wishing to attend the meeting should contact Bill Brown at the previous address.

Written and email comments will be accepted at the previous addresses and must be received by November 24, 2008. Comments will not be accepted by facsimile or voice mail. The Department will consider all comments in developing the final TMDL, which will be submitted to EPA for approval.

Persons may make an appointment to review the Department's files by calling the file review coordinator at (717) 705-4732.

The EPA waiver is not in effect.

Application No. PA 0248410, CAFO, **Meadow Valley Dairy, Inc.**, 900 Galen Hall Road, Reinholds, PA 17569.

Meadow Valley Dairy, Inc. has submitted an NPDES permit renewal application for the Meadow Valley Dairy, an existing dairy operation in West Cocalico Township, **Lancaster County**. The CAFO is situated near a UNT of Little Cocalico Creek, which is classified as a TSE. The CAFO has a target animal population of approximately 1,495 animal equivalent units consisting of 1,150 mature cows. There are two liquid manure storage facilities on the farm, an underbarn concrete storage structure and a circular concrete storage structure. A release or discharge to waters of this Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue the NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit. The permit application and draft permit are on file at the Southcentral Regional Office of the Department.

Persons may make an appointment to review the Department's files by calling the file review coordinator at (717) 705-4732.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PA0026239, Sewage, SIC 4952, **University Area Joint Authority**, 1576 Spring Valley Road, State College, PA 16801. This existing facility is located in Benner and College Townships, **Centre County**.

Description of Proposed Activity: Issuance of a major NPDES permit for the wastewater treatment facility including tertiary treatment, consisting of primary clarification, aeration, secondary settling with phosphorus removal, filtration, BNR and UV disinfection, along with a beneficial reuse system.

The receiving stream, Spring Creek, is in the State Water Plan Watershed 9C and is classified for: HQ-CWF. The nearest downstream public water supply intake for Pennsylvania-American Water Company is located at Milton, PA on the West Branch Susquehanna River, approximately 87.0 river miles below the point of discharge.

The proposed effluent limits for Outfall 001, based on a design flow of 9.0 mgd and a discharge flow of 6.0 mgd, are as follows:

Parameter	Concentration (mg/l)			Mass (lbs)		
	Monthly Average	Weekly Average	Daily Maximum	Instantaneous Maximum	Monthly Load	Annual Load
Flow	Not greater than 6.0 mgd as an Annual Average					
CBOD ₅	10.0	15.0		20.0		
Total Suspended Solids	10.0	15.0		20.0		
Total Dissolved Phosphorus	0.13			0.26		
Dissolved Oxygen	Minimum of 5.0 mg/l at all times					
Transmissivity	Report					
Total Chlorine Residual	Provide Effective Dechlorination					
Fecal Coliforms						
(5-1 to 9-30)	200 col/100 ml as a Geometric Mean					
(10-1 to 4-30)	2,000 col/100 ml as a Geometric Mean					
pH	Within the range of 6.0 to 9.0					
NH ₃ -N						
(1-1 to 1-31)	4.5	6.7		9.0		
(2-1 to 2-29)	5.0	7.5		10.0		
(3-1 to 3-31)	5.5	8.2		11.0		
(4-1 to 4-30)	4.0	6.0		8.0		
(5-1 to 5-31)	3.0	4.5		6.0		
(6-1 to 6-30)	2.5	3.7		5.0		
(7-1 to 11-30)	1.0	1.5		2.0		
(12-1 to 12-31)	4.0	6.0		8.0		
Thallium	Report					
Total Copper	Report					
Free Cyanide	Report					
Total Cyanide	Report					
Total Mercury	Report					
Total Selenium	Report					
Effluent Temperature	Report					
Total Dissolved Solids	Report					

Chesapeake Bay Tributary Strategy Nutrient Requirements

Parameter	Concentration (mg/l)		Mass (lbs)	
	Monthly Average	Monthly Load	Monthly Load	Annual Load
Ammonia-N	Report	Report		Report**
Kjeldahl-N	Report	Report		
Nitrate-Nitrate as N	Report	Report		
Total Nitrogen	Report	Report		Report
Total Phosphorus	Report	Report		Report
Net Total Nitrogen		Report		164,381*
Net Total Phosphorus		Report		21,918*

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department of Environmental Protection's (Department) Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document No. 392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin on October 1, 2010. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011. This facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2010.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2011.

Outfall SW-01, SW-02, SW-03, SW-04 and SW-05—Stormwater—Best Management Practices

In addition to the effluent limits and best management practices, the permit contains the following major permit conditions:

1. Chesapeake Bay Nutrient Requirements.
2. Operation and Implementation of a Pretreatment Program.
3. Minimum Discharge Requirements.
4. Thermal Discharge Requirements.
5. Total Dissolved Solids Requirements.
6. Requirements Applicable to Stormwater Outfalls.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA0098779, Industrial Waste, SIC 4941, **Portage Borough Municipal Authority**, 606 Cambria Street, Portage, PA 15946. This application is for renewal of an NPDES permit to discharge treated process water from a water treatment plant in Portage Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, Trout Run, classified as a CWF with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is the Saltsburg Municipal Authority, located at Saltsburg, 90 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.0243 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
TSS			30		60
Aluminum			2.5		5.0
Iron			2.0		4.0
Manganese			1.0		2.0
TRC			0.5		1.0
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

PA0098787, Industrial Waste, SIC 4941, **Portage Borough Municipal Authority**, 606 Cambria Street, Portage, PA 15946. This application is for renewal of an NPDES permit to discharge treated process water from the Bens Creek Water Plant in Portage Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, Bens Creek, classified as an EV stream with existing and/or potential uses for aquatic life, water supply and recreation. The first existing/proposed downstream potable water supply is the Saltsburg Municipal Authority, located at Saltsburg, 96 miles below the discharge point.

Outfall 001: existing discharge, design flow of 0.0121 mgd.

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
Flow	Monitor and Report				
TSS			30		60
Aluminum			4.0		8.0
Iron			2.0		4.0
Manganese			1.0		2.0
TRC			0.5		1.0
pH	not less than 6.0 nor greater than 9.0				

The EPA waiver is in effect.

PA0097268, Sewage, **HP/Markleysburg, d/b/a Henry Clay Villa**, 5253 National Pike Road, Markleysburg, PA 15459. This application is for renewal of an NPDES permit to discharge treated sewage from Henry Clay Villa STP in Henry Clay Township, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as UNT of Hall Run, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Ohiopyle Municipal Water Works.

Outfall 001: existing discharge, design flow of 0.00925 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10			20
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	2.5			5.0
(11-1 to 4-30)	7.5			15.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a Geometric Mean			
(10-1 to 4-30)	2,000/100 ml as a Geometric Mean			
Total Residual Chlorine	0.2			0.5
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0203688, Sewage, **West Pike Run Township Municipal Authority**, P. O. Box 222, Daisytown, PA 15427. This application is for renewal of an NPDES permit to discharge treated sewage from West Pike Run Township Municipal Authority STP in West Pike Run Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Pike Run, which are classified as a TSF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Newell Municipal Water Authority.

Outfall 001: existing discharge, design flow of 0.063 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	23.0			46.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a Geometric Mean			
(10-1 to 4-30)	2,000/100 ml as a Geometric Mean			
Total Residual Chlorine	1.4			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0252603, Sewage, **Cecil Township Municipal Authority**, 3599 Millers Run Road, Suite 104, Cecil, PA 15321. This application is for renewal of an NPDES permit to discharge treated sewage from Millers Run Wastewater Treatment Plant in Cecil Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as UNT of Millers Run, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the West View Borough Municipal Water Authority located on the Ohio River.

Outfall 001: existing discharge, design flow of 0.52 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅				
(5-1 to 10-31)	20	30		40
(11-1 to 4-30)	25	37.5		50
Suspended Solids	30	45		60
Ammonia Nitrogen				
(5-1 to 10-31)	2.0	3.0		4.0
(11-1 to 4-30)	4.5	6.8		9.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a Geometric Mean			
(10-1 to 4-30)	2,000/100 ml as a Geometric Mean			
Dissolved Oxygen	not less than 5.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0095087, Sewage, **Chippewa Township Sanitary Authority**, 2811 Darlington Road, Beaver Falls, PA 15010. This application is for renewal of an NPDES permit to discharge treated sewage from Chippewa Township Sanitary Authority STP in Chippewa Township, **Beaver County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Brady's Run, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Midland Borough Water Authority.

Outfall 001: existing discharge, design flow of 2.13 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25	37.5		50
Suspended Solids	30	45		60
Fecal Coliform (5-1 to 9-30)	200/100 ml as a Geometric Mean			
(10-1 to 4-30)	2,000/100 ml as a Geometric Mean			
Total Residual Chlorine	0.5		1.6	
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is not in effect.

PA0090832, Sewage, **West Pike Run Township**, P. O. Box 222, Daisytown, PA 15427. This application is for renewal of an NPDES permit to discharge treated sewage from Abraham Plan of Lots Sewage Treatment Plant in West Pike Run Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as UNT of Pike Run, which are classified as a TSF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the California Water Authority.

Outfall 001: existing discharge, design flow of 0.0035 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen (5-1 to 10-31)	11.5			23.0
Fecal Coliform (5-1 to 9-30)	200/100 ml as a Geometric Mean			
(10-1 to 4-30)	2,000/100 ml as a Geometric Mean			
Total Residual Chlorine	1.3			3.0
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. 1508201, Industrial, **Aqua Pennsylvania, Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010. This proposed facility is located in Schuylkill Township, **Chester County**.

Description of Action/Activity: Reactivation of a terminated outfall structure.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. 1908201, IW, SIC 2047, **Del Monte Corporation**, 6670 Lowe Street, Bloomsburg, PA, 17815-8613 This proposed facility is located in South Centre Township, **Columbia County**.

Description of Proposed Action/Activity: The applicant proposes to renovate their existing aerated lagoon by relining and reconfiguring.

WQM Permit No. 01490801, Sewage 4952, **Dennis R. Wineholt**, 851 Seitz Drive, Lewisberry, PA 17339. This proposed facility is located in Point Township, **Northumberland County**.

Description of Proposed Action/Activity: The applicant proposes to construct and operate a single-residence sewage plant. The sewage plant will be a septic tank, buried sand filter and chlorination.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 3091402-A2, Sewerage, **Greensboro Monongahela Township Joint Sewage Authority**, P. O. Box 342, Greensboro, PA 15338. This existing facility is located in Monongahela Township, **Greene County**.

Description of Proposed Action/Activity: Permit amendment application for sewage treatment plant expansion.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 6108403, Sewerage, **Cranberry Venango County General Authority**, P. O. Box 378, Seneca, PA 16346-0378. This proposed facility is located in Cranberry Township, **Venango County**.

Description of Proposed Action/Activity: This new permit for an upgrade of the Hays Hollow Interceptor Sewer from a 10 inch diameter high-flow interceptor line to a 15 inch diameter high-flow interceptor line which is connected to the Oil City Sewage Treatment Plant.

WQM Permit No. 4375201, Industrial Waste, **Amendment No. 1, Bessemer and Lake Erie Railroad**, 85 Ohl Street, Greenville, PA 16125-2350. This proposed facility is located in Greenville Borough, **Mercer County**.

Description of Proposed Action/Activity: This amendment is for improvements to an existing system including pretreatment of stormwater associated with industrial activities, reducing stormwater flow to the wastewater treatment system, upgrading lift station capacity and improving site drainage.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

V. Applications for NPDES Wavier Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAS10-G267-R2	The Hankin Group 707 Eagleview Boulevard Exton, PA 19341	Chester	Upper Uwchlan Township	Brandywine Creek HQ-TSF-MF
PAI01 1508075	Warwick-Yoder, LP 1345 Hares Hill Road Phoenixville, PA 19460	Chester	Warwick Township	South Branch French Creek EV
PAI01 1508076	T. R. Moser, Inc. 1171 Lancaster Avenue Berwyn, PA 19312	Chester	Uwchlan Township	Shamona Creek HQ-TSF-MF
PAI01 2308009	Leslie Lynch 773 Sugartown Road Malvern, PA 19355	Delaware	Newtown Township	Crum Creek HQ-CWF
PAI01 5108005	Northern Liberties Development, LP 969 North 2nd Street Philadelphia, PA 19123	Philadelphia	City of Philadelphia	Delaware River

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Monroe County Conservation District: 8050 Running Valley Road, Stroudsburg, PA 18360, (570) 629-3060.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024508015	Arcadia North Assoc. No. 2, LLC 100 Gateway Drive Suite 310 Bethlehem, PA 18017	Monroe	Coolbaugh Township	Clear Run HQ-CWF

Lehigh County Conservation District: Lehigh Agriculture Center, Suite 102, 4184 Dorney Park Road, Allentown, PA 18104, (610) 391-9583.

NPDES

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023907001(1)	Muhlenberg College Attn: David Rabold 2400 Chew Street Allentown, PA 18104	Lehigh	City of Allentown	Cedar Creek HQ-CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI030608022	LaFerrovia, LLC 35 Robin Lea Lane Fleetwood, PA 19522	Berks	Ruscombmanor Township	UNT to Laurel Run CWF

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Clinton County Conservation District: 45 Cooperation Lane, Mill Hall, PA 17751, (570) 726-3798.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI041808004	Department of General Services 18th and Herr Streets Harrisburg, PA 17125	Clinton	Lamar Township	UNT to Fishing Creek HQ-CWF

Lycoming County Conservation District: 542 County Farm Road, Suite 202, Montoursville, PA 17754, (570) 433-3003.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI044108001	Robert J. Charlebois Laurel Hill Wind Energy, LLC 71 Allen Street Suite 101 Rutland, VT 05701-4570	Lycoming	Jackson and McIntyre Townships	Blockhouse Creek CWF Little Pine Creek CWF Roaring Branch Run HQ-CWF Grays Run HQ-CWF Long Run HQ-CWF Frozen Run HQ-CWF Red Run CWF Lycoming Creek CWF

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Washington County Conservation District, 602 Courthouse Square, Washington, PA 15301, (724) 228-6774.

NPDES

Permit No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
PAI056308004	North Strabane Township 1929 Route 519 South Canonsburg, PA 15317	Washington	North Strabane Township	UNT to Chartiers Creek HQ-WWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS FOR CONCENTRATED ANIMAL FEEDING OPERATIONS (CAFO)

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under the act of July 6, 2005 (Act 38 of 2005, 3 Pa.C.S. §§ 501—522) (hereinafter referred to as Act 38), and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92. This notice is provided in accordance with 25 Pa. Code Chapter 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC), or County Conservation Districts (CCD) working under a delegation agreement with the SCC, have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at www.pacd.org/districts/directory.htm or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based.

The address for the SCC is Agriculture Building, Room 407, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Services at (800) 654-5984.

NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Wide Awake Farm 488 Jay Road Clearville, PA 15535	Bedford	105.3	704.3	Swine	UNT to Sidling Hill CreekEV	Renewal
Deer Stone Ag, Inc. Drew Derstein Farm 10049 Ferguson Valley Road Lewistown, PA 17044	Mifflin	22.8	716.5	Swine	WQ	Renewal
Rottmund Family Farms, LLC Jared Rottmund 1030 Girl Scout Road Stevens, PA 17578	Lancaster	344.2	606.04	Hogs, Steers	NA	Renewal
Timber Ridge Farms 9699 Timber Ridge Road Big Cove Tannery, PA 17212	Fulton	66.0	1,180	Swine	N/A—WWF	Renewal
Hillside Poultry Farm, Inc. 1849 Letterkenny Road Chambersburg, PA 17202	Franklin	455	1,210	Poultry	NA	New
New Hope Farm 23177 Back Road Concord, PA 17217 CVFF 6360 Flank Drive Suite 100 Harrisburg, PA 17112	Franklin	130	1,319.9	Swine	NA	Renewal

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Application No. 0908513, Public Water Supply.

Applicant	Warminster Municipal Authority
Township	Warminster
County	Bucks

Responsible Official Timothy D. Hagey
415 Gibson Avenue
Warminster, PA 18974

Type of Facility PWS

Consulting Engineer CKS Engineers, Inc.
88 South Main Street
Doylestown, PA 18901

Application Received Date October 17, 2008

Description of Action Install an air stripper tower for the removal of VOC's.

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 3608523, Public Water Supply.

Applicant **West Earl Water Authority**

Municipality West Earl Township

County **Lancaster**

Responsible Official Russell Ressler
Chairperson
157 West Metzler Road
Brownstown, PA 17508

Type of Facility Public Water Supply

Consulting Engineer Matthew D. Warfel
The ARRO Group, Inc.
270 Granite Run Drive
Lancaster, PA 17601-6804

Application Received November 18, 2008

Description of Action Replacement and capacity increase of booster pumps at the Oregon Pike Booster Pump Station.

Permit No. 3608524, Public Water Supply.

Applicant **City of Lancaster**

Municipality Manheim Township

County **Lancaster**

Responsible Official Charlotte Katzenmoyer
Public Works Director
120 North Duke Street
Lancaster, PA 17608-1559

Type of Facility Public Water Supply

Consulting Engineer Matthew D. Warfel
The ARRO Group, Inc.
270 Granite Run Drive
Lancaster, PA 17601-6804

Application Received November 18, 2008

Description of Action Installation of a new chlorine booster station at Hess Boulevard.

Permit No. 3108506, Public Water Supply.

Applicant **Broad Top City Water Authority**

Municipality Wood Township

County **Huntingdon**

Responsible Official Kayedon O'Neal
Chairperson
P. O. Box 125
Broad Top City, PA 16621-0125

Type of Facility Public Water Supply

Consulting Engineer Mark V. Glenn, P. E.
Gwin, Dobson & Foreman, Inc.
3121 Fairway Drive
Altoona, PA 16602-4475

Application Received November 5, 2008

Description of Action Installation of the Trough Creek Well Field with disinfection.

Permit No. 5008505, Public Water Supply.

Applicant **Airy View Heights, Inc.**

Municipality Centre Township

County **Perry**

Responsible Official W. R. Unger, President
P. O. Box 248
Carlisle, PA 17013

Type of Facility Public Water Supply

Consulting Engineer Max E. Stoner, P. E.
Glace Associates, Inc.
3705 Trindle Road
Camp Hill, PA 17011

Application Received November 5, 2008

Description of Action A new community water system.

Permit No. 2908502, Public Water Supply.

Applicant **Forbes Road School District**

Municipality Taylor Township

County **Fulton**

Responsible Official Merrill S. Arnold, M. D.
Superintendent
159 Redbird Drive
Waterfall, PA 16689

Type of Facility Public Water Supply

Consulting Engineer Aaron P. Keirn, P. E.
The EADS Group, Inc.
1126 8th Avenue
Altoona, PA 16602

Application Received November 10, 2008

Description of Action Installation of treatment for arsenic removal for the existing well source at the high school.

MINOR AMENDMENT

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 0208518MA, Minor Amendment.

Applicant **Pennsylvania American Water Company**
800 West Hersheypark Drive
P. O. Box 888
Hershey, PA 17033

Township or Borough Union Township

Responsible Official	Pennsylvania American Water Company 800 West Hersheypark Drive P. O. Box 888 Hershey, PA 17033
Type of Facility	Water storage tank
Consulting Engineer	
Application Received Date	December 3, 2008
Description of Action	Blasting and painting of the interior and exterior of the 100,000 gallon standpipe known as the Finleyville Tank No. 1.

WATER ALLOCATIONS

Applications received under the Act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

E67-860: Catholic Diocese of Harrisburg, Manchester Township, **York County,** United States Army Corps of Engineers, Baltimore District.

To install and maintain: 1) a 10.0-inch sanitary sewer line crossing in a UNT to Little Conewago Creek (TSF) and associate PEM/PFO wetlands; and 2) a 10.0-inch sanitary sewer line crossing in a UNT to Little Conewago Creek for the purpose of constructing a 65-unit residential subdivision. The project will temporarily impact 0.04 acre of PEM/PFO wetlands and approximately 36.0 linear feet of stream channel. The project is located between the existing Holy Savior Cemetery and the south side of Raintree Road (Dover, PA Quadrangle N: 6.2 inches; W: 0.75 inch, Latitude: 40° 1' 57.9" N; Longitude: 76° 45' 21.1" W) in Manchester Township, York County.

RESIDUAL WASTE GENERAL PERMITS

Application Received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application Number WMGR046. Hyponex Corporation, 311 Reedville Road, Oxford, PA 19363-2505. General Permit Number WMGR046 authorizes the processing and beneficial use of the following wastes: drinking water treatment sludges, yard waste, bark ash, coal ash, agricultural residues, waste cardboard and paper, sludge generated by paper or pulp mills (SIC Code 2621 and 2611), waste from vegetable food processing, unused sands and spent mushroom substrate. The processing is limited to separation, size reduction (grinding), mixing, windrow composting, static composting and screening prior to beneficial use as manufactured soil or soil amendments. The application was determined to be administratively complete by Central Office on December 8, 2008.

The applicant has requested a major modification to General Permit Number WMGR046. This requested modification would allow acceptance of dredged material exceeding the Department of Environmental Protection's (Department) clean fill standards in the Management of Fill Policy ((258-2182-773, April 24, 2004) to be used in the manufactured soil and soil amendments.

Comments concerning the application or proposed amendment should be directed to Ronald C. Hassinger, Chief, General Permits/Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department through the Pennsylvania AT&T Relay Service (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application for Determination of Applicability Received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

General Permit Application No. WMGR028 SE001B. Allan A. Myers, LP, d/b/a Independence Construction Material, 638 Lancaster Avenue, Malvern, PA 19355. This application is for a determination of applicability under the conditions of the existing General Permit WMGR028 for the beneficial use of baghouse fines generated from the Coatesville Asphalt Plant as an aggregate in roadway construction, an ingredient or component in cement or asphalt products, a soil additive or a soil conditioner. The Coatesville Asphalt Plant is a hot-mix asphalt batch plant located at 410 Doe Run Road, Coatesville, PA 19320-4294, East Fallowfield Township, **Chester County.** The application for determination of applicability was accepted by the Southeast Regional Office on December 8, 2008.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials

are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Services at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121–143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

20-301A: Universal Well Services, Inc. (13549 South Mosiertown Road, Meadville, PA 16335) to install a spray paint booth at their Meadville Fabrication Shop in the City of Meadville, **Crawford County**.

24-012I: C/G Electrodes LLC—St. Mary's Plant (800 Theresia Street, St. Mary's, PA 15857-1898) for replacement of an existing baghouse in the Bake Department during sagger can loading, sagger can cleaning and screening systems for baking of electrodes in St. Mary's City, **Elk County**. This is a Title V facility.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

09-0084A: Grand View Hospital (700 Lawn Avenue, Sellersville, PA 18960) for replacement of the current

burners in three boilers with “low NOx” burners, which will result in a decrease in the amount of NOx emissions from their medical facility in West Rockhill Township, **Bucks County**. As a result of potential emissions of NOx, the facility is a State-only facility. The Plan Approval and Operating Permit will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

67-03154A: Service Tire Truck Center, Inc. (2800 Concord Road, York, PA 17402) for installation of a truck retreading process in Springettsbury Township, **York County**. The plan approval will include monitoring, recordkeeping, reporting and work practice standards designed to keep the facility operating within all applicable air quality requirements.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

46-00079: Naval Air Station-Joint Reserve Base—Willow Grove (Intersection of Route 611 and Township Line Roads) for renewal of the Title V Operating Permit No. 46-00079 in Horsham Township, **Montgomery County**. The original Title V operating permit was issued on December 27, 2001. The facility's major emission points include: Boilers, emergency generators, paint booths and engine test cells. The renewed Title V operating permit will contain sufficient monitoring, recordkeeping, reporting and work practice standards to keep the facility operating within all applicable air quality requirements. No sources at this facility are subject to CAM (40 CFR Part 64).

46-00031: SmithKline Beecham Research Co. (1250 South Collegeville Road, Collegeville, PA) for renewal of the Title V Operating Permit in Upper Providence, **Montgomery County**. The initial permit was issued on December 28, 2001. As a result of potential emissions of VOCs, the facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments, and is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The Department has determined that the facility is subjected to CAM only for the VOCs and the applicable requirements have been added to the permit. Otherwise, the proposed Title V Operating Renewal does not adopt any new regulations and does not reflect any change in air emissions from the facility. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

06-05024: Reliant Energy Mid-Atlantic Power Holdings, LLC (121 Champion Way, Canonsburg, PA 15317) for a de minimis emission increase of 0.08 ton of P/PM10 per year resulting from the construction of a Flyash Lime Addition System controlled by various bin

vent collectors on or about April 30, 2009, at the Titus Generating Station in Cumru Township, **Berks County**.

06-05064: Sunoco Partners Marketing and Terminals, LP (515 Fritztown Road, Sinking Spring, PA 19608) for their bulk liquid petroleum fuel storage and loading operation at their Montello Terminal in Spring Township, **Berks County**. This is a renewal of a Title V operating permit issued in 2003.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

65-00181: Chestnut Ridge Foam, Inc. (P. O. Box 781, Latrobe, PA 15650-0781) for operation of a foam manufacturing facility at their Latrobe Plant in Derry Township, **Westmoreland County**. This is a renewal of the Title V operating permit issued in 2004.

65-00634: Dominion Transmission, Inc. (445 West Main Street, Clarksburg, WV 26301-2886) for operation of a natural gas compressor station at their J. B. Tonkin Compressor Station in Murrysville Borough, **Westmoreland County**. This is a renewal of the Title V operating permit issued in 2004.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

09-00107: Oldcastle Retail, Inc., d/b/a Bonsal American (1214 Hayes Boulevard, Bristol, PA 19007) for a renewal of State-only (Natural Minor) Operating Permit No. 09-00107, which was originally issued on July 1, 2002 in **Bucks County**. The State-only Operating Permit (SOOP) is for the operation of a fluidized bed dryer, two concrete mix production/packaging lines, and a sand packaging line (part of Source ID 101 in the original SOOP), as well as numerous bin vents and dust collectors to control PM emissions from each of these sources. The requirements of Plan Approval No. 09-0107 will be incorporated into the renewed SOOP. The renewed SOOP will include monitoring, recordkeeping, reporting and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

46-00050: Rohm & Haas Chemicals, LLC (727 Norristown Road, Spring House, PA 19477-1015), for renewal of a Synthetic Minor Operating Permit in Lower Gwynedd Township, **Montgomery County**. The facility has the potential to exceed major thresholds for NOx emissions but will maintain a synthetic minor status by limiting NOx emissions to below 24.99 tpy. The facility's primary sources are industrial boilers. The permit will include monitoring, recordkeeping and reporting requirements designed to address all applicable air quality requirements.

46-00052: Pottstown Memorial Medical Center (1600 East High Street, Pottstown, PA 19464) for operation of three boilers and five emergency generators in Pottstown, **Montgomery County**. This action is a renewal of the original State-only Operating Permit (Synthetic Minor), which was issued on October 14, 2003. Several typographical changes have been made to the permit. An emergency generator was added to the facility. The facility shall continue to remain a synthetic minor. The permit includes monitoring, recordkeeping and re-

porting requirements designed to keep the facility operating within all applicable air quality requirements.

46-00171: John Evans' Sons, Inc. (1 Spring Avenue, Lansdale, PA 19446) for renewal of a Non-Title V Facility, State-only, Natural Minor Permit in Lansdale Borough, **Montgomery County**. John Evans' Sons, Inc. operates a boiler, a parts washer and a number of spring forming machines. The facility has a potential to emit 3 tons of HAPs per year, 2.17 tons of NOx per year and 3.15 tons or VOCs per year. Monitoring, recordkeeping and reporting requirements have been added to the permit to address applicable limitations.

09-00082: Quakertown Veterinary Clinic, PC (2250 North Old Bethlehem Pike, Quakertown, PA 18951), for operation of one unit of animal crematorium in Milford Township, **Bucks County**. This action is a renewal of a State-only Operating Permit (Natural Minor), which was originally issued on July 30, 2004. Plan Approval, No. 09-0082 (the replacement of the animal crematorium), has been incorporated in to the permit. The renewal contains monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Ray Kempa, New Source Review Chief, (570) 826-2507.

45-00010: H. G. Smith Wilber Vault Co. (2120 North 5th Street, Stroudsburg, PA 18360) for operation of a funeral service and crematory facility in Stroudsburg Borough, **Monroe County**. This is a State-only Natural Minor operating permit.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

06-03089: Reading Materials, Inc. (P. O. Box 196, Skippack, PA 19474) for their nonmetallic mineral crushing plant operation at their Pottstown Traprock Quarry in Douglass Township, **Berks County**. This is a renewal of a State-only operating permit issued in 2003.

22-03040: Advanced Communications (3000 Canby Street, Harrisburg, PA 17103) for operation of a printing facility in Pennbrook Borough, **Dauphin County**. This is a renewal of the State-only operating permit issued in September 2003.

22-03045: Homestat Farm, Ltd. (201 Race Street, Highspire, PA 17034) for their breakfast cereal manufacturing facility in Highspire Borough, **Dauphin County**. This is a renewal of the State-only operating permit issued in July 2003.

22-03055: Kimmel's Coal & Packaging (Machamer Avenue, P. O. Box 1, Wiconisco, PA 17097) for operation of a coal preparation facility located in Wiconisco Township, **Dauphin County**. This is a renewal of the State-only operating permit issued in February 2004 and amended in March 2006.

28-05033: Appalachian Mill Collection (11427 Church Hill Road, Mercersburg, PA 17236) located in Mercersburg Borough, **Franklin County**. This is a renewal of the State-only operating permit issued in October 2003.

67-05111: York International Corporation—Johnson Controls (1499 East Philadelphia Street, York, PA 17403) for their sheet metal fabrication operation at their East York Plant in Spring Garden Township, **York County**. The State-only operating permit will include

monitoring, work practices, recordkeeping and reporting requirements designed to keep the fabrication shop operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

18-00024: Excel Homes, LLC (P. O. Box 420, Avis, PA 17721) for renewal of a State-only Operating Permit for operation of a modular home manufacturing facility in Pine Creek Township, **Clinton County**.

The facility incorporates various work stations/areas in which VOC-emitting materials (paints, adhesives, and the like) are used as well as woodworking operations, 68 natural gas-fired furnaces and space heaters (with a total combined heat input of 10.33 mmBtu/hr), three propane-fired space heaters (with a total combined heat input of .18 mmBtu/hr), two No. 2 fuel oil-fired furnaces (with a total combined heat input of .25 mmBtu/hr), 20 kerosene-fired salamander heaters (with a total combined heat input of 2.2 mmBtu/hr), an 85 horsepower diesel fuel-fired sprinkler system pump and a solvent parts washer.

The PM emissions from the facility's woodworking operations are controlled by two outside-exhausting fabric collectors/cartridge collectors and five inside-exhausting fabric collectors/cartridge collectors and the PM emissions from two paint spray booths are controlled by spray booth filters.

The facility is not expected to emit more than 22.29 tons of VOCs, 12.98 tons of PM/PM10, 9.25 tons of SO_x, 5.93 tons of NO_x and 4.22 tons of CO per year.

The facility is not a major (Title V) facility for any air contaminant.

The Department of Environmental Protection (Department) proposes to renew State-only Operating Permit 18-00024. The Department intends to incorporate into the renewal all conditions currently contained in State-only Operating Permit 18-00024 with these additions, changes and exceptions:

1. Condition requiring a monthly inspection of the facility for the presence of excessive visible air contaminants, excessive visible fugitive air contaminants and malodorous air contaminants, and the maintenance of records of these inspections, have been removed from the permit as the facility does not incorporate the types of sources that are likely to produce these emissions.

2. Conditions requiring the permittee to obtain a fuel certification report, or perform a sulfur analysis, for each load of No. 2 fuel oil delivered to the facility, and to maintain records of this information, have been removed from the permit as the only sources that use No. 2 fuel oil in the facility are two extremely small furnaces with a total combined heat input of only .25 mmBtu/hr.

3. A condition limiting the sulfur content of the diesel fuel used in the facility to .5%, by weight, has been removed from the permit as there is no regulatory basis for this limitation.

4. A condition requiring malfunctions to be reported to the Department has been revised to exclude the reporting of malfunctions which do not result in, or potentially result in, air contaminant emissions in excess of an applicable air contaminant emission limitation and/or do not result in, or potentially result in, noncompliance with any operating permit condition.

5. Conditions requiring the maintenance of records of the HAP content, density and VOC (minus water) content

of the VOC-containing materials used at the facility are being removed from the permit as the respective information is not needed to determine compliance with any permit condition.

6. Conditions requiring the maintenance, and semi-annual reporting, of "supporting calculations used to verify compliance" with the applicable facility-wide VOC emission limit have been replaced with conditions requiring the maintenance, and annual reporting, of records of the identity, VOC content and amount of each VOC-containing material used at the facility each month as well as the amount of VOCs emitted from the facility each month.

7. Nebulous conditions requiring the maintenance of records of the VOC-containing materials used in the facility's two paint spray booths, paint area D and adhesive operations "to verify compliance with the VOC content restrictions" specified for the respective sources have been replaced with more specific conditions requiring the maintenance of records of the identity, VOC content and amount of each VOC-containing material used in each of the sources each month, as well as records of the component mix ratio for each batch of paint or adhesive to which an additive is added or which is mixed from multiple components.

8. A condition has been added to the permit requiring the maintenance of records of the identity, VOC content and amount of each VOC-containing material used in the facility's miscellaneous solvent usage operations each month as well as records of what each such VOC-containing material was used for.

9. A condition has been added to the permit requiring the maintenance of records of the identity, VOC content and amount of each VOC-containing material used in the facility's foamseal operations each month.

10. A condition requiring the pressure differential across the fabric collector associated with the facility's outside mill woodworking operations to be reported at least once per month has been removed from the permit as this is too infrequent to be of any value and the source isn't large enough to warrant the burden of more frequent reporting.

11. Conditions have been added to the permit requiring the maintenance of records of the amount of solvent added to the facility's parts washer each month and prohibiting the use, in the parts washer, of any solvent containing methylene chloride, perchloroethylene, trichloroethylene, 1,1,1 trichloroethane, carbon tetrachloride, chloroform or any combination of these in excess of 5%, by weight.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

04-00504: Mitsui Zinc Powder, LLC (302 Frankfort Road, Monaca, PA 15061-2210) for operation of an alloyed zinc powder manufacturing facility at their High Purity Zinc Powder Plant in Potter Township, **Beaver County**. This is a renewal of the State-only operating permit issued in 2003.

04-00695: Norfolk Southern Railway Company (110 Franklin Road SE, Roanoke, VA 24042-0003) for operation of a railcar maintenance facility at their Conway Yard in Conway Borough, **Beaver County**. This is a renewal of the State-only (synthetic minor) operating permit issued in 2004.

11-00052: Department of Labor and Industry (727 Goucher Street, Johnstown, PA 15905) for operation of natural gas/fuel oil boilers and propane and fuel oil emergency generators at their Hiram Andrews Rehab Center in Upper Yoder Township, **Cambria County**. This is a renewal of the State-only operating permit issued in 2004.

65-00596: St. Clair Cemetery Association (944 Saint Clair Way, Greensburg, PA 15601) for operation of a crematory at their facility at St. Clair Cemetery in Hempfield Township, **Westmoreland County**. This is a renewal of the State-only operating permit issued in 2004.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, New Source Review Chief, (814) 332-6940.

20-00094: Dad's Products Co., Inc. (18746 Mill Street, Meadville, PA 16335) for issuance of a Natural Minor Operating Permit to operate a facility that manufactures pet food in Vernon Township, **Crawford County**. The facility's primary emission sources include two natural gas fired boilers, two natural gas fired space heaters, miscellaneous natural gas combustion for space heating, pneumatic conveying, three natural gas fired dryers, two coolers and ingredient receiving, milling and transfer equipment.

24-00158: Rosebud Mining Co.—Little Toby Coal Preparation Plant (301 Market Street, Kittanning, PA 16201) to re-issue the referenced permit for this coal mining and coal processing operation in Horton Township, **Elk County**.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Brawn, Chief, (215) 685-9476.

S08-003: Delavau, LLC (10101 Roosevelt Boulevard, Philadelphia, PA 19154-2105) for operation of a pharmaceutical products manufacturing facility in the City of Philadelphia, **Philadelphia County**. The facility's air emissions sources include two boilers less than 10 mmBtu/hr firing natural gas, two 1 mmBtu/hr ovens firing natural gas, two 2 mmBtu/hr ovens firing natural gas, four dust collectors and three baghouses.

The operating permit will be issued under the 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the previous operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least 30 days before the hearing.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation

Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District Mining Office indicated above each application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated above each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—34.

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code §§ 77.123 or 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. The Department has made a tentative determination to issue the NPDES permit in conjunction with the mining activity permit, but the issuance of the NPDES permit is contingent upon the approval of the associated mining activity permit.

For coal mining activities, NPDES permits, when issued, will contain effluent limits that do not exceed the technology-based effluent limitations. The proposed limits are listed in Table 1.

For noncoal mining activities, the proposed limits are found in Table 2. Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description below specifies the parameters. The limits will be in the ranges specified in Table 1.

More restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining that may occur, will be incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91–96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation-Memorandum of Understanding Concerning Water Quality Management, NPDES Program Implementation and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Loads (TMDLs).

Persons wishing to comment on an NPDES permit application should submit a statement to the Department at the address of the district mining office indicated previously each application within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the

exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92.61. The request or petition for a public hearing shall be filed within 30 days of this public notice and shall contain the name, address, telephone number and the interest of the party filing the request, and shall state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. In the case where a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (Total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH ¹		greater than 6.0; less than 9.0	
Alkalinity greater than acidity ¹			

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

17031301 and NPDES Permit No. PA0235571, Parkwood Resources, Inc., (511 Railroad Avenue, Homer City, PA 15748), to renew the permit and related NPDES permit and to revise the permit for the Cherry Tree Mine in Burnside Township, **Clearfield County** and Montgomery Township and Cherry Tree Borough, **Indiana County** to add underground and subsidence control plan area acres to the permit, Underground Acres Proposed 145, Subsidence Control Plan Acres Proposed 1,278. No additional discharges. Application received November 4, 2008.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

17773075 and NPDES No. PA0127949. Black Oak Development, Inc., P. O. Box 176, Glen Campbell, PA 15742, permit renewal for reclamation only of a bituminous surface mine in Banks, Bell and Burnside Town-

ships, **Indiana and Clearfield Counties**, affecting 343.0 acres. Receiving streams: Martin Run and two UNTs to West Branch Susquehanna River to Susquehanna River classified for the following uses: CWF and WWF. There are no potable water supply intakes within 10 miles downstream. Application received November 25, 2008.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

03080105 and NPDES Permit No. PA0251534. Thomas J. Smith, Inc. (2340 Smith Road, Shelocta, PA 15774). Application for commencement, operation and reclamation of a bituminous surface mine, located in Plumcreek Township, **Armstrong County**, affecting 63.9 acres. Receiving streams: UNTs to Cherry Run, classified for the following use: CWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received December 1, 2008.

65080101 and NPDES Permit No. PA0251526. V.P. Smith Company, Inc. (3435 Route 30 East, Latrobe, PA 15650). Application for commencement, operation and reclamation of a bituminous surface mine, located in Derry Township, **Westmoreland County**, affecting 14.6 acres. Receiving streams: UNTs to Stony Run, classified for the following use: CWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received December 1, 2008.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

10080204 and NPDES Permit No. PA0258687. U.S. Operating Services Company (29405 Arrowpoint Boulevard, Charlotte, NC 28273-8110). Commencement, operation and restoration of a coal refuse reprocessing and beneficial use of coal ash operation in Clinton Township, **Butler County** affecting 99.6 acres. Receiving streams: UNT to Lardintown Run, classified for the following use: TSF. There are no potable surface water supply intakes within 10 miles downstream. Application received November 25, 2008.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

17000109 and NPDES No. PA0242985. Kenneth K. Rishel & Sons, Inc. (1229 Turnpike Avenue, Clearfield, PA 16830), permit renewal for the continued operation and restoration of a bituminous surface mine in Lawrence Township, **Clearfield County**, affecting 25.0 acres. Receiving streams: UNT No. 2 to Orr's Run to the West Branch of the Susquehanna River. There are no potable water supply intakes within 10 miles downstream. Application received November 7, 2008.

17814000 and NPDES No. PA0608769. TDK Coal Sales, Inc. (34 Kelley Way, Brilliant, OH 43913), permit

renewal for the continued operation and restoration of a bituminous surface mine in Penn Township, **Clearfield County**, affecting 206.9 acres. Receiving stream: Irish Run, classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received November 25, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

40880101R4. Silverbrook Anthracite, Inc., (1 Market Street, Laflin, PA 18702), renewal of an existing anthracite surface mine operation in Newport Township, **Luzerne County** affecting 144.2 acres, receiving stream: none. Application received December 4, 2008.

54683045T2. Penn Equipment Corp., (15 Main Street, Port Carbon, PA 17965), transfer of an existing anthracite surface mine operation from Blaschak Coal Corp. in Union, Butler and West Mahanoy Townships, **Schuylkill County** affecting 743.0 acres, receiving stream: none. Application received December 5, 2008.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	Table 2		
	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

1479401 and NPDES Permit No. PA0118001. Graymont (PA) Inc., 965 East College Avenue, Pleasant Gap, PA 16823, renewal of NPDES permit, in Spring and Benner Townships, **Centre County**. Receiving streams: Logan Branch to Spring Creek to Bald Eagle Creek to West Branch, classified for the following uses: CWF, HQ-CWF; CWF. There are no potable water supply intakes within 10 miles downstream. NPDES renewal application received October 28, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

67870301C7 and NPDES Permit No. PA0010235. York Building Products Co., Inc., (P. O. Box 1708, York, PA 17405), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in West Manchester Township and City of York, **York County**, receiving stream: Willis Run, classified for the following use: WWF. Application received November 21, 2008.

66880301C2 and NPDES Permit No. PA0594229. Reading Materials, Inc., (P. O. Box 1467, Skippack, PA

19474), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Falls Township, **Wyoming County**, receiving stream: Buttermilk Creek, classified for the following use: CWF. Application received December 1, 2008.

06820601C4 and NPDES Permit No. PA0612791. Allan A. Myers, LP, d/b/a Independence Construction Materials, (P. O. Box 98, Worcester, PA 19490), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in New Morgan Borough, **Berks County**, receiving stream: UNT to East Branch of Conestoga River, classified for the following use: WWF. Application received December 1, 2008.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments,

suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Services at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1–693.27) and section 302 of the Floodplain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

E15-790. 505 Eagleview Boulevard Associates, LP, 707 Eagleview Boulevard, P. O. Box 562, Exton, PA 19341, Uwchlan Township, **Chester County**, United States Army Corps of Engineers, Philadelphia District.

To amend the permit No. 15-790 (No. E15-602), to include the construction and maintenance of the proposed 50-foot long, 12-foot span and 3.5-foot rise bridge across a UNT to Shamona Creek (HQ-TSF) impacting 0.031 acre of wetlands (PEM) associated with access to the proposed development. The project is located approximately 3,000 feet southwest of the Pottstown Pike (SR 0100) Interchange of Turnpike (Downingtown, PA USGS Quadrangle North: 11.5 inches; West: 7.1 inches).

E46-1033. PECO Energy Company, 2301 Market Street, S 9-1, Philadelphia, PA 19101, Hatfield Township, **Montgomery County**, United States Army Corps of Engineers, Philadelphia District.

To expand, construct and maintain an existing PECO substation impacting 0.17 acre of wetland (PEM) associated with the power demand for PA, NJ and DE. The project proposes to construct 0.18 acre of replacement wetlands onsite.

The site is located near the intersection of Derstine and Elroy Roads (Telford, PA USGS Quadrangle N: 5.00 inches; W: 10.00 inches).

E09-932. Department of Transportation, 7000 Geerdes Boulevard, King of Prussia, PA 19406, Warrington, New Britain and Doylestown Townships, **Bucks County**, United States Army Corps of Engineers, Philadelphia District.

This application is part of an overall project for associated impacts, to construct and maintain the proposed approximately 9-mile segment of SR 6202 Parkway. This project has been divided into three design/construction sections (701, 711 and 721). The limit for the entire project is between Welsh Road (SR 0063) in Montgomery Township, Montgomery County (Ambler, PA USGS Quadrangle N: 17.0 inches; W: 14.75 inches) and the existing SR 0611 Bypass in Doylestown Township, Bucks County (Doylestown, PA USGS Quadrangle N: 7.5 inches; W: 2.5 inches) and traverses through Montgomery Township in Montgomery County and Warrington, New Britain and Doylestown Townships in Bucks County. The Parkway includes a four-lane roadway between Welsh and Horsham Roads (SR 0463) and a two-lane roadway between Horsham Road and the SR 0611 Bypass. In addition, a 12-foot-wide shared-use path will be constructed within the right-of-way of the Parkway. The project proposes to permanently impact a total of approximately 6.33 acres of wetland (PEM/PSS/PFO). The construction of a total of 9.30 acres of wetland replacement is proposed at the Kansas Road mitigation site located near the intersection of County Line and Kansas Roads in Warrington Township, Bucks County.

This permit is for Section 721 and it is the third submission for SR 6202 construction project. The limit of work for this 3.34-mile section extends between Pickertown Road, in Warrington Township to the existing SR 0611 Bypass in Doylestown Township, Bucks County.

The construction work in Section 721 includes the following water obstruction and encroachment activities:

1. To excavate for a stormwater management basin and place fill for an earth berm and provide conveyance to maintain surface runoff and wetland hydrology by installing 36 feet of 18-inch RCP within a UNT to Neshaminy Creek at Station 102+50 (Doylestown, PA Quadrangle N: 4.4 inches; W: 8.7 inches, Latitude: 40° 16' 28"; Longitude: 75° 11' 12"). Permanent impact of 152 linear feet and temporary impact of 70 linear feet of intermittent channel (WUSD-22).

2. To place fill for the Parkway and an earth berm and provide conveyance to maintain surface runoff and wetland hydrology by installing a diversion channel across a UNT to Neshaminy Creek at Station 103+75 (Doylestown, PA Quadrangle N: 4.5 inches; W: 8.7 inches, Latitude: 40° 16' 30"; Longitude: 75° 11' 12"). Permanent impact of 288 linear feet of intermittent channel (WUSD-23).

3. To cross a perennial stream and impact a forested wetland and provide conveyance to maintain surface hydrology and wetland hydrology by installing 55 feet of 36-inch RCP that will be depressed 0.5 feet and installing a 28-foot by 10-foot bottomless precast concrete arch culvert with a length of 56 feet 6 inches, partially embedded resulting in a hydraulic opening (width) 28 feet upstream, 28 feet downstream and (height) 7.03 feet upstream, 6.73 feet downstream with a UNT to Neshaminy Creek at Station 105+00 (Doylestown, PA Quadrangle N: 4.6 inches; W: 8.6 inches, Latitude: 40° 16' 31"; Longitude: 75° 11' 10"). Permanent impact of 40 linear feet of intermittent stream channel (WUS-NT1C3); temporary impact of 105 linear feet of perennial stream channel (WUS-NT1C); permanent impact of 0.13 acre and temporary impact of 0.09 acre of forested wetland (NTIC). The proposed crossing will result in the discharge (that is, placement) of 564 SY and 2,727 CY of fill in the 100-year floodplain of the UNT to Neshaminy Creek.

4. To provide conveyance to maintain surface runoff and wetland hydrology by installing a diversion channel across a UNT to Neshaminy Creek and installing 130 feet each of two 18-inch RCP under the Parkway at Station 119+50 (Doylestown, PA Quadrangle N: 5.2 inches; W: 8.2 inches, Latitude: 40° 16' 42"; Longitude: 75° 10' 59"). Permanent impact of 323 linear feet of intermittent channel (WUSD-24).

5. To place fill for the Parkway and impact an emergent wetland which drains to a UNT to Neshaminy Creek at Station 119+75 (Doylestown, PA Quadrangle N: 5.1 inches; W: 8.1 inches, Latitude: 40° 16' 41"; Longitude: 75° 10' 58"). Permanent impact of 0.09 acre and temporary impact of 0.05 acre of emergent wetland (R-4).

6. To provide conveyance to maintain surface runoff and wetland hydrology by installing a diversion channel across a UNT to Neshaminy Creek and installing 130 feet each of two 18-inch RCP under the Parkway at Station 121+85 (Doylestown, PA Quadrangle N: 5.3 inches; W: 8.1 inches, Latitude: 40° 16' 44"; Longitude: 75° 10' 58"). Permanent impact of 120 linear feet of intermittent channel (WUSD-25).

7. To place fill for the Parkway and impact an emergent wetland and provide conveyance to maintain surface runoff and wetland hydrology by installing 27 feet of 18-inch RCP within a UNT to Neshaminy Creek at Station 123+50 (Doylestown, PA Quadrangle N: 5.3 inches; W: 8.0 inches, Latitude: 40° 16' 44"; Longitude: 75° 10' 55"). Permanent impact of 42 linear feet of intermittent channel (WUSD-27); permanent impact of 0.29 acre and temporary impact of 0.12 acre of emergent wetland (R-4A).

8. To excavate for Bristol Road and impact an emergent wetland and provide conveyance to maintain surface hydrology by installing a parallel drainage channel at Station 19+63 (Doylestown, PA Quadrangle N: 5.4 inches; W: 7.8 inches, Latitude: 40° 16' 47"; Longitude: 75° 10' 49"). Permanent impact of 204 linear feet of intermittent channel (WUSD-29) and permanent impact of 0.01 acre of emergent wetland (R-4B).

9. To cross Neshaminy Creek and impact a forested wetland and provide conveyance to maintain surface hydrology and wetland hydrology by installing a 524-foot, four-span composite prestressed concrete PA Bulb-Tee bridge with a width of 48 feet 9 inches resulting in a hydraulic opening (width) 98.7 feet, 150 feet, 150 feet, and 98.7 feet from span 1-4, respectively on both the upstream and downstream ends and minimum under clearance of 626' located at the eastern abutment within Neshaminy Creek at Station 152+00 (Doylestown, PA Quadrangle N: 6.0 inches; W: 7.0 inches, Latitude: 40° 16' 58"; Longitude: 75° 10' 27"). Permanent impact of 124 linear feet and temporary impact of 117 linear feet of perennial stream channel (WUS-MS1); temporary impact of 144 linear feet of intermittent stream channel (WUS-MS1-3); permanent impact of 0.03 acre and temporary impact of 0.26 acre of forested wetland (MS-1). The proposed crossing will result in the discharge (that is, placement) of 300 SY and 930 CY of permanent fill in the 100-year floodplain of Neshaminy Creek. A temporary partial causeway and bridge will be used at the upstream face of the bridge during construction. A temporary access road leading from SR 6202 to the temporary causeway is also proposed. The temporary causeway will result in the discharge (that is, placement) of 2,680 SY and 1,950 CY of temporary fill in the 100-year floodplain of Neshaminy Creek.

10. To place fill for the Parkway and impact a forested wetland which drains to Neshaminy Creek at Station 156+75 (Doylestown, PA Quadrangle N: 6.0 inches; W: 6.8 inches, Latitude: 40° 16' 59"; Longitude: 75° 10' 22"). Permanent impact of 0.07 acre of forested wetland (R-5).

11. To cross a perennial stream and impact a forested/scrub-shrub wetland and provide conveyance to maintain surface hydrology and wetland hydrology by installing 57-feet each of three 36-inch RCP that will be depressed 0.5 feet and installing a 42-foot by 11-foot bottomless precast concrete arch culvert with a length of 56 feet 0 25 inch, partially embedded resulting in a hydraulic opening (width) 28 feet upstream, 28 feet downstream and (height) 12.23 feet upstream, 12.73 feet downstream with a UNT to Neshaminy Creek at Station 181+00 (Doylestown, PA Quadrangle N: 6.5 inches; W: 5.7 inches, Latitude: 40° 17' 08"; Longitude: 75° 09' 55"). Temporary impact of 122 linear feet of perennial stream channel (WUS-NT4A); permanent impact of 0.23 acre and temporary impact of 0.32 acre of forested/scrub-shrub wetland (NT4A). The proposed crossing will result in the discharge (that is, placement) of 1,371 SY and 6,766 CY of fill in the 100-year floodplain of the UNT of Neshaminy Creek. A temporary stream crossing will also be used during construction. The crossing will consist of one 64-inch by 43-inch corrugated steel pipe arch with a length of 43 feet.

12. To place fill for the Parkway and provide conveyance to maintain surface runoff and wetland hydrology by installing 35 feet of 18-inch RCP within a UNT to Neshaminy Creek at Station 209+75 (Doylestown, PA Quadrangle N: 7.3 inches; W: 4.7 inch, Latitude: 40° 17' 25"; Longitude: 75° 09' 28"). Permanent impact of 233 linear feet of intermittent channel (WUSD-33).

13. To cross a perennial stream and impact a forested/emergent wetland and provide conveyance to maintain surface hydrology and wetland hydrology by installing 59-feet each of four 36-inch RCP that will be depressed 0.5 feet and installing a 118-foot, single-span composite prestressed concrete PA Bulb-Tee bridge with a width of 48 feet 9 inches resulting in a hydraulic opening (width) 64 feet 10 1/4 inches upstream, 64 feet 10 1/4 inches downstream and (height) 10.17 feet upstream, 10.52 feet downstream within a UNT to Neshaminy Creek at Station 230+50 (Doylestown, PA Quadrangle N: 7.2 inches; W: 3.7 inches, Latitude: 40° 17' 22"; Longitude: 75° 09' 02"). Temporary impact of 234 linear feet of perennial stream channel (WUS-NT5A); permanent impact of 0.52 acre and temporary impact of 0.08 acre of forested/emergent wetland (NT5A). The proposed crossing will result in the discharge (that is, placement) of 1,193 SY and 9,197 CY of fill in the 100-year floodplain of a UNT to Neshaminy Creek.

14. To place fill for Ramp Q and provide conveyance to maintain surface runoff by installing 158 feet of 18-inch RCP and installing 52 feet of 18-inch RCP and installing 104 feet of 18-inch RCP and installing 153 feet of 24-inch RCP at Station 13+20 (Doylestown, PA Quadrangle N: 76 inches; W: 22 inches, Latitude: 40° 17' 31"; Longitude: 75° 08' 25"). Permanent impact of 534 linear feet of intermittent channel (WUSD-35) and permanent impact of 57 linear feet of intermittent channel (WUSD-35A) and permanent impact of 104 linear feet of intermittent channel (WUSD-35B) and permanent impact of 21 linear feet of intermittent channel (WUSD-35C) and permanent impact of 221 linear feet of intermittent channel (WUSD-36).

E09-933. Department of Transportation, 7000 Geerdes Boulevard, King of Prussia, PA 19406, Warrington, New Britain Townships, Bucks County, United States Army Corps of Engineers, Philadelphia District.

This application is part of an overall project for associated impacts, to construct and maintain the proposed approximately 9-mile segment of SR 6202 Parkway (Parkway). This project has been divided into three design/construction sections (701, 711 and 721). The limit for the entire project is between Welsh Road (SR 0063) in Montgomery Township, Montgomery County (Ambler, PA USGS Quadrangle N: 17.0 inches; W: 14.75 inches) and the existing SR 0611 Bypass in Doylestown Township, Bucks County (Doylestown, PA USGS Quadrangle N: 7.5 inches; W: 2.5 inches) and traverses through Montgomery Township in Montgomery County and Warrington, New Britain and Doylestown Townships in Bucks County. The Parkway includes a four-lane roadway between Welsh and Horsham Roads (SR 0463) and a two-lane roadway between Horsham Road and the SR 0611 Bypass. In addition, a 12-foot-wide shared-use path will be constructed within the right-of-way of the Parkway. The project proposes to permanently impact a total of approximately 6.33 acres of wetland (PEM/PSS/PFO). The construction of a total of 9.30 acres of wetland replacement is proposed at the Kansas Road mitigation site located near the intersection of County Line and Kansas Roads in Warrington Township, Bucks County.

This permit is for Section 711 and is the second submission for the SR 6202 construction project. The limit of work extends between County Line and Pickertown Roads, in Warrington Township, Bucks County.

The construction work in Section 711 includes the following water obstruction and encroachment activities:

1. To place fill and impact a UNT to Mill Creek (WWF, MF) at Station 25+59 (Doylestown, PA Quadrangle N: 1.7 inches; W: 11.0 inches, Latitude: 10° 02' 34.749" North; Longitude: 75° 12' 14.011" West). Fill for the Parkway will result in a permanent impact of 165 linear feet.

2. To place fill and impact a UNT to Mill Creek (WWF, MF) at Station 25+59 (Doylestown, PA Quadrangle N: 1.7 inches; W: 11.0 inches, Latitude: 40° 15' 34.767" North; Longitude: 75° 12' 13.553" West). Fill for the Parkway will result in a permanent impact of 184 linear feet.

3. To place fill and provide conveyance of hydrology with 138 feet of 48-inch RCP and 75 feet of 48-inch RCP that will be depressed 0.5 feet and impacted a UNT to Mill Creek (WWF, MF) at Station 26+58 (Doylestown, PA Quadrangle N: 1.7 inches; W: 11.0 inches, Latitude: 40° 15' 35.412" North; Longitude: 75° 12' 14.244" West). Plastic utility conduit will be installed inground above the pipes. Fill for Parkway will result in a permanent impact of 374 linear feet.

4. To place fill and provide conveyance of hydrology with 105 feet of 48-inch RCP that will be depressed 0.5 feet and impact a UNT to Mill Creek (WWF, MF) at Station 26+58 (Doylestown, PA Quadrangle N: 1.7 inches; W: 11.0 inches, Latitude: 40° 15' 35.412" North; Longitude: 75° 12' 14.224" West). Fill for the Parkway will result in a permanent impact of 82 linear feet and temporary impact of 25 linear feet.

5. Temporary disturbance of an intermittent tributary to Mill Creek (WWF, MF) for the construction of SUP at Station 18+74 (Doylestown, PA Quadrangle N: 2.4 inches;

W: 11.0 inches, Latitude: 40° 15' 43.168" North; Longitude: 75° 12' 3.986" West) will temporarily impact 25 linear feet.

6. To place fill and impact a UNT to Mill Creek (WWF, MF) at Station 20+02 (Doylestown, PA Quadrangle N: 2.4 inches; W: 11.0 inches, Latitude: 40° 15' 43.709" North; Longitude: 75° 12' 5.648" West). Fill for the Parkway will result in a permanent impact of 145 linear feet.

7. Crossing of existing stream and forested wetland by installing a 48-foot by 12-foot bridge with a length of 102 feet with a minimum underclearance of 12 feet within an unnamed intermittent tributary to Mill Creek (WWF, MF) at Station 39+88 (Doylestown, PA Quadrangle N: 2.4 inches; W: 10.8 inches, Latitude: 40° 15' 46.698" North; Longitude: 75° 12' 6.522" West). Plastic utility conduit will be installed on the structure. The proposed structure and adjacent fill will not result in permanent impacts; however, 0.06 acre of wetland will have functional loss due to serial cover of the bridge. The proposed crossing will result in the discharge (that is, placement) of 2,750 ft² and 1,935 cy³ of fill in the 100-year floodplain of the UNT to Mill Creek.

8. To place fill and impact a forested wetland tributary to Mill Creek (WWF, MF) at Station 24+24 (Doylestown, PA Quadrangle N: 2.4 inches; W: 11.0 inches, Latitude: 40° 15' 46.661" North; Longitude: 75° 12' 9.284" West). Fill for the Parkway will result in a permanent impact of 0.03 acre and temporary impact of 0.01 acre.

9. To place fill and impact a UNT to Mill Creek (WWF, MF) at Station 54+58 (Doylestown, PA Quadrangle N: 3.1 inches; W: 10.5 inches, Latitude: 40° 15' 59.865" North; Longitude: 75° 11' 59.024" West). Fill for the Parkway will result in a permanent impact of 2,035 linear feet.

10. To place fill and impact a UNT to Mill Creek (WWF, MF) at Station 56+30 (Doylestown, PA Quadrangle N: 3.1 inches; W: 10.4 inches, Latitude: 40° 15' 58.646" North, Longitude: 75° 11' 56.342" West). Fill for the Parkway will result in a permanent impact of 2,132 linear feet.

11. To place fill and impact a UNT to Mill Creek (WWF, MF) at Station 56.60 (Doylestown, PA Quadrangle N: 3.1 inches; W: 10.4 inches, Latitude: 40° 15' 58.646" North; Longitude: 75° 11' 56.342" West). Fill for the Parkway will result in a permanent impact of 2,132 linear feet.

12. To place fill and provide conveyance of hydrology with 83 feet of 24-inch RCP that will be depressed 0.5 feet and impact a forested wetland tributary to Neshaminy Creek (TSF, MF) at Station 66+33 (Doylestown, PA Quadrangle N: 3.4 inches; W: 10.0 inches, Latitude: 40° 16' 6.612" North; Longitude: 75° 11' 46.77" West). Fill for the Parkway will result in a permanent impact of 0.34 acre and temporary impact of 0.07 acre.

13. To place fill and provide conveyance to hydrology with 73 feet of 36-inch RCP that will be depressed 0.5 foot and impact a UNT to Neshaminy Creek (TSF, MF) at Station 66+56 (Doylestown, PA Quadrangle N: 3.4 inches; W: 10.0 inches, Latitude: 40° 16' 6.934" North; Longitude: 75° 11' 42.293" West). Fill for the Parkway will result in a permanent impact of 60 linear feet.

14. To place fill and provide conveyance of hydrology with two 86-foot lengths of 24-inch RCP and on 101-foot length of 36-inch RCP that will be depressed 0.5 feet and impact a forested wetland and UNT to Neshaminy Creek (TSF, MF) at Station 77+13 (Doylestown, PA Quadrangle N: 3.6 inches; W: 9.6 inches, Latitude: 40° 16' 10.548"

North; Longitude: 75° 11' 33.856" West). Plastic utility conduit will be installed inground above the pipes. Fill for the Parkway will result in a permanent impact of 114 linear feet of stream and 0.51 acre of wetland and temporary impact to 25 linear feet of stream and 0.12 acre of wetland.

15. To place fill and impact a UNT to Neshaminy Creek (TSF, MF) at Station 92+21 (Doylestown, PA Quadrangle N: 3.6 inches; W: 9.6 inches, Latitude: 40° 16' 21.836"; Longitude: 75° 11' 21.694" West). Fill for the Parkway will result in a permanent impact of 550 linear feet.

The owner proposes to create, restore, enhance, and protect wetlands, streams, and riparian habitat as compensatory mitigation for impacts at the Kansas Road mitigation site.

E46-1034. Department of Transportation, 7000 Geerdes Boulevard, King of Prussia, PA 19406, Montgomery Township, **Montgomery County**, United States Army Corps of Engineers, Philadelphia District.

This application is part of an overall project for associated impacts, to construct and maintain the proposed approximately 9-mile segment of SR 6202 Parkway (Parkway). This project has been divided into three design/construction sections (701, 711 and 721). The limit for the entire project is between Welsh Road (SR 0063) in Montgomery Township, Montgomery County (Ambler, PA USGS Quadrangle N: 17.0 inches; W: 14.75 inches) and the existing SR 0611 Bypass in Doylestown Township, Bucks County (Doylestown, PA USGS Quadrangle N: 7.5 inches; W: 2.5 inches) and traverses through Montgomery Township in Montgomery County and Warrington, New Britain, and Doylestown Townships in Bucks County. The Parkway includes a four-lane roadway between Welsh and Horsham Roads (SR 0463) and a two-lane roadway between Horsham Road and the SR 0611 Bypass. In addition, a 12-foot-wide shared-use path will be constructed within the right-of-way of the Parkway. The project proposes to permanently impact a total of approximately 6.33 acres of wetland (PEM/PSS/PFO). The construction of a total of 9.30 acres of wetland replacement is proposed at the Kansas Road mitigation site located near the intersection of County Line and Kansas Roads in Warrington Township, Bucks County.

This permit for Section 711 is the second submission for the SR 6202 construction project. The limit of work extends between Horsham Road (SR 0463) in Montgomery Township, Montgomery County and County Line Road (SR 2038) in Montgomery Township, Montgomery County.

The construction work in Section 711 includes the following water obstruction and encroachment activities:

1. To place fill and impact a forested wetland, which drains to a UNT to Little Neshaminy Creek (WWF, MF) at Station 204+43 (Ambler, PA Quadrangle N: 20.9 inches; W: 14.4 inches, Latitude: 40° 14' 25.808" North; Longitude: 75° 13' 38.426" West). Permanent impact of 0.17 acre of wetland due to cut-fill for the Parkway and a stormwater management basin.

2. To place fill and provide conveyance to maintain surface hydrology and wetland hydrology by installing 84 feet of 60-inch RCP that will be depressed 0.5 foot within a UNT to Little Neshaminy Creek (WWF, MF) at Station 217+59 (Ambler, PA Quadrangle N: 21.4 inches; W: 13.6 inches, Latitude: 40° 14' 31.81" North; Longitude: 75° 13' 23.407" West). Plastic utility conduit will be installed inground above the pipe. The proposed work will temporarily impact 8 linear feet and permanently impact 118

linear feet of stream channel. The proposed fill to forested wetland will temporarily impact 0.03 acre and permanently impact 0.16 acre.

3. To place fill and provide conveyance to maintain surface hydrology and wetland hydrology by installing 96 feet of 36-inch RCP that will be depressed 0.5 feet within a forested wetland in the Little Neshaminy Creek (WWF, MF) Watershed at Station 220+46 (Ambler, PA Quadrangle N: 21.4 inches; W: 13.6 inches, Latitude: 40° 14' 32.53" North; Longitude: 75° 13' 20.484" West). The proposed fill to forested wetland will temporarily impact 0.05 acre of permanently impact 0.21 acre.

4. To place fill to provide conveyance to maintain surface hydrology and wetland hydrology by installing 64 feet of 30-inch RCP, 67 feet of 30-inch RCP, 40 feet of 30-inch RCP and 73 feet of 30-inch RCP that will be depressed 0.5 feet within UNTs to Little Neshaminy Creek (WWF, MF) at Station 232+85 (Ambler, PA Quadrangle N: 21.9 inches; W: 13.3 inches, Latitude: 40° 14' 42.869" North; Longitude: 75° 13' 11.069" West). Plastic Utility conduit will be installed inground below the pipes. The proposed work will temporarily impact 14 linear feet and permanently impact 213 linear feet of stream channel. The proposed fill to forested wetland will temporarily impact 0.19 acre and permanently impact 0.76 acre.

5. To place fill and impact a UNT to Little Neshaminy Creek (WWF, MF) at station 235+60 (Ambler, PA Quadrangle N: 21.9 inches; W: 13.3 inches, Latitude: 40° 14' 43.54" North; Longitude: 75° 13' 10.211" West). Fill for the Parkway will result in a permanent impact of 63 linear feet.

6. To place fill and provide conveyance to maintain surface hydrology and wetland hydrology by installing 73 feet of 24-inch RCP that will be depressed 0.5 foot within an intermittent stream and forested wetland in the Little Neshaminy Creek (WWF, MF) Watershed at Station 239+07 (Ambler, PA Quadrangle N: 22.0 inches; W: 13.1 inches, Latitude: 40° 14' 47.153" North; Longitude: 75° 13' 6.522" West). Plastic utility conduit will be installed inground above the pipe. The proposed fill to forested wetland will temporarily impact 7 linear feet of stream channel of 0.04 acre of forested wetland and permanently impact 107 linear feet of stream and 0.10 acre of wetland.

7. Crossing of existing stream and forest/scrub wetland by installing a 48-foot by 5-foot spread box beam bridge with a length of 73.5 feet across an unnamed intermittent tributary to Little Neshaminy Creek (WWF, MF) at Station 246+86 (Ambler, PA Quadrangle N: 22.4 inches; W: 12.9 inches, Latitude: 40° 14' 53.246" North; Longitude: 75° 13' 0.811" West). The minimum underclearance is 5.3 feet. Plastic utility conduit will be installed on the structure. The proposed aerial cover will result in the functional loss of 0.02 acre of wetland; 0.06 acre of wetland will be permanently impacted by the construction of the structure and associated fill. The proposed crossing will result in the discharge (that is, placement) of 2,150 ft² and 1,480 cy³ of fill in the 100-year floodplain of the UNT to Little Neshaminy Creek.

8. Crossing of existing stream and forested wetland by installing a 48-foot by 11-foot spread box beam bridge with a length of 73.5 feet and 11.2 foot minimum underclearance within an unnamed intermittent tributary to Little Neshaminy Creek (WWF, MF) at Station 254+92 (Ambler, PA Quadrangle N: 22.7 inches; W: 12.6 inches, Latitude: 40° 14' 59.324" North; Longitude: 75° 12' 53.18" West). Plastic utility conduit will be installed on the structure. The proposed structure and adjacent fill

will permanently impact 0.19 acre of forested wetland, with an additional 0.03 acre of functional loss due to the aerial coverage. The proposed crossing will result in the discharge (that is, placement) of 16,160 ft² and 5,981 cy³ of fill in the 100-year floodplain of the UNT of Little Neshaminy Creek. A temporary steam crossing will be used during construction. The crossing will consist of three smooth lined corrugated plastic pipes, 60-inch diameters that are 25 feet long. A temporary sandbag dam will be on the upstream end of the pipe and a rock filter will be used on the downstream end. The impact for this temporary pipe crossing is 15 linear feet of stream and 0.09 acre of wetland.

9. To place fill and impact a UNT to Little Neshaminy Creek (WWF, MF) at Station 259+05 (Doylestown, PA Quadrangle N: 0.3 inch; W: 12.5 inches, Latitude: 40° 15' 2.343" North; Longitude: 75° 12' 49.722" West). Fill for the Parkway will result in a permanent impact of 95 linear feet.

10. To place fill and impact a forested/emergent wetland tributary to Little Neshaminy Creek (WWF, MF) at Station 260+16 (Doylestown, PA Quadrangle N: 0.3 inch; W: 12.5 inches, Latitude: 40° 15' 3.414" North; Longitude: 75° 12' 49.39" West). Fill for the Parkway will result in a permanent impact of 0.13 acre and temporary impact of 0.04 acre.

11. To place fill and impact a UNT to Little Neshaminy Creek (WWF, MF) and forested wetland at Station 262+33 (Doylestown, PA Quadrangle N: 0.3 inch; W: 12.5 inches, Latitude: 40° 15' 5.213" North; Longitude: 75° 12' 47.75" West). Fill for the Parkway will result in a permanent impact of 146 linear feet and 0.01 acre.

12. To place fill and impact a scrub/shrub/emergent wetland tributary to Little Neshaminy Creek (WWF, MF) at Station 270+71 (Doylestown, PA Quadrangle N: 0.5 inch; W: 12.0 inches, Latitude: 40° 15' 10.858" North; Longitude: 75° 12' 40.154" West). Fill for the Parkway will result in a permanent impact of 0.06 acre and temporary impact to 0.05 acre.

13. To place fill and provide conveyance to maintain surface hydrology by installing 90 feet of 24-inch RCP depressed 0.5 feet, which will impact a scrub/shrub/emergent wetland tributary to Little Neshaminy Creek (WWF, MF) at Station 272+82 (Doylestown, PA Quadrangle N: 0.5 inch; W: 12.0 inches, Latitude: 40° 15' 11.471" North; Longitude: 75° 12' 37.48" West). Fill for the Parkway will result in a permanent impact of 0.11 acre and temporary impact to 0.03 acre.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-584-A7. Hanson Aggregates PMA, Inc., 2200 Springfield Pike, Connellsville, PA 15425, in The City of Aliquippa, Baden Borough, and Hopewell Township, **Beaver County**, United States Army Corps of Engineers, Pittsburgh District. To amend Permit E02-584, which authorizes commercial sand and gravel dredging in select areas of the Allegheny River (WWF) and Ohio River (WWF), subject to review of fish surveys, mussel surveys and prescribed setbacks in Allegheny, Armstrong, Beaver and Westmoreland Counties to include Ohio River Mile Points 19.2 to 20.2 (Upstream beginning point: Baden, PA Quadrangle N: 0.4 inch; W: 15.0 inches, Latitude: 40° 37' 37.1"; Longitude: 80° 13' 59.8". Downstream end point: Baden, PA Quadrangle N: 2.9 inches; W: 15.3 inches, Latitude: 40° 38' 28.7"; Longitude: 80° 14' 9.12"), left descending banks in The City of Aliquippa, Baden Borough, and Hopewell Township, Beaver County.

E02-919-A7. Tri-State River Products, Inc., Box 218, 334 Insurance Street, Beaver, PA 15009, in The City of Aliquippa, Baden Borough, and Hopewell Township, **Beaver County**, United States Army Corps of Engineers, Pittsburgh District. To amend Permit E02-919, which authorizes commercial sand and gravel dredging in select areas of the Allegheny River (WWF) and Ohio River (WWF), subject to review of fish surveys, mussel surveys and prescribed setbacks in Allegheny, Armstrong, Beaver and Westmoreland Counties to include Ohio River Mile Points 19.2 to 20.2 (Upstream beginning point: Baden, PA Quadrangle N: 0.4 inch; W: 15.0 inches, Latitude: 40° 37' 37.1"; Longitude: 80° 13' 59.8". Downstream end point: Baden, PA Quadrangle N: 2.9 inches; W: 15.3 inches, Latitude: 40° 38' 28.7"; Longitude: 80° 14' 9.12"), left descending banks in The City of Aliquippa, Baden Borough, and Hopewell Township, Beaver County.

E02-1042-A2. Butler Concrete and Supply Company, 409 Saxonburg Boulevard, Saxonburg, PA 16056. To extend an existing retaining wall in East Deer Township, **Allegheny County**, United States Army Corps of Engineers, Pittsburgh District. The applicant proposes to amend Permit No. E02-1042-A1 to extend and maintain the existing retaining wall an additional 110.0 feet in the channel and along the right bank of the Allegheny River (WWF) for the purpose of providing better access to the Butler Concrete & Supply Company. The project is located near River Mile 19.6 and will impact approximately 135.0 linear feet of stream channel.

E02-1326-A7. Glacial Sand and Gravel Company, P. O. Box 1022, Kittanning, PA 16201, in the City of Aliquippa, Baden Borough, and Hopewell Township, **Beaver County**, United States Army Corps of Engineers, Pittsburgh District. To amend Permit E02-1326, which authorizes commercial sand and gravel dredging in select areas of the Allegheny River (WWF) and Ohio River (WWF), subject to review of fish surveys, mussel surveys and prescribed setbacks in Allegheny, Armstrong, Beaver and Westmoreland Counties to include Ohio River Mile Points 19.2 to 20.2 (Upstream beginning point: Baden, PA Quadrangle N: 0.4 inch; W: 15.0 inches, Latitude: 40° 37' 37.1"; Longitude: 80° 13' 59.8". Downstream end point: Baden, PA Quadrangle N: 2.9 inches; W: 15.3 inches, Latitude: 40° 38' 28.7"; Longitude: 80° 14' 9.12"), left descending banks in the City of Aliquippa, Baden Borough, and Hopewell Township, Beaver County.

E02-1598. Springdale Borough, P. O. Box 153, Springdale, PA 15144. To construct an outfall in Springdale Borough, **Allegheny County**, United States Army Corps of Engineers, Pittsburgh District (New Kensington West, PA Quadrangle N: 7.5 inches; W: 2.9 inches, Latitude: 40° 32' 29"; Longitude: 79° 46' 15"). The applicant proposes to construct and maintain a 42-inch diameter outfall structure 263.0 linear feet in length on the right bank of Riddle Run (WWF) and to place and maintain rip rap along the left and right banks of said stream for a distance of approximately 30.0 feet for the purpose of discharging stormwater from Butler Road and other roads into Riddle Run. The project is located approximately 800.0 feet north from the confluence of Riddle Run and the Allegheny River and will impact approximately 30.0 linear feet of stream channel.

DAM SAFETY

Central Office: Bureau of Waterways Engineering, 400 Market Street, Floor 3, P. O. Box 8554, Harrisburg, PA 17105-8554.

D56-117. Lake George Dam, The Buncher Company c/o Joseph M. Jackovic, Penn Liberty Plaza 1,

Suite 300, 1300 Penn Avenue, Pittsburgh, PA 15222. To operate and maintain Lake George Dam according to the regulatory requirements and to install piezometers on the downstream embankment. The Lake George Dam is located across Kooser Run (HQ-CWF), impacting 0.0 acres of wetlands with no proposed impacts to the stream channel (Seven Springs, PA Quadrangle N: 10.9 inches; W: 16.9 inches) in Jefferson Township, **Somerset County**.

D40-227. Croops Dam, Greg Dischinat, 180 Nazareth Drive, Nazareth, PA 18064. To rehabilitate, operate, and maintain the Croops Dam across a tributary to Hunlock Creek (CWF), impacting 50 linear feet of stream channel, for the purpose of rehabilitating the deteriorated dam in order to restore the approximately 4-acre recreational lake. Work includes constructing a new spillway structure and rebuilding the earthfill embankment (Nanticoke, PA Quadrangle N: 16.0 inches; W: 12.9 inches) in Hunlock Township, **Luzerne County**.

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0085138 (Sew)	Five Forks Brethren in Christ Church 9244 Five Forks Road Waynesboro, PA 17268	Franklin County Quincy Township	UNT West Branch Antietam Creek 13-C	Y
PA0083186 (Sew)	HMSHOST Turnpike Travel Plazas Sideling Hill Service Plaza P. O. Box 8 Middletown, PA 17057	Fulton County Taylor Township	Lick Branch Wooden Bridge Creek 12-C	Y
PAG2003803042R	Don Lechleitner Springbrook Farms, Inc. 1840 Fishburn Road Hershey, PA 17033	Lebanon County South Londonderry Township	Swatara Creek WWF	Y
PAR10P191-R	George Christianson Shadow Creek, LLC 411 Chestnut Street Lebanon, PA 17042	Lebanon County North Cornwall Township	Snitz Creek TSF	Y

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0209571	Romain Dorman Small Flow Treatment Facility 1665 Johnstown Road Mifflinburg, PA 17844	West Buffalo Township Union County	North Branch Buffalo Creek 10C	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0097110 Industrial Waste	Shade Landfill, Inc. 1176 Number 1 Road Cairnbrook, PA 15924	Somerset County Shade Township	Laurel Run	Y
PA0219363 Sewage	Pyramid Healthcare, Inc. 1216 11th Avenue Altoona, PA 16601	Cambria County Reade Township	Powell Run	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0239241	Carol Millett 9213 Old State Road Conneaut Lake, PA 16316	Sadsbury Township Crawford County	UNT to Conneaut Outlet 16-D	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No. PA0055891, Industrial Waste, **Henderson Road Superfund Site Technical Steering Committee, c/o RT Environmental Services, Inc.**, 215 West Church Road, Suite 301, King of Prussia, PA 19406. This proposed facility is located in Upper Merion Township, **Montgomery County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge treated groundwater from the facility know as Henderson Road Superfund Site to a UNT to the Schuylkill River in Watershed 3F.

NPDES Permit No. PA00300231, Amendment No. 1, Sewage, **Bryn Athyn Borough**, P. O. Box 683, 2835 Bucks Road, Bryn Athyn, PA 19009. This proposed facility is located in Bryn Athyn Borough, **Montgomery County**.

Description of Proposed Action/Activity: Approval for the amendment to incorporate maximum monthly flow of 0.08 mgd to discharge into a UNT to Huntingdon Valley Creek in Watershed 3J.

NPDES Permit No. PA0024180, Sewage, **Berks-Montgomery Municipal Authority**, 136 Municipal Drive, Gilbertsville, PA 19525-0370. This proposed facility is located in Douglass Township, **Montgomery County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge treated sewage from the Swamp Creek STP in Perkiomen Watershed 3E.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

NPDES Permit No. PA0247715, Sewage, **Greater Gettysburg Development Co., LLC**, 601 Mason Dixon Road, Gettysburg, PA 17325. This proposed facility is located in Straban Township, **Adams County**.

Description of Proposed Action/Activity: Authorization to discharge to a UNT of Rock Creek in Watershed 13-D.

NPDES Permit No. PA0083607, Sewage, **Union Township**, 3111 SR 72, Jonestown, PA 17038. This proposed facility is located in Union Township, **Lebanon County**.

Description of Proposed Action/Activity: Authorization to discharge to the Forge Creek in Watershed 7-D.

NPDES Permit No. PA0261190, Sewage, **Tiger Properties, Four East High Street**, Carlisle, PA 17013. This proposed facility is located in North Middleton Township, **Cumberland County**.

Description of Proposed Action/Activity: Authorization to discharge to Watershed 7-B.

NPDES Permit No. PA0087980, Amendment 1, CAFO, **Alan Rice and Brian Brechbill**, Dream Farms, 13689 Dream Highway, Newburg, PA 17240. This proposed facility is located in Lurgan Township, **Franklin County**.

Description of Size and Scope of Proposed Operation/Activity: Transfer of Permit.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No. PA0035246, Industrial Waste, **Municipal Authority of Westmoreland County**, P. O. Box 730, Greensburg, PA 15601. This proposed facility is located in Dunbar Township, **Fayette County**.

Description of Proposed Action/Activity: Permit issuance to discharge from a facility located at Indian Creek Water Filtration Plant to receiving waters named Youghiogheny River.

NPDES Permit No. PA0253871, Sewage, **Lone Hill Development, LP**, 212 Sussex Way, McMurray, PA 15317. This proposed facility is located in Green Hills Borough, **Washington County**.

Description of Proposed Action/Activity: Permit issuance to discharge treated sewage from Lone Pine Estates Sewage Treatment Plant.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0222216, Sewage, **Edinboro Conference Campground**, 12940 Fry Road, Edinboro, PA 16412. This proposed facility is located in Washington Township, **Erie County**.

Description of Proposed Action/Activity: This application is for a new NPDES permit to discharge treated sanitary sewage from a seasonally operated campground to a UNT to Boles Run.

NPDES Permit No. PA0103446, Industrial Waste, **Amendment No. 2, Veolia ES Greentree Landfill, LLC**, 635 Toby Road, Kersey, PA 15846. This proposed facility is located in Fox Township, **Elk County**.

Description of Proposed Action/Activity: This application is for an amendment to an NPDES Permit, for addition of new stormwater outfalls and a restructuring of existing stormwater outfalls, as a result of the proposed landfill expansion. This is a minor discharge.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 3808401, Sewage, **Union Township**, 3111 SR 72, Jonestown, PA 17038. This proposed facility is located in Union Township, **Lebanon County**.

Description of Proposed Action/Activity: Permit approval for the construction/operation of sewerage facilities consisting of influent pump station, two sequencing batch reactors, post equalization tanks, three effluent pumps, cloth media tertiary filters, UV disinfection, two aerobic digesters and post aeration.

WQM Permit No. 6703405 08-1, Sewage, **Stewartstown Borough Authority, c/o Stewartstown Borough Office**, 6 North Main Street, Stewartstown, PA 17363. This proposed facility is located in Hopewell Township, **York County**.

Description of Proposed Action/Activity: Permit approval for the construction of sewerage facilities consisting of modifications to the thickener including a 600 gpm submersible pump.

WQM Permit No. 2108405, Sewage, **Tiger Properties**, Four East High Street, Carlisle, PA 17013. This proposed facility is located in North Middleton Township, **Cumberland County**.

Description of Proposed Action/Activity: Permit approval for the construction/operation of a small flow treatment facility with septic tank, peat filter and chlorine disinfection discharging to the Conodoguinet Creek.

WQM Permit No. 2898201, Transfer No. 1, CAFO, **Alan Rice and Brian Brechbill, Dream Farms**, 13689 Dream Highway, Newburg, PA 17240. This proposed facility is located in Lurgan Township, **Franklin County**.

Description of Proposed Action/Activity: Transfer of Permit.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. WQG018663, Sewerage, **Theodore Lowe**, 639 West Sunbury Road, West Sunbury, PA 16061. This proposed facility is located in Center Township, **Butler County**.

Description of Proposed Action/Activity: Issuance of a single-residence Sewage Treatment Plant.

WQM Permit No. WQG028316, Sewerage, **Pleasant Township**, P. O. Box 865, Warren, PA 16365. This proposed facility is located in Pleasant Township, **Warren County**.

Description of Proposed Action/Activity: This proposed pump station will replace the ejector station, while performing the same general duty. This project will not change the volume or quantity of waste entering the collection system.

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA.

WQM Permit No. WQG02090818, Sewerage, **Lower Makefield Township Sewer Authority**, 1100 Edgewood Road, Yardley, PA 19067. This proposed facility is located in Lower Makefield and Newtown Townships, **Bucks County**.

Description of Action/Activity: Construction and operation of a sewer extension.

WQM Permit No. 4608409, Sewerage, **Upper Providence Township**, 1286 Black Rock Road, Oaks, PA 19456. This proposed facility is located in Upper Providence Township, **Montgomery County**.

Description of Action/Activity: Installation of a sanitary sewer interceptor.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024808011	Arcadia East Associates No. 1, LP 100 Gateway Drive Suite 310 Bethlehem, PA 18017	Northampton	East Allen Township	Monocacy Creek HQ-CWF
PAI026404002(2)	Duck Harbor Company R. R. 1 Box 214C Equinunk, PA 18417	Wayne	Lebanon and Damascus Townships	Little Equinunk Creek HQ-CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI000108001	CVDA, LLP Dannie Holsinger 113 Country Club Road Fairfield, PA 17320	Adams	Hamiltonban	Middle Creek HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage

PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

*General Permit Type—PAG-2**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Doylestown, New Britain and Washington Townships Bucks County	PAG200 0907140	Department of Transportation 7000 Geerdes Boulevard King of Prussia, PA 19406	Neshaminy Creek TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Buckingham Township Bucks County	PAG200 0903169-R	Bucks County Airport Authority 3879 Old Easton Road P. O. Box 1185 Doylestown, PA 18901	UNT Pine Run TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Phoenixville Borough Chester County	PAG200 1508063	Palma, LP, Palma, Inc. GP 1890 Rose Cottage Lane Malvern, PA 19355	French Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Pocopson Township Chester County	PAG00 1508053	Sheila M. Bowel, Edward Ebling 1861 Lenape Road West Chester, PA 19382	UNT Pocopson Creek TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
East Clan Township Chester County	PAG200 1508044	Michael McNabb 109 Sycamore Spring Lane Downingtown, PA 19335	Valley Creek CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Franklin Township Chester County	PAG200 1508022	Brothers Properties, LLC 2705 Whittleby Court West Chester, PA 19312	UNT West Branch White Clay Creek TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
East Marlborough Township Chester County	PAG200 1508060	University of Pennsylvania 3101 Walnut Street Philadelphia, PA 19104-6289	Red Clay Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Sadsbury Township Chester County	PAG200 1508009	Larry Constable 3608 Leike Road Parkesburg, PA 19365	UNT Buck Run TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Whitemarsh Township Montgomery County	PAG200 4607118	Southeaster Pennsylvania Transportation Authority (SEPTA) 1234 Market Street 18th Floor Philadelphia, PA 19107	Sandy Run TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
North Wales Borough Montgomery County	PAG200 4608133	North Penn School District 401 East Hancock Avenue Lansdale, PA 19446	Wissahickon Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Worcester Township Montgomery County	PAG200 4608118	PECO Energy Company 2301 Market Street S9-1 Philadelphia, PA 19103	Zacharias Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Upper Dublin Township Montgomery County	PAG200 4608113	Dresher Properties, LP 55 Lynn Avenue Oreland, PA 19075	UNT Sandy Run TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Franconia Township Montgomery County	PAG200 4608128	Franconia Sewer Authority 671 Allentown Road Franconia, PA 18924	Skippack Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Limerick Township Montgomery County	PAG200 4608078	Landmark Hotels, Inc. 14424 Clearfield Shawville Highway Clearfield, PA 16839	UNT Schuylkill River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Hatfield Township Montgomery County	PAG200 4607117	Oak Tree Industrial Associates 2880 Bergey Road Suite D Hatfield, PA 19440	West Branch Neshaminy Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Limerick Township Montgomery County	PAG200 4608132	O & F Centennial Associates, LP 2589 Sibel Circle Lansdale, PA 19446	Schuylkill River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Franconia Township Montgomery County	PAG200 4606105-1	Ken Clemmer 261 Schoolhouse Road Suite 4 Souderton, PA 18964	Skippack Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Hanover Township Montgomery County	PAG200 4608103	Upper Hanover Authority 1704 Pillsbury Road East Greenville, PA 18041	Tributary Perkiomen/ Hosensack Creek TSF, CWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Merion Township Montgomery County	PAG200 4608105	RWK Enterprises, Inc. 127 South Gulph Road King of Prussia, PA 19406	Abrams Run/Crow Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Douglas Township Montgomery County	PAG200 4608116	Sealstrip Corporation, Inc. 200 North Washington Street Boyertown, PA 19512	UNT Swamp Creek TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Easton Northampton County	PAG2004808016	Pennrose Properties, LLC 1301 North 31st Street Philadelphia, PA 19121-4495	Delaware River WWF, MF	Northampton County Conservation District (610) 746-1971
City of Pottsville Schuylkill County	PAG2005408019	Thomas A. Palamar 401 North Centre Street Pottsville, PA	Norwegian Creek CWF	Schuylkill County Conservation District (570) 622-3742
Todd and Ayr Townships Fulton County	PAG2002908005	McConnellsburg Borough Municipal Authority P. O. Box 218 McConnellsburg, PA 17233	Big Cove Creek CWF	Fulton County Conservation District 216 North Second Street McConnellsburg, PA 17233 (717) 485-3547 Ext. 122
Jackson Township Lebanon County	PAG2003808002	Michael Garman Gardel, LLC 471 North Reading Road Ephrata, PA 17522	UNT to Tulpehocken Creek TSF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 Ext. 4

NOTICES

6995

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
North Cornwall Township Lebanon County	PAG2003808019	Marc DeSouza Meadow Lane Farms, LLC 225 North Presidential Avenue Bala Cynwyd, PA 19004	Snitz Creek TSF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908 Ext. 4
Union Township Lebanon County	PAG2003808027	Philip S. Moreau MMR Investments—TG, LLC 25515 Via Mariquita Carmel, CA 93923	Swatara Creek WWF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908 Ext. 4
North Annville Township Dauphin County	PAG2003808025	Jay Long Long's Excavating, Inc. 249 Clear Spring Road Annville, PA 17003	Quittapahilla Creek TSF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908 Ext. 4
Palmyra Borough North Londonderry Township Lebanon County	PAG2003808014	John Lippa Members 1st Federal Credit Union 5000 Louise Drive Mechanicsburg, PA 17055	Trib to Killinger Creek TSF	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 (717) 272-3908 Ext. 4
Union Township Berks County	PAG2000608070	Christopher Canavan Centennial Acquisitions, LP 404 Sumneytown Pike Suite 200 North Wales, PA 19454	WWF—UNT Schuylkill River	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657 Ext. 201
Douglass Township	PAG2000608057	Timothy Specht Trap Rock No. 3, LLC P. O. Box 300 Boyertown, PA 19512	WWF—UNT Schuylkill River	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657 Ext. 201
Caernarvon Township	PAG2000608010	Thomas Hornberger Twin Valley Fire Department P. O. Box 181 25 Hall Street Elverson, PA 19520	WWF Conestoga River	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657 Ext. 201
Derry Township Dauphin County	PAG2002208039	George Cvijic 20 Erford Road Lemoyne, PA 17043	Spring Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018
Derry Township Dauphin County	PAG2002208035	Thomas DeDonatis DeDo Corp. 345 Elm Avenue Hershey, PA 17033	Swatara Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Susquehanna Township Dauphin County	PAG2002208036	Richard Bowen Templar Development, LLC 3 Gateway Center Pittsburgh, PA 15222	Paxton Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018
Washington Township Dauphin County	PAG2002208040	David Howicz TS Elizabethville, LLC 3540 Sweet Maggie Lane Naperville, IL 60564	Wiconisco Creek WWF	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018
Clearfield County Lawrence Township	PAG2001708018	Mark A. Austin Department of Military and Veterans Affairs Building 0-10 Fort Indiantown Gap Annville, PA 17003	UNT to West Branch Susquehanna River WWF	Clearfield County Conservation District 650 Leonard Street Clearfield, PA 16830 (814) 765-2629
Lycoming County Muncy Township	PAG2004108007	John Fry Fryland, LLC Land Development 560 Robbittown Road Muncy, PA 17756	Oak Run CWF	Lycoming County Conservation District 542 County Farm Road Suite 202 Montoursville, PA 17754 (570) 433-3003
Montour County Derry Township	PAG2004708005	Penn Tank Lines 3275 Maple Street Allentown, PA 18104	Chillisquaque Creek WWF	Montour County Conservation District 112 Woodbine Lane Suite 2 Danville, PA 17821 (570) 271-1140
Beaver County Chippewa Township	PAG2000403016 (R)	Chippewa Evangelical Free Church c/o Robert E. Liljestrand 239 Braun Road Beaver Falls, PA 15010	Bradys Run TSF	Beaver County Conservation District (724) 378-1701
Cambria County White Township	PAG2001108016	Tracy Plesinger White Township 743 Ridge Road Fallentimber, PA 16639	Beaverdam Run CWF	Cambria County Conservation District (814) 472-2120
Westmoreland County Mt. Pleasant Township	PAG2006508042	Gary Graham Turnpike Commission P. O. Box 67676 Harrisburg, PA 17106-7676	Brush Run CWF	Westmoreland County Conservation District (724) 837-5271
Butler County Franklin Township	PAG2001008026	E & E Chestnut Developers, Inc. Butler, PA 16002	Mulligan Run CWF	Butler County Conservation District (724) 284-5270
Erie County City of Erie	PAG2002508027	City of Erie School District 148 West 21st Street Erie, PA 16502	Lake Erie CWF	Erie County Conservation District (814) 825-6403
Mercer County Hempfield Township	PAG2004308012	Hudson Companies 2450 Shenango Valley Freeway Hermitage, PA 16148	UNT Little Shenango River TSF	Mercer County Conservation District (724) 662-2242

*General Permit Type—PAG-3**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Hazleton City Luzerne County	PAR232209	Reynolds Packaging Kama, Inc. 600 Dietrich Avenue Hazleton, PA 18201-7754	Storm Sewer to Hazle Creek CWF	DEP—NERO Water Management Program 2 Public Square Wilkes-Barre, PA 18711-2511 (570) 826-2511
Moosic Borough Lackawanna County	PAR142204	MActac Scranton Facility 802 East Corey Street Scranton, PA 18505-3595	Lackawanna River CWF	DEP—NERO Water Management Program 2 Public Square Wilkes-Barre, PA 18711-2511 (570) 826-2511
Hazleton City Luzerne County	PAR602212	M.H. Brenner Recycling, Inc. 282 South Wyoming Street Hazleton, PA 18201	Storm Drains to Button Wood Street to Hazle Creek	DEP—NERO Water Management Program 2 Public Square Wilkes-Barre, PA 18711-2511 (570) 826-2511
Scott Township Lackawanna County	PAR232222	Metso Paper USA, Inc. 987 Griffin Pond Road Clarks Summit, PA 18411	Ackerly Creek	DEP—NERO Water Management Program 2 Public Square Wilkes-Barre, PA 18711-2511 (570) 826-2511
Cumberland County Silver Spring Township	PAR803714	IBM Corporation— Mechanicsburg North Castle Drive Armonk, NY 10504	Hogestown Run CWF 7B	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Franklin County Antrim and Montgomery Townships	PAR403501	Waste Management Disposal Services of PA, Inc. 9446 Letzburg Road Greencastle, PA 17225	UNT Conococheague Creek WWF 13-C	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Berks County Muhlenberg Township	PAR233543	Air Liquid Industrial U.S., LP P. O. Box 13577 Reading, PA 19605	Schuylkill River WWF 3-C	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
York County West Manchester Township	PAR203609	Namasco Corporation Temtco Steel Division 319 North Court Avenue Louisville, MS 39339	UNT to Codorus Creek 7-H	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Findlay Township Allegheny County	PAR206124	Precision Kidd Steel Company One Quality Way Aliquippa, PA 15001	Tributary to Montour Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

*General Permit Type—PAG-4**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Richland Township Bucks County	PAG040100	John J. Schmooch 433 East Cherry Road Quakertown, PA 18951	Three Mile Run Watershed 2D	Southeast Regional Office 2 East Main Street Norristown, PA 19401

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Dauphin County Conewago Township	PAG043884	R. H. Kreiser Construction 1569 Elm Road Elizabethtown, PA 17022	UNT Brills Run 7G	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707
Limestone Township Warren County	PAG049480	Rachel H. Watson 15910 Route 62 Tidioute, PA 16351	Allegheny River 16-F	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Center Township Butler County	PAG049479	Theodore Lowe 639 West Sunbury Road West Sunbury, PA 16061	UNT to Stony Run 20-C	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

*General Permit Type—PAG-5**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
North Sewickley Township Beaver County	PAG056232	Sheetz, Inc. 2700 Sixth Avenue Altoona, PA 16602	Bennett Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Canonsburg Borough Washington County	PAG056192	Coen Oil Company P. O. Box 34 1100 West Chestnut Street Washington, PA 15301	Chartiers Creek	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Menallen Township Fayette County	PAG056183	United Refining Company of PA P. O. Box 688 11 Bradley Street Warren, PA 16365	Jennings Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
South Strabane Township Washington County	PAG056190	Coen Oil Company P. O. Box 34 1100 Chestnut Street Washington, PA 15301	UNT to Chartiers Creek	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Center Township Beaver County	PAG056179	Morelli Corporation 2 Lindsay Drive Beaver Falls, PA 15010	Moon Run to Ohio River	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
New Stanton Borough Westmoreland County	PAG056184	Sunoco, Inc. 5733 Butler Street Pittsburgh, PA 15201	Sewickley Creek	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

NOTICES

6999

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
White Oak Borough Allegheny County	PAG056185	Sunoco, Inc. 5733 Butler Street Pittsburgh, PA 15201	Crooked Creek	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Smith Township Washington County	PAG056188	Jake Schneider Box 7 Route 18 Atlasburg, PA 15004	Burgetts Fork	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
South Fork Borough Cambria County	PAG056209	Kick Brothers, Inc. 220 Lake Street South Fork, PA 15956	Conemaugh River	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Finleyville Borough Washington County	PAG056208	Sheetz, Inc. 5700 Sixth Avenue Altoona, PA 16602	Peters Creek	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Bethel Park Borough Allegheny County	PAG056206	Conoco Phillips Company 1400 Park Avenue Bayway Office Building Linden, NJ 07036	Catfish Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
City of Washington Washington County	PAG056205	Coen Oil Company P. O. Box 34 1100 West Chestnut Street Washington, PA 15301	Chartiers Creek	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Penn Township Westmoreland County	PAG056203	Howard Gasoline and Oil Company P. O. Box 494 Harrison City, PA 15636	Bushy Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Roscoe Borough Washington County	PAG056200	Coen Oil Company P. O. Box 34 1100 West Chestnut Street Washington, PA 15301	Monongahela River	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

*Facility Location:
Municipality &
County*North Fayette
Township
Allegheny CountyPermit No.
PAG056199*Applicant Name &
Address*
Tonidale Gulf Station
7021 Steubenville Pike
Oakdale, PA 15071*Receiving
Water/Use*
UNT to Moon Run*Contact Office &
Phone No.*Southwest Regional Office
Water Management
Program Manager
400 Waterfront Drive
Pittsburgh, PA
15222-4745
(412) 442-4000Bethel Park
Borough
Allegheny CountyPermit No.
PAG056197*Applicant Name &
Address*
Conoco Phillips Company
1400 Park Avenue
Bayway Office Building
Linden, NJ 07036

Graeser Run Creek

Southwest Regional Office
Water Management
Program Manager
400 Waterfront Drive
Pittsburgh, PA
15222-4745
(412) 442-4000*General Permit Type—PAG-12**Facility Location:
Municipality &
County*Berks County
Centre TownshipPermit No.
PAG123619*Applicant Name &
Address*
Aaron Martin
North End View Farm
1383 River Road
Mohrsville, PA 19541*Receiving
Water/Use*
UNT Plum Creek
WWF
3-B*Contact Office &
Phone No.*DEP—SCRO Water
Management Program
909 Elmerton Avenue
Harrisburg, PA 17110
(717) 705-4802**STATE CONSERVATION COMMISSION****NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR
NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES)
PERMITS FOR CONCENTRATED ANIMAL FEEDING OPERATIONS (CAFO)**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under the act of July 6, 2005 (Act 38 of 2005, 3 Pa.C.S. §§ 501—522) (hereinafter referred to as Act 38), for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92. This notice is provided in accordance with 25 Pa. Code Chapter 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

Persons aggrieved by any action may appeal under section 517 of Act 38, section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachael Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

ACTIONS—NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Timber Ridge Farms 9699 Timber Ridge Road Big Cove Tannery, PA 17212	Fulton	66.0	1,180	Swine	N/A—WWF	Approved
Rohrer Farm, LLC Dale Rohrer 762 West Lexington Road Lititz, PA 17543	Lancaster	0	286	Pullets, Hogs	NA	Approved

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Beiler Farms Keith and Kent Beiler 2185 Smyrna Road Paradise, PA 17562	Lancaster	91.6	399.1	Dairy, Hogs	NA	Approved
David H. Martin 420 Nottingham Road Nottingham, PA 19362	Lancaster	232.45	698.3	Hog, Pullets, Heifers	HQ	Approved
Yippe Farms Arlin Benner 880 Pinkerton Road Mount Joy, PA 17552	Lancaster	611.2	1,470.9	Dairy	NA	Approved
Hissong Farmstead, Inc. 6841 Buchanan Trail West Mercersburg, PA 17236	Franklin	1,402.4	1,444.9	Dairy	NA	Approved
Dry Run Farm 8815 Dry Run Farms Mercersburg, PA 17236	Franklin	96	1,792.6	Swine	NA	Approved

PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 3480050, Operations Permit, Public Water Supply.

Applicant **Easton Suburban Water Authority**
3700 Hartley Avenue
Easton, PA 18045
Williams Township

County **Northampton**

Type of Facility PWS

Consulting Engineer Dennis W. Silbaugh, P. E.
Gannett Fleming, Inc.
P. O. Box 67100
Harrisburg, PA 17106

Permit to Operate Issued November 19, 2008

Permit No. 3540032, Operations Permit, Public Water Supply.

Applicant **Pennsylvania American Water**
800 West Hersheypark Drive
Hershey, PA 17033
Frackville Borough

County **Schuylkill**

Type of Facility PWS

Consulting Engineer Joel M. Mitchell, P. E.
Pennsylvania American Water
852 Wesley Drive
Mechanicsburg, PA 17055

Permit to Operate Issued November 20, 2008

Permit No. 2580023MA, Minor Amendment, Public Water Supply.

Applicant **Pennsylvania American Water**
800 West Hersheypark Drive
Hershey, PA 17033
Bridgewater Township

County **Susquehanna**
 Type of Facility PWS
 Consulting Engineer Scott Thomas, P. E.
 Pennsylvania American Water
 852 Wesley Drive
 Mechanicsburg, PA 17055
 Permit to Construct November 24, 2008
 Issued

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0108502, Public Water Supply.
 Applicant **East Berlin Area Joint Authority**
 Municipality Hamilton Township
 County **Adams**
 Type of Facility Construction of a new subdivision known as the Buttercup Farm subdivision with 2 wells, disinfection, storage tank and booster pump station.
 Consulting Engineer Bruce Hulshizer, P. E.
 Buchart-Horn, Inc.
 445 West Philadelphia Street
 York, PA 17401-3383
 Permit to Construct November 25, 2008
 Issued

Permit No. 0108506, Public Water Supply.
 Applicant **Poosum Valley Municipal Authority**
 Municipality Menallen Township
 County **Adams**
 Type of Facility Installation of a 2nd membrane filtration unit, chlorine tolerant membranes in the existing unit and replacement of the finished water reservoir roof.
 Consulting Engineer Janet R. McNally, P. E.
 William F. Hill & Assoc., Inc.
 207 Baltimore Street
 Gettysburg, PA 17325
 Permit to Construct November 17, 2008
 Issued

Permit No. 3608507, Public Water Supply.
 Applicant **Pequea Valley School District**
 Municipality Paradise Township
 County **Lancaster**
 Type of Facility Installation of softening, disinfection, nitrate treatment and general corrosion control at the New Paradise Elementary School.
 Consulting Engineer William E. Fleischer, P. E.
 Moore Engineering Company
 3637 Columbia Avenue
 Lancaster, PA 17603
 Permit to Construct December 9, 2008
 Issued

Permit No. 2208505, Public Water Supply.
 Applicant **United Water Pennsylvania**
 Municipality Swatara Township
 County **Dauphin**
 Type of Facility Replacement of booster pumps at the Oberlin Booster Pumping Station.
 Consulting Engineer Arthur Saunders, P. E.
 United Water Pennsylvania
 4211 East Park Circle
 Harrisburg, PA 17111
 Permit to Construct November 12, 2008
 Issued

Permit No. 0608513 MA, Minor Amendment, Public Water Supply.
 Applicant **Western Berks Water Authority**
 Municipality Spring Township
 County **Berks**
 Type of Facility Replacement of Low Lift Pump No. 2, addition of Backwash Sump Pump No. 2 and installation of a tank mixer in Sugarloaf Tank No. 2.
 Consulting Engineer Russell M. Smith, P. E.
 Spotts Stevens and McCoy, Inc.
 345 North Wyomissing Boulevard
 Reading, PA 19610-0307
 Permit to Construct November 21, 2008
 Issued

Operations Permit issued to **The York Water Company**, 7670100, West Manheim Township, **York County** on December 4, 2008, for the operation of facilities approved under Construction Permit No. 6771506-T1.

Operations Permit issued to **Poosum Valley Municipal Authority**, 7010034, Menallen Township, **Adams County** on November 20, 2008, for the operation of facilities approved under Construction Permit No. 0108514 E.

Operations Permit issued to **West Manchester Township Authority**, 7670101, West Manchester Township, **York County** on December 4, 2008, for the operation of facilities approved under Construction Permit No. 6703506.

Operations Permit issued to **Insite Development, LLC—Eagle View MHP**, 7010055, Berwick Township, **Adams County** on November 12, 2008, for the operation of facilities approved under Construction Permit No. 0106512.

Operations Permit issued to **Myerstown Water Authority**, 7380025, Jackson Township, **Lebanon County** on November 26, 2008, for the operation of facilities approved under Construction Permit No. 3807506 MA.

Operations Permit issued to **The York Water Company**, 7670100, Oxford Township, **Adams County** on November 21, 2008, for the operation of facilities approved under Construction Permit No. 0108501.

Operations Permit issued to **Penn Manor School District**, 7361035, Martic Township, **Lancaster County** on November 26, 2008, for the operation of facilities approved under Construction Permit No. 3608506.

Operations Permit issued to **Christiana Borough Authority**, 7360007, Sadsbury Township, **Lancaster County** on November 21, 2008, for the operation of facilities approved under Construction Permit No. 3608520 MA.

Operations Permit issued to **Altoona City Authority**, 4070023, Juniata Township, **Blair County** on November 20, 2008, for the operation of facilities approved under Construction Permit No. 0708508 MA.

Operations Permit issued to **Elizabethtown Area Water Authority**, 7360124, Mount Joy Borough, **Lancaster County** on December 4, 2008, for the operation of facilities approved under Construction Permit No. 3608522.

Operations Permit issued to **Brookwood Countryside MHP**, 4050004, Bedford Township, **Bedford County** on November 20, 2008, for the operation of facilities approved under Construction Permit No. 4050004.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 5308502—Construction, Public Water Supply.

Applicant	Ulysses Municipal Authority
Township or Borough	Ulysses Borough
County	Potter
Responsible Official	Betty Jo Hilfiger Ulysses Municipal Authority 522 Main Street Ulysses, PA 16948
Type of Facility	Public Water Supply—Construction
Consulting Engineer	Michael J. Peleschak alfred benesch & company 400 One Norwegian Plaza P. O. Box 1090 Pottsville, PA 17901
Permit Issued Date	December 8, 2008
Description of Action	Addition of potassium phosphate to water from Well No. 3 to sequester iron and manganese, the use of sodium hypochlorite to disinfect water from Big Spring reservoir and Well No. 3 and all related water system improvements for implementation.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted under section 5 of the Pennsylvania Sewage Facilities Act (35 P.S. § 750.5)

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Plan Location: Opus East, LLC, Bethlehem Crossings IV and V.

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Lower Nazareth Township	Township Building 306 Butztown Road Bethlehem, PA 18020	Northampton County

Plan Description: The approved plan provides for the subdivision plan submitted for the previously referenced proposed Official Plan Revision consisting of two multiflex warehouse buildings on a 50.86 acre tract located on Fritch Drive, Lower Nazareth Township, Northampton County. Building IV will be 228,000 sq. ft. and Building V will be 304,000 sq. ft. The peak daily sewage flow generated from these buildings is estimated to be 7,315 gpd. The average daily design flow is 3,658 gpd.

Denitrification of the wastewater to a treatment level of 10mg/l Total Nitrogen is required because elevated levels of nitrate nitrogen exist in the groundwater exceeding the Environmental Protection Agency drinking water regulations. The proposed wastewater treatment system design uses a sequential approach to treat the domestic type wastewater and maximize nitrogen removal. Wastewater from the two buildings will flow by gravity in 6" laterals to a pump station located between the buildings. The sewage will be pumped by grinder pumps through a 2" force main to a treatment tank area consisting of a solids removal tank, a Micro Fast 9.0 unit, a Nitro Fast 9.0 unit, an ABC-N 4.5 unit, a Micro Fast 3.0 unit and a dosing tank. Seven elevated sand mound absorption areas have been delineated. Beds C, E and F have been identified as the primary onlot sewage absorption areas, which have a combined design peak daily capacity of 7,315 gpd. The three primary absorption beds will be dosed by three independent delivery lines from the dosing tank. Four tested replacement (secondary) absorption areas will provide for the long-term sewage needs of the project. All tested absorption areas must remain undisturbed until actual sewage disposal system construction begins. Public water will be provided to the site by the City of Bethlehem.

A Krone Aquaflux Electromagnetic flow meter is proposed to be located after M-H 3-6 on the 2" force main in a subsurface access vault. A data logger will be utilized by the wastewater treatment plant operator to document and analyze the wastewater flow to prevent overloading of the wastewater treatment facility and the absorption areas. An Operating and Maintenance Agreement has been executed between Lower Nazareth Township and Bethlehem Crossings IV, LLC which requires influent water use metering to verify the effluent volume.

Any required NPDES Permits or WQM Permits must be obtained in the name of Bethlehem Crossings IV, LLC.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Plan Location: On the southeast side of Old Carlisle Road, 0.4 mile north of it's intersection with Bull Valley Road.

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Butler Township	P. O. Box 339 Biglerville, PA 17307	Adams County

Plan Description: The approved plan provides the installation of a small flow treatment facility to serve one single-family dwelling with wastewater flows estimated at 500 gpd discharging to a UNT of Opossum Creek. The dwelling will utilize a private well. The name of the project is Steve Sheets and the Department of Environmental Protection (Department) Code No. is B3-01909-185-3s. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required

NPDES Permits or WQM Permits must be obtained in the name of the municipality, authority or owner as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Bethel Township	289 Long Hollow Road Warfordsburg, PA 17267	Fulton County

Plan Description: The approved plan provides for the extension of Bethel Township Sewer Authority's collection system to serve five existing residential and two existing commercial lots along Buck Valley Road. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Southampton Township	5735 Chaneyville Road Clearville, PA 15535	Bedford County

Plan Description: The approved plan provides for the construction of a Small Flow Treatment Facility (SFTF). The SFTF will serve one single-family dwelling. The SFTF will be located along SR 326 approximately 1 mile north of Maryland border in Southampton Township, Bedford County and will discharge to Amorine Branch. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Southampton Township	5735 Chaneyville Road Clearville, PA 15535	Bedford County

Plan Description: The approved plan provides for the construction of a Small Flow Treatment Facility (SFTF). The SFTF will serve one single-family dwelling. The SFTF will be located along SR 3005 just north of Beans Cove, in Southampton Township, Bedford County and will discharge to Wildcat Run. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Napier Township	P. O. Box 49 Schellsburg, PA 15559	Bedford County

Plan Description: The approved plan provides for the construction of a Small Flow Treatment Facility (SFTF). The SFTF will serve one single-family dwelling. The SFTF will be located along SR 4022 approximately a half

mile north of Point, in Napier Township, Bedford County and will discharge to a UNT to Adams Run. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Harrison Township	4747 Milligans Cove Road Manns Choice, PA 15550	Bedford County

Plan Description: The approved plan provides for the construction of a Small Flow Treatment Facility (SFTF). The SFTF will serve one single-family dwelling. The SFTF will be located along SR 96 approximately a mile south of Manns Choice, in Harrison Township, Bedford County and will discharge to Buffalo Run. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Londonderry Township	P. O. Box 215 Hyndman, PA 15545	Bedford County

Plan Description: The approved plan provides for the construction of a Small Flow Treatment Facility (SFTF). The SFTF will serve one single-family dwelling that is currently on holding tanks. The SFTF will be located along SR 96 south of Palo Alto, in Londonderry Township, Bedford County and will discharge to a UNT of Gladdens Run. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Winfield Township	194 Brose Road Cabot, PA 16023	Butler County

Plan Description: The approved plan provides for addressing sewage needs in the Cabot, Marwood and Knox Chapel/Route 356 area through a conventional gravity system with connection to the Buffalo Township Municipal Authority's existing sewage treatment plant. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a Site-Specific Standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Ronald S. Brezinski, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Czeitner Property, Lower Woodside Drive, Silver Lake Township, **Susquehanna County**. Dawn L. Washo, Resource Environmental Management, Inc., 8 Ridge Street, Montrose, PA 18801 has submitted a Final Report (on behalf of her client, Lori Czeitner, 19 Arlington Street, Johnson City, NY 13790), concerning the remediation of soils found to have impacted by No. 2 fuel oil as a result of a release from a 275-gallon aboveground storage tank. The report documents attainment of the Residential Statewide Health Standard. A public notice regarding the submittal of the Final Report was published in *The Susquehanna County Transcript* on November 26, 2008.

Lakeside Energy/Hazleton Generation Facility, 10 Maplewood Drive, Hazle Township, **Luzerne County**.

Jeffrey C. Thomas, P. G., EPSYS, LLC, 1414 North Cameron Street, Suite A, Harrisburg, PA 17103 has submitted a Final Report (on behalf of his client, Lakeside Energy, LLC, 150 North Michigan Avenue, Suite 2930, Chicago, IL 60601), concerning the remediation of soils found to have been impacted by fuel oil in April 2002 and in May 2003 and by glycol in November 2005 and in April 2006 as a result of accidental releases. The report was submitted to document attainment of the Statewide Health Standard. A summary of the Notice of Intent to Remediate and a public notice regarding the submittal of the Final Report were published in *The Standard-Speaker* on October 31, 2008.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

O'Sullivan Films Inc., Lebanon City, **Lebanon County**. August Mack, 941 Wheatland Avenue, Suite 202, Lancaster, PA 17603, and O'Sullivan Films, Inc., 1507 Willow Street, Lebanon, PA 17046, submitted a Final Report concerning remediation of site soils contaminated with lubricating oil from two roll mills. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Trinity Industries Soil (Former Trinity Industries Site), City of Butler, **Butler County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205 on behalf of the Community Development Corporation of Butler County, 112 Woody Drive, Butler, PA 16001 has submitted a Final Report concerning remediation of site soil contaminated with arsenic, barium and compounds, iron, lead, nickel, polychlorinated biphenyls (aroclor) (PCBs) and thallium. The Report is intended to document remediation of the site to meet Site-Specific and Statewide Health Standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a Site-Specific Standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report

includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Ronald S. Brezinski, Environmental Cleanup Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790.

PPL Lower Mount Bethel Plant, 6079 DePues Ferry Road, Lower Mount Bethel Township, **Northampton County**. Jennifer L. Sedora, PPL Services Corporation, Two North Nine Street, GENPL6, Allentown, PA 18101-1179 submitted a Final Report (on behalf of Bradley Piatt, PPL Lower Mt. Bethel Energy, LLC, Two North Ninth Street, GENPL6, Allentown, PA 18101-1179), concerning the remediation of soils found to have been impacted by lubricating oil as a result of a leaking turbine. The report documented attainment of the State-wide Health Standard for soil and was approved on December 1, 2008. The report was originally submitted within 90 days of the release.

Southcentral Region: Environmental Cleanup Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110.

Schmoyer Trust Property, Boyertown Borough, **Berks County**. Spotts, Stevens and McCoy, Inc., 1047 North Park Road, Reading, PA 19610-0307, on behalf of Barbara Schmoyer, 129 Sunset Lane, Boyertown, PA 19512 and Thrivent Financial Bank, 122 East College Avenue, Suite 1E, Appleton, WI 54911-5741, submitted a Final Report concerning remediation of site soils and groundwater contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Residential State-wide Health Standard and was approved by the Department of Environmental Protection on December 2, 2008.

Mount Union Creosote Site AOC-1, Mount Union Borough, **Huntingdon County**. Environmental Alliance, Inc., 1812 Newport Gap Pike, Wilmington, DE 19808, on behalf of Mount Union School Area School District, 28 West Market Street, Mount Union, PA 17066, submitted a Cleanup Plan concerning remediation of site soils and groundwater contaminated with PAHs. The site will be

remediated to the Site-Specific Standard. The plan was approved by the Department of Environmental Protection on December 5, 2008.

Northcentral Region: Environmental Cleanup Program Manager; 208 West Third Street, Williamsport, PA 17701.

Axeman-Anderson Company Fuel Oil Release, South Williamsport Borough, **Lycoming County**. Pennsylvania Tectonics, 826 Main Street, Peckville, PA 18452 on behalf of Axeman-Anderson Company, 300 East Mountain Avenue, South Williamsport, PA 17702 has submitted a Final Report within 90 days of the release concerning remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the State-wide Health Standard and was approved by the Department of Environmental Protection on November 12, 2008.

Northwest Region: Environmental Cleanup Program Manager; 230 Chestnut Street, Meadville, PA 16335-3481.

American Meter, City of Erie, **Erie County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205 on behalf of American Meter Company, 2 West Liberty Boulevard, Suite 180, Malvern, PA 19355 has submitted a Risk Assessment Report and Cleanup Plan concerning remediation of site soil contaminated with arsenic, antimony, lead and site groundwater contaminated with trichlorethene. The Risk Assessment Report and Cleanup Plan was approved by the Department of Environmental Protection on October 17, 2008.

RESIDUAL WASTE GENERAL PERMITS

Permits Renewed under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Number WMGR029. General Permit Number WMGR029 authorizes the operation of a transfer facility prior to beneficial use of waste oil, spent anti-freeze and waste oil/water mixtures. The permit was renewed by Central Office on December 5, 2008.

Continued operation of the following facilities is authorized under General Permit Number WMGR029:

WMGR029 Safety-Kleen Corporation:

WMGR029C	1606 Pittsburgh Avenue Erie, PA 16505
WMGR029D	77 Towpath Road Fairless Hills, PA 19030
WMGR029E	10 Eleanor Drive New Kingstown, PA 17072
WMGR029F	1140 Greenhill Road West Chester, PA 19380
WMGR029G	650 Noble Drive West Mifflin, PA 15122
WMGR029H	600 Stewart Road Wilkes-Barre, PA 18706
WMGR029I	150 Allenbill Drive Johnstown, PA 15904

WMGR029D001 Hydrocarbon Recovery Services:

WMGR029D001C 201 Lindsay Road
Zelienople, PA 06063

WMGR029D001D 5140 Paxton Street
Harrisburg, PA 17111

WMGR029D002 Ernies Waste Oil, LLC:

WMGR029D002 155-C Swiontek Road
R. D. 3, Aliquippa, PA 15001

Persons interested in reviewing the general permit should contact Ronald C. Hassinger, Chief, General Permits/Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users should contact the Department of Environmental Protection through the Pennsylvania AT&T Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit Issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 301254. Clean Earth of Southeast Pennsylvania, Inc., 7 Steel Road East, Morrisville, PA 19067-0847, Falls Township, **Bucks County.** This amended waste management permit is to allow Clean Earth of Southeast Pennsylvania, Inc. (CESP), to accept soils from generators with metal concentrations that exceed the facility's regular metal acceptance limitations but that still are suitable for reuse by one of CESP's end market users under an existing approval or authorization for the end use. The permit was issued by the Southeast Regional Office on December 2, 2008.

Permit modification approved under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 301306. Sunbury Generation, LP, P. O. Box 517, Old Susquehanna Trail, Shamokin Dam, PA 17876, located in Monroe Township, **Snyder County.** The application for a major permit modification for the Sunbury Generation, LLC's Residual Waste Impoundment was approved by the Williamsport Regional Office on December 4, 2008.

Persons interested in reviewing the permit should contact David Garg, P. E., Environmental Engineer Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-3653. TDD users should contact the Department of Environmental Protection through the Pennsylvania AT&T Relay Service, (800) 654-5984.

Permits Issued under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit Application No. 101397. Veolia ES Greentree Landfill, LLC, 635 Toby Road, Kersey, PA 15846, Fox Township, **Elk County.** The application was for a major permit modification for expansion of the Veolia ES Greentree Landfill. The expansion permit was issued by the Northwest Regional Office on December 8, 2008.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar; New Source Review Chief, (484) 250-5920.

GP3-46-0077: Haines & Kibblehouse, Inc. (2052 Lucon Road, Skippack, PA 19474) On December 4, 2008, to operate a portable crusher plant in Lower Providence Township, **Montgomery County.**

GP9-46-0032: Haines & Kibblehouse, Inc. (2052 Lucon Road, Skippack, PA 19474) On December 4, 2008, to operate one diesel-fired internal combustion engine in Lower Providence Township, **Montgomery County.**

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver; New Source Review Chief, (717) 705-4702.

GP3-36-03178: Pennsy Supply, Inc. (1001 Paxton Street, Harrisburg, PA 17105) On December 3, 2008, for a Portable Nonmetallic Mineral Processing Plant under GP3 in East Hempfield Township, **Lancaster County.**

GP9-36-03178: Pennsy Supply, Inc. (1001 Paxton Street, Harrisburg, PA 17105) On December 3, 2008, for Diesel or No. 2 fuel-fired Internal Combustion Engines under GP9 in East Hempfield Township, **Lancaster County.**

GP19-67-03147: Namasco Corporation (319 North Court Avenue, Louisville, MS 39339) On December 3, 2008, for a Dry Abrasive Blasting Operation under GP19 in West Manchester Township, **York County.**

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky; New Source Review Chief, (814) 332-6940.

GP-10-238A: Seneca Valley School District—Intermediate High School (124 Seneca School Road, Harmony, PA 16037) On December 2, 2008, to operate a natural gas fired boiler (BAQ-GPA/GP-1) in Jackson Township, **Butler County.**

GP-37-144A: Jameson Memorial Hospital (1211 Wilmington Avenue, New Castle, PA 16105) On December 2, 2008, to operate three natural gas fired boilers (BAQ-GPA/GP-1) in New Castle, **Lawrence County.**

GP-43-344A: Hillcrest Memorial Park (2619 East State Street, Hermitage, PA 16148) On December 3, 2008, for to operate an animal cremation unit (BAQ-GPA/GP-14) in Hermitage, **Mercer County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

09-0048D: H & K Materials (300 Skunk Hollow Road, Chalfont, PA 19067) On December 3, 2008, to modify production parameters of an existing plan approval at an existing facility in Hilltown Township, **Bucks County**. The emission rate of NO_x, VOC, CO and SO_x are requested to be revised based on stack test results. The annual production limit will be reduced from 495,000 tons to 50,000 tons. The annual potential to emit for all the criteria pollutants will decrease due to the reduction in the production limit and will become the new limits for the facility. The company shall comply with good air pollution control practices, monitoring and recordkeeping procedures designed to keep the facility operating within all applicable air quality requirements.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

24-123F: Veolia ES Greentree Landfill (635 Toby Road, Kersey, PA 15846) On November 26, 2008, to construct additional landfill cells (Area 2 expansion) in Fox Township, **Elk County**. This is a Title V facility.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

09-0048D: H & K Materials (300 Skunk Hollow Road, Chalfont, PA 19067) On December 3, 2008, to modify production parameters of an existing plan approval at an existing facility in Hilltown Township, **Bucks County**. The emission rate of NO_x, VOC, CO and SO_x are requested to be revised based on stack test results. The annual production limit will be reduced from 495,000 tons to 50,000 tons. The annual potential to emit for all the criteria pollutants will decrease due to the reduction in the production limit and will become the new limits for the facility. The company shall comply with good air pollution control practices, monitoring and recordkeeping procedures designed to keep the facility operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

49-302-062: Sun-Re Cheese Corp. (178 Lenker Avenue, Sunbury, PA 17801) On November 26, 2008, to extend the authorization to operate an anaerobic digestion system and associated biogas flare on a temporary

basis to May 25, 2009, in the City of Sunbury, **Northumberland County**. The plan approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, M. Gorog and B. Hatch, Environmental Engineer Managers, (412) 442-4163/5226.

26-00562A: Coastal Lumber Co. (3302 Lobban Place, Charlottesville, VA 22903) On December 4, 2008, to extend the period of temporary operation of sources and controls covered under plan approval 26-00562A until June 4, 2009, at their Hopwood Sawmill, in South Union Township, **Fayette County**. The plan approval has been extended.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

42-004C: American Refining Group, Inc. (77 North Kendall Avenue, Bradford, PA 16701) On November 30, 2008, to construct a new hydrotreater unit to enable ARG to produce diesel fuels for commercial sale that meet the ultra low sulfur standards required by the Environmental Protection Agency and to construct a desulfurization unit to convert the existing sour gas to a sweet gas as well as reducing H₂S from the hydrotreater to elemental sulfur in the City of Bradford, **McKean County**. This is a Title V facility.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

46-00025: Lonza, Inc. (900 River Road, Conshohocken, PA 19248) On December 4, 2008, for renewal of the Title V Operating Permit in Upper Merion Township, **Montgomery County**. The initial permit was issued on December 31, 2001. The facility is primarily a synthesized pharmaceutical, fine organic chemical manufacturing plant with various manufacturing equipment, including boilers, emergency generators, laboratory hoods, a hazardous waste incinerator and a waste treatment plant. The facility is major for VOCs and NO_x emissions and HAPs. The facility caps facility-wide HAP emissions to less than 25 tpy combination HAPs and less than 10 tpy any individual HAP. There are no new sources at the facility. Updated regulations for 40 CFR Part 63, Subpart EEE—National Emission Standards for HAPs for Hazardous Waste Combustors have been added to Source ID 001—Hazardous Waste Incinerator. CEMS reporting and recordkeeping requirements have also been added to Source ID 001. The facility is subjected to Compliance Assurance Monitoring (CAM) under 40 CFR Part 64. CAM requirements have been added to the permit for the scrubber/packed tower (C07) and the thermal oxidizer (C06) associated with Source IDs 101 (Raw Material and Waste Storage Tanks) and 106 (Manufacturing Processes). CAM conditions appear in Section D Source Level Requirements at each source. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

06-05024: Reliant Energy Mid-Atlantic Power Holdings, LLC (121 Champion Way, Canonsburg, PA

15317) on December 8, 2008, for approval of a de minimis emission increase at their Titus Generating Station in Cumru Township, **Berks County**.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

15-00005: Transwall Office Systems, Inc. (1220 Wilson Drive, West Chester, PA 19380) on December 4, 2008, to operate an office furniture manufacturing plant in West Goshen Township, **Chester County**. The permit is for a non-Title V (State-only) facility. The facility has elected to cap their VOCs and HAPs to Minor Source threshold levels; the facility is a Synthetic Minor. This action is a renewal of the State-only Operating Permit. The initial permit was issued on November 21, 2003. There are no new sources at the facility and there are no new applicable regulations for the facility. The renewal permit will include monitoring, recordkeeping and reporting requirements designed to keep the plant operating within all applicable air quality requirements.

23-00053: Delaware County Memorial Hospital (501 North Lansdowne Avenue, Drexel Hill, PA 19026) on December 4, 2008, to operate three natural gas/No. 2 fuel oil-fired boilers and one natural gas and three diesel fuel-fired emergency generators at their facility in Upper Darby Township, **Delaware County**. The renewal permit is for a non-Title V (State-only) facility. The potential to emit NOx from the facility exceeds 25 tpy; however, Delaware County Memorial Hospital has elected to restrict NOx emissions from the facility to less than 25 tpy. Therefore, the facility is categorized as Synthetic Minor. The renewal permit will contain monitoring, recordkeeping, reporting and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

15-00054: Highway Materials, Inc. (680 Morehall Road, Malvern, PA 19355) on December 4, 2008, for a non-Title V Facility, Renewal of a State-only, Synthetic Minor Permit in East Whiteland Township, **Chester County**. Highway Materials is an asphalt paving mixture and block manufacturing facility. The sources of emissions include a hot mix asphalt batch plant. The company took a tpy throughput restriction on the amount of asphalt being produced per year. Monitoring, recordkeeping and reporting requirements have been added to the permit to address applicable limitations.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Ray Kempa, New Source Review Chief, (570) 826-2507.

40-00061: Temple Inland, Inc. (533 Forest Road, Hazleton, PA 18202) on November 30, 2008, to re-issue a State-only (Synthetic Minor) Operating Permit for operation of a paperboard container and box manufacturing process and two boilers at their facility in Hazle Township, **Luzerne County**.

48-00055: Mary Immaculate Center (300 Cherryville Road, Northampton, PA 18067) on November 30, 2008, to re-issue a State-only (Synthetic Minor) Operating Permit for operation of three boilers fired by No. 4 fuel oil at their facility in Lehigh Township, **Northampton County**.

39-00023: Pittsburgh Terminals Corp. (P. O. Box 2621, Harrisburg, PA 17105) on November 30, 2008, to operate a bulk loading terminal for gasoline and distillate products facility in Allentown City, **Lehigh County**. This is a State-only Synthetic Minor operating permit.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

06-03093: Pennsy Supply, Inc. (1001 Paxton Street, P. O. Box 3331, Harrisburg, PA 17105-3331) on December 4, 2008, for operation of a railcar unloading station controlled by a wet suppression system in Cumru Township, **Berks County**. This action is a renewal of the State-only operating permit.

22-03048: Reiff & Nestor Company (P. O. Box 147, Lykens, PA 17048-0147) on December 4, 2008, for operation of a high-speed steel tap manufacturing facility in Lykens Borough, **Dauphin County**. This is a renewal of the State-only operating permit.

22-05055: Department of General Services Annex Complex (4 Cherry Road, Harrisburg, PA 17110-2927) on December 2, 2008, for operation of three natural gas and/or No. 2 oil fired boilers and emergency generators in Susquehanna Township, **Dauphin County**.

67-03035: Martin's Potato Chips, Inc. (P. O. Box 28, Thomasville, PA 17364-0028) on December 5, 2008, for operation of a potato chip manufacturing plant in Jackson Township, **York County**. This is a renewal of the State-only operating permit.

67-05055: Conagra Foods, Inc. (321 Taylor Avenue, Red Lion, PA 17356-2211) on December 5, 2008, for operation of their flour milling facility in Red Lion Borough, **York County**. This is a renewal of the State-only operating permit.

67-05098: O-N Minerals Pennroc Corporation, LP (495 Penroc Drive, York, PA 17405) on December 5, 2008, for operation of their limestone crushing plant in West Manchester Township, **York County**. This is a renewal of the State-only operating permit.

67-05099: Kinsley Manufacturing, Inc. (1110 East Princess Street, York, PA 17403-2543) on December 4, 2008, for operation of their steel fabrication plant in the City of York, **York County**. This is a renewal of the State-only operating permit.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

46-00041: Graphic Packaging International, Inc. (1035 Longford Road, Phoenixville, PA 19460) the Title V Operating Permit was issued as an Administrative Amendment for a Change of Ownership of the facility formerly owned by Bluegrass Folding Carton Company, LLC (Tax ID 20-5002721) now owned by Graphic Packaging International, Inc. (Tax ID 84-0772929) in Upper Providence Township, **Montgomery County**. The facility's major emission points include printing presses containing VOCs and HAPs. The Administrative Amendment of the Title V Operating Permit was issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450. The amended Title V Operating

Permit did not change and contains all of the applicable regulatory requirements including monitoring recordkeeping, reporting and emission limits.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

28-03027: APX Industrial Coatings, Inc. (9473 Lincoln Way West, Saint Thomas, PA 1252-9710) on December 5, 2008, to operate their finish paint facility in St. Thomas Township, **Franklin County**. This State-only operating permit was administratively amended due to a change of ownership. This is Revision No. 2.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

63841304 and NPDES Permit No. PA0111643, Laurel Run Mining Company, (1800 Washington Road, Pittsburgh, PA 15241), to renew the permit for the Vesta Mine in North Bethlehem, West Bethlehem and East Bethlehem Townships, and Centerville and Deemston Boroughs, **Washington County** and related NPDES permit. No additional discharges. Application received October 17, 2007. Permit issued December 2, 2008.

17071301 and NPDES Permit No. PA0335784, Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201-9642), to operate the Harmony Mine in Burnside Township, **Clearfield County** a new underground mine and related NPDES permit. Surface Acres Proposed 57.5, Underground Acres Proposed 3,645.0, Subsidence Control Plan Acres Proposed 2,189.1. Receiving stream: Spring Run, classified for the following use: CWF. Application received January 18, 2007. Permit issued December 5, 2008.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

32020101 and NPDES No. PA0249165, Alverda Enterprises, Inc., P. O. Box 87, Alverda, PA 15710, permit renewal for reclamation only of a bituminous surface and auger mine in Pine Township, **Indiana County**, affecting 18.3 acres. Receiving streams: Yellow Creek classified for the following uses: CWF. There are no potable water supply intakes within 10 miles downstream. Application received September 8, 2008. Permit issued December 3, 2008.

11980102 and NPDES No. PA0234753, E. P. Bender Coal Company, Inc., P. O. Box 594, Carrolltown, PA 15722, permit renewal for reclamation only of a bituminous surface and auger mine in Reade Township, **Cambria County**, affecting 240 acres. Receiving streams: UNTs to Fallentimber Run and Fallentimber Run classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received August 15, 2008. Permit issued December 3, 2008.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

Contract No. 65-07-01 and NPDES Permit No. PA0251437, Coal Loaders, Inc. (P. O. Box 556, Ligonier, PA 15658). Government Financed Construction Contract revised to allow the contractor to repair the existing bridge deck and abutments that carry the project haul road over Hannas Run at the reclamation site located in Ligonier Township, **Westmoreland County**, affecting 8.8 acres of abandoned mine lands. Receiving streams: Hannas Run and UNTs to Hannas Run. Application received September 18, 2008. Revised contract issued December 3, 2008.

30080101 and NPDES Permit No. PA0251411, Fayette Coal & Coke, Inc. (2611 Memorial Boulevard, Connellsville, PA 15425). Permit issued for commencement, operation and reclamation of a bituminous surface mining site located in Dunkard Township, **Greene County**, affecting 46.8 acres. Receiving streams: UNTs to Dunkard Creek and Dunkard Creek. Application received May 28, 2008. Permit issued December 4, 2008.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

24980101 and NPDES Permit No. PA0227706, Energy Resources, Inc. (34 Kelley Way, Suite 100, Brilliant, OH 43913) Renewal of an existing bituminous strip, auger and clay removal operation in Fox Township, **Elk County** affecting 457.0 acres. Receiving streams: UNT to McCauley Run, McCauley Run and Hayes Run, UNT to Little Toby Creek. Application received October 14, 2008. Permit Issued December 3, 2008.

16940107 and NPDES Permit No. PA0226831, RFI Energy, Inc. (P. O. Box 162, Sligo, PA 16255) Revision to an existing bituminous strip and sandstone removal operation for the beneficial use of coal ash in Perry Township, **Clarion County** affecting 217.0 acres. This permit is also revised to change the post-mining land use from forestland and pastureland/land occasionally cut for hay on the C & K Coal Company property. Receiving streams: Five UNTs to Cherry Run. Application received August 25, 2008. Permit Issued December 4, 2008.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

17970102 and NPDES No. PA0220558, EnerCorp, Inc. (1686 Allport Cutoff, Morrisdale, PA 16858), permit renewal for the continued operation and restoration of a bituminous surface mine in Graham Township, **Clearfield County**, affecting 58.9 acres. Receiving streams: Alder Run and Flat Run, both of which are classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received September 15, 2008. Permit issued November 19, 2008.

17813093 and NPDES No. PA0609609, AMFIRE Mining Co., LLC (One Energy Place, Latrobe, PA

15650). Permit renewal for the continued operation and restoration of a bituminous surface, auger, refuse disposal, noncoal (shale) mining and preparation plant mine in Lawrence Township, **Clearfield County**, affecting 112.5 acres. Receiving stream: Wolf Run, classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received October 9, 2008. Permit issued December 1, 2008.

17060108 and NPDES No. PA0256404. RES Coal, LLC (224 Grange Hall Road, Armagh, PA 15920). Transfer of an existing bituminous surface mine from Sky Haven Coal, Inc. (5510 State Park Road, Penfield, PA 15849), located in Morris Township, **Clearfield County**, affecting 67.8 acres. Receiving streams: Emigh Run and UNTs, classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received June 4, 2008. Permit issued November 5, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

49851603R4. Mid-Valley Coal Sales, Inc., (1380 Tioga Street, Coal Township, PA 17866), renewal of an existing anthracite coal preparation operation in Ralpho Township, **Northumberland County** affecting 21.6 acres, receiving stream: none. Application received May 15, 2006. Renewal issued December 8, 2008.

Noncoal Permits Actions

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

26970401 and NPDES Permit No. PA0202100. Laurel Aggregates, Inc. (300 Dents Run Road, Morgantown, WV 26501). Permit revised to allow underground mining of the Loyalhanna and Greenbrier Limestone at an existing noncoal surface mining site (limestone quarry) located in Springhill Township, **Fayette County**, now affecting 758.5 acres (487 acres underground). Receiving streams: UNTs to Rubles Run and Rubles Run. Application received September 25, 2006. Permit revision issued December 1, 2008

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

37070301 and NPDES Permit No. PA0258407. Terra Resources, LLC (267 Gilmore Road, Enon Valley, PA 16120) Commencement, operation and restoration of a Large Industrial Mineral operation in Slippery Rock Township, **Lawrence County** affecting 74.0 acres. Receiving streams: UNT to Slippery Rock Creek. Application received August 27, 2008. Permit Issued November 26, 2008.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

1479401 and NPDES Permit No. PA0118001. Graymont (PA) Inc., 965 East College Avenue, Pleasant Gap, PA 16823, renewal of NPDES permit, in Spring and Benner Townships, **Centre County**. Receiving streams: Logan Branch to Spring Creek to Bald Eagle Creek to West Branch, classified for the following uses: CWF; HQ-CWF; CWF. There are no potable water supply intakes within 10 miles downstream. NPDES renewal application received October 28, 2008. Permit issued November 24, 2008.

53070803. Todd W. McCoy (P. O. Box 218, Ulysses, PA 16748). Commencement, operation and restoration of a small noncoal (flagstone) operation in Allegheny Town-

ship, **Potter County**, affecting 3.0 acres. Receiving streams: Peet Brook, tributary to Allegheny River. Application received June 27, 2007. Permit issued November 14, 2008.

08080807. Harry E. Camp (R. R. 3, Box 56, Wyalusing, PA 18853). Commencement, operation and restoration of a small noncoal (bluestone) operation in Herrick Township, **Bradford County**, affecting 2.0 acres. Receiving streams: UNT, tributary to Camps Creek. Application received July 9, 2008. Permit issued November 24, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

58080846. James W. Donahue and Jonathan G. Weaver, (R. R. 2, Box 766, Susquehanna, PA 18847-9713), commencement, operation and restoration of a quarry operation in Rush Township, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received July 24, 2008. Permit issued December 4, 2008.

64080801. Roloson Excavating, Incorporated, (836 Braman Road, Equinunk, PA 18417), commencement, operation and restoration of a quarry operation in Manchester Township, **Wayne County** affecting 5.0 acres, receiving stream: none. Application received July 14, 2008. Permit issued December 8, 2008.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (43 P.S. §§ 151–161); and 25 Pa. Code § 211.124 (relating to blasting activity permits). Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

21084164. Warrens Excavating & Drilling, Inc., P. O. Box 214, Myerstown, PA 17067-0214, blasting activity permit issued for residential development in South Middleton Township, **Cumberland County**. Blasting activity permit end date is November 21, 2009. Permit issued November 24, 2008.

21084166. Warrens Excavating & Drilling, Inc., P. O. Box 214, Myerstown, PA 17067-0214, blasting activity permit issued for residential development in Hampden Township, **Cumberland County**. Blasting activity permit end date is November 21, 2009. Permit issued November 24, 2008.

21084165. Warrens Excavating & Drilling, Inc., P. O. Box 214, Myerstown, PA 17067-0214, blasting activity permit issued for residential development in Hampden Township, **Cumberland County**. Blasting activity permit end date is November 21, 2009. Permit issued November 24, 2008.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

30084009. Shallenberger Construction (2611 Memorial Avenue, Connellsville, PA 15425). Permit issued for gas well drilling at the Willis No. 24-A site, located in Cumberland Township, **Greene County**, with an expected duration of 6 months. Permit issued December 3, 2008.

26084006. Wampum Hardware Company (636 Paden Road, New Galilee, PA 16141). Blasting activity permit for construction of Hampton Inn, located in Uniontown Township, **Fayette County**. The expected duration of blasting will be 6 months. Permit issued December, 4, 2008.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

25084001. Eugene C. Carpenter (36 Vaughn Street, Jackson, OH 45640). Blasting activity permit for well seismic surveys in Conneaut and Beaver Townships, **Erie and Crawford Counties**. This blasting activity permit will expire on April 30, 2009. Application received December 3, 2008. Application issued December 4, 2008.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

17084008. RES Coal, LLC (224 Grange Hall Road, Armagh, PA 15920) Blasting on the Maxton GFCC No.-17-08-08 located in Morris Township, **Clearfield County**. Permit issued December 4, 2008. Permit expires October 31, 2010.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

40084124. Austin Powder Company, (25800 Science Park Drive, Cleveland, OH 44122), construction blasting for East Mountain Corporate Center in Wilkes-Barre Township, **Luzerne County** with an expiration date of December 1, 2009. Permit issued December 3, 2008.

54084105. Schlouch, Inc., (P. O. Box 69, Blandon, PA 19510), construction blasting for Highridge Business Park Lot 4A in Cass and Foster Townships, **Schuylkill County** with an expiration date of November 21, 2009. Permit issued December 3, 2008.

06084126. Horst Drilling & Blasting, Inc., (141 Ranck's Church Road, New Holland, PA 17557), construction blasting for Wal-Mart expansion in Exeter Township, **Berks County** with an expiration date of December 1, 2009. Permit issued December 4, 2008.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing

Board (Board) through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

Northeast Regional Office: Watershed Management Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E40-679. City of Pittston, 35 Broad Street, Pittston, PA 18640. City of Pittston, **Luzerne County**, United States Army Corps of Engineers, Baltimore District.

To modify and maintain an existing stone arch stream enclosure in a tributary to the Susquehanna River (CWF) with work consisting of replacing a 300-foot long deteriorated portion within a 72-inch diameter reinforced concrete pipe. This work was authorized and constructed under Emergency Permit No. EP4007436, dated September 10, 2007. The project is located approximately 200 feet south of the intersection of Broad and Gazette Streets (Pittston, PA Quadrangle Latitude: 4° 19' 17"; Longitude: 75° 47' 19"). (Subbasin: 5B)

E48-396. Blue Mountain Industrial Center, Inc., P. O. Box 592, Nazareth, PA 18064. Lehigh Township, **Northampton County**, United States Army Corps of Engineers, Philadelphia District.

To fill 0.11 acre of PEM wetlands for the purpose of constructing a self storage facility. The permittee is required to provide 0.11 acre of replacement wetlands. The site is located at 1139 Riverview Drive, 1.5 miles south of the Lehigh River bridge (Palmerton, PA Quadrangle Latitude: 40° 46' 22.1"; Longitude: 45° 36' 4.4") in Lehigh Township, Northampton County. (Subbasin: 2C)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E05-346: William E. Harris, 338 Faculty Road, Duncannon, PA 17020, Harris Driveway, Monroe Township, **Bedford County**, United States Army Corps of Engineers, Baltimore District.

To maintain a 42.0-inch diameter by 40.0-foot long CMP culvert in a UNT to West Branch Sideling Hill

Creek (EV) to provide continued access to the Harris home located along Piney Creek Road about 0.50 mile west from its intersection with Big Creek Road (Mench, PA Quadrangle N: 1.0 inch; W: 15.26 inches, Latitude: 39° 45' 20"; Longitude: 78° 21' 31") in Monroe Township, Bedford County.

E36-837: Mitch Newman, D.R. Horton, Inc., 700 East Gate Drive, Suite 110, Mt. Laurel, NJ 08054-3810, East Hempfield Township, **Lancaster County**, United States Army Corps of Engineers, Baltimore District.

To construct and maintain a 36.0-foot wide three span bridge having a normal span of 36.0 feet and an underclearance of 8.0 feet and two 6.0-foot wide pedestrian ford crossings, each having a length of 36.0 feet, all impacting Millers Run (CWF) for the purpose of constructing a residential subdivision near the intersection of SR 741 and McGovernville Road (Lancaster, PA Quadrangle N: 12.7 inches; W: 16.0 inches, Latitude: 40° 04' 10"; Longitude: 76° 31' 50") in East Hempfield Township, Lancaster County.

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Waste Management, Director, P. O. Box 8763, Harrisburg, PA 17105-8763.

SSIP Permit No.	Applicant Name & Address	County	Municipality	Tank Type	Tank Capacity
08-67-007	Defense Distribution Depot Susquehanna 2001 Mission Drive Building 1 Bay 3 New Cumberland, PA 17070-5011 Attn: Robert Montefour	York	Fairview Township	6 ASTs storing No. 2 Fuel Oil	300,000 gallons total

SPECIAL NOTICES

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

RES Coal, LLC, GFCC No. 17-08-08, Maxton Operation, Morris Township, Clearfield County (Emigh Run to Moshannon Creek—Upper West Branch Watershed): A no-cost construction contract has been awarded to RES Coal, LLC that will result in the reclamation of approximately 49.2 acres of abandoned mine land including the reclamation of 1,800-feet of abandoned highwall, the removal of coal refuse covering approximately 18.0 acres and the daylighting and reclamation of 16.0 acres of abandoned deep mines. The site will be reclaimed and regraded to approximate original contour. Alkaline addition in the form of waste lime will be added to the mining area. A total of 2,280 tons of alkaline waste lime will be placed on the site. The estimated value of the reclamation work is \$199,500 which will be done at no cost to the Commonwealth. The site is located just west Hawk Run on lands formerly mined and subsequently abandoned by Morrisdale Coal Company in the late 1940s. Blasting has been approved as part of the reclamation activities. Refuse reprocessing is prohibited at the site.

Bureau of Deep Mine Safety Approval of Request for Variance

The Department of Environmental Protection (Department), Bureau of Deep Mine Safety (BMS) has approved Cumberland Coal Resources, LP's request for a variance from the requirements of section 268(b) of the Pennsylvania Bituminous Coal Mine Act (act) (52 P. S. §§ 701-268(b)) at the Cumberland Mine. This notification contains a summary of this request and the basis for the Department's approval. A complete copy of the variance

request may be obtained from Cathy Dunn by calling (724) 430-4475 or from the BMS web site at www.depweb.state.pa.us/deepminesafety/site/default.asp.

Summary of the Request: Cumberland Coal Resources, LP requests a variance to extend shelter holes at the Cumberland Mine.

The basis for the Bureau's approval is summarized as follows:

1. All employees will be notified of the approved extended shelter plan by means of a safety talk.
2. Signs shall be posted stating that the shelter holes are now 175' apart and in excess of 80'.
3. To provide safety for personnel walking in this entry, all transportation (jeeps, portal busses, motors, and the like) will immediately stop when observing personnel walking and allow them time to get into the nearest crosscut before proceeding. The equipment operator shall sound an alarm when personnel are encountered.
4. Haulage equipment shall be maintained in a safe operating condition with safety features functioning as designed and approved. Locomotives will be required to transport loads designed to allow stopping within 100 feet. All haulage vehicles will be required to travel at speeds that will ensure safe stopping distances of less than 100 feet.
5. A means of identifying shelter hole locations shall be provided. A reflective indicator/marker must be visible from the track haulage travelway. This will give persons walking along the travelway a perception of how far they must travel to reach a shelter hole. Markers shall be the same color and design at each location through the extended shelter hole areas.

6. Shelter holes shall be maintained at all switch throws and doors that do not fall within 15' of a crosscut. No people will be located in by areas where manholes must be cut to comply with this plan.

7. Crosscuts which serve as shelter holes shall be maintained free of obstructions and debris, other than normal roof to ground support. Clearance must be maintained for a depth of at least 15' and rib to rib.

8. Supply cars and equipment shall be pulled by an approved vehicle in the direction of travel. When it is necessary to push nonpropelled track equipment (supply cars, and the like) the vehicle operator must have an unobstructed view of the track haulage. A flashing light or audible warning device shall be mounted on the end of the train/trip which is being pushed. An employee will accompany the trip placing himself in by and out of harms way to provide for a clear travelway to the end of the track.

9. Workmen performing tasks along the track haulage roads shall be provided with flashing warning devices (lights). These devices shall be placed not more than 100' from each work site and in clear view of haulage equipment.

10. All employees and persons entering Cumberland Mine shall be adequately trained and instructed concerning shelter hole procedures and safety procedures and safety precautions. This shall include all visitors, workers, employees, contractors, inspectors, and the like. Training shall be part of annual retraining and hazardous training.

Continued authorization for operation under the approval is contingent upon compliance with the measures described in your enclosed plan and the following conditions.

1. All employees, contractors, inspectors, visitors, and the like, shall be adequately trained and instructed concerning shelter hole guidelines and safety procedures prior to entering Cumberland Mine. This training shall become a part of the annual retraining, task training and hazard training.

2. Prior to each longwall move, the safety precautions for use of shelter holes will be reviewed with all personnel in short safety/training meetings. A record of these safety contacts will be maintained.

3. The District Mine Inspector must approve any system employed to control pedestrian or track haulage equipment movement prior to implementation of that system.

4. The investigating committee recommends that established load limits be posted on each piece of haulage equipment.

5. The investigating committee recommends that equipment operators use hand held radios to communicate while operating equipment.

6. Where haulage grades are excessive and the possibility exists for runaway equipment, a signal block light system is recommended to prevent more than one trip or pedestrians and haulage equipment from being in the same area at the same time.

Cumberland Coal Resources' submittal provides protections which are equal to or in excess of the protections afforded by section 268(b) of the act and the investigating committee recommends approval based on that finding.

[Pa.B. Doc. No. 08-2299. Filed for public inspection December 19, 2008, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) web site at www.depweb.state.pa.us (DEP Keywords: "Technical Guidance"). The "Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

The Department will continue to revise its nonregulatory documents, as necessary, throughout 2008.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Final Technical Guidance:

DEP ID: 383-3301-205. Title: Laboratory Reporting Instructions for Radiological Contaminants in Drinking Water Systems. Description: This guidance provides instructions to all community public water systems and certified laboratories for the reporting of drinking water radiological monitoring results for gross alpha, radium 226, radium 228, uranium, gross beta, tritium, strontium-90, and iodine-131, as required by the Federal Radionuclides Rule and as implemented in 25 Pa. Code Chapter 109 (relating to safe drinking water) Regulations. This guidance has been revised to incorporate changes to reporting requirements under the revised regulations, which became effective on April 3, 2004, and to establish uniform instructions and protocol for implementing reporting requirements for the contaminants regulated under this rule. Notice of the draft technical guidance document was published at 38 Pa.B. 548 (January 26, 2008), with provision for a 30-day public comment period that concluded on February 25, 2008. Although the Department did not receive any public comments during the comment period, the Department made changes to the final document to enhance its clarity. Specifically, changes were made to Section 2; page 4, Section 3; page 5, and Section 6; page 26 to clarify that labs are to notify the Department when test results exceed certain screening levels. Additionally, the table on page 25 was updated to

include the screening level (equivalent dose) for each contaminant. Finally, in Section 11, to be consistent with the instructions provided in the guidance, the reported results for all of the examples were edited to include 3 decimal places; and the explanation in the Gross Alpha and Uranium paragraphs was clarified to describe what value is used to determine compliance. Contact: Dawn Hissner, Department of Environmental Protection, Bureau of Water Standards and Facility Regulation, Rachel Carson State Office Building, 11th Floor, P. O. Box 8467, Harrisburg, PA 17105-84671, (717) 787-0130, dhissner@state.pa.us. Effective Date: December 20, 2008.

Notice to Rescind Technical Guidance:

DEP ID: 275-2101-007. Title: Best Available Technology and Other Permitting Criteria (Section 7.2: Best Available Technology—Boilers). Description: 25 Pa. Code Chapter 127 requires that all new sources shall control emissions to the maximum extent, consistent with the Best Available Technology (BAT), as determined by the Department at the time of the issuance of the plan approval. The existing BAT technical guidance for boilers, contained in section 7.2 of technical guidance document number 275-2101-007 (initially published on October 9, 1988), includes minimum requirements for particulate matter and sulfur dioxide controls. It also includes standards for new boilers which are subject to provisions of 25 Pa. Code § 127.12(a)(5). The BAT limitations and requirements in the existing BAT guidance for boilers are obsolete, making the rescission of section 7.2 of the technical guidance document necessary. The Department intends to develop new BAT criteria for boilers. Contact: Joseph White, Department of Environmental Protection, Bureau of Air Quality, 400 Market Street, Rachel Carson State Office Building, P. O. Box 8468, Harrisburg, PA 17105-8468, (717) 787-2856; jowhite@state.pa.us. Effective Date: December 31, 2008.

JOHN HANGER,
Acting Secretary

[Pa.B. Doc. No. 08-2300. Filed for public inspection December 19, 2008, 9:00 a.m.]

Board and Committee Meeting Schedules for 2009

The following is a list of 2009 meetings of advisory and other boards and committees associated with the Department of Environmental Protection (Department). These schedules and an agenda for each meeting, including meeting materials, will be available through the Public Participation Center on the Department's web site at www.depweb.state.pa.us (DEP Keywords: Participate). Prior to each meeting, the Department encourages individuals to visit its web site to confirm meeting date, time and location.

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact the individual listed for each board or committee, or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

Agricultural Advisory Board

The Agricultural Advisory Board will hold bimonthly meetings on the following dates. The meetings will begin at 10 a.m. at the Department's Southcentral Regional Office, Susquehanna Room A, 909 Elmerton Avenue, Harrisburg, PA, unless otherwise noted.

February 18, 2009
April 15, 2009
June 17, 2009
August 19, 2009

Department of Agriculture
Samuel E. Hayes, Jr. Livestock
Evaluation Center
1494 West Pine Grove Road
Pennsylvania Furnace, PA 16865
NOTE: Meeting will begin at 8 a.m.

October 21, 2009
December 16, 2009

Contact: Frank X. Schneider, Bureau of Watershed Management, P. O. Box 8465, Harrisburg, PA 17105-8465, (717) 772-5972, fschneider@state.pa.us.

Air Quality Technical Advisory Committee

The Air Quality Technical Advisory Committee will meet at 9:15 a.m. in Room 105 of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA on the following dates:

February 12, 2009
March 12, 2009
May 28, 2009
July 23, 2009
September 24, 2009
November 18, 2009

Contact: Martin Felion, Bureau of Air Quality, Division of Air Resources Management, P. O. Box 8468, Harrisburg, PA 17105-8468, (717) 772-3939, mafelion@state.pa.us.

Certification Program Advisory Committee (For Water and Wastewater System Operators)

The 2009 meetings of the Certification Program Advisory Committee will begin at 10 a.m. in the Second Floor Training Room of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105, unless otherwise noted. The meeting dates are as follows:

April 23, 2009

Department of Environmental
Protection
Southcentral Regional Office
Susquehanna Room A
909 Elmerton Avenue
Harrisburg, PA

June 18, 2009
December 10, 2009

Contact: Cheri Sansoni, Bureau of Water Standards and Facility Regulation, Certification and Licensing, P. O. Box 8454, Harrisburg, PA 17105-8454, (717) 772-5158, csansoni@state.pa.us.

Chesapeake Bay Advisory Committee

The Chesapeake Bay Advisory Committee will hold meetings on the dates as follows. Meetings will be held from 9 a.m. until 12 p.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

March 5, 2009
September 3, 2009

Contact: Dave Reed, Bureau of Watershed Management, P. O. Box 8465, Harrisburg, PA 17105-8465, (717) 772-5649, davreed@state.pa.us.

Citizens Advisory Council

Meetings of the Citizens Advisory Council are typically held at 11 a.m. on the third Tuesday of the month in Room 105 of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA, except where noted. The 2009 meeting dates are scheduled as follows:

January 20, 2009
 February 17, 2009
 March 17, 2009
 April 21, 2009
 May 20, 2009
 June 16, 2009
 July 21, 2009
 September 15, 2009
 October 20, 2009
 November 17, 2009

Contact: Patricia Davenport, Citizens Advisory Council, P. O. Box 8459, Harrisburg, PA 17105-8459, (717) 787-4527, padavenport@state.pa.us.

Climate Change Advisory Committee

The Climate Change Advisory Committee will hold meetings in 2009 on the dates as follows. The scheduling of additional meetings in 2009 is expected and will be announced in future issues of the *Pennsylvania Bulletin*. Each scheduled meeting will convene from 10 a.m. to 3 p.m. in Room 105 of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105. The meeting dates are as follows:

January 22, 2009
 February 4, 2009
 March 4, 2009
 April 7, 2009
 May 6, 2009
 June 3, 2009
 July 1, 2009

Contact: Paula J. Sviben, Office of Energy and Technology Deployment, P. O. Box 8772, Harrisburg, PA 17105-8772, (717) 772-8912, psviben@state.pa.us.

Cleanup Standards Scientific Advisory Board

The Cleanup Standards Scientific Advisory Board (Board) will meet on March 11, 2009, from 10 a.m. to 3 p.m. in Room 105 of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Additional meetings scheduled by the Board will be advertised in future issues of the *Pennsylvania Bulletin*.

Contact: Marilyn Wooding, Land Recycling Program, P. O. Box 8471, Harrisburg, PA 17105-8471, (717) 783-7816, mwooding@state.pa.us.

Coal and Clay Mine Subsidence Insurance Fund Board

The Coal and Clay Mine Subsidence Insurance Fund Board will hold meetings in 2009 as follows. The meetings will begin at 10 a.m. in the 10th Floor Conference Room of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA, unless otherwise noted.

March 25, 2009 8th Floor Conference Room, Rachel Carson State Office Building, Harrisburg, PA

June 25, 2009
 December 10, 2009

Contact: Lawrence Ruane, Bureau of Mining and Reclamation, P. O. Box 8461, Harrisburg, PA 17105-8461, (717) 783-9590, lruane@state.pa.us.

Coal Mine Safety Board

The Coal Mine Safety Board (Board) will hold meetings in 2009 follows. Additional meetings scheduled by the Board will be advertised in future issues of the *Pennsylvania Bulletin*.

January 7, 2009 1 p.m., Rachel Carson State Office Building, Room 105, Harrisburg, PA
 January 14, 2009 10 a.m., Fayette County Health Center, Bureau of Mine Safety Training Room, 100 New Salem Road, Uniontown, PA 15401

Contact: Allison Gaida, Bureau of Mine Safety, Fayette County Health Center, 100 New Salem Road, Room 167, Uniontown, PA 15401, (724) 439-7469, agaida@state.pa.us.

Coastal Zone Advisory Committee

Meetings of the Coastal Zone Advisory Committee will be held as follows. The meetings will convene from 9:30 a.m. to 12 p.m. in the 10th Floor Conference Room of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

January 14, 2009
 June 3, 2009

Contact: Jeff Dewey, Water Planning Office, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 772-5619, jdewey@state.pa.us.

Environmental Justice Advisory Board

Meetings of the Environmental Justice Advisory Board are held quarterly unless otherwise indicated. The meetings are expected to begin at 8:30 a.m. in Room 105 of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The 2009 meeting dates are as follows:

February 3, 2009
 May 5, 2009
 August 4, 2009
 November 3, 2009

Contact: Doan D. Barefield, Office of Environmental Advocate, Rachel Carson State Office Building, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 783-5630, dbarefield@state.pa.us.

Environmental Quality Board

Meetings of the Environmental Quality Board will be held in Room 105 of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA, and will begin at 9 a.m. Meetings will only be held when there are a sufficient number of agenda items for consideration. The 2009 meeting dates are as follows:

January 20, 2009
 February 17, 2009
 March 17, 2009
 April 21, 2009
 May 20, 2009
 June 16, 2009
 July 21, 2009
 August 18, 2009
 September 15, 2009
 October 20, 2009
 November 17, 2009
 December 15, 2009

Contact: Michele Tate, Environmental Quality Board, P. O. Box 8477, Harrisburg, PA, 17105-8477, (717) 783-8727, mtate@state.pa.us.

Laboratory Accreditation Advisory Committee

The Laboratory Accreditation Advisory Committee will hold meetings in 2009 as follows. The meetings will be held from 10 a.m. until 3 p.m. in Room 206 of the Bureau of Laboratories Building, 2575 Interstate Drive, Harrisburg, PA 17110.

March 12, 2009
 June 11, 2009
 September 10, 2009
 December 10, 2009

Contact: Aaren S. Alger, Bureau of Laboratories, P. O. Box 1467, Harrisburg, PA 17105-1467, (717) 346-8212, aalger@state.pa.us.

Low-Level Waste Advisory Committee

The Low-Level Waste Advisory Committee will meet on October 2, 2009, from 10 a.m. until 2 p.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Contact: Rich Janati, Bureau of Radiation Protection, P. O. Box 8469, Harrisburg, PA 17105-8469, (717) 787-2147, rjanati@state.pa.us.

Mine Families First Response and Communications Advisory Board

The Mine Families First Response and Communications Advisory Board (Board) will meet at 10 a.m. on April 29, 2009 in the Delaware Room, 16th Floor, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Additional meetings scheduled by the Board will be advertised in future issues of the *Pennsylvania Bulletin*.

Contact: Allison Gaida, Bureau of Mine Safety, Fayette County Health Center, 100 New Salem Road, Room 167, Uniontown, PA 15401, (724) 439-7469, agaida@state.pa.us.

Mining and Reclamation Advisory Board

The Mining and Reclamation Advisory Board will meet quarterly in 2009 as follows. Meetings will begin at 10 a.m. and will be held in the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The meeting dates and locations are as follows:

January 21, 2009	Delaware Room, 16th Floor, Rachel Carson State Office Building.
April 23, 2009	Room 105, 1st Floor, Rachel Carson State Office Building.
July 23, 2009	Meeting details will be announced at a later date in the <i>Pennsylvania Bulletin</i> .
October 22, 2009	Room 105, 1st Floor, Rachel Carson State Office Building.

Contact: James Charowsky, Bureau of Mining and Reclamation, P. O. Box 8461, Harrisburg, PA 17105-8461, (717) 787-7007, jcharowsky@state.pa.us.

Oil and Gas Technical Advisory Board

The Oil and Gas Management Technical Advisory Board will hold meetings in 2009 as indicated. The meetings will convene at 10 a.m. in the 6th Floor Conference Room of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

January 22, 2009
 March 26, 2009
 May 28, 2009
 September 17, 2009

Contact: Carol Daniels, Bureau of Oil and Gas Management, P. O. Box 8765, Harrisburg, PA 17105-8765, (717) 772-2100, cardaniels@state.pa.us.

Radiation Protection Advisory Committee

The Radiation Protection Advisory Committee will hold two meetings in 2009 as follows. The meetings will be held from 9 a.m. to 3 p.m. in the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

March 26, 2009 10th Floor Conference Room, Rachel Carson State Office Building

October 22, 2009 14th Floor Conference Room, Rachel Carson State Office Building

Contact: Constance Andescavage, Bureau of Radiation Protection, P. O. Box 8469, Harrisburg, PA 17105-8469, (717) 787-2480, candescava@state.pa.us.

Recycling Fund Advisory Committee

The Recycling Fund Advisory Committee will meet on the date listed. The meeting is expected to begin at 10 a.m. and will be held in Room 105 of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

September 10, 2009

Contact: Michael Texter, Bureau of Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471, (717) 787-9871, mtexter@state.pa.us.

Sewage Advisory Committee

The Sewage Advisory Committee will meet on the dates listed. The meetings will begin at 10:30 a.m. and will be held in Room 105 of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The meeting dates are as follows:

March 11, 2009
 June 10, 2009
 September 9, 2009
 November 18, 2009

Contact: John Diehl, Bureau of Water Standards and Facility Regulation, P. O. Box 8774, Harrisburg, PA 17105-8774, (717) 783-2941, jdiehl@state.pa.us.

Small Business Compliance Advisory Committee

The Small Business Compliance Advisory Committee will hold quarterly meetings as indicated. The meetings will begin at 10 a.m. in the 12th Floor Conference Room of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Prior to the meeting, it is recommended individuals visit the Department's web site at www.depweb.state.pa.us (DEP Keywords: "Small Business, Small Business Help"), to confirm meeting date, time and location.

January 28, 2009
 April 22, 2009
 July 22, 2009
 October 28, 2009

Contact: Susan Foster, Bureau of Air Quality, P. O. Box 8468, Harrisburg, PA 17105-8468, (717) 787-7019, sufoster@state.pa.us.

Small Water Systems Technical Assistance Center Advisory Board

The Small Water Systems Technical Assistance Center Advisory Board meetings for 2009 will be held at 10 a.m. in Room 105 of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The 2009 meeting dates are as follows:

May 21, 2009
 July 30, 2009
 October 15, 2009

Contact: Janet Fisher, Bureau of Water Standards and Facility Regulation, P. O. Box 8467, Harrisburg, PA 17105-8467, (717) 783-2294, janfisher@state.pa.us.

Solid Waste Advisory Committee

The Solid Waste Advisory Committee will meet on the following dates. The meetings are expected to begin at 10

a.m. and will be held in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

January 15, 2009

March 19, 2009

May 14, 2009

September 10, 2009 (joint meeting with the Recycling Fund Advisory Committee)

November 12, 2009

Contact: Michael Texter, Bureau of Waste Management, P. O. Box 8471, Harrisburg, PA 17105-8471, (717) 787-9871, mtexter@state.pa.us.

State Board for Certification of Sewage Enforcement Officers

The 2009 meetings of the State Board for Certification of Sewage Enforcement Officers have not been scheduled. Notices for upcoming meetings will be published in future issues of the *Pennsylvania Bulletin*.

Contact: Cheri Sansoni, Bureau of Water Standards and Facility Regulation, P. O. Box 8454, Harrisburg, PA 17105-8454, (717) 772-5158, csansoni@state.pa.us.

State Board for Certification of Water and Wastewater Systems Operators

The 2009 meetings of the State Board for Certification of Water and Wastewater Systems Operators will begin at 10 a.m. in the 8th floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105-8454, unless otherwise noted. The meeting dates and locations are as follows:

February 6, 2009	Conference Call
April 3, 2009	Conference Call
June 19, 2009	Rachel Carson State Office Building, 10th Floor Conference Room
August 14, 2009	Conference Call
October 16, 2009	Conference Call
December 18, 2009	Conference Call

Contact: Cheri Sansoni, Bureau of Water Standards and Facility Regulation, Certification and Licensing, P. O. Box 8454, Harrisburg, PA 17105-8454, (717) 772-5158, csansoni@state.pa.us.

Statewide Water Resources Committee

The Statewide Water Resources Committee will hold quarterly meeting on the dates indicated. The meetings will begin at 9:30 a.m. in Room 105 of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA, unless otherwise noted. The meeting dates are as follows:

March 26, 2009	
June 18, 2009	
September 17, 2009	
December 10, 2009	Department of Environmental Protection Southcentral Regional Office Susquehanna Room A 909 Elmerton Avenue Harrisburg, PA

Contact: Susan Weaver, Chief, Division of Water Use Planning, P. O. Box 8555, Harrisburg, PA 17105-8555, (717) 783-8055, suweaver@state.pa.us.

Storage Tank Advisory Committee

Meetings of the Storage Tank Advisory Committee will be held in the 14th Floor Conference Room, Rachel

Carson State Office Building, 400 Market Street, Harrisburg, PA, and will begin at 10 a.m. Meetings will only be held when there are a sufficient number of agenda items for consideration. The meeting dates are as follows:

March 10, 2009

June 9, 2009

September 8, 2009

December 8, 2009

Contact: Charles M. Swokel, Bureau of Waste Management, Division of Storage Tanks, P. O. Box 8762, Harrisburg, PA 17105-8762, (717) 772-5806, (800) 42-TANKS (within the Commonwealth), cswokel@state.pa.us.

Technical Advisory Committee on Diesel-Powered Equipment

The Technical Advisory Committee on Diesel-Powered Equipment announces its schedule of 2009 meetings. The meetings will be held at 10 a.m. in the Bureau of Mine Safety Conference Room in the Fayette County Health Center, 100 New Salem Road, Uniontown, PA. The meeting dates are as follows:

January 15, 2009

April 8, 2009

July 8, 2009

October 14, 2009

Contact: Allison Gaida, Bureau of Mine Safety, Fayette County Health Center, 100 New Salem Road, Room 167, Uniontown, PA 15401, (724) 439-7469, agaida@state.pa.us.

Water Resources Advisory Committee

The Water Resources Advisory Committee meetings for 2009 will be held at 9:30 a.m. in Room 105 of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The meeting dates are as follows:

January 8, 2009

April 8, 2009

July 15, 2009

October 7, 2009

Contact: Phil Consonery, Bureau of Water Standards and Facility Regulation, P. O. Box 8466, Harrisburg, PA 17105-8467, (717) 772-2184, pconsonery@state.pa.us.

Water Resources Regional Committees (For the State Water Plan)

The following is a list of 2009 meeting dates for the six Water Resources Regional Committees associated with the Department. The six regional committees listed were created under 27 Pa.C.S. Chapter 31 (relating to water resources planning) to help guide the development of a new State Water Plan (plan) for the Commonwealth. The regional committees' purpose is to develop the regional component of the overall plan, and to provide recommendations to the Statewide Water Resources Committee, which is charged under 27 Pa.C.S. Chapter 31 to develop the plan. The 2009 meeting dates of the six Water Resources Regional Committees are as follows:

Delaware Water Resources Regional Committee

Meetings of the Delaware Water Resources Regional Committee in 2009 will be held at 9:30 a.m. at various locations throughout the Delaware River Basin. The meeting dates are as follows:

February 13, 2009	Department of Environmental Protection Southeast Regional Office 2 East Main Street Norristown, PA 19401
Conference Call	

May 8, 2009 Department of Environmental Protection
Southeast Regional Office
2 East Main Street
Norristown, PA 19401

August 14, 2009 Carbon County Environmental Center
151 East White Bear Drive
Summit Hill, PA 18250

November 13, 2009 Department of Environmental Protection
Southeast Regional Office
2 East Main Street
Norristown, PA 19401

Questions concerning these meetings should be directed to Jay Braund, Water Planning Office, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 783-2402, jbraund@state.pa.us.

Great Lakes Water Resources Regional Committee

Meetings of the Great Lakes Water Resources Regional Committee in 2009 will be held at 10 a.m. at the Erie County Conservation District, Headwaters Park, 1927 Wager Road, Erie, PA 16509. The meeting dates are as follows:

February 3, 2009 NOTE: Conference call will begin at
Conference Call 9:30 a.m.

September 2, 2009

Questions concerning these meetings should be directed to Lori Mohr, Water Planning Office, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 787-4628; laumohr@state.pa.us.

Lower Susquehanna Water Resources Regional Committee

Meetings of the Lower Susquehanna Water Resources Regional Committee in 2009 will be held at 9:30 a.m. at the following locations:

February 9, 2009 Department of Environmental
Conference Call Protection
Southcentral Regional Office
909 Elmerton Avenue
Harrisburg, PA 17110

September 14, 2009 Department of Environmental
Protection
Southcentral Regional Office
909 Elmerton Avenue
Harrisburg, PA 17110

Questions concerning these meetings should be directed to Leslie Sarvis, Water Planning Office, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 772-5634, lsarvis@state.pa.us.

Ohio Water Resources Regional Committee

Meetings of the Ohio Water Resources Regional Committee in 2009 will be held at 10 a.m. at the following locations.

February 17, 2009 Department of Environmental
Conference Call Protection
Southwest Regional Office
400 Waterfront Drive
Pittsburgh, PA 15222
NOTE: Conference call will begin
at 9:30 a.m.

August 31, 2009 Westmoreland Conservation District
218 Donohoe Road
Greensburg, PA 15601

Questions concerning these meetings should be directed to Lori Mohr, Water Planning Office, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 787-4628, laumohr@state.pa.us.

Potomac Water Resources Regional Committee

Meetings of the Potomac Water Resources Regional Committee in 2009 will be held at 10 a.m. at the following locations. The meeting dates are as follows:

February 20, 2009 Adams County Conservation
Conference Call District
670 Old Harrisburg Road
Suite 201
Gettysburg, PA 17325
NOTE: Conference call will begin
at 9:30 a.m.

May 15, 2009 Adams County Conservation
Conference Call District
670 Old Harrisburg Road
Suite 201
Gettysburg, PA 17325
NOTE: Conference call will begin
at 9:30 a.m.

September 18, 2009 Adams County Conservation
District
670 Old Harrisburg Road
Suite 201
Gettysburg, PA 17325

November 20, 2009 Adams County Conservation
Conference Call District
670 Old Harrisburg Road
Suite 201
Gettysburg, PA 17325
NOTE: Conference call will begin
at 9:30 a.m.

Questions concerning these meetings should be directed to Leslie Sarvis, Water Planning Office, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 772-5634, lsarvis@state.pa.us.

Upper/Middle Susquehanna Water Resources Regional Committee

Meetings of the Upper/Middle Susquehanna Water Resources Regional Committee in 2009 will be held at 10 a.m. at various locations throughout the Upper/Middle Susquehanna River Basin. The meeting dates are as follows:

February 18, 2009 Department of Environmental
Conference Call Protection
Southeast Regional Office
208 West Third Street, Suite 101
Williamsport, PA 17701-6448
NOTE: Conference call will begin
at 9:30 a.m.

September 16, 2009 Centre County Solid Waste
Authority
253 Transfer Road
Bellefonte, PA 16823

Questions concerning these meetings should be directed to Jay Braund, Water Planning Office, P. O. Box 2063, Harrisburg, PA 17105-2063, (717) 783-2402, jbraund@state.pa.us.

JOHN HANGER,
Acting Secretary

[Pa.B. Doc. No. 08-2301. Filed for public inspection December 19, 2008, 9:00 a.m.]

DEPARTMENT OF HEALTH

Amendments to Charges for Medical Records; Correction

Because of an inadvertent typographical error in the notice published at 38 Pa.B. 6660 (December 6, 2008), the Department of Health (Department) is reprinting the document in its entirety to ensure accuracy of the information contained in this document.

Under 42 Pa.C.S. §§ 6152 and 6155 (relating to subpoena of records; and rights of patients), the Secretary of Health (Secretary) is directed to adjust annually the amounts which may be charged by a health care facility or health care provider upon receipt of a request or subpoena for production of medical charts or records. These charges apply to any request for a copy of a medical chart or record except as follows:

(1) Flat fees (as listed in this notice) apply to amounts that may be charged by a health care facility or health care provider when copying medical charges or records either: (a) for the purpose of supporting any claim or appeal under the Social Security Act or any Federal or State financial needs based program; or (b) for a district attorney.

(2) An insurer shall not be required to pay for copies of medical records required to validate medical services for which reimbursement is sought under an insurance contract, except as provided in: (a) the Worker's Compensation Act (77 P. S. §§ 1—1041.4 and 2501—2506) and the regulations promulgated thereunder; (b) 75 Pa.C.S. Chapter 17 (relating to financial responsibility) and the regulations promulgated thereunder; or (c) a contract between an insurer and any other party.

The charges listed in this notice do not apply to an X-ray film or any other portion of a medical record which is not susceptible to photostatic reproduction.

Under 42 Pa.C.S. § 6152.1 (relating to limit on charges), the Secretary is directed to make a similar adjustment to the flat fee which may be charged by a health care facility or health care provider for the expense of reproducing medical charts or records where the request is: (1) for the purpose of supporting a claim or appeal under the Social Security Act or any Federal or State financial needs based benefit program; or (2) made by a district attorney.

The Secretary is directed to base these adjustments on the most recent changes in the consumer price index reported annually by the Bureau of Labor Statistics of the United States Department of Labor. For the annual period of October 31, 2007, through October 31, 2008, the consumer price index was 4.2%.

Accordingly, the Secretary provides notice that, effective January 1, 2009, the following fees may be charged by a health care facility or health care provider for production

of records in response to subpoena or request:

	<i>Not to Exceed</i>
Amount charged per page for pages 1—20	\$ 1.33
Amount charged per page for pages 21—60	\$.99
Amount charged per page for pages 61—end	\$.33
Amount charged per page for microfilm copies	\$ 1.96
Flat fee for production of records to support any claim under Social Security	\$25.09
Flat fee for supplying records requested by a district attorney	\$19.80
* Search and retrieval of records	\$19.80

* *Note:* Federal regulations enacted under the Health Insurance Portability and Accountability Act (HIPAA) at 45 CFR Parts 160—164 state that covered entities may charge a reasonable cost based fee that includes only the cost of copying, postage and summarizing the information (if the individual has agreed to receive a summary) when providing individuals access to their medical records. The Department of Health and Human Services has stated that the fees may not include costs associated with searching for and retrieving the requested information. For further clarification on this issue, inquiries should be directed to the Office of Civil Rights, United States Department of Health and Human Services, 200 Independence Avenue, S.W., Room 509F, HHH Building, Washington, D.C. 20201, (866) 627-7748, www.hhs.gov/ocr/hipaa.

In addition to the amounts listed previously, charges may also be assessed for the actual cost of postage, shipping and delivery of the requested records.

The Department is not authorized to enforce these charges.

Questions or inquiries concerning this notice should be sent to James T. Steele, Jr., Deputy Chief Counsel, Room 825, Health and Welfare Building, Harrisburg, PA 17120 or for speech and or hearing impaired persons the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT) or V/TT (717) 783-6514.

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 08-2302. Filed for public inspection December 19, 2008, 9:00 a.m.]

Application of Bucktail Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Bucktail Medical Center has requested an exception to the requirements of 28 Pa. Code § 131.22 (relating to treatment orders).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously

listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 08-2303. Filed for public inspection December 19, 2008, 9:00 a.m.]

Application of Canonsburg General Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Canonsburg General Hospital has requested an exception to the requirements of 28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 08-2304. Filed for public inspection December 19, 2008, 9:00 a.m.]

Application of DuBois Regional Medical Center/ Brookville Hospital Campus for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that DuBois Regional Medical Center/Brookville Hospital Campus has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 3.1-5.2.1.1 (relating to corridor width).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 08-2305. Filed for public inspection December 19, 2008, 9:00 a.m.]

Application of DuBois Regional Medical Center/ Charles Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that DuBois Regional Medical Center/Charles Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 3.1-5.2.1.1 (relating to corridor width).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 08-2306. Filed for public inspection December 19, 2008, 9:00 a.m.]

Application for Exception to 28 Pa. Code § 127.32

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that the following facilities have requested an exception to the requirements of 28 Pa. Code § 127.32 (relating to written orders):

Children's Hospital of Pittsburgh of UPMC
Elk Regional Health Center
Mount Nittany Medical Center
Warren General Hospital

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

These facilities are requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 08-2307. Filed for public inspection December 19, 2008, 9:00 a.m.]

Application of Hospital of the University of Pennsylvania for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Hospital of the University of Pennsylvania has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospital and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 3.4.2.1(1) (relating to patient areas) and 3.2.3.1(1) (relating to clearances).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or

hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 08-2308. Filed for public inspection December 19, 2008, 9:00 a.m.]

Application of Jersey Shore Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Jersey Shore Hospital has requested an exception to the requirements of 28 Pa. Code § 131.22 (relating to treatment orders).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 08-2309. Filed for public inspection December 19, 2008, 9:00 a.m.]

Application of Memorial Medical Center/Lee Ambulatory Surgery Facility for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Memorial Medical Center/Lee Ambulatory Surgery Facility has requested an exception to the requirements of 28 Pa. Code § 551.21 (relating to criteria for ambulatory surgery).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or

hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 08-2310. Filed for public inspection December 19, 2008, 9:00 a.m.]

Application of Southwest Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Southwest Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 08-2311. Filed for public inspection December 19, 2008, 9:00 a.m.]

Application of Warminster Surgical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Warminster Surgical Center has requested an exception to the requirement of 28 Pa. Code § 569.35 (relating to general safety precautions).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or

hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 08-2312. Filed for public inspection December 19, 2008, 9:00 a.m.]

Long-Term Care Nursing Facilities; Request for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.67(k) (relating to electric requirements for existing and new construction).

Longwood at Oakmont Health Care Center
500 Route 909
Verona, PA 15147

This request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who require an alternative format of this document or who wish to comment in an alternative format (for example, large print, audiotape, Braille) should contact the Division of Nursing Care Facilities at the address listed previously or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 08-2313. Filed for public inspection December 19, 2008, 9:00 a.m.]

DEPARTMENT OF PUBLIC WELFARE

Additional Class of Disproportionate Share Payments

The purpose of this notice is to announce the Department of Public Welfare's (Department) intent to establish a one-time additional class of disproportionate share hospital (DSH) payments for certain qualifying acute care general hospitals that provide a significant level of inpatient services to the Medical Assistance (MA) population in counties with a high concentration of MA eligible persons.

MA enrolled hospitals qualifying for this payment shall be located within a county defined as having a high MA concentration based on the June 2008, Pennsylvania (PA)

MA eligibility statistics. High MA concentration counties are counties exceeding the 98th percentile on the total number of PA MA eligible persons. Hospitals, located within high MA concentration counties, shall meet all of the following criteria to qualify for this payment based on Fiscal Year (FY) 2005-2006 MA cost report information:

- Provide at least 15,000 total acute MA inpatient days.
- Rank in at least the 75th percentile on the total number of acute MA inpatient days for all hospitals within the county.
- Have a ratio of acute MA inpatient days to total hospital acute inpatient days in excess of the 80th percentile for all hospitals within the county.
- Have at least 100,000 total hospital acute inpatient days.

In addition, hospitals shall have an operating margin lower than 3% for FY 2007 as reported in Pennsylvania Health Care Cost Containment Council's *Financial Analysis 2007, Volume One*.

Payments will be divided proportionately among qualifying hospitals based on the percentage of each qualifying hospital's acute MA inpatient days to total hospital bed days used for all qualifying facilities based on FY 2005-2006 MA cost reports.

In making these one-time payments, the Department will ensure that no acute care general hospital will receive a DSH payment that is in excess of its hospital-specific DSH upper payment limit and the Commonwealth will not exceed its aggregate annual DSH allotment.

Fiscal Impact

The FY 2008-2009, fiscal impact as a result of this one-time payment is \$10,993,843 in total funds (\$5 million in State General funds and \$5.994 million in Federal funds).

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department at the following address Department of Public Welfare, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ESTELLE B. RICHMAN,
Secretary

Fiscal Note: 14-NOT-576. (1) General Fund; (2) Implementing Year 2008-09 is \$5M; (3) 1st Succeeding Year 2009-10 is \$0; 2nd Succeeding Year 2010-11 is \$0; 3rd Succeeding Year 2011-12 is \$0; 4th Succeeding Year 2012-13 is \$0; 5th Succeeding Year 2013-14 is \$0; (4) 2007-08 Program—\$21.175M; 2006-07 Program—

\$14.500M; 2005-06 Program—\$10.800M; (7) Acute Care Hospitals; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 08-2314. Filed for public inspection December 19, 2008, 9:00 a.m.]

DEPARTMENT OF REVENUE

Annual Inflation Adjustment; Pennsylvania Gaming Cash Flow Management

In accordance with 61 Pa. Code § 1001.8 (relating to State Gaming Fund transfers), the Department of Revenue (Department) is required to publish notice of the annual inflation adjustment as proscribed in 4 Pa.C.S. § 1403(d) (relating to establishment of State Gaming Fund and net slot machine revenue distribution).

Section 1403(c) of 4 Pa.C.S. requires the Department to utilize the most recent consumer price index effective immediately prior to the date the adjustment is due to take effect. This adjustment will be published by the United States Department of Labor, Bureau of Labor Statistics in January 2009. Thereafter, the Department will publish an additional notice of the annual inflation adjustment.

STEPHEN H. STETLER,
Acting Secretary

[Pa.B. Doc. No. 08-2315. Filed for public inspection December 19, 2008, 9:00 a.m.]

Pennsylvania Goldbar Cro\$\$word Instant Lottery Game

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Goldbar Cro\$\$word.

2. *Price:* The price of a Pennsylvania Goldbar Cro\$\$word instant lottery game ticket is \$3.

3. *Play Symbols:* Each Pennsylvania Goldbar Cro\$\$word instant lottery game ticket will feature a "YOUR LETTERS" area, a crossword puzzle play grid for the "Goldbar Cro\$\$word" game and a "Bonus" play area. The "Bonus" area is played separately. The play symbols and their captions located in the "YOUR LETTERS" area are: the letters A through and including Z. The play symbols located in the "Goldbar Cro\$\$word" puzzle play grid are: the letters A through and including Z. The play symbols and their captions located in the "Bonus" play area are: Cash symbol (CASH), Chest symbol (CHEST), Gift symbol (GIFT), Moneybag (MNYBAG), Money symbol (MONEY), Gold Nugget symbol (GLDNGT) and a Gold Bar symbol (GLDBAR).

4. *Prizes:* The prizes that can be won in the "Goldbar Cro\$\$word" game are: \$3, \$5, \$10, \$20, \$30, \$50, \$100, \$1,000 and \$60,000. The prizes that can be won in the "Bonus" game are: \$10 and \$100. A player can win up to 2 times on a ticket.

5. *Approximate Number of Tickets Printed for the Game:* Approximately 14,400,000 tickets will be printed for the Pennsylvania Goldbar Cro\$\$word instant lottery game.

6. *Determination of Prize Winners:*

(a) The determination of the prize winners for the "Goldbar Cro\$\$word" game are:

(1) Holders of tickets where the player completely uncovers 10 words in the crossword puzzle play grid for the "Goldbar Cro\$\$word" game, using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$60,000.

(2) Holders of tickets where the player completely uncovers 9 words in the crossword puzzle play grid for the "Goldbar Cro\$\$word" game, using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$1,000.

(3) Holders of tickets where the player completely uncovers 8 words in the crossword puzzle play grid for the "Goldbar Cro\$\$word" game, using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$100.

(4) Holders of tickets where the player completely uncovers 7 words in the crossword puzzle play grid for the "Goldbar Cro\$\$word" game, using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$50.

(5) Holders of tickets where the player completely uncovers 6 words in the crossword puzzle play grid for the "Goldbar Cro\$\$word" game, using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$30.

(6) Holders of tickets where the player completely uncovers 5 words in the crossword puzzle play grid for the "Goldbar Cro\$\$word" game, using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$20.

(7) Holders of tickets where the player completely uncovers 4 words in the crossword puzzle play grid for the "Goldbar Cro\$\$word" game, using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$10.

(8) Holders of tickets where the player completely uncovers 3 words in the crossword puzzle play grid for the "Goldbar Cro\$\$word" game, using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$5.

(9) Holders of tickets where the player completely uncovers 2 words in the crossword puzzle play grid for

the "Goldbar Cro\$\$word" game, using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$3.

(b) The determination of the prize winners for the "Bonus" game are:

(1) Holders of tickets with a Gold Bar (GLDBAR) play symbol in any "BONUS" spot, on a single ticket, shall be entitled to a prize of \$10.

(2) Holders of tickets with a Gold Bar (GLDBAR) play symbol in each of the five "BONUS" spots, on a single ticket, shall be entitled to a prize of \$100.

7. *Game Play Instructions for the "Goldbar Cro\$\$word" game are:*

(a) The player shall scratch the "YOUR LETTERS" area to reveal 18 letters. For each of the 18 letters revealed in the "YOUR LETTERS" area, the player shall rub the same letter each time it is found in the "Goldbar Cro\$\$word" puzzle play area.

(b) When a player reveals two or more words in the "Goldbar Cro\$\$word" puzzle play area, the player is entitled to win a prize as described in Section 6(a).

(c) Only the highest prize won in the "Goldbar Cro\$\$word" instant lottery game and the prize won in the "Bonus" game will be paid if the ticket meets the criteria established in 61 Pa. Code § 819.213 (relating to ticket validation and requirements).

(d) For purposes of this game, a word must contain at least three letters and cannot be formed by linking letters diagonally or by reading the letters from the bottom to the top.

(e) Letters combined to form a word must appear in an unbroken horizontal or vertical string of letters in the "Goldbar Cro\$\$word" puzzle play area. An unbroken string of letters cannot be interrupted by a black space and must contain every single letter square between two black spaces.

(f) Every single letter in the unbroken string must be revealed in the "YOUR LETTERS" area and be included to form a word.

(g) The possible complete words for each ticket in the game are shown on the "Goldbar Cro\$\$word" puzzle play grid of the ticket. The player must match all of the letters in a possible complete word in order to complete the word.

8. *Number and Description of Prizes and Approximate Odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Win Prize(s) With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 14,400,000 Tickets:</i>
2 WORDS	\$3	7.69	1,872,000
3 WORDS	\$5	12.50	1,152,000
4 WORDS	\$10	125	115,200
\$10 (GOLD BAR)	\$10	55.56	259,200
5 WORDS	\$20	200	72,000
4 WORDS + \$10 (GOLD BAR)	\$20	100	144,000
6 WORDS	\$30	1,200	12,000
5 WORDS + \$10 (GOLD BAR)	\$30	1,200	12,000
7 WORDS	\$50	800	18,000
8 WORDS	\$100	1,200	12,000

<i>Win Prize(s) With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 14,400,000 Tickets:</i>
\$100 (GOLD BAR)	\$100	385.85	37,320
9 WORDS	\$1,000	10,909	1,320
10 WORDS	\$60,000	720,000	20

BONUS = Get a Gold Bar (GLDBAR) symbol in any spot, win \$10. Get five Gold Bar (GLDBAR) symbols, win \$100.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Game for retailers who sell Pennsylvania Goldbar Cro\$\$word instant lottery game tickets. The conduct of the game will be governed by 61 Pa. Code § 819.222 (relating to retailer bonuses and incentive).

10. *Unclaimed Prize Money:* For a period of 1 year from the announced close of Pennsylvania Goldbar Cro\$\$word, prize money from winning Pennsylvania Goldbar Cro\$\$word instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Pennsylvania Goldbar Cro\$\$word instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

11. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

12. *Termination of the Game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Pennsylvania Goldbar Cro\$\$word or through normal communications methods.

STEPHEN H. STETLER,
Acting Secretary

[Pa.B. Doc. No. 08-2316. Filed for public inspection December 19, 2008, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Finding Crawford County

Under section 2002(b) of The Administrative Code of 1929 (71 P.S. § 512(b)), the Director of the Bureau of Design as delegated by the Secretary of Transportation makes the following written finding:

The Federal Highway Administration (FHWA) and the Department of Transportation (Department) are planning to reface the abutments and wing walls on the Allen Street Railroad Bridge in the City of Titusville, Crawford County. The project will require the use of the Oil Creek and Titusville Railroad, which is a part of a historic rail line and, therefore qualifies as a section 4(f)/section 2002 resource.

In accordance with section 2002 of The Administrative Code 1929 establishing the Department, a Level-2 Categorical Exclusion Evaluation (CEE) has been developed for the subject project along with a "Determination of Section 4(f) De minimus Use Section 2002 No Adverse Use" checklist to evaluate the potential environmental impacts caused by the subject project. The checklist also serves as the Section 2002 Evaluation. The approved documents are available in the CE/EA Expert System.

Based upon studies, there is no feasible and prudent alternative to the proposed action. Mitigation measures will be taken to minimize harm as stipulated in the Level-2 CEE, the "Determination of Section 4(f) De minimus Use Section 2002 No Adverse Use" and the associated Memorandum of Agreement.

The environmental, economic, social and other effects of the proposed project as enumerated in section 2002 of The Administrative Code 1929, have been considered. It has been concluded that there is no feasible and prudent alternative to the project as designed and all reasonable steps have been taken to minimize such effects.

BRIAN G. THOMPSON, P. E.,
Director
Bureau of Design

[Pa.B. Doc. No. 08-2317. Filed for public inspection December 19, 2008, 9:00 a.m.]

Finding Venango County

Under section 2002(b) of The Administrative Code of 1929 (71 P.S. § 512(b)), the Director of the Bureau of Design as delegated by the Secretary of Transportation makes the following written finding:

The Federal Highway Administration (FHWA) and the Department of Transportation (Department) are planning a bridge preservation project for the Jersey Railroad Bridge No. 2 in Venango County. The project will require the use of the Oil Creek and Titusville Railroad which is a part of a historic rail line and Oil Creek State Park. Therefore, it qualifies as a section 4(f)/section 2002 resource.

In accordance with section 2002 of The Administrative Code of 1929 establishing the Department, a Level-2 Categorical Exclusion Evaluation (CEE) has been developed for the subject project along with a "Determination of Section 4(f) De minimis Use Section 2002 No Adverse Use" checklist to evaluate the potential environmental impacts caused by the subject project. The checklist also serves as the section 2002 Evaluation. The approved documents are available in the CE/EA Expert System.

Based upon studies, there is no feasible and prudent alternative to the proposed action. Mitigation measures will be taken to minimize harm as stipulated in the Level-2 CEE, the "Determination of Section 4(f) De

minimis Use Section 2002 No Adverse Use,” and the associated Memorandum of Agreement.

The environmental, economic, social and other effects of the proposed project as enumerated in section 2002 of The Administrative Code 1929 have been considered. It has been concluded that there is no feasible and prudent alternative to the project as designed and all reasonable steps have been taken to minimize such effects.

BRIAN G. THOMPSON, P. E.,
Director
Bureau of Design

[Pa.B. Doc. No. 08-2318. Filed for public inspection December 19, 2008, 9:00 a.m.]

INSURANCE DEPARTMENT

Aetna Health, Inc.; Rate Increase Filing for Central and Northeastern Pennsylvania Large Group Commercial HMO Business; Rate Filing

Aetna Health, Inc. requests approval of an increase to its Central and Northeast Pennsylvania Commercial HMO rates for large groups. This filing represents an annual increase of approximately 22.9% over the previously approved base rate. As a result of rate adjustments over the past year, the policyholder will see an average annual rate increase of only 9.8%. This will result in additional annual premium income of approximately \$1.882 million. The rate increase will affect about 4,569 members. The requested approval date is April 1, 2009.

Unless formal administrative action is taken prior to March 4, 2009, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.ins.state.pa.us. To access the filing, under "Quick Links" click on "Rate Filings Published in the PA Bulletin."

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department's Regional Office in Harrisburg.

Interested parties are invited to submit written or e-mail comments, suggestions or objections to Carol E. Slack, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, cslack@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Insurance Commissioner

[Pa.B. Doc. No. 08-2319. Filed for public inspection December 19, 2008, 9:00 a.m.]

Aetna Health, Inc.; Rate Increase Filing for Pittsburgh and Western Pennsylvania Large Group Commercial HMO Business; Rate Filing

Aetna Health, Inc. requests approval of an increase to its Pittsburgh and Western Pennsylvania Commercial HMO rates for large groups. This filing represents an annual increase of approximately 17.5% over the previously approved base rate. As a result of rate adjustments over the past year, the policyholder will see an average annual rate increase of only 9.2%. This will result in

additional annual premium income of approximately \$1.405 million. The rate increase will affect about 3,497 members. The requested approval date is April 1, 2009.

Unless formal administrative action is taken prior to March 4, 2009, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.ins.state.pa.us. To access the filing, under "Quick Links" click on "Rate Filings Published in the PA Bulletin."

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department's Regional Office in Harrisburg.

Interested parties are invited to submit written or email comments, suggestions or objections to Carol E. Slack, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, cslack@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Insurance Commissioner

[Pa.B. Doc. No. 08-2320. Filed for public inspection December 19, 2008, 9:00 a.m.]

Aetna Health, Inc.; Rate Increase Filing for Southeast Pennsylvania Large Group Commercial HMO Business; Rate Filing

Aetna Health, Inc. requests approval of an increase to its Southeastern Pennsylvania Commercial HMO rates for large groups. This filing represents an annual increase of approximately 17.5% over the previously approved base rate. As a result of rate adjustments over the past year, the policyholder will see an average annual rate increase of only 9.4%. This will result in additional annual premium income of approximately \$31.110 million. The rate increase will affect about 80,983 members. The requested approval date is April 1, 2009.

Unless formal administrative action is taken prior to March 4, 2009, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.ins.state.pa.us. To access the filing, under "Quick Links" click on "Rate Filings Published in the PA Bulletin."

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department's Regional Office in Harrisburg.

Interested parties are invited to submit written or email comments, suggestions or objections to Carol E. Slack, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, cslack@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Insurance Commissioner

[Pa.B. Doc. No. 08-2321. Filed for public inspection December 19, 2008, 9:00 a.m.]

Aetna Health, Inc.; Small Group (with fewer than 51 subscribers); Rate Filing

Aetna Health, Inc. requests a rate increase of 15.2% annually for the groups with fewer than 51 average subscribers. The filing will affect approximately 7,000 members and generate additional revenue of approximately \$4.8 million annually. An effective date of April 1, 2009, is requested.

Unless formal administrative action is taken prior to March 5, 2009, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's (Department) web site at www.ins.state.pa.us. To access the filing under the "Quick Links" click on "Rate Filings Published in the PA Bulletin."

A copy of the filing is also available for public inspection, by appointment, during normal working hours at the Department's Regional Office in Harrisburg.

Interested parties are invited to submit written or email comment's, suggestions or objections to Rashmi Mathur, Actuary, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, rmathur@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Insurance Commissioner

[Pa.B. Doc. No. 08-2322. Filed for public inspection December 19, 2008, 9:00 a.m.]

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Ivy Hill SNF, LLC

Ivy Hill SNF, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Ivy Hill Rehabilitation and Nursing Center in Wyndmoor, PA. The initial filing was received on November 5, 2008, and was made under the requirements set forth under the Continuing Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225). Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@state.pa.us.

JOEL SCOTT ARIO,
Insurance Commissioner

[Pa.B. Doc. No. 08-2323. Filed for public inspection December 19, 2008, 9:00 a.m.]

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Madlyn and Leonard Abramson Center for Jewish Life

Madlyn and Leonard Abramson Center for Jewish Life has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Madlyn and Leonard Abramson Center for Jewish Life in North Wales, PA. The initial filing was received on December 5, 2008, and was made under the requirements set forth under the Continuing Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225). Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@state.pa.us.

JOEL SCOTT ARIO,
Insurance Commissioner

[Pa.B. Doc. No. 08-2324. Filed for public inspection December 19, 2008, 9:00 a.m.]

Coal Mine Compensation Rating Bureau; Workers' Compensation Loss Cost Filing; Rate Filing

On December 5, 2008, the Insurance Department (Department) received from the Coal Mine Compensation Rating Bureau (CMCRB) a filing for a loss cost level change for Workers' Compensation Insurance. This filing is made in accordance with section 705 of the act of July 2, 1993 (P.L. 190, No. 44). The CMCRB requests an overall 14.4% decrease in collectible loss costs, effective April 1, 2009, on a new and renewal basis. Also, the CMCRB has calculated the Employer Assessment Factor effective April 1, 2009, to be 2.39%, as compared to the currently approved provision of 2.23%.

The entire April 1, 2009, loss cost filing is available for review on the Department's web site at www.ins.state.pa.us. Under the Quick Links section, click on the link "Rate Filings Published in the PA Bulletin."

Interested parties are invited to submit written comments, suggestions or objections to Eric Zhou, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, gzhou@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Insurance Commissioner

[Pa.B. Doc. No. 08-2325. Filed for public inspection December 19, 2008, 9:00 a.m.]

Pennsylvania Compensation Rating Bureau; Workers' Compensation Loss Cost Filing; Rate Filing

On December 10, 2008, the Insurance Department received from the Pennsylvania Compensation Rating Bureau (PCRB) a filing for a loss cost level change for Workers' Compensation Insurance. This filing is made in accordance with section 705 of the act of July 2, 1993 (P. L. 190, No. 44). The PCRB requests an overall 0.7% increase in collectible loss costs, effective April 1, 2009, on a new and renewal basis. Also, the PCRB has calculated the Employer Assessment Factor effective April 1, 2009, to be 2.41%, as compared to the currently approved provision of 2.26%. Updates to a variety of other rating values to reflect the most recent available experience are also being submitted for approval.

The entire April 1, 2009, loss cost filing is available for review on the PCRB's web site at www.pcrb.com in the "Filings" section.

Interested parties are invited to submit written comments, suggestions or objections to Eric Zhou, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, gzhou@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Insurance Commissioner

[Pa.B. Doc. No. 08-2326. Filed for public inspection December 19, 2008, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection (b) or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Executive Board

Resolution No. CB-08-290, Dated October 27, 2008. The following Executive Board Resolution authorizes the interest arbitration award between the Commonwealth and the Pennsylvania State Corrections Officers Association. The Award provides for the establishment of rates of pay, hours of work and other conditions of employment for the period July 1, 2008, through June 30, 2011.

Governor's Office

Manual M210.3—Index of Issuances—Directives Management System, Amended August 11, 2008.

Management Directive No. 205.36—Right-to-Know Law, Amended November 20, 2008.

Management Directive No. 315.20—Taxability of the Use of State-Provided Vehicles, Amended November 17, 2008.

Management Directive No. 505.32—Governor's Awards for Excellence, Amended November 12, 2008.

MARY JANE PHELPS,
Director
Pennsylvania Bulletin

[Pa.B. Doc. No. 08-2327. Filed for public inspection December 19, 2008, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The Liquor Control Board seeks the following new site:

Montgomery County, Wine & Spirits Store #4646, (New Store), North Wales, PA

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 10,000 net useable square feet of new or existing retail commercial space. Location must be within a 5 mile radius of Routes 202 and 309, Bethlehem Pike, Montgomery Township, North Wales, PA.

Proposals due: January 2, 2009, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128-2113
Contact: Robert Jolly, (215) 482-9670

Philadelphia County, Wine & Spirits Store #5146, (New Store), Philadelphia, PA

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 500 to 1,000 net useable square feet of new or existing retail commercial space. Location must be within a 0.10 mile radius of 17th Street and John F. Kennedy Boulevard, Philadelphia, PA.

Proposals due: January 2, 2009, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, 8305 Ridge Avenue, Philadelphia, PA 19128-2113
Contact: Henry Blocker, Jr., (215) 482-9670

PATRICK J. STAPLETON, III,
Chairperson

[Pa.B. Doc. No. 08-2328. Filed for public inspection December 19, 2008, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Abandon Public Service

A-2008-2078319. Safe Harbor Water Power Corporation. Application of Safe Harbor Water Power Corporation under section 1102(a)(2) of the Pennsylvania Public Utility Code Authorizing Safe Harbor Water Power Corporation to Abandon Public Service in the Commonwealth of Pennsylvania.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the

Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before January 5, 2009. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Safe Harbor Water Power Corporation

Through and By Counsel: Robert C. Gerlach, Esquire, Patrick R. Gillard, Esquire, Ballard Spahr Andrews and Ingersoll, LLP, 1735 Market Street, 51st Floor, Philadelphia, PA 19103

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 08-2329. Filed for public inspection December 19, 2008, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by January 5, 2009. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Application of the following for approval to *begin operating as common carriers* for transportation of persons as described under the application.

A-2008-2078128. Supportive Concepts for Families, Inc. (200 Penn Street, Reading, Berks County, PA 19602), for the right to begin to transport persons in paratransit service from points in the Counties of Berks, Huntingdon, Juniata, Lebanon, Lehigh, Mifflin, Montgomery, Philadelphia and York, to points in Pennsylvania, and return.

Application of the following for the approval of the *transfer of stock* as described under the application.

A-2008-2077344. Infinity Limousine, Inc. (128 West Apron Drive, Reading, Berks County, PA 19605)—a corporation of the Commonwealth, for the approval of 100% of all of the issued and outstanding shares of capital stock, which consists of 1,000 shares held by Arnold S. Brooks to Robert James Muir. *Attorney:* John E. Muir, Esquire, Roland & Schlegel, LLC, P. O. Box 902, Reading, PA 19603-0902.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 08-2330. Filed for public inspection December 19, 2008, 9:00 a.m.]

Telecommunications

A-2008-2077491. Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company and Comcast Business Communications, LLC. Joint petition of Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company and Comcast Business Communications, LLC for approval of a local interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company and Comcast Business Communications, LLC, by its counsel, filed on December 2, 2008, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a local interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company and Comcast Business Communications, LLC joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 08-2331. Filed for public inspection December 19, 2008, 9:00 a.m.]

Telecommunications

A-2008-2077464. Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company and IDT America, Corp. Joint petition of Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company and IDT America, Corp. for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company and IDT America, Corp., by its counsel, filed on December 2, 2008, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company and IDT America, Corp. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 08-2332. Filed for public inspection December 19, 2008, 9:00 a.m.]

Telecommunications

A-2008-2078101. Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company and MCImetro Access Transmission Services, LLC. Joint petition of Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company and MCImetro Access Transmission Services, LLC for approval of an Indirect Traffic Exchange and Compensation Agreement under section 252(e) of the Telecommunications Act of 1996.

Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company and MCImetro Access Transmission Services, LLC, by its counsel, filed on December 4, 2008, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an Indirect Traffic Exchange and Compensation Agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Commonwealth Telephone Company, d/b/a Frontier Communications Commonwealth Telephone Company and MCImetro Access Transmission Services, LLC joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 08-2333. Filed for public inspection December 19, 2008, 9:00 a.m.]

Telecommunications

A-2008-2077502. Frontier Communications of Breezewood, LLC, Frontier Communications of Pennsylvania, LLC and Comcast Business Communications, LLC. Joint petition of Frontier Communications of Breezewood, LLC, Frontier Communications of Pennsylvania, LLC and Comcast Business Communica-

tions, LLC for approval of a local interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Frontier Communications of Breezewood, LLC, Frontier Communications of Pennsylvania, LLC and Comcast Business Communications, LLC, by its counsel, filed on December 2, 2008, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a local interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Frontier Communications of Breezewood, LLC, Frontier Communications of Pennsylvania, LLC and Comcast Business Communications, LLC joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 08-2334. Filed for public inspection December 19, 2008, 9:00 a.m.]

STATE ATHLETIC COMMISSION

Public Meetings for 2009

The State Athletic Commission (Commission) of the Department of State announces its schedule for regular meetings to be held at least once every 2 months in 2009 under 5 Pa.C.S. § 103 (relating to duties of commission). Meetings will be held in Room 303, North Office Building, Harrisburg, PA 17120, at 11 a.m. These meetings are open to the public and are scheduled as follows:

February 23, 2009
April 20, 2009
June 29, 2009
August 24, 2009
October 26, 2009
December 21, 2009

Individuals having questions regarding these meetings should contact the Commission at (717) 787-5720.

GREGORY P. SIRB,
Executive Director

[Pa.B. Doc. No. 08-2335. Filed for public inspection December 19, 2008, 9:00 a.m.]

