

NOTICES

DEPARTMENT OF BANKING

Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 9, 2002 (P. L. 1572, No. 207), known as the Credit Union Code, has taken the following action on applications received for the week ending December 23, 2008.

Under section 503.E of the Department of Banking Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name of Corporation</i>	<i>Location</i>	<i>Action</i>
12-19-2008	First Chester County Corporation, West Chester, to acquire 100% of American Home Bank, National Association, Mountville, which will be merged with and into First National Bank of Chester County, West Chester, a wholly-owned subsidiary of First Chester County Corporation	West Chester	Approved

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
11-18-2008	PeoplesBank, A Codorus Valley Company York York County	124 North Main Street Bel Air Harford County, MD	Opened
12-17-2008	Fulton Bank Lancaster Lancaster County	Princess Anne and Dam Neck Roads Virginia Beach Virginia Beach County, VA	Approved

Branch Consolidations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
12-17-2008	First Columbia Bank & Trust Co. Bloomsburg Columbia County	<i>Into:</i> 232 East Street Bloomsburg Columbia County <i>From:</i> 11 West Main Street Bloomsburg Columbia County	Approved

Branch Discontinuances

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
12-12-2008	Susquehanna Bank Lititz Lancaster County	3600 Fairview Street Routes 22 and 512 Bethlehem Northampton County	Closed

NOTICES

Articles of Amendment

<i>Date</i>	<i>Name of Bank</i>	<i>Purpose</i>	<i>Action</i>
12-17-2008	Penn Liberty Bank Wayne Chester County	Amend section 2 of the Articles of Incorporation	Approved and Effective

Amendment to section 2 provides for a change of the principal place of business of the institution *From*: 353 West Lancaster Avenue, Suite 300, Wayne, PA 19087 *To*: Devon Square One, 724 West Lancaster Avenue, Tredyffrin Township, Chester County, Wayne, PA 19087

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
12-1-2008	TruMark Financial Credit Union Trevose Bucks County	875 Easton Road Warrington Bucks County	Opened

The Department's web site at www.banking.state.pa.us includes public notices for more recently filed applications.

STEVEN KAPLAN,
Secretary

[Pa.B. Doc. No. 09-11. Filed for public inspection January 2, 2009, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0063185 (Industrial Waste)	Eldorado Properties Corporation Dupont Bulk Petroleum Storage Terminal 900 Eisenhower Boulevard Harrisburg, PA 17105	Pittston Township Luzerne County	Collins Creek 05A	Y
PA0061654	Wallenpaupack Area School District HC 6 Box 6075 Hawley, PA 18428-9045	Wayne County Dreher Township	Wallenpaupack Creek 01C	N

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0100625	TA Operating Corporation Suite 200 24601 Center Ridge Road Westlake, OH 44145	Brookville Borough Jefferson County	Clement Run 17-C	Y
PA0104141	Jay Township Weedville STP 1766 Redwood Avenue Weedville, PA 15868	Jay Township Elk County	Bennett Branch Sinnemahoning Creek 8-A	Y
PA0033006	Pymatuning State Park 2660 Williamsfield Road Jamestown, PA 16134	West Shenango Township Crawford County	Pymatuning Reservoir Shenango River 20-A	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

PA0030112, Sewage, SIC 4952, **Methacton School District STP**, 3000 Eagleview Road, Norristown, PA 19403. This proposed facility is located in Worcester Township, **Montgomery County**.

Description of Proposed Activity: Discharge of treated 27,000 gpd sewage STP serving Methacton School located at 1001 Kriebel Mill Road in Worcester Township, Montgomery County.

The receiving stream, a UNT to Skippack Creek, is in the State Water Plan Watershed 3E—Perkiomen Creek and is classified for: TSF. There is no public water supply intake on Skippack Creek. The nearest downstream public water supply intake for Aqua Pennsylvania is located on Perkiomen Creek and is 6 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 27,000 gpd:

<i>Parameters</i>	<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			
(5-1 to 10-31)	20		40
(11-1 to 4-30)	25		50
Total Suspended Solids	20		40
Ammonia as N			
(5-1 to 10-31)	2.0		4.0
(11-1 to 4-30)	6.0		12.0
Phosphorus as P	1.2		2.4
Fecal Coliform	# 200/100 ml		# 1,000/100 ml
Dissolved Oxygen		Minimum of 5.0 mg/l	
pH (Standard Units)	Within limits of 6.0 to 9.0 Standard Units at all times		
Total Residual Chlorine	0.2		0.5

In addition to the effluent limits, the permit contains the following major special conditions:

1. Operator Notifications.
2. Operation and Maintenance Plan.
3. TRC Minimization.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PA0020273, Sewerage, SIC 4952, **Milton Regional Sewer Authority**, P. O. Box 433, Milton, PA 17847-0433. This existing facility is located in West Chillisquaque Township, **Northumberland County**.

Description of Proposed Activity: This proposed action is for renewal of an NPDES permit for an existing discharge of treated sewage wastewater.

The receiving stream, West Branch Susquehanna River, is in the State Water Plan Watershed 10D and classified for: WWF. The nearest downstream public water supply intake is the Sunbury Municipal Water Authority located approximately 11 miles below the point of discharge.

The proposed effluent limits for Outfall 001 based on a design flow of 3.42 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>				<i>Mass (lbs)</i>	
	<i>Monthly Average</i>	<i>Weekly Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>	<i>Monthly Load</i>	<i>Annual Load</i>
BOD ₅	111	166		222		
TSS	100	150		200		
Total Residual Chlorine	0.5			3.0		
Fecal Coliforms						
(5-1 to 9-30)	200 col/100 ml as a Geometric Mean					
(10-1 to 4-30)	2,000 col/100ml as a Geometric Mean					
pH	Within the range of 6.0 to 9.0					

Chesapeake Bay Tributary Strategy Nutrient Requirements

<i>Parameter</i>	<i>Concentration (mg/l)</i>		<i>Mass (lbs)</i>	
	<i>Monthly Average</i>	<i>Monthly Load</i>	<i>Monthly Load</i>	<i>Annual Load</i>
Ammonia-N	Report	Report	Report	Report
Kjeldahl-N	Report	Report	Report	Report
Nitrate-Nitrate as N	Report	Report	Report	Report
Total Nitrogen	Report	Report	Report	Report
Total Phosphorus	Report	Report	Report	Report
Net Total Nitrogen		Report	Report	63,915*
Net Total Phosphorus		Report	Report	8,329*

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department of Environmental Protection's (Department) Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document No. 392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition to the effluent limits and best management practices, the permit contains the following major permit conditions:

1. Operation and Implementation of a Pretreatment Program.
2. Requirements Applicable to Stormwater Outfalls.

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

PA0215929, Sewage, **Walter L. Houser**, 13448 SR 422, Suite 1, Kittanning, PA 16201. This application is for renewal of an NPDES permit to discharge treated sewage from Mudlick Run Shaft/Portal STP in Washington Township, **Indiana County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Mudlick Run, which are classified as a CWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the Wheel In Campground.

Outfall 001: existing discharge, design flow of 0.007 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Ammonia Nitrogen				
(5-1 to 10-31)	3.0			6.0
(11-1 to 4-30)	6.0			12.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a Geometric Mean			
(10-1 to 4-30)	2,000/100 ml as a Geometric Mean			
Total Residual Chlorine	1.4			3.3
Dissolved Oxygen	not less than 3.0 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

PA0204587, Sewage, **Timothy Braniff**, 108 Front Street, Fallentimber, PA 16639. This application is for renewal of an NPDES permit to discharge treated sewage from Noel-Zimmerman Treatment Plant in White Township, **Cambria County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Clearfield Creek, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the PA American Water on West Branch of Susquehanna River.

Outfall 001: existing discharge, design flow of 0.018 mgd.

<i>Parameter</i>	<i>Concentration (mg/l)</i>			
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
CBOD ₅	25			50
Suspended Solids	30			60
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a Geometric Mean			
(10-1 to 4-30)	2,000/100 ml as a Geometric Mean			
Total Residual Chlorine	1.4			3.3
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0220876, Sewage, **Identification Systems, Inc.**, 10043 Peach Street, Girard, PA 16417. This proposed facility is located in Elk Creek Township, **Erie County**.

Description of Proposed Activity: This application is for renewal of an NPDES permit to discharge treated sanitary sewage from a small flow treatment facility serving the Caring for Children Day Care Center on SR 18 in Elk Creek Township, Erie County.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, there is no existing/proposed downstream potable water supply to consider until Lake Erie.

The receiving stream, East Branch of Conneaut Creek, is in Lake Erie Watershed and classified for: CWF, MF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.000500 mgd.

Parameter	Concentrations		
	Average Monthly (mg/l)	Average Weekly (mg/l)	Instantaneous Maximum (mg/l)
Flow	Monitor and Report		
CBOD ₅	25		50
Total Suspended Solids	30		60
NH ₃ -N			
(5-1 to 10-31)	15.5		31
(11-1 to 4-30)	46.5		93
Dissolved Oxygen		minimum of 3.0 mg/l at all times	
Phosphorus as "P"	1.0		
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a Geometric Average	
(10-1 to 4-30)		2,000/100 ml as a Geometric Average	
pH		6.0 to 9.0 Standard Units at all times	
Ultraviolet Light Disinfection		Monitor and Report	

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

WQM Permit No. 4108401, Sewerage 4952, **Jeffery Freezer**, 152 Mchaffey Hollow Road Extension, Linden, PA 17744. This proposed facility is located in Woodward Township, **Lycoming County**.

Description of Proposed Action/Activity: The applicant is proposing to construct and operate a 400 gpd single-residence small flow treatment facility that will discharge to a UNT to Quenshukeny Run, a WWF. The treatment system will be comprised of a 1,000 gallon capacity concrete septic tank, a peat bio-filter and ultraviolet disinfection.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 6306202, Industrial Waste, **Duquesne Light Company**, 1800 Seymour Street, Pittsburgh, PA 15233. This proposed facility is located in Union Township, **Washington County**.

Description of Proposed Action/Activity: Application for the construction and operation of wastewater treatment facilities and piping of wastewater discharge at the Elrama Ash Disposal site.

WQM Permit No. 0279202-A5, Industrial Waste, **Neville Chemical Company**, 2800 Neville Road, Pittsburgh, PA 15225-1496. This existing facility is located in Neville Township, **Allegheny County**.

Description of Proposed Action/Activity: Application for permit amendment.

WQM Permit No. 3008401, Sewerage, **Greensboro Monongahela Township Joint Sewage Authority**, P. O. Box 342, Greensboro, PA 15338. This proposed facility is located in Monongahela Township, **Greene County**.

Description of Proposed Action/Activity: Application for the construction and operation of the Cabbage Flats/Mapletown sewer system.

WQM Permit No. 5608407, Sewerage, **Borough of Somerset**, 347 West Union Street, Somerset, PA 15501. This proposed facility is located in Somerset Borough, **Somerset County**.

Description of Proposed Action/Activity: Application for the construction and operation of a relief sewer system.

WQM Permit No. 0208408, Sewerage, **The Pittsburgh Water & Sewer Authority**, Penn Liberty Plaza 1, 1200 Penn Avenue, Pittsburgh, PA 15222. This proposed facility is located in the City of Pittsburgh, **Allegheny County**.

Description of Proposed Action/Activity: Application for the construction and operation of a sewer extension.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)**V. Applications for NPDES Wavier Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)****VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities**

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 1508077	Holy Ascension Antichian Orthodox Church P. O. Box 921 Frazer, PA 19355	Chester	Charlestown Township	Valley Creek EV
PAI01 2308011	Ashbridge Properties, Inc. 1625 Valley Road Newtown Square, PA 19073	Delaware	Edgmont Township	Rocky Run HQ-CWF-MF

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Monroe County Conservation District: 8050 Running Valley Road, Stroudsburg, PA 18360, (570) 629-3060.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI024507008(1)	Pocono Township Supervisors Route 611 P. O. Box 197 Tannersville, PA 18372	Monroe	Pocono and Hamilton Townships	Pocono Creek HQ-CWF Scotrun Creek HQ-CWF Transue Run HQ-CWF Tributary to Scotrun Creek HQ-CWF Swiftwater Creek HQ-CWF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI035008002	Christine Mathna 6525 Creek Road Newport, PA 17074	Perry	Juniata Township	Buffalo Creek HQ-CWF
ESCP-0708801	Kettle Creek Partners, LP P. O. Box 34 301 Plum Creek Road Roaring Spring, PA 16673	Blair	Logan Township	UNT to Sandy Run HQ-CWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

CAFO Notices of Intent Received

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Watershed Management Program, PAG122208, James Ayoub Farm, 3933 Lehigh Drive, Northampton, PA 18067. This facility is located in Lehigh Township, **Northampton County**.

The farm of 62.7 acres proposes to raise approximately 4,360 Finishing Swine and eight existing Beef Cow/Calf pairs for a total of 608 Animal Equivalent Units. Swine manure (2,396,995 gallons) will be stored in reinforced concrete storage below the proposed Swine holding facility to be constructed. All excess manure will be exported to crop ground located in the State of New Jersey. The Farm is located near the Indian Creek tributary to Hokendauqua Creek.

Except for the chronic or catastrophic rainfall events defined as over the 25-year/24-hour rain storms, the CAFO general permit is a nondischarge NPDES permit. Where applicable, compliance with 40 CFR Federal effluent limitation guidelines is required. The general permit requires no other numeric effluent limitations and compliance with the Pennsylvania Nutrient Management Act and The Clean Stream Law constitutes compliance with the State narrative water quality standards.

**STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR
NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES)
PERMITS FOR CONCENTRATED ANIMAL FEEDING OPERATIONS (CAFO)**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under the act of July 6, 2005 (Act 38 of 2005, 3 Pa.C.S. §§ 501—522) (hereinafter referred to as Act 38), and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92. This notice is provided in accordance with 25 Pa. Code Chapter 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC), or County Conservation Districts (CCD) working under a delegation agreement with the SCC, have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at www.pacd.org/districts/directory.htm or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based.

The address for the SCC is Agriculture Building, Room 407, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**NUTRIENT MANAGEMENT PLAN
PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Application or Action</i>
Gary Pfleeger 560 Goodman Road Lewisburg, PA 17837	Union	80	533.79	Swine	NA	Application
Jonathan Dietrich 5931 Buffalo Road Mifflinburg, PA 17844	Union	84.2	1,647.8	Swine	NA	Application

**PUBLIC WATER SUPPLY (PWS)
PERMIT**

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 6708508,	Public Water Supply.
Applicant	United Water Pennsylvania
Municipality	Newberry Township
County	York

Responsible Official	Steven Metzler Senior Project Engineer 4211 East Park Circle Harrisburg, PA 17111
Type of Facility	Public Water Supply
Consulting Engineer	Edward A. Ellinger, P. E. Herbert Rowland Grubic, Inc. 369 East Park Drive Harrisburg, PA 17111
Application Received	November 26, 2008
Description of Action	New Paddletown Well and treatment for Newberry System.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Ronald S. Brezinski, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Schwartz Property/Highmeadows, 291 Spring Hill Road, Allen Township, **Northampton County**. Terry Harris, Boucher & James, Inc., Fountainville Professional Building, 1456 Ferry Road, Building 500, Doylestown, PA 18901 has submitted a Notice of Intent to Remediate (on behalf of his client, OHI-MH Holdings LP, 1150 South Cedar Crest Boulevard, Allentown, PA 18103), concerning the remediation of groundwater found to have been impacted by unleaded gasoline (MTBE) as a result of an accidental release from an unregulated underground storage tank. The applicant proposes to remediate the site to meet the Statewide Health Standard for groundwater. A summary of the Notice of Intent to Remediate is expected to be published in a local newspaper serving the general area sometime in the near future.

RESIDUAL WASTE GENERAL PERMITS

Renewal of General Permit under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGR096SE003. Jones & Losito, Inc., P. O. Box 485, 181 Willow Street, Toughkenamon, PA 19374. The beneficial use of regulated fill as construction material at the Reedville Farms site (Cloud Landfill site). The application was deemed administratively complete by the Division of Municipal and Residual Waste on November 17, 2008.

Comments concerning the application should be directed to Ronald C. Hassinger, Chief, General Permits and Beneficial Use Section, Bureau of Waste Management, Rachel Carson State Office Building, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. Public comments must be submitted within 60 days of this notice and may recommend additional conditions or revisions to or approval or denial of the proposed renewal of the general permit.

Persons interested in obtaining more information or obtaining copies of the proposed general permit may contact Peter Arnt of the Division of Municipal and Residual Waste at the previous telephone number. TDD users may contact the Department of Environmental Protection through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Application received under the Solid Waste Management Act (35 P. S. §§ 6018.101–6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101–4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Residual Waste Beneficial Use of Coal Ash. Scrubgrass Generating Company, 6010 Emlenton-Clintonville Road, Emlenton, PA 16373, Scrubgrass Township, Venango County. The notice is an Erosion and Sedimentation Control Plan in accordance with 25 Pa. Code § 287.661 of the Residual Waste Regulations. The notice is for the placement of coal ash to be used as structural fill at the Hovis Truck Service site. The notice was received by the Northwest Regional Office on December 18, 2008.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application received under the Solid Waste Management Act (35 P. S. §§ 6018.101–6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101–4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

Permit Application No. 101680. Waste Management Disposal Services of Pennsylvania, Inc. (GROWS North Landfill), 1000 New Ford Mill Road, Morrisville, PA 19067. This minor permit modification application is for the modification of the leachate transmission system design at the GROWS North Landfill located in Falls Township, **Bucks County**. The application was received by the Southeast Regional Office on December 5, 2008.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an “integrated” plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121–143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

09-0188B: Gamesa Wind PA, LLC (400 Gamesa Drive, Fairless Hills, PA 19030) for operation of a nacelle assembly at an existing wind generator manufacturing plant at USX Industrial Complex in Falls Township, **Bucks County**. The regenerative thermal oxidizer will be equipped with low-NOx burners. This facility is a minor facility. The Plan Approval will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

09-0207: Tower and Metallic Structures, Inc. (400 Gamesa Drive, Fairless Hills, PA 19030) for installing a regenerative thermal oxidizer to control VOC emissions from two existing spray booths and a paint mixing room at an existing wind generator manufacturing plant at USX Industrial Complex in Falls Township, **Bucks County**. This facility is a minor facility. The Plan Approval will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

09-0208B: Fiberblade East, LLC (400 Gamesa Drive, Fairless Hills, PA 19030) for operation of an existing fiber blade manufacturing at an existing wind generator manufacturing plant at USX Industrial Complex in Falls Township, **Bucks County**. This facility is a minor facility. The Plan Approval will contain recordkeeping require-

ments and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

15-0009C: AGC Chemicals Americas, Inc. (255 South Bailey Road, Downingtown, PA 19335) for the installation of a new dedicated scrubber/dust collector system to control emissions from the existing fluidized bed dryer, at their facility located in Caln Township, **Chester County**. This facility is a Minor facility. There will not increase in any emissions due to this modification. The Plan Approval will contain monitoring and recordkeeping requirements to keep the source operating within the allowable emissions and all applicable air quality requirements.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

23-0003K: ConocoPhillips Company (4101 Post Road, Trainer, PA 19061-3812) for modification of previously issued Plan Approval No. PA-23-0003G for a platformer feed heater revamp project at its Trainer facility in Trainer Borough, **Delaware County**. This facility is a Title V facility. This modification will result in NOx emission increase of 21.89 tpy. The Plan Approval and Operating Permit will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

36-05002D: Armstrong World Industries, Inc. (1067 Dillerville Road, Lancaster, PA 17604) for modification of the existing flooring plant in the City of Lancaster, **Lancaster County**. Existing coating equipment and emission control systems will be replaced by new and relocated replacement equipment. VOC emissions from the plant will be dramatically reduced by the use of water-based inks. Other emissions will not be significantly impacted. The plan approval and subsequent permit amendment will include emission limits along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

08-00010A: Global Tungsten & Powders, Corp. (Hawes Street, Towanda, PA 18848-0504) for construction and operation of a new oven, a Precision Quincy Corporation model 92-750-B (AMT Oven, Source ID P149, company ID 001-023), and installation of a scrubber, a Bionomic Industries Counter Current Packed Tower with quench, Model 8, Series 5000, in the Tungsten Chemical Department No. 001 (Building 10) at their facility in North Towanda Township, **Bradford County**. This is a State-only facility.

The Department of Environmental Protection's (Department) review of the information contained in the application submitted by GTP indicates that the oven controlled

by the proposed scrubber will comply with all applicable air quality requirements pertaining to air contamination sources and the emission of air contaminants, including the fugitive air contaminant emission requirement of 25 Pa. Code § 123.1, the PM emission limitation of 25 Pa. Code § 123.13, and the visible emission limitation of 25 Pa. Code § 123.41. The plan approval, if issued, will subsequently be incorporated into the State-only operating permit by means of an administrative amendment in accordance with 25 Pa. Code § 127.450 at a later date.

Based upon this finding, the Department proposes to issue a plan approval for the construction of the new oven and the installation of the scrubber to control ammonia emissions from the oven. The following is a summary of the conditions the Department proposes to place in the plan approval to ensure compliance with all applicable regulatory requirements:

1. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the ammonia emissions in the exhaust of the Bionomic Industries Counter Current Packed Tower, Model 8, Series 5000 scrubber (ID C149) associated with Source ID P149 shall not exceed 0.17 lbs/hr and 0.6 ton in any 12-consecutive month period.

2. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, Source ID P149 (AMT Oven) shall only be fired on natural gas.

3. The Bionomic Industries Counter Current Packed Tower, Model 8, Series 5000 scrubber (ID C149) associated with Source ID P149 shall be equipped with instrumentation which continuously monitors the following parameters:

a. the inlet scrubber air temperature (after the quench unit),

b. the pressure drop across the packed bed of the scrubber,

c. the water flow rates through the first and second stage of the scrubber, and

d. the blowdown rate in the first stage of the scrubber.

4. The permittee shall keep records of supporting calculations used to verify compliance with ammonia the emission limitations. These records shall be retained for a minimum of 5 years and shall be presented to the Department upon request.

5. The permittee shall keep records of the following operating parameters of the scrubber (ID C149) at least once per day.

a. the inlet scrubber air temperature (after the quench unit),

b. the pressure drop across the packed bed of the scrubber,

c. the water flow rates through both the first and second stages of the scrubber, and

d. the blowdown rate in the first stage of the scrubber.

These records shall be retained for a minimum of 5 years and shall be presented to the Department upon request.

6. Source ID P149 is an Ammonium Metatungstate, Precision Quincy Corporation Model 92-750-B natural gas fired oven. The air contaminant emissions from Source ID P149 shall be controlled by the quench unit and Bionomic Industries Counter Current Packed Tower, Model 8, Series 5000 scrubber (ID C149).

7. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the scrubbing solution used in the Bionomic Industries Counter Current Packed Tower, Model 8, Series 5000 scrubber (ID C149) shall only be water.

8. Source ID P149 and the Bionomic Industries Counter Current Packed Tower, Model 8, Series 5000 scrubber (ID C149) associated with Source ID P149 shall be operated according to good air pollution control practices.

Upon issuance of the operating permit, the Department reserves the right to establish operating parameters for the pressure drop across the scrubber, the inlet temperature to the scrubber, the water flow rates through both of the first and second stages of the scrubber, and the blowdown rate in the first stage of the scrubber to verify that control device ID C149 is operated in accordance with good air pollution control practices.

A copy of the plan approval application and the Department's review is available for public review between 8 a.m. and 4 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at (570) 327-3693. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Manager, Facilities Permitting Section, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-0512.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

24-0830: Carbone of America (215 Stackpole Street, Saint Marys, PA 15857) for installation of a new car bottom kiln and thermal oxidizer, and a new scrubber at their facility in the City of Saint Marys, **Elk County**. This is a Title V facility.

Notice is hereby given under 25 Pa. Code §§ 127.44(b) and 127.424(b), the Department of Environmental Protection (Department) intends to issue Plan Approval 24-0830 to Carbone of America for the installation of a new car bottom kiln and thermal oxidizer, and a new scrubber at the company's facility located at 215 Stackpole Street, City of Saint Marys, Elk County. The facility currently has a Title V permit No. 24-00083. The Plan Approval will subsequently be incorporated into the Title V Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. 24-0830 is for the installation of a new car bottom kiln and thermal oxidizer, and a new scrubber which will control emissions from the new kiln and existing kilns CBH 27, 33, 34 and 35. Based on the information provided by the applicant and Department's own analysis, the proposed source will emit an additional 3.89 tons of PM per year, 3.89 tons of VOCs per year and 4.7 tons of SO₂ per year.

Carbone will be required to install a continuous emissions monitoring system on the scrubber exhaust, and also to conduct a stack test of the scrubber to ensure compliance with the SO₂ emission restrictions of this Plan Approval. The Plan Approval will contain additional monitoring, recordkeeping and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, the Department's analysis and other documents used in the evaluation are available for public inspection between 8 a.m. and 4 p.m. weekdays at the address shown. To make an appointment, contact Records Management at (814) 332-6340.

Anyone wishing to provide the Department with additional information they believe should be considered may submit the information to the address shown. Comments must be received by the Department within 30 days of the last day of publication. Written comments should include the following:

1. Name, address and telephone number of the person submitting comments.
2. Identification of the proposed Plan Approval; No. 24-0830.
3. Concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to John Guth, Regional Air Quality Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6940.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, Muhammad Zaman, Facilities Permitting Chief, (570) 327-0512.

47-00003: The Department of Public Welfare (P. O. Box 700, Danville, PA 17821-0700) for renewal of the Title V Operating Permit for their Danville State Hospital facility in Mahoning Township, **Montour County**. The facility is currently operating under TVOP 47-00003, which was issued September 30, 2003. The facility's sources include 10 combustion units, 17 emergency engine-generators, two aboveground storage tanks and two parts washers. The facility has the potential to emit major quantities of SO₂. The facility has the potential to emit NO_x, CO, PM/PM₁₀, VOCs, combined HAPs and individual HAP emissions below the major emissions thresholds. The proposed Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

49-00003: ACF Industries (P. O. Box 700, Milton, PA 17847-0109) for renewal of the Title V Operating Permit for their facility in Milton Borough, **Northumberland County**. The facility is currently operating under TVOP 49-00003, which was issued November 18, 2003. The facility's main sources include 51 combustion units, four furnaces, surface coating operation, grit blasting operations, four curing ovens, one flash off oven, metal cutting and torching operations, stencil cleaning machine and solvent clean up operations. The facility has the potential to emit major quantities of PM/PM₁₀ and VOCs. The facility has the potential to emit NO_x, CO and HAPs

(individual and combined) emissions less than the major emissions thresholds. The proposed Title V operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

15-00078: Centocor, Inc. (200 Great Valley Parkway, Malvern, PA 19355) for issuance of a State-only Operating Permit to operate four emergency generators, three boilers, water heaters and space heaters in East Whiteland Township, **Chester County**. The facility is synthetic minor for NOx. The following Plan Approvals and Operating Permits, PA-15-0078, PA-15-0078B, PA-15-0078C, OP-15-0078 are being incorporated into the facility permit, SMOP-15-00078. This Operating Permit shall include monitoring, and recordkeeping designed to ensure this facility complies with all applicable air quality regulations.

46-00026: Global Packaging, Inc. (209 Brower Avenue, Oaks, PA 19456) for operation of packaging printing plant in Upper Providence Township, **Montgomery County**. This is a renewal of the State-only operating permit issued in February of 2004.

15-00121: Delaware Valley Custom Marble, Inc.—Glenmar Manufacturing (4 Briar Drive, West Grove, PA 19390) for operations at the cast polymer manufacturing facility located in Penn Township, **Chester County**. The permit is for a non-Title V (State-only) facility. The facility elects to cap VOC and HAP emissions less than major thresholds; therefore the facility is categorized as a Synthetic Minor. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

46-00024: McNeil Consumer Healthcare (7050 Camp Hill Road, Fort Washington, PA 19034-2210) for operation of pharmaceutical manufacturing of healthcare products in Whitemarsh Township, **Montgomery County**. This action is a renewal of the original State-only Operating Permit (Synthetic Minor), which was issued on November 24, 2003, and amended on April 15, 2008. Several typographical changes have been made to the permit. A source installed under an RFD is being incorporated into this renewed Operating Permit. The facility shall continue to remain a synthetic minor. The permit includes monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

46-00202: Elan Corp. (3500 Horizon Drive, King of Prussia, PA 19406) for operation of a pharmaceutical research and development facility, in Upper Merion Township, **Montgomery County**. This action is a renewal of the original State-only Operating Permit (Natural Minor), which was issued on December 16, 2003. Several typographical changes have been made to the permit. No sources have been added to or removed from the permit. The facility shall continue to remain a natural minor. The permit includes monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

28-03054: Cinetic Landis Grinding Corp. (20 East Sixth Street, Waynesboro, PA 17268) for operation of their specialty machine tool manufacturing facility in Waynesboro Borough, **Franklin County**. The State-only operating permit will include emission restrictions, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

36-03046: Packaging Corp. of America (1530 Fruitville Pike, Lancaster, PA 17601) for operation of their existing packaging materials facility in the City of Lancaster, **Lancaster County**. This is a permit renewal of their existing operating permit. The State-only operating permit will include monitoring, recordkeeping, reporting requirements, emission restrictions and work practice standards designed to keep the facility operating within all applicable air quality requirements.

36-03085: Goodhart Sons, Inc. (2515 Horseshoe Road, Lancaster, PA 17605) for operation of their existing metal fabrication facility in Upper Leacock Township, **Lancaster County**. This is a permit renewal of their existing operating permit. The State-only operating permit will include monitoring, recordkeeping, reporting requirements, emission restrictions and work practice standards designed to keep the facility operating within all applicable air quality requirements.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, New Source Review Chief, (814) 332-6940.

33-00033: Owens-Brockway Glass Container, Inc.—Brockway, Plant No. 18. (1260 Cherry Street, Brockway, PA 15834-1630) for re-issuance of a Title V Permit to operate a Glass Container manufacturing facility in Brockway Borough, **Jefferson County**. The facility's major emission sources include raw material handling and eight silos, glass melting furnace B, cullet handling and storage, batch gathering and mixing, refiner, two Forehearts, two Lehrs, miscellaneous combustion sources, two container forming machines, hot end surface treatment, road fugitives, 100 kW emergency generator and two degreaser units, ACL Decorating Lehr A1, ACL Decorating Lehr A2, ACL Decorating Lehr A3, blasting operation, 75 kW emergency generator, 5 kW emergency generator, citrus degreaser unit and fire pump. The facility is a major facility due to its potential to emit of NOx and SOx. The facility is not subject to CAM rule because the precontrolled emission is less than Title V threshold limits. The facility is also subject to 40 CFR Part 63, Subpart SSSSSS.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Brawn, Chief, (215) 685-9476.

N08-002: Verizon-Pennsylvania, Sherwood Central Office (5650 Chestnut Street, Philadelphia, PA 19103) for operation of a telecommunications facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include one 200 kW, one 350 kW and one 750 kW emergency generators firing diesel fuel oil.

The operating permit will be issued under the 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the previous operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least 30 days before the hearing.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District Mining Office indicated above each application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated above each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—34.

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as

provided by 25 Pa. Code §§ 77.123 or 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. The Department has made a tentative determination to issue the NPDES permit in conjunction with the mining activity permit, but the issuance of the NPDES permit is contingent upon the approval of the associated mining activity permit.

For coal mining activities, NPDES permits, when issued, will contain effluent limits that do not exceed the technology-based effluent limitations. The proposed limits are listed in Table 1.

For noncoal mining activities, the proposed limits are found in Table 2. Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description below specifies the parameters. The limits will be in the ranges specified in Table 1.

More restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining that may occur, will be incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation-Memorandum of Understanding Concerning Water Quality Management, NPDES Program Implementation and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Loads (TMDLs).

Persons wishing to comment on an NPDES permit application should submit a statement to the Department at the address of the district mining office indicated previously each application within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92.61. The request or petition for a public hearing shall be filed within 30 days of this public notice and shall contain the name, address, telephone number and the interest of the party filing the request, and shall state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES

permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. In the case where a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (Total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH ¹		greater than 6.0; less than 9.0	
Alkalinity greater than acidity ¹			

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

63831302 and NPDES Permit No. PA0213608, Eighty Four Mining Company, (P. O. Box J, 1525 Pleasant Grove Road, Claysville, PA 15323), to revise the permit for the Mine No. 84 in South Strabane Township, **Washington County** to add subsidence control plan area acres for development and pillar extraction mining. Subsidence Control Plan Acres Proposed 374.0. No additional discharges. Application received November 20, 2008.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56990103 and NPDES Permit No. PA0235172. Future Industries, Inc., P. O. Box 137, Meyersdale, PA 15552, permit revision—and use change on Barry and Diane Bittner property from forestland to cropland in Brothersvalley Township, **Somerset County**, affecting 34 acres. Receiving streams: UNTs to/and Millers Run classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received December 10, 2008.

56823008 and NPDES No. PA0608637. Croner, Inc., P. O. Box 260, Friedens, PA 15541, permit renewal for reclamation only of a bituminous surface mine in Brothersvalley Township, **Somerset County**, affecting 176.0 acres. Receiving streams: UNTs to Buffalo Creek and to Tubs Run classified for the following uses: CWF, WWF. There are no potable water supply intakes within 10 miles downstream. Application received December 11, 2008.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

26030102 and NPDES Permit No. PA0250457. Steve Patterson Excavating (170 Yasenosky Road, Smithfield, PA 15478). Renewal application for continued mining and

reclamation of a bituminous surface mine, located in Dunbar Township, **Fayette County**, affecting 75.5 acres. Receiving streams: UNTs to Gist Run, Dunbar Creek and Youghiogheny River, classified for the following use: TSF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received December 9, 2008.

30080102. Penn Development Services, LP (732 McClellandtown Road, Uniontown, PA 15401). Application received for commencement, operation and reclamation of a bituminous surface mining site located in Cumberland Township, **Greene County**, affecting 45.7 acres. Receiving streams: Monongahela River, classified for the following use: WWF. The first downstream potable water supply intake from the point of discharge is the Carmichaels Municipal Authority. Application received December 11, 2008.

03910115 and NPDES Permit No. PA0200174. Allegheny Mineral Corp. (P. O. Box 1022, Kittanning, PA 16201). Application received for renewal and continued operation and reclamation of an existing bituminous surface mining site located in West Franklin Township, **Armstrong County**, affecting 468.8 acres. Receiving streams: Buffalo Creek to Allegheny River, classified for the following use: HQ, TSF. There are no potable water supplies within 10 miles downstream from the point of discharge. Application received December 12, 2008.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

17980121 and NPDES No. PA0238147. R. J. Coal Company (P. O. Box 277, LaJose, PA 15753), revision of an existing bituminous surface mine for an Incidental Boundary Correction in Bloom Township, **Clearfield County**, affecting 92.5 acres. Receiving streams: Bulgers Run to Anderson Creek to West Branch Susquehanna, classified for the following uses: CWF, CWF, WWF. There are no potable water supply intakes within 10 miles downstream. Application received November 21, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

54980102T2. Tuscarora Mine & Minerals Corp. (P. O. Box 131, Tuscarora, PA 17982), transfer of an existing anthracite surface mine operation from Triple T

Mining Co., LP in Blythe Township, **Schuylkill County** affecting 144.6 acres, receiving stream: none. Application received December 11, 2008.

54030102T and NPDES Permit No. PA0224324. Timber Coal Co., LLC (P. O. Box 188, Sacramento, PA 17968), transfer of an existing anthracite surface mine operation from Gale Mining Company in Hegins and Porter Townships, **Schuylkill County** affecting 300.0 acres, receiving stream: East Branch Rausch Creek, classified for the following use: CWF. Application received December 15, 2008.

49080105 and NPDES Permit No. PA0224723. Keystone Anthracite Co., Inc. (132 East Main Street, Girardville, PA 17935), commencement, operation and restoration of an anthracite surface mine operation in Zerbe and West Cameron Townships, **Northumberland County** affecting 946.8 acres, receiving stream: Zerbe Run and/or Mahanoy Creeks, classified for the following use: CWF. Application received December 15, 2008.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	Table 2		
	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH ⁺		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

6476SM10 and NPDES Permit No. PA0594172. John F. Walter Excavating, Inc., P. O. Box 175, Newville, PA 17241, renewal of NPDES Permit, Middlesex Township, **Cumberland County**. Receiving stream: Conodoguinet Creek classified for the following use: WWF. There are no potable water supply intakes within 10 miles downstream. Application received December 10, 2008.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

37860305. Three Rivers Aggregates (P. O. Box 6090, Falmouth, VA 22403-6090) Renewal of NPDES Permit No. PA0212032 in Plain Grove Township, **Lawrence County**. Receiving streams: Taylor Run, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received December 15, 2008.

20940304. Hillside Stone, LLC (9397 Fauncetown Road, Titusville, PA 16354-2727) Revision to an existing sand and gravel operation to revise the maximum depth of mining to include mining below the water table to a maximum depth of 1,180 feet in Plum and Troy Townships, **Venango and Crawford Counties** affecting 44.0 acres. Receiving streams: UNT to Sugar Creek, classified for the following: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received December 16, 2008.

20870305. Hillside Stone, LLC (9397 Fauncetown Road, Titusville, PA 16354-2727) Revision to an existing sand and gravel operation to add 4.0 acres and to revise the maximum depth of mining to include mining below the water table to a maximum depth of 1,180 feet in Troy Township, **Crawford County** affecting 37.5 acres. Re-

ceiving streams: Sugar Creek, classified for the following: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received December 16, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

8175SM3A1C10 and NPDES Permit No. PA0613797. Warner Company (1000 New Ford Mill Road, Morrisville, PA 19067), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in East Whiteland and Tredyffrin Townships, **Chester County**, receiving stream: UNT to Valley Creek, classified for the following use: EV. Application received December 12, 2008.

64010813. Johnston & Rhodes Bluestone Company (P. O. Box 130, East Branch, NY 13756), Stages I and II bond release of a quarry operation in Scott Township, **Wayne County** affecting 1.0 acre on property owned by Lillian Smitham. Application received December 11, 2008.

64020808. Johnston & Rhodes Bluestone Company (P. O. Box 130, East Branch, NY 13756), Stages I and II bond release of a quarry operation in Scott Township, **Wayne County** affecting 3.0 acres on property owned by David and June Verdetto. Application received December 11, 2008.

64030802. Johnston & Rhodes Bluestone Company (P. O. Box 130, East Branch, NY 13756), Stages I and II bond release of a quarry operation in Scott Township, **Wayne County** affecting 5.0 acres on property owned by Lillian Smitham. Application received December 11, 2008.

64990801. Johnston & Rhodes Bluestone Company (P. O. Box 130, East Branch, NY 13756), Stages I and II bond release of a quarry operation in Scott Township, **Wayne County** affecting 3.0 acres on property owned by Lillian Smitham. Application received December 11, 2008.

64070820. Star Pond, LLC (315 Old Route 10, Deposit, NY 13754), Stages I and II bond release of a quarry operation in Scott Township, **Wayne County** affecting 2.0 acres on property owned by Harold Fulmer. Application received December 15, 2008.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1–693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E04-240-A2. Beaver Falls Municipal Authority, 1425 Eighth Avenue, Beaver Falls, PA 15010. To construct a new pump station and intake structure in Eastvale Borough, **Beaver County**, United States Army Corps of Engineers, Pittsburgh District (Beaver Falls, PA Quadrangle: N: 2.8 inches; W: 9.2 inches, Latitude: 40° 45' 56"; Longitude: 80° 18' 59"). The applicant proposes to amend Permit No. E02-240 to remove an existing structure and to construct and maintain a new pump station and intake structure in the channel and along the left bank of the Beaver River (WWF) for the purpose of replacing the existing intake structure. The project is located on the west side of First Street, approximately 200.00 feet west from the intersection of First and Third Streets and will impact approximately 122.0 linear feet of stream channel.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E33-233. Department of Transportation, District 10-0, SR 0119, Section 551, in Punxsutawney Borough, **Jefferson County**, United States Army Corps of Engineers, Pittsburgh District (Punxsutawney, PA Quadrangle N: 40° 56' 24.7"; W: 78° 58' 51.4").

To fill a total of 0.41 acre of wetland associated with the removal of the existing bridge over the abandoned rail line and construction of earth fill embankment as part of the reconstruction and widening for a truck climbing lane on the hill on SR 0119, Section 551 extending south from the bridge across Mahoning Creek approximately 1,600 feet. Project proposes to deduct 0.41 acre from Department of Transportation's Jefferson County Advance Wetland Mitigation Bank

ENVIRONMENTAL ASSESSMENTS

Cambria District: Environmental Program Manager, 286 Industrial Park Road, Ebensburg, PA 15931-4119.

EA2609-001. Department of Environmental Protection, Bureau of Abandoned Mine Reclamation, Cambria Office, 286 Industrial Park Road, Ebensburg, PA 15931. Abandoned Mine Land Reclamation Project, in Menallen Township, **Fayette County**, United States Army Corps of Engineers, Pittsburgh District.

The applicant proposes to backfill an abandoned surface mine, which includes two dangerous highwall totaling 1,600 linear feet. The project will also include the backfilling of wetlands (0.33 acre) that have developed within the open surface mine pits. 0.33 acre of replacement wetland is proposed to be constructed with the project (New Salem, PA Quadrangle N: 4.4 inches; W: 4.9 inches).

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

D35-105EA. Thornhurst Country Club Estates, 143 Country Club Estates, Thornhurst, PA 18424. Thornhurst Township, **Lackawanna County**, United States Army Corps of Engineers, Philadelphia District.

Project proposes to breach and remove an unnamed dam across Pond Creek (HQ-CWF) for the purpose of eliminating a threat to public safety and restoring the stream to a free flowing condition. The project will restore approximately 700 feet of stream channel. The dam is located adjacent to Lake Road (SR 2016) approximately 6,300 feet northwest of the intersection of SR 2016 and Pine Grove Road (T301) (Thornhurst, PA Quadrangle Latitude: 41° 12' 48"; Longitude: 75° 36' 48").

DAM SAFETY

Central Office: Bureau of Waterways Engineering, 400 Market Street, Floor 3, P. O. Box 8554, Harrisburg, PA 17105-8554.

D53-057A. Potter County Commissioners (c/o Chief Clerk, One East Second Street, Room 22, Coudersport, PA 16915-1690).

To modify, operate and maintain North Fork Dam (NRCS Dam No. PA-406) across White Branch North Fork (WWF), impacting 0 acre of wetlands and 200 feet of stream, and providing 0 acre of wetland mitigation, for the purpose of meeting current dam safety standards (Harrison Valley, PA-NY Quadrangle N: 21.8 inches; W: 13.8 inches) in Harrison Township, **Potter County**. The proposed modifications and improvements include: (1) raising the top of dam by approximately 6.5 feet; (2)

constructing an auxiliary spillway lined with roller-compacted concrete; (3) flattening the downstream embankment slope; and (4) improving the primary outlet by extending the existing pipe, adding filter drains and constructing a reinforced-concrete impact basin. North Fork Dam is an existing structure that was constructed in 1960 for the purpose of flood prevention.

D35-175. Basin No. 4 Dam, Alliance Sanitary Landfill, Inc. c/o Doug Coenen, 398 South Keyser Avenue,

Taylor, PA 18517. To construct, operate and maintain the Basin No. 4 Dam across a tributary to St. Johns Creek (CWF), impacting 0.04 acre of wetlands and 50 feet stream channel and providing a minimum of 0.04 acre of wetland mitigation, for the purpose of building a new stormwater management basin as part of the landfill area 2A expansion project (Scranton, PA Quadrangle N: 2.8 inches; W: 15.3 inches) in Taylor Borough, **Lackawanna County**.

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0062448 (Sewage)	Charles A. Prizzi and Leda Scognomiglio 104 Florence Drive Shohola, PA 18458	Pike County Dingman Township	Nitche Pond 1D	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N</i>
PA0001350 Sewage	Eighty Four Mining Company P. O. Box J Claysville, PA 15323	Washington County Somerset Township	Center Branch Pigeon Creek	Y
PA0024694 Sewage	Beaver Borough Municipal Authority 469 Third Street Beaver, PA 15009	Beaver County Beaver Borough	Ohio River	N
PA0028801 Sewage	Moon Township Municipal Authority 1700 Beaver Grade Road Suite 200 Moon Township, PA 15108-3193	Allegheny County Moon Township	Ohio River Back Channel	N
PA0111201 Sewage	Carrolltown Borough Municipal Authority P. O. Box 307 Carrolltown, PA 15722	Cambria County Carrolltown Borough	Little Chest Creek	Y
PA0216160 Sewage	Eighty Four Mining Company P. O. Box J Claysville, PA 15323	South Strabane Township Washington County	Pigeon Creek by means of Mine Borehole and Underground Mine Drainage System	Y
PA0217832 Sewage	Perrine Partners, LP R. D. 2 Box 164A Route 66 and Pfeffer Road Export, PA 15632-9412	Westmoreland County Washington Township	UNT of Thorn Run	Y
PA0217913 Sewage	William J. McIntire P. O. Box 171 Shelocta, PA 15774	Indiana County Armstrong Township	Anthony Run	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0221643	Sligo Borough Authority P. O. Box 241 Sligo, PA 16255-0241	Sligo Borough Clarion County	Mineral Run 17-B	Y
PA0239356	Robert C. Montgomery 1042 Enterprise Road Grove City, PA 16127	Pine Township Mercer County	UNT to Swamp Run 20-C	Y
PA0002534	Morgan Advanced Materials and Technology 441 Hall Avenue St. Marys, PA 15857-1422	City of St. Marys Elk County	Elk Creek 17-A	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No. PA0054780, Sewage, **Stone Mills Estates, LP**, 3103 Philmont Avenue, Huntingdon Valley, PA 19006. This proposed facility is located in Concord Township, **Delaware County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge from facility known as Riviera at Concord STP in Watershed 3G.

NPDES Permit No. PA0058564, Sewage, **Girl Scouts of Freedom Valley**, 100 Juliette Low Way, P. O. Box 814, Valley Forge, PA 19482. This proposed facility is located in Haycock and East Rockhill Townships, **Bucks County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge treated sewage to a UNT to Tohickon Creek.

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

WQM Permit No. 4008404, Sewerage, **Butler Township**, 415 West Butler Drive, Drums, PA 18222. This proposed facility is located in Butler Township, **Luzerne County**.

Description of Proposed Action/Activity: Issuance of Water Quality Management Permit for modifications to the construction of a pump station and force main to replace the existing Drums Wastewater Treatment Plant and convey wastewater to the St. Johns Wastewater Treatment Plant.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PA0111902, Industrial Waste, SIC 2023, **Dry, Condensed and Evaporated Dairy Products, Dietrich's Milk Products, LLC**, P. O. Box 102, Middlebury Center, PA 16935-0102. This proposed facility is located in Middlebury Township, **Tioga County**.

Description of Proposed Activity: The proposed action is for the renewal of an NPDES permit authorizing the discharge of treated sewage, industrial wastewater and stormwater.

The receiving stream, Catlin Hollow, is in the State Water Plan Watershed 04A and is classified for: TSF. The nearest downstream public water supply intake is the PA/NY Border and is 20 river miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.036 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum mg/l
pH			Within the range of 6.0 to 9.0 at all times		
BOD ₅			20	40	50
Temperature	The discharge shall not increase the temperature of the receiving stream by more than 2° F in any 1 hour period.				

The proposed effluent limits for Outfall 002 are based on a design flow of 0.115 mgd.

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum mg/l
pH			Within the range of 6.0 to 9.0 at all times		
BOD ₅					
(5-1 to 10-31)	62.6	125	50	100	125
(11-1 to 4-30)	83	191	94	216	235
TSS	125	275	110	220	275
NH ₃ -N					
(5-1 to 10-31)	6.9	13.8	5.5	11	13
(11-1 to 4-30)	16.3	32.5	13	26	32
Fecal Coliforms	200 colonies/100 ml Geometric Mean and not greater than				
(5-1 to 9-30)	1,000 colonies/100 ml in more than 10% of the samples tested				
(10-1 to 4-30)	(2,000 colonies/100 ml Geometric Mean)				
Total Phosphorus	12.5	25	10	20	25
Total Residual Chlorine			1.0		3.3

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 6307403, Sewerage, **Hanover Township Sewage Authority**, 116 Steubenville Pike, Paris, PA 15021. This proposed facility is located in Hanover Township, **Washington County**.

Description of Proposed Action/Activity: Permit issuance for the construction and operation of a sewage treatment plant, pump stations, sanitary sewers and appurtenances to serve the Bavington and Florence areas of Hanover Township.

The Pennsylvania Infrastructure Investment Authority (Pennvest) which administers Pennsylvania's State Revolving Fund has been identified as a possible funding source. The Department of Environmental Protection's review of the sewage facilities plan revision has not identified any significant environmental impacts resulting from this proposal.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. WQG018661, Sewerage, **Randy Sumner**, 486 McGary Road, New Wilmington, PA 16142-3608. This proposed facility is located in Neshannock Township, **Lawrence County**.

Description of Proposed Action/Activity: Issuance of a single-residence Sewage Treatment Plant.

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA.

WQM Permit No. 1508411, Sewerage, **London Grove Township Municipal Authority**, 372 Rose Hill Road, Suite 300, West Grove, PA 19468. This proposed facility is located in London Grove Township, **Chester County**.

Description of Action/Activity: Construction and operation of an aerated lagoon wastewater treatment facility with a spray disposal.

WQM Permit No. 0908402, Sewerage, **Bucks County Water and Sewerage Authority**, 1275 Almshouse Road, Warrington, PA 18976. This proposed facility is located in Upper Dublin Township, **Bucks County**.

Description of Action/Activity: Construction and operation of a sewage pump station to service a residential development.

WQM Permit No. WQG02090822, Sewerage, **Buckingham Township**, P. O. Box 413, Buckingham, PA 18912. This proposed facility is located in Buckingham Township, **Bucks County**.

Description of Action/Activity: The replacement of the wet well the addition of a valve vault and an emergency generator along with odor control.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 1508066	Greenpoint Farms, Inc. 402 Bayard Road Suite 100 Kennett Square, PA 19348	Chester	East Nottingham Township	Little Elk Creek HQ-TSF-MF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

General Permit Type—PAG-2

Facility Location:

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Northampton Township Bucks County	PAG200 0908090	Tony Giaimo 990 Second Street Pike Richboro, PA 18954	Irons Works Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Warrington Township Bucks County	PAG200 0908053	Pleasantville United Church of Christ 3470 Limekiln Pike Chalfont, PA 18914	Mill and Little Neshaminy Creeks TSF, MF and WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Hilltown Township Bucks County	PAG200 0903111-R	The Cutler Group, Inc. 5 Apollo Road Suite One Plymouth Meeting, PA 19462	UNT West Branch Neshaminy Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
East Marlborough Township Chester County	PAG200 1508065	Chadds Ford School District 740 Unionville Road Kennett Square, PA 19348	Tributary East Branch Red Clay Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
West Fallowfield Township Chester County	PAG200 1508064	Jeff Smoker 906 Hamilton Road Cochranville, PA 19330	Muddy Run TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
West Goshen Township Chester County	PAG200 1508057	Howard Business Park, LLC 317-13 Westtown Road West Chester, PA 19382	UNT Goose Creek TSF, WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Darby Township Delaware County	PAG200 2308056	D'Anjolell Funeral Home P. O. Box 614 Broomall, PA 19008	Cobbs Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Hatfield Township Montgomery County	PAG200 4608074	Hatfield Township Municipal Authority 3200 Advance Lane Colmar, PA 18915	West Branch Neshaminy Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Providence Township Montgomery County	PAG200 4607169-2	Audubon Land Development Corp. 2650 Egypt Road Norristown, PA 19403	Schuylkill River/ Perkiomen Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Plains Township Luzerne County	PAG2004008024	Mericle 660 Baltimore, LLC Attn: Robert Mericle 100 Baltimore Drive Wilkes-Barre, PA 18702	Laurel Run CWF	Luzerne County Conservation District (570) 674-7991
City of Wilkes-Barre Luzerne County	PAG2004008023	City of Wilkes-Barre Attn: Attilio Frati 40 East Market Street Wilkes-Barre, PA 18711	Susquehanna River WWF	Luzerne County Conservation District (570) 674-7991
Jessup Borough Susquehanna County	PAG2005808002	Department of Transportation Attn: Debbie Noone 55 Keystone Industrial Park Dunmore, PA 18512 and Susquehanna Valley Construction Corp. Attn: Mark Schug 175 Lamont Street New Cumberland, PA 17070	East Branch Wyalusing Creek CWF	Susquehanna County Conservation District (570) 278-4600
Lehigh Township Northampton County	PAG2004808017	GMT Transport, Inc. Attn: Diane Heckman 4867 Main Street Walnutport, PA 18088	Lehigh River TSF	Northampton County Conservation District (610) 746-1971
Washington Township Lehigh County	PAG2003908018	Barbara Lowe Highland View Farm, LLC 6415 Route 873 Slatington, PA 18080	Coplay Creek CWF	Lehigh County Conservation District (610) 391-9583

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Huntingdon Borough Huntingdon County	PAG2003108011	Deborah Barefoot One Trinity Drive East Suite 201 Dillsburg, PA 17019	Muddy Run WWF	Huntingdon County Conservation District 10605 Raystown Road Suite A Huntingdon, PA 16652-9603 (814) 627-1627
Carroll Township Perry County	PAG2035008012	Maverick Homes Jared Sawyer 696 Losh Road Shermans Dale, PA 17090	UNT to Pisgah Run UNT to Shermans Creek WWF	Perry County Conservation District P. O. Box 31 West Main Street New Bloomfield, PA 17068 (717) 582-5119
Mount Holly Springs Borough Cumberland County	PAG2002108027	Alfa Green Supreme Ken Vaupel 2404 North Summit Street Toledo, OH 43611	Mountain Creek CWF	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 (717) 240-7812
Mount Pleasant Township Adams County	PAG2000108025	John Fidler 1990 Hanover Road Gettysburg, PA 17325	UNT to White Run—Rock Creek WWF	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404
Hamiltonban Township Adams County	PAG2000108023	Robert J. Costello Liberty Worship Center P. O. Box 340 Fairfield, PA 17320	UNT to Middle Creek CWF	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404
Ontelaunee Township Berks County	PAG2000608073	Jonathan Simon Royal Green, LLC P. O. Box 9 Temple, PA 19560	UNT to Schuylkill River WWF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657, Ext. 201
Centre Township Berks County	PAG2000603092-R	Dionisios and Maria Kotsakis Omega Builders 602 Lambda Circle Wernersville, PA 19565	UNT to Irish Creek WWF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657, Ext. 201
Amity Township Berks County	PAG2000608067	Kenneth Jones Reading Hospital and Medical Center 6th Avenue and Spruce Street West Reading, PA 19611	Leaf Creek—Schuylkill River WWF-MF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657, Ext. 201
Strausstown Borough Upper Tulpehocken Township Berks County	PAG2000606064-1	George Brown Borough of Strasstown P. O. Box 325 Strausstown, PA 19559	Little Northkill, Northkill and Jackson Creeks CWF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657, Ext. 201

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Caernarvon Township Lancaster County	PAG2003608012	Vernon Z. Musser 6633 Division Highway Narvon, PA 17555	Conestoga River WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
Lancaster City Lancaster County	PAG2003608055	School District of Lancaster 1020 Lehigh Avenue Lancaster, PA 17602	Conestoga River CWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
West Hempfield Township Lancaster County	PAG2003608065	West Hempfield Fire and Rescue Company P. O. Box 1 Silver Springs, PA 17575	UNT to Chickies Creek WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
Rapho Township Lancaster County	PAG2003608080	Christopher Miller P. O. Box 213 Landisville, PA 17538	Chickies Creek WWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
Providence Township Lancaster County	PAG2003608084	Frederick Steudler, Jr. 7335 River Road Conestoga, PA 17516	UNT to Huber Run CWF	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 (717) 299-5361, Ext. 5
Bern Township Berks County	PAG2000608056	Barnard Charles Eagle Brass, Inc. 1243 Old Bernville Road Leesport, PA 19533	UNT to Plum Creek WWF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657, Ext. 201
Centre County Ferguson Township	PAG2001408019	Scott Smith C2S, LP Office Building 2160 Sandy Drive Suite C State College, PA 16803	Spring Creek CWF	Centre County Conservation District 414 Holmes Avenue Suite 4 Bellefonte, PA 16823 (814) 355-6817
Columbia County Town of Bloomsburg	PAG2001908012	Kawneer Company, Inc. 500 East 12th Street P. O. Box 629 Bloomsburg, PA 17815	Kinneys Run CWF	Columbia County Conservation District 702 Sawmill Road Suite 204 Bloomsburg, PA 17815 (570) 784-1310, Ext. 102
Northumberland County East Chillisquaque Township	PAG2004908010	Pottsgrove Fire Company Fire Station and Social Hall Unnamed Alley off SR 642 Pottsgrove, PA 17865	UNT of Chillisquaque Creek WWF	Northumberland County Conservation District R. R. 3 Box 238-C Sunbury, PA 17801 (570) 286-7114, Ext. 4
Armstrong County Brady's Bend and Perry Townships	PAG2000308007	Dittmar & Associates 57 Reitz Boulevard Suite 100 Lewisburg, PA 17837	Sugar Creek, Whiskey Run, UNT to Allegheny River, Allegheny River WWF	Armstrong County Conservation District (724) 548-3425

*Facility Location:
Municipality &
County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Cambria County Blacklick Township	PAG2001108014	Matt Niebauer Scenic Acres Landscaping 475 Tanner Street Ebensburg, PA 15931	Simmons Run CWF	Cambria County Conservation District (841) 472-2120
Cambria County Portage Borough	PAG2001108018	David Mastrostefano Sheetz, Inc. 5700 Sixth Avenue Altoona, PA 16602	Spring Run CWF	Cambria County Conservation District (841) 472-2120
Westmoreland County Hempfield Township	PAG2006508026	The Hempfield Township Municipal Authority 1146 Woodward Drive Greensburg, PA 15601	Little Sewickley Creek TSF	Westmoreland County Conservation District (724) 837-5271
Westmoreland County Unity Township	PAG2006508037	St. Vincent College 300 Fraser Purchase Road Latrobe, PA 15650	Fourmile Run WWF	Westmoreland County Conservation District (724) 837-5271
Millcreek Township Erie County	PAG2002505005(1)	Forest View Skilled Nursing 2301 Edinboro Road Edinboro, PA 16509	Walnut Creek CWF; MF	Erie County Conservation District (814) 825-6403
City of Warren Warren County	PAR808385	Advantage Tank Lines, LLC, d/b/a Advantage Tank Lines 100 Europa Center Suite 320 Chapel Hill, NC 27517	UNT to Allegheny River	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Cranberry Township Venango County	PAR808386	Advantage Tank Lines, LLC 100 Europa Center Suite 320 Chapel Hill, NC 27517	UNT to Lower Two Mile Run	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Scrubgrass Township Venango County	PAR608347	Hovis Auto Wrecking, Inc. 5074 Emlenton Clintonville Road Emlenton, PA 16373-6708	North Fork of Little Scrubgrass Creek	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-4

*Facility Location:
Municipality &
County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
East Bradford Township Chester County	PAG040021	Susan Pope 795 West Strasburg Road West Chester, PA 19382-1935	UNT to Taylor Run Watershed 3H	Southeast Regional Office 2 East Main Street Norristown, PA 19401
Sadsbury Township Chester County	PAG040102	Eric W. Barton 289 Compass Road Parkesburg, PA 19365-2121	Buck Run Watershed 3H	Southeast Regional Office 2 East Main Street Norristown, PA 19401
Elder Township Cambria County	PAG046307	James F. Yeager 105 Yeager Road Hastings, PA 16646	UNT of Brubaker Run	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Unity Township Westmoreland County	PAG046275	John A. Ellison, Jr. 444 Saxman Road Latrobe, PA 15654	UNT of Loyalhanna	Southwest Regional Office Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 (412) 442-4000
Neshannock Township Lawrence County	PAG049476	Randy Sumner 486 McGary Road New Wilmington, PA 16142-3608	UNT to Neshannock Creek 20-A	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Summerhill Township Crawford County	PAG049477	Arnold L. Becker 16944 SR 18 Conneautville, PA 16406-1840	UNT to Conneaut Creek 15	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942
Cranberry Township Venango County	PAG049416	John Mayberry and Gregg Pazak 7615 Brashear Street Pittsburgh, PA 15221	Allegheny River 16-E	DEP—NWRO Water Management 230 Chestnut Street Meadville, PA 16335-3481 (814) 332-6942

General Permit Type—PAG-7

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Site Name & Location</i>	<i>Contact Office & Phone No.</i>
Mifflin Township Dauphin County	PAG070003 PAG070005 PAG073508	Synagro 1605 Dooley Road P. O. Box B Whiteford, MD 21160	Homer Campbell— Lykens Street Farm	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
Mifflin Township Dauphin County	PAG070003 PAG070005 PAG073508	Synagro 1605 Dooley Road P. O. Box B Whiteford, MD 21160	Homer Campbell— Home Farm	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
Berrysburg Borough Mifflin Township Dauphin County	PAG070003 PAG070005 PAG073508	Synagro 1605 Dooley Road P. O. Box B Whiteford, MD 21160	Homer Campbell— Pine Street Farm	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
Lykens and Mifflin Townships Dauphin County	PAG070003 PAG070005 PAG073508	Synagro 1605 Dooley Road P. O. Box B Whiteford, MD 21160	Homer Campbell— Steer Farm	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707
Greenwood Township Perry County	PAG070003 PAG070005 PAG073508	Synagro 1605 Dooley Road P. O. Box B Whiteford, MD 21160	John Gothel Farm	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110-8200 (717) 705-4707

*General Permit Type—PAG-8 (SSN)**Facility Location:
Municipality &
County*Greenwood
Township
Perry County*Permit No.*PAG080002
PAG080003
PAG080004
PAG080005
PAG080006
PAG080008
PAG080018
PAG082201
PAG082203
PAG082211
PAG083501
PAG083502
PAG083506
PAG083510
PAG083515
PAG083517
PAG083518
PAG083522
PAG083535
PAG083540
PAG083542
PAG083547
PAG083551
PAG083556
PAG083565
PAG083567
PAG083573
PAG083596
PAG083597
PAG083600
PAG089903
PAG089904
PAG089905
PABIG9903*Applicant Name &
Address*Synagro
1605 Dooley Road
P. O. Box B
Whiteford, MD 21160*Site Name &
Location*John Gothel Farm
Greenwood Township
Perry County*Contact Office &
Phone No.*DEP—SCRO
909 Elmerton Avenue
Harrisburg, PA
17110-8200
(717) 705-4707*General Permit Type—PAG-9 (SSN)**Facility Location:
Municipality &
County*Hopewell Township
Cumberland County*Permit No.*

PAG093548

*Applicant Name &
Address*Superior Septic Services,
Inc.
8885 Pineville Road
Shippensburg, PA 17257*Site Name &
Location*Creekview Equestrian
Center, Inc., Farm
Hopewell Township
Cumberland County*Contact Office &
Phone No.*DEP—SCRO
909 Elmerton Avenue
Harrisburg, PA
17110-8200
(717) 705-4707**PUBLIC WATER SUPPLY (PWS)
PERMITS**

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the

Pennsylvania Bulletin, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 2450143, Operations Permit, Public Water Supply.

Applicant	Grant Homes, Inc. Sciota Garden Apts. P. O. Box 287 Brodheads ville, PA 18322
County	Hamilton Township Monroe
Type of Facility	PWS
Consulting Engineer	N/A
Permit to Operate Issued	December 12, 2008

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 2808504 MA, Minor Amendment, Public Water Supply.

Applicant	Borough of Chambersburg
Municipality	Greene Township
County	Franklin
Type of Facility	SCADA system upgrades and UV disinfection for plant water.
Consulting Engineer	James C. Elliot, P. E. Gannett Fleming, Inc. P. O. Box 67100 Harrisburg, PA 17106-7100
Permit to Construct Issued	December 9, 2008

Operations Permit issued to **United Water Pennsylvania**, 7220015, Lower Paxton Township, **Dauphin County** on December 15, 2008, for the operation of facilities approved under Construction Permit No. 2207516 MA.

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 3708502, Public Water Supply.

Applicant	Pennsylvania American Water Company New Castle
Township or Borough	Mahoning Township
County	Lawrence
Type of Facility	Public Water Supply
Consulting Engineer	Jerry Hankey, P. E. Design Engineer PA American Water Company 1909 Oakland Avenue Indiana, PA 15701
Permit to Construct Issued	December 15, 2008

Permit No. 8771-W-T1-MA3, Public Water Supply, Minor Amendment.

Applicant	Pennsylvania American Water Company Clarion
Township or Borough	Clarion Township
County	Clarion
Type of Facility	Public Water Supply
Consulting Engineer	Jerry Hankey, P. E. Design Engineer PA American Water Company 1909 Oakland Avenue Indiana, PA 15701
Permit to Construct Issued	December 15, 2008

Permit No. 4287504-MA1, Public Water Supply, Minor Amendment.

Applicant	Crosby Water Association
Township or Borough	Norwich Township
County	McKean
Type of Facility	Public Water Supply
Consulting Engineer	John F. Rae, P. E. Project Manager Gannett Fleming, Inc. Foster Plaza III Suite 200 601 Holiday Drive Pittsburgh, PA 15220
Permit to Construct Issued	December 19, 2008

Operations Permit issued to **PA American Water Company Clarion**, PWSID No. 6160001, Monroe, Piney, Paint and Elk Townships, **Clarion County**, on December 12, 2008, for operation of the water line extension serving Sligo and Shipperville and a 500,000 gallon elevated water tower, per specifications approved by construction permit 1601504, issued April 9, 2002.

Operations Permit issued to **Hawthorn Borough Area Water Authority**, PWSID No. 6160026, Hawthorn Borough, **Clarion County** and Redbank Township, **Armstrong County**, on December 17, 2008, for operation of the new 200,000 gallon finished water storage tank and 8" pumping main, per specifications approved by construction permit 364W14-MA3, issued July 27, 2007.

SEWAGE FACILITIES ACT PLAN APPROVAL**Plan Approvals Granted under section 5 of the Pennsylvania Sewage Facilities Act (35 P. S. § 750.5)**

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Plan Location:

<i>Borough or Township</i>	<i>Borough or Township Address</i>	<i>County</i>
Benezette Township	P. O. Box 10 Benezette, PA 15821	Elk

Plan Description: The approved plan provides for the construction of 37,000 LF of pressure sewer line and a .04 mgd WWTP to serve 175 existing EDU's in the Village of Benezette and three adjacent areas, including the Station Road area, Winslow Road area, the Blue Sky subdivision

and the planned Elk Visitor's Center. The proposed discharge is to Trout Run—CWF, located in the Chesapeake Bay Watershed. A zero net load increase of TP and TN will be achieved by offsets from retiring onlot systems and the purchase of credits. The Department of Environmental Protection's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a Site-Specific Standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Columbia Petroleum Corporation York Facility, West Manchester Township, **York County**. Earth Tech, 2 Market Plaza Way, Mechanicsburg, PA 17055, on behalf of Richland Partners, LLC, P. O. Box 659, Douglassville, PA 19518, submitted a Final Report concerning remediation

of site soils and groundwater contaminated with leaded gasoline, unleaded gasoline, kerosene, diesel fuel and waste oil from a loading rack. The report is intended to document remediation of the site to meet the Residential Statewide Health Standard.

Brookwood Street Property, City of Harrisburg, **Dauphin County**. Groundwater Services International, Inc., 443 McCormick Road, Mechanicsburg, PA 17055, on behalf of Brookwood Ventures, LP, 17480 Dallas Parkway, Suite 100, Dallas, TX 75287 and Harrisburg Builders, Inc., 112 Nagle Street, Harrisburg, PA 17104, submitted a Remedial Investigation Report and Final Report concerning site soils contaminated by petroleum from historical industrial activities. These reports are intended to document remediation of the site to meet the Site-Specific Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a Site-Specific Standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Ronald S. Brezinski, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Sheppie Property, 21 R-Own Lake, Hamilton Township, **Monroe County**. Sherry M. Carlo, P. G., United Environmental Services, Inc., 86 Hillside Drive, Drums, PA 18222 submitted a Final Report (on behalf of her client, Robert Sheppie, 21 R-Own Lake, Stroudsburg, PA 18360), concerning the remediation of soils and surface waters found to have been impacted by kerosene heating oil as a result of an accidental release from a leaking aboveground storage tank. The report documented attainment of the Statewide Health Standard and was approved on December 18, 2008.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Armstrong World Industries/Lancaster's Northwest Gateway/Lancaster General Hospital Portion, City of Lancaster and Manheim Township, **Lancaster County**. ARM Group, P. O. Box 797, Hershey, PA 17033, on behalf of EDC Finance Corporation, 100 South Queen Street, Lancaster, PA 17608-1558, submitted a Final Report concerning remediation of site soils contaminated with VOCs, SVOCs and metals. The Final Report demonstrated attainment of the background and Residential Statewide Health Standards and was approved by the Department of Environmental Protection on December 18, 2008. This ROL is for a 19 acre portion of the former 67 acre Armstrong World Industries Liberty Street Flooring Plant. The remaining soils and groundwater will be addressed separately.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

Mt. Carmel Former MGP Site, Mt. Carmel Borough, **Northumberland County**. Haley and Aldrich, 299 Cherry Hill Road, Parsippany, NJ 07054 on behalf of PPL, Gas Utilities Corp., 2 North 9th Street (GENTW17), Allentown, PA 18101-1179 has submitted a Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with inorganic compounds, polycyclic aromatic hydrocarbons and other organic compounds. The report is intended to document remediation of the site to meet the Site-Specific Standard. The report was approved on December 18, 2008.

Nell Hawn Property/Truck Accident, Richmond Township, **Tioga County**. ATC Associates, Inc., 101 Allegheny Street, Hollidaysburg, PA 16643 on behalf of Pelton Trucking, R. R. 1, Box 228, Monroeton, PA 18832 has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on December 12, 2008.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Honeywell Wax Manufacturing Facility (OLD), Emlenton Borough, **Venango County**. MACTEC Engineering and Consulting, Inc., 800 North Bell Avenue, Suite 200, Pittsburgh, PA 15106 on behalf of Shell Lubricants, d/b/a SOPUS Products, P. O. Box 744, Clarion, PA 16214 and Honeywell International, P. O. Box 1139, 101 Columbia Road, Morristown, NJ 07962-1139 has submitted a Revised Remedial Investigation/Risk Assessment Report concerning the remediation of site soil contaminated with mercury, benzene, toluene, trimethylebenzene and site groundwater contaminated with benzene, toluene, ethylebenzene and xylene compounds. The Revised Remedial Investigation/Risk Assessment Report was approved by the Department of Environmental Protection on December 17, 2008.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WSI Sandy Run Landfill, Broad Top Township, **Bedford County**, Permit No. 101538. The Department of Environmental Protection has reviewed the previously referenced application for permit renewal. Be advised that the application has been determined to be administratively complete.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

GP9-14-00003: The Pennsylvania State University (101P Physical Plant Building, University Park, PA 16802-1119) on November 18, 2008, to authorize the construction and operation of a 399 Bhp, diesel-fired internal combustion engine under the General Plan Approval for Diesel or No. 2 Fuel-fired Internal Combustion Engines (BAQ-GPA-9) located in College Township, **Centre County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Mark Gorog and Barb Hatch, Environmental Engineer Managers, (412) 442-4163/5226.

GP5-63-00934A: Mark West Liberty Gas Gathering, LLC (1515 Arapahoe Street, Tower 2, Suite 700, Denver, CO 80202-2126) on December 18, 2008, to install and operate four Caterpillar Model 3516 LE 1,340-Bhp compressor engines with Miratech catalytic converters and two NATCO glycol dehydrators rated at 10 MMscf/day at their Godwin Booster Compressor Station located in Mount Pleasant Township, **Washington County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

GP-43-330A: EXCO North Coast Energy, Inc.—Bauder Compressor Station (Greenville Jamestown Road, Jamestown, PA 16134) on December 17, 2008, to operate a natural gas fired compressor engine (BAQ-GPA/GP-5) in Greene Township, **Mercer County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

09-0102A: Clean Earth of SE PA, Inc. (7 Steel Road East, Morrisville, PA 19067) on December 17, 2008, to operate a powerscreen soil screen with diesel engine in Falls Township, **Bucks County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Ray Kempa, New Source Review Chief, (570) 826-2531.

48-399-058: Crayola, LLC (1100 Church Lane, P. O. Box 431, Easton, PA 18044-0431) on December 16, 2008, for modification to four existing south side crayon molding fabric collectors to exhaust outside at their facility in Forks Township, **Northampton County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

01-05036A: Recycling Technologies International, LLC (60 Filbert Street, Hanover, PA 17331-8604) on December 15, 2008, to construct a processing facility to recycle rubber tires controlled by two dust collection systems for rubber particulate collection during rubber tire reclamation in Conewago Township, **Adams County**.

06-03141: UGI LNG, Inc. (1 Meridian Boulevard, Suite 2C01, Wyomissing, PA 19610-3230) on December 17, 2008, to install three new vaporizers and one LNG storage tank at their Temple site in Ontelaunee Township, **Berks County**.

28-05002B: US Army Letterkenny Army Depot (AMSAM-LE-EE-N, Chambersburg, PA 17201-4150) on December 16, 2008, to construct a new coating booth at their facility in Greene and Letterkenny Townships, **Franklin County**.

36-02004A: MARS Snackfood US (295 Brown Street, Elizabethtown, PA 17022-2127) on December 11, 2008, to receive comments on the proposed Reasonably Available Control Technology Plan and amendment to the State Implementation Plan for the MARS Snackfood US manufacturing facility in Elizabethtown Borough, **Lancaster County**.

67-03148A: Industrial Polishing and Grinding, Inc. (390 Eberts Lane, York, PA 17403) on December 10, 2008, to operate a metal parts grinding and polishing facility in the City of York, **York County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

08-313-038I: Global Tungsten and Powders, Corp. (Hawes Street, Towanda, PA 18848-0504) on December 15, 2008, for the installation and operation of two new fabric collectors to control PM emissions from rotary calciners 1 and 4 and increase in production through the calciners within the Tungsten Scrap department (009), at the North Towanda Township, **Bradford County** facility. The existing fabric collectors will be replaced by the proposed fabric collectors and filters.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Mark Gorog and Barb Hatch, Environmental Engineer Managers, (412) 442-4163/5226.

PA-30-00177: Coresco, LLC (308 Dents Run Road, Morgantown, WV 26501-2006) on December 15, 2008, to allow the construction of a coal transport facility consisting of belt lines, stockpile and haul road and other supporting equipment for the purpose of transporting coal across the State line into West Virginia at the Dooley Run Terminal, in Dunkard Township, **Greene County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

37-003E: Essroc Cement Co. (Second Street, Bessemer, PA 16112) on December 9, 2008, to modify the existing baghouse associated with the No. 16 finish mill circuit (Source ID C612) to control additional emissions from the No. 16 mill sweep in Bessemer Borough, **Lawrence County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

46-0221A: Upper Moreland-Hatboro Joint Sewer Authority (2875 Terwood Road, Willow Grove, PA 19090) on December 18, 2008, for modification of three odor scrubbers at their wastewater treatment plant, at their facility in West Upper Moreland Township, **Montgomery County**. This facility is a minor facility. There will not be an increase in emissions due to this modification. The Plan Approval will contain monitoring and recordkeeping requirements to keep the source operating within the allowable emissions and all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

06-03063C: East Penn Manufacturing Co., Inc. (Deka Road, P. O. Box 147, Lyon Station, PA 19536) on December 16, 2008, to construct two small parts casters and to modify the existing fabric collector and HEPA filter at their facility in Kutztown Borough, **Berks County**. This plan approval was extended.

06-05069J: East Penn Manufacturing Company, Inc. (Deka Road, P. O. Box 147, Lyon Station, PA 19536) on December 16, 2008, to modify their battery assembly operation controlled by various control devices in Richmond Township, **Berks County**. This plan approval was extended.

22-05007B: The Harrisburg Authority (One Keystone Plaza, Suite 104, Harrisburg, PA 17101) on December 15, 2008, to construct the Harrisburg Materials, Energy, Recycling and Recovery Facility in the City of Harrisburg, **Dauphin County**. This plan approval was extended.

36-05127B: Martin Limestone, Inc. (P. O. Box 550, Blue Ball, PA 17506) on October 19, 2008, for addition of equipment to process recycled asphalt pavement at their Burkholder Asphalt Plant in Earl Township, **Lancaster County**. This plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

19-00006: Del Monte Corp. (6670 Low Street, Bloomsburg, PA 17815) on December 16, 2008, in accordance with the significant modification requirements of 25 Pa. Code § 127.541, to revise a permit condition which required an enclosure associated with a meat scrap storage area to be maintained at a negative pressure of .2 inch of water at all times except when exchanging containers to require the enclosure to be maintained at a negative pressure in relation to the outside air pressure at all times except when exchanging containers in South Centre Township, **Columbia County**.

08-00003D: CraftMaster Manufacturing, Inc. (P. O. Box 311, Shiner Road, Towanda, PA 18848) on December 4, 2008, to extend the authorization to operate a cyclonic separator on the Line I Press on a temporary basis until June 21, 2009, at the facility in Wysox Township, **Bradford County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

42-011B: International Waxes, Inc. (45 Route 446, Smethport, PA 16749) on December 31, 2008, to construct a 99.8 mmBtu package boiler that will primarily use fuel oil and natural gas as the pilot. This boiler will have Low NOx Burners and Flue Gas Recirculation at the Keating Township, **McKean County** facility. This source is subject to 40 CFR 60 Subpart Dc. This is a Title V facility.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

23-00018: Exelon Generation Co., LLC (3901 North Delaware Avenue, Philadelphia, PA 19137) on December 17, 2008, for renewal of the Title V Operating Permit for their Chester Generating Station in the City of Chester, **Delaware County**. The facility is a peak power plant, containing three simple cycle combustion turbines, which generate a maximum of 18 Mw each. As a result of potential emissions of NOx and SOx, the facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments and is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The proposed Title

V Operating Permit Renewal does not reflect any change in air emissions from the facility. The facility became subject to the new regulations for NOx emissions accounting in 25 Pa. Code §§ 129.202 and 129.204 on May 1, 2005. These conditions have been included in the Operating Permit. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting.

09-00017: Exelon Generation Co., LLC (3901 North Delaware Avenue, Philadelphia, PA 19137) on December 19, 2008, for renewal of the Title V Operating Permit for their Falls Township Peak Power Plant in Fall Township, **Bucks County**. The initial permit was issued on October 24, 1997, and renewed on October 3, 2003. The facility is a peak power plant. As a result of potential emissions of NOx, the facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments and is therefore subject to the Title V permitting requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The proposed Title V Operating Permit Renewal does not reflect any change in air emissions from the facility. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting. The renewal permit contains all applicable requirements including monitoring, recordkeeping and reporting.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

07-05008: Team Ten, LLC (1600 Pennsylvania Avenue, P. O. Box 99, Tyrone, PA 16686) on December 16, 2008, for the paper mill in Tyrone Borough, **Blair County**. This modification for the condition of the Title V operating permit limiting the sulfur content of the coal be modified. This is Revision No. 1.

67-05006: York County Solid Waste and Refuse Authority (2700 Black Bridge Road, York, PA 174106-7901) on December 15, 2008, to operate three municipal waste combustors in Manchester Township, **York County**. This modification of the Title V operating permit is for the removal of the combustors SO₂ and O₂ dry inlet monitors and the replacement and relocation of the combustors CO and CO₂ monitors to the outlet of the baghouse. This is Revision No. 1.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

42-00004: American Refining Group, Inc. (77 North Kendall Avenue, Bradford, PA 16701) on December 8, 2008, to modify the permit to incorporate changes requested by the American Refining Group in the City of Bradford, **McKean County**. The changes involved the removal of No. 4 and No. 6 fuel oil as fuel sources for Boiler No. 3 and Boiler No. 4. The worst case potential emissions from the three date eligible BART sources are now calculated to be naturally below 250 tpy for each of the criteria pollutants. This eliminates the need to maintain synthetic minor limits for the BART eligible sources. The synthetic minor limits and the associated recordkeeping and reporting requirements have been removed from the permit.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

46-00114: Profiners, Inc. (2299 Amber Drive, Hatfield, PA 19440) on December 18, 2008, to operate three melting furnaces, two incinerators and three kettles in Hatfield Township, **Montgomery County**. This action is a renewal of the State-only Operating Permit (Natural Minor). The original State-only Operating Permit was issued on January 7, 2004. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting designed to keep the facility operating within all applicable air quality requirements.

09-00080: Milford Enterprises, Inc. (450 Commerce Drive, Quakertown, PA 18951) on December 18, 2008, for the renewal of a Non-Title V Facility, State-only, Synthetic Minor Permit in Milford Township, **Bucks County**. Milford Enterprises manufactures custom display cases for commercial, architectural and other professional applications. The main emissions from this facility are VOCs from spray coating operations, manual coating operations, adhesive applications, clean-up operations, graphic arts printing and a parts washer. This facility has an emission limit of 24.5 tons of VOCs per year on a 12-month rolling basis for all the sources combined and all sources, except the parts washer, have applicable limits on VOCs. Monitoring, recordkeeping and reporting requirements have been added to the permit to address applicable limitations.

09-00127: Bracalente Manufacturing Co., Inc. (20 West Creamery Road, Trumbauersville, PA 18970) on December 18, 2008, for a State-only, Natural Minor Operating Permit in Trumbauersville Borough, **Bucks County**. The company has eight cold degreasers, 20 heaters, each rated at less than 250,000 Btu/hr and five inhibitors. The pollutant of concern is VOCs. The total actual VOC emissions are less than 11.5 tpy. The permit will include monitoring, recordkeeping and reporting requirements designed to address all applicable air quality requirements.

46-00158: Colorcon (415 Moyer Boulevard, West Point, PA 19486-0024) on December 18, 2008, for the manufacturing of colorants and specialty coatings for the food and pharmaceutical industries in Upper Gwynedd Township, **Montgomery County**. This action is a renewal of the original State-only Operating Permit (Natural Minor), which was issued on October 14, 2003, and was amended on June 22, 2007. Several typographical changes have been made to the permit. Otherwise, there have been no other changes made to the permit since it was last amended on June 22, 2007. The permit includes monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

06-05097: Berks Products Corp. (P. O. Box 9000, Wyomissing, PA 19610) on December 15, 2008, to operate their stone crushing plant at the existing facility in Ontelaunee Township, **Berks County**. This is a renewal of the State-only operating permit.

36-05124: Guyon Industries, Inc. (1344 North Penryn Road, Manheim, PA 17545-8518) on December 12, 2008, to operate their lumber prefinishing facility in Penn Township, **Lancaster County**. This is a renewal of the State-only operating permit.

36-05130: Masonic Homes (1 Masonic Drive, Elizabethtown, PA 17022-2199) on December 12, 2008, to operate boilers and engines in Elizabethtown Borough, **Lancaster County**. This is a renewal of the State-only operating permit.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

14-00024: Shain Shop Bilt, Inc. (509 Hemlock Street, Philipsburg, PA 16866) on November 18, 2008, issued State-only operating permit for their wood furniture manufacturing facility in Rush Township, **Centre County**. The facility's main sources include one No. 2 fired boiler, one No. 2 fired heater, two spray booths and woodworking equipment consisting of panel saws, routers, sanders, and the like controlled by three fabric collectors. The State-only operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

49-00054: Meckley's Limestone Products, Inc. (1543 SR 225, Herndon, PA 17830) on December 2, 2008, issued State-only (Synthetic Minor) operating permit for their limestone quarry/processing facility located in Lower Mahanoy Township, **Northumberland County**. The facility's main sources include haul roads, primary and secondary crushing operations, pulverized limestone drying operation, pulverized limestone handling and storage operation, asphalt concrete batch plant, five aboveground storage tanks and parts washer. The State-only (Synthetic Minor) operating permit contains all applicable Federal and State regulatory requirements including monitoring, recordkeeping and reporting conditions.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

46-00005: Merck & Co., (770 Sumneytown Pike, West Point, PA 19486) has been modified to address the testing frequency of the Waste Heat Incinerator and rotary Kiln Incinerator, establish the temperature block averaging periods for the incinerators, incorporate the disinfection operations and revise the responsible official. The modified Title V Operating Permit contains all of the applicable regulatory requirements including monitoring, recordkeeping, reporting and emission limits.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Barbara Hatch, Facilities Permitting Chief, (412) 442-4174.

32-00227: Electro-Mec, Inc. (4470 Lucerne Road, Indiana, PA 15701-9498) on December 15, 2008, received an administrative amendment to incorporate a burn off oven, bake oven and resin usage source and requirements from plan approval GP4-32-00227 into the State-only operating permit for their plant in White Township, **Indiana County**.

65-00781: Kennametal, Inc., (1600 Technology Way, Latrobe, PA 15650-4647) on December 15, 2008, the State-only operating permit was administratively amended to change the responsible official for the Quentin McKenna Technology Center located in Unity Township, **Westmoreland County**.

Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

09-00012: Meadwestvaco Consumer Packaging Group, LLC, d/b/a Klearfold (364 Valley Road, Warrington, PA 18976) for operation of paperboard box printing presses in Warrington Township, **Bucks County**. This operating permit was revoked because of a permanent shutdown of operations at the facility in December 2008.

46-00151: PPL Interstate Energy Co. (214 Shoemaker Road, Pottstown, PA 19464), for operations of a pumping station in Salford Township, **Montgomery County**. This operating permit was revoked because operations of the only source at the station have ceased for 1 year or more.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

56971301 and NPDES Permit No. PA0214973, RoxCOAL, Inc., (P. O. Box 149, Friedens, PA 15541), to revise the permit for the Geronimo Mine in Jenner and Quemahoning Townships, **Somerset County** to expand the underground mine and subsidence control plan permit area. Underground Acres Proposed 35.2, Subsidence Control Plan Acres Proposed 35.2. No additional discharges. Application received September 15, 2008. Permit issued December 16, 2008.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56060111 and NPDES No. PA0262269. PBS Coals, Inc., P. O. Box 260, Friedens, PA 15541, commencement, operation and restoration of a bituminous surface mine in Black Township, **Somerset County**, affecting 111.3 acres. Receiving streams: UNT to Coxes Creek/Coxes Creek classified for the following use: WWF. There are no potable water supply intakes within 10 miles downstream. Application received November 30, 2006. Permit issued December 12, 2008.

56070106 and NPDES No. PA0262471. Fieg Brothers, 3070 Stoystown Road, Stoystown, PA 15563, commencement, operation and restoration of a bituminous surface, auger, blasting mine in Brothersvalley Township, **Somerset County**, affecting 36.3 acres. Receiving streams: UNTs to Hays Run; UNTs to Buffalo Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received July 9, 2007. Permit issued December 12, 2008.

32070105, Bedrock Mines, LP, 111 Freeport Road, Pittsburgh, PA 15215, transfer of an existing bituminous surface mine from Walter L. Houser Coal Company, Inc., 12968 US Route 422, Kittanning, PA 16201, located in Washington Township, **Indiana County**, affecting 35.0 acres. Receiving stream: South Branch Plum Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received July 2, 2008. Permit issued December 17, 2008.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

65810113 and NPDES Permit No. PA0615668. M. B. Energy, Inc. (175 McKnight Road, Blairsville, PA 15717). Permit renewal issued for continued reclamation only of an existing bituminous surface mining site located in Cook and Donegal Townships, **Westmoreland County**, affecting 103.8 acres. Receiving streams: UNT to Four Mile Run to Loyalhanna Creek. Application received October 14, 2008. Reclamation only renewal issued December 17, 2008.

26-06-04 and NPDES Permit No. PA0251356. TEDCO, Inc. (117 West Peach Street, Connellsville, PA 15425). Government Financed Construction Contract issued for reclamation of approximately 24.8 acres of abandoned mine lands located in Lower Tyrone Township, **Fayette County**. Receiving stream: Hickman Run. Application received March 21, 2008. Contract issued December 18, 2008.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

33020105 and NPDES Permit No. PA0242195. P. and N. Coal Co., Inc. (P. O. Box 332, Punxsutawney, PA 15767). Renewal of an existing bituminous strip and auger operation in Knox Township, **Jefferson County** affecting 128.0 acres. Receiving streams: UNTs to Five Mile Run and Five Mile Run to Sandy Lick Creek. Application received October 16, 2008. Permit issued December 16, 2008.

61970102 and NPDES Permit No. PA0227595. Rusnak Coal Company (P. O. Box 44, Grove City, PA 16127) Renewal of an existing bituminous strip, auger, coal ash placement and sandstone removal operation in Irwin Township, **Venango County** affecting 54.5 acres. Receiving streams: UNT to Scrubgrass Creek. Application received July 29, 2008. Permit issued December 17, 2008.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

17663047 and NPDES No. PA0127981. River Hill Coal Company, Inc. (P. O. Box 141, Kylertown, PA 16847), permit renewal for reclamation only of a bituminous surface mine in Karthaus Township, **Clearfield County**, affecting 260.4 acres. Receiving streams: UNTs to Saltlick Run, to Saltlick Run to West Branch Susquehanna River to Susquehanna River. There are no

potable water supply intakes within 10 miles downstream. Application received November 10, 2008. Permit issued December 8, 2008.

17820160 and NPDES No. PA0611336. River Hill Coal Company, Inc. (P. O. Box 141, Kylertown, PA 16847), permit renewal for reclamation only of a bituminous surface mine in Karthaus Township, **Clearfield County**, affecting 216.0 acres. Receiving streams: UNT of Salt Lick Run, to Salt Lick Run, to West Branch Susquehanna River and Upper Three Runs to West Branch Susquehanna River and West Branch Susquehanna River to Susquehanna River. There are no potable water supply intakes within 10 miles downstream. Application received November 10, 2008. Permit issued December 8, 2008.

17020115 and NPDES No. PA243370. Hepburnia Coal Company (P. O. Box I, Grampian, PA 16838), permit renewal for reclamation only of a bituminous surface mine in Ferguson Township, **Clearfield County**, affecting 69.0 acres. Receiving streams: Not applicable for treatment facilities and sediment ponds. The permittee will use nondischarge alternatives (UNT A and C to Watts Run). There are no potable water supply intakes within 10 miles downstream. Application received October 28, 2008. Permit issued December 12, 2008.

17030120 and NPDES No. PA0243663. RES Coal, LLC (224 Grange Hall Road, P. O. Box 228, Armagh, PA 15920), revision of an existing bituminous surface mine for an Insignificant Permit Boundary Correction in Becaria and Bigler Townships, **Clearfield County**, affecting 96.3 acres. Receiving stream: UNT to Banian Run, classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received August 7, 2008. Permit issued December 10, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

54010201R. WPS Westwood Generation, LLC, (1716 Lawrence Drive, DePere, WI 54115), renewal of an existing anthracite coal refuse reprocessing and disposal operation in Hegins and Porter Townships, **Schuylkill County** affecting 73.6 acres, receiving stream: none. Application received January 18, 2008. Renewal issued December 15, 2008.

54930101R3 and NPDES Permit No. PA0595934. Char-Pac Coal Company, (P. O. Box 81, Minersville, PA 17954), renewal of an existing anthracite surface mine operation in Branch Township, **Schuylkill County** affecting 102.8 acres, receiving stream: Schaffer Creek. Application received January 14, 2008. Renewal issued December 16, 2008.

Noncoal Applications Returned

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

50080801. Barbara Beers, 1360 Newport Road, Duncannon, PA 17020, commencement, operation and restoration of a small noncoal (industrial minerals) operation in Miller Township, **Perry County**, affecting 1.5 acres, receiving streams: Losh Run. Application received May 30. Permit returned December 18, 2008.

Noncoal Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

NPDES Permit No. PA0109088, Geiger Development Corporation, 1207 Stoystown Road, Friedens, PA 15541, renewal of NPDES Permit, Somerset Township, **Somerset County**. Receiving stream UNT to Coxes Creek classified for the following use: TSF. There are no potable water supply intakes within 10 miles downstream. Application received October 14, 2008. Permit issued December 15, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

39082801. Fenoff Stone Sales, (P. O. Box 6, Germansville, PA 18053), commencement, operation and restoration of a quarry operation in Heidelberg Township, **Lehigh County** affecting 5.0 acres, receiving stream: none. Application received July 15, 2008. Permit issued December 18, 2008.

58080851. Chancey Kelley, (R. R. 4, Box 252A, Montrose, PA 18801), commencement, operation and restoration of a quarry operation in Silver Lake Township, **Susquehanna County** affecting 5.0 acres, receiving stream: none. Application received August 28, 2008. Permit issued December 18, 2008.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (43 P. S. §§ 151–161); and 25 Pa. Code § 211.124 (relating to blasting activity permits). Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

21084168. John W. Gleim, Jr., 625 Hamilton Street, Carlisle, PA 17013-1925, blasting activity permit issued for trench and site development in Carlisle Borough, **Cumberland County**. Blasting activity permit end date is December 12, 2009. Permit issued December 10, 2008.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

54084106. Keystone Blasting Service, (381 Reifsnyder Road, Lititz, PA 17543), construction blasting for the Paul Bedway Project in Schuylkill Haven Borough, **Schuylkill County** with an expiration date of June 30, 2009. Permit issued December 11, 2008.

360841119. Keystone Blasting Service, (381 Reifsnyder Road, Lititz, PA 17543), construction blasting for a single dwelling in East Earl Township, **Lancaster County** with an expiration date of February 28, 2009. Permit issued December 12, 2008.

360841121. Warren's Excavating & Drilling, Inc., (P. O. Box 1022, Honey Brook, PA 19344), construction blasting for Wetherburn Commons in Manheim Township, **Lancaster County** with an expiration date of December 1, 2009. Permit issued December 17, 2008.

360841123. Warren's Excavating & Drilling, Inc., (P. O. Box 1022, Honey Brook, PA 19344), construction blasting for Cheltenham Court in Manheim Township,

Lancaster County with an expiration date of December 1, 2009. Permit issued December 17, 2008.

360841124. Warren's Excavating & Drilling, Inc., (P. O. Box 1022, Honey Brook, PA 19344), construction blasting for Bent Creek in Manheim Township, **Lancaster County** with an expiration date of December 1, 2009. Permit issued December 17, 2008.

360841125. Warren's Excavating & Drilling, Inc., (P. O. Box 1022, Honey Brook, PA 19344), construction blasting for Lakes at Donegal Springs in Mt. Joy Borough and Mt. Joy Township, **Lancaster County** with an expiration date of December 1, 2009. Permit issued December 17, 2008.

48084112. Austin Powder Company, (25800 Science Park Drive, Cleveland, OH 44122), construction blasting for Chrin Commerce Center Phase II in Palmer and Lower Nazareth Townships, **Northampton County** with an expiration date of December 11, 2009. Permit issued December 17, 2008.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law (35 P.S. §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E29-095: Fulton County Conservation District, Scott Alexander, 216 North Second Street, McConnellsburg, PA 17233-4423, Carbaugh Farm Streambank Stabilization Project, Ayr Township, **Fulton County**, United States Army Corps of Engineers, Baltimore District.

To rehabilitate and maintain approximately 540-foot long streambanks of Spring Run (CWF) by constructing one rock cross vane, 16 log vanes, six mud sills and seven rock habitat clusters to improve the eroding banks, headcuts and floodplains located about 2.2 miles northeast of Big Cove Tannery Village (Big Cove Tannery, PA Quadrangle N: 21.84 inches; W: 2.57 inches, Latitude: 39° 52' 12.96"; Longitude: 78° 01' 5.97" and N: 21.70 inches; W: 2.65 inches, Latitude: 39° 52' 10.23"; Longitude: 78° 01' 8.06") in Ayr Township, Fulton County.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E18-437. Columbia Gas Transmission Corporation, 950 Manifold Road, Washington, PA 15147. Natural gas compressor station, in Chapman Township, **Clinton County**, United States Army Corps of Engineers, Susquehanna River Basin District (Renovo East, PA Quadrangle N: 41° 21' 41.21"; W: 77° 42' 00.32").

To construct and maintain the placement of a prefabricated 8' by 10' steel building at the existing Columbia Gas Compressor station at the location stated herein. The building will be constructed within the FEMA designated floodway of Young Womans Creek. The site is located 820-feet north of the intersection of SR 4003, Left Branch Road and TR 579, Young Womans Creek Road (Renovo East, PA Quadrangle N: 41° 21' 41.21"; W: 77° 42' 00.32") in Chapman Township, Clinton County. This project proposes to have a minimal impact on Young Womans Creek, which is designated a HQ-CWF and does not propose to impact any jurisdictional wetlands. This permit was issued under section 105.13(e) "Small Projects."

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335.

E62-417. Southwest Township, R. D. 2, Box 184A, Titusville, PA 16354. Sutton Road across Caldwell Creek, in Southwest Township, **Warren County**, United States Army Corps of Engineers, Pittsburgh District (Grand Valley, PA Quadrangle N: 41° 40' 06"; W: 79° 35' 54").

To remove the existing structure and to construct and maintain a prestressed concrete spread box beam bridge having a clear span of 71 feet and an underclearance of 7.2 feet on an 85° skew across Caldwell Creek (HQ-CWF) and impacting 0.08 acre of wetland (EV) on Sutton Road

approximately 1.7 mile from Flat Road. Project includes creation of 0.043 acre of replacement wetland in the immediate vicinity of the bridge and a \$500 contribution to the Pennsylvania Wetland Replacement Fund.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering, Rachel Carson State Office Building, Floor 3, 400 Market Street, Harrisburg, PA 17105.

D52-144EA. Department of Conservation and Natural Resources, Bureau of Facility Design and Construction, P. O. Box 8451, Harrisburg, PA 17105-8451. Greene Township, **Pike County**, United States Army Corps of Engineers, Philadelphia District.

Project proposes to modify Lower Lake Dam across East Branch Wallenpaupack Creek (HQ-CWF). The project involves the rehabilitation of the existing spillway to address structural concerns. The project will temporarily impact 0.01 acre of wetlands for the excavation for the new wingwalls. The dam is located in Promised Land State Park approximately 2 miles Northeast of the intersection of SR 390 and Roemersville Road (SR 3002) (Promised Land, PA Quadrangle Latitude: 41° 18' 48"; Longitude: 75° 14' 07").

SPECIAL NOTICES

Submission Deadline for Application for Reimbursement for Certified Host Municipality Inspectors under Act 101 (Section 1102), the Municipal Waste Planning, Recycling and Waste Reduction Act of 1988 and Act 108 (Section 304), the Hazardous Sites Cleanup Act of 1988

The Department of Environmental Protection (Department) hereby announces the submission deadline for 2008, Host Municipality Inspector Program Reimbursement Applications as March 31, 2009. Reimbursements are available to municipalities under the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) and the Hazardous Sites Cleanup Act (Act 108). Municipalities include cities, boroughs, incorporated towns, townships and home-rule municipalities.

All reimbursements are allocated from the Recycling Fund authorized under Act 101 for municipal waste facilities, or from the Hazardous Sites Cleanup Fund under Act 108 for hazardous waste facilities. Reimbursements are available to any municipality that has a municipal waste landfill, resource recovery facility, or commercial hazardous waste storage, treatment and disposal facility located within its geographic borders. Upon application from any host municipality, the Department shall award reimbursements for authorized costs incurred for the salary and expenses of up to two certified Host Municipality Inspectors. The reimbursement shall not exceed 50% of the approved costs of salaries and expenses. Reimbursement is available only for Host Municipality Inspectors trained and certified by the Department.

The application for reimbursement contains tables for specifying the itemized expenses for certified inspectors and for calculating the total reimbursement request. Complete instructions are included with the application, which is being distributed to all municipalities that have participated in the program. If an individual's municipality does not receive but requires an application, or if individuals have any questions about this program, contact the Program Development Section, Department of Environmental Protection, Bureau of Waste Management, Rachel Carson State Office Building, P. O. Box 8471,

Harrisburg, PA 17105-8471, (717) 787-9870 or visit the Department's web site at www.depweb.state.pa.us (PA Keyword: "Host Municipality Inspector").

The deadline for submitting applications is 4:30 p.m. on March 31, 2009. Applications post marked after the deadline will not be considered.

JOHN HANGER,
Acting Secretary

Bureau of Mine Safety Request for Variance

The Department of Environmental Protection (Department), Bureau of Mine Safety (Bureau), has received a request for variance from Rosebud Mining Company. The following notification contains a summary of this request. A complete copy of the variance request may be obtained from Cathy Dunn by calling (724) 439-7469 or from the BMS web site at www.depweb.state.pa.us/deepminesafety/site/default.asp.

The Department is publishing a summary of the request to solicit comments from affected parties on the proposed variance request. Comments may be used by the Bureau to assist in its investigation of the variance request. Comments will be accepted for 30 days following the publication of this notice. Comments should be addressed to: Joseph A. Scaffoni, Director, Bureau of Mine Safety, Fayette County Health Center, 100 New Salem Road, Room 167, Uniontown, PA 15401.

Section 702 of the Pennsylvania Bituminous Coal Mine Act (act) (52 P. S. §§ 701-101—701-706), provides a mechanism for operators to obtain variances from specific requirements of the act to accommodate the adoption of new machinery, equipment, tools, supplies, methods or processes.

Section 290(d) states that every gassy mine shall have at least four main entries, two of which shall lead from the main opening and two from the second opening into the body of the mine.

Summary of the Request: Rosebud Mining Company requests a variance to reduce the number of main entries in the 3 South Mains at the Darmac No. 2 Mine.

[Pa.B. Doc. No. 09-12. Filed for public inspection January 2, 2009, 9:00 a.m.]

Citizens Advisory Council; Meeting Cancellation Notice

The January 20, 2009, meeting of the Citizens Advisory Council (Council) is cancelled. The next meeting of the Council is scheduled for February 17, 2009, at 11 a.m., in Room 105 of the Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning the next scheduled meeting of the Council can be directed to Patty Davenport at (717) 787-4527 or padavenport@state.pa.us. The agenda and meeting materials for the February 17, 2009, meeting will be available through the Public Participation Center on the Department of Environmental Protection's web site at www.depweb.state.pa.us (DEP Keyword: "Participate"). Persons in need of accommodations as provided for in the

Americans With Disabilities Act of 1990 should contact the Council at (717) 787-4527 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Council may accommodate their needs.

JOHN HANGER,
Acting Secretary

[Pa.B. Doc. No. 09-13. Filed for public inspection January 2, 2009, 9:00 a.m.]

DEPARTMENT OF HEALTH

Approved Prearrest and Evidential Breath Testing Devices

The Department of Health (Department) has statutory authority to approve both prearrest and evidential breath testing devices for use by law enforcement officials to determine the alcohol content of blood by analysis of a person's breath. This notice differs from previous notices since it is a compilation of the lists of prearrest breath testing devices and evidential breath testing devices, which were previously published in separate notices.

The Department approves prearrest breath testing devices as required by 28 Pa. Code §§ 5.101—5.104 (relating to equipment to determine blood alcohol content under the Vehicle Code and the Fish and Boat Code). Authority to promulgate those regulations is contained in the Vehicle Code, 75 Pa.C.S. § 1547(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Fish and Boat Code, 30 Pa.C.S. § 5125(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Game and Wildlife Code, 34 Pa.C.S. § 2502(j) (relating to chemical test to determine amount of alcohol), and section 2102(g) of The Administrative Code of 1929 (71 P. S. § 532(g)).

Prearrest breath testing devices approved under this authority may be used by police officers, waterways patrolmen and officers enforcing the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code in conducting preliminary determinations of alcohol content of blood of persons suspected of driving, boating, hunting, or furtaking, while under the influence of alcohol. Officers and patrolmen use these devices to assist them in determining whether or not a person should be placed under arrest for violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance), for violation of 30 Pa.C.S. § 5502 (relating to operating watercraft under influence of alcohol or controlled substance), for violation of 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance), or for any other criminal offense under the Vehicle Code, the Fish and Boat Code, or the Game and Wildlife Code, which involves operating a vehicle or boat, hunting, or furtaking while under the influence of alcohol. This notice lists devices that were included in the previous publication of the list of approved prearrest breath testing devices, which appeared at 38 Pa.B. 321 (January 12, 2008).

The National Highway Traffic Safety Administration (NHTSA) of the United States Department of Transportation published model specifications for Screening Devices to Measure Alcohol in Bodily Fluids in 59 FR 39382 (August 2, 1994). These specifications established performance criteria and methods for testing alcohol screening devices using either breath or bodily fluids such as saliva

to measure blood alcohol content. NHTSA established these specifications to support state laws and the Federal Department of Transportation's workplace alcohol testing program. The Department has elected to use the NHTSA criteria for approving devices for the pre-arrest testing of a person's breath to determine the alcohol content of the person's blood.

NHTSA published a conforming products list of alcohol screening devices in 72 FR 4559 (January 31, 2007). The breath testing devices included in this Federal approval list have been incorporated into the list in this notice. Since this notice lists only those devices which test breath, items on the NHTSA list that test saliva or other bodily fluids are not included in this notice.

Additionally, there are a number of breath testing devices on this list of approved equipment that may be used as both prearrest and evidential testing devices. Any device on this list that was evaluated using the 1993 Model Specifications for Evidential Breath Testers (58 FR 48705) also fully meets the requirements of the Model Specifications for prearrest screening devices. Both procedures evaluate the performance of instruments at the 0.020% alcohol level.

The Department approves evidential breath testing devices under the authority of 75 Pa.C.S. § 1547(c)(1), 30 Pa.C.S. § 5125(c)(1) and 34 Pa.C.S. § 2502(c).

Evidential breath testing devices approved under this notice may be used by law enforcement officials to obtain test results which will be admissible in evidence in any summary or criminal proceeding in which the defendant is charged with a violation of 75 Pa.C.S. § 3802, or any other violation of the Vehicle Code arising out of the same action, or 30 Pa.C.S. § 5502, or any other violation of the Fish and Boat Code arising out of the same action, or 34 Pa.C.S. § 2501, or any other violation of the Game and Wildlife Code arising out of the same action. Law enforcement agencies should determine that an approved training program in the use of the equipment is available in accordance with the above referenced statutes before purchasing any of the devices contained on this list. This notice lists evidentiary breath testing devices that were included in the previous publication of the list of evidential breath testing devices, which appeared at 38 Pa.B. 944 (February 16, 2008).

The approval of evidential equipment listed in this notice is based on the evaluation of the equipment by NHTSA. Equipment which met the Federal requirements was published at 72 FR 71480 (December 17, 2007) as a Conforming Products List. The list contained in this notice is based on that Conforming Products List.

Instruments marked with an asterisk (*) meet the Model Specifications detailed in 49 FR 48854 (December 14, 1984) (that is, instruments tested at breath alcohol concentrations of 0.000, 0.050, 0.101, and 0.151 grams of alcohol per 210 liters of air). Instruments not marked with an asterisk meet the Model Specifications detailed in 58 FR 48705 (September 17, 1993), and were tested at breath alcohol concentrations of 0.000, 0.020, 0.040, 0.080, and 0.160 grams of alcohol per 210 liters of air. The amended specifications that were published on September 17, 1993, added a test for the presence of other low molecular weight alcohols including methyl and isopropyl. Instruments whose precision and accuracy have been evaluated in the latter concentration range (that is, devices not marked with an asterisk) should be used when reliable results are required at blood alcohol concentrations below 0.050%.

NHTSA also evaluates equipment to determine if it must be operated at fixed locations (that is, nonmobile equipment) or can be transported to nonfixed operational sites in the field (mobile equipment). Most equipment on the list is approved for mobile and nonmobile operation. The listing at the end of this notice specifies nonmobile equipment only.

The instruments not marked with an asterisk meet the specifications for use as prearrest or evidentiary breath testing devices. The instruments marked with an asterisk may be used as evidentiary devices for law enforcement purposes that are concerned with blood alcohol concentrations at or above 0.050%. These instruments may also be used as prearrest breath testing devices if they are approved for mobile operations. However, these instruments may not be effective for arrests under the Vehicle Code, the Fish and Boat Code, or the Game and Wildlife Code where blood alcohol concentrations below 0.050% are acceptable. Nonmobile devices can only be used as evidentiary testing instruments since they are not portable. Before purchasing breath testing devices, law enforcement officials should consult with the manufacturer of the equipment they intend to purchase to verify that the devices can be used for their intended purposes.

Law enforcement agencies that plan to utilize a device which does not appear on the following list should contact the manufacturer of the equipment to verify that it has been evaluated by NHTSA and found to meet NHTSA's performance requirements. If a device is approved by NHTSA after the date of this publication, the manufacturer of the device will need to forward documentation of NHTSA acceptability to Dr. M. Jeffery Shoemaker at the address given below so that the Department has information sufficient to enable it to include the device in the next revision of this notice in the *Pennsylvania Bulletin*.

Some of the devices included in this notice are listed under the name of more than one manufacturer. This is due to the fact that the name of the manufacturer has changed or the right to produce a device has been transferred to a different company. In such instances, the device is listed under the name of every company that was ever associated with the device in order to allow law enforcement agencies to continue using devices bearing the name of a previous manufacturer.

To facilitate accessibility to information concerning breath alcohol testing devices which are approved for law enforcement purposes in the Commonwealth, the Department will publish revisions of this list of equipment semiannually as notices in the *Pennsylvania Bulletin*. This practice is being implemented in 2009 and will proceed even if an updated conforming products list has not appeared in the *Federal Register* since the Department's last annual publication of approved breath testing devices.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Dr. Shoemaker at V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

AK Solutions, Inc., Palisades Park, NJ¹

Alcoscan AL-2500
AlcoChecker
AlcoKey
AlcoMate
AlcoMate Pro
Alcoscan AL-5000
Alcoscan AL-6000

Akers Laboratories, Inc., Thorofare, NJ

Alcohol $\sqrt{\text{TM}}$

Akers Biosciences, Inc., Thorofare, NJ

Breath Alcohol $\sqrt{\text{TM}}$.02 Detection System²

Alco Check International, Hudsonville, MI

Alco Check 3000 D.O.T.
Alco Check 9000
Alco Screen 3000

Alcohol Countermeasures Systems, Inc., Port Hurton, MI

Alert J3AD*
PBA 3000C

Alcohol Countermeasure Systems Corp., Mississauga, Ontario, Canada

Alert J3AD*
Alert J4X.ec
PBA3000C

Alcohol Countermeasure Systems, Inc., Cincinnati, OH

Alert J4

Approved Technology, Inc., Grand Rapids, MI

Alco-Check I
Alco-Check II
Alco-Check 3000

BAC Systems, Inc., Ontario, Canada

Breath Analysis Computer*

BHP Diagnostix, West Chester, PA

Prevent

CAMEC Ltd., North Shields, Tyne and Ware, England

IR Breath Analyzer*

CMI-MPH, Owensboro, KY

CMI S-D2
CMI S-L2

CMI, Inc., Owensboro, KY

Intoxilyzer Model:

200
200D
240 (aka Lion Alcolmeter 400 + outside the US)
300
400
400PA
1400
4011*
4011A*
4011AS*
4011AS-A*
4011AS-AQ*
4011AW*
4011A27-10100*
4011A27-10100 with filter*

¹The AlcoMate was manufactured by Han International of Seoul, Korea, but marketed and sold in the US by AK Solutions.

²The Breath Alcohol $\sqrt{\text{TM}}$.02 Detection System consists of a single-use disposable breath tube used in conjunction with an electronic analyzer that determines the test result. The electronic analyzer and the disposable breath tubes are lot specific and manufactured to remain calibrated throughout the shelf-life of the device. This screening device cannot be used after the expiration date.

5000
 5000 (w/Cal. Vapor Re-Circ.)
 5000 (w/3/8" ID hose option)
 5000CD
 5000CD/FG5
 5000EN
 5000 (CAL DOJ)
 5000 (VA)
 8000
 PAC 1200*
 S-D2
 S-D5

Craig Technologies International Ltd., Aurora, CO
 BreathScan

Decator Electronics, Decator, IL
 Alco-Tector model 500*

**Draeger Safety, Inc., (aka: National Draeger)
 Durango, CO**
Alcotest Model:

6510
 6810
 7010*
 7110*
 7110 MKIII
 7110 MKIII-C
 7410
 7410 Plus
 9510

Breathalyzer Model:

900*
 900A*
 900BG*
 7410
 7410-II

EnviteC by Honeywell GmbH, Fond du Lac, WI
 AlcoQuant 6020

Gall's Inc., Lexington, KY
 Alcohol Detection System—A.D.S. 500

Guth Laboratories, Inc., Harrisburg, PA

Alco-Tector
 Alco-Tector Mark X
 Alcotector BAC-100
 Alcotector C₂H₅OH
 Alcotector WAT90
 Mark X Alcohol Checker
 Alcotector WAT89EC-1

Han International Co., Ltd., Seoul, Korea
 A.B.I. (Alcohol Breath Indicator)³

Intoximeters, Inc., St. Louis, MO

Indium Encapsulation System
 Photo Electric Intoximeter*
 GC Intoximeter MK II*
 GC Intoximeter MK IV*
 Auto Intoximeter*
 Intox EC-IR
 Intox EC-IR 2
 Portable Intox EC-IR

Intoximeter Model:

3000*
 3000 (rev B1)*
 3000 (rev B2)*
 3000 (rev B2A)*
 3000 (rev B2A) w/FM option*

3000 (Fuel Cell)*
 3000D*
 3000DFC*
 Alcomonitor
 Alcomonitor CC
 Alco-Sensor
 Alco-Sensor III
 Alco-Sensor III (Enhanced with Serial Numbers above
 1,200,000)
 Alco-Sensor IV
 Alco-Sensor IV-XL
 Alco-Sensor AZ
 Alco-Sensor FST
 Alco-Sensor Light Display
 EC/IR
 EC/IR II
 EC/IR II (enhanced with serial number 10,000 or
 higher)
 Portable EC/IR II
 RBT-AZ
 RBT III
 RBT III-A
 RBT-IV
 RBT-IV with CEM (cell enhancement module)

Komyo Kitagawa, Kogyo, K.K.:

Alcolyzer DPA-2*
 Breath Alcohol Meter PAM 101B*

Lifeloc Technologies, Inc. (formerly Lifeloc, Inc.)

Wheat Ridge, CO:

Life Loc PBA 3000
 PBA 3000-B
 PBA 3000-P*
 PBA 3000-C
 Alcohol Data Sensor
 Phoenix
 Phoenix 6.0
 EV 30
 FC 10
 FC 20

Lion Laboratories, Ltd., Cardiff, Wales, UK

Alcolmeter Model:

Auto-Alcolmeter*
 300
 400
 400+ (aka: Intoxilzyer 240 in the U.S.)
 SD-2*
 SD-5 (aka: S-D5 in the U.S.)
 EBA*

Intoxilyzer Model:

200
 200D
 1400
 5000 CD/FG5
 5000 EN

Luckey Laboratories, San Bernardino, CA

Alco-Analyzer Model:

Mobat Sober-Meter-SM II
 1000*
 2000*

Medi-Scan, Inc., Denver, CO

BreathScan

National Draeger, Inc., Durango, CO

Alcotest Model:

7010*
 7110*
 7110 MKIII
 7110 MKIII-C

³ Han International does not market or sell devices directly in the US market. Other devices manufactured by Han International are listed under AK Solutions, Inc. and Q-3 Innovations, Inc.

7410
7410 Plus
7410 Screener
9510
6510
6810

Breathalyzer Model:

900*
900A*
900BG*
7410
7410-II

National Draeger, Inc., Pittsburgh, PA

Alcotest

National Patent Analytical Systems, Inc., Mansfield, OH

BAC DataMaster (with or without the Delta-1 accessory)
BAC Verifier DataMaster (with or without the Delta-1 accessory)
DataMaster cdm (with or without the Delta-1 accessory)
DataMaster DMT

Omicron Systems, Palo Alto, CA

Intoxilyzer 4011*
Intoxilyzer 4011AW*

PAS Systems International, Inc., Fredericksburg, VA

PAS IIIa
PAS Vr

Plus 4 Engineering, Minturn, CO

5000 Plus 4*

Q3 Innovations, Inc., Independence, IA⁴

AlcoHAWK Precision
AlcoHAWK Slim
AlcoHAWK Elite
AlcoHAWK ABI
AlcoHAWK Micro
AlcoHAWK PRO

RepCo Marketing, Raleigh, NC

Alco Tec III
AlcoTec Breath-Alcohol Tester
Breath Alcohol Tester Model BT-2
Breath Alcohol Tester Model BT-3

Seju Co. of Taejeon, Korea

Safe-Slim

Seres, Paris, France

Alco Master
Alcopro

Siemans-Allis, Cherry Hill, NJ

Alcomat*
Alcomat F*

Smith and Wesson Electronics, Springfield, MA**Breathalyzer Model:**

900*
900A*
1000*
2000*
2000 (Non-Humidity Sensor)*

SoundOff, Inc., Hudsonville, MI

Alco-Check

Alco-Check II
AlcoData
Alco Screen 1000
Digitox D.O.T.
Preliminary Breath Test II
Seres Alco Master
Seres Alcopro

Stephenson Corp.

Breathalyzer 900*

Takai-Denshi Inc., Tokyo, Japan:

ALC-PRO II (US)

Team Building Systems, Inc., Houston, TX

BreathScan

U.S. Alcohol Testing, Inc./Protection Devices, Inc., Rancho Cucamonga, CA

Alco-Analyzer 1000
Alco-Analyzer 2000
Alco-Analyzer 2100

Verax Systems, Inc., Fairport, NY

BAC Verifier*
BAC Verifier Datamaster
BAC Verifier Datamaster II*

Nonmobile only**Decator Electronics**

Alco-Tector model 500*

Draeger Safety, Inc.

Alcotest Model 9510

Intoximeters, Inc.

Photo Electric Intoximeter*
Intoximeter Model—Alcomonitor
Intoximeter Model—EC/IR II (enhanced with serial number 10,000 or higher)

Lion Laboratories, Ltd.

Auto-Alcolmeter*

Luckey Laboratories

Alco-Analyzer Model—1000*
Alco-Analyzer Model—2000*

U.S. Alcohol Testing, Inc./Protection Devices, Inc., Rancho Cucamonga, CA

Alco-Analyzer 1000
Alco-Analyzer 2000

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 09-14. Filed for public inspection January 2, 2009, 9:00 a.m.]

Availability of Funds for Traumatic Brain Injury; Sports Injury Education and Awareness through Mini-Grants

The Bureau of Family Health's Division of Child and Adult Health Services is accepting applications to support education and awareness of the causes and consequences of concussion/mild-severe traumatic brain injury (TBI) among youth in junior and high school. It is entitled: Sports Injury Education and Awareness Mini-grant Program. Funding for up to \$5,000 is available to support education and awareness of the causes of traumatic brain injury as a result of sports or other activities. Activities should educate school staff (that is, teachers, athletic trainers, coaches, school nurses), community sports programs, and/or providers of recreational opportunities

⁴ The AlcoHAWK ABI is the same device as that listed under Han International as the "ABI" and is manufactured for Q-3 Innovations by Han International. The AlcoHAWK PRO is the same device as the AlcoMate marketed and sold by AK Solutions, and also manufactured by Han International.

which could result in physical injury, in appropriate prevention strategies and intervention activities in the event that youth sustain concussions which could result in mild to severe head injury.

For the purpose of this funding opportunity, a TBI is defined as an insult to the brain, not of a degenerative or congenital nature, caused by an external physical force that may produce a diminished or altered state of consciousness, which results in impairment of cognitive abilities or physical functioning or in the disturbance of behavioral or emotional functioning. These impairments may be either temporary or permanent and cause partial or total functional disability or psychosocial maladjustment.

Eligible applicants are Commonwealth public and private organizations, foundations or community-based agencies recognized by Federal Tax ID number. Individuals may not apply. Informal groups without Federal Tax ID numbers are encouraged to partner with a sponsor organization who may apply on behalf of the group.

Project funds must be used to reimburse purchases and activities occurring between January 1, 2009, and March 31, 2009. Applicants may apply for funding to cover multiple purchases/activities, not to exceed \$5,000.

Completed applications will be accepted up to the due date, January 22, 2009. Awards will be made after that date and will be contingent upon the availability of funds and Department of Health (Department) approval. Copies of application forms and other background information are available on the Department's web site at www.health.state.pa.us (search word: "mini-grant").

Completed applications will be scored by an independent review panel. Rating factors include the following:

1. The need for the awareness and educational program is justified.
2. The audience of the proposed activity meets the intended target.
3. The activities meet the learning objectives, which are:
 - a. How to prevent concussions/mild head injuries.
 - b. How to recognize the warning signs that indicate a concussion/mild TBI has occurred.
 - c. How to intervene when a concussion/mild TBI is suspected.
4. The activities, trainer and training content is described, if applicable.
5. The application includes evidence of identified relationships or awareness of TBI services that are accessible to an athlete as well as a method of connecting them to these services.
6. The proposed budget and purchases are reasonable.
7. The measures or evaluation can demonstrate a change in awareness and knowledge of TBI.
8. The proposed activity will have an ongoing, systemic benefit to the community.

Applicants will be notified of approval/disapproval in writing within 30 days of the due date. Awardees are expected to abide by the provisions and limitations of the Federal funding source, the TBI Implementation and Partnership Grant.

To request application materials, for additional information related to this initiative or persons with a disability who require an alternative format of this notice or of the application materials (for example, large print, audiotape, Braille) should contact Amy Flaherty, Public Health Program Manager, Bureau of Family Health, Division of Child and Adult Health Services, Health and Welfare Building, 7th Floor East, 625 Forster Street, Harrisburg, PA 17120, (717) 772-2762, fax (717) 772-0323, aflaherty@state.pa.us or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 09-15. Filed for public inspection January 2, 2009, 9:00 a.m.]

Emergency Medical Services Patient Care Report Data Elements, Confidential and Nonconfidential Data Elements and Essential Patient Information for Transmission at Patient Transfer

Under 28 Pa. Code § 1001.41 (relating to data and information requirements for ambulance services) the Department of Health (Department) is publishing the following: (a) a list of data elements and form specifications for the emergency medical services (EMS) patient care report (PCR); (b) requirements that a prospective vendor must satisfy to secure endorsement of the vendor's software by the Bureau of Emergency Medical Services (Bureau); (c) a designation of data items for the PCR that are confidential; and (d) patient information in the PCR designated as essential for immediate transmission to the receiving facility for patient care.

(A) *Data Elements and Form Specifications.* The following standards must be met for an EMS data collection software program to satisfy the requirements for electronic PCR reporting:

1. A prospective vendor's software must be capable of collecting and reporting data in the format detailed in the National Emergency Medical Services Information System (NEMSIS) Data Dictionary version 2.2.1, published by the National Highway Traffic Safety Administration. Information on NEMSIS is published at www.nemsis.org. Prospective vendors are encouraged to contact the NEMSIS Technical Assistance Center (TAC) to clarify issues regarding the NEMSIS 2.2.1 requirements. Software marketed to Commonwealth ambulance services must be the version that has demonstrated that it is capable of collecting and reporting all NEMSIS 2.2.1 elements. Prospective vendors must use the Commonwealth list of Federal Information Processing Standard (FIPS) Codes for Commonwealth Municipalities, Hospital Identification Codes and Medication Codes (Codes). These are provided by the Bureau. The Bureau will maintain a list of required fields, Codes and resources on the Bureau's webpage at www.health.state.pa.us/ems.

2. A PCR data collection software program must satisfy the following:

i. It must be capable of recording all of the data elements identified in the column titled "Required Data Elements" on the EMS Patient Care Report Data and Information Chart included in this notice. It must have the ability to error check PCRs using the NEMSIS Data Dictionary published on the Bureau's webpage.

ii. It must produce an XML output file meeting the NEMSIS 2.2.1 standard.

iii. It must be able to collect and print narrative.

iv. It must allow for the ambulance service to make corrections when data elements are omitted or an error occurred when the form was initially completed.

v. It must annotate additions and corrections made to the PCR by identifying what data element was added or changed, the date of change and who made the change.

vi. It must assign a specific Patient Care Report Number (NEMSIS Field E01_01) to each PCR and prevent duplication of this identifier.

3. A prospective vendor must assist ambulance services in setting up software and is to validate that PCR data created by the software being proposed will be compliant with the "Required Data Elements" on the EMS Patient Care Report Data and Information Chart included in this notice.

4. A prospective vendor must coordinate with a regional EMS council that is willing to conduct a test of the software program using (10 of the PCRs previously submitted to the NEMSIS TAC) configured for use in the region where the test is conducted.

The test will include:

- i. Printing of the 10 PCRs.
- ii. Printing a list of the data elements collected.
- iii. Printing reports that identify unit utilization for:
 - a. Response outcome, hour/day of week.
 - b. Fractal time.
 - c. Municipal response for the test site.
- iv. Printing the following reports:
 - a. Incident location/type report with number of calls and percentage of calls.
 - b. Trauma summary.
 - c. Revised trauma scores.
 - d. Glasgow coma scale.
 - e. Medical summary.
 - f. EKG.
 - g. Treatment summary.
 - h. Admission summary.
 - i. BLS and ALS skills report for each practitioner.
 - j. BLS and ALS skills report for each beta test site.
 - k. Demographics summary (age, gender, total).
 - l. Vital signs summary (ranges, systolic, diastolic, pulse, respiration).
 - m. Attendant activity.
 - v. Printing output files of data elements to include:
 - a. Field number.
 - b. Field name.
 - c. Number of fields for each field name.
 - d. Type of field (that is, numeric, blanks stored as "0," mm/dd/yyyy, character, and acceptable field values).

5. A prospective vendor must secure a determination of software compliance from the Bureau by requesting a determination of compliance from the Bureau, upon which the Bureau will notify the prospective vendor of

reports and information that the prospective vendor must submit to the Bureau to seek a determination of compliance.

(B) *Bureau Endorsement of Software.* To secure endorsement of the software by the Bureau, in addition to securing a determination of compliance from the Bureau, a prospective vendor must do the following:

1. Agree, in writing, to make changes to the software program at no cost to the ambulance service if the change is the addition of additional data elements included in the NEMSIS Data Dictionary version 2.2.1.

2. Agree, in writing, to provide to the Bureau and to Commonwealth ambulance services and quick response services (QRS) using the vendor's software, 30-days advance notice before selling the program source code or company, or going out of business. The prospective vendor must further agree, in writing, that if circumstances prevent the prospective vendor from meeting the 30-day notice requirement, the vendor will provide input specifications and the source code for the software program to the Bureau at no cost.

(C) *Confidential PCR Data Elements.* Under 28 Pa. Code § 1001.42 (relating to dissemination of information) the release of the PCR, disclosure of confidential information in the PCR or a report or record thereof, is prohibited except as authorized under 28 Pa. Code § 1001.42(a)(1)–(7). The Department has the authority under 28 Pa. Code § 1001.41(b) to designate some of the information in the PCR as nonconfidential but has chosen not to do so at this time. Consequently, the PCR is confidential in its entirety, and all information in the PCR is subject to the disclosure restrictions in 28 Pa. Code § 1001.41(b). The Bureau and the regional EMS councils will, however, release aggregate data extracted from PCRs.

(D) *Patient Information Required to be Transmitted to Hospital at Time of Patient Delivery.* Under 28 Pa. Code § 1001.41(d) an ambulance service is to provide to the individual at the hospital assuming responsibility for the patient the patient information designated in the PCR as essential for immediate transmission to personnel for patient care. The Bureau encourages ambulance services to transmit immediately to the facility all information solicited by the PCR, including the narrative section. If the ambulance service does not provide all of the information solicited by the PCR at the time the hospital or facility assumes care, essential information that must be transmitted are the items listed on the following EMS Patient Care Report Data and Information Chart. The information may be transmitted verbally, in writing or electronically in a format [developed by the hospital or other entity] that the hospital finds acceptable to ensure the confidentiality of information designated as confidential in the PCR form.

Persons with a disability who require an alternate format of this notice (for example, large print, audiotape or Braille) should contact Robert Cooney, Department of Health, Bureau of Emergency Medical Services, Room 606, 625 Forster Street, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-8740. Speech or hearing impaired persons may use V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

<i>EMS Patient Care Report Data and Information Chart</i>		
<i>Required PA NEMSIS Elements</i>	<i>Name</i>	<i>Essential Information for Immediate Transmission to Receiving Facility at Time of Patient Delivery</i>
D01_01	EMS Number	
D01_03	EMS Agency State	
D01_04	EMS Agency County	
D01_07	Level of Service	
D01_08	Organizational Type	
D01_09	Organization Status	
D01_10	Statistical Year	
D01_12	Total Service Size Area	
D01_13	Total Service Area Population	
D01_14	911 Call Volume per Year	
D01_15	EMS Dispatch Volume per Year	
D01_16	EMS Transport Volume per Year	
D01_17	EMS Patient Contact Volume per Year	
D01_19	EMS Agency Time Zone	
D01_21	National Provider Identifier	
D02_07	Agency Contact Zip Code	
D04_04	Procedures	Required
D04_06	Medications Given	Required
D04_08	List of Protocols	
D04_11	Hospitals Served	
D04_12	Hospital Facility Number	
E01_01	Patient Care Report Number	
E01_02	Software Creator	
E01_03	Software Name	
E01_04	Software Version	
E02_01	EMS Agency Number	
E02_02	Incident Number	
E02_04	Type of Service Requested	
E02_05	Primary Role of the Unit	
E02_06	Type of Dispatch Delay	
E02_07	Type of Response Delay	
E02_08	Type of Scene Delay	
E02_09	Type of Transport Delay	
E02_10	Type of Turn-Around Delay	

<i>EMS Patient Care Report Data and Information Chart</i>		
<i>Required PA NEMSIS Elements</i>	<i>Name</i>	<i>Essential Information for Immediate Transmission to Receiving Facility at Time of Patient Delivery</i>
E02_12	EMS Unit Call Sign (Decal Number)	
E02_20	Response Mode to Scene	
E03_01	Complaint Reported by Dispatch	
E03_02	EMD Performed	
E04_01	Crew Member ID	
E04_02	Crew Member Role	
E04_03	Crew Member Level	
E05_02	PSAP Call Date/Time	
E05_03	Dispatch Notified Date/Time	
E05_04	Unit Notified by Dispatch Date	Required
E05_05	Unit En Route Date/Time	
E05_06	Unit Arrived on Scene Date/Time	
E05_07	Arrived at Patient Date/Time	
E05_09	Unit Left Scene Date/Time	
E05_10	Patient Arrived at Destination Date/Time	
E05_11	Unit Back in Service Date/Time	
E05_13	Unit Back at Home Location Date/Time	
E06_08	Patient's Home Zip Code	
E06_11	Gender	Required
E06_12	Race	
E06_13	Ethnicity	
E06_14	Age	Required
E06_15	Age Units	
E06_16	Date of Birth	
E07_01	Primary Method of Payment	
E07_15	Work-Related	
E07_34	CMS Service Level	
E07_35	Condition Code Number	Required
E08_05	Number of Patients at Scene	
E08_06	Mass Casualty Incident	
E08_07	Incident Location Type	

<i>EMS Patient Care Report Data and Information Chart</i>		
<i>Required PA NEMSIS Elements</i>	<i>Name</i>	<i>Essential Information for Immediate Transmission to Receiving Facility at Time of Patient Delivery</i>
E08_12	Incident City	
E08_13	Incident County	
E08_14	Incident State	
E08_15	Incident ZIP Code	
E09_01	Prior Aid	
E09_02	Prior Aid Performed by	
E09_03	Outcome of the Prior Aid	
E09_04	Possible Injury	
E09_05	Chief Complaint	Required
E09_11	Chief Complaint Anatomic Location	
E09_12	Chief Complaint Organ System	Required
E09_13	Primary Symptom	Required
E09_14	Other Associated Symptoms	
E09_15	Providers Primary Impression	Required
E09_16	Provider's Secondary Impression	
E10_01	Cause of Injury	Required
E10_02	Intent of Injury	
E10_04	Vehicular Injury Indicators	Required
E10_08	Use of Occupant Safety Equipment	Required
E10_09	Airbag Deployment	
E10_10	Height of Fall	Required
E11_01	Cardiac Arrest	
E11_02	Cardiac Arrest Etiology	
E11_03	Resuscitation Attempted	
E11_04	Arrest Witnessed By	
E11_05	First Monitored Rhythm of the Patient	Required
E11_11	Cardiac Rhythm on Arrival at Destination	
E12_01	Barriers to Patient Care	
E12_08	Medication Allergies	Required
E12_10	Medical/Surgical History	
E12_14	Current Medications	Required

<i>EMS Patient Care Report Data and Information Chart</i>		
<i>Required PA NEMSIS Elements</i>	<i>Name</i>	<i>Essential Information for Immediate Transmission to Receiving Facility at Time of Patient Delivery</i>
E12_19	Alcohol/Drug Use Indicators	
E13_01	Run Report Narrative	
E14_03	Cardiac Rhythm	Required
E14_04	SBP (Systolic Blood Pressure)	Required
E14_05	DBP (Diastolic Blood Pressure)	Required
E14_06	Method of Blood Pressure Measurement	Required
E14_07	Pulse Rate	Required
E14_08	Electronic Monitor Rate	
E14_11	Respiratory Rate	Required
E14_15	Glasgow Coma Score-Eye	
E14_16	Glasgow Coma Score-Verbal	
E14_17	Glasgow Coma Score-Motor	
E14_27	Revised Trauma Score	
E14_28	Pediatric Trauma Score	
E15_01	NHTSA Injury Matrix External/Skin	
E15_02	NHTSA Injury Matrix Head	Required
E15_03	NHTSA Injury Matrix Face	Required
E15_04	NHTSA Injury Matrix Neck	Required
E15_05	NHTSA Injury Matrix Thorax	Required
E15_06	NHTSA Injury Matrix Abdomen	Required
E15_07	NHTSA Injury Matrix Spine	Required
E15_08	NHTSA Injury Matrix Upper Extremities	Required
E15_09	NHTSA Injury Matrix Pelvis	Required
E15_10	NHTSA Injury Matrix Lower Extremities	Required
E15_11	NHTSA Injury Matrix Unspecified	
E18_03	Medication Given	Required
E18_05	Medication Dosage	Required
E18_06	Medication Dosage Units	

<i>EMS Patient Care Report Data and Information Chart</i>		
<i>Required PA NEMSIS Elements</i>	<i>Name</i>	<i>Essential Information for Immediate Transmission to Receiving Facility at Time of Patient Delivery</i>
E18_08	Medication Complication	
E18_09	Medication Crew Member ID	
E19_02	Procedure Performed Prior to this Units EMS Care	
E19_03	Procedure	
E19_05	Number of Procedure Attempts	
E19_06	Procedure Successful	
E19_07	Procedure Complication	
E19_09	Procedure Crew Member ID	
E19_10	Procedure Authorization	
E19_12	Successful IV Site	
E20_02	Destination/Transferred To, Code	
E20_07	Destination Zip Code	
E20_10	Incident/Patient Disposition	
E20_14	Transport Mode from Scene	
E20_15	Condition of Patient at Destination	
E20_16	Reason for Choosing Destination	
E20_17	Type of Destination	
E22_01	Emergency Department Disposition	
E22_02	Hospital Disposition	
E23_03	Personal Protective Equipment Used	
E23_09	Research Survey Field	
E23_10	Who Generated This Report	
E23_11	Research Survey Field Title	

<i>Essential Information for Immediate Transmission to Receiving Facility at Time of Patient Delivery, Not Required to be Transmitted to the Regional EMS Council.</i>	
<i>NEMSIS Elements</i>	<i>Name</i>
D01_02	EMS Agency Name
D08_01	EMS Personnel's Last Name
D08_03	EMS Personnel's First Name
E06_01	Patient's Last Name

<i>Essential Information for Immediate Transmission to Receiving Facility at Time of Patient Delivery, Not Required to be Transmitted to the Regional EMS Council.</i>	
<i>NEMSIS Elements</i>	<i>Name</i>
E06_02	Patient's First Name

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 09-16. Filed for public inspection January 2, 2009, 9:00 a.m.]

Laboratories Approved to Determine Analyses of Blood and/or Serum for Controlled Substances under the Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code, and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (act) (35 P. S. §§ 2151—2165) and/or the Federal Clinical Laboratories Improvement Act of 1967 (42 U.S.C.A. § 263a) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood and/or serum for the determination of controlled substances. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in blood and/or serum.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory analyses on blood and/or serum. Laboratories approved to perform screening analyses are designated on the approval list by an "S" followed by the letters "B" for blood and/or "Se" for serum. Laboratories approved to screen both blood and serum would therefore have "SBSe" listed after their laboratory name. Laboratories approved to offer confirmatory analyses are designated on the approval list by a "C" followed by the letters "B" for blood and/or "Se" for serum. Laboratories approved to perform confirmatory analyses on both serum and blood would therefore have "CBSe" listed after their laboratory name.

Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic blood and/or serum analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for medicolegal purposes. They should also determine that the director of the facility is agreeable to performing analyses for forensic purposes. Persons

seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The Vehicle Code contains a provision 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence at legal proceedings in Pennsylvania if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of section 3802 (driving under the influence of alcohol or controlled substance) if the laboratory that performed the test is licensed by the state in which the facility is located and licensed pursuant to the Federal Clinical Laboratory Improvement Amendments of 1988 (Pub. L. No. 100-578, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory is sometimes changed but the personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name or location of the facility changed, the Clinical Laboratory Permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to M. Jeffery Shoemaker, Ph.D., Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

30483
AIT LABORATORIES—SBS_e, CBS_e
2265 EXECUTIVE DRIVE
INDIANAPOLIS, IN 46241
(317) 243-3894

00671
ALLEGHENY COUNTY MED EX DIV OF LAB—SBS_e,
CBS_e
542 FORBES AVENUE
ROOM 10
COUNTY OFFICE BUILDING
PITTSBURGH, PA 15219
(412) 350-4425

00452
ANALYTIC BIO-CHEMISTRIES LAB—SBS_e, CBS_e
1680 D LORETTA AVENUE
FEASTERVILLE, PA 19053
(215) 322-9210

00266
DEPT OF PATHOLOGY & LAB MED-HUP—SBS_e, CBS_e
3400 CIVIC CENTER BOULEVARD
PHILADELPHIA, PA 19104
(215) 662-3423

00977
DRUGSCAN INC—SBS_e, CBS_e
1119 MEARN'S RD
PO BOX 2969
WARMINSTER, PA 18974
(215) 674-9310

00654
GUTHRIE CLINIC PATH LAB—SBS_e
GUTHRIE SQUARE
SAYRE, PA 18840
(570) 888-5858

24655
HEALTH NETWORK LABORATORIES—SBS_e, CBS_e
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
(610) 402-8150

20512
LABCORP OCCUPATIONAL TESTING SER—SBS_e,
CBS_e
1904 ALEXANDER DRIVE
PO BOX 12652
RESEARCH TRIANGLE PARK, NC 27709
(919) 572-7465

09003
MAYO CLINIC DEPT LAB MED & PATH—SBS_e, CBS_e
200 FIRST STREET
SW HILTON 530
ROCHESTER, MN 55905
(507) 284-3018

05574
MEDTOX LABORATORIES INC—SBS_e, CBS_e
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
(651) 636-7466

00504
NATIONAL MED SVCS INC/DBA NMS LABS—SBS_e,
CBS_e
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 657-4900

29741
NORTHERN TIER RESEARCH—SBS_e, CBS_e
1300 OLD PLANK ROAD
MAYFIELD, PA 18433
(570) 351-6153

00520
PITTSBURGH CRIMINALISTICS LABORATORY—SBS_e,
CBS_e
1320 FIFTH AVENUE
PITTSBURGH, PA 15219
(412) 391-6118

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SBS_e,
CBS_e
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
(703) 802-6900

00482

QUEST DIAGNOSTICS OF PA INC—SBS_e, CBS_e
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461

QUEST DIAGNOSTICS VENTURE LLC—SBS_e, CBS_e
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7631

00151

ST JOSEPH QUALITY MEDICAL LAB—SBS_e, CBS_e
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

07731

WESTERN RESERVE CARE SYSTEM—SS_e, CS_e
500 GYPSY LANE
YOUNGSTOWN, OH 44501
(330) 884-3767

00018

WVHCS HOSP DBA PENNANT LABORATORY—SS_e
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

00141

YORK HOSPITAL—SS_e
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 09-17. Filed for public inspection January 2, 2009, 9:00 a.m.]

Laboratories Approved to Determine Blood Alcohol Content under the Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code, and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood and/or serum and plasma. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories.

Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the determination of alcohol in serum are approved to analyze both serum and plasma for alcohol content. These laboratories are also approved and designated under the provisions of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount

of alcohol or controlled substance), and the Game and Wildlife Code, 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance) as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood and/or serum and plasma. Laboratories located outside this Commonwealth may not provide blood and/or serum and plasma alcohol testing services in this Commonwealth unless they are licensed by the Department and approved for that purpose.

Persons seeking forensic blood and/or serum and plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes, and that the director of the facility is agreeable to performing determinations for this purpose. The list of approved laboratories will be revised approximately semi-annually and published in the *Pennsylvania Bulletin*.

The name or location of a laboratory is sometimes changed but the personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name or location of the facility changed, the Clinical Laboratory Permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood alcohol and serum/plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services in accordance with the requirements contained in the Clinical Laboratory Improvement Amendments of 1988 (42 U.S.C. § 263a), and implementing regulations 42 CFR 493.901 and 493.937, which are administered by the Centers for Medicare and Medicaid Services. Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

The Commonwealth's Vehicle Code at 75 Pa.C.S. § 1547(c)(3)(ii) also permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in certain legal proceedings in the Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide forensic blood and/or serum and plasma analysis services. This section states that the test results will be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under the influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed to conduct the test by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub. L. No. 100-578, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

Persons with a disability who require an alternative format of this notice (for example: large print, audiotope, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols S and B indicate the following:

S = approved for serum and plasma analyses

B = approved for blood analyses

SB = approved for serum, plasma and blood analyses

00215

ABINGTON HEALTH LANSDALE HOSP—S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
(215) 368-2100

00212

ABINGTON MEMORIAL HOSPITAL—S
1200 OLD YORK ROAD
ABINGTON, PA 19001
(215) 576-2350

27180

ADVANCED TOXICOLOGY NETWORK—B
3560 AIR CENTER COVE
SUITE 101
MEMPHIS, TN 38118
(901) 794-5770

00233

ALBERT EINSTEIN MEDICAL CENTER—S
5501 OLD YORK ROAD
PHILADELPHIA, PA 19141
(215) 456-6157

00671

ALLEGHENY COUNTY MED EX DIV OF LAB—SB
542 FORBES AVENUE
ROOM 10
COUNTY OFFICE BUILDING
PITTSBURGH, PA 15219
(412) 350-4425

28233

ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S
320 E NORTH AVENUE
PITTSBURGH, PA 15212
(412) 359-6886

00077

ALLEGHENY GENERAL HOSPITAL—S
1307 FEDERAL STREET
PITTSBURGH, PA 15212
(412) 359-3521

00094

ALLEGHENY GENERAL HOSPITAL SUBURBAN CAM-
PUS—S
100 SOUTH JACKSON AVENUE
BELLEVUE, PA 15202
(412) 734-6020

00100

ALLEGHENY VALLEY HOSPITAL LAB—S
1301 CARLISLE STREET
NATRONA HEIGHTS, PA 15065
(724) 224-5100

00120

ALTOONA REGIONAL HEALTH SYSM-BON
SECOURS CAMPUS—SB
2500 SEVENTH AVENUE
ALTOONA, PA 16602-2099
(814) 949-4495

00119

ALTOONA REGIONAL HEALTH SYSTEM LAB—SB
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
(814) 946-2340

00452

ANALYTIC BIO-CHEMISTRIES LAB—SB
1680 D LORETTA AVENUE
FEASTERVILLE, PA 19053
(215) 322-9210

00041

ARMSTRONG COUNTY MEMORIAL HOSP—S
1 NOLTE DRIVE
KITTTANNING, PA 16201
(724) 543-8500

00047

ASSOCIATED CLINICAL LABORATORIES—SB
1526 PEACH STREET
ERIE, PA 16501
(814) 461-2400

00251

AYER CLINICAL LAB PENNSYLVANIA HOSPITAL—S
800 SPRUCE STREETS
PHILADELPHIA, PA 19107
(215) 829-3541

00320

BARNES KASSON HOSPITAL LAB—S
400 TURNPIKE STREET
SUSQUEHANNA, PA 18847
(570) 853-5059

00002

BLOOMSBURG HOSPITAL—S
549 E FAIR STREET
BLOOMSBURG, PA 17815
(570) 387-2124

00033

BRADFORD REGIONAL MEDICAL CENTER—B
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
(814) 362-8247

00296

BRANDYWINE HOSPITAL—S
201 REECEVILLE ROAD
COATESVILLE, PA 19320
(610) 383-8000

00053

BROOKVILLE HOSPITAL—S
100 HOSPITAL ROAD
BROOKVILLE, PA 15825
(814) 849-2312

00301

BUTLER MEMORIAL HOSPITAL—S
911 EAST BRADY STREET
BUTLER, PA 16001
(724) 284-4510

00107

CANONSBURG GENERAL HOSPITAL—S
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
(724) 745-3916

00131

CARLISLE REGIONAL MEDICAL CENTER—S
361 ALEXANDER SPRING ROAD
CARLISLE, PA 17015-9129
(717) 249-1212

00132
CHAMBERSBURG HOSPITAL DEPT OF PATHOL-
OGY—S
112 NORTH SEVENTH STREET
CHAMBERSBURG, PA 17201
(717) 267-7153

00310
CHARLES COLE MEMORIAL HOSPITAL—S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
(814) 274-5510

00198
CHESTER COUNTY HOSPITAL—S
701 E MARSHALL ST
WEST CHESTER, PA 19380
(610) 431-5182

00227
CHESTNUT HILL HOSPITAL—S
8835 GERMANTOWN AVENUE
DEPT OF PATHOLOGY
PHILADELPHIA, PA 19118
(215) 248-8630

00228
CHILDRENS HOSP OF PHILADELPHIA—S
ONE CHILDRENS CENTER
34TH & CIVIC
PHILADELPHIA, PA 19104
(215) 590-4446

00329
CLARION HOSPITAL—S
1 HOSPITAL DRIVE
CLARION, PA 16214
(814) 226-9500

00026
CLEARFIELD HOSPITAL—S
809 TURNPIKE AVENUE
PO BOX 992
CLEARFIELD, PA 16830
(814) 768-2280

00005
COMMUNITY MEDICAL CENTER—S
1800 MULBERRY STREET
SCRANTON, PA 18510
(570) 969-8000

00125
CONEMAUGH VALLEY MEMORIAL HOSP—SB
LABORATORY DEPT
1086 FRANKLIN STREET
JOHNSTOWN, PA 15905
(814) 534-9000

00201
CROZER CHESTER MED CENTER—S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
(610) 447-2000

00209
CROZER-CHESTER MED CTR—SPRINGFLD—S
190 WEST SPROUL ROAD
SPRINGFIELD, PA 19064
(610) 447-2000

00204
DELAWARE COUNTY MEMORIAL HOSP—S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
(610) 284-8100

00266
DEPT OF PATHOLOGY & LAB MED-HUP—SB
3400 CIVIC CENTER BOULEVARD
PHILADELPHIA, PA 19104
(215) 662-3423

00194
DOYLESTOWN HOSPITAL—S
595 WEST STATE STREET
DOYLESTOWN, PA 18901
(215) 345-2250

00977
DRUGSCAN INC—SB
1119 MEARNES RD
PO BOX 2969
WARMINSTER, PA 18974
(215) 674-9310

00027
DUBOIS REG MED CTR—WEST UNIT—S
100 HOSPITAL AVE
DUBOIS, PA 15801
(814) 371-2200

00175
EASTON HOSPITAL—S
250 SOUTH 21ST ST
EASTON, PA 18042-3892
(610) 250-4140

00332
ELLWOOD CITY HOSPITAL—S
724 PERSHING ST
ELLWOOD CITY, PA 16117
(724) 752-0081

00164
EPHRATA COMMUNITY HOSPITAL—S
169 MARTIN AVE
PO BOX 1002
EPHRATA, PA 17522
(717) 733-0311

00032
ERHC ST MARYS LABORATORY—B
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
(814) 788-8525

00181
EVANGELICAL COMMUNITY HOSPITAL—S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
(570) 522-2510

00192
FRANKFORD HOSP BUCKS CO CAMPUS—S
380 NORTH OXFORD VALLEY ROAD
LANGHORNE, PA 19047-8304
(215) 934-5227

00341
FRANKFORD HOSP TC LAB—S
RED LION AND KNIGHTS ROADS
PHILADELPHIA, PA 19114
(215) 612-4000

00236
FRANKFORD HOSPITAL FRANK DIV—S
FRANKFORD AVE AND WAKELING STREET
PHILADELPHIA, PA 19124
(215) 831-2068

- 00115
FRICK HOSPITAL—S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
(724) 547-1500
- 00330
FULTON COUNTY MEDICAL CENTER—S
214 PEACH ORCHARD ROAD
MCCONNELLSBURG, PA 17233
(717) 485-6143
- 00173
GEISINGER MEDICAL LABORATORIES—SB
N ACADEMY ROAD
DANVILLE, PA 17822
(570) 271-6338
- 00017
GEISINGER SOUTH WILKES BARRE HOSPITAL—S
25 CHURCH STREET
WILKES BARRE, PA 18765
(570) 826-3100
- 00019
GEISINGER WYOMING VALLEY MED CTR—S
1000 E MOUNTAIN DRIVE
WILKES BARRE, PA 18711
(570) 826-7830
- 00237
GERMANTOWN COMM HLTH WILLOW TERR—S
ONE PENN BOULEVARD
PHILADELPHIA, PA 19144
(215) 456-6157
- 00122
GETTYSBURG HOSPITAL—SB
147 GETTYS STREET
GETTYSBURG, PA 17325
(717) 334-2121
- 00152
GNADEN HUETTEN MEMORIAL HOSP—SB
211 NORTH 12TH STREET
LEHIGHTON, PA 18235
(610) 377-7083
- 00299
GOOD SAMARITAN HOSPITAL—B
4TH & WALNUT STS
PO BOX 1281
LEBANON, PA 17042-1218
(717) 270-7500
- 00196
GRAND VIEW HOSPITAL—S
700 LAWN AVE
SELLERSVILLE, PA 18960
(215) 453-4528
- 00061
GROVE CITY MEDICAL CENTER—SB
631 NORTH BROAD STREET EXT
GROVE CITY, PA 16127
(724) 450-7125
- 00654
GUTHRIE CLINIC PATH LAB—S
GUTHRIE SQUARE
SAYRE, PA 18840
(570) 888-5858
- 00239
HAHNEMANN UNIVERSITY HOSPITAL—S
BROAD AND VINE STS MS 113
PHILADELPHIA, PA 19102
(215) 762-1783
- 00046
HAMOT MEDICAL CENTER—S
201 STATE STREET
ERIE, PA 16550
(814) 877-3131
- 00139
HANOVER HOSPITAL LABORATORY—SB
300 HIGHLAND AVE
HANOVER, PA 17331
(717) 637-3711
- 00155
HARRISBURG HOSPITAL LABORATORY—SB
MEDICAL SCIENCES BUILDING
100 2ND STREET
HARRISBURG, PA 17105
(570) 782-2832
- 00010
HAZLETON GENERAL HOSPITAL—S
700 EAST BROAD
HAZLETON, PA 18201
(570) 501-4152
- 00169
HEALTH NETWORK LABORATORIES—S
1627 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 402-2236
- 00549
HEALTH NETWORK LABORATORIES—S
1200 SOUTH CEDAR CREST BLVD
ALLENTOWN, PA 18103
(610) 402-8150
- 00600
HEALTH NETWORK LABORATORIES—S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
(484) 884-2259
- 24655
HEALTH NETWORK LABORATORIES—SB
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
(610) 402-8150
- 00166
HEART OF LANCASTER REGIONAL MEDICAL CENTER—S
1500 HIGHLANDS DRIVE
LITITZ, PA 17543
(717) 625-5605
- 00103
HIGHLANDS HOSPITAL—S
401 EAST MURPHY AVENUE
CONNELLSVILLE, PA 15425
(724) 628-1500
- 00130
HOLY SPIRIT HOSPITAL—S
503 N 21ST STREET
CAMP HILL, PA 17011-2288
(717) 763-2206
- 00052
INDIANA REGIONAL MEDICAL CENTER—S
HOSPITAL ROAD
PO BOX 788
INDIANA, PA 15701-0788
(724) 357-7167

00135
J C BLAIR MEMORIAL HOSPITAL—S
1225 WARM SPRINGS AVENUE
HUNTINGDON, PA 16652
(814) 643-8645

00054
JAMESON MEMORIAL HOSPITAL—S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
(724) 656-4080

00240
JEANES HOSPITAL—S
7600 CENTRAL AVE
PHILADELPHIA, PA 19111
(215) 728-2347

00038
JEFFERSON REGIONAL MED CTR—S
PO BOX 18119
565 COAL VALLEY ROAD
PITTSBURGH, PA 15236
(412) 469-5723

00200
JENNERSVILLE REGIONAL HOSPITAL—S
1015 WEST BALTIMORE PIKE
WEST GROVE, PA 19390
(610) 869-1080

00034
KANE COMMUNITY HOSPITAL—B
NORTH FRALEY STREET
KANE, PA 16735
(814) 837-4575

00532
KENSINGTON HOSPITAL—S
136 WEST DIAMOND STREET
PHILADELPHIA, PA 19122
(215) 426-8100

01088
LABCORP OF AMERICA HOLDINGS—SB
69 FIRST AVENUE
PO BOX 500
RARITAN, NJ 08869
(908) 526-2400

00165
LANCASTER GENERAL HOSPITAL—S
555 N DUKE STREET
PO BOX 3555
LANCASTER, PA 17604
(717) 544-5989

00167
LANCASTER REGIONAL MED CENTER—S
250 COLLEGE AVENUE
PO BOX 3434
LANCASTER, PA 17604
(717) 291-8022

00114
LATROBE AREA HOSPITAL—S
121 W SECOND AVENUE
LATROBE, PA 15650
(724) 537-1550

00138
LEWISTOWN HOSPITAL—B
400 HIGHLAND AVENUE
LEWISTOWN, PA 17044
(717) 248-5411

00030
LOCK HAVEN HOSPITAL—B
24 CREE DRIVE
LOCK HAVEN, PA 17745
(570) 893-5000

00193
LOWER BUCKS HOSPITAL LABORATORY—S
501 BATH ROAD
BRISTOL, PA 19007
(215) 785-9300

00242
MAIN LINE CLIN LABS LANKENAU CP—S
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
(610) 645-2615

00213
MAIN LINE HEALTH LAB-BRYN MAWR—S
130 S BRYN MAWR AVENUE
BRYN MAWR, PA 19010
(610) 526-3554

00199
MAIN LINE HEALTH LABS-PAOLI—S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
(610) 648-1000

00004
MARIAN COMMUNITY HOSPITAL—S
100 LINCOLN AVENUE
CARBONDALE, PA 18407
(717) 281-1042

09003
MAYO CLINIC DEPT LAB MED & PATH—SB
200 FIRST STREET SW HILTON 530
ROCHESTER, MN 55905
(507) 284-3018

00049
MEADVILLE MED CTR—LIBERTY ST—S
751 LIBERTY STREET
MEADVILLE, PA 16335
(814) 336-5000

05574
MEDTOX LABORATORIES INC—SB
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
(651) 636-7466

00140
MEMORIAL HOSPITAL CLINICAL LAB—S
325 S BELMONT STREET
PO BOX 15118
YORK, PA 17403
(717) 843-8623

00023
MEMORIAL HOSPITAL LAB—SB
1 HOSPITAL DRIVE
TOWANDA, PA 18848
(570) 265-2191

00203
MERCY FITZGERALD HOSPITAL—S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 237-4262

00247
MERCY HEALTH LAB/MHOP—S
501 S 54TH STREET
PHILADELPHIA, PA 19143
(215) 748-9181

- 00219
MERCY HEALTH LAB/MSH—S
2701 DEKALB PIKE
NORRISTOWN, PA 19401
(610) 278-2090
- 00336
MERCY HEALTH PARTNERS—S
746 JEFFERSON AVENUE
SCRANTON, PA 18510
(570) 348-7100
- 28436
METHODIST DIV TJUH CLINICAL LAB—S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
(215) 952-9057
- 00231
MEYERSDALE COMMUNITY HOSPITAL—S
200 HOSPITAL DR
MEYERSDALE, PA 15552
(814) 634-5911
- 00269
MIDVALLEY HOSPITAL—S
1400 MAIN STREET
PECKVILLE, PA 18452
(570) 383-5520
- 00128
MINERS MEDICAL CENTER—S
290 HAIDA AVENUE
PO BOX 689
HASTINGS, PA 16646
(814) 247-3100
- 00108
MONONGAHELA VALLEY HOSPITAL INC—S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
(724) 258-1021
- 00217
MONTGOMERY HOSPITAL LAB—S
POWELL AND FORNANCE STS
NORRISTOWN, PA 19401
(610) 270-2173
- 00007
MOSES TAYLOR HOSPITAL—S
700 QUINCY AVENUE
SCRANTON, PA 18510
(570) 340-2100
- 00214
MOSS REHAB EINSTEIN AT ELKINS PARK—S
60 EAST TOWNSHIP LINE ROAD
ELKINS PARK, PA 19027
(215) 456-6150
- 00025
MOUNT NITTANY MEDICAL CENTER—B
1800 EAST PARK AVENUE
STATE COLLEGE, PA 16803
(814) 234-6117
- 00035
MUNCY VALLEY HOSPITAL—S
215 EAST WATER ST
MUNCY, PA 17756
(570) 546-8282
- 00304
NASON HOSPITAL—S
105 NASON DRIVE
ROARING SPRING, PA 16673
(814) 224-2141
- 00504
NATIONAL MED SVCS INC/DBA NMS LABS—SB
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 657-4900
- 00248
NAZARETH HOSPITAL—S
2601 HOLME AVE
PHILADELPHIA, PA 19152
(215) 335-6245
- 29741
NORTHERN TIER RESEARCH—SB
1300 OLD PLANK ROAD
MAYFIELD, PA 18433
(570) 351-6153
- 00099
OHIO VALLEY GENERAL HOSPITAL—S
25 HECKEL RD
MCKEES ROCKS, PA 15136
(412) 777-6161
- 00334
PALMERTON HOSPITAL—SB
135 LAFAYETTE AVENUE
PALMERTON, PA 18071
(610) 826-3141
- 00520
PC LAB INC—SB
1320 FIFTH AVENUE
PITTSBURGH, PA 15219
(412) 391-6118
- 00258
PENN PRESBYTERIAN MEDICAL CENTER—S
51 NORTH 39TH ST
DEPT OF PATH & LAB
WRIGHT SAUNDERS BLDG
5TH FL
RM 530
PHILADELPHIA, PA 19104-2640
(215) 662-3435
- 00316
PENN STATE MILTON S HERSHEY MED CTR—S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
(717) 531-8353
- 22533
PENNSYLVANIA DEPT OF HEALTH—SB
110 PICKERING WAY
LIONVILLE, PA 19353
(610) 280-3464
- 00197
PHOENIXVILLE HOSPITAL LABORATORY—S
140 NUTT ROAD
DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
(610) 983-1612
- 00157
PINNACLEHLTH/COMM GEN OSTEO HOSP—S
4300 LONDONDERRY RD
PO BOX 3000
HARRISBURG, PA 17109
(717) 657-7214
- 00022
POCONO MEDICAL CENTER LAB—SB
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3544

00221
POTTSTOWN HOSPITAL COMPANY, LLC—S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
(610) 327-7000

00300
PUNXSUTAWNEY AREA HOSPITAL—S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
(814) 938-1800

22715
QUEST DIAGNOSTICS—SB
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 888-1770

00315
QUEST DIAGNOSTICS CLINICAL LABS INC—SB
900 BUSINESS CENTER DRIVE
HORSHAM, PA 19044
(215) 957-9300

27461
QUEST DIAGNOSTICS INC—SB
400 EGYPT ROAD
NORRISTOWN, PA 19403
(610) 631-4219

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
(703) 802-6900

00482
QUEST DIAGNOSTICS OF PA INC—SB
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE LLC—SB
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7631

00150
READING HOSPITAL & MED CTR—S
6TH AND SPRUCE STREETS
WEST READING, PA 19611
(610) 988-8080

00206
RIDDLE MEMORIAL HOSPITAL—S
1068 W BALTIMORE PIKE
MEDIA, PA 19063
(610) 891-3339

00243
ROXBOROUGH MEMORIAL HOSPITAL—S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
(215) 487-4394

00171
SACRED HEART HOSPITAL—S
4TH & CHEW STS
ALLENTOWN, PA 18102
(610) 776-4727

00087
SAINT CLAIR MEMORIAL HOSPITAL—S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
(412) 561-4900

00174
SAINT LUKES HOSPITAL—S
801 OSTRUM STREET
BETHLEHEM, PA 18015
(610) 954-4558

00328
SAINT MARY MEDICAL CENTER—S
LANGHORNE-NEWTOWN RD
LANGHORNE, PA 19047
(215) 710-2162

00048
SAINT VINCENT HEALTH CENTER—S
232 WEST 25TH STREET
ERIE, PA 16544
(814) 452-5383

00182
SCHUYLKILL MC E NORWEGIAN ST—S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
(570) 621-4032

00183
SCHUYLKILL MC S JACKSON ST—SB
420 SOUTH JACKSON STREET
POTTSVILLE, PA 17901
(570) 621-5262

00064
SHARON REGIONAL HEALTH SYSTEM—SB
740 EAST STATE STREET
SHARON, PA 16146
(724) 983-3911

00039
SOLDIERS & SAILORS MEM HOSP—S
CENTRAL AVENUE
WELLSBORO, PA 16901
(570) 723-0133

00297
SOMERSET HOSPITAL CENTER FOR HEALTH—B
225 S CENTER AVENUE
SOMERSET, PA 15501
(814) 443-5000

00105
SOUTHWEST REGIONAL MEDICAL CENTER—S
350 BONAR AVENUE
WAYNESBURG, PA 15370
(724) 627-2608

22376
SPECIALTY LABORATORIES INC—S
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543

00361
ST CATHERINE MED CTR—FOUNTAIN SPRINGS—S
101 BROAD STREET
ASHLAND, PA 17921
(570) 875-5988

00260
ST CHRISTOPHERS HOSP FOR CHILDREN—S
ERIE AVENUE AT FRONT STREET
PHILADELPHIA, PA 19134
(215) 427-4207

- 00151
ST JOSEPH QUALITY MEDICAL LAB—SB
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200
- 00261
ST JOSEPH'S HOSPITAL—DIV NPHS—S
16TH ST AND GIRARD AVENUE
PHILADELPHIA, PA 19130
(215) 787-9000
- 00318
ST LUKES HOSP ALLENTOWN CAMPUS—S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
(610) 770-8300
- 00180
ST LUKES MINERS MEMORIAL HOSPITAL—S
360 WEST RUDDLE STREET
PO BOX 67
COALDALE, PA 18218
(570) 645-2131
- 00195
ST LUKES QUAKERTOWN HOSPITAL—S
1021 PARK AVENUE
QUAKERTOWN, PA 18951
(215) 538-4681
- 00207
TAYLOR HOSPITAL DIV OF CCMC—S
175 EAST CHESTER PIKE
RIDLEY PARK, PA 19078
(610) 595-6450
- 00249
TEMPLE EAST INC NE—S
2301 EAST ALLEGHENY AVENUE
PHILADELPHIA, PA 19134
(215) 291-3000
- 00235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
(215) 707-0977
- 00265
TEMPLE UNIVERSITY HOSPITAL—S
3401 N BROAD ST
PHILADELPHIA, PA 19140
(215) 707-4353
- 00205
THE MEDICAL CENTER BEAVER PA—SB
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009-9700
(724) 728-7000
- 00104
THE UNIONTOWN HOSPITAL LABORATORY—S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
(724) 430-5143
- 00085
THE WESTERN PA HOSP—FORBES REGIONAL CAM-
PUS—S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
(412) 858-2560
- 00241
THOMAS JEFFERSON UNIVERSITY HOSP—S
125 SOUTH 11TH STREET
204 PAVILION
PHILADELPHIA, PA 19107
(215) 955-6371
- 00051
TITUSVILLE AREA HOSPITAL—S
406 WEST OAK STREET
TITUSVILLE, PA 16354
(814) 827-1851
- 00313
TYLER MEMORIAL HOSPITAL—S
880 SR 6 W
TUNKHANNOCK, PA 18657-6149
(570) 836-4705
- 00124
TYRONE HOSPITAL—S
CLAY AVENUE EXTENSION
TYRONE, PA 16686
(814) 684-0484
- 00121
UPMC BEDFORD MEMORIAL—SB
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
(814) 623-3506
- 00096
UPMC BRADDOCK—S
400 HOLLAND AVENUE
BRADDOCK, PA 15104
(412) 636-5291
- 00059
UPMC HORIZON GREENVILLE—SB
110 NORTH MAIN STREET
GREENVILLE, PA 16125
(724) 588-2100
- 00057
UPMC HORIZON SHENANGO—SB
2200 MEMORIAL DRIVE
FARRELL, PA 16121
(724) 981-3500
- 00098
UPMC MCKEESPORT LABORATORY—S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
(412) 664-2233
- 00082
UPMC MERCY DEPT OF LAB MEDICINE—S
1400 LOCUST STREET
PITTSBURGH, PA 15219
(412) 232-7831
- 00084
UPMC PASSAVANT—S
9100 BABCOCK BLVD
PITTSBURGH, PA 15237
(412) 367-6700
- 05784
UPMC PASSAVANT LABORATORY CRANBERRY—S
ONE ST FRANCIS WAY
CRANBERRY TOWNSHIP, PA 16066
(724) 772-5370

00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—S
ROOM 5929 MAIN TOWER CHP
200 LOTHROP STREET
PITTSBURGH, PA 15213-2582
(412) 648-6000

00091
UPMC SAINT MARGARET HOSPITAL—S
815 FREEPORT ROAD
PITTSBURGH, PA 15215
(412) 784-4000

00092
UPMC SHADYSIDE—S
5230 CENTRE AVENUE
GROUND FLOOR WEST WING
PITTSBURGH, PA 15232
(412) 623-5950

00093
UPMC SOUTH SIDE—S
2000 MARY STREET
PITTSBURGH, PA 15203
(412) 488-5731

00101
VALLEY MED FAC HER VLY SEWICKLEY—S
BLACKBURN RD AND FITCH DRIVE
SEWICKLEY, PA 15143
(412) 741-6600

00066
WARREN GENERAL HOSPITAL—S
2 CRESCENT PARK
WARREN, PA 16365
(814) 723-3300

00111
WASHINGTON HOSPITAL—S
155 WILSON AVE
WASHINGTON, PA 15301
(724) 223-3136

00298
WAYNE MEMORIAL HOSPITAL—S
601 PARK STREET
HONESDALE, PA 18431
(570) 253-1300

00133
WAYNESBORO HOSPITAL—S
501 E MAIN STREET
WAYNESBORO, PA 17268
(717) 765-3403

00095
WESTERN PENNSYLVANIA HOSPITAL—S
4800 FRIENDSHIP AVE
PITTSBURGH, PA 15224
(412) 578-5779

07731
WESTERN RESERVE CARE SYSTEM—S
500 GYPSY LANE
YOUNGSTOWN, OH 44501
(330) 884-3767

30245
WESTFIELD HOSPITAL LABORATORY—S
4815 W TILGHMAN STREET
ALLENTOWN, PA 18104
(610) 776-1603

00113
WESTMORELAND HOSP AT JEANNETTE—S
600 JEFFERSON AVENUE
JEANNETTE, PA 15644
(724) 832-4371

00112
WESTMORELAND REGIONAL HOSPITAL—S
532 W PITTSBURGH STREET
GREENSBURG, PA 15601
(724) 832-4365

00037
WILLIAMSPORT HOSP & MED CENTER—SB
777 RURAL AVENUE
WILLIAMSPORT, PA 17701-3198
(570) 321-2300

00106
WINDBER HOSPITAL—B
600 SOMERSET AVE
WINDBER, PA 15963
(814) 467-6611

00018
WVHCS HOSP DBA PENNANT LABORATORY—SB
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

25064
WVU HOSPITAL CLINICAL LABS—S
1 MEDICAL CENTER DR
PO BOX 8009
MORGANTOWN, WV 26506-8009
(304) 598-4241

00141
YORK HOSPITAL—S
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 09-18. Filed for public inspection January 2, 2009, 9:00 a.m.]

Laboratories Approved to Determine Urine Controlled Substance Content under the Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code, and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (35 P. S. §§ 2151–2165) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of urine for the determination of controlled substances or their biotransformation products.

This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance), and

the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in urine.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory urine drug analyses. Laboratories approved to perform screening tests only are designated on the approval list by an "S" after the laboratory's name. Laboratories approved to perform confirmatory testing only are designated by a "C" following the laboratory's name. Those approved to perform both screening and confirmatory analyses are designated by the letters "SC." Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic urine drug analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the purpose. They should also determine that the director of the facility is agreeable to performing analyses for that purpose. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought. The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*.

The Commonwealth's Vehicle Code contains a provision (75 Pa.C.S. § 1547(c)(3)(ii)) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence at legal proceedings in Pennsylvania if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of section 3802 (driving under the influence of alcohol or controlled substance) or any other violation of that title arising out of the same action if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Federal Clinical Laboratory Improvement Amendments of 1988 (Pub. L. No. 100-5768, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory is sometimes changed but the personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name or location of the facility changed, the Clinical Laboratory Permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

Questions regarding this list should be directed to M. Jeffery Shoemaker, Ph.D., Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

00215
ABINGTON HEALTH LANSDALE HOSP—S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
(215) 368-2100

00212
ABINGTON MEMORIAL HOSPITAL—S
1200 OLD YORK ROAD
ABINGTON, PA 19001
(215) 576-2350

27908
ACM MEDICAL LABORATORY—SC
160 ELMGROVE PARK
ROCHESTER, NY 14624
(716) 429-2264

27180
ADVANCED TOXICOLOGY NETWORK—SC
3560 AIR CENTER COVE
SUITE 101
MEMPHIS, TN 38118
(901) 794-5770

30483
AIT LABORATORIES—SC
2265 EXECUTIVE DRIVE
INDIANAPOLIS, IN 46241
(317) 243-3894

00233
ALBERT EINSTEIN MEDICAL CENTER—S
5501 OLD YORK ROAD
PHILADELPHIA, PA 19141
(215) 456-6157

00116
ALLE KISKI MED CNTR NEW KENSINGTON—S
651 FOURTH AVENUE
NEW KENSINGTON, PA 15068
(724) 226-7089

00671
ALLEGHENY COUNTY MED EX DIV OF LAB—SC
542 FORBES AVENUE
ROOM 10
COUNTY OFFICE BUILDING
PITTSBURGH, PA 15219
(412) 350-4425

28233
ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S
320 E NORTH AVENUE
PITTSBURGH, PA 15212
(412) 359-6886

00077
ALLEGHENY GENERAL HOSPITAL—S
1307 FEDERAL STREET
PITTSBURGH, PA 15212
(412) 359-3521

00094
ALLEGHENY GENERAL HOSPITAL SUBURBAN CAM-
PUS—S
100 SOUTH JACKSON AVENUE
BELLEVUE, PA 15202
(412) 734-6020

- 00100
ALLEGHENY VALLEY HOSPITAL LAB—S
1301 CARLISLE STREET
NATRONA HEIGHTS, PA 15065
(724) 224-5100
- 00120
ALTOONA REGIONAL HEALTH SYSM—BON
SECOURS CAMPUS—S
2500 SEVENTH AVENUE
ALTOONA, PA 16602-2099
(814) 949-4495
- 00119
ALTOONA REGIONAL HEALTH SYSTEM LAB—S
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
(814) 946-2340
- 30223
AMERITOX LTD—SC
9930 WEST HWY 80
MIDLAND, TX 79706
(432) 561-5091
- 26620
AMMON ANALYTICAL LABORATORY—SC
1622 SOUTH WOOD AVENUE
LINDEN, NJ 07036
(908) 862-4404
- 00452
ANALYTIC BIO-CHEMISTRIES LAB—SC
1680 D LORETTA AVENUE
FEASTERVILLE, PA 19053
(215) 322-9210
- 00047
ASSOCIATED CLINICAL LABORATORIES—S
1526 PEACH STREET
ERIE, PA 16501
(814) 461-2400
- 00363
ATLANTIC DIAGNOSTIC LABORATORIES INC—S
1570 GARRETT ROAD
UPPER DARBY, PA 19082
(610) 626-2112
- 00516
ATLANTIC DIAGNOSTIC LABORATORIES LLC—S
2921 NEW RODGERS ROAD
BRISTOL, PA 19007
(215) 785-5200
- 24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SC
3520 PROGRESS DRIVE UNIT C
BENSALEM, PA 19020
(267) 525-2470
- 00251
AYER CLINICAL LAB PENNSYLVANIA HOSPITAL—S
800 SPRUCE STREETS
PHILADELPHIA, PA 19107
(215) 829-3541
- 00320
BARNES KASSON HOSPITAL LAB—S
400 TURNPIKE STREET
SUSQUEHANNA, PA 18847
(570) 853-5059
- 21553
BENDINER & SCHLESINGER INC—SC
140 58TH STREET
SUITE 8D
BROOKLYN, NY 11220
(212) 254-2300
- 27615
BIOLOGICAL SPECIALTY CORPORATION—S
2165 NORTH LINE STREET
COLMAR, PA 18915
(215) 997-8771
- 27616
BIOLOGICAL SPECIALTY CORPORATION—S
1236 NEW RODGERS RD #851
BRISTOL, PA 19007
(215) 826-9282
- 27617
BIOLOGICAL SPECIALTY CORPORATION—S
22 SOUTH 4TH STREET
READING, PA 19602
(610) 375-9862
- 22757
BIOREFERENCE LABORATORIES INC—SC
481B EDWARD H ROSS DRIVE
ELMWOOD PARK, NJ 07407
(201) 791-3600
- 00002
BLOOMSBURG HOSPITAL—S
549 E FAIR STREET
BLOOMSBURG, PA 17815
(570) 387-2124
- 00033
BRADFORD REGIONAL MEDICAL CENTER—S
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
(814) 362-8247
- 00296
BRANDYWINE HOSPITAL—S
201 REECEVILLE ROAD
COATESVILLE, PA 19320
(610) 383-8000
- 00472
BROOKSIDE CLINICAL LAB INC—S
4000 EDMONT AVENUE
BROOKHAVEN, PA 19015
(610) 872-6466
- 00301
BUTLER MEMORIAL HOSPITAL—S
911 EAST BRADY STREET
BUTLER, PA 16001
(724) 284-4510
- 29116
CALLOWAY LABORATORIES INC—SC
34 COMMERCE WAY
WOBURN, MA 01801
(781) 224-9899
- 00107
CANONSBURG GENERAL HOSPITAL—S
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
(724) 745-3916
- 00131
CARLISLE REGIONAL MEDICAL CENTER—S
361 ALEXANDER SPRING ROAD
CARLISLE, PA 17015-9129
(717) 249-1212

- 00751
CEDAR CREST EMERGICENTER—S
1101 SOUTH CEDAR CREST BOULEVARD
ALLENTOWN, PA 18103
(610) 433-4260
- 22388
CENTER FOR DISEASE DETECTION—SC
3370 NACOGDOCHES ROAD
SUITE 100
SAN ANTONIO, TX 78217
(210) 590-3033
- 00132
CHAMBERSBURG HOSPITAL DEPT OF PATHOL-
OGY—S
112 NORTH SEVENTH STREET
CHAMBERSBURG, PA 17201
(717) 267-7153
- 00310
CHARLES COLE MEMORIAL HOSPITAL—S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
(814) 274-5510
- 00198
CHESTER COUNTY HOSPITAL—S
701 E MARSHALL ST
WEST CHESTER, PA 19380
(610) 431-5182
- 00227
CHESTNUT HILL HOSPITAL—S
8835 GERMANTOWN AVENUE
DEPT OF PATHOLOGY
PHILADELPHIA, PA 19118
(215) 248-8630
- 00228
CHILDRENS HOSP OF PHILADELPHIA—S
ONE CHILDRENS CENTER
34TH & CIVIC
PHILADELPHIA, PA 19104
(215) 590-4446
- 00329
CLARION HOSPITAL—S
1 HOSPITAL DRIVE
CLARION, PA 16214
(814) 226-9500
- 24916
CLINICAL SCIENCE LABORATORY INC—SC
51 FRANCIS AVENUE
MANSFIELD, MA 02048
(508) 339-6106
- 00005
COMMUNITY MEDICAL CENTER—S
1800 MULBERRY STREET
SCRANTON, PA 18510
(570) 969-8000
- 00125
CONEMAUGH VALLEY MEMORIAL HOSP—S
LABORATORY DEPT
1086 FRANKLIN STREET
JOHNSTOWN, PA 15905
(814) 534-9000
- 00326
CORY MEMORIAL HOSPITAL—S
612 WEST SMITH STREET
CORY, PA 16407
(814) 664-4641
- 00201
CROZER CHESTER MED CENTER—S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
(610) 447-2000
- 00204
DELAWARE COUNTY MEMORIAL HOSP—S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
(610) 284-8100
- 00266
DEPT OF PATHOLOGY & LAB MED-HUP—SC
3400 CIVIC CENTER BOULEVARD
PHILADELPHIA, PA 19104
(215) 662-3423
- 28893
DOMINION DIAGNOSTICS LLC—SC
211 CIRCUIT DRIVE
NORTH KINGSTOWN, RI 02852
(401) 667-0800
- 00194
DOYLESTOWN HOSPITAL—S
595 WEST STATE STREET
DOYLESTOWN, PA 18901
(215) 345-2250
- 00977
DRUGSCAN INC—SC
1119 MEARNS RD
PO BOX 2969
WARMINSTER, PA 18974
(215) 674-9310
- 00175
EASTON HOSPITAL—S
250 SOUTH 21ST ST
EASTON, PA 18042-3892
(610) 250-4140
- 00332
ELLWOOD CITY HOSPITAL—S
724 PERSHING ST
ELLWOOD CITY, PA 16117
(724) 752-0081
- 00164
EPHRATA COMMUNITY HOSPITAL—S
169 MARTIN AVE
PO BOX 1002
EPHRATA, PA 17522
(717) 733-0311
- 00031
ERHC RIDGWAY LABORATORY—S
94 HOSPITAL STREET
RIDGWAY, PA 15853
(814) 788-8525
- 00032
ERHC ST MARYS LABORATORY—S
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
(814) 788-8525
- 00181
EVANGELICAL COMMUNITY HOSPITAL—S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
(570) 522-2510

21431
 FITNESS FOR DUTY CENTER—S
 PPL SUSQUEHANNA LLC
 769 SALEM BLVD
 BERWICK, PA 18603
 (570) 542-3336

00192
 FRANKFORD HOSP BUCKS CO CAMPUS—S
 380 NORTH OXFORD VALLEY ROAD
 LANGHORNE, PA 19047-8304
 (215) 934-5227

00341
 FRANKFORD HOSP TC LAB—S
 RED LION & KNIGHTS ROADS
 ATTN P FARANO MD
 PHILADELPHIA, PA 19114
 (215) 612-4000

00236
 FRANKFORD HOSPITAL FRANK DIV—S
 FRANKFORD AVE & WAKELING STREET
 PHILADELPHIA, PA 19124
 (215) 831-2068

00115
 FRICK HOSPITAL—S
 508 SOUTH CHURCH STREET
 MOUNT PLEASANT, PA 15666
 (724) 547-1500

20644
 FRIENDS HOSPITAL—S
 4641 ROOSEVELT BOULEVARD
 PHILADELPHIA, PA 19124-2399
 (215) 831-4600

09163
 FRIENDS MEDICAL LAB INC—SC
 5820 SOUTHWESTERN BLVD
 BALTIMORE, MD 21227
 (412) 247-4417

00330
 FULTON COUNTY MEDICAL CENTER—S
 214 PEACH ORCHARD ROAD
 MCCONNELLSBURG, PA 17233
 (717) 485-6143

30188
 GARCIA CLINICAL LABORATORY INC—S
 2195 SPRING ARBOR ROAD
 JACKSON, MI 49201
 (517) 787-9200

00173
 GEISINGER MEDICAL LABORATORIES—SC
 N ACADEMY ROAD
 DANVILLE, PA 17822
 (570) 271-6338

00017
 GEISINGER SOUTH WILKES BARRE HOSPITAL—S
 25 CHURCH STREET
 WILKES BARRE, PA 18765
 (570) 826-3100

00019
 GEISINGER WYOMING VALLEY MED CTR—S
 1000 E MOUNTAIN DRIVE
 WILKES BARRE, PA 18711
 (570) 826-7830

00237
 GERMANTOWN COMM HLTH WILLOW TERR—S
 ONE PENN BOULEVARD
 PHILADELPHIA, PA 19144
 (215) 456-6157

26799
 GHHA OCCUPATIONAL HEALTH CENTER LAB—S
 50 MOISEY DRIVE
 HAZLETON, PA 18202
 (570) 459-1028

00152
 GNADEN HUETTEN MEMORIAL HOSP—S
 211 NORTH 12TH STREET
 LEHIGHTON, PA 18235
 (610) 377-7083

00299
 GOOD SAMARITAN HOSPITAL—S
 4TH & WALNUT STS
 PO BOX 1281
 LEBANON, PA 17042-1218
 (717) 270-7500

00061
 GROVE CITY MEDICAL CENTER—S
 631 NORTH BROAD STREET EXT
 GROVE CITY, PA 16127
 (724) 450-7125

00654
 GUTHRIE CLINIC PATH LAB—S
 GUTHRIE SQUARE
 SAYRE, PA 18840
 (570) 888-5858

00239
 HAHNEMANN UNIVERSITY HOSPITAL—S
 BROAD & VINE STS MS 113
 PHILADELPHIA, PA 19102
 (215) 762-1783

00139
 HANOVER HOSPITAL LABORATORY—S
 300 HIGHLAND AVE
 HANOVER, PA 17331
 (717) 637-3711

00155
 HARRISBURG HOSPITAL LABORATORY—S
 MEDICAL SCIENCES BUILDING
 100 2ND STREET
 HARRISBURG, PA 17105
 (570) 782-2832

00010
 HAZLETON GENERAL HOSPITAL—S
 700 EAST BROAD
 HAZLETON, PA 18201
 (570) 501-4152

00169
 HEALTH NETWORK LABORATORIES—S
 1627 WEST CHEW STREET
 ALLENTOWN, PA 18102
 (610) 402-2236

00549
 HEALTH NETWORK LABORATORIES—S
 1200 SOUTH CEDAR CREST BLVD
 ALLENTOWN, PA 18103
 (610) 402-8150

- 00600
HEALTH NETWORK LABORATORIES—S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
(484) 884-2259
- 24655
HEALTH NETWORK LABORATORIES—SC
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
(610) 402-8150
- 00166
HEART OF LANCASTER REGIONAL MEDICAL CENTER—S
1500 HIGHLANDS DRIVE
LITITZ, PA 17543
(717) 625-5605
- 00103
HIGHLANDS HOSPITAL—S
401 EAST MURPHY AVENUE
CONNELLSVILLE, PA 15425
(724) 628-1500
- 00216
HOLY REDEEMER HOSPITAL—S
1648 HUNTINGDON PIKE
MEADOWBROOK, PA 19046
(215) 947-3000
- 00130
HOLY SPIRIT HOSPITAL—S
503 N 21ST STREET
CAMP HILL, PA 17011-2288
(717) 763-2206
- 00052
INDIANA REGIONAL MEDICAL CENTER—S
HOSPITAL ROAD
PO BOX 788
INDIANA, PA 15701-0788
(724) 357-7167
- 00135
J C BLAIR MEMORIAL HOSPITAL—S
1225 WARM SPRINGS AVENUE
HUNTINGDON, PA 16652
(814) 643-8645
- 00054
JAMESON MEMORIAL HOSPITAL—S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
(724) 656-4080
- 00240
JEANES HOSPITAL—S
7600 CENTRAL AVE
PHILADELPHIA, PA 19111
(215) 728-2347
- 00038
JEFFERSON REGIONAL MED CTR—S
PO BOX 18119
565 COAL VALLEY ROAD
PITTSBURGH, PA 15236
(412) 469-5723
- 00200
JENNERSVILLE REGIONAL HOSPITAL—S
1015 WEST BALTIMORE PIKE
WEST GROVE, PA 19390
(610) 869-1080
- 00312
JERSEY SHORE HOSPITAL—S
1020 THOMPSON STREET
JERSEY SHORE, PA 17740
(570) 398-0100
- 00532
KENSINGTON HOSPITAL—S
136 WEST DIAMOND STREET
PHILADELPHIA, PA 19122
(215) 426-8100
- 26008
KROLL LABORATORY SPECIALISTS—SC
1111 NEWTON STREET
GRETNA, LA 70053
(504) 361-8989
- 24496
KROLL LABORATORY SPECIALISTS INC—SC
450 SOUTHLAKE BOULEVARD
RICHMOND, VA 23236
(804) 378-9130
- 21306
LAB CORP OCCUPATIONAL TEST SRVCS—SC
1120 STATELINE ROAD WEST
SOUTHAVEN, MS 38671
(886) 827-8042
- 20512
LABCORP OCCUPATIONAL TESTING SER—SC
1904 ALEXANDER DRIVE
PO BOX 12652
RESEARCH TRIANGLE PARK, NC 27709
(919) 572-7465
- 01088
LABCORP OF AMERICA HOLDINGS—SC
69 FIRST AVENUE
PO BOX 500
RARITAN, NJ 08869
(908) 526-2400
- 00165
LANCASTER GENERAL HOSPITAL—S
555 N DUKE STREET
PO BOX 3555
LANCASTER, PA 17604
(717) 544-5989
- 00167
LANCASTER REGIONAL MED CENTER—S
250 COLLEGE AVENUE
PO BOX 3434
LANCASTER, PA 17604
(717) 291-8022
- 00114
LATROBE AREA HOSPITAL—S
121 W SECOND AVENUE
LATROBE, PA 15650
(724) 537-1550
- 001381
LEWISTOWN HOSPITAL—S
400 HIGHLAND AVENUE
LEWISTOWN, PA 17044
(717) 248-5411
- 00030
LOCK HAVEN HOSPITAL—S
24 CREE DRIVE
LOCK HAVEN, PA 17745
(570) 893-5000

00193
LOWER BUCKS HOSPITAL LABORATORY—S
501 BATH ROAD
BRISTOL, PA 19007
(215) 785-9300

00639
MAGEE-WOMENS HOSPITAL OF UPMC HEALTH
SYSTEM—S
300 HALKET STREET
PITTSBURGH, PA 15213
(412) 647-4651

00242
MAIN LINE CLIN LABS LANKENAU CP—S
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
(610) 645-2615

00213
MAIN LINE HEALTH LAB-BRYN MAWR—S
130 S BRYN MAWR AVENUE
BRYN MAWR, PA 19010
(610) 526-3554

00199
MAIN LINE HEALTH LABS-PAOLI—S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
(610) 648-1000

00004
MARIAN COMMUNITY HOSPITAL—S
100 LINCOLN AVENUE
CARBONDALE, PA 18407
(717) 281-1042

27684
MARWORTH—S
BOX 36 LILLY LAKE ROAD
WAVERLY, PA 18471
(570) 563-1112

09003
MAYO CLINIC DEPT LAB MED & PATH—SC
200 FIRST STREET SW HILTON 530
ROCHESTER, MN 55905
(507) 284-3018

00049
MEADVILLE MED CTR-LIBERTY ST—S
751 LIBERTY STREET
MEADVILLE, PA 16335
(814) 336-5000

05574
MEDTOX LABORATORIES INC—SC
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
(651) 636-7466

00140
MEMORIAL HOSPITAL CLINICAL LAB—S
325 S BELMONT STREET
PO BOX 15118
YORK, PA 17403
(717) 843-8623

00023
MEMORIAL HOSPITAL LAB—S
1 HOSPITAL DRIVE
TOWANDA, PA 18848
(570) 265-2191

00203
MERCY FITZGERALD HOSPITAL—S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 237-4262

00247
MERCY HEALTH LAB/MHOP—S
501 S 54TH STREET
PHILADELPHIA, PA 19143
(215) 748-9181

00219
MERCY HEALTH LAB/MSH—S
2701 DEKALB PIKE
NORRISTOWN, PA 19401
(610) 278-2090

00336
MERCY HEALTH PARTNERS—S
746 JEFFERSON AVENUE
SCRANTON, PA 18510
(570) 348-7100

28436
METHODIST DIV TJUH CLINICAL LAB—S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
(215) 952-9057

00128
MINERS MEDICAL CENTER—S
290 HAIDA AVENUE
PO BOX 689
HASTINGS, PA 16646
(814) 247-3100

28907
MIRMONT TREATMENT CENTER—S
100 YEARSLEY MILL ROAD
LIMA, PA 19063
(610) 744-1400

00108
MONONGAHELA VALLEY HOSPITAL INC—S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
(724) 258-1021

00217
MONTGOMERY HOSPITAL LAB—S
POWELL & FORNANCE STS
NORRISTOWN, PA 19401
(610) 270-2173

00214
MOSS REHAB EINSTEIN AT ELKINS PARK—S
60 EAST TOWNSHIP LINE ROAD
ELKINS PARK, PA 19027
(215) 456-6150

00025
MOUNT NITTANY MEDICAL CENTER—S
1800 EAST PARK AVENUE
STATE COLLEGE, PA 16803
(814) 234-6117

00035
MUNCY VALLEY HOSPITAL—S
215 EAST WATER ST
MUNCY, PA 17756
(570) 546-8282

00304
NASON HOSPITAL—S
105 NASON DRIVE
ROARING SPRING, PA 16673
(814) 224-2141

00504
NATIONAL MED SVCS INC/DBA NMS LABS—SC
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 657-4900

00248
NAZARETH HOSPITAL—S
2601 HOLME AVE
PHILADELPHIA, PA 19152
(215) 335-6245

27246
NORCHEM DRUG TESTING LABORATORY—SC
1760 EAST ROUTE 66
SUITE 1
FLAGSTAFF, AZ 86004
(928) 526-1011

29741
NORTHERN TIER RESEARCH—SC
1300 OLD PLANK ROAD
MAYFIELD, PA 18433
(570) 351-6153

00099
OHIO VALLEY GENERAL HOSPITAL—S
25 HECKEL RD
MCKEES ROCKS, PA 15136
(412) 777-6161

00250
PARKWAY CLINICAL LABORATORIES—S
3494 D PROGRESS DRIVE
BENSALEM, PA 19020
(215) 245-5112

00520
PC LAB INC—SC
1320 FIFTH AVENUE
PITTSBURGH, PA 15219
(412) 391-6118

00258
PENN PRESBYTERIAN MEDICAL CENTER—S
51 NORTH 39TH ST
DEPT OF PATH & LAB
WRIGHT SAUNDERS BLDG 5TH FL RM 530
PHILADELPHIA, PA 19104-2640
(215) 662-3435

00316
PENN STATE MILTON S HERSHEY MED CTR—S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
(717) 531-8353

22533
PENNSYLVANIA DEPT OF HEALTH—SC
110 PICKERING WAY
LIONVILLE, PA 19353
(610) 280-3464

00197
PHOENIXVILLE HOSPITAL LABORATORY—S
140 NUTT ROAD
DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
(610) 983-1612

00020
PHYSICIANS CLINICAL LABORATORY—S
148 NORTH SHERMAN COURT
HAZLETON, PA 18201
(570) 454-6301

00157
PINNACLEHLTH/COMM GEN OSTEO HOSP—S
4300 LONDONDERRY RD
PO BOX 3000
HARRISBURG, PA 17109
(717) 657-7214

00022
POCONO MEDICAL CENTER LAB—S
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3544

00221
POTTSTOWN HOSPITAL COMPANY, LLC—S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
(610) 327-7000

21648
PSYCHEMEDICS CORPORATION—SC
5832 UPLANDER WAY
CULVER CITY, CA 90230
(800) 522-7424

00300
PUNXSUTAWNEY AREA HOSPITAL—S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
(814) 938-1800

22715
QUEST DIAGNOSTICS—SC
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 888-1770

09620
QUEST DIAGNOSTICS CLIN LABS INC—SC
8401 FALLBROOK AVENUE
WEST HILLS, CA 91304
(818) 737-6268

00315
QUEST DIAGNOSTICS CLINICAL LABS INC—SC
900 BUSINESS CENTER DRIVE
HORSHAM, PA 19044
(215) 957-9300

27461
QUEST DIAGNOSTICS INC—SC
400 EGYPT ROAD
NORRISTOWN, PA 19403
(610) 631-4219

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SC
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
(703) 802-6900

00482
QUEST DIAGNOSTICS OF PA INC—SC
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE LLC—SC
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7631

24249
 QUINTILES LABORATORIES LTD—SC
 1600 TERRELL MILL ROAD
 SUITE 100
 MARIETTA, GA 30067
 (770) 373-3500

00150
 READING HOSPITAL & MED CTR—S
 6TH AND SPRUCE STREETS
 WEST READING, PA 19611
 (610) 988-8080

25348
 REDWOOD TOXICOLOGY LABORATORY—SC
 3650 WESTWIND BOULEVARD
 SANTA ROSA, CA 95403
 (707) 577-7958

00206
 RIDDLE MEMORIAL HOSPITAL—S
 1068 W BALTIMORE PIKE
 MEDIA, PA 19063
 (610) 891-3339

00243
 ROXBOROUGH MEMORIAL HOSPITAL—S
 5800 RIDGE AVE
 PHILADELPHIA, PA 19128
 (215) 487-4394

30821
 RXTOX INC—SC
 51 PROF PLAZA
 850 CLAIRTON BLVD
 SUITE 1300
 PITTSBURGH, PA 15236
 (412) 460-1310

00171
 SACRED HEART HOSPITAL—S
 4TH & CHEW STS
 ALLENTOWN, PA 18102
 (610) 776-4727

00087
 SAINT CLAIR MEMORIAL HOSPITAL—S
 1000 BOWER HILL RD
 PITTSBURGH, PA 15243
 (412) 561-4900

00174
 SAINT LUKES HOSPITAL—S
 801 OSTRUM STREET
 BETHLEHEM, PA 18015
 (610) 954-4558

00328
 SAINT MARY MEDICAL CENTER—S
 LANGHORNE-NEWTOWN RD
 LANGHORNE, PA 19047
 (215) 710-2162

29838
 SAN DIEGO REFERENCE LABORATORY—SC
 6122 NANCY RIDGE DRIVE
 SAN DIEGO, CA 92121
 (800) 677-7995

00182
 SCHUYLKILL MC E NORWEGIAN ST—S
 700 EAST NORWEGIAN STREET
 POTTSVILLE, PA 17901
 (570) 621-4032

00183
 SCHUYLKILL MC S JACKSON ST—S
 420 SOUTH JACKSON STREET
 POTTSVILLE, PA 17901
 (570) 621-5262

28471
 SECON A DIVISION OF CIVIGENICS—S
 260 LA RUE FRANCE
 LAFAYETTE, LA 70508
 (337) 291-9501

29038
 SECON OF NEW ENGLAND—SC
 415 MAIN STREET
 4TH FLOOR
 WORCESTER, MA 01608
 (508) 831-0703

00185
 SHAMOKIN AREA COMMUNITY HOSPITAL—S
 4200 HOSPITAL ROAD
 COAL TOWNSHIP, PA 17866-9697
 (570) 644-4200

00064
 SHARON REGIONAL HEALTH SYSTEM—S
 740 EAST STATE STREET
 SHARON, PA 16146
 (724) 983-3911

27649
 SMA MEDICAL LABORATORIES—S
 940 PENNSYLVANIA BOULEVARD
 UNIT E
 FEASTERVILLE, PA 19053
 (215) 322-6590

00039
 SOLDIERS & SAILORS MEM HOSP—S
 CENTRAL AVENUE
 WELLSBORO, PA 16901
 (570) 723-0133

00297
 SOMERSET HOSPITAL CENTER FOR HEALTH—S
 225 S CENTER AVENUE
 SOMERSET, PA 15501
 (814) 443-5000

22376
 SPECIALTY LABORATORIES INC—S
 27027 TOURNEY ROAD
 VALENCIA, CA 91355
 (661) 799-6543

00361
 ST CATHERINE MED CTR-FOUNTAIN SPRINGS—S
 101 BROAD STREET
 ASHLAND, PA 17921
 (570) 875-5988

00260
 ST CHRISTOPHERS HOSP FOR CHILDREN—S
 ERIE AVENUE AT FRONT STREET
 PHILADELPHIA, PA 19134
 (215) 427-4207

00151
 ST JOSEPH QUALITY MEDICAL LAB—SC
 2500 BERNVILLE ROAD
 READING, PA 19605-9453
 (610) 378-2200

- 00261
ST JOSEPH'S HOSPITAL—DIV NPHS—S
16TH ST & GIRARD AVENUE
PHILADELPHIA, PA 19130
(215) 787-9000
- 00318
ST LUKES HOSP ALLENTOWN CAMPUS—S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
(610) 770-8300
- 00180
ST LUKES MINERS MEMORIAL HOSPITAL—S
360 WEST RUDDLE STREET
PO BOX 67
COALDALE, PA 18218
(570) 645-2131
- 29015
STERLING REFERENCE LABORATORIES—SC
2617 EAST L STREET
TACOMA, WA 98405
(253) 552-1551
- 00187
SUNBURY COMMUNITY HOSPITAL—S
350 NORTH 11TH STREET
SUNBURY, PA 17801
(570) 286-3491
- 00207
TAYLOR HOSPITAL DIV OF CCMC—S
175 EAST CHESTER PIKE
RIDLEY PARK, PA 19078
(610) 595-6450
- 00249
TEMPLE EAST INC NE—S
2301 EAST ALLEGHENY AVENUE
PHILADELPHIA, PA 19134
(215) 291-3000
- 00235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
(215) 707-0977
- 00265
TEMPLE UNIVERSITY HOSPITAL—S
3401 N BROAD ST
PHILADELPHIA, PA 19140
(215) 707-4353
- 00205
THE MEDICAL CENTER BEAVER PA—S
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009-9700
(724) 728-7000
- 00104
THE UNIONTOWN HOSPITAL LABORATORY—S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
(724) 430-5143
- 00085
THE WESTERN PA HOSP-FORBES REGIONAL
CAMPUS—S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
(412) 858-2560
- 00241
THOMAS JEFFERSON UNIVERSITY HOSP—S
125 SOUTH 11TH STREET
204 PAVILION
PHILADELPHIA, PA 19107
(215) 955-6371
- 00051
TITUSVILLE AREA HOSPITAL—S
406 WEST OAK STREET
TITUSVILLE, PA 16354
(814) 827-1851
- 00313
TYLER MEMORIAL HOSPITAL—S
880 SR 6 W
TUNKHANNOCK, PA 18657-6149
(570) 836-4705
- 00121
UPMC BEDFORD MEMORIAL—S
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
(814) 623-3506
- 00096
UPMC BRADDOCK—S
400 HOLLAND AVENUE
BRADDOCK, PA 15104
(412) 636-5291
- 00059
UPMC HORIZON GREENVILLE—S
110 NORTH MAIN STREET
GREENVILLE, PA 16125
(724) 588-2100
- 00057
UPMC HORIZON SHENANGO—S
2200 MEMORIAL DRIVE
FARRELL, PA 16121
(724) 981-3500
- 00098
UPMC MCKEESPORT LABORATORY—S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
(412) 664-2233
- 00082
UPMC MERCY DEPT OF LAB MEDICINE—S
1400 LOCUST STREET
PITTSBURGH, PA 15219
(412) 232-7831
- 00058
UPMC NORTHWEST—S
100 FAIRFIELD DRIVE
SENECA, PA 16346
(814) 676-7120
- 05784
UPMC PASSAVANT LABORATORY CRANBERRY—S
ONE ST FRANCIS WAY
CRANBERRY TOWNSHIP, PA 16066
(724) 772-5370
- 00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—SC
ROOM 5929 MAIN TOWER CHP
200 LOTHROP STREET
PITTSBURGH, PA 15213-2582
(412) 648-6000

00091
UPMC SAINT MARGARET HOSPITAL—S
815 FREEPORT ROAD
PITTSBURGH, PA 15215
(412) 784-4000

00092
UPMC SHADYSIDE—S
5230 CENTRE AVENUE
GROUND FLOOR WEST WING
PITTSBURGH, PA 15232
(412) 623-5950

00093
UPMC SOUTH SIDE—S
2000 MARY STREET
PITTSBURGH, PA 15203
(412) 488-5731

27225
US DRUG TESTING LABORATORIES INC—SC
1700 SOUTH MOUNT PROSPECT ROAD
DES PLAINES, IL 60018
(847) 375-0770

00335
VALLEY FORGE MED CTR & HOSP—S
1033 W GERMANTOWN PIKE
NORRISTOWN, PA 19403
(610) 539-8500

00101
VALLEY MED FAC HER VLY SEWICKLEY—S
BLACKBURN RD & FITCH DRIVE
SEWICKLEY, PA 15143
(412) 741-6600

00066
WARREN GENERAL HOSPITAL—S
2 CRESCENT PARK
WARREN, PA 16365
(814) 723-3300

00298
WAYNE MEMORIAL HOSPITAL—S
601 PARK STREET
HONESDALE, PA 18431
(570) 253-1300

00133
WAYNESBORO HOSPITAL—S
501 E MAIN STREET
WAYNESBORO, PA 17268
(717) 765-3403

00095
WESTERN PENNSYLVANIA HOSPITAL—S
4800 FRIENDSHIP AVE
PITTSBURGH, PA 15224
(412) 578-5779

07731
WESTERN RESERVE CARE SYSTEM—SC
500 GYPSY LANE
YOUNGSTOWN, OH 44501
(330) 884-3767

30245
WESTFIELD HOSPITAL LABORATORY—S
4815 W TILGHMAN STREET
ALLENTOWN, PA 18104
(610) 776-1603

00113
WESTMORELAND HOSP AT JEANNETTE—S
600 JEFFERSON AVENUE
JEANNETTE, PA 15644
(724) 832-4371

00112
WESTMORELAND REGIONAL HOSPITAL—S
532 W PITTSBURGH STREET
GREENSBURG, PA 15601
(724) 832-4365

00037
WILLIAMSPORT HOSP & MED CENTER—S
777 RURAL AVENUE
WILLIAMSPORT, PA 17701-3198
(570) 321-2300

00018
VWHCS HOSP DBA PENNANT LABORATORY—SC
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

00141
YORK HOSPITAL—S
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 09-19. Filed for public inspection January 2, 2009, 9:00 a.m.]

Laboratories Approved to Perform Blood Lead and/or Erythrocyte Protoporphyrin Determinations under the Clinical Laboratory Act

The following laboratories are licensed in accordance with the Clinical Laboratory Act (35 P. S. §§ 2151—2165) and are currently approved under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood for lead or erythrocyte protoporphyrin content. This approval is based on demonstrated proficiency in periodic evaluations conducted by the Bureau of Laboratories of the Department of Health (Department).

Lead poisoning is a reportable noncommunicable disease. Approved laboratories which offer blood lead testing services are required to inform the Department of actual or possible incidents of this condition in accordance with 28 Pa. Code § 27.34 (relating to reporting cases of lead poisoning). These regulations specify the following requirements for reporting by clinical laboratories:

(1) A clinical laboratory shall report all blood lead test results on both venous and capillary specimens for persons under 16 years of age to the Department's Childhood Lead Poisoning Prevention Program, Division of Maternal and Child Health, Bureau of Family Health.

(2) A clinical laboratory shall report an elevated blood lead level in a person 16 years of age or older to the Department's Division of Environmental Health Epidemiology, Bureau of Epidemiology or to other locations as designated by the Department. An elevated blood lead level is defined by the National Institute for Occupational Safety and Health (NIOSH). As of January 26, 2002, NIOSH defines an elevated blood lead level as a venous blood lead level of 25 micrograms per deciliter (µg/dL) or higher. The Department will publish in the *Pennsylvania Bulletin* any NIOSH update of the definition within 30 days of NIOSH's notification to the Department.

(3) A clinical laboratory which conducts blood lead tests of 100 or more specimens per month shall submit results electronically in a format specified by the Department.

(4) A clinical laboratory which conducts blood lead tests of less than 100 blood lead specimens per month shall submit results either electronically or by hard copy in the format specified by the Department.

(5) A laboratory which performs blood lead tests on blood specimens collected in this Commonwealth shall be licensed as a clinical laboratory and shall be specifically approved by the Department to conduct those tests.

(6) Blood lead analyses requested for occupational health purposes on blood specimens collected in this Commonwealth shall be performed only by laboratories which are licensed and approved as specified in paragraph (5), and which are also approved by the Occupational Safety and Health Administration of the United States Department of Labor under 29 CFR 1910.1025 (j)(2)(iii) (relating to lead).

(7) A clinical laboratory shall complete a blood lead test within 5 work days of the receipt of the blood specimen and shall submit the case report to the Department by the close of business of the next work day after the day on which the test was performed. The clinical laboratory shall submit a report of lead poisoning using either the hardcopy form or electronic transmission format specified by the Department.

(8) When a clinical laboratory receives a blood specimen without all of the information required for reporting purposes, the clinical laboratory shall test the specimen and shall submit the incomplete report to the Department.

Erythrocyte protoporphyrin determinations may be performed as an adjunct determination to substantiate blood lead levels of 25 micrograms per deciliter or higher. Since erythrocyte protoporphyrin concentrations may not increase as a result of low-level exposures to lead, direct blood lead analysis is the only reliable method for identifying individuals with blood lead concentrations below 25 micrograms per deciliter.

Persons seeking blood lead or erythrocyte protoporphyrin analyses should determine that the laboratory employs techniques and procedures acceptable for the purpose for which the analyses are sought. Laboratories offering blood lead analysis only are designated with the letter "L" following the name of the laboratory. Those offering erythrocyte protoporphyrin analysis only are designated with the letter "P." Laboratories offering both services are designated with the letters "LP."

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*.

The name or location of a laboratory is sometimes changed but the personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name or location of the facility changed, the Clinical Laboratory Permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood lead proficiency testing program is approved by the United States Department of Health and Human Services (HHS) in accordance with the requirements contained in the Clinical Laboratory Improvement Amendments of 1988 (42 CFR 493.901 and 493.937) which are administered by the Centers for Medicare and Medicaid Services (CMS). Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

22912
ACL LABORATORIES—LP
8901 WEST LINCOLN AVE
WEST ALLIS, WI 53227
(414) 328-7945

29169
ADVANCED TOXICOLOGY NETWORK—LP
3560 AIR CENTER COVE
SUITE 101
MEMPHIS, TN 38118
(901) 794-5770

00016
ANGELINE KIRBY MEM HEALTH CENTER—L
71 NORTH FRANKLIN STREET
WILKES-BARRE, PA 18701
(570) 822-4278

00516
ATLANTIC DIAGNOSTIC LABORATORIES LLC—LP
2921 NEW RODGERS ROAD
BRISTOL, PA 19007
(215) 785-5200

20506
CENTRAL PA ALLIANCE LABORATORY—L
1803 MT ROSE AVENUE
SUITE C3-C4
YORK, PA 17403
(717) 851-1426

00228
CHILDRENS HOSP OF PHILADELPHIA—L
ONE CHILDRENS CENTER
34TH & CIVIC
PHILADELPHIA, PA 19104
(215) 590-4446

27845
CLINICAL REFERENCE LABORATORY—LP
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 492-3652

00561
EAST PENN MFG CO INC—LP
DEKA RD KELLER TECH CENTER
PO BOX 147
LYONS STATION, PA 19536
(610) 682-6361

00332
ELLWOOD CITY HOSPITAL—LP
724 PERSHING ST
ELLWOOD CITY, PA 16117
(724) 752-0081

00173
GEISINGER MEDICAL LABORATORIES—L
N ACADEMY ROAD
DANVILLE, PA 17822
(570) 271-6338

25914
GENOVA DIAGNOSTICS—L
63 ZILLICOA STREET
ASHEVILLE, NC 28801
(828) 253-0621

30672
GLAD PROGRAM—L
4700 WISSACHICKON AVENUE
BLDG C
BOX 118
SUITE 102
PHILADELPHIA, PA 19144
(215) 967-2126

20802
HAGERSTOWN MEDICAL LABORATORY—L
11110 MEDICAL CAMPUS RD
STE 230
HAGERSTOWN, MD 21742
(301) 790-8670

24655
HEALTH NETWORK LABORATORIES—LP
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
(610) 402-8150

05618
LAB CORP OF AMERICA HOLDINGS—LP
6370 WILCOX ROAD
DUBLIN, OH 43016-1296
(800) 282-7300

21885
LAB CORP OF AMERICA HOLDINGS—LP
1447 YORK COURT
BURLINGTON, NC 27215
(800) 334-5161

01088
LABCORP OF AMERICA HOLDINGS—LP
69 FIRST AVENUE
PO BOX 500
RARITAN, NJ 08869
(908) 526-2400

09523
LABORATORY CORP OF AMERICA—L
13900 PARK CENTER ROAD
HERNDON, VA 20171
(703) 742-3100

00242
MAIN LINE CLIN LABS LANKENAU CP—L
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
(610) 645-2615

29685
MAYO CLINIC DEPARTMENT OF LAB MEDICINE &
PATHOLOGY—L
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-3458

09003
MAYO CLINIC DEPT LAB MED & PATH—P
200 FIRST STREET SW HILTON 530
ROCHESTER, MN 55905
(507) 284-3018

29251
MAYO MEDICAL LABORATORIES NEW ENG-
LAND—LP
160 DASCOMB ROAD
ANDOVER, MA 01810
(978) 658-3600

26302
MEDICAL ASSOCIATES BDHG—P
935 HIGHLAND BLVD
SUITE 2200
BOZEMAN, MT 59715
(406) 587-5123

05574
MEDTOX LABORATORIES INC—LP
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
(651) 636-7466

00203
MERCY FITZGERALD HOSPITAL—L
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 237-4262

00504
NATIONAL MED SVCS INC/DBA NMS LABS—LP
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 657-4900

23801
PACIFIC TOXICOLOGY LABORATORIES—LP
9348 DE SOTO AVENUE
CHATSWORTH, CA 91311
(818) 598-3110

02125
PED ALLIANCE ST CLAIR PED DIV—L
1580 MCLAUGHLIN RUN ROAD
PINERIDGE COMMONS
SUITE 208
UPPER ST CLAIR, PA 15241
(412) 257-0331

22533
PENNSYLVANIA DEPT OF HEALTH—LP
110 PICKERING WAY
LIONVILLE, PA 19353
(610) 280-3464

00022
POCONO MEDICAL CENTER LAB—L
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3544

00324
PRIMARY CARE HLTH SERV INC LAB—L
7227 HAMILTON AVE
PITTSBURGH, PA 15208
(412) 244-4728

00255
PUBLIC HEALTH LAB CITY OF PHILA—L
500 SOUTH BROAD STREET
ROOM 359
PHILADELPHIA, PA 19146
(215) 685-6812

22715

QUEST DIAGNOSTICS—LP
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 888-1770

00315

QUEST DIAGNOSTICS CLINICAL LABS INC—LP
900 BUSINESS CENTER DRIVE
HORSHAM, PA 19044
(215) 957-9300

00669

QUEST DIAGNOSTICS INCORPORATED—L
ONE MALCOLM AVENUE
TETERBORO, NJ 07608
(201) 393-5895

01136

QUEST DIAGNOSTICS NICHOLS INSTITUTE—LP
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
(703) 802-6900

00482

QUEST DIAGNOSTICS OF PA INC—LP
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461

QUEST DIAGNOSTICS VENTURE LLC—LP
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7631

00150

READING HOSPITAL & MED CTR—L
6TH AND SPRUCE STREETS
WEST READING, PA 19611
(610) 988-8080

22376

SPECIALTY LABORATORIES INC—L
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543

00104

THE UNIONTOWN HOSPITAL LABORATORY—L
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
(724) 430-5143

00083

UPMC PRESBYTERIAN SHADYSIDE CP PUH—L
ROOM 5929 MAIN TOWER CHP
200 LOTHROP STREET
PITTSBURGH, PA 15213-2582
(412) 648-6000

00018

WVHCS HOSP DBA PENNANT LABORATORY—L
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 09-20. Filed for public inspection January 2, 2009, 9:00 a.m.]

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.3 (relating to definitions).

Jefferson Manor Health Center
417 Route 28
Brookville, PA 15825

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.67(j) and (k) (relating to electric requirements for existing and new construction).

Village Vista Manor
P. O. Box 7001
1941 Benmar Drive
Lancaster, PA 17604
FAC ID 220902

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.67(k).

Longwood at Oakmont Health Care Center
500 Route 909
Verona, PA 15147

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@state.pa.us.

Those persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 09-21. Filed for public inspection January 2, 2009, 9:00 a.m.]

Recognized Lifeguard Certifying Authorities for 2009

The Department of Health has determined that the following lifeguard certifying authorities meet the requirements in 28 Pa. Code § 18.42 (relating to certified lifeguards) and are recognized as lifeguard certifying authorities for 2009: The American Red Cross, Jeff Ellis and Associates, YMCA, The Boy Scouts of America, Starfish Aquatics Institute and National Aquatic Safety Company.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape,

Braille) should contact the Department of Health, Bureau of Community Health Systems, Room 628, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-4366 or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 09-22. Filed for public inspection January 2, 2009, 9:00 a.m.]

Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); Maximum Allowable Prices and Competitive Prices

Maximum Allowable Prices and Competitive Prices for Type 1 Stores in Regular Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) (relating to selection criteria for authorization and reauthorization; and terms and conditions of participation) and 7 CFR 246.12 (relating to food delivery system), the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 1 Stores in Regular Cost Counties.

Maximum Allowable Prices

Effective January 1, 2009, through March 31, 2009, the Maximum Allowable Prices the Department of Health (Department) will pay Type 1 Stores in Regular Cost Counties for WIC allowable foods are as follows:

<i>Description</i>	<i>Maximum Allowable Price</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.43
12 oz. Evaporated Milk	\$1.17
16 oz. Dry Milk	\$6.01
1 qt. Lactose Reduced Milk	\$2.05
1/2 gal. Kosher Milk	\$2.77
4 oz. Kosher Infant Juice	\$0.71
8 oz. Kosher Infant Cereal	\$2.22
1 doz. Grade A Eggs	\$1.58
1 lb. Fresh Carrots	\$1.08
14 to 16 oz. Canned Carrots	\$1.08
1 lb. Cheese	\$6.63
1 lb. Kosher Cheese	\$6.63
1 lb. Dry Beans or Peas	\$1.78
1 oz. Adult WIC Cereal	\$0.34
8 oz. Gerber Infant Cereal	\$2.22
15 to 18 oz. Peanut Butter	\$3.19
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$3.18
6 oz. Cans Juice	\$1.61
5 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.05
4 oz. Gerber Infant Juice	\$0.71
32 oz. Alimentum Advance Ready-to-Feed Formula	\$8.91
16 oz. Alimentum Advance Powder Formula ...	\$25.27
8 oz. Boost Ready-to-Feed Formula	\$2.00
12.8 oz. EnfaCare LIPIL w/Iron Powder Formula	\$13.86
13 oz. Enfamil LIPIL Concentrate Formula ...	\$4.38

<i>Description</i>	<i>Maximum Allowable Price</i>
32 oz. Enfamil LIPIL Ready-to-Feed Formula .	\$6.57
12.9 oz. Enfamil LIPIL Powder Formula	\$13.35
32 oz. Isomil DF Ready-to-Feed Formula	\$6.21
12 oz. Nestle Good Start DHA/ARA Powder-Orange Formula	\$12.77
13 oz. Nestle Good Start DHA/ARA Concentrate-Orange Formula	\$4.13
32 oz. Nestle Good Start DHA/ARA RTF-Orange Formula	\$6.19
24 oz. Nestle Good Start DHA/ARA Powder-Yellow Formula	\$20.56
12.9 oz. Nestle Good Start Soy DHA/ARA Powder-Blue Formula	\$13.46
13 oz. Nestle Good Start Soy DHA/ARA Concentrate-Blue Formula	\$4.37
32 oz. Nestle Good Start Soy DHA/ARA Ready-to-Feed-Blue Formula	\$6.43
24 oz. Nestle Good Start 2 Soy DHA/ARA Powder-Teal Formula	\$20.56
12 oz. Nestle Good Start Natural Cultures DHA/ARA Powder-Green Formula	\$14.02
24 oz. Nestle Good Start 2 Natural Cultures DHA/ARA Powder-White Formula	\$24.91
12 oz. Nestle Good Start Powder-Purple Formula	\$10.79
13 oz. Nutramigen Lipil Concentrate Formula .	\$7.01
32 oz. Nutramigen Lipil Ready-to-Feed Formula	\$8.98
16 oz. Nutramigen Lipil Powder Formula	\$25.26
8 oz. Pediasure Ready-to-Feed Formula	\$1.80
8 oz. Pediasure with Fiber Ready-to-Feed Formula	\$1.84
13 oz. Similac Advance Concentrate Formula ..	\$4.32
32 oz. Similac Advance Ready-to-Feed Formula	\$6.25
12.9 oz. Similac Advance Powder Formula	\$13.20
12.8 oz. Similac Neosure with Iron Powder Formula	\$15.03
32 oz. Similac Neosure with Iron Ready-to-Feed Formula	\$7.40
13 oz. Store Brand Concentrate Formula	\$2.84
32 oz. Store Brand Ready-to-Feed Formula	\$3.79
25.75 oz. Store Brand Powder Formula	\$14.34

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2 (relating to price adjustment).

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2009, through March 31, 2009, the Competitive Prices for WIC Authorization for Type 1 Stores in Regular Cost Counties are as follows:

<i>Description</i>	<i>Competitive Prices</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.29
1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.29
12 oz. Evaporated Milk	\$1.11

<i>Description</i>	<i>Competitive Prices</i>
16 oz. Dry Milk	\$5.76
1 doz. Grade A Eggs	\$1.51
1 lb. Fresh Carrots	\$1.07
14 to 16 oz. Canned Carrots	\$1.07
1 lb. Cheese	\$6.03
1 lb. Kosher Cheese	\$6.03
1 lb. Dry Beans or Peas	\$1.58
1 oz. Adult WIC Cereal	\$0.33
8 oz. Gerber Infant Cereal	\$2.22
15 to 18 oz. Peanut Butter	\$2.84
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$2.91
5 to 6.5 oz. Chunk Light Tuna Packed in Water	\$0.98
4 oz. Gerber Infant Juice	\$0.71
12 oz. Nestle Good Start DHA/ARA Powder-Orange Formula	\$12.77
13 oz. Nestle Good Start DHA/ARA Concentrate-Orange Formula	\$4.13
32 oz. Nestle Good Start DHA/ARA RTF-Orange Formula	\$6.19
12.9 oz. Nestle Good Start Soy DHA/ARA Powder-Blue Formula	\$13.46
13 oz. Nestle Good Start Soy DHA/ARA Concentrate-Blue Formula	\$4.37
32 oz. Nestle Good Start Soy DHA/ARA Ready-to-Feed-Blue Formula	\$6.43

Maximum Allowable Prices and Competitive Prices for Type 2 Stores in Regular Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 2 Stores in Regular Cost Counties.

Maximum Allowable Prices

Effective January 1, 2009, through March 31, 2009, the Maximum Allowable Prices the Department will pay Type 2 Stores in Regular Cost Counties for WIC allowable foods are as follows:

<i>Description</i>	<i>Maximum Allowable Price</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.43
12 oz. Evaporated Milk	\$1.33
16 oz. Dry Milk	\$6.27
1 qt. Lactose Reduced Milk	\$2.14
1/2 gal. Kosher Milk	\$2.77
4 oz. Kosher Infant Juice	\$0.75
8 oz. Kosher Infant Cereal	\$2.29
1 doz. Grade A Eggs	\$1.59
1 lb. Fresh Carrots	\$1.12
14 to 16 oz. Canned Carrots	\$1.12
1 lb. Cheese	\$6.63
1 lb. Kosher Cheese	\$6.63
1 lb. Dry Beans or Peas	\$1.96
1 oz. Adult WIC Cereal	\$0.34
8 oz. Gerber Infant Cereal	\$2.29
15 to 18 oz. Peanut Butter	\$3.19
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$3.37
6 oz. Cans Juice	\$1.61
5 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.11
4 oz. Gerber Infant Juice	\$0.75

<i>Description</i>	<i>Maximum Allowable Price</i>
32 oz. Alimentum Advance Ready-to-Feed Formula	\$9.43
16 oz. Alimentum Advance Powder Formula ...	\$26.86
8 oz. Boost Ready-to-Feed Formula	\$2.00
12.8 oz. EnfaCare LIPIL w/Iron Powder Formula	\$14.44
13 oz. Enfamil LIPIL Concentrate Formula ...	\$4.55
32 oz. Enfamil LIPIL Ready-to-Feed Formula .	\$6.70
12.9 oz. Enfamil LIPIL Powder Formula	\$13.88
32 oz. Isomil DF Ready-to-Feed Formula	\$6.34
12 oz. Nestle Good Start DHA/ARA Powder-Orange Formula	\$12.77
13 oz. Nestle Good Start DHA/ARA Concentrate-Orange Formula	\$4.64
32 oz. Nestle Good Start DHA/ARA RTF-Orange Formula	\$6.44
24 oz. Nestle Good Start DHA/ARA Powder-Yellow Formula	\$22.19
12.9 oz. Nestle Good Start Soy DHA/ARA Powder-Blue Formula	\$13.52
13 oz. Nestle Good Start Soy DHA/ARA Concentrate-Blue Formula	\$4.80
32 oz. Nestle Good Start Soy DHA/ARA Ready-to-Feed-Blue Formula	\$6.78
24 oz. Nestle Good Start 2 Soy DHA/ARA Powder-Teal Formula	\$22.19
12 oz. Nestle Good Start Natural Cultures DHA/ARA Powder-Green Formula	\$14.76
24 oz. Nestle Good Start 2 Natural Cultures DHA/ARA Powder-White Formula	\$25.99
12 oz. Nestle Good Start Powder-Purple Formula	\$10.79
13 oz. Nutramigen Lipil Concentrate Formula .	\$7.30
32 oz. Nutramigen Lipil Ready-to-Feed Formula	\$9.20
16 oz. Nutramigen Lipil Powder Formula	\$26.93
8 oz. Pediasure Ready-to-Feed Formula	\$2.13
8 oz. Pediasure with Fiber Ready-to-Feed Formula	\$2.09
13 oz. Similac Advance Concentrate Formula ..	\$4.49
32 oz. Similac Advance Ready-to-Feed Formula	\$6.38
12.9 oz. Similac Advance Powder Formula	\$13.72
12.8 oz. Similac Neosure with Iron Powder Formula	\$15.89
32 oz. Similac Neosure with Iron Ready-to-Feed Formula	\$7.65
13 oz. Store Brand Concentrate Formula	\$2.89
32 oz. Store Brand Ready-to-Feed Formula ...	\$3.86
25.75 oz. Store Brand Powder Formula	\$14.72

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2009, through March 31, 2009, the Competitive Prices for WIC Authorization for Type 2 Stores in Regular Cost Counties are as follows:

<i>Description</i>	<i>Competitive Prices</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.29
1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.29
12 oz. Evaporated Milk	\$1.25
16 oz. Dry Milk	\$6.27
1 doz. Grade A Eggs	\$1.51
1 lb. Fresh Carrots	\$1.11
14 to 16 oz. Canned Carrots	\$1.11
1 lb. Cheese	\$6.03
1 lb. Kosher Cheese	\$6.03
1 lb. Dry Beans or Peas	\$1.73
1 oz. Adult WIC Cereal	\$0.34
8 oz. Gerber Infant Cereal	\$2.29
15 to 18 oz. Peanut Butter	\$2.84
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$3.04
5 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.04
4 oz. Gerber Infant Juice	\$0.75
12 oz. Nestle Good Start DHA/ARA Powder-Orange Formula	\$12.77
13 oz. Nestle Good Start DHA/ARA Concentrate-Orange Formula	\$4.64
32 oz. Nestle Good Start DHA/ARA RTF-Orange Formula	\$6.44
12.9 oz. Nestle Good Start Soy DHA/ARA Powder-Blue Formula	\$13.52
13 oz. Nestle Good Start Soy DHA/ARA Concentrate-Blue Formula	\$4.80
32 oz. Nestle Good Start Soy DHA/ARA Ready-to-Feed-Blue Formula	\$6.78

Maximum Allowable Prices and Competitive Prices for Type 3 Stores in Regular Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 3 Stores in Regular Cost Counties.

Maximum Allowable Prices

Effective January 1, 2009, through March 31, 2009, the Maximum Allowable Prices the Department will pay Type 3 Stores in Regular Cost Counties for WIC allowable foods are as follows:

<i>Description</i>	<i>Maximum Allowable Price</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.43
12 oz. Evaporated Milk	\$1.36
16 oz. Dry Milk	\$6.27
1 qt. Lactose Reduced Milk	\$2.14
1/2 gal. Kosher Milk	\$2.95
4 oz. Kosher Infant Juice	\$0.78
8 oz. Kosher Infant Cereal	\$2.42
1 doz. Grade A Eggs	\$1.82
1 lb. Fresh Carrots	\$1.12
14 to 16 oz. Canned Carrots	\$1.12
1 lb. Cheese	\$6.63
1 lb. Kosher Cheese	\$8.60
1 lb. Dry Beans or Peas	\$1.96
1 oz. Adult WIC Cereal	\$0.38
8 oz. Gerber Infant Cereal	\$2.42

<i>Description</i>	<i>Maximum Allowable Price</i>
15 to 18 oz. Peanut Butter	\$3.19
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$3.37
6 oz. Cans Juice	\$1.69
5 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.11
4 oz. Gerber Infant Juice	\$0.78
32 oz. Alimentum Advance Ready-to-Feed Formula	\$9.43
16 oz. Alimentum Advance Powder Formula	\$26.99
8 oz. Boost Ready-to-Feed Formula	\$2.00
12.8 oz. EnfaCare LIPIL w/Iron Powder Formula	\$14.44
13 oz. Enfamil LIPIL Concentrate Formula	\$5.24
32 oz. Enfamil LIPIL Ready-to-Feed Formula	\$7.54
12.9 oz. Enfamil LIPIL Powder Formula	\$15.19
32 oz. Isomil DF Ready-to-Feed Formula	\$8.19
12 oz. Nestle Good Start DHA/ARA Powder-Orange Formula	\$12.77
13 oz. Nestle Good Start DHA/ARA Concentrate-Orange Formula	\$4.64
32 oz. Nestle Good Start DHA/ARA RTF-Orange Formula	\$6.62
24 oz. Nestle Good Start DHA/ARA Powder-Yellow Formula	\$22.19
12.9 oz. Nestle Good Start Soy DHA/ARA Powder-Blue Formula	\$14.19
13 oz. Nestle Good Start Soy DHA/ARA Concentrate-Blue Formula	\$4.99
32 oz. Nestle Good Start Soy DHA/ARA Ready-to-Feed-Blue Formula	\$7.12
24 oz. Nestle Good Start 2 Soy DHA/ARA Powder-Teal Formula	\$22.19
12 oz. Nestle Good Start Natural Cultures DHA/ARA Powder-Green Formula	\$14.76
24 oz. Nestle Good Start 2 Natural Cultures DHA/ARA Powder-White Formula	\$25.99
12 oz. Nestle Good Start Powder-Purple Formula	\$10.79
13 oz. Nutramigen Lipil Concentrate Formula	\$7.79
32 oz. Nutramigen Lipil Ready-to-Feed Formula	\$9.20
16 oz. Nutramigen Lipil Powder Formula	\$28.36
8 oz. Pediasure Ready-to-Feed Formula	\$2.58
8 oz. Pediasure with Fiber Ready-to-Feed Formula	\$2.63
13 oz. Similac Advance Concentrate Formula	\$5.17
32 oz. Similac Advance Ready-to-Feed Formula	\$7.18
12.9 oz. Similac Advance Powder Formula	\$15.02
12.8 oz. Similac Neosure with Iron Powder Formula	\$15.89
32 oz. Similac Neosure with Iron Ready-to-Feed Formula	\$9.23
13 oz. Store Brand Concentrate Formula	\$3.10
32 oz. Store Brand Ready-to-Feed Formula	\$4.32
25.75 oz. Store Brand Powder Formula	\$16.18

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2009, through March 31, 2009, the Competitive Prices for WIC Authorization for Type 3 Stores in Regular Cost Counties are as follows:

<i>Description</i>	<i>Competitive Prices</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.29
1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.95
12 oz. Evaporated Milk	\$1.30
16 oz. Dry Milk	\$6.27
1 doz. Grade A Eggs	\$1.76
1 lb. Fresh Carrots	\$1.11
14 to 16 oz. Canned Carrots	\$1.11
1 lb. Cheese	\$6.03
1 lb. Kosher Cheese	\$8.60
1 lb. Dry Beans or Peas	\$1.73
1 oz. Adult WIC Cereal	\$0.36
8 oz. Gerber Infant Cereal	\$2.42
15 to 18 oz. Peanut Butter	\$2.84
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$3.06
5 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.04
4 oz. Gerber Infant Juice	\$0.78
12 oz. Nestle Good Start DHA/ARA Powder-Orange Formula	\$12.77
13 oz. Nestle Good Start DHA/ARA Concentrate-Orange Formula	\$4.64
32 oz. Nestle Good Start DHA/ARA RTF-Orange Formula	\$6.62
12.9 oz. Nestle Good Start Soy DHA/ARA Powder-Blue Formula	\$14.19
13 oz. Nestle Good Start Soy DHA/ARA Concentrate-Blue Formula	\$4.99
32 oz. Nestle Good Start Soy DHA/ARA Ready-to-Feed-Blue Formula	\$7.12

Maximum Allowable Prices and Competitive Prices for Type 1 Stores in High Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 1 Stores in High Cost Counties.

Maximum Allowable Prices

Effective January 1, 2009, through March 31, 2009, the Maximum Allowable Prices the Department will pay Type 1 Stores in High Cost Counties for WIC allowable foods are as follows:

<i>Description</i>	<i>Maximum Allowable Price</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.54
12 oz. Evaporated Milk	\$1.28
16 oz. Dry Milk	\$6.01
1 qt. Lactose Reduced Milk	\$2.10
1/2 gal. Kosher Milk	\$2.77
4 oz. Kosher Infant Juice	\$0.75
8 oz. Kosher Infant Cereal	\$2.27
1 doz. Grade A Eggs	\$1.74
1 lb. Fresh Carrots	\$1.10
14 to 16 oz. Canned Carrots	\$1.10

<i>Description</i>	<i>Maximum Allowable Price</i>
1 lb. Cheese	\$6.86
1 lb. Kosher Cheese	\$6.86
1 lb. Dry Beans or Peas	\$2.02
1 oz. Adult WIC Cereal	\$0.35
8 oz. Gerber Infant Cereal	\$2.27
15 to 18 oz. Peanut Butter	\$3.44
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$3.36
6 oz. Cans Juice	\$1.61
5 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.24
4 oz. Gerber Infant Juice	\$0.75
32 oz. Alimentum Advance Ready-to-Feed Formula	\$9.18
16 oz. Alimentum Advance Powder Formula ..	\$26.21
8 oz. Boost Ready-to-Feed Formula	\$2.00
12.8 oz. EnfaCare LIPIL w/ Iron Powder Formula	\$14.39
13 oz. Enfamil LIPIL Concentrate Formula ..	\$4.49
32 oz. Enfamil LIPIL Ready-to-Feed Formula ..	\$6.66
12.9 oz. Enfamil LIPIL Powder Formula	\$13.76
32 oz. Isomil DF Ready-to-Feed Formula	\$6.32
12 oz. Nestle Good Start DHA/ARA Powder-Orange Formula	\$12.77
13 oz. Nestle Good Start DHA/ARA Concentrate-Orange Formula	\$4.39
32 oz. Nestle Good Start DHA/ARA RTF-Orange Formula	\$6.36
24 oz. Nestle Good Start DHA/ARA Powder-Yellow Formula	\$21.44
12.9 oz. Nestle Good Start Soy DHA/ARA Powder-Blue Formula	\$13.62
13 oz. Nestle Good Start Soy DHA/ARA Concentrate-Blue Formula	\$4.55
32 oz. Nestle Good Start Soy DHA/ARA Ready-to-Feed-Blue Formula	\$6.51
24 oz. Nestle Good Start 2 Soy DHA/ARA Powder-Teal Formula	\$21.65
12 oz. Nestle Good Start Natural Cultures DHA/ARA Powder-Green Formula	\$14.21
24 oz. Nestle Good Start 2 Natural Cultures DHA/ARA Powder-White Formula	\$25.11
12 oz. Nestle Good Start Powder-Purple Formula	\$10.79
13 oz. Nutramigen Lipil Concentrate Formula ..	\$7.17
32 oz. Nutramigen Lipil Ready-to-Feed Formula	\$9.02
16 oz. Nutramigen Lipil Powder Formula	\$26.02
8 oz. Pediasure Ready-to-Feed Formula	\$1.85
8 oz. Pediasure with Fiber Ready-to-Feed Formula	\$1.92
13 oz. Similac Advance Concentrate Formula ..	\$4.43
32 oz. Similac Advance Ready-to-Feed Formula	\$6.34
12.9 oz. Similac Advance Powder Formula	\$13.60
12.8 oz. Similac Neosure with Iron Powder Formula	\$15.60
32 oz. Similac Neosure with Iron Ready-to-Feed Formula	\$7.62
13 oz. Store Brand Concentrate Formula	\$2.87
32 oz. Store Brand Ready-to-Feed Formula	\$3.84
25.75 oz. Store Brand Powder Formula	\$14.59

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allow-

able foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2009, through March 31, 2009, the Competitive Prices for WIC Authorization for Type 1 Stores in High Cost Counties are as follows:

<i>Description</i>	<i>Competitive Prices</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.39
1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.39
12 oz. Evaporated Milk	\$1.20
16 oz. Dry Milk	\$5.83
1 doz. Grade A Eggs	\$1.67
1 lb. Fresh Carrots	\$1.08
14 to 16 oz. Canned Carrots	\$1.08
1 lb. Cheese	\$6.22
1 lb. Kosher Cheese	\$6.22
1 lb. Dry Beans or Peas	\$1.75
1 oz. Adult WIC Cereal	\$0.33
8 oz. Gerber Infant Cereal	\$2.27
15 to 18 oz. Peanut Butter	\$3.07
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$3.03
5 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.11
4 oz. Gerber Infant Juice	\$0.75
12 oz. Nestle Good Start DHA/ARA Powder-Orange Formula	\$12.77
13 oz. Nestle Good Start DHA/ARA Concentrate-Orange Formula	\$4.39
32 oz. Nestle Good Start DHA/ARA RTF-Orange Formula	\$6.36
12.9 oz. Nestle Good Start Soy DHA/ARA Powder-Blue Formula	\$13.62
13 oz. Nestle Good Start Soy DHA/ARA Concentrate-Blue Formula	\$4.55
32 oz. Nestle Good Start Soy DHA/ARA Ready-to-Feed-Blue Formula	\$6.51

Maximum Allowable Prices and Competitive Prices for Type 2 Stores in High Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 2 Stores in High Cost Counties.

Maximum Allowable Prices

Effective January 1, 2009, through March 31, 2009, the Maximum Allowable Prices the Department will pay Type 2 Stores in High Cost Counties for WIC allowable foods are as follows:

<i>Description</i>	<i>Maximum Allowable Price</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.54
12 oz. Evaporated Milk	\$1.37
16 oz. Dry Milk	\$6.27
1 qt. Lactose Reduced Milk	\$2.23
1/2 gal. Kosher Milk	\$2.77
4 oz. Kosher Infant Juice	\$0.79

<i>Description</i>	<i>Maximum Allowable Price</i>
8 oz. Kosher Infant Cereal	\$2.42
1 doz. Grade A Eggs	\$1.75
1 lb. Fresh Carrots	\$1.12
14 to 16 oz. Canned Carrots	\$1.12
1 lb. Cheese	\$6.86
1 lb. Kosher Cheese	\$6.86
1 lb. Dry Beans or Peas	\$2.02
1 oz. Adult WIC Cereal	\$0.36
8 oz. Gerber Infant Cereal	\$2.42
15 to 18 oz. Peanut Butter	\$3.44
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$3.38
6 oz. Cans Juice	\$1.75
5 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.24
4 oz. Gerber Infant Juice	\$0.79
32 oz. Alimentum Advance Ready-to-Feed Formula	\$9.74
16 oz. Alimentum Advance Powder Formula	\$27.51
8 oz. Boost Ready-to-Feed Formula	\$2.00
12.8 oz. EnfaCare LIPIL w/Iron Powder Formula	\$15.12
13 oz. Enfamil LIPIL Concentrate Formula	\$4.76
32 oz. Enfamil LIPIL Ready-to-Feed Formula	\$7.05
12.9 oz. Enfamil LIPIL Powder Formula	\$14.61
32 oz. Isomil DF Ready-to-Feed Formula	\$6.34
12 oz. Nestle Good Start DHA/ARA Powder-Orange Formula	\$12.77
13 oz. Nestle Good Start DHA/ARA Concentrate-Orange Formula	\$4.69
32 oz. Nestle Good Start DHA/ARA RTF-Orange Formula	\$6.73
24 oz. Nestle Good Start DHA/ARA Powder-Yellow Formula	\$22.19
12.9 oz. Nestle Good Start Soy DHA/ARA Powder-Blue Formula	\$14.19
13 oz. Nestle Good Start Soy DHA/ARA Concentrate-Blue Formula	\$4.85
32 oz. Nestle Good Start Soy DHA/ARA Ready-to-Feed-Blue Formula	\$6.78
24 oz. Nestle Good Start 2 Soy DHA/ARA Powder-Teal Formula	\$22.34
12 oz. Nestle Good Start Natural Cultures DHA/ARA Powder-Green Formula	\$14.85
24 oz. Nestle Good Start 2 Natural Cultures DHA/ARA Powder-White Formula	\$26.05
12 oz. Nestle Good Start Powder-Purple Formula	\$10.79
13 oz. Nutramigen Lipil Concentrate Formula	\$7.51
32 oz. Nutramigen Lipil Ready-to-Feed Formula	\$9.20
16 oz. Nutramigen Lipil Powder Formula	\$27.39
8 oz. Pediasure Ready-to-Feed Formula	\$2.17
8 oz. Pediasure with Fiber Ready-to-Feed Formula	\$2.22
13 oz. Similac Advance Concentrate Formula	\$4.70
32 oz. Similac Advance Ready-to-Feed Formula	\$6.71
12.9 oz. Similac Advance Powder Formula	\$14.44
12.8 oz. Similac Neosure with Iron Powder Formula	\$16.68
32 oz. Similac Neosure with Iron Ready-to-Feed Formula	\$7.93
13 oz. Store Brand Concentrate Formula	\$2.95
32 oz. Store Brand Ready-to-Feed Formula	\$4.05
25.75 oz. Store Brand Powder Formula	\$15.53

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2009, through March 31, 2009, the Competitive Prices for WIC Authorization for Type 2 Stores in High Cost Counties are as follows:

<i>Description</i>	<i>Competitive Prices</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.39
1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.39
12 oz. Evaporated Milk	\$1.29
16 oz. Dry Milk	\$6.27
1 doz. Grade A Eggs	\$1.67
1 lb. Fresh Carrots	\$1.11
14 to 16 oz. Canned Carrots	\$1.11
1 lb. Cheese	\$6.22
1 lb. Kosher Cheese	\$6.22
1 lb. Dry Beans or Peas	\$1.75
1 oz. Adult WIC Cereal	\$0.36
8 oz. Gerber Infant Cereal	\$2.42
15 to 18 oz. Peanut Butter	\$3.07
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$3.13
5 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.11
4 oz. Gerber Infant Juice	\$0.79
12 oz. Nestle Good Start DHA/ARA Powder-Orange Formula	\$12.77
13 oz. Nestle Good Start DHA/ARA Concentrate-Orange Formula	\$4.69
32 oz. Nestle Good Start DHA/ARA RTF-Orange Formula	\$6.73
12.9 oz. Nestle Good Start Soy DHA/ARA Powder-Blue Formula	\$14.19
13 oz. Nestle Good Start Soy DHA/ARA Concentrate-Blue Formula	\$4.85
32 oz. Nestle Good Start Soy DHA/ARA Ready-to-Feed-Blue Formula	\$6.78

Maximum Allowable Prices and Competitive Prices for Type 3 Stores in High Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 3 Stores in High Cost Counties.

Maximum Allowable Prices

Effective January 1, 2009, through March 31, 2009, the Maximum Allowable Prices the Department will pay Type 3 Stores in High Cost Counties for WIC allowable foods are as follows:

<i>Description</i>	<i>Maximum Allowable Price</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.56
12 oz. Evaporated Milk	\$1.37

<i>Description</i>	<i>Maximum Allowable Price</i>
16 oz. Dry Milk	\$6.27
1 qt. Lactose Reduced Milk	\$2.25
1/2 gal. Kosher Milk	\$2.97
4 oz. Kosher Infant Juice	\$0.83
8 oz. Kosher Infant Cereal	\$2.58
1 doz. Grade A Eggs	\$2.02
1 lb. Fresh Carrots	\$1.13
14 to 16 oz. Canned Carrots	\$1.13
1 lb. Cheese	\$6.86
1 lb. Kosher Cheese	\$8.60
1 lb. Dry Beans or Peas	\$2.02
1 oz. Adult WIC Cereal	\$0.38
8 oz. Gerber Infant Cereal	\$2.58
15 to 18 oz. Peanut Butter	\$3.44
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$3.38
6 oz. Cans Juice	\$1.75
5 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.24
4 oz. Gerber Infant Juice	\$0.83
32 oz. Alimentum Advance Ready-to-Feed Formula	\$10.33
16 oz. Alimentum Advance Powder Formula ..	\$30.11
8 oz. Boost Ready-to-Feed Formula	\$2.00
12.8 oz. EnfaCare LIPIL w/Iron Powder Formula	\$17.26
13 oz. Enfamil LIPIL Concentrate Formula ..	\$5.66
32 oz. Enfamil LIPIL Ready-to-Feed Formula ..	\$8.45
12.9 oz. Enfamil LIPIL Powder Formula	\$16.70
32 oz. Isomil DF Ready-to-Feed Formula	\$8.22
12 oz. Nestle Good Start DHA/ARA Powder-Orange Formula	\$14.98
13 oz. Nestle Good Start DHA/ARA Concentrate-Orange Formula	\$5.40
32 oz. Nestle Good Start DHA/ARA RTF-Orange Formula	\$7.98
24 oz. Nestle Good Start DHA/ARA Powder-Yellow Formula	\$22.19
12.9 oz. Nestle Good Start Soy DHA/ARA Powder-Blue Formula	\$16.04
13 oz. Nestle Good Start Soy DHA/ARA Concentrate-Blue Formula	\$5.37
32 oz. Nestle Good Start Soy DHA/ARA Ready-to-Feed-Blue Formula	\$7.32
24 oz. Nestle Good Start 2 Soy DHA/ARA Powder-Teal Formula	\$22.34
12 oz. Nestle Good Start Natural Cultures DHA/ARA Powder-Green Formula	\$15.89
24 oz. Nestle Good Start 2 Natural Cultures DHA/ARA Powder-White Formula	\$26.05
12 oz. Nestle Good Start Powder-Purple Formula	\$12.48
13 oz. Nutramigen Lipil Concentrate Formula ..	\$8.63
32 oz. Nutramigen Lipil Ready-to-Feed Formula	\$10.94
16 oz. Nutramigen Lipil Powder Formula	\$30.29
8 oz. Pediasure Ready-to-Feed Formula	\$2.64
8 oz. Pediasure with Fiber Ready-to-Feed Formula	\$2.63
13 oz. Similac Advance Concentrate Formula ..	\$5.59
32 oz. Similac Advance Ready-to-Feed Formula	\$8.04
12.9 oz. Similac Advance Powder Formula	\$16.51
12.8 oz. Similac Neosure with Iron Powder Formula	\$19.19

<i>Description</i>	<i>Maximum Allowable Price</i>
32 oz. Similac Neosure with Iron Ready-to-Feed Formula	\$9.99
13 oz. Store Brand Concentrate Formula	\$3.24
32 oz. Store Brand Ready-to-Feed Formula	\$4.82
25.75 oz. Store Brand Powder Formula	\$17.93

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2009, through March 31, 2009, the Competitive Prices for WIC Authorization for Type 3 Stores in High Cost Counties are as follows:

<i>Description</i>	<i>Competitive Prices</i>
1/2 gal. of Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.54
1/2 gal. of Kosher Milk: Whole, Reduced Fat, Low Fat or Skim	\$2.95
12 oz. Evaporated Milk	\$1.31
16 oz. Dry Milk	\$6.27
1 doz. Grade A Eggs	\$1.99
1 lb. Fresh Carrots	\$1.13
14 to 16 oz. Canned Carrots	\$1.13
1 lb. Cheese	\$6.38
1 lb. Kosher Cheese	\$8.60
1 lb. Dry Beans or Peas	\$1.75
1 oz. Adult WIC Cereal	\$0.38
8 oz. Gerber Infant Cereal	\$2.58
15 to 18 oz. Peanut Butter	\$3.07
46 oz. Single Strength Juice or 11.5 or 12 oz. Juice Concentrate	\$3.13
5 to 6.5 oz. Chunk Light Tuna Packed in Water	\$1.11
4 oz. Gerber Infant Juice	\$0.83
12 oz. Nestle Good Start DHA/ARA Powder-Orange Formula	\$14.98
13 oz. Nestle Good Start DHA/ARA Concentrate-Orange Formula	\$5.40
32 oz. Nestle Good Start DHA/ARA RTF-Orange Formula	\$7.98
12.9 oz. Nestle Good Start Soy DHA/ARA Powder-Blue Formula	\$16.04
13 oz. Nestle Good Start Soy DHA/ARA Concentrate-Blue Formula	\$5.37
32 oz. Nestle Good Start Soy DHA/ARA Ready-to-Feed-Blue Formula	\$7.32

Persons with a disability who require an alternative format of this listing (for example, large print, audiotape, Braille), should contact Chris Harr, Department of Health, Division of WIC, 2150 Herr Street, 1st Floor, Harrisburg, PA 17105, (717) 783-1289 or for speech and/or

hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 09-23. Filed for public inspection January 2, 2009, 9:00 a.m.]

Traumatic Brain Injury Support Group Program

The Bureau of Family Health's Division of Child and Adult Health Services is accepting applications to promote education, greater public awareness and networking for individuals with traumatic brain injury (TBI) and their family members. Funding for up to \$3,000 is available to establish support groups in areas of need or expand existing support groups within the community that focus on TBI as it relates to the individual with TBI or family members. Activities should assist in facilitating a support group in underserved areas or expanding an existing support group. The goal is to promote education and networking at the grass roots level focused on TBI.

For the purpose of this funding opportunity, TBI is defined as an insult to the brain, not of a degenerative or congenital nature, caused by an external physical force that may produce a diminished or altered state of consciousness which results in impairment of cognitive abilities or physical functioning or in the disturbance of behavioral or emotional functioning. These impairments may be either temporary or permanent and cause partial or total functional disability or psychosocial maladjustment.

Eligible applicants are Commonwealth public and private organizations, foundations or community-based agencies recognized by Federal Tax ID number. Individuals may not apply. Informal groups without Federal Tax ID numbers are encouraged to partner with a sponsor organization who may apply on behalf of the group.

Project funds must be used to reimburse purchases and activities occurring between January 1, 2009, and March 31, 2009. Applicants may apply for funding to cover multiple purchases/activities, not to exceed \$3,000.

Completed applications will be accepted up to the due date, January 22, 2009. Awards will be made after that date and will be contingent upon the availability of funds and Department of Health (Department) approval. Copies of application forms and other background information are available on the Department's web site at www.health.state.pa.us (search word: "mini-grant").

Completed applications will be scored by an independent review panel. Rating factors include the following:

1. Estimated numbers of persons benefiting from proposal.
2. Reasonableness of expenditures/purchases (with respect to both nature and cost).
3. Demonstration of interest/need of a TBI Support Group.
4. Descriptions of meeting parameters, group facilitator and marketing for the support group.
5. Collaboration plans with other TBI support groups.
6. Plans for continuing the support group beyond the project period.

Applicants will be notified of approval/disapproval in writing within 30 days of the due date. Awardees are expected to abide by the provisions and limitations of the Federal funding source, the TBI Implementation and Partnership Grant.

To request application materials, for additional information related to this initiative or persons with a disability who require an alternative format of this notice or of the application materials (for example, large print, audiotape, Braille) should contact Amy Flaherty, Public Health Program Manager, Bureau of Family Health, Division of Child and Adult Health Services, Health and Welfare Building, 7th Floor East, 625 Forster Street, Harrisburg, PA 17120, (717) 772-2762, fax (717) 772-0323, aflaherty@state.pa.us or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

A. EVERETTE JAMES,
Acting Secretary

[Pa.B. Doc. No. 09-24. Filed for public inspection January 2, 2009, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Current Prevailing Wage Act Debarments

The contractors referenced have been determined to have intentionally violated the Pennsylvania Prevailing Wage Act (act) (43 P. S. §§ 165-1—165-17). This notice is published for the information and convenience of public bodies subject to the act. Under section 11(e) of the act (43 P. S. § 165-11(e)), these persons and firms, or any firms, corporations or partnerships in which these persons and firms have an interest, shall be awarded no contract for 3 years after the date listed.

SANDI VITO,
Acting Secretary

<i>Contractor</i>	<i>Address</i>	<i>Date of Debarment</i>
Philip Saar Enterprises, Inc. and Philip Saar, Individually	2036 Saxonburg Boulevard Tarentum, PA 15084	12/15/2008

SANDI VITO,
Acting Secretary

[Pa.B. Doc. No. 09-25. Filed for public inspection January 2, 2009, 9:00 a.m.]

DEPARTMENT OF MILITARY AND VETERANS AFFAIRS

Determination of Need; Disabled Veterans' Real Estate Tax Exemption

Under 51 Pa.C.S. § 8904 (relating to duty commission), as amended by the act of November 29, 2006 (P. L. 1409, No. 161), the State Veterans' Commission (Commission) fixes uniform and equitable standards for the determina-

tion of need for certain disabled veterans and their unmarried surviving spouses to qualify for an exemption from real estate taxes on their principal dwellings. In so doing, the Commission is required by law to apply a rebuttable presumption that an applicant with annual income of \$75,000 or less has a need for the exemption.

Section 8904 of the act further provides that, beginning January 1, 2009, the Commission will adjust the annual income level qualifying for the rebuttable presumption in an amount equal to the change in the Consumer Price Index for the preceding 2 years. During the 2-year period from December 1, 2006, until November 30, 2008, the Consumer Price Index (All Urban Consumers/Seasonally Adjusted) increased by a total of 5.4%. Accordingly, beginning January 1, 2009, the Commission will apply a rebuttable presumption that an applicant for the Disabled Veterans' Real Estate Tax Exemption program with an annual income of \$79,050 or less demonstrates a need for the exemption.

In applying the \$79,050 annual income level, the Office of Deputy Adjutant General for Veterans' Affairs will follow the following approach in determining the effective date of the exemption.

Applications pending on December 31, 2008, which are determined to demonstrate need based on eligibility criteria applicable on or before that date, shall be effective based on the date of application as provided by 43 Pa. Code § 5.25 (relating to effective date of exemption).

Applications pending on December 31, 2008, which did not demonstrate need applying the prior annual rebuttable presumption income level, but which would meet the need eligibility criteria applicable on January 1, 2009, shall be effective as of January 1, 2009.

Applications filed with the local boards for assessment and revision of taxes or similar board or agency on or after January 1, 2009, shall be effective based on the date of application as provided by 43 Pa. Code § 5.25.

Applicants who were denied certificates of need prior to January 1, 2009, but who believe they qualify after that date, may reapply, with the effective date of any exemption being based on the date of the new application as provided by 43 Pa. Code § 5.25.

JESSICA L. WRIGHT,
*Major General,
PAARNG
The Adjutant General*

[Pa.B. Doc. No. 09-26. Filed for public inspection January 2, 2009, 9:00 a.m.]

DEPARTMENT OF REVENUE

Interest Rate Notice

Under the provisions of sections 806 and 806.1 of the Fiscal Code (72 P. S. §§ 806 and 806.1), the Secretary of Revenue announces that, for the year commencing January 1, 2009, all underpayments of tax which became due and payable to the Commonwealth on and after January 1, 1982, shall bear interest at the rate of 5% per annum. All overpayments of the tax imposed under Article III of the Tax Reform Code of 1971 (72 P. S. §§ 7301—7361), which became due and payable to the Commonwealth on

and after January 1, 1982, shall bear interest at the rate of 5% per annum. All other overpayments of tax which became due and payable to the Commonwealth on and after January 1, 1982, shall bear interest at the rate of 3% per annum. These rates will remain constant until December 31, 2009. These rates will be codified under 61 Pa. Code § 4.2(a) (relating to rate of interest).

These rates have been established based upon the rate established by the Secretary of the Treasury of the United States under the provisions of section 6621(a)(2) of the Internal Revenue Code to be effective January 1, 2009.

Although the Tax Reform Act of 1986 amended the Internal Revenue Code section 6621, by requiring that the Secretary of the Treasury of the United States establish quarterly rates of interest to become effective for Federal purposes on the first month of each calendar quarter, these amendments do not affect Commonwealth law. The Fiscal Code requires that the interest rate be established effective January 1 of each calendar year without regard to any change in the Federal interest rate during the calendar year.

STEPHEN H. STETLER,
Acting Secretary

[Pa.B. Doc. No. 09-27. Filed for public inspection January 2, 2009, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Finding Chester County

Under section 2002(b) of The Administrative Code of 1929 (71 P. S. § 575(b)), the Director of the Bureau of Design makes the following written finding:

The Federal Highway Administration and the Department of Transportation (Department) are planning a bridge rehabilitation project that involves the rehabilitation of the existing bridge structure (Mortonville Bridge) carrying SR 3062 (Strasburg Road) over the West Branch of Brandywine Creek in East Fallowfield Township, Chester County. The Mortonville Bridge is a four-span spandrel, stone arch bridge originally constructed in 1826. The rehabilitation will include a complete structure rehabilitation with the construction of a new reinforced concrete slab that cantilevers beyond each fascia providing a 26 ft. roadway. Associated with the larger bridge rehabilitation project is the rehabilitation of the immediately adjacent National Register-Listed Dry Mill Race Bridge by means of reconstruction of the south spandrel and parapet wall.

The subject project is considered a Level 2 Categorical Exclusion in accordance with 23 CFR Part 771.117(d), Item 3 as published in the August 28, 1987, *Federal Register*.

The Mortonville Bridge is listed on the National Register of Historic Places and is therefore, a section 2002/section 4(f) resource. Impact to the Mortonville Bridge will constitute a use of the section 2002/section 4(f) resource.

The environmental, economic, social and other effects of the proposed project as enumerated in section 2002 of The Administrative Code of 1929 have been considered. It has been concluded that there is no feasible and prudent alternative to the project as designed and all reasonable steps have been taken to minimize the effects.

BRIAN G. THOMPSON, P. E.,
Director
Bureau of Design

[Pa.B. Doc. No. 09-28. Filed for public inspection January 2, 2009, 9:00 a.m.]

FISH AND BOAT COMMISSION

Extension of Temporary Changes to Fishing Regulations; Leaser Lake, Lehigh County

The Executive Director of the Fish and Boat Commission (Commission) has taken action to extend the temporary modifications of fishing regulations at Leaser Lake, Lehigh County, in anticipation of a complete drawdown of the lake to make repairs to the dam. The Executive Director, acting under the authority of 58 Pa. Code § 65.25 (relating to temporary changes to fishing regulations), previously had lifted all seasons, sizes and creel limits for all species, effective July 1, 2008, and ending on January 1, 2009. The Executive Director is extending these temporary changes until April 1, 2009, to allow fish salvage operations to continue until the drawdown is complete. The Executive Director has found that this action is necessary and appropriate for the management of fish and to conserve and preserve fishing opportunities. The Executive Director has caused these temporary modifications to fishing regulations to be posted in the vicinity of the lake, and the modified regulations are fully effective and enforceable.

DOUGLAS J. AUSTEN, Ph.D.,
Executive Director

[Pa.B. Doc. No. 09-29. Filed for public inspection January 2, 2009, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Action Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10:30 a.m., Thursday, December 18, 2008, and announced the following:

Action Taken—Regulations Approved:

State Board of Education #6-315: Disciplinary Placements (amends 22 Pa. Code Chapter 14)

Pennsylvania Liquor Control Board #54-65: Promotion of Sale of Liquor by Vendors (amends 40 Pa. Code Chapter 13)

State Board of Cosmetology #16A-4514: General Revisions (amends 49 Pa. Code Chapter 7)

State Board of Funeral Directors #16A-4817: Renewal Fee (amends 49 Pa. Code Chapter 13)

State Athletic Commission #16-41: Mixed Martial Arts (adds Pa. Code Chapter 29)

Approval Order

Public Meeting held
December 18, 2008

Commissioners Voting: Arthur Coccodrilli, Chairperson; Alvin C. Bush, Vice Chairperson; Nancy Sabol Frantz, Esq., by phone; Karen A. Miller

*State Board of Education—
Disciplinary Placements;
Regulation No. 6-315 (#2730)*

On October 27, 2008, the Independent Regulatory Review Commission (Commission) received this regulation from the State Board of Education (Board). This rulemaking amends 22 Pa. Code Chapter 14. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This regulation corrects a typographical citation error, in order to keep the regulation aligned with relevant case law.

We have determined this regulation is consistent with the statutory authority of the Board (24 P. S. §§ 13-1372 and 26-2603-B) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting held
December 18, 2008

Commissioners Voting: Arthur Coccodrilli, Chairperson; Alvin C. Bush, Vice Chairperson; Nancy Sabol Frantz, Esq., by phone; Karen A. Miller

*Pennsylvania Liquor Control Board—
Promotion of Sale of Liquor by Vendors;
Regulation No. 54-65 (#2714)*

On August 7, 2008, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania Liquor Control Board (Board). This rulemaking amends 40 Pa. Code Chapter 13. The proposed regulation was published in the August 23, 2008 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on October 27, 2008.

This regulation creates a sub-category of stock merchandise, known as "luxury items." These are varieties of wine and spirits that are in short supply or high demand, as may be determined by the Board.

We have determined this regulation is consistent with the statutory authority of the Board (47 P. S. § 2-207(i)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting held
December 18, 2008

Commissioners Voting: Arthur Coccodrilli, Chairperson; Alvin C. Bush, Vice Chairperson; Nancy Sabol Frantz, Esq., by phone; Karen A. Miller

*State Board of Cosmetology—
General Revision;
Regulation No. 16A-4514 (#2628)*

On August 15, 2007, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Cosmetology (Board). This rulemaking amends 49 Pa. Code Chapter 7. The proposed regulation was published in the August 25, 2007 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on November 3, 2008.

The regulation implements changes made to the Cosmetology Law (Law) by Act 99 of 2006 (Act 99), as well as generally updates the regulations to strengthen safety and sanitation requirements and to reflect current processes and practices.

We have determined this regulation is consistent with the statutory authority of the Board (63 P. S. § 517) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting held
December 18, 2008

Commissioners Voting: Arthur Coccodrilli, Chairperson; Alvin C. Bush, Vice Chairperson; Nancy Sabol Frantz, Esq., by phone; Karen A. Miller; John F. Mizner, Esq., by phone

*State Board of Funeral Directors—
Renewal Fee;
Regulation No. 16A-4817 (#2605)*

On April 11, 2007, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Funeral Directors (Board). This rulemaking amends 49 Pa. Code Chapter 13. The proposed regulation was published in the April 21, 2007 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on November 3, 2008.

This regulation amends the fee schedule for the State Board of Funeral Directors to increase the biennial renewal fee.

We have determined this regulation is consistent with the statutory authority of the Board (63 P. S. § 479.18.1) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting held
December 18, 2008

Commissioners Voting: Arthur Coccodrilli, Chairperson; Alvin C. Bush, Vice Chairperson; Nancy Sabol Frantz, Esq., by phone; Karen A. Miller; John F. Mizner, Esq., by phone

*State Athletic Commission—
Mixed Martial Arts;
Regulation No. 16-41 (#2694)*

On April 24, 2008, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Athletic Commission. This rulemaking adds Pa. Code Chapter 29. The proposed regulation was published in the May 10, 2008 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on October 30, 2008.

This final-form regulation establishes rules for amateur and professional mixed martial arts competitions.

We have determined this regulation is consistent with the statutory authority of the State Athletic Commission (5 Pa.C.S. §§ 103(b)(1) and 302) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

ARTHUR COCCODRILLI,
Chairperson

[Pa.B. Doc. No. 09-30. Filed for public inspection January 2, 2009, 9:00 a.m.]

INSURANCE DEPARTMENT

Travelers Personal Insurance Company; Travelers Personal Security Insurance Company; and Travelers Commercial Insurance Company; Private Passenger Automobile; Rate Revisions; Rate Filing

On December 16, 2008, the Insurance Department (Department) received from Travelers Personal Insurance Company, Travelers Personal Security Insurance Company and Travelers Commercial Insurance Company a filing for rate level changes for private passenger automobile insurance.

The companies request an overall 3.10% increase amounting to \$3,601,000 annually, to be effective March 24, 2009.

Unless formal administrative action is taken prior to February 14, 2009, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Department's web site at www.ins.state.pa.us. Under the Quick Links section, click on the link "Rate Filings Published in the PA Bulletin."

Interested parties are invited to submit written comments, suggestions or objections to Xiaofeng Lu, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, xlu@state.pa.us, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Insurance Commissioner

[Pa.B. Doc. No. 09-31. Filed for public inspection January 2, 2009, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by January 20, 2009. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Application of the following for approval to *begin* operating as *common carrier* for transportation of *persons* as described under the application.

A-2008-2078955. Charlie's Yellow Cab, Inc. (1397 East Evergreen Drive, No. 3, Palatine, IL 60074)—persons upon call or demand in the Counties of Carbon and Schuylkill.

Application of the following for *amendment* to the certificate of public convenience approving the operation of motor vehicles as *common carrier* for transportation of *persons* as described under the application.

A-2008-2080244. Premium Taxi, LLC (1444 West Hamilton Street, 102C, Allentown, Lehigh County, PA 18102)—for amendment to its common carrier certificate, which grants the right, inter alia—to transport persons, upon call or demand, in the City of Allentown, and the Townships of North and South Whitehall and Salisbury, in Lehigh County: *So as to Permit* the transportation of persons, upon call or demand, in the Boroughs of Catasauqua, Coplay, Macungie, Emmaus, Fountain Hill

and the Townships of Upper and Lower Macungie, all in Lehigh County, and the Borough of North Catsauqua and the Township of Northampton, in Northampton County and the City of Bethlehem, in the Counties of Lehigh and Northampton.

Applications of the following for the approval of the right and privilege to *discontinue/abandon* operating as *common carrier* by motor vehicle and for cancellation of the certificate of public conveyance as described under each application.

A-00120847. Joseph K. and Sharon L. Williams (30 Londonvale Road, Gordonville, Lancaster County, PA 17529)—discontinuance of service and cancellation of its certificate—persons in paratransit service, whose personal convictions prevent them from owning or operating motor vehicles, between points in the County of Lancaster, and from points in said county, to points in Pennsylvania, and return.

A-00123729. Henry Hill t/a One Man One Van Passenger Service (63 Sidorick Lane, East Stroudsburg, Monroe County, PA 18302)—discontinuance of service and cancellation of its certificate—persons, in paratransit service, from points in the County of Monroe, to points in Pennsylvania, and return.

A-2008-2079228. Frank R. Gehard t/a Black Diamond Limousine and Classic Limousine Service (203 South 12th Street, Altoona, Blair County, PA 16602)—for the discontinuance of service and cancellation of his certificate, as a common carrier, by motor vehicle, authorizing the transportation of persons in limousine service between points in Pennsylvania; excluding service in Allegheny County and service that is under the jurisdiction of the Philadelphia Parking Authority.

A-2008-2079229. Puddle Jumpers, Inc. (401 South Main Street, Ambler, Montgomery County, PA 19002)—for the discontinuance of service and cancellation of its certificate, as a common carrier, by motor vehicle, authorizing the transportation of persons, primary and secondary school age children in paratransit service between points in the Borough of Ambler, Montgomery County, and within an airline radius of 10 statute miles of the limits of the said borough.

A-2008-2079233. C. Eugene and Nancy W. Becker, Tenants by the Entirety (518 Brenneman Road, Willow Street, Lancaster County, PA 17584)—for the discontinuance of service and cancellation of their certificate, as a common carrier, by motor vehicle, authorizing the transportation of persons in paratransit service, between points in the Counties of Lancaster and York, and from points in said counties, to points in Pennsylvania, and return, limited to the transportation of persons whose personal convictions prevent them from owning or operating motor vehicles.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 09-32. Filed for public inspection January 2, 2009, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

The hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

February 4, 2009	Sara B. Christianson (Class T-D)	1 p.m.
February 11, 2009	Ray White (Wavier of Adjustment) John F. Yocklovich (Effective Date of Retirement)	1 p.m. 2:30 p.m.
February 25, 2009	Lyn Segal (Hop)	1 p.m.
March 11, 2009	Dr. Barbara Burke-Stevenson (Return to Service) Homer C. Knox, III (Purchase of Service)	1 p.m. 2:30 p.m.
March 25, 2009	John C. Balko (D) (Change of Option) Angela Cervo Labuda (Effective Date of Retirement)	1 p.m. 2:30 p.m.
April 8, 2009	Frances C. Swartz (D) (Death Benefit)	1 p.m.
April 22, 2009	Dr. Clyde Ellsworth (Purchasae of Service)	1 p.m.

Persons with a disability, who wish to attend the previously-listed hearings, and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Barbara Flurie, Assistant to the Executive Director at (717) 720-4921 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure), unless specific exemption is granted.

JEFFREY B. CLAY,
Executive Director

[Pa.B. Doc. No. 09-33. Filed for public inspection January 2, 2009, 9:00 a.m.]

STATE BOARD OF NURSING

Reinstatement of the Professional Nursing License of Lori Peterle, R.N., C.R.N.P.; Doc. No. 1925- 51-08

On November 12, 2008, Lori Peterle, license nos. RN302208L and TP003750B, of Nokomis, FL, had her license reinstated, but placed on probation, based on findings that Lori Peterle demonstrated that she is fit to resume the practice of nursing.

Individuals may obtain a copy of the order by writing to C. William Fritz, II, Board Counsel, State Board of Nursing, P. O. Box 2649, Harrisburg, PA 17105-2649.

This final order represents the final State Board of Nursing (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving

service of the appeals is the previously-named Board counsel.

MARY E. BOWEN, RN, CRNP,
Chairperson

[Pa.B. Doc. No. 09-34. Filed for public inspection January 2, 2009, 9:00 a.m.]

THADDEUS STEVENS COLLEGE OF TECHNOLOGY

Request for Bids

The Thaddeus Stevens College of Technology is soliciting bids to remove 40 existing through the wall HVAC systems and replace with new P TAC units. Bid No. 08-0006. Bid documents can be obtained from Nancy Froeschle, Thaddeus Stevens College of Technology, 750 East King Street, Lancaster, PA 17602, (717) 299-7787, fax (717) 391-3557 or froeschle@stevenscollege.edu.

DR. WILLIAM E. GRISCOM,
President

[Pa.B. Doc. No. 09-35. Filed for public inspection January 2, 2009, 9:00 a.m.]