

NOTICES

DELAWARE RIVER BASIN COMMISSION

Meeting and Public Hearing

The Delaware River Basin Commission (Commission) will hold an informal conference followed by a public hearing on Wednesday, May 6, 2009. The hearing will be part of the Commission's regular business meeting. Both the conference session and business meeting are open to the public and will be held at the Commission's office building, located at 25 State Police Drive, West Trenton, NJ.

The conference among the commissioners and staff will begin at 10:30 a.m. and will consist of a presentation on the Christina Basin Targeted Initiative Watershed Grant Final Report and a presentation on the Special Area Management Plan for the Upper Wissahickon Creek Watershed. Conference session topics are subject to change. Accordingly, parties interested in attending should consult the Commission's web site, drbc.net, closer to the meeting date.

The subjects of the public hearing to be held during the 1:30 p.m. business meeting include the dockets listed as follows:

1. *Aqua Pennsylvania, Inc. D-81-61 CP-4*. An application for approval of a groundwater withdrawal project to renew the allocation included in Docket D-81-61 CP-3 and consolidate all other docket approvals for the Fawn Lakes, Woodloch Springs and Masthope water systems, retaining the existing withdrawal from all wells of 18.38 million gallons per 30 days (mg/30 days). Docket D-81-61 CP-4 will consolidate allocations approved in Dockets D-81-61 CP-3, D-87-96 Renewal, and D-89-57 CP Renewal. The projects are located in the Catskill Formation in the Westcolang Creek Watershed in Lackawaxen Township, Pike County, PA, within the drainage area of the section of the nontidal Delaware River known as the Upper Delaware, which is designated as Special Protection Waters.

2. *Matamoras Municipal Authority D-81-78 CP-8*. An application for approval of an expansion of the public water supply service area of the Matamoras Municipal Authority. The applicant seeks no increase in its groundwater withdrawal allocation and will continue to supply up to 19.5 mg/30 days for public water supply. The project is located in the Delaware River Watershed in the Borough of Matamoras, Pike County, PA. The site is located within the drainage area of the section of the nontidal Delaware River known as the Middle Delaware, which is designated as Special Protection Waters.

3. *New Jersey American Water Company D-90-108 CP-3*. An application for renewal of a groundwater withdrawal project to continue the combined withdrawal of 1,851.14 mg/30 days to supply the applicant's public water supply system from 65 existing wells screened in the Potomac/Raritan/Magothy, Mt. Laurel/Wenonah, and Englishtown aquifers. The applicant wishes to consolidate within a single Commission docket approval several interconnected private systems that it has acquired. The project wells are located in multiple watersheds in the western portions of Burlington and Camden Counties. Included in the application is a request for the approval

of three new wells to replace three existing wells (Old Orchard Wells Nos. 36 and 37 and Haddon Heights Well No. 30) that have experienced declining yields over time. The 65 wells are located in the municipalities of Cherry Hill, Somerdale, Haddon Heights, Runnemeade, Barrington, Gloucester, Magnolia, Laurel Springs, Voorhees, Camden City and Gibbsboro in Camden County and the municipalities of Cinnaminson, Delran, Beverly and Edgewater Park in Burlington County, NJ. A Notice of Application Received (NAR) was issued for this project on February 10, 2009. This second NAR reflects a change in the total number of wells and the number of wells being replaced.

4. *Buckingham Township D-2003-13 CP-5*. An application for approval of a groundwater withdrawal project to supply up to 9.63 mg/30 days of water to the applicant's public water supply distribution system from new wells Nos. F-8 in the Limeport Formation (limestone) and F-9 in the Leithsville Formation (dolomite). The applicant proposes to retain the existing total allocation of 42 mg/30 days for all system wells. Well No. F-9 will be on stand-by and used during emergency periods only. The project will allow the docket holder to add flexibility and redundancy and to relieve stress on its Furlong distribution system. The project is located in the Neshaminy, Pine Run, Mill Creek, Lahaska Creek, Watson Creek and Robin Run Watersheds in Buckingham Township, Bucks County, PA, within in the Southeastern Pennsylvania Ground Water Protected Area.

5. *Caesars d/b/a Cove Haven, Inc. D-2006-19-2*. An application for approval to continue discharging 0.084 mgd of treated effluent from the Brookdale WWTP. The WWTP is located at River Mile 213-3.9-0.9-11.4-2.85-0.15 (Delaware River—Brodhead Creek—McMichael Creek—Pocono Creek—Scot Run—Brookdale Lake). The WWTP is located on Brookdale Lake, within the drainage area of the section of the nontidal Delaware River known as the Middle Delaware, which is designated as Special Protection Waters with the classification Outstanding Basin Waters. The project is located in Pocono Township, Monroe County, PA.

6. *Lower Frederick Township D-78-41 CP-2*. An application for approval of modification of the Lower Frederick Township Wastewater Treatment Plant (WWTP). The docket holder proposes to replace the current disinfection system (chlorine contact tank) with an ultraviolet light disinfection system and to replace the existing outfall pipe. This project also seeks approval for a 1998 rerate of the WWTP from 0.16 million gallons per day (mgd) to 0.20 mgd, which was not previously approved by the Commission. The WWTP will continue to discharge to the Perkiomen Creek, a tributary of the Schuylkill River. The facility is located in Lower Frederick Township, Montgomery County, PA.

7. *West Grove Borough Authority D-87-24 CP-2*. An application for approval of modifications to the Borough of West Grove's WWTP. The applicant proposes to upgrade the facility's contact aeration basin system, including the installation of a sewage grinder and return activated sludge lines, and the replacement of biological media and aeration diffusers. The facility's annual average flow of 0.250 mgd and hydraulic design capacity of 0.288 mgd will remain unchanged. The WWTP will continue to discharge to the Middle Branch White Clay Creek, a tributary of the Christina River. The facility is located in London Grove Township, Chester County, PA.

8. *Schuylkill County Municipal Authority D-90-49 CP-4*. An application for approval of a docket modification to include an additional well that will transfer approximately 0.6 mg/30 days of groundwater from the Susquehanna River Basin to the Delaware River Basin. The transferred water will be distributed within the project service area and, with the exception of some operational loss, will be returned to the Susquehanna River Basin as wastewater. In periods of increased service area demand, the Authority will transfer as much as 4.56 mg/30 days of groundwater from the Susquehanna Basin into the Delaware Basin, and wastewater exportation will increase to as much as 4.35 mg/30 days. The project is located in Butler, Cass, Foster and New Castle Townships, Schuylkill County, PA. A Notice of Application Received (NAR) was issued for this project on February 10, 2009. This second NAR has been revised to reflect an increase in the amount of wastewater proposed to be exported from the basin.

9. *Pennsylvania American Water Company D-91-14-2*. The purpose of this project is to change the treatment technology at the docket holder's WWTP from a Rotating Biological Contactor (RBC) to a Sequential Batch Reactor (SBR). Additionally, the existing WWTP has a hydraulic design capacity of 0.135 mgd. The docket holder's NPDES permit has effluent limits based upon a 0.275 mgd discharge. The docket holder is seeking the Commission's approval for expansion to 0.275 mgd. The project is located approximately 2,000 feet east of Blue Mountain Lake and approximately 500 feet west of the Smithfield Township line in the Commission's Water Quality Zone 1D at River Mile 213.0—5.3—2.9 (Delaware River—Brodhead Creek—Sambo Creek). Sambo Creek is a tributary of the section of the nontidal Delaware River known as the Middle Delaware, which is designated as Special Protection Waters with the classification Outstanding Basin Waters.

10. *Evesham Municipal Utilities Authority D-91-15 CP-2*. An application to upgrade the Kings Grant wastewater treatment plant to replace treatment process tanks nearing the end of their useful life with a more cost effective and efficient treatment process. No increase in the existing permitted capacity of 0.6 mgd is proposed, and the discharge will continue to be conveyed to infiltration basins in the South Branch Rancocas Creek Watershed. The treatment plant will continue to serve the Kings Grant section of Evesham Township, Burlington County, NJ.

11. *Shoemakersville D-93-74 CP-2*. The purpose of this project is to recognize the increase in capacity of the Shoemakersville WWTP's hydraulic load from 0.60 mgd to 0.75 mgd. Additionally, a TDS determination was submitted, requesting approval of monthly average and instantaneous maximum concentration values of 2,131 mg/l and 3,844 mg/l, respectively. The project is located on the Schuylkill River at River Mile 92.47—92.3, in the Borough of Shoemakersville, Berks County, PA.

12. *Town of Georgetown D-94-37 CP-2*. An application for the renewal of a groundwater withdrawal project and to increase the withdrawal from 24.8 mg/30 days to 43.2 mg/30 days to supply the applicant's public water supply distribution system from existing Wells Nos. 1, 1A and 2R in the Columbia and Manokin Formations. The project involves the exportation of water from the Delaware

Basin, and the exportation of 100% of the wastewater generated by in-basin needs. The groundwater withdrawal project is located in the Broadkill-Smyrna Watershed in the Town of Georgetown, Sussex County, DE.

13. *East Penn Manufacturing D-2003-23-2*. An application for approval of a groundwater withdrawal project to supply up to 21.6 mg/30 days of water to the applicant's onsite industrial plant processes and potable supply from new Well No. 10 and to increase the existing withdrawal from all wells from 15 mg/30 days to 20 mg/30 days. The increased allocation is requested in order to meet projected increases in production facility needs and to provide redundancy within the water supply system. The project well is located in the Leithsville Formation in the Moselem Creek Watershed in Richmond Township, Berks County, PA.

14. *West Deptford Energy Station D-2008-27-1*. An application to approve the cooling water withdrawal and industrial wastewater discharge associated with the construction of a new gas fired, 1,500 megawatt combined cycle power generation facility known as the West Deptford Energy Station (WDES). The WDES will withdraw an average of 222.6 mg/30 days and maximum of 287.7 mg/30 days of treated effluent from the Gloucester County Utilities Authority (GCUA) wastewater treatment plant's effluent pipeline as a cooling water source. The WDES will also discharge a monthly average of 2.0 mgd (2.6 mgd daily maximum) of industrial wastewater back to GCUA's existing effluent pipeline (WDES Outfall No. DSN002A) and the two combined effluents will discharge from GCUA's existing outfall (No. DSN001A). The facility is located in West Deptford Township, Gloucester County, NJ.

15. *Clayton Sand Company D-2008-37-1*. An application for approval of an existing ground and surface water withdrawal project to continue to supply up to 215 mg/30 days of water to the applicant's industrial facility from existing Well No. 1 and Intake No. 1. The project is located in the Cohansey Formation in the Rancocas Creek Watershed in Woodland Township, Burlington County, NJ.

The public hearing will be held on a resolution to amend the Commission's fee schedule for the review and renewal of project approvals in accordance with Section 3.8 and Article 10 of the *Delaware River Basin Compact*. A copy of the proposed resolution can be viewed on the Commission's web site, drbc.net. The business meeting also will include adoption of the Minutes of the Commission's March 11, 2009, business meeting; announcements of upcoming Commission advisory committee meetings and other events of general interest; a report on hydrologic conditions in the basin; a report by the Executive Director; a report by the Commission's General Counsel; and consideration by the Commission of resolutions concerning: (a) future updates of the Commission's Water Quality Regulations; (b) election of the Commission Chair, Vice Chair and Second Vice Chair for the year 2009-2010, commencing July 1, 2009; and (c) a adoption of the Fiscal Year (FY) 2010 budget. A public hearing on the proposed FY 2010 budget was held in December of 2008. An opportunity for public dialogue will be provided at the end of the meeting.

Draft dockets scheduled for public hearing on May 6, 2009, can be accessed through the Notice of Commission Meeting and Public Hearing on the Commission's web site, drbc.net, 10 days prior to the meeting date. Additional documents relating to the dockets and other items

may be examined at the Commission's offices. Contact William Muszynski at (609) 883-9500, Ext. 221, with any docket-related questions.

Individuals in need of an accommodation as provided for in the Americans With Disabilities Act of 1929 who wish to attend the informational meeting, conference session or hearings should contact the Commission Secretary directly at (609) 883-9500, Ext. 203 or through the

Telecommunications Relay Services (TRS) at 711, to discuss how the Commission can accommodate their needs.

PAMELA M. BUSH, Esq.,
Secretary

[Pa.B. Doc. No. 09-738. Filed for public inspection April 24, 2009, 9:00 a.m.]

DEPARTMENT OF BANKING

Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 9, 2002 (P. L. 1572, No. 207), known as the Credit Union Code, has taken the following action on applications received for the week ending April 14, 2009.

Under section 503.E of the Department of Banking Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department of Banking, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Conservations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-10-2009	From: Continental Bank Plymouth Meeting Montgomery County To: Continental Bank Plymouth Meeting Montgomery County	Plymouth Meeting	Filed

Application for conversion from a Federally-chartered savings bank to a Pennsylvania State-chartered stock savings bank.

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-8-2009	Embassy Bank for the Lehigh Valley Bethlehem Northampton County	Route 248 and Corriere Road Lower Nazareth Township Northampton County	Filed
4-14-2009	NOVA Bank Berwyn Chester County	125 East Elm Street Suite 200 Conshohocken Montgomery County	Filed

Branch Relocations

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
4-6-2009	Fulton Bank Lancaster Lancaster County	To: 9030 Stony Point Parkway Richmond Richmond County, VA From: 8730 Stony Point Parkway Suite 100 Richmond Richmond County, VA	Effective
4-13-2009	Pennsylvania Business Bank Berwyn Chester County	To: 1819 John F. Kennedy Boulevard Philadelphia Philadelphia County	Effective

<i>Date</i>	<i>Name of Bank</i>	<i>Location</i>	<i>Action</i>
		<i>From:</i> 1635 Market Street Philadelphia Philadelphia County	

SAVINGS INSTITUTIONS**Conversions**

<i>Date</i>	<i>Name of Association</i>	<i>Location</i>	<i>Action</i>
4-1-2009	Washington Savings Association Philadelphia Philadelphia County	Philadelphia	Effective

Conversion from a Pennsylvania State-chartered mutual savings association to a Federally-chartered mutual savings bank to be known as "Washington Savings Bank."

CREDIT UNIONS**Change of Principal Place of Business**

<i>Date</i>	<i>Name of Credit Union</i>	<i>Location</i>	<i>Action</i>
4-8-2009	Utilities Employees Credit Union Sinking Spring Berks County	<i>To:</i> 11 Meridian Boulevard Wyomissing, PA 19610 Berks County <i>From:</i> 2850 Windmill Road Sinking Spring, PA 19608 Berks County	Effective

Articles of Amendment

<i>Date</i>	<i>Name of Credit Union</i>	<i>Purpose</i>	<i>Action</i>
4-9-2009	Spojnia Credit Union Scranton Lackawanna County	Amend Article 5 of the Articles of Incorporation	Filed

Amendment to Article 5 will decrease the required minimum share deposit to \$5.

The Department's web site at www.banking.state.pa.us includes public notices for more recently filed applications.

STEVEN KAPLAN,
Secretary

[Pa.B. Doc. No. 09-739. Filed for public inspection April 24, 2009, 9:00 a.m.]

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of May 2009

The Department of Banking (Department), under the authority contained in section 301 of the act of January 30, 1974 (P. L. 13, No. 6) (41 P. S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of May, 2009, is 5 3/4%.

The interest rate limitations under the State's usury statute were preempted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub. L. No. 96-221). Further preemption was instituted with the signing of Pub. L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board and/or the United States Treasury. The latest yield rate on long-term government securities is 3.30 to which was added 2.50 percentage points for a total of 5.80 that by law is rounded off to the nearest quarter at 5 3/4%.

STEVEN KAPLAN,
Secretary

[Pa.B. Doc. No. 09-740. Filed for public inspection April 24, 2009, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Weatherization Assistance Program's Proposed State Plan

The Department of Community and Economic Development (Department) publishes notice of a public hearing to be held Tuesday, May 5, 2009, from 9:30 a.m. to 12:30 p.m. in Hearing Room 4, Plaza Level, Commonwealth Keystone Building, 400 North Street, Harrisburg, PA. The purpose of this hearing is to receive comments on the Weatherization Assistance Program's proposed State Plan to be submitted to the United States Department of Energy for program period 2009-2012, regarding use of American Recovery and Reinvestment Act funding.

A copy of this plan may be obtained by contacting the Department of Community and Economic Development, Center for Community Empowerment, 4th Floor, Commonwealth Keystone Building, 400 North Street, Harrisburg PA 17120, (717) 787-1984 or it can be downloaded from the Department's web site at www.newpa.com.

If you wish to provide public testimony, contact Yvonne Adams at (717) 787-1984 for an available time slot.

Written comments may be submitted to Jamesetta Reed, Director, Center for Community Empowerment, 4th Floor, Commonwealth Keystone Building, 400 North Street, Harrisburg, PA 17120 until 5 p.m. on May 5, 2009.

Persons with a disability who wish to attend the hearing and require an auxiliary aid, services or other accommodations to participate in the proceedings, contact Yvonne Adams at (717) 787-1984 to discuss how the Department may accommodate their needs.

GEORGE E. CORNELIUS,
Acting Secretary

[Pa.B. Doc. No. 09-741. Filed for public inspection April 24, 2009, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal waste; discharge into groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0061786 (Minor Sewage)	Manwalamink Sewer Company Ft. DePuy P. O. Box 48 Shawnee on Delaware, PA 18356-0048	Smithfield Township Monroe County	Broadhead Creek 1E	Y

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0060232 (Sewage)	United States Army Corps of Engineers Tompkins Recreational Area 710 Ives Run Road Tioga, PA 16946	Lawrence Township Tioga County	Cowanesque River WWF	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0222844	Ellwood Industrial Facilities Company 700 Moravia Street New Castle, PA 16101	City of New Castle Lawrence County	Shenango River 20-A	Y

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

PA0026964, Sewage, SIC 4953, **Lower Perkiomen Valley Regional Sewer Authority**, 5 River Road, Oaks, PA 19456. The facility is located in Upper Providence Township, **Montgomery County**.

Description of Activity: Discharge of treated sewage from Lower Perkiomen Valley Regional Sewer Authority Oaks WWTP into the Schuylkill River in Upper Providence Township, Montgomery County.

The receiving stream, the Schuylkill River, is in the State Water Plan Watershed 3D and is classified for WWF and MF. The nearest downstream public water supply intake for Pennsylvania American—Norristown Water Treatment Plant is approximately 8.5 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 14.25 mgd:

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instantaneous Maximum</i>
CBOD ₅ (5-1 to 10-31)	2,135	3,202	18	27	36
(11-1 to 4-30)	2,668	4,002	22.5	33.7	45

<i>Parameters</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instantaneous Maximum</i>
Total Suspended Solids	3,565	5,348	30	45	60
Ammonia as N					
(5-1 to 10-31)	854		7.2		14.4
(11-1 to 4-30)	960		8.1		16.2
Phosphorus as P			Monitor		
Fecal Coliform (#/100 ml)			200		1,000*
Dissolved Oxygen			Shall not be less than 5.0 mg/l at all times		
pH (Standard Units)			within limits of 6.0 to 9.0 Standard Units at all times		
Total Dissolved Solids			1,000	2,000 Daily Maximum	2,500
Total Residual Chlorine			0.5		1.6
Copper, Total			Monitor		
Lead, Total			Monitor		
Zinc, Total			Monitor		
Silver, Total			Monitor		
Chromium, Hex			Monitor		
Cyanide, Free			Monitor		
Cadmium, Total			Monitor		
Mercury, Total			Monitor		

* Shall not exceed in more than 10% of samples.

The proposed effluent limits for Outfalls 002 and 003 are based on storm event:

<i>Parameters</i>	<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instantaneous Maximum</i>
CBOD ₅			Monitor and Report
Total Suspended Solids			Monitor and Report
COD			Monitor and Report
Oil and Grease			Monitor and Report
Total Phosphorus as P			Monitor and Report
Total Kjeldahl Nitrogen			Monitor and Report
pH (Standard Units)			Monitor and Report
Iron (Dissolved)			Monitor and Report

The EPA waiver is not in effect.

Other Requirements:

1. Notification of Designated Operator.
2. Average Weekly Definition.
3. Remedial Measures.
4. No Stormwater Runoff.
5. Acquiring Necessary Rights.
6. Change in Ownership.
7. Approved Tests Methods.
8. TRC Minimizations.
9. Proper Sludge Disposal.
10. Watershed TMDL/WLA Analysis.
11. WET Test for Next Renewal.
12. Operator Training Requirements.
13. I-Max Requirements.
14. Stormwater Requirements.
15. Pretreatment Program Requirements.
16. Operations and Maintenance Plan.
17. Laboratory Certification.
18. I-Max Requirements for Fecal Coliform.
19. No Polychlorinated Biphenyls (PCB) Discharge.
20. PCBs Monitoring Requirements.

PA0058742, Sewage, SIC 4952, **Warminster Municipal Authority**, P. O. Box 2279, Warminster, PA 18974. This existing facility is located in Warminster Township, **Bucks County**.

Description of Proposed Activity: Renewal of NPDES Permit to discharge treated sewage effluent and stormwater from the Warminster NAWC WWTP.

The receiving stream, a UNT to Little Neshaminy Creek, is in the State Water Plan Watershed 2F and is classified for: WWF, MF, aquatic life, water supply and recreation. The nearest downstream public water supply intake for Aqua PA, SE Division is located on Neshaminy Creek and is approximately 20 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.2 mgd.

<i>Parameters</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅	10	15		20
Total Suspended Solids	10	15		20
NH ₃ -N				
(5-1 to 10-31)	1.5			3.0
(11-1 to 4-30)	3.0			6.0
Nitrite and Nitrate as N				
(7-1 to 10-31)	9.5			19.0
Phosphorus as P				
(4-1 to 10-31)	0.5			1.0
(11-1 to 3-31)				
(Issuance—Year 2)	Report			Report
(Year 3—Expiration)	1.0			2.0
Aluminum	Report			
Fecal Coliform (col/100 ml)	200			1,000*
Dissolved Oxygen	6.0 minimum			
pH (Standard Units)	6.0 minimum			9.0

* Not to exceed 1,000 col/100 ml in greater than 10% of the samples tested.

The proposed effluent limits for stormwater Outfalls 002 and 003 are based on an average flow of a stormwater event.

<i>Parameters</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅			Report	
Chemical Oxygen Demand			Report	
Oil and Grease			Report	
pH (Standard Units)			Report	
Total Suspended Solids			Report	
Total Kjeldahl Nitrogen			Report	
Total Phosphorus			Report	
Iron, Dissolved			Report	
Fecal Coliform (col/100 ml)			Report	

In addition to the effluent limits, the permit contains the following major special conditions:

1. Notification of Designation of Responsible Operator.
 2. Definition of Average Weekly.
 3. Remedial Measures if Public Nuisance.
 4. No Stormwater to Sewers.
 5. Necessary Property Rights.
 6. Small Stream Discharge.
 7. Specification of Test Method.
 8. Change in Ownership.
 9. Proper Sludge Disposal.
 10. Whole Effluent Toxicity Testing at Renewal.
 11. Instantaneous Maximum Limitations.
 12. Fecal Coliform Reporting.
 13. Operator Training.
 14. Operations and Maintenance Plan.
 15. Laboratory Certification.
 16. Stormwater Requirements.
- The EPA waiver is not in effect.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

Application No. PA 0261246, Sewage, **Harland Miller**, 413 Pinewood Avenue, Hyndman, PA 15545. This facility is located in Londonderry Township, **Bedford County**.

Description of activity: The application is for issuance of an NPDES permit for a new discharge of treated sewage.

The receiving stream, Gladdens Run, is in Watershed 13A, and classified for HQ-CWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake for Hancock, MD is located on the Potomac River, approximately more than 50 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 for a design flow of 0.0008 mgd are:

<i>Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
CBOD ₅ (5-1 to 10-31)	10	20
(11-1 to 4-30)	20	40
Total Suspended Solids	30	60
NH ₃ -N (5-1 to 10-31)	5.0	10
(11-1 to 4-30)	15.0	30
Total Residual Chlorine	More than .04	
Dissolved Oxygen	Minimum of 5.0 at all times	
pH	From 6.0 to 9.0 inclusive	
Fecal Coliform (5-1 to 9-30)	200/100 ml as a Geometric Average	

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0083941, Industrial Waste, SIC Code 4953, **Community Refuse Service, Inc.**, 135 Vaughn Road, Shippensburg, PA 17257. This facility is located in Hopewell Township, **Cumberland County**.

Description of activity: The application is for renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Conodoguinet Creek, is in Watershed 7-B, and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake is Carlisle Borough located on the Conodoguinet Creek, approximately 29.5 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 based on a design flow of 0.100 mgd are:

<i>Parameter</i>	<i>Mass (lb/day)</i>		<i>Concentration (mg/l)</i>		
	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Average Monthly</i>	<i>Maximum Daily</i>	<i>Instantaneous Maximum</i>
a-Terpineol	Monitor and Report	Monitor and Report	0.016	0.033	0.040
Benzoic Acid	Monitor and Report	Monitor and Report	0.071	0.120	0.178
CBOD ₅	29	58	35	70	87
Fecal Coliform (5-1 to 9-30)			200		
(10-1 to 4-30)			2,000		
NH ₃ -N (5-1 to 10-31)	5.7	11.6	6.9	14	17
(11-1 to 4-30)	11.6	23	14	28	37
Oil and Grease	Monitor and Report		15		30
p-Cresol	Monitor and Report	Monitor and Report	0.014	0.025	0.035
pH			From 6.0 to 9.0 inclusive		
Phenol	Monitor and Report	Monitor and Report	0.015	0.026	0.038
Total Aluminum	Monitor and Report	Monitor and Report	Monitor and Report	Monitor and Report	
Total Arsenic	Monitor and Report	Monitor and Report	0.050	0.100	0.125
Total Barium	Monitor and Report	Monitor and Report	0.10	0.20	0.25
Total Copper	Monitor and Report	Monitor and Report	0.050	0.100	0.125

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
Total Iron	Monitor and Report	Monitor and Report	2.0	4.0	5.0
Total Phosphorus	1.6	3.3	2.0	4.0	5.0
Total Residual Chlorine			0.5		1.6
Total Suspended Solids	26	53	32	64	80
Total Zinc	Monitor and Report	Monitor and Report	0.11	0.20	0.27
Dissolved Oxygen	Minimum of 5.0 at all times				

In addition to the effluent limits, the permit contains the following major special conditions:

1. Monitoring of stormwater from Outfalls S01—S11.
2. Restrictions of imported wastewater from municipal leachate and transfer stations, food processing facilities, and nonspecific sources.

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Application No. PA 0088790, Industrial Waste, SIC Code 9631, **The York Water Company**, 130 East Market Street, York, PA 17405. This facility is located in York Township, **York County**.

Description of activity: The application is for renewal of an NPDES permit for existing discharge of treated industrial waste.

The receiving stream, Lake Redman, is in Watershed 7-H, and classified for WWF, water supply, recreation and fish consumption. The nearest downstream public water supply intake is The York Water Company located on the south branch of Codorus Creek, approximately 9 miles downstream. The discharge is not expected to affect the water supply.

The proposed interim effluent limits for Outfall 001 based on a design flow of 12 mgd are:

Parameter	Mass (lb/day)		Concentration (mg/l)		
	Average Monthly	Maximum Daily	Average Monthly	Maximum Daily	Instantaneous Maximum
pH			Monitor and Report		
Dissolved Oxygen			Monitor and Report		
Temperature, F°			Monitor and Report		
Total Aluminum			Monitor and Report		
Total Copper			Monitor and Report		
Total Lead			Monitor and Report		
Total Zinc			Monitor and Report		

Persons may make an appointment to review the Department of Environmental Protection's files on this case by calling the file review coordinator at (717) 705-4732.

The EPA waiver is in effect.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PA0233692, Sewage, 4952, **South Creek Township**, P. O. Box 60, Gillett, PA 16925. This proposed facility is located in South Creek Township, **Bradford County**.

Description of Proposed Activity: One centralized treatment facility to serve Fassett and three small flow treatment facilities to correct malfunctioning on lot systems in Gillett.

The receiving stream, South Creek, is in the State Water Plan Watershed 4B and is classified for: CWF. The nearest downstream public water supply intake is considered the New York State border is located on South Creek and is 6 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.025 mgd.

Discharge Parameter	Average Monthly (mg/l)	Average Weekly (mg/l)	Maximum Daily (mg/l)	Instantaneous Maximum
CBOD ₅	25	40		50
TSS	30	45		60
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)		200/100 ml as a Geometric Mean 2,000/100 ml as a Geometric Mean		
pH		6.0 to 9.0 at all times		

NOTICES

<i>Discharge Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum</i>
NH ₃ (5-1 to 10-31) (11-1 to 4-30)	12			24
TRC	Monitor			Monitor 1.6

Chesapeake Bay Tributary Strategy Nutrient Requirements

<i>Parameter</i>	<i>Concentration (mg/l)</i>		<i>Mass (lbs)</i>	
	<i>Monthly Average</i>	<i>Monthly Load</i>	<i>Monthly Load</i>	<i>Annual Load</i>
Ammonia-N	Report		Report	Report**
Kjeldahl-N	Report		Report	
Nitrate-Nitrate as N	Report		Report	
Total Nitrogen	Report		Report	Report
Total Phosphorus	Report		Report	Report
Net Total Nitrogen			Report	2,450*
Net Total Phosphorus			Report	151*

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department of Environmental Protection's (Department) Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document No. 392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for Net Total Nitrogen and Net Total Phosphorus will begin upon start up. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary.

The proposed effluent limits for Outfall 002 are based on a design flow of 0.0004 mgd.

<i>Discharge Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10	15		20
TSS	10	15		20
Fecal Coliforms		200/100 ml as a Geometric Mean		
pH		6.0 to 9.0 at all times		
TRC	Monitor			Monitor

The proposed effluent limits for Outfall 003 are based on a design flow of 0.002 mgd.

<i>Discharge Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10	15		20
TSS	10	15		20
Fecal Coliforms		200/100 ml as a Geometric Mean		
pH		6.0 to 9.0 at all times		
TRC	Monitor			Monitor

The proposed effluent limits for Outfall 004 are based on a design flow of 0.002 mgd.

<i>Discharge Parameter</i>	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Maximum Daily (mg/l)</i>	<i>Instantaneous Maximum</i>
CBOD ₅	10	15		20
TSS	10	15		20
Fecal Coliforms		200/100 ml as a Geometric Mean		
pH		6.0 to 9.0 at all times		
TRC	Monitor			Monitor

In addition to the effluent limits and best management practices, the permit contains the following major permit conditions:

Chesapeake Bay Nutrient Requirements

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Amplified Public Notice for NPDES Permit No. PA0253987, Industrial Waste, **Somerset Regional Water Resources, LLC**, 888 Stoystown Road, Somerset, PA 15501.

This notice reflects changes from the notice published in the April 11, 2009 *Pennsylvania Bulletin*.

The Draft NPDES Permit effluent limitations were published in the *Pennsylvania Bulletin* with a Daily Maximum effluent limitation of 0.144 mg/l for Acetophenone. The correct limit is 0.114 mg/l.

PA0028711, Sewage, **Peters Township Sanitary Authority**, 3244 Washington Road, McMurray, PA 15317-3153. This application is for renewal of an NPDES permit to discharge treated sewage from Brush Run Sewage Treatment Plant in Peters Township, **Washington County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Brush Run, which are classified as a WWF with existing and/or potential uses for aquatic life, water supply and recreation. The first downstream potable water supply intake from this facility is the West View Municipal Authority located on the Ohio River.

Outfall 001: existing discharge, design flow of 2.000 mgd.

Parameter	Concentration (mg/l)			Instantaneous Maximum
	Average Monthly	Average Weekly	Maximum Daily	
CBOD ₅				
(5-1 to 10-31)	20.0	30.0		40.0
(11-1 to 4-30)	25.0	37.5		50.0
Suspended Solids	30.0	45.0		60.0
Ammonia Nitrogen				
(5-1 to 10-31)	2.0	3.0		4.0
(11-1 to 4-30)	4.5	6.8		9.0
Fecal Coliform				
(5-1 to 9-30)	200/100 ml as a Geometric Mean			
(10-1 to 4-30)	2,000/100 ml as a Geometric Mean			
Total Residual Chlorine		0.05		0.16
Dissolved Oxygen	not less than 5 mg/l			
pH	not less than 6.0 nor greater than 9.0			

The EPA waiver is not in effect.

Northwest Region: Water Management Program Manager; 230 Chestnut Street, Meadville, PA 16335-3481.

PA0028223, Sewage, **Municipal Authority of the City of Corry**, 36 West Main Street, Corry, PA 16407. This existing facility is located in City of Corry, **Erie County**.

Description of existing Activity: Renewal of an existing NPDES permit to discharge treated sewage.

The proposed effluent limits for Outfall 001 are based on a design flow of 3.5 mgd.

Parameters	Loadings		Concentrations		Instantaneous Maximum (mg/l)
	Average Monthly (lb/day)	Average Weekly (lb/day)	Average Monthly (mg/l)	Average Weekly (mg/l)	
Flow (mgd)	XX				
CBOD ₅					
(5-1 to 10-31)	437	642	15	22	30
(11-1 to 4-30)	729	1,167	25	40	50
Total Suspended Solids	876	1,314	30	45	60
NH ₃ -N					
(5-1 to 10-31)	58		2		4
(11-1 to 4-30)	175		6		12
Fecal Coliform					
(5-1 to 9-30)	200/100 ml as a Geometric Average				
(10-1 to 4-30)	2,000/100 ml as a Geometric Average				
Total Phosphorus	XX		XX		XX
Total Copper	XX		XX		XX
Total Residual Chlorine			0.4		1.3
Dissolved Oxygen	Minimum of 7.0 mg/l at all times				
pH	6.0 to 9.0 Standard Units at all times				

XX—Monitor and report on monthly DMRs.

CSO Outfalls*	Description	Location		Receiving Stream
002	Avenue A Pump Station	41° 55' 21"	79° 37' 25"	Hare Creek
004	Corry WWTP	41° 55' 32"	79° 37' 44"	Hare Creek
005	Wright and Smith Streets	41° 55' 31"	79° 38' 20"	Hare Creek

* Refer to Special Condition 1, Combined Sewer Overflow Management, in Part C.

<i>Stormwater Outfalls**</i>	<i>Description</i>	<i>Location</i>		<i>Receiving Stream</i>
003	Central portion of WWTP Gravity discharge	41° 55' 35"	79° 37' 40"	Hare Creek
006	Force main discharge from north wet well	41° 55' 35"	79° 37' 37"	Hare Creek
007	Northeast of sludge drying beds	41° 55' 37"	79° 38' 41"	Hare Creek
008	Northwest of sludge drying beds	41° 55' 37"	79° 38' 42"	Hare Creek

** Refer to Special Condition 5, Stormwater outfall requirements, in Part C.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, the existing/proposed downstream potable water supply, considered during the evaluation is the Emlenton Water Company is located on the Allegheny River and is approximately 110 miles below point of discharge.

The receiving stream, Hare Creek, is in Watershed 16-B and classified for: WWF, aquatic life, water supply and recreation.

Special Conditions:

1. CSOs.
2. Effluent Chlorine Optimization and Minimization.
3. WET Testing.
4. CSO-Related bypass authorization.
5. Stormwater outfall requirements (003, 006—008).

The EPA waiver is not in effect.

PA0238571, Sewage, **Robert McDonald and Rhett Walls, Pinehurst Manor Mobile Home Park**, 899 Rockdale Road, Butler, PA 16002-8856. This existing facility is located in Center Township, **Butler County**.

Description of Proposed Activity: New NPDES permit replacing an expired permit.

For the purpose of evaluating effluent requirements for TDS, NO₂-NO₃, fluoride, phenolics, sulfate and chloride, the existing/proposed downstream potable water supply, considered during the evaluation is the Beaver Falls Municipal Authority located on the Beaver River and is approximately 49 miles below point of discharge.

The receiving stream, the Stony Run, is in Watershed 20-C and classified for: WWF, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.014 mgd.

<i>Parameter</i>	<i>Concentrations</i>		
	<i>Average Monthly (mg/l)</i>	<i>Average Weekly (mg/l)</i>	<i>Instantaneous Maximum (mg/l)</i>
Flow (mgd)	XX		
CBOD ₅	25.0		50.0
Total Suspended Solids	30.0		60.0
NH ₃ -N			
(5-1 to 10-31)	1.5		3.0
(11-1 to 4-30)	4.5		9.0
Phosphorus as "P"	2.0		4.0
Fecal Coliform			
(5-1 to 9-30)		200/100 ml as a Geometric Average	
(10-1 to 4-30)		2,000/100 ml as a Geometric Average	
Ultraviolet Light	XX		
Ultraviolet Light Intensity	Monitor and report the average UV meter reading as µw/cm ² for each module bank. Also see Special Condition 1.		
Dissolved Oxygen		minimum of 5.0 mg/l at all times	
pH		6.0 to 9.0 Standard Units at all times	

XX—Monitor and report on monthly DMRs.

The EPA waiver is in effect.

PA0102288, Industrial Waste, **Rustick, LLC**, 19 Ness Lane, Kane, PA 16735. This proposed facility is located in Sergeant Township, **McKean County**.

Description of Proposed Activity: an existing discharge of treated industrial waste and stormwater.

The receiving waters are a UNT to Little Sicily Run (Outfalls 001—006 and 010), a UNT to Sevenmile Run (Outfall 007), Rocky Run (Outfall 008) and Sicily Run (Outfall 009). The receiving streams are in State Water Plan 17-A and are classified for the following uses: CWF (Sicily, Little Sicily and Rocky Runs) and HQ-CWF (UNT—Sevenmile Run), aquatic life, water supply and recreation. The nearest downstream potable water supply is the PA American Water Company intake, located on the Clarion River, approximately 75 miles below the point of discharge. For the HQ-stream, the nearest downstream potable water supply is considered the discharge point located on the UNT to Sevenmile Run.

Interim Limits

The proposed effluent limits for Outfall 001 based on a design flow of 0.031 mgd.

Parameter	Loadings		Concentrations		
	Average Monthly (lb/day)	Maximum Daily (lb/day)	Average Monthly (mg/l)	Maximum Daily (mg/l)	Instantaneous Maximum (mg/l)
Flow (mgd)	XX	XX			
BOD ₅			37	140	175
TSS			27	88	110
NH ₃ -N			4.9	10	12.5
Oil and Grease			15		30
Zinc	0.023	0.05	0.097	0.19	0.24
a-Terpineol			0.016	0.033	0.041
Benzoic Acid			0.071	0.12	0.18
p-Cresol			0.014	0.025	0.031
Phenol			0.015	0.026	0.032
pH	Within limits of 6.0 to 9.0 Standard Units at all times.				

Final Limits

The proposed effluent limits for Outfall 001 based on a design flow of 0.05 mgd.

Parameter	Loadings		Concentrations		
	Average Monthly (lb/day)	Maximum Daily (lb/day)	Average Monthly (mg/l)	Maximum Daily (mg/l)	Instantaneous Maximum (mg/l)
Flow (mgd)	XX	XX			
BOD ₅			37	140	175
TSS			27	88	110
NH ₃ -N			4.9	10	12.5
Oil and Grease			15		30
Zinc	0.041	0.083	0.099	0.2	0.25
a-Terpineol			0.016	0.033	0.041
Benzoic Acid			0.071	0.12	0.18
p-Cresol			0.014	0.025	0.031
Phenol			0.015	0.026	0.032
pH	Within limits of 6.0 to 9.0 Standard Units at all times.				

Outfalls 002—010 are identified as stormwater only discharges. They will be controlled by Best Management Practices specific to landfill operations.

The EPA waiver is in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

WQM Permit No. 2109402, Sewerage, **Borough of Mechanicsburg**, 36 West Allen Street, Mechanicsburg, PA 17055. This proposed facility is located in Mechanicsburg Borough, **Cumberland County**.

Description of Proposed Action/Activity: Upgrades to the WWTP to meet standards set forth in Pennsylvania's Chesapeake Bay Tributary Strategy.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 6309404, Sewerage, **Chartiers Township**, 2 Buccaneer Drive, Houston, PA 15342. This proposed facility is located in Canton and Chartiers Townships, **Washington County**.

Description of Proposed Action/Activity: Application for the construction and operation of the Route 18 Corridor Sewer System.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

V. Applications for NPDES Wavier Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 1509014	River Station, LP P. O. Box 1496 Exton, PA 19341	Chester	Downingtown Borough East Caln Township	East Branch Brandywine Creek WWF-MF
PAI01 1509015	Telvil Corporation 527 Main Street Harleysville, PA 19428	Chester	East Coventry Township	UNT Pigeon Creek Schuylkill River HQ-TSF

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAR10C444(2)-R	Cabela's Ed Eckman 100 Cabela's Drive Hamburg, PA 19526	Berks	Tilden Township	UNT to Schuylkill River WWF
PAI032109003	CHR Corporation Tim Rutter 2295 Susquehanna Trail Suite C York, PA 17404	Cumberland	Monroe Township	Yellow Breeches Creek HQ-CWF
PAI033109001	Department of Transportation Engineering District 9-0 Thomas A. Prestash 1620 North Juniata Street Hollidaysburg, PA 16648	Huntingdon	Morris Township	UNT to Frankstown Branch Juniata River WWF

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Clearfield County Conservation District: 650 Leonard Street, Clearfield, PA 16830, (814) 765-2629.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041709001	Glenn O. Hawbaker, Inc. 1952 Waddle Road State College, PA 16803	Clearfield	Lawrence, Pine and Union Townships	Anderson Creek HQ-CWF Dressler Run HQ-CWF Fork Run HQ-CWF Stone Run HQ-CWF UNT to Lick Run HQ-CWF
PAI041709002	Shannon Land and Mining P. O. Box 368 Bigler, PA 16825	Clearfield	Pike Township	UNT to Little Clearfield Creek HQ-CWF West Branch Susquehanna River WWF

Clinton County Conservation District: 45 Cooperation Lane, Mill Hall, PA 17751, (570) 726-3798.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041809001	Department Conservation and Natural Resources P. O. Box 8552 Harrisburg, PA 17105	Clinton	Bald Eagle and Grugan Townships	UNT to Holland Run HQ-CWF

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Allegheny County Conservation District: Lexington Technology Park, Building 1, Suite 102, 400 North Lexington Avenue, Pittsburgh, PA 15208, (412) 241-7645.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI050209002	Edgewater Properties, LP 3875 Old William Penn Highway Murrysville, PA 15668	Allegheny	Oakmont Borough	Allegheny River WWF, N

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Erie County Conservation District: 1927 Wager Road, Erie, PA 16509, (814) 825-6403.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI062509003	Former International Paper Site—Dunn Brick Yard Greater Erie Industrial Development Corporation 5240 Knowledge Parkway Erie, PA 16509	Erie	Erie City	West Branch Cemetery Run Lake Erie WWF

VII. List of NOIs for NPDES and/or Other General Permit Types

PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act

Southeast Region: Water Supply Management Program Manager, 2 East Main Street, Norristown, PA 19401.

Application No. 1509502, Public Water Supply.

Applicant	Aqua Pennsylvania, Inc.
Township	Schuylkill
County	Chester
Responsible Official	Marc Lucca 762 West Lancaster Avenue Bryn Mawr, PA 19010
Type of Facility	PWS
Consulting Engineer	CET Engineering Services 1240 North Mountain Road Harrisburg, PA 17112
Application Received Date	February 25, 2009
Description of Action	Upgrading the existing filters at Pickering East Water Treatment Plant.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 5608507 resubmittal, Public Water Supply.

Applicant	Municipal Authority of the Township of Jenner 2058 Lincoln Highway Boswell, PA 15531
Township or Borough	Jenners Township
Responsible Official	Keith Barnick, Chairperson Municipal Authority of the Township of Jenner 2058 Lincoln Highway Boswell, PA 15531
Type of Facility	Ligonier Laurel Mountain
Consulting Engineer	The EADS Group, Inc. 1126 Eighth Avenue Altoona, PA 16602

Application Received Date October 9, 2008

Description of Action Construction of a well, addition of sodium hypochlorite system, polyphosphate sequestering system, a 2,000 gallon water storage tank and a 30,000 gallon water storage tank.

MINOR AMENDMENT

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Application No. 2687503T1MA, Minor Amendment.

Applicant **Greater Pittsburgh Council
Boy Scouts of America**
1275 Bedford Avenue
Pittsburgh, PA 15219

Township or Borough Wharton Township

Responsible Official Walter Boger, Head Ranger
Greater Pittsburgh Council
Boy Scouts of America
1275 Bedford Avenue
Pittsburgh, PA 15219

Type of Facility Water system

Consulting Engineer Aquenef
1314 Denniston Street
Pittsburgh, PA 15217

Application Received Date August 15, 2007

Description of Action Installation of a settling tank at the Heritage Reservation.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any

contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Ronald S. Brezinski, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

2020 Building, 2020 Hamilton Street, Allentown City, **Lehigh County**. Alexander Ulmer, Barry Issett & Associates, Inc., P. O. Box 147, Trexlertown, PA 18087-0147 has submitted a Notice of Intent to Remediate (on behalf of his clients Raymond and Thelma Holland, c/o Timothy Fallon, 405 West Linden Street, Allentown, PA 18102-3454), concerning the remediation of soil found to have been impacted by hexavalent chromium within a former process water vault as a result of metal cleaning and painting operations at a former facility located at this property. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate is expected to be published in a local newspaper serving the general area sometime in the near future.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Lancaster General Services Property, West Earl Township, **Lancaster County**. GCI Environmental Services, 1250 East King Street, Lancaster, PA 17602, on behalf of Lancaster General Services, 607 North Duke Street, Lancaster, PA 17602, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with heating oil released from an aboveground storage tank. The site will be remediated to a combination of the Residential Statewide Health and Site-Specific Standards. The site will be developed as a health care facility for Lancaster General Hospital.

RESIDUAL WASTE GENERAL PERMITS

Application received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and the Beneficial Use of Residual Waste other than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Renewal Application Number WMGR040. Safety-Kleen Systems, Inc., 5400 Legacy Drive, Plano, TX 75024-3105. General Permit Number WMGR040 authorizes processing prior to beneficial use of waste oil (including waste oil mixed with hazardous waste regulated under 40 CFR 261.5 incorporated by reference at 25 Pa. Code § 261a.1 and modified at § 261a.5), spent antifreeze and waste oil/water mixtures. The approved processing is limited to the transfer of waste oil, waste oil/water mixtures and spent antifreeze generated from motor vehicles to rail cars for transport ("rail transloading"). The application for renewal of the general permit was deemed administratively complete by Central Office on April 7, 2009.

The renewal application covers the following Safety-Kleen Systems facilities:

WMGR040 Baumer Street, Johnstown, PA 15904

WMGR040A 600 Stewart Road, Wilkes-Barre, PA 18706

Comments concerning the application should be directed to Ronald C. Hassinger, Chief, General Permits/Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7381. TDD users may contact the Department of Environmental Protection through the Pennsylvania AT&T Relay Service at (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

DETERMINATION FOR APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application for determination of applicability received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash

Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

General Permit Application No. WMGR028-NWD02A. Glenn O. Hawbaker, Inc., 157 Hawbaker Industrial Boulevard, Grove City, PA 16127, Barkeyville, Venango County. The application is for Determination of Applicability (DOA) for beneficial use of baghouse fines and/or scrubber pond precipitates, generated by hot-mix asphalt plants for use as: (i) an aggregate in roadway construction; (ii) a soil additive; (iii) a soil conditioner; or (iv) a component or ingredient in the manufacturing of construction products. The DOA covers three sites named the Barkeyville, Clarion and Turtlepoint Facilities. The

application for determination of applicability was received by the Northwest Regional Office on April 3, 2009.

Comments concerning the application should be directed to Todd Carlson, Program Manager, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335. Persons interested in obtaining more information about the general permit application may contact the Northwest Regional Office at (814) 332-6848. TDD users may contact the Department of Environmental Protection through the Pennsylvania AT&T Relay Service at (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application received, under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and regulations to operate a Solid Waste Processing or Disposal Area or Site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4000.

Permit ID No. 301326, Lubriclear of Pittsburgh, LP, Schenley Industrial Park, P. O. Box 62, Schenley, PA 15682. Application for a renewal of a residual waste processing facility permit in Gilpin Township, Armstrong County was received in the Regional Office on April 7, 2009.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department

regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior to the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121–143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Ray Kempa, New Source Review Chief, (570) 826-2507.

40-309-041: Schott Glass Technologies, Inc. (400 York Avenue, Duryea, PA 18642) for installation of a new baghouse at their facility in Duryea Borough, **Luzerne County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, M. Gorog and B. Hatch, Environmental Engineer Managers, (412) 442-4163/5226.

32-00297F: Creps United Publications (1163 Water Street, Indiana, PA 15701) for installation and operation of a new heatset web offset lithographic printing press, replacing an existing press, at their facility in White Township, **Indiana County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

09-0019C: Miller & Son Paving, Inc. (887 Mill Creek Road, Rushland, PA 18956) for consumption of on-specification waste-derived liquid fuel (WDLF) as an additional fuel by the rotary dryer of an existing batch hot mix asphalt (HMA) plant at their facility, in Wrightstown Township, **Bucks County**. The plan approval is for a non-Title V facility. Based on information in the application, the potential emissions for CO, NOx and PM will increase with the consumption of WDLF at the facility. However, the facility will maintain its Synthetic Minor status.

Miller & Son will be required to perform stack testing for the batch HMA plant in order to demonstrate compli-

ance with the requirements of 40 CFR Part 60, Subpart I, and assure the control of emissions consistent with the best available technology. Miller & Son will continue to monitor and maintain records of HMA production on a monthly and 12-month rolling basis to ensure compliance with the HMA production limitation and site-level emission restrictions. The permit will include monitoring, recordkeeping, reporting and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

46-0158B: Colorcon, Inc. (415 Moyer Boulevard, West Point, PA 19486-0024) for modification to an existing Polyvinyl Alcohol Phthalate (PVAP) operation which includes installation of a dryer in Upper Gwynedd Township, **Montgomery County**. VOC emissions will increase 5.51 tons due to the modification to the PVAP operation. The facility will still remain a natural minor. The plan approval will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702

36-05065A: Skyline Corp. (99 Horseshoe Road, Leola, PA 17540) for installation of a paint booth in Upper Leacock Township, **Lancaster County**. The paint booth is expected to increase emissions by 5 tpy of VOC and 1 tpy of HAP. The plan approval will include monitoring, recordkeeping and reporting requirements designed to keep the sources operating within all applicable air quality requirements.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701, David Aldenderfer, Program Manager, (570) 327-3637.

08-313-042D: Global Tungsten & Powders, Corp. (Hawes Street, Towanda, PA 18848-0504) for construction of a new Progressive Technologies model HE-100 plasma gun (PMI gun No. 1, Source ID P227) at their facility in North Towanda Township, **Bradford County**. This is a State-only facility.

The Department of Environmental Protection's (Department) review of the information contained in the application submitted by GTP indicates that the PMI gun controlled by the proposed fabric collector and final filter will comply with all applicable air quality requirements pertaining to air contamination sources and the emission of air contaminants, including the fugitive air contaminant emission requirement of 25 Pa. Code § 123.1, the PM emission limitation of 25 Pa. Code § 123.13 and the visible emission limitation of 25 Pa. Code § 123.41. The plan approval, if issued, will subsequently be incorporated into the State-only operating permit by means of an administrative amendment in accordance with 25 Pa. Code § 127.450 at a later date.

Based upon this finding, the Department proposes to issue a plan approval for the construction of the Progressive Technologies model HE-100 plasma gun (PMI gun No. 1, Source ID P227). The following is a summary of the conditions the Department proposes to place in the plan approval to ensure compliance with all applicable regulatory requirements:

1. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the PM and HAP emissions from the Progressive Technologies model HE-100 plasma gun (PMI gun No. 1, Source ID P227) shall not exceed 0.73 pph and 3.2 tons in any 12-consecutive month period.

2. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, the air contaminant emissions from the Progressive Technologies model HE-100 plasma gun (PMI gun No. 1, Source ID P227) shall be controlled by the Farr-Tenkay model 30LS fabric collector (ID C227A) and final filter (ID C227B), in series, any time the plasma gun is operating. The fabric collector (ID C227A) and final filter (ID C227B), in series, shall maintain a control efficiency of at least 99.99% for PM.

PMI Gun No. 1 is approved to process the following materials and compounds made from the materials: tungsten, tungsten carbide, chromium, cobalt and nickel.

3. Under the BAT requirements of 25 Pa. Code §§ 127.1 and 127.12, there shall be no visible air contaminant emissions observable in the exhaust of the final filter (ID C227B) at any time.

4. The Farr-Tenkay model 30LS fabric collector (ID C227A) and final filter (ID C227B) shall be equipped with instrumentation to continuously monitor pressure drop across the collector and filter and shall be recorded at least once per operating shift.

A copy of the plan approval application and the Department's review is available for public review between 8 a.m. and 4 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at (570) 327-3693. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Manager, Facilities Permitting Section, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, (570) 327-0512.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

62-178C Glenn O. Hawbaker, Inc. (711 East College Avenue, Bellefonte, PA 16823) in accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b), the Department of Environmental Protection intends to issue a plan approval to: for modification of a plan approval to add a RAP mixing drum after the rotary dryer, RAP crusher, use waste asphalt shingles in the hot mix asphalt and permit three portable plants to crush and screen materials as needed at Glenn O. Hawbaker, Inc. Plant No. 7—Turtlepoint Asphalt in Annin Township, **McKean County**. This plan approval will, in accordance with 25 Pa. Code § 127.450, be incorporated into a State-only operating permit through an administrative amendment at a later date.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104, Edward Braun, Chief, (215) 685-9476.

AMS 09026: Atlantic Marine—Philadelphia, LLC (5195 South 19th Street, Philadelphia, PA 19112) for reactivation and operation of a ship repair and painting facility in the City of Philadelphia, **Philadelphia County**. The operation will include the installation of a 792,000 Btu/hr natural gas-fired boiler, painting equipment, blasting equipment, containment tarp, dust collector, two 440 horsepower portable diesel compressors and one 250 horsepower diesel washer. Emissions from the facility are limited to the following:

- VOCs shall be less than 25 tons per rolling 12-month period;

- HAPs shall be less than 10 tons per rolling 12-month period of any individual HAP emissions and less than 25 tons per rolling 12-month period for any combination of HAP emissions;

- NOx shall be less than 25 tons per rolling 12-month period;

The plan approval will contain operating, monitoring, testing, recordkeeping and reporting requirements to ensure operation within all applicable requirements.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

06-05066: Exide Technologies (P. O. Box 13995, Reading, PA 19612-3995) for operation of a secondary lead smelter in the Laureldale Borough and Muhlenberg Township, **Berks County**. The facility is subject to 40 CFR Part 52, Prevention of Significant Deterioration, Part 60, Subpart L, Standards of Performance for New Stationary Sources and Part 63, Subpart X, National Emission Standards for HAPs from Secondary Lead Smelters. This action is a renewal of the Title V operating permit issued in 2000 and an administrative amendment.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

46-00144: USDA Eastern Regional Research Center (600 East Mermaid Lane, Wyndmoor, PA 19038-8551) for operation of four boilers and one emergency generator in Springfield Township, **Montgomery County**. This action is a renewal of the State-only Operating Permit (Synthetic Minor). The original State-only Operating Permit was issued on March 18, 2004. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting designed to keep the facility operating within all applicable air quality requirements.

09-00032: Eureka Stone Quarry, Inc. (P. O. Box 249, Chalfont, PA 18914) for renewal of the State-only Operating Permit for a stone crushing and asphalt plant in Warrington Township, **Bucks County**. The renewal corrects a number of errors made in the original Operating Permit, including but not limited to site inventory, site map and tax i.d. The renewal will include the incorporation of Plan Approval 09-0032 and Request for Determination 490. The renewed Operating Permit does not authorize any increase in air emissions of regulated pollutants above previously approved levels. The facility shall remain a synthetic minor facility. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, Ray Kempa, New Source Review Chief, (570) 826-2507.

40-00090: Bridon American Corp. (280 New Commerce Boulevard, Wilkes-Barre, PA 18773) for operation of a wire fabrication facility in Ashley Borough, **Luzerne County**. This is the renewal of a State-only Operating Permit.

35-00065: Insituform Tech. (11511 Philips Highway, Jacksonville, FL 32256-1639) for operation of a pipe manufacturing facility in Olyphant Borough, **Lackawanna County**. This is an initial issuance of a State-only Operating Permit.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

21-03029: Pennsy Supply, Inc. (1001 Paxton Street, P. O. Box 3331, Harrisburg, PA 17105) for operation of their Mount Holly Springs Quarry in Dickinson Township, **Cumberland County**. This is a renewal of the State-only operating permit issued in 2004.

36-03024: Astro Machine Works (470 Wenger Drive, Ephrata, PA 17522) for their manufacturing facility in Ephrata Borough, **Lancaster County**. This is a renewal of the State-only operating permit issued in 2003.

36-05074: New Holland Custom Woodwork, LTD (313 Prospect Street, New Holland, PA 17557-0217) for their high quality wood products manufacturing facility in New Holland Borough, **Lancaster County**. This is a renewal of the State-only operating permit issued in 2003.

36-05076: Lancaster General Hospital (555 North Duke Street, Lancaster, PA 17604) for operation of their medical and surgical hospital facility in the City of Lancaster, **Lancaster County**. This is a renewal of the State-only operating permit issued in June 2004.

38-05023: Pennsy Supply, Inc. (1001 Paxton Street, P. O. Box 3331, Harrisburg, PA 17105) for operation of their Prescott Asphalt Plant in South Lebanon Township, **Lebanon County**. This is a renewal of the State-only operating permit issued in 2004.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, New Source Review Chief, (814) 332-6940.

62-00150: Superior Tire and Rubber Corp. (1818 Pennsylvania Avenue, Warren, PA 16365) for re-issuance of a Synthetic Minor Permit to operate a tires and inner tube manufacturing facility in Warren City, **Warren County**. The major emitting sources included: 1) two Boilers; 2) Miscellaneous natural gas usage; 3) two Spray finishing; 4) Burn off oven; and 5) Degreaser Unit. The facility has taken the emission restriction of single HAP less than 9.9 tpy and multiple HAP less than 24.9 tpy. Thus, the facility is synthetic minor.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District Mining Office indicated above each application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated above each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code §§ 77.123 or 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. The Department has made a tentative determination to issue the NPDES permit in conjunction with the mining activity permit, but the issuance of the NPDES permit is contingent upon the approval of the associated mining activity permit.

For coal mining activities, NPDES permits, when issued, will contain effluent limits that do not exceed the technology-based effluent limitations. The proposed limits are listed in Table 1.

For noncoal mining activities, the proposed limits are found in Table 2. Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description below specifies the parameters. The limits will be in the ranges specified in Table 1.

More restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining that may occur, will be incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation-Memorandum of Understanding Concerning Water Quality Management, NPDES Program Implementation and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Loads (TMDLs).

Persons wishing to comment on an NPDES permit application should submit a statement to the Department at the address of the district mining office indicated previously each application within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions

for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92.61. The request or petition for a public hearing shall be filed within 30 days of this public notice and shall contain the name, address, telephone number and the interest of the party filing the request, and shall state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. In the case where a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (Total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH ¹		greater than 6.0; less than 9.0	
Alkalinity greater than acidity ¹			

¹The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 mg/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56663069 and NPDES No. PA012094. Action Mining, Inc., 1117 Shaw Mines Road, Meyersdale, PA 15552, revision of an existing bituminous surface and auger mine to reflect property ownership changes since the last renewal, area never affected has been deleted from the permit, and area has been added to the permit for support facilities. The permit area will remain 3,040.0 acres in Elk Lick and Summit Townships, **Somerset County**, affecting 3,040.0 acres. Receiving streams: UNTs to/and Casselman River; UNTs to/and Elk Lick Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received April 6, 2009.

56663069 and NPDES No. PA0120944. Action Mining, Inc., 1117 Shaw Mines Road, Meyersdale, PA 15552, permit renewal for the continued operation and restoration of a bituminous surface and auger mine in Elk Lick and Summit Townships, **Somerset County**, affecting 3,040.0 acres. Receiving streams: UNTs to/and Casselman River; UNTs to/and Elk Lick Creek classified for the

following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received April 6, 2009.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

03980106 and NPDES Permit No. PA0202291. Thomas J. Smith, Inc. (2340 Smith Road, Shelocta, PA 15774). Renewal application for reclamation only of a bituminous surface mine, located in South Bend Township, **Armstrong County**, affecting 94.1 acres. Receiving streams: UNT to Lindsay Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Renewal application received April 8, 2009.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

33050103 and NPDES Permit No. PA0257991. Cookport Coal Co., Inc. (425 Market Street, Kittanning, PA 16201). Revision to an existing bituminous surface strip and auger operation in Perry Township, **Jefferson County** affecting 63.5 acres. Receiving streams: Nicely Run to Mahoning Creek, classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Revision to reconfigure the permit boundary and revise the auger area. Application received April 6, 2009.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Parameter	Table 2 30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

40090302 and NPDES Permit No. PA0224782. Pennsy Supply, Inc., (1001 Paxton Street, Harrisburg, PA 17104), commencement, operation and restoration of a quarry operation and NPDES Permit for discharge of treated mine drainage in Dorrance Township, **Luzerne County** affecting 316.75 acres, receiving streams: Balliet Run and UNT to Big Wapwallopen Creek, classified for the following uses: HQ-CWF and CWF. Application received March 27, 2009.

7174SM1C6 and NPDES Permit No. PA0009407. Hempt Bros., Inc., (205 Creek Road, Camp Hill, PA 17011), depth correction of an existing quarry operation in Steelton Borough and Swatara Township, **Dauphin County** affecting 213.27 acres, receiving stream: Susquehanna River, classified for the following use: WWF. Application received March 27, 2009.

7974SM2A2C10 and NPDES Permit No. PA0611999. Hanson Aggregates BMC, Inc., (7660 Imperial Way, Allentown, PA 18195), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Nockamixon Township, **Bucks County**, receiving stream: Rapp Creek, classified as EV. Application received April 3, 2009.

8173SM1C11 and NPDES Permit No. PA0594148. Hanson Aggregates PA, Inc., (7660 Imperial Way, Allentown, PA 18195), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in East Caln Township, **Chester County**, receiving stream: East Branch Brandywine Creek, classified for the following uses: CWF and MF. Application received April 3, 2009.

5273SM2C14 and NPDES Permit No. PA0594130. Hanson Aggregates PA, Inc., (7660 Imperial Way, Allentown, PA 18195), renewal of NPDES Permit for discharge of treated mine drainage from a quarry operation in Thornbury and Middletown Townships, **Delaware County**, receiving streams: UNT to Chester Creek and Chester Creek, classified for the following use: TSF. Application received April 3, 2009.

36080301T and NPDES Permit No. PA0224651. Pierson Rheems, LLC, (P. O. Box 430, Woodstown, NJ 08098), transfer of an existing quarry operation from Donegal Rock Products, LLC in West Donegal Township, **Lancaster County** affecting 102.64 acres, receiving stream: UNT to Donegal Creek. Application received April 10, 2009.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

E09-938. Department of Transportation, 7000 Geerdes Boulevard, King of Prussia, PA 19406, Hatfield Township, **Montgomery County**, United States Army Corps of Engineers, Philadelphia District.

To perform the following water obstruction and encroachment activities associated with County Line Road bridge project:

1) To remove the existing two span bridge and to construct and maintain, in its place, a 111-foot long, 64-foot wide and 8-foot high single span prestressed concrete bridge across the West Branch of Neshaminy Creek (WWF, MF).

2) To remove the existing single span reinforced concrete slab and to construct and maintain, in its place, two 36-inch diameter concrete pipe culverts across the UNT to the West Branch of Neshaminy Creek (WWF, MF).

The project is located in the vicinity of County Line Road (SR 2038) and Trewigtown Road (T-319) in the New Britain Township, Bucks County and Hatfield Township, Montgomery County (Doylestown, PA USGS Quadrangle N: 4.8 inches; W: 16.8 inches).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, (570) 826-2511.

E40-698. Daniel J. Reggie, R. R. 3, Box 3568, Harveys Lake, PA 18618, in Harveys Lake Borough, **Luzerne County**, United States Army Corps of Engineers, Baltimore District.

To construct and maintain a 516 square foot dock expansion onto an existing 375 square foot dock (890 square foot total), of which will include 23 10-inch diameter wooden piers, three 16-inch diameter concrete sonotubes and a permanent wetland encroachment of 16.7 square feet. The project is located approximately 3.59 miles northwest of the intersection of SR 0415 and SR 0115 (Harveys Lake, PA Quadrangle Latitude: 41° 22' 5.6"; Longitude: 75° 3' 4").

E40-695. PPL Susquehanna Steam Electric Station, 769 Salem Boulevard (NUCSA3), Berwick, PA 18603-6828, in Salem Township, **Luzerne County**, United States Army Corps of Engineers, Baltimore District.

To construct and maintain 0.2 acre of wetlands in and along the floodway (right bank) of a UNT to Lake Took-A-While (CWF), which will include the lowering of the streambank elevation over a length of 160 LF downstream to restore the original water table depth. The purpose of the project to rehabilitate an existing fill site associated with recent PPL transmission line project (Berwick, PA Quadrangle Latitude: 41° 5' 24"; Longitude: 76° 8' 1").

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

E36-851: Warwick School District, David Zerbe, 301 West Orange Street, Lititz, PA 17543, Lititz Borough, **Lancaster County**, United States Army Corps of Engineers, Baltimore District.

To construct and maintain an 8.0-foot wide single span pedestrian bridge having a normal span of 18.0-feet, and an underclearance of 2.5-feet across a UNT to Lititz Run (CWF) to provide access between Bonfield Elementary School Campus and recreational fields at a point just east of the intersection of North Oak Street and Rome Road (Lititz, PA Quadrangle 5.8-inches North; 5.0-inches West, Latitude: 40° 09' 22" N; Longitude: 76° 17' 09" W) in Lititz Borough, Lancaster County.

E05-351: Bedford Township Municipal Authority, P. O. Box 371, Bedford, PA 15522, Bedford Township Area II Sanitary Sewer and Water Project, Bedford Township, **Bedford County**, United States Army Corps of Engineers, Baltimore District.

To conduct various activities as follows:

1. To construct and maintain Kaleidoscope Road Pump Station located in the floodplain of Dunning Creek (WWF) (Everett West, PA Quad N: 13.10 inches; W: 16.40 inches, Latitude: 40° 04' 20"; Longitude: 78° 29' 32"), and Rabbit Lane Pump Station located along the floodplain of Dunning Creek (WWF) (Everett West, PA Quad N: 17.30 inches; W: 13.92 inches, Latitude: 40° 05' 43"; Longitude: 78° 28' 28").

2. To construct and maintain Kenametal Pump Station located along in floodplain of a UNT to Dunning Creek (WWF) (Everett West, PA Quad N: 5.70 inches; W: 15.40 inches, Latitude: 40° 01' 53"; Longitude: 78° 29' 06").

3. To construct and maintain an 8-inch diameter water line and a 6-inch diameter force main in a wetland along a UNT to Dunning Creek (WWF) (Everett West, PA Quad N: 7.40 inches; W: 15.40 inches, Latitude: 40° 02' 28"; Longitude: 78° 29' 05").

4. To construct and maintain an 8-inch diameter water line and a 6-inch diameter force main in a wetland along a UNT to Dunning Creek (WWF) (Everett West, PA Quad N: 9.40 inches; W: 14.60 inches, Latitude: 40° 03' 05"; Longitude: 78° 28' 44").

5. To construct and maintain an 8-inch diameter water line and a 2-inch diameter sewer line with a 6-inch casing in a wetland along a UNT to Dunning Creek (WWF) (Everett West, PA Quad N: 11.30 inches; W: 13.80 inches, Latitude: 40° 03' 44"; Longitude: 78° 28' 21").

6. To construct and maintain an 8-inch diameter water line and a 6-inch diameter force main in a wetland along a UNT to Dunning Creek (WWF) (Everett West, PA Quad N: 11.90 inches; W: 15.06 inches, Latitude: 40° 03' 56"; Longitude: 78° 29' 11").

7. To construct and maintain an 8-inch diameter water line and 6-inch diameter force main in a UNT to Dunning Creek (WWF) and its associated wetland (Everett West, PA Quad N: 12.40 inches; W: 16.20 inches, Latitude: 40° 04' 08"; Longitude: 78° 29' 25").

8. To construct and maintain an 2-inch diameter low pressure sanitary sewer line in a wetland along a UNT to Dunning Creek (WWF) (Everett West, PA Quad N: 12.10 inches; W: 16.70 inches, Latitude: 40° 03' 57"; Longitude: 78° 29' 40").

9. To construct and maintain a 2-inch diameter low pressure sanitary sewer line in a wetland along a UNT to Dunning Creek (WWF) (Everett West, PA Quad N: 10.10 inches; W: 17.30 inches, Latitude: 40° 03' 20"; Longitude: 78° 28' 52").

10. To construct and maintain an 8-inch diameter water line and a 4-inch diameter force main with a 6-inch diameter pipe casing in a wetland along a UNT to Imlertown Run (TSF) (Everett West, PA Quad N: 16.50 inches; W: 13.70 inches, Latitude: 40° 05' 23"; Longitude: 78° 28' 33").

11. To construct and an 8-inch diameter water line and an 8-inch diameter in a wetland along a UNT to Imlertown Run (TSF) (Everett West, PA Quad N: 17.00 inches; W: 13.30 inches, Latitude: 40° 05' 39"; Longitude: 78° 28' 11").

12. To construct and maintain an 8-inch diameter water line and a 6-inch diameter force main in a wetland along a UNT to Dunning Creek (WWF) (Everett West, PA Quad N: 5.90 inches; W: 15.20 inches, Latitude: 40° 01' 58"; Longitude: 78° 29' 02").

13. To construct and maintain a 6-inch diameter man-holes and its associated 10-inch diameter sanitary sewer line in a wetland along a UNT to Dunning Creek (WWF) (Everett West, PA Quad N: 4.50 inches; W: 14.70 inches, Latitude: 40° 01' 38"; Longitude: 78° 28' 48").

14. To construct and maintain a 6-inch diameter force main and an 8-inch diameter water line in a UNT to Dunning Creek (WWF) (Everett West, PA Quad N: 7.50 inches; W: 15.40 inches, Latitude: 40° 02' 28"; Longitude: 78° 29' 05").

15. To construct and maintain a 6-inch diameter force main and an 8-inch diameter water line in a UNT to Dunning Creek (WWF) (Everett West, PA Quad N: 9.60 inches; W: 14.60 inches, Latitude: 40° 03' 12"; Longitude: 78° 28' 43").

16. To construct and maintain an 8-inch diameter water line with a 16-inch diameter casing and a 2-inch diameter low pressure sanitary sewer line with a 4-inch diameter casing in Dunning Creek (WWF) located 95 feet downstream of Rabbit Lane (T-493) bridge (Everett West, PA Quad N: 10.80 inches; W: 13.90 inches, Latitude: 40° 03' 34"; Longitude: 78° 28' 26").

17. To construct and maintain an 8-inch diameter and a 6-inch diameter force main in a UNT to Dunning Creek (WWF) for the purpose improving the sanitary sewer line (Everett West, PA Quad N: 11.30 inches; W: 13.70 inches, Latitude: 40° 03' 44"; Longitude: 78° 28' 21").

18. To construct and maintain an 8-inch diameter and a 6-inch diameter force main in a UNT to Dunning Creek (WWF) (Everett West, PA Quad N: 11.90 inches; W: 15.50 inches, Latitude: 40° 03' 56"; Longitude: 78° 29' 10").

19. To construct and maintain an 8-inch diameter and a 6-inch diameter force main in a UNTs to Dunning Creek (WWF) (Everett West, PA Quad N: 12.40 inches; W: 16.30 inches, Latitude: 40° 04' 06"; Longitude: 78° 29' 27").

20. To construct and maintain a 10-inch diameter water line with a 20-inch diameter casing in Dunning Creek (WWF) located 1,900 feet downstream of SR 1014 bridge for (Everett West, PA Quad N: 13.00 inches; W: 15.30 inches, Latitude: 40° 04' 18"; Longitude: 78° 29' 05").

21. To construct and maintain a 10-inch diameter water line and an 8-inch diameter sanitary sewer line in a UNT to Dunning Creek (WWF) and a 6-inch diameter force main in Dunning Creek (WWF) (Everett West, PA Quad N: 13.00 inches; W: 15.70 inches, Latitude: 40° 04' 18"; Longitude: 78° 29' 10").

22. To construct and maintain a 6-inch diameter sanitary sewer line with a 12-inch diameter casing in Dunning Creek (WWF) located 310 feet downstream of SR 1014 bridge (Everett West, PA Quad N: 13.00 inches; W: 16.10 inches, Latitude: 40° 04' 19"; Longitude: 78° 29' 22").

23. To construct and maintain a 10-inch diameter water line and an 8-inch diameter sanitary sewer line in a UNT to Dunning Creek (WWF) (Everett West, PA Quad N: 13.10 inches; W: 16.90 inches, Latitude: 40° 04' 21"; Longitude: 78° 29' 43").

24. To construct and maintain a 2-inch diameter low pressure sanitary sewer line in a UNT to Dunning Creek (WWF) (Everett West, PA Quad N: 11.70 inches; W: 16.80 inches, Latitude: 40° 03' 53"; Longitude: 78° 29' 42").

25. To construct and maintain a 2-inch diameter low pressure sanitary sewer line in a UNT to Dunning Creek (WWF) (Everett West, PA Quad N: 10.60 inches; W: 17.10 inches, Latitude: 40° 03' 30"; Longitude: 78° 29' 50").

26. To construct and maintain a 2-inch diameter low pressure sanitary sewer line in a UNT to Dunning Creek (WWF) (Everett West, PA Quad N: 10.10 inches; W: 17.20 inches, Latitude: 40° 03' 20"; Longitude: 78° 29' 52").

27. To construct and maintain an 8-inch diameter water line and a 4-inch diameter force main in a UNT to Dunning Creek (WWF) (Everett West, PA Quad N: 13.90 inches; W: 16.00 inches, Latitude: 40° 04' 35"; Longitude: 78° 29' 20").

28. To construct and maintain an 8-inch diameter water line and a 4-inch diameter force main in UNT to Dunning Creek (WWF) (Everett West, PA Quad N: 15.60 inches; W: 14.70 inches, Latitude: 40° 04' 50"; Longitude: 78° 29' 10").

29. To construct and maintain an 8-inch diameter water line and a 4-inch diameter force main in a UNT to Dunning Creek (WWF) (Everett West, PA Quad N: 15.10 inches; W: 15.40 inches, Latitude: 40° 05' 01"; Longitude: 78° 29' 03").

30. To construct and maintain an 8-inch diameter water line and a 4-inch diameter force main in a UNT to Dunning Creek (WWF) (Everett West, PA Quad N: 15.80 inches; W: 14.50 inches, Latitude: 40° 05' 14"; Longitude: 78° 28' 42").

31. To construct and maintain an 8-inch diameter water line and a 4-inch diameter force main in a UNT to Imlertown Run (TSF) (Everett West, PA Quad N: 16.30 inches; W: 13.90 inches, Latitude: 40° 05' 23"; Longitude: 78° 28' 27").

32. To construct and maintain an 8-inch diameter water line and a 4-inch diameter force main in a UNT to Imlertown Run (TSF) (Everett West, PA Quad N: 16.60 inches; W: 13.50 inches, Latitude: 40° 05' 31"; Longitude: 78° 28' 15").

33. To construct and maintain a 6-inch diameter water line and a 2-inch diameter low pressure sanitary sewer line in a UNT to Imlertown Run (TSF) (Everett West, PA Quad N: 16.10 inches; W: 13.40 inches, Latitude: 40° 05' 20"; Longitude: 78° 28' 14").

34. To construct and maintain a 15-inch diameter sanitary sewer line in a UNT to Dunning Creek (TSF) (Everett West, PA Quad N: 5.90 inches; W: 15.20 inches, Latitude: 40° 01' 57"; Longitude: 78° 29' 01").

35. To construct and maintain a 6-inch diameter water line and 2-inch diameter low pressure sanitary sewer line with a 6-inch diameter casing in Pleasant Valley Run (CWF) (Everett West, PA Quad N: 5.90 inches; W: 15.20 inches, Latitude: 40° 01' 57"; Longitude: 78° 29' 01").

36. To construct and maintain a 10-inch diameter water line and a 8-inch diameter sanitary sewer line in Dunning Creek (WWF) (Everett West, PA Quad N: 13.00 inches; W: 16.10 inches, Latitude: 40° 04' 19"; Longitude: 78° 29' 22").

For the purpose of providing and improving water and sewage system in Bedford Township, Bedford County.

E22-544: Lower Paxton Township, Brian Luetchford, Friendship Community Center, 5000 Commons Drive, Harrisburg, PA 17112, Lower Paxton Township, **Dauphin County**, United States Army Corps of Engineers, Baltimore District.

To remove 20.0 feet of existing 24-inch diameter culvert pipe and for the construction and maintenance of 600.0 feet of stream bank grading and stabilization including the installation of 250.0 feet of boulder toe, 130.0 feet of 4-foot high stacked stone wall, four 8-foot wide log terrace structures and four 8-foot wide boulder steps for the purpose of stabilizing a UNT to Paxton Creek (WWF) (Harrisburg East, PA Quadrangle Starting location: 11.23-inches N; 8.29-inches W, Latitude: 40° 18' 42.6" N; Longitude: 76° 48' 34.2" W, Ending location: 11.45-inches N; 8.48-inches W, Latitude: 40° 18' 47" N; Longitude: 76° 48' 39.1" W) in Lower Paxton Township, Dauphin County.

E36-854: PPL Holtwood, LLC, Dennis J. Murphy, VP/COO, 2 North 9th Street, Allentown, PA 18101, Martic Township, **Lancaster County**, United States Army Corps of Engineers, Baltimore District.

PPL Hydroelectric Plant is located on the Susquehanna River (WWF) in Martic Township, Lancaster County. PPL proposes to construct a new powerhouse, install new turbines, construct a new skimmer wall and increase the forebay capacity and reconfigure the project facilities to enhance upstream fish passage through modification of existing facilities and excavations in the tailrace channel (Holtwood, PA Quadrangle N: 14 inches; W: 11.5 inches, Latitude: 39° 49' 37.7" N; Longitude: 76° 19' 50.4" W). The licensed installed capacity at the project would increase from 107.2 MW to a proposed 195.5 MW. To improve MF passage at the project, PPL proposes to: (1) modify the existing fish lift; (2) reroute the discharge of Unit 1 in the existing powerhouse; and (3) excavate the project tailrace (33.49 acres), the forebay (4.63 acres) and Piney Channel (6.68 acres). PPL also proposes to provide minimum flows, perform studies and evaluations of the effectiveness of the fish passage improvements and flow releases, improve existing and construct new recreational facilities, and protect special status plants and wildlife and cultural resources during construction. The project will cumulatively impact 1.24 acres of palustrine emergent and forested wetlands (approximately 0.50 acre of temporary impacts and approximately 0.73 acre of permanent impacts), approximately 7.60 acres of shallow water habitat and approximately 14.60 acres of deep water habitat. To mitigate for impacts associated with the project, PPL proposes to: (1) construct 0.25 acre emergent wetland, 1.96 acres forested wetland and establish 1.57 acres forested riparian buffer, and 1.8 acres upland forest at the RLPS Architect's property located west-southwest of the intersection of Oregon Pike (PA-272) and Valleybrook Drive in Manheim Township, Lancaster County (Lancaster, PA Quadrangle N: 15.96 inches; W: 5.37 inches, Latitude: 40° 05' 16.332" N; Longitude: 76° 17' 18.2004" W) in the floodway of Landis Run (WWF) or, if this project cannot be constructed, to provide a replacement project acceptable to the Department; (2) construct and maintain a 3,200.0-foot stream restoration project in and along Pequea Creek (WWF) (New Holland and Gap,

PA Quadrangles Latitude: 40° 00' 01.1" N; Longitude: 76° 06' 11.1" W) located in Paradise and Leacock Townships, Lancaster County. The project shall include riparian plantings along 5,000.0 feet of Pequea Creek, 3,300.0 feet of streambank fencing providing a minimum of a 25-foot buffer on each side of the Pequea Creek, bank grading, two cattle crossings, one cattle access, four areas of habitat boulder placement, five rock cross vanes, nine J-hooks, three stream bank rock deflectors with logs, five root wads, and four mudsill fish enhancement structures; (3) plant 7.6 acres of an existing agricultural field adjacent to the Susquehanna River with native tree species at a point just north of the intersection of Prescott and River Roads (SR 441) (York Haven, PA Quadrangle Latitude: 40° 06' 35.70" N; Longitude: 76° 41' 18.36" W) in Conoy Township, Lancaster County; (4) remove three dams or if these projects are funded through other sources, provide such replacement projects as are acceptable to the Department: (a) D36-306, Levi Fisher Dam, located on Pequea Creek (HQ-CWF) at a point just west of the intersection of Mount Vernon and Buena Vista Roads (Honey Brook, PA Quadrangle Latitude: 40° 1' 9.12" N; Longitude: 75° 59' 4.56" W) in Salisbury Township, Lancaster County; (b) Smucker Dam located on Groff Run (WWF) at a point just west of the intersection of Tabor Road and Custer Avenue (New Holland, PA Quadrangle Latitude: 40° 4' 9.84" N; Longitude: 76° 5' 8.52" W) in Earl Township, Lancaster County; and (c) Zimmerman Dam located on Conestoga River (WWF) at a point just southwest of the intersection of Cabin Road and Twenty-Eighth Division Highway (SR 322) (Ephrata, PA Quadrangle Latitude: 40° 9' 1.44" N; Longitude: 75° 8' 11.49" W) in Earl Township, Lancaster County; (5) expand the existing Pequea Boat Launch to include the addition of 18 trailer spaces, three car parking spaces, a boat ramp measuring 129.0 feet long and 20.0 feet wide and a 25.0-foot by 20.0-foot ADA accessible fishing platform and dock in and along the Susquehanna River (Conestoga, PA Quadrangle N: 2.5 inches; W: 16.5 inches, Latitude: 39° 53' 17.4" N; Longitude: 76° 22' 0.5" W); (6) extend the two existing boat ramps at the York Furnace Boating Access into the Susquehanna River (Safe Harbor, PA Quadrangle N: 0.75 inch; W: 1.0 inch, Latitude: 39° 52' 20.8" N; Longitude: 76° 22' 48.3" W); (7) construct additional parking along the existing McCall's Ferry Road, which is located in the floodway of the Susquehanna River (Holtwood, PA Quadrangle N: 13.0 inches; W: 12.5 inches, Latitude: 39° 49' 15.6" N; Longitude: 76° 20' 16.5" W), to provide parking for the white water boating community use, which additional parking includes widening McCall's Ferry Road by 27.5 feet for a distance of 137 feet; (8) construct and maintain a bridge over the railroad tracks along the east bank of the Susquehanna River for the purpose of allowing recreational access to a new parking area, measuring 200.0 feet long by 50.0 feet wide, located between the railroad right-of-way and the Holtwood Tailrace (Holtwood, PA Quadrangle N: 13.25 inches; W: 11.0 inches, Latitude: 39° 49' 22.6" N; Longitude: 76° 19' 35.3" W). This parking area would include parking for 18 cars, with three spaces reserved for ADA access. From the parking area an ADA accessible trail would provide access to a 40.0-foot by 10.0-foot fishing platform along the Holtwood Tailrace. The fishing platform would be retrofitted from the abutment to the lower tailrace bridge; and nine provide funding to the Fish and Boat Commission to implement procedures for American shad restoration during construction.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E08-455. Sayre Area School District, 333 West Lockhart Street, Sayre, PA 18840. Water Obstruction and Encroachment Joint Permit Application, in Litchfield Township, **Bradford County**, United States Army Corps of Engineers, Baltimore District (Litchfield, PA Quadrangle N: 41° 57' 15"; W: 76° 26' 6").

To construct, operate and maintain 5,000 linear feet of stream stabilization consisting of 1,500 linear feet of rock rip-rap toe, 25 rock barbs, seven rock weirs, six single log cross vanes and two log cross vanes within the Satterlee Creek Watershed (CWF). Construction of the stream stabilization project with not impact any jurisdictional wetlands. The project is located 2,500 linear feet upstream and downstream of the SR 1056 and SR 1067 intersection in Litchfield Township, Bradford County.

E18-443. Department of Transportation, Engineering District 2-0, 1924 Daisy Street Extension, Clearfield, PA 16830. SR 0477 Section A03 Bridge Structure Replacements in Lamar Township, **Clinton County**, United States Army Corps of Engineers, Baltimore District (Mill Hall, PA Quadrangle Latitude: 41° 04' 58"; Longitude: 77° 27' 40").

The applicant proposes to construct, operate and maintain two structures located on SR 0477 along Long Run. The first structure is an existing single span I-beam bridge with a clear span of 35.5 ft and a hydraulic opening of 149.83 ft². It will be replaced with a concrete spread box beam bridge with a clear span of 38.5 ft and a hydraulic opening of 150.21 ft². The second structure is a 5' by 7' corrugated metal arch culvert. The existing culvert has been severely impacted by adjacent fill. It will be replaced with a 4' by 6.3' elliptical concrete pipe. The proposed pipe will be approximately 30 ft long than the existing culvert due to the adjacent fill. Long Run is classified as a HQ-CWF and is Approved Trout Waters. The project will result in de minimis wetland impacts and 60 feet of permanent stream impacts.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1608. Allegheny County Department of Public Works, 501 County Office Building, 542 Forbes Avenue, Pittsburgh, PA 15219-2904. To remove existing structure and construct and maintain new bridge in Forward Township in **Allegheny County**, United States Army Corps of Engineers, Pittsburgh District (Monongahela, PA Quadrangle N: 20.8 inches; W: 5.8 inches, Latitude: 40° 14' 22"; Longitude: 79° 55' 00"). The applicant proposes to remove the existing structure (Pangburn Hollow Bridge No. 5) and to construct and maintain a new bridge consisting of a reinforced concrete culvert having a span of 18.0 feet with an underclearance of 5.0 feet (1.0 foot depressed below the natural stream bed) in and across the channel of Perry Mill Run (WWF) for the purpose of improving highway safety. The project is located on Pangburn Hollow Road, approximately 1.0 mile south from the intersection of Pangburn Hollow and Sadler Roads and will impact approximately 129.0 linear feet of stream channel.

E56-350. Department of Transportation, District 9, 1620 North Juniata Street, Hollidaysburg, PA 16648. To remove two existing bridges and construct a two new bridges in the same alignment in Stoystown Borough and Quemahoning Township, **Somerset County**, United States Army Corps of Engineers, Pittsburgh District (Stoystown, PA Quadrangle N: 10.2 inches; W: 17.7 inches, Latitude: 40° 5' 52"; Longitude: 78° 56' 52"). The applicant proposes to:

1. Remove the existing SR 30 two lane, 44 ft. wide, two span bridge having a total length of 90 ft., and having an underclearance of 18.2 ft.; and construct and maintain on the same alignment a two lane 46 ft. wide, two-span bridge having a total length of 152.5 ft. with an underclearance of 18.26 ft. over Stony Creek (CWF) with a drainage area of 116 square miles. This bridge is located 0.3 mile southeast of Stoystown Borough.

2. Remove the existing SR 30 two lane, 44 ft. wide, two span bridge having a total length of 86 ft., and having an underclearance of 8.8 ft.; and construct and maintain on the same alignment a two lane 53.3 ft. wide, two span bridge having a total length of 87.5 ft. with an underclearance of 8.9 ft. over a UNT to Stony Creek (CWF) with a drainage area of 0.47 square mile. This Bridge is located 0.35 mile southeast of Stoystown Borough (Stoystown, PA Quadrangle N: 10.2 inches; W: 17.7 inches, Latitude: 40° 5' 52"; Longitude: 78° 56' 45").

3. Construct and maintain approximately 145 ft of stream relocation in UNTs to Stony Creek with drainage areas less than 100 acres and associated stormwater outfalls, temporary wetland and stream impacts.

In addition, a total of 0.35 acre of PEM/PSS wetland will be filled and maintained. Temporary causeways for pier construction, 185 ft of temporary stream impacts, and 0.3 acre of temporary wetland impacts are intended to be included in the project. This project is associated with SR 30 reconstruction and improvement work with these encroachments located southeast of Stoystown Borough extending 0.6 mile into Quemahoning Township in Somerset County (beginning from Stoystown, PA Quadrangle N: 5 inches; W: 8.5 inches, Latitude: 40° 39' 08"; Longitude: 80° 03' 18" and ending N: 10.1 inches; W: 18.0 inches, Latitude: 40° 5' 51"; Longitude: 78° 56' 35").

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481

E33-235. Open Flow Gas Supply Corporation, 90 Beaver Drive, Suite 110 B, DuBois, PA 15801. Beaver Meadow Run Gas Pipeline Crossings, in Snyder Township, **Jefferson County**, United States Army Corps of Engineers, Pittsburgh District (Carman, Hazen and Munderf, PA Quadrangles N: 41° 15' 3"; W: 78° 52' 50").

The applicant is proposing to construct and maintain a 9,247-foot long natural gas pipeline involving the crossing by means of boring of two channels of Beaver Meadow Run (EV) and the crossing by means of boring of an approximately 400-foot length of exceptional value wetlands adjacent to the floodplain. Beaver Meadow Run is a perennial stream classified as EV.

STORAGE TANKS**SITE-SPECIFIC INSTALLATION PERMITS**

The following Storage Tank Site-Specific Installation Permit application has been received by the Department of Environmental Protection (Department) and is currently under review. Persons wishing to comment on the proposed permit are invited to submit a statement to the Bureau of Waste Management, Division of Storage Tanks, P. O. Box 8763, Harrisburg, PA 17105-8763, within 30 days from the date of this publication. Comments received within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of the comment and the relevant facts upon which it based.

The following applications have been received for Storage Tank Site-Specific Installation Permits under the authority of the Storage Tank Spill Prevention Act (35 P. S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C.

<i>SSIP Application No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
09002	Trader Joe's East, Inc. 117 Kendrick Street Needham, MA 02494 Attn: Bob Denio	Northampton	East Allen Township	3 ASTs storing diesel fuel	36,000 gallons total
09003	Asphalt Paving Systems, Inc. 595 Mill Road Lehigh, PA 18235 Attn: Richard Nunemacher	Carbon	Mahoning Township	6 ASTs storing emulsified asphalt	120,000 gallons total

ACTIONS

**THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE
ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY
MANAGEMENT (WQM) PERMITS**

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

<i>Location</i>	<i>Permit Authority</i>	<i>Application Type or Category</i>
Section I	NPDES	Renewals
Section II	NPDES	New or amendment
Section III	WQM	Industrial, sewage or animal wastes; discharges to groundwater
Section IV	NPDES	MS4 individual permit
Section V	NPDES	MS4 permit waiver
Section VI	NPDES	Individual permit stormwater construction
Section VII	NPDES	NOI for coverage under NPDES general permits

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northeast Region: Water Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0063258 (Industrial)	Mahanoy Township Authority Water Treatment Plant 46 North Main Street Mahanoy City, PA 17948	Schuylkill County Mahanoy Township	UNT to North Mahanoy Creek 06B	Y

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110, (717) 705-4707.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0033766 (Sew)	North Heidelberg Sewer Company P. O. Box 609 Bernville, PA 19506	Berks County Jefferson Township	Northkill Creek 3-C	Y
PA0086550 (Sew)	Rose and Jeffery A. Siddens 65 Stonewall Lane Alburtis, PA 18011	Berks County Longswamp Township	UNT to Swabia Creek 2-C	Y
PA0010227 (Sew)	F. L. Smidth, Inc. 236 South Cherry Street Manheim, PA 17545	Lancaster County Manheim Borough	Chickies Creek 7-G	Y

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0033251 SN	Total Environmental Solutions, Inc. 906 Beaver Drive DuBois, PA 15801	Clearfield County Sandy Township	Narrows Creek 17C	Y

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0026158 Sewage	Mon Valley Sewage Authority P. O. Box 792 Donora, PA 15033	Washington County Carroll Township	Monongahela River	N
PA0219444 Sewage	Borough of Markleysburg 150 Main Street Markleysburg, PA 15459-0025	Fayette County Henry Clay Township	Pinkham Run	Y

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

<i>NPDES No. (Type)</i>	<i>Facility Name & Address</i>	<i>County & Municipality</i>	<i>Stream Name (Watershed #)</i>	<i>EPA Waived Y/N ?</i>
PA0004766	Ellwood National Forge Company 1 Front Street Irvine, PA 16329	Brokenstraw Township Warren County	Brokenstraw Creek 16-B	Y
PA0222887	Deb Adams d/b/a Gateway Lodge P. O. Box 125 Route 36 Cooksburg, PA 16217	Barnett Township Jefferson County	UNT to the Clarion River 17-B	Y

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No. PA0040321, Industrial Waste, **Thomas and Betts Corporation**, 1501 West Park Avenue, Perkasio, PA 18944. This proposed facility is located in East Rockhill Township, **Bucks County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge treated groundwater from the former facility into a UNT to East Branch Perkiomen Creek in Watershed 3E.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PA0114821, Sewage, SIC 4952, **Gregg Township Municipal Authority**, P. O. Box 192, 16736 Route 15, Allenwood, PA 17810. This existing facility is located in the Gregg Township, **Union County**.

Description of Proposed Activity: The applicant seeks to renew and increase the flow of their NPDES permit for the wastewater treatment facility consisting of screening, sequencing batch reactors and chlorine disinfection.

The receiving stream for Outfall 001, the West Branch Susquehanna River, is in the State Water Plan Watershed 10C and is classified for: WWF. The nearest public water supply surface water intake, owned by PA America, is located on the West Branch Susquehanna River in Milton, 7.0 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.26 mgd.

Parameter	Concentration (mg/l)				Mass (lbs)	
	Monthly Average	Weekly Average	Daily Maximum	Instantaneous Maximum	Monthly Load	Annual Load
CBOD ₅	25	40		50		
Total Suspended Solids	30	45		60		
Total Chlorine Residual	0.5			1.6		
Fecal Coliforms (5-1 to 9-30) (10-1 to 4-30)	200 col/100 ml (2,000 col/100ml) as a Geometric Mean					
pH	Within the range of 6.0 to 9.0					

Chesapeake Bay Tributary Strategy Nutrient Requirements

Parameter	Concentration (mg/l)		Mass (lbs)	
	Monthly Average	Monthly Load	Monthly Load	Annual Load
Ammonia-N	Report	Report		Report**
Kjeldahl-N	Report	Report		
Nitrate-Nitrate as N	Report	Report		
Total Nitrogen	Report	Report		Report
Total Phosphorus Report	Report	Report		Report
Net Total Nitrogen		Report		23,013*
Net Total Phosphorus		Report		3,068*

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department of Environmental Protection's (Department) Trading of Nutrients and Sediment Reduction Credits Policy and Guidelines (Document No. 392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* The compliance date for the Net Total Nitrogen and Net Total Phosphorus effluent limits will begin upon the start up of the upgraded facility. Since these reporting requirements are annual loads, the reporting on compliance with the annual limitations will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2010.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMR—Annual Nutrient Summary by November 28, 2010.

In addition to the effluent limits and best management practices, the permit contains the following major permit conditions:

1. Chesapeake Bay Nutrient Requirements.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0000183, Industrial Waste, **Amendment No. 1, General Electric Company**, 2901 East Lake Road, Erie, PA 16531. This proposed facility is located in Lawrence Park Township, **Erie County**.

Description of Proposed Action/Activity: Issuance of an amended NPDES Permit to identify this facility as a 'minor' discharge. The wastewater being discharged consists of miscellaneous wastewater, groundwater and stormwater. SIC Code 3743 (Railroad Equipment).

NPDES Permit No. PA0263478, Sewage, **Edward F. and Lorraine D. Selvoski**, 19 Spud Drive, Scenery Hill, PA 15360. This proposed facility is located in Corydon Township, **McKean County**.

Description of Proposed Action/Activity: Issuance of an NPDES permit to replace a malfunctioning onlot system within a HQ-CWF.

NPDES Permit No. PA0263494, Sewage, **Michael M. Fodse**, 13238 Phelps Road, Conneaut Lake, PA 16316. This proposed facility is located in Summit Township, **Crawford County**.

Description of Proposed Action/Activity: Issuance of a New NPDES permit for a new discharge of treated sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 0276461-A2, Sewerage, **Allegheny Valley Joint Sewage Authority**, 2400 Freeport Road, P. O. Box 158, Cheswick, PA 15024. This existing facility is located in Harmar Township, **Allegheny County**.

Description of Proposed Action/Activity: Permit issuance for the construction and operation of an upgrade to its sewage treatment plant.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 6208401, Sewerage, **Sugar Creek Area Sewage Authority**, 195 Creek Road, Sugar Grove, PA 16335. This proposed facility is located in Sugar Grove Township, **Warren County**.

Description of Proposed Action/Activity: This phase III project extends from the existing Sugar Grove Area Sewage Authority system in nine separate areas and a tenth area connects onto the Brokenstraw Valley Area Authority system for conveyance into the Youngsville Borough Wastewater Treatment Plant. Within these ten service areas are 137 existing EDUs which will be provided public sewer service through the use of a low pressure sewer system. A total of approximately 80,000 LF of 1 1/2 inch, 2 inch and 3 inch diameter pressure sewer will be constructed along with cleanouts, air and vacuum valves and grinder pumps. Within these service areas are a high number of malfunctioning onlot sewage systems which create health, safety and nuisance problems.

WQM Permit No. 4208405, Sewerage, **Edward F. and Lorraine D. Selvoski**, 19 Spud Drive, Scenery Hill, PA 15360. This proposed facility is located in Corydon Township, **McKean County**.

Description of Proposed Action/Activity: Issuance of a Single-Residence Sewage Treatment Plant.

WQM Permit No. WQG018691, Sewerage, **Chase Steinbuhler**, 1258 Stone Springhouse Road, Titusville, PA 16354. This proposed facility is located in Cherrytree Township, **Venango County**.

Description of Proposed Action/Activity: Issuance of a Single-Residence Sewage Treatment Plant.

WQM Permit No. 2009401, Sewerage, **Michael M. Fodse**, 13238 Phelps Road, Conneaut Lake, PA 16316. This proposed facility is located in Summit Township, **Crawford County**.

Description of Proposed Action/Activity: Issuance of a Single-Residence Sewage Treatment Plant.

WQM Permit No. WQG018679, Sewerage, **Raymond Pflugh**, 310 Claytonia Road, Slippery Rock, PA 16057. This proposed facility is located in Clay Township, **Butler County**.

Description of Proposed Action/Activity: Issuance of a Single-Residence Sewage Treatment Plant.

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA.

WQM Permit No. 0991426, Sewerage, Renewal, **Camp Men-O-Lan**, 1415 Doerr Road, Quakertown, PA 18951. This proposed facility is located in Milford Township, **Bucks County**.

Description of Action/Activity: Renewal of existing wastewater treatment plant and storage lagoon.

WQM Permit No. WQG010027, Sewerage, **Cynthia R. O'Brien**, 1305 North Bailey Road, Coatesville, PA 19320. This proposed facility is located in Caln Township, **Chester County**.

Description of Action/Activity: Construction and operation of a small flow sewage treatment plant.

WQM Permit No. 2309405, Sewerage, **Southern Delaware County Authority**, 101 Beech Street, Boothwyn, PA 19061. This proposed facility is located in Upper Chichester Township, **Delaware County**.

Description of Action/Activity: Upgrade an existing 2.0 mgd pump station pumps and motors, add VFD's and add a new generator.

WQM Permit No. 4609402, Sewerage, **Upper Pottsgrove Township**, 1409 Farmington Avenue, Pottstown, PA 19464. This proposed facility is located in Upper Pottsgrove Township, **Montgomery County**.

Description of Action/Activity: Existing flow to Cherry Tree Pump Station diverted through a new gravity main to a new pump station at existing Regal Oak STP which is to be discommissioned.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 1508048	ROJAN HH & M, LLC 2213 Concord Pike Wilmington, DE 19603	Chester	London Grove Township	East Branch White Clay Creek EV

<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI01 1508064	Transcontinental Gas Pipe Line Corporation 2800 Post Oak Boulevard Houston, TX 77056-1396	Chester	Caln, East Caln, East Brandywine, East Whiteland and West Whiteland Townships	Valley Creek EV Beaver and East Branch Brandywine Creeks WWF, MF Ludwigs Run WWF, MF
<i>Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.</i>				
<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI023908018	Partners Profit Group, LLC 49 Glendale Avenue Edison, NJ 08817	Lehigh	South Whitehall Township	Little Cedar Creek HQ-CWF Jordan Creek HQ-CWF
PAI023907003(1)	Northwestern Lehigh School District 6493 Route 309 New Tripoli, PA 18066	Lehigh	Lynn and Heidelberg Townships	Tributary to Jordan Creek HQ-CWF, MF Ontelaunee Creek EV
<i>Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.</i>				
<i>Centre County Conservation District: 414 Holmes Avenue, Suite 4, Bellefonte, PA 16823, (814) 355-6817.</i>				
<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI041408010	Mr. and Mrs. Conrad Weiser Weiser Subdivision P. O. Box 130 Julian, PA 16844	Centre	Huston and Patton Townships	UNT to Buffalo Run HQ-CWF
<i>Tioga County Conservation District: 50 Plaza Lane, Wellsboro, PA 16901, (570) 724-1801, Ext. 3.</i>				
<i>NPDES Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
PAI045909001	Drew Remley 32 Penn Street Washington Borough, PA 17852	Tioga	Liberty Township	Salt Spring Run HQ-CWF

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

PAG-1	General Permit for Discharges From Stripper Oil Well Facilities
PAG-2	General Permit for Discharges of Stormwater Associated With Construction Activities (PAR)
PAG-3	General Permit for Discharges of Stormwater From Industrial Activities
PAG-4	General Permit for Discharges From Small Flow Treatment Facilities
PAG-5	General Permit for Discharges From Gasoline Contaminated Groundwater Remediation Systems
PAG-6	General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO)
PAG-7	General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application
PAG-8	General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site
PAG-8 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage
PAG-9	General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site
PAG-9 (SSN)	Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage
PAG-10	General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines
PAG-11	(To Be Announced)
PAG-12	Concentrated Animal Feeding Operations (CAFOs)
PAG-13	Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

*General Permit Type—PAG-2**Facility Location:*

<i>Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Northampton Township Bucks County	PAG200 0909030	Northampton Bucks County Municipal Authority 111 Township Line Road Richboro, PA 18954-1550	Neshaminy Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Wrightstown Township Bucks County	PAG200 0907104	Heath A. Dumack P. O. Box 547 Penns Park, PA 18943	Tributary Mill Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Makefield Township Bucks County	PAG200 0909025	Department of Veterans Affairs CFM 384 Vermont Avenue Washington, DC 20420	UNT Houghs Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Concord Township Delaware County	PAG200 2308048	Naamans Creek Crossing, LLC 910 South Chapel Street Suite 100 Newark, DE 19713	Brandywine Creek WWF, MF Chester Creek TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Upper Hanover Township Montgomery County	PAG200 4608149	Advanced Gas Technologies, Inc. 1401 Stauffer Road Palm, PA 18070	UNT Perkiomen Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Lower Pottsgrove Township Montgomery County	PAG200 460316-R	Sukonik Brookside Estates, LP 1250 Germantown Pike Suite 100 Plymouth Meeting, PA 19464	Sprogels Run WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Horsham Township Montgomery County	PAG200 4608130	Horsham Soccer Club 1025 Horsham Road Horsham, PA 19044	Park Creek TSF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Lower Gwynedd Township Montgomery County	PAG200 4608097	YMCA of Philadelphia and Vicinity 200 Market Street Suite 750 Philadelphia, PA 19103	Wissahickon Creek WWF, MF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Whitpain Township Montgomery County	PAG200 4609006	Montgomery County Community College 340 DeKalb Pike Blue Bell, PA 19422	UNT Stony Creek TSF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG201 5109004	Rock Run Holding, Inc. 5003 Umbria Street Suite 200 Philadelphia, PA 19128	Delaware River WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
City of Philadelphia Philadelphia County	PAG201 5109006	Department of General Services Room 100 Tent Building 18th and Herr Streets Harrisburg, PA 17125	Poquessing Creek WWF	Southeast Regional Office 2 East Main Street Norristown, PA 19401 (484) 250-5900
Bethel Township Berks County	PAG2000609004	Robert Wolf 861 Bloody Spring Road Bethel, PA 19057	Little Swatara Creek CWF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657, Ext. 201

NOTICES

2153

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Rockland Township Berks County	PAG2000604055-R	Keith Zielaskowski Quest Land Development 711 Spring Street Wyomissing, PA 19610	UNT to Willow Creek WWF	Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 (610) 372-4657, Ext. 201
Mount Union Borough Huntingdon County	PAG2003108013	James Estep 28 West Market Street Mount Union, PA 17066	Juniata River WWF	Huntingdon County Conservation District 10605 Raystown Road Suite A Huntingdon, PA 16652-9603 (814) 627-1627
Hellam Township York County	PAG2006709001	Alfred G. Stewart Stewart Welding & Fabricating, Inc. 1033 Water Street Wrightsville, PA 17368	Kreutz Creek WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Manchester Township York County	PAR10Y399R-2	Kinsley Equitieiis II, LP 2700 Water Street York, PA 17403	UNT to Codorus Creek WWF	York County Conservation District 118 Pleasant Acres Road York, PA 17402 (717) 840-7430
Altoona City Blair County	PAG2000709002	Eight Hundred Logan Boulevard, LP Andrea Cohen 101 Lakemont Park Boulevard Altoona, PA 16602	Mill Run WWF	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 (814) 696-0877, Ext. 5
Cambria County Conemaugh Township City of Johnstown	PAG2001108019	Pegasus Sewer Authority 1296 Clapboard Run Road Johnstown, PA 15904	Peggy's Run and Little Conemaugh River WWF	Cambria County Conservation District (814) 472-2120
Cambria County Cambria Township	PAG2001109004	Kathy Wagner CDM Ebensburg, LLC 259 Lakemont Park Boulevard Suite 200 Altoona, PA 16602	UNT South Branch Blacklick Creek CWF	Cambria County Conservation District (814) 472-2120
Indiana County Conemaugh Township	PAG2003209003	Saltsburg School District 102 School Lane Blairsville, PA 15717	Kiskiminetas River WWF	Indiana County Conservation District (724) 463-8547
Indiana County White and Cherryhill Townships	PAG2003209004	Indiana County Municipal Services Authority 602 Kolter Drive Indiana, PA 15701	UNT to Two Lick Creek and UNT to Crooked Creek CWF	Indiana County Conservation District (724) 463-8547
Indiana County South Mahoning Township	PAG2003209006	Indiana County Municipal Services Authority 602 Kolter Drive Indiana, PA 15701	North Branch of Plum Creek CWF	Indiana County Conservation District (724) 463-8547
Somerset County Jenner Township	PAG2005608008	Christian Camps of Pittsburgh, Inc. R. D. 2 Box 299 Boswell, PA 15531	Beaverdam Run CWF	Somerset County Conservation District (814) 445-4652
Washington County Mt. Pleasant Township	PAG2006309011	Odra Land Co., Inc. 12 Jaskiewicz Way White Haven, PA 18661	Raccoon Creek WWF	Washington County Conservation District (724) 228-6774

*Facility Location:
Municipality &
County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Washington County California Borough	PAG2006309012	Cambridge Venture Partners, Inc. 100 The Benedum Tress Building 223 Fourth Avenue Pittsburgh, PA 15222	Pike Run TSF	Washington County Conservation District (724) 228-6774
Westmoreland County Washington Township	PAG2006508043	Municipal Authority of Washington Township 283 Pine Run Church Road Apollo, PA 15613	Pine Run WWF	Westmoreland County Conservation District (724) 837-5271
Westmoreland County Unity Township	PAG2006508044	Modal, Inc. George Heskey 757 Lloyd Avenue Latrobe, PA 15650	Tributary to Ninemile Run WWF	Westmoreland County Conservation District (724) 837-5271
Westmoreland County Hempfield Township	PAG2006509002	Harry M. Brady 100 Brady Place New Station, PA 15672 and New Enterprise Stone 3912 Rumbaugh Road New Enterprise, PA 16664	UNT to Sewickley Creek WWF	Westmoreland County Conservation District (724) 837-5271
Clarion County Monroe Township	PAG2061609002	Trinity Point Lot 14 Biotech Building Clarion Trinity Development Company, LP P. O. Box 445 Clarion, PA 16214 and Clarion University Foundation 840 Wood Street Clarion, PA 16214 and Robert Borland 2000 Lincoln Road Pittsburgh, PA 15235	Brush Run CWF	Department of Environmental Protection 230 Chestnut Street Meadeville, PA 16335
Erie County Millcreek Township	PAG2002509002	SR 0005-A02 Corridor Improvements Department of Transportation 255 Elm Street P. O. Box 398 Oil City, PA 16301	Wilkin's Run CWF, MF Marshall Run CWF, MF Scott Run WWF, MF West Branch Cascade Creek WWF, MF	Erie County Conservation District (814) 825-6403

*General Permit Type—PAG-3**Facility Location:
Municipality &
County*

<i>Facility Location: Municipality & County</i>	<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Receiving Water/Use</i>	<i>Contact Office & Phone No.</i>
Berks County Kutztown Borough Maxatawny Township	PAR213506	Berks Products Corporation—Kutztown Building Materials P. O. Box 9000 Wyomissing, PA 19610	Sacony Creek CWF 3B	DEP—SCRO 909 Elmerton Avenue Harrisburg, PA 17110 (717) 705-4707

*Facility Location:
Municipality &
County*

Chartiers Township
Washington County

Permit No.
PAR236117

*Applicant Name &
Address*

Rubber Rolls, Inc.
P. O. Box 398
50 Rockwood Drive
Meadow Lands, PA
15347

*Receiving
Water/Use*

Chartiers Creek

*Contact Office &
Phone No.*

Southwest Regional
Office
Water Management
Program Manager
400 Waterfront Drive
Pittsburgh, PA
15222-4745
(412) 442-4000

Hempfield Township
Westmoreland
County

PAR116117

Kennametal
1576 Arona Road
Irwin, PA 15642

Little Sewickley Creek

Southwest Regional
Office
Water Management
Program Manager
400 Waterfront Drive
Pittsburgh, PA
15222-4745
(412) 442-4000

General Permit Type—PAG-4

*Facility Location:
Municipality &
County*

Plumstead Township
Bucks County

Permit No.
PAG040110

*Applicant Name &
Address*

Richard and Brenda
Steinmetz
5564 Tollgate Road
Pipersville, PA 18947

*Receiving
Water/Use*

UNT to Geddes Run
Watershed
2D

*Contact Office &
Phone No.*

Southeast Regional Office
2 East Main Street
Norristown, PA 19401
(484) 250-5900

Caln Township
Chester County

PAG040113

Cynthia R. O'Brien
1305 North Bailey Road
Coatesville, PA 19320

UNT to Beaver Creek
Watershed
3H

Southeast Regional Office
2 East Main Street
Norristown, PA 19401
(484) 250-5900

Cherrytree Township
Venango County

PAG049513

Chase Steinbuhler
1258 Stone Springhouse
Road
Titusville, PA 16354

UNT to Prather Creek
16-D

DEP—NWRO
Water Management
230 Chestnut Street
Meadville, PA 16335-3481
(814) 332-6942

Centerville Borough
Crawford County

PAG048938

Edward C. Hajbura
306 Pontiac Avenue
Pittsburgh, PA 15237

UNT to East Branch Oil
Creek
16-E

DEP—NWRO
Water Management
230 Chestnut Street
Meadville, PA 16335-3481
(814) 332-6942

Clay Township
Butler County

PAG049499

Raymond Pflugh
310 Claytonia Road
Slippery Rock, PA 16057

UNT of Big Run
20-C

DEP—NWRO
Water Management
230 Chestnut Street
Meadville, PA 16335-3481
(814) 332-6942

*General Permit Type—PAG-8 (SSN)**Facility Location:**Municipality & County*Weisenberg
Township
Lehigh County*Permit No.*PAG08-2201
PAG08-2203
PAG07-0003
PAG08-0008
PAG08-3501
PAG08-0002
PAG08-3535
PAG08-3551
PAG08-3517
PAG08-9903
PAG08-3596
PAG08-3510
PAG08-2211
PAG08-3506
PAG08-3522
PAG08-3515
PAG08-3502
PAG08-9904
PAG08-3547
PAG08-0006
PAG08-3540
PABIG-9903
PAG08-3547
PAG08-3600
PAG08-3565
PAG07-3508
PAG07-0005
PAG08-0003
PAG08-3825
PAG08-3542
PAG08-0004
PAG08-3518
PAG08-9905
PAG08-3556
PAG08-0018
PAG08-3573
PAG08-3597*Applicant Name & Address*Synagro
1605 Dooley Road
P. O. Box B
Whiteford, MD 21160*Site Name & Location*Dennis Dorney Farm
7915 Holbens Valley
Road
New Tripoli, PA 18066*Contact Office & Phone No.*DEP—NERO
2 Public Square
Wilkes-Barre, PA
18711-0790
(570) 826-2511*General Permit Type—PAG-8**Facility Location:**Municipality & County*Mt. Pleasant
Township
Adams County*Permit No.*

PAG083588

*Applicant Name & Address*Abbottstown-
Paradise Joint Sewer
Authority
P. O. Box 505
Abbottstown, PA 17301*Site Name & Location*Abbottstown-Paradise
Joint Sewer Authority
Wastewater Treatment
Facility
Route 94
Abbottstown, PA*Contact Office & Phone No.*DEP—SCRO
909 Elmerton Avenue
Harrisburg, PA
17110-8200
(717) 705-4707Mt. Joy Township
Adams County

PAG083537

White Run Regional
Municipal Authority
2001 Baltimore Pike
Gettysburg, PA 17325White Run Wastewater
Treatment Facility
2001 Baltimore Pike
Gettysburg, PA 17325DEP—SCRO
909 Elmerton Avenue
Harrisburg, PA
17110-8200
(717) 705-4707Quincy Township
Franklin County

PAG083590

Mont Alto Municipal
Authority
P. O. Box 427
Mont Alto, PA 17237Mont Alto Wastewater
Treatment Facility
PA 997
Mont Alto, PA 17237DEP—SCRO
909 Elmerton Avenue
Harrisburg, PA
17110-8200
(717) 705-4707

General Permit Type—PAG-9

Facility Location:
Municipality &
County

Permit No.

Applicant Name &
Address

Site Name &
Location

Contact Office &
Phone No.

Peter's Township
Franklin County

PAG093524

Rosy's Wastewater
Removal, Inc.
8058 Hubler Road
St. Thomas, PA 17252

DEP—SCRO
909 Elmerton Avenue
Harrisburg, PA
17110-8200
(717) 705-4707

**PUBLIC WATER SUPPLY (PWS)
PERMITS**

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 4806504MA, Minor Amendment, Public Water Supply.

Applicant **Easton Suburban Water Authority**
3700 Hartley Avenue
Easton, PA 18045
City of Easton
County **Northampton**
Type of Facility **PWS**

Consulting Engineer Laurence S. Zimmermann, P. E.
Gannett Fleming, Inc.
P. O. Box 67100
Harrisburg, PA 17106

Permit to Construct Issued April 1, 2009

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 6708502, Public Water Supply.

Applicant **Delta Borough**
Municipality Peach Bottom Township
County **York**
Type of Facility New Well DR-2
Consulting Engineer Charles A. Kehew II, P. E.
James R. Holley & Assoc., Inc.
18 South George Street
York, PA 17401

Permit to Construct Issued April 9, 2009

Permit No. 0709501 MA, Minor Amendment, Public Water Supply.

Applicant **Greenfield Township Municipal Authority**
Municipality Greenfield Township
County **Blair**
Type of Facility Installation of approximately 2,250 linear feet of 8" water main to allow treated water to go directly to the tank while allowing the existing distribution system to continue to serve the customers.

Consulting Engineer William A. Sauserman, P. E.
Stiffler McGraw & Associates, Inc.
19 North Juniata Street
Hollidaysburg, PA 16648

Permit to Construct Issued April 10, 2009

Operations Permit issued to **Bailey Family Partnership**, 7360023, Mount Joy Borough, **Lancaster County** on April 8, 2009, for the operation of facilities approved under Construction Permit No. 3606509.

Operations Permit issued to **King's River Haven MHP and Campsite**, 7360002, Conoy Township, **Lancaster County** on April 3, 2009, for the operation of facilities approved under Construction Permit No. 3608519.

Operations Permit issued to **Italina Delight, Inc.**, 7220375, East Hanover Township, **Dauphin County** on April 2, 2009, for the operation of facilities approved under Construction Permit No. 7220375.

Operations Permit issued to **Red Rose Motel**, 7220006, Halifax Township, **Dauphin County** on April 2, 2009, for the operation of facilities approved under Construction Permit No. 7220006.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 0809502—Construction, Public Water Supply.

Applicant	Wysox Presbyterian Church
Township or Borough	Wysox Township
County	Bradford
Responsible Official	Ronald Irvine Wysox Presbyterian Church Route 187 North P. O. Box 339 Wysox, PA 18854
Type of Facility	Public Water Supply—Construction
Consulting Engineer	N/A
Permit Issued Date	April 14, 2009
Description of Action	Construction of an iron and barium removal system, including a single tank ion exchange system, with Purolite SST60 resin.

Permit No. Minor Amendment—Construction, Public Water Supply.

Applicant	United Water Pennsylvania, Inc.
Township or Borough	Town of Bloomsburg
County	Columbia
Responsible Official	John Hollenbach United Water Pennsylvania, Inc. 4211 East Park Circle Harrisburg, PA 17111
Type of Facility	Public Water Supply—Construction
Consulting Engineer	Arthur Saunders, P. E. United Water Pennsylvania, Inc. 4211 East Park Circle Harrisburg, PA 17111
Permit Issued Date	April 14, 2009
Description of Action	Rehabilitation of the existing 300,000 gallon steel finished water storage tank at Bloomsburg University.

Permit No. Minor Amendment—Operation, Public Water Supply.

Applicant	Whiskey Run Water Association
Township or Borough	Colebrook Township
County	Clinton

Responsible Official	Betty Barton Whiskey Run Water Association 2924 Farrandville Road Farrandville, PA 17745
Type of Facility	Public Water Supply—Operation
Consulting Engineer	K. Alan Uhler Jr., P. E., P.L.S. Kerry A. Uhler & Assoc., Inc. 140 West High Street Bellefonte, PA 16823
Permit Issued Date	April 14, 2009
Description of Action	Operation of the new cover over the Spring No. 1 collection reservoir.

Permit No. 1704501—Partial Operation, Public Water Supply.

Applicant	Houtzdale Municipal Authority
Township or Borough	Gulich Township
County	Clearfield
Responsible Official	John Gallagher Houtzdale Municipal Authority 561 Kirk Street P. O. Box 97 Houtzdale, PA 16651
Type of Facility	Public Water Supply—Partial Operation
Consulting Engineer	Jeffrey Garrigan, P. E. Uni-Tec Consulting Engineers 2007 Cato Avenue State College, PA 16801
Permit Issued Date	April 14, 2009
Description of Action	Operation of modifications to the treatment plant, Henderson booster pump station, 413,000 gallon Henderson finished water storage tank and distribution system improvements.

Southwest Region: Water Supply Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Operations Permit issued to **Borough of Somerset**, 340 West Union Street, Somerset, PA 15501, (PWSID No. 4560042) Somerset Township, **Somerset County** on April 9, 2009, for the operation of facilities approved under Construction Permit No. 5608503.

Permit No. 0209503MA, Minor Amendment, Public Water Supply.

Applicant	Moon Township Municipal Authority
Borough or Township	Moon Township
County	Allegheny
Type of Facility	Air Force Base water storage tank
Consulting Engineer	KLH Engineers, Inc. 5173 Campbells Run Road Pittsburgh, PA 15205

Permit to Construct April 14, 2009
Issued

*Northwest Region: Water Supply Management Program
Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

Permit No. 2508503, Public Water Supply.

Applicant **Summit Township Water
Authority**
Township or Borough Summit Township
County **Erie County**
Type of Facility Public Water Supply
Consulting Engineer August E. Maas, P. E.
Permit to Construct April 9, 2009
Issued

**LAND RECYCLING AND
ENVIRONMENTAL REMEDIATION**

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a Site-Specific Standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southcentral Region: Environmental Cleanup Program
Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

Former Valley Hand Screen Printing Property, City of Lebanon, **Lebanon County.** Earth Resource Associates, Inc., 544 Hemlock Lane, Lebanon, PA 17042, on behalf of The Housing Authority of Lebanon County, P. O. Box 420, Lebanon, PA 17402-0420, submitted a Baseline Environmental Report concerning remediation of groundwater contaminated with VOCs from historical industrial activities. The site is being remediated as a Special Industrial Area.

**LAND RECYCLING AND
ENVIRONMENTAL REMEDIATION**

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a Site-Specific Standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the Community Relations Coordinator at

the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Former Getty Service Station No. 67627, Hanover Borough, **York County**. The Tyree Company, 2702 Cindel Drive, Suite 7, Cinnaminson, NJ 08077-2035, on behalf of Getty Petroleum Marketing, Inc., 86 Doremus Avenue, Newark, NJ 07105, submitted a final report concerning remediation of site soils contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Residential Statewide Health Standard and was approved by the Department of Environmental Protection on April 8, 2009.

Northwest Region: Environmental Cleanup Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Deer Head Inn, Spring Creek Township, **Warren County**. AECOM Environment, Four Gateway Center, 444 Liberty Avenue, Suite 700, Pittsburgh, PA 15222-1220, on behalf of XL Insurance, 505 Eagleview Boulevard, Exton, PA 19341 has submitted a Final Report concerning remediation of site soil contaminated with benzene, cumene, ethyl benzene, methyl tert-butyl ether (MTBE), naphthalene, toluene, xylenes (total) and site groundwater contaminated with benzene, cumene, ethyl benzene, MTBE, naphthalene, toluene, xylenes (total). The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on April 8, 2009.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Applications renewed under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit Application No. 100992. The Harrisburg Authority Waste Ash Landfill, located in Harrisburg City and Swatara Township, **Dauphin County**. An application was submitted to renew the Municipal Waste Ash Landfill permit. This notice approves a permit renewal.

Comments concerning the application should be directed to Anthony Rathfon, Program Manager, Southcentral Regional Office. Persons interested in obtaining more information about the general permit application should contact the Southcentral Regional Office, (717) 705-4706. TDD users should contact the Department of Environmental Protection through the Pennsylvania AT&T Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to and approval or denial of the application.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Mark Gorog and Barb Hatch, Environmental Engineer Managers, (412) 442-4163/5226.

GP5-30-00170A: Atlas Pipeline Pennsylvania, LLC (P. O. Box 611, Moon Township, PA 15108-0611) on April 13, 2009, to install and operate a Caterpillar G3516 LE compressor engine rated at 1,340 bhp-hr and a Natco Dehydrator rated at .375 mmBtu/hr at their Brown Compressor Station located in Monongahela Township, **Greene County**.

GP5-63-00701: Chesapeake Appalachia, LLC (P. O. Box 6070, Charleston, WV 25362-0070) on April 13, 2009, to install and operate a Tri-ethylene Glycol dehydration unit with reboiler rated at 0.375 mmBtu/hr with an elevated flare at their Pine Oaks Station in Carroll Township, **Washington County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Sachin Shankar, New Source Review Chief, (484) 250-5920.

15-0061A: Phoenixville Hospital, Inc. (140 Nutt Road, Phoenixville, PA 19460) on April 9, 2009, to install a new 1,250-kW diesel-fired internal combustion engine/electric generator (EGEN) and replacement of an existing boiler (Source ID 033 Boiler No. 3) with a new dual-fired (natural gas and No. 2 fuel oil) 12.247 mmBtu/hr boiler in Phoenixville Borough, **Chester County**. Also part of this project, the facility will be removing a 150-kW diesel-fired EGEN. The new EGEN is subject to the requirements of 40 CFR Part 60 Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines. The new boiler is subject to the requirements of 40 CFR Part 60 Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units. Potential emissions are below major facility thresholds for the Philadelphia Metropolitan Area; the facility is classified as a Synthetic Minor Facility. The plan approval will include monitoring, testing, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

15-0132A: Cephalon, Inc. (145 Brandywine Parkway, West Chester, PA 19380) on April 9, 2009, to operate a diesel fuel oil-fired 750 kW internal combustion engine/electric generators in West Goshen Township, **Chester County**. This generator is an existing unit at the site and currently grouped with other exempt generator units. The purpose of this plan approval is to remove it from the exempt group to provide more operating flexibility. This unit will be used for peak shaving, emergency power and curtailment purposes as well as periodic readiness testing. The primary pollutant of concern is NOx. Cephalon is

categorized as a Synthetic Minor facility and the proposed operation of this generator will not cause the facility to exceed any major thresholds. The Plan Approval will contain recordkeeping and operating restrictions designed to keep the facility operating within the allowable emissions and all applicable air quality requirements.

46-0005AD: Merck and Company, Inc. (Sumneystown Pike, West Point, PA 19486) on April 9, 2009, to install one portable emergency diesel-fired generator at their facility in Upper Gwynedd Township, **Montgomery County**. This installation is subject to the Department of Environmental Protection (Department) NSR regulations under 25 Pa. Code § 127.211(b)(1), for De Minimis emission increases of VOC. Thirty-four and twenty-four hundredths (34.24) tons of VOC ERCs will be surrendered to the Department for this project. There are no add-on control devices for this source. The plan approval will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

1. To address the NSR regulations for this source, the permittee shall surrender 34.24 tons of VOC ERCs to the Department. These ERCs are currently held by the permittee in the Department's ERC registry. This amount includes the De Minimis VOC increases (26.34 tons) times a multiplier of 1.3. The generator shall not start up until the ERCs are transferred.

2. Air contaminant emissions shall not exceed any of the following:

- (a) VOC—0.29 g/bhp-hr;
- (b) NO_x—4.48 g/bhp-hr;
- (c) PM and PM₁₀—0.12 g/bhp; and
- (d) CO—1.42 g/bhp-hr.

3. Only diesel fuel with 0.05% sulfur or less, by weight, shall be used in the operation of this source.

4. The source shall not operate more than 500 hours in any 12-consecutive month period, including no more than 100 hours for maintenance checks and readiness tests.

5. The permittee shall monitor and record the hours of operation and the operating hours for maintenance checks and readiness tests, using a nonresettable hour meter or Department approved equivalent.

6. The fuel usage and operating times for this source shall be recorded monthly and aggregated on a 12-consecutive month basis.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

ER-36-5068: Masonic Homes (One Masonic Drive, Elizabethtown, PA 17022) on April 9, 2009, for the shutdown of three coal fired boilers in Elizabethtown Borough, **Lancaster County**.

ER-44-5001A: Standard Steel, LLC (500 North Walnut Street, Burnham, PA 17009-1698) on April 8, 2009, for the shutdown of 21 natural gas fired combustion sources at the Burnham facility in Burnham Borough, **Mifflin County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

42-184I: Keystone Powdered Metal Co. (8 Hanley Drive, Lewis Run, PA 16738) on April 7, 2009, to relocate an induction heat treater from their facility in the City of

St. Marys, **Elk County** to their facility in Lewis Run Borough, **McKean County**. This is a Title V facility.

62-032E. Ellwood National Forge—Irvine (1 Front Street, Irvine, PA 16329) on April 7, 2009, for the increase in natural gas throughput restrictions associated with Source IDs 034, 101A, 111, 112; the decrease in natural gas throughput restrictions associated with Source IDs 032, 033, 035, 103, the increase in product throughput restrictions associated with Source ID 120; and the installation of a replacement dust collector associated with Source ID 114 at their facility in Brokenstraw Township, **Warren County**. This is a non-Title V facility.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, M. Gorog and B. Hatch, Environmental Engineer Managers, (412) 442-4163/5226.

32-00040B: Reliant Energy Wholesale Generation, LLC (121 Champion Way, Suite 200, Canonsburg, PA 15317) on April 11, 2009, to allow for continued temporary operation of the sources covered under plan approval 32-00040B at the Seward Generating Station, in East Wheatfield Township, **Indiana County** until October 11, 2009. This plan approval has been transferred from Reliant Energy Seward, LLC to Reliant Wholesale Generation, LLC, effective April 11, 2009. The plan approval has been extended.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, George Monasky, New Source Review Chief, (814) 332-6940.

16-149A: Clarion Laminate, LLC (143 Fiberboard Road, Shippensburg, PA 16245) on April 8, 2009, to construct a laminate flooring facility which will include two laminating lines and two profiling lines at the their facility in Paint Township, **Clarion County**.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, Yasmin Neidlinger, Facilities Permitting Chief, (717) 705-4702.

05-05021: Hill & Smith Holdings, Inc. (214 Industrial Lane, Alum Bank, PA 15521-8304) on March 30, 2009, for pultrusion, surface coating and chrome plating operations at their facility in West St. Clair Township, **Bedford County**. This is a renewal of the Title V operating permit.

67-05045: Glen Gery Corp. (1090 East Boundary Avenue, York, PA 17403-2920) on April 9, 2009, for operation of a brick manufacturing plant in Spring Garden Township, **York County**. This is a renewal of the Title V operating permit.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

16-00035: The Commodore Corp.—Colony Factory Crafted Homes and Commodore Homes of PA (20898 Paint Boulevard, Clarion, PA 16743) on April 7, 2009, to re-issue a Title V Permit to operate a Mobile/Modular

Home manufacturing facility in Shippenville Borough, **Clarion County**. This is a major facility due to its potential to emit VOC emissions from the surface coating and adhesive application operations.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

46-00231: Judson A. Smith Co. (857—863 Sweinhart Road, Boyertown, PA 19512) on April 9, 2009, for a Non-Title V Facility, State-only, Natural Minor Operating Permit in Douglass Township, **Montgomery County**. Judson A. Smith Company fabricates metal tubing components used for the medical, auto, aerospace and electronic industries. The primary sources of air emissions from the facility are Branson Vapor Degreaser (Source ID 101), Branson Vapor Degreaser (Source ID 102), six Cold Cleaning Machines (Source ID 103) and two Emergency Generators (Source ID 104). Potential emissions from the facility are less than the following emission rates: 19.0 tpy for VOCs, 9.0 tpy for HAP, 5.0 tpy for PM, 3.0 tpy for NOx and 2.0 tpy for SOx and CO. The permit will contain monitoring, recordkeeping, reporting and work practice standards designed to keep the facility operating within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110, William R. Weaver, New Source Review Chief, (717) 705-4702.

28-05018: Knouse Foods Cooperative, Inc. (P. O. Box 807, Biglerville, PA 17307-0807) on April 7, 2009, to operate their Chambersburg fruit processing facility in Chambersburg Borough, **Franklin County**. This is a renewal of the State-only operating permit.

67-05020: Exelon Generation Co., LLC (11848 Lay Road, Delta, PA 17314-9032) on April 7, 2009, for operation of boilers, emergency generators and cooling towers at the Peach Bottom Power Plant in Peach Bottom Township, **York County**. This action will convert the plant's previous Title V operating permit into a State-only operating permit during the scheduled renewal.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

25-00995: Alliance Plastics, Inc. (2614 McClelland Avenue, Erie, PA 16510) on April 13, 2009, to operate a facility that manufactures vinyl-molded proprietary and custom plastic pieces in the City of Erie, **Erie County**. The facility's primary emission sources include three dip lines, a parts washer and a natural gas furnace.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

09-00096: Inergy Propane LLC—d/b/a Farm and Home Oil Co. (3115 State Road, Telford, PA 18969) on April 9, 2009, to issue a State-only Operating Permit as an Administrative Amendment for a Change of Owner-

ship of the facility formerly owned by Farm and Home Oil Company, LLC (Tax ID 26-1735995) now owned by Inergy Propane, LLC—d/b/a Farm and Home Oil Company (Tax ID 56-1995482) in Rockhill Township, **Bucks County**. The Administrative Amendment of the State-only Operating Permit is issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.450. The amended State-only Operating Permit did not change and contains all of the applicable regulatory requirements including monitoring recordkeeping, reporting and emission limits.

09-00006: U.S. Steel Corp.—Fairless Works (Fairless Hills, PA 19030) on April 9, 2009, to revise a Title V Operating Permit to change the contact information for the responsible official and the permit contact name in both Sections A and C of the Title V Permit in Falls Township, **Bucks County**. The revisions and notification of these changes to the Title V Permit were made in accordance with 25 Pa. Code § 127.450. The changes to the Title V Permit do not result in an increase of emissions and comments will only be taken on the changes covered in this notice.

46-00147: Chemalloy Company, Inc. (1301 Conshohocken Road, Conshohocken, PA 19428) on April 13, 2009, to amend the operating permit to incorporate the sources and requirements of Plan Approval 46-0147B in Plymouth Township, **Montgomery County**. Administrative Amendment of State-only Synthetic Minor Operating Permit issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code § 127.450.

15-00082: Downingtown Area School District (445 Manor Avenue, Downingtown, PA 19335) on April 13, 2009, to administratively amend a State-only operating permit to correct typographical errors in identifying source locations, in Section G—miscellaneous in Downingtown Borough, **Chester County**, for operation of nine boilers, firing natural gas or No. 2 oil, which provide heat to the campus buildings.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

25-00052: Ames True Temper, Inc. (55 Pleasant Street, Union City, PA 16438-1337) on April 7, 2009, for an administrative amendment to the facilities Natural Minor Operating Permit in Union City Borough, **Erie County**. This amendment was to incorporate the sources and conditions from Plan Approval No. 25-052B into the permit.

25-00090: Zurn Industries, Inc., LLC—Cast Metals Division (1301 Raspberry Street, Erie, PA 16502) on April 7, 2009, for an administrative amendment to the facilities Natural Minor Operating Permit to operate a process that manufactures cast iron fixtures in the City of Erie, **Erie County**. This amendment was for a change of responsible official and permit contact person. The responsible official was changed from Rick Stuczynski to Ricardo Nieves. The permit contact person was changed from Jack Marini to Grady Gunesch.

37-00126: Roth Brothers, Inc.—Viridian Systems, LLC (30700 Solon Industrial Parkway, Solon, OH 44139) on April 10, 2009, for an administrative amendment document for a change of ownership from Hickman Manufacturing, Inc. to Roth Brothers, Inc. in New Beaver Borough, **Lawrence County**. The facility's primary sources of emissions are the roof coating manufacturing operations.

**ACTIONS ON COAL AND NONCOAL MINING
ACTIVITY APPLICATIONS**

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Permits Actions

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100.

56021301 and GP-12 56021301 and NPDES Permit No. PA0235547, Elk Lick Energy, Inc., (P. O. Box 240, Friedens, PA 15541-0240), to renew the permit for the Roytown Deep Mine in Lincoln Township, **Somerset County** and related NPDES permit. Includes renewal of Bureau of Air Quality GPA/GP-12 Authorization under GP-12 56021301-R8. No additional discharge. Application received October 1, 2008. Permit issued April 7, 2009.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

56813050 and NPDES No. PA0605891. Shade Mining, Inc., P. O. Box 130, 118 Runway Road, Friedens, PA 15541, permit renewal for reclamation only of a bituminous surface mine in Shade, Quemahoning and Stonycreek Townships, **Somerset County**, affecting 150.7 acres. Receiving streams: UNTs to Oven Run and UNTs to Lamberts Run classified for the following use: CWF. The first downstream potable water supply intake from the point of discharge is Hooversville Borough Municipal Authority Stonycreek SWI. (There are no potable water supply intakes within 10 miles downstream). Application received November 13, 2008. Permit issued April 7, 2009.

56070201. NPDES No. PA0262501 and General Permit GP-12-56070301, Robindale Energy Services, Inc., 221 Grange Hall Road, Armagh, PA 15920, revision of an existing bituminous surface to obtain coverage for coal processing under air quality general permit GP-12 in Brothersvalley Township, **Somerset County**, affecting 23.0 acres. Receiving streams: Buffalo Creek classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received February 13, 2009. Permit issued April 8, 2009.

56080106 and NPDES No. PA0262650. Sherpa Mining Contractors, Inc., 337 Benny Road, Hooversville, PA 15936, commencement, operation and restoration of a bituminous surface and auger mine in Quemahoning and Shade Townships, **Somerset County**, affecting 318.8 acres. Receiving streams: Stonycreek River; UNTs to Stonycreek River classified for the following uses: TSF; CWF. The first downstream potable water supply intake from the point of discharge is Cambria Somerset Author-

ity—Border Dam Intake. Application received May 21, 2008. Permit issued April 8, 2009.

56980108 and NPDES No. PA0234915. Fieg Brothers, 3070 Stoystown Road, Stoystown, PA 15563, permit renewal for the continued operation and restoration of a bituminous surface mine in Milford Township, **Somerset County**, affecting 160.7 acres. Receiving streams: UNTs to Coxes Creek classified for the following use: WWF. There are no potable water supply intakes within 10 miles downstream. Application received November 6, 2008. Permit issued April 9, 2009.

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, (724) 925-5500.

03910115 and NPDES Permit No. PA0200174. Allegheny Mineral Corporation (P. O. Box 1022, Kittanning, PA 16201). Permit renewal issued for continued operation and reclamation of a bituminous surface/auger mining site located in West Franklin Township, **Armstrong County**, affecting 468.8 acres. Receiving streams: Buffalo Creek to Allegheny River. Renewal application received December 12, 2008. Permit renewal issued April 9, 2009.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

24980105 and NPDES Permit No. PA0227871. Tamburlin Brothers Coal Co., Inc. (P. O. Box 1419, Clearfield, PA 16830) Renewal of an existing bituminous strip and auger operation in Horton Township, **Elk County** affecting 139.0 acres. Receiving streams: Karnes and Johnson Runs and UNT to Brandy Camp Creek. Application received February 11, 2009. Permit issued April 8, 2009.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

54980103R2. Gale Coal Company, Inc., (1441 Oak Road, Pottsville, PA 17901), renewal of an existing anthracite surface mine operation in Frailey Township, **Schuylkill County** affecting 431.5 acres, receiving stream: none. Application received August 1, 2008. Renewal issued April 7, 2009.

54-305-012GP12. Reading Anthracite Company, (P. O. Box 1200, Pottsville, PA 17901), general operating permit to operate a coal preparation plant on Surface Mining Permit No. 54783702 in Norwegian Township, **Schuylkill County**. Application received January 8, 2009. Permit issued April 7, 2009.

22070201C. Meadowbrook Coal Co., Inc., (6690 SR 209, Lykens, PA 17048), correction to an existing anthracite coal refuse reprocessing operation to add biosolids application for reclamation in Williams Township, **Dauphin County** affecting 23.5 acres, receiving stream: none. Application received December 23, 2008. Correction issued April 9, 2009.

13990201R2. Rossi Excavating Company, (R. R. 1, Box 189E, Beaver Meadows, PA 18216), renewal of an existing anthracite coal refuse reprocessing operation in Banks Township, **Carbon County** affecting 493.0 acres, receiving stream: none. Application received November 18, 2008. Renewal issued April 10, 2009.

Noncoal Permits Actions

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191.

3076SM13. White Rock Silica Sand Co., Inc. (331 Methodist Road, Greenville, PA 16125) Renewal of exist-

ing NPDES Permit No. PA0207535 in Hempfield Township, **Mercer County**. Receiving streams: Mathay Run. Application received January 9, 2009. Permit issued April 8, 2009.

10020307. Parker Sand & Gravel Co. (P. O. Box 0, Parker, PA 16049) Renewal of existing NPDES Permit No. PA0242411 in Parker Township and Parker City, **Butler and Armstrong Counties**. Receiving streams: UNT No. 2 to the Allegheny River. Application received February 17, 2009. Permit issued April 8, 2009.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

67960301C7 and NPDES Permit No. PA0223701. Codorus Stone & Supply Co., Inc., (135 Mundis Race Road, York, PA 17402), correction to an existing quarry operation to update the NPDES discharge for treated mine drainage in East Manchester Township, **York County**, receiving stream: Codorus Creek. Application received August 8, 2008. Correction issued April 9, 2009.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (43 P.S. §§ 151–161); and 25 Pa. Code § 211.124 (relating to blasting activity permits). Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900.

21094109. M & J Explosives, Inc., P. O. Box 608, Carlisle, PA 17013-0608, blasting activity permit issued for residential development in North Middleton Township and Carlisle Borough, **Cumberland County**. Blasting activity permit end date is March 31, 2010. Permit issued April 2, 2009.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200.

08094102. Austin Powder Northeast, LLC (25800 Science Park Drive, Beachwood, OH 44122), blasting for natural gas pad, Chesapeake Gas Site No. 09-09 located in Wyalusing Borough, **Bradford County**. Permit issued April 6, 2009. Permit expires March 31, 2010.

59094001. Appalachian Geophysical Services, LLC (2659 SR 60, P. O. Box 426, Killbuck, OH 44637-0426), seismic data acquisition by blasting, Line No. PA-117-09-1 2, 3, 4, located in Covington and Richmond Townships, **Tioga County**. Permit issued April 6, 2009. Permit expires December 31, 2009.

59094002. Appalachian Geophysical Services, LLC (2659 SR 60, P. O. Box 426, Killbuck, OH 44637-0426), seismic data acquisition by blasting, Line No. PA-117-09-5 located in Charleston Township, **Tioga County**. Permit issued April 6, 2009. Permit expires December 31, 2009.

59094003. Appalachian Geophysical Services, LLC (2659 SR 60, P. O. Box 426, Killbuck, OH 44637-0426), seismic data acquisition by blasting, Line No. PA-117-09-6, 7, 8, 9, located in Covington, Bloss and Hamilton Townships, **Tioga County**. Permit issued April 6, 2009. Permit expires December 31, 2009.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118.

15094105. Ed Wean Drilling & Blasting, Inc., (112 Ravine Road, Stewartsville, NJ 08886), construction blasting for LA Fitness Malvern in East Whiteland Township, **Chester County** with an expiration date of April 1, 2010. Permit issued April 6, 2009.

46094110. Brubacher Excavating, Inc., (P. O. Box 528, Bowmansville, PA 17507), construction blasting for Waverly Heights in Lower Merion Township, **Montgomery County** with an expiration date of March 30, 2010. Permit issued April 6, 2009.

35094104. Hayduk Enterprises, Inc., (257 Riverside Drive, Factoryville, PA 18419), construction blasting for a single dwelling in Newton Township, **Lackawanna County** with an expiration date of June 30, 2009. Permit issued April 7, 2009.

36094116. Warren's Excavating & Drilling, Inc., (P. O. Box 214, Myerstown, PA 17067), construction blasting for utilities on Sun Valley Drive in Mt. Joy Township, **Lancaster County** with an expiration date of March 31, 2010. Permit issued April 7, 2009.

36094117. Keystone Blasting Service, (381 Reifsnyder Road, Lititz, PA 17543), construction blasting for Home Towne Square in Clay Township, **Lancaster County** with an expiration date of December 30, 2010. Permit issued April 7, 2009.

40094108. KGA Drilling & Blasting, Inc., (1250 Conshohocken Road, Conshohocken, PA 19428), construction blasting for wastewater treatment facilities improvements in Butler Township, **Luzerne County** with an expiration date of July 31, 2009. Permit issued April 7, 2009.

67094108. Warren's Excavating & Drilling, Inc., (P. O. Box 214, Myerstown, PA 17067), construction blasting for billboard foundation at Stettler Dodge in West Manchester Township and City of York, **York County** with an expiration date of April 7, 2010. Permit issued April 8, 2009.

64094002. Northeast Blasting, (403 Middle Creek Road, Honesdale, PA 18431), construction blasting for the Roger Swingle Horse Barn in Sterling Township, **Wayne County** with an expiration date of May 13, 2010. Permit issued April 9, 2009.

06094104. M & J Explosives, Inc., (P. O. Box 608, Carlisle, PA 17013), construction blasting for Shilo Hills Park in Spring Township, **Berks County** with an expiration date of April 30, 2010. Permit issued April 10, 2009.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401(a) of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501–508 and 701–704

(relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the Pennsylvania Bulletin, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1–693.27), section 302 of the Flood Plain Management Act (32 P. S. § 679.302) and The Clean Streams Law (35 P. S. §§ 691.1–691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued

WATER OBSTRUCTIONS AND ENCROACHMENTS

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

E15-780. Transcontinental Gas Pipe Line Corporation, 2800 Post Oak Boulevard, Level 17, Houston, TX 77056-1396, East Brandywine, East Caln, East and West Whiteland Townships, **Chester County**, United States Army Corps of Engineers, Philadelphia District.

To construct and maintain a new 42-inch gas pipeline replacing the existing 30-inch 7.15-mile segment of the Mainline "A" pipeline. This pipeline crosses UNTs to Valley Creek (WF, MF) at various locations and the Ludwig's Run (TSF, MF) near Sterling Lane only (Station No. 2997+28). This project will impact approximately 0.16 acre of forested wetlands and the permittee proposes to create 0.16 acre of forested wetlands as compensation.

The limit of this pipeline is between the Downingtown Meter Station (Wagontown, PA USGS Quadrangle N: 1.0 inch; W: 3.5 inches) and the Compressor Station 200 (Malvern, PA USGS Quadrangle N: 9:0 inches; W: 12:0 inches) and it traverses through East Brandywine, East Caln, East and West Whiteland Townships in Chester County.

The issuance of this permit also constitutes approval of a Water Quality Certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

E34-476. Visionary Companies, LLC, 101 North Providence Road, P. O. Box 125, Wallingford, PA 19086,

Upland Borough, **Delaware County**, United States Army Corps of Engineers, Philadelphia District.

To rehabilitate and maintain an existing three-story stone building in and along the 100-year floodway of Chester Creek (WWF, MF) associated with the Minsec Facility Upland Project. This work will include construction and maintenance of a basketball court, an outfall structure and resurfacing of an existing parking lot. The site is located near the intersection of Race and Front Streets (Marcus Hook, PA USGS Quadrangle N: 18.75 inches; W: 1.00 inch).

The issuance of this permit also constitutes approval of a Water Quality Certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701, (570) 327-3636.

E14-517. David N. Hostetler, 337 Bower Hollow Road, Woodward, PA 16882. Hostetler Crossing, in Haines Township, **Centre County**, United States Army Corps of Engineers, Baltimore District (Millheim, PA Quadrangle Latitude 40° 53' 51.51"; Longitude 77° 25' 17.19").

To construct and maintain a 5-foot diameter 40-foot long culvert set 1-foot into the streambed with the associated stone headwalls and a low flow emergency spillway in the right flood plain of the UNT to Pine Creek for a single-residence driveway located 0.5 mile down Bower Hollow Road from SR 45. This permit was issued under section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E17-449. Stoneridge Properties, LLC, 10 Lakeside Avenue, Dubois, PA 15801. Juniata Run Wetland Fill and Stream Enclosure for Residential Condominium Development, City of Dubois, **Clearfield County**, United States Army Corps of Engineers, Pittsburgh District (Falls Creek, PA Quadrangle Latitude: 41° 8' 1.84"; Longitude: 78° 45' 14.80").

The applicant proposes to place and maintain fill in wetlands associated to Juniata Run and construct, operate and maintain an enclosure of a UNT to Juniata Run for the development of a 20 unit residential condominium complex and appurtenants. Placement of fill shall be limited to a maximum 0.44-acre of wetland. The stream enclosure shall be constructed with minimum diameter of 18-inches and maximum length of 120-feet. Placement of fill in 0.44-acre of wetlands and enclosing 120-feet of UNT are permanent impacts for which the applicant shall provide 0.61-acre of replacement wetlands and 300-feet of riparian stream corridor planting along Juniata Run as mitigation for those permanent impacts.

E18-442. Department of Transportation, Engineering District 2-0, 1924 Daisy Street Extension, Clearfield, PA 16830. SR 0510 Section 314 Roadway Betterment in Bald Eagle Township, Mill Hall Borough, **Clinton County**, United States Army Corps of Engineers, Baltimore District (Mill Hall, PA Quadrangle Latitude: 41° 06' 56"; Longitude 77° 28' 42").

Department of Transportation, Engineer District 2-0 is applying for a Standard Joint Permit to construct a betterment roadway rehabilitation project on SR 0150. The western limit is near the intersection of SR 0064 and Fishing Creek. The eastern limit is at the SR 0150 bridge over Bald Eagle Creek. The proposed roadway upgrades include lane and signal additions, signal timing adjustments, drainage improvements and milling and overlay-

ing the entire project. The project is entirely located within the floodplain of Bald Eagle and Fishing Creeks. The majority of the project is located within the FEMA special flood Hazard Areas. Minor fills will be placed in the floodways of Bald Eagle and Fishing Creeks. Minor fill amounts will be placed along the floodway of Fishing Creek at the intersection of SR 0150 and SR 0064. Minor fill amounts will be placed along the floodway of Bald Eagle Creek on SR 0150. Construction of additional turning lanes and roadway widening will result in a total of approximately 1,472 cubic yards of permanent fill in the floodway (0.85 acre, 37,000 ft² in the Bald Eagle Floodway and 0.14 acre, 6,000 ft² in the Fishing Creek Floodway). The project lies within the defined "Ineffective Flow Areas" of the two water courses and their confluence. The ineffective flow areas provide little to no impact on the water courses carrying capacity because they are removed from the mathematical calculations of a flood model. This project provides 5 ft or less of floodway encroachment along SR 0150 roadway on the two floodways. The floodway in this area is approximately 6,500 ft wide. Due to the fact that this fill lies within the limits of the ineffective flow areas and would be eliminated from the hydraulic model, a hydraulic model was waived for this application. This project is not expected to have any effect on adjacent Water Surface Elevations or Velocities. Bald Eagle Creek is designated a CWF according to 58 Pa. Code, Chapter 93. Fishing Creek is designated a WWF according to 58 Pa. Code, Chapter 93. This permit application is for fill in the floodway. No Temporary or Permanent stream or wetland impacts are anticipated from this project and mitigation is not required.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E02-1604. Duquesne Light Company, 2825 New Beaver Avenue, Pittsburgh, PA 15233-1003. To construct and maintain a screening wall in Sewickley Borough and Moon Township, **Allegheny County**, United States Army Corps of Engineers, Pittsburgh District (Ambridge, PA Quadrangle N: 7.0 inches; W: 8.95 inches, Latitude: 40° 32' 18"; Longitude: 80° 11' 12"). To construct and maintain a 10' high screening wall and its associated fill for a distance of approximately 230' in the right bank floodway fringe of the Ohio River (WWF), to construct and maintain a 138 KV line over the Ohio River and a UNT to the Ohio River, for the purpose of building the Sewickley substation expansion (138 KV Sewickley Loop Project). The proposed substation is located on the north east side of the intersection of Chadwick Street and White Avenue, the power line starts here and extends over the Ohio River.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335.

E42-342. Edward F. and Lorraine D. Selvoski, 19 Spud Drive, Scenery Hill, PA 15360. Small Flow Sewage Treatment Facility, Perennial Stream Discharge, in Corydon Township, **McKean County**, United States Army Corps of Engineers, Pittsburgh District (Stickney, PA Quadrangle N: 41° 58' 28"; W: 78° 52' 03").

To install and maintain a 4 inch SCH. 40 pipe outfall with a riprap apron along the north bank of Willow Creek (HQ-CWF) associated with a 400 gpd Small Flow Treatment Facility at 3287 West Washington Street approximately 1.6 miles southeast of the intersection of SR 321 and SR 346.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control Permits have been issued.

Any person aggrieved by these actions may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. Chapter 5, Subchapter A (relating to practice and procedure of Commonwealth agencies), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If individuals want to challenge this action, their appeal must reach the Board within 30 days. Individuals do not need a lawyer to file an appeal with the Board. Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. If individuals cannot afford a lawyer, individuals may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

<i>ESCP No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Receiving Water/Use</i>
ESCGP-1 0809811-03	Fortuna Energy, Inc. 337 Daniel Zenker Drive Horseheads, NY 14845	Bradford	Troy Township	South Branch Sugar Creek TSF Mud Creek TSF
ESCGP-1 0809810-01	Fortuna Energy, Inc. 337 Daniel Zenker Drive Horseheads, NY 14845	Bradford	Troy Township	South Branch Sugar Creek TSF
ESCGP-1 0809812	Fortuna Energy, Inc. 337 Daniel Zenker Drive Horseheads, NY 14845	Bradford	Armenia Township	Weiber Creek CWF

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

ESCP No.	Applicant Name & Address	County	Municipality	Receiving Water/Use
ESCP1009803	Rex Energy Corporation 476 Rolling Ridge Drive Suite 300 State College, PA 16801	Butler	Forward and Jackson Townships	Connoquenessing Creek WWF

[Pa.B. Doc. No. 09-742. Filed for public inspection April 24, 2009, 9:00 a.m.]

Bid Opportunity

OSM 02(3386)101.1, Abandoned Mine Reclamation Project, Indianola South, Indiana Township, Allegheny County. The principal items of work include demolition and disposal of mine shaft caps and backfilling mine shafts. Approximate quantities include 7,540 ton of rock fill, 1,950 ton of coarse aggregate, 300 linear feet of subsurface drain and 208 linear feet of fence. This project issues on April 24, 2009, and bids will be opened on May 21, 2009, at 2 p.m. Bid documents cost \$10 per set and will not be mailed until payment has been received. This project is financed by the Federal Government under the authority given it by Pub.L. No. 95-87 dated August 3, 1977, The Surface Mining Control and Reclamation Act of 1977, and is subject to that Law, and to the Federal Grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or joelmiller@state.pa.us for more information on this bid.

JOHN HANGER,
Acting Secretary

[Pa.B. Doc. No. 09-743. Filed for public inspection April 24, 2009, 9:00 a.m.]

Delaware Water Resources Regional Committee; Meeting Cancellation

The May 8, 2009, meeting of the Delaware Water Resources Regional Committee (Committee) has been canceled. The next regularly scheduled meeting is August 14, 2009, at 9:30 a.m. at the Carbon County Environmental Center, 151 East White Bear Drive, Summit Hill, PA 18250. Questions concerning the next scheduled meeting of the Committee can be directed to Jay Braund at (717) 783-2402, jbraund@state.pa.us.

The agenda and meeting materials for the August 14, 2009, meeting will be available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at www.depweb.state.pa.us (DEP Keywords: "Public Participation, Participate").

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact the Department at (717) 783-2402 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JOHN HANGER,
Acting Secretary

[Pa.B. Doc. No. 09-744. Filed for public inspection April 24, 2009, 9:00 a.m.]

Potomac Water Resources Regional Committee; Conference Call Cancellation

The May 15, 2009, conference call of the Potomac Water Resources Regional Committee (Committee) has been canceled. The next regularly scheduled meeting is September 18, 2009, at 10 a.m. at the Adams County Conservation District, 670 Old Gettysburg Road, Suite 201, Gettysburg, PA 17325. Questions concerning the next scheduled meeting of the Committee can be directed to Leslie Sarvis at (717) 772-5634, lsarvis@state.pa.us.

The agenda and meeting materials for the September 18, 2009, meeting will be available through the Public Participation Center on the Department of Environmental Protection's (Department) web site at www.depweb.state.pa.us (DEP Keywords: "Public Participation, Participate").

Persons in need of accommodations as provided for in the Americans With Disabilities Act of 1990 should contact the Department at (717) 772-5634 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

JOHN HANGER,
Acting Secretary

[Pa.B. Doc. No. 09-745. Filed for public inspection April 24, 2009, 9:00 a.m.]

Proposed Pollution Control Technology Grant Program Criteria

Section 304 of the Alternative Energy Investment Act (73 P. S. § 1649.304) (Act 1 or Act) authorizes the Department of Environmental Protection (Department) to award a total of \$25 million for "pollution control technology projects" installed on electric generating units (EGUs) and cogeneration units that have an installed capacity of less than 500 MW per unit. The Act specifies that each unit is eligible to receive a pro rata share of the moneys allocated for pollution control technology projects based on criteria developed by the Department. Act 1 also provides that the criteria must be published in the *Pennsylvania Bulletin*, posted on the Department's web site and submitted to the Pennsylvania Senate and House Environmental Resources and Energy Committees for review and comment at least 60 days prior to accepting grant applications.

The Department is providing notice and an opportunity for a 30-day public comment period on the proposed criteria, which is the following:

- Pollution Control Technology Grant (Grant) applicants will be eligible to receive a pro rata share of the \$25,000,000 available for each eligible electric generating or cogeneration unit at a facility with an installed capacity of less than 500 MW per unit.

- Eligibility is limited to pollution control technology constructed or installed on the units to comply with regulatory requirements including the Clean Air Interstate Rule and SO₂ and NO_x emission reduction requirements established under 25 Pa. Code Chapters 121, 129 and 145 (relating to general provisions; standards for sources; and interstate pollution transport reduction).

- The Grant allocation will be based on the capital cost portion of each project.

- The owner or operator must have obtained a plan approval from the Department on or after July 9, 2008, and must have commenced construction or installed the controls within 1 year after the issuance of the plan approval; or

The owner or operator must have submitted a completed application for construction or installation of the controls, and be awaiting the issuance of a plan approval. The plan approval must be issued after July 9, 2008. The owner or operator must commence construction or install the controls within 1 year after the issuance of the plan approval.

- If the Grant is approved, the money will be dispersed only after the issuance of the plan approval for the pollution control project.

Written Comments

Written comments on the proposed Grant criteria should be sent to the attention of Dan Husted, Division of Permits, Bureau of Air Quality, Department of Environmental Protection, 400 Market Street, P. O. Box 8468, Harrisburg, PA 17105-8468. The Department must receive the comments by May 25, 2009 (30 days from the publication date). Persons with questions or those who need additional information, should contact Dan Husted, dhusted.state.pa.us or (717) 772-3995, or visit the Department's web site at www.depweb.state.pa.us, Keyword: Air Quality.

JOHN HANGER,
Acting Secretary

[Pa.B. Doc. No. 09-746. Filed for public inspection April 24, 2009, 9:00 a.m.]

DEPARTMENT OF HEALTH

Application of Albert Einstein Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Albert Einstein Medical Center has requested an exception to the requirements of 28 Pa. Code § 101.172 (relating to patient limits).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on this exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-747. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application of Alle-Kiski Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Alle-Kiski Medical Center has requested an exception to the requirements of 28 Pa. Code § 115.25 (relating to infant footprints).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on this exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-748. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application of Ambulatory Surgery Center of Pennsylvania Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Ambulatory Surgery Center of Pennsylvania Hospital has requested an exception to the requirements of 28 Pa. Code § 569.35 (relating to general safety precautions).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-749. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application of Charles Cole Memorial Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Charles Cole Memorial Hospital has requested an exception to the requirements of 28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-750. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application of Evangelical Community Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Evangelical Community Hospital has requested an exception to the requirements of 28 Pa. Code § 101.172 (relating to patient limits).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on this exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-751. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application for Exception to 28 Pa. Code § 127.32

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that the following facilities have requested an exception to the requirements of 28 Pa. Code § 127.32 (relating to written orders):

Grandview Hospital
The Bloomsburg Hospital
Edgewood Surgical Hospital
Easton Hospital
Fulton County Medical Center
Lancaster General Hospital
Montrose General Hospital
Mercy Philadelphia Hospital
Mercy Fitzgerald Hospital
Lehigh Valley Hospital
Lehigh Valley Hospital-Muhlenberg
St. Mary Medical Center
Pottstown Memorial Medical Center
UPMC South Side
UPMC Mercy

These requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

These facilities are requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously

listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-752. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application of Gettysburg Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Gettysburg Hospital has requested an exception to the requirements of 28 Pa. Code § 138.2 (relating to definitions).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on this exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-753. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application of Holy Spirit Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Holy Spirit Hospital has requested an exception to the requirements of 28 Pa. Code § 143.5 (relating to medical supervision of podiatric patients).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on this exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-754. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application of Jefferson Regional Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Jefferson Regional Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 18.2.3.3 (relating to corridor width).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-755. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application of Jersey Shore Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Jersey Shore Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard

contained in this publication: 7.7.C3 (relating to warming cabinet requirements in substerile room).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-756. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application of Memorial Hospital Outpatient Endoscopy Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Memorial Hospital Outpatient Endoscopy Center has requested an exception to the requirements of 28 Pa. Code § 559.2 (relating to director of nursing).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on this exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-757. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application of Montrose General Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Montrose General Hospital has requested an exception to the requirements of 28 Pa. Code § 133.2 (relating to types of special care units).

The request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on this exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-758. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application of Shamokin Area Community Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Shamokin Area Community Hospital has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 3.1.3 (relating to examination/treatment room).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation

to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-759. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application of The Surgery Center of The Main Line for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that The Surgery Center of The Main Line has requested an exception to the requirements of 28 Pa. Code § 551.21(d) (relating to criteria for ambulatory surgery).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-760. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application of UOC Surgical Services for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UOC Surgical Services has requested an exception to the requirements of 28 Pa. Code § 569.35 (relating to general safety precautions).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously

listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-761. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application of UPMC Mercy South Side Surgery Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC Mercy South Side Surgery Center has requested an exception to the requirements of 28 Pa. Code §§ 553.31, 557.4, 563.2 and 567.2.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on this exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-762. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application of UPMC Presbyterian Shadyside/Beckwith Center at Hillman for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC Presbyterian Shadyside/Beckwith Center at Hillman has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.1.1.1 and 2.1.1.2 (relating to general purpose exam room space requirements and hand-washing station).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and

Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-763. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application of UPMC Presbyterian Shadyside/ Pittsburgh Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC Presbyterian Shadyside/Pittsburgh Medical Center has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 2.1-5.4.1.4 (relating to support areas for the cardiac cath lab).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-764. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application of UPMC Presbyterian Shadyside/ Western Psychiatric Institute and Clinic for Ex- ception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that UPMC Presbyterian Shadyside/Western Psychiatric Institute and Clinic has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standards contained in this publication: 2.3-2.1.1.5(1) (relating to toilet room), 2.1-3.1.1.2(2) (relating to dimensions and clearances), 2.1-8.2.2.3(2)(b)(i) (relating to inpatient bedrooms new construction) and 4.6.12.1 (relating to corridor width).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-765. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application of Wellspan Surgical Center for Excep- tion

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Wellspan Surgical Center has requested an exception to the requirements of 28 Pa. Code §§ 553.2—553.4, 555.1—555.3, 563.2 and 563.12.

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-766. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application of The Western Pennsylvania Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that The Western Pennsylvania Hospital has requested an exception to the requirements of 28 Pa. Code § 115.25 (relating to infant footprints).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-767. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application of The Western Pennsylvania Hospital Penn Hills for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that The Western Pennsylvania Hospital Penn Hills has requested an exception to the requirements of 28 Pa. Code § 153.1 (relating to minimum standards), which requires compliance with minimum standards contained in the following publication: *Guidelines for Design and Construction of Hospitals and Healthcare Facilities*. The facility specifically requests exception from the following standard contained in this publication: 3.1-5.1.1.1(1) (relating to corridor width).

This request is on file with the Department. Persons may receive a copy of a request for exception by request-

ing a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact Director, Division of Acute and Ambulatory Care at (717) 783-8980 for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-768. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application of Westfield Medical Center for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that Westfield Medical Center has requested an exception to the requirements of 28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards).

This request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

The facility is requesting a waiver of the comment period, as set forth in 28 Pa. Code § 51.33(c).

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-769. Filed for public inspection April 24, 2009, 9:00 a.m.]

Application of York Hospital for Exception

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), the Department of Health (Department) gives notice that York Hospital has requested an exception to the requirements of 28 Pa. Code § 51.23 (relating to positron emission tomography).

The request is on file with the Department. Persons may receive a copy of a request for exception by request-

ing a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, paexcept@health.state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers or for speech and/or hearing impaired persons V/TT (717) 783-6154 or the Pennsylvania AT&T Relay Service at (800)-654-5984.

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-770. Filed for public inspection April 24, 2009, 9:00 a.m.]

Infant Hearing Screening Advisory Committee Meeting

The Infant Hearing Screening Advisory Committee, established under the Infant Hearing Education Assessment, Reporting and Referral Act (11 P. S. §§ 876-1—876-90) will hold a public meeting on Thursday, June 4, 2009. The meeting will be held in the Commonwealth Keystone Building, Commonwealth Avenue and Forster Street, 125N, Training Room A, Plaza Level, Harrisburg, PA 17120. The meeting is scheduled from 10 a.m. to 3 p.m.

For additional information, or if you are a person with a disability and wish to attend the meeting and require auxiliary aid, service or other accommodation to do so should contact Arthur A. Florio, Public Health Program Administrator, Newborn Hearing Screening Program, Division of Newborn Screening and Genetics at (717) 783-8143. Speech and/or hearing impaired persons should use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

This meeting is subject to cancellation without notice.

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-771. Filed for public inspection April 24, 2009, 9:00 a.m.]

Long-Term Care Nursing Facilities; Request for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.3(a) (relating to oral and telephone orders).

Charles Cole Memorial Hospital, ECF
1001 East Second Street
Coudersport, PA 16915
FAC ID 031802

Lakeview Senior Care and Living Center
15 West Willow Street
Smethport, PA 16749
FAC ID 194802

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@state.pa.us.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division and address listed previously.

Comments received by the Department within 15 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who require an alternative format of this document or who desire to comment in an alternative format (for example, large print, audiotape, Braille), should contact the Division of Nursing Care Facilities at the address listed previously or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-772. Filed for public inspection April 24, 2009, 9:00 a.m.]

Tobacco Use Prevention and Cessation Advisory Committee; Public Hearing and Meeting

The Tobacco Use Prevention and Cessation Advisory Committee of the Department of Health will hold a public meeting on May 13, 2009. The public meeting will be held in Room 812, Health and Welfare Building, 625 Forster Street, Harrisburg, PA from 10 a.m. to 3 p.m.

The purpose of the meeting is to discuss the tobacco use prevention and cessation priorities for the State Fiscal Year 2009-2010.

This meeting is open to the public. No reservations are required to attend the public meeting.

For additional information, or if you are a person with a disability and wish to attend the meeting and require auxiliary aid, service or other accommodation to do so should contact Judy Ochs, Director, Division of Tobacco Prevention and Control, Room 833, Health and Welfare Building, 625 Forster Streets, Harrisburg, PA 17120-0701, (717) 783-6600 or V/TT (717) 783-6514 for speech and/or hearing impaired persons or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

This hearing and meeting is subject to cancellation without notice.

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-773. Filed for public inspection April 24, 2009, 9:00 a.m.]

Traumatic Brain Injury Advisory Board Meeting

The Traumatic Brain Injury Advisory Board, established under the Federal Traumatic Brain Injury Act of 1996 (42 U.S.C.A. § 300d-52), will hold a public meeting on Thursday, May 7, 2009, from 10 a.m. to 3 p.m. in the Richards Hall, Recital Room, Dixon University Center, 2986 North Second Street, Harrisburg, PA 17110.

For additional information, or if you are a person with a disability and wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Maureen Young, Administrative Assistant, Division of Child and Adult Health Services at (717) 772-2762 or for speech and/or hearing impaired persons V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984.

This meeting is subject to cancellation without notice.

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 09-774. Filed for public inspection April 24, 2009, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Current Prevailing Wage Act Debarments

The following contractors have been determined to have intentionally violated the Pennsylvania Prevailing Wage Act (act) (43 P. S. §§ 165-1—165-17). This notice is published for the information and convenience of public bodies subject to the act. Under section 11(e) of the act (43 P. S. § 165-11(e)), these contractors, or either one of them, or any firms, corporations or partnerships in which either one of these contractors has an interest, shall be awarded no contract for 3 years after the date listed.

SANDI VITO,
Acting Secretary

<i>Contractor</i>	<i>Address</i>	<i>Date of Debarment</i>
D.E.W. Steel Contractors, Inc. and Dale E. Weissner, Individually	244 Old Hershbeger Road Hollsopple, PA 15935	4/7/2009

[Pa.B. Doc. No. 09-775. Filed for public inspection April 24, 2009, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

**Henry A. and Barbara M. Jordan v. DEP and West
Pikeland Township, Permittee; EHB Doc. No.
2009-046-L; 4-3-09—Issuance of NPDES; Permit
No. PAI011508070**

Henry A. and Barbara M. Jordan have appealed the issuance by the Department of Environmental Protection of an NPDES permit to West Pikeland Township for

stormwater discharges associated with construction activities in West Pikeland Township, Chester County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Acting Chairperson

[Pa.B. Doc. No. 09-776. Filed for public inspection April 24, 2009, 9:00 a.m.]

**Richard G. Mingey v. DEP; EHB Doc. No. 2009-047-
MG; 3-12-09—Letter Denying NPDES; Applica-
tion No. PAI1011506056**

Richard G. Mingey has appealed the denial by the Department of Environmental Protection of an NPDES permit to Richard G. Mingey for stormwater discharge for a subdivision in Willistown Township, Chester County.

A date for the hearing on the appeal has not yet been scheduled.

The appeal is filed with the Environmental Hearing Board (Board) at its office on the Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, and may be reviewed by any interested party on request during normal business hours. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available upon request from the Board.

THOMAS W. RENWAND,
Acting Chairperson

[Pa.B. Doc. No. 09-777. Filed for public inspection April 24, 2009, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Action Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10:30 a.m., Thursday, April 2, 2009, and announced the following:

Action Taken—Regulation Disapproved:

State Board of Osteopathic Medicine #16A-5318: Prescriptive Privileges for Physician Assistants (amends 49 Pa. Code Chapter 25)

Disapproval Order

Public Meeting held
April 2, 2009

Commissioners Voting: Arthur Coccodrilli, Chairperson; George D. Bedwick; Nancy Sabol Frantz, Esq.; Karen A. Miller; John F. Mizner, Esq.

*State Board of Osteopathic Medicine—
Prescriptive Privileges for Physician Assistants;
Regulation No. 16A-53118 (#2644)*

On October 10, 2007, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Osteopathic Medicine (Board). This rulemaking amends 49 Pa. Code Chapter 25. The proposed regulation was published in the October 20, 2007 *Pennsylvania Bulletin* with a 30-day public comment period. The final-form regulation was submitted to the Commission on February 26, 2009.

This final-form regulation would permit physician assistants practicing under the supervision of osteopathic physicians to prescribe, dispense and administer drugs and therapeutic devices.

Dr. Joseph C. Gallagher, Jr., Chair of the Board, appeared at the public meeting on April 2, 2009, and represented that he was fully authorized to request, on behalf of the Board, that we disapprove this final-form regulation to allow the Board the opportunity to revise § 25.177(a)(3) pertaining to prescriptions for Schedule II controlled substances. Without support from the promulgating Board, this regulation does not meet the reasonableness criterion set forth in the Regulatory Review Act and is not in the public interest. 71 P. S. § 745.5b(b)(3). Therefore, in response to the Board's request, we disapprove this regulation.

By Order of the Commission:

Regulation #16A-5318 (IRRC #2644) is disapproved.
ARTHUR COCCODRILLI,
Chairperson

[Pa.B. Doc. No. 09-778. Filed for public inspection April 24, 2009, 9:00 a.m.]

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments

within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P. S. § 645.5b).

The Commission has issued comments on the following proposed regulations. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
11-238	Insurance Department Annual Audited Insurers' Financial Report Required 39 Pa.B. 841 (February 14, 2009)	3/16/09	4/15/09
7-431	Environmental Quality Board Oil and Gas Wells 39 Pa.B. 838 (February 14, 2009)	3/16/09	4/15/09

Insurance Department Regulation #11-238 (IRRC #2740) Annual Audited Insurers' Financial Report Required April 15, 2009

We submit for your consideration the following comments on the proposed rulemaking published in the February 14, 2009 *Pennsylvania Bulletin*. Our comments are based on criteria in section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P. S. § 745.5a(a)) directs the Insurance Department (Department) to respond to all comments received from us or any other source.

General—Consistency; Reasonableness; Clarity.

The Insurance Federation of Pennsylvania (IFP) submitted a letter dated March 13, 2009, expressing overall support for the proposed regulation. In addition, the letter provided suggestions to improve clarity and consistency with nationwide standards in sections 147.3a, 147.4, 147.6 and 147.6a of the proposed regulation.

It is our understanding that the Department intends to adopt most, if not all, of the IFP's suggestions in amendments to the final-form regulation. We encourage the Department to make revisions to the regulation that improve its clarity and consistency with nationwide standards issued by the National Association of Insurance Commissioners.

Environmental Quality Board Regulation #7-431 (IRRC #2742)

Oil and Gas Wells April 15, 2009

We submit for your consideration the following comments on the proposed rulemaking published in the February 14, 2009 *Pennsylvania Bulletin*. Our comments are based on criteria in section 5.2 of the Regulatory

Review Act (71 P.S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P.S. § 745.5a(a)) directs the Environmental Quality Board (EQB) to respond to all comments received from us or any other source.

1. Legislative comment.

Senator Mary Jo White, Chairman of the Senate Environmental Resources and Energy Committee

Senator White submitted comments dated March 18, 2009. Senator White raised concerns and questions relating to the relationship between the length of a proposed well and administrative costs; the methodology used to arrive at a figure representative of what it costs to review and process an "average" permit application; the 10% fee penalty if the final well bore length of a well exceeds the length specified in the permit application; and clarification of the provision stating "Fees are non-refundable" (§ 78.19(e)) in relation to the money-back guarantee program.

Representatives Tim Solobay and Brian Ellis

Representatives Solobay and Ellis submitted a joint comment dated April 1, 2009, on behalf of the Oil and Gas Caucus of the House of Representatives. They suggest that the EQB set a fee that reflects the current application fee adjusted for inflation to the 2009 levels; question the relationship that the depth of the well bore has on the complexity of reviewing an application; request the EQB more clearly define and justify the anticipated cost to operate the permit application review; and request that the final-form regulation clarify that the oil and gas permitting program does qualify under the "money-back guarantee program."

We will review the EQB's responses to the concerns and questions raised by Senator White, Representative Solobay and Representative Ellis as part of our consideration of the final-form rulemaking.

2. Section 78.19. Permit application fees schedule.— Reasonableness; Need; Clarity.

Differentiation between "Vertical Wells," "Nonvertical Wells" and "Marcellus Shale Wells"

Subsection (a) shows a fee schedule for three types of wells: "Vertical Wells," "Nonvertical Wells" and "Marcellus Shale Wells." The text of the proposed regulation does not specify what is a "Vertical Well," "Nonvertical Well" and "Marcellus Shale Well," or how to distinguish between them. Consequently, it is not clear how to apply the fee schedule to a well application. The regulation should define these terms.

Fees for "Nonvertical Wells" and "Marcellus Shale Wells"

The fee schedules for these wells are identical in Subsections (a) and (c). The EQB should explain the need for two identical fee schedules.

Nearest foot interval

Subsections (b) and (c) state that for wells exceeding 12,000 feet, "fees shall be rounded to the foot interval." We suggest more specific language stating that fees shall be rounded to the "nearest 500 foot interval."

ARTHUR COCCODRILLI,
Chairperson

[Pa.B. Doc. No. 09-779. Filed for public inspection April 24, 2009, 9:00 a.m.]

INSURANCE DEPARTMENT

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Ecumenical Enterprises, Inc.

Ecumenical Enterprises, Inc. has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at The Meadows Senior Living Community in Dallas, PA. The initial filing was received on April 6, 2009, and was made under the requirements set forth under the Continuing Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225). Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party, identification of the application to which the statement is addressed and a concise statement with sufficient detail to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@state.pa.us.

JOEL SCOTT ARIO,
Insurance Commissioner

[Pa.B. Doc. No. 09-780. Filed for public inspection April 24, 2009, 9:00 a.m.]

Kanawha Insurance Company; Rate Increase Filing for LTC Forms 80650, 80880, 82000 and 82120; Rate Filing

Kanawha Insurance Company is requesting a 50% increase on the following forms: 80650 4/94 PA, 82000 1/01 PA (03) and 82120 9/01 PA (03). A total of 171 Pennsylvania policyholders will be affected by this 50% rate adjustment. Additionally, Kanawha is requesting a 60% increase on the following forms: 80650 1/97 PA and 80880 NTQ 1/98 PA. A total of 647 Pennsylvania policyholders will be affected by this 60% rate adjustment.

Unless formal administrative action is taken prior to July 9, 2009, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.ins.state.pa.us. Scroll down the home page and click on "Consumer Information" located on the left side. Next scroll down to "General Information," located in the middle of the page, and click on "Notices." The pdf copy of this filing is located at the link "Filing.pdf" following the name of the filing.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Insurance Commissioner

[Pa.B. Doc. No. 09-781. Filed for public inspection April 24, 2009, 9:00 a.m.]

LIQUOR CONTROL BOARD

Expiration of Leases

The Liquor Control Board seeks the following new site:

Bedford County, Wine & Spirits Store #0501, (Relocation), Bedford, PA

Lease expires: May 31, 2010

Lease retail commercial space to the Commonwealth. Proposals are invited to provide the Liquor Control Board with approximately 3,500—4,000 net useable square feet of new or existing retail commercial space serving Bedford and surrounding areas, Bedford, PA.

Proposals due: May 8, 2009, at 12 p.m.

Department: Liquor Control Board
Location: Real Estate Division, 158 Purity Road, Suite B, Pittsburgh, PA 15235-4441
Contact: George D. Danis, (412) 723-0124
 PATRICK J. STAPLETON, III,
Chairperson

[Pa.B. Doc. No. 09-782. Filed for public inspection April 24, 2009, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Funding Available to Improve Electric Delivery and Reliability, Energy Efficiency, Renewable Energy, Telecommunications Broadband Deployment, Clean Water, Waste Water and Railroads

To: All Jurisdictional Electric Distribution Companies, Natural Gas Distribution Companies, Telecommunications Companies, Water Companies, Wastewater Companies and Railroad Companies; Doc. No. M-2009-2094772

Re: American Recovery and Reinvestment Act of 2009

At a public meeting held March 12, 2009, the Pennsylvania Public Utility Commission (Commission) unanimously adopted the Joint Motion of Vice Chairperson Tyrone J. Christy and Commissioner Wayne E. Gardner with respect to the American Recovery and Reinvestment Act of 2009 (Act). The Act will, among other things, provide funding and incentives to improve the infrastructure of the United States. Governor Edward G. Rendell has sent a letter to President Barack Obama requesting use of the funds provided by the Act. In addition, the Governor has announced a new web site www.recovery.pa.gov providing information about the stimulus plan. Potentially, the Commonwealth should be the recipient of billions of dollars from the Act. This Commonwealth must take advantage of this opportunity.

The Commission is keenly interested in ensuring that the funding available for our utility infrastructure and related matters is identified, aggressively pursued and secured.

Funding is available to improve electric delivery and reliability, energy efficiency, renewable energy, telecommunications broadband deployment, clean water, waste

water and railroads. With that said, the Commission is actively involved in looking at available moneys that may benefit this Commonwealth's public utilities. The Commission will continue to work diligently with the administration to ensure that the Commonwealth receives the full benefit from the economic stimulus plan.

The Commission is also interested in programs that would benefit the State's utility customers that fall outside of our direct purview but which are consistent with the Commission's overall mission. Programs such as weatherization, smart grid applications, advanced battery technologies, railroad security and infrastructure and others are among those that could help this Commonwealth's utility consumers.

The Commission is committed to making certain that the utility infrastructure in the Commonwealth receives the maximum benefits afforded by the Act.

We are confident that the utilities under the Commission's jurisdiction and affected stakeholders are actively involved in determining what moneys they may qualify for and how they may obtain the maximum benefit of the Act. To the extent that the utilities and stakeholders need formal action or other support from the Commission, they are encouraged to seek the Commission's assistance.

The Commission stands ready to offer reinforcement to the Commonwealth utilities and stakeholders through activities such as writing letters of support for those seeking funds that will have a positive effect on improving our utility infrastructure. By its action in adopting the Joint Motion and issuing this letter, the Commission is formalizing that commitment.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 09-783. Filed for public inspection April 24, 2009, 9:00 a.m.]

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by May 11, 2009. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to *begin* operating as *common carriers* for transportation of *persons* as described under each application.

A-2009-2098313. Direc Transit, LLC (45 East City Line Avenue, Suite 286, Bala Cynwyd, Montgomery County, PA 19004), a limited liability company of the Commonwealth—for the right to begin to transport persons, in paratransit service, from points in the City and County of Philadelphia to State and Federal Correctional Institutions located in Graterford, Montgomery County;

Camp Hill, Cumberland County; Chester, Delaware County; Dallas, Luzerne County; and Waymart, Wayne County, located in Pennsylvania, and return.

A-2009-2099067. Richard D. Barrett (1724 Dayton Road, Payton, PA 16222)—persons, in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the Counties of Jefferson, Indiana, Clarion and Armstrong, to points in Pennsylvania, and return.

A-2009-2099553. Armstrong Millien (1909 Renwick Street, Bethlehem, Northampton County, PA 18017)—persons in call or demand service in the Counties of Lehigh and Northampton.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of persons by transfer of rights as described under the application.

A-2009-2100709. Chics Limousine and Transportation, Inc. (1624 Burke Avenue, Blue Bell, Montgomery County, PA 19422)—a corporation of the Commonwealth—in limousine service, between points in Pennsylvania, which is to be a transfer of all rights authorized under the certificate issued at A-00109611 to Aaron Transportation Services, Inc., subject to the same limitations and conditions. *Attorney:* Robert A. Saraceni, 548 1/2 East Main Street, Suite A, Norristown, PA 19401.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods by transfer of rights as described under the application.

A-2009-2100652. Walls/Delaware Valley Havertown/Westtown Movers, LLC (1241 Bon Air Road, Havertown, Delaware County, PA 19083)—household goods in use, which is to be a transfer of all rights authorized under the certificates issued at A-0010682 to C. James Link, t/a Wall's Delaware Valley Moving and Storage, subject to the same limitations and conditions. *Attorney:* Murray S. Eckell, 344 West Front Street, P. O. Box 319, Media, PA 19063.

Pennsylvania Public Utility Commission, Bureau of Transportation and Safety v. Michael R. Napolitan t/a South Hills Shuttle; Doc. No. C-2009-2037677

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That Michael R. Napolitan, t/a South Hills Shuttle, respondent, maintains his principal place of business at 1233 Highfield Court, Bethel Park, PA 15102.

2. That respondent was issued a Certificate of Public Convenience by this Commission on February 4, 2002, at A-00117699.

3. That respondent abandoned or discontinued service without having first filed an application with this Commission. Respondent sent a letter to this Commission on April 30, 2007, requesting a voluntary suspension of his authority. A letter was sent to respondent May 16, 2007, acknowledging receipt of the voluntary suspension and granting his request. The letter stated that to resume operations, respondent must notify this Commission in writing of his intention on or before February 23, 2008, or a complaint for abandonment of service would be instituted. Respondent has not responded to the request.

4. That respondent, by failing to file an application with this Commission prior to abandoning or discontinuing service, violated 52 Pa. Code § 3.381(a)(1)(v) and 66 Pa.C.S. § 1102(a)(2).

Wherefore, the Bureau of Transportation and Safety Prosecutory Staff hereby requests that the Commission revoke respondent's Certificate of Public Convenience at A-00117699.

Respectfully submitted,

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services & Enforcement Division
Bureau of Transportation and Safety
P. O. Box 3265
Harrisburg, PA 17105-3265

VERIFICATION

I, Wendy J. Keezel, Chief of Enforcement for the Motor Carrier Services and Enforcement Division of the Bureau of Transportation and Safety, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Wendy J. Keezel, Chief of Enforcement
Motor Carrier Services and Enforcement
Division
Bureau of Transportation and Safety

NOTICE

A. You must file an answer within twenty (20) days of the date of service of this complaint. The date of service is the mailing date as indicated at the top of the Secretarial cover letter for this complaint and notice, 52 Pa. Code § 1.56(a). An answer is a written explanation of circumstances wished to be considered in determining the outcome. The answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this complaint. Your answer must be verified and the original and three (3) copies sent to:

James J. McNulty, Secretary
Pennsylvania Public Utility Commission
P. O. Box 3265
Harrisburg, PA 17105-3265

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Transportation and Safety will request that the Commission issue a Secretarial Letter imposing a penalty, which will include the revocation of your Certificate of Public Convenience.

C. If you file an answer which either admits or fails to deny the allegations of the complaint, the Bureau of Transportation and Safety will request that the Commis-

sion issue an Order imposing a penalty, which may include the revocation of your Certificate of Public Convenience.

D. If you file an answer which contests the complaint, the matter will be assigned to an administrative law judge for hearing and decision.

E. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at (717) 787-1227.

*Pennsylvania Public Utility Commission, Bureau of
 Transportation and Safety v. Catherine C. Hunt;
 Doc. No. C-2009-2043204*

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Transportation and Safety and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Transportation and Safety Prosecutory Staff hereby represents as follows:

1. That all authority issued to Catherine C. Hunt (respondent) is under suspension effective January 27, 2009, for failure to maintain evidence of insurance on file with this Commission.

2. That respondent maintains a principal place of business at 38 York Street, Gettysburg, PA 17325.

3. That respondent was issued a Certificate of Public Convenience by this Commission on September 19, 2007, at A-00124078.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The penalty is \$250 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$250 and causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Transportation and Safety Prosecutory Staff will request that the Commission issue an Order which: (1) cancels the Certificate of Public Convenience held by respondent at A-00124078 for failure to maintain evidence of current insurance on file with the Commission; (2) fines Respondent the sum of two hundred and fifty dollars (\$250.00) for the illegal activity described in this Complaint; (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration; and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,

Wendy J. Keezel, Chief of Enforcement
 Motor Carrier Services & Enforcement Division
 Bureau of Transportation and Safety
 P. O. Box 3265
 Harrisburg, PA 17105-3265

VERIFICATION

I, Wendy J. Keezel, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: _____

Wendy J. Keezel, Chief of Enforcement
 Motor Carrier Services and Enforcement
 Bureau of Transportation and Safety

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified and the original and three (3) copies sent to:

James J. McNulty, Secretary
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

B. If you fail to answer this Complaint within twenty (20) days of the date of service, the Bureau of Transportation and Safety will request that the Commission issue an Order imposing a penalty. Pursuant to 66 Pa.C.S. § 3301(a), the penalty could include a fine of up to \$1,000 for each violation, the revocation of your Certificate of Public Convenience, or any other remedy as may be appropriate. Each day you continue to violate any regulation, direction, requirement, determination or Order of the Commission is a separate and distinct offense, subject to additional penalties.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations **and by paying the \$250 fine** proposed in the Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Transportation and
 Safety
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

Acord Certificates of Insurance and Faxed Form Es and Hs are **Unacceptable** as Evidence of Insurance.

The fine payment must be made to the Commonwealth of Pennsylvania and forwarded to:

James J. McNulty, Secretary
 Pennsylvania Public Utility Commission
 P. O. Box 3265
 Harrisburg, PA 17105-3265

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer **and receipt of your fine payment**, the Complaint proceeding shall be closed.

D. If you file an Answer which admits or fails to deny the allegations of the Complaint, the Bureau of Transportation and Safety will request that the Commission issue an Order imposing a penalty, which may include the cancellation of your Certificate of Public Convenience. Should the Commission cancel your Certificate of Public Convenience, it may also impose an additional fine of up to \$1,000.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

F. Alternative formats of this material are available, for persons with disabilities, by contacting the Compliance Office at (717) 787-1227.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 09-784. Filed for public inspection April 24, 2009, 9:00 a.m.]

Telecommunications

A-2009-2100919. Verizon North, Inc. and PAETEC Communications, Inc. Joint petition of Verizon North, Inc. and PAETEC Communications, Inc. for adoption of and amendment No. 1 to the interconnection agreement under section 252(i) of the Telecommunications Act of 1996.

Verizon North, Inc. and PAETEC Communications, Inc., by its counsel, filed on April 10, 2009, at the Pennsylvania Public Utility Commission (Commission), a joint petition for the adoption of and amendment No. 1 to the interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon North, Inc. and PAETEC Communications, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 09-785. Filed for public inspection April 24, 2009, 9:00 a.m.]

Telecommunications

A-2009-2100878. Verizon North, Inc. and US LEC of Pennsylvania, Inc. Joint petition of Verizon North, Inc. and US LEC of Pennsylvania, Inc. for adoption of and amendment No. 1 to the interconnection agreement under section 252(i) of the Telecommunications Act of 1996.

Verizon North, Inc. and US LEC of Pennsylvania, Inc., by its counsel, filed on April 10, 2009, at the Pennsylvania Public Utility Commission (Commission), a joint petition for the adoption of and amendment No. 1 to the interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon North, Inc. and US LEC of Pennsylvania, Inc. joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. MCNULTY,
Secretary

[Pa.B. Doc. No. 09-786. Filed for public inspection April 24, 2009, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Christal Rice, LPN; Doc. No. 0594-51-08

On February 25, 2009, Christal Rice, license no. PN264642, of Chester, Delaware County, was suspended and assessed a \$4,000 civil penalty based on findings she is unfit to practice by reason of negligence, habits or other causes; she committed fraud or deceit in the practice of practical nursing; has been guilty of unprofessional conduct; and willfully solicited, borrowed or misappropriated money from a patient.

Individuals may obtain a copy of the adjudication by writing to C. William Fritz, Board Counsel, State Board of Nursing, P. O. Box 2649, Harrisburg, PA 17105-2649.

This adjudication and order represents the State Board of Nursing (Board) final decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review. The Board contact for receiving service of the appeals is the previously-named Board Counsel.

ANN L. O'SULLIVAN, Ph.D., FAAN, CRNP,
Chairperson

[Pa.B. Doc. No. 09-787. Filed for public inspection April 24, 2009, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Dirt and Gravel Roads Pollution Prevention Maintenance Program

As required by 25 Pa. Code § 83.604(f) (relating to apportionment criteria), the State Conservation Commission (Commission) is providing public notice of the apportionment of Fiscal Year (FY) 2009 Dirt and Gravel Road Pollution Prevention Maintenance Program (Program) funds to participating county conservation districts. This apportionment is authorized under 75 Pa.C.S. § 9106 (relating to dirt and gravel road maintenance).

A. Effective Date

This apportionment is effective upon publication in the *Pennsylvania Bulletin*. Allocations will be disbursed when funds are released from the Treasury after July 1, 2009. The final amount and time of release of these allocations are subject to the final passage of the State budget of 2009-2010.

B. Background

The Commission approved the following allocations at their public meeting on March 18, 2009: \$3,528,000 of FY 09 funds are apportioned according to stipulations in 75 Pa.C.S. § 9106(c). Copies of 25 Pa. Code § 83.604 and 75 Pa.C.S. § 9106 are available from Michael Klimkos, State Conservation Commission Office, Room 407, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110-9408, (717) 787-8821.

The following allocations are being made to the county conservation districts participating in the Program. Not all counties receive an allocation as provided for at 25 Pa. Code § 83.613(a) (relating to performance standards).

Listed alphabetically, the allocations are:

FY 2009-2010 Allocations

* Adams	\$15,000 *
Armstrong	\$126,851
* Beaver	\$15,000 *
Bedford	\$40,663
* Berks	\$15,000 *
Blair	\$20,591
Bradford	\$312,573
Bucks	\$16,458
Butler	\$29,834
Cambria	\$15,023
Cameron	\$33,094
Carbon	\$25,728
Centre	\$33,281
Chester	\$17,030
Clarion	\$60,455
Clearfield	\$66,577
Clinton	\$22,747
Columbia	\$78,771
Crawford	\$146,298
* Cumberland	\$15,000 *
Dauphin	\$23,392

Elk	\$24,025
Erie	\$52,841
Fayette	\$32,183
Forest	\$21,226
Franklin	\$15,194
Fulton	\$30,102
Greene	\$37,639
Huntingdon	\$71,437
Indiana	\$92,691
Jefferson	\$45,001
Juniata	\$35,849
Lackawanna	\$28,346
Lancaster	\$16,618
* Lawrence	\$15,000 *
* Lebanon	\$15,000 *
Lehigh	\$26,083
Luzerne	\$24,874
Lycoming	\$82,266
McKean	\$21,129
Mercer	\$47,207
Mifflin	\$20,722
* Monroe	\$15,000 *
* Montgomery	\$15,000 *
Montour	\$17,729
* Northampton	\$15,000 *
Northumberland	\$47,688
Perry	\$41,667
Pike	\$56,542
Potter	\$132,361
Schuylkill	\$53,546
Snyder	\$27,982
Somerset	\$33,498
Sullivan	\$67,724
Susquehanna	\$134,721
Tioga	\$312,778
Union	\$25,265
Venango	\$74,025
Warren	\$191,373
Washington	\$76,200
Wayne	\$114,247
Westmoreland	\$27,165
Wyoming	\$57,620
York	\$106,070

* \$15,000 minimum applied

Total Allocated to Districts = \$3,528,000

JOHN HANGER,
Chair

[Pa.B. Doc. No. 09-788. Filed for public inspection April 24, 2009, 9:00 a.m.]

