

NOTICES

CANINE HEALTH BOARD

Public Meeting

The Canine Health Board gives notice of its public hearing on Tuesday, January 12, 2010, at 11 a.m., for the purpose of hearing several requests from commercial kennels for alternative access to exercise, under Section 207(i)(5) of the Dog Law, and other matters as they may arise. The hearing will be held in Room 309 of the Department of Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

JENNIFER MULLER,
Chairperson

[Pa.B. Doc. No. 10-14. Filed for public inspection December 31, 2009, 9:00 a.m.]

DEPARTMENT OF AGRICULTURE

Interstate Quarantine Order; Equine Piroplasmiasis

Recitals.

A. Equine Piroplasmiasis (Babesiosis) is a tick-borne disease that affects equine animals, including horses, donkeys, mules and zebras. The etiologic agents of equine piroplasmiasis are *Babesia caballi* and *Theileria equi* (also known as *Babesia equi*), protozoan parasites which can be transmitted to equine animals by certain tick species. The parasites can also be transmitted by the transfer of blood from infected equine animals through transfusions and shared needles. There is also evidence of vertical transmission. Infected equine animals can remain carriers of the disease agent for extended periods and can act as the source of disease for other equine animals.

B. Infected horses cannot be effectively treated for piroplasmiasis to remove the carrier status.

C. Equine Piroplasmiasis (Babesiosis) is designated a "dangerous transmissible disease" of animals under 3 Pa.C.S. § 2321(a)(7) (relating to dangerous transmissible diseases).

D. The Department of Agriculture (Department) has broad authority under 3 Pa.C.S. §§ 2301—2389 (relating to the Domestic Animal Law) to regulate the keeping and

handling of domestic animals to exclude, contain or eliminate dangerous transmissible diseases. This includes the authority in 3 Pa.C.S. § 2329 (relating to quarantine) to issue the interstate quarantine order as follows.

E. Equine Piroplasmiasis has been shown to exist in Texas, and appears to be spreading through natural transmission. The transporting of infected animals from Texas could spread the disease among susceptible domestic animals in this Commonwealth.

F. There are reasonable and relatively nonintrusive quarantine restrictions the Department can impose to prevent Equine Piroplasmiasis from entering this Commonwealth.

Order.

The Department enters an interstate quarantine order with respect to Equine Piroplasmiasis, incorporating the foregoing recitals into this order. This order is entered under authority of 3 Pa.C.S. § 2329 and establishes the following restrictions and conditions:

1. If an equine animal has resided in Texas for a cumulative total of 30 days or more within the 6 months preceding the date of entry into this Commonwealth, that animal must be test-negative for Piroplasmiasis on a competitive enzyme-linked immunosorbent assay (c-ELISA) test, or a Department-approved equivalent test, with the test occurring within the 30 days preceding entry into this Commonwealth. This requirement shall not be applicable to an equine animal that is being transported through this Commonwealth to another state, and that is not offloaded or commingled with other equine animals while within this Commonwealth.

2. The written laboratory test report, confirming compliance with the requirement described in the preceding paragraph, shall accompany the equine animal in transit to a destination within this Commonwealth; and the date of test and the test results shall be written on the Certificate of Veterinary Inspection.

3. The test requirement described in this Order is in addition to all other Commonwealth import requirements applicable to equine animals.

4. This order shall take effect as of December 20, 2009; and shall remain in effect until rescinded or modified by subsequent Order.

RUSSELL C. REDDING,
Secretary

[Pa.B. Doc. No. 10-15. Filed for public inspection December 31, 2009, 9:00 a.m.]

DEPARTMENT OF BANKING

Actions on Applications

The Department of Banking (Department), under the authority contained in the act of November 30, 1965 (P. L. 847, No. 356), known as the Banking Code of 1965; the act of December 14, 1967 (P. L. 746, No. 345), known as the Savings Association Code of 1967; the act of May 15, 1933 (P. L. 565, No. 111), known as the Department of Banking Code; and the act of December 19, 1990 (P. L. 834, No. 198), known as the Credit Union Code, has taken the following action on applications received for the week ending December 22, 2009.

Under section 503.E of the Department of Banking Code (71 P. S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file their comments in writing with the Department

of Banking, Corporate Applications Division, 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, contact the Corporate Applications Division at (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Section 112 Acquisitions

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Action</i> |
|-------------|---|---------------|
| 12-15-2009 | Macquarie Bank Limited Sydney, Australia | Approved |
| | Application for approval to indirectly acquire 100% of the common stock of Delaware Management Trust Company, Philadelphia. | |

Holding Company Acquisitions

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Action</i> |
|-------------|---|---------------|
| 12-18-2009 | Metro Bancorp, Inc. Harrisburg Dauphin County | Filed |
| | Application for approval to acquire 100% of Republic First Bancorp, Inc., Philadelphia, and thereby indirectly acquire Republic First Bank, Philadelphia. | |

Consolidations, Mergers, and Absorptions

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Action</i> |
|-------------|---|---------------|
| 12-18-2009 | Northwest Savings Bank Warren Warren County | Effective |
| | Merger of Northwest Interim Bank I, Northwest Interim Bank II, and Northwest Interim Bank III with and into Northwest Savings Bank, Warren. As a result of this transaction, Northwest Savings Bank has reorganized from a mutual holding company structure to a stock holding company structure. | |

Branch Applications

De Novo Branches

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Location of Branch</i> | <i>Action</i> |
|-------------|---|--|---------------|
| 12-16-2009 | Somerset Trust Company Somerset Somerset County | 2690 William Penn Avenue Suite 5 Johnstown Cambria County | Filed |

Branch Discontinuances

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Location of Branch</i> | <i>Action</i> |
|-------------|--|--|---------------|
| 11-30-2009 | Centric Bank Harrisburg Dauphin County | 10 North Progress Avenue Harrisburg Dauphin County | Closed |

Articles of Amendment

| <i>Date</i> | <i>Name and Location of Institution</i> | <i>Action</i> |
|-------------|---|------------------------------|
| 12-17-2009 | First CornerStone Bank King of Prussia Montgomery County | Approved and Effective |
| | Amendment to the Fifth Article of the institution's Articles of Incorporation increases the number of authorized shares of common stock and authorizes the issuance of debt instruments, including, but not limited to, subordinated notes. | |

SAVINGS INSTITUTIONS

No activity.

CREDIT UNIONS

Consolidations, Mergers, and Absorptions

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Action</i> |
|-------------|--|---------------|
| 12-15-2009 | First Choice Federal Credit Union New Castle Lawrence County | Approved |
| | Application for approval to merge New Castle Postal Employees Credit Union, New Castle, with and into First Choice Federal Credit Union, New Castle. | |

The Department's web site at www.banking.state.pa.us includes public notices for more recently filed applications.

STEVEN KAPLAN,
Secretary

[Pa.B. Doc. No. 10-16. Filed for public inspection December 31, 2009, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Emergency Shelter Grant Program

The Department of Community and Economic Development (Department), Center for Community Financing, is anticipating applying for funding through the United States Department of Housing and Urban Development.

The Emergency Shelter Grant Program (Program) is established within subtitle B of title IV of the Stewart B. McKinney Homeless Assistance Act (42 U.S.C.A. §§ 11371—11378). The Program authorizes grants for the rehabilitation or conversion of buildings for use as emergency shelters for the homeless, for the payment of certain operating expenses and essential services in connection with emergency shelters for the homeless, and for homeless prevention activities. The Program is designed to be the first step in a continuum of assistance to enable homeless individuals and families to move toward independent living, as well as to prevent homelessness.

One copy of the application may be submitted by local governments to the Department's Customer Service Center, 4th Floor, Commonwealth Keystone Building, 400 North Street, Harrisburg, PA 17120 in accordance with the Department's single application requirements. A hard copy of the fully executed application must be sent to the Department Customer Service Center at the address listed previously and a copy also must be sent to the appropriate regional office. The application window will open on January 2, 2010, and close at 5 p.m. on February 26, 2010. Applications received prior to or after these dates may not be considered for funding.

Application forms and instructions may be obtained by contacting the Department's Center for Community Financing, in Harrisburg at (717) 787-5327, or the Department's Regional Offices. A copy may also be downloaded from the Department's web site at www.newPA.com. Persons with a disability who wish to submit an application in accordance with the provisions stated herein and require assistance with that application, and persons requiring copies of this notice in an alternate format

(large type, Braille, and the like) should contact Ed Geiger, 4th Floor, Commonwealth Keystone Building, Harrisburg, PA 17120, (717) 787-5327, to discuss how the Department may best accommodate their needs. The following is the listing of the Department's Regional Offices and the Counties they serve:

REGIONAL OFFICES

Southeast

Bucks, Chester, Delaware, Montgomery and Philadelphia Counties

Department of Community and Economic Development
801 Market Street, Suite 6106
Philadelphia, PA 19107
(215) 560-2083

Northeast

Berks, Bradford, Carbon, Lackawanna, Lehigh, Luzerne, Monroe, Northampton, Pike, Schuylkill, Sullivan, Susquehanna, Tioga, Wayne and Wyoming Counties

Department of Community and Economic Development
409 Lackawanna Avenue
3rd Floor, Oppenheim Building
Scranton, PA 18503
(570) 963-4571

Central

Adams, Cumberland, Dauphin, Franklin, Lancaster, Lebanon Perry, York, Bedford, Blair, Cambria, Centre, Clinton, Columbia, Fulton, Huntingdon, Juniata, Lycoming, Mifflin, Montour, Northumberland, Snyder, Somerset and Union Counties.

Department of Community and Economic Development
Commonwealth Keystone Building
400 North Street, 4th Floor
Harrisburg, PA 17120
(717) 787-7347

Southwest

Allegheny, Armstrong, Beaver, Butler, Fayette, Greene, Indiana, Washington and Westmoreland Counties

Department of Community and Economic Development
1405 State Office Building
300 Liberty Avenue
Pittsburgh, PA 15222
(412) 565-5002

Northwest

Cameron, Clarion, Clearfield, Crawford, Elk, Erie, Forest,
Jefferson, Lawrence, McKean, Mercer, Potter, Venango
and Warren Counties

Department of Community and Economic Development
100 State Street, Suite 205
Erie, PA 16507
(814) 871-4241

Main Office

Center for Community Development
400 North Street, 4th Floor
Commonwealth Keystone Building
Harrisburg, PA 17120
(717) 787-5327

GEORGE E. CORNELIUS,
Secretary

[Pa.B. Doc. No. 10-17. Filed for public inspection December 31, 2009, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

This notice provides information about persons who have applied for a new, amended or renewed NPDES or WQM permit, a permit waiver for certain stormwater discharges or submitted a Notice of Intent (NOI) for coverage under a general permit. The applications concern, but are not limited to, discharges related to industrial, animal or sewage waste, discharges to groundwater, discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities or concentrated animal feeding operations (CAFOs). This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

| <i>Location</i> | <i>Permit Authority</i> | <i>Application Type or Category</i> |
|-----------------|-------------------------|--|
| Section I | NPDES | Renewals |
| Section II | NPDES | New or amendment |
| Section III | WQM | Industrial, sewage or animal waste; discharge into groundwater |
| Section IV | NPDES | MS4 individual permit |
| Section V | NPDES | MS4 permit waiver |
| Section VI | NPDES | Individual permit stormwater construction |
| Section VII | NPDES | NOI for coverage under NPDES general permits |

For NPDES renewal applications in Section I, the Department of Environmental Protection (Department) has made a tentative determination to reissue these permits for 5 years, subject to effluent limitations and monitoring and reporting requirements in their current permits, with appropriate and necessary updated requirements to reflect new and changed regulations and other requirements.

For applications for new NPDES permits and renewal applications with major changes in Section II, as well as applications for MS4 individual permits and individual stormwater construction permits in Sections IV and VI, the Department, based upon preliminary reviews, has made a tentative determination of proposed effluent limitations and other terms and conditions for the permit applications. These determinations are published as proposed actions for comments prior to taking final actions.

Unless indicated otherwise, the Environmental Protection Agency (EPA) Region III Administrator has waived the right to review or object to proposed NPDES permit actions under the waiver provision in 40 CFR 123.24(d).

Persons wishing to comment on an NPDES application are invited to submit a statement to the regional office noted before an application within 30 days from the date of this public notice. Persons wishing to comment on a WQM permit application are invited to submit a statement to the regional office noted before the application within 15 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the applications. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests for a public hearing on applications. A public hearing may be held if the responsible office considers the public response significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. NPDES Renewal Applications

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

| NPDES No. (Type) | Facility Name & Address | County & Municipality | Stream Name (Watershed #) | EPA Waived Y/N ? |
|---------------------|---|----------------------------------|------------------------------|---------------------|
| PA0088072 (IW) | Stericycle, Inc. 1525 Chestnut Hill Road R. R. 1 Box 364 Morgantown, PA 19543 | Berks County Robeson Township | Hay Creek 3-C | Y |

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

| NPDES No. (Type) | Facility Name & Address | County & Municipality | Stream Name (Watershed #) | EPA Waived Y/N ? |
|---------------------|--|------------------------------------|------------------------------|---------------------|
| PA0209261 | Mooreburg WWTP 197 Mooreburg Road Danville, PA 17821 | Liberty Township Montour County | Mausers Creek 5E | Y |

II. Applications for New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Applications

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

PA0011266, Industrial Waste, SIC Codes 2819 and 3339, **Cabot Supermetals**, County Line Road, Boyertown, PA 19512. This existing facility is located in Douglass Township, **Montgomery County**.

Description of Proposed Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Waste and stormwater.

The receiving stream, Swamp Creek, is located in State Water Plan watershed 3-E and is classified for trout stocking, migratory fishes, aquatic life, water supply, and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001, based on a design flow of 0.1763 MGD, are as follows:

| Parameter | Mass Loading (lbs/day) | | | Concentration (mg/l) | | |
|---|------------------------|------------------|--------------------------|----------------------|------------------|--------------------------|
| | Average Monthly | Maximum Daily | Instantaneous Minimum | Average Monthly | Maximum Daily | Instantaneous Maximum |
| Total Suspended Solids | 29.5 | 59.0 | | 20 | 40 | 50 |
| Total Dissolved Solids | 14,144 | 22,055 | | 9,620 | 15,000 | 24,050 |
| Ammonia as N | 11.76 | 23.52 | | 8.0 | 16.0 | 20.0 |
| Oil and Grease | 22.0 | 44.0 | | 15 | 30 | 30 |
| NO ₂ -N and NO ₃ -N | 147 | 184 | | 100 | 125 | 150 |
| Fluoride | 45.58 | 81.02 | | 31.0 | 55.1 | 77.5 |
| Sulfate (as SO ₄) | 5,881 | 9,175 | | 4,000 | 6,240 | 10,000 |
| Chloride | 11,106 | 17,326 | | 7,553 | 11,783 | 18,880 |
| Nickel, Total | 0.147 | 0.230 | | 0.100 | 0.156 | 0.250 |
| Zinc, Total | 1.03 | 1.607 | | 0.701 | 1.093 | 1.75 |
| Copper, Total | 0.122 | 0.191 | | 0.083 | 0.130 | 0.208 |
| Molybdenum, Total | 0.270 | 0.610 | | 0.183 | 0.415 | 0.458 |
| Lead, Total | 0.05 | 0.078 | | 0.035 | 0.054 | 0.088 |
| Osmotic Pressure (MO ₅ /KG) | | | | 330 | 515 | 825 |
| Dissolved Oxygen | | | 5.0 | | | |
| pH (STD) | | | 6.0 | | | 9.0 |
| Total Residual Chlorine | | | | 0.5 | 1.0 | 1.2 |
| Selenium, Total | 0.063 | 0.100 | | 0.043 | 0.068 | 0.108 |
| Thallium, Total | 0.003 | 0.005 | | 0.0021 | 0.0033 | 0.005 |
| BOD ₅ | | | | Monitor | Monitor | |
| Phosphorus as P | | | | Monitor | Monitor | |

The proposed effluent limits for Outfall 002, based on a design flow of 0.0712 MGD, are as follows:

| <i>Parameter</i> | <i>Mass Loading (lbs/day)</i> | | | <i>Concentration (mg/l)</i> | | |
|---|-------------------------------|----------------------|------------------------------|-----------------------------|----------------------|------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Minimum</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Instantaneous Maximum</i> |
| Total Suspended Solids | Monitor | Monitor | | 20 | 40 | 50 |
| Total Dissolved Solids | Monitor | Monitor | | 750 | 1,170 | 2,000 |
| Ammonia as N | Monitor | Monitor | | 4.0 | 8.0 | 10.0 |
| Oil and Grease | Monitor | Monitor | | 15 | 30 | 30 |
| NO ₂ -N and NO ₃ -N | Monitor | Monitor | | Monitor | Monitor | |
| Fluoride | Monitor | Monitor | | 20.0 | 31.0 | 50.0 |
| Sulfate (as SO ₄) | Monitor | Monitor | | 100 | 156 | 250 |
| Chloride | Monitor | Monitor | | 400 | 624 | 1,000 |
| Osmotic Pressure (MO _s /KG) | | Monitor | | | Monitor | |
| Dissolved Oxygen | | | 5.0 | | | |
| pH (STD) | | | 6.0 | | | 9.0 |
| Total Residual Chlorine | | | | 0.5 | 1.0 | 1.2 |
| Temperature (° F) | | | | | | 110 |
| CBOD ₅ * | | | | | Monitor | |
| COD* | | | | | Monitor | |
| Total Kjeldahl Nitrogen* | | | | | Monitor | |
| Iron (Dissolved)* | | | | | Monitor | |
| Molybdenum, Total* | | | | | Monitor | |
| Lead, Total* | | | | | Monitor | |
| Nickel, Total* | | | | | Monitor | |
| Zinc, Total* | | | | | Monitor | |
| Copper, Total* | | | | | Monitor | |
| Manganese, Total* | | | | | Monitor | |
| Phosphorus as P* | | | | | Monitor | |

* These are stormwater parameters and shall be taken during storm event.

In addition, the permit contains the following major special conditions:

1. Approved Chemical Additives.
2. Applicable BAT/BCT.
3. Approved Test Methods.
4. Stormwater Requirements.
5. Operation and Maintenance Plan.
6. PPC Plan Requirements.
7. Sampling of Stormwater and Nonstormwater at Outfall 002.
8. Compliance of Future Water Quality Criteria Requirements (TDS, Chlorides, Sulfites, and the like).
9. Stormwater Discharge at Pump Station.

You may make an appointment to review the Department of Environmental Protection's files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0040576, Sewage, SIC 4952, **Valleybrook Homeowners Association, Inc.**, P. O. Box 394, Chester Heights, PA 19017. This proposed facility is located in Chester Heights Borough, **Delaware County**.

Description of Proposed Activity: Renewal of an NPDES permit to discharge treated sewage from Valleybrook Homeowners Association STP.

The receiving stream, West Branch Chester Creek, is in the State Water Plan watershed 3G and is classified for: trout stocking fishery, aquatic life, water supply, and recreation. The nearest downstream public water supply intake for Media Borough (auxiliary intake) is located on Chester Creek and is 3.2 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.072 mgd:

| <i>Parameter</i> | <i>Mass (lb/day)</i> | | <i>Concentration (mg/l)</i> |
|------------------------|------------------------|------------------------|-------------------------------------|
| | <i>Average Monthly</i> | <i>Average Monthly</i> | <i>Instantaneous Maximum (mg/l)</i> |
| CBOD ₅ | 15.0 | 25.0 | 50.0 |
| Total Suspended Solids | 18.0 | 30.0 | 60.0 |
| Ammonia as N | | | |
| (05-01 to 10-31) | 9.0 | 15.0 | 30.0 |
| (11-01 to 04-30) | 12.0 | 20.0 | 40.0 |

NOTICES

| <i>Parameter</i> | <i>Mass (lb/day)</i> | <i>Concentration (mg/l)</i> | |
|---|------------------------|--|-------------------------------------|
| | <i>Average Monthly</i> | <i>Average Monthly</i> | <i>Instantaneous Maximum (mg/l)</i> |
| Total Phosphorus (Years 1 and 2) (Years 3—5) (05-01 to 10-31) | 0.6 | Monitor/Report 1.0 | Monitor/Report 2.0 |
| (Years 3—5) (11-01 to 04-30) | 1.2 | 2.0 | 4.0 |
| Fecal Coliform | | # 200/100 ml Geometric Mean Monitor/Report | # 1,000/100 ml 2.0 (Inst. Min.) |
| Dissolved Oxygen | | 6.0 to 9.0 std. units at all times | |
| pH | | 0.5 | 1.2 |
| Total Residual Chlorine | | | |

In addition to the effluent limits, the permit contains the following major special conditions:

1. Operator Notification.
2. Abandon STP when Municipal Sewers Available.
3. Remedial Measures if Unsatisfactory Effluent.
4. No Stormwater.
5. Acquire Necessary Property Rights.
6. Change of Ownership.
7. Minimize Use of Chlorine.
8. Proper Sludge Disposal.
9. Operator Education.
10. Twice-a-Month Monitoring Requirement.
11. Laboratory Certification.
12. Fecal Coliform Reporting.

Application No. PAI120503, Philadelphia Park, Philadelphia Park Casino and Racetrack, 3001 Street Road, Bensalem, PA 19020.

Philadelphia Park has submitted an application for an Individual National Pollution Discharge Elimination System (NPDES) permit for an existing CAFO known as Philadelphia Park Casino and Racetrack, located at 3001 Street Road, Bensalem, PA 19020 in Bensalem Township, **Bucks County**.

The CAFO is situated near Mill Creek in Watershed 2F, which is classified as WWF. The CAFO is designed to maintain an animal population of approximately 1,500 animal equivalent units consisting of 1,500 horses. The animals are housed in stables. Under current operating practices, manure is collected from the stables and placed in open air storage bins. A compliance schedule is proposed in the NPDES permit which requires Philadelphia Park to replace the open air storage bins with enclosed roll-off bins. Current and proposed total capacity of the manure storage facilities is 3,900 and 31,000 tons, respectively. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department of Environmental Protection (Department) has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

The permit application and draft permit are on file at the Southeast Regional Office of the Department. You may make an appointment to review the files by calling the File Review Coordinator at 484-250-5010.

Persons wishing to comment on the proposed permit are invited to submit written comments to the above address within 30 days from the date of this public notice. Comments received within this 30-day period will be considered in formulating the Department's final determination regarding the application. All comments should include the name, address, and telephone number of the writer and a concise statement to inform the Department of the basis of the comment and the relevant facts upon which it is based.

Following the 30-day comment period, the Water Management Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time the determination may be appealed to the Environmental Hearing Board.

The Environmental Protection Agency permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

Application No. PA 0082953, Industrial Waste, SIC Code 4953, **Boyd E. Diller, Inc.**, 6820 Wertzville Road, Enola, PA 17025-1032. This facility is located in Hampden Township, **Cumberland County**.

Description of activity: The application is for renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Sears Run, is in Watershed 7-B, and classified for warm water fishes, water supply, recreation, and fish consumption. The nearest downstream public water supply intake is Steelton Municipal Waterworks located on the Susquehanna River, approximately 17.9 miles downstream. The discharge is not expected to affect the water supply.

The proposed effluent limits for Outfall 001 based on a design flow of 0.010 MGD are:

| Parameter | Mass (lbs/day) | | Concentration (mg/l) | | |
|-------------------------|-----------------|---------------|----------------------|---------------|-----------------------|
| | Average Monthly | Maximum Daily | Average Monthly | Maximum Daily | Instantaneous Maximum |
| CBOD ₅ | 2.1 | 4.1 | 25 | 50 | 60 |
| Total Suspended Solids | 2.2 | 4.5 | 27 | 54 | 68 |
| Total Phosphorus | 0.17 | 0.33 | 2.0 | 4.0 | 5.0 |
| NH ₃ -N | 0.4 | 0.8 | 4.9 | 10 | 12 |
| Total Arsenic | | | 0.05 | 0.10 | 0.125 |
| Total Copper | | | 0.05 | 0.10 | 0.125 |
| Total Silver | | | 0.01 | 0.02 | 0.025 |
| Total Aluminum | | | 0.275 | 0.50 | 0.67 |
| Iron, Dissolved | 0.23 | 0.46 | 2.8 | 5.6 | 7.0 |
| Total Manganese | | | | | |
| (issue date to 1/30/11) | | | 2.0 | 4.0 | 5.0 |
| (2/1/11 to expiration) | | | 1.0 | 2.0 | 2.5 |
| Total Zinc | | | 0.11 | 0.20 | 0.275 |
| a-Terpinol | | | 0.016 | 0.033 | 0.04 |
| Benzoic Acid | | | 0.071 | 0.12 | 0.178 |
| Phenol | | | 0.015 | 0.026 | 0.0375 |
| p-Cresol | | | 0.014 | 0.025 | 0.035 |
| Fecal Coliform | | | | | |
| (5/1 to 9/30) | | | 200 | | |
| (10/1 to 4/30) | | | 2,000 | | |
| Total Residual Chlorine | | | 0.5 | | 1.6 |
| Dissolved Oxygen | | | 5.0 Minimum | | |
| pH (S.U.) | | | 6.0 Minimum | | 9.0 |

You may make an appointment to review the Department of Environmental Protection's files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA waiver is in effect.

Application No. PA 0082589, Sewage, **Fairview Township Authority (South Plant)**, 599 Lewisberry Road, New Cumberland, PA 17070-2399. This facility is located in Fairview Township, **York County**.

Description of activity: The application is for renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, unnamed tributary of Fishing Creek, is in Watershed 7-E, and classified for warm water fishes, water supply, recreation, and fish consumption. The nearest downstream public water supply intake for Wrightsville Water Supply Company is located on the Susquehanna River, approximately 21.7 miles downstream. The discharge is not expected to affect the water supply.

The proposed interim effluent limits for Outfall 001 for a design flow of 0.50 MGD are:

| Parameter | Average | Average | Instantaneous |
|-------------------------|----------------|----------------|----------------|
| | Monthly (mg/l) | Monthly (mg/l) | Maximum (mg/l) |
| CBOD ₅ | 25 | 40 | 50 |
| Total Suspended Solids | 30 | 45 | 60 |
| NH ₃ -N | | | |
| (5-1 to 10-31) | 1.5 | | 3.0 |
| (11-1 to 4-30) | 4.5 | | 9.0 |
| Total Residual Chlorine | 0.19 | | 0.63 |

NOTICES

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Average Monthly (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|------------------------------|-----------------------------------|-------------------------------------|---|
| Total Phosphorus | 2.0 | | 4.0 |
| Total Copper | 0.016 | | 0.04 |
| Total Zinc | 0.13 | | 0.32 |
| Bis (2-Ethylhexyl) Phthalate | 0.0049 | | 0.012 |
| Dissolved Oxygen | | Minimum of 5.0 at all times | |
| pH | | From 6.0 to 9.0 inclusive | |
| Fecal Coliform | | 200/100 ml as a geometric average | |
| (5-1 to 9-30) | | 2,000/100 ml as a geometric average | |
| (10-1 to 4-30) | | | |
| Acrolein | Report | | |
| Acrylonitrile | Report | | |
| Dichlorobromomethane | Report | | |
| Pentachlorophenol | Report | | |
| 2,4,6-Trichlorophenol | Report | | |
| Benzidine | Report | | |
| Bis (2-Chloroethyl) Ether | Report | | |
| Chrysene | Report | | |
| Dibenzo (a,h) Anthracene | Report | | |
| 3,3-Dichlorobenzidine | Report | | |
| Hexachlorobenzene | Report | | |
| Hexachlorocyclopentadiene | Report | | |
| N-Nitrosodi-N-Propylamine | Report | | |
| Penanthrene | Report | | |

The proposed final effluent limits for Outfall 001 for a design flow of 0.50 MGD are:

| <i>Parameter</i> | <i>Average Monthly (mg/l)</i> | <i>Average Monthly (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
|------------------------------|-----------------------------------|-------------------------------------|---|
| CBOD ₅ | 25 | 40 | 50 |
| Total Suspended Solids | 30 | 45 | 60 |
| NH ₃ -N | | | |
| (5-1 to 10-31) | 1.5 | | 3.0 |
| (11-1 to 4-30) | 4.5 | | 9.0 |
| Total Residual Chlorine | 0.19 | | 0.63 |
| Total Phosphorus | 2.0 | | 4.0 |
| Total Copper | 0.016 | | 0.04 |
| Total Zinc | 0.13 | | 0.32 |
| Bis (2-Ethylhexyl) Phthalate | 0.0049 | | 0.012 |
| Dissolved Oxygen | | Minimum of 5.0 at all times | |
| pH | | From 6.0 to 9.0 inclusive | |
| Fecal Coliform | | 200/100 ml as a geometric average | |
| (5-1 to 9-30) | | 2,000/100 ml as a geometric average | |
| (10-1 to 4-30) | | | |
| Acrolein | 0.001 | | 0.0025 |
| Acrylonitrile | 0.00021 | | 0.0005 |
| Dichlorobromomethane | 0.0022 | | 0.0055 |
| Pentachlorophenol | 0.0011 | | 0.0028 |
| 2,4,6-Trichlorophenol | 0.0057 | | 0.014 |
| Benzidine | 3.5×10^{-7} | | 8.7×10^{-7} |
| Bis (2-Chloroethyl) Ether | 0.00012 | | 0.0003 |
| Chrysene | 1.6×10^{-5} | | 4.0×10^{-5} |
| Dibenzo (a,h) Anthracene | 1.6×10^{-5} | | 4.0×10^{-5} |
| 3,3-Dichlorobenzidine | 8.7×10^{-5} | | 2.0×10^{-4} |
| Hexachlorobenzene | 1.0×10^{-6} | | 2.5×10^{-6} |
| Hexachlorocyclopentadiene | 0.001 | | 0.0025 |
| N-Nitrosodi-N-Propylamine | 2.1×10^{-5} | | 5.0×10^{-5} |
| Penanthrene | 0.0013 | | 0.0033 |

Chesapeake Bay Requirements

| | <i>Concentration (mg/L)</i> | <i>Mass (lbs)</i> | |
|----------------------|-----------------------------|-------------------|---------------|
| | <i>Monthly Average</i> | <i>Monthly</i> | <i>Annual</i> |
| Ammonia-N | Report | Report | Report** |
| Kjeldahl-N | Report | Report | XXX |
| Nitrate-Nitrite as N | Report | Report | XXX |

Chesapeake Bay Requirements

| | <i>Concentration (mg/L)</i> | | <i>Mass (lbs)</i> | |
|----------------------|-----------------------------|----------------|-------------------|---------------|
| | <i>Monthly Average</i> | <i>Monthly</i> | <i>Monthly</i> | <i>Annual</i> |
| Total Nitrogen | Report | Report | Report | Report |
| Total Phosphorus | Report | Report | Report | Report |
| Net Total Nitrogen | XXX | Report | Report | 9,132* |
| Net Total Phosphorus | XXX | Report | Report | 1,218* |

* The permit contains conditions which authorize the permittee to apply nutrient reduction credits, to meet the Net Total Nitrogen and Net Total Phosphorus effluent limits, under the Department of Environmental Protection's (Department) Trading of Nutrient and Sediment Reduction Credits Policy and Guidelines (392-0900-001, December 30, 2006). The conditions include the requirement to report application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

* Net Total Nitrogen and Net Total Phosphorus limits compliance date will begin on October 1, 2012. Since these reporting requirements are annual loads, reporting on compliance with the annual limitations will be required on the Supplemental DMRs—Annual Nutrient Summary by November 28, 2013. The facility is required to monitor and report for Net Total Nitrogen and Net Total Phosphorus from the effective date of the permit until September 30, 2011.

** Total Annual Ammonia Load will be required to be reported on the Supplemental DMRs—Annual Nutrient Summary by November 28, 2010.

In addition to the effluent limits, the permit contains the following major condition:

- Complete a Toxic Reduction Evaluation.

You may make an appointment to review the Department files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA waiver is not in effect.

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

PA0233871, SIC 4952, **Scott Davies**, 112 Whites Church Road, Bloomsburg, PA 17815. This proposed facility is located in Mount Pleasant Township, **Columbia County**.

Description of Proposed Activity: The existing on-lot system is malfunctioning and in need of replacement. A new SFTF with a proposed flow of 500 GPD will be constructed so the existing facility can be decommissioned.

The receiving stream, Unnamed Tributary to Fishing Creek, is in the State Water Plan watershed 5C and is classified for: Cold Water Fishes (CWF). The nearest downstream public water supply intake for United Water Pennsylvania Bloomsburg is located on Fishing Creek and is 4.5 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 mgd.

| <i>Parameter</i> | <i>Mass (lbs/day)</i> | | <i>Concentration (mg/l)</i> | | <i>Instantaneous Maximum mg/l</i> |
|-------------------------|------------------------|----------------------|-----------------------------|----------------------|-----------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | |
| Flow (GPD) | | | Monitor Only | | Monitor Only |
| BOD ₅ | | | 25 | | 50 |
| Total Suspended Solids | | | 30 | | 60 |
| Total Residual Chlorine | | | Monitor and Report | | |
| pH (Standard Units) | | | Not < 6.0 nor > than 9.0 | | |
| Fecal Coliform | | | 200/100 mL | | |

PA0233625, Industrial Waste, SIC 5083, **Warner Tractor and Equipment, Inc.**, R. R. 3, Box 460, Troy, PA 16947. This proposed facility is located in Troy Township, **Bradford County**.

Description of Proposed Activity: New NPDES permit for an existing agricultural and construction equipment washing operation.

The receiving stream, Unnamed Tributary to Sugar Creek, is in the State Water Plan watershed 4C and is classified for: Trout Stocking Fishes. The nearest downstream public water supply intake for Danville Municipal Water Authority is located on the Susquehanna River and is approximately 157.7 miles below the point of discharge.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.00015 MGD.

| <i>Parameter</i> | <i>Mass (lbs/day)</i> | | <i>Concentration (mg/l)</i> | | <i>Instantaneous Maximum mg/l</i> |
|--------------------|------------------------|----------------------|-----------------------------|----------------------|-----------------------------------|
| | <i>Average Monthly</i> | <i>Maximum Daily</i> | <i>Average Monthly</i> | <i>Maximum Daily</i> | |
| C-BOD ₅ | | | Monitor | | |
| Dissolved Iron | | | | | 7 |
| Oil and Grease | | | 15 | | 30 |

| Parameter | Mass (lbs/day) | | Concentration (mg/l) | | Instantaneous Maximum mg/l |
|------------------------|-----------------|---------------|--|---------------|----------------------------|
| | Average Monthly | Maximum Daily | Average Monthly | Maximum Daily | |
| Total Suspended Solids | | | 30 | | 75 |
| pH | | | 6.0 to 9.0 standard units at all times | | |

Southwest Regional Office: Regional Manager, Water Management, 400 Waterfront Drive, Pittsburgh, PA 15222-4745; 412-442-4000.

PA0253723-A1, Industrial Waste, SIC 4953, **Shallenberger Construction, Inc.**, 2611 Memorial Boulevard, Conellsville, PA 15425. This application is for amendment of an NPDES permit to discharge treated process water from the Ronco Treatment Facility in Masontown Borough, **Fayette County**.

The following effluent limitations are proposed for discharge to the receiving waters, the Monongahela River, classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply, and recreation. The first existing/proposed downstream potable water supply is Carmichaels Municipal Water Authority, located at Carmichaels, 4.5 miles below the discharge point.

Outfall 001: new discharge, design flow of 0.5 mgd.

| Parameter | Mass (lbs/day) | | Concentration (mg/l) | | Instantaneous Maximum |
|---------------------------|---|---------------|----------------------|---------------|-----------------------|
| | Average Monthly | Maximum Daily | Average Monthly | Maximum Daily | |
| Flow (MGD) | | | | 0.5 | |
| Iron | | | 3.5 | | 7.0 |
| Oil and Grease | | | 15 | | 30 |
| Total Suspended Solids | | | 30 | | 60 |
| Acidity | | | Monitor Only | | |
| Alkalinity | | | Greater than Acidity | | |
| Barium | | | 14.4 | 28.0 | |
| Chlorides | | | Monitor and Report | | |
| Total Dissolved Solids | | | 500 | 750 | |
| Osmotic Pressure (mOs/kg) | | | 1,632 | 2,546 | |
| Sulfates | | | | 250 | |
| BOD ₅ | | | 53 | | 163 |
| Copper | | | 0.757 | 0.865 | |
| Zinc | | | 0.420 | 0.497 | |
| Acetone | | | 7.97 | 30.2 | |
| Acetophenone | | | 0.0562 | 0.114 | |
| 2-Butanone | | | 1.85 | 4.81 | |
| o-Cresol | | | 0.561 | 1.92 | |
| p-Cresol | | | 0.205 | 0.698 | |
| Phenol | | | 1.08 | 3.65 | |
| Pyridine | | | 0.182 | 0.370 | |
| 2,4,6-Trichlorophenol | | | 0.106 | 0.155 | |
| Strontium | | | Monitor and Report | | |
| pH | not less than 6.0 nor greater than 9.0 S.U. | | | | |

Other Conditions: Special conditions concerning priority pollutant sampling, residual/hazardous waste disposal, storm water, oil-bearing wastewaters, chemical additives, and residual waste receipt monitoring.

The EPA waiver is not in effect.

PA0254185, Industrial Waste, SIC 1389, **Reserved Environmental Services, LLC**, 424 Ironwood Drive, Canonsburg, PA 15317. This application is for issuance of an NPDES permit to discharge treated process water and storm water from the Reserved Environmental Services Industrial Wastewater Treatment Plant in Hempfield Township, **Westmoreland County**.

The following effluent limitations are proposed for discharge to the receiving waters, Sewickley Creek and Belson Run, classified as a warm water fisheries with existing and/or potential uses for aquatic life, water supply, and recreation. The first existing/proposed downstream potable water supply (PWS) is the Municipal Authority of Westmoreland County - McKeesport Plant, located at McKeesport, 33 miles below the discharge point.

Outfall 001: new discharge, design flow of 1.0 mgd.

| Parameter | Mass (lbs/day) | | Concentration (mg/l) | | Instantaneous Maximum |
|------------------|--------------------|---------------|----------------------|---------------|-----------------------|
| | Average Monthly | Maximum Daily | Average Monthly | Maximum Daily | |
| Flow (MGD) | Monitor and Report | | | | |
| BOD ₅ | 442 | 1360 | 53.0 | 163 | |

| Parameter | Mass (lbs/day) | | Concentration (mg/l) | | |
|---------------------------|---|---------------|----------------------|---------------|-----------------------|
| | Average Monthly | Maximum Daily | Average Monthly | Maximum Daily | Instantaneous Maximum |
| Total Suspended Solids | 250 | 500 | 30 | 60 | |
| Oil and Grease | 125 | 250 | 15 | 30 | |
| Aluminum | 6.26 | 12.52 | 0.75 | 1.50 | |
| Antimony | 0.15 | 0.30 | 0.018 | 0.036 | |
| Barium | 66.2 | 132 | 7.93 | 15.86 | |
| Boron | 44.1 | 88.3 | 5.29 | 10.58 | |
| Copper | 0.242 | 0.484 | 0.029 | 0.058 | |
| Iron, Total | 12.5 | 25.0 | 1.5 | 3.0 | |
| Iron, Dissolved | 8.35 | 16.7 | 1.00 | 2.00 | |
| Manganese | 8.35 | 16.7 | 1.00 | 2.00 | |
| Strontium | 83.5 | 167 | 10 | 20 | |
| Zinc | 2.11 | 4.22 | 0.253 | 0.506 | |
| Benzene | 0.008 | 0.017 | 0.001 | 0.002 | |
| Ethylbenzene | Monitor and Report | | Monitor and Report | | |
| Toluene | Monitor and Report | | Monitor and Report | | |
| Xylenes | Monitor and Report | | Monitor and Report | | |
| Total BTEX | 0.835 | 1.67 | 0.1 | 0.2 | |
| Phenols | Not Detectable | | Not Detectable | | |
| Acetone | 66.5 | 252 | 7.97 | 30.2 | |
| Acetophenone | 0.469 | 0.951 | 0.0562 | 0.114 | |
| 2-Butanone | 15.4 | 40.1 | 1.85 | 4.81 | |
| o-Cresol | 4.68 | 16.0 | 0.561 | 1.92 | |
| p-Cresol | 1.71 | 5.83 | 0.205 | 0.698 | |
| Phenanthrene | 0.025 | 0.050 | 0.003 | 0.006 | |
| Pyridine | 1.52 | 3.09 | 0.182 | 0.370 | |
| 2, 4, 6-Trichlorophenol | 0.885 | 1.29 | 0.106 | 0.155 | |
| Osmotic Pressure (mOs/kg) | | | 165 | 330 | |
| Total Dissolved Solids | 4173 | 6259 | 500 | 750 | |
| Sulfate | | 2086 | | 250 | |
| Chloride | | 2086 | | 250 | |
| Bromide | Monitor and Report | | Monitor and Report | | |
| Acidity | Monitor and Report | | Less than Alkalinity | | |
| Alkalinity | Monitor and Report | | Monitor and Report | | |
| Gross Alpha (pCi/L) | | | Monitor and Report | | |
| Radium 226/228 (pCi/L) | Monitor and Report | | Monitor and Report | | |
| pH | not less than 6.0 nor greater than 9.0 S.U. | | | | |

Other Conditions: Special conditions concerning priority pollutant sampling, residual/hazardous waste disposal, storm water, oil-bearing wastewaters, chemical additives, and residual waste receipt reporting.

The EPA waiver is not in effect.

Outfall 002: new discharge of storm water.

| Parameter | Mass (lbs/day) | | Concentration (mg/l) | | |
|--|-----------------|---------------|----------------------|---------------|-----------------------|
| | Average Monthly | Maximum Daily | Average Monthly | Maximum Daily | Instantaneous Maximum |
| Discharge from this outfall shall consist solely of uncontaminated storm water runoff. | | | | | |

Outfall 003: new discharge of storm water.

| Parameter | Mass (lbs/day) | | Concentration (mg/l) | | |
|--|-----------------|---------------|----------------------|---------------|-----------------------|
| | Average Monthly | Maximum Daily | Average Monthly | Maximum Daily | Instantaneous Maximum |
| Discharge from this outfall shall consist solely of uncontaminated storm water runoff. | | | | | |

PA0254053, Sewage, **St. Paul's Highfield Lutheran Church**, R. D. 1, Box 134A, Vandergrift, PA 15690. This application is for issuance of an NPDES permit to discharge treated sewage from St. Paul's Church STP in Parks Township, **Armstrong County**.

The following effluent limitations are proposed for discharge to the receiving waters, known as Carnahan Run, which are classified as a warm water fishery with existing and/or potential uses for aquatic life, water supply, and recreation. The first downstream potable water supply intake from this facility is the Buffalo Township Municipal Authority.

Outfall 001: new discharge, design flow of 0.0009 mgd.

| Parameter | Concentration (mg/l) | | | |
|-------------------------|--|----------------|---------------|-----------------------|
| | Average Monthly | Average Weekly | Maximum Daily | Instantaneous Maximum |
| CBOD ₅ | 25 | | | 50 |
| Suspended Solids | 30 | | | 60 |
| Fecal Coliform | | | | |
| May 1 to Sep 30 | 200/100 ml as a geometric mean | | | |
| Oct 1 to Apr 30 | 2,000/100 ml as a geometric mean | | | |
| Total Residual Chlorine | 1.4 | | | 3.3 |
| pH | not less than 6.0 nor greater than 9.0 | | | |

The EPA waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0104370, Industrial Waste, **CMSJLP, LLC**, 103 Bridge Street, Ridgway, PA 15853. This proposed facility is located in Ridgway Township, **Elk County**.

Description of Proposed Activity: a new NPDES permit replacing an expired permit for a minor discharge of treated groundwater and untreated industrial waste.

The receiving water is Elk Creek. The receiving stream is in State Water Plan 17-A and is classified for the following uses: cold water fishes, aquatic life, water supply and recreation. This discharge is not expected to impact the request downstream PWS intake.

The proposed effluent limits for Outfall 001 based on a design flow of 0.00370 MGD.

| Parameter | Concentrations | | |
|-------------|--|----------------------|------------------------------|
| | Average Monthly (mg/l) | Maximum Daily (mg/l) | Instantaneous Maximum (mg/l) |
| Flow (MGD) | XX | | |
| Temperature | XX | | |
| pH | Within limits of 6.0 to 9.0 standard units at all times. | | |

The proposed effluent limits for Outfall 002 based on a design flow of 0.0040 MGD.

| Parameter | Concentrations | | |
|-------------|--|----------------------|------------------------------|
| | Average Monthly (mg/l) | Maximum Daily (mg/l) | Instantaneous Maximum (mg/l) |
| Flow (MGD) | XX | | |
| Temperature | XX | | |
| pH | Within limits of 6.0 to 9.0 standard units at all times. | | |

The proposed effluent limits for Outfall 003 based on a design flow of 0.00045 MGD.

| Parameter | Concentrations | | |
|-----------------------|--|----------------------|------------------------------|
| | Average Monthly (mg/l) | Maximum Daily (mg/l) | Instantaneous Maximum (mg/l) |
| Flow | XX | | |
| 1,1,1 Trichloroethane | XX | | |
| Trichloroethylene | 0.004 | | 0.01 |
| 1,1-Dichloroethane | XX | | |
| 1,2-Dichloroethylene | XX | | |
| pH | Within limits of 6.0 to 9.0 standard units at all times. | | |

The EPA Waiver is in effect.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

PA0002135, Industrial Waste, **Calumet Penreco, LLC**, 138 Petrolia Street, Karns City, PA 16041. The existing facility is located in Karns City Borough, **Butler County**.

Description of Proposed Activity: an NPDES Permit for an existing discharge of treated industrial waste, treated stormwater and untreated stormwater.

The receiving water is South Branch Bear Creek (SBBC) for Outfall Nos. 001, 002, 005, 006, 007, 008, 009, 013, 014, 020, 022, 023, 031, 033 and 034; and unnamed tributaries to SBBC for Outfall Nos. 004, 010, 011, 012 and 032. The receiving stream is in State Water Plan 17-C and is classified for the following uses: warm water fishes, aquatic life, water supply and recreation.

The proposed effluent limits for Outfall 001 based on a design flow of 0.356 MGD.

| Parameter | Loadings | | Concentration | | |
|------------------------|-----------------------------|---------------------------|--|-------------------------|---------------------------------|
| | Average Monthly (lb/day) | Maximum Daily (lb/day) | Average Monthly (mg/l) | Maximum Daily (mg/l) | Instantaneous Maximum (mg/l) |
| Flow (MGD) | XX | XX | | | |
| CBOD ₅ | | | | | |
| (05/01—10/31) | 47.5 | 95 | 16 | 32 | 40 |
| (11/01—04/30) | 95 | 190 | 32 | 64 | 80 |
| Total Suspended Solids | XX | XX | 45 | 135 | 135 |
| Oil and Grease | XX | | 15 | | 30 |
| NH ₃ -N | | | | | |
| (05/01—10/31) | 4 | 8 | 1.3 | 2.6 | 3.25 |
| (11/01—04/30) | 11.5 | 23 | 3.9 | 7.8 | 9.75 |
| Dissolved Oxygen | | | Greater than 5.0 mg/l at all times | | |
| Aluminum | 1.43 | 2.86 | 0.48 | 0.96 | 1.2 |
| Total Iron # | 4.61+ | 9.22+ | 1.56 | 3.12 | 3.9 |
| Manganese | 2.3 | 4.6 | 0.77 | 1.54 | 1.93 |
| Copper | 0.065 | 0.13 | 0.022 | 0.044 | 0.055 |
| Lead | 0.032 | 0.065 | 0.011 | 0.022 | 0.027 |
| Zinc | XX | XX | 0.058 | 0.15 | 0.15 |
| Temperature (Interim)* | | | Daily Average (MBTU/day) | | |
| January 1—31 | | | 63 | | |
| February 1—29 | | | 38 | | |
| March 1—31 | | | 77 | | |
| April 1—15 | | | 115 | | |
| April 16—30 | | | 207 | | |
| May 1—15 | | | 131 | | |
| May 16—30 | | | 196 | | |
| June 1—15 | | | 102 | | |
| June 16—30 | | | 66 | | |
| July 1—31 | | | 42 | | |
| Temperature (Interim)* | | | Daily Average (MBTU/day) | | |
| August 1—31 | | | 37 | | |
| September 1—15 | | | 49 | | |
| September 16—30 | | | 30 | | |
| October 1—15 | | | 77 | | |
| October 16—31 | | | 58 | | |
| November 1—15 | | | 81 | | |
| November 16—30 | | | 77 | | |
| December 1—31 | | | 66 | | |
| Temperature (Final)* | | | Daily Average (MBTU/day) | | |
| January 1—31 | | | 6 | | |
| February 1—29 | | | 6 | | |
| March 1—31 | | | 30 | | |
| April 1—15 | | | 56 | | |
| April 16—30 | | | 85 | | |
| May 1—15 | | | 77 | | |
| May 16—30 | | | 142 | | |
| June 1—15 | | | 88 | | |
| June 16—30 | | | 107 | | |
| July 1—31 | | | 64 | | |
| August 1—15 | | | 39 | | |
| August 16—31 | | | 43 | | |
| September 1—15 | | | 65 | | |
| September 16—30 | | | 55 | | |
| October 1—15 | | | 40 | | |
| October 16—31 | | | 37 | | |
| November 1—15 | | | 33 | | |
| November 16—30 | | | 15 | | |
| December 1—31 | | | 6 | | |
| Fecal Coliform | | | 200/100ml as a geometric average | | |
| (05/01—09/30) | | | 6.0 to 9.0 standard units at all times | | |
| pH | | | | | |

XX—Monitor and report on monthly DMRs.

+—Total loading for Outfall 001 and 004.

#—See Special Condition No. 6.

*—See Special Condition Nos. 9, 10 and 11.

The proposed effluent limits for Outfall 002 based on a design flow of varies MGD.

| <i>Parameter</i> | <i>Loadings</i> | | | <i>Concentration</i> | |
|--------------------------|-------------------------------------|-----------------------------------|-----------------------------------|---------------------------------|---|
| | <i>Average Monthly (lb/day)</i> | <i>Maximum Daily (lb/day)</i> | <i>Average Monthly (mg/l)</i> | <i>Maximum Daily (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
| Flow (MGD) | XX | | | | |
| TSS | | | XX | | |
| TOC | | | XX | | |
| Ammonia as Nitrogen | | | XX | | |
| Nitrate-Nitrite Nitrogen | | | XX | | |
| Oil and Grease | | | 15 | | 30 |
| Aluminum | | | XX | | |
| Total Iron | | | XX | | |
| Manganese | | | XX | | |
| Zinc | | | XX | | |
| pH | | | XX | | |

XX—Monitor and report on monthly DMRs.

The proposed effluent limits for Outfall 004 based on a design flow of varies MGD.

| <i>Parameter</i> | <i>Loadings</i> | | | <i>Concentration</i> | |
|------------------|--|-----------------------------------|-----------------------------------|---------------------------------|---|
| | <i>Average Monthly (lb/day)</i> | <i>Maximum Daily (lb/day)</i> | <i>Average Monthly (mg/l)</i> | <i>Maximum Daily (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
| Flow (MGD) | XX | | | | |
| TSS | | | 30 | | 50 |
| Oil and Grease | | | 15 | | 30 |
| Total Iron # | 4.61+ | 9.22+ | 2 | 4 | 5 |
| Manganese | | | 1.0 | 2.0 | 2.5 |
| pH | Within limits of 6.0 to 9.0 standard units at all times. | | | | |

XX—Monitor and report on monthly DMRs.

+—Total Loading for Outfall 001 and 004.

#—See Special Condition No. 6.

The proposed effluent limits for Outfall 005 based on a design flow of varies MGD.

| <i>Parameter</i> | <i>Loadings</i> | | | <i>Concentration</i> | |
|--------------------------|-------------------------------------|-----------------------------------|-----------------------------------|---------------------------------|---|
| | <i>Average Monthly (lb/day)</i> | <i>Maximum Daily (lb/day)</i> | <i>Average Monthly (mg/l)</i> | <i>Maximum Daily (mg/l)</i> | <i>Instantaneous Maximum (mg/l)</i> |
| Flow (MGD) | XX | | | | |
| 5 Day CBOD | | | XX | | |
| TSS | | | XX | | |
| TOC | | | XX | | |
| Ammonia as Nitrogen | | | XX | | |
| Nitrate-Nitrite Nitrogen | | | XX | | |
| Aluminum | | | XX | | |
| Total Iron | | | XX | | |
| Manganese | | | XX | | |
| Copper | | | XX | | |
| Zinc | | | XX | | |
| pH | | | XX | | |

XX—Monitor and report on monthly DMRs.

The proposed effluent limits for Outfall 006 based on a design flow of varies MGD.

The proposed effluent limits for Outfall 007 based on a design flow of varies MGD.

The proposed effluent limits for Outfall 008 based on a design flow of varies MGD.

The proposed effluent limits for Outfall 009 based on a design flow of varies MGD.

The proposed effluent limits for Outfall 010 based on a design flow of varies MGD.

The proposed effluent limits for Outfall 011 based on a design flow of varies MGD.

The proposed effluent limits for Outfall 012 based on a design flow of varies MGD.

The proposed effluent limits for Outfall 013 based on a design flow of varies MGD.

The proposed effluent limits for Outfall 014 based on a design flow of varies MGD.

The proposed effluent limits for Outfall 031 based on a design flow of varies MGD.

The proposed effluent limits for Outfall 032 based on a design flow of varies MGD.

The proposed effluent limits for Outfall 033 based on a design flow of varies MGD.

The proposed effluent limits for Outfall 034 based on a design flow of varies MGD.

| Parameter | Loadings | | | Concentration | |
|--------------------------|-----------------------------|---------------------------|---------------------------|-------------------------|---------------------------------|
| | Average Monthly (lb/day) | Maximum Daily (lb/day) | Average Monthly (mg/l) | Maximum Daily (mg/l) | Instantaneous Maximum (mg/l) |
| Flow (MGD) | XX | | | | |
| TSS | | | XX | | |
| TOC | | | XX | | |
| Ammonia as Nitrogen | | | XX | | |
| Nitrate-Nitrite Nitrogen | | | XX | | |

| Parameter | Loadings | | | Concentration | |
|----------------|-----------------------------|---------------------------|---------------------------|-------------------------|---------------------------------|
| | Average Monthly (lb/day) | Maximum Daily (lb/day) | Average Monthly (mg/l) | Maximum Daily (mg/l) | Instantaneous Maximum (mg/l) |
| Oil and Grease | | | XX | | |
| Aluminum | | | XX | | |
| Total Iron | | | XX | | |
| Manganese | | | XX | | |
| Zinc | | | XX | | |
| pH | | | XX | | |

XX—Monitor and report on monthly DMRs.

The proposed effluent limits for Outfall 020 based on a design flow of varies MGD.

The proposed effluent limits for Outfall 022 based on a design flow of varies MGD.

| Parameter | Loadings | | | Concentration | |
|--------------------------|-----------------------------|---------------------------|---------------------------|-------------------------|---------------------------------|
| | Average Monthly (lb/day) | Maximum Daily (lb/day) | Average Monthly (mg/l) | Maximum Daily (mg/l) | Instantaneous Maximum (mg/l) |
| Flow (MGD) | XX | | | | |
| TSS | | | XX | | |
| TOC | | | XX | | |
| Ammonia as Nitrogen | | | XX | | |
| Nitrate-Nitrite Nitrogen | | | XX | | |
| Oil and Grease | | | XX | | |
| Aluminum | | | XX | | |
| Total Iron | | | XX | | |
| Manganese | | | XX | | |
| Copper | | | XX | | |
| Zinc | | | XX | | |
| pH | | | XX | | |

XX—Monitor and report on monthly DMRs.

The proposed effluent limits for Outfall 023 based on a design flow of varies MGD.

| Parameter | Loadings | | | Concentration | |
|--------------------------|-----------------------------|---------------------------|---------------------------|-------------------------|---------------------------------|
| | Average Monthly (lb/day) | Maximum Daily (lb/day) | Average Monthly (mg/l) | Maximum Daily (mg/l) | Instantaneous Maximum (mg/l) |
| Flow (MGD) | XX | | | | |
| TSS | | | XX | | |
| TOC | | | XX | | |
| Ammonia as Nitrogen | | | XX | | |
| Nitrate-Nitrite Nitrogen | | | XX | | |
| Oil and Grease | | | 15 | | 30 |
| Aluminum | | | XX | | |
| Total Iron | | | XX | | |
| Manganese | | | XX | | |
| Copper | | | XX | | |
| Zinc | | | XX | | |
| pH | | | XX | | |

XX—Monitor and report on monthly DMRs.

You may make an appointment to review the Department of Environmental Protection files on this case by calling the File Review Coordinator at 814-332-6340.

The EPA Waiver is not in effect.

III. WQM Industrial Waste and Sewerage Applications under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

WQM Permit No. WQG02090912, Sewerage, **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976. This proposed facility is located in Plumstead Township, **Bucks County**.

Description of Action/Activity: Construction and operation of a proposed sewer collection system, pump station and associated force main.

WQM Permit No. WQG02460913, Sewerage, **Franconia Sewer Authority**, 671 Allentown Road, P. O. Box 128, Franconia, PA 18924. This proposed facility is located in Franconia Township, **Montgomery County**.

Description of Action/Activity: Upgrade of an existing sanitary pump station with new sewage pumps.

WQM Permit No. 4609409, Sewerage, **Montgomery County Correctional Facility**, 60 Eagleville Road, Eagleville, PA 19403. This proposed facility is located in Lower Providence Township, **Montgomery County**.

Description of Action/Activity: Construction and operation of a sewage pump station to serve prison expansion.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 0109405, Sewerage, **Department of Defense, Raven Rock Mountain Complex**, 201 Beasley Drive, Suite 100, Fort Detrick, MD 21702-5029. This proposed facility is located in Liberty Township, **Adams County**.

Description of Proposed Action/Activity: Seeking approval for the replacement of tertiary treatment aqua cloth media filter at their existing treatment plant.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. 1009405, Sewerage, **Heron Ridge Development Company, LLC**, 108 Deer Lane, Harmony, PA, 16037. This proposed facility is located in Muddy Creek Township, **Butler County**.

Description of Proposed Action/Activity: This is a proposed sewage treatment plant and disposal facilities to serve the planned Heron Ridge Development. It will be designed to ultimately discharge up to 14,000 gallons per day of treated effluent.

IV. NPDES Applications for Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

V. Applications for NPDES Wavier Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4)

VI. NPDES Individual Permit Applications for Discharges of Stormwater Associated with Construction Activities

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|--|---------------|----------------------|---|
| PAI01 1509041 | DL Charlestown, LP 435 Devon Park Drive Suite 613 Wayne, PA 19087 | Chester | Charlestown Township | Pickering Creek HQ-TSF Valley Creek EV |

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Lehigh County Conservation District: Lehigh Agricultural Center, Suite 102, 4184 Dorney Park Road, Allentown, PA 18104, 610-391-9583.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|---|---------------|-------------------------|--|
| PAI023907006(1) | S/K Cetronia Associates, LP Attn.: Thomas Gough 520 US Hwy. 22 Bridgewater, NJ 08807 | Lehigh | Upper Macungie Township | Schaefer Run HQ-CWF, MF Iron Run HQ-CWF, MF |

Northampton County Conservation District: 14 Gracedale Ave., Greystone Bldg., Nazareth, PA 18064-9211, 610-746-1971.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|---|---------------|---------------------|------------------------------|
| PAI024809010 | Lehigh Northampton Airport Auth. Attn.: Brian J. Sinnwell 3311 Airport Rd. Allentown, PA 18109-3040 | Northampton | Forks Township | Bushkill Creek HQ-CWF, MF |

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|--|---------------|---------------------|--------------------------------|
| PAI032805005-R | Spring Valley, LLC John Hoover 2000 Powell Drive Chambersburg, PA 17201 | Franklin | Guilford Township | Falling Spring Creek HQ-CWF |
| PAI033609007 | Nancy Evans PPL Holtwod 2 North 9th Street (GENPL6) Allentown, PA 18101-1179 | Lancaster | Martic Township | Susquehanna River WWF |

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Westmoreland County Conservation District, 218 Donohoe Road, Greensburg, PA 15601, (724-837-5271).

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|--|---------------|---------------------|----------------------------|
| PAI056509008 | John F. Tierney Resort Homes P. O. Box 234 Stahlstown, PA 15687 | Westmoreland | Donegal Township | UNT to Camp Run EV |

VII. List of NOIs for NPDES and/or Other General Permit Types

| | |
|--------|---|
| PAG-12 | Concentrated Animal Feeding Operations (CAFOs) |
| PAG-13 | Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) |

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS FOR CONCENTRATED ANIMAL FEEDING OPERATIONS (CAFO)

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under the act of July 6, 2005 (Act 38 of 2005, 3 Pa.C.S. §§ 501–522) (hereinafter referred to as Act 38), and that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92. This notice is provided in accordance with 25 Pa. Code Chapter 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1–691.1001) and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC), or County Conservation Districts (CCD) working under a delegation agreement with the SCC, have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at www.pacd.org/districts/directory.htm or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30 days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based.

The address for the SCC is Agriculture Building, Room 407, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

NUTRIENT MANAGEMENT PLAN—PUBLIC NOTICE SPREADSHEET—APPLICATIONS

| <i>Agricultural Operation Name and Address</i> | <i>County</i> | <i>Total Acres</i> | <i>Animal Equivalent Units</i> | <i>Animal Type</i> | <i>Special Protection Waters (HQ or EV or NA)</i> | <i>Renewal/New</i> |
|--|---------------|--------------------|--------------------------------|--------------------|---|--------------------|
| Royce Heckman 10345 Etter Avenue Mercersburg, PA 17236 | Franklin | 2 | 288.41 | swine | NA | Renewal |

PUBLIC WATER SUPPLY (PWS) PERMIT

Under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17), the following parties have applied for a PWS permit to construct or substantially modify a public water system.

Persons wishing to comment on a permit application are invited to submit a statement to the office listed before the application within 30 days of this public notice. Comments received within the 30-day comment period will be considered in the formulation of the final determinations regarding the application. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (Department) of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and any related documents are on file at the office listed before the application and are available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability who require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Application No. 5209503, Public Water Supply.

| | |
|---------------------------|---|
| Applicant | Aqua Pennsylvania, Inc. |
| Township or Borough | Palmyra Township Pike County |
| Responsible Official | Roswell S. McMullen, P. E. Manager Projects & Development Aqua PA, Inc. 1775 North Main Street Honesdale, PA 18431 |
| Type of Facility | Community Water Supply |
| Consulting Engineer | Douglas E. Berg, P. E. Entech Engineering, Inc. 4 South 4th Street P. O. Box 32 Reading, PA 19603 610-373-6667 |
| Application Received Date | November 12, 2009 |

| | |
|-----------------------|--|
| Description of Action | Application for a new well and associated chemical treatment facilities to serve the Tanglewood Lakes development. |
|-----------------------|--|

WATER ALLOCATIONS

Applications received under the Act of June 24, 1939 (P. L. 842, No. 365) (35 P. S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17101.

WA 36-1034, Water Allocations. Northwest Lancaster County Authority, Lancaster County. The applicant is requesting the right to purchase up to 25,000 gallons per day from Lancaster City Water Authority through an interconnection to be constructed in Penn Township, Lancaster County, Consulting Engineer: Mark Homan, Date Application Received: 10/27/2009.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the Background Standard, Statewide Health Standard, the Site-Specific Standard or who intend to remediate a site as a special industrial area must file a Notice of Intent to Remediate with the Department. A Notice of Intent to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site and a description of the intended future use of the site. A person who demonstrates attainment of one, a combination of the cleanup standards or who receives approval of a special industrial area remediation identified under the act will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under sections 304(n)(1)(ii) and 305(c)(2) of the act, there is a 30-day public and municipal comment period for sites proposed for remediation using a Site-Specific Standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the Notice of Intent to Remediate is published in a newspaper of general circulation in the area of the site. For the sites identified, proposed for remediation to a Site-Specific Standard or as a special industrial area, the municipality within which the site is located may

request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30 days of the date specified. During this comment period, the municipality may request that the person identified as the remediator of the site develop and implement a public involvement plan. Requests to be involved and comments should be directed to the remediator of the site.

For further information concerning the content of a Notice of Intent to Remediate, contact the environmental cleanup program manager in the Department regional office before which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the community relations coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following Notices of Intent to Remediate:

Northeast Region: Ronald S. Brezinski, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Packerton Yards, Packerton Hollow Road & Route 209, Mahoning Township, **Carbon County**. Vincent Carbone and James Koval, HDR Engineering, Inc., 1720 Spillman Drive, Bethlehem, PA 18015 have submitted a Notice of Intent to Remediate (on behalf of their client, Carbon County Office of Economic Development, P. O. Box 291, Jim Thorpe, PA 18229), concerning the remediation of soil found to have been impacted by lead, arsenic, selenium, and benzo (a) pyrene. The applicant proposes to remediate the site to meet the Statewide Health and the Site-Specific Standards. The intended future use of the northern portion of the property is commercial, and the intended future use of the southern portion of the property is greenspace and commercial. A summary of the Notice of Intent to Remediate is expected to be published in a local newspaper serving the general area sometime in the near future.

Wenner Property, 824—826 Washington Street, Freeland Borough, **Luzerne County**. Donald A. Coleman, P.G., Marshall Miller & Associates, Inc., 3913 Hartzdale Drive, Suite 1306, Camp Hill, PA 17011 has submitted a Notice of Intent to Remediate (on behalf of his client, Ken Wenner, 588 Pond Creek Road, White Haven, PA 18224), concerning the remediation of soil found to have been impacted by No. 2 fuel oil as a result of a release from a 275-gallon aboveground storage tank. The applicant proposes to remediate the site to meet the Statewide Health Standard. A summary of the Notice of Intent to Remediate is expected to be published in a local newspaper serving the general area sometime in the near future.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Worley & Obetz, Inc. / Kathleen Klawitter Residence, Lower Swatara Township, **Dauphin County**. Patriot Environmental Management, LLC, P. O. Box 629, Douglassville, PA 19518, on behalf of Preferred Realty Management, 26 South Market Street, Elizabethtown, PA 17022-2307 and Worley & Obetz, Inc., P. O. Box 429, Manheim, PA 17545, submitted a Notice of Intent to Remediate site soils contaminated with No. 2 fuel oil released from an aboveground storage tank. The site will be remediated to the Residential Statewide Health Standard and will remain a residence.

Defense National Stockpile Center Marietta Depot, East Donegal Township, **Lancaster County**. Gannett Fleming, Inc., 207 Senate Avenue, Camp Hill, PA 17011, on behalf of US Army Corps of Engineers, 600 Dr. Martin Luther King Place, Louisville, KY 40202; PARS Environmental, Inc., 6A South Gold Drive, Robbinsville, NJ 08691; and the Defense National Stockpile Center, 8725 John J. Kingman Road, Suite 3229, Fort Belvoir, VA 22060-6223, submitted a Notice of Intent to Remediate site soils, groundwater, and surface water contaminated with metals. The site will be remediated to a Nonresidential Statewide Health Standard, and the future use of the site will be commercial/industrial.

Ridgewood Manor, Lot 39 Kerosene Release, Rapho Township, **Lancaster County**. GemChem, Inc., 53 North Cedar Street, P. O. Box 384, Lititz, PA 17543, on behalf of Ridgewood Manor, Inc., 95 Breneman Road, Manheim, PA 17545, submitted a Notice of Intent to Remediate site soils contaminated with kerosene released from an aboveground storage tank. The site will be remediated to a Residential Statewide Health Standard and will remain residential.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Pittsburgh Flatroll, Former, 77 31st Street, City of Pittsburgh, **Allegheny County**. KU Resources, 22 South Linden Avenue, Duquesne, PA 15110 on behalf of Industrial Business Brokers, 102 Lakeland Drive, Mars, PA 16046 has submitted a Notice of Intent to Remediate. Groundwater exceeded nonresidential, used aquifer MSCs for poly aromatic hydrocarbons. Concentrations of inorganics in groundwater exceeded the secondary maximum contaminant levels for aluminum, iron and manganese. The consultant will prepare a risk assessment to evaluate potential risks in regards to the property being used for nonresidential purposes. The NIR was published in the *Tribune-Review* on November 11, 2009.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Penn Cambria Elementary School, 400 Main Street, Borough of Lilly, **Cambria County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601 on behalf of Penn Cambria School District, Dave Beck, 201 Sixth Street, Cresson, PA 16630 has submitted a Notice of Intent to Remediate. During removal of a hydraulic elevator shaft, hydraulic oil was present on top of the groundwater. Potential contaminants of concern include benzene, naphthalene and other poly-aromatic hydrocarbons. The intended future use of the Site will continue to be utilized as an elementary school. The applicant intends to remediate the groundwater to a Residential Statewide Health Standard.

DETERMINATION FOR APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) for Determination of Applicability Received under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

General Permit Application No. WMGR081D018. E-Waste Experts, Inc., 416 Green Lane, Bristol, PA 19007-4001.

The Department of Environmental Protection (Department), Bureau of Waste Management has received an application for a determination of applicability under the Residual Waste General Permit numbered WMGR081. The general permit WMGR081D018 is for the processing (that is, sizing, shaping, separating, and volume reduction only) of e-waste (that is, damaged, obsolete, and/or reusable electronic devices) for either reuse or recycling generated at the Green Lane facility, located in Bristol Borough, **Bucks County**. The Department determined the application to be administratively complete on December 15, 2009.

Persons interested in obtaining more information about the general permit application may contact Ronald C. Hassinger, Chief, General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Land Recycling and Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472 at (717) 787-7381. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) accepted under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit Application No. 101243. Northern Tier Solid Waste Authority, P. O. Box 10, Burlington, PA 1884, West Burlington Township, **Bradford County**. An application for the construction of a leachate collection impoundment and an increase in daily and monthly volume was submitted to the Northcentral Regional Office. A Local Municipal Involvement Process meeting was held on December 10, 2009.

Comments concerning the application should be directed to Lisa Houser, P. E., Facilities Manager, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Persons interested in obtaining more information about the permit application may contact the Williamsport Regional Office, Telephone 570-327-3740. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, 800-654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Permit Application No. 101649. Phoenix Resources, Inc., 782 Antrim Road, Wellsboro, PA 16901, Duncan Township, **Tioga County**. A minor modification application for an extension of leachate transportation was submitted to the Northcentral Regional Office on November 30, 2009.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

NEW SOURCES AND MODIFICATIONS

The Department of Environmental Protection (Department) has developed an "integrated" plan approval, State operating permit and Title V operating permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the public. This approach allows the owner or operator of a facility to complete and submit all the permitting documents relevant to its application one time, affords an opportunity for public input and provides for sequential issuance of the necessary permits.

The Department has received applications for plan approvals and/or operating permits from the following facilities.

Copies of the applications, subsequently prepared draft permits, review summaries and other support materials are available for review in the regional office identified in this notice. Persons interested in reviewing the application files should contact the appropriate regional office to schedule an appointment.

Persons wishing to receive a copy of a proposed plan approval or operating permit must indicate their interest to the Department regional office within 30 days of the date of this notice and must file protests or comments on a proposed plan approval or operating permit within 30 days of the Department providing a copy of the proposed document to that person or within 30 days of its publication in the *Pennsylvania Bulletin*, whichever comes first. Interested persons may also request that a hearing be held concerning the proposed plan approval and operating permit. Comments or protests filed with the Department regional offices must include a concise statement of the objections to the issuance of the Plan approval or operating permit and relevant facts which serve as the basis for the objections. If the Department schedules a hearing, a notice will be published in the *Pennsylvania Bulletin* at least 30 days prior the date of the hearing.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the regional office identified before the application. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Final plan approvals and operating permits will contain terms and conditions to ensure that the source is constructed and operating in compliance with applicable requirements in 25 Pa. Code Chapters 121—143, the Federal Clean Air Act (act) and regulations adopted under the act.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790. Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507.

66-315-056: Procter & Gamble Paper Products Co. (P. O. Box 32, Mehoopany, PA 18629-0032) for replacement of the 7M headbox at their facility in Washington Township, **Wyoming County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481. Contact: Mark Gorog, New Source Review Chief—Telephone: 814-332-6940.

37-121A: Flowline Division of Markovitz Enterprises, Inc. (1400 New Butler Road, P. O. Box 7027, New Castle, PA 16107-7027) for a plan approval to replace existing vapor degreaser unit at their facility in Shenango Township, **Lawrence County**.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790. Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507.

35-328-003: PEI Power Corp. (P. O. Box 157, Archbald, PA 18403-0157) for installation of two (2) landfill gas fired simple cycle turbines. NOx emissions will be no greater than 22ppm for each turbine in Archbald Borough, **Lackawanna County**. Combined NOx emissions from both turbines will be less than 38.8 TPY. PEI Power Corp. is a major facility subject to Title V permitting requirements. The company currently has a Title V Permit 35-00002. The plan approval will include all appropriate monitoring, recordkeeping, and reporting requirements designed to keep the furnaces operating within all applicable air quality requirements. The Plan Approval will, in accordance with 25 Pa. Code § 27.450, be incorporated into the Title V Operating Permit through an administrative amendment at a later date. For further details, contact Ray Kempa at (570) 826-2511 within 30 days after publication date.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701. Contact: David Aldenderfer, Program Manager—Telephone: 570-327-3637.

47-00014A: United States Gypsum Co. (60 PPL Road, Danville, PA 17821) for a plan approval application for a change in method of operation which constitutes a modification on the kiln associated with source ID P114 in **Montour County**. The respective facility is a major (Title V) facility for carbon monoxide and PM-10 and will be required to obtain a Title V operating permit.

The Department of Environmental Protection's (Department) review of the information contained in the application indicates that the change in method of operation to allow use of a mold-resistant additive in the manufacturing process should comply with all applicable air quality regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, the Department intends to issue a plan approval for the modification to the kiln.

All applicable regulatory requirements relating to fugitive, visible, and malodorous emissions standards and additional requirements regarding malfunctions, testing, monitoring, recordkeeping, and reporting have been included in the proposed plan approval. In addition to the

above requirements, the following is a list of conditions that the Department proposes to place in the plan approval to ensure compliance with all applicable regulatory requirements:

1. Pursuant to best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the total particulate matter emissions (filterable and condensable) from the kiln associated with source ID P114 shall not exceed the following limitations: 0.022 pound per million Btu of heat input at any time the kiln is drying any type of wallboard, except a type of mold-resistant wallboard, 0.113 pound per million Btu of heat input at any time the kiln is drying a type of mold-resistant wallboard, 8.45 tons in any 12 consecutive month period drying a type of mold-resistant wallboard and 28.44 tons in any 12 consecutive month period drying any type of wallboard. The Department may revise the limit based upon stack test results.

2. Pursuant to best available technology requirements of 25 Pa. Code § 127.1 and 127.12, the volatile organic compound emissions from the kiln associated with source ID P114 shall not exceed the following limitations: 0.0276 pound per million Btu of heat input at any time the kiln is drying any type of wallboard, except a type of mold-resistant wallboard, 0.0954 pound per million Btu of heat input at any time the kiln is drying a type of mold-resistant wallboard, 7.15 tons in any 12 consecutive month period drying a type of mold-resistant wallboard and 32.25 tons in any 12 consecutive month period drying any type of wallboard. The Department may revise the limit based upon stack test results.

3. Pursuant to best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the formaldehyde emissions from the kiln associated with source ID P114 shall not exceed the following limitations: 0.0071 pound per million Btu of heat input at any time the kiln is drying any type of wallboard, except a type of mold-resistant wallboard, 0.0173 pound per million Btu of heat input at any time the kiln is drying a type of mold-resistant wallboard, 1.30 tons in any 12 consecutive month period drying a type of mold-resistant wallboard and 7.73 tons in any 12 consecutive month period drying any type of wallboard. The Department may revise the limit based upon stack test results.

4. Pursuant to best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the hazardous air pollutant emissions from the kiln associated with source ID P114 shall not exceed 9.39 tons in any 12 consecutive month period. The Department may revise the limit based upon stack test results.

5. Pursuant to 25 Pa. Code § 127.12b, not later than 180 days from the issuance date of plan approval 47-00014A, stack testing shall be performed to determine the particulate matter (including PM-10) emissions rate (in grains per dry standard cubic foot and pound per million Btu of heat input) in the exhaust of the kiln associated with source ID P114 while the kiln is drying a type of mold-resistant wallboard, and operating at its normal maximum process rate. Stack testing shall also be performed to determine the nitrogen oxides, carbon monoxide, volatile organic compound, and formaldehyde emissions (in units of pound per hour and pounds per million Btu of heat input) at the same conditions specified above. All testing shall be performed using test procedures acceptable to the Department and in accordance with the provisions of 25 Pa. Code Chapter 139.

6. Pursuant to 25 Pa. Code § 127.12b, the permittee shall maintain accurate and comprehensive records of the

following information: the identity, quantity (pounds), volatile organic compound content (pounds per gallon) and hazardous air pollutant content (pounds per gallon) of the chain lube oil used in the kiln associated with source ID P114 each month, the identity, quantity (pounds), volatile organic compound content (percent by weight) and hazardous air pollutant content (percent by weight) of the soap used in the kiln associated with source ID P114 each month, the identity, quantity (pounds), volatile organic compound content (percent by weight) and hazardous air pollutant content (percent by weight) of the waste water used in the kiln associated with source ID P114 each month, the identity of the wallboard including thickness, and its duration of time processed through the kiln associated with source ID P114 (including initial date of production run and end date of production run), the amount of natural gas used in the kiln associated with source ID P114 for each duration that is recorded pursuant to item 4 of this condition. (b) All records generated pursuant to this condition shall be retained for at least 5 years and shall be made available to the Department upon request.

7. Pursuant to 25 Pa. Code § 127.12b, the permittee shall submit semi-annual reports to the Department listing the following for the kiln associated with source ID P114: the identity, quantity (pounds), volatile organic compound content (pounds per gallon) and hazardous air pollutant content (pounds per gallon) of the chain lube oil used in the kiln associated with source ID P114 each month, the identity, quantity (pounds), volatile organic compound content (percent by weight) and hazardous air pollutant content (percent by weight) of the soap used in the kiln associated with source ID P114 each month, the identity, quantity (pounds), volatile organic compound content (percent by weight) and hazardous air pollutant content (percent by weight) of the waste water used in the kiln associated with source ID P114 each month, the identity of the wallboard including thickness, and its duration of time processed through the kiln associated with source ID P114 (including initial date of production run and end date of production run), the amount of natural gas used in the kiln associated with source ID P114 for each duration that is reported pursuant to item 4 of this condition. (b) The semi-annual reports shall be submitted to the Department no later than March 1 (for January 1 through December 31 of the previous year) and September 1 (for July 1 of the previous year through June 30 of the concurrent year).

8. Pursuant to 25 Pa. Code § 127.12b, the kiln associated with source ID P114 shall not simultaneously process a type of mold-resistant wallboard and a type of non-mold-resistant wallboard at the same time.

9. Pursuant to best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the quantity of the mold-resistant raw material, as identified in plan approval 47-00014A application, used in the manufacturing process at the facility shall not exceed 1,300,000 pounds in any 12 consecutive month period and 1,800 pounds in any 60 consecutive minute period.

10. Pursuant to 25 Pa. Code § 127.12b, at least 60 days prior to the performance of any testing required herein, the permittee shall submit two (2) copies of a pretest protocol to the Department for review in accordance with the provisions of 25 Pa. Code Chapter 139. The protocol shall describe the test methods and procedure to be used in the performance of testing, and shall include dimensioned sketches of the exhaust system showing the locations of all proposed sampling ports. The protocol

shall also describe how the process rate and heat input will be determined during each test run and also identify all other process data which will be monitored and recorded during testing.

11. Pursuant to 25 Pa. Code § 127.12b, the Department shall be given at least 15 days advance notice of the scheduled dates for the performance of any testing required herein. The Department is under no obligation to accept the results of any testing performed without receipt of proper notification.

12. Pursuant to 25 Pa. Code § 127.12b, within 60 days of the completion of any stack testing required herein, two copies of a test report shall be submitted to the Department in accordance with the provision of 25 Pa. Code Chapter 139. This test report shall contain the results of the testing, a description of the test methods and procedures actually used in the performance of the tests, copies of all process data collected during the testing, copies of all raw test data and copies of all calculations generated during data analysis. The results of the testing shall be expressed in units which allow for a direct comparison and determination of compliance, with the air contaminant emissions limitations contained herein.

13. Pursuant to 25 Pa. Code § 127.12b, the permittee shall continuously monitor the usage of mold-resistant additive in accordance with, and by the equipment described in plan approval application 47-00014A and supplementary information.

14. Pursuant to 25 Pa. Code § 127.12b, the permittee shall monitor any change in raw material used in the manufacturing process by the material assessment program described in plan approval application 47-00014A and supplementary information. A change would constitute as, but may not be limited to, any change in the amount of existing raw materials used in the manufacturing process, replacement of a raw material, and addition of any new raw material used in manufacturing process.

15. Pursuant to 25 Pa. Code § 127.12b, (a) the permittee shall maintain accurate and comprehensive records that justify any change, as identified herein, in the raw materials used to manufacture any type of wallboard were monitored through the material assessment program, as described in plan approval 47-00014A application and supplementary information. (b) All records generated pursuant to this condition shall be retained for at least 5 years and shall be made available to the Department upon request.

16. Pursuant to 25 Pa. Code § 127.12b, the recordkeeping requirement listed in item 17 does not preclude any applicable requirement to the permittee including 25 Pa. Code § 127.11.

17. Pursuant to 25 Pa. Code § 127.12b, (a) the permittee shall maintain accurate and comprehensive records of the identity, quantity (pounds), volatile organic compound content (pounds per gallon) and hazardous air pollutant content (pounds per gallon) of the mold-resistant raw material used in the manufacturing process each minute, each month, rolling 60-consecutive minute totals, and rolling 12-consecutive month totals. (b) All records generated pursuant to this condition shall be retained for at least 5 years and shall be made available to the Department upon request.

18. Pursuant to 25 Pa. Code § 127.12b, (a) the permittee shall maintain accurate and comprehensive records of the monthly calibrations on the equipment to monitor the usage of mold-resistant raw material. The record shall

include the name of the company representative performing the calibration, the date and time of calibration, the measurements and calculations generated from the calibration, the associated manufacturer's specifications and parameters, and the name of the manager informed and description of corrective action(s) if calibration measurements warrant any. The permittee shall also record all error messages displayed on the monitoring equipment and description of the corrective action(s) taken to abate each recorded error message. (b) All records generated pursuant to this condition shall be retained for at least 5 years and shall be made available to the Department upon request.

19. Pursuant to 25 Pa. Code § 127.12b, (a) the permittee shall submit semi-annual reports to the Department listing the identity, quantity (pounds), volatile organic compound content (pounds per gallon) and hazardous air pollutant content (pounds per gallon) of the mold-resistant raw material used in the manufacturing process each minute, each month, rolling 60-consecutive minute totals, and rolling 12-consecutive month totals. (b) The semi-annual reports shall be submitted to the Department no later than March 1 (for January 1 through December 31 of the previous year) and September 1 (for July 1 of the previous year through June 30 of the concurrent year).

20. Pursuant to 25 Pa. Code § 127.12b, the permittee shall conduct monthly calibrations on the equipment to monitor the usage of mold-resistant additive in accordance with the manufacturer's specifications, and plan approval application 47-00014A and supplementary information.

21. Pursuant to 25 Pa. Code § 127.12b, all conditions of Plan Approvals 47-309-001 and 47-309-001A remain unchanged and in effect unless superseded or amended by a condition contained herein. If there is a conflict between a condition contained in Plan Approvals 47-309-001 or 47-309-001A and a condition contained herein, the permittee shall comply with the condition contained herein rather than with the conflicting condition contained in Plan Approvals 47-309-001 or 47-309-001A.

A copy of the plan approval application is available for public review between 8 a.m. and 4 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at 570-327-3693. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Manager, Facilities Permitting Section, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-0512.

18-00007B: Brodart Co. (500 Arch Street, Williamsport, PA 17701) for construction and operation of a new paint booth at the Brodart McElhattan Furniture facility in Wayne Township, **Clinton County**. This facility, following the construction of the proposed paint booth, will remain as a major facility for volatile organic compound (VOC) emissions. The proposed paint booth is subject to the Best Available Technology (BAT) requirements of 25 Pa. Code §§ 127.1 and 127.12. The proposed paint booth is also subject to the requirements of 25 Pa. Code § 129.52, 25 Pa. Code §§ 129.101—129.107, and 40 CFR Part 63, Subpart JJ (National Emission Standards for Wood Furniture Manufacturing Operations). The proposed paint booth is subject to the requirements of 40 CFR Part 63, Subpart JJ (National Emission Standards for Wood Furniture Manufacturing Operations), sections

63.800—63.808. The proposed paint booth will emit up to 30 tons of VOCs and four (4) tons of particulate matter in any 12 consecutive month period. The particulate matter emissions from the proposed paint booth shall be controlled by booth filters.

The Department of Environmental Protection's (Department) review of the information provided by Brodart indicates that the sources at the facility will comply with all air quality requirements, including the best available technology (BAT) requirements of 25 Pa. Code §§ 127.1 and 127.12, pertaining to air contamination sources and the emission of air contaminants. Based on this finding, the Department intends to issue a plan approval for the proposed construction and operation of the sources and control devices. Additionally, if the Department determines that the proposed sources and the air cleaning devices are operating in compliance with the plan approval conditions, the conditions established in the plan approval will be incorporated into the Title V operating permit via an administrative amendment under 25 Pa. Code § 127.450.

The following is a summary of the conditions that the Department proposes to place in the plan approval to ensure compliance with all applicable regulatory requirements.

1. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the emission of volatile organic compounds (VOCs) from Booth #10A shall not exceed 30 tons in any 12 consecutive month period.

2. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, no person may permit the emission of particulate matter from Booth #10A into the outdoor atmosphere in a manner that the concentration in the effluent gas exceeds 0.01 grain per dry standard cubic foot. Compliance with the requirement specified in this streamlined permit condition assures compliance with the provision in 25 Pa. Code § 123.13.

3. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, Booth #10A shall be equipped with instrumentation to monitor the differential pressure across the filters and the actual differential pressure shall be displayed on a continuous basis.

4. The permittee shall keep records of the supporting calculations on a monthly basis for VOC emissions from Booth #10A and shall verify compliance with the VOC emission limitation in any 12 consecutive month period. The records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

5. The permittee shall keep comprehensive and accurate records of the following for Booth #10A: a record of each batch of coating mixed for application in Source ID P210A, specifying the identity and amount of each coating and coating additive used for each batch, as well as material content calculations; the identity and amount of each individual coating and coating additive used each month in Booth #10A; and product composition sheets for all coatings and coating additives used in Booth #10A, showing, at a minimum, the amount of volatile organic compounds and the amount of each individual hazardous air pollutant contained in each of the coatings and coating additives. These records shall be retained for a minimum of 5 years and shall be made available to the Department upon request.

6. The permittee shall submit reports to the Department on a semi-annual basis that include the supporting calculations to verify compliance with VOC emission limitation for Booth #10A in any 12 consecutive month period. The semi-annual reports shall be submitted to the Department no later than March 1 (for January 1 through December 31 of the previous year) and September 1 (for July 1 of the previous year through June 30 of the current year).

7. The permittee shall submit reports to the Department on a semi-annual basis which include the identity and amount of each individual coating and coating additive used each month in Booth #10A. The semi-annual reports shall be submitted to the Department no later than March 1 (for January 1 through December 31 of the previous year) and September 1 (for July 1 of the previous year through June 30 of the current year).

8. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the permittee shall not operate Booth #10A without a full set of booth filters. The particulate matter emissions from Booth #10A shall be controlled by the booth filters.

9. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the permittee shall apply all coating or finishing material in Booth #10A via hand application with a rag or brush, high volume low pressure (HVLP) spray technology, AIRMIX® spray guns, or UV coating technology, unless prior approval has been granted by the Department to utilize an alternate technology.

10. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, Booth #10A is a Makor model K-ONE 1300 booth (or equivalent, as determined by the Department). The booth filters consists of Chemico dry filters associated with Booth #10A (or equivalent, as determined by the Department).

11. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, Booth #10A is subject to 25 Pa. Code § 129.52. The permittee shall comply with all applicable requirements specified in 25 Pa. Code § 129.52.

12. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, Booth #10A is subject to 25 Pa. Code §§ 129.101—129.107. The permittee shall comply with all applicable requirements specified in 25 Pa. Code §§ 129.101—129.107.

13. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, Booth #10A is subject to 40 CFR Part 63, Subpart JJ (National Emission Standards for Wood Furniture Manufacturing Operations). The permittee shall comply with all applicable requirements specified in 40 CFR 63.800 through 63.808.

14. All conditions contained in Title V operating permit TVOP 18-00007 remain in effect unless superseded or amended by conditions contained in this plan approval. If there is a conflict between a condition contained in this plan approval and a condition contained in Title V operating permit TVOP 18-00007, the permittee shall comply with the condition contained in this plan approval.

A copy of the plan approval application and the Department's review is available for public review between 8 a.m. and 4 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at 570-327-3693.

Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Manager, Facilities Permitting Section, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-0512.

14-00005B: Department of Corrections (Box A, Bellefonte, PA 16823) has submitted an application (#14-00005B) to the Department of Environmental Protection (Department) for plan approval to install a fabric collector to control the air contaminant emissions from the (3) existing coal-fired boilers (Source IDs 031, 032 and 033) at their Rockview State Correctional Institution located in Benner Township, **Centre County**. The respective facility is a major facility for which a Title V operating permit 14-00005 has been issued.

The Department's review of the information submitted by the Department of Corrections indicates that the installation of the fabric collector will meet all applicable air quality regulatory requirements pertaining to air contamination sources and the emission of air contaminants. Based on these findings, the Department intends to approve the application and issue plan approval for the installation of the fabric collector. Additionally, if the Department determines that the fabric collector associated with Source IDs 031, 032 and 033 are operating in compliance with all plan approval conditions, the conditions established in the plan approval will be incorporated into Title V operating permit #14-00005 via an administrative amendment pursuant to 25 Pa. Code § 127.450.

The following is a summary of the conditions that the Department proposes to place in the plan approval to be issued to ensure compliance with all applicable regulatory requirements:

1. All conditions as specified in Title V operating permit #14-00005 shall remain in effect unless superseded or amend by a condition contained herein. If there is a conflict between a condition contained in the Title V operating permit #14-00005 and a condition contained herein, the permittee shall comply with the condition contained herein rather than the conflicting condition contained in the Title V operating permit #14-00005.

2. Pursuant to the requirements of 25 Pa. Code § 123.11, ID C001 associated with Source IDs 031, 032 and 033 shall not emit particulate matter in excess of the rate of 0.40 pound per million Btu of heat input.

3. The permittee shall keep on hand a sufficient quantity of spare fabric collector bags for ID C001, in order to be able to immediately replace any bags requiring replacement due to deterioration.

4. ID C001 shall be equipped with instrumentation to monitor the pressure drop and inlet temperature for each module of the fabric collector on a continuous basis.

5. ID C001 shall be equipped with broken bags detectors in the exhaust for each module of the fabric collector.

6. The permittee shall not operate Source IDs 031, 032 and 033 without the simultaneous operation of C001. The particulate matter emissions from Source IDs 031, 032 and 033 shall be controlled by ID C001.

7. The handling and storage of the material collected in C001 associated with Source IDs 031, 032 and 033 shall not at any time result in the emission of fugitive air contaminants in excess of the limitations specified in 25 Pa. Code § 123.1.

8. The compressed air supplied to ID C001 shall be equipped with an air dryer and oil trap.

9. The permittee shall perform EPA reference method particulate matter stack tests from the exhaust of ID C001 associated with Source IDs 031, 032 and 033 within 90 days from the installation of C001 to demonstrate compliance with the particulate matter emission limitation. The permittee shall perform opacity readings at the exhaust of ID C001 during the stack tests in accordance with EPA Method 9 to demonstrate compliance with the opacity limitation. All testing is to be done while Source IDs 031, 032 and 033 are operating at their maximum rate and using reference method test procedures acceptable to the Department.

10. At least sixty (60) days prior to the performance of any stack testing required by this permit, the permittee shall submit two (2) copies of a pretest protocol to the Department for review. This protocol shall contain a description of the proposed test methods and procedures and shall include dimensioned drawings or sketches showing the sampling port locations. This protocol shall also identify all air contaminant source and air cleaning device operating parameters to be monitored and recorded during the testing. The Department shall be given at least fourteen (14) days advance notice of the actual date(s) and time(s) on which testing will occur so that Department personnel can arrange to be present during testing. The Department is under no obligation to accept the results of any testing performed without proper prior notification having been given. Within sixty (60) days of the completion of any stack testing required by this permit, the permittee shall submit two (2) copies of a test report to the Department. This report shall contain the results of the testing, a description of the test methods and procedures actually used for the performance of the testing, copies of all raw data, copies of all process data and control device operating data collected during the testing and a copy of all calculations generated during data analysis.

A copy of the plan approval application is available for public review between 8 a.m. and 4 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at 570-327-3693. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Chief, Facilities Permitting Section, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-0512.

18-00028A: Truck-Lite Co., Inc. (P. O. Box 329, 786 McElhattan Road, McElhattan, PA 17748) for construction of a surface coating operation and a burn off oven in Wayne Township, **Clinton County**.

The Department of Environmental Protection's (Department) review of the information submitted by Truck-Lite Co., Inc. indicates that the air contamination sources to be constructed will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the particulate matter emission limitation of 25 Pa. Code § 123.13, the sulfur oxides limitation of 25 Pa. Code § 121.21, the visible emission limitation of 25 Pa. Code § 123.41 and the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the proposed construction.

The emissions from the surface coating operation and burn off oven will not exceed 3.88 tons of PM10, 6.86 tons of volatile organic compounds and 1.88 tons of acetone per year. The total combined emission from all sources at this facility will not exceed the following limits in any 12 consecutive month period: NO_x-0.63 tons; CO-0.27 tons; VOCs-6.86 tons; PM10-3.88 ton.

In addition to the emission limitations, the following is a summary of the types of conditions the Department intends place in the plan approval to ensure compliance with all applicable regulatory requirements including the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12.

Emission and material usage restrictions to limit the emission of PM10, volatile organic compounds and acetone.

Work practice requirements to install and operate the source and control device with good air pollution control practices.

Recordkeeping conditions to verify compliance with the emission limitations and all applicable requirements.

A copy of the plan approval application and the Department's review is available for public review between 8 a.m. and 4 p.m. at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at 570-327-3693. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Manager, Facilities Permitting Section, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-0512.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110. Contact: William R. Weaver, New Source Review Chief—Telephone: 717-705-4702.

21-05005: Department of Corrections—Camp Hill State Correctional Institute (P. O. Box 598, Camp Hill, PA 17001-0598) for coal and oil fired boilers and oil fired engine generators in Lower Allen Township, **Cumberland County**. This is a renewal of Title V operating permit issued in May 2005.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481. Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

16-00128: County Environmental Services, Inc.—County Landfill, Inc. (P. O. Box 237, Leeper, PA 16233-0237) to re-issue a Title V Permit to operate the landfill gas collection and control system at this now closed municipal waste landfill in Farmington Borough, **Clarion County**. This is a major facility due to its potential to emit VOC emissions from the landfill gas.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19428. Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00102: Clean Earth of Southeast PA, Inc. (7 East Steel Road, Morrisville, PA 19067) for operation of their facility in Falls Township, **Bucks County**. This action is a renewal of the permit for a non-Title V (Synthetic Minor) facility. The facility operates a soil remediation process. There are no proposed changes to equipment or operating conditions. The permit will continue to include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790. Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507.

35-00044: Steamtown National Historic Site (150 S Washington Ave, Scranton, PA 18503-2018) for operation of two boilers at the facility located in the City of Scranton, **Lackawanna County**. This is a renewal of a State-Only Operating Permit.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481. Contact: Matthew Williams, New Source Review Chief—Telephone: 814-332-6940.

25-01022: Troyer, Inc. (817 Route 97 South, Waterford, PA 16441), for an initial Natural Minor Permit to operate a fried snack manufacturing facility in Waterford Township, **Erie County**. The facility's major emission sources include boiler, Heat & Control Inc., boiler, Weil Mclain, boiler, Bryan, continuous chip fryer, two kettle cookers and hot air popper. The facility is natural minor because the emissions of the pollutants from the facility are less than Title V emission threshold limits.

37-00322: Joseph A. Tomon Jr. Funeral Home and Crematory (97 Grin Avenue, P. O. Box 188, Ellwood City, PA 16117-2303), the Department intends to re-issue the Natural Minor Operating Permit for the crematory operations facility located in Ellport Borough, **Lawrence County**.

42-00196: Catalyst Energy Swamp Angel Compressor Station (800 Cranberry Woods Dr., Suite 290, Cranberry Township, PA 16066-5211), to issue a renewal State Only Operating Permit for the natural gas stripping plant located in Lafayette Township, **McKean County**. The facility is a Natural Minor. The primary sources at the facility include an inlet compressor (1265 HP), an electrically driven industrial refrigeration plant, and ethylene glycol dehydration unit. The facility is subject to 40 CFR Part 60, Subparts KKK and VV pertaining to Onshore Natural Gas Processing Plants and Leak Detection and Repair. The facility processes less than 10 mmcf/day of natural gas.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104. Contact: Edward Brawn, Chief—Telephone: 215-685-9476.

S09-009: Presbyterian Medical Center (51 North 39th Street, Philadelphia, PA 19104) for operation of a hospital in the City of Philadelphia, **Philadelphia**

County. The facility's air emission sources include two (2) 400 HP boilers, a 250 HP boiler, and six (6) emergency generators.

The operating permit will be issued under the Pennsylvania Code Title 25, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest or comments on the above operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790. Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507.

PA 48-309-133: Greenstar, LLC (799 Smith Lane, Northampton, PA 18067-1500) for installation of two (2) new dust collectors at their facility in Northampton Borough, **Northampton County**. This Plan Approval No. 48-309-133 will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (Department) has received and intends to issue a Plan Approval to Greenstar LLC (799 Smith Lane, Northampton, PA 18067-1500) for their facility located in Northampton Borough, Northampton County. This Plan Approval No. 48-309-133 will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 48-309-133 is for the installation of two new dust collectors. Particulate emissions will not exceed 0.02 grains/dscf. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. The company shall be subject to and comply with 25 Pa. Code § 123.41 for Visible emissions. Emissions will be controlled by the use of baghouses. These limits will meet BAT requirements for this source. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, the Department analysis and other documents used in the evaluation of the application

are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide the Department with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the following:

Name, address and telephone number of the person submitting the comments.

Identification of the proposed permit No. 48-309-133.

A concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Act (52 P. S. §§ 30.51—30.66); The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (Department). A copy of the application is available for inspection at the District Mining Office indicated above each application. Where a 401 Water Quality Certification is needed for any aspect of a particular proposed mining activity, the submittal of the permit application will serve as the request for the certification.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the district mining office indicated above each application within 30 days of this publication, or within 30 days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34.

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of suffi-

cient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code §§ 77.123 or 86.34, must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

When a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. The Department has made a tentative determination to issue the NPDES permit in conjunction with the mining activity permit, but the issuance of the NPDES permit is contingent upon the approval of the associated mining activity permit.

For coal mining activities, NPDES permits, when issued, will contain effluent limits that do not exceed the technology-based effluent limitations. The proposed limits are listed in Table 1.

For noncoal mining activities, the proposed limits are found in Table 2. Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description below specifies the parameters. The limits will be in the ranges specified in Table 1.

More restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining that may occur, will be incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 362-0600-001, NPDES Program Implementation-Memorandum of Understanding Concerning Water Quality Management, NPDES Program Implementation and Related Matters. Other specific factors to be considered include public comments and Total Maximum Daily Loads (TMDLs).

Persons wishing to comment on an NPDES permit application should submit a statement to the Department at the address of the district mining office indicated previously each application within 30 days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92.61. The request or petition for a public hearing shall be filed within 30 days of this public notice and shall contain the name, address, telephone number and the interest of the party filing the request, and shall state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES

permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. In the case where a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

| Parameter | 30-Day Average | Daily Maximum | Instantaneous Maximum |
|--|------------------|---------------------------------|-----------------------|
| Iron (Total) | 1.5 to 3.0 mg/l | 3.0 to 6.0 mg/l | 3.5 to 7.0 mg/l |
| Manganese (Total) | 1.0 to 2.0 mg/l | 2.0 to 4.0 mg/l | 2.5 to 5.0 mg/l |
| Suspended solids | 10 to 35 mg/l | 20 to 70 mg/l | 25 to 90 mg/l |
| Aluminum (Total) | 0.75 to 2.0 mg/l | 1.5 to 4.0 mg/l | 2.0 to 5.0 mg/l |
| pH ¹ | | greater than 6.0; less than 9.0 | |
| Alkalinity greater than acidity ¹ | | | |

¹The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

03813704 and NPDES Permit # PA0002283, Keystone Coal Mining Corporation, (P. O. Box 219, 400 Overview Drive, Shelocta, PA 15774), to renew the permit or the Keystone No. 1 Coal Refuse Disposal Area in Plumcreek Township, **Armstrong County** and related NPDES permit for reclamation only. No additional discharges. Application received: December 8, 2009.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

56090113 and NPDES No. PA0262935. PBS Coals, Inc., P. O. Box 260, 1576 Stoystown Road, Friedens, PA 15541, commencement, operation and restoration of a bituminous surface and auger mine in Stonycreek Township, **Somerset County**, affecting 133.8 acres. Receiving stream(s): Schrock Run classified for the following use(s): cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: December 3, 2009.

56663135 and NPDES No. PA0605921. Zubek, Inc., 173 House Coal Road, Berlin, PA 15530, permit renewal for the continued operation and restoration of a bituminous surface mine in Stonycreek Township, **Somerset County**, affecting 128.2 acres. Receiving stream(s): Schrock Run classified for the following use(s): cold water fishery. The first downstream potable water supply intake from the point of discharge is Hooversville Borough Municipal Authority Stonycreek SWI. Application received: December 8, 2009.

32030108. P & N Coal Company, Inc., P. O. Box 332, Punxsutawney, PA 15767, permit renewal for reclamation only of a bituminous surface mine in Grant Township, **Indiana County**, affecting 69.7 acres. Receiving stream(s): unnamed tributaries to/and Rairigh Run classified for the following use(s): high quality cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: December 10, 2009.

11040101 and NPDES No. PA0249661. E. P. Bender Coal Company, Inc., P. O. Box 594, Carrolltown, PA 15722, permit renewal for the continued operation and restoration of a bituminous surface mine in Reade Township, **Cambria County**, affecting 69.0 acres. Receiving stream(s): unnamed tributaries to/and Powell Run classified for the following use(s): cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: December 11, 2009.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

37820108 and NPDES Permit No. PA0604658. The Ambrosia Coal & Construction Co. (P. O. Box 422, Edinburg, PA 16116-9601) Renewal of an existing bituminous surface strip operation in North Beaver Township, **Lawrence County** affecting 225.0 acres. Receiving streams: Unnamed tributaries to Sugar Creek, classified for the following: WWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: December 9, 2009.

16050106 and NPDES Permit No. PA0242675. Timothy A. Keck (93 Carrier Street, Summerville, PA 15864) Revision to an existing bituminous strip and auger operation to add mining on the Lower Kittanning coal seam in Redbank Township, **Clarion County** affecting 224.0 acres. Receiving streams: Unnamed tributaries to Pine Creek, classified for the following: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: December 9, 2009.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

17090107 and NPDES Permit No. PA0257257. RES Coal, LLC, (224 Grange Hall Road, P. O. Box 228, Armagh, PA 15920), commencement, operation and restoration of a bituminous surface mine operation located in Goshen Township, **Clearfield County** for 575.9 acres. Receiving stream(s): Little Trout Run—High Quality Cold Water Fishery, Chubb Run—Cold Water Fishery, Surveyor Run—Cold Water Fishery, unnamed tributaries to the West Branch of the Susquehanna River—Cold Water Fishery. The first downstream potable water supply source within 10 miles: Croft Water Association. Application received: November 23, 2009.

17070116 and NPDES No. PA0256668. Amerikohl Mining, Inc. (202 Sunset Drive, Butler, PA 16001), revision of an existing bituminous surface mine to add a

coal seam on 30.7 acres in Sandy Township, **Clearfield County** and Winslow Township, **Jefferson County** affecting 552.0 acres. Receiving stream(s): Sandy Lick Creek classified for the following: Cold Water Fishery. There are no potable water supply intakes within 10 miles downstream. Application received: November 16, 2009.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

54783205R5. RJBB Coal Company, (144 Trenton Street, Mahanoy City, PA 17948), renewal of an existing anthracite coal refuse reprocessing operation in Delano

Township, **Schuylkill County** affecting 4.0 acres, receiving stream: none. Application received: December 2, 2009.

54830103T and NPDES Permit No. PA0613398. KK Coal, LLC, (P. O. Box 8, Cumbola, PA 17930), transfer of an existing anthracite surface mine operation from K & K Coal Company in Blythe Township, **Schuylkill County** affecting 160.0 acres, receiving stream: unnamed tributaries to East Branch Schuylkill River. Application received: December 14, 2009.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

| Parameter | Table 2 | | |
|--------------------------------------|----------------|---------------------------------|-----------------------|
| | 30-day Average | Daily Maximum | Instantaneous Maximum |
| Suspended solids | 10 to 35 mg/l | 20 to 70 mg/l | 25 to 90 mg/l |
| Alkalinity exceeding acidity* pH* | | greater than 6.0; less than 9.0 | |

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

32090301 and NPDES No. PA0262820. Penn Run Quarry, 456 Weston Run Road, Penn Run, PA 15765, commencement, operation and restoration of a large noncoal surface mine in Cherryhill Township, **Indiana County**, affecting 51.1 acres. Receiving stream(s): two UNTS to Penn Run and an UNT to Rose Run classified for the following use(s): cold water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: June 22, 2009.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

54090301C. Pottsville Materials, LLC, (P. O. Box 196, Skippack, PA 19474), correction to an existing quarry operation to add a wet processing plant in New Castle Township, **Schuylkill County** affecting 179.0 acres, receiving stream: none. Application received: December 4, 2009.

09870301C15 and NPDES Permit No. PA0593796. Warner Company, (1000 New Ford Mill Road, Morrisville, PA 19067), correction to an existing quarry operation to revise the post-mining land use to commercial/industrial in Falls Township, **Buck County** affecting 501.0 acres, receiving stream: Van Sciver Lake. Application received: December 16, 2009.

09960301C7. Warner Company, (1000 New Ford Mill Road, Morrisville, PA 19067), correction to an existing quarry operation to revise the post-mining land use to commercial/industrial in Falls Township, **Buck County** affecting 46.0 acres, receiving stream: Van Sciver Lake. Application received: December 16, 2009.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (Department). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the State to certify that the involved projects will not violate the applicable provisions of sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA or to the issuance of a Dam Permit, Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment must submit comments, suggestions or objections within 30 days of the date of this notice, as well as questions, to the regional office noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Individuals will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between 8 a.m. and 4 p.m. on each working day at the regional office noted before the application.

Persons with a disability who wish to attend a hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Applications received under the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27) and section 302 of the Floodplain Management Act (32 P. S. § 679.302) and requests for certification under section 401(a) of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, Telephone 570-826-2511.

E64-283. Fish and Boat Commission, Bureau of Engineering & Property Services, 450 Robinson Lane, Bellefonte, PA 16823-7437, in Paupack Township, **Wayne County**, U.S. Army Corps of Engineers, Philadelphia District.

To remove an existing 42-foot wide, partially-submerged asphalt boat launch approach ramp to Lake Wallenpaupack (HQ-CWF), and to construct and maintain five (5) sections of 42-foot wide x 90-foot long x 8-inch high reinforced concrete slab ramping placed on a crushed stone base and lined with R-4 rip-rap.

Also, to remove an existing 30 square foot wooden floating dock with aluminum gangway within Lake Wallenpaupack (HQ-CWF) and to construct and maintain a 6-foot wide x 31-foot long x 6-inch high concrete walkway lined with gabion stone and attached to a 6-foot wide x 14-foot long x 4-foot high concrete bulkhead to be lined with R-4 rip-rap.

The bulkhead will be attached to a 4-foot wide x 40-foot long aluminum gangway accessing a proposed 384 square foot floating wooden dock within Lake Wallenpaupack (HQ-CWF) for the purpose of creating handicap accessibility, increased safety, and a more permanent dock structure.

The project is located on the northern tip of Lake Wallenpaupack, approximately 0.4 miles south west of the intersection of SR 590 and US Route 6 (Hawley, PA Quadrangle Latitude: 41° 27' 34.8"; Longitude: -75° 11' 23").

E13-161. East Penn Township, 167 Municipal Road, Lehigh, PA 18235-3916, in East Penn Township, **Carbon County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a 0.7-acre athletic sports field and two (2) pole building pavilions within the 100-year floodway of Lehigh River (TSF) for the purpose of creating a recreational area.

The project is located on the south side of the SR 248, approximately 0.4 mile east of the intersection of T-337 and I-476 (Lehigh, PA Quadrangle Latitude: 40° 47' 30"; Longitude: -75° 39' 23").

E45-550. Suburban Realty, LP, P. O. Box 67, 1 River Road, Shawnee, PA 18356, in Smithfield Township, **Monroe County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a 24-inch diameter stormwater outfall pipe to be installed perpendicular to an existing concrete wingwall and culvert structure, which currently passes Wigwam Run (HQ-CWF, MF) beneath Wigwam Park Road. The purpose of the project is to discharge stormwater associated with the Plaza 611 development.

The project is located along the south side of T-469 (Wigwam Pond Road), approximately 0.2 mile north east

of the intersection of SR 611 and T-469 (Saylorsburg, PA Quadrangle Latitude: 40° 59' 59"; Longitude: -75° 15' 41").

E13-162. Green Energy Capital Partners, LLC, 319 Barren Hill Road, Suite 400, Conshohocken, PA, in Nesquehoning Borough, **Carbon County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain: (1) a stormwater outfall structure consisting of an existing R-4 rip-rap apron within the 100-year floodway of Broad Run (HQ-CWF, MF); (2) a stormwater outfall structure consisting of an existing R-3 rip-rap apron within the 100-year floodway of Broad Run (HQ-CWF, MF); (3) an underground utility line stream crossing of Deep Run (EV, MF); and (4) and a temporary sediment basin discharge within the 100-year floodway of Nesquehoning Creek (HQ-WWF, MF) for the purpose of constructing an electricity generation solar park with visitors center.

The project is located on the north side of the SR 54, approximately 5.9 miles west of the intersection of SR 93 and U.S. Route 209 (Nesquehoning, PA Quadrangle Latitude: 40° 51' 24"; Longitude: -75° 51' 21").

Southcentral Region: Watershed Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

E01-290. SEL-WIL, Inc., 7075 Carlisle Pike, Carlisle, PA 17013, Berwick Township, **Adams County**, ACOE Baltimore District

The applicant proposes to construct and maintain a 220-foot length of a 10-foot wide pedestrian walkway across two unnamed tributaries of Pine Run (WWF) and its associated wetlands. The walkway will be constructed at grade and the stream crossings will be made using wooden bridges. The total area of wetland impact is 0.05 acre (Hanover, PA Quadrangle N: 21.6 inches; W: 17.5 inches, Latitude: 39° 52' 12"; Longitude: 76° 59' 24") for the purpose of constructing a parking lot and pedestrian walkway located at 800 Racetrack Road, Abbottstown, PA, 17301, Berwick Township, Adams County.

E36-830. Scott Sweigart, Forino Developers, 555 Mountainhome Road, Sinking Spring, PA 19608, Mt. Joy Township, **Lancaster County**, ACOE Baltimore District.

To construct and maintain: (1) 51.0 feet of 48-inch by 76-inch HERCP stream crossing having a permanent wetland impact of 0.10 acre, and a permanent stream impact of 70.0 linear feet; (2) 97.0 feet of 60-inch diameter RCP having a permanent wetland impact of 0.10 acre, and a permanent stream impact of 97.0 feet; (3) 21.0 feet of 8-inch PVC sanitary sewer line utility crossing having a temporary stream impact of 21.0 feet; (4) 47.0 feet of 24-inch diameter RCP outfall; (5) a 10-foot wide, single span pedestrian bridge having a normal span of 14.5 feet and an underclearance of 32.0 inches, with a permanent stream impact of 15.0 feet; (6) 53.0 feet of an 18-inch diameter RCP stream crossing, having a permanent stream impact of 53 linear feet; (7) a 15-foot wide, single span footbridge having a normal span of 14.5 feet and an underclearance of 0.5 feet, with a permanent stream impact of 15.0 linear feet; (8) 39.0 feet of 15-inch SWCPP stream crossing, having a permanent stream impact of 39.0 linear feet; (9) 19.0 feet of 36-inch diameter SWCPP and 13.0 feet of 36-inch diameter SLCPP outfall structure; (10) an outfall structure consisting of 40.0 feet of 15-inch RCP discharging into wetlands; (11) 0.5 acre of permanent wetland disturbance for the construction of Lots 26 and 27; (12) a 5-foot wide walking path permanently impacting 0.04 acre of wetlands; (13) a 10-foot

wide bike path permanently impacting 0.2 acre of wetlands; (14) a 69-foot in length, 24-inch diameter RCP outfall structure; and (15) a wetland mitigation of 0.31 acres on site of the proposed project, all affecting an unnamed tributary to Donegal Creek (CWF), for the purpose of constructing an a 241 unit subdivision located off of Schwanger and Campus Roads (Elizabethtown, PA Quadrangle N: 3.5 inches; W: 9.1 inches, Latitude: 40° 8' 76" N; Longitude: 76° 33' 55" W) in Mt. Joy Township, Lancaster County.

E36-866: West Earl Township, Patrick Barrett, Township Manager, 157 West Metzler Road, Brownstown, PA 17508, West Earl Township, Lancaster County, ACOE Baltimore District.

To construct and maintain a 28-foot long by 16-foot wide restroom facility building, a 20-foot long by 5-foot wide concrete stairway/access and associated grading in the floodplain of the Conestoga River (WWF) for the purpose of improving the West Earl Township Park's facilities at a point just northeast of the intersection of Louise Avenue and Route 772 (Leola, PA Quadrangle 21.75-inches North; 5.13-inches West, Latitude: 40° 7' 8.00" N; Longitude: 76° 12' 44.71" W) in West Earl Township, Lancaster County.

E22-554: Thea Drive Associates, LLC, Brent Stoltzfus, 474 Mt. Sidney Road, Lancaster, PA 17602, Susquehanna Township, Dauphin County, Baltimore ACOE District.

To maintain the existing: (1) 55.0 linear feet of super silt fence impacting 78.0 square feet of PEM wetlands (Harrisburg East, PA Quadrangle N: 13.22 inches; W: 14.15 inches, Latitude: 40° 19' 22.04"; Longitude: 76° 51' 5.56"); (2) 25.0 linear feet of super silt fence impacting 18.0 square feet of PEM wetlands (Harrisburg East, PA Quadrangle N: 13.24 inches; W: 14.10 inches, Latitude: 40° 19' 22.41"; Longitude: 76° 51' 4.27"); (3) 15.0 linear feet of super silt fence impacting 6.0 square feet of PEM wetlands (Harrisburg East, PA Quadrangle N: 13.25 inches; W: 14.02 inches, Latitude: 40° 19' 22.66"; Longitude: 76° 51' 2.01"); (4) 4.6 linear feet of super silt fence impacting 2.0 square feet of PEM wetlands (Harrisburg East, PA Quadrangle N: 13.31 inches; W: 13.88 inches, Latitude: 40° 19' 23.78"; Longitude: 76° 50' 58.62"); (5) 30.0 linear feet of super silt fence impacting 17.0 square feet of PEM wetlands (Harrisburg East, PA Quadrangle N: 13.32 inches; W: 13.84 inches, Latitude: 40° 19' 24.03"; Longitude: 76° 50' 57.51"); (6) an 8-inch diameter DIP sanitary sewer line crossing of an unnamed tributary to Black Run (WWF) temporarily impacting 1,712.0 square feet of PEM wetlands (Harrisburg East, PA Quadrangle N: 13.14 inches; W: 14.46 inches, Latitude: 40° 19' 20.43"; Longitude: 76° 51' 13.49"); (7) a 27-inch diameter CPP outfall pipe to an unnamed tributary to Black Creek (WWF) (Harrisburg East, PA Quadrangle N: 13.19 inches; W: 14.37 inches, Latitude: 40° 19' 21.42"; Longitude: 76° 51' 15.92"); then to construct and maintain; (8) a 6-inch depressed, 70-foot long 3-foot high by 8-foot wide concrete box culvert in an unnamed tributary to Black Run (WWF) impacting 595 square feet of PEM wetlands for a proposed roadway crossing (Harrisburg East, PA Quadrangle N: 13.16 inches; W: 14.26 inches, Latitude: 40° 19' 20.92"; Longitude: 76° 51' 8.33"); (9) a 6-inch depressed, 50-foot long 42-inch diameter SLCP road crossing impacting 1,281.0 square feet of PEM wetlands (Harrisburg East, PA Quadrangle N: 13.31 inches; W: 13.88 inches, Latitude: 40° 19' 23.78"; Longitude: 76° 50' 58.62"); (10) a 6.0-inch depressed, 80.0-foot long 42.0-inch by 29.0-inch CMP arch

culvert in an unnamed tributary to Black Run (WWF) impacting 1,673 square feet of PEM wetlands for a proposed roadway crossing (Harrisburg East, PA Quadrangle N: 13.39 inches; W: 14.22 inches, Latitude: 40° 19' 25.39"; Longitude: 76° 51' 7.36"); (11) a 6-inch depressed, 31-foot long 30-inch diameter SLCP in an unnamed tributary to Black Creek (WWF); (12) a 6-inch depressed, 31-foot long 30-inch diameter SLCP in an unnamed tributary to Black Creek (WWF); (13) a 6-inch depressed, 34-foot long 36-inch diameter SLCP in an unnamed tributary to Black Creek (WWF) (Harrisburg East, PA Quadrangle N: 13.24 inches; W: 14.37 inches, Latitude: 40° 19' 22.54"; Longitude: 76° 51' 11.23"); (14) a 24-inch diameter RCP outfall structure to an unnamed tributary to Black Run (WWF) (Harrisburg East, PA Quadrangle N: 13.89 inches; W: 14.29 inches, Latitude: 40° 19' 35.34"; Longitude: 76° 51' 9.13"); (15) an 11.5-inch diameter orifice plate bolted to the existing 24-inch diameter RCP riser pipe in an online pond (Harrisburg East, PA Quadrangle N: 13.89 inches; W: 14.29 inches, Latitude: 40° 19' 21.43"; Longitude: 76° 51' 17.53"); and (16) to place 5,496.0 cubic yards of fill in the floodway of an unnamed tributary to Black run (WWF), all for the purpose of constructing a pedestrian path walkway and a residential subdivision in Susquehanna Township, Dauphin County. Wetland mitigation in the amount of 8,000 square feet will occur onsite.

E07-430: Roaring Spring Municipal Authority, 616 Spang Street, Roaring Spring, PA 16672-1350, Taylor Township, Blair County, ACOE Baltimore District.

To construct and maintain a 15-foot by 45-foot UV disinfection system and a 10-foot by 16-foot control shed in order to upgrade the existing wastewater treatment plant located within the 100-year floodplain of Halter Creek (WWF) at the Emeigh Lane and Papermill Road intersection (Roaring Spring, PA Quadrangle N: 16.44 inches; W: 4.12 inches, Latitude: 40° 20' 26"; Longitude: 78° 24' 16.36") in Taylor Township, Blair County.

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E17-454. Grampian Borough, P. O. Box 291, Grampian, PA 16838. Grampian-Penn-Bloom Community Park Davis Run Stabilization Project. Grampian Borough, Clearfield County, ACOE Baltimore District (Curwensville, PA Quadrangle Latitude: 40° 58' 2"; Longitude: 78° 37' 3").

Grampian Borough is seeking authorize to stabilize 800-feet of Davis Run (Cold Water Fishery) within the Grampian-Penn-Bloom Community Park. To reduce maintenance and protect community park buildings that encroach upon Davis Run, the applicant seeks approval of the following stream and floodway encroachments:

| <i>Activity Description</i> | <i>Activity Stationing</i> | <i>Impact Length</i> |
|-------------------------------|----------------------------|----------------------|
| Install Random Boulders | 0+00 to 2+75 | 275-feet |
| Grade Stream Bank | 0+00 to 2+40 | 240-feet |
| Remove Oak Trees | 0+20 to 1+90 | 170-feet |
| Remove Evergreen Trees | 1+80 to 2+90 | 110-feet |
| Install Rock Slope Protection | 2+29 to 2+90 | 61-feet |
| Remove Trees and Shrubs | 3+40 to 6+30 | 280-feet |
| Install Retaining Wall | 3+40 to 3+80 | 40-feet |
| Install Retaining Wall | 5+10 to 6+30 | 120-feet |

| <i>Activity Description</i> | <i>Activity Stationing</i> | <i>Impact Length</i> |
|---------------------------------|----------------------------|----------------------|
| Grade Stream Bank | 3+50 to 5+20 | 170-feet |
| Install Concrete Runoff Guard | 3+62 to 5+10 | 148-feet |
| Install Roof Runoff Channels | 3+62 to 5+10 | 3-feet |
| Install Theater Rock Protection | 5+82 to 6+30 | 48-feet |
| Remove Trees and Boulders | 6+30 to 7+94 | 164-feet |
| Grade Stream Bank | 6+30 to 7+94 | 164-feet |
| Install Planting Bed | 6+30 to 7+94 | 164-feet |
| Install Education Signage | 6+90 | 1-foot |

All in-stream construction, operation and maintenance work shall be conducted in dry work conditions by dam and pumping, fluming or diverting stream flow around work areas. Since Davis Run is wild trout fishery, no construction or future repair work shall be done in or along the stream channel between October 1 and December 31 without prior written approval. The project is located along the western right-of-way of the SR 0219 approximately 720-feet north of Tenth Street and SR 0219 intersection.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E03-451. Mahoning Creek Hydroelectric Company, LLC, 150 North Miller Road, Suite 450C, Fairlawn, OH 44333. To construct a bridge and access road to maintain

a power house and tailrace in Redbank and Wayne Townships, **Armstrong County**, Pittsburgh ACOE District (Distant, PA Quadrangle N: 8.4 inches; W: 4.4 inches, Latitude: 40° 55' 17"; Longitude: 79° 16' 55"). To construct and maintain a powerhouse and tailrace on the left bank of Mahoning Creek (CWF) located 1,200 feet downstream of the existing US Army Corps of Engineers Mahoning Creek Dam to accommodate a turbine generating system. The 40-foot wide, 150-foot long, 10-foot deep tailrace will be constructed downstream of the powerhouse to return the water back to the Mahoning Creek. The project includes construction of a ford crossing or a bridge on an access road and 2.2-mile long overhead transmission line within the existing Allegheny Power right-of-way.

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

E61-290, Aqua Pennsylvania, Inc., 665 South Dock Street, Sharon, PA 16146. Existing Water Treatment Plant Demo—New Water Pumping Station Construction, in Emlenton Borough, **Venango County**, ACOE Pittsburgh District (Emlenton, PA Quadrangle N: 41° 10' 36"; W: 79° 42' 46").

The applicant proposes to demolish an existing water treatment plant located partially in the 100-year flood plain of the Allegheny River and to construct and maintain a new raw water pump station located in the 100-year flood plain of the Allegheny River approximately 125 feet southwest of the intersection of River Avenue and Main Street in Emlenton Borough, Venango County (N: 41° 10' 36"; W: 79° 42' 46"). The Allegheny River is a perennial stream classified as a warm water fishery.

ACTIONS

THE CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS

The Department of Environmental Protection (Department) has taken the following actions on previously received applications for new, amended and renewed NPDES and WQM permits, applications for permit waivers and Notices of Intent (NOI) for coverage under general permits. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act.

| <i>Location</i> | <i>Permit Authority</i> | <i>Application Type or Category</i> |
|-----------------|-------------------------|--|
| Section I | NPDES | Renewals |
| Section II | NPDES | New or amendment |
| Section III | WQM | Industrial, sewage or animal wastes; discharges to groundwater |
| Section IV | NPDES | MS4 individual permit |
| Section V | NPDES | MS4 permit waiver |
| Section VI | NPDES | Individual permit stormwater construction |
| Section VII | NPDES | NOI for coverage under NPDES general permits |

Sections I—VI contain actions related to industrial, animal or sewage wastes discharges, discharges to groundwater and discharges associated with municipal separate storm sewer systems (MS4), stormwater associated with construction activities and concentrated animal feeding operations (CAFOs). Section VII contains notices for parties who have submitted NOIs for coverage under general NPDES permits. The approval for coverage under general NPDES permits is subject to applicable effluent limitations, monitoring, reporting requirements and other conditions set forth in each general permit. The approval of coverage for land application of sewage sludge or residential septage under applicable general permit is subject to pollutant limitations, pathogen and vector attraction reduction requirements, operational standards, general requirements, management practices and other conditions set forth in the respective permit. Permits and related documents, effluent limitations, permitting requirements and other information are on file and may be inspected and arrangements made for copying at the contact office noted before the action.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. NPDES Renewal Permit Actions

Northcentral Region: Water Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N ?</i> |
|-----------------------------|---|---|--------------------------------------|-----------------------------|
| PA0228877 SNP | Santo Lazafame 15 Old Berwick Road Bloomsburg, PA 17815 | Orange Township Columbia County | Stony Brook EV 5-C | Y |
| PA0112372 SNP | Mayfair Village Mobile Homes Park 612 North Shamokin Street Shamokin, PA 17872 | Northumberland County Shamokin Township | UNT to Shamokin Creek SWP 6B | Y |
| PA0042722 SP | Dushore Sewer Authority P. O. Box 248 Dushore, PA 18614-0248 | Sullivan County Dushore Borough | Little Loyalsock Creek 10B | Y |
| PA0114553 SP | Millheim Borough Council 225 East Main Street Millheim, PA 16854 | Penn Township Centre County | Elk Creek SWP 6A | Y |

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N</i> |
|-----------------------------|---|--|--------------------------------------|---------------------------|
| PA0216267 Sewage | Nathaniel R. Morgan 6 Parklea Drive Monroeville, PA 15146 | Westmoreland County Loyalhanna Township | Boatyard Run | Y |

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

| <i>NPDES No. (Type)</i> | <i>Facility Name & Address</i> | <i>County & Municipality</i> | <i>Stream Name (Watershed #)</i> | <i>EPA Waived Y/N ?</i> |
|-----------------------------|---|---|--|-----------------------------|
| PA0038814 | Ellport Borough Sewer Authority 313 Burns Avenue Ellwood City, PA 16117 | Ellport Borough Lawrence County | Connoquenessing Creek 20-C | Y |
| PA0043826 | United Erie Division of Interstate Chemical Company, Inc. 2797 Freedland Road Hermitage, PA 16148 | City of Erie Erie County | City of Erie storm sewer to Presque Isle Bay 15 | Y |
| PA0222712 | Sykesville Borough 21 East Main Street Sykesville, PA 15865-1105 | Sykesville Borough Jefferson County | Stump Creek 17-D | Y |
| PA0102181 | Two Mile Run County Park Route 428 471 Beach Road Franklin, PA 16323 | Oakland and Sugar creek Township Venango County | Unnamed tributary to Two Mile Run 16-E | Y |

II. New or Expanded Facility Permits, Renewal of Major Permits and EPA Nonwaived Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

NPDES Permit No. PA0057401, Sewage, **S and S Styles**, 6801 Easton Road, Pipersville, PA 18947. This proposed facility is located in Bedminster Township, **Bucks County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge 600 gpd of treated sewage into an unnamed tributary to Cabin Run in Watershed 2D.

NPDES Permit No. PA0020397, Sewage, **Bridgeport Borough**, 4th and Mill Streets, Bridgeport, PA 19405. This proposed facility is located in Upper Merion Township, **Montgomery County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge treated effluent from the treatment plant into the Schuylkill River in Watershed 3F.

NPDES Permit No. PA0056758, Sewage, **Warrington Township**, 852 Easton Road, Warrington, PA 18976. This proposed facility is located in Warrington Township, **Bucks County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge 0.33 mgd of treated sewage into Mill Creek in Watershed 2F.

NPDES Permit No. PA0050237, Sewage, **Walnut Hill Utility Company**, 400 Ashley Court, Glen Mills, PA 19342. This proposed facility is located in Chester Heights Borough, **Delaware County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge 0.15 mgd of treated sewage into Chester Creek in Watershed 3G.

NPDES Permit No. PA0056014, Amendment 1, Industrial, **Ametek, Inc.**, 900 Clymer Avenue, Sellersville, PA 18960. This proposed facility is located in Sellersville Borough, **Bucks County**.

Description of Proposed Action/Activity: Approval for the amendment of permit by eliminating of stormwater NPDES sampling requirements (Outfall 001) for the site.

NPDES Permit No. PA0057738, Sewage, **Department of Conservation and Natural Resources, Bureau of State Park**, 11 Lodi Hill Road, Upper Black Eddy, PA 18972-9540. This proposed facility is located in Solebury Township, **Bucks County**.

Description of Proposed Action/Activity: Approval for the renewal to discharge 800 gpd of treated sewage into the Delaware River from sewage treatment plant serving Delaware Canal State Park.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

NPDES Permit No. PA0253987, Industrial Waste, **Somerset Regional Water Resources, LLC**, 888 Stoystown Road, Somerset, PA 15501. This proposed facility is located in Somerset Township, **Somerset County**.

Description of Proposed Action/Activity: Permit issuance for the treatment of spent fracturing development fluids and brine wastewater from oil and gas development activities for reuse and/or discharge.

NPDES Permit No. PA0254142, Industrial Waste, **North Shore Constructors II JV, Trumbull Corporation/Obayashi Corporation Joint Venture**, P. O. Box 98100, Pittsburgh, PA 15227-0500. This proposed facility is located in the City of Pittsburgh, **Allegheny County**.

Description of Proposed Action/Activity: Permit issuance authorizing groundwater discharge from a temporary construction dewatering system.

NPDES Permit No. PA0254011, Sewage, **James Gnagey, J.G. Food Marts**, R. D. #1, Box 620-G, Uniontown, PA 15401. This proposed facility is located in North Union Township, **Fayette County**.

Description of Proposed Action/Activity: Permit issuance authorizing discharge of domestic sewage from a gas station.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

NPDES Permit No. PA0023124, Sewage, **Amendment No. 1, Albion Borough**, 26 Smock Avenue, Albion, PA 16401. This proposed facility is located in Conneaut Township, **Erie County**.

Description of Proposed Action/Activity: Description of Proposed Activity: Permit amendment for an existing discharge of treated sewage.

III. WQM Industrial Waste and Sewerage Actions under The Clean Streams Law (35 P. S. §§ 691.1—691.1001)

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Phone: 717-705-4707.

WQM Permit No. 0678203, Amendment 01-1, Industrial Waste, **Sensient Technologies Corporation**, 2515 North Jefferson Avenue, St. Louis, MO 63106. This facility is located in Robeson Township, **Berks County**.

Description of Proposed Action/Activity: Issuance of Final Closure Certification and Cancellation of WQM Permit.

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA.

WQM Permit No. 0909407, Sewerage, **Glen Nash**, 1845 Klines Mill Road, Quakertown, PA 18951. This proposed facility is located in Milford Township, **Bucks County**.

Description of Action/Activity: Construction and operation of a small flow sewage treatment facility.

WQM Permit No. 2309409, Sewerage, **Darby Creek Joint Authority**, P. O. Box 999, Chester, PA 19016. This proposed facility is located in Upper Darby Township, **Delaware County**.

Description of Action/Activity: Installation of a 36-inch PVC parallel relief line for the Darby Creek Interceptor between the Special Chamber manhole and MH 132.

Southwest Region: Water Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WQM Permit No. 1109403, Sewerage, **Pegasus Sewer Authority**, 1296 Clapboard Road, Johnstown, PA 15904-7502. This proposed facility is located in Conemaugh Township, **Cambria County**.

Description of Proposed Action/Activity: Permit issuance for the construction and operation of approximately 15,000 linear feet of interceptor sewer.

WQM Permit No. 3209401, Sewerage, **Indiana County Municipal Services Authority**, 602 Kolter Drive, Indiana, PA 15701. This proposed facility is located in Center and Blacklick Townships, **Indiana County**.

Description of Proposed Action/Activity: Permit issuance for the construction and operation of a sanitary sewer extension to eliminate Aultman STP.

Northwest Region: Water Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

WQM Permit No. WQG018730, Sewerage, **Jeff L. and Lisa R. Rindfuss**, 13824 Old Route 19, Waterford, PA 16441. This proposed facility is located in LeBoeuf Township, **Erie County**.

Description of Proposed Action/Activity: Issuance of a single Residence Sewage Treatment Plant.

WQM Permit No. WQG018728, Sewerage, **Jeffrey and Tina Dell**, 1824 Keller Road, Warren, PA 16365. This proposed facility is located in Conewango Township, **Warren County**.

Description of Proposed Action/Activity: Issuance of a single Residence Sewage Treatment Plant.

WQM Permit No. WQG018732, Sewerage, **Mark A. Stewart**, 722 Stoney Lonesome Road, Clarion, PA 16214. This proposed facility is located in Monroe Township, **Clarion County**.

Description of Proposed Action/Activity: Issuance of a single Residence Sewage Treatment Plant.

IV. NPDES Stormwater Discharges from MS4 Permit Actions

V. NPDES Waiver Stormwater Discharges from MS4 Actions

VI. NPDES Discharges of Stormwater Associated with Construction Activities Individual Permit Actions

Southeast Region: Water Management Program Manager, 2 East Main Street, Norristown, PA 19401.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|---|---------------|--|---|
| PAI010907019 | Turnpike Commission P. O. Box 67676 Harrisburg, PA 17106-7676 | Bucks | Bensalem, Bristol and Middletown Townships | Unnamed Tributary Neshaminy Creek WWF-MF Unnamed Tributary Mill and Black Ditch Creek WWF and Delaware River WWF-MF |

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|--|---------------|---------------------|--|
| PAI026609001 | Wal-Mart Stores East, LP Sam Walton Development Complex 2001 SE 10th Street Bentonville, AR 72716-0550 | Wyoming | Eaton Township | Bowman Creek HQ-CWF, MF Susquehanna River WWF, MF |

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone 717-705-4707.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|---|---------------|---------------------|-------------------------------|
| PAI033609003 | David S. Stoltzfus 1027 Rock Springs Road Conowingo, MD 21918 | Lancaster | Fulton Township | Little Conowingo Creek HQ-CWF |

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Northumberland County Conservation District: R. R. 3, Box 238-C, Sunbury, PA 17801, (570) 286-7114, Ext. 4.

| <i>NPDES Permit No.</i> | <i>Applicant Name & Address</i> | <i>County</i> | <i>Municipality</i> | <i>Receiving Water/Use</i> |
|-------------------------|--|---------------------|---------------------|---|
| PAR1094923R-1 | MAIDA Belford Addition Expansion House's and Marsh Roads Montandon, PA | Northum- berland | Milton Borough | UNT to Montandon Marsh EV Wetland |

VII. Approvals to Use NPDES and/or Other General Permits

The EPA Region III Administrator has waived the right to review or object to this permit action under the waiver provision 40 CFR 123.23(d).

List of NPDES and/or Other General Permit Types

| | |
|-------------|--|
| PAG-1 | General Permit for Discharges From Stripper Oil Well Facilities |
| PAG-2 | General Permit for Discharges of Stormwater Associated With Construction Activities (PAR) |
| PAG-3 | General Permit for Discharges of Stormwater From Industrial Activities |
| PAG-4 | General Permit for Discharges From Small Flow Treatment Facilities |
| PAG-5 | General Permit for Discharges From Gasoline Contaminated Ground Water Remediation Systems |
| PAG-6 | General Permit for Wet Weather Overflow Discharges From Combined Sewer Systems (CSO) |
| PAG-7 | General Permit for Beneficial Use of Exceptional Quality Sewage Sludge by Land Application |
| PAG-8 | General Permit for Beneficial Use of Nonexceptional Quality Sewage Sludge by Land Application to Agricultural Land, Forest, a Public Contact Site or a Land Reclamation Site |
| PAG-8 (SSN) | Site Suitability Notice for Land Application Under Approved PAG-8 General Permit Coverage |
| PAG-9 | General Permit for Beneficial Use of Residential Septage by Land Application to Agricultural Land, Forest, or a Land Reclamation Site |
| PAG-9 (SSN) | Site Suitability Notice for Land Application Under Approved PAG-9 General Permit Coverage |
| PAG-10 | General Permit for Discharge Resulting from Hydrostatic Testing of Tanks and Pipelines |
| PAG-11 | (To Be Announced) |
| PAG-12 | Concentrated Animal Feeding Operations (CAFOs) |
| PAG-13 | Stormwater Discharges from Municipal Separate Storm Sewer Systems (MS4) |

General Permit Type—PAG-2

Facility Location:

| <i>Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water/Use</i> | <i>Contact Office & Phone No.</i> |
|---|--------------------|---|---|---|
| Tinicum Township Bucks County | PAG200 0909086 | Real Pro Enterprises 2312 North Broad Street Colmar, PA 18915 | Tohickon Creek CWF-MF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900 |
| Bensalem Township Bucks County | PAG200 0909095 | Bucks County Water and Sewer Authority 1275 Almshouse Road Warrington, PA 18976 | Unnamed Tributary Delaware River WWF-MF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900 |
| West Sadsbury Township Chester County | PAG200 1509045 | Samuel Becker 393 Old Mill Road Gap, PA 17527 | Unnamed Tributary Poquea Creek CWF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900 |
| Caln Township Chester County | PAG200 15609048 | Pennsylvania CVS/Pharmacy, LLC 1200 South Church Street Suite 4 Mt. Laurel, NJ 08054 | Unnamed Tributary Beaver Creek CWF-MF | Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900 |

| <i>Facility Location: Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water / Use</i> | <i>Contact Office & Phone No.</i> |
|--|-------------------|---|---|--|
| Nanticoke City Luzerne County | PAG2004006043 | Luzerne County Community College Phase 2 1333 South Prospect Street Nanticoke, PA 18634 | Nanticoke Creek CWF, MF | Luzerne County Conservation District 570-674-7991 |
| Upper Saucon Township Lehigh County | PAG2003909007 | BR Associates, LLC Attn.: Robert Wurster P. O. Box 9 Center Valley, PA 18034 | Tributary to Saucon Creek CWF, MF | Lehigh County Conservation District 610-391-9583 |
| Tulpehocken Township Berks County | PAG2000609041 | Eugene Sensenig 13 Little Swatara Church Road Richland, PA 17087 | Little Swatara Creek CWF | Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610-372-4657, Ext. 201 |
| Upper Allen Township Cumberland County | PAG2002109008 | Upper Allen Township Lou Fazekas 100 Gettysburg Pike Mechanicsburg, PA 17055 | UNT To Yellow Breeches Creek CWF | Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812 |
| Ferguson Township State College Borough Centre County | PAG2001409012 | Amy Story State College Borough 243 S Allen Street State College, PA 16801 | UNT to Spring Creek CWF | Centre County Conservation District 414 Holmes Avenue Suite 4 Bellefonte, PA 16823 (814) 355-6817 |
| Lawrence Township Clearfield County | PAG2001709007 | Patrick Burgum BASH Contracting 189 UFS Road Clearfield, PA 16830 | Clearfield Creek WWF Roaring Run CWF | Clearfield County Conservation District 650 Leonard Street Clearfield, PA 16830 (814) 765-2629 |
| South Centre and Mifflin Townships Columbia County | PAG2001909010 | Department of Transportation P. O. Box 218 Montoursville, PA 17754-0218 | Susquehanna River WWF | Columbia County Conservation District 702 Sawmill Road Suite 204 Bloomsburg, PA 17815 (570) 784-1310, Ext. 102 |
| Clinton Township Lycoming County | PAG2004109010 | Halliburton Energy Services, Inc. 10200 Bellaire Boulevard Houston, TX 77072-5206 | Turkey Run WWF/MF | Lycoming County Conservation District 542 County Farm Road Suite 202 Montoursville, PA 17754 (570) 433-3003 |
| Clinton Township Lycoming County | PAG2004109011 | Department of Corrections 2520 Lisburn Road Camp Hill, PA 17001 | Turkey Run WWF | Lycoming County Conservation District 542 County Farm Road Suite 202 Montoursville, PA 17754 (570) 433-3003 |
| Lawrence County Neshannock Township | PAG2-0037-09-005 | Lightner Greene, LLC Attn.: Jeffery Woda 229 Huber Village Boulevard Suite 100 Westerville, OH 430 | UNT to Neshannock Creek TSF | Lawrence County Conservation District 724-652-4512 |

| <i>Facility Location: Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water / Use</i> | <i>Contact Office & Phone No.</i> |
|---|------------------------|---|------------------------------------|--|
| Lawrence County Union Township | PAG2 0037 07 006(1) | Leo Golba Enterprises and Lawrence Crossing, LLC Attn.: Mr. Leo Golba 149 Enclave Drive New Castle, PA 16105 | UNTs Mahoning River WWF | Lawrence County Conservation District 724-652-4512 |
| <i>General Permit Type—PAG-3</i> | | | | |
| <i>Facility Location: Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water / Use</i> | <i>Contact Office & Phone No.</i> |
| West Mahanoy Township Schuylkill County | PAR802243 | Jack Rich, Inc. 617 Altamont Boulevard Frackville, PA 17931 | Little Mahanoy Creek CWF | DEP—NERO Water Mgmt. Program 2 Public Square Wilkes-Barre, PA 18711-0790 570-826-2511 |
| West Hazleton Borough Luzerne County | PAR142202 | Bemis Co., Inc. 20 Jaycee Drive West Hazleton, PA 18202 | Black Creek CWF | DEP—NERO Water Mgmt. Program 2 Public Square Wilkes-Barre, PA 18711-0790 570-826-2511 |
| Lebanon County North Lebanon Township | PAR233544 | The Valspar Corp. P. O. Box 1461 Minneapolis, MN 55440 | Quittapahilla Creek TSF 7-D | DEP—SCRO—WQ 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707 |
| York County Hanover Borough | PAR603547 | Staiman Recycling Corporation— Hanover Division P. O. Box 1235 Williamsport, PA 17703-1235 | Plum Creek WWF 7F | DEP—SCRO—WQ 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707 |
| Berks County Reading City | PAR493501 | Evergreen Community Power 800 South Street Reading, PA 19602 | Schuylkill River WWF 3C | DEP—SCRO—WQ 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707 |
| Adams County Straban Township | PAR213501 | Dal-Tile Corporation (Lincolnway East Plant) 211 North Fourth Gettysburg, PA 17325 | UNT Swift Run WWF 7F | DEP—SCRO—WQ 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707 |
| Berks County Exeter Township | PAR123564 | Mehadrin Kosher Poultry 100 Lincoln Road Birdsboro, PA 19508-1804 | UNT Schuylkill River WWF 3C | DEP—SCRO—WQ 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707 |
| Mifflin County Lewistown Borough | PAR213520 | Juniata Concrete Company (Lewistown Plant #1) 721 Smith Road Mifflintown, PA 17059-9608 | Juniata River WWF 12A | DEP—SCRO—WQ 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707 |
| Perry County Oliver Township | PAR213537 | Juniata Concrete Company (Newport Plant #3) 721 Smith Road Mifflintown, PA 17059-9608 | Little Buffalo Creek CWF 12B | DEP—SCRO—WQ 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707 |
| Juniata County Walker Township | PAR213541 | Juniata Concrete Company (Mifflintown Plant #2) 721 Smith Road Mifflintown, PA 17059 | UNT Cedar Spring Run TSF 12B | DEP—SCRO—WQ 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707 |

| <i>Facility Location: Municipality & County</i> | <i>Permit No.</i> | <i>Applicant Name & Address</i> | <i>Receiving Water / Use</i> | <i>Contact Office & Phone No.</i> |
|---|-------------------|--|--|---|
| Adams County Bendersville Borough | PAR213502 | Dal-Tile Corporation (Bendersville Plant) 211 North 4th Street Gettysburg, PA 17325 | UNT Quaker Run TSF 7F | DEP—SCRO—WQ 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707 |
| Franklin County Antrim Township | PAR113508 | Grove U.S., LLC 1565 Buchanan Trail East Shady Grove, PA 17256 | UNT Marsh Run WWF 13C | DEP—SCRO—WQ 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707 |
| Adams County Gettysburg Borough | PAR213503 | Dal-Tile Corporation (Gettysburg Plant) 211 N. Fourth Gettysburg, PA 17325 | Rock Creek WWF 13D | DEP—SCRO—WQ 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707 |
| Juniata County Walker Township | PAR213541 | Juniata Concrete Company (Mifflintown Plant #2) 721 Smith Road Mifflintown, PA 17059-9608 | UNT Cedar Spring Run TSF 12B | DEP—SCRO—WQ 909 Elmerton Avenue Harrisburg, PA 17110 717-705-4707 |
| State College Centre County | PAR804832 | United Parcel Service, Inc. 1821 S 19th Street Harrisburg, PA 17104 | Unnamed Tributary to Spring Creek CWF | Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3664 |
| Bald Eagle Township Clinton County | PAR234801 | Croda, Inc. 8 Croda Way Mill Hall, PA 17751-8727 | Unnamed Tributary to Bald Eagle Creek CWF | Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3664 |
| Rush Township Centre County | PAR604826 | Jim Verost Used Cars & Trucks 846 North Ninth Street P. O. Box 392 Philipsburg, PA 16866 | Moshannon Creek TSF and MF | Northcentral Regional Office Water Management Program 208 West Third Street Suite 101 Williamsport, PA 17701 (570) 327-3664 |
| Hempfield Township Westmoreland County | PAR116138 | Baker Hughes, Inc. 2929 Allen Parkway Suite 2100 Houston, TX 77019 | Wilson Run | Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 412-442-4000 |
| East Franklin Township Armstrong County | PAR606131 | Lucchetti Auto, Inc. 126 Main Street Kittanning, PA 16201 | UNT of the Allegheny River | Southwest Regional Office: Water Management Program Manager 400 Waterfront Drive Pittsburgh, PA 15222-4745 412-442-4000 |
| City of Erie Erie County | PAR128306 | Meadow Brook Dairy Company, Inc. 2365 Buffalo Road Erie, PA 16510 | City of Erie storm water sewers to Lake Erie | DEP—NWRO Water Management 230 Chestnut Street Meadvile, PA 16335-3481 814/332-6942 |

*Facility Location:
Municipality &
County*

City of Meadville,
Crawford County

Permit No.

PAR608305

*Applicant Name &
Address*

Lincoln Metal Processing
Company, Inc.
1602 Selinger Avenue
Erie, PA 16505

*Receiving
Water/Use*

French Creek

*Contact Office &
Phone No.*

DEP—NWRO
Water Management
230 Chestnut Street
Meadville, PA 16335-3481
814/332-6942

General Permit Type—PAG-4

*Facility Location:
Municipality &
County*

Dauphin County
Elizabethville
Borough

Permit No.

PAR123565

*Applicant Name &
Address*

JBS Souderton, Inc.
Elizabethville
Blending Facility
P. O. Box 64395
Souderton, PA
18964-0395

*Receiving
Water/Use*

Wiconisco Creek
WWF

*Contact Office &
Phone No.*

DEP—SCRO
909 Elmerton Avenue
Harrisburg, PA 17110
717-705-4707

Racoon Township
Beaver County

PAG046256

Bradley J. Katcher
1205 Pleasant Street
Aliquippa, PA 15001

UNT to Fish Pot Run

Southwest Regional
Office: Water
Management
Program Manager
400 Waterfront Drive
Pittsburgh, PA
15222-4745
(412) 442-4000

LeBoeuf Township
Eric County

PAG049554

Jeff L. and
Lisa R. Rindfuss
13824 Old Route 19
Waterford, PA 16441

Unnamed tributary
to French Creek
16A

DEP—NWRO
Water Management
230 Chestnut Street
Meadville, PA 16335-3481
814/332-6942

Connewango
Township
Warren County

PAG049552

Jeffrey and Tina Dell
1824 Keller Road
Warren, PA 16365

Unnamed tributary
to Scott Run
16-B

DEP—NWRO
Water Management
230 Chestnut Street
Meadville, PA 16335-3481
814/332-6942

Monroe Township
Clarion County

PAG049556

Mark A. Stewart
722 Stoney
Lonesome Road
Clarion, PA 16214

Unnamed tributary
to Piney Creek
17-B

DEP—NWRO
Water Management
230 Chestnut Street
Meadville, PA 16335-3481
814/332-6942

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS FOR CONCENTRATED ANIMAL FEEDING OPERATIONS (CAFO)

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under the act of July 6, 2005 (Act 38 of 2005, 3 Pa.C.S. §§ 501—522) (hereinafter referred to as Act 38), for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits, or Notices of Intent for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92. This notice is provided in accordance with 25 Pa. Code Chapter 92 and 40 CFR Part 122, implementing The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act.

Persons aggrieved by any action may appeal under section 517 of Act 38, section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701-704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachael Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS

| <i>Agricultural Operation Name and Address</i> | <i>County</i> | <i>Total Acres</i> | <i>Animal Equivalent Units</i> | <i>Animal Type</i> | <i>Special Protection Waters (HQ or EV or NA)</i> | <i>Approved or Disapproved</i> |
|---|---------------|--------------------|--------------------------------|--------------------|---|--------------------------------|
| Tuscarora Farms, LLC Jacob Wimmer 13938 Creek Road Willow Hill, PA 17271 | Franklin | 15 | 865.23 | swine | NA | Approved |

PUBLIC WATER SUPPLY (PWS) PERMITS

The Department of Environmental Protection has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P. S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 3390073, Public Water Supply.

| | |
|----------------------|--|
| Applicant | Lehigh County Authority |
| Township or Borough | Lower Macungie Township Lehigh |
| Responsible Official | Aurel M. Arndt, Manager Lehigh County Authority 1052 Spruce Street P. O. Box 3348 |
| Type of Facility | Community Water System |

| | |
|-----------------------|---|
| Permit Issuance Date | December 10, 2009 |
| Description of Action | Operation permit issued for LCA Well WL-12R |

Southcentral Region: Water Supply Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit No. 0609511 MA, Minor Amendment, Public Water Supply.

| | |
|---------------------|--|
| Applicant | Morgan Corporation |
| Municipality | Caernarvon Township |
| County | Berks |
| Type of Facility | This permit approves the replacement of existing iodine disinfection with sodium hypochlorite disinfection and addition of chlorine contact tanks. |
| Consulting Engineer | Christina Crawford MBA, P. E. Spotts, Stevens & McCoy, Inc. 1047 North Park Road Reading, PA 19610-0307 |

Permit to Construct Issued: 12/16/2009

Permit No. 2209505, Public Water Supply.

| | |
|---------------------|--|
| Applicant | Pillow Borough Authority |
| Municipality | Pillow Borough |
| County | Dauphin |
| Type of Facility | Installation of a new well (Well No. 5). |
| Consulting Engineer | Harry E. Bingaman, P. E. Glace Assoc., Inc. 3705 Trindle Road Camp Hill, PA 17011 |

Permit to Construct Issued: 12/14/2009

Permit No. 6709509, Public Water Supply.

| | |
|------------------|---|
| Applicant | The York Water Company |
| Municipality | West Manheim Township |
| County | York |
| Type of Facility | Installation of a chlorine booster in the West Manheim Booster Station. |

Consulting Engineer Mark S. Snyder, P. E.
The York Water Company
130 East Market Street
P. O. Box 15089
York, PA 17405-7089

Permit to Construct 12/15/2009
Issued:

Permit No. 3609510, Public Water Supply.

Applicant **Groffdale Mobile Home Park**
Municipality Upper Leacock Township
County **Lancaster**
Type of Facility Convert iodine disinfection to
sodium hypochlorite disinfection
system.

Consulting Engineer John G. Fuehrer II, P. E.
Fuehrer Associates, Ltd.
Box 541
Ephrata, PA 17522

Permit to Construct 12/16/2009
Issued:

Operations Permit issued to: **Krishna Ventures, LLC, 7280886**, Antrim Township, **Franklin County** on 12/15/2009 for the operation of facilities approved under Construction Permit No. 2806506.

Operations Permit issued to: **Landis Homes, 7360071**, Manheim Borough, **Lancaster County** on 12/18/2009 for the operation of facilities approved under Construction Permit No. 3609505.

Operations Permit issued to: **Pennsylvania American Water Company, 7220017**, Derry Township, **Dauphin County** on 12/16/2009 for the operation of facilities approved under Construction Permit No. 2209507 MA.

Northcentral Region: Water Supply Management Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 1707503—Operation, Public Water Supply.

Applicant **Clearfield Municipal Authority**
Township or Borough Lawrence Township
County **Clearfield**
Responsible Official Jeffrey Williams, Manager
Clearfield Municipal Authority
107 East Market Street
Clearfield, PA 16830

Type of Facility Public Water Supply—Operation

Consulting Engineer Jim Balliet
Gwin, Dobson & Foreman
3121 Fairway Drive
Altoona, PA 16602

Permit Issued Date December 15, 2009

Description of Action Operation of a Pall Aria AP-6
microfiltration plant, with
disinfection, pH adjustment, iron
and manganese removal,
corrosion control and Moose
Creek Reservoir, as a source of
supply.

Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Permit No. 3708503, Public Water Supply.

Applicant **The Olde Carriage Inn, Inc.,
d/b/a The Vintage House
Personal Care Home**

Township or Borough Shenango Township

County **Lawrence**

Type of Facility Public Water Supply

Consulting Engineer William P. Deemer, P. E.

Permit to Construct 12/11/2009
Issued

Permit No. 2498502-MA4, Public Water Supply.

Applicant **St. Marys Area Water
Authority**

Township or Borough Fox Township

County **Elk**

Type of Facility Public Water Supply

Consulting Engineer James A. Nordquist, P. E.

Permit to Construct 12/15/2009
Issued

Northeast Region: Water Supply Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Permit No. 4009519MA, Minor Amendment, Public Water Supply.

Applicant **Hazleton City Authority**

Borough or Township Black Creek Township

County **Luzerne**

Type of Facility Community Water System

Consulting Engineer Schumacher Engineering, Inc.

Permit to Construct November 18, 2009
Issued

STORMWATER MANAGEMENT

Action on plans submitted under the Stormwater Management Act of October 4, 1978 (32 P. S. § 680.9)

Bureau of Watershed Management, P. O. Box 8775, Harrisburg, PA 17105-8775.

The Act 167 Stormwater Management Plans for the **Swamp Creek Designated Watershed**, submitted by **Montgomery and Berks Counties**, were approved on January 24, 2007, and August 20, 2007, respectively. This approval applies to the entire watershed within both Montgomery and Berks Counties.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of Chapter 3 of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submit-

ted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, shall also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a Site-Specific Standard remediation. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media; benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the Environmental Cleanup Program manager in the Department regional office after which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Ronald S. Brezinski, Regional Environmental Cleanup Program Manager; 2 Public Square, Wilkes-Barre, PA 18711-0790.

Former R & D Fuels/Nevin Kemmerling Trust Property, 733 N. 17th Street, Allentown City, **Lehigh County**. Eric R. Strauss, Esquire, Worth, Magee & Fisher, PC, 2610 Walbert Avenue, Allentown, PA 18104 has submitted a Final Report (on behalf of his client, Gary L. Weiland, 4159 Wilson Avenue, Bethlehem, PA 18020), concerning the remediation of soil found to have been impacted by used motor oil and No. 2 heating oil as a result of surface spills due to leaking trucks that had been parked on the site and leakage from an aboveground storage tank. The report was submitted to document attainment of the Statewide Health Standard. A public notice regarding the submission of the Final Report was published in *The Morning Call* on October 30, 2009.

Southcentral Region: Environmental Cleanup Program Manager; 909 Elmerton Avenue, Harrisburg, PA 17110.

Cleveland Brothers Equipment Company, Inc., Lower Allen Township, **Cumberland County**. Geo-Technology Associates, Inc., 3578 Concord Road, York, PA 17402, on behalf of Cleveland Brothers Equipment Company, Inc., 4565 William Penn Highway, Murrysville, PA 15668, and Smith Land & Improvement Corporation, 2010 State Road, Camp Hill, PA 17011 submitted a combined Remedial Investigation and Final Report concerning remediation of site soils contaminated with chromic acid. The report is intended to document remediation of the site to meet the Site-Specific Standard. Remediation of groundwater will be addressed in a separate report.

Northwest Region: Environmental Cleanup Program Manager; 230 Chestnut Street, Meadville, PA 16335-3481.

Salem Tube, Pymnatuning Township, **Mercer County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412 on behalf of Salem Tube, Inc., 951 Fourth Street, Greenville, PA 16125 has submitted a Remedial Investigation Report concerning remediation of site soil and site groundwater contaminated with trichloroethylene (TCE) and its degradation products, including cis 1-2 dichloroethene and vinyl chloride. The report is intended to document remediation of the site to meet the Site-Specific Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995

PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P. S. §§ 6026.101—6026.908).

Provisions of 25 Pa. Code § 250.8, administration of the Land Recycling and Environmental Remediation Standards Act (act), require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* a notice of final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by provisions of the act for compliance with selection of remediation to a Site-Specific Standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation, concentration of regulated substances in environmental media, benefits of refuse of the property and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by provisions of the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the Environmental Cleanup Program manager in the Department regional office before which the notice of the plan or report appears. If information concerning a final report is required in an alternative

form, contact the Community Relations Coordinator at the appropriate regional office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Ronald S. Brezinski, Environmental Cleanup Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Stefko Boulevard Shopping Center, 1802—1880 Stefko Boulevard, Bethlehem City, **Northampton County**. George H. Keil, URS Corporation, 335 Commerce Drive, Suite 300, Fort Washington, PA 19034 submitted a Remedial Investigation Report (on behalf of his client, Regency Centers, L.P., One Independent Drive, Suite 114, Jacksonville, FL 32202), concerning the remediation of soil and groundwater found to have been impacted by dry cleaning solvents as a result of historical dry cleaning operations at the site. The report met the requirements of the Site-Specific Standard and was approved on November 18, 2009.

Southcentral Region: Environmental Cleanup Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Armstrong World Industries/Lancaster's Northwest Gateway, City of Lancaster and Manheim Township, **Lancaster County**. ARM Group, P. O. Box 797, Hershey, PA 17033, on behalf of EDC Finance Corporation, 100 South Queen Street, Lancaster, PA 17608-1558, submitted a Final Report concerning remediation of groundwater contaminated with VOCs, SVOCs and metals. The site has a non-use aquifer designation. The Final Report demonstrated attainment of the Residential Statewide Health Standard, and was approved by the Department of Environmental Protection on December 11, 2009.

Former Path Valley Service Plaza, Metal Township, **Franklin County**. Skelly & Loy, Inc., 449 Eisenhower Boulevard, Harrisburg, PA 17111, on behalf of Turnpike Commission, P. O. Box 67676, Harrisburg, PA 17106, submitted a Final Report concerning site soils contaminated with leaded/unleaded gasoline and diesel fuel. The Final Report demonstrated attainment of the Nonresidential Statewide Health Standard, and was approved by the Department of Environmental Protection on December 16, 2009.

John F. Lengel, Inc., Wernersville Facility, Lower Heidelberg Township, **Berks County**. Liberty Environmental, Inc., 50 North 5th Street, Reading, PA 19601, on behalf of John F. Lengel, Inc., 6841 Penn Avenue, Wernersville, PA 19565, submitted a final report concerning remediation of site soils contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Nonresidential Statewide Health Standard, and was approved by the Department of Environmental Protection on December 16, 2009.

Northcentral Region: Environmental Cleanup Program Manager, 208 West Third Street, Williamsport, PA 17701.

GFI Transport, Union Township, **Union County**. Northridge Group, Inc., 1172 Ridge Road, Northumberland, PA 17857 on behalf of GFI Transport, 860 Milton Grove Road, Mt. Joy, PA 17752 has submitted a Final Report submitted within 90 days of the release concerning the remediation of site soil contaminated with diesel fuel. The Final Report demonstrated attainment of the Statewide Health Standard and was approved by the Department of Environmental Protection on December 3, 2009.

REGISTRATION FOR GENERAL PERMIT—RESIDUAL WASTE

Registration Approved under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003); the Residual Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Central Office: Division of Municipal and Residual Waste, Rachel Carson State Office Building, 14th Floor, 400 Market Street, Harrisburg, PA 17105-8472.

Registration under **General Permit No. WMGR097R012. EME Homer City Generation, LP**, 1750 Power Plant Road, Homer City, PA 15748-9558.

General Permit Number WMGR097 authorizes research and development (R&D) activities. This general permit was issued in support of R&D activities to collect data and information that demonstrates the blending of synthetic gypsum with coal ash refuse will: (i) add structural strength to the fine coal refuse; and (ii) improve the quality of the leachate generated at the coal refuse disposal site. Central Office approved this registration for coverage under the general permit on December 15, 2009.

Persons interested in obtaining more information, or obtaining copies of the general permit may contact Ronald C. Hassinger, Chief, General Permits and Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Land Recycling and Waste Management, Rachel Carson State Office Building, P. O. Box 8472, Harrisburg, PA 17105-8472, 717-787-7381. TDD users may contact the Department of Environmental Protection through the Pennsylvania AT&T Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permits Revoked under the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

Permit No. 301342. Planet Earth Recycling, Inc., 7353 State Road, Philadelphia, PA 19136, City and **County of Philadelphia**. Final closure certification, residual waste permit revocation and bond release requests were submitted by permittee for the clean closure of its used antifreeze and used oil filter processing facility. The final closure certification and corresponding permit revocation actions were taken by the Southeast Regional Office on December 18, 2009. Upon this permit revocation action becoming final, the bond release will be processed.

Permit(s) issued under the Solid Waste Management Act, of July 7, 1980, P.L. 380, 35 P. S. §§ 6018.101— 6018.1003, the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P. S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone 412-442-4000.

Permit ID #101571. Mostoller Landfill, Inc., 7095 Glades Pike, Somerset, PA 15501. Mostoller Landfill, 7095 Glades Pike, Somerset, PA 15501. Application for revision of grading plan in pads 6 and 7 of municipal waste landfill in Somerset and Brothersvalley Townships, **Somerset County** was issued in the Regional Office on December 17, 2009.

Final Closure Certification under the Solid Waste Management Act, the Act of July 7, 1980, P. L. 380, 35 P. S. §§ 6018.1003 and regulations to operate solid waste processing or disposal area or site.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Notice is hereby given that the Department of Environmental Protection (Department) has certified Final Closure of the Residual Waste Incinerator (Permit No. 301258) located at the Ranbar Electrical Materials, Inc., facility in Manor Township, Westmoreland County. The Residual Waste Incinerator has been removed from the facility as described in the application received on October 19, 2009. In the association with this Final Closure, the Department also releases Ranbar Electrical Materials, Inc. from the associated letter of credit for \$25,650.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790. Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507.

35-320-011GP10: PA Hutchinson Co. (400 Penn Avenue, Mayfield, PA 18433) on December 8, 2009, for construction and operation of an Offset Lithographic Printing Press at their site in Mayfield Borough, **Lackawanna County**.

13-310-016GP3: Haines & Kibblehouse (P. O. Box 196, 2052 Lucon Road, Skippack, PA 19474) on December 8, 2009, for construction and operation of a Portable Crushing Operation with watersprays at their site in Mahoning Township, **Carbon County**.

13-329-003GP9: Haines & Kibblehouse (P. O. Box 196, 2052 Lucon Road, Skippack, PA 19474) on December 8, 2009, for installation and operation of a Diesel I/C Engine at their site in Mahoning Township, **Carbon County**.

48-320-016GP7: Cadmus Specialty Publications (1991 Northampton Street, Easton, PA 18042) on December 8, 2009, for construction and operation of a Sheetfed Lithographic Printing Press at their site in Wilson Borough, **Northampton County**.

58-310-023GP3: Haines & Kibblehouse (P. O. Box 196, 2052 Lucon Road, Skippack, PA 19474) on December 16, 2009, for construction and operation of a Portable Crushing Operation with watersprays at their site at Bluerock Quarry in Middletown Township, **Susquehanna County**.

58-329-012GP9: Haines & Kibblehouse (P. O. Box 196, 2052 Lucon Road, Skippack, PA 19474) on December 16, 2009, for installation and operation of a Diesel I/C engine at their site at Bluerock Quarry in Middletown Township, **Susquehanna County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110. Contact: William R. Weaver, New Source Review Chief—Telephone: 717-705-4702.

GP7-06-3016: Kutztown Publishing Company (15076 Kutztown Road, P. O. Box 346, Kutztown, PA 19530-0346) on December 10, 2009, for a Sheetfed Offset Lithographic Printing Press under GP7 in Maxatawny Township, **Berks County**. This is a renewal of the GP7 permit.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Contact: Barb Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226.

GP5-32-00402: Dominion Exploration & Production, Inc. (280 Indian Spring Road, Suite 333, Indiana, PA 15701) on December 11, 2009, to operate one natural gas compressor engine at the Marchand Compressor Station on Tulip Road, North Mahoning Township, **Indiana County**.

GP5-26-00587A: Laurel Mountain Midstream Operating, LLC—Robin Hill Gas Plant (1550 Coraopolis Heights Road, 2nd Floor, Moon Township, PA 15108) located in Springhill Township, **Fayette County**. The General Permit is being approved for use at this existing facility due to a change of ownership from the former Atlas Pipeline Pennsylvania, LLC. Additional changes at this facility include the installation of a new compressor engine which is identical to the existing compressor engine.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481. Contact: Mark Gorog, New Source Review Chief—Telephone: 814-332-6940.

GP3-10-363A: Quality Aggregates, Inc.—Hilliards Plant (Nagy Road, Whiskerville, PA 16040) on December 15, 2009, for a portable nonmetallic mineral processing plant (BAQ-GPA/GP-3) in Washington Township, **Butler County**.

GP9-10-363B: Quality Aggregates, Inc., Hilliards Plant (Nagy Road, Whiskerville, PA 16040) on December 15, 2009, for a diesel or #2 fuel-fired internal combustion engine (BAQ-GPA/GP-9) in Washington Township, **Butler County**.

GP5-42-210B: Seneca Resources Corporation—Halsey Pipe Yard Station (State Route 219, Kane, PA 16735) on December 15, 2009, for operation of natural gas fired compressor engines (BAQ-GPA/GP-5) in Sergeant Township, **McKean County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401. Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920.

23-0003P: ConocoPhillips Company (4101 Post Road, Trainer, PA 19061-3812) on December 17, 2009, for

replacement of a Peabody heater and components during 2010 turnaround at their Trainer facility in Trainer Borough, **Delaware County**. This facility is a Title V facility. This installation and modification will result in minor emission increases. The Plan Approval and Operating Permit will contain recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790. Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507.

40-309-041: Schott North America, Inc. (400 York Avenue, Duryea, PA 18642-2026) on December 14, 2009, for installation of a baghouse at their facility in Duryea Borough, **Luzerne County**.

54-302-079: The County of Schuylkill—Schuylkill County Court House (401 North Street, Pottsville, PA 17901) on November 23, 2009, for installation and operation of a 4.612 MMBtu heat input anthracite coal fired boiler at their Schuylkill County Court House facility in the City of Pottsville, **Schuylkill County**.

54-302-078: The County of Schuylkill—Schuylkill County Prison (401 North Street, Pottsville, PA 17901) on November 23, 2009, for installation and operation of a 4.612 MMBtu heat input anthracite coal fired boiler at the Schuylkill County Prison's facility in the City of Pottsville, **Schuylkill County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110. Contact: William R. Weaver, New Source Review Chief—Telephone: 717-705-4702.

36-05147A: Wenger's Feed Mill, Inc. (101 W. Harrisburg Avenue, Rheems, PA 17570) on December 14, 2009, for their animal feed facility in Mount Joy Borough, **Lancaster County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401. Contact: Sachin Shankar, New Source Review Chief—Telephone: 484-250-5920.

46-0262A: Penn Color, Inc. (2801 Richmond Road, Hatfield, PA 19440) on December 14, 2009, to operate the equipment for the pigment mixing operation in Hatfield Township, **Montgomery County**.

15-0037D: Oberthur Technologies of America Corp. (523 James Hance Court, Exton, PA 19341) on December 14, 2009, to operate a lithographic press in West Whiteland Township, **Chester County**.

46-0025C: Lonza, Inc. (900 River Road, Conshohocken, PA 19428) on December 11, 2009, to operate a two stage venture scrubber in Upper Merion Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110. Contact: William R. Weaver, New Source Review Chief—Telephone: 717-705-4702.

36-03067A: Covance Research Products, Inc. (310 Swamp Bridge Road, Denver, PA 17517) on December 16,

2009, for their new incinerator in West Cocalico Township, **Lancaster County**. This plan approval was extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Contact: M. Gorog and B. Hatch, Environmental Engineer Managers—Telephone: 412-442-4163/5226.

63-00549A: Arden Landfill, Inc. (625 Cherrington Parkway, Coraopolis, PA 15108-4321) on December 10, 2009, to extend the completion of stack testing of the Caterpillar engines at their Gas to Energy plant in Chartiers Township, **Washington County** until July 14, 2010. This Plan approval has been extended.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401. Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

15-00022: Columbia Gas Transmission Corp. (310 Fellowship Road, Chester Springs, PA 19425) on December 17, 2009, for renewal of the original Title V Operating Permit issued on September 28, 2004, and amended on November 27, 2007 in West Vincent Township, **Chester County**. There have been no other changes made to the permit since it was amended on November 27, 2007. The permit includes monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Department of Public Health, Air Management Services: 321 University Avenue, Philadelphia, PA 19104. Contact: Thomas Huynh, Chief—Telephone: 215-685-9476.

V08-002: The Children's Hospital of Philadelphia (34th Steet and Civic Center Boulevard, Philadelphia, PA 19104) on December 11, 2009, to operate a hospital in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include seven (7) 800 HP boilers, three (3) 500 HP boilers, a 250 HP boiler, four (4) 1,085 HP peak-shaving generators, twelve (12) emergency generators, and two (2) ethylene oxide sterilizers which vent to an ethylene oxide abator.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790. Contact: Ray Kempa, New Source Review Chief—Telephone: 570-826-2507.

40-00109: Gruma Corp. (15 Elmwood Road, Mountaintop, PA 18707) on December 4, 2009, to renew the State-Only Permit for operation of a food manufacturing facility in Wright Township, **Luzerne County**.

48-00054: Praxair, Inc. (145 Shimersville Road, Bethlehem, PA 18015) on December 4, 2009, to renew the State-Only Permit for the operation of an industrial, medical, and specialty gas processing facility in the City of Bethlehem, **Northampton County**.

54-00061: Kaytee Products, Inc. (55 North Sillyman Street, Cressona, PA 17929-1196) on December 7, 2009, to

renew the State-Only Permit for the operation of an animal food manufacturing facility in Cressona Borough, **Schuylkill County**.

54-00063: Greater Pottsville Area Sewer Authority (401 North Centre Street, P. O. Box 1163, Pottsville, PA 17901-7163) on December 3, 2009, for a new State Only Operating Permit for operation of a wastewater treatment plant located in the City of Pottsville, **Schuylkill County**.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110. Contact: William R. Weaver, New Source Review Chief—Telephone: 717-705-4702.

36-03137: Martin Limestone, Inc. (P. O. Box 550, Blue Ball, PA 17506-0550) on December 18, 2009, this is a renewal of the State-only operating permit for their stone crushing operations in Earl Township, **Lancaster County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Contact: Barbara Hatch, Facilities Permitting Chief—Telephone: 412-442-4174.

04-00266: Hanson Aggregates BMC Incorporation, (Hanson Aggregates BMC, Inc., 2200 Springfield Pike, Connellsville, PA 15425) on December 18, 2009, operating permit renewal for their Sewickley Creek Asphalt Plant in Economy Borough, **Beaver County**. Air contamination sources at this facility includes a hot mix asphalt plant, two asphalt cement tanks, waste derived liquid fuel tank, crushers, screens, conveyors, stockpiles and in-plant roadways. Annual emissions from the facility are estimated to be 13.75 tons NOx, 8.00 tons VOCs, 32.5 tons CO, 8.25 tons particulate matter and 14.5 tons SOx. The facility is subject to the applicable requirements of 25 Pa. Code §§ 121 through 145 and Federal standards found in 40 CFR 60, Subparts A, I, Kb, and OOO. The OP contains applicable emission limits, as well as testing, monitoring, recordkeeping, reporting, and work practice requirements. The Permit's date of issuance is 12/10/2009 and is effective for a period of 5 years.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401. Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

15-00037: Oberthur Technologies of America Corp. (523 James Hance Court, Exton, PA 19341) on December 17, 2009, located in West Whiteland Township, **Chester County**, for an Administrative Amendment to Title V Operating Permit No. 15-00037. The Title V Operating Permit has been amended to incorporate Plan Approval Nos. 15-0037B, 15-0037C, 15-0037D, and 15-0037E, for the operation of various ink presses. The Title V Operating Permit contains monitoring and recordkeeping requirements designed to keep the ink presses operating within the allowable emissions and all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110. Contact: William R. Weaver, New Source Review Chief—Telephone: 717-705-4702.

36-03160: GSM Industrial, Inc. (3249 Hempland Road, Lancaster, PA 17601-6913) on December 14, 2009, for their custom industrial metal fabrication facility located in East Hempfield Township, **Lancaster County**. This State-only operating permit was administratively amended to incorporate Plan Approval 36-03160B. This is Revision No. 1.

Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act (35 P. S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481. Contact: Matthew Williams, New Source Review Chief—Telephone: 814-332-6940.

33-00155: Trail King Ind., Inc., Brookville Plant (Trail King Ind., Inc., Michell, SD 57301), on December 17, 2009, for revocation of their State Only Operating Permit for the operation of the metal fabrication and surface coating facility in Pine Creek Township, **Jefferson County**. This operating permit was revoked because of a permanent shutdown of operations at the facility.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P. S. §§ 1396.1—1396.19a); the Noncoal Surface Mining Conservation and Reclamation Act (52 P. S. §§ 3301—3326); The Clean Streams Law (35 P. S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P. S. §§ 30.51—30.66); and The Bituminous Mine Subsidence and Land Conservation Act (52 P. S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the request for 401 Water Quality Certification and the NPDES permit application. Mining activity permits issued in response to the applications will also address the application permitting requirements of the following statutes: the Air Quality Control Act (35 P. S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P. S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P. S. §§ 6018.101—6018.1003).

Coal Applications Returned

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

30841312 and NPDES Permit # PA0013790, Consolidation Coal Company, (1800 Washington Road, Pittsburgh, PA 15241), to revise the permit for the Blacksville Mine No. 2 in Gilmore Township, **Greene County** and related NPDES permit to install the Roberts Run Airshaft. Surface Acres Proposed 15.4. Receiving Stream: Unnamed tributary to Roberts Run, classified for the following use: WWF. Application received: July 7, 2008. Application returned: December 9, 2009.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

56070105 and NPDES No. PA0262421. Amerikohl Mining, Inc., 1384 SR 711, Stahlstown, PA 15687, revision of an existing bituminous surface mine to conduct mining activities including coal removal, E & S controls and a stream crossing in Black Township, **Somerset County**, affecting 155.2 acres. Receiving stream(s): unnamed tributaries to/and Casselman River

classified for the following use(s): cold water fishery, warm water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: May 4, 2009. Application returned: December 11, 2009.

Coal Permits Actions

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

32951301 and GP12-32951301-R17, Rosebud Mining Company, (301 Market Street, Kittanning, PA 16201), to revise the permit for the Toms Run Mine in Burrell Township, **Indiana County** to establish an emission inventory for fugitive emissions in processing of coal based on calendar year increase of 250,000 tons. Total annual raw coal throughput increased from $\leq 500,000$ to $\leq 750,000$ tons per calendar year. Approval is authorized under General Permit BAQ-GPA/GP12 and is required to meet all applicable limitations, terms, and conditions of authorization GP12-32951301. No additional discharges. Application received: November 5, 2009. Permit issued: December 11, 2009.

11040701 and NPDES Permit # PA0235717, AMFIRE Mining Company, LLC, (One Energy Place, Latrobe, PA 15650), to revise the permit for the Refuse Area No. 1 in Portage Township, **Cambria County** for a stream variance to an unnamed tributary to Spring Run to install brush windrows. No additional discharges. Application received: May 7, 2009. Permit issued: December 16, 2009.

30081601 and NPDES Permit # PA0235792, Coresco, LLC, (308 Dents Run Road, Morgantown, WV 26501-2006), to operate the Overland Conveyor in Dunkard Township, **Greene County** and related NPDES permit for an overland coal conveyor belt system. Surface Acres Proposed 500.0. Receiving streams: Dunkard Creek and Unnamed Tributary Dunkard Creek, both classified for the following use: WWF. The first downstream potable water supply intake from the point of discharge is East Dunkard Township Water Association and intake Dunkard Creek. Application received: May 30, 2008. Permit issued: December 16, 2009.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900.

56890111 and NPDES No. PA0598577. Ritchie Trucking & Excavating, Inc., 19709 Winner View Terrace, Frostburg, MD 21532, permit renewal for the continued operation and restoration of a bituminous surface mine in Elk Lick Township, **Somerset County**, affecting 66.3 acres. Receiving stream(s): unnamed tributaries to/and Tub Run, unnamed tribs to/and Casselman River classified for the following use(s): cold water fishery and warm water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: October 13, 2009. Permit issued: December 14, 2009.

56990102 and NPDES No. PA0235105. Ritchie Trucking & Excavating, Inc., 19709 Winner View Terrace, Frostburg, MD 21532, permit renewal for the continued operation and restoration of a bituminous surface mine in Elk Lick Township, **Somerset County**, affecting 87.8 acres. Receiving stream(s): unnamed tributaries to/and Tub Run, unnamed tribs to/and Casselman River classified for the following use(s): cold water fishery and warm water fishery. There are no potable water supply intakes within 10 miles downstream. Application received: October 13, 2009. Permit issued: December 16, 2009.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

33990111 and NPDES No. PA0241571. P. and N. Coal Co., Inc. (P. O. Box 332, Punxsutawney, PA 15767). Renewal of an existing bituminous strip operation in Young and McCalmont Townships, **Jefferson County** affecting 171.5 acres. Receiving streams: Unnamed tributary to Little Elk Run and an unnamed tributary to Elk Run. Application received: October 15, 2009. Permit issued: December 10, 2009.

Noncoal Permits Actions

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500.

2966BSM50 and NPDES Permit No. PA0202851. Potato Ridge, LLC (520 West Short Street, Lexington, KY 40507). Permit renewal issued for continued treatment of discharges at an existing large noncoal surface mining site located in Stewart Township, **Fayette County**, affecting 65 acres. Receiving streams: Laurel Run and an unnamed tributary to Laurel Run. Application received: February 9, 2009. Renewal issued: December 16, 2009.

Knox District Mining Office: P. O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

25090803. Martin & Beverly A. Duran (4520 Nye Road, West Springfield, PA 16443-2018) Commencement, operation and restoration of a small noncoal sand & gravel operation in Venango Township, **Erie County** affecting 5.0 acres. Receiving streams: Unnamed tributary to Lake Pleasant. Application received: July 31, 2009. Permit Issued: December 7, 2009.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 (43 P.S. §§ 151–161); and 25 Pa. Code § 211.124 (relating to blasting activity permits). Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Actions

Greensburg District Mining Office: Armbrust Professional Center, 8205 Route 819, Greensburg, PA 15601, 724-925-5500.

26094012. Shallenberger Construction (2611 Memorial Avenue, Connellsville, PA 15425). Blasting activity permit for construction of the Swiantek Well #1—Atlas Resources Well Site, located in Franklin Township, **Fayette County**. The duration of blasting is expected to be 1 year. Permit issued: December 17, 2009.

30094004. Conquest Seismic Services (504 1st Center, Horseheads, NY 14845). Blasting activity permit for seismic exploration to the RRC MSD SWPA 2D Greene, located in Richhill and Waynesburg Townships, **Greene County**. The duration of blasting is expected to be 9 months. Permit issued: December 17, 2009.

63094004. Conquest Seismic Services (504 1st Center, Horseheads, NY 14845). Blasting activity permit for seismic exploration to the RRC MSD SWPA 2D Washington, located in Amwell Township, Bentleyville and California Boroughs, **Washington County**. The duration of blasting is expected to be 9 months. Permit issued: December 17, 2009.

650940112. Conquest Seismic Services (504 1st Center, Horseheads, NY 14845). Blasting activity permit for seismic exploration to the RRC MSD SWPA 2D Westmoreland, located in Murrysville & Upper Burrell Townships, **Westmoreland County**. The duration of blasting is expected to be 9 months. Permit issued: December 17, 2009.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

8094009. John Brainard (3978 SR 2073, Kingsley, PA 18826), blasting for the Welles well sites 4 and 5 located in Wilmont Township, **Bradford County**. Permit issued: December 11, 2009. Permit expires: February 28, 2010.

8094112. Orica USA, Inc. (5101 Beekmantown Road, Whitehall, PA 18052-2240), blasting for a retention pond located in Wyalusing Township, **Bradford County**. Permit issued: December 15, 2009. Permit expires: June 30, 2010.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

36094188. TJ Angelozzi, Inc. (7845 Kabik Court, Woodbine, MD 21797), construction blasting for the Hawthorne Ridge in Lancaster Township, **Lancaster County** with an expiration date of December 9, 2010. Permit issued: December 10, 2009.

15094110. Warren's Excavating & Drilling, Inc. (P. O. Box 214, Myerstown, PA 17067), construction blasting for Hopewell Manor in Elverson Borough, **Chester County** with an expiration date of December 4, 2010. Permit issued: December 11, 2009.

36094189. Warren's Excavating & Drilling, Inc. (P. O. Box 214, Myerstown, PA 17067), construction blasting for Farmersville Fire Company in West Earl Township, **Lancaster County** with an expiration date of December 10, 2010. Permit issued: December 11, 2009.

15094111. American Infrastructure, Inc. (P. O. Box 98, Worcester, PA 19490), construction blasting for Whiteland Sewer pipeline in East Whiteland Township, **Chester County** with an expiration date of December 1, 2010. Permit issued: December 17, 2009.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (Department) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of sections 301-303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) and that the construction will not violate applicable Federal and State water quality standards.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing

Board (Board) through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Floodplain Management Act (32 P.S. § 679.302) and The Clean Streams Law (35 P.S. §§ 691.1—691.702) and Notice of Final Action for Certification under section 401 of the FWPCA (33 U.S.C.A. § 1341).

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Northeast Regional Office: Watershed Management Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

E45-520. Apiem, Inc., One Empire Plaza, Route 611, Stroudsburg, PA 18360. Smithfield Township, **Monroe County**, Army Corps of Engineers Philadelphia District.

To construct and maintain an 8-inch outfall pipe in the floodway of a tributary to Brodhead Creek (HQ-CWF) and to modify and maintain an existing 220-foot long 24-inch diameter RCP stream enclosure in a tributary to Brodhead Creek by increasing the length 135 feet on the downstream end. The extension consists of 10 feet of 24-inch diameter RCP and 125 feet of 38-inch x 24-inch elliptical RCP. The project is located on the south side of Independence Road (SR 0447), 0.7 mile west of the intersection with U.S. Route 209 (East Stroudsburg, PA Quadrangle Latitude: 41° 0' 32"; Longitude: -75° 9' 49") in Smithfield Township, Monroe County. Subbasin: 1E.

E45-548. Cynthia Manero, 1866 Rampart Lane, Tobyhanna Township, **Monroe County**, Army Corps of Engineers Philadelphia District.

To construct and maintain an approximately 4-foot wide elevated wooden boardwalk across approximately 30 feet of EV wetlands adjacent to Arrowhead Lake for the purpose of providing access to an existing dock. The project will impact approximately 120 square feet of wetlands. The project is located 4.41 miles north of the intersection of SR 0940 and SR 0115 (Thornhurst, PA Quadrangle Latitude: 41° 9' 21"; Longitude: -75° 34' 38") in Tobyhanna Township, Monroe County. Subbasin: 2A.

E45-526. Shawnee Holding, Inc., P. O. Box 67, 1 River Road, Shawnee, PA 18356. Smithfield Township, **Monroe County**, Army Corps of Engineers, Philadelphia District.

To construct and maintain a timber truss suspension golf cart bridge having a span of approximately 250-feet and an underclearance of 26-feet across the Delaware River (WWF, MF) in place of an existing, 286-foot seasonal bridge, which will be removed. Also, the construction of an asphalt golf cart path within the 100-year floodway of the Delaware River (WWF, MF). The purpose of the project is to replace the existing, seasonal bridge, with a permanent structure for golf cart access at the "Shawnee on the Delaware" golf course. The project is located 1.57 miles north east of the intersection of SR 2028 and I-81 (Bushkill, PA-NJ Quadrangle Latitude: 41° 0' 20"; Longitude: -75° 7' 0"), in Smithfield Township, Monroe County. Subbasin: 1E.

E45-549. Miggy Bros, LLC, 601 North Newton Square Road, Newtown Square, PA 19073. Middle Smithfield Township, **Monroe County**, Army Corps of Engineers Philadelphia District.

To maintain a 3-inch diameter low pressure sanitary sewer force main crossing approximately 69-feet of EV (PSS/PEM) wetlands for the purpose of providing a sanitary sewage connection line servicing "Bennigan's Restaurant." The project is located 4.3 miles northeast of the intersection of SR 402 and U.S. Route 209 (Bushkill, PA-NJ Quadrangle Latitude: 41° 3' 57"; Longitude: -75° 3' 9"). Subbasin: 1E.

E48-403. Lower Saucon Township, 3700 Old Philadelphia Pike, Bethlehem, PA 18015. Lower Saucon Township, **Northampton County**, Army Corps of Engineers Philadelphia District.

To construct and maintain an 8-foot wide single span pedestrian bridge across Polk Valley Run (HQ-CWF) having a span of approximately 12 feet and an underclearance of approximately 4 feet. The project is located approximately 2.1 miles southeast from the intersection of Interstate 78 and SR 0412 on the south side of Polk Valley Road (Hellertown, PA Quadrangle Latitude: 40° 34' 04"; Longitude: -75° 19' 45") in Lower Saucon Township, Northampton County. Subbasin: 2C.

E48-401. Jaindl Land Company, 3150 Coffeetown Road, Orefield, PA 18069. Hanover and East Allen Townships, **Northampton County**, Army Corps of Engineers Philadelphia District.

To construct and maintain two stormwater outfall structures in the 100-year floodway along the south side of Monocacy Creek (HQ-CWF) for the purpose of conveying stormwater from the Hanover Cooperate Center II project site. The first consists of a 24-inch diameter RCP stormwater pipe, and concrete endwall with R-4 rip-rap apron. The second consists of a 29-inch x 45-inch diameter HERCP stormwater pipe, and concrete endwall with R-4 rip-rap apron. The outfalls are located on the north side of Steuben Road, approximately 2,800 feet and approximately 4,880 feet downstream of SR 512 (Catasauqua, PA Quadrangle Latitude: 40° 41' 35"; Longitude: -75° 22' 54") in Hanover and East Allen Townships, Northampton County. Subbasin: 2C.

E39-490. City of Allentown, 435 Hamilton Street, Allentown, PA 18101-1699. City of Allentown, **Lehigh County**, Army Corps of Engineers Philadelphia District.

To construct and maintain a 10-foot wide by 55-foot long at-grade access road in the floodway of the Little Lehigh Creek (HQ-CWF), consisting of a geo-block grass paving system, for the purpose of providing access to an existing sanitary sewer siphon. The project is located approximately 0.05 mile east of where the Ward Street

Bridge passes over Martin Luther King Jr. Drive (Allentown East Quadrangle Latitude: 40° 35' 28"; Longitude: -75° 28' 57"). Subbasin: 2C.

E13-159. Borough of Jim Thorpe, 421 North Street, Jim Thorpe, PA 18229. Borough of Jim Thorpe, **Carbon County**, Army Corps of Engineers Philadelphia District.

To construct and maintain a stream restoration project in 600 linear feet of Slaughterhouse Creek (HQ-CWF) with work consisting of riparian plantings, turf and boulder bank stabilization, 25 in-stream boulder structures creating a step-pool channel with thawegs. The project's purpose is to stabilize the channel.

The project begins approximately 0.60 mile west of the intersection of West Oak Street and State Route 0903 (Christmans, PA Quadrangle Latitude: 40° 52' 43"; Longitude: -75° 43' 51") and ends approximately 0.10 mile from the intersection of West 10th Street and State Route 0903 (Christmans, PA Quadrangle Latitude: 40° 52' 49"; Longitude: -75° 43' 47") in the Borough of Jim Thorpe, Carbon County. Subbasin: 2B.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110. Telephone: 717-705-4707.

E05-352: Community Foundations for the Alleghenies, 116 Market Street, Suite 4, Johnstown, PA 15901, Shobers' Run Channel Relocation and Restoration Project, Bedford Township, **Bedford County**, ACOE Baltimore District.

To relocate and maintain an approximately 2,210-foot channel of Shobers Run (HQ-CWF) for the purpose of restoring the eroding banks located at a point 0.50 mile downstream of the Bedford Spring Resort (Rainsburg, PA Quadrangle N: 22.56 inches; W: 0.55 inch, Latitude: 39° 59' 57"; Longitude: 78° 30' 14") and continuing downstream to point 300 feet upstream of the Elk Country Club (Everett West, PA Quadrangle N: 0.53 inch; W: 17.50 inches, Latitude: 40° 00' 11"; Longitude: 78° 29' 60") in Bedford Township, Bedford County.

E01-287: New Oxford Municipal Authority, New Oxford Municipal Authority Wastewater Treatment Plant, Oxford Borough and New Oxford Township, **Adams County**, ACOE Baltimore District.

The applicant proposes to: 1.) remove approximately 140.0 linear feet of an existing 48.0-inch RCP stream enclosure in an unnamed tributary to South Branch of Conewago Creek (WWF). 2.) install and maintain 490.0 linear feet of new 48.0-inch RCP stream enclosure in an unnamed tributary to South Branch Conewago Creek (WWF). 3.) construct and maintain a concrete vault within the 100-yr FEMA floodplain of the South Branch of Conewago Creek (WWF). The purpose of the project is to improve the existing New Oxford Municipal Authority Wastewater Treatment Plant.

The project is located at the existing New Oxford Municipal Authority Wastewater Treatment Plant, along Tracy Avenue (McSherrystown, PA Quadrangle N: 21.0 inches; W: 9.2 inches, Latitude: 39° 51' 55"; Longitude: 77° 03' 55") in New Oxford Township and Oxford Borough, Adams County.

Northcentral Region: Watershed Management Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E08-457. Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. SR 1049 Section 001 Bridge Structure Replace-

ment over Pendleton Creek, Warren Township, Bradford County, ACOE Baltimore District (Little Meadows, PA Quadrangle N: 41° 55' 34"; W: 76° 14' 19").

Department of Transportation, Engineering District 3-0, proposes to replace the existing bridge structure located over Pendleton Creek, Warren Township, Bradford County. The existing structure is a single span steel I-beam bridge with a 59° skew, 8 ft. underclearance, and 24 ft. clear span. The structure will be replaced with a single span 11 ft. by 28 ft. concrete arch culvert. The proposed culvert will be placed on the existing horizontal and vertical alignment. The project proposes 0.12 acre of floodway fill associated with the required approach work. The bridge replacement will impact an additional 55 ft. of stream channel. Pendleton Creek is classified as a Cold Water Fishery by 25 Pa. Code § 93 Water Quality Standards. The bridge replacement will not result in any wetland impacts. This permit also includes 401 Water Quality Certification.

E08-458. Department of Transportation, Engineering District 3-0, P. O. 218 Montoursville, PA 17754-0218. SR 0220 Section 094 Bridge Structure Replacement and in-stream rock vane placement over Wolcott Creek, Athens Township, **Bradford County**, ACOE Baltimore District (Sayre, PA Quadrangle N: 41° 55' 26"; W: 76° 31' 32").

Department of Transportation Engineering District 3-0 proposes to replace the existing single span multi-stringer steel beam bridge with a single span spread box beam bridge over Wolcott Creek. The existing hydraulic opening is 195 ft² and the proposed hydraulic opening is 264.5 ft². The proposed bridge will be placed approximately on the existing vertical and horizontal alignment. Additionally, the project will place one rock cross vane upstream and downstream of the proposed bridge structure. Wolcott Creek is classified as a Warm Water Fishery by 25 Pa. Code § 93 Water Quality Standards. The proposed project will not impact any jurisdictional wetlands. This permit also includes 401 Water Quality Certification.

E17-452. City of DuBois, P. O. Box 408, 16 West Scribner Avenue, DuBois, PA 15801. Pedestrian Bridge Across Beaver Run, DuBois City, **Clearfield County**, ACOE Pittsburgh District (Luthersburg, PA Quadrangle Latitude: 41° 07' 16.44"; Longitude: 78° 44' 32.64").

The applicant proposes to construct, operate and maintain a pedestrian bridge crossing Beaver Run for public access to recreational facilities. The bridge across Beaver Run shall be constructed as a single span structure having a minimum span of 50-feet, underclearance of 4.5-feet, and width of 4-feet. The project is located along the southern right-of-way of Beaver Drive approximately 3250-feet west of Shaffer Road and Beaver Drive intersection. This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

E41-602. Christopher J. Tobiasz, 195 Jacks Hollow Road, South Williamsport, PA 17702-8748. Water Obstruction and Encroachment Joint Permit, in Armstrong Township, **Lycoming County**, ACOE Susquehanna River Basin District (Williamsport, PA Quadrangle N: 41° 12' 48.8"; W: 77° 1' 57").

To construct and maintain a pavilion for boat storage in the floodway of Mosquito Creek. The pavilion will have a width of 16-feet, a length of 20-feet and a height of approximately 12-feet. The pavilion will be constructed of lumber with a metal roof. All sides of the pavilion are open. Six 8-inch round pressure treated posts will support

the truss roof. The posts will be anchored in the ground below the frost line. No fill will be placed in the floodway. This project is located along Mosquito Creek, 500-feet east of the intersection of Jacks Hollow and Mosquito Valley Roads (Williamsport, PA Quadrangle N: 41° 12' 48.8"; W: 77° 1' 57") in Armstrong Township, Lycoming County. This project proposes to have a minimal impact to Mosquito Creek, which is designated a High Quality, Cold Water Fishery and does not propose to impact any jurisdictional wetlands. This permit was issued under Section 105.13(e) "Small Projects."

E59-490. Department of Transportation, Engineering District 3-0, P. O. Box 218, Montoursville, PA 17754-0218. SR 3014 Section 001 Bridge Structure Replacement over Zimmerman Creek, Liberty Township, **Tioga County**, ACOE Baltimore District (Nauvoo, PA Quadrangle N: 41° 33' 54"; W: 77° 12' 30").

Department of Transportation, Engineering District 3-0, proposes to replace the existing bridge structure located over Zimmerman Creek, Liberty Township, Tioga County. The existing structure is a two span steel I-beam bridge with a timber deck. The existing bridge has a span of 25 ft. on both spans and an underclearance of 10.8 ft. The project proposes to shift the horizontal alignment upstream approximately 10 ft. The proposed structure is a single span pre-stressed concrete spread box beam bridge. The proposed structure will have a span of 50 ft. and an underclearance of 9.7 ft. The project proposes to use R-6 Rip-Rap to protect the existing barn located adjacent to the existing bridge. The Rip-Rap will be placed on the right downstream bank. Zimmerman Creek is classified as a High-Quality Cold Water Fishery by 25 Pa. Code § 93 Water Quality Standards. The bridge replacement will not result in any wetland impacts. This permit also includes 401 Water Quality Certification.

Southwest Region: Watershed Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E56-353. Somerset County Commissioners, 300 North Center Avenue, Suite 500, Somerset, PA 15501-1472. To construct a bridge and place fill in a wetland in Jefferson Township, **Somerset County**, Pittsburgh ACOE District (Bakersville, PA Quadrangle North 10.1"; West 9.0", Latitude: 40° 03' 23.5"; Longitude: 79° 11' 21.5"). To construct and maintain a concrete box beam bridge (prestressed concrete and steel are allowed as alternatives) with a span of 45', a total width of 18.54' and an underclearance of 9.34' above normal water surface elevation, to place and maintain fill in a deminimis wetland, 0.021 acre and to temporarily place fill in 0.013 acre of wetlands for the purpose of conveying T-538 (Duck Pond Road) over Laurel Hill Creek (HQ-CWF).

E65-931. The Municipal Authority of Westmoreland County, P. O. Box 730, Greensburg, PA 15672. To replace a water main under Sewickley Creek and construct three blow off valves in Hempfield Township and the Borough of Youngwood, **Westmoreland County**, Pittsburgh ACOE District. The project is located between Waycross and Stone Church Roads, (Starting point—Greensburg, PA Quadrangle N: 0.8 inch; W: 9.5 inches, Latitude: 40° 15' 13"; Longitude: 79° 33' 54"; Ending point—Mount Pleasant, PA Quadrangle N: 18.3 inches; W: 12.3 inches, Latitude: 40° 13' 31"; Longitude: 79° 35' 13"). To construct and maintain approxi-

mately 13,400 feet long, 48-inch water main, which replaces the existing 20-inch transmission main under the channel bottom of Sewickley Creek (WWF, 30 lf of impact), an unnamed tributary to Sewickley Creek (WWF, 20 lf of impact) and five unnamed tributaries to Jacks Run (WWF, 20-30 lf of impact at each crossing); and to construct and maintain three blow off valves—one on the bank of Sewickley Creek and two on the banks of unnamed tributaries to Jacks Run (approximately 15 lf of impact for each valve).

Northwest Region: Watershed Management Program Manager, 230 Chestnut Street, Meadville, PA 16335.

E10-452, Gigliotti Holdings, LP, 11279 Perry Highway, Suite 509, Wexford, PA 15090. Weatherburn Heights Subdivision, in Middlesex Township, **Butler County**, ACOE Pittsburgh District (Valencia, PA Quadrangle N: 40° 41' 57"; W: 79° 57' 25.6").

Construct a residential subdivision approximately 0.4 mile NW of the intersection of Denny and State Roads (Valencia, PA Quadrangle N: 40° 41' 57"; W: 79° 57' 25.6") in Middlesex Township, Butler County involving to construct and maintain:

1) An approximately 700-foot entrance road parallel to a UNT Glade Run (Watercourse WC-1) portions of which encroach in the floodway (50-foot TOB),

2) A sanitary sewer line crossing of UNT Glade Run (Watercourse WC-1) by open trenching,

3) A sanitary sewer line crossing of UNT Glade Run (Watercourse WC-4) by open trenching,

4) A sanitary sewer line crossing of UNT Glade Run (Watercourse WC-5) by open trenching,

5) A water line crossing of UNT Glade Run (Watercourse WC-3) by open trenching,

6) A water line crossing of UNT Glade Run (Watercourse WC-1) by open trenching,

7) A sanitary sewer lines and water lines running parallel and within 25 feet of UNTs Glade Run for a total length of approximately 656 feet, and

8) Associated stormwater outfalls to UNTs Glade Run and wetlands.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control Permits have been issued. Any person aggrieved by these actions may appeal, under section 4 of the Environmental Hearing Board Act (35 P. S. § 7514) and 2 Pa.C.S. Chapter 5, Subchapter A (relating to practice and procedure of Commonwealth agencies), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P. O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If individuals want to challenge this action, their appeal must reach the Board within 30 days. Individuals

do not need a lawyer to file an appeal with the Board. Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. If individuals cannot afford a lawyer, individuals may qualify for pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

Southwest Region: Oil and Gas Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

11/24/09

ESCGP-1 No.: ESX09-125-0050 Amendment

Applicant Name: Range Resources—Appalachia, LLC

Contact Person: Carla Suszkowski

Address: 380 Southpointe Blvd, Ste 300

City: Canonsburg State: PA Zip Code: 15317

County: Washington Township(s): Chartiers Receiving Stream(s) and Classifications: UNT to Plum Creek, Other

11/9/09

ESCGP-1 No.: ESX09-059-0050

Applicant Name: Chesapeake Appalachia, LLC

Contact Person: Tal Oden

Address: P. O. Box 18496

City: Oklahoma City State: OK Zip Code: 73154

County: Greene Township(s): Aleppo

Receiving Stream(s) and Classifications: Unnamed Tributary (TSF)—Long Run (WWF), North Fork (WWF), Ryerson Station Reservoir (WWF), Dunkard Fork (WWF), W. Virginia, Wheeling Creek, Ohio River, Other

11/30/09

ESCGP-1 No.: ESX09-059-0049

Applicant Name: Atlas Resources, LLC

Contact Person: Jeremy Hirtz

Address: 800 Mountain View Drive

City: Smithfield State: PA 15478

County: Greene Township(s): Cumberland

Receiving Stream(s) and Classifications: UNT to Pumpkin Run & Neel Run, Other

11/30/09

ESCGP-1 No.: ESX09-125-0058

Applicant Name: Atlas Resources, LLC

Contact Person: Jeremy Hirtz

Address: 800 Mountain View Drive

City: Smithfield State: PA 15478

County: Washington Township(s): West Bethlehem

Receiving Stream(s) and Classifications: UNT to Little Daniels Run, Other

11/30/09

ESCGP-1 No.: ESX09-051-0039

Applicant Name: Atlas Resources, LLC

Contact Person: Jeremy Hirtz

Address: 800 Mountain View Drive

City: Smithfield State: PA Zip Code: 15478

County: Fayette Township(s): Luzerne

Receiving Stream(s) and Classifications: UNT to Meadow Run, Other

11/30/09 REV

ESCGP-1 No.: ESX09-129-0024 Major Revision

Applicant Name: Atlas Resources, LLC

Contact Person: Jeremy Hirtz

Address: 800 Mountain View Drive

City: Smithfield State: PA 15478

County: Westmoreland Township(s): South Huntingdon Receiving Stream(s) and Classifications: UNT to Sewickley Creek, Other

11/30/09 REV

ESCGP-1 No.: ESX09-125-0026 Major Revision
 Applicant Name: Atlas Resources, LLC
 Contact Person: Jeremy Hirtz
 Address: 800 Mountain View Drive
 City: Smithfield State: PA 15478
 County: Washington Township(s): Deemston
 Receiving Stream(s) and Classifications: UNT to Plum
 Creek, Other

10/16/09

ESCGP-1 No.: ESX09-129-0030
 Applicant Name: Atlas Resources, LLC
 Contact Person: Jeremy Hirtz
 Address: 800 Mountain View Drive
 City: Smithfield State: PA 15478
 County: Westmoreland Township(s): Rostraver
 Receiving Stream(s) and Classifications: UNT to
 Youghiogheny River, Other

11/2/09 REV

ESCGP-1 No.: ESX09-125-0006—Major Revision
 Applicant Name: Atlas Resources, LLC
 Contact Person: Jeremy Hirtz
 Address: 800 Mountain View Drive
 City: Smithfield State: PA 15478
 County: Washington Township(s): W. Bethlehem &
 Deemston
 Receiving Stream(s) and Classifications: UNT's to
 Tenmile & Plum Creeks, Other

12/9/09

ESCGP-1 No.: ESX09-125-0060
 Applicant Name: Atlas Resources, LLC
 Contact Person: Jeremy Hirtz
 Address: 800 Mountain View Drive
 City: Smithfield State: PA 15478
 County: Washington Township(s): W. Bethlehem
 Receiving Stream(s) and Classifications: Barr Run, Other

12/2/09 REV

ESCGP-1 No.: ESX09-129-0001
 Applicant Name: Rex Energy Operating Corporation
 Contact Person: Timothy Beattie
 Address: 476 Rolling Ridge Drive, Ste 300
 City: State College State: PA 16801
 County: Westmoreland Township(s): Derry
 Receiving Stream(s) and Classifications: UNT Tributaries
 to Loyalhanna Creek and Mccune Run

12/3/09

ESCGP-1 No.: ESX09-125-0064
 Applicant Name: Range Resources—Appalachia, LLC
 Contact Person: Carla Suszkowski
 Address: 380 Southpointe Blvd, Ste 300
 City: Canonsburg State: PA 15317
 County: Washington Township(s): Independence
 Receiving Stream(s) and Classifications: UNT to
 Sugarcamp Run, HQ

12/7/2009

ESCGP-1 No.: ESX09-129-0032
 Applicant Name: Longfellow Energy, LP
 Contact Person: James Jackson
 Address: 4801 Gaillardia Parkway Suite
 City: Oklahoma City State: OK 73142
 County: Westmoreland Township(s): Donegal
 Receiving Stream(s) and Classifications: Four Mile Run/
 Ohio River Kiskiminetas River Basin, Other

12/7/2009

ESCGP-1 No.: ESX09-051-0040
 Applicant Name: Atlas Resources, LLC
 Contact Person: Jeremy Hirtz
 Address: 800 Mountain View Drive
 City: Smithfield State: PA 15478
 County: Fayette Township(s): Redstone
 Receiving Stream(s) and Classifications: UNT to Dunlap
 Creek, Other

12/7/2009

ESCGP-1 No.: ESX09-059-0058
 Applicant Name: Coal Gas Recovery, LLC
 Contact Person: Joanne Reilly
 Address: 158 Portal Road
 City: Waynesburg State: PA 15370
 County: Greene Township(s): Wayne
 Receiving Stream(s) and Classifications: Roberts Run &
 Calico Run, Other

12/3/2009

ESCGP-1 No.: ESX09-125-0063
 Applicant Name: Range Resources—Appalachia, LLC
 Contact Person: Carla Suszkowski
 Address: 380 Southpointe Boulevard, Suite 300
 City: Canonsburg State: PA 15317
 County: Washington Township(s): Blaine
 Receiving Stream(s) and Classifications: Buffalo Creek,
 HQ

12/3/2009

ESCGP-1 No.: ESX09-005-0006
 Applicant Name: EXCO—North Coast Energy
 Contact Person: Joel Heiser
 Address: 1 Gojo Plaza, Ste
 City: AKRON State: OH 44311
 County: Armstrong Township(s): Manor
 Receiving Stream(s) and Classifications: Campbell Run
 (WWF) Crooked Creek Watershed, Other

*Northcentral Region: Oil and Gas Management Program
 Manager, 208 West Third Street, Williamsport, PA 17701.*

ESCGP-1 #: ESX09-015-0070

Applicant Name: Chesapeake Appalachia, LLC
 Contact Person: Eric Haskins
 Address: 100 1st Center
 City, State, Zip: Horseheads, NY 14845
 County: Bradford
 Township(s): Monroe Township
 Receiving Stream(s) and Classification(s): Tributary,
 South Branch, Towanda Creek

ESCGP-1 #: ESX09-015-0040(01)—Major Revision

Applicant Name: Chesapeake Appalachia, LLC
 Contact Person: Eric Haskins
 Address: 100 1st Center
 City, State, Zip: Horseheads, NY 14845
 County: Bradford
 Township(s): Tuscarora Township
 Receiving Stream(s) and Classification(s): UNT to
 Tuscarora Creek

ESCGP-1 #: ESX09-015-0031(01)—Major Revision

Applicant Name: Chesapeake Appalachia, LLC
 Contact Person: Eric Haskins
 Address: 100 1st Center
 City, State, Zip: Horseheads, NY 14845
 County: Bradford
 Township(s): Wyalusing Township
 Receiving Stream(s) and Classification(s): Brewer Creek

ESCGP-1 #: ESX09-015-0072
 Applicant Name: Chesapeake Appalachia, LLC
 Contact Person: Eric Haskins
 Address: 100 1st Center
 City, State, Zip: Horseheads, NY 14845
 County: Bradford
 Township(s): West Burlington Township
 Receiving Stream(s) and Classification(s): Unnamed
 Tributary

ESCGP-1 #: ESX09-015-0066
 Applicant Name: Chesapeake Appalachia, LLC
 Contact Person: Eric Haskins
 Address: 100 1st Center
 City, State, Zip: Horseheads, NY 14845
 County: Bradford
 Township(s): Burlington Township
 Receiving Stream(s) and Classification(s): Wallace Run

ESCGP-1 #: ESX09-015-0068
 Applicant Name: Chesapeake Appalachia, LLC
 Contact Person: Eric Haskins
 Address: 100 1st Center
 City, State, Zip: Horseheads, NY 14845
 County: Bradford
 Township(s): Monroe Township
 Receiving Stream(s) and Classification(s): Tributary to
 South Branch Towanda Creek

ESCGP-1 #: ESX09-115-0017
 Applicant Name: Chesapeake Appalachia, LLC
 Contact Person: Eric Haskins
 Address: 100 1st Center
 City, State, Zip: Horseheads, NY 14845
 County: Susquehanna
 Township(s): Auburn Township
 Receiving Stream(s) and Classification(s): UNT to
 Tuscarora Creek

ESCGP-1 #: ESX09-115-0018
 Applicant Name: ALTA Operating Company, LLC
 Contact Person: Jennifer McCarthy
 Address: 500 Dallas, Suite 2930
 City, State, Zip: Houston, TX 77002
 County: Susquehanna
 Township(s): Liberty Township
 Receiving Stream(s) and Classification(s): UNT to
 Susquehanna River

ESCGP-1 #: ESX09-115-0019
 Applicant Name: Chesapeake Appalachia, LLC
 Contact Person: Eric Haskins
 Address: 100 1st Center
 City, State, Zip: Horseheads, NY 14845
 County: Susquehanna
 Township(s): Auburn Township
 Receiving Stream(s) and Classification(s): UNT; second-
 ary—Little Meshoppen Creek

ESCGP-1 #: ESX09-015-0067
 Applicant Name: Chesapeake Appalachia, LLC
 Contact Person: Eric Haskins
 Address: 100 1st Center
 City, State, Zip: Horseheads, NY 14845
 County: Bradford
 Township(s): West Burlington Township
 Receiving Stream(s) and Classification(s): UNT to Sugar
 Creek

ESCGP-1 #: ESX09-115-0021
 Applicant Name: Chesapeake Appalachia, LLC
 Contact Person: Eric Haskins
 Address: 100 1st Center
 City, State, Zip: Horseheads, NY 14845
 County: Susquehanna
 Township(s): Auburn Township
 Receiving Stream(s) and Classification(s): UNT

ESCGP-1 #: ESX09-015-0052(01)
 Applicant Name: Chesapeake Appalachia, LLC
 Contact Person: Eric Haskins
 Address: 100 1st Center
 City, State, Zip: Horseheads, NY 14845
 County: Bradford
 Township(s): Towanda Township
 Receiving Stream(s) and Classification(s): Susquehanna
 River (north of site) Towanda Creek (south of site)

ESCGP-1 #: ESG09-105-0005
 Applicant Name: Ultra Resources, Inc.
 Contact Person: Belinda Salinas
 Address: 304 Inverness Way South, Ste 295
 City, State, Zip: Englewood, CO 80112-5828
 County: Potter
 Township(s): West Branch
 Receiving Stream(s) and Classification(s): Sliders Branch

ESCGP-1 #: ESX09-117-0012 (Revision)
 Applicant Name: Seneca Resources Corp.
 Contact Person: Mr. Doug Kepler
 Address: 51 Zents Blvd
 City, State, Zip: Brookville, PA 15825
 County: Tioga
 Township(s): Bloss Township
 Receiving Stream(s) and Classification(s): UNT to Boone
 Run and UNT to Sand Run

*Northwest Region: Oil and Gas Program Manager, 230
 Chestnut Street, Meadville, PA 16335.*

ESCGP-1 #: ESG09-053-0004
 Applicant: Sheffield Land & Timber
 Contact: Richard Cochran
 Address: P. O. Box 54, Sheffield, PA 16347
 County: Forest Township(s): Howe
 Receiving Stream(s) and Classification(s): West Branch
 Blue Jay Creek (HQ); Blue Jay Creek (HQ)

[Pa.B. Doc. No. 10-18. Filed for public inspection December 31, 2009, 9:00 a.m.]

Availability of Technical Guidance

Technical guidance documents are available on the Department of Environmental Protection's (Department) web site at <http://www.depweb.state.pa.us> (DEP Keywords: "eLibrary"). The "Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final technical guidance documents are posted. The "Draft Technical Guidance" heading is the link to the Department's draft technical guidance documents.

The Department will continue to revise its nonregulatory documents, as necessary, throughout 2009.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download technical guidance documents. When

this option is not available, persons can order a paper copy of any of the Department's draft or final technical guidance documents by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to Technical Guidance Documents

Following is the current list of recent changes. Persons who have questions or comments about a particular document should call the contact person whose name and phone number is listed with each document.

Final Technical Guidance

DEP ID: 254-2212-504. Title: Guidelines for the Development and Implementation of County Municipal Waste Management Plan Revisions. Description: This technical guidance document provides the Department's regional staff and county recycling coordinators with updated information to aid in their development and review of county waste management plans. In response to recent court decisions, the guidance was updated to include revised instructions for the development of waste management plans that include waste flow control provisions, including supplemental considerations that must now be evaluated for flow control involving publicly-owned or publicly-controlled facilities. The procedures to classify revisions to county waste management plans as either substantial or non-substantial have also been modified in the guidance document to clarify the responsibilities of the county in each situation. The appendix to the guidance document was also updated to include the most current court decisions impacting county waste management. Contact: Larry Holley, Department of Environmental Protection, Bureau of Waste Management, P. O. Box 8472, Harrisburg, PA 17105-8472, (717) 787-7382; lholley@state.pa.us.

Final effective date: January 2, 2010.

JOHN HANGER,
Secretary

[Pa.B. Doc. No. 10-19. Filed for public inspection December 31, 2009, 9:00 a.m.]

Establishment of Final "Baseline" of Existing Withdrawals of Great Lakes Basin Water Users

The Department of Environmental Protection (Department) has established a "baseline" of existing withdrawals, consumptive uses and/or diversions of Great Lakes Basin water. The Department has prepared a list of baseline amounts of affected facilities or systems as of December 2008. This information reflects the data related to those facilities or systems that are currently on record with the Department.

The Department published the proposed list in the *Pennsylvania Bulletin* at 39 Pa.B. 5985 (October 10, 2009), announcing a 30-day public comment period requesting comment on the establishment of the baseline by November 9, 2009. One comment was received through the public comment period. In addition to the public comment period, the Department requested information from individual water users through a direct mailing.

Based on the responses received from the mailing, the list of water users and baseline values were adjusted.

The baseline amount assigned to each Great Lakes Basin water user will be used to determine what is a new or increased withdrawal, consumptive use, or diversion of Great Lakes Basin water in the future.

The final baseline list may be found at <http://www.dep.state.pa.us/river/news/docs/GLBaselineWeb121509.pdf>.

This information was collected under Act 43 of 2008, signed by Governor Rendell on July 4, 2008, known as the Great Lakes—St. Lawrence River Basin Water Resources Compact (Compact) (32 P. S. §§ 817.21—817.30). The Compact prohibits all new or increased diversions, with some exceptions for public water suppliers in communities or counties that straddle the boundary of the Great Lakes Basin. The Compact also provides for each Great Lakes state to establish a program no later than 2013 for the management and regulation of new or increased withdrawals and consumptive uses within the Great Lakes—St. Lawrence River Basin. With the passage of the Compact by each of the eight Great Lakes states and the consent of the United States Congress, the new Interstate Compact became effective on December 8, 2008.

More information may be obtained on the web: Act 43 of 2008: <http://www.legis.state.pa.us/cfdocs/billinfo/BillInfo.cfm?year=2007&sind=0&body=H&type=B&bn=1705>.

Great Lakes—St. Lawrence River Basin Water Resources Compact and Great Lakes—St. Lawrence River Basin Sustainable Water Resources Agreement: <http://cglg.org/projects/water/CompactImplementation.asp>.

Comments and questions concerning the final baseline should be directed to Lori Boughton, Office of Great Lakes, 230 Chestnut Street, Meadville, PA 16335 or lboughton@state.pa.us or (814) 217-9635.

JOHN HANGER,
Secretary

[Pa.B. Doc. No. 10-20. Filed for public inspection December 31, 2009, 9:00 a.m.]

Nutrient and Sediment Reduction Credit Trading Program

The Department of Environmental Protection (Department) hereby provides notice of the following actions regarding the Nutrient and Sediment Reduction Credit Trading Program (Trading Program). These actions were taken in relation to the Final Trading of Nutrient and Sediment Reduction Credits—Policy and Guidelines (Policy) (DEP ID# 392-0900-001) (see 36 Pa.B. 7999 (December 30, 2006)). The Policy called for a transparent system of credit reviews and approvals.

Trading is a market-based program that provides incentives for entities to create nutrient reduction credits by going beyond statutory, regulatory or voluntary obligations and goals by removing nutrients from a watershed. The credits can be traded to help others more cost-effectively meet their obligations or goals. The primary purpose of the Trading Program is to provide for more efficient ways for National Pollutant Discharge Elimination System (NPDES) permittees to meet their effluent limits for nutrients and sediment. Currently, the focus of the program is on the Chesapeake Bay Watershed.

The actions described in this notice relate to: (1) submitted proposals; (2) approved proposals; and (3) registered credits, through December 15, 2009.

Background

Before a credit can be used by an NPDES permittee, a three-step process is followed: (1) the credit or offset proposal must be approved; (2) it must be verified; and (3) it must be registered.

Approval is also known as certification, which is a written approval by the Department for the use of proposed or implemented activities to generate credits (in some cases the person generating the credits is not permitted to transfer them to another person, in which case they are called "offsets"). Certifications are based on at least: (1) a credit or offset proposal to be submitted describing the qualifying activities that will reduce the nutrient loadings delivered to the applicable watershed; (2) the calculation to quantify the pounds of reductions expected; and (3) a verification plan that, when implemented, ensures that the qualifying nutrient reduction activities have taken place. All of the proposals, certifications and registrations described in this Notice apply to the Chesapeake Bay Watershed.

Once the credits or offsets are certified, they must be verified. Verification means implementation of the verification plan contained in a certified credit or offset proposal as required by the Department. Verification plans require annual submittal of documentation to the Department that demonstrates that the qualifying nutrient reduction activities have taken place for the applicable compliance year.

The credits or offsets also need to be registered by the Department before they can be used in an NPDES permit. Registration occurs only after credits or offsets have been certified and verified, and a trading contract for credits has been submitted to the Department. For the Chesapeake Bay Watershed, the Department will register credits on an annual basis for use during the compliance year in which the qualifying nutrient reduction activities have taken place and will provide such credits with an annual registry number for reporting and tracking purposes.

The Department has received 79 proposals that have been submitted for review to generate nutrient reduction credits in the Chesapeake Bay Watershed. Of those, 55 have been approved, one has been withdrawn and the remaining need additional clarification prior to certification.

Proposals under Review

The following proposals are being reviewed by the Department. Comments will be received on these projects for 30 days.

Proposal Applicant

1. Nittany Engineering & Associates, LLC on behalf of Bellefonte Borough.

Proposal Description

Nitrogen and Phosphorus credits generated by treatment, Centre County.

Certifications:

There are no new certifications.

Verifications and Registrations:

There are no new verifications and registrations.

For further information about the previous information or the Department's Nutrient Trading Program, contact Ann Smith, Water Planning Office, P.O. Box 2063, Harrisburg, PA 17105-2063, (717) 787-4726, annsmith@state.

pa.us or visit the Department's web site at <http://www.depweb.state.pa.us> (DEP Keywords: "Nutrient Trading").

JOHN HANGER,
Secretary

[Pa.B. Doc. No. 10-21. Filed for public inspection December 31, 2009, 9:00 a.m.]

DEPARTMENT OF HEALTH

Approved Prearrest and Evidential Breath Testing Devices

The Department of Health (Department) has statutory authority to approve both prearrest and evidential breath testing devices for use by law enforcement officials to determine the alcohol content of blood by analysis of a person's breath. This notice contains the combined lists of prearrest breath testing devices and evidential breath testing devices.

The Department approves prearrest breath testing devices as required by 28 Pa. Code §§ 5.101—5.104 (relating to equipment to determine blood alcohol content under the Vehicle Code and the Fish and Boat Code). Authority to promulgate these regulations is contained in the Vehicle Code, 75 Pa.C.S. § 1547(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Fish and Boat Code, 30 Pa.C.S. § 5125(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Game and Wildlife Code, 34 Pa.C.S. § 2502(j) (relating to chemical test to determine amount of alcohol), and section 2102(g) of The Administrative Code of 1929 (71 P. S. § 532(g)).

Prearrest breath testing devices approved under this authority may be used by police officers, waterways patrolmen and officers enforcing the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code in conducting preliminary determinations of the alcohol content of blood of persons suspected of driving, boating, hunting or furtaking, while under the influence of alcohol. Officers and patrolmen use these devices to assist them in determining whether or not a person should be placed under arrest for violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance), for violation of 30 Pa.C.S. § 5502 (relating to operating watercraft under influence of alcohol or controlled substance), for violation of 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance), or for any other criminal offense under the Vehicle Code, the Fish and Boat Code, or the Game and Wildlife Code, which involves operating a vehicle or boat, hunting, or furtaking while under the influence of alcohol. This notice lists devices that were included in the previous publication of the list of prearrest breath testing devices, which appeared at 39 Pa.B. 5207 (August 29, 2009).

The National Highway Traffic Safety Administration (NHTSA) of the United States Department of Transportation published model specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 59 FR 39382 (August 2, 1994). These specifications established performance criteria and methods for testing alcohol screening devices using either breath or bodily fluids, such as, saliva to measure blood alcohol content. NHTSA established these specifications to support state laws and the Federal Department of Transportation's workplace alcohol

testing program. The Department has elected to use the NHTSA criteria for approving devices for the prearrest testing of a person's breath to determine the alcohol content of the person's blood.

NHTSA published a conforming products list of alcohol screening devices at 72 FR 4559 (January 31, 2007). The breath testing devices included in this Federal approval list have been incorporated into the list in this notice. Since this notice lists only those devices which test breath, items on the NHTSA list that test saliva or other bodily fluids are not included in this notice.

Additionally, there are a number of breath testing devices on this list of approved equipment that may be used as both prearrest and evidential testing devices. Any device on this list that was evaluated using the 1993 Model Specifications for Evidential Breath Testers (58 FR 48705) also fully meets the requirements of the Model Specifications for prearrest screening devices. Both procedures evaluate the performance of instruments at the 0.020% alcohol level.

The Department approves evidential breath testing devices under the authority of 75 Pa.C.S. § 1547(c)(1), 30 Pa.C.S. § 5125(c)(1) and 34 Pa.C.S. § 2502(c).

Evidential breath testing devices approved under this notice may be used by law enforcement officials to obtain test results which will be admissible in evidence in any summary or criminal proceeding in which the defendant is charged with a violation of 75 Pa.C.S. § 3802, or any other violation of the Vehicle Code arising out of the same action; or 30 Pa.C.S. § 5502, or any other violation of the Fish and Boat Code arising out of the same action; or 34 Pa.C.S. § 2501, or any other violation of the Game and Wildlife Code arising out of the same action. Law enforcement agencies should determine that an approved training program in the use of the equipment is available in accordance with the previously referenced statutes before purchasing any of the devices contained on this list. This notice lists devices that were included in the previous publication of the list of evidential breath testing devices, which appeared at 39 Pa.B. 5207.

The approval of evidential equipment listed in this notice is based on the evaluation of the equipment by NHTSA. Equipment which met the Federal requirements was published at 74 FR 66398 (December 15, 2009) as a Conforming Products List. The list contained in this notice is based on that Conforming Products List.

Instruments marked with an asterisk (*) meet the Model Specifications detailed in 49 FR 48854 (December 14, 1984) (that is, instruments tested at breath alcohol concentrations of 0.000, 0.050, 0.101, and 0.151 grams of alcohol per 210 liters of air). Instruments not marked with an asterisk meet the Model Specifications detailed in 58 FR 48705 (September 17, 1993), and were tested at breath alcohol concentrations of 0.000, 0.020, 0.040, 0.080, and 0.160 grams of alcohol per 210 liters of air. The amended specifications that were published on September 17, 1993, added a test for the presence of acetone and other low molecular weight alcohols including methyl and isopropyl. Instruments whose precision and accuracy have been evaluated in the latter concentration range (that is, devices not marked with an asterisk) should be used when reliable results are required at blood alcohol concentrations below 0.050%.

NHTSA also evaluates equipment to determine if it must be operated at fixed locations (that is, nonmobile equipment) or can be transported to nonfixed operational sites in the field (mobile equipment). Most equipment on

the list is approved for mobile and nonmobile operation. The listing at the end of this notice specifies nonmobile equipment only.

The instruments not marked with an asterisk meet the specifications for use as prearrest or evidentiary breath testing devices. The instruments marked with an asterisk may be used as evidentiary devices for law enforcement purposes that are concerned with blood alcohol concentrations at or above 0.050%. These instruments may also be used as prearrest breath testing devices if they are approved for mobile operations. However, these instruments may not be used for making arrests under the Vehicle Code, the Fish and Boat Code, or the Game and Wildlife Code where blood alcohol concentrations below 0.050% must be determined. Nonmobile devices can only be used as evidentiary testing instruments since they are not portable. Before purchasing breath testing devices, law enforcement officials should consult with the manufacturer of the equipment they intend to purchase to verify that the devices can be used for their intended purposes.

Law enforcement agencies that plan to utilize a device which does not appear on the following list should contact the manufacturer of the equipment to verify that it has been evaluated by NHTSA and found to meet NHTSA's performance requirements. If a device is approved by NHTSA after the date of this publication, the manufacturer of the device will need to forward documentation of NHTSA acceptability to Dr. M. Jeffery Shoemaker at the address given; so that the Department has information sufficient to enable it to include the device in the next revision of this notice in the *Pennsylvania Bulletin*.

Some of the devices included in this notice are listed under the name of more than one manufacturer. This is due to the fact that the name of the manufacturer has changed or the right to produce a device has been transferred to a different company. In such instances, the device is listed under the name of every company that was ever associated with the device to allow law enforcement agencies to continue using devices bearing the name of a previous manufacturer.

To facilitate accessibility to information concerning breath alcohol testing devices which are approved for law enforcement purposes in the Commonwealth, the Department will publish revisions of this list of equipment semiannually as notices in the *Pennsylvania Bulletin*. This practice was implemented in 2009 and will proceed even if an updated conforming products list has not appeared in the *Federal Register* since the Department's last annual publication of approved breath testing devices.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. Shoemaker at V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

AK Solutions, Inc., Palisades Park, NJ¹

Alcoscan AL-2500

AlcoChecker

AlcoKey

AlcoMate

AlcoMate³ (aka: AlcoHAWK Pro by Q3 Inovations)

AlcoMate Accu Cell AL-9000
 AlcoMate Core⁴ (formerly known as Alcoscan AL-6000)
 AlcoMate Premium AL-7000, with replaceable Premium
 Sensor Modules (SM-7000)^{4 5}
 AlcoMate Prestige AL-6000, with replaceable Prestige
 Sensor Modules (SM-6000)^{4 6}
 AlcoMate Pro
 Alcoscan AL-5000
 Alcoscan AL-6000
 SafeMate² (formerly known as AlcoChecker)
 SafeDrive (formerly known as AlcoKey)

Akers Laboratories, Inc., Thorofare, NJ
 Alcohol $\sqrt{\text{TM}}$

Akers Biosciences, Inc., Thorofare, NJ
 Breath Alcohol $\sqrt{\text{.02}}$ Detection System⁸

Alco Check International, Hudsonville, MI
 Alco Check 3000 D.O.T.⁷
 Alco Check 9000⁷
 Alco Screen 3000

**Alcohol Countermeasures Systems, Inc., Port
 Hurton, MI**
 Alert J3AD*
 PBA 3000C

**Alcohol Countermeasure Systems Corp., Missis-
 sauga, Ontario, Canada**
 Alert J3AD*
 Alert J4X.ec
 PBA3000C

**Alcohol Countermeasure Systems, Inc., Cincinnati,
 OH**
 Alert J4

Approved Technology, Inc., Grand Rapids, MI
 Alco-Check I
 Alco-Check II
 Alco-Check 3000

BAC Solutions, Inc., Birmingham, MI
 BACmaster*

BAC Systems, Inc., Ontario, Canada
 Breath Analysis Computer*

B.E.S.T. Labs., Boardman, OH
 PB 9000e

BHP Diagnostix, West Chester, PA
 Prevent

**CAMEC Ltd., North Shields, Tyne and Ware, Eng-
 land**
 IR Breath Analyzer*

CMI-MPH, Owensboro, KY
 CMI S-D2
 CMI S-L2

CMI, Inc., Owensboro, KY
 AlcoBlow

Intoxilyzer Model:

200
 200D
 240 (aka Lion Alcolmeter 400 + outside the US)
 300
 400
 400PA
 500 (aka: Alcolmeter 500-Lion Laboratories)
 1400
 4011*
 4011A*
 4011AS*
 4011AS-A*

4011AS-AQ*
 4011AW*
 4011A27-10100*
 4011A27-10100 with filter*
 5000
 5000 (w/Cal. Vapor Re-Circ.)
 5000 (w/3/8" ID hose option)
 5000CD
 5000CD/FG5
 5000EN
 5000 (CAL DOJ)
 5000 (VA)
 8000
 PAC 1200*
 S-D2
 S-D5

Craig Technologies International Ltd., Aurora, CO
 BreathScan

Decator Electronics, Decator, IL
 Alco-Tector model 500*

**Draeger Safety, Inc., (aka: National Draeger)
 Durango, CO**
Alcotest Model:

6510
 6810
 7010*
 7110*
 7110 MKIII
 7110 MKIII-C
 7410
 7410 Plus
 9510

Breathalyzer Model:

900*
 900A*
 900BG*
 7410
 7410-II

EnviteC by Honeywell GmbH, Fond du Lac, WI
 AlcoQuant 6020

First Innovative Technology Group, Ltd. Hong Kong
 AAT198-Pro

Gall's Inc., Lexington, KY
 Alcohol Detection System-A.D.S. 500

Guth Laboratories, Inc., Harrisburg, PA
 Alco-Tector
 Alco-Tector Mark X
 Alcotector BAC-100
 Alcotector C₂H₅OH
 Alcotector WAT89EC-1
 Alcotector WAT90
 Mark X Alcohol Checker

Han International Co., Ltd., Seoul, Korea
 A.B.I. (Alcohol Breath Indicator) (aka: AlcoHAWK ABI
 by Q3 Innovations).

KHN Solutions, LLC, San Francisco, CA
 BACTRACK Select S50⁹
 BACTRACK Select S80⁹

Intoximeters, Inc., St. Louis, MO
 Indium Encapsulation System
 Photo Electric Intoximeter*
 GC Intoximeter MK II*
 GC Intoximeter MK IV*
 Auto Intoximeter*

Intox EC-IR
 Intox EC-IR 2
 Portable Intox EC-IR

Intoximeter Model:

3000*
 3000 (rev B1)*
 3000 (rev B2)*
 3000 (rev B2A)*
 3000 (rev B2A) w/FM option*
 3000 (Fuel Cell)*
 3000D*
 3000DFC*
 Alcomonitor
 Alcomonitor CC
 Alco-Sensor
 Alco-Sensor III
 Alco-Sensor III (Enhanced with Serial Numbers above
 1,200,000)
 Alco-Sensor IV
 Alco-Sensor IV-XL
 Alco-Sensor AZ
 Alco-Sensor FST
 Alco-Sensor Light Display
 EC/IR
 EC/IR II
 EC/IR II (enhanced with serial number 10,000 or
 higher)
 Portable EC/IR II
 RBT-AZ
 RBT III
 RBT III-A
 RBT-IV
 RBT-IV with CEM (cell enhancement module)

Komyo Kitagawa, Kogyo, K.K.:

Alcolyzer DPA-2*
 Breath Alcohol Meter PAM 101B*

Lifeloc Technologies, Inc. (formerly Lifeloc, Inc.)**Wheat Ridge, CO:**

Life Loc PBA 3000
 PBA 3000-B
 PBA 3000-P*
 PBA 3000-C
 Alcohol Data Sensor
 Phoenix
 Phoenix 6.0
 EV 30
 FC 10
 FC 20

Lion Laboratories, Ltd., Cardiff, Wales, UK**Alcolmeter Model:**

Auto-Alcolmeter*
 300
 400
 400+ (aka: Intoxilyzer 240 in the U.S.)
 500 (aka: Intoxilyzer 500-CMI, Inc.)
 SD-2*
 SD-5 (aka: S-D5 in the U.S.)
 EBA*

Intoxilyzer Model:

200
 200D
 1400
 5000 CD/FG5
 5000 EN

Luckey Laboratories, San Bernardino, CA**Alco-Analyzer Model:**

Mobat Sober-Meter-SM II
 1000*
 2000*

Medi-Scan, Inc., Denver, CO

BreathScan

National Draeger, Inc., Durango, CO**Alcotest Model:**

7010*
 7110*
 7110 MKIII
 7110 MKIII-C
 7410
 7410 Plus
 7410 Screener
 9510
 6510
 6810

Breathalyzer Model:

900*
 900A*
 900BG*
 7410
 7410-II

National Draeger, Inc., Pittsburgh, PA

Alcotest

National Patent Analytical Systems, Inc., Mansfield, OH

BAC DataMaster (with or without the Delta-1 acces-
 sory)
 BAC Verifier DataMaster (with or without the Delta-1
 accessory)
 DataMaster cdm (with or without the Delta-1 acces-
 sory)
 DataMaster DMT

Omicron Systems, Palo Alto, CA

Intoxilyzer 4011*
 Intoxilyzer 4011AW*

PAS Systems International, Inc., Fredericksburg, VA

PAS IIIa
 PAS Vr

Plus 4 Engineering, Minturn, CO

5000 Plus 4*

Q3 Innovations, Inc., Independence, IA⁴

AlcoHAWK Precision
 AlcoHAWK Slim
 AlcoHAWK Slim 2
 AlcoHAWK Elite
 AlcoHAWK ABI (aka: A.B.I. (Alcohol Breath indicator)
 by Han Intl.)
 AlcoHAWK Micro
 AlcoHAWK PRO (aka: AlcoMate by AK Solutions)
 AlcoHAWK PT500

RepCo Marketing, Raleigh, NC

Alco Tec III
 AlcoTec Breath-Alcohol Tester
 Breath Alcohol Tester Model BT-2
 Breath Alcohol Tester Model BT-3

Seju Co. of Taejeon, Korea

Safe-Slim

Seres, Paris, France

Alco Master
Alcopro

Siemens-Allis, Cherry Hill, NJ

Alcomat*
Alcomat F*

Smit and Wesson Electronics, Springfield, MA**Breathalyzer Model:**

900*
900A*
1000*
2000*
2000 (Non-Humidity Sensor)*

SoundOff, Inc., Hudsonville, MI

Alco-Check
Alco-Check II
AlcoData
Alco Screen 1000
Digitox D.O.T.
Preliminary Breath Test II
Seres Alco Master
Seres Alcopro

Stephenson Corp.

Breathalyzer 900*

Takai-Denshi Inc., Tokyo, Japan:

ALC-PRO II (US)

Team Building Systems, Inc., Houston, TX

BreathScan

U.S. Alcohol Testing, Inc./Protection Devices, Inc., Rancho Cucamonga, CA

Alco-Analyzer 1000
Alco-Analyzer 2000
Alco-Analyzer 2100

Verax Systems, Inc., Fairport, NY

BAC Verifier*
BAC Verifier Datamaster
BAC Verifier Datamaster II*

¹ The AlcoMate was manufactured by Han International of Seoul, Korea, but marketed and sold in the US by AK Solutions.

² Manufactured by Seju Engineering, Korea.

³ Han International does not market or sell devices directly in the US market. Other devices manufactured by Han International are listed under AK Solutions, Inc. and Q-3 Innovations, Inc.

⁴ Manufactured by Sentech Korea Corp.

⁵ These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. This device comes with four detectors including the one that was already installed.

⁶ These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. This device comes with five detectors including the one that was already installed.

⁷ While these devices are still being sold, they are no longer manufactured or supported.

⁸ The Breath Alcohol $\sqrt{.02}$ Detection System consists of a single-use disposable breath tube used in conjunction with an electronic analyzer that determines the test result. The electronic analyzer and the disposable breath tubes are lot specific and manufactured to remain calibrated throughout the shelf-life of the device. This screening device cannot be used after the expiration date.

⁹ Manufactured by DA Tech Co., Ltd., Korea.

Nonmobile only**Decator Electronics**

Alco-Tector model 500*

Draeger Safety, Inc.

Alcotest Model 9510

Intoximeters, Inc.

Photo Electric Intoximeter*

Intoximeter Model—Alcomonitor

Intoximeter Model—EC/IR II (enhanced with serial number 10,000 or higher)

Lion Laboratories, Ltd.

Auto-Alcolmeter*

Luckey Laboratories

Alco-Analyzer Model—1000*

Alco-Analyzer Model—2000*

U.S. Alcohol Testing, Inc./Protection Devices, Inc., Rancho Cucamonga, CA

Alco-Analyzer 1000

Alco-Analyzer 2000

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 10-22. Filed for public inspection December 31, 2009, 9:00 a.m.]

Health Research Advisory Committee; Public Meeting

The Health Research Advisory Committee (Committee) of the Department of Health (Department) will hold a public meeting on February 8, 2010, from 1 p.m. to 4 p.m. The meeting will be held at the Bureau of Health Statistics and Research, Forum Place Building, 555 Walnut Street, 6th Floor, Harrisburg, PA.

The primary aim for the meeting is to discuss the scope of research activities the Committee can consider for future nonformula funding priorities and to discuss whether activities being conducted by life sciences companies could qualify for consideration.

This meeting is open to the public. No reservations are required to attend the meeting. The meeting is not a public hearing and, therefore, public testimony or comments, or both, are not part of the meeting agenda.

For additional information, contact Patricia W. Potrzebowski, Ph.D., Director, Bureau of Health Statistics and Research or Violet Witmer, Administrative Officer, at 555 Walnut Street, 6th Floor, Harrisburg, PA 17101-1914 or (717) 783-2548.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, should contact Patricia Potrzebowski or Violet Witmer at the previously listed telephone number, for speech and/or hearing impaired persons at V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

This meeting is subject to cancellation without notice.

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 10-23. Filed for public inspection December 31, 2009, 9:00 a.m.]

Laboratories Approved to Determine Analyses of Blood and/or Serum for Controlled Substances under the Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code, and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (act) (35 P. S. §§ 2151—2165) and/or the Federal Clinical Laboratories Improvement Act of 1967 (42 U.S.C.A. § 263a) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood and/or serum for the determination of controlled substances. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in blood and/or serum.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory analyses on blood and/or serum. Laboratories approved to perform screening analyses are designated on the approval list by an "S" followed by the letters "B" for blood and/or "Se" for serum. Laboratories approved to screen both blood and serum would therefore have "SBSe" listed after their laboratory name. Laboratories approved to offer confirmatory analyses are designated on the approval list by a "C" followed by the letters "B" for blood and/or "Se" for serum. Laboratories approved to perform confirmatory analyses on both serum and blood would therefore have "CBSe" listed after their laboratory name.

Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic blood and/or serum analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for medicolegal purposes. They should also determine that the director of the facility is agreeable to performing analyses for forensic purposes. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The Vehicle Code contains a provision 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence at legal proceedings in Pennsylvania if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of section 3802 (driving under the influence of alcohol or controlled substance) or any other violation of that title arising out of the same action if the laboratory that

performed the test is licensed by the state in which the facility is located and licensed under the Federal Clinical Laboratory Improvement Amendments of 1988 (Pub. L. No. 100-578, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory is sometimes changed but the personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name or location of the facility changed, the Clinical Laboratory Permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Ph.D., Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

30483
AIT LABORATORIES—SBSe, CBSe
2265 EXECUTIVE DRIVE
INDIANAPOLIS, IN 46241
(317) 243-3894

00671
ALLEGHENY COUNTY MED EX DIV. OF LAB—SBSe,
CBSe
1520 PENN AVENUE
PITTSBURGH, PA 15222
(412) 350-4425

24997
ATLANTIC DIAGNOSTIC LABORATORIES, LLC—SBSe,
CBSe
3520 PROGRESS DRIVE
UNIT C
BENSALEM, PA 19020
(267) 525-2470

00266
DEPT. OF PATHOLOGY & LAB MED-HUP—SSe, CSe
3400 SPRCE STREET
PHILADELPHIA, PA 19104
(215) 662-3423

00977
DRUGSCAN, INC.—SBSe, CBSe
1119 MEARNS ROAD
P. O. BOX 2969
WARMINSTER, PA 18974
(215) 674-9310

24655
HEALTH NETWORK LABORATORIES—SBSe, CBSe
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
(610) 402-8150

20512
LABCORP OCCUPATIONAL TESTING SER—SBS_e,
CBS_e
1904 ALEXANDER DRIVE
P. O. BOX 12652
RESEARCH TRIANGLE PARK, NC 27709
(919) 572-7465

09003
MAYO CLINIC DEPT LAB MED & PATH—SBS_e, CS_e
200 FIRST STREET
SW HILTON 530
ROCHESTER, MN 55905
(507) 284-3018

05574
MEDTOX LABORATORIES, INC.—SBS_e, CBS_e
402 WEST COUNTY ROAD D
ST. PAUL, MN 55112
(651) 286-6217

00504
NATIONAL MED SVCS, INC., D/B/A NMS LABS—SBS_e,
CBS_e
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 657-4900

29741
NORTHERN TIER RESEARCH—SBS_e, CBS_e
1300 OLD PLANK ROAD
MAYFIELD, PA 18433
(570) 351-6153

00250
PARKWAY CLINICAL LABORATORIES—SS_e
3494 D PROGRESS DRIVE
BENSALEM, PA 19020
(215) 245-5112

00520
PC LAB, INC.—SBS_e, CBS_e
1320 FIFTH AVENUE
PITTSBURGH, PA 15219
(412) 391-6118

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SBS_e,
CBS_e
14225 NEWBROOK DRIVE
P. O. BOX 10841
CHANTILLY, VA 20153-0841
(703) 802-6900

00482
QUEST DIAGNOSTICS OF PA, INC.—SBS_e, CBS_e
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE, LLC—SBS_e, CBS_e
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7631

00151
ST. JOSEPH QUALITY MEDICAL LAB—SBS_e, CBS_e
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

00018
VWHCS HOSP., D/B/A PENNANT LABORATORY—SS_e
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

00141
YORK HOSPITAL—SS_e
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 10-24. Filed for public inspection December 31, 2009, 9:00 a.m.]

Laboratories Approved to Determine Blood Alcohol Content under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code, and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood and/or serum and plasma. This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories.

Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the determination of alcohol in serum are approved to analyze both serum and plasma for alcohol content. These laboratories are also approved and designated under the provisions of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance) as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood and/or serum and plasma. Laboratories located outside this Commonwealth may not provide blood and/or serum and plasma alcohol testing services in this Commonwealth unless they are licensed by the Department and approved for that purpose.

Persons seeking forensic blood and/or serum and plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes, and that the director of the facility is agreeable to performing determinations for this purpose. The list of approved laboratories will be revised approximately semi-annually and published in the *Pennsylvania Bulletin*.

The name or location of a laboratory is sometimes changed but the personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a labora-

tory due to a name or location change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, if the name or location of the facility changed, the Clinical Laboratory Permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood alcohol and serum/plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services in accordance with the requirements contained in the Clinical Laboratory Improvement Amendments of 1988 (42 U.S.C. § 263a), and implementing regulations 42 CFR 493.901 and 493.937, which are administered by the Centers for Medicare and Medicaid Services. Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

The Commonwealth's Vehicle Code at 75 Pa.C.S. § 1547(c)(3)(ii) also permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in certain legal proceedings in the Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide forensic blood and/or serum and plasma analysis services. This section states that the test results will be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed to conduct the test by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub. L. No. 100-578, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

The symbols S and B indicate the following:
 S = approved for serum and plasma analyses
 B = approved for blood analyses
 SB = approved for serum, plasma and blood analyses

00215
 ABINGTON HEALTH LANSDALE HOSP—S
 100 MEDICAL CAMPUS DRIVE
 LANSDALE, PA 19446
 (215) 368-2100

00212
 ABINGTON MEMORIAL HOSPITAL—S
 1200 OLD YORK ROAD
 ABINGTON, PA 19001
 (215) 576-2350

27180
 ADVANCED TOXICOLOGY NETWORK—B
 3560 AIR CENTER COVE
 SUITE 101
 MEMPHIS, TN 38118
 (901) 794-5770

00233
 ALBERT EINSTEIN MEDICAL CENTER—S
 5501 OLD YORK ROAD
 DEPT OF LABS
 TOWER BLDG
 GROUND FLOOR
 PHILADELPHIA, PA 19141-3001
 (215) 456-6157

00671
 ALLEGHENY COUNTY MED EX DIV OF LAB—SB
 1520 PENN AVENUE
 2ND FLOOR
 PITTSBURGH, PA 15222
 (412) 350-4425

28233
 ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S
 320 E NORTH AVENUE
 PITTSBURGH, PA 15212
 (412) 359-6886

00077
 ALLEGHENY GENERAL HOSPITAL—S
 1307 FEDERAL STREET
 PITTSBURGH, PA 15212
 (412) 359-3521

00094
 ALLEGHENY GENERAL HOSPITAL SUBURBAN
 CAMPUS—S
 100 SOUTH JACKSON AVENUE
 BELLEVUE, PA 15202
 (412) 734-6020

00100
 ALLEGHENY VALLEY HOSPITAL LAB—S
 1301 CARLISLE STREET
 NATRONA HEIGHTS, PA 15065
 (724) 224-5100

00120
 ALTOONA REGIONAL HEALTH SYSM-BON SECOURS
 CAMPUS—SB
 2500 SEVENTH AVENUE
 ALTOONA, PA 16602-2099
 (814) 949-4495

00119
 ALTOONA REGIONAL HEALTH SYSTEM LAB—SB
 620 HOWARD AVENUE
 ALTOONA, PA 16601-4899
 (814) 946-2340

00192
 ARIA HEALTH—S
 380 NORTH OXFORD VALLEY ROAD
 LANGHORNE, PA 19047-8304
 (215) 934-5227

00236
 ARIA HEALTH—S
 FRANKFORD AVE & WAKELING STREET
 PHILADELPHIA, PA 19124
 (215) 831-2068

- 00341
ARIA HEALTH—S
RED LION & KNIGHTS ROADS
ATTN P FARANO MD
PHILADELPHIA, PA 19114
(215) 612-4000
- 00041
ARMSTRONG COUNTY MEMORIAL HOSP—S
1 NOLTE DRIVE
KITTANNING, PA 16201
(724) 543-8500
- 00047
ASSOCIATED CLINICAL LABORATORIES—SB
1526 PEACH STREET
ERIE, PA 16501
(814) 461-2400
- 24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB
3520 PROGRESS DRIVE
UNIT C
BENSALEM, PA 19020
(267) 525-2470
- 00251
AYER CLINICAL LAB PENNSYLVANIA HOSPITAL—S
800 SPRUCE STREETS
PHILADELPHIA, PA 19107
(215) 829-3541
- 00320
BARNES KASSON HOSPITAL LAB—S
400 TURNPIKE STREET
SUSQUEHANNA, PA 18847
(570) 853-5059
- 00001
BERWICK HOSPITAL LABORATORY—S
701 EAST 16TH STREET
BERWICK, PA 18603
(570) 759-5110
- 00002
BLOOMSBURG HOSPITAL—S
549 E FAIR STREET
BLOOMSBURG, PA 17815
(570) 387-2124
- 00033
BRADFORD REGIONAL MEDICAL CENTER—B
116—156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
(814) 362-8247
- 00296
BRANDYWINE HOSPITAL—S
201 REECEVILLE ROAD
COATESVILLE, PA 19320
(610) 383-8000
- 00053
BROOKVILLE HOSPITAL—S
100 HOSPITAL ROAD
BROOKVILLE, PA 15825
(814) 849-2312
- 00301
BUTLER MEMORIAL HOSPITAL—S
911 EAST BRADY STREET
BUTLER, PA 16001
(724) 284-4510
- 00107
CANONSBURG GENERAL HOSPITAL—S
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
(724) 745-3916
- 00131
CARLISLE REGIONAL MEDICAL CENTER—S
361 ALEXANDER SPRING ROAD
CARLISLE, PA 17015-9129
(717) 249-1212
- 00132
CHAMBERSBURG HOSPITAL DEPT OF
PATHOLOGY—S
112 NORTH SEVENTH STREET
CHAMBERSBURG, PA 17201
(717) 267-7153
- 00310
CHARLES COLE MEMORIAL HOSPITAL—S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
(814) 274-5510
- 00198
CHESTER COUNTY HOSPITAL—S
701 E MARSHALL ST
WEST CHESTER, PA 19380
(610) 431-5182
- 00227
CHESTNUT HILL HOSPITAL—S
8835 GERMANTOWN AVENUE
DEPT OF PATHOLOGY
PHILADELPHIA, PA 19118
(215) 248-8630
- 00228
CHILDRENS HOSP OF PHILADELPHIA—S
ONE CHILDRENS CENTER
34TH & CIVIC
PHILADELPHIA, PA 19104
(215) 590-4446
- 00329
CLARION HOSPITAL—S
1 HOSPITAL DRIVE
CLARION, PA 16214
(814) 226-9500
- 00026
CLEARFIELD HOSPITAL—S
809 TURNPIKE AVENUE
PO BOX 992
CLEARFIELD, PA 16830
(814) 768-2280
- 00005
COMMUNITY MEDICAL CENTER—S
1800 MULBERRY STREET
SCRANTON, PA 18510
(570) 969-8000
- 00125
CONEMAUGH VALLEY MEMORIAL HOSP—SB
LABORATORY DEPT
1086 FRANKLIN STREET
JOHNSTOWN, PA 15905
(814) 534-9000
- 00326
CORY MEMORIAL HOSPITAL—S
612 WEST SMITH STREET
CORY, PA 16407
(814) 664-4641

- 00201
CROZER CHESTER MED CENTER—S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
(610) 447-2000
- 00209
CROZER-CHESTER MED CTR-SPRINGFLD—S
190 WEST SPROUL ROAD
SPRINGFIELD, PA 19064
(610) 447-2000
- 00204
DELAWARE COUNTY MEMORIAL HOSP—S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
(610) 284-8100
- 00266
DEPT OF PATHOLOGY & LAB MED-HUP—SB
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
(215) 662-3423
- 00194
DOYLESTOWN HOSPITAL—S
595 WEST STATE STREET
DOYLESTOWN, PA 18901
(215) 345-2250
- 00977
DRUGSCAN INC—B
1119 MEARN'S RD
PO BOX 2969
WARMINSTER, PA 18974
(215) 674-9310
- 00027
DUBOIS REG MED CTR-WEST UNIT—S
100 HOSPITAL AVE
DUBOIS, PA 15801
(814) 371-2200
- 00175
EASTON HOSPITAL—S
250 SOUTH 21st ST
EASTON, PA 18042-3892
(610) 250-4140
- 00332
ELLWOOD CITY HOSPITAL—S
724 PERSHING ST
ELLWOOD CITY, PA 16117
(724) 752-0081
- 00164
EPHRATA COMMUNITY HOSPITAL—S
169 MARTIN AVE
PO BOX 1002
EPHRATA, PA 17522
(717) 733-0311
- 00032
ERHC ST MARYS LABORATORY—B
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
(814) 788-8525
- 00181
EVANGELICAL COMMUNITY HOSPITAL—S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
(570) 522-2510
- 00115
FRICK HOSPITAL—S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
(724) 547-1500
- 00330
FULTON COUNTY MEDICAL CENTER—S
214 PEACH ORCHARD ROAD
MCCONNELLSBURG, PA 17233
(717) 485-6143
- 00173
GEISINGER MEDICAL LABORATORIES—SB
100 N ACADEMY AVENUE
DANVILLE, PA 17822-0131
(570) 271-6338
- 00019
GEISINGER WYOMING VALLEY MED CTR—S
1000 E MOUNTAIN DRIVE
WILKES-BARRE, PA 18711
(570) 826-7830
- 00122
GETTYSBURG HOSPITAL—SB
147 GETTYS STREET
GETTYSBURG, PA 17325
(717) 334-2121
- 00152
GNADEN HUETTEN MEMORIAL HOSP—SB
211 NORTH 12TH STREET
LEHIGHTON, PA 18235
(610) 377-7083
- 00299
GOOD SAMARITAN HOSPITAL—B
4TH & WALNUT STS
PO BOX 1281
LEBANON, PA 17042-1218
(717) 270-7500
- 00196
GRAND VIEW HOSPITAL—S
700 LAWN AVE
SELLERSVILLE, PA 18960
(215) 453-4528
- 00061
GROVE CITY MEDICAL CENTER—SB
631 NORTH BROAD STREET EXT
GROVE CITY, PA 16127
(724) 450-7125
- 00654
GUTHRIE CLINIC LABORATORIES—S
ONE GUTHRIE SQUARE
SAYRE, PA 18840
(570) 882-4160
- 00239
HAHNEMANN UNIVERSITY HOSPITAL—S
BROAD & VINE STS
MS 113
PHILADELPHIA, PA 19102
(215) 762-1783
- 00046
HAMOT MEDICAL CENTER—S
201 STATE STREET
ERIE, PA 16550
(814) 877-3131

00139
HANOVER HOSPITAL LABORATORY—S
300 HIGHLAND AVE
HANOVER, PA 17331
(717) 637-3711

00155
HARRISBURG HOSPITAL LABORATORY—SB
100 2ND STREET
MEDICAL SCIENCES BUILDING
HARRISBURG, PA 17105
(570) 782-2832

00010
HAZLETON GENERAL HOSPITAL—S
700 EAST BROAD
HAZLETON, PA 18201
(570) 501-4152

00169
HEALTH NETWORK LABORATORIES—S
1627 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 402-8150

00549
HEALTH NETWORK LABORATORIES—S
1200 SOUTH CEDAR CREST BLVD
ALLENTOWN, PA 18103
(610) 402-8150

00600
HEALTH NETWORK LABORATORIES—S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
(610) 402-8150

24655
HEALTH NETWORK LABORATORIES—SB
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
(610) 402-8150

00166
HEART OF LANCASTER REGIONAL MEDICAL
CENTER—S
1500 HIGHLANDS DRIVE
LITITZ, PA 17543
(717) 625-5605

00205
HERITAGE VALLEY BEAVER—SB
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009-9700
(724) 728-7000

00101
HERITAGE VALLEY SEWICKLEY LAB—S
BLACKBURN RD & FITCH DRIVE
SEWICKLEY, PA 15143
(412) 741-6600

00103
HIGHLANDS HOSPITAL—S
401 EAST MURPHY AVENUE
CONNELLSVILLE, PA 15425
(724) 628-1500

00130
HOLY SPIRIT HOSPITAL—S
503 N 21st STREET
CAMP HILL, PA 17011-2288
(717) 763-2206

00052
INDIANA REGIONAL MEDICAL CENTER—S
HOSPITAL ROAD
PO BOX 788
INDIANA, PA 15701-0788
(724) 357-7167

00135
J C BLAIR MEMORIAL HOSPITAL—S
1225 WARM SPRINGS AVENUE
HUNTINGDON, PA 16652
(814) 643-8645

00054
JAMESON MEMORIAL HOSPITAL—S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
(724) 656-4080

00240
JEANES HOSPITAL—S
7600 CENTRAL AVE
PHILADELPHIA, PA 19111
(215) 728-2347

00038
JEFFERSON REGIONAL MED CTR—S
PO BOX 18119
565 COAL VALLEY ROAD
PITTSBURGH, PA 15236
(412) 469-5723

00200
JENNERSVILLE REGIONAL HOSPITAL—S
1015 WEST BALTIMORE PIKE
WEST GROVE, PA 19390
(610) 869-1080

00034
KANE COMMUNITY HOSPITAL—B
NORTH FRALEY STREET
KANE, PA 16735
(814) 837-4575

00532
KENSINGTON HOSPITAL—S
136 WEST DIAMOND STREET
PHILADELPHIA, PA 19122
(215) 426-8100

01088
LABCORP OF AMERICA HOLDINGS—SB
69 FIRST AVENUE
PO BOX 500
RARITAN, NJ 08869
(908) 526-2400

00165
LANCASTER GENERAL HOSPITAL—S
555 N DUKE STREET
PO BOX 3555
LANCASTER, PA 17604
(717) 544-5989

00167
LANCASTER REGIONAL MED CENTER—S
250 COLLEGE AVENUE
PO BOX 3434
LANCASTER, PA 17604
(717) 291-8022

00114
LATROBE AREA HOSPITAL—S
ONE MELLON WAY
LATROBE, PA 15650
(724) 537-1550

- 00138
LEWISTOWN HOSPITAL—B
400 HIGHLAND AVENUE
LEWISTOWN, PA 17044
(717) 248-5411
- 00030
LOCK HAVEN HOSPITAL—B
24 CREE DRIVE
LOCK HAVEN, PA 17745
(570) 893-5000
- 00193
LOWER BUCKS HOSPITAL LABORATORY—S
501 BATH ROAD
BRISTOL, PA 19007
(215) 785-9300
- 00242
MAIN LINE CLIN LABS LANKENAU CP—S
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
(610) 645-2615
- 00213
MAIN LINE HEALTH LAB-BRYN MAWR—S
130 S BRYN MAWR AVENUE
BRYN MAWR, PA 19010
(610) 526-3554
- 00199
MAIN LINE HEALTH LABS-PAOLI—S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
(610) 648-1000
- 00004
MARIAN COMMUNITY HOSPITAL—S
100 LINCOLN AVENUE
CARBONDALE, PA 18407
(717) 281-1042
- 09003
MAYO CLINIC DEPT LAB MED & PATH—SB
200 FIRST STREET
SW HILTON 530
ROCHESTER, MN 55905
(507) 284-3018
- 00049
MEADVILLE MED CTR-LIBERTY ST—S
751 LIBERTY STREET
MEADVILLE, PA 16335
(814) 336-5000
- 05574
MEDTOX LABORATORIES INC—SB
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
(651) 286-6217
- 00140
MEMORIAL HOSPITAL CLINICAL LAB—S
325 S BELMONT STREET
PO BOX 15118
YORK, PA 17403
(717) 843-8623
- 00023
MEMORIAL HOSPITAL LAB—SB
1 HOSPITAL DRIVE
TOWANDA, PA 18848
(570) 265-2191
- 00203
MERCY FITZGERALD HOSPITAL—S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 237-4262
- 00247
MERCY HEALTH LAB/MHOP—S
501 S 54TH STREET
PHILADELPHIA, PA 19143
(215) 748-9181
- 00219
MERCY HEALTH LAB/MSH—S
2701 DEKALB PIKE
NORRISTOWN, PA 19401
(610) 278-2090
- 00336
MERCY HEALTH PARTNERS—S
746 JEFFERSON AVENUE
SCRANTON, PA 18510
(570) 348-7100
- 28436
METHODIST DIV TJUH CLINICAL LAB—S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
(215) 952-9057
- 00231
MEYERSDALE COMMUNITY HOSPITAL—S
200 HOSPITAL DR
MEYERSDALE, PA 15552
(814) 634-5911
- 00269
MIDVALLEY HOSPITAL—S
1400 MAIN STREET
PECKVILLE, PA 18452
(570) 383-5520
- 00128
MINERS MEDICAL CENTER—S
290 HAIDA AVENUE
PO BOX 689
HASTINGS, PA 16646
(814) 247-3100
- 00108
MONONGAHELA VALLEY HOSPITAL INC—S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
(724) 258-1021
- 00217
MONTGOMERY HOSPITAL LAB—S
POWELL & FORNANCE STS
NORRISTOWN, PA 19401
(610) 270-2173
- 00007
MOSES TAYLOR HOSPITAL—S
700 QUINCY AVENUE
SCRANTON, PA 18510
(570) 340-2100
- 00214
MOSS REHAB EINSTEIN AT ELKINS PARK—S
60 EAST TOWNSHIP LINE ROAD
ATTN: LABORATORY
ELKINS PARK, PA 19027
(215) 456-6150

00025
MOUNT NITTANY MEDICAL CENTER—B
1800 EAST PARK AVENUE
STATE COLLEGE, PA 16803
(814) 234-6117

00035
MUNCY VALLEY HOSPITAL—S
215 EAST WATER ST
MUNCY, PA 17756
(570) 546-8282

00304
NASON HOSPITAL—S
105 NASON DRIVE
ROARING SPRING, PA 16673
(814) 224-2141

00504
NATIONAL MED SVCS INC/DBA NMS LABS—SB
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 657-4900

00248
NAZARETH HOSPITAL—S
2601 HOLME AVE
PHILADELPHIA, PA 19152
(215) 335-6245

29741
NORTHERN TIER RESEARCH—SB
1300 OLD PLANK ROAD
MAYFIELD, PA 18433
(570) 351-6153

30984
OFFICE OF THE DISTRICT ATTORNEY—S
37 E HIGH STREET
FORENSIC LAB
CARLISE, PA 17103
(717) 240-6526

00099
OHIO VALLEY GENERAL HOSPITAL—S
25 HECKEL RD
MCKEES ROCKS, PA 15136
(412) 777-6161

00334
PALMERTON HOSPITAL—SB
135 LAFAYETTE AVENUE
PALMERTON, PA 18071
(610) 826-1100

00520
PC LAB INC—SB
1320 FIFTH AVENUE
PITTSBURGH, PA 15219
(412) 391-6118

00258
PENN PRESBYTERIAN MEDICAL CENTER—S
51 NORTH 39TH ST
DEPT OF PATH & LAB
WRIGHT SAUNDERS BLDG
5TH FL
RM 530
PHILADELPHIA, PA 19104-2640
(215) 662-3435

00316
PENN STATE MILTON S HERSHEY MED CTR—S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
(717) 531-8353

22533
PENNSYLVANIA DEPT OF HEALTH—SB
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464

00197
PHOENIXVILLE HOSPITAL LABORATORY—S
140 NUTT ROAD
DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
(610) 983-1612

00157
PINNACLE HEALTH/COMM GENERAL HOSP—S
4300 LONDONDERRY RD
PO BOX 3000
HARRISBURG, PA 17109
(717) 657-7214

00022
POCONO MEDICAL CENTER LAB—SB
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3544

00221
POTTSTOWN HOSPITAL COMPANY, LLC—S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
(610) 327-7000

00300
PUNXSUTAWNEY AREA HOSPITAL—S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
(814) 938-1800

22715
QUEST DIAGNOSTICS—SB
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 888-1770

27461
QUEST DIAGNOSTICS INC—SB
400 EGYPT ROAD
NORRISTOWN, PA 19403
(610) 631-4219

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
(703) 802-6900

00482
QUEST DIAGNOSTICS OF PA INC—SB
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE LLC—SB
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7631

00150
READING HOSPITAL & MED CTR—S
6TH AND SPRUCE STREETS
WEST READING, PA 19611
(610) 988-8080

- 00206
RIDDLE MEMORIAL HOSPITAL—S
1068 W BALTIMORE PIKE
MEDIA, PA 19063
(610) 891-3339
- 00243
ROXBOROUGH MEMORIAL HOSPITAL—S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
(215) 487-4394
- 00171
SACRED HEART HOSPITAL—S
4TH & CHEW STS
ATTN LAB DEPARTMENT
ALLENTOWN, PA 18102
(610) 776-4727
- 00087
SAINT CLAIR MEMORIAL HOSPITAL—S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
(412) 561-4900
- 00174
SAINT LUKES HOSPITAL—S
801 OSTRUM STREET
BETHLEHEM, PA 18015
(610) 954-4558
- 00328
SAINT MARY MEDICAL CENTER—S
LANGHORNE—NEWTOWN RD
LANGHORNE, PA 19047
(215) 710-2162
- 00048
SAINT VINCENT HEALTH CENTER—S
232 WEST 25TH STREET
ERIE, PA 16544
(814) 452-5383
- 00182
SCHUYLKILL MC E NORWEGIAN ST—S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
(570) 621-4032
- 00183
SCHUYLKILL MC S JACKSON ST—SB
420 SOUTH JACKSON STREET
POTTSVILLE, PA 17901
(570) 621-5262
- 00064
SHARON REGIONAL HEALTH SYSTEM—SB
740 EAST STATE STREET
SHARON, PA 16146
(724) 983-3911
- 00039
SOLDIERS & SAILORS MEM HOSP—S
CENTRAL AVENUE
WELLSBORO, PA 16901
(570) 723-0133
- 00297
SOMERSET HOSPITAL CENTER FOR HEALTH—B
225 S CENTER AVENUE
SOMERSET, PA 15501
(814) 443-5000
- 00105
SOUTHWEST REGIONAL MEDICAL CENTER—S
350 BONAR AVENUE
WAYNESBURG, PA 15370
(724) 627-2608
- 22376
SPECIALTY LABORATORIES INC—S
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543
- 00361
ST CATHERINE MED CTR-FOUNTAIN SPRINGS—S
101 BROAD STREET
ASHLAND, PA 17921
(570) 875-5988
- 00260
ST CHRISTOPHERS HOSP FOR CHILDREN—S
ERIE AVENUE AT FRONT STREET
PHILADELPHIA, PA 19134
(215) 427-4207
- 00151
ST JOSEPH QUALITY MEDICAL LAB—SB
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200
- 00261
ST JOSEPH'S HOSPITAL-DIV NPHS—S
16TH ST & GIRARD AVENUE
PHILADELPHIA, PA 19130
(215) 787-9000
- 00318
ST LUKES HOSP ALLENTOWN CAMPUS—S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
(610) 770-8300
- 00180
ST LUKES MINERS MEMORIAL HOSPITAL—S
360 WEST RUDDLE STREET
PO BOX 67
COALDALE, PA 18218
(570) 645-2131
- 00195
ST LUKES QUAKERTOWN HOSPITAL—S
1021 PARK AVENUE
QUAKERTOWN, PA 18951
(215) 538-4681
- 00207
TAYLOR HOSPITAL DIV OF CCMC—S
175 EAST CHESTER PIKE
RIDLEY PARK, PA 19078
(610) 595-6450
- 00235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
(215) 707-0977
- 00265
TEMPLE UNIVERSITY HOSPITAL—S
3401 N BROAD ST
PHILADELPHIA, PA 19140
(215) 707-4353
- 00104
THE UNIONTOWN HOSPITAL LABORATORY—S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
(724) 430-5143

00085
THE WESTERN PA HOSP-FORBES REGIONAL
CAMPUS—S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
(412) 858-2560

00241
THOMAS JEFFERSON UNIVERSITY HOSP—S
125 SOUTH 11TH STREET
204 PAVILLION
PHILADELPHIA, PA 19107
(215) 955-1644

00051
TITUSVILLE AREA HOSPITAL—S
406 WEST OAK STREET
TITUSVILLE, PA 16354
(814) 827-1851

00313
TYLER MEMORIAL HOSPITAL—S
880 SR 6 W
TUNKHANNOCK, PA 18657-6149
(570) 836-4705

00124
TYRONE HOSPITAL—S
187 HOSPITAL DRIVE
TYRONE, PA 16686
(717) 738-6695

00121
UPMC BEDFORD MEMORIAL—SB
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
(814) 623-3506

00096
UPMC BRADDOCK—S
400 HOLLAND AVENUE
BRADDOCK, PA 15104
(412) 636-5291

00059
UPMC HORIZON GREENVILLE—SB
110 NORTH MAIN STREET
GREENVILLE, PA 16125
(724) 588-2100

00057
UPMC HORIZON SHENANGO—SB
2200 MEMORIAL DRIVE
FARRELL, PA 16121
(724) 981-3500

00098
UPMC MCKEESPORT LABORATORY—S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
(412) 664-2233

00082
UPMC MERCY DEPT OF LAB MEDICINE—S
1400 LOCUST STREET
PITTSBURGH, PA 15219
(412) 232-7831

00084
UPMC PASSAVANT—S
9100 BABCOCK BLVD
PITTSBURGH, PA 15237
(412) 367-6700

05784
UPMC PASSAVANT LABORATORY CRANBERRY—S
ONE ST FRANCIS WAY
CRANBERRY TOWNSHIP, PA 16066
(724) 772-5370

00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—S
ROOM 5929
MAIN TOWER CHP
200 LOTHROP STREET
PITTSBURGH, PA 15213-2582
(412) 648-6000

00091
UPMC SAINT MARGARET HOSPITAL—S
815 FREEPORT ROAD
PITTSBURGH, PA 15215
(412) 784-4000

00092
UPMC SHADYSIDE—S
5230 CENTRE AVENUE
GROUND FLOOR WEST WING
PITTSBURGH, PA 15232
(412) 623-5950

00066
WARREN GENERAL HOSPITAL—S
2 W CRESCENT PARK
WARREN, PA 16365
(814) 723-3860

00111
WASHINGTON HOSPITAL—S
155 WILSON AVE
WASHINGTON, PA 15301
(724) 223-3136

00298
WAYNE MEMORIAL HOSPITAL—S
601 PARK STREET
HONESDALE, PA 18431
(570) 253-1300

00133
WAYNESBORO HOSPITAL—S
501 E MAIN STREET
WAYNESBORO, PA 17268
(717) 765-3403

00095
WESTERN PENNSYLVANIA HOSPITAL—S
4800 FRIENDSHIP AVE
PITTSBURGH, PA 15224
(412) 578-5779

30245
WESTFIELD HOSPITAL LABORATORY—S
4815 W TILGHMAN STREET
ALLENTOWN, PA 18104
(610) 776-1603

00113
WESTMORELAND HOSP AT JEANNETTE—S
600 JEFFERSON AVENUE
JEANNETTE, PA 15644
(724) 832-4371

00112
WESTMORELAND REGIONAL HOSPITAL—S
532 W PITTSBURGH STREET
GREENSBURG, PA 15601
(724) 832-4365

00037
WILLIAMSPORT HOSP & MED CENTER—SB
777 RURAL AVENUE
WILLIAMSPORT, PA 17701-3198
(570) 321-2300

00106
WINDBER HOSPITAL—B
600 SOMERSET AVE
WINDBER, PA 15963
(814) 467-6611

00018
WVHCS HOSP D/B/A PENNANT LABORATORY—SB
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

25064
WVU HOSPITAL CLINICAL LABS—S
1 MEDICAL CENTER DR
PO BOX 8009
MORGANTOWN, WV 26506-8009
(304) 598-4241

00141
YORK HOSPITAL—S
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 10-25. Filed for public inspection December 31, 2009, 9:00 a.m.]

Laboratories Approved to Determine Urine Controlled Substance Content under the Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code, and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under the Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of urine for the determination of controlled substances or their biotransformation products.

This approval is based on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances or their biotransformation products in urine.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening and/or confirmatory urine drug analyses. Labo-

ratories approved to perform screening tests only are designated on the approval list by an "S" after the laboratory's name. Laboratories approved to perform confirmatory testing only are designated by a "C" following the laboratory's name. Those approved to perform both screening and confirmatory analyses are designated by the letters "SC". Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic urine drug analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the purpose. They should also determine that the director of the facility is agreeable to performing analyses for that purpose. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought. The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*.

The Commonwealth's Vehicle Code contains a provision (75 Pa.C.S. § 1547(c)(3)(ii)) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence at legal proceedings in Pennsylvania if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of section 3802 (driving under the influence of alcohol or controlled substance) or any other violation of that title arising out of the same action if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Federal Clinical Laboratory Improvement Amendments of 1988 (Pub. L. No. 100-5768, 102 Stat. 2903). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory is sometimes changed but the personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name or location of the facility changed, the Clinical Laboratory Permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Ph.D., Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

00215
 ABINGTON HEALTH LANSDALE HOSP—S
 100 MEDICAL CAMPUS DRIVE
 LANSDALE, PA 19446
 (215) 368-2100

00212
 ABINGTON MEMORIAL HOSPITAL—S
 1200 OLD YORK ROAD
 ABINGTON, PA 19001
 (215) 576-2350

27908
 ACM MEDICAL LABORATORY—SC
 160 ELMGROVE PARK
 ROCHESTER, NY 14624
 (716) 429-2264

27180
 ADVANCED TOXICOLOGY NETWORK—SC
 3560 AIR CENTER COVE
 SUITE 101
 MEMPHIS, TN 38118
 (901) 794-5770

30483
 AIT LABORATORIES—SC
 2265 EXECUTIVE DRIVE
 INDIANAPOLIS, IN 46241
 (317) 243-3894

00233
 ALBERT EINSTEIN MEDICAL CENTER—S
 5501 OLD YORK ROAD
 DEPT OF LABS
 TOWER BLDG
 GROUND FLOOR
 PHILADELPHIA, PA 19141-3001
 (215) 456-6157

00116
 ALLE KISKI MED CNTR NEW KENSINGTON—S
 651 FOURTH AVENUE
 NEW KENSINGTON, PA 15068
 (724) 226-7089

00671
 ALLEGHENY COUNTY MED EX DIV OF LAB—SC
 1520 PENN AVENUE
 PITTSBURGH, PA 15222
 (412) 350-4425

28233
 ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S
 320 E NORTH AVENUE
 PITTSBURGH, PA 15212
 (412) 359-6886

00077
 ALLEGHENY GENERAL HOSPITAL—S
 1307 FEDERAL STREET
 PITTSBURGH, PA 15212
 (412) 359-3521

00094
 ALLEGHENY GENERAL HOSPITAL SUBURBAN
 CAMPUS—S
 100 SOUTH JACKSON AVENUE
 BELLEVUE, PA 15202
 (412) 734-6020

00100
 ALLEGHENY VALLEY HOSPITAL LAB—S
 1301 CARLISLE STREET
 NATRONA HEIGHTS, PA 15065
 (724) 224-5100

00120
 ALTOONA REGIONAL HEALTH SYSM-BON SECOURS
 CAMPUS—S
 2500 SEVENTH AVENUE
 ALTOONA, PA 16602-2099
 (814) 949-4495

00119
 ALTOONA REGIONAL HEALTH SYSTEM LAB—S
 620 HOWARD AVENUE
 ALTOONA, PA 16601-4899
 (814) 946-2340

30223
 AMERITOX LTD—SC
 9930 WEST HWY 80
 MIDLAND, TX 79706
 (432) 561-5091

26620
 AMMON ANALYTICAL LABORATORY—SC
 1622 SOUTH WOOD AVENUE
 LINDEN, NJ 07036
 (908) 862-4404

31148
 ANALYTICAL DIAGNOSTIC LAB—S
 2115 AVENUE X
 BROOKLYN, NY 11235
 (718) 646-6000

00192
 ARIA HEALTH—S
 380 NORTH OXFORD VALLEY ROAD
 LANGHORNE, PA 19047-8304
 (215) 934-5227

00236
 ARIA HEALTH—S
 FRANKFORD AVE & WAKELING STREET
 PHILADELPHIA, PA 19124
 (215) 831-2068

00341
 ARIA HEALTH—S
 RED LION & KNIGHTS ROADS
 ATTN P FARANO MD
 PHILADELPHIA, PA 19114
 (215) 612-4000

00047
 ASSOCIATED CLINICAL LABORATORIES—S
 1526 PEACH STREET
 ERIE, PA 16501
 (814) 461-2400

00363
 ATLANTIC DIAGNOSTIC LABORATORIES INC—S
 1570 GARRETT ROAD
 UPPER DARBY, PA 19082
 (610) 626-2112

24997
 ATLANTIC DIAGNOSTIC LABORATORIES LLC—SC
 3520 PROGRESS DRIVE
 UNIT C
 BENSLEM, PA 19020
 (267) 525-2470

00251
 AYER CLINICAL LAB PENNSYLVANIA HOSPITAL—S
 800 SPRUCE STREET
 PHILADELPHIA, PA 19107
 (215) 829-3541

00320
BARNES KASSON HOSPITAL LAB—S
400 TURNPIKE STREET
SUSQUEHANNA, PA 18847
(570) 853-5059

21553
BENDINER & SCHLESINGER INC—SC
140 58TH STREET
SUITE 8D
BROOKLYN, NY 11220
(212) 254-2300

00001
BERWICK HOSPITAL LABORATORY—S
701 EAST 16TH STREET
BERWICK, PA 18603
(570) 759-5110

27615
BIOLOGICAL SPECIALTY CORPORATION—S
2165 NORTH LINE STREET
COLMAR, PA 18915
(215) 997-8771

27616
BIOLOGICAL SPECIALTY CORPORATION—S
1236 NEW RODGERS RD
#851
BRISTOL, PA 19007
(215) 826-9282

27617
BIOLOGICAL SPECIALTY CORPORATION—S
22 SOUTH 4TH STREET
READING, PA 19602
(610) 375-9862

22757
BIOREFERENCE LABORATORIES INC—SC
481B EDWARD H ROSS DRIVE
ELMWOOD PARK, NJ 07407
(201) 791-3600

00002
BLOOMSBURG HOSPITAL—S
549 E FAIR STREET
BLOOMSBURG, PA 17815
(570) 387-2124

00033
BRADFORD REGIONAL MEDICAL CENTER—S
116—156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
(814) 362-8247

00296
BRANDYWINE HOSPITAL—S
201 REECEVILLE ROAD
COATESVILLE, PA 19320
(610) 383-8000

00472
BROOKSIDE CLINICAL LAB INC—S
4000 EDGMONT AVENUE
BROOKHAVEN, PA 19015
(610) 872-6466

00301
BUTLER MEMORIAL HOSPITAL—S
911 EAST BRADY STREET
BUTLER, PA 16001
(724) 284-4510

29116
CALLOWAY LABORATORIES INC—SC
34 COMMERCE WAY
WOBURN, MA 01801
(781) 224-9899

00107
CANONSBURG GENERAL HOSPITAL—S
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
(724) 745-3916

00131
CARLISLE REGIONAL MEDICAL CENTER—S
361 ALEXANDER SPRING ROAD
CARLISLE, PA 17015-9129
(717) 249-1212

00751
CEDAR CREST EMERGICENTER—S
1101 SOUTH CEDAR CREST BOULEVARD
ALLENTOWN, PA 18103
(610) 433-4260

22388
CENTER FOR DISEASE DETECTION—SC
3370 NACOGDOCHES ROAD
SUITE 100
SAN ANTONIO, TX 78217
(210) 590-3033

00132
CHAMBERSBURG HOSPITAL DEPT OF
PATHOLOGY—S
112 NORTH SEVENTH STREET
CHAMBERSBURG, PA 17201
(717) 267-7153

00310
CHARLES COLE MEMORIAL HOSPITAL—S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
(814) 274-5510

00198
CHESTER COUNTY HOSPITAL—S
701 E MARSHALL ST
WEST CHESTER, PA 19380
(610) 431-5182

00227
CHESTNUT HILL HOSPITAL—S
8835 GERMANTOWN AVENUE
DEPT OF PATHOLOGY
PHILADELPHIA, PA 19118
(215) 248-8630

00228
CHILDRENS HOSP OF PHILADELPHIA—S
ONE CHILDRENS CENTER
34TH & CIVIC
PHILADELPHIA, PA 19104
(215) 590-4446

00329
CLARION HOSPITAL—S
1 HOSPITAL DRIVE
CLARION, PA 16214
(814) 226-9500

27845
CLINICAL REFERENCE LABORATORY—SC
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 492-3652

24916
CLINICAL SCIENCE LABORATORY INC—SC
51 FRANCIS AVENUE
MANSFIELD, MA 02048
(508) 339-6106

00005
COMMUNITY MEDICAL CENTER—S
1800 MULBERRY STREET
SCRANTON, PA 18510
(570) 969-8000

00125
CONEMAUGH VALLEY MEMORIAL HOSP—S
LABORATORY DEPT
1086 FRANKLIN STREET
JOHNSTOWN, PA 15905
(814) 534-9000

00326
CORRY MEMORIAL HOSPITAL—S
612 WEST SMITH STREET
CORRY, PA 16407
(814) 664-4641

00201
CROZER CHESTER MED CENTER—S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
(610) 447-2000

00209
CROZER-CHESTER MED CTR-SPRINGFLD—S
190 WEST SPROUL ROAD
SPRINGFIELD, PA 19064
(610) 447-2000

00204
DELAWARE COUNTY MEMORIAL HOSP—S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
(610) 284-8100

00266
DEPT OF PATHOLOGY & LAB MED-HUP—SC
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
(215) 662-3423

28893
DOMINION DIAGNOSTICS LLC—SC
211 CIRCUIT DRIVE
NORTH KINGSTOWN, RI 02852
(401) 667-0800

00194
DOYLESTOWN HOSPITAL—S
595 WEST STATE STREET
DOYLESTOWN, PA 18901
(215) 345-2250

00977
DRUGSCAN INC—SC
1119 MEARNES RD
PO BOX 2969
WARMINSTER, PA 18974
(215) 674-9310

00175
EASTON HOSPITAL—S
250 SOUTH 21st ST
EASTON, PA 18042-3892
(610) 250-4140

00332
ELLWOOD CITY HOSPITAL—S
724 PERSHING ST
ELLWOOD CITY, PA 16117
(724) 752-0081

00612
ENDLESS MOUNTAINS HEALTH SYSTEMS—S
3 GROW AVENUE
MONTROSE, PA 18801-1103
(570) 278-3801

00164
EPHRATA COMMUNITY HOSPITAL—S
169 MARTIN AVE
PO BOX 1002
EPHRATA, PA 17522
(717) 733-0311

00032
ERHC ST MARYS LABORATORY—S
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
(814) 788-8525

00181
EVANGELICAL COMMUNITY HOSPITAL—S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
(570) 522-2510

00115
FRICK HOSPITAL—S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
(724) 547-1500

20644
FRIENDS HOSPITAL—S
4641 ROOSEVELT BOULEVARD
PHILADELPHIA, PA 19124-2399
(215) 831-4600

09163
FRIENDS MEDICAL LAB INC—SC
5820 SOUTHWESTERN BLVD
BALTIMORE, MD 21227
(412) 247-4417

00330
FULTON COUNTY MEDICAL CENTER—S
214 PEACH ORCHARD ROAD
MCCONNELLSBURG, PA 17233
(717) 485-6143

30188
GARCIA CLINICAL LABORATORY INC—S
2195 SPRING ARBOR ROAD
JACKSON, MI 49201
(517) 787-9200

00173
GEISINGER MEDICAL LABORATORIES—SC
100 N ACADEMY AVENUE
DANVILLE, PA 17822-0131
(570) 271-6338

00019
GEISINGER WYOMING VALLEY MED CTR—S
1000 E MOUNTAIN DRIVE
WILKES-BARRE, PA 18711
(570) 826-7830

00237
GERMANTOWN COMM HLTH WILLOW TERR—S
ONE PENN BOULEVARD
PHILADELPHIA, PA 19144
(215) 456-6157

26799
GHHA OCCUPATIONAL HEALTH CENTER LAB—S
50 MOISEY DRIVE
HAZLETON, PA 18202
(570) 459-1028

00152
GNADEN HUETTEN MEMORIAL HOSP—S
211 NORTH 12TH STREET
LEHIGHTON, PA 18235
(610) 377-7083

00299
GOOD SAMARITAN HOSPITAL—S
4TH & WALNUT STS
PO BOX 1281
LEBANON, PA 17042-1218
(717) 270-7500

00061
GROVE CITY MEDICAL CENTER—S
631 NORTH BROAD STREET EXT
GROVE CITY, PA 16127
(724) 450-7125

00654
GUTHRIE CLINIC LABORATORIES—S
ONE GUTHRIE SQUARE
SAYRE, PA 18840
(570) 882-4160

00239
HAHNEMANN UNIVERSITY HOSPITAL—S
BROAD & VINE STS
MS 113
PHILADELPHIA, PA 19102
(215) 762-1783

00139
HANOVER HOSPITAL LABORATORY—S
300 HIGHLAND AVE
HANOVER, PA 17331
(717) 637-3711

00155
HARRISBURG HOSPITAL LABORATORY—S
100 2ND STREET
MEDICAL SCIENCES BUILDING
HARRISBURG, PA 17105
(570) 782-2832

00010
HAZLETON GENERAL HOSPITAL—S
700 EAST BROAD
HAZLETON, PA 18201
(570) 501-4152

00169
HEALTH NETWORK LABORATORIES—S
1627 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 402-8150

00549
HEALTH NETWORK LABORATORIES—S
1200 SOUTH CEDAR CREST BLVD
ALLENTOWN, PA 18103
(610) 402-8150

00600
HEALTH NETWORK LABORATORIES—S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
(610) 402-8150

24655
HEALTH NETWORK LABORATORIES—SC
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
(610) 402-8150

00166
HEART OF LANCASTER REGIONAL MEDICAL
CENTER—S
1500 HIGHLANDS DRIVE
LITITZ, PA 17543
(717) 625-5605

00205
HERITAGE VALLEY BEAVER—S
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009-9700
(724) 728-7000

00101
HERITAGE VALLEY SEWICKLEY LAB—S
BLACKBURN RD & FITCH DRIVE
SEWICKLEY, PA 15143
(412) 741-6600

00103
HIGHLANDS HOSPITAL—S
401 EAST MURPHY AVENUE
CONNELLSVILLE, PA 15425
(724) 628-1500

00216
HOLY REDEEMER HOSPITAL—S
1648 HUNTINGDON PIKE
MEADOWBROOK, PA 19046
(215) 947-3000

00130
HOLY SPIRIT HOSPITAL—S
503 N 21st STREET
CAMP HILL, PA 17011-2288
(717) 763-2206

00052
INDIANA REGIONAL MEDICAL CENTER—S
HOSPITAL ROAD
PO BOX 788
INDIANA, PA 15701-0788
(724) 357-7167

00135
J C BLAIR MEMORIAL HOSPITAL—S
1225 WARM SPRINGS AVENUE
HUNTINGDON, PA 16652
(814) 643-8645

00054
JAMESON MEMORIAL HOSPITAL—S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
(724) 656-4080

00240
JEANES HOSPITAL—S
7600 CENTRAL AVE
PHILADELPHIA, PA 19111
(215) 728-2347

00038
JEFFERSON REGIONAL MED CTR—S
PO BOX 18119
565 COAL VALLEY ROAD
PITTSBURGH, PA 15236
(412) 469-5723

00200
JENNERSVILLE REGIONAL HOSPITAL—S
1015 WEST BALTIMORE PIKE
WEST GROVE, PA 19390
(610) 869-1080

00312
JERSEY SHORE HOSPITAL—S
1020 THOMPSON STREET
JERSEY SHORE, PA 17740
(570) 398-0100

00532
KENSINGTON HOSPITAL—S
136 WEST DIAMOND STREET
PHILADELPHIA, PA 19122
(215) 426-8100

26008
KROLL LABORATORY SPECIALISTS—SC
1111 NEWTON STREET
GRETNA, LA 70053
(504) 361-8989

24496
KROLL LABORATORY SPECIALISTS INC—SC
450 SOUTHLAKE BOULEVARD
RICHMOND, VA 23236
(804) 378-9130

21306
LAB CORP OCCUPATIONAL TEST SRVCS—SC
1120 STATELINE ROAD WEST
SOUTHAVEN, MS 38671
(886) 827-8042

20512
LABCORP OCCUPATIONAL TESTING SER—SC
1904 ALEXANDER DRIVE
PO BOX 12652
RESEARCH TRIANGLE PARK, NC 27709
(919) 572-7465

01088
LABCORP OF AMERICA HOLDINGS—SC
69 FIRST AVENUE
PO BOX 500
RARITAN, NJ 08869
(908) 526-2400

00165
LANCASTER GENERAL HOSPITAL—S
555 N DUKE STREET
PO BOX 3555
LANCASTER, PA 17604
(717) 544-5989

00167
LANCASTER REGIONAL MED CENTER—S
250 COLLEGE AVENUE
PO BOX 3434
LANCASTER, PA 17604
(717) 291-8022

00114
LATROBE AREA HOSPITAL—S
ONE MELLON WAY
LATROBE, PA 15650
(724) 537-1550

00138
LEWISTOWN HOSPITAL—S
400 HIGHLAND AVENUE
LEWISTOWN, PA 17044
(717) 248-5411

00030
LOCK HAVEN HOSPITAL—S
24 CREE DRIVE
LOCK HAVEN, PA 17745
(570) 893-5000

00193
LOWER BUCKS HOSPITAL LABORATORY—S
501 BATH ROAD
BRISTOL, PA 19007
(215) 785-9300

00639
MAGEE-WOMENS HOSPITAL OF UPMC HEALTH
SYSTEM—S
300 HALKET STREET
PITTSBURGH, PA 15213
(412) 647-4651

00242
MAIN LINE CLIN LABS LANKENAU CP—S
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
(610) 645-2615

00213
MAIN LINE HEALTH LAB-BRYN MAWR—S
130 S BRYN MAWR AVENUE
BRYN MAWR, PA 19010
(610) 526-3554

00199
MAIN LINE HEALTH LABS-PAOLI—S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
(610) 648-1000

00004
MARIAN COMMUNITY HOSPITAL—S
100 LINCOLN AVENUE
CARBONDALE, PA 18407
(717) 281-1042

27684
MARWORTH—S
BOX 36
LILLY LAKE ROAD
WAVERLY, PA 18471
(570) 563-1112

09003
MAYO CLINIC DEPT LAB MED & PATH—SC
200 FIRST STREET
SW HILTON 530
ROCHESTER, MN 55905
(507) 284-3018

00049
MEADVILLE MED CTR-LIBERTY ST—S
751 LIBERTY STREET
MEADVILLE, PA 16335
(814) 336-5000

05574
MEDTOX LABORATORIES INC—SC
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
(651) 286-6217

00140
MEMORIAL HOSPITAL CLINICAL LAB—S
325 S BELMONT STREET
PO BOX 15118
YORK, PA 17403
(717) 843-8623

00023
MEMORIAL HOSPITAL LAB—S
1 HOSPITAL DRIVE
TOWANDA, PA 18848
(570) 265-2191

00203
MERCY FITZGERALD HOSPITAL—S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 237-4262

00247
MERCY HEALTH LAB/MHOP—S
501 S 54TH STREET
PHILADELPHIA, PA 19143
(215) 748-9181

00219
MERCY HEALTH LAB/MSH—S
2701 DEKALB PIKE
NORRISTOWN, PA 19401
(610) 278-2090

00336
MERCY HEALTH PARTNERS—S
746 JEFFERSON AVENUE
SCRANTON, PA 18510
(570) 348-7100

28436
METHODIST DIV TJUH CLINICAL LAB—S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
(215) 952-9057

31050
MILLENIUM LABORATORIES—SC
16981 VIA TAZON
SUITE F
SAN DIEGO, CA 92127
(858) 451-3535

00128
MINERS MEDICAL CENTER—S
290 HAIDA AVENUE
PO BOX 689
HASTINGS, PA 16646
(814) 247-3100

28907
MIRMONT TREATMENT CENTER—S
100 YEARSLEY MILL ROAD
LIMA, PA 19063
(610) 744-1400

00108
MONONGAHELA VALLEY HOSPITAL INC—S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
(724) 258-1021

00217
MONTGOMERY HOSPITAL LAB—S
POWELL & FORNANCE STS
NORRISTOWN, PA 19401
(610) 270-2173

00214
MOSS REHAB EINSTEIN AT ELKINS PARK—S
60 EAST TOWNSHIP LINE ROAD
ATTN: LABORATORY
ELKINS PARK, PA 19027
(215) 456-6150

00025
MOUNT NITTANY MEDICAL CENTER—S
1800 EAST PARK AVENUE
STATE COLLEGE, PA 16803
(814) 234-6117

00035
MUNCY VALLEY HOSPITAL—S
215 EAST WATER ST
MUNCY, PA 17756
(570) 546-8282

00304
NASON HOSPITAL—S
105 NASON DRIVE
ROARING SPRING, PA 16673
(814) 224-2141

00504
NATIONAL MED SVCS INC, D/B/A NMS LABS—SC
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 657-4900

00248
NAZARETH HOSPITAL—S
2601 HOLME AVE
PHILADELPHIA, PA 19152
(215) 335-6245

27246
NORCHEM DRUG TESTING LABORATORY—SC
1760 EAST ROUTE 66
SUITE 1
FLAGSTAFF, AZ 86004
(928) 526-1011

29741
NORTHERN TIER RESEARCH—SC
1300 OLD PLANK ROAD
MAYFIELD, PA 18433
(570) 351-6153

00099
OHIO VALLEY GENERAL HOSPITAL—S
25 HECKEL RD
MCKEES ROCKS, PA 15136
(412) 777-6161

00250
PARKWAY CLINICAL LABORATORIES—S
3494 D PROGRESS DRIVE
BENSALEM, PA 19020
(215) 245-5112

00520
PC LAB INC—SC
1320 FIFTH AVENUE
PITTSBURGH, PA 15219
(412) 391-6118

00258
PENN PRESBYTERIAN MEDICAL CENTER—S
51 NORTH 39TH ST
DEPT OF PATH & LAB
WRIGHT SAUNDERS BLDG
5TH FL
RM 530
PHILADELPHIA, PA 19104-2640
(215) 662-3435

00316
PENN STATE MILTON S HERSHEY MED CTR—S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
(717) 531-8353

22533

PENNSYLVANIA DEPT OF HEALTH—SC
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464

31082

PHAMATECH INC—SC
10151 BARNES CANYON ROAD
SAN DIEGO, CA 92121
(858) 643-5555

00197

PHOENIXVILLE HOSPITAL LABORATORY—S
140 NUTT ROAD
DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
(610) 983-1612

00157

PINNACLE HEALTH/COMM GENERAL HOSP—S
4300 LONDONDERRY RD
PO BOX 3000
HARRISBURG, PA 17109
(717) 657-7214

00022

POCONO MEDICAL CENTER LAB—S
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3544

00221

POTTSTOWN HOSPITAL COMPANY, LLC—S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
(610) 327-7000

21648

PSYCHEMEDICS CORPORATION—SC
5832 UPLANDER WAY
CULVER CITY, CA 90230
(800) 522-7424

00300

PUNXSUTAWNEY AREA HOSPITAL—S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
(814) 938-1800

22715

QUEST DIAGNOSTICS—SC
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 888-1770

09620

QUEST DIAGNOSTICS CLIN LABS INC—SC
8401 FALLBROOK AVENUE
WEST HILLS, CA 91304
(818) 737-6268

00315

QUEST DIAGNOSTICS CLINICAL LABS INC—SC
900 BUSINESS CENTER DRIVE
HORSHAM, PA 19044
(215) 957-9300

27461

QUEST DIAGNOSTICS INC—SC
400 EGYPT ROAD
NORRISTOWN, PA 19403
(610) 631-4219

01136

QUEST DIAGNOSTICS NICHOLS INSTITUTE—SC
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
(703) 802-6900

00482

QUEST DIAGNOSTICS OF PA INC—SC
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461

QUEST DIAGNOSTICS VENTURE LLC—SC
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7631

24249

QUINTILES LABORATORIES LTD—SC
1600 TERRELL MILL ROAD
SUITE 100
MARIETTA, GA 30067
(770) 373-3500

00150

READING HOSPITAL & MED CTR—S
6TH AND SPRUCE STREETS
WEST READING, PA 19611
(610) 988-8080

25348

REDWOOD TOXICOLOGY LABORATORY—SC
3650 WESTWIND BOULEVARD
SANTA ROSA, CA 95403
(707) 577-7958

0 0206

RIDDLE MEMORIAL HOSPITAL—S
1068 W BALTIMORE PIKE
MEDIA, PA 19063
(610) 891-3339

00243

ROXBOROUGH MEMORIAL HOSPITAL—S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
(215) 487-4394

30821

RXTOX INC—SC
51 PROF PLAZA
850 CLAIRTON BLVD
SUITE 1300
PITTSBURGH, PA 15236
(412) 460-1310

00171

SACRED HEART HOSPITAL—S
4TH & CHEW STS
ATIN LAB DEPARTMENT
ALLENTOWN, PA 18102
(610) 776-4727

00087

SAINT CLAIR MEMORIAL HOSPITAL—S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
(412) 561-4900

00174

SAINT LUKES HOSPITAL—S
801 OSTRUM STREET
BETHLEHEM, PA 18015
(610) 954-4558

- 00328
SAINT MARY MEDICAL CENTER—S
LANGHORNE—NEWTOWN RD
LANGHORNE, PA 19047
(215) 710-2162
- 29838
SAN DIEGO REFERENCE LABORATORY—SC
6122 NANCY RIDGE DRIVE
SAN DIEGO, CA 92121
(800) 677-7995
- 00182
SCHUYLKILL MC E NORWEGIAN ST—S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
(570) 621-4032
- 00183
SCHUYLKILL MC S JACKSON ST—S
420 SOUTH JACKSON STREET
POTTSVILLE, PA 17901
(570) 621-5262
- 28471
SECON OF LOUISIANA—S
825 KALISTE SALOOM ROAD
BRANDYWINE 1
SUITE 100
LAFAYETTE, LA 70508
(337) 235-3712
- 29038
SECON OF NEW ENGLAND—SC
415 MAIN STREET
4TH FLOOR
WORCESTER, MA 01608
(508) 831-0703
- 00185
SHAMOKIN AREA COMMUNITY HOSPITAL—S
4200 HOSPITAL ROAD
COAL TOWNSHIP, PA 17866-9697
(570) 644-4200
- 00064
SHARON REGIONAL HEALTH SYSTEM—S
740 EAST STATE STREET
SHARON, PA 16146
(724) 983-3911
- 27649
SMA MEDICAL LABORATORIES—S
940 PENNSYLVANIA BOULEVARD
UNIT E
FEASTERVILLE, PA 19053
(215) 322-6590
- 00039
SOLDIERS & SAILORS MEM HOSP—S
CENTRAL AVENUE
WELLSBORO, PA 16901
(570) 723-0133
- 00297
SOMERSET HOSPITAL CENTER FOR HEALTH—S
225 S CENTER AVENUE
SOMERSET, PA 15501
(814) 443-5000
- 22376
SPECIALTY LABORATORIES INC—S
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543
- 00361
ST CATHERINE MED CTR-FOUNTAIN SPRINGS—S
101 BROAD STREET
ASHLAND, PA 17921
(570) 875-5988
- 00260
ST CHRISTOPHERS HOSP FOR CHILDREN—S
ERIE AVENUE AT FRONT STREET
PHILADELPHIA, PA 19134
(215) 427-4207
- 00151
ST JOSEPH QUALITY MEDICAL LAB—SC
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200
- 00261
ST JOSEPH'S HOSPITAL-DIV NPHS—S
16TH ST & GIRARD AVENUE
PHILADELPHIA, PA 19130
(215) 787-9000
- 00318
ST LUKES HOSP ALLENTOWN CAMPUS—S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
(610) 770-8300
- 00180
ST LUKES MINERS MEMORIAL HOSPITAL—S
360 WEST RUDDLE STREET
PO BOX 67
COALDALE, PA 18218
(570) 645-2131
- 29015
STERLING REFERENCE LABORATORIES—SC
2617 EAST L STREET
TACOMA, WA 98405
(253) 552-1551
- 00187
SUNBURY COMMUNITY HOSPITAL—S
350 NORTH 11TH STREET
SUNBURY, PA 17801
(570) 286-3491
- 00207
TAYLOR HOSPITAL DIV OF CCMC—S
175 EAST CHESTER PIKE
RIDLEY PARK, PA 19078
(610) 595-6450
- 00235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
(215) 707-0977
- 00265
TEMPLE UNIVERSITY HOSPITAL—S
3401 N BROAD ST
PHILADELPHIA, PA 19140
(215) 707-4353
- 00104
THE UNIONTOWN HOSPITAL LABORATORY—S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
(724) 430-5143

00085
THE WESTERN PA HOSP-FORBES REGIONAL
CAMPUS—S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
(412) 858-2560

00241
THOMAS JEFFERSON UNIVERSITY HOSP—S
125 SOUTH 11TH STREET
204 PAVILLION
PHILADELPHIA, PA 19107
(215) 955-1644

00051
TITUSVILLE AREA HOSPITAL—S
406 WEST OAK STREET
TITUSVILLE, PA 16354
(814) 827-1851

00313
TYLER MEMORIAL HOSPITAL—S
880 SR 6 W
TUNKHANNOCK, PA 18657-6149
(570) 836-4705

00124
TYRONE HOSPITAL—S
187 HOSPITAL DRIVE
TYRONE, PA 16686
(717) 738-6695

00121
UPMC BEDFORD MEMORIAL—S
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
(814) 623-3506

00096
UPMC BRADDOCK—S
400 HOLLAND AVENUE
BRADDOCK, PA 15104
(412) 636-5291

00059
UPMC HORIZON GREENVILLE—S
110 NORTH MAIN STREET
GREENVILLE, PA 16125
(724) 588-2100

00057
UPMC HORIZON SHENANGO—S
2200 MEMORIAL DRIVE
FARRELL, PA 16121
(724) 981-3500

00098
UPMC MCKEESPORT LABORATORY—S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
(412) 664-2233

00082
UPMC MERCY DEPT OF LAB MEDICINE—S
1400 LOCUST STREET
PITTSBURGH, PA 15219
(412) 232-7831

00093
UPMC MERCY SOUTH SIDE OUTPT FAC LAB—S
2000 MARY STREET
PITTSBURGH, PA 15203
(412) 488-5726

00058
UPMC NORTHWEST—S
100 FAIRFIELD DRIVE
SENECA, PA 16346
(814) 676-7120

05784
UPMC PASSAVANT LABORATORY CRANBERRY—S
ONE ST FRANCIS WAY
CRANBERRY TOWNSHIP, PA 16066
(724) 772-5370

00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—SC
ROOM 5929
MAIN TOWER CHP
200 LOTHROP STREET
PITTSBURGH, PA 15213-2582
(412) 648-6000

00091
UPMC SAINT MARGARET HOSPITAL—S
815 FREEPORT ROAD
PITTSBURGH, PA 15215
(412) 784-4000

00092
UPMC SHADYSIDE—S
5230 CENTRE AVENUE
GROUND FLOOR
WEST WING
PITTSBURGH, PA 15232
(412) 623-5950

27225
US DRUG TESTING LABORATORIES INC—SC
1700 SOUTH MOUNT PROSPECT ROAD
DES PLAINES, IL 60018
(847) 375-0770

00335
VALLEY FORGE MED CTR & HOSP—S
1033 W GERMANTOWN PIKE
NORRISTOWN, PA 19403
(610) 539-8500

00066
WARREN GENERAL HOSPITAL—S
2 W CRESCENT PARK
WARREN, PA 16365
(814) 723-3860

00298
WAYNE MEMORIAL HOSPITAL—S
601 PARK STREET
HONESDALE, PA 18431
(570) 253-1300

00133
WAYNESBORO HOSPITAL—S
501 E MAIN STREET
WAYNESBORO, PA 17268
(717) 765-3403

00095
WESTERN PENNSYLVANIA HOSPITAL—S
4800 FRIENDSHIP AVE
PITTSBURGH, PA 15224
(412) 578-5779

30245
WESTFIELD HOSPITAL LABORATORY—S
4815 W TILGHMAN STREET
ALLENTOWN, PA 18104
(610) 776-1603

00113
WESTMORELAND HOSP AT JEANNETTE—S
600 JEFFERSON AVENUE
JEANNETTE, PA 15644
(724) 832-4371

00112
WESTMORELAND REGIONAL HOSPITAL—S
532 W PITTSBURGH STREET
GREENSBURG, PA 15601
(724) 832-4365

00037
WILLIAMSPORT HOSP & MED CENTER—S
777 RURAL AVENUE
WILLIAMSPORT, PA 17701-3198
(570) 321-2300

00018
WVHCS HOSP, D/B/A PENNANT LABORATORY—SC
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

00141
YORK HOSPITAL—S
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 10-26. Filed for public inspection December 31, 2009, 9:00 a.m.]

Laboratories Approved to Perform Blood Lead and/or Erythrocyte Protoporphyrin Determinations under the Clinical Laboratory Act

The following laboratories are licensed in accordance with the Clinical Laboratory Act (35 P. S. §§ 2151—2165), and are currently approved under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood for lead or erythrocyte protoporphyrin content. This approval is based on demonstrated proficiency in periodic evaluations conducted by the Bureau of Laboratories of the Department of Health (Department).

Lead poisoning is a reportable noncommunicable disease. Approved laboratories which offer blood lead testing services are required to inform the Department of actual or possible incidents of this condition in accordance with 28 Pa. Code § 27.34 (relating to reporting cases of lead poisoning). These regulations specify the following requirements for reporting by clinical laboratories:

(1) A clinical laboratory shall report all blood lead test results on both venous and capillary specimens for persons under 16 years of age to the Department's Childhood Lead Poisoning Prevention Program, Division of Maternal and Child Health, Bureau of Family Health.

(2) A clinical laboratory shall report an elevated blood lead level in a person 16 years of age or older to the Department's Division of Environmental Health Epidemiology, Bureau of Epidemiology or to other locations as designated by the Department. An elevated blood lead level is defined by the National Institute for Occupational Safety and Health (NIOSH). As of January 26, 2002, NIOSH defines an elevated blood lead level as a venous blood lead level of 25 micrograms per deciliter ($\mu\text{g}/\text{dL}$) or

higher. The Department will publish in the *Pennsylvania Bulletin* any NIOSH update of the definition within 30 days of NIOSH's notification to the Department.

(3) A clinical laboratory which conducts blood lead tests of 100 or more specimens per month shall submit results electronically in a format specified by the Department.

(4) A clinical laboratory which conducts blood lead tests of less than 100 blood lead specimens per month shall submit results either electronically or by hardcopy in the format specified by the Department.

(5) A laboratory which performs blood lead tests on blood specimens collected in this Commonwealth shall be licensed as a clinical laboratory and shall be specifically approved by the Department to conduct those tests.

(6) Blood lead analyses requested for occupational health purposes on blood specimens collected in this Commonwealth shall be performed only by laboratories which are licensed and approved as specified in paragraph (5), and which are also approved by the Occupational Safety and Health Administration of the United States (Department of Labor under 29 CFR 1910.1025(j)(2)(iii) (relating to lead).

(7) A clinical laboratory shall complete a blood lead test within 5 work days of the receipt of the blood specimen and shall submit the case report to the Department by the close of business of the next work day after the day on which the test was performed. The clinical laboratory shall submit a report of lead poisoning using either the hardcopy form or electronic transmission format specified by the Department.

(8) When a clinical laboratory receives a blood specimen without all of the information required for reporting purposes, the clinical laboratory shall test the specimen and shall submit the incomplete report to the Department.

Erythrocyte protoporphyrin determinations may be performed as an adjunct determination to substantiate blood lead levels of 25 micrograms per deciliter or higher. Since erythrocyte protoporphyrin concentrations may not increase as a result of low-level exposures to lead, direct blood lead analysis is the only reliable method for identifying individuals with blood lead concentrations below 25 micrograms per deciliter.

Persons seeking blood lead or erythrocyte protoporphyrin analyses should determine that the laboratory employs techniques and procedures acceptable for the purpose for which the analyses are sought. Laboratories offering blood lead analysis only are designated with the letter "L" following the name of the laboratory. Those offering erythrocyte protoporphyrin analysis only are designated with the letter "P." Laboratories offering both services are designated with the letters "LP."

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*.

The name or location of a laboratory is sometimes changed but the personnel and testing procedures of the facility remain unchanged. When changes of this type occur, the Clinical Laboratory Permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the Clinical Laboratory Permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test if the name or location of the facility changed, the Clinical Laboratory Permit number of the

facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood lead proficiency testing program is approved by the United States Department of Health and Human Services (HHS) in accordance with the requirements contained in the Clinical Laboratory Improvement Amendments of 1988 (42 CFR 493.901 and 493.937) which are administered by the Centers for Medicare and Medicaid Services (CMS). Participation in these programs may therefore be used to demonstrate acceptable performance for approval purposes under both Federal and Commonwealth statutes.

Questions regarding this list should be directed to Dr. M. Jeffery Shoemaker, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P. O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Dr. Shoemaker at the previously referenced address or phone number. Persons who are speech or hearing impaired may use V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

22912
ACL LABORATORIES—LP
8901 WEST LINCOLN AVE
WEST ALLIS, WI 53227
(414) 328-7945

29169
ADVANCED TOXICOLOGY NETWORK—LP
3560 AIR CENTER COVE
SUITE 101
MEMPHIS, TN 38118
(901) 794-5770

00016
ANGELINE KIRBY MEM HEALTH CENTER—L
71 NORTH FRANKLIN STREET
WILKES-BARRE, PA 18701
(570) 822-4278

24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—LP
3520 PROGRESS DRIVE
UNIT C
BENSALEM, PA 19020
(267) 525-2470

20506
CENTRAL PA ALLIANCE LABORATORY—L
1803 MT ROSE AVENUE
SUITE C3-C4
YORK, PA 17403
(717) 851-1426

00228
CHILDRENS HOSP OF PHILADELPHIA—L
ONE CHILDRENS CENTER
34TH & CIVIC
PHILADELPHIA, PA 19104
(215) 590-4446

27845
CLINICAL REFERENCE LABORATORY—LP
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 492-3652

00561
EAST PENN MFG CO INC—LP
DEKA RD KELLER TECH CENTER
PO BOX 147
LYONS STATION, PA 19536
(610) 682-6361

00332
ELLWOOD CITY HOSPITAL—LP
724 PERSHING ST
ELLWOOD CITY, PA 16117
(724) 752-0081

00173
GEISINGER MEDICAL LABORATORIES—L
100 N ACADEMY AVENUE
DANVILLE, PA 17822-0131
(570) 271-6338

25914
GENOVA DIAGNOSTICS—L
63 ZILICOA STREET
ASHEVILLE, NC 28801
(828) 253-0621

30672
GLAD PROGRAM—L
4700 WISSACHICKON AVENUE
BLDG C
BOX 118
SUITE 102
PHILADELPHIA, PA 19144
(215) 967-2126

20802
HAGERSTOWN MEDICAL LABORATORY—L
11110 MEDICAL CAMPUS RD
STE 230
HAGERSTOWN, MD 21742
(301) 790-8670

24655
HEALTH NETWORK LABORATORIES—LP
2024 LEHIGH STREET
ALLENTOWN, PA 18103-4798
(610) 402-8150

29723
IMPACT HEALTH BIOMETRIC TESTING INC—L
1040 FIRST AVENUE
SUITE 100
KING OF PRUSSIA, PA 19406
(610) 962-9333

05618
LAB CORP OF AMERICA HOLDINGS—LP
6370 WILCOX ROAD
DUBLIN, OH 43016-1296
(800) 282-7300

21885
LAB CORP OF AMERICA HOLDINGS—LP
1447 YORK COURT
BURLINGTON, NC 27215
(800) 334-5161

01088
LABCORP OF AMERICA HOLDINGS—LP
69 FIRST AVENUE
PO BOX 500
RARITAN, NJ 08869
(908) 526-2400

00242
MAIN LINE CLIN LABS LANKENAU CP—L
100 EAST LANCASTER AVENUE
WYNNEWOOD, PA 19096
(610) 645-2615

- 29685
MAYO CLINIC DEPARTMENT OF LAB MEDICINE &
PATHOLOGY—L
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-3458
- 09003
MAYO CLINIC DEPT LAB MED & PATH—P
200 FIRST STREET
SW HILTON 530
ROCHESTER, MN 55905
(507) 284-3018
- 29251
MAYO MEDICAL LABORATORIES NEW
ENGLAND—LP
160 DASCUMB ROAD
ANDOVER, MA 01810
(978) 658-3600
- 26302
MEDICAL ASSOCIATES BDHG—P
935 HIGHLAND BLVD
SUITE 2200
BOZEMAN, MT 59715
(406) 587-5123
- 05574
MEDTOX LABORATORIES INC—LP
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
(651) 286-6217
- 00203
MERCY FITZGERALD HOSPITAL—L
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 237-4262
- 00504
NATIONAL MED SVCS INC D/B/A NMS LABS—LP
3701 WELSH ROAD
WILLOW GROVE, PA 19090
(215) 657-4900
- 30553
NATIONWIDE CHILDRENS HOSPITAL—L
CORE LAB AND LAB INFORMATION SYSTEMS
700 CHILDRENS DRIVE
COLUMBUS, OH 43205
(614) 722-5376
- 23801
PACIFIC TOXICOLOGY LABORATORIES—LP
9348 DE SOTO AVENUE
CHATSWORTH, CA 91311
(818) 598-3110
- 02125
PED ALLIANCE ST CLAIR PED DIV—L
1580 MCLAUGHLIN RUN ROAD
PINERIDGE COMMONS
SUITE 208
UPPER ST CLAIR, PA 15241
(412) 221-2121
- 22533
PENNSYLVANIA DEPT OF HEALTH—LP
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464
- 00022
POCONO MEDICAL CENTER LAB—L
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3544
- 00324
PRIMARY CARE HLTH SERV INC LAB—L
7227 HAMILTON AVE
PITTSBURGH, PA 15208
(412) 244-4728
- 00255
PUBLIC HEALTH LAB CITY OF PHILA—L
500 SOUTH BROAD STREET
ROOM 359
PHILADELPHIA, PA 19146
(215) 685-6812
- 22715
QUEST DIAGNOSTICS—LP
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 888-1770
- 00315
QUEST DIAGNOSTICS CLINICAL LABS INC—LP
900 BUSINESS CENTER DRIVE
HORSHAM, PA 19044
(215) 957-9300
- 00669
QUEST DIAGNOSTICS INCORPORATED—L
ONE MALCOLM AVENUE
TETERBORO, NJ 07608
(201) 393-5895
- 01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—LP
14225 NEWBROOK DRIVE
PO BOX 10841
CHANTILLY, VA 20153-0841
(703) 802-6900
- 00482
QUEST DIAGNOSTICS OF PA INC—LP
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600
- 25461
QUEST DIAGNOSTICS VENTURE LLC—LP
875 GREENTREE ROAD
4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7631
- 00150
READING HOSPITAL & MED CTR—L
6TH AND SPRUCE STREETS
WEST READING, PA 19611
(610) 988-8080
- 22376
SPECIALTY LABORATORIES INC—L
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543
- 00151
ST JOSEPH QUALITY MEDICAL LAB—L
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200
- 00104
THE UNIONTOWN HOSPITAL LABORATORY—L
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
(724) 430-5143

00083
 UPMC PRESBYTERIAN SHADYSIDE CP PUH—L
 ROOM 5929
 MAIN TOWER CHP
 200 LOTHROP STREET
 PITTSBURGH, PA 15213-2582
 (412) 648-6000

00018
 WVHCS HOSP D/B/A PENNANT LABORATORY—L
 575 NORTH RIVER STREET
 WILKES-BARRE, PA 18764
 (570) 829-8111

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 10-27. Filed for public inspection December 31, 2009, 9:00 a.m.]

Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); Maximum Allowable Prices and Competitive Prices

Maximum Allowable Prices and Competitive Prices for Type 1 Stores in Regular Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) (relating to selection criteria for authorization and reauthorization; and terms and conditions of participation) and 7 CFR 246.12 (relating to food delivery systems), the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 1 Stores in Regular Cost Counties.

Maximum Allowable Prices

Effective January 1, 2010, through March 31, 2010, the Maximum Allowable Prices the Department of Health (Department) will pay Type 1 Stores in Regular Cost Counties for WIC allowable foods are as follows:

| <i>Description</i> | <i>Maximum Allowable Price</i> |
|--|--------------------------------|
| Beans, Canned—15.5/16 oz. | \$1.11 |
| Beans/Peas—Dry—16 oz. | \$1.53 |
| Canned Fish—Pink Salmon. | \$2.33 |
| Canned Fish—Sardines | \$1.41 |
| Canned Fish—Tuna | \$1.07 |
| Cereal (per oz.) | \$0.32 |
| Cheese, 16 oz. | \$6.17 |
| Eggs | \$1.65 |
| Gerber Infant Cereal—8 oz. | \$2.01 |
| Infant Fruits, 100%—4 oz. | \$0.59 |
| Infant Vegetables, 100%—4 oz. | \$0.59 |
| Infant Meats, 100%—2.5 oz. | \$1.05 |
| Juice—11.5/12 oz. | \$2.28 |
| Juice—48 oz. | \$3.36 |
| Juice—64 oz. | \$3.79 |
| Kosher Cheese. | \$6.92 |
| Kosher Low Fat Milk—quart | \$1.43 |
| Kosher Low Fat Milk—1/2 gallon | \$1.84 |
| Kosher Whole Milk—quart | \$1.43 |
| Kosher Whole Milk—1/2 gallon | \$2.32 |

| <i>Description</i> | <i>Maximum Allowable Price</i> |
|---|--------------------------------|
| Milk, Dry—16 oz. | \$6.03 |
| Milk, Evaporated—12 oz. | \$1.25 |
| Milk, Low Fat—quart | \$1.31 |
| Milk, Low Fat—1/2 gallon | \$2.25 |
| Milk, Low Fat Lactose Free—quart | \$2.12 |
| Milk, Whole—quart | \$1.35 |
| Milk, Whole—1/2 gallon | \$2.30 |
| Milk, Whole Lactose Free—quart | \$2.12 |
| Milk, Whole Lactose Free—1/2 gallon | \$3.71 |
| Peanut Butter | \$2.68 |
| Soy Beverage—Pacific Natural Foods/8th Continent 32 oz. | \$3.45 |
| Soy Beverage—Pacific Natural Foods/8th Continent 64 oz. | \$3.45 |
| Tofu—Soy Boy/House Premium 12/16 oz. | \$2.51 |
| Whole Grain—Bread, 16 oz. | \$3.59 |
| Whole Grain—Bread, 24 oz. | \$3.72 |
| Whole Grain—Brown Rice, 16 oz. | \$2.20 |
| Whole Grain—Brown Rice, 24 oz. | \$2.70 |
| Whole Grain—Oats, 16 oz. | \$2.21 |
| Whole Grain—Oats, 24 oz. | \$5.89 |
| Whole Grain—Soft Corn or Whole Wheat Tortillas, 16 oz. | \$2.24 |
| Alimentum Advance Ready-to-Feed Formula—32 oz. | \$8.91 |
| Alimentum Advance Powder Formula—16 oz. | \$25.41 |
| Boost Ready-to-Feed Formula—8 oz. | \$2.00 |
| EnfaCare LIPIL w/Iron Ready to Feed—32 oz. | \$7.01 |
| EnfaCare LIPIL w/Iron Powder Formula—12.8 oz. | \$13.99 |
| Enfamil LIPIL Concentrate Formula—13 oz. | \$4.48 |
| Enfamil LIPIL Ready-to-Feed Formula—32 oz. | \$6.57 |
| Enfamil LIPIL Powder Formula—12.9 oz. | \$13.48 |
| Isomil DF Ready-to-Feed Formula—32 oz. | \$6.21 |
| Nestle Good Start Gentle PLUS Concentrate—Orange Formula—13 oz. | \$ 4.21 |
| Nestle Good Start Gentle PLUS Ready-To-Feed—Orange Formula—32 oz. | \$6.35 |
| Nestle Good Start Gentle PLUS Powder—Orange Formula—12 oz. | \$13.73 |
| Nestle Good Start Soy PLUS Concentrate—Blue Formula—13 oz. | \$4.46 |
| Nestle Good Start Soy PLUS Ready-to-Feed—Blue Formula—32 oz. | \$6.56 |
| Nestle Good Start Soy PLUS Powder—Blue Formula—12.9 oz. | \$13.73 |
| Nestle Good Start Soy PLUS 2 Powder—Blue w/blue—24 oz. | \$20.82 |
| Nestle Good Start Gentle Plus 2 Powder—Blue w/orange—24 oz. | \$20.56 |
| Nestle Good Start Protect PLUS 2 Powder—Blue w/green—24 oz. | \$26.44 |

| <i>Description</i> | <i>Maximum Allowable Price</i> | <i>Description</i> | <i>Competitive Prices</i> |
|---|--------------------------------|--|---------------------------|
| Nestle Good Start Protect PLUS Powder—Green —12 oz. | \$14.45 | Infant Vegetables, 100%—4 oz. | \$0.57 |
| Nestle Good Start Nourish PLUS Powder—Purple—12 oz. | \$10.79 | Infant Meats, 100%—2.5 oz. | \$1.02 |
| Nutramigen Lipil Concentrate Formula—13 oz. | \$7.01 | Juice—11.5/12 oz. | \$2.08 |
| Nutramigen Lipil Ready-to-Feed Formula—32 oz. | \$8.98 | Juice—48 oz. | \$3.34 |
| Nutramigen Lipil Powder Formula—16 oz. | \$25.26 | Juice—64 oz. | \$3.41 |
| Nutramigen Lipil w/Enflora Powder Formula—12.6 oz. | \$22.16 | Kosher Cheese. | \$6.89 |
| Pediasure Ready-to-Feed Formula—8 oz. | \$1.80 | Kosher Low Fat Milk—1/2 gallon | \$1.84 |
| Pediasure w/Fiber Ready-to-Feed Formula—8 oz. | \$1.84 | Kosher Whole Milk—1/2 gallon | \$2.20 |
| Similac Advance Concentrate Formula—13 oz. | \$4.32 | Milk, Low Fat—1/2 gallon | \$1.85 |
| Similac Advance Ready-to-Feed Formula—32 oz. | \$6.34 | Milk, Whole—1/2 gallon | \$2.16 |
| Similac Advance Powder Formula—12.9 oz. | \$13.20 | Peanut Butter | \$2.52 |
| Similac Neosure Advance Ready-to-Feed Formula—32 oz. | \$7.40 | Whole Grain—Bread, 16 oz. | \$3.49 |
| Similac Neosure Advance Powder Formula—12.8 oz. | \$15.21 | Whole Grain—Brown Rice, 16 oz. | \$2.18 |
| Store Brand Milk Based Formula—13 oz. | \$2.84 | Whole Grain—Oats, 16 oz. | \$2.19 |
| Store Brand Milk Based Formula—Ready-to-Feed—32 oz. | \$3.79 | Whole Grain—Soft Corn or Whole Wheat Tortillas, 16 oz. | \$2.20 |
| Store Brand Milk Based Formula—Powder—25.75 oz. | \$16.13 | Nestle Good Start Gentle PLUS Concentrate—Orange Formula—13 oz. | \$4.21 |

Maximum Allowable Prices and Competitive Prices for Type 2 Stores in Regular Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 2 Stores in Regular Cost Counties.

Maximum Allowable Prices

Effective January 1, 2010, through March 31, 2010, the Maximum Allowable Prices the Department will pay Type 2 Stores in Regular Cost Counties for WIC allowable foods are as follows:

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2 (relating to price adjustment).

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2010, through March 31, 2010, the Competitive Prices for WIC Authorization for Type 1 Stores in Regular Cost Counties are as follows:

| <i>Description</i> | <i>Competitive Prices</i> | <i>Description</i> | <i>Maximum Allowable Price</i> |
|---------------------------------|---------------------------|------------------------------------|--------------------------------|
| Beans, Canned—15.5/16 oz. | \$1.04 | Beans, Canned—15.5/16 oz. | \$1.25 |
| Beans/Peas—Dry—16 oz. | \$1.42 | Beans/Peas—Dry—16 oz. | \$1.53 |
| Canned Fish—Pink Salmon. | \$2.33 | Canned Fish—Pink Salmon. | \$2.33 |
| Canned Fish—Sardines | \$1.41 | Canned Fish—Sardines | \$1.41 |
| Canned Fish—Tuna | \$1.04 | Canned Fish—Tuna | \$1.11 |
| Cereal (per oz.) | \$0.32 | Cereal (per oz.) | \$0.33 |
| Cheese, 16 oz. | \$5.12 | Cheese, 16 oz. | \$6.17 |
| Eggs | \$1.54 | Eggs | \$1.77 |
| Gerber Infant Cereal—8 oz. | \$2.01 | Gerber Infant Cereal—8 oz. | \$2.13 |
| Infant Fruits, 100%—4 oz. | \$0.57 | Infant Fruits, 100%—4 oz. | \$0.64 |
| | | Infant Vegetables, 100%—4 oz. | \$0.64 |
| | | Infant Meats, 100%—2.5 oz. | \$1.05 |
| | | Juice—11.5/12 oz. | \$2.43 |
| | | Juice—48 oz. | \$3.39 |

| <i>Description</i> | <i>Maximum Allowable Price</i> | <i>Description</i> | <i>Maximum Allowable Price</i> |
|--|--------------------------------|--|--------------------------------|
| Juice—64 oz. | \$3.89 | Nestle Good Start Soy PLUS 2 Powder—Blue w/blue—24 oz. | \$22.19 |
| Kosher Cheese. | \$7.07 | Nestle Good Start Gentle Plus 2 Powder—Blue w/orange—24 oz. | \$22.19 |
| Kosher Low Fat Milk—quart | \$1.43 | Nestle Good Start Protect PLUS 2 Powder—Blue w/green—24 oz. | \$26.44 |
| Kosher Low Fat Milk—1/2 gallon | \$1.86 | Nestle Good Start Protect PLUS Powder—Green—12 oz. | \$14.76 |
| Kosher Whole Milk—quart | \$1.43 | Nestle Good Start Nourish PLUS Powder—Purple—12 oz. | \$10.79 |
| Kosher Whole Milk—1/2 gallon | \$2.32 | Nutramigen Lipil Concentrate Formula—13 oz. | \$7.30 |
| Milk, Dry—16 oz. | \$6.45 | Nutramigen Lipil Ready-to-Feed Formula—32 oz. | \$9.20 |
| Milk, Evaporated—12 oz. | \$1.35 | Nutramigen Lipil Powder Formula—16 oz. | \$26.93 |
| Milk, Low Fat—quart | \$1.31 | Nutramigen Lipil w/Enflora Powder Formula—12.6 oz. | \$23.56 |
| Milk, Low Fat—1/2 gallon | \$2.25 | Pediasure Ready-to-Feed Formula—8 oz. | \$2.13 |
| Milk, Low Fat Lactose Free—quart | \$2.12 | Pediasure w/Fiber Ready-to-Feed Formula—8 oz. | \$2.09 |
| Milk, Whole—quart | \$1.35 | Similac Advance Concentrate Formula—13 oz. | \$4.49 |
| Milk, Whole—1/2 gallon | \$2.30 | Similac Advance Ready-to-Feed Formula—32 oz. | \$6.38 |
| Milk, Whole Lactose Free—quart | \$2.15 | Similac Advance Powder Formula—12.9 oz. | \$13.72 |
| Milk, Whole Lactose Free—1/2 gallon | \$3.97 | Similac Neosure Advance Ready-to-Feed Formula—32 oz. | \$7.65 |
| Peanut Butter | \$2.78 | Similac Neosure Advance Powder Formula—12.8 oz. | \$15.89 |
| Soy Beverage—Pacific Natural Foods/8th Continent 32 oz. | \$3.52 | Store Brand Milk Based Formula Concentrate—13 oz. | \$2.89 |
| Soy Beverage—Pacific Natural Foods/8th Continent 64 oz. | \$3.52 | Store Brand Milk Based Formula—Ready-to-Feed—32 oz. | \$3.86 |
| Tofu—Soy Boy/House Premium 12/16 oz. | \$2.52 | Store Brand Milk Based Formula—Powder—25.75 oz. | \$16.99 |
| Whole Grain—Bread, 16 oz. | \$3.59 | <p>A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2.</p> | |
| Whole Grain—Bread, 24 oz. | \$3.72 | Competitive Prices | |
| Whole Grain—Brown Rice, 16 oz. | \$2.20 | <p>To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2010, through March 31, 2010, the Competitive Prices for WIC Authorization for Type 2 Stores in Regular Cost Counties are as follows:</p> | |
| Whole Grain—Brown Rice, 24 oz. | \$2.70 | <i>Description</i> | <i>Competitive Prices</i> |
| Whole Grain—Oats, 16 oz. | \$2.43 | Beans, Canned—15.5/16 oz. | \$1.16 |
| Whole Grain—Oats, 24 oz. | \$5.89 | Beans/Peas—Dry—16 oz. | \$1.42 |
| Whole Grain—Soft Corn or Whole Wheat Tortillas, 16 oz. | \$2.29 | Canned Fish—Pink Salmon. | \$2.33 |
| Alimentum Advance Ready-to-Feed Formula—32 oz. | \$9.43 | Canned Fish—Sardines | \$1.41 |
| Alimentum Advance Powder Formula—16 oz. | \$26.86 | Canned Fish—Tuna | \$1.04 |
| Boost Ready-to-Feed Formula—8 oz. | \$2.00 | Cereal (per oz.) | \$0.33 |
| EnfaCare LIPIL w/Iron Ready to Feed—32 oz. | \$7.26 | Cheese, 16 oz. | \$5.49 |
| EnfaCare LIPIL w/Iron Powder Formula—12.8 oz. | \$14.44 | | |
| Enfamil LIPIL Concentrate Formula—13 oz. | \$4.87 | | |
| Enfamil LIPIL Ready-to-Feed Formula—32 oz. | \$6.70 | | |
| Enfamil LIPIL Powder Formula—12.9 oz. | \$13.91 | | |
| Isomil DF Ready-to-Feed Formula—32 oz. | \$6.34 | | |
| Nestle Good Start Gentle PLUS Concentrate—Orange Formula—13 oz. | \$ 4.73 | | |
| Nestle Good Start Gentle PLUS Ready-to-Feed—Orange Formula—32 oz. | \$6.57 | | |
| Nestle Good Start Gentle PLUS Powder—Orange Formula—12 oz. | \$13.87 | | |
| Nestle Good Start Soy PLUS Concentrate—Blue Formula—13 oz. | \$4.90 | | |
| Nestle Good Start Soy PLUS Ready-to-Feed—Blue Formula—32 oz. | \$6.91 | | |
| Nestle Good Start Soy PLUS Powder—Blue Formula—12.9 oz. | \$13.87 | | |

| <i>Description</i> | <i>Competitive Prices</i> |
|--|---------------------------|
| Eggs | \$1.66 |
| Gerber Infant Cereal—8 oz. | \$2.13 |
| Infant Fruits, 100%—4 oz. | \$0.63 |
| Infant Vegetables, 100%—4 oz. | \$0.63 |
| Infant Meats, 100%—2.5 oz. | \$1.04 |
| Juice—11.5/12 oz. | \$2.27 |
| Juice—48 oz. | \$3.34 |
| Juice—64 oz. | \$3.75 |
| Kosher Cheese..... | \$7.01 |
| Kosher Low Fat Milk—1/2 gallon | \$1.84 |
| Kosher Whole Milk—1/2 gallon | \$2.20 |
| Milk, Low Fat—1/2 gallon | \$1.85 |
| Milk, Whole—1/2 gallon | \$2.16 |
| Peanut Butter | \$2.78 |
| Whole Grain—Bread, 16 oz. | \$3.49 |
| Whole Grain—Brown Rice, 16 oz. | \$2.20 |
| Whole Grain—Oats, 16 oz. | \$2.42 |
| Whole Grain—Soft Corn or Whole Wheat Tortillas, 16 oz. | \$2.24 |
| Nestle Good Start Gentle PLUS Concentrate—Orange Formula—13 oz. ... | \$4.73 |
| Nestle Good Start Gentle PLUS Ready-to-Feed—Orange Formula—32 oz. . | \$6.57 |
| Nestle Good Start Gentle PLUS Powder—Orange Formula—12 oz. | \$13.87 |
| Nestle Good Start Soy PLUS Concentrate—Blue Formula—13 oz. | \$4.90 |
| Nestle Good Start Soy PLUS Ready-to-Feed—Blue Formula—32 oz. ... | \$6.91 |
| Nestle Good Start Soy PLUS Powder—Blue Formula—12.9 oz. | \$13.87 |

Maximum Allowable Prices and Competitive Prices for Type 3 Stores in Regular Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 3 Stores in Regular Cost Counties.

Maximum Allowable Prices

Effective January 1, 2010, through March 31, 2010, the Maximum Allowable Prices the Department will pay Type 3 Stores in Regular Cost Counties for WIC allowable foods are as follows:

| <i>Description</i> | <i>Maximum Allowable Price</i> |
|---------------------------------|--------------------------------|
| Beans, Canned—15.5/16 oz. | \$1.27 |
| Beans/Peas—Dry—16 oz. | \$1.64 |
| Canned Fish—Pink Salmon..... | \$2.33 |
| Canned Fish—Sardines | \$1.41 |
| Canned Fish—Tuna | \$1.18 |
| Cereal (per oz.) | \$0.36 |
| Cheese, 16 oz. | \$6.17 |
| Eggs | \$1.89 |
| Gerber Infant Cereal—8 oz. | \$2.28 |
| Infant Fruits, 100%—4 oz. | \$0.78 |

| <i>Description</i> | <i>Maximum Allowable Price</i> |
|---|--------------------------------|
| Infant Vegetables, 100%—4 oz. | \$0.78 |
| Infant Meats, 100%—2.5 oz. | \$1.18 |
| Juice—11.5/12 oz.. | \$2.59 |
| Juice—48 oz. | \$3.39 |
| Juice—64 oz. | \$3.99 |
| Kosher Cheese..... | \$7.27 |
| Kosher Low Fat Milk—quart | \$1.44 |
| Kosher Low Fat Milk—1/2 gallon | \$2.01 |
| Kosher Whole Milk—quart | \$1.44 |
| Kosher Whole Milk—1/2 gallon | \$2.95 |
| Milk, Dry—16 oz. | \$7.44 |
| Milk, Evaporated—12 oz. | \$1.39 |
| Milk, Low Fat—quart | \$1.31 |
| Milk, Low Fat—1/2 gallon | \$2.25 |
| Milk, Low Fat Lactose Free—quart | \$2.12 |
| Milk, Whole—quart | \$1.35 |
| Milk, Whole—1/2 gallon | \$2.30 |
| Milk, Whole Lactose Free—quart | \$2.15 |
| Milk, Whole Lactose Free—1/2 gallon | \$3.99 |
| Peanut Butter | \$2.87 |
| Soy Beverage—Pacific Natural Foods/8th Continent 32 oz. | \$3.52 |
| Soy Beverage—Pacific Natural Foods/8th Continent 64 oz. | \$3.52 |
| Tofu—Soy Boy/House Premium 12/16 oz. | \$2.54 |
| Whole Grain—Bread, 16 oz. | \$3.59 |
| Whole Grain—Bread, 24 oz. | \$3.72 |
| Whole Grain—Brown Rice, 16 oz. | \$2.26 |
| Whole Grain—Brown Rice, 24 oz. | \$2.70 |
| Whole Grain—Oats, 16 oz. | \$2.47 |
| Whole Grain—Oats, 24 oz. | \$6.00 |
| Whole Grain—Soft Corn or Whole Wheat Tortillas, 16 oz. | \$2.29 |
| Alimentum Advance Ready-to-Feed Formula—32 oz. | \$9.48 |
| Alimentum Advance Powder Formula—16 oz. | \$26.99 |
| Boost Ready-to-Feed Formula—8 oz. | \$2.00 |
| EnfaCare LIPIL w/Iron Ready to Feed—32 oz. | \$7.54 |
| EnfaCare LIPIL w/Iron Powder Formula— 12.8 oz. | \$15.19 |
| Enfamil LIPIL Concentrate Formula—13 oz. | \$5.24 |
| Enfamil LIPIL Ready-to-Feed Formula—32 oz. | \$7.54 |
| Enfamil LIPIL Powder Formula—12.9 oz. | \$15.19 |
| Isomil DF Ready-to-Feed Formula—32 oz. | \$8.19 |
| Nestle Good Start Gentle PLUS Concentrate—Orange Formula—13 oz. | \$ 4.85 |
| Nestle Good Start Gentle PLUS Ready-to-Feed—Orange Formula—32 oz. | \$6.94 |
| Nestle Good Start Gentle PLUS Powder—Orange Formula—12 oz. | \$14.49 |
| Nestle Good Start Soy PLUS Concentrate—Blue Formula—13 oz. | \$5.12 |

| <i>Description</i> | <i>Maximum Allowable Price</i> |
|---|--------------------------------|
| Nestle Good Start Soy PLUS Ready-to-Feed—Blue Formula—32 oz. | \$7.28 |
| Nestle Good Start Soy PLUS Powder—Blue Formula—12.9 oz. | \$14.49 |
| Nestle Good Start Soy PLUS 2 Powder—Blue w/blue—24 oz. | \$22.19 |
| Nestle Good Start Gentle Plus 2 Powder—Blue w/orange—24 oz. | \$22.76 |
| Nestle Good Start Protect PLUS 2 Powder—Blue w/green—24 oz. | \$26.44 |
| Nestle Good Start Protect PLUS Powder—Green—12 oz. | \$14.77 |
| Nestle Good Start Nourish PLUS Powder—Purple—12 oz. | \$10.79 |
| Nutramigen Lipil Concentrate Formula—13 oz. | \$7.82 |
| Nutramigen Lipil Ready-to-Feed Formula—32 oz. | \$9.38 |
| Nutramigen Lipil Powder Formula—16 oz. | \$28.36 |
| Nutramigen Lipil w/Enflora Powder Formula—12.6 oz. | \$23.56 |
| Pediasure Ready-to-Feed Formula—8 oz. | \$2.58 |
| Pediasure w/Fiber Ready-to-Feed Formula—8 oz. | \$2.63 |
| Similac Advance Concentrate Formula—13 oz. | \$5.17 |
| Similac Advance Ready-to-Feed Formula—32 oz. | \$7.18 |
| Similac Advance Powder Formula—12.9 oz. | \$15.02 |
| Similac Neosure Advance Ready-to-Feed Formula—32 oz. | \$9.23 |
| Similac Neosure Advance Powder Formula—12.8 oz. | \$15.89 |
| Store Brand Milk Based Formula Concentrate—13 oz. | \$3.10 |
| Store Brand Milk Based Formula—Ready-to-Feed—32 oz. | \$4.32 |
| Store Brand Milk Based Formula—Powder—25.75 oz. | \$17.99 |

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2010, through March 31, 2010, the Competitive Prices for WIC Authorization for Type 3 Stores in Regular Cost Counties are as follows:

| <i>Description</i> | <i>Competitive Prices</i> |
|--------------------------------|---------------------------|
| Beans, Canned—15.5/16 oz. | \$1.18 |
| Beans/Peas—Dry—16 oz. | \$1.54 |

| <i>Description</i> | <i>Competitive Prices</i> |
|--|---------------------------|
| Canned Fish—Pink Salmon. | \$2.33 |
| Canned Fish—Sardines. | \$1.45 |
| Canned Fish—Tuna. | \$1.14 |
| Cereal (per oz.) | \$0.36 |
| Cheese, 16 oz. | \$5.57 |
| Eggs. | \$1.81 |
| Gerber Infant Cereal—8 oz. | \$2.28 |
| Infant Fruits, 100%—4 oz. | \$0.75 |
| Infant Vegetables, 100%—4 oz. | \$0.76 |
| Infant Meats, 100%—2.5 oz. | \$1.17 |
| Juice—11.5/12 oz. | \$2.48 |
| Juice—48 oz. | \$3.36 |
| Juice—64 oz. | \$3.98 |
| Kosher Cheese. | \$7.01 |
| Kosher Low Fat Milk—1/2 gallon. | \$2.01 |
| Kosher Whole Milk—1/2 gallon. | \$2.95 |
| Milk, Low Fat—1/2 gallon. | \$1.91 |
| Milk, Whole—1/2 gallon. | \$2.16 |
| Peanut Butter. | \$2.82 |
| Whole Grain—Bread, 16 oz. | \$3.49 |
| Whole Grain—Brown Rice, 16 oz. | \$2.26 |
| Whole Grain—Oats, 16 oz. | \$2.45 |
| Whole Grain—Soft Corn or Whole Wheat Tortillas, 16 oz. | \$2.28 |
| Nestle Good Start Gentle PLUS Concentrate—Orange Formula—13 oz. | \$4.85 |
| Nestle Good Start Gentle PLUS Ready-to-Feed—Orange Formula—32 oz. | \$6.94 |
| Nestle Good Start Gentle PLUS Powder—Orange Formula—12 oz. | \$14.49 |
| Nestle Good Start Soy PLUS Concentrate—Blue Formula—13 oz. | \$5.12 |
| Nestle Good Start Soy PLUS Ready-to-Feed—Blue Formula—32 oz. | \$7.28 |
| Nestle Good Start Soy PLUS Powder—Blue Formula—12.9 oz. | \$14.49 |

Maximum Allowable Prices and Competitive Prices for Type 1 Stores in High Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 1 Stores in High Cost Counties.

Maximum Allowable Prices

Effective January 1, 2010, through March 31, 2010, the Maximum Allowable Prices the Department will pay Type 1 Stores in High Cost Counties for WIC allowable foods are as follows:

| <i>Description</i> | <i>Maximum Allowable Price</i> |
|--------------------------------|--------------------------------|
| Beans, Canned—15.5/16 oz. | \$1.16 |
| Beans/Peas—Dry—16 oz. | \$1.75 |
| Canned Fish—Pink Salmon. | \$2.45 |
| Canned Fish—Sardines. | \$1.45 |
| Canned Fish—Tuna. | \$1.12 |
| Cereal (per oz.) | \$0.33 |

| <i>Description</i> | <i>Maximum Allowable Price</i> | <i>Description</i> | <i>Maximum Allowable Price</i> |
|--|--------------------------------|---|--------------------------------|
| Cheese, 16 oz. | \$6.23 | Nestle Good Start Gentle PLUS Powder—Orange Formula—12 oz. | \$13.89 |
| Eggs | \$1.81 | Nestle Good Start Soy PLUS Concentrate—Blue Formula—13 oz. | \$4.64 |
| Gerber Infant Cereal—8 oz. | \$2.13 | Nestle Good Start Soy PLUS Ready-to-Feed—Blue Formula—32 oz. | \$6.64 |
| Infant Fruits, 100%—4 oz. | \$0.60 | Nestle Good Start Soy PLUS Powder—Blue Formula—12.9 oz. | \$13.89 |
| Infant Vegetables, 100%—4 oz. | \$0.60 | Nestle Good Start Soy PLUS 2 Powder—Blue w/blue—24 oz. | \$21.65 |
| Infant Meats, 100%—2.5 oz. | \$1.06 | Nestle Good Start Gentle Plus 2 Powder—Blue w/orange—24 oz. | \$21.44 |
| Juice—11.5/12 oz. | \$2.57 | Nestle Good Start Protect PLUS 2 Powder—Blue w/green—24 oz. | \$26.44 |
| Juice—48 oz. | \$3.36 | Nestle Good Start Protect PLUS Powder—Green —12 oz. | \$14.52 |
| Juice—64 oz. | \$4.00 | Nestle Good Start Nourish PLUS Powder—Purple—12 oz. | \$10.79 |
| Kosher Cheese. | \$7.48 | Nutramigen Lipil Concentrate Formula—13 oz. | \$7.17 |
| Kosher Low Fat Milk—quart | \$1.45 | Nutramigen Lipil Ready-to-Feed Formula—32 oz. | \$9.02 |
| Kosher Low Fat Milk—1/2 gallon | \$1.86 | Nutramigen Lipil Powder Formula—16 oz. | \$26.02 |
| Kosher Whole Milk—quart | \$1.45 | Nutramigen Lipil w/Enflora Powder Formula—12.6 oz. | \$22.52 |
| Kosher Whole Milk—1/2 gallon | \$2.32 | Pediasure Ready-to-Feed Formula—8 oz. | \$1.85 |
| Milk, Dry—16 oz. | \$6.03 | Pediasure w/Fiber Ready-to-Feed Formula—8 oz. | \$1.92 |
| Milk, Evaporated—12 oz. | \$1.33 | Similac Advance Concentrate Formula—13 oz. | \$4.43 |
| Milk, Low Fat—quart | \$1.42 | Similac Advance Ready-to-Feed Formula—32 oz. | \$6.34 |
| Milk, Low Fat—1/2 gallon | \$2.42 | Similac Advance Powder Formula—12.9 oz. | \$13.60 |
| Milk, Low Fat Lactose Free—quart | \$2.25 | Similac Neosure Advance Ready-to-Feed Formula—32 oz. | \$7.62 |
| Milk, Whole—quart | \$1.40 | Similac Neosure Advance Powder Formula—12.8 oz. | \$15.60 |
| Milk, Whole—1/2 gallon | \$2.47 | Store Brand Milk Based Formula Concentrate—13 oz. | \$2.87 |
| Milk, Whole Lactose Free—quart | \$2.25 | Store Brand Milk Based Formula—Ready-to-Feed—32 oz. | \$3.85 |
| Milk, Whole Lactose Free—1/2 gallon | \$3.87 | Store Brand Milk Based Formula—Powder—25.75 oz. | \$16.19 |
| Peanut Butter | \$2.80 | | |
| Soy Beverage—Pacific Natural Foods/8th Continent 32 oz. | \$3.52 | | |
| Soy Beverage—Pacific Natural Foods/8th Continent 64 oz. | \$3.52 | | |
| Tofu—Soy Boy/House Premium 12/16 oz. | \$2.65 | | |
| Whole Grain—Bread, 16 oz. | \$3.59 | | |
| Whole Grain—Bread, 24 oz. | \$3.72 | | |
| Whole Grain—Brown Rice, 16 oz. | \$2.26 | | |
| Whole Grain—Brown Rice, 24 oz. | \$2.70 | | |
| Whole Grain—Oats, 16 oz. | \$2.37 | | |
| Whole Grain—Oats, 24 oz. | \$6.19 | | |
| Whole Grain—Soft Corn or Whole Wheat Tortillas, 16 oz. | \$2.26 | | |
| Alimentum Advance Ready-to-Feed Formula—32 oz. | \$9.18 | | |
| Alimentum Advance Powder Formula—16 oz. | \$26.21 | | |
| Boost Ready-to-Feed Formula—8 oz. | \$2.00 | | |
| EnfaCare LIPIL w/Iron Ready to Feed—32 oz. | \$7.29 | | |
| EnfaCare LIPIL w/Iron Powder Formula—12.8 oz. | \$14.39 | | |
| Enfamil LIPIL Concentrate Formula—13 oz. | \$4.49 | | |
| Enfamil LIPIL Ready-to-Feed Formula—32 oz. | \$6.66 | | |
| Enfamil LIPIL Powder Formula—12.9 oz. | \$13.76 | | |
| Isomil DF Ready-to-Feed Formula—32 oz. | \$6.32 | | |
| Nestle Good Start Gentle PLUS Concentrate—Orange Formula—13 oz. | \$ 4.48 | | |
| Nestle Good Start Gentle PLUS Ready-to-Feed—Orange Formula—32 oz. | \$6.49 | | |

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2010, through March 31, 2010, the Competitive Prices for WIC Authorization for Type 1 Stores in High Cost Counties are as follows:

| <i>Description</i> | <i>Competitive Prices</i> |
|---|---------------------------|
| Beans, Canned—15.5/16 oz. | \$1.08 |
| Beans/Peas—Dry—16 oz. | \$1.61 |
| Canned Fish—Pink Salmon. | \$2.37 |
| Canned Fish—Sardines | \$1.44 |
| Canned Fish—Tuna | \$1.05 |
| Cereal (per oz.) | \$0.33 |
| Cheese, 16 oz. | \$5.26 |
| Eggs | \$1.71 |
| Gerber Infant Cereal—8 oz. | \$2.13 |
| Infant Fruits, 100%—4 oz. | \$0.57 |
| Infant Vegetables, 100%—4 oz. | \$0.57 |
| Infant Meats, 100%—2.5 oz. | \$1.02 |
| Juice—11.5/12 oz. | \$2.31 |
| Juice—48 oz. | \$3.34 |
| Juice—64 oz. | \$3.82 |
| Kosher Cheese. | \$7.38 |
| Kosher Low Fat Milk—1/2 gallon | \$1.85 |
| Kosher Whole Milk—1/2 gallon | \$2.20 |
| Milk, Low Fat—1/2 gallon | \$1.90 |
| Milk, Whole—1/2 gallon | \$2.31 |
| Peanut Butter | \$2.66 |
| Whole Grain—Bread, 16 oz. | \$3.49 |
| Whole Grain—Brown Rice, 16 oz. | \$2.25 |
| Whole Grain—Oats, 16 oz. | \$2.34 |
| Whole Grain—Soft Corn or Whole Wheat Tortillas, 16 oz. | \$2.26 |
| Nestle Good Start Gentle PLUS Concentrate—Orange Formula—13 oz. | \$4.48 |
| Nestle Good Start Gentle PLUS Ready-to-Feed—Orange Formula—32 oz. | \$6.49 |
| Nestle Good Start Gentle PLUS Powder—Orange Formula—12 oz. | \$13.89 |
| Nestle Good Start Soy PLUS Concentrate—Blue Formula—13 oz. | \$4.64 |
| Nestle Good Start Soy PLUS Ready-to-Feed—Blue Formula—32 oz. | \$6.64 |
| Nestle Good Start Soy PLUS Powder— Blue Formula—12.9 oz. | \$13.89 |

Maximum Allowable Prices and Competitive Prices for Type 2 Stores in High Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 2 Stores in High Cost Counties.

Maximum Allowable Prices

Effective January 1, 2010, through March 31, 2010, the Maximum Allowable Prices the Department will pay Type 2 Stores in High Cost Counties for WIC allowable foods are as follows:

| <i>Description</i> | <i>Maximum Allowable Price</i> |
|--------------------------------|--------------------------------|
| Beans, Canned—15.5/16 oz. | \$1.28 |
| Beans/Peas—Dry—16 oz. | \$1.75 |
| Canned Fish—Pink Salmon. | \$2.45 |
| Canned Fish—Sardines | \$1.45 |

| <i>Description</i> | <i>Maximum Allowable Price</i> |
|---|--------------------------------|
| Canned Fish—Tuna | \$1.21 |
| Cereal (per oz.) | \$0.35 |
| Cheese, 16 oz. | \$6.23 |
| Eggs | \$1.82 |
| Gerber Infant Cereal—8 oz. | \$2.21 |
| Infant Fruits, 100%—4 oz. | \$0.64 |
| Infant Vegetables, 100%—4 oz. | \$0.64 |
| Infant Meats, 100%—2.5 oz. | \$1.11 |
| Juice—11.5/12 oz. | \$2.63 |
| Juice—48 oz. | \$3.41 |
| Juice—64 oz. | \$4.07 |
| Kosher Cheese. | \$7.48 |
| Kosher Low Fat Milk—quart | \$1.46 |
| Kosher Low Fat Milk—1/2 gallon | \$1.86 |
| Kosher Whole Milk—quart | \$1.46 |
| Kosher Whole Milk—1/2 gallon | \$2.32 |
| Milk, Dry—16 oz. | \$6.45 |
| Milk, Evaporated—12 oz. | \$1.40 |
| Milk, Low Fat—quart | \$1.42 |
| Milk, Low Fat—1/2 gallon | \$2.42 |
| Milk, Low Fat Lactose Free—quart | \$2.25 |
| Milk, Whole—quart | \$1.40 |
| Milk, Whole—1/2 gallon | \$2.47 |
| Milk, Whole Lactose Free—quart | \$2.25 |
| Milk, Whole Lactose Free—1/2 gallon | \$3.97 |
| Peanut Butter | \$2.81 |
| Soy Beverage—Pacific Natural Foods/8th Continent 32 oz. | \$3.52 |
| Soy Beverage—Pacific Natural Foods/8th Continent 64 oz. | \$3.52 |
| Tofu—Soy Boy/House Premium 12/16 oz. | \$2.67 |
| Whole Grain—Bread, 16 oz. | \$3.59 |
| Whole Grain—Bread, 24 oz. | \$3.72 |
| Whole Grain—Brown Rice, 16 oz. | \$2.33 |
| Whole Grain—Brown Rice, 24 oz. | \$2.70 |
| Whole Grain—Oats, 16 oz. | \$2.44 |
| Whole Grain—Oats, 24 oz. | \$6.19 |
| Whole Grain—Soft Corn or Whole Wheat Tortillas, 16 oz. | \$2.35 |
| Alimentum Advance Ready-to-Feed Formula—32 oz. | \$9.74 |
| Alimentum Advance Powder Formula—16 oz. | \$27.51 |
| Boost Ready-to-Feed Formula—8 oz. | \$2.00 |
| EnfaCare LIPIL w/Iron Ready-to-Feed—32 oz. | \$7.74 |
| EnfaCare LIPIL w/Iron Powder Formula— 12.8 oz. | \$15.30 |
| Enfamil LIPIL Concentrate Formula—13 oz. | \$4.87 |
| Enfamil LIPIL Ready-to-Feed Formula—32 oz. | \$7.05 |
| Enfamil LIPIL Powder Formula—12.9 oz. | \$14.61 |
| Isomil DF Ready-to-Feed Formula—32 oz. | \$6.64 |
| Nestle Good Start Gentle PLUS Concentrate—Orange Formula—13 oz. | \$ 4.78 |

| <i>Description</i> | <i>Maximum Allowable Price</i> | <i>Description</i> | <i>Competitive Prices</i> |
|--|--------------------------------|--|---------------------------|
| Nestle Good Start Gentle PLUS Ready-to-Feed—Orange Formula—32 oz. | \$6.86 | Beans, Canned—15.5/16 oz. | \$1.19 |
| Nestle Good Start Gentle PLUS Powder—Orange Formula—12 oz. | \$14.47 | Beans/Peas—Dry—16 oz. | \$1.66 |
| Nestle Good Start Soy PLUS Concentrate—Blue Formula—13 oz. | \$4.95 | Canned Fish—Pink Salmon. | \$2.45 |
| Nestle Good Start Soy PLUS Ready-to-Feed—Blue Formula—32 oz. | \$6.91 | Canned Fish—Sardines | \$1.44 |
| Nestle Good Start Soy PLUS Powder—Blue Formula—12.9 oz. | \$14.47 | Canned Fish—Tuna | \$1.14 |
| Nestle Good Start Soy PLUS 2 Powder—Blue w/blue—24 oz. | \$22.34 | Cereal (per oz.) | \$0.35 |
| Nestle Good Start Gentle Plus 2 Powder—Blue w/orange—24 oz. | \$22.19 | Cheese, 16 oz. | \$5.60 |
| Nestle Good Start Protect PLUS 2 Powder—Blue w/green—24 oz. | \$26.44 | Eggs | \$1.71 |
| Nestle Good Start Protect PLUS Powder—Green—12 oz. | \$14.85 | Gerber Infant Cereal—8 oz. | \$2.21 |
| Nestle Good Start Nourish PLUS Powder—Purple—12 oz. | \$10.79 | Infant Fruits, 100%—4 oz. | \$0.63 |
| Nutramigen Lipil Concentrate Formula—13 oz. | \$7.51 | Infant Vegetables, 100%—4 oz. | \$0.63 |
| Nutramigen Lipil Ready-to-Feed Formula—32 oz. | \$9.20 | Infant Meats, 100%—2.5 oz. | \$1.09 |
| Nutramigen Lipil Powder Formula—16 oz. | \$27.39 | Juice—11.5/12 oz. | \$2.45 |
| Nutramigen Lipil w/Enflora Powder Formula—12.6 oz. | \$23.82 | Juice—48 oz. | \$3.34 |
| Pediasure Ready-to-Feed Formula—8 oz. | \$2.29 | Juice—64 oz. | \$4.01 |
| Pediasure w/Fiber Ready-to-Feed Formula—8 oz. | \$2.22 | Kosher Cheese. | \$7.38 |
| Similac Advance Concentrate Formula—13 oz. | \$4.70 | Kosher Low Fat Milk—1/2 gallon | \$1.85 |
| Similac Advance Ready-to-Feed Formula—32 oz. | \$6.71 | Kosher Whole Milk—1/2 gallon | \$2.20 |
| Similac Advance Powder Formula—12.9 oz. | \$14.44 | Milk, Low Fat—1/2 gallon | \$1.90 |
| Similac Neosure Advance Ready-to-Feed Formula—32 oz. | \$7.93 | Milk, Whole—1/2 gallon | \$2.31 |
| Similac Neosure Advance Powder Formula—12.8 oz. | \$16.68 | Peanut Butter | \$2.80 |
| Store Brand Milk Based Formula Concentrate—13 oz. | \$2.95 | Whole Grain—Bread, 16 oz. | \$3.49 |
| Store Brand Milk Based Formula—Ready-to-Feed—32 oz. | \$4.05 | Whole Grain—Brown Rice, 16 oz. | \$2.33 |
| Store Brand Milk Based Formula—Powder—25.75 oz. | \$16.99 | Whole Grain—Oats, 16 oz. | \$2.44 |
| | | Whole Grain—Soft Corn or Whole Wheat Tortillas, 16 oz. | \$2.34 |
| | | Nestle Good Start Gentle PLUS Concentrate—Orange Formula—13 oz. | \$4.78 |
| | | Nestle Good Start Gentle PLUS Ready-To-Feed—Orange Formula—32 oz. | \$6.86 |
| | | Nestle Good Start Gentle PLUS Powder—Orange Formula—12 oz. | \$14.47 |
| | | Nestle Good Start Soy PLUS Concentrate—Blue Formula—13 oz. | \$4.95 |
| | | Nestle Good Start Soy PLUS Ready-to-Feed—Blue Formula—32 oz. | \$6.91 |
| | | Nestle Good Start Soy PLUS Powder—Blue Formula—12.9 oz. | \$14.47 |

Maximum Allowable Prices and Competitive Prices for Type 3 Stores in High Cost Counties

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Maximum Allowable Prices and Competitive Prices for Type 3 Stores in High Cost Counties.

Maximum Allowable Prices

Effective January 1, 2010, through March 31, 2010, the Maximum Allowable Prices the Department will pay Type 3 Stores in High Cost Counties for WIC allowable foods are as follows:

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2010, through March 31, 2010, the Competitive Prices for WIC Authorization for Type 2 Stores in High Cost Counties are as follows:

| <i>Description</i> | <i>Maximum Allowable Price</i> |
|--------------------------------|--------------------------------|
| Beans, Canned—15.5/16 oz. | \$1.29 |
| Beans/Peas—Dry—16 oz. | \$1.75 |
| Canned Fish—Pink Salmon. | \$2.45 |

| <i>Description</i> | <i>Maximum Allowable Price</i> | <i>Description</i> | <i>Maximum Allowable Price</i> |
|---|--------------------------------|---|--------------------------------|
| Canned Fish—Sardines | \$1.45 | Isomil DF Ready-to-Feed Formula—32 oz. | \$8.22 |
| Canned Fish—Tuna | \$1.25 | Nestle Good Start Gentle PLUS Concentrate—Orange Formula—13 oz. | \$5.74 |
| Cereal (per oz.) | \$0.37 | Nestle Good Start Gentle PLUS Ready-To-Feed—Orange Formula—32 oz. | \$8.14 |
| Cheese, 16 oz. | \$7.09 | Nestle Good Start Gentle PLUS Powder—Orange Formula—12 oz. | \$16.36 |
| Eggs | \$2.09 | Nestle Good Start Soy PLUS Concentrate—Blue Formula—13 oz. | \$5.53 |
| Gerber Infant Cereal—8 oz. | \$2.42 | Nestle Good Start Soy PLUS Ready-to-Feed—Blue Formula—32 oz. | \$7.47 |
| Infant Fruits, 100%—4 oz. | \$0.81 | Nestle Good Start Soy PLUS Powder—Blue Formula—12.9 oz. | \$16.36 |
| Infant Vegetables, 100%—4 oz. | \$0.81 | Nestle Good Start Soy PLUS 2 Powder—Blue w/blue—24 oz. | \$22.34 |
| Infant Meats, 100%—2.5 oz. | \$1.18 | Nestle Good Start Gentle Plus 2 Powder—Blue w/orange—24 oz. | \$22.76 |
| Juice—11.5/12 oz. | \$2.83 | Nestle Good Start Protect PLUS 2 Powder—Blue w/green—24 oz. | \$26.44 |
| Juice—48 oz. | \$3.41 | Nestle Good Start Protect PLUS Powder—Green —12 oz. | \$15.89 |
| Juice—64 oz. | \$4.10 | Nestle Good Start Nourish PLUS Powder—Purple—12 oz. | \$12.83 |
| Kosher Cheese. | \$7.48 | Nutramigen Lipil Concentrate Formula—13 oz. | \$8.63 |
| Kosher Low Fat Milk—quart | \$1.59 | Nutramigen Lipil Ready-to-Feed Formula—32 oz. | \$10.94 |
| Kosher Low Fat Milk—1/2 gallon | \$2.95 | Nutramigen Lipil Powder Formula—16 oz. | \$30.29 |
| Kosher Whole Milk—quart | \$1.59 | Nutramigen Lipil w/Enflora Powder Formula—12.6 oz. | \$23.89 |
| Kosher Whole Milk—1/2 gallon | \$2.95 | Pediasure Ready-to-Feed Formula—8 oz. | \$2.64 |
| Milk, Dry—16 oz. | \$7.44 | Pediasure w/Fiber Ready-to-Feed Formula—8 oz. | \$2.63 |
| Milk, Evaporated—12 oz. | \$1.40 | Similac Advance Concentrate Formula—13 oz. | \$5.59 |
| Milk, Low Fat—quart | \$1.52 | Similac Advance Ready-to-Feed Formula—32 oz. | \$8.04 |
| Milk, Low Fat—1/2 gallon | \$2.54 | Similac Advance Powder Formula—12.9 oz. | \$16.51 |
| Milk, Low Fat Lactose Free—quart | \$2.36 | Similac Neosure Advance Ready-to-Feed Formula—32 oz. | \$9.99 |
| Milk, Whole—quart | \$1.45 | Similac Neosure Advance Powder Formula—12.8 oz. | \$19.19 |
| Milk, Whole—1/2 gallon | \$2.57 | Store Brand Milk Based Formula Concentrate—13 oz. | \$3.24 |
| Milk, Whole Lactose Free—quart | \$2.36 | Store Brand Milk Based Formula—Ready-to-Feed—32 oz. | \$4.82 |
| Milk, Whole Lactose Free—1/2 gallon | \$3.99 | Store Brand Milk Based Formula—Powder—25.75 oz. | \$17.99 |
| Peanut Butter | \$3.05 | | |
| Soy Beverage—Pacific Natural Foods/8th Continent 32 oz. | \$3.52 | | |
| Soy Beverage—Pacific Natural Foods/8th Continent 64 oz. | \$3.52 | | |
| Tofu—Soy Boy/House Premium 12/16 oz. | \$2.77 | | |
| Whole Grain—Bread, 16 oz. | \$3.59 | | |
| Whole Grain—Bread, 24 oz. | \$3.72 | | |
| Whole Grain—Brown Rice, 16 oz. | \$2.34 | | |
| Whole Grain—Brown Rice, 24 oz. | \$2.70 | | |
| Whole Grain—Oats, 16 oz. | \$2.78 | | |
| Whole Grain—Oats, 24 oz. | \$6.25 | | |
| Whole Grain—Soft Corn or Whole Wheat Tortillas, 16 oz. | \$2.35 | | |
| Alimentum Advance Ready-to-Feed Formula—32 oz. | \$10.33 | | |
| Alimentum Advance Powder Formula—16 oz. | \$30.11 | | |
| Boost Ready-to-Feed Formula—8 oz. | \$2.00 | | |
| EnfaCare LIPIL w/Iron Ready-to-Feed—32 oz. | \$9.01 | | |
| EnfaCare LIPIL w/Iron Powder Formula—12.8 oz. | \$17.26 | | |
| Enfamil LIPIL Concentrate Formula—13 oz. | \$5.66 | | |
| Enfamil LIPIL Ready-to-Feed Formula—32 oz. | \$8.45 | | |
| Enfamil LIPIL Powder Formula—12.9 oz. | \$16.70 | | |

A store must permit purchase of WIC allowable foods that exceed the maximum allowable price to WIC participants using a WIC check; however, the amounts that exceed the maximum allowable price of any WIC allowable foods sold to WIC participants will be billed to the store on a quarterly basis in accordance with 28 Pa. Code § 1105.2.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2010, through March 31, 2010, the Competitive Prices for WIC Authorization for Type 3 Stores in High Cost Counties are as follows:

| <i>Description</i> | <i>Competitive Prices</i> |
|--|---------------------------|
| Beans, Canned—15.5/16 oz. | \$1.24 |
| Beans/Peas—Dry—16 oz. | \$1.71 |
| Canned Fish—Pink Salmon..... | \$2.45 |
| Canned Fish—Sardines | \$1.45 |
| Canned Fish—Tuna | \$1.23 |
| Cereal (per oz.) | \$0.37 |
| Cheese, 16 oz. | \$5.87 |
| Eggs | \$2.06 |
| Gerber Infant Cereal—8 oz. | \$2.42 |
| Infant Fruits, 100%—4 oz. | \$0.75 |
| Infant Vegetables, 100%—4 oz. | \$0.76 |
| Infant Meats, 100%—2.5 oz. | \$1.17 |
| Juice—11.5/12 oz. | \$2.78 |
| Juice—48 oz. | \$3.36 |
| Juice—64 oz. | \$4.09 |
| Kosher Cheese. | \$7.38 |
| Kosher Low Fat Milk—1/2 gallon | \$2.95 |
| Kosher Whole Milk—1/2 gallon | \$2.95 |
| Milk, Low Fat—1/2 gallon | \$2.51 |
| Milk, Whole—1/2 gallon | \$2.55 |
| Peanut Butter | \$2.99 |
| Whole Grain—Bread, 16 oz. | \$3.49 |
| Whole Grain—Brown Rice, 16 oz. | \$2.34 |
| Whole Grain—Oats, 16 oz. | \$2.75 |
| Whole Grain—Soft Corn or Whole Wheat Tortillas, 16 oz. | \$2.35 |
| Nestle Good Start Gentle PLUS Concentrate—Orange Formula—13 oz. | \$5.74 |
| Nestle Good Start Gentle PLUS Ready-to-Fed—Orange Formula—32 oz. | \$8.14 |
| Nestle Good Start Gentle PLUS Powder—Orange Formula—12 oz. | \$16.36 |
| Nestle Good Start Soy PLUS Concentrate—Blue Formula—13 oz. | \$5.53 |
| Nestle Good Start Soy PLUS Ready-to-Fed—Blue Formula—32 oz. | \$7.47 |
| Nestle Good Start Soy PLUS Powder— Blue Formula—12.9 oz. | \$16.36 |

Persons with a disability who require an alternative format of this listing (for example, large print, audiotope, Braille), should contact Chris Harr, Department of Health, Division of WIC, 2150 Herr Street, 1st Floor, Harrisburg, PA 17105, (717) 783-1289, or for speech and/or hearing impaired persons V/TT (717) 783-6514, or the Pennsylvania AT&T Relay Service at (800) 654-5984.

EVERETTE JAMES,
Secretary

[Pa.B. Doc. No. 10-28. Filed for public inspection December 31, 2009, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department), under section 2003(e)(7) of The Administration Code of 1929 (71 P. S. § 513(e)(7)), intends to sell certain land owned by the Department.

The following property is available for sale by the Department.

Parcel No. 11—Located in the City of Erie, Erie County. This parcel contains approximately 1.484 acres of land situated adjacent to the East Side Connector bike trail between East 9th and East 10th Streets. The property will be sold in "as is condition." The estimated fair market value of the parcel is \$370,000. It has been determined that the land is no longer needed for present or future transportation purposes.

Interested public entities are invited to express their interest in purchasing the site and to obtain additional information, within 30 calendar days from the date of publication of this notice to: William G. Petit, P. E., District Executive, Department of Transportation, Engineering District 1-0, 255 Elm Street, P. O. Box 398, Oil City, PA 16301.

ALLEN D. BEIHLER,
Secretary

[Pa.B. Doc. No. 10-29. Filed for public inspection December 31, 2009, 9:00 a.m.]

HEALTH CARE COST CONTAINMENT COUNCIL

Meetings Scheduled

The following meetings of the Health Care Cost Containment Council (Council) have been scheduled: Wednesday, January 6, 2010, Data Systems Committee—10 a.m.; Education Committee—1 p.m.; Executive Committee—3 p.m.; and Thursday, January 7, 2010, Council Meeting—10 a.m.; Health Care Cost Containment Act Review Committee meetings are scheduled for 10 a.m. on January 20 and February 23, 2010. The Technical Advisory Group will meet on February 25, 2010, at 10 a.m., additional council meetings are set for March 3 and 4, 2010. The meetings will be either held or accessible from the conference room at the Council Office, 225 Market Street, Suite 400, Harrisburg, PA 17101. The public is invited to attend. Persons who need accommodation due to a disability and want to attend the meetings, should contact Reneé Greenawalt at (717) 232-6787 at least 24 hours in advance so that arrangements can be made.

JOE MARTIN,
Executive Director

[Pa.B. Doc. No. 10-30. Filed for public inspection December 31, 2009, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P. S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P. S. § 645.5b).

The Commission has issued comments on the following proposed regulations. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

| <i>Reg. No.</i> | <i>Agency/Title</i> | <i>Close of the Public Comment Period</i> | <i>IRRC Comments Issued</i> |
|-----------------|---|---|-----------------------------|
| 16-50 | Department of State Biennial Filing Fee 39 Pa.B. 6049 (October 17, 2009) | 11/16/09 | 12/16/09 |
| 125-106 | Pennsylvania Gaming Control Board Employee Credentials, Design Standards and Internal Controls 39 Pa.B. 6073 (October 17, 2009) | 11/16/09 | 12/16/09 |

Department of State
Regulation #16-50 (IRRC #2799)
Biennial Filing Fee
December 16, 2009

We submit for your consideration the following comments on the proposed rulemaking published in the October 17, 2009 *Pennsylvania Bulletin*. Our comments are based on criteria in section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P. S. § 745.5a(a)) directs the Department of State (Department) to respond to all comments received from us or any other source.

1. Publication date and effective date.—Consistency with statute; Clarity.

The current \$100 biennial registration fee is the initial fee established by the enabling legislation, Act 134 of 2006 (65 Pa.C.S. § 13A10(a)). The Lobbying Disclosure Act (Act) provides an inflation adjustment at 65 Pa.C.S. § 13A08(j) (relating to inflation adjustment) which states, in part:

... On an annual basis commencing in January 2009, the department shall review the filing fee established under section 13A10 (relating to registration fees; fund established; system; regulations) and may by regulation adjust this amount if the department determines that a higher fee is needed to cover the

costs of carrying out the provisions of this chapter. The department shall publish adjusted amounts in the *Pennsylvania Bulletin* by June 1, 2009, and by June 1 every two years thereafter as necessary.

This proposed regulation was published on October 17, 2009, and proposes to adjust the fee from \$100 to \$200. Both the Preamble and the Regulatory Analysis Form (Response 9) state the increased registration fee will go into effect on January 1, 2011. There are two concerns.

First, the Pennsylvania Association for Government Relations commented that since the Department did not publish the fee prior to June 1, 2009, a new fee cannot be published until the next opportunity, which is by June 1, 2011. Effectively, the issue raised is whether the Act directs the Department to publish an adjusted fee 18 months prior to its effective date. The Department should explain its interpretation of how the October 17, 2009, publication of the adjusted fee to become effective January 1, 2011, is consistent with the Act.

Second, the wording of the regulation itself does not reflect the Department's intent for the new fee to become effective on January 1, 2011. As worded, the \$200 fee would apply as soon as the final regulation is published and would apply to new registrants. The wording of the regulation needs to be amended to implement the Department's intent.

2. Fees to cover costs.—Consistency with statute.

The Act directs the Department to make a determination that a higher fee is needed to cover the costs of carrying out the provisions of the Act. In the Preamble, the Department states that for fiscal years 2007-2008, the Department's costs totaled \$1,054,000 while registration fees for that same biennial totaled \$234,000. The Department states that "While the increase in the registration fee will not come close to covering the total costs of administering the act to the department, it will help defray some of the costs."

We recognize that two commentators believe the costs of the biennial registration are significant to their operations. However, even the \$200 fee will cover less than half of the Department's costs with the balance being paid from other resources. The Department should explain why \$200 is the appropriate fee amount and how the \$200 fee is consistent with the Act.

Pennsylvania Gaming Control Board
Regulation #125-106 (IRRC #2803)

**Employee Credentials, Design Standards and
Internal Controls**
December 16, 2009

We submit for your consideration the following comments on the proposed rulemaking published in the October 17, 2009 *Pennsylvania Bulletin*. Our comments are based on criteria in section 5.2 of the Regulatory Review Act (71 P. S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P. S. § 745.5a(a)) directs the Pennsylvania Gaming Control Board (Board) to respond to all comments received from us or any other source.

1. Section 435a.6. Board credentials.—Protection of the public health; safety and welfare; Implementation procedures; Fiscal impact; Need.

Subsection (c) is being amended to revise the requirements for the display of Board credentials. Commentators have raised several concerns. First, they believe that the exemption provided for food and beverage employees

should be expanded to other customer service employees. How did the Board determine which employees would not be required to display their credentials? Has the Board considered expanding the exemption, as suggested by the commentator?

Second, a commentator believes that the requirement to display credentials by employees is problematic because it jeopardizes employee safety and could also lead to identity theft. Is the Board aware of any instances where the safety of slot machine licensee employees has been jeopardized by the requirement to display credentials? If so, how will the requirements of this section and the amendments being proposed help to protect the safety of those employees?

Third, Subsection (c)(2) will require access badges to contain a unique identification number. A commentator has stated that this requirement could be costly. What is the need for this requirement?

2. Section 465a.33. Access to areas containing central compute control equipment.—Clarity.

Subsection (a)(5) is being amended to allow individuals access to the area containing central computer control equipment for emergency situations that require “environmental adjustments.” A commentator believes that the term “environmental adjustments” is vague. We agree. This term should be further explained in the final-form regulation.

ARTHUR COCCODRILLI,
Chairperson

[Pa.B. Doc. No. 10-31. Filed for public inspection December 31, 2009, 9:00 a.m.]

INSURANCE DEPARTMENT

Insurance Services Office, Inc.; Private Passenger Automobile; Alternative Rating Plan; Rate and Rule Filing

On December 17, 2009, the Insurance Department (Department) received from Insurance Services Office, Inc. a filing for an alternative rating plan to the standard ISO Personal Vehicle Manual rating system.

The model underlying the proposed Risk Analyzer Personal Auto Rating Plan Manual is based on a wide variety of characteristics affecting the risk of loss, such as traffic density, driving patterns, topography and weather. This alternate rating plan is not being filed on behalf of insurers and will not be incorporated into ISO’s Personal Vehicle Manual or Personal Auto Program. It is filed for use by insurers who elect to adopt it. The filing is to be effective upon approval.

Unless formal administrative action is taken prior to February 15, 2010, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Department’s web site at www.insurance.pa.gov. To access the filing, under “At A Glance” click on “View Current Rate Filings.”

Interested parties are invited to submit written comments, suggestions or objections to Michael McKenney, Insurance Department, Office of Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120,

e-mail at mmckenney@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Insurance Commissioner

[Pa.B. Doc. No. 10-32. Filed for public inspection December 31, 2009, 9:00 a.m.]

Insurance Services Office, Inc.; Private Passenger Automobile Loss Cost Revision; Rate Filing

On December 15, 2009, the Insurance Department (Department) received from Insurance Services Office, Inc. a filing for a proposed loss cost level change for private passenger automobile insurance.

The advisory organization requests an overall 1.5% decrease in loss costs effective September 1, 2010.

Unless formal administrative action is taken prior to February 13, 2010, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Department’s web site at www.insurance.pa.gov. On the “At a Glance” tab, click on the link “Current Rate Filings.”

Interested parties are invited to submit written comments, suggestions or objections to Xiaofeng Lu, Insurance Department, Insurance Product Regulation and Administration, Room 1311, Strawberry Square, Harrisburg, PA 17120, e-mail at xlu@state.pa.us within 15 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Insurance Commissioner

[Pa.B. Doc. No. 10-33. Filed for public inspection December 31, 2009, 9:00 a.m.]

Liberty Mutual Fire Insurance Company; The First Liberty Insurance Corporation; Homeowners; Rate Revision; Rate Filing

On December 11, 2009, the Insurance Department (Department) received from Liberty Mutual Fire Insurance Company and The First Liberty Insurance Corporation a filing for a rate level change for homeowners insurance.

The companies request an overall 3.3% increase amounting to \$3,775,702 annually, to be effective February 12, 2010, for new business and March 19, 2010, for renewal business.

Unless formal administrative action is taken prior to January 10, 2010, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Department’s web site at www.insurance.pa.gov. To access the filing, under “At A Glance” click on “View Current Rate Filings.”

Interested parties are invited to submit written comments, suggestions or objections to Michael McKenney, Insurance Department, Office of Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, e-mail at mmckenney@state.pa.us within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JOEL SCOTT ARIO,
Insurance Commissioner

[Pa.B. Doc. No. 10-34. Filed for public inspection December 31, 2009, 9:00 a.m.]

Notices of Cancellation or Refusal to Renew Requirements; Notice No. 2010-02

Address for Appeals

The Insurance Department has consolidated the processing of all notices of cancellation and refusal to renew requests for review to the Harrisburg Regional office. Therefore, we are asking insurers to modify all notices of refusal to write, cancellations and/or refusals to renew, under 40 P.S. § 991.2008 and 40 P.S. § 1171.5(a)(9) to reflect the following address, Insurance Department, Bureau of Consumer Services, 1209 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8585, Harrisburg Regional Office at (717) 787-2317, Philadelphia Regional Office at (215) 560-2630, as soon as possible, but no later than June 30, 2010.

Questions or comments regarding this notice may be directed to Carolyn Morris, Director, Bureau of Consumer Services, 1209 Strawberry Square, Harrisburg, PA 17120, (717) 783-2153. Questions or comments may also be sent by e-mail to camorris@state.pa.us or by fax to (717) 787-8585.

JOEL SCOTT ARIO,
Insurance Commissioner

[Pa.B. Doc. No. 10-35. Filed for public inspection December 31, 2009, 9:00 a.m.]

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile policy. The hearing will be held in accordance with the requirements of Act 68; 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearings will be held in the Insurance Department's regional offices in Harrisburg, PA. Failure by an appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The following hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Meredith Bee; file no. 09-130-78861; Encompass Indemnity Company; Doc. No. P09-12-017; January 27, 2010, 10 a.m.

Parties may appear with or without counsel and offer relevant testimony or other relevant evidence. Each party must bring documents, photographs, drawings, claims files, witnesses, and the like, necessary to support the party's case. A party intending to offer documents or photographs into evidence shall bring enough copies for the record and for each opposing party.

In some cases, the Insurance Commissioner (Commissioner) may order that the company reimburse an insured for the higher cost of replacement insurance coverage obtained while the appeal is pending. Reimbursement is available only when the insured is successful on appeal, and may not be ordered in all instances. If an insured wishes to seek reimbursement for the higher cost of replacement insurance, the insured must produce docu-

mentation at the hearing which will allow comparison of coverages and costs between the original policy and the replacement policy.

Following the hearing and receipt of the stenographic transcript, the Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Donna R. Fleischauer, Human Resources Director, at (717) 705-4194.

JOEL SCOTT ARIO,
Insurance Commissioner

[Pa.B. Doc. No. 10-36. Filed for public inspection December 31, 2009, 9:00 a.m.]

2009 Workers' Compensation Security Fund Assessment

The Act of July 1, 1937, P.L. 2532, No. 470, as amended 2000, (77 P.S. §§ 1051—1066), referred to as the Pennsylvania Workers' Compensation Security Fund Act (Act) was amended revising, *inter alia*, the assessment procedures of the Workers' Compensation Security Fund (Fund).

Section 1059 of the Act states, "If due to the payment of liabilities or claims, the balance of the fund is reduced below \$500,000,000, the department shall require contributions to maintain the actuarial soundness of the fund and to restore, in a timely manner, the balance of the fund to a level at or above \$500,000,000." As of December 31, 2008, the Fund balance was \$469.7 million. Therefore, an assessment is required. The amount of the 2009 assessment will be 1% of your company's Pennsylvania 2008 net written workers' compensation premiums.

Section 165.7(b) of the regulations states, "Every carrier, doing the business of workers' compensation insurance in the Commonwealth, will be assessed, based on a prorata share of the total amount of net-written premiums of workers' compensation insurance reported as written in the previous calendar year's annual statement." Section 1054 of the Pennsylvania Workers' Compensation Security Fund Act defines net written premiums, "For the purposes of this act, 'net written premiums' shall mean gross written premiums, less return premiums on policies returned not taken and on policies cancelled."

An invoice of your company's pro rata share of the assessment is enclosed with a due date of March 31, 2010. If additional information is required, contact Laura S. Keller, Claims Manager, Workers' Compensation Security Fund, 901 North 7th Street, Harrisburg, PA 17102, (717) 783-8093.

JOEL SCOTT ARIO,
Insurance Commissioner

[Pa.B. Doc. No. 10-37. Filed for public inspection December 31, 2009, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Petition of United Way of Pennsylvania for Information and Referral for the Assignment of 2-1-1 Abbreviated Dialing Code and the Designation of PA 2-1-1 as the Lead Implementing Agency for Pennsylvania 2-1-1 Service; Doc. No. P-2009-2136921

On October 19, 2009, under the provisions of 52 Pa. Code § 5.41, the United Way of Pennsylvania, the state association representing local United Way chapters that serve communities throughout this Commonwealth, filed a petition requesting the assignment of the 2-1-1 abbreviated dialing code to the not-for-profit organization, PA 2-1-1, so that it can be the leading implementing agency of the 2-1-1 abbreviated dialing code for the provision of Information and Referral Services for this Commonwealth.

Upon review of the Petition, the Pennsylvania Public Utility Commission (Commission) has determined that the solicitation of public comment is appropriate. Interested parties must submit comments within 10 days of publication in the *Pennsylvania Bulletin*.

Interested parties must file the original and 15 copies of any comment with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Copies of the petition may be obtained from the Commission's web site on the Telecommunications homepage at http://www.puc.state.pa.us/telecom/telecom_index.aspx. The contact person at the Commission is David E. Screven, Assistant Counsel, Law Bureau (717) 787-2126.

JAMES J. McNULTY,
Secretary

[Pa.B. Doc. No. 10-38. Filed for public inspection December 31, 2009, 9:00 a.m.]

persons in paratransit service, from points in the City of Greensburg, Westmoreland County, and within a 10 mile radius of said city, to either the Rivers Casino in Pittsburgh, Allegheny County, or to The Meadows Racetrack & Casino in the City of Washington, Washington County, and return.

A-2009-2147542. 24-7 Limo, Inc. (123 Blanch Street, Rices Landing, Greene County, PA 15317)—a corporation of the Commonwealth—in limousine service, from points in Greene County, and from within a 60 mile radius of said county, to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority.

A-2009-2147630. Newberry Township Fire Department (2145 York Haven Road, Etters, York County, PA 17319), a corporation of the Commonwealth—to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service from points in the Counties of York, Adams, Dauphin and Cumberland, to points in Pennsylvania, and return.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.

A-2009-2148204. Kennedy Transfer, Inc. (63 Kennedy Lane, Dubois, Clearfield County, PA 15801)—a corporation of the Commonwealth—household goods in use, which is to be a transfer of all household goods in use rights authorized under the certificate issued at A-00089629 to Robert R. and Lois J. Kennedy, d/b/a Kennedy Transfer, subject to the same limitations and conditions. *Attorney:* William A. Gray, 310 Grant Street, Suite 2310, Grant Building, Pittsburgh, PA 15219.

JAMES J. McNULTY,
Secretary

[Pa.B. Doc. No. 10-39. Filed for public inspection December 31, 2009, 9:00 a.m.]

Telecommunications

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission. Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Filings must be made with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant by January 19, 2010. Documents filed in support of the applications are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the business address of the respective applicant.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2009-2145164. "Your Bets" Inc., "Let It Ride" (425 Herminie Road, Madison, Westmoreland, PA 15663)—

A-2009-2147957. Verizon North, Inc. and Time Warner Cable Information Services (Pennsylvania), LLC. Joint petition of Verizon North, Inc. and Time Warner Cable Information Services (Pennsylvania), LLC for approval of an interconnection agreement and amendment No. 1 to the interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North, Inc. and Time Warner Cable Information Services (Pennsylvania), LLC, by its counsel, filed on December 17, 2009, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement and amendment No. 1 to the interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon North, Inc. and Time Warner Cable Information Services (Pennsylvania), LLC joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. McNULTY,
Secretary

[Pa.B. Doc. No. 10-40. Filed for public inspection December 31, 2009, 9:00 a.m.]

Telecommunications

A-2009-2147967. Verizon Pennsylvania, Inc. and Time Warner Cable Information Services (Pennsylvania), LLC. Joint petition of Verizon Pennsylvania, Inc. and Time Warner Cable Information Services (Pennsylvania), LLC for approval of an interconnection agreement and amendment No. 1 to the interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, Inc. and Time Warner Cable Information Services (Pennsylvania), LLC, by its counsel, filed on December 17, 2009, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement and amendment No. 1 to the interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265. Comments are due on or before 10 days after the date of publication of this notice. Copies of the Verizon Pennsylvania, Inc. and Time Warner Cable Information Services (Pennsylvania), LLC joint petition are on file with the Commission and are available for public inspection.

The contact person is Cheryl Walker Davis, Director, Office of Special Assistants, (717) 787-1827.

JAMES J. McNULTY,
Secretary

[Pa.B. Doc. No. 10-41. Filed for public inspection December 31, 2009, 9:00 a.m.]

Telecommunications Services

A-2009-2148185. NTELOS of West Virginia, Inc., t/a NTELOS. Application of NTELOS of West Virginia, Inc., t/a NTELOS for approval to offer, render, furnish or supply telecommunications services to the public as a Competitive Local Exchange Carrier in the service territory of The United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before January 19, 2010. The documents

filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: NTELOS of West Virginia, Inc., t/a NTELOS

Through and By Counsel: Mary McDermott, Sr. VP—Legal & Regulatory Affairs, NTELOS, Inc., 401 Spring Lane, Waynesboro, VA 22980, (540) 946-8677, fax (540) 946-3595, mcdermottm@ntelos.com.

JAMES J. McNULTY,
Secretary

[Pa.B. Doc. No. 10-42. Filed for public inspection December 31, 2009, 9:00 a.m.]

Transfer by Sale

A-2009-2148533. Metropolitan Edison Company and Giorgio Foods, Inc. Application of Metropolitan Edison Company for approval of a transfer by sale to Giorgio Foods, Inc., facilities located in Maiden Creek Township, Berks County, PA.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities). Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, P. O. Box 3265, Harrisburg, PA 17105-3265, with a copy served on the applicant, on or before January 19, 2010. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, and at the applicant's business address.

Applicant: Metropolitan Edison Company

Through and By Counsel: Bradley A. Bingaman, Esquire, 2800 Pottsville Pike, P. O. Box 16001, Reading, PA 19612.

JAMES J. McNULTY,
Secretary

[Pa.B. Doc. No. 10-43. Filed for public inspection December 31, 2009, 9:00 a.m.]

PENNSYLVANIA STIMULUS OVERSIGHT COMMISSION

Public Meeting

The next public meeting of the Pennsylvania Stimulus Oversight Commission is scheduled for Thursday, January 14, 2010, at 11 a.m. in Conference Room 1, 6th Floor, Forum Place Building, 555 Walnut Street in Harrisburg, PA.

RONALD NAPLES,
Chairperson

[Pa.B. Doc. No. 10-44. Filed for public inspection December 31, 2009, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of Claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

| | | |
|-------------------|--|--------|
| February 3, 2010 | Linda L. Butcher (Purchase of Service) | 1 p.m. |
| February 17, 2010 | Terrance Gileo Faye (Membership Eligibility) | 1 p.m. |
| February 24, 2010 | Lyn Segal (HOP) | 1 p.m. |
| March 3, 2010 | John C. Nedwill (Effective Date of Retirement) | 1 p.m. |
| April 28, 2010 | Angela Y. Brooks (Multiple Service Membership) | 1 p.m. |

Persons with a disability, wishing to attend the previously-listed hearings, and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact Barb Fluire, Assistant to the Executive Director, at (717) 720-4921 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law). Under 22 Pa. Code § 201.1, (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to the General Rules of Administrative Practice and Procedure), unless specific exemption is granted.

JEFFREY B. CLAY,
Executive Director

[Pa.B. Doc. No. 10-45. Filed for public inspection December 31, 2009, 9:00 a.m.]

STATE ATHLETIC COMMISSION

Public Meetings for 2010

The State Athletic Commission (Commission) of the Department of State announces its schedule for regular meetings to be held at least once every 2 months in 2010, under 5 Pa.C.S. § 103 (relating to duties of commission). Meetings will be held in Room 303, North Office Building, Harrisburg, PA 17120, at 11 a.m. These meetings are open to the public and are scheduled as follows:

February 22, 2010
April 26, 2010
June 28, 2010
August 23, 2010
October 25, 2010
December 20, 2010

Individuals having questions regarding these meetings should contact the Commission at (717) 787-5720.

GREGORY P. SIRB,
Executive Director

[Pa.B. Doc. No. 10-46. Filed for public inspection December 31, 2009, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Request for Qualifications

The Susquehanna River Basin Commission (Commission) is seeking qualified contractors to perform Aquatic Resource Surveys on selected stream reaches within the boundaries of the Susquehanna River Basin. The Request for Qualifications (RFQ) is now available for download at no charge in PDF format from the Commission's web site (www.srbcc.net) under link "Request For Qualifications (ARS)." Sealed qualifications are due at Commission Headquarters, 1721 North Front Street, Harrisburg, PA, by 4 p.m., February 12, 2010. Questions regarding the RFQ can be directed to Erin Lynam at (717) 238-0423, Ext. 226, or elynam@srbcc.net.

THOMAS W. BEAUDUY,
Deputy Director

[Pa.B. Doc. No. 10-47. Filed for public inspection December 31, 2009, 9:00 a.m.]

